

# **APPENDIX A**

**Public Participation Materials** 



# **Presentation Outline**

- Onterra, LLC
- Why Create a Management Plan?
- Elements of a Lake Management Planning Project
  - Data & Information
  - Planning Process



Onterra LLC

# Onterra, LLC

- Founded in 2005
- Staff
  - Four full-time ecologists
  - One part-time ecologist
  - One field technician
  - Two summer interns
- Services
  - Science and planning
- Philosophy
  - Promote realistic planning
  - Assist, not direct



# Why create a lake management plan?

- To create a better understanding of the lake's positive and negative attributes.
- To discover ways to minimize the negative attributes and maximize the positive attributes.
- To foster realistic expectations and dispel myths.
- To create a snapshot of the lake for future reference and planning.

Onterra LLC

June 2012

# Elements of an Effective Lake Management Planning Project

# **Data and Information Gathering**

Environmental & Sociological

# **Planning Process**

Brings it all together



Onterra LLC

# Data and information gathering

- Study Components
  - Water Quality Analysis
  - Watershed Assessment
  - Aquatic Plant Surveys
  - Fisheries Data Integration
  - Shoreline Assessment
  - Stakeholder Survey




Onterra LLC

# Water Quality Analysis

- General water chemistry (current & historic)
  - Citizens Lake Monitoring Network
- Nutrient analysis
  - Lake trophic state (Eutrophication)
  - Limiting plant nutrient
- Supporting data for watershed modeling.

Onterra, LLC
Lake Management Planning




June 2012

# **Aquatic Plant Surveys**

- Concerned with both native and nonnative plants
- Multiple surveys used in assessment
  - Curly-leaf pondweed Survey
  - Point-intercept survey
  - Aquatic plant community mapping
  - Eurasian water milfoil mapping


Onterra LLC




Dominant
Highly Dominant

Surface Matting






June 2012 3









June 2012

# Fisheries Data Integration

- No fish sampling completed
- Assemble data from WDNR, USGS, USFWS, & GLIFWC
- Fish survey results summaries (if available)
- Use information in planning as applicable



# Shoreland Assessment Shoreland area is important for buffering runoff and provides valuable habitat for aquatic and terrestrial wildlife. It does not look at lake shoreline on a property-by-property basis. Assessment ranks shoreland area from shoreline back 35 feet Urbanized Natural


# Standard survey used as base Planning committee potentially develops additional questions and options Must not lead respondent to specific answer through a "loaded" question Survey must be approved by WDNR


Onterra LLC



June 2012 5







June 2012 6

# Jersey Flowage Lake Management Planning Project

November 2012 Update Submitted by: Dan Cibulka, Onterra, LLC

With the help of a Lake Management Planning Grant totaling over \$20,000 from the Wisconsin Department of Natural Resources (WDNR), a project is underway to create a lake management plan for the Jersey Flowage. The lake management plan will contain historic and current data from the lake as well as provide guidance for its management by integrating stakeholder perceptions and goals with what is ecologically beneficial for the lake.


As described further below, numerous field studies were carried out upon Jersey Flowage during 2012. Because of the wealth of data that was collected just within the past few months, much of the data analysis has yet to be completed. This update intends to bring the Friends of the Jersey Flowage (FOTJF) up-to-date on the scientific studies that have occurred, provide some initial observations on the ecology of the Jersey Flowage, and project a rough timeline for the remaining actions that will be taken as a part of this planning project.

Onterra staff had their first glimpse of the Jersey Flowage with a visit in early April. During this time, ecologists collected the first of several water quality samples. This water is preserved and sent to the State Lab of Hygiene in Madison, WI for chemical analysis. During the summer months (June, July and August) as well as the fall (October) the water was sampled yet again, while a final sample will be collected through the ice in February of 2013. Water samples targeting the larval stage of the invasive zebra mussel were also taken by Onterra staff and sent to the WDNR for analysis as part of efforts to monitor the lake for this invasive species.

All aquatic plant surveys were conducted as scheduled, first by visiting the lake on June 6, 2012 to complete the curly-leaf pondweed (CLP) survey. This survey's purpose was to map the CLP that is known to be located on the lake. Initial results from this survey suggest that the aerial coverage of curly-leaf pondweed has expanded slightly (less than an acre) from 2011, while density has increased at known locations substantially (Map 1). Another invasive plant, Eurasian water milfoil (EWM), was mapped on September 19<sup>th</sup> by Onterra ecologists. Unlike CLP, EWM has increased its distribution dramatically within the lake since 2011, as well as increasing its density (Map 2). Currently, EWM covers over 148 acres of the lake in a colonized form. As this project continues, management options the FOTJF may consider in addressing the spread of these invasive plants will be discussed thoroughly.

On June 27<sup>th</sup>, three crews visited the Jersey Flowage to complete the point-intercept survey. This is a grid-based survey designed to sample all plants (native and non-native) within the lake. An additional aquatic plant survey, the community mapping survey, was completed on July 26<sup>th</sup>. The purpose of this survey is to map the floating-leaf and emergent species that are found within the lake and are typically underestimated in the point intercept survey. During these aquatic plant surveys, many interesting native species were observed, including one species that is listed as being of 'special concern' in Wisconsin due to its rarity and vulnerability to environmental degradation – Vasey's pondweed (*Potamogeton vaseyi*). In fact, this species was the fourth most common plant sampled during the point-intercept survey. Aquatic plants were found to grow to a maximum depth of 7 feet. Wild celery, a submerged aquatic plant with ribbon-shaped floating leaves, was the most common plant encountered during the point-intercept survey (Figure 1).






**Figure 1. Jersey Flowage aquatic plant relative frequency of occurrence.** Created using data from a June 2012 aquatic plant point-intercept survey.


On October 9<sup>th</sup>, a crew visited Jersey the Flowage to conduct a shoreline assessment survey. During this survey, the lake's shoreline is examined and classified into one of five development categories, based upon its level of human disturbance. The results of this survey may be used to prioritize areas for restoration, if the FOTJF wishes to pursue this.

In addition to collected ecological data from the Jersey Flowage, sociological data will be collected from the people who use and care for the Jersey Flowage. With assistance from Onterra staff, a planning committee comprised of FOTJF volunteers will design a survey to be distributed to all riparian property owners. The results of this survey will be helpful in the development of management goals and actions for the Jersey Flowage.


In the coming months, Onterra will be sorting through the immense amount of water quality, aquatic plant, shoreline assessment and stakeholder survey data that has been or will be collected. Additionally, the watershed surrounding the lake will be delineated and modeled using a computer program to estimate the amount of nutrients the lake receives on an annual basis. The WDNR will also be contacted to discuss the management of the fishery. And finally, discussions will ensue between the FOTJF, WDNR and Onterra staff regarding the spread and impact of invasive species on the Jersey Flowage and what management actions may be taken.

In summary, all project components are on schedule. Following data analysis and report creation, the Jersey Flowage Planning Committee and Onterra staff will meet to discuss the project results and begin creation of management goals and actions the FOTJF will pursue to manage their lake in both a recreationally enjoyable and ecologically sound manner.























June 6, 2013











































































































# **Conclusions**

- · Water quality for shallow, lowland drainage lake is good.
- · Limited historic data.
- · Lake is productive, though not to an unhealthy extent.
- · Overall watershed is in excellent condition.
  - · Land cover is mostly natural.
- Sheer size of watershed means that phosphorus input is hard to control.
- · Shoreland zone is mostly undeveloped.

Onterra LLC

# **Conclusions continued**

- · Aquatic plant community
- Based upon standard analysis, native plant community is of high quality.
- Abundance of organic substrate and high-nutrient water creates abundant aquatic plant growth.
- · Perfect conditions for Vasey's pondweed.
- Fisheries
- · Productive lake leads to robust fishery.
- Walleye and muskellunge spearing occurred in 2012.
- · Minimal coarse woody habitat.

Onterra LLC

# Develop Control Strategy & Monitoring Plan

### **Control Strategy**

- Realistic and ecologically beneficial for the lake
- Inline with lake group's lake management goals
- Based upon lake group's support for various methods (e.g. drawdown, herbicide use)
- Prioritization based upon financial limitations and/or volunteerism
- Obtain support from additional management entities


### **Monitoring Plan**


Collection of Pretreatment & Post Treatment Data


Conterna, LLC


Lake Management Planning
















June 6, 2013





# NR 107 – Aquatic Plant Management Conditions

- (1) The department may stop or limit the application of chemicals to a body of water if at any time it determines that chemical treatment will be ineffective, or will result in unreasonable restrictions on current water uses, or will produce unnecessary adverse side effects on non-target organisms.
- (4) Treatment of areas containing high value species of aquatic plants shall be done in a manner which will not result in adverse long-term or permanent changes to a plant community in a specific aquatic ecosystem.

Onterra LLC \_

# Large to whole-lake scale treatment expectations

- Approved APM plan following APM Guide
- A recent (year prior to implementation) baseline aquatic plant survey using the Point-intercept (PI) method
- A map documenting the proposed treatment areas
- Monitoring and evaluation plan
- Technical review by statewide team (esp. for first time, whole-lake, or experimental projects)
- Meets NR107 and NR150 requirements

Onterra LLC

# How do they work?

- 2,4-D absorbed by plant tissue; inhibits plant growth and cell division (auxin hormone mimic)
- Triclopyr absorbed by plant tissue; inhibits plant growth and cell division(auxin hormone mimic)
- Endothall commonly referred to as a contact herbicide, inhibits respiration and protein synthesis, disrupts cell membranes
- Fluridone inhibits plant-specific enzyme (carotene) which protects chlorophyll from UV (sun) damage
- Diquat Inhibits photosynthesis & destroys cell membranes

Onterra LLC

# Are herbicides "safe?"

Registration by the EPA does not mean that the use of the herbicide poses no risk to humans or the environment, only that the benefits have been determined to outweigh the risks .

Because product use is not without risk, the EPA does not define any pesticide as "safe."

Onterra LLC

June 6, 2013

# Jersey Flowage Lake Management Planning Project

July 2013 Update Submitted by: Dan Cibulka, Onterra, LLC

With the help of a Lake Management Planning Grant totaling over \$20,000 from the Wisconsin Department of Natural Resources (WDNR), a project is underway to create a lake management plan for the Jersey Flowage. The lake management plan will contain historic and current data from the lake as well as provide guidance for its management by integrating stakeholder perceptions and goals with what is ecologically beneficial for the lake.

Numerous field studies were conducted by Onterra on the Jersey Flowage during 2012-2013. In addition, a planning committee comprised of Friends of the Jersey Flowage (FOJF) members created a stakeholder survey which was distributed to households around the lake in March of 2013. On June 6, 2013, Onterra ecologists Dan Cibulka and Eddie Heath met with the FOJF Planning Committee to present and discuss the results of these studies in detail. A brief summary of the results are discussed below.

# Water Quality

The water quality of the Jersey Flowage was monitored during the open water season of 2012 and in the winter of 2013. Additionally, available historic water quality data was researched from state databases in an effort to determine if any trends in water quality are occurring. While minimal historic data exists, 2012 monitoring data indicate that the phosphorus and algal content of the Jersey Flowage's water may be categorized as "Good", and is comparable to similar types of lakes across the state of Wisconsin. While the water is not as clear as in some other lakes, this is not due to pollution, but rather can be attributed to a natural staining (tannins) from decomposing matter found in surrounding wetlands.

# Watershed

The Jersey Flowage watershed is quite large, at 353,873 acres. It includes land directly contributing surface water to the lake as well as land contributing water into the upstream Rice River Reservoir. While this is an immense watershed, the land is mostly natural and undeveloped which is advantageous from a lake ecosystem's perspective. High amounts of developed land may impact a lake through unnecessary nutrient and sediment inputs.

### Shoreland Assessment

Onterra ecologists surveyed the immediate shoreland of the Jersey Flowage to determine how developed this area is, and what habitat potential it provides. Over 50% of the flowage's shoreland area was determined to be completely natural/undeveloped, while roughly 27% was highly developed and 19% of the shoreland was classified as developed but somewhat natural. Occurrences of coarse woody habitat, a beneficial habitat type for many aquatic organisms, were noted during this survey and found to be in lesser abundance than what might be found in a completely natural lake ecosystem.



# **Aquatic Plants**

Numerous surveys were conducted in 2012 that focused upon the native and non-native (invasive) plant community of the Jersey Flowage. During these surveys, an incredible 57 species of native aquatic plants were located within the lake and on its shorelands. One of these species, Vasey's pondweed (*Potamogeton vaseyi*) is listed by the Wisconsin Natural Heritage Inventory as a species of "special concern" due to its rarity and vulnerability to environmental degradation. Standard analyses indicate that the native aquatic plant community in the Jersey Flowage is of high quality, with high species richness and diversity.

Unfortunately, several aquatic invasive species were encountered during surveys including curly-leaf pondweed, Eurasian water milfoil, pale yellow iris and purple loosestrife. Of these species, curly-leaf pondweed and Eurasian water milfoil are of most concern to the Jersey Flowage's health and ecology. Onterra staff conducted special surveys to document the distribution and density of these species within the Jersey Flowage.

# Fisheries Data

Although fisheries data collection was not conducted as a part of this study, Onterra ecologists worked with local WDNR biologists to understand the fishery of the Jersey Flowage and will document this within the management plan. Numerous components of the fishery including habitat availability, Native American spear harvest data, angling regulations and bullhead population concerns were discussed with the FOJF planning committee. WDNR biologists have tentatively scheduled a 2015 comprehensive fishery study on the Jersey Flowage.

# **Next Steps**

The Jersey Flowage is currently in good health; however the presence of aquatic invasive species may pose a substantial threat to the lake. Later this summer, Onterra ecologists will be meeting with the FOJF Planning Committee once again to assist in the creation of realistic and implementable management goals. The goals will address numerous components of lake management, including water quality monitoring, FOJF educational activities and management of aquatic invasive species to name a few. These goals will ultimately guide the FOJF as they strive to protect and manage their beloved lake for years to come.



B

# **APPENDIX B**


**Stakeholder Survey Response Charts and Comments** 

Returned Surveys	58
Sent Surveys	150
Response Rate (%)	38.7

### JERSEY FLOWAGE PROPERTY

### #1 How is your property on the Jersey Flowage utilized?

	Total	%
A year-round residence	27	45.8
Seasonal residence (summer only)	17	28.8
Weekends throughout the year	8	13.6
Undeveloped	2	3.4
Rental property	1	1.7
Other	2	3.4
I am a renter and do not own the property	1	1.7
I do not live on the lake	1	1.7
	59	100.0




# #2 How many days each year is your property used by you or others?

Answered Question	55
Average	197.2
Standard deviation	153.6

### #3 How long have you owned or rented your property on the Jersey Flowage?

	Total	%
1-5 years	6	10.7
6-10 years	8	14.3
11-15 years	8	14.3
16-20 years	9	16.1
21-25 years	7	12.5
>25 years	18	32.1
	56	100.0




1


# #4 What type of septic system does your property utilize?

	Total	%
Conventional system	28	48.3
Holding tank	14	24.1
Mound	8	13.8
Municipal sewer	4	6.9
Advanced treatment system	0	0.0
Do not know	1	1.7
No septic system	3	5.2
	58	100.0

### #5 How often is the septic tank on your property pumped?

	Total	%
Multiple times a year	7	13.7
Once a year	5	9.8
Every 2-4 years	32	62.7
Every 5-10 years	4	7.8
Do not know	3	5.9
	51	100.0






### RECREATIONAL ACTIVITY ON THE JERSEY FLOWAGE

### #6 How many years ago did you first visit the Jersey Flowage?

Answered Question	57
Average	31.6
Standard deviation	20.1

### #7 For how many years have you fished the Jersey Flowage?

	Total	%
Never	4	7.0
1-5 years	5	8.8
6-10 years	7	12.3
11-15 years	3	5.3
16-20 years	7	12.3
21-25 years	7	12.3
>25 years	24	42.1
	57	100.0




## #8 Have you personally fished on the Jersey Flowage in the past three years?

	Total	%
Yes	46	82.1
No	10	17.9
	56	100.0

### #9 What species of fish do you like to catch on the Jersey Flowage?

	Total
Northern Pike	29
Walleye	27
Crappie	23
Bluegill/Sunfish	19
Yellow perch	16
Smallmouth bass	16
Muskellunge	14
Largemouth bass	9
Other	3
All fish species	13




3


# $\mbox{\tt\#10}~$ How would you describe the current quality of fishing on the Jersey Flowage?

	Total	%
Very Poor	1	2.0
Poor	10	20.4
Fair	24	49.0
Good	10	20.4
Excellent	1	2.0
Unsure	3	6.1
	49	100.0

# #11 How has the quality of fishing changed since you started fishing on the lake?


	Total	%
Much worse	10	20.4
Somewhat worse	23	46.9
Remained the Same	11	22.4
Somewhat better	0	0.0
Much better	0	0.0
Unsure	5	10.2
	10	100.0





### #12 What types of watercraft do you currently use on the Jersey Flowage?

	Total
Motor boat with greater than 25 hp motor	27
Pontoon	22
Motor boat with 25 hp or less motor	19
Canoe/Kayak	16
Paddleboat	8
Rowboat	6
Jet ski (personal water craft)	4
Sailboat	0
Jet boat	0
Do not use watercraft	5





# #13 How would you rate the level of safety exhibited by other watercraft users on the Jersey Flowage?

	Total	%
Very Poor	0	0.0
Poor	4	6.9
Fair	19	32.8
Good	24	41.4
Excellent	7	12.1
Unsure	4	6.9
	58	100.0

# $\mbox{\tt \#14}~$ How would you rate the amount of law enforcement present on the Jersey Flowage?


	Total	%
Not enough presence	8	13.8
Sufficient presence	36	62.1
Too much presence	0	0.0
Unsure	14	24.1
	58	100.0





### #15 Please rank up to three activities that are important reasons for owning your property on or near the lake.

	1st	2nd	3rd	% ranked
Fishing - open water	22	19	5	28.8
Relaxing/entertaining	17	11	9	23.1
Nature viewing	5	9	16	18.8
Pleasure boating	3	5	8	10.0
Water skiing/tubing	3	2	3	5.0
Canoeing/kayaking	1	2	4	4.4
Swimming	0	3	2	3.1
Hunting	2	0	1	1.9
Snowmobiling/ATV	1	1	0	1.3
Ice fishing	0	0	0	0.0
Jet skiing	0	0	0	0.0
Sailing	0	0	0	0.0
Other	0	0	2	1.3
None of these activities are important to me	2	1	1	2.5
•	56	53	51	100.0



# JERSEY FLOWAGE CURRENT AND HISTORIC CONDITION, HEALTH AND MANAGEMENT

# #16 How would you describe the current water quality of the Jersey Flowage?


	Total	%
Very Poor	2	3.5
Poor	6	10.5
Fair	25	43.9
Good	17	29.8
Excellent	1	1.8
Unsure	6	10.5
	57	100.0


# #17 How has the water quality changed in the Jersey Flowage since you first visited the lake?

	Total	%
Severely degraded	3	5.3
Somewhat degraded	26	45.6
Remained the same	17	29.8
Somewhat improved	2	3.5
Greatly improved	1	1.8
Unsure	8	14.0
	57	100.0

### #18 Have you ever heard of aquatic invasive species?

	Total	%
Yes	54	94.7
No	3	5.3
	57	100.0






### #19 Do you believe aquatic invasive species are present within the Jersey Flowage?

	Total	%
Yes	55	98.2
No	1	1.8
	56	100.0


### #20 Which aquatic invasive species are you aware of in the lake?

	Total
Eurasian water milfoil	38
Purple loosestrife	30
Curly-leaf pondweed	26
Rusty crayfish	9
Carp	8
Zebra mussel	3
Heterosporosis (yellow perch parasite)	3
Pale yellow iris	2
Flowering rush	1
Spiny water flea	1
Chinese mystery snail	0
Freshwater jellyfish	0
Alewife	0
Round goby	0
Rainbow smelt	0
Other	4
I'm not sure but I believe AIS are present in the Jersey Flowage	15




### #21 To what level do you believe each of the following factors may be negatively impacting the Jersey Flowage?

	0-Not present	1-No Impact	2	3-Moderately negative impact	4	5-Great negative impact	Unsure	Total	Average
Excessive aquatic plant growth	0	0	4	15	10	17	4	46	3.9
Aquatic invasive species	0	1	0	19	10	15	5	45	3.8
Algae blooms	1	6	7	11	10	10	5	44	3.2
Loss of fish habitat	3	3	8	17	5	8	6	41	3.0
Water quality degradation	4	6	4	17	5	8	6	40	2.8
Degradation of native aquatic plants	1	8	4	21	3	4	8	40	2.7
Excessive fishing pressure	2	9	10	15	3	6	6	43	2.6
Shoreline erosion	4	10	9	15	3	4	6	41	2.3
Boat traffic	1	14	12	13	7	0	4	46	2.2
Shoreland property runoff	1	14	9	12	3	2	8	40	2.2
Lakeshore development	2	14	10	13	2	3	6	42	2.2
Septic system discharge	5	11	5	5	4	4	16	29	2.1
Loss of wildlife habitat	5	12	13	6	5	2	7	38	2.0
Insufficient boating safety	6	13	13	7	4	3	5	40	2.0
Noise pollution	2	18	12	11	3	1	4	45	2.0
Loss of shoreline vegetation	5	13	12	9	2	2	6	38	1.9
Light pollution	6	22	7	6	3	0	6	38	1.5
Other	0	0	0	0	0	5	5	5	5.0




#### #22 From the list below, please rank your top three concerns regarding the Jersey Flowage.

	1st	2nd	3rd	% Ranked
Aquatic invasive species	15	6	7	18.7
Excessive aquatic plant growth	8	7	6	14.0
Water quality degradation	5	7	6	12.0
Loss of fish habitat	3	10	5	12.0
Loss of wildlife habitat	5	4	4	8.7
Algae blooms	2	5	3	6.7
Excessive fishing pressure	3	2	1	4.0
Lakeshore development	3	0	3	4.0
Shoreline erosion	2	3	0	3.3
Boat traffic	1	3	1	3.3
Septic system discharge	1	0	3	2.7
Insufficient boating safety	0	1	3	2.7
Shoreland property runoff	2	0	1	2.0
Degradation of native aquatic plants	0	0	2	1.3
Noise pollution	1	0	1	1.3
Loss of shoreline vegetation	0	1	0	0.7
Light pollution	0	1	0	0.7
Other	1	1	1	2.0
	52	51	47	100.0




## #23 During open water season how often does aquatic plant growth, including algae, negatively impact your enjoyment of the Jersey Flowage?

	Total	%
Never	3	5.6
Rarely	4	7.4
Sometimes	22	40.7
Often	18	33.3
Always	7	13.0
	54	100.0




## #24 Considering your answer to the question #23, do you believe aquatic plant control is needed on the Jersey Flowage?

	Total	%
Definitely yes	22	40.7
Probably yes	22	40.7
Unsure	9	16.7
Probably no	1	1.9
Definitely no	0	0.0
	54	100.0




#25 Aquatic plants can be professionally managed using many techniques. What is your level of support for the responsible use of the following techniques on the Jersey Flowage?

	1 - Not supportive	2	3 - Neutral	4	5 - Highly supportive	Unsure	Total	Average
Biological control	1	1	6	11	18	15	37	4.2
Integrated control using many methods	1	0	9	9	17	14	36	4.1
Mechanical harvesting	4	2	7	13	15	9	41	3.8
Dredging of bottom sediments	6	2	9	9	11	14	37	3.5
Herbicide (chemical) control	7	3	8	11	12	13	41	3.4
Hand-removal by divers	3	3	16	8	8	12	38	3.4
Manual removal by property owners	8	2	15	9	7	9	41	3.1
Water level drawdown	14	5	7	7	3	14	36	2.4
Do nothing (do not manage plants)	31	1	5	0	0	7	37	1.3



#### #26 Which of these subjects would you like to learn more about?

	Total
Risks of aquatic invasive species control	27
Methods of controlling aquatic invasive species	26
Impacts of aquatic invasive species on the lake	23
Invasive species present in the lake	23
Benefits of aquatic invasive species control	19
Ways that aquatic invasive species are spread between lakes	13
Human impacts on lakes	10
Ecological advantages of shoreland restoration using native plants	10
Clean Boats / Clean Waters volunteer watercraft monitoring program	6
Some other topic	1
Not interested in learning more on any of these subjects	8



#### Friends of the Jersey Flowage, Inc.

#27 Before receiving this mailing, have you ever heard of the Friends of the Jersey Flowage?


	1 otai	%
Yes	56	100.0
No	0	0.0
	56	100.0

#28 What is your membership status with the Friends of the Jersey Flowage?

	Total	%
Current member	40	71.4
Former member	4	7.1
Never been a member	12	21.4
	56	100.0

#29 How informed has the Friends of the Jersey Flowage kept you regarding issues with the lake and its management?


	Total	%
Not at all informed	0	0.0
Not too informed	2	4.1
Unsure	5	10.2
Fairly well informed	24	49.0
Highly informed	18	36.7
	40	100.0



15


#### #30 Please indicate, in order of importance, the priorities you believe the Friends of the Jersey Flowage should focus upon.

	1st	2nd	3rd	4th	Weighted Rank
Aquatic invasive species	31	12	5	2	1
Boating safety/law enforcement	13	21	11	6	2
Shoreline preservation	4	9	22	11	3
Fishing quality	2	8	10	27	4
	50	50	48	46	_



#### #31 Please circle the activities you would be willing to participate in if the the Jersey Flowage Lake Association requires additional assistance.

	Total
Water quality monitoring	16
Aquatic plant monitoring	14
Bulk mailing assembly	13
Watercraft inspections at boat landings	8
Friends of the Jersey Flowage Board	5
Attending Wisconsin Lakes Convention	3
Writing newsletter articles	1
I do not wish to volunteer	22





# **APPENDIX C**


**Water Quality Data** 

#### Jersey Flowage

Date: 4/2/2012 Time: 9:15 Weather: 75% sun, breezy, 41°F Entry: TWH

Max Depth: 8.3
JFS Depth (ft): 3.0
JFB Depth (ft): 6.0
Secchi Depth (ft): 3.8

Depth (ft)	Temp (°C)	D.O. (mg/L)	pН	Sp. Cond. (µS/cm)
1	8.0	10.2	8.5	69.0
2	8.0	10.2	8.4	69.0
3	8.0	10.1	8.4	69.0
4	8.0	10.1	8.4	69.0
5	7.9	10.1	8.3	70.0
6	7.9	10.1	8.3	70.0
7	7.8	10.1	8.3	70.0



Parameter	JFS	JFB
Total P (µg/L)	38.00	37.00
Dissolved P (μg/L)	5.00	4.00
Chl-a (µg/L)	7.55	NA
TKN (μg/L)	530.00	ND
$NO_3 + NO_2-N (\mu g/L)$	142.00	135.00
NH <sub>3</sub> -N (μg/L)	ND	20.00
Total N (µg/L)	672.00	20.00
Lab Cond. (μS/cm)	74.00	87.00
Lab pH	7.28	7.55
Alkalinity (mg/L CaCO <sub>3</sub> )	26.20	30.40
Total Susp. Solids (mg/L)	3.00	3.00
Calcium (mg/L)	8.50	NA
Magnesium (mg/L)	2.60	NA
Hardness (mg/L)	32.10	NA
Color (SU)	60.00	NA
Turbidity (NTU)	1.50	NA

Data collected by TWH (Onter	ra)		

### Jersey Flowage

Date: 6/21/2012 Time: 10:16 Weather: 50% clouds, 65F, moderate breeze Entry: EEC Max Depth: 12.6

JFS Depth (ft): 3.0

JFB Depth (ft): 10.0

Secchi Depth (ft): 3.5

Depth (ft)	Temp (*C)	D.O. (mg/L)	pН	Sp. Cond. (μS/cm)
1	23.9	8.2		
2	23.8	8.2		
4	23.8	8.0	7.7	
6	23.8	8.0		
8	23.7	7.8		
10	23.4	6.0		
12	22.2	3.9		

June 21, 2012						
0	5	10	15	20	25	30
o						
2 -		†			ŕ	
4 -		ļ			•	
Depth (Ft)		ļ			ļ	
g g		1			1	
		<i>-</i>			I	
10 -		_	■ Temp		<b>,</b>	
12	4	-	(°C) D.O.		1	
14			(mg/L	-)		


Parameter	JFS	JFB
Total P (μg/L)	44.00	48.00
Dissolved P (μg/L)	NA	NA
Chl-a (μg/L)	14.20	NA
TKN (µg/L)		NA
$NO_3 + NO_2 - N (\mu g/L)$	NA	NA
NH <sub>3</sub> -N (μg/L)	NA	NA
Total N (µg/L)	NA	NA
Lab Cond. (µS/cm)	NA	NA
Lab pH	NA	NA
Alkalinity (mg/L CaCO <sub>3</sub> )	NA	NA
Total Susp. Solids (mg/L)	NA	NA
Calcium (mg/L)	NA	NA
Magnesium (mg/L)	NA	NA
Hardness (mg/L)	NA	NA
Color (SU)	NA	NA
Turbidity (NTU)	NA	NA

Data collected by TAH and DAC (Onterra)

#### Jersey Flowage

Date: 7/23/2012 Time: 14:30 Weather: Clear, breezy, 85F Entry: EEC Max Depth: 12.0
JFS Depth (ft): 3.0
JFB Depth (ft): 9.0
Secchi Depth (ft): 3.0

Depth (ft)	Temp (*C)	D.O. (mg/L)	pН	Sp. Cond. (µS/cm)
1	30.1	7.2		
2	29.2	7.5		
4	28.3	7.0		
6	27.7	6.7		
8	27.3	6.1		
10	27.1	5.8		
11	26.9	5.5		



Parameter	JFS	JFB
Total P (µg/L)	51.00	52.00
Dissolved P (μg/L)	2.00	2.00
Chl-a (µg/L)	23.80	NA
TKN (μg/L)	680.00	620.00
$NO_3 + NO_2 - N (\mu g/L)$	ND	ND
NH <sub>3</sub> -N (μg/L)	ND	ND
Total N (µg/L)	680.00	620.00
Lab Cond. (µS/cm)	86.00	86.00
Lab pH	7.52	7.41
Alkalinity (mg/L CaCO <sub>3</sub> )	35.80	35.80
Total Susp. Solids (mg/L)	7.00	7.00
Calcium (mg/L)	10.20	NA
Magnesium (mg/L)	3.20	NA
Hardness (mg/L)	38.70	NA
Color (SU)	50.00	NA
Turbidity (NTU)	NA	NA

Data collected by TAH (Onterra) - water brownish green

#### Jersey Flowage

Date: 8/22/2012 Time: 15:00 Weather: 0% clouds, breezy, 80F Entry: EEC

Max Depth:
JFS Depth (ft):
JFB Depth (ft):
Secchi Depth (ft):

460	
16.9	
3	
14	
4.2	

Depth (ft)	Temp (°C)	D.O. (mg/L)	pН	Sp. Cond (µS/cm)
1	23.2	7.3		
2	22.7	7.3		
4	22	6.9		
6	21.5	6.4		
8	21.3	6.2		
10	21.2	6.1		
12	21.2	6		
14	21.1	5.9		

	A	ugust	, 22, 2	012		
0	5	10	15	20	25	30
2	}	;			<b>,</b>	
4 -	+			-		
£ 6	+			+		
Depth (Ft)	+			•		
10	•			•	<b>-0-</b> T	emp
12 -	+			•	D	C) .O.
14				_	(r	ng/L)

Parameter	JFS	JFB
Total P (μg/L)	41	43
Dissolved P (μg/L)	NA	NA
Chl-a (µg/L)	18.1	NA
TKN (μg/L)	NA	NA
$NO_3 + NO_2 - N (\mu g/L)$	NA	NA
NH <sub>3</sub> -N (μg/L)	NA	NA
Total N (µg/L)	NA	NA
Lab Cond. (µS/cm)	NA	NA
Lab pH	NA	NA
Alkalinity (mg/L CaCO <sub>3</sub> )	NA	NA
Total Susp. Solids (mg/L)	NA	NA
Calcium (mg/L)	NA	NA
Magnesium (mg/L)	NA	NA
Hardness (mg/L)	NA	NA
Color (SU)	NA	NA
Turbidity (NTU)	NA	NA


Data collected by TAH (Onterra), MJH, and MKH

#### Jersey Flowage

Date: 10/30/2012 Time: 11:00 Weather: 60% clouds, windy, 40F Entry: EEC

s	Depth (ft):	
В	Depth (ft):	
Secchi	Depth (ft):	

Depth (ft)	Temp (°C)	D.O. (mg/L)	pН	Sp. Cond. (µS/cm)
1	5.1	9.9		
2	5.2	9.9	7.4	
4	5.2	9.8		
6	5.3	9.8		
8	5.2	9.8		
10	5.2	9.8		
12	5.2	9.8	7.4	



Parameter	JFS	JFB
Total P (µg/L)	42	42
Dissolved P (µg/L)	NA	NA
Chl-a (µg/L)	4.46	NA
TKN (μg/L)	NA	NA
$NO_3 + NO_2-N (\mu g/L)$	NA	NA
NH <sub>3</sub> -N (µg/L)	NA	NA
Total N (µg/L)	NA	NA
Lab Cond. (µS/cm)	NA	NA
Lab pH	NA	NA
Alkalinity (mg/L CaCO <sub>3</sub> )	NA	NA
Total Susp. Solids (mg/L)	2	3
Calcium (mg/L)	NA	NA
Magnesium (mg/L)	NA	NA
Hardness (mg/L)	NA	NA
Color (SU)	NA	NA
Turbidity (NTU)	NA	NA

Data collected by TWH	(Onterra)		

#### Jersey Flowage

2/19/2013 11:00 100% clouds, windy, snowy, 8°F Date: 2/ Time: Weather: Entry: TWH

Max Depth: 14.8
JFS Depth (ft): 3
JFB Depth (ft): 12
Secchi Depth (ft): 5

Depth (ft)	Temp (*C)	D.O. (mg/L)	pН	Sp. Cond. (μS/cm)
1				
3	0	10		
4	0	10		
6	0	9.9		
8	0	9.8		
10	0	9.8		
12	0.1	9.8		
14	0.1	9.8		

	Fe	ebruary	<b>y</b> 19, 2	013		
0 0 <del> </del>	5	10	15	20	25	30
2 4 0 6 6 0 10 0 12 0 14 0 16 16 16 16 16 16 16 16 16 16 16 16 16				•	Tem ('C)	

Parameter	JFS	JFB
Total P (µg/L)	70.00	24.00
Dissolved P (μg/L)	6.00	6.00
Chl-a (μg/L)	NA	NA
TKN (μg/L)	590.00	310.00
$NO_3 + NO_2 - N (\mu g/L)$	181.00	171.00
NH <sub>3</sub> -N (μg/L)	59.00	66.00
Total N (µg/L)	NA	NA
Lab Cond. (µS/cm)	NA	NA
Lab pH	NA	NA
Alkalinity (mg/L CaCO <sub>3</sub> )	NA	NA
Total Susp. Solids (mg/L)	NA	NA
Calcium (mg/L)	NA	NA
Magnesium (mg/L)	NA	NA
Hardness (mg/L)	NA	NA
Color (SU)	NA	NA
Turbidity (NTU)	NA	NA

Data collected by TWH and EJG (Onterra) Ice thickness: 0.8'

Water Quality Data

water Quality Data									
2012	Sur	face	Bot	tom					
Parameter	Count	Mean	Count	Mean					
Secchi Depth (feet)	6	4.2	NA	NA					
Total P (µg/L)	6	47.7	6	41.0					
Dissolved P (µg/L)	3	4.3	3	4.0					
Chl a (µg/L)	5	13.6	0	NA					
TKN (μg/L	3	600.0	3	465.0					
NO3+NO2-N (µg/L)	3	161.5	3	153.0					
NH3-N (µg/L)	3	59.0	3	43.0					
Total N (µg/L)	2	676.0	2	320.0					
Lab Cond. (µS/cm)	2	80.0	2	86.5					
Lab pH	2	7.4	2	7.5					
Alkal (mg/l CaCO3)	2	31.0	2	33.1					
Total Susp. Solids (mg/l)	3	4.0	3	4.3					
Calcium (µg/L)	2	9.4	0	NA					
Magnesium (mg/L)	2	2.9	0	NA					
Hardness (mg/L)	2	35.4	0	NA					
Color (SU)	2	55.0	0	NA					
Turbidity (NTU)	1	1.5	0	NA					

Trophic State Index (TSI)

rropine otate index (101)							
Year	TP	Chl-a	Secchi				
1979	53.2	59.4	63.9				
2003	59.0	55.9	57.1				
2011			59.3				
2012	59.8	59.3	58.8				
#REF!							
All Years (Weighted)	58.5	58.7	59.3				
Shallow, Lowland Drainage Lakes	54.6	52.6	52.4				
NLF Ecoregion	48.1	47.5	45.7				

		Secch	i (feet)			Chloroph	yll-a (μg/L)		Total Phosphorus (µg/L)			
	Growing	Season	Sum	mer	Growing	Season	Sun	mer	Growing	Season	Sum	nmer
Year	Count	Mean	Count	Mean	Count	Mean	Count	Mean	Count	Mean	Count	Mean
1979	1	2.5	1	2.5	1	18.8	1	18.8	1	30.0	1.0	30.0
2003	2	5.0	1	4.0	1	13.2	1	13.2	2	34.5	1.0	45.0
2010	3	2.8	0									
2011	9	3.7	5	3.4								
2012	5	4.1	3	3.6	5	13.6	3	18.7	5	44.4	3.0	47.3
All Years (Weighted)		3.7	I.	3.4		14.3		17.6		40.1	I.	43.4
Shallow, Lowland Drainage Lakes				5.6				9.4				33.0
NLF Ecoregion				8.9				5.6				21.0

 July 2012 N:
 680.0

 July 2012 P:
 51.0

Summer 2012 N:P 13 :1

# **APPENDIX D**

Watershed Analysis WiLMS Results

Date: 3/6/2013 Scenario: 112

Lake Id: Jersey Flowage

Watershed Id: 0

#### Hydrologic and Morphometric Data

Tributary Drainage Area: 5788.0 acre

Total Unit Runoff: 11.70 in.

Annual Runoff Volume: 5643.3 acre-ft Lake Surface Area <As>: 433.0 acre Lake Volume <V>: 1794.0 acre-ft Lake Mean Depth <z>: 4.1 ft

Precipitation - Evaporation: 5.2 in. Hydraulic Loading: 370651.8 acre-ft/year Areal Water Load <qs>: 856.0 ft/year Lake Flushing Rate : 206.61 1/year

Water Residence Time: 0.00 year

Observed spring overturn total phosphorus (SPO): 38.0 mg/m<sup>3</sup> Observed growing season mean phosphorus (GSM): 40.1 mg/m<sup>3</sup>

% NPS Change: 0%
% PS Change: 0%

#### NON-POINT SOURCE DATA

Land Use	Acre	Low	Most Likely	High	Loading %	Low	Most Likely	High
	(ac)	Load	ling (kg/ha-yea	ar)			Loading (kg/year)	
Row Crop AG	13.0	0.50	1.00	3.00	0.0	3	5	16
Mixed AG	0.0	0.30	0.80	1.40	0.0	0	0	0
Pasture/Grass	571.0	0.10	0.30	0.50	0.4	23	69	116
HD Urban (1/8 Ac)	2.0	1.00	1.50	2.00	0.0	1	1	2
MD Urban (1/4 Ac)	7.0	0.30	0.50	0.80	0.0	1	1	2
Rural Res (>1 Ac)	78.0	0.05	0.10	0.25	0.0	2	3	8
Wetlands	2974.0	0.10	0.10	0.10	0.7	120	120	120
Forest	2143.0	0.05	0.09	0.18	0.5	43	78	156
Lake Surface	433.0	0.10	0.30	1.00	0.3	18	53	175

#### POINT SOURCE DATA

Point Sources	Water Load	Low	Most Likely	High	Loading %	
	(m^3/year)	(kg/year)	(kg/year)	(kg/year)	-	_
Lake Nokomis Input	4.5E+008	0.0	15849.0	0.0	98.0	

#### SEPTIC TANK DATA

Description	Low	Most Likely	High	Loading %
Septic Tank Output (kg/capita-year)	0.30	0.50	0.80	
<pre># capita-years 0.0</pre>				
% Phosphorus Retained by Soil	98.0	90.0	80.0	
Septic Tank Loading (kg/year)	0.00	0.00	0.00	0.0

#### TOTALS DATA

Description	Low	Most Likely	High	Loading %
Total Loading (lb)	463.5	35671.2	1311.3	100.0
Total Loading (kg)	210.2	16180.4	594.8	100.0
Areal Loading (lb/ac-year)	1.07	82.38	3.03	
Areal Loading (mg/m^2-year)	119.97	9233.84	339.44	
Total PS Loading (lb)	0.0	34940.7	0.0	98.0
Total PS Loading (kg)	0.0	15849.0	0.0	98.0
Total NPS Loading (lb)	424.8	614.6	925.0	2.0
Total NPS Loading (kg)	192.7	278.8	419.6	2.0

### Phosphorus Prediction and Uncertainty Analysis Module

Date: 3/6/2013 Scenario: 74

Observed spring overturn total phosphorus (SPO):  $38.0 \text{ mg/m}^3$  Observed growing season mean phosphorus (GSM):  $40.1 \text{ mg/m}^3$ 

Back calculation for SPO total phosphorus: 0.0 mg/m^3

Back calculation GSM phosphorus: 0.0 mg/m^3

% Confidence Range: 70%

Nurenberg Model Input - Est. Gross Int. Loading: 0 kg

Lake Phosphorus Model	Total P	Most Likely Total P (mg/m^3)	<pre>High Total P (mg/m^3)</pre>	Predicted -Observed (mg/m^3)	% Dif.
Walker, 1987 Reservoir	0	36	1	-4	-10
Canfield-Bachmann, 1981 Natural Lake	0	35	1	-5	-12
Canfield-Bachmann, 1981 Artificial Lake	0	33	1	-7	-17
Rechow, 1979 General	0	29	1	-11	-27
Rechow, 1977 Anoxic	0	32	1	-8	-20
Rechow, 1977 water load<50m/year	N/A	N/A	N/A	N/A	N/A
Rechow, 1977 water load>50m/year	0	26	1	-14	-35
Walker, 1977 General	0	34	1	-4	-11
Vollenweider, 1982 Combined OECD	1	28	2	-11	-28
Dillon-Rigler-Kirchner	0	35	1	-3	-8
Vollenweider, 1982 Shallow Lake/Res.	1	23	1	-16	-41
Larsen-Mercier, 1976	0	34	1	-4	-11
Nurnberg, 1984 Oxic	0	35	1	-5	-12

Lake Phosphorus Model	Confidence	Confidence	Parameter	Back	Model
	Lower	Upper	Fit?	Calculation	Type
	Bound	Bound		(kg/year)	
Walker, 1987 Reservoir	12	61	z Tw	0	GSM
Canfield-Bachmann, 1981 Natural Lake	11	101	Lр	1	GSM
Canfield-Bachmann, 1981 Artificial Lake	e 10	95	FIT	1	GSM
Rechow, 1979 General	9	50	qs	0	GSM
Rechow, 1977 Anoxic	11	54	FIT	0	GSM
Rechow, 1977 water load<50m/year	N/A	N/A	N/A	N/A	N/A
Rechow, 1977 water load>50m/year	10	41	FIT	0	GSM
Walker, 1977 General	9	62	FIT	0	SPO
Vollenweider, 1982 Combined OECD	8	53	Tw	0	ANN
Dillon-Rigler-Kirchner	12	59	P L qs p	0	SPO
Vollenweider, 1982 Shallow Lake/Res.	6	43	Tw	0	ANN
Larsen-Mercier, 1976	12	56	P Pin p	0	SPO
Nurnberg, 1984 Oxic	10	63	L qs	0	ANN

### Water and Nutrient Outflow Module

Date: 3/6/2013 Scenario: 65

Average Annual Surface Total Phosphorus: 39.1mg/m<sup>3</sup> Annual Discharge: 3.58E+005 AF => 4.41E+008 m<sup>3</sup> Annual Outflow Loading: 36341.5 LB => 16484.4 kg

# **APPENDIX E**

**Aquatic Plant Survey Data** 

		d, R=Rock)																																									
ial Degrees)	mal Degrees)	(M=Muck, S=Sand,			less																																						
ampling Point attiude (Decim	ongitude (Deci	epth (ft) ediment type (	ole (P); Rake		otal Rake Fulh	WM	LP.	RASC	ERDE	EREC	CHARA ELOCA	LONU	EQUEL	EMTR	EMTU	AYRSI	MJFL	NITELLA	NUPVA	NYMOD	OTAM	ОТЕР	POTNA	OTPR	POTPU	OTRO	OTSP	VOTVA	POTZO	ANAQ	SAGCR	SAGRI	снта	SPA_SP	SPAEU	SPAFL SPIPO	TYP_SP	JTRVU	VALAM	ZIZPA	W_SPONGE	AGLAE	отов
1 45.49186 2 45.49234	-89.750357 -89.751712	6 Mu	α.	OTHER	-	ш	0	-0	0	0 0	) ш	ш	ш			2	z	z	z	Ζ Δ	_	۵.	۵	۵.	4 4		-	_	Δ.	~	S	S	S	S	σ.	s s	-	- 3	>	N	Œ.	m.	
3 45.492338 4 45.492337	-89.751034 -89.750355	6 Roc	k	DEEP																																							7
5 45.492817 6 45.492815	-89.75171 -89.751032	6 Mud	k Pole																																								7
7 45.492814 8 45.492812	-89.750353 -89.749675	9 Muc	k Pole	TERRESTRIAL																																							=
9 45.493294 10 45.493292	-89.751029	11 Muc	k Pole	,																																							$\pm$
11 45.493291 12 45.493771 13 45.493769	-89.751706 -89.751706	8 Muc	x Pole	DEEP																																							#
14 45.493768 15 45.493766	-89.750349	6 San	d Pole																																								#
16 45.493765 17 45.494246	-89.748992	7 Mud	k Pole	,																																							7
18 45.494245 19 45.494243	-89.750347 -89.749669	12 Mud 10 Mud	k Pole																																								∃
20 45.494242 21 45.49424	-89.748312	2 Muc	k Pole		2			1																			1	1											1				
22 45.494723 23 45.494722	-89.750345	6 Roc	k Pole																													=											$\pm$
24 45.49472 25 45.494719 26 45.495199	-89.748988	3 San	d Pole	,	1						1										1	1			1			1											1				#
27 45.495197 28 45.495196	-89.749664 -89.748986	10 Muc	k Pole		Ė						Ŧ.																	Ë														1	7
29 45.495194 30 45.495677	-89 748308	6 Muc	k Pole																													4											7
31 45.495676 32 45.495674	-89.750341 -89.749662	3 Muc	k Pole k Pole		2															1							1	2															$\exists$
33 45.495673 34 45.495672	-89.748306	3 San	d Pole		2																				1		1	1											2				
35 45.49567 36 45.496153	-89.747627 -89.750338	4 Mud	k Pole		1															1																						1	$\equiv$
37 45.496152 38 45.49615 39 45.496149	-89.748982 -89.748982	7 Muc	d Pole	1	2	1															-	1			1																		#
40 45.496147	-89.747625	3 Muc	k Pole		2	i			1												Ė				1	1	1		1										2			1	#
41 45.496146 42 45.49663 43 45.496629	-89 749658	7 Muc	k Pole		3										1					1							2	1	1							1							7
44 45.496627 45 45.496626	-89.74898 -89.748301	10 San 7 Mud	d Pole k Pole	1																																							=
46 45.496624 47 45.496623 48 45.497106	-89.747623 -89.746945	4 Muc	k Pole	1	1 1	1			1																1		1												1				$\pm$
49 45.497104 50 45.497103	-89.748978	8 Mud	k Pole	,	1																						1												1				#
50 45.497103 51 45.497101 52 45.4971	-89.747621	1 San	d Pole		2			1		1			2	1	1											1										1							7
53 45.497581 54 45.49758	-89.748975 -89.748297	6 San	d Pole										Ë																														7
55 45.497578 56 45.497577	-89.747619 -89.74694			NONNAVIGABLE (PLANTS)																																							$\exists$
57 45.498058 58 45.498057	-89.748295	10 San	d Pole	1																																							$\exists$
59 45.498055 60 45.498054	-89.747617 -89.746938	3 San	k Pole	NONNAVIGABLE (PLANTS)	3	1			2					1					1	1		1			1	2		1															$\exists$
62 45.498538 63 45.498537	-89.750328	3 Muc	k Pole	,																																						1	$\exists$
64 45.498535 65 45.498534	-89.748971	6 Mud	k Pole	,																																							7
66 45.498532 67 45.499017	-89.747615 -89.751004	7 Muc 4 Muc	k Pole		1				1			-												4		+	-					=					$\vdash$	1	1	1			7
68 45 499015	-89 750326	6 Muc	k Pole	NONNAVIGABLE (PLANTS)	3			1	2						1					1 1																1		1					$\exists$
71 45.499011	-89.748291	4 San	d Pole		2																			$\exists$			1												2				$\exists$
72 45.499009 73 45.499008	-89.746934	4 Roc	k Pole		1																						+										+		1				$\exists$
74 45.499006 75 45.499005 76 45.499003	-89.745577	7 Roc	k Pole	1	1				1															=			1					=							1				$\exists$
70   40.469003	00.799099	, o janut	m   rule	1					-			_1	1		ıl	1				i I	1					_1		1	-														_

	1	- 1	-		ı							-	1					- 1				- 1		_		1	1		-												_
			R=Rock)																																						
			7.																																						
			Jd, F																																						
	_																																								
88	968		S=Sa																																						
g g	b b		(M=Muck,																																						
Degr	읖		1 1	_		92																																			
	Ę.		٤	8		l e																																			
Poin	ě.		8	Rake		2																																	щ		
	9	€	ent type	22	se se	Total Rake													<			_				_							0			_			SPONGE	ш	
pling	g.	£	ii.	<u>(a)</u>	Ĕ	2	-		SRASC	ã	EREC	ž lõ	l š	로	Ĕ	EMTU	SS	료	7	\$	ğ	₹	B 2	8	골	Z   Z	S.	2	8	ANAQ	<u>~</u>	Ě	8	g   g	£ 8	20	JTRVU	1 8	≼ g	AGLAE	BB
San San	l o	Depth	8	a o e	Į.	of S	WW	7.5	38,4	CERDE	5	CHAKA	ELONU	EQUFL	-EMTR	-EMTU	MYRSI	VAJFL	NTELLA	NUPVA	NYMOD	POTAM	PO TEP	90TPR	OTPU	OTRI	90TSP	NT/VA	POTZO	RANAO	SAGRI	SCHTA	SPA_SP	SPAEU	. 5	TYP_SP	Ħ	MALAM	ZIZPA FW_SPC	3	Į į
77 45.499002	2 -89.7442	21 8	Sand	Pole	Ŭ		w.	_		_					-			-	-	-					-		-	-	_	u 0,	0,	0,		,, ,					-	-	
78 45.499		42 5	Muck	Pole		1																																1			
79 45.498999		64 3				3			1	1			-								1			_		3	-	1						1	-					1_	$\perp$
80 45.498997 81 45.499494		85 2				3				3	_				-			-	-		1	2	1	_		1	+		_			_	_	_		_	1	+-+	-	+-	+
82 45.499492	2 -89.7503	24 2	Sand	Pole		3								2						1	1	-				_	1		_			_	_		1	1	T .	-	1	+	+
83 45.499485	-89.7469	32			NONNAVIGABLE (PLANTS)																																				
84 45.499483	-89.7462	54 5	Rock	Pole		1			LI.	[			1	-1	Ţ		-1	Ţ	[	[		_7			oxdot			LI.			$\sqcup$					_		1	_	₩	₩
85 45.499482 86 45.49948		75 5 97 4				3			-	-+	-	+	+	$\vdash$	-+		$\vdash$		-+	-		-	2	+		-	+	$\vdash$	-+		$\vdash$		+	+	+-	+	<del>                                     </del>	1	+	1	+
87 45.499479	-89.7442	18 7	Sand	Pole		Ľ				-		_	1		- 1	_		- 1	-				-	_									-	_	+-			$\vdash$	-	+	$\vdash$
88 45.499477	7 -89.7435	54 7	Sand	Pole																																					
89 45.499476 90 45.499474	-89.7428	62 8	Sand	Pole		3			$\Box$	[		+-	+ -	-1	1	1	-1	-1	[		1	_7		_		2	1	$\vdash$	_		+1		_		1	_	1	₩	1	₩	+-1
90 45.499474	+ -89.7421 1 -89.751	83 3	Muck	Pole		3			1	2	+		+	$\vdash$	1	1	$\vdash$		-+	-+	1		_	+	+	2	+	$\vdash$	-+	_	+	-	+	+	1	1	1		-	+-	+
92 45.499959	-89.7455	73	moun	1 0.6	NONNAVIGABLE (PLANTS)					-	_	_	1		_				-+	-				$\top$			1	$\vdash$					$\neg$		Ť		Ė	t-t	-	1	+
93 45.499957	7 -89.7448	95			NONNAVIGABLE (PLANTS)																																	$\Box$		=	$\blacksquare$
94 45.499956 95 45.499956	-89.7442	16	Mount	D-I-	NONNAVIGABLE (PLANTS)					_					_				_	_							4		_				_	_	-			+-+	$\rightarrow$	-	-
96 45.499953	8 -89.7435	59 8	Muck	Pole		-				-		_			-			-	-	-+				_			+		-				_	_	+-	1		+	-	+-	+
97 45,499951	1 -89.7421	81 3	Sand	Pole		1	1			_									_							_	1		_			_	_		+	1		-	-	+	+
98 45.500448	8 -89.7509	98			NONNAVIGABLE (PLANTS)																																				
99 45.500432 100 45.50043	-89.7435	36 3	Muck	Pole		1				_	_				_				_	1	1			_		_	-		_				_								
101 45.50043										-		-	+		-			-	-	-				+		-	+	-	-				_	_	-			+-+	_	+-	+
102 45 500427	7 -89 7415	01 5	Muck	Pole		1																							1						$\neg$			-		1	+
103 45.500907	7 -89.7428	55 2	Sand	Pole		1															1													1						1	
104 45.500906 105 45.500904		77 6 98 7								_	_				_				_	_				_		_	-		_				_								
105 45.500904	-89.7414	32 6	Muck	Pole		-				-		_			-			-	-	-+				_			+		-				_	_	+-	1		+	-	+	+
106 45.500902 107 45.501383	-89.7421	75			NONNAVIGABLE (PLANTS)																																			1	$\Box$
108   45.501381	1 -89.7414	96 10	Sand	Pole																																		$\perp$		Т.	$\blacksquare$
109 45.501379 110 45.501378	9 -89.7408	18 6	Muck	Pole						_					_				1	-														_	_			+-+		+	+
111 45.501376		61 6										-	+							-				+								-	_	_				+	-	1	+
112 45.501375	-89.7387	83 5	Muck	Pole																																				1	
113 45.501373		04 1																																	_			₩	_	—	$\perp \perp \perp$
114 45.501857 115 45.501858	-89.7408	37 7	Muck	Pole		1				-		-	+		-			-	-	-				+		-	+	-	-	1			_	_	-			+-+	_	+-	+
116 45.501853	3 -89.7394	59 6	Muck	Pole		<b>-</b>				_									_							_	1		_			_	_		+	1		-	-	1	+
117 45.501852	-89.7387	78 5	Muck	Pole																																				1	
118 45.50185 119 45.501849	-89.7381 9 -89.7374	02 5	Muck	Pole		2				-		_	-		-				-	_			_	2			-	-	_				_		-				_	1	+
120 45.501847	7 -89.7367	45 2	Muck	Pole		1				-	_				-			-	-	1							+		-				_	1	+-			1	-	+-	+
121 45.502334	4 -89.7408	13 6	Muck	Pole																																				1	$\Box$
122 45.502332	-89.7401	35 9	Muck	Pole																																		$\perp$		Т.	$\blacksquare$
123 45.502331 124 45.502329	-89.7394	57 7	Muck	Pole						_					_				_	-														_	_			+		1	+
125 45.502327		1 5				1						-	+							-				+								-	_	_				1	-	1	+
126 45.502326	-89.7374	21 5	Muck	Pole		1																																1		1	
127 45.502324	4 -89.7367	43 4	Muck	Pole			1		LI.	[		1	1	$\Box$	Ţ	1	$\Box$	Ţ	[	[		_7			oxdot			L.T			$\perp$					_		Ļ.₽	_	1	
128 45.502323 129 45.502321	1 -89.7360	65 4 86 4	Muck	Pole		3	1		$\vdash$	1	-+		+	$\vdash$	-+	1	$\vdash$		-+	-+			_	+	+		+	3	1	_	+	-	+	2	,—	1	-	1	-	1	+
130 45.502312			much	1 0.0	TERRESTRIAL					-+	-	_	1		- 1			- 1	-				_	_									-	+	+-			-	-	+	$\vdash$
131 45.502812	-89.7414	49			NONNAVIGABLE (PLANTS)																																			工	
132 45.502811 133 45.502809	-89.7408	11 4	Mare	Polc		1				_		_	+		_	_			_	1	1			_	$\vdash$		1	$\vdash$	_				_	_		_	-	++		1	+
133 45.502808	-89.7304	54 6	Muck	Pole			$\vdash$	$\vdash$	-	-+		_	+	$\vdash$	-+	_	$\vdash$	-	-+	-+			_	+	+ +	_	+	-	-+	_	$\vdash$	_	-	+	+-	1		++	-	+	+
135 45.502806	-89.7387	76 8	Muck	Pole								ᆂ												L			L							士	士	L			士	土	Ħ
136 45.502804	4 -89.7380	98 6	Sand	Pole							I																						T	T				$oldsymbol{oldsymbol{\sqcup}}$		丰	$\Box$
137 45.502803 138 45.502801		19 5 41 5				+-	v		$\vdash$	-+		+	+	$\vdash$	-+	_	$\vdash$		-+			-		+	$\vdash$		+	$\vdash$	-+		$\vdash$	-	+	-	+	+	-	++	$-\!\!+\!\!-$	1	+
139 45.50280	-89,7360	62 5	Muck	Pole		1		$\vdash$	-	-+		_	+	$\vdash$	-+	_	$\vdash$	-	-+	-+			_	+	+ +	_	+	-	-+	_	$\vdash$	_	-	+	+-	1		++	-	1	
140 45.502798	-89.7353	84 4	Muck	Pole		1						止								1				L			1		1					止	工				ᆂ	1	
141 45.502797	-89.7347	06 4	Muck	Pole		3	1			2	Ŧ				1		1		_	7		1			1	1		I					-	Ŧ			I.	1		#	$\vdash$
142 45.502795 143 45.50279	-89.7340	27	Sand	Pole		1 3				1 2	-	1	+	$\vdash$	1	1	1		-+	1		-	1	+	$\vdash$		+	$\vdash$	-+		$\vdash$	-	+	-	+	+	1	1	$-\!\!+\!\!-$	+	+
144 45,502789	-89.7313	13 5	Muck	Pole								+	+			- 1 '-			_	-				+		-	1						_	_	+-	1	<b> </b>	+	-	+	+
145 45.503289	-89.7414	87 2	Muck	Pole		3				1		2 1			1						1 1				1	1			1	1										ı	

rea) Ge-Sand Re Rook)					
Point Decimal Degree (Decimal Degree (New Muck.	e Fuiness				39
Sampling (Lattitude (Longitude (Depth (ft) Sediment Pole (P); F	Total Rake EWM	BRASC CERDE CEREC CHARA ELOCA ELONU LEMTR	LEMTR BIDBE MYRSI NAJFL NITELLA NUPVA NUPVA NYMOD PONCO POTEP	POTTAL POTTRI POTTRI POTTSO POTTSO POTTSO POTTSO POTTSO RANAO SAGGRI	SCHTA SPA.SP SPAEU SPARL SPARL OTRY_SP UTRVU VALAM ZIZPA FV_SPONGE F-AGIAE
146         45.503288         -89.740809         2         Sand         Pole           147         45.503286         -89.740131         4         Muck         Pole           148         45.503285         -89.739452         6         Muck         Pole	1		1		1 1 1
149 45.503283 -89.738774 6 Muck Pole 150 45.503282 -89.738095 7 Muck Pole 151 45.50328 -89.737417 8 Muck Pole	2				2
152 45.503278 -89.736739 5 Muck Pole 153 45.503277 -89.73606 5 Muck Pole	1		1		1
154 45.503275 -89.735382 3 Muck Pole 155 45.503274 -89.734703 2 Muck Pole 156 45.503269 -89.732668 4 Muck Pole	2 1	1 1 1			1 1 1
157 45.503267 -89.73199 4 Muck Pole 158 45.503266 -99.731311 4 Muck Pole 159 45.503264 -99.730633 4 Muck Pole	1 1 1 2 V	1	1	1 1	1 1 1
160 45.503765 -89.740807 3 Muck Pole 161 45.503763 -89.740128 5 Muck Pole	2 V	1 1	1 1 1 1	1	1 1
162 45.503762 -89.739745 5 Muck Pole 163 45.50376 -89.738772 5 Muck Pole 164 45.503759 -89.738093 5 Muck Pole 165 45.503757 -89.737415 6 Muck Pole					1
165 45.503757 -89.737415 6 Muck Pole 166 45.503755 -89.736736 6 Muck Pole 167 45.503754 -89.736058 7 Muck Pole					1
168 45.503752 -89.735379 8 Muck Pole 169 45.503748 -89.733344 3 Muck Pole	1	1 1	1 1	1	
170         45.503746         -89.732666         5         Muck         Pole           171         45.503744         -89.731987         4         Muck         Pole           172         45.503743         -89.731309         3         Sand         Pole	V				1 1
173 45.503741 -89.73063 4 Muck Pole 174 45.504242 -89.740805 2 Muck Pole 175 45.50424 -89.740126 4 Muck Pole	2 2 2	1 1	1 1 1	1 1 1	1 1 1
176 45.504239 -89.739448 5 Muck Pole 177 45.504237 -89.738769 5 Muck Pole 178 45.504236 -99.738079 5 Muck Pole	2			1 2	1 1 1
179 45.504234 -89.737413 5 Muck Pole 180 45.504233 -89.736734 5 Muck Pole					1
181 45.504231 -89.736056 5 Muck Pole 182 45.504229 -89.735377 5 Muck Pole 183 45.504228 -89.734699 5 Muck Pole	2			1	2 1
184 45.504226 -89.73402 9 Muck Pole 185 45.5042246 -89.73334193 5 Muck Pole	2 1 V				2 1
186 45.5042231 -89.7326635 5 Muck Pole 187 45.5042215 -89.73198507 4 Muck Pole 188 45.5042199 -89.73130665 4 Muck Pole	1 1 V				1 1
189 45.5042183 -89.73062822 4 Muck Pole 190 45.5047158 -89.73944558 5 Muck Pole 191 45.5047142 -89.73876715 5 Muck Pole	2	1	1 1	1 1	1 1
192 45.5047127 89.73908871 5 Muck Pole 193 45.5047111 -89.73741028 5 Muck Pole 194 45.5047096 -99.73673185 5 Muck Pole	1	1			1
195 45.504708 -89.73605341 5 Muck Pole 196 45.5047064 -89.73537498 6 Muck Pole	2 1		1		2 1
197 45.5047049 -89.73469854 9 Muck Pole 198 45.5047033 -89.73401811 6 Muck Pole 199 45.5047017 -89.73333968 6 Muck Pole	1 1		1 1		1 1 1
200 45.5047001 99.73266124 5 Muck Pole 201 45.5046985 -99.73198281 5 Muck Pole 202 45.5046989 -99.73130438 4 Muck Pole	1 2 1 1 1	1		1	1 1
203 45.5046953 -89.73062594 4 Muck Pole 204 45.5051928 -89.73944338 4 Muck Pole	1 1	1	1 1	1	1 1
205 45.5051913 -89.73876494 5 Muck Pole 206 45.5051897 -89.7380865 5 Muck Pole 207 45.5051882 -89.73740806 5 Muck Pole	3				3 1
208 45.5051886 89.73672962 5 Muck Pole 209 45.5051851 -89.73605118 6 Muck Pole 210 45.5051835 -89.73537274 6 Muck Pole	3	1	1		3 1
211 45.5051819 -89.7346943 6 Muck Pole 212 45.5051803 -89.73401586 6 Muck Pole 213 45.5051788 -89.73333742 5 Muck Pole	2 V				2 1
214 45.5051772 -89.73265899 5 Muck Pole 215 45.5051756 -89.73198055 5 Muck Pole	1 1			1	1 1
216 45.505174 489.73130211 5 Muck Pole 217 45.5056939 489.73062367 4 Muck Pole 218 45.50566939 489.73944118 3 Muck Pole	2 1 1 2 2	1 1 1	1 1	1	1 1 1
219 45.5056683 -89.73876273 5 Muck Pole 220 45.5056683 -89.73808429 5 Muck Pole 221 45.5056685 -89.73740584 4 Muck Pole	2 2			2	1

1				1	•		1	1 1			т т		1	1	Т		П	_	T	Г	т т			1	<del></del>							Т	T	Г			- 1					1	
Part					Rock)																																						
The column   The																																											i l
The column					Sand																																						i l
Part		88	ees)		S.																																						1
Column   C			Degu																																								1
Column   C		<u></u>	la l		1	ê	88																																				1
1	Ę	Ë	eci			9	를																																				1
1	g Po		D) eg	0		8. 8.	ake F												<		_	_																			NG.	ш	1
A	lijd.	tinde	giftc		limet	(F)	22	5		SS	Æ	KA V	≥	님	Æ	€ #	3S	료	급	Š	οğ	9 8	8	ž	PR	2 2	2	SP	Ž	8	3 8	8	₹	S	Æ	로	8	S.	≥	¥ 8	S S	SE	8 8
Company   Comp	San	Lafe	Ę.	9	Sed		Tota	EWI	CLP	BR/	CEF	CH.	ELC	ĒΘ	É	LEN LEN	MY.	ź	Ę	Ñ	ž	8 8	.2	8	8	8 8	8	8	8	8	SAC	SAC	SS	SP,	SP,	SP,	SPI	ΔŽ	Ė	VAL	Ŋ.	LL.	Po
The second content of the content				5	Muck	Pole	-										_	_	-				_						_	_		-						_					$\vdash$
The second content of the content	224	45.505660	5 -89.73537051	5	Muck	Pole																																					
The content of the							-																_									-											
The state of the	227	45.505655	8 -89.73333517	4	Muck	Pole	1																						1													1	
1	228	45.505654	2 -89.73265673	5	Muck	Pole	1																						1		1	+	-										$\vdash$
1	230	45.50565	1 -89.73129984	5	Muck	Pole	2	1				- 1																														1	
1	231	45.505649	4 -89.73062139	5	Muck	Pole Pole	1	V			+	1	+		-		+	_	-			_	-						_		_	+	-			-		-	_	_	_		$\vdash$
Column   C	233	45.506143	9 -89.73808208	4	Muck	Pole	3																			1			3														$\Box$
The second of							3				+						+	+	+	-	+		-		+	3	-				-	+	+	-				-			+	+	$\vdash$
10   10   10   10   10   10   10   10	236	45.506139	2 -89.73604672	5	Muck	Pole													1																								$\Box$
10   10   10   10   10   10   10   10	238	45.50613	-89.73468982	5	Muck	Pole	1	1			+						+	+	+	-	+		-		+		-				-	+	+	-				-			+	1	$\vdash$
\$1 (45000) 40 (25000)	239	45.506134	4 -89.73401137	4	Muck	Pole	2	V																					1											2		٠,	
1	241	45.506131	3 -89.73265447	7	Muck	Pole	上一				上一		L	LП	+			士	±	L	上十		<u> </u>	L	L	L	<u> </u>					上一	L	L	ШŤ		+	_+				Τ'	
Dec   1	242	45.506129	7 -89.73197602	6	Sand	Pole				- 1									-									1				-					-					-	=
Dec   1.5   Dec	244	45.506126	5 -89.73061912	5	Muck	Pole	1																																				$\Box$
### ACTIONNEL   1. March Park   2   1. March Park   2   2   2   3   3   4   4   4   4   4   4   4   4		45.506123	3 -89.72926222		Month	NONNAVIGABLE (PLANTS)	)																_									-											
Text		45.506619	3 -89.73740141	5	Muck	Pole	2																																	2		2	
200   15   15   15   15   15   15   15								V				1																	1			+	-							1			$\vdash$
22   4.500001   40.700007   10.7000, 70.70000, 70.7000, 70.7000, 70.7000, 70.7000, 70.7000, 70.7000, 70.70000, 70.7000, 70.7000, 70.7000, 70.7000, 70.7000, 70.7000, 70.70000, 70.7000, 70.7000, 70.7000, 70.7000, 70.7000, 70.7000, 70.70000, 70.7000, 70.7000, 70.7000, 70.7000, 70.7000, 70.7000, 70.70000, 70.7000, 70.7000, 70.7000, 70.7000, 70.7000, 70.7000, 70.70000, 70.7000, 70.7000, 70.7000, 70.7000, 70.7000, 70.7000, 70.70000, 70.7000, 70.7000, 70.7000, 70.7000, 70.7000, 70.7000, 70.70000, 70.7000, 70.7000, 70.7000, 70.7000, 70.7000, 70.7000, 70.70000, 70.7000, 70.7000, 70.7000, 70.7000, 70.7000, 70.7000, 70.70000, 70.7000, 70.7000, 70.7000, 70.7000, 70.7000, 70.7000, 70.70000, 70.7000, 70.7000, 70.7000, 70.7000, 70.7000, 70.7000, 70.70000, 70.7000, 70.7000, 70.7000, 70.7000, 70.7000, 70.7000, 70.70000, 70.7000, 70.7000, 70.7000, 70.7000, 70.7000, 70.7000, 70.700000, 70.70000, 70.70000, 70.70000, 70.70000, 70.70000, 70.70000, 70.70000, 70.70000, 70.70000, 70.70000, 70.700000, 70.700000, 70.700000, 70.700000, 70.700000, 70.700000, 70.700000, 70.700000, 70.700000, 70.700000, 70.700000, 70.700000, 70.700000, 70.7000000000, 70.70000000000	250	45.506614	7 -89.73536604	4	Muck	Pole	1	1																					1													Ė	
25   45 000000   25 000000   25 000000   25 000000   25 0000000   25 0000000   25 0000000   25 0000000   25 0000000   25 0000000   25 0000000   25 0000000   25 0000000   25 0000000   25 0000000   25 0000000   25 000000   25 0000000   25 0000000   25 0000000   25 0000000   25 0000000   25 0000000   25 0000000   25 0000000000							1	V			+		+	-			_	-	+				_				-		1			+	-				-	-	_			1	$\vdash$
150   150	253	45.506609	9 -89.73333067	5	Muck	Pole																																					
200   1,000,000   1,	254 255	45.506608	3 -89.73265221 7 -89.73197376	5	Muck	Pole Pole	2				+		+	-			_	-	+				_				-		-			+	-				-	-	_	2			$\vdash$
250   45.000001   26.7200002   2   2   2   2   2   2   2   2	256	45.506605	1 -89.7312953	7	Muck	Pole	Ι.,	<b>.</b>																																			
120   48.000003   29.70000003   2   Much   Pale   1   1   1   1   1   1   1   1   1								1					+						+			1					+					+					-						$\Box$
201   45.070936   46.7729370   3   Max.   Prol	259	45.506600	3 -89.72925993	2	Muck	Pole		1								1					1	1						_													,		e e
280   65.070081   80.7580082   5   Mock   Pole	261	45.50709€	4 -89.73739919	5	Muck	Pole	Ľ													Ľ																						1	$\Box$
260   45.577056   45.774058   5   Mac   Pole	262	45.507094	8 -89.73672073	9	Muck	Pole	+				+		+		-		-	-	-										-			+	-					-	-		-		
200   45.507068   497.305082   5   Mack   Pole	264	45.507091	7 -89.7353638	6	Muck	Pole																																					
267   45.07067   49.7326942   5   Mack Pole	265	45.507090	6 -89.73468534	7	Muck	Pole Pole	+				+		+	-			_	-	+				_				-					+	-				-	-	_			1	$\vdash$
269 45.5070638 -89.7197140 5 Mack Pole	267	45.50708	7 -89.73332842	5	Muck	Pole																																				1	
270   45.507686   89.7981457   5   Mack   Pole	269	45.507083	8 -89.73197149	5	Muck	Pole	+				+		+				_															+						_				1	$\vdash$
272   45.507679   -80.726785   3. Sand   Pole   2   1   1   1   1   1   1   1   1   1	270	45.507082	2 -89.73129303	7	Muck	Pole																																					_
274 45.507578 9.8726785 3 Sand Pole 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	272	45.50707	-89.72993611	3	Sand	Pole						1						1	1																					1			$\vdash$
275 (4.5.075703. 9e.73604000) 4 Musk Pole 2 U	273	45.507573	5 -89.73739697	2	Muck	Pole													-													-					-			1		-	=
277   45.5079672   -807.746831   2   Sand   Pole   1   1   1   1   1   1   1   1   1	275	45.507570	3 -89.73604003	4	Muck	Pole	2				T		_						1													1						_				1	$\Box$
278 45.507565 - 887.704065] 6 Mock Pole	276	45.507568	8 -89.73536157	3	Sand	Pole	1												-			1															-			1			=
280 45.5075624 -89.73264769 5 Muck Pole	278	45.507565	6 -89.73400463	6	Muck	Pole	Ľ																																			1	二
281 45.075609 -80.73190223 5 Muck Pole	279	45.50756	4 -89.73332616	5	Muck	Pole Pole	+	1			+			+	-+		_	+	+	-	+	_	-	1	+	-		$\vdash$	-+		+	+	1	-		-	-+	$\rightarrow$	-+		+		$\vdash$
283 45507577 - 887 2061229 7 Mosk Pole 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	281	45.507560	9 -89.73196923	5	Muck	Pole																																				1	$\Box$
284   45.907951   -89.7993322   5   Mosk   Pole   1   1   1   1   1   1   1   1   1	283	45.507557	7 -89.73061229	7	Muck	Pole	+				+						-	+	+	-	+		-		+		-				-	+	+	-				-			+		$\vdash$
286   45.5903474   -897.390378   2   Sand   Pole   2   1   1   1   1   1   1   1   1   1	284	45.507556	1 -89.72993382	5	Muck	Pole																						1														1	$\Box$
287 45.500427 -80.7340/238 5 Musk Pole 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	286	45.508047	4 -89.7360378	2	Sand	Pole	2	$\pm$		1	±⊢		L	LП	1	_+	╧	士	±	_1	上十	1	<u> </u>	L	L		<u> </u>	H	_+	_+		±	Ŀ	L	┢	_+	_+	_+			1	L	
289 45.500305 - 80.73284544 4 Musk Pole 2 2 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	287	45.508042	7 -89.73400238	5	Muck	Pole											T					$\overline{}$				$\vdash$			_				1			_			7			1	↤
220   45.509379   -85.73196986   5   Marck   Pole   2   2   2   3   3   3   3   3   3   3	289	45.508039	5 -89.73264544	4	Muck	Pole	2				上一		L	LП	+			士	±	L	<u> L'</u>		1	L	L	L	<u> </u>					上一	L	L	ШŤ		+	_+					
282   45.5080347   -88.73061002   5   Muck   Pole   2	290	45.508037	9 -89.73196696	5	Muck	Pole																																				2	=
223 45.500331 -83 7293154 6 Musk Pole 2 244 55.00031 -83 7293157 5 Musk Pole 2 256 45.500513 -83 7347802 3 Musk Pole 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	292	45.508034	7 -89.73061002	5	Muck	Pole	2												1																					1		2	$\Box$
295 (45.508213 -88.73467862 3 Musk Pole 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	293	45.508033	1 -89.72993154	6	Muck	Pole		+			$+$ $\Box$		1		<del>-</del> Ţ		+-	+			+7	+		<del>  </del>	1	-	+	$\vdash$				+-	<del>                                     </del>		$\vdash$	$-\mathbb{I}$	<b>—</b> Ţ	<b></b> ∓		+			H
296   45.5085197   -89.73400014   2   Sand   Pole   2   2   1	295	45.508521	3 -89.73467862	3	Muck	Pole	1												1		1	1																					二
	296	45.508519	7 -89.73400014	2	Sand	Pole Pole	2	$+ \exists$		2 1	$+ \exists$				<del>- I</del>		+-	+	+		+			1	2	$\vdash$	+-	$\vdash \exists$			_	+-	1		+	1	-1	<del>- </del>		-   -	+-	1	Н
	231	70.00001		, -	, much							- 1													, -	<del></del>	-1					-	-										

				d, R=Rock)																																									
	Degrees)	al Degrees)		(M=Muck, S=San	_		88																																						
rpling Point	tiude (Decimal	gitude (Decim	xh (ft)	liment type (M	9 (P); Rake (R.)	nments	al Rake Fulhe	2		3RASC CERDE	CEREC	CHARA	TONIT TONIT	COUR	EMTR	-EMTU	DBE	AYRSI	4AJFL	NITELLA	NUPVA	NYMOD	OONCO	OTEP	POTNA	OTPR	POTPU	OOTRI	отко	OTSP	OTVA	POTZO	SAGCR	SAGRI	SCHTA	4 SP	SPAEU	SPAFL	SPIPO	ryp_sp	JTRVU	VALVM	IZPA	W_SPONGE	AGLAE
298	45.50851	5 34 -89.7312862	2 6	Muck	Pole	Con	1 Total	EWM	CLP	BR/ CEF	CEF	3	E E		LEN	E E	GB	W	Ϋ́	Ē	ž	ž	2 8	2 8	8	8	8	.0	8	8	8	8 8	SAC	SAC	SCF	SPA	SP,	SP	SPI	Ĭ	ž.	×	ZIZ	Œ .	1
300	45.50851	18 -89.7306077- 02 -89.7299292 86 -89.7292507	6 7	Muck	Pole		1																																				#		1
302	45.50850	69 -89.7285723 99 -89.7353548	5	Muck	Pole	NONNAVIGABLE (PLANTS)	2																	1																		1	#		1
304	45.50899 45.50899	83 -89.7346763 68 -89.7339978 04 -89.7312839	7 5 9	Muck	Pole	NONNAVIGABLE (PLANTS)																																				1	=		2
307	45.50898	04 -89.7312839 88 -89.7306054 72 -89.7299269	6 6	Muck	Pole		1 2																																			2	#		1 1
309	45.50898	56 -89.7292485 4 -89.7285700	7	Muck	Pole		1 2																																			-	#		1 2
311	45.50947	54 -89.7346741 38 -89.7339956	3 2	Muck	Pole	NONNAVIGABLE (PLANTS)	2			2												1							1			1						1			1		1	-	
314	45.50946	59 -89.7306031 43 -89.7299247 27 -89.7292462	5	Muck	Pole		1																		E			$\Box$															#		2
316	45.50946	27 -89.7292462 11 -89.7285677 25 -89.7346718	2 7 9 4	Muck	Pole Pole		3			1			=	+											F	+	F		#	=				1								1	#		3
318	45.50995	09 -89.7339934 13 -89.7299224	2 5	Muck	Pole	NONNAVIGABLE (PLANTS)	2							Ħ												F														=			#		2
321	45.50993	97 -89.7292439 81 -89.7285654	2 5	Muck	Pole		1 2						1																													2	=		1
323	45.50993	65 -89.7278869 49 -89.7272084 33 -89.7265299	3 4	Muck	Pole		2	1		1					1																	1											#		1 2
325	45.51042	95 -89.7346696 79 -89.7339911	5 4	Muck	Pole		2			1				#	1					1		1	1		F	-														1			#		2
327	45.51041	68 -89.7292416 52 -89.7285631	3 6	Muck	Pole Pole																																							=	
330	45.51041	36 -89.7278846 19 -89.7272061 66 -89.7346674	3 6	Muck	Pole		1 2 1			1							1																							=			=		2
332	45,51090	5 -89.7339889 38 -89.7292393	3	Muck	Pole		2			1							Ė																									1	#		1
334 335	45.51089 45.51089	22 -89.7285608 06 -89.7278823	4 6	Muck	Pole Pole		2																																			1			2
337	45.51088	9 -89.7272038 74 -89.7265253	2 7	Muck	Pole		2			1 2												1	1																	_			=	#	2
339	45.51138	36 -89.7346651 12 -89.7339866 09 -89.7292370	5 4	Muck	Pole		1			1 2											1	1																			1		=	#	1
341	45.51136	93 -89.7285585 77 -89.7278800	5 6	Sand	Pole Pole		1																																	=		1	#		1
344	45.51136	6 -89.7272015 44 -89.7265230	1 7	Muck	Pole		1																																				=		1
346	45.51185	07 -89.7346629 91 -89.7339844 75 -89.7333058	1 2	Muck	Pole		1 2 1			1			1									1	1							1		1					1	2	1				#	#	1
348	45.51184	79 -89.7292347 63 -89.7285562	7 2	Sand	Pole		Ė																																				#	#	_
350 351	45.51184 45.51184	47 -89.7278777 31 -89.7271992	3 5 1 6	Muck	Pole Pole		2						1							1																						2		$\equiv$	1
353	45.51233	15 -89.7265207 61 -89.7339821 46 -89.7333036	6 3	Muck	Pole		3 2			1							1							1						1										=			=	#	2
355	45.51233	3 -89.7326251 34 -89.7285539	1 2	Sand	Pole		1															1	1														1			=			#	#	
357	45.51232 45.51232	18 -89.7278754 01 -89.7271969	3 5 1 5	Muck	Pole Pole		2																								1											1			2
360	45.51281	85 -89.7265183 64 -89.7353369	7 2	Muck	Pole		1																1														1			=			=	#	2
362	45.51281	48 -89.7346584 16 -89.7333013 1 -89.7326228	B 4	Muck	Pole		2 2			1				+											F				=	+				1				1	_	=	1	3	#	#	2
364 365	45.51280 45.51280	84 -89.7319443 69 -89.7312657	2 3	Sand	Pole Pole		1							+		F									F	1			=				-	⊨				=		=		1	#	#	1
366 367	45.51280 45.51280	2 -89.7292302 04 -89.7285516	7 6	Muck	Pole Pole		2						1																														=		2
369	45.51279	88 -89.7278731 72 -89.7271946	5	Muck	Pole		2																		L						1											2	#		1 2
371	45.51329	56 -89.7265160 34 -89.7353347 18 -89.7346562	4 3	Muck	Pole		2 2			1 2				1											Ħ	1			1					1				1	_	#			#	#	
373	45.51329	03 -89.7339776 87 -89.7332991	6 3	Muck	Pole		1				E			E		E	E	1					1			E		1	$\equiv$	1	1		Ŀ	E	L								1	#	1
										. —		. —											. —			•		. — .									. — .								-

2														1 1			П															Т
R= Rock)																																
nd, R																																
es)																																
Afuck Auck																																
cimal C	-ulhess																															
ling Point de (De cir (f) (f) (P); Rake											_																			E C	į	
	otal Rake		BRASC	EREC	CHARA	ELONU	EMTR	EMTU	IYRSI	IAJFL	MIELLA	NUPVA	POTAM	-OTEP	POTNA	POTPR	POTRI	OTTRO	OTSP	POTZO POTZO	ANAQ	SAGCR	SAGRI	A_SP	SPAEU	SPAR	2	TYP_SP	WALAM	ZIZPA EW SPONGE	AGIAE	108
375 45.5132871 -89.73262059 4 Muck Pole	3	G	R 7	G G	공 급			9 H	À	ž	Ē	2 2 2	5 8	3	8 8	8 8	8	8	8 1	8 8	Ϋ́	SA.	& S	SPA	SP	SP SP	g.	<u> </u>	5 \$	ZIZ	1	<u>a</u>
376 45.5132855 -89.73194205 4 Sand Pole 377 45.5132839 -89.73126352 5 Muck Pole	3				1											1			1	3											2	
378 45.5132823 -89.73058498 6 Sand Pole																															Ŧ	=
379 45.5132807 -89.72990644 6 Sand Pole 380 45.5132791 -89.72922791 5 Muck Pole 381 45.5132775 -99.72854937 4 Muck Pole	2 2					1										1			1										1		1	
382 45.5132759 -88.72787084 4 Muck Pole 383 45.5132743 -89.7271923 6 Muck Pole	3		1	1												1				3											#	$\pm$
384 45.5132726 -89.72651376 5 Muck Pole 385 45.513271 -89.72583523 4 Muck Pole	2																			1							#				2	=
386 45.513772 -89.7360140 2 Muck Pole 387 45.513770 -89.7353325 4 Muck Pole	3 2		1	1	1		1	2			1	1		1					1	Ľ	1					1			1		2	$\pm$
388 45.513769 89.7345396 1 Muck Pole 389 45.5137697 -89.73397542 3 Muck Pole	2 2		1	1				1			1	1	1					1	1								1				1	
390 45.5137657 -89.73397542 3 Muck Pole 390 45.5137657 -89.73329687 4 Muck Pole 391 45.5137641 -89.73261833 4 Muck Pole	2 3				1															2							#				#	$\pm \pm$
391 45.5137626 -89.73193979 5 Muck Pole 392 45.5137626 -89.73193979 5 Muck Pole 393 45.513761 -89.73126125 5 Muck Pole	1 1																		1								#		-		1	$\pm \pm$
394 45.5137594 -89.7305827 5 Muck Pole	3 1				1 3															2 2							#				#	$\pm \pm$
395 45.5137578 -89.72990416 4 Muck Pole 396 45.5137562 -89.72922562 5 Muck Pole	3	2 V	1		1 3															1 1							#		1		#	$\pm \pm$
397 45.5137545 -89.72854708 4 Muck Pole 398 45.5137529 -89.72786854 5 Muck Pole	2	V																		1 1											2	
399 45.5137513 -89.72718999 6 Muck Pole 400 45.5137497 -89.72651145 5 Muck Pole	2				1																								2		1	$\top$
401 45.5137481 -89.72583291 4 Muck Pole 402 45.5142491 -89.73600881 3 Muck Pole	2		1	1	1				1								1		1												1	
403 45.5142475 -89.73533026 4 Muck Pole 404 45.5142428 -89.73329462 4 Sand Pole	3	1			1									1		1				3											1	
405 45.5142412 -89.73261607 4 Muck Pole 406 45.5142396 -89.73193752 4 Muck Pole	2				1									2						1											1	
407 45.514238 -89.73125898 10 Muck Pole 408 45.5142364 -89.73058043 9 Sand Pole																																
409 45.5142348 -89.72990188 6 Muck Pole 410 45.5142332 -89.72922333 4 Muck Pole	3 V				3															1									1			
411 45.5142316 -89.72854478 4 Muck Pole 412 45.51423 -89.72786624 5 Muck Pole	1																														1	
413   45.5142284   -89.72718769   5   Muck   Pole	2													1															1 2		1	
416   45.5147246   -89.73532803   3   Muck   Pole	3 1		1	1	1							1																				
417 45.514723 -89.73464947 4 Muck Pole 418 45.5147214 -89.73397092 5 Sand Pole	3	1			1															3												
419 45.5147198 -89.7329237 5 Muck Pole 420 45.5147183 -89.73261381 5 Muck Pole	2 2 2	1			1														1	1												
421 45.5147167 -89.73195256 6 Sand Pole 422 45.5147151 -89.73125671 3 Muck Pole 423 45.5147135 -89.73057815 4 Muck Pole	3 1			1	3									1		1													1			
424 45.5147119 -89.7298996 7 Muck Pole	2			1								1								1 1											1	_
425   45.5147103   -88.72922104   3   Muck   Pole   426   45.5147086   -89.72854249   5   Muck   Pole   427   45.514707   -89.72786394   5   Muck   Pole	3 2		1	1	1	1						1							1	3 1								-	1		1	+
428 45.5147054 -89.72718538 5 Muck Pole	2																														2	$\top$
429 45.5147038 -89.72650683 4 Muck Pole 430 45.5152202 -89.74346851 2 Muck Pole	3		3	3												1				1											2	$\pm$
431 45.5152048 -89.73668291 NONNAVIGABLE (PLANTS 432 45.5152032 -89.73600435 4 Muck Pole	3								2								1												1			$\pm$
433 45.5152016 -89.73532579 3 Muck Pole 434 45.5152001 -89.73464723 5 Muck Pole	1		1	1	2															1	1										_	+
435 45.5151985 -89.73398967 6 Muck Pole 436 45.5151969 -89.73329011 5 Muck Pole 437 45.5151985 -89.73261155 3 Muck Pole	3				1 3																											$\pm$
438 45.5151937 -89.73193299 5 Sand Pole	3 1				1									1					1	3 1									1			$\pm$
439 45.5151921 -89.73125443 3 Muck Pole 440 45.5151905 -89.73057588 5 Muck Pole	2 V 2 V		2	2	1							1							1										1		1	
441 45.5151889 -89.72989732 6 Muck Pole 442 45.5151873 -89.72921876 4 Muck Pole	2		1	1	1							1							1	2											1	
443 45.5151857 -89.7285402 4 Muck Pole 444 45.5151841 -89.72786164 4 Muck Pole	1										1																				1	
445 45.5151825 -89.72718308 4 Muck Pole 446 45.5156957 -89.74278778 4 Muck Pole	3		1	1																									3		1	_
447 45.5156802 -89.73600212 NONNAVIGABLE (PLANTS 448 45.5156787 -89.73532356 5 Muck Pole	1		1	1	1									+1		_				1	<u> </u>										士	$+ \blacksquare$
449 45.5156771 -89.73464499 5 Muck Pole 450 45.5156755 -89.73396643 3 Muck Pole	3		1	1	3							1		+1		_					<u> </u>								3		士	$+ \blacksquare$
451 45.5156739 -89.73328786 4 Sand Pole 452 45.5156724 -89.73260929 6 Sand Pole	1					1								+						1				H							一	$+ \exists$
453 45.5156708 -89.73193073 3 Sand Pole 454 45.5156692 -89.73125216 4 Muck Pole	3	1	3	3	<u> </u>	Ш					_	1 1								1 1			Œ	£	1			Ⅎ				旦
455 45.5156676 -89.7305736 5 Muck Pole 456 45.515666 -89.72989503 5 Muck Pole	2		$=$ $\mathbb{F}$		$-\mathbb{E}$	H	▐			$\equiv \mathbb{F}$	Ŧ	$\exists \exists$		H		£		$\equiv$	Ŧ	$\pm$	E		$\pm \mathbb{E}$	£	H	$oxed{oxed}$	$\exists$	$\equiv$			2	
457 45.5156644 -89.72921647 7 Muck Pole 458 45.5156628 -89.7285379 3 Sand Pole	1	1	1	1	$-\mathbb{E}$	1	E		Ы	$\equiv \mathbb{F}$	Ŧ	1	Œ	Ш		£		$\equiv$	1	1	E		$\pm \mathbb{E}$	£	Ħ	$oxed{oxed}$	$\exists$	$\equiv$	1		1	

(x)						
1d, R=Rock)						
S=Sai						
mai Degree cimal Degree (M=Muck,	88					
Poin Poin Sake	e Fully					90
intipling (i) splinde (i) splinde (ii) splinde (iii) splinde (iiii) splinde (iiii) splinde (iiii) splinde (iii) sp	otal Rake WM	BRASC CERDE CEREC CHARA ELOCA	EQUEL LEMITR LEMITU BIDBE MYRSI MYRSI	NUPVA NYMOD POTAM POTEP POTRI POTRI	POTRO POTSP POTVA POTZO RANAO SAGCR SAGCR SAGRI	SPAEU SPAEU TYP_SP UTRVU VALAM ZIZPA FW_SPONGE
S	1		Z Z Z B FE FE E		1	
461 45.5161604 -89.73735703 2 Muck Pole 462 45.5161589 -89.73667846 2 Sand Pole	3 1	1	3	1 1 1		1 1
463 45.5161573 -89.73599989 5 Sand Pole 464 45.5161557 -89.73532132 6 Sand Pole 465 45.5161542 -89.7364275 6 Sand Pole 466 45.5161526 -89.73396418 6 Sand Pole	1 1	1 1 1		2		
467   45.516151   -89.73328561   5   Muck   Pole	2			1	2	2 1
468 45.5161494 -89.73260704 5 Muck Pole 469 45.5161478 -89.73192846 5 Muck Pole 470 45.5161462 -89.73124989 4 Muck Pole	2	1		2		1 1
471 45.5161446 -89.73057132 3 Muck Pole 472 45.516143 -89.72989275 4 Muck Pole 473 45.5166483 -89.74210486 4 Muck Pole	2 1 2	1 2	1	1	2 1	1
474 45.5166421 -89.73939055 NONNAVIGABL 475 45.5166406 -89.73871197 NONNAVIGABL	(PLANTS)					
476         45.5166375         -89.73735481         NONNAVIGABL           477         45.5166359         -89.73667624         7         Sand         Pole           478         45.5166344         -89.73599766         6         Sand         Pole	(PLANTS)					
479 45.5166328 -89.73531908 3 Sand Pole 480 45.5166312 -89.73464051 6 Sand Pole	3 1	1		1	1 3	1 1
481 45.5166296 -89.73396193 4 Muck Pole 482 45.5166281 -89.73328335 4 Muck Pole 483 45.5166265 -89.73260478 3 Muck Pole	2 1 1					1 1
484 45.5166249 -89.7319262 3 Muck Pole 485 45.5166233 -89.73124762 3 Muck Pole 486 45.5166217 -89.73056905 3 Muck Pole	1 1 1 1 1	1	1 1 1	1	1 1	1 1 1
487 45.5171238 -89.74142409 3 Muck Pole 488 45.5171223 -89.74074551 1 Muck Pole	3 3 1	3 3 1		1 1 1	1	1
489   45.5171207   -89.74006693   1   Muck   Pole     490   45.5171192   -89.73938834   NONNAVIGABL   491   45.5171161   -89.73803118   7   Sand   Pole	(PLANTS)					
492 45.5171145 -89.73735259 6 Sand Pole 493 45.517113 -89.73667401 5 Muck Pole 494 45.5171114 -89.73599543 5 Muck Pole	1 1 1	1				1
495 45.5171098 -89.73531685 4 Sand Pole 496 45.5171083 -89.73463826 4 Sand Pole 497 45.5176009 -89.74142191 1 Muck Pole	3 2			2	1 3	1 1
498 45.5175993 -89.74074332 3 Muck Pole 499 45.5175978 -89.74006473 4 Sand Pole	3 3 2 2	3 3 2		1 1	1	
500 45.5175963 -89.73938614 4 Sand Pole 501 45.5175947 -89.73870755 7 Sand Pole 502 45.5175932 -89.73802996 5 Muck Pole	2					2 1
503 45.5175916 -89.73735038 5 Muck Pole 504 45.51759 -89.73667179 5 Muck Pole	2	1		1		2 1
505         45.5175885         -89.7359932         4         Muck         Pole           506         45.5180749         -89.74006253         2         Sand         Pole           507         45.5180733         -89.73938394         6         Sand         Pole	1 1	1	1	1	1	1
508         45.5180718         -89.73870534         5         Sand         Pole           509         45.5180702         -89.73802675         4         Muck         Pole           510         45.5180655         -89.73599097         NONNAVIGABL	1 1 (PLANTS)		1		1	1
511 45.5185335 -89.74073894 8 Sand Pole 512 45.5185519 -89.74006034 4 Sand Pole 513 45.5185504 -89.73938174 5 Sand Pole	3	3 1		1		
513 45.5185504 -99.73938174 5 Sand Pole 514 45.5185488 -89.73870314 4 Sand Pole 515 45.5185473 -99.73802454 2 Muck Pole	2 3 V	2		1 1 1	1 3	1
516         45.519032         -89.74141535         5         Sand         Pole           517         45.519030         -89.74073675         2         Sand         Pole           518         45.519028         -89.74005814         4         Sand         Pole           519         45.5190274         -89.73937953         5         Sand         Pole	1 3	1	1	1 1 1	1 1 1	1 3
520 45.5190259 -89.73870093 2 Sand Pole	1 2	2		1	1 1	
521 45.5195091 -89.74141317 7 Sand Pole 522 45.5195076 -89.74073456 3 Sand Pole 523 45.519506 -89.74005594 4 Sand Pole	3 3	1 3	1	1 10 1 1	3 1	
524         45.5195045         -89.73937733         5         Sand         Pole           525         45.5195029         -89.73869872         2         Sand         Pole           526         45.5199862         -89.74141098         6         Sand         Pole	3	3		1 1		
527 45.5199846 -89.74073236 5 Sand Pole	2 2	2 2	1	1 1	1 1	
529 45.5199815 -69.73937513 2 Sand Pole 530 45.5204632 -99.7414088 6 Sand Pole 531 45.5204617 -89.74073017 3 Sand Pole	2	2		1 1 1		1 1 1
532         45.5204601         -89.74005155         5         Sand         Pole           533         45.5204586         -89.73937293         2         Muck         Pole           534         45.5209403         -89.74140661         6         Sand         Pole	3	2		1 1		1
535 45.5209387 -89.74072798 3 Sand Pole 536 45.5214173 -89.74140443 6 Sand Pole	1			1	1	1 1
537 45.5214158 -89.74072579 2 Sand Pole 538 45.5218959 -89.74208088 3 Sand Pole	2 1 2 2	1	1	1	1 1	1 2
539 45.5218944 -89.74140224 5 Sand Pole 540 45.522373 -89.7420787 4 Sand Pole 541 45.522374 -89.74140006 3 Sand Pole 541 45.522374 -99.7417404 4 May Pole	2 V	2 1				
542         45.5223699         -89.74072141         4         Muck         Pole           543         45.52285         -89.74207652         3         Sand         Pole           544         45.5228485         -89.74139787         3         Sand         Pole	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	1	1 1		1	1 1
545 45.5228469 -89.74071922 7 Sand Pole						

		ck)																																								$\Box$
		R=Rock)																																								
		až ri																																								
		Sand,																																								1
(\$86	(88)	35																																								1
	agre	ž																																								1
Degr	<u>a</u>	(M=Muck,			92																																					1
a	ii.	\$	2		nes																																					1
pint B oint	oe Dec	(II) ent type	Rake		뮨																																			ш		
g Bo		ant ty		se se	Rake													<																		١.				SPONGE	ш	
bulld applied				Ĕ	R.	-		SS	E E	EREC	Ş   Ş	₹ .	료	£	E   #	SS	교	긆	≶	5   5	₹.	윤	≨	£ 1	2 2	2	SP.	≶	8	ANAQ	2	₹	S	교	로 &	,   2	20	?   ₹	<	SPC	AGLAE	8
Za tit	ongit	9 8	ole	Tio Co	otal	WW	첫	3RASC	CERDE	# 1	CHARA	ELONU	EQUFL	EMTR.	EMTU	AYRSI	AJFL	MITELLA	NUPVA	ONOO	OTAM	отер	POTNA	OTPR	OTPU	OTRO	OTSP	NT0	90TZ0	RANAQ	SAGRI	SCHTA	SPA_SP	SPAEU	SPAFL	.   8	dS_dAL	JTRVU	ZIZPA	≥	. 3	Įξ
546 45.5233271 -89			d Pole		1	ш	-	ш		· ·	1		ш .	_	_ "	-	~		-	1		-	-			-	-	-	-	E 0,	- 0)	0,	0)	0)	0) 0)	Ή,	_		- N			
547 45.5233255 -89	9.74139568 5	5 San	d Pole																																							
548 45.523324 -89	9.74071703	7 San	d Pole		2				_		1			_															_		_			_		_	_	1	$\perp$		2	$\vdash$
549 45.5238026 -89 550 45.523801 -89					2				$\rightarrow$		1	+	-	-						_						+			_		+		-	-		+	-	1	+		-2	$\vdash$
551 45.5242796 -89	9.74139131 5	5 San	d Pole																																							$\neg$
552 45.5242781 -89	9.74071264	6 San	d Pole																																							$\Box$
553 45.5247567 -89 554 45.5247551 -89	9.74138913 6	6 San	d Pole		1			$\vdash$	-+	-+		+	-+		_						1	$\vdash$		-+	_	+	$\vdash$	-	-+	_	+	$\vdash$		-		+	+	-	-	$\vdash$	$\rightarrow$	$\vdash$
555 45.5252337 -89	9.74138694 5	5 San	d Pole					$\vdash$	_	_		1	_									H		_					-		+			_		+	_	_		$\vdash$		$\vdash$
556 45.5252322 -89	9.74070826 5	5 Muc	k Pole		1						1																															$\blacksquare$
557 45.5257123 -89 558 45.5257108 -89	9.74206344 5	5 San	d Pole					$\vdash$	_	_		+	_	-			$\vdash$					$\vdash$		_	_				_		+-			_		_	_	_	+	1		$\vdash$
559 45.5257093 -89			k Pole		1			$\vdash$	-+	-+	-	+	-+	-+	_		$\vdash$		-		1	$\vdash$	-	-+	_	+			-		+	H	- +	-+		+	+	_	+	+	-1	$\vdash$
560 45.5261909 -89	9.74273995			NONNAVIGABLE (PLANTS)																																						
561 45.5261894 -89	9.74206126 5	5 San	d Pole																										I					I			I			Ш		尸
562 45.5261878 -89 563 45.5266664 -89	9.74138257 5	5 San	d Pole		1 2	-	-	$\vdash$	$\rightarrow$	-+	1		$\rightarrow$	-+	_	H	$\vdash$		-+		+	+	-+	-+		+	$\vdash$		-+		+	+		$\rightarrow$		+	-	2	+	$\vdash$	1	$\vdash$
564 45.5266649 -89	9.74138038	4 San	d Pole		-				_			+		-												+		-			+			-		_						$\vdash$
565 45.527145 -89	9.7427356	6 San	d Pole																																							
566 45.5271435 -89 567 45.5276221 -89	9.7420569	3 San	d Pole		2				_		1			_						1					1				_		_			_		_	_	1	$\perp$			$\vdash$
568 45.5276205 -89					1				$\rightarrow$		1	+	-	-					1	_						+			_		+		-	-		+	-		+		_	$\vdash$
569 45.5280991 -89	9.74273125	4 San	d Pole																																							$\Box$
570 45.5280976 -89	9.74205254 5	5 San	d Pole		1						1																															=
571 45.5285777 -89 572 45.5285762 -89					1				-		1		-	_	_					_						1			1	_	_			_		-			_			$\vdash$
573 45.5290548 -89	9.74340563 5	5 San	d Pole		1				_			+		-												+		-	-		+			-		_		1			-	$\vdash$
574 45 5290532 -89	9 74272691	2 Muc	k Pole		2						1				1					1 1							1															
575 45.5295333 -89	9.7440822	3 San	d Pole		2				_		1						1									ļ	1			_	4			1				1			1	$\vdash$
576 45.5295318 -89 577 45.5295303 -89	9.74340346	5 San 4 San	d Pole		1				$\rightarrow$		1	+	-	-						_						+			_		+		-	-		+	-		+		_	$\vdash$
577 45.5295303 -89 578 45.5300119 -89	9.74475877			TERRESTRIAL																																						$\neg$
579 45.5300104 -89	9.74408003 5	5 Muc	k Pole		2						2																														1	=
580 45.5300089 -89 581 45.5304905 -89	9.74340129 3	3 San 3 Muc	d Pole		1 2				2	_			-		1									_		_		_	_	1	+		-	-		_	_	_	+		=	$\vdash$
582 45.530489 -89	9.74475661 5	5 San	d Pole		2				-		1																				+						_	2				$\neg$
583 45.5304874 -89	9.74407787	6 San	d Pole																																							
584 45.5309675 -89 585 45.530966 -89	9.7454332	3 San	d Pole		2				-		1 2		-	_	_					_					1	1	1		_	_	_			_		-			_		1	$\vdash$
586 45.5309645 -89 587 45.5314476 -89	9.7440757	6 San	d Pole						_			+		-												+		-			+			_		_					-	$\vdash$
																													=								<b>=</b>					ಠ
588 45.5314461 -89 589 45.5314446 -89	9.74610981	4 Roc	k Pole						_					_															_		_			_		_	_		$\perp$			$\vdash$
590 45.5314431 -89	9.74543105	5 Muc	k Pole		1				-		- 1	+	-	_															_	_	_			-		+	-	_	+		-	$\vdash$
591 45.5319246 -89 592 45.5319231 -89	9.74678642 5	5 San	d Pole																																							
592 45.5319231 -89 593 45.5324032 -89	9.74610766	e   D.	l. Del	NONNAVIGABLE (PLANTS)	4			₩.T	Ţ			$\perp$		[			$\sqcup$		[		_	L T	[			_	$\Box$		_[		_	$\sqcup$	Ţ				<b>_</b> E		$\perp$	₩.T		┙
593 45.5324032 -89 594 45.5328803 -89					2	-	-	$\vdash$	$^+$	-	+	+	-+	-+			$\vdash$		-+		1	+	-+	-		1	1		+		+	$\vdash$		+		+	+	2		$\vdash$	$\rightarrow$	$\vdash$
595 45.5333573 -89 596 45.5338344 -89	9.74745878	2 San	d Pole		3					_	2						1							_					⇉		T					ᆂ	ᆂ	1			1	$\Box$
596 45.5338344 -89	9.74745664	1 San	d Pole		3						3																		I					I			I			Ш		尸
597 45.5338329 -89 598 45.5343114 -89	9.74677786	3 San	d Pole		2	-	-	$\vdash$	$\rightarrow$	-+	1	+	$\rightarrow$	-+	_	H	$\vdash$		-+		+	+	-+	-+		+	$\vdash$		-+		+	+		$\rightarrow$		+	-	2	+	$\vdash$	$\rightarrow$	$\vdash$
599 45.5343099 -89	9.74677572	2 San	d Pole		-			$\vdash$	_	_		1	_									H		_					-		+			_		+	_	+-		$\vdash$		$\vdash$
599 45.5343099 -89 600 45.5347885 -89	9.74745237 5	5 San	d Pole																										=								<b>=</b>					ಠ
601 45.5352655 -89 602 45.5357426 -89	9.74745024 5	5 San	d Pole		1 2	-	-	$\vdash$	1	_		+	-+				1					$\vdash$		_		1		_	_		+-	$\vdash$		_		_	_	2	+	$\vdash$		$\vdash$
603 45.5357411 -89	9.7467693	4 San	d Pole		-			$\vdash$	-	-+	-	+	-+	-+	_		$\vdash$		-		1	$\vdash$	-	-+	_	+			-		+	H	- +	-+		+	+	-   2	+	+	-1	$\vdash$
604 45.5362196 -89	9.74744597	5 San	d Pole																																							
605 45.5362181 -89					_			₩.T	Ţ			$\perp$		[			$\sqcup$		[		_	L T	[			_	$\Box$		_[		_	$\sqcup$	Ţ				<b>_</b> E		$\perp$	₩.T		┙
606 45.5366967 -89 607 45.5371737 -89					1			+	-+	-	-	+	+	-			$\vdash$		-		1	++	-	-		+	-		+		+	$\vdash$		+		+	+	-		+	$\rightarrow$	$\vdash$
608 45.5371722 -89	9.74676287			NONNAVIGABLE (PLANTS)	1				- †									- 1	- +		1		- +		_				-		1		- 1	_							-	$\neg$
609 45.5376523 -89					1				$\Box$									1																$\Box$		T		T				一
610 45.5376508 -89 611 45.5381293 -89	9.74743956	2 San	d Pole		3			$\vdash$	-+	-+	3	+	-+		_						1	$\vdash$		-+	_	+	$\vdash$	-	-+	_	+	$\vdash$		-		+	+	-	-	$\vdash$	$\rightarrow$	$\vdash$
612 45.5381293 -89	9.74743742 1	1 San	d Pole		1			$\vdash$	-+	-+	-	+	-+	-+	_		$\vdash$		-		1	$\vdash$	-	-+	_	+			-		+	H	- +	-+		+	+	_	+	+	-1	$\vdash$
613 45.5381263 -89	9.74675859 1	0 San	d Pole																																							
614 45.5386049 -89 615 45.5386034 -89	9.74743529 1	2 Roc	k Pole	OTHER				HI	_Ţ		_	+	[				$\vdash$	-1	_			+1	_				-1		_		4	+1	-1				_		+	HĪ	-1	ᆸ
615 45.5386034 -89	9.74675645		1	UTHER	1	L	L									ш	لــــا				1					1									1							