

Region <u>SCR</u>	County <u>Iowa</u>	Report Date <u>7/1990</u>	Classification <u>LFF</u>
Water Body: <u>Big Spring Branch</u>			
Discharger: <u>Highland WWTP</u>			

If stream is classified as Limited Forage Fish (LFF) or Limited Aquatic Life (LAL), check any of the following Use Attainability Analysis factors that are identified in the classification report:

- Naturally occurring pollutant concentrations prevent the attainment of use
- Natural, ephemeral, intermittent or low flow conditions or water levels prevent the attainment of the use, unless these conditions may be compensated for by the discharge of sufficient volume of effluent discharges without violating State water conservation requirements to enable uses to be met
- Human caused conditions or sources of pollution prevent the attainment of the use and cannot be remedied or would cause more environmental damage to correct than to leave in place
- Dams, diversions or other types of hydrologic modifications preclude the attainment of the use, and it is not feasible to restore the water body to its original condition or operate such modification in a way that would result in the attainment of the use
- Physical conditions related to the natural features of the water body, such as the lack of a proper substrate, cover, flow, depth, pools, riffles, and the like, unrelated to water quality, preclude attainment of aquatic life protection uses habitat
- Controls more stringent than those required by sections 301(b) and 306 of the Act would result in substantial and widespread economic and social impact

Supporting Evidence in the report (include comments on how complete/thorough data is)

- Biological Data (fish/invert) - Stream dry
- Chemical Data (temp, D.O., etc.)
- Physical Data (flow, depth, etc.)
- Habitat Description
- Site Description/Map
- Other: photos/slides

Historical Reports in file:

- 7/1990 - Roger Schlessen
- 10/26/1974 - Tom Bainbridge

Additional Comments/How to improve report:

- low flow limiting factor
- good doc'n

BIG SPRING BRANCH
AT HIGHLAND, IOWA COUNTY

TRIENNIAL STANDARDS REVIEW
HIGHLAND WWTP

JULY, 1990

ROGER SCHLESSER, SOUTHERN DISTRICT

BUREAU OF WATER RESOURCES MANAGEMENT
WISCONSIN DEPARTMENT OF NATURAL RESOURCES

TABLE OF CONTENTS

	<u>Page No.</u>
Summary	1
Introduction	1
General Description	2
Stream Habitat, Biology, and Water Quality	3
WWTP	4
Classification	5

SUMMARY

The Big Spring Branch below the Highland WWTP was originally classified as intermediate fish and aquatic life (D), due to low natural stream flow and lack of habitat. The intermediate section extends from the WWTP downstream to the north line of Section 19; NE 1/4, NE 1/4; T7N R1E. From this point extending downstream and for the remainder of the Big Spring Branch, the classification is continuous fish and aquatic life (A). Big Spring Branch from the "big spring" downstream, is also classified as an "exceptional resource water". This review indicates the existing classification is correct and should remain the same.

INTRODUCTION

This paper presents the results of an evaluation of the stream classification for Big Spring Branch, which had previously been the receiving water for the Highland WWTP. The evaluation was conducted as part of the Triennial Standards Review.

The sites being reviewed are listed in NR 104.05 (Appendix III). These sites received a variance due to one or more of the following criteria:

- (a) The presence of in-place pollutants
- (b) Low natural stream flow
- (c) Natural background conditions, and
- (d) Irretrievable cultural alterations.

GENERAL DESCRIPTION

Big Spring Branch is a seepage and spring fed stream originating north of Highland and flowing north westerly to join the Blue River. Runoff from the village and agricultural land have some impacts on the stream. A sanitary landfill is also located on the same property as the WWTP, but it has been closed and should receive its final cover in 1990. Some runoff from it has probably occurred in the past.

The reach included in this evaluation is a 3.1 mile stretch which extends from the WWTP downstream to Big Spring Road. The stream corridor below the WWTP is mostly wooded. Upland areas are in agricultural crops. The Wisconsin Department of Natural Resources owns a large block of land above and below Big Spring Road which includes a large spring. Public ownership will insure protection of the land and stream for future generations.

The stream in the vicinity of the WWTP has low perennial flow with a USGS computed Q₇₂ of 0.1 cfs and a Q₇₁₀ of <0.1 cfs. In the spring of 1990 some seepage flow was present in the headwaters but it soon dissipated into the stream bed. Two years of drought have substantially reduced flow in area streams. The stream remained essentially dry until the entrance of the large spring in section 18. This spring which provides the majority of flow for a high quality trout stream, also had severely reduced flow.

The USGS flows were taken at Lagoon Road which is at the entrance to the WWTP.

Table 1 contains the actual stream flows in the Big Spring Branch taken from the publication "Low-Flow Characteristics of Wisconsin Streams at Sewage Treatment Plants".

Table 1: Low-Flow Characteristics, Big Spring Branch

Drainage Area (mi ²)	<u>Date</u>	Discharge (ft ³ /S)
0.68	Aug. 23, 1973	0.30
	Oct. 8, 1975	<0.01
	Sept. 5, 1978	0.03

STREAM HABITAT, BIOLOGY, AND WATER QUALITY

Since the stream was essentially dry above the "big spring" no biological samples were taken. Stream habitat was rated with the "Stream System Habitat Rating Form", with the results contained in Appendix I.

A water quality sample was collected upstream of the sanitary landfill on May 18, 1990. The results of that sample are contained in Table II.

Table II. Big Spring Branch Water Quality Results

<u>Parameter</u>	<u>Sample Results</u>
BOD ₅	<3 mg/l
Chloride	54 mg/l
Conductivity	656 UMHOS/cm
Ammonia-N	<0.02 mg/l
NO ₂ -N & NO ₃ -N	0.22 mg/l
pH, LAB	7.80 SU
Total Phosphorus	<0.02 mg/l
Suspended Solids	<2 mg/l
Temperature	12.0°C
Dissolved Oxygen	13.8 mg/l
pH, Field	7.09 SU

A sample collected at Lagoon Road indicated higher levels of Chloride, Ammonia-N, and Conductivity. Further monitoring will be needed to identify the source of the problem.

WWTP

The Highland WWTP was revamped in 1983 and the discharge to the stream was eliminated. The final cell is presently used as a seepage cell. If there is a need for a discharge in the future, the stream classification is in place.

CLASSIFICATION


Based on this review of available chemical, physical, and biological data, the Big Spring Branch is properly classified as intermediate fish and aquatic life (D), from the WWTP downstream to the north line of Section 19; NE 1/4, NE 1/4; T7N, R1E. The remainder of Big Spring Branch should remain classified as fish and aquatic life (A). This section of stream is presently managed as trout water.

Map #1
Highland WWP
Big Spring Branch

Northeasterly
Tributary to
Big Spring Br.

Big Spring Branch
Water Chemistry
Sampling Site

Highland





Highland WWTP

Pond #3, Polishing Pond



Highland WWTP

Pond #3, Polishing Pond.



Big Spring Branch

At sanitary landfill.



Big Spring Branch

Upstream of northeasterly tributary.



Northeasterly tributary.



Big Spring Branch

Downstream of juncture with tributary.



Big Spring Branch

Upstream of Big Spring Road.



Big Spring Branch

Upstream of Big Spring Road.



Big Spring Branch

Downstream of Big Spring Road.

APPENDIX I

Stream Big Spring Br Reach Location From Highland WTP to N. Line, Sec. 19, T7N, R1E Reach Score/Rating 174/D
 County Iowa Date 4/11/90 Evaluator R. Schlessler Classification Intermediate

Rating Item	Category			
	Excellent	Good	Fair	Poor
Watershed Erosion	No evidence of significant erosion. Stable forest or grass land. Little potential for future erosion. 8	Some erosion evident. No significant "raw" areas. Good land mgmt. practices in area. Low potential for significant erosion. 10	Moderate erosion evident. Erosion from heavy storm events obvious. Some "raw" areas. Potential for significant erosion. 14	Heavy erosion evident. Probable erosion from any run off. 16
Watershed Nonpoint Source	No evidence of significant source. Little potential for future problem. 8	Some potential sources (roads, urban area, farm fields). 10	Moderate sources (small wetlands, tile fields, urban area, intense agriculture). 14	Obvious sources (major wetland drainage, high use urban or industrial area, feed lots, impoundment). 16
Bank Erosion, Failure	No evidence of significant erosion or bank failure. Little potential for future problem. 4	Infrequent, small areas, mostly healed over. Some potential in extreme floods. 8	Moderate frequency and size. Some "raw" spots. Erosion potential during high flow. 16	Many eroded areas. "Raw" areas frequent along straight sections and bends. 20
Bank Vegetative Protection	90% plant density. Diverse trees, shrubs, grass. Plants healthy with apparently good root system. 6	70-90% density. Fewer plant species. A few barren or thin areas. Vegetation appears generally healthy. 9	50-70% density. Dominated by grass, sparse trees and shrubs. Plant types and conditions suggest poorer soil binding. 15	<50% density. Many raw areas. Thin grass, few if any trees and shrubs. 18
Lower Bank Channel Capacity	Ample for present peak flow plus some increase. Peak flow contained. W/D ratio <7. 8	Adequate. Overbank flows rare. W/D ratio 8-15. 10	Barely contains present peaks. Occasional overbank flow. W/D ratio 15-25. 14	Inadequate, overbank flow common. W/D ratio >25. 16
Lower Bank Deposition	Little or no enlargement of channel or point bars. 6	Some new increase in bar formation, mostly from coarse gravel. 9	Moderate deposition of new gravel and coarse sand on old and some new bars. 15	Heavy deposits of fine material, increased bar development. 18
Bottom Scouring and Deposition	Less than 5% of the bottom affected by scouring and deposition. 4	5-30% affected. Scour at constrictions and where grades steepen. Some deposition in pools. 8	30-50% affected. Deposits and scour at obstructions, constrictions and bends. Some filling of pools. 16	More than 50% of the bottom changing nearly year long. Pools almost absent due to deposition. 20
Bottom Substrate/ Available Cover	Greater than 50% rubble, gravel or other stable habitat. 2	30-50% rubble, gravel or other stable habitat. Adequate habitat. 7	10-30% rubble, gravel or other stable habitat. Habitat availability less than desirable. 12	Less than 10% rubble gravel or other stable habitat. Lack of habitat is obvious. 22
Avg. Depth Riffles and Runs	Cold >1' 0 Warm >1.5' 0	6" to 1' 6 10" to 1.5' 6	3" to 6" 18 6" to 10" 18	<3" 24 <6" 24
Avg. Depth of Pools	Cold >4' 0 Warm >5' 0	3' to 4' 6 4' to 5' 6	2' to 3' 18 3' to 4' 18	<2' 24 <3' 24
Flow, at Rep. Low Flow	Cold >2 cfs 0 Warm >5 cfs 0	1-2 cfs 6 2-5 cfs 6	.5-1 cfs 18 1-2 cfs 18	<.5 cfs 24 <1 cfs 24
Pool/Riffle, Run/Bend Ratio (distance between riffles ÷ stream width)	5-7. Variety of habitat. Deep riffles and pools. 4	7-15. Adequate depth in pools and riffles. Bends provide habitat. 8	15-25. Occasional riffle or bend. Bottom contours provide some habitat. 12	>25. Essentially a straight stream. Generally all flat water or shallow riffle. Poor habitat. 20
Aesthetics	Wilderness characteristics, outstanding natural beauty. Usually wooded or un-pastured corridor. 8	High natural beauty. Trees, historic site. Some development may be visible. 10	Common setting, not offensive. Developed but uncluttered area. 14	Stream does not enhance aesthetics. Condition of stream is offensive. 16
Column Totals:	<u>0</u>	<u>64</u>	<u>38</u>	<u>72</u>

Column Scores E 0 +G 64 +F 38 +P 72 = 174 = Score

APPENDIX II

Village of Highland
Iowa County

October 26, 1976

Big Spring Branch

Surface area = 3.5 acres, Length = 2.4 miles, Gradient = 25.0 feet per mile.

This stream receives its name from a big spring that forms its beginning. Although there are other spring sources in Iowa County, the aquatic environment favorable to trout production is primarily in Grant County. However, the Iowa County portion has a forage fish population consisting of sculpins, creek chubs, brook sticklebacks, blacknose dace and stoneroller minnows. Its gradient is well below the average for the county but flooding and heavy erosion of its banks are common during the spring runoff and after heavy storms.


Recommendations

From the Highland Sewage Treatment Lagoon outfall downstream to the north line of the NE $\frac{1}{4}$, NE $\frac{1}{4}$ of Section 19, T7N, R1E, the classification should be noncontinuous surface waters not supporting a balanced aquatic community. From this point and for the remainder of Big Spring Branch the classification should be continuous fish and aquatic life.

The above recommendations represent a concurrence of opinion of the stream classification team who are as follows:

Dennis Iverson, District Engineer
Gene Van Dyck, Area Fish Manager
Tom Bainbridge, District Biologist
Roger Schlessler, Natural Resources Technician

Respectfully submitted,


Tom Bainbridge
Stream Classification Coordinator

TB:cb

APPENDIX III

Chapter NR 104

INTRASTATE WATERS — USES AND
DESIGNATED STANDARDS

NR 104.01	General (p. 33)	NR 104.07	Variances and additions applicable in the Lake Michigan district (p. 44)
NR 104.02	Surface water classifications and effluent limitations (p. 34)	NR 104.08	Variances and additions applicable in the north central district (p. 48)
NR 104.03	Classification of surface waters and antidegradation (p. 37)	NR 104.09	Variances and additions applicable in the west central district (p. 49)
NR 104.04	Provision for changes (p. 38)	NR 104.10	Variances and additions applicable in the northwest district (p. 52)
NR 104.05	Variances and additions applicable in the southern district (p. 38)		
NR 104.06	Variances and additions applicable in the southeast district (p. 41)		

Note: Chapter NR 104 as it existed on September 30, 1976 was repealed and a new chapter NR 104 was created effective October 1, 1976.

NR 104.01 General. (1) "It is . . . the goal of the state of Wisconsin that, wherever attainable, an interim goal of water quality which provides for the protection and propagation of fish, shellfish and wildlife and provides for recreation in and on the water be achieved by 1983. . ." s. 147.01(1)(b), Stats. The long-range goal of Wisconsin water quality standards is, therefore, to permit the use of water resources for all lawful purposes. Surface waters which because of natural conditions are not conducive to the establishment and support of the complete hierarchy of aquatic organisms shall not be degraded below present levels, but shall be upgraded as necessary to support assigned uses. Most surface waters within the state of Wisconsin already meet or exceed the goals specified above. However, certain waters of the state may not meet these goals for the following reasons:

- (a) The presence of in-place pollutants,
- (b) Low natural streamflow,
- (c) Natural background conditions, and
- (d) Irretrievable cultural alterations.

(1m) Where it is determined that one or more of these factors may interfere with the attainment of the statutory objectives, a variance from the criteria necessary to achieve those objectives is provided.

(2) Surface waters within the boundaries of the state shall meet the standards for fish and aquatic life and recreational use with the variances and additions listed below in ss. NR 104.05 to 104.10. A system is provided within which small streams and other surface waters which cannot support high quality uses are granted a variance from the high quality criteria.

(3) Effluent limitations specified in this chapter shall be achieved by industrial, private and municipal dischargers by July 1, 1983 unless an earlier date is otherwise provided in a permit issued under s. 147.02, Stats. Municipal dischargers eligible for state or federal grant-in-aid

shall achieve the specified effluent limitations upon completion of construction or modification of facilities approved by the department of natural resources subsequent to adoption of this chapter unless otherwise provided in a permit issued under s. 147.02, Stats.

History: Cr. Register, September, 1976, No. 249, eff. 10-1-76; am. (1), Register, December, 1977, No. 264, eff. 1-1-78.

NR 104.02 Surface water classifications and effluent limitations. (1) HYDROLOGIC CLASSIFICATION. "Surface waters" as defined in s. NR 102.01(7), may be classified according to their hydraulic or hydrologic characteristics. For purposes of this chapter, surface waters will be classified by the department into one of the following categories:

(a) *Lakes or flowages*. This classification includes bodies of water whose current is more or less stagnant or which lacks a unidirectional current.

(b) *Diffused surface waters*. This classification includes any water from rains, intermittent springs or melting snow which flows on the land surface, through ravines, etc., which are usually dry except in times of runoff. This category does not include waters at the land surface in the vicinity of agricultural or wastewater irrigation disposal systems.

(c) *Wetlands*. This classification includes areas where water is at, near, or above the land surface long enough to be capable of supporting aquatic or hydrophytic vegetation and which have soils indicative of wet conditions.

(d) *Wastewater effluent channels*. This classification includes discharge conveyances constructed primarily for the purpose of transporting wastes from a facility to a point of discharge. Drainage ditches (including those established under ch. 88, Stats.) constructed primarily for the purposes of relieving excess waters on agricultural lands shall not be construed as effluent channels. Modifications made to natural watercourses receiving wastewater effluents for the purpose of increasing or enhancing the natural flow characteristics of the stream shall not be classified as effluent channels.

(e) *Noncontinuous streams*. This classification includes watercourses which have a defined stream channel, but have a natural 7-day Q_{\cong} flow of less than 0.1 cfs and do not exhibit characteristics of being perpetually wet without wastewater discharges.

(f) *Continuous streams*. This classification includes watercourses which have a natural 7-day Q_{\cong} flow of greater than 0.1 cfs or which exhibit characteristics of a perpetually wet environment, are generally capable of supporting a diverse aquatic biota and flow in a defined stream channel.

Note: The application of this classification system is not dependent on the the navigability properties of the watercourse, but is dependent upon the quantity-quality relationships of the surface water.

(2) WATER QUALITY CLASSIFICATION. (a) Whenever the goals as specified in s. 147.01(1)(b), Stats., cannot be attained because of conditions enumerated in s. NR 104.01(1), a variance may provided. Variances from a specific water quality criteria may be given in s. NR 104.05 et. seq. or a variance under one of the categories provided in this chapter may be specified.

Register, October, 1985, No. 358

(b) Practices attributable to municipal, industrial, commercial, domestic, agricultural, land development, or other activities shall be controlled so that waters regardless of their hydrologic and water quality classifications meet the general aesthetic and acute toxicity conditions in s. NR 102.02(1).

(3) VARIANCE CATEGORIES. (a) Surface waters not supporting a balanced aquatic community (intermediate aquatic life):

1. Applicability. This category of variance may be applied to either the continuous or noncontinuous stream hydrologic classification.

2. Surface water criteria. The following water quality criteria shall be met in all surface waters included in this variance category:

a. Dissolved oxygen shall not be less than 3 mg/l.

b. Ammonia nitrogen (as N) at all points in the receiving water shall not be greater than 3 mg/l during warm temperature conditions nor greater than 6 mg/l during cold temperatures to minimize the zone of toxicity and to reduce dissolved oxygen depletion caused by oxidation of the ammonia.

c. The pH shall be within the range of 6.0 to 9.0.

d. Other substances may not exceed concentrations determined in accordance with s. NR 102.02(1).

3. Effluent criteria. a. The effluent limitations determined necessary to meet the surface water criteria listed above are enumerated in table 1.

Parameter	Monthly Average (mg/l)	Daily Maximum (mg/ l)	Weekly	
			Average (mg/l)	Other (mg/l)
BOD ₅	15	30	-	-
Total Suspended Solids	20	30	-	-
NH ₃ -N (May-October)	-	-	3	-
NH ₃ -N (November-April)	-	-	6	-
Dissolved Oxygen	-	-	-	4 (minimum)

b. Unless otherwise specified in table 1 above, effluent limitations for sewage treatment works shall be as adopted in ch. NR 210.

c. In addition to the effluent limitations enumerated in table 1 above, effluent limitations for these and any other substance necessary to protect assigned uses shall be met.

(b) Marginal surface waters: 1. Applicability. This variance category may be applied to the continuous or noncontinuous stream hydrologic classification, except that it shall be applied to all surface waters classified as effluent channel, wetland or diffuse surface water.

2. Surface water criteria. The following surface water quality criteria shall be met in all surface waters included in this variance category:

a. Dissolved oxygen shall not be less than 1 mg/l.

b. The pH shall be within the range of 6.0 to 9.0.

c. Other substances may not exceed concentrations determined in accordance with s. NR 102.02(1).

3. Effluent criteria. a. The effluent limitations determined necessary to meet the surface water criteria listed above are enumerated in table 2.

Parameter	Monthly Average (mg/		Weekly Average (mg/	Other (mg/l)
	1)			
BOD ₅	20		30	-
Total Suspended Solids	20		30	-
Dissolved Oxygen	-		-	4 (minimum)

b. Unless otherwise specified in table 2 above, effluent limitations for sewage treatment works shall be as adopted in ch. NR 210.

c. In addition to the effluent limitations enumerated in table 2 above, effluent limitations for these and any other substance necessary to protect assigned uses shall be met.

(4) OTHER CLASSIFICATIONS AND EFFLUENT CRITERIA. (a) *Surface waters significant to the environmental integrity of the state or region.* Under all hydrologic categories, the department reserves the right to require other effluent limitations, including allocation of wasteloads for organic material, toxicants and chlorine residuals if it is determined that the specified surface water is important to the overall environmental integrity of the area. In waters identified as trout streams, located in scientific areas or wild and scenic areas, providing endangered species habitat or of high recreational potential, effluent criteria will be evaluated on a case-by-case basis.

(b) *Surface waters classified for fish and aquatic life.* 1. Streams. Where flowing streams or rivers are specified to achieve fish and aquatic life criteria, wasteload allocation for organic material, toxicants and chlorine residuals shall determine effluent criteria necessary to achieve that standard.

2. Lakes and flowages. Effluent characteristics for discharges to lakes or flowages shall be based upon an evaluation of water quality necessary to protect fish and aquatic life taking into account mixing zone and nutrient removal criteria.

3. Minimum effluent criteria. If it can be reasonably demonstrated that the quality of the surface water is independent of a wastewater discharge, effluent limitations established under ss. 147.04 and 147.06, Stats., shall apply.

(c) *Wastewater treatment lagoons.* Effluents from fill-and-draw wastewater treatment lagoons or domestic waste stabilization ponds discharging to waters receiving a variance in this chapter may be permitted to vary from the limitations specified in table 1 or 2 provided the following conditions are met:

1. The discharge occurs only during the spring and fall of the year when the flow in the receiving water is normally high, and the temperature is low. The rate of discharge shall not exceed that specified in a permit under s. 147.02, Stats., or where no rate is indicated, the allowable discharge quantities shall be determined by the department based upon current evaluation of the receiving water.

2. In lieu of the previous conditions, the discharge from a fill-and-draw lagoon may occur at any time provided the rate does not exceed the assimilative capacity of the receiving water as specified in a permit under s. 147.02, Stats.

3. The dissolved oxygen in the effluent is maintained at a level greater than or equal to 4 mg/l, and the permitted rate of discharge shall be such that the dissolved oxygen and ammonia nitrogen criteria necessary to sustain fish and aquatic life are maintained in the stream during the period of discharge.

4. The effluent limitations do not exceed those established under ss. 147.04 and 147.06, Stats.

(5) CHANGES IN CLASSIFICATION. Surface waters which exhibit changing hydrologic and quality characteristics shall be classified accordingly. Effluent criteria for upstream discharges shall be based upon the most critical downstream classification and shall be specified by the department either on the basis of justified inference or by the application of a wasteload allocation analysis. Any subsequent changes in a stream's morphology or potential may necessitate the reevaluation of the classification.

History: Cr. Register, September, 1976, No. 249, eff. 10-1-76; am. Tables 1 and 2, (2), (3) (a) 2a and d, (3) (b) 2a and c, (4) (c), Register, December, 1977, No. 264, eff. 1-1-78; am. (3) (a) 2a, Register, June, 1978, No. 270, eff. 7-1-78; am. (1) (c), Register, June, 1984, No. 342, eff. 2-1-84; r. (3) (a) 2. b. to d., (b) 2. b. and c., renum. (3) (a) 2. e. to g. and (3) (b) 2. d. and e. to be (3) (a) 2. b. to d. and (3) (b) 2. b. and c. and am (3) (a) 2. g. and (3) (b) 2. c., am. (3) (a) 3. a. and (3) (b) 3. a., Register, October, 1986, No. 370, eff. 11-1-86.

NR 104.03 Classification of surface waters and antidegradation. In no case shall the effluent criteria specified herein cause degradation of surface water quality below present levels. Surface waters which, because of their hydrologic classification, are permitted to receive a new effluent of a quality specified in NR 104.02 shall not receive such effluent unless it has been affirmatively demonstrated to the department that such degradation is necessary to protect the public health or to maintain or restore the environmental integrity of a higher value resource. In no case shall a new effluent interfere with or become injurious to any assigned uses made of or presently possible in any surface water.

History: Cr. Register, September, 1976, No. 249, eff. 10-1-76; am. Register, December, 1977, No. 264, eff. 1-1-78.

NR 104.04 Provision for changes. The surface waters specified in this chapter are not intended to be an exclusive listing nor do the specified effluent criteria purport to meet the 1983 water quality goals set forth in ch. 147, Stats. Additions to or deletions from these listings may be made based upon the accumulation of information necessary to make such determination and in accordance with the requirements of ch. 227, Stats.

History: Cr. Register, September, 1976, No. 249, eff. 10-1-76.

NR 104.05 Variances and additions applicable in the southern district. Subject to the provision of NR 104.04, intrastate surface waters in the southern district counties of Columbia, Dane, Dodge, Grant, Green, Iowa, Jefferson, Lafayette, Richland, Rock and Sauk shall meet the criteria for fish and aquatic life and recreational use with exceptions and additions as follows:

Register, October, 1986, No. 370

(1) ADDITION. The public water supply standard shall be met on the Wisconsin river in section 8, township 10 north, range 7 east.

(2) VARIANCE. Surface waters in the southern district subject to a variance under NR 104.02(3) are listed in table 3.

TABLE 3
SOUTHERN DISTRICT

Surface Water (Facility Affected)	Reach Description	Hydrologic Classification	Applicable Criteria (1)	Effluent Limitations (2) Effluent limitations to be determined
1. Goose Lake Tributary (Arlington)	Tributary upstream from Goose Lake	Noncontinuous	II	B
2. Tributary - East Branch Pecatonica River (Barneveld)	From the Barneveld STP downstream to the East Branch Pecatonica River	Noncontinuous	II	B
3. Williams Creek (Blue Mounds)	From the Blue Mounds STP downstream to the east line of Sec. 14, T6N, R5E	Noncontinuous	I	A
4. Sanders Creek (Boscobel)	From the Boscobel STP downstream to the Wisconsin River	Continuous	I	A
5. Allen Creek (Brooklyn)	Upstream from Butts Corner Road	Continuous	I	A
6. Kummel Creek (Brownsville)	From Brownsville STP downstream to CTH "HH"	Noncontinuous	I	A
7. Spring Brook and Tributary (Clinton)	Tributary from the Clinton STP to Spring Brook	Effluent ditch	II	B
8. Tributary - Dead Creek (Clyman)	Spring Brook in Clinton Township	Continuous	II	NA
9. West Branch Pecatonica River (Cobb)	Tributary from Clyman STP downstream to Dead Creek	Noncontinuous	II	B
10. Door Creek (Cottage Grove)	From the Cobb STP downstream to confluence with an unnamed tributary NE $\frac{1}{4}$, NW $\frac{1}{4}$, Sec. 2, T5N, R1E.	Continuous	I	A
11. Coon Branch (Cuba City)	Door Creek upstream from STH 12 & 18	Noncontinuous	I	A
	From STH 12 & 18 downstream to Lake Kegonsa	Continuous	I	NA
	Upstream from westerly tributary approximately 1 mile above STH "11"	Noncontinuous	II	B
	Downstream from above tributary to confluence with Galena River	Continuous	I	NA
12. Mud Creek and Tributary (Deerfield)	Tributary from Deerfield STP to confluence with Mud Creek	Effluent ditch	II	B
	Mud Creek from above tributary downstream to confluence with Koshkonong Creek	Continuous	I	

DEPARTMENT OF NATURAL RESOURCES
NR 104

39

13. Indian Creek and Tributary (Dickeyville)	Tributary from Dickeyville STP to confluence with Indian Creek	Noncontinuous	II	NA
	Indian Creek from above tributary downstream to confluence with Platte River	Continuous	I	A
14. Dodge Branch (Dodgeville)	Upstream from a point approximately 3,500 feet downstream from STH "191"	Noncontinuous	I	A
15. Tributary - North Branch Crawfish River (Fall River)	Tributary from the Fall River STP downstream to the North Branch Crawfish River	Noncontinuous	II	Effluent limitations to be determined
	Upstream from STH "61"	Continuous	I	A
16. Gregory Branch (Fennimore)	Upstream from STH "61"	Continuous	I	A
17. Tributary - Rock River (Hidden Meadows Mobile Home Park)	Tributary from the Hidden Meadows Mobile Park STP discharge downstream to the Rock River	Noncontinuous	II	B
18. Big Spring Branch (Highland)	Upstream from the North line of Sec. 19, T7N, R1E	Noncontinuous	I	A
19. Pedler Creek (Iowa Co. Nursing Home)	From the Iowa Co. Nursing Home STP downstream to the confluence with an unnamed tributary, SE¼, SE¼, Sec. 34, T6N, R2E	Noncontinuous	I	A
20. Tributary - Wildcat Creek (Iron Ridge)	From the Iron Ridge STP downstream to Wildcat Creek	Noncontinuous	II	B
21. Tributary & Rock River Tributary (Ixonia San. Dist.)	From the Ixonia San. Dist. STP downstream to the juncture with the Rock River Tributary	Noncontinuous	II	B
	Rock River Tributary from above tributary to confluence with Rock River	Continuous	II	NA
22. Tributary - Menominee River (Jamestown San. Dist. #2)	From Jamestown San. Dist. #2 STP to the Menominee River	Diffused surface water	II	B
23. Dead Creek (Juneau)	Upstream from CTH "M"	Effluent ditch	II	B
	From CHT "M" to St. Helena Rd.	Continuous	I	NA
24. Sinnipee Creek (Kieler San. Dist. #1)	From Kieler lagoon outfall to Bluff Road	Continuous	I	A
25. Rock Creek (Lake Mills)	From the Lake Mills STP downstream to CTH "V"	Noncontinuous	I	A
	From CTH "V" to Harper's Mill Pond	Continuous	I	NA
26. Tributary - Pigeon Creek (Lancaster)	Tributary from Lancaster STP downstream to south line of section 10	Continuous	II	Effluent limitations to be determined
	Tributary from above point downstream to confluence with Pigeon Creek	Continuous	I	determined
27. Tributary - Baker Creek (Lebanon San. Dist.)	From Lebanon STP downstream to Baker Creek	Noncontinuous	II	B
28. Little Platte River (Livingston)	From Livingston STP downstream to New California Road	Noncontinuous	I	A
29. Tributary-East Branch Rock River (Lomira)	Tributary upstream from confluence with East Branch Rock River.	Noncontinuous	I	A
30. (Madison Metro Sewerage Commission)	From the STP outfall aerator to the Oregon Branch	Effluent ditch	II	Effluent limitations to be determined

31. Brewery (Furnance) Creek (Mineral Point)	Brewery Creek upstream from confluence with Mineral Point Branch	Continuous	II	B (Note: the above limitation shall remain in effect until significant nonpoint source problems can be corrected)
32. Tributary - Blue River (Montfort)	From the Montfort STP downstream to the Blue River	Continuous	I	A
33. Little Grant River (Mount Hope)	From the Mt. Hope STP downstream to the west boundary of Sec. 10, T5N, R4W	Noncontinuous	I	A
34. West Branch Sugar River (Mt. Horeb)	From Mt. Horeb STP downstream to CTH "JG".	Continuous	I	A
35. Tributary - Austin Branch (Orchard Manor)	Drainage from Orchard Manor outfall to Austin Branch	Diffused surface waters	II	Effluent limitations to be determined
36. Oregon Branch - Badfish Creek (Oregon)	From the Oregon outfall downstream to juncture with the Madison Met effluent ditch	Noncontinuous	II	Effluent limitations to be determined
	From this point downstream to CTH "A"	Continuous	I	
37. Swan Creek and Tributary (Orfordville)	Tributary from Orfordville STP outfall to Swan Creek.	Effluent ditch	II	NA
	Swan Creek from confluence with above tributary to Dicky Road.	Noncontinuous	I	A
38. Tributary - Blake Fork (Patch Grove)	Tributary from the Patch Grove STP downstream to Blake Fork	Noncontinuous	I	A
39. Tributary - Honey Creek (Plain)	From the Plain STP downstream to Honey Creek	Continuous	I	Effluent limitations to be determined
40. Randolph Branch - Tributary Beaver Creek (Randolph)	From the Randolph STP downstream to Beaver Creek Tributary	Noncontinuous	II	Effluent limitations to be determined
	Tributary to Beaver Creek upstream from Beaver Creek	Noncontinuous	I	A
41. Tributary-Beaver Dam River (Reeseville)	Tributary from Reeseville STP to confluence with Beaver Dam River	Noncontinuous	I	A
42. Conley - Smith Creek (Ridgeway)	From the Ridgeway STP downstream to the south boundary of Sec. 14, T6N, R4E	Noncontinuous	I	Effluent limitations to be determined
43. Tributary - Rocky Run Creek (Rio)	From the Rio STP downstream to Rocky Run Creek	Noncontinuous	II	B
44. Tributary - Narrows Creek (Sauk Co. Health Care Center)	From the Sauk County Health Care Center STP downstream to Narrows Creek	Noncontinuous	I	A
45. Duck Creek and Tributary (Sullivan)	Tributary from the Sullivan STP to Duck Creek	Effluent channel	II	Effluent limitations to be determined
	Duck Creek from the effluent ditch downstream juncture with northerly drainage ditch in Sec. 5, T6N, R16E	Noncontinuous	I	
46. Koshkonong Creek (Sun Prairie)	Koshkonong Creek upstream from first bridge above Sun Prairie STP	Noncontinuous	II	Effluent limitations to be determined
	Koshkonong Creek from above location to CTH "T".	Continuous	II	
47. Badger Mill Creek (Verona)	Badger Mill Creek from road at Verona STP downstream to STH "69".	Continuous	I	A

DEPARTMENT OF NATURAL RESOURCES

41

NR 104

48. Tributary - Murphy Creek (Wisconsin Department of Health & Social Services - Oakwood State Camp)	Tributary from Oakwood State Camp STP downstream to Murphy Creek	Noncontinuous	II	B
--	--	---------------	----	---

- (1) Criteria I requires the maintenance of surface water criteria specified in NR 104.02(3)(a)2.
 Criteria II requires the maintenance of surface water criteria specified in NR 104.02(3)(b)2.
- (2) Effluent limitation A requires those limits specified in NR 104.02(3)(a)3.
 Effluent limitation B requires those limits specified in NR 104.02(3)(b)3.
 NA—Not applicable

History: Cr. Register, September, 1976, No. 249, eff. 10-1-76; am. table 3, r. (3), Register, December, 1977, No. 264, eff. 1-1-78.

NR 104.06 Variances and additions applicable in the southeast district. Subject to the provisions of NR 104.04, intrastate surface waters in the southeast district counties of Kenosha, Milwaukee, Ozaukee, Racine, Walworth, Washington and Waukesha shall meet the criteria for fish and aquatic life and recreational use with exceptions and additions as follows.

(1) VARIANCE. Surface waters in the southeast district subject to a variance under NR 104.02(3) are listed in table 4.

(2) OTHER VARIANCES. (a) The following surface waters in the southeast district shall meet the standards for fish and aquatic life except that the dissolved oxygen shall not be lowered to less than 2 mg/l at any time, nor shall the membrane filter fecal coliform count exceed 1,000 per 100 ml as a monthly geometric mean based on not less than 5 samples per month nor exceed 2,000 per 100 ml in more than 10% of all samples during any month:

1. Underwood creek in Milwaukee and Waukesha counties below Juneau boulevard.
2. Barnes creek in Kenosha county.
3. Pike creek, a tributary of Pike river, in Kenosha county.
4. Pike river in Racine county.
5. Indian creek in Milwaukee county.
6. Honey creek in Milwaukee county.
7. Menomonee river in Milwaukee county below the confluence with Honey creek.
8. Kinnickinnic river in Milwaukee county.
9. Lincoln creek in Milwaukee county.

(b) The following surface waters in the southeast district shall meet the standards for fish and aquatic life except that the dissolved oxygen shall not be lowered to less than 2 mg/l at any time, nor shall the membrane filter fecal coliform count exceed 1,000 per 100 ml as a monthly geometric mean based on not less than 5 samples per month nor exceed 89DF at any time at the edge of the mixing zones established by the department under s. NR 102.03 (4):

Village of Highland
Iowa County

October 26, 1976

Big Spring Branch

Surface area = 3.5 acres, Length = 2.4 miles, Gradient = 25.0 feet per mile.

This stream receives its name from a big spring that forms its beginning. Although there are other spring sources in Iowa County, the aquatic environment favorable to trout production is primarily in Grant County. However, the Iowa County portion has a forage fish population consisting of sculpins, creek chubs, brook sticklebacks, blacknose dace and stoneroller minnows. Its gradient is well below the average for the county but flooding and heavy erosion of its banks are common during the spring runoff and after heavy storms.

Recommendations

From the Highland Sewage Treatment Lagoon outfall downstream to the north line of the NE $\frac{1}{4}$, NE $\frac{1}{4}$ of Section 19, T7N, R1E, the classification should be noncontinuous surface waters not supporting a balanced aquatic community. From this point and for the remainder of Big Spring Branch the classification should be continuous fish and aquatic life.

The above recommendations represent a concurrence of opinion of the stream classification team who are as follows:

Dennis Iverson, District Engineer
Gene Van Dyck, Area Fish Manager
Tom Bainbridge, District Biologist
Roger Schlessler, Natural Resources Technician

Respectfully submitted,


Tom Bainbridge
Stream Classification Coordinator

TB:cb

