	3 / A	Data collectors	7 2 5 5	Lake Name
			7502	County
	Sometiment of the solutions of the solution of	Lead Monitor phone and email Start time (~ 15 min)	(84700	WBIC
•	m. 30 2:4/1	d email Start time	2774	Date(s)
	15 25 A. T. L.	(~ 15 min)	7.1. Y (N)	AlS sign?
	9-4-14 3:45	End time (~ 15 min)	15 A.	Secchi (ft or m)
	3.55	Total collector time (hrs x # collectors)	C	Conductivity (ZM tow if ≥99 umhos/cm)

Look for the following species: Purple loosestrife, Phragmites, flowering rush, Japanese knotweed, Yellow iris, Eurasian water-milfoil, curly-leaf pondweed, Hydrilla, swamp crayfish, rusty crayfish, didymo, and any other AIS found. hyacinth, water lettuce, zebra mussel, quagga mussel, water flea, Chinese mystery snail, banded mystery snail, faucet snail, New Zealand mud snail, Asian clam, red Brazilian waterweed, yellow floating heart, European frog-bit, yellow floating heart, water chestnut, Brazilian waterweed, fanwort, parrot feather, water

STEP 1: Record locations of sampling sites (in decimal degrees). Sampling sites include all public boat landings (BL), 5 target sites (TS) and the meander survey sites (MS). List appreciated. If needed, preserve with adequate ethanol. include internal and external labels with WBIC, lake name, county, sample date, sample type (snails, spiny water flea or zebra mussel) and collector. Legibility is AIS found at each site or record none. Collect a sample of any new AIS found. Collect five new invasive plant specimens, 20 Dreissenids, and 3 of each snail species and

			Y'n	4	す	\$	- 1	F	Site
			45-37921	45.37589	5.3783	US 36/14	45.38279	18,39187	Latitude
			S. 92180		-88.92888	-88 92468	-56.92177	21.65	Longitude
		4	and the second second	es les contractions de l'action de l'actio					Snorkel (Y or N*)
					3				Snorkel (Y or N*) If N snorkel, indicate why
			No Als	之。上示	3		10 H-5	Ec THV	Species, density 1-5 [‡]

*For lakes/sites not snorkeled, substitute:

Boat landing site - 15 rake throws and 15 D-net samples OR 30 minutes, whichever comes first Targeted site - 5 rake throws and 5 D-net samples OR 10 minutes, whichever comes first

50 meander sites - 10 rake throws and 10 D-net samples during meander survey between sampling sites for a total of 50 meander survey sites

†If lake/site was not snorkeled, indicate why: stained water, turbid water, blue-green bloom, chemical treatment, other (please describe)

‡ Density Ratings

- 1 A few plants or invertebrates
- 2 One or a few plant beds or colonies of invertebrates
- 3 Many small beds or scattered plants or colonies of invertebrates

- 4 Dense plant, snail or mussel growth in a whole bay or portion of the lake
- 5 Dense plant, snail or mussel growth covering most shallow areas

Step 2: Collect Waterflea Tows from the deep hole (DH). Decant s water and preserve the sample. Submit sample and datasheet to Science Services.

Sing.
200 E

Step 3: Collect Veliger Tows from 3 sites; the deep hole (DH), water depth of about 4 meters (if possible). Submit sample and Mussel Veliger Tow Monitoring Report form to Science Service.

		7			-
Sample sent to, date	Samples combined (Y or N)	Ethanol added (Y or N)	Net diameter (30 or 50 cm)	Net ring depth	Site

Step 4: Were plant voucher specimens submitted? Yes No (circle) If yes, where? (circle) Freckmann Herbarium, Other

Step 5: Were snail voucher specimens submitted (separate into Chinese, banded, all others)? Yes No (circle) If yes, where? (circle) UW La Crosse, or Other

Step 7: Data was proofed on	Step 6: Data was entered into SWIMS on
22	on Olsanda by
by _	
	by CC

Notes:

