Lead Monitor phone and email Start time (~15 min) End time (~15 min)	Lake Name County	WBIC	Date(s)	AIS sign? Secchi((ft/or m)	Conductivity (ZM tow if > 99 umhos/cm)
Lead Monitor phone and email Start time (~15 min) End time (~15 min) T 16-36-360-5316		58000	9/2/14) N H	0
Type we triffe will consider the first	,	Lead Monitor phone and	email Start time (~ 15		Total collector time (hrs x # collectors
	Type C.	Sversing de to moth	W. 200 W. 100	. 2	4.5 hs

swamp crayfish, rusty crayfish, didymo, and any other AIS found. hyacinth, water lettuce, zebra mussel, quagga mussel, water flea, Chinese mystery snail, banded mystery snail, faucet snail, New Zealand mud snail, Asian clam, red Brazilian waterweed, yellow floating heart, European frog-bit, yellow floating heart, water chestnut, Brazilian waterweed, fanwort, parrot feather, water Look for the following species: Purple loosestrife, Phragmites, flowering rush, Japanese knotweed, Yellow iris, Eurasian water-milfoil, curly-leaf pondweed, Hydrilla,

include internal and external labels with WBIC, lake name, county, sample date, sample type (snails, spiny water flea or zebra mussel) and collector. Legibility is AIS found at each site or record none. Collect a sample of any new AIS found. Collect five new invasive plant specimens, 20 Dreissenids, and 3 of each snail species and STEP 1: Record locations of sampling sites (in decimal degrees). Sampling sites include all public boat landings (BL), 5 target sites (TS) and the meander survey sites (MS). List appreciated. If needed, preserve with adequate ethanol.

		S	SE	S	2	9	CC Prince	Site
		89648-571	45.87782	40048.51	45.88725	45.88367	85-688-GH	Latitude
		-86.56391	-36.55938	-08. 5 55 90	-98-55623	+88.55951	NS-83-83-	Longitude
		CS	Le	<u>ر</u> چ		C	CC	Snorkel (Y or N*)
	*		and the second)		1		If N snorkel, indicate why
		*	16	8	るき	NO A16	N A 15	Species, density 1-5 [‡]
						#) # 1 / 2 / 2 / 2 / 2 / 2 / 2 / 2 / 2 / 2 /		

*For lakes/sites not snorkeled, substitute:

50 meander sites - 10 rake throws and 10 D-net samples during meander survey between sampling sites for a total of 50 meander survey sites Boat landing site - 15 rake throws and 15 D-net samples OR 30 minutes, whichever comes first Targeted site - 5 rake throws and 5 D-net samples OR 10 minutes, whichever comes first

†If lake/site was not snorkeled, indicate why: stained water, turbid water, blue-green bloom, chemical treatment, other (please describe).

‡ Density Ratings

- 1 A few plants or invertebrates
- 2 One or a few plant beds or colonies of invertebrates
- 3 Many small beds or scattered plants or colonies of invertebrates

4 – Dense plant, snail or mussel growth in a whole bay or portion of the lake5 – Dense plant, snail or mussel growth covering most shallow areas

Step 2: Collect Waterflea Tows from the deep hole (DH). Decant's water and preserve the sample. Submit sample and datasheet to Science Services

Site	Net ring depth	Method (hor, obliq, vert)	Net diameter (30 or 50 cm)	Ethanol added (Y or N)	Samples combined (Y or N)	Sample sent to, date
	5 5					
1			and the second		of the state of th	
jimes						

Science Service. Step 3: Collect Veliger Tows from 3 sites; the deep hole (DH), water depth of about 4 meters (if possible). Submit sample and Mussel Veliger Tow Monitoring Report form to

				Site
رسيدة والماء والمواجعة وال			-:	Net ring depth
d selection.	A constitution of the cons			Net diameter (30 or 50 cm) Ethanol added (Y or N)
		$_{1,2}$) $_{1,2}$ $_{1,2}$ $_{1,2}$ $_{2,2}$	The control of the state of the	Ethanol added (Y or N)
		And the state of t	The state of the s	Samples combined (Y or N)
	The state of the s	To the same of the	39	Sample sent to, date
ŝ	To complete the second	•		

Step 4: Were plant voucher specimens submitted? Yes No (circle) If yes, where? (circle) Freckmann Herbarium, Other

Step 5: Were snail voucher specimens submitted (separate into Chinese, banded, all others)? Yes No (circle) If yes, where? (circle) UW La Crosse, or Other

Step 7: Data was proofed on Step 6: Data was entered into SWIMS on þ

Notes:

