					, m,	
Lake Name	County	WBIC	Date(s)	AlS sign?	Secchi (ft or m)	Conductivity (ZM tow if > 99 umhos/cm)
Charles and the contract of th	2005	1.606700	8 3 5	YN	<u></u>	C
Data collectors		Lead Monitor phone and email Start time (~ 15 min)	email Start time (~		End time (~ 15 min)	Total collector time (hrs x # collectors)
J. J		Springer Consistanting	25.50 11:30	, n	M	5
				- 1 1		

swamp crayfish, rusty crayfish, didymo, and any other AIS found Brazilian waterweed, yellow floating heart, European frog-bit, yellow floating heart, water chestnut, Brazilian waterweed, fanwort, parrot feather, water Look for the following species: Purple loosestrife, Phragmites, flowering rush, Japanese knotweed, Yellow iris, Eurasian water-milfoil, curly-leaf pondweed, Hydrilla, hyacinth, water lettuce, zebra mussel, quagga mussel, water flea, Chinese mystery snail, banded mystery snail, faucet snail, New Zealand mud snail, Asian clam, red

appreciated. If needed, preserve with adequate ethanol STEP 1: Record locations of sampling sites (in decimal degrees). Sampling sites include all public boat landings (BL), 5 target sites (TS) and the meander survey sites (MS). List include internal and external labels with WBIC, lake name, county, sample date, sample type (snails, spiny water flea or zebra mussel) and collector. Legibility is AIS found at each site or record none. Collect a sample of any new AIS found. Collect five new invasive plant specimens, 20 Dreissenids, and 3 of each snail species and

,				1 1	\sim	5	P B		Site
			 G						
			2 5 6 6	50.00	57	45.908	US. 9046	15. 75.39	Latitude
			-58. 96.65			-88, 9575	-86. 9566	-88° -3260	Longitude
		-	Com	S	LS	<u>C</u> ====================================	C	- Lange	Snorkel (Y or N*)
	-		- Carlotte	que					Snorkel (Y or N*) If N snorkel, indicate why
			4		2		No Also	0 245	Species, density 1-5 [‡]
				45. 30 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4	45.5042 -38.9619 3 3 4 4 4 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	1 45. 5042 - 36. 65.8 4 4 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	45.9091 -88.9575 Y -1 -1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	15.9091 -88.9546 J - 10.00 No A	15. 90239 -88. 95969 Y - 1 No A 15. 9042 -88. 9595 Y 16. 10239 -88. 9595 Y 17. 1024 - 1025 Y 18. 10239 Y

*For lakes/sites not snorkeled, substitute:

Targeted site - 5 rake throws and 5 D-net samples OR 10 minutes, whichever comes first Boat landing site - 15 rake throws and 15 D-net samples OR 30 minutes, whichever comes first

50 meander sites - 10 rake throws and 10 D-net samples during meander survey between sampling sites for a total of 50 meander survey sites

†If lake/site was not snorkeled, indicate why: stained water, turbid water, blue-green bloom, chemical treatment, other (please describe).

‡ Density Ratings

- 1 A few plants or invertebrates
- 2 One or a few plant beds or colonies of invertebrates
- 3 Many small beds or scattered plants or colonies of invertebrates
- 4 Dense plant, snail or mussel growth in a whole bay or portion of the lake
- 5 Dense plant, snail or mussel growth covering most shallow areas

Step 2: Collect Waterflea Tows from the deep hole (DH). Decant s water and preserve the sample. Submit sample and datasheet to Science Services.

7		8	Site Net ring depth
Ça	and the state of t		h Method (hor, obliq, vert)
· ·	and the state of t		Net diameter (30 or 50 cm)
			Ethanol added (Y or N)
Ç			Samples combined (Y or N)
			Sample sent to, date

Step 3: Collect Veliger Tows from 3 sites; the deep hole (DH), water depth of about 4 meters (if possible). Submit sample and Mussel Veliger Tow Monitoring Report form to Science Service.

Site Net ring depth	Net diameter (30-or 50 cm)	Ethanol added (Y or N)	Samples combined (Y or N)	Sample sent to, date
		The second secon	The Control of the Co	
	and the contraction of the contr	The second secon		
and the second s				Marketon bear decreased and proper property of the property of

Step 4: Were plant voucher specimens submitted? Yes No (circle) If yes, where? (circle) Freckmann Herbarium, Other

		oreho: were shall vo	
		0	
		~	
		e	
		SH	
		=	
		mail your	
		cher s	
	_	S	
		ല്	
		3	
		SC	
		5	
		∄	•
		ted (s	
	7) S	•
	7	Š	
	5	7	
		<u>.</u>	
	6	3 ~	
	1	ξ. Σ.	
	Lacker are mire commenced to	separate into Chinese k	
	<u>ر</u>	<u>,</u>	
	2	ממל	
	מזומכע, מ	וב אמלי	
	2	<u>ע</u>	
	5	}	
	010	Dre.	
		rc 10 Yo	
	- 60	, כ	
	2	-	
•	2	<u>?</u> .	
		No (circlo)	
	=	Ŧ,	
•	3	5	
	2	ξ.	
	3	2	
	::	ວ	
	5	3.	
	à	Ó	
	2	3	
	רם מ	-	
	2	?	
	Coco	22	
,	c)	
	2	Š	
	2	+	
-		3	
ı			

Step 6: Data was entered into SWIMS on 822 (4 by

JASON (STIER

. У

Step 7: Data was proofed on

