Philox Porch	County	33 6400	Date(s) 6/16/14	AlS sign?	Secchi((ft)or m)	Conductivity (ZM tow if \geq 99 umhos/cm 340
Data collectors		Lead Monitor phone and email Start time (~15 min)	email Start time	(~ 15 min)	End time (~ 15 min)	Total collector time (hrs x # collectors
Vason Coto	п	(920) 360-0173	consin. 300 09:45	, ÷,	on in	9

swamp crayfish, rusty crayfish, didymo, and any other AIS found. hyacinth, water lettuce, zebra mussel, quagga mussel, water flea, Chinese mystery snail, banded mystery snail, faucet snail, New Zealand mud snail, Asian clam, red Brazilian waterweed, yellow floating heart, European frog-bit, yellow floating heart, water chestnut, Brazilian waterweed, fanwort, parrot feather, water Look for the following species: Purple loosestrife, Phragmites, flowering rush, Japanese knotweed, Yellow iris, Eurasian water-milfoil, curly-leaf pondweed, Hydrilla,

appreciated. If needed, preserve with adequate ethanol. include internal and external labels with WBIC, lake name, county, sample date, sample type (snails, spiny water flea or zebra mussel) and collector. Legibility is STEP 1: Record locations of sampling sites (in decimal degrees). Sampling sites include all public boat landings (BL), 5 target sites (TS) and the meander survey sites (MS). List AIS found at each site or record none. Collect a sample of any new AIS found. Collect five new invasive plant specimens, 20 Dreissenids, and 3 of each snail species and

	Site	Latitude	Longitude	Snorkel (Y or N*)	If N snorkel, indicate why	Species, density 1-5 [‡]
	78	49.05397	9-110-18		1	RC 01
	551	45 05 460	89.01166	CS		SOME
	75M	45.05524	89.01029	3	meander	yellow iris on private property Di
	15 J	45,05530	39.00985	2	nearder	
	NS3	45.05556	87.00759	2	meander	0 0 0
	83	45.05599	89.01012	CS	7	RC-DI YI-DI
	553	45, 85 833	.89,01222	<u></u>		none
Λ,	188	45.05855	89.01824	2	thick algoe bloom	none
-	535	45.05406	89.01314	2	next to dam and	New
			>			

* Culvest running under road coming from old formstead

*For lakes/sites not snorkeled, substitute:

50 meander sites - 10 rake throws and 10 D-net samples during meander survey between sampling sites for a total of 50 meander survey sites Boat landing site - 15 rake throws and 15 D-net samples OR 30 minutes, whichever comes first Targeted site - 5 rake throws and 5 D-net samples OR 10 minutes, whichever comes first

† If lake/site was not snorkeled, indicate why: stained water, turbid water, blue-green bloom, chemical treatment, other (please describe).

‡ Density Ratings

- 1 A few plants or invertebrates
- 2 One or a few plant beds or colonies of invertebrates
- 3 Many small beds or scattered plants or colonies of invertebrates

4 – Dense plant, snail or mussel growth in a whole bay or portion of the lake 5 – Dense plant, snail or mussel growth covering most shallow areas

Step 2: Collect Waterflea Tows from the deep hole (DH). Decant s water and preserve the sample. Submit sample and datasheet to Science Services.

	a margan		983	Site	
		en automoroù	202	Net ring depth	
			(Method (hor, obliq, vert)	
		3		Net diameter (30 or 50 cm)	
	Q			Ethanol added (N.br N)	>
		*		Samples combined (Y) or N)	
The second secon				Sample sent to, date	

Science Service. Step 3: Collect Veliger Tows from 3 sites; the deep hole (DH), water depth of about 4 meters (if possible). Submit sample and Mussel Veliger Tow Monitoring Report form to

	Site	Net ring depth	Net diameter (30 or 50 cm)	Ethanol added (X or N)	Samples combined
. 19	enong	Z U	50	200	- 1
	7	ഗ 3	50	Serger States	
As Às	(eeee)	3	S C		

Step 4: Were plant voucher specimens submitted? Yes No (circle) If yes, where? (circle) Freckmann Herbarium, Other

in the state of th	Step 6: Data was entered into SWIMS on 317	Step 5: Were snall voucher specimens submitted (separate into Chinese, banded, all others)? Yes (No (circle)
	by Jason Cater	Chinese, banded, all others)? Yes (No,(circle) If yes, where? (
		e? (circle) UW La Crosse, or Other

φ

Notes:

Step 7: Data was proofed on

