Lake Name County  Data collectors	WBIC  Lead Monitor phone and	Date(s)		Secchi((ft) or m)	Conductivity (ZM tow if $\geq$ 99 umhos/cm) $\frac{Q}{Q}$ Total collector time (hrs x # collectors)
ta collectors	Lead Monitor phone and	email Start time (~ 15		me (~ 15 min)	
でと3 で	Joson, Cotte & Wisconsi	3	W	~	

swamp crayfish, rusty crayfish, didymo, and any other AIS found hyacinth, water lettuce, zebra mussel, quagga mussel, water flea, Chinese mystery snail, banded mystery snail, faucet snail, New Zealand mud snail, Asian clam, red Brazilian waterweed, yellow floating heart, European frog-bit, yellow floating heart, water chestnut, Brazilian waterweed, fanwort, parrot feather, water Look for the following species: Purple loosestrife, Phragmites, flowering rush, Japanese Knotweed, Yellow Iris, Eurasian water-milfoil, curly-leaf pondweed, Hydrilla,

appreciated. If needed, preserve with adequate ethanol include internal and external labels with WBIC, lake name, county, sample date, sample type (snails, spiny water flea or zebra mussel) and collector. Legibility is AIS found at each site or record none. Collect a sample of any new AIS found. Collect five new invasive plant specimens, 20 Dreissenids, and 3 of each snail species and STEP 1: Record locations of sampling sites (in decimal degrees). Sampling sites include all public boat landings (BL), 5 target sites (TS) and the meander survey sites (MS). List

	K	第	至	5	40	613	5	Z	 	Site
	45.66073	457,624	58849.517	H3.67%H	115,686,00	45, 69318	45.69540	+888+	H1589.5H	Latitude
1	the 945	1165 83	28.98209	Ph396.88	88.9699	23146,88	88, 98253	3.53.74	86.989150	Longitude
	2	7	Cs			(	<u></u>	~	CS	Snorkel (Y or N*)
	den	Wades			wooled	**		Meaneler	1	If N snorkel, indicate why
	BMS-1	DNS-1 CMS-1	BEST - BEST	BMS-1	BMS-1.	Cn2-1 8W2-1 HW	EWM-1 BIS-	EMM-	EWM-1 AFMN-1 BMS-1	Species, density 1-5 <sup>‡</sup>

## \*For lakes/sites not snorkeled, substitute:

50 meander sites - 10 rake throws and 10 D-net samples during meander survey between sampling sites for a total of 50 meander survey sites Targeted site - 5 rake throws and 5 D-net samples OR 10 minutes, whichever comes first Boat landing site - 15 rake throws and 15 D-net samples OR 30 minutes, whichever comes first

† If lake/site was not snorkeled, indicate why: stained water, turbid water, blue-green bloom, chemical treatment, other (please describe).

## **‡ Density Ratings**

- 1 A few plants or invertebrates
- 2 One or a few plant beds or colonies of invertebrates
- 3 Many small beds or scattered plants or colonies of invertebrates

4 – Dense plant, snail or mussel growth in a whole bay or portion of the lake

5 – Dense plant, snail or mussel growth covering most shallow areas

Step 2: Collect Waterflea Tows from the deep hole (DH). Decant s water and preserve the sample. Submit sample and datasheet to Science Services

_	, (		Site
4		3	Net ring depth
		No.	Method (ก่อ
			Method (hor), obliq, vert)
4		And Advanced	Net diameter (30 or 50 cm)
C			Ethanol added (Y or N)
			Samples combined((y)or N)
			Sample sent to, date

Science Service. Step 3: Collect Veliger Tows from 3 sites; the deep hole (DH), water depth of about 4 meters (if possible). Submit sample and Mussel Veliger Tow Monitoring Report form to

				_
The man opening a subject of			Site	2
Confidence of the second of th			Net ring depth	
To company of the foliated and the folia			Net diameter (30 or 50 cm) Ethanol added-(Y-or-N)	The state of the s
	more (proper per of Carola belak (b) (   Jean La Sapra, who was a per of shape a shape	المعالمة الم	Ethanol added (Y-or N)	
		The second secon	Samples combined (Y or N)	
			Sample sent to, date	The state of the s

Step 4: Were plant voucher specimens submitted? Yes No (circle) If yes, where? (circle) Freckmann Herbarium, Other\_

Step 5: Were snail voucher specimens submitted (separate into Chinese, banded, all others)? Yes No (circle) If yes, where? (circle) UW La Crosse, or Other

Step 6: Data was entered into SWIMS on \_\_\_\_

Step 7: Data was proofed on \_\_\_\_

by\_\_\_

Kyon Mex, X

Notes:

