Lake Name County	WBIC	Date(s)	AIS sign?	Secchi (ft or m)	Conductivity (ZM tow if \geq 99 umhos/cm)
Long Florence/Forest	677400	8/25/13	Ŷ N	7.54	Not collected
Data collectors	Lead Monitor phone and	d email Start time	(~ 15 min) E	End time (~ 15 min)	
Scott Van Egeren Jim Wallen	608-264-89	15 9:4	6	15:35	5.75 hrs \$ 2 = 1

Look for the following species: Purple loosestrife, Phragmites, flowering rush, Hydrilla, Brazilian waterweed, Eurasian water-milfoil, curly-leaf pondweed, yellow floating heart, zebra mussel, quagga mussel, Chinese mystery snail, banded mystery snail, faucet snail, New Zealand mud snail, didymo, water flea, and any other AIS found.

STEP 1: Record locations of sampling sites (in decimal degrees). Sampling sites include all public boat landings (BL), 5 targeted sites (TS) and the meander survey sites (MS). List AIS found at each site or record none. Collect a sample of any new AIS found. Collect five new invasive plant specimens, 20 Dreissenids, and 30 of each snail species and label with species, collector, date, lake name, WBIC and sampling site.

	Site	Latitude	Longitude	Snorkel (Y or N*)	If N snorkel, indicate why	Species, density 1-5 [‡]
Island	BL 1	45.84929 724	-88.666635677 88.67918	y		CMS - 3 = Shells person 2 CMS 3 andead
MARIES	2	45.83770	88.67442	\(\frac{\frac{1}{2}}{2}\)		CMS 3 (2 live, mostly)
	3	45.84 956	88,06768	1		CMB3 all dead
	4	45,84739	88.66843	y		CMS 3 dead
1	5	45.84629	38.66895	'Y		CMS 4 I live I mostly
				(
Mean		45,84376	-88.67609	N		1 (2 plants) PL
Mean	ler 2	45,84306	-88.67704	N	¥	J-P6
Off Coldwo		45 , 83598	-88 ,67884	N		1-PL
Mean		45,83812	-88.67308	N		2-PL (2 plants)
Near	der 5	45 ,84756	-38.66741	N		2 - Mypsotis
						1.775
		4 more	PL plants/Pinis	long east	Shore North	of moonday # 4

*For lakes/sites not snorkeled, substitute:

Boat landing site - 15 rake throws and 15 D-net samples OR 30 minutes, whichever comes first

Targeted site - 5 rake throws and 5 D-net samples OR 10 minutes, whichever comes first

50 meander sites - 10 rake throws and 10 D-net samples during meander survey between sampling sites for a total of 50 meander survey sites

†If lake/site was not snorkeled, indicate why: stained water, turbid water, blue-green bloom, chemical treatment, other (please describe).

‡ Density Ratings

Notes:

1 – A few plants or invertebrates

4 – Dense plant, snail or mussel growth in a whole bay or portion of the lake

2 – One or a few plant beds or colonies of invertebrates

5 – Dense plant, snail or mussel growth covering most shallow areas

3 – Many small beds or scattered plants or colonies of invertebrates

Step 2: Collect Waterflea Tows from 3 sites: the deep hole (DH) and 2 other sites in water deeper than 15 feet (if possible). Submit sample and datasheet to Science Services.

Site	Depth sampled	Method (hor, obliq, vert)	Net diameter (30 or 50 cm)	Ethanol added (Y or N)	Samples combined (Y or N)	Sample sent to, date
/	6 m	oblique	50 cm	A	Ч	Gina L. 9/6/13
2	7 m	1	50 cm	1/	//	1
3	6 m	V	50cm	1/	1/	

Step 3: Collect Veliger Tows from 3 sites; the deep hole (DH), outlet site (OS), and or downwind site (DS) in water depth of about 4 meters (if possible). Submit sample and Mussel Veliger Tow Monitoring Report form to Science Service.

Site	Depth sampled	Net diameter (30 or 50 cm)	Ethanol added (Y or N)	Samples combined (Y or N)	Sample sent to, date	
1	Hm	50	У,	y,	Column L. 9/6/13	
2		. /	//	1	1	
3	V	\ <u>\</u>	V			

5					
	cimens submitted? Yes No (gircle				•
	imens submitted (separate into Ch		Con Car		osse, or Other
Step 6: Data was entered into S	WIMS on 08/29/13	byE	Frin Kennie.	Vollrath	
Step 7: Data was proofed on	9/23/13	by_ <i>EV</i>	h Vennie-1101	with	
	•		¥		

