Lake Name	County	WBIC	Date(s)	AIS sign?	Secchi(ft)or m)	Conductivity (ZM tow if > 99 umhos/cm)
Cranberry	Price	2217000	8/20/13	YN	3	Not collected
Data collectors Frin Vennie - V	colleath of	Lead Monitor phone an Erin: 608.266	0000	′ 1	End time (~ 15 min)	Total collector time (hrs x # collectors)
Jeanet	e wordler	erin vennie vollrath	900 lan	^	1 pho	Q hvz

Look for the following species: Purple loosestrife, Phragmites, flowering rush, Hydrilla, Brazilian waterweed, Eurasian water-milfoil, curly-leaf pondweed, yellow floating heart, zebra mussel, quagga mussel, Chinese mystery snail, banded mystery snail, faucet snail, New Zealand mud snail, didymo, water flea, and any other AIS found.

STEP 1: Record locations of sampling sites (in decimal degrees). Sampling sites include all public boat landings (BL), 5 targeted sites (TS) and the meander survey sites (MS). List AlS found at each site or record none. Collect a sample of any new AlS found. Collect five new invasive plant specimens, 20 Dreissenids, and 30 of each snail species and label with species, collector, date, lake name, WBIC and sampling site.

Site	Latitude	Longitude	Snorkel (Y or N*)	If N snorkel, indicate why	Species, density 1-5 [‡]
ms 1	45.62190	-90,34261		meander	R-2 > plant top cut
m52	45.62229	-90.34792	h-rues	1 8	PL-P
M53		-96,34731	M	l (PL-3-D throughout bond
TS1	45.62217	-90.劣(16	1		191-1 RC CAVADAGO
TS2	45.62186	-90,36074	[N	they be a stained	10 D - 2
TS3	45,61469	-96,35925	M	Stained	201,9 - Smell Shails.
T54	45,10446	-90.35253	M	Į l	No Als found
t55	45.61788	-90,34832	N	hartoid (stained	No Als found
BLI	45.62160	- 90, 310py	Y		PL-2

*For lakes/sites not snorkeled, substitute:

Boat landing site - 15 rake throws and 15 D-net samples OR 30 minutes, whichever comes first

Targeted site - 5 rake throws and 5 D-net samples OR 10 minutes, whichever comes first

50 meander sites - 10 rake throws and 10 D-net samples during meander survey between sampling sites for a total of 50 meander survey sites

†If lake/site was not snorkeled, indicate why: stained water, turbid water, blue-green bloom, chemical treatment, other (please describe).

‡ Density Ratings

1 – A few plants or invertebrates

4 – Dense plant, snail or mussel growth in a whole bay or portion of the lake

2 – One or a few plant beds or colonies of invertebrates

5 – Dense plant, snail or mussel growth covering most shallow areas

3 – Many small beds or scattered plants or colonies of invertebrates

Step 2: Collect Waterflea Tows from 3 sites: the deep hole (DH) and 2 other sites in water deeper than 15 feet (if possible). Submit sample and datasheet to Science Services.

Site	Depth sampled	Method (hor, obliq, vert)	Net diameter (30 or 50 cm)	Ethanol added (Y or N)	Samples combined (Y.or N)	Sample sent to, date
1	4 +1	hor	50 cm	}′	Y	Gina L. 9/6/13
2	フチャ	1				
3	B S-1		1	V	71	

Step 3: Collect Veliger Tows from 3 sites; the deep hole (DH), outlet site (OS), and or downwind site (DS) in water depth of about 4 meters (if possible). Submit sample and Mussel Veliger Tow Monitoring Report form to Science Service.

ite	Depth sampled	Not Suit) Ethanol added (Y or N)	Samples combined (Y or N)	Sample sent to, date	
			Commence of the State of the St	The Contraction of the State of		
			Agging State of State	- Sample of the Brief of Company of the same of the sa	→ incre	
	The second of th	The state of the s			and the state of t	
			\sim	(circle) Freckmann Herbarium	- Tribbleshi	Chibertain's

Step 5: Were snail voucher specimens submitted (separate into Chinese, banded, all others)? (Yes) No (circle) If yes, where? (circle) UW La Crosse, or Other______

Step 6: Data was entered into SWIMS on 8/210/13 by Erin Vennie-Vollvath

Step 7: Data was proofed on 9/23/13 by Evin Vennie Vollrath

Notes:

