Lake Name	County	WBIC	Date(s)	. 1	AIS sign?	Secchi (ft or m)	Conductivity (ZM tow if > 99 umhos/cm)
Sawmill Lake	Washburn	1880200	7	[11/13	Y) N	12 Ft	Not collected
Data collectors		Lead Monitor phone and email		Start time (~ 15 min)		End time (~ 15 min)	Total collector time (hrs x # collectors)
Maurien Fer Vennir-Vollvah		608. DUG. 9252		5:45 pm		8:00 pm	4.5 hrs

Look for the following species: Purple loosestrife, Phragmites, flowering rush, Hydrilla, Brazilian waterweed, Eurasian water-milfoil, curly-leaf pondweed, yellow floating heart, zebra mussel, quagga mussel, Chinese mystery snail, banded mystery snail, faucet snail, New Zealand mud snail, didymo, water flea, and any other AIS found.

**STEP 1:** Record locations of sampling sites (in decimal degrees). Sampling sites include all public boat landings (BL), 5 targeted sites (TS) and the meander survey sites (MS). List AIS found at each site or record none. Collect a sample of any new AIS found. Collect five new invasive plant specimens, 20 Dreissenids, and 30 of each snail species and label with species, collector, date, lake name, WBIC and sampling site.

Site	Latitude	Longitude	Snorkel (Y or N*)	If N snorkel, indicate why <sup>†</sup>	Species, density 1-5 <sup>‡</sup>
BL 1	45.75339	-91.55735	Y		No AIS
151	45.75266	-91.55679	Y		No Als
TS2	45.75204	-91.55606	, Y	,	No MS
T53	45.75304	-91.55529	> Y		NO AIS
TS4 TS5	45.75409	-91.55529	4		No Als
135	45,75463	-91.55665	Y	79	No AIS
		a			
				20	
				8	
	ii.	· ·			
	8)	×		Ŷ.	

## \*For lakes/sites not snorkeled, substitute:

Boat landing site - 15 rake throws and 15 D-net samples OR 30 minutes, whichever comes first Targeted site - 5 rake throws and 5 D-net samples OR 10 minutes, whichever comes first

50 meander sites - 10 rake throws and 10 D-net samples during meander survey between sampling sites for a total of 50 meander survey sites

†If lake/site was not snorkeled, indicate why: stained water, turbid water, blue-green bloom, chemical treatment, other (please describe).

## **‡ Density Ratings**

Notes:

1 – A few plants or invertebrates

4 – Dense plant, snail or mussel growth in a whole bay or portion of the lake

2 – One or a few plant beds or colonies of invertebrates

5 – Dense plant, snail or mussel growth covering most shallow areas

3 - Many small beds or scattered plants or colonies of invertebrates

Step 2: Collect Waterflea Tows from 3 sites: the deep hole (DH) and 2 other sites in water deeper than 15 feet (if possible). Submit sample and datasheet to Science Services.

Site	Depth sampled	Method (hor, obliq, vert)	Net diameter (30 or 50 cm)	Ethanol added (Y or N)	Samples combined (Y or N)	Sample sent to, date
DHI	19 ty	Siko	50 cm	Y	Y	Gina L. on 8/2/13
01+2	18 87	nbVc.	11	Α	. 4	
C MC	110 (2)	oblia	\	7	Y	4
	10-	0				_

**Step 3:** Collect Veliger Tows from 3 sites; the deep hole (DH), outlet site (OS), and or downwind site (DS) in water depth of about 4 meters (if possible). Submit sample and Mussel Veliger Tow Monitoring Report form to Science Service.

Site	Depth sampled	Net diameter (30 or 50 cm)	Ethanol added (Y or N)	Samples combined (Y or N)	Sample sent to, date
		6.17	NTINI		
		140 , 21	DI UMBL		
	:				

Step 4	: Were plant voucher specimens s	ubmitted? Yes No circle) If y	ves, where? (circle) Freckn	nann Herbarium, C	Other	
Step 5	: Were snail voucher specimens su	bmitted (separate into Chines	e, banded, all others)? Yes	s No circle) If yes	s, where? (circle) UW La Cros	se, or Other
Step 6	: Data was entered into SWIMS or	7/16/13	by Erin	lennie-Voll	lvata	
Step 7	: Data was proofed on	23   13	by Erin Ve	mnie-Vollva	a/L	

