Data	Collectors P Frin V		Date 8/27 1;	2
Lake	Name Capper Lake	County	WBIC 14878	00
Start	Time 2:00 pm End Time Secchi De 2:30 pm	epth feet or meters (circle o	ne) Conductivity	
	Look for the following species: Purple loosestrife, Phragmites, flowering	rush, Hydrilla, Brazilian waterweed	, Eurasian water-milfoil, curly-leaf pondwe	eed, yellow floating
	heart, zebra mussel, quagga mussel, Chinese mystery snail, banded mys	tery snail, faucet snail, New Zealand	mud snail. List any other AIS found. If site	es not snorkeled, take
	50 rake and D-net samples during meander survey. Record how many	of the 50 samples have each AIS for	und in the "Count" spaces below.	
	Did you snorkel the search sites? Y If not, why? (circle	e one) stained water, turbid wat	er, blue-green bloom, chemical treatm	nent, other
	Rake/D-net counts: Species 1;	Species 2 Count	; Species 3 Cou	nt;
	Species 4;	Species 5 Count	; Species 6 Cou	ınt
	STEP 1: Record locations of sites (in decimal degrees) using a GPS suspected AIS found.	S unit (datum WGS84). List AIS fo	und at each site or record none. Collec	ct a sample of any
	Boat Landing# Species No AS	Latitude 45,32560	Longitude -89,60755	Density (1-5)
*	Boat Landing# Species	_Latitude	Longitude	Density (1-5)
	Search Site# Species No AlS	Latitude 45.32631	Longitude <u>(589.6)427</u>	Density (1-5)
	Search Site# 2 Species No AS	Latitude 45,326 44	Longitude	Density (1-5)
	Search Site# 3 Species No Als	Latitude 45.32393	Longitude89.615 20	Density (1-5)
	Search Site# 4 Species No Als	Latitude 45.32438	Longitude89.61275	Density (1-5)
	Search Site# 5 Species NO A15	Latitude 45,32552	Longitude <u>-81, 61533</u>	Density (1-5)
	Search Site# Species	Latitude	Longitude	Density (1-5)
	Meander Survey# Species	_Latitude	_Longitude	Density (1-5)
	Meander Survey# Species	_Latitude	_Longitude	Density (1-5)
	Meander Survey# Species	_Latitude	Longitude	Density (1-5)

Step 2: Label first five specimens collected with species, collector, date, lake name, WBIC and Location # Send your specimens to an expert for verification. Instructions on how to voucher specimens and a list of statewide taxonomy experts can be found at: http://dnr.wi.gov/invasives/aquatic/whattodo/staff/

	Step 3. Concer Waternea Tows from three sites around the take in water deeper than 15 feet (ii possible).			
	Method used: horizontal tows (near surface) or oblique tows (near bottom to surface if greater than 15 feet) Diameter of plankton net mouth (circle one) 30cm 50cm other			
	Depth sampled: Tow 1 1 ft Tow 2 1 ft Tow 3 9 ft			
	Depth sampled: Tow 1 10 t Tow 2 11 tt Tow 3 1 tt			
	Depth sampled: Tow 1 1 ft Tow 2 1 ft Tow 3 ft Has ethanol been added? YN Have samples been consolidated into one bottle? YN			
	Step 4: Collect Veliger Tows from three sites in 5-10 feet of water (within a meter of the bottom).			
	Guidelines: If Secchi depth is >4m take two 2m deep samples; if Secchi is between 2-4m take one 2m deep sample; if Secchi is <2m take one 1m tow.			
	Diameter of plankton net mouth (circle one) 30cm 50cm other			
	Has ethanol been added? Y/N Have samples been consolidated into one bottle? Y/N			
	has ethanor been added: 1/N have samples been consolidated into one bottle: 1/N			
	Step 5: Data was entered into SWIMS on 8/30/12 by Evin Vannie-Vollrath			
	Date			
Notos				

Stan 2. Callact Waterflag Tows from three sites around the lake in water deeper than 15 feet (if possible)

Density Ratings

- 1 A few plants or invertebrates
- 2 One or a few plant beds or colonies of invertebrates
- 3 Many small beds or scattered plants or colonies of invertebrates
- 4 Dense plant, snail or mussel growth in a whole bay or portion of the lake
- 5 Dense plant, snail or mussel growth covering most shallow areas

General guidance on areas to search for the 10 minute quick snorkel search sites:

- Check rocks for zebra/quagga mussels, faucet snails and New Zealand mudsnails.
- Check around small backyard boat launches.
- Check near creek inlets (especially if AIS are found upstream).
- Check the stems of emergent vegetation for climbing faucet snails.
- Check areas downwind of large boat landings.

