sod contact

1	Lake Name	County	WBIC	AIS sign2	Secchi (ft or m)	Conductivity (ZM tow if > 99 umhos/cm)	
5Ž.	Deep Lake	Washburn	1844000	Y (M)	2 ft	30 us/cm	
L.	Date(s)	Data collectors	Start time (nearest 15	min)	End time (nearest 15 min)	Total collector time (hrs x # collectors)	
الرد الرد	7/3/13	13 Flory olson 12:15			2130 pm	4.5 hrs	

Look for the following species: Purple loosestrife, Phragmites, flowering rush, Hydrilla, Brazilian waterweed, Eurasian water-milfoil, curly-leaf pondweed, yellow floating heart, zebra mussel, quagga mussel, Chinese mystery snail, banded mystery snail, faucet snail, New Zealand mud snail, didymo, water flea, and any other AIS found.

STEP 1: Record locations of sampling sites (in decimal degrees). Sampling sites include all public boat landings (BL), 5 targeted sites (TS) and the meander survey sites (MS). List AIS found at each site or record none. Collect a sample of any new AIS found. Collect five new invasive plant specimens, 20 Dreissenids, and 30 of each snail species and label with species, collector, date, lake name, WBIC and sampling site.

Site	Latitude	Longitude	Snorkel (Y or N*)	If N snorkel, indicate why	Species, density 1-5 [‡]	
ts1	45.76445	-91,77163 -91,77056	M	blue green	No Als	
+52	45,76585	-91,17056	H	" V	14 1	-
ts1 +52 TS3	45.76531	-91.76741	N	N N	16 10	
154	45.76998	-91.76850	N	Eq. 18	1' ''	
TS5	45.77172	-9177178	N	pe AH	't t1	
BLI	45,76734	-91,77168	N	ti u	14 14	
3		, , =				
				ę		

-island Poin

		onitoring Data Form			Form 3:	200-xxx (R 6/2013)			
Boat landing site - 15 rake throws and 15 D-net samples OR 30 minutes, whichever comes first Targeted site - 5 rake throws and 5 D-net samples OR 10 minutes, whichever comes first 50 meander sites - 10 rake throws and 10 D-net samples during meander survey between sampling sites for a total of 50 meander survey sites									
†If lake	/site was not sno	rkeled, indicate why: stained wa	ter, turbid water, blue-gree	n bloom, chemical treatm	ent, other (please describe).				
* Density Ratings									
1 – A few plants or invertebrates 4 – Dense plant, snail or mussel growth in a whole bay or portion of a few plant beds or colonies of invertebrates 5 – Dense plant, snail or mussel growth covering most shallow are standard plants or colonies of invertebrates									
Step 2: Collect Waterflea Tows from 3 sites: the deep hole (DH) and 2 other sites in water deeper than 15 feet (if possible). Submit sample and Water Flea To Monitoring Reprt form to Science Services.									
Site	Depth sampled	Method (hor, obliq, vert)	Net diameter (30 or 50 cm	Ethanol added (Y or N)	Samples combined (Y or N)	Sample sent to, date			
	5 mm	ohtia	50 cm	Y	4	Gina on 8/2/13			
2_	5 m		50 cm	Y	· ·	, ,			
3_	5 m	· · · · · · · · · · · · · · · · · · ·	11 61	<u> </u>	<u> </u>				
Step 3: Collect Veliger Tows from 3 sites; the deep hole (DH), outlet site (OS), and or downwind site (DS) in water depth of about 4 meters (if possible). Submit sample and Mussel Veliger Tow Monitoring Report form to Science Service. Site Depth sampled Net diameter (30 or 50 cm) Ethanol added (Y or N) Samples combined (Y or N) Sample sent to, date									
	THE PROPERTY OF THE PROPERTY O	The work of the wo	Application of the second of t	the state of	4 Production Control C	4			
		- A to the fact to the second	A consistence of the second se	And the state of t		-			
Step 4: Were plant voucher specimens submitted? Yes No circle) If yes, where? (circle) Freckmann Herbarium, Other									
Step 5: Were snail voucher specimens submitted (separate into Chinese, banded, all others)? (Yes) No (circle) If yes, where? (circle) UW La Crosse, or Other									
Step 6: Data was entered into SWIMS on 08/13/13 by Evin Vennie Vallath Step 7: Data was proofed on 9/23/13 by Evin Vennie-Vollvath									
Step 7: Data was proofed on 9/23/13 by Erin Vennie-Vollvath									

Notes.

