Form 3200-xxx (R 6/2013)

| Lake Name | County | WBIC | Date(s) | AIS sign? | Secchi (ft or m) | Conductivity (ZM tow if ≥ 99 umhos/cm) |
|-----------------------------|--------|---|---------|-----------|---------------------|---|
| BOULDER | Vilas | 2338300 | 7/15/14 | Y N | | 67 |
| Data collectors Jason Hayes | | Lead Monitor phone and email Start time (| | ~ 15 min) | End time (~ 15 min) | Total collector time (hrs x # collectors) |
| Lilly Quetschke | | • | | | | Ì |

Look for the following species: Purple loosestrife, Phragmites, flowering rush, Japanese knotweed, Yellow iris, Eurasian water-milfoil, curly-leaf pondweed, Hydrilla, Brazilian waterweed, yellow floating heart, European frog-bit, yellow floating heart, water chestnut, Brazilian waterweed, fanwort, parrot feather, water hyacinth, water lettuce, zebra mussel, quagga mussel, water flea, Chinese mystery snail, banded mystery snail, faucet snail, New Zealand mud snail, Asian clam, red swamp crayfish, rusty crayfish, didymo, and any other AIS found.

STEP 1: Record locations of sampling sites (in decimal degrees). Sampling sites include all public boat landings (BL), 5 target sites (TS) and the meander survey sites (MS). List AIS found at each site or record none. Collect a sample of any new AIS found. Collect five new invasive plant specimens, 20 Dreissenids, and 3 of each snail species and include internal and external labels with WBIC, lake name, county, sample date, sample type (snails, spiny water flea or zebra mussel) and collector. Legibility is appreciated. If needed, preserve with adequate ethanol.

| Site | Latitude | Longitude | Snorkel (Y or N*) | If N snorkel, indicate why | Species, density 1-5 [‡] |
|-------|----------|-----------|-------------------|----------------------------|-----------------------------------|
| MSIG | 46.12431 | 89.68917 | | | yenow ins 2 |
| →T\$5 | 46.12617 | 89.68507 | Y | | CMS 2 |
| MSI7 | N H | N -\$3 | | | Yellow Iris 3 |
| MS18 | 46.12710 | 89.67309 | | | yenow Iris 1 |
| MS19 | 46.12751 | 89.67193 | | | yellow MS 2 |
| M520 | 46.12791 | 89.67023 | | · | Yellow Ivis 4 |
| MS 21 | 46.12700 | 89.66823 | | | yellow ins 2 |
| MS22 | 46.12732 | 89.66488 | , | - | yellow his 2 |
| MS23 | 46:13001 | 89.06154 | - | | vellow his 2 |
| MS24 | 46.13081 | 89. 65957 | | | Yellow IVIS 1 |
| | | | | | , |

*For lakes/sites not snorkeled, substitute:

Boat landing site – Examine rake throws and D-net samples for 30 minutes. Targeted site – Examine rake throws and D-net samples for 10 minutes. Meander – Examine 50 rake throws/D-net samples during meander survey.

†If lake/site was not snorkeled, indicate why: stained water, turbid water, blue-green bloom, chemical treatment, other (please describe).

‡ Density Ratings

- 1 A few plants or invertebrates
- 2 One or a few plant beds or colonies of invertebrates
- 3 Many small beds or scattered plants or colonies of invertebrates

- 4 Dense plant, snail or mussel growth in a whole bay or portion of the lake
- 5- Dense plant, snail or mussel growth covering most shallow areas

Step 2: Collect Waterflea Tows from the deep hole (DH). Decant s water and preserve the sample. Submit the sample, this data form and the Water Flea Tow Monitoring Report (3200-128) to DNR Science Services.

| Site | Net ring depth | Method (hor, obliq, vert) | Net diameter (30 or 50 cm) | Ethanol added (V == N) | 6 1 | |
|------|----------------|---------------------------|----------------------------|------------------------|---------------------------|----------------------|
| 1 | 18 | 0) | 50 | y | Samples combined (Y or N) | Sample sent to, date |
| 3 | 19 - | Ob ' | 50 | 7 | | |
| | | L | <u> 80 </u> | 7 | ý | |

Step 3: Collect Veliger Tows from 3 sites; the deep hole (DH) and two other deep areas along the downwind side of the lake. Submit the sample, this data form and the Mussel Veliger Tow Monitoring Report (3200-135) to DNR Science Service.

| Site Net ring death Net diameter (30 or 50 or 1) | | | • |
|--|------------------------|---------------------------|----------------------|
| Site Net ring-depth Net diameter (30 or 50 cm) | Ethanol added (Y or N) | Samples combined (Y or N) | Sample sent to, date |
| | | | |
| | | | |
| | | | |
| . , | | | |

| Step 4: Were plant voucher specimens submitted? Yes No (circle) If yes, indicate where: Freckmann Herbarium, Wisconsin State Herbarium, Other |
|---|
| Step 5: Were snail voucher specimens submitted for all records (circle)? Yes No If yes, where? (circle) UW-La Crosse or other |
| Step 6: Data was entered into SWIMS onby |
| Step 7: Data was proofed onby |
| Notes |

Notes:

Inc

Form 3200-xxx (R 6/2013)

| Lake Name County Borderlike Vilas | WBIC 2338300 | Date(s) 7/15/44 | AIS sign? Y N | Secchi (ft or m) | Conductivity (ZM tow if ≥ 99 umhos/cm) |
|------------------------------------|------------------------|-----------------------|------------------|---------------------|---|
| Jason Hayes Lily Justichte | Lead Monitor phone and | d email Start time (* | 15 min) | End time (~ 15 min) | Total collector time (hrs x # collectors) |

Look for the following species: Purple loosestrife, Phragmites, flowering rush, Japanese knotweed, Yellow iris, Eurasian water-milfoil, curly-leaf pondweed, Hydrilla, Brazilian waterweed, yellow floating heart, European frog-bit, yellow floating heart, water chestnut, Brazilian waterweed, fanwort, parrot feather, water hyacinth, water lettuce, zebra mussel, quagga mussel, water flea, Chinese mystery snail, banded mystery snail, faucet snail, New Zealand mud snail, Asian clam, red swamp crayfish, rusty crayfish, didymo, and any other AIS found.

STEP 1: Record locations of sampling sites (in decimal degrees). Sampling sites include all public boat landings (BL), 5 target sites (TS) and the meander survey sites (MS). List AIS found at each site or record none. Collect a sample of any new AIS found. Collect five new invasive plant specimens, 20 Dreissenids, and 3 of each snail species and include internal and external labels with WBIC, lake name, county, sample date, sample type (snails, spiny water flea or zebra mussel) and collector. Legibility is appreciated. If needed, preserve with adequate ethanol.

| | Site | Latitude | Longitude | Snorkel (Y or N*) | If N snorkel, indicate why | Species, density 1-5 [‡] |
|---------------|----------------|------------------------|-----------------------------------|--|--|-----------------------------------|
| | RLI | 46.13217 | 8965623 | · Y | , | Ida bo 2 CM3 3 |
| | MSI | 46.12981 | 81.65502 | | | yellow Iris 1 |
| | MS2 | 46.12681 | 89.65026 | • | | vellow lyis 2 |
| \rightarrow | TSL | 46.12452 | 89.6466A | Y | | CMS 2 |
| | M53 | 46. 12155 | 89.64982 | | | Yellow Ivis |
| | MS4 | 46.12049 | 89.64785 | | | venow ins 3 |
| | MS5 | 46.11935 | 89.le4912 | | | VALOW INS 3 |
| چ۔ | MS 19 TS 2 | 46,4834 | 89.65174 | | - | yellow Ivis 4 |
| 6 7 | MS B | 46.12006 | 89.65725 | | | Yellow Iris 2 |
| 8 | MS 9 TS 3 | 46. 11740 46. 12030 | 89.65874. | | | Yeuw Iris 2 |
| , 9 | W211 | 46.12030 | 89.66264 | | | yellow inis 1. |
| N. | MS 12 MS 13 | 100-12349 | 89. 66592 | | | · yellow Iris 42 |
| 13 | MSIA | 46.12094 | 89.69018 | | And the second s | rellow wis 2 |
| | ITS4 | 146.1613 | 1 To La Company and any accompany | TO THE REAL PROPERTY OF THE PR | The second control of | CM & 3 |