Enhad/mod shapped date

AIS Early Detection Monitoring Data Form

Form 3200-xxx (R. 6/2013)

< NAT 11	County	WBIC 1623700	`Date(s)	6/14	AIS sign?	Secchi (filtor m)	Conductivity (ZM tow if ≥99 umhos/cm)
Data collectors	1000	Lead Monitor phone an	d email	tart time	(~ 15 min)	End time (~ 15 min)	Total collector time (hrs x # collectors)
Jason Hyp. Co.	May Water			945		1,00	ight som "

Look for the following species: Purple loosestrife, Phragmites, flowering rush, Japanese knotweed, Yellow iris, Eurasian water-milfoil, curly-leaf pondweed, Hydrilla, Brazilian waterweed, yellow floating heart, European frog-bit, yellow floating heart, water chestnut, Brazilian waterweed, fanwort, parrot feather, water hyacinth, water lettuce, zebra mussel, quagga mussel, water flea, Chinese mystery snail, banded mystery snail, faucet snail, New Zealand mud snail, Asian clam, red swamp crayfish, rusty crayfish, didymo, and any other AIS found.

STEP 1: Record locations of sampling sites (in decimal degrees). Sampling sites include all public boat landings (BL), 5 target sites (TS) and the meander survey sites (MS). List AIS found at each site or record none. Collect a sample of any new AIS found. Collect five new invasive plant specimens, 20 Dreissenids, and 3 of each snail species and include internal and external labels with WBIC, lake name, county, sample date, sample type (snails, spiny water flea or zebra mussel) and collector. Legibility is appreciated. If needed, preserve with adequate ethanol.

Site	Latitude	Longitude	Snorkel (Y or N*)	If N snorkel, indicate why	Species, density 1-5 <sup>‡</sup>
TSI	4/03774	89.16209	V		BMS I CMS I
T57_	41.02300	89.16115	V		EWMI CMS 2
T53	46,02085	080 11.08	7	of the second se	EME CMS 2
TSU	46,0254	890 H776	1		EWM2 CMJ2
TSS	46.03357	89. 18174		1	Earl Cus. 2
BLI	46.63883	89.17101	14	1 2	Blum & CMS & BASI
·	= =====================================			. * *	Turk to the second of
d .					
			7		2
					=

1.

## \*For lakes/sites not snorkeled, substitute:

Boat landing site — Examine rake throws and D-net samples for 30 minutes. Targeted site – Examine rake throws and D-net samples for 10 minutes. Meander - Examine 50 rake throws/D-net samples during meander survey.

†If lake/site was not snorkeled, indicate why: stained water, turbid water, blue-green bloom, chemical treatment, other (please describe).

## ‡ Density Ratings

- 1 A few plants or invertebrates
- 2 One or a few plant beds or colonies of invertebrates
- 3 Many small beds or scattered plants or colonies of invertebrates

- 4- Dense plant, snail or mussel growth in a whole bay or portion of the lake
- 5 Dense plant, snail or mussel growth covering most shallow areas

Step 2: Collect Waterflea Tows from the deep hole (DH). Decant's water and preserve the sample. Submit the sample, this data form and the Water Flea Tow Monitoring

Site	Net ring depth	Method (hor, obliq, vert)	Net diameter (30 or 50 cm)	Ethanol added (Y or N)	Samples combined (Y or N)	Sample sent to, date
2	35	50		, ,		Sumple Selft to, date
<del></del>	35	(	Α .	A		

Step 3: Collect Veliger Tows from 3 sites; the deep hole (DH) and two other deep areas along the downwind side of the lake. Submit the sample, this data form and the Mussel Veliger Tow Monitoring Report (3200-135) to DNR Science Service.

-	Net ring depth	Net diameter (30 or 50 cm)	Ethanol added (Y or N)	Samples combined (Y or N)	Sample sent to, date
2	2				441 = 11
7	1	4	-		

Step 4: Were plant voucher specimens submitted? Yes No (circle) If yes, indicate where: Freckmann Herbarium, Wisconsin State I	Herbarium, O	ther		
Step 5: Were snail voucher specimens submitted for all records (circle)? Yes No If yes, where? (circle) UW-La Crosse or other	;		=======================================	-
Step 6: Data was entered into SWIMS onbyby				
Step 7: Data was proofed on by	= 12 = 1			
Notes:				