AIS I	Early	Detection	Monit	oring	Data	Form
-------	-------	-----------	-------	-------	------	------

Eshed 10/4 need 8hpping about

Form 3200-xxx (R.6/2013)

						. // ()	
Lake Name	County	WBIC	Date(s)	A	AJS sign?	Secchi (ft or ph)	Conductivity (ZM tow if > 99 umhos/cm)
Stelly Lake	VILAS	1594000	7/10	//4	(D) N	1,25	67
Data collectors		Lead Monitor phone and	d email	Start time (~ 15 min)	End time (~ 15 min)	Total collector time (hrs x # collectors)
Jason Fof Lily Overshie				10:15		,	

Look for the following species: Purple loosestrife, Phragmites, flowering rush, Japanese knotweed, Yellow iris, Eurasian water-milfoil, curly-leaf pondweed, Hydrilla, Brazilian waterweed, yellow floating heart, European frog-bit, yellow floating heart, water chestnut, Brazilian waterweed, fanwort, parrot feather, water hyacinth, water lettuce, zebra mussel, quagga mussel, water flea, Chinese mystery snail, banded mystery snail, faucet snail, New Zealand mud snail, Asian clam, red swamp crayfish, rusty crayfish, didymo, and any other AIS found.

STEP 1: Record locations of sampling sites (in decimal degrees). Sampling sites include all public boat landings (BL), 5 target sites (TS) and the meander survey sites (MS). List AIS found at each site or record none. Collect a sample of any new AIS found. Collect five new invasive plant specimens, 20 Dreissenids, and 3 of each snail species and include internal and external labels with WBIC, lake name, county, sample date, sample type (snails, spiny water flea or zebra mussel) and collector. Legibility is appreciated. If needed, preserve with adequate ethanol.

Site	Latitude	Longitude	Snorkel (Y or N*) If N snorkel, indicate why	Species, density 1-5 [‡]
	3		·	
DU	45.58,491	89° 27.550	Y 1	
151	45, 58, 646	89° 27.815	y '	
52	45°58.764	890 2).683	y	
153	45° 8.815	89° 27.445	V	
T34	45° 58.700	89° 27,317	4 /	
TSS	45058.626	890 27.411	11/7	
	· · · · · · · · · · · · · · · · · · ·		/ /	-
				,

*For lakes/sites not snorkeled, substitute:

Boat landing site – Examine rake throws and D-net samples for 30 minutes. Targeted site – Examine rake throws and D-net samples for 10 minutes. Meander – Examine 50 rake throws/D-net samples during meander survey.

†If lake/site was not snorkeled, indicate why: stained water, turbid water, blue-green bloom, chemical treatment, other (please describe).

‡ Density Ratings

- 1 A few plants or invertebrates
- 2 One or a few plant beds or colonies of invertebrates
- 3 Many small beds or scattered plants or colonies of invertebrates

- 4 Dense plant, snail or mussel growth in a whole bay or portion of the lake
- 5 Dense plant, snail or mussel growth covering most shallow areas

Step 2: Collect Waterflea Tows from the deep hole (DH). Decant s water and preserve the sample. Submit the sample, this data form and the Water Flea Tow Monitoring Report (3200-128) to DNR Science Services.

Site Net ring depth	Method (hor, obliq, vert)	Net djameter (30 or 50 cm)	Ethanol added (Y or N)	Samples combined (Y or N)	Sample sent to, date
1 64					Σ

Step 3: Collect Veliger Tows from 3 sites; the deep hole (DH) and two other deep areas along the downwind side of the lake. Submit the sample, this data form and the Mussel Veliger Tow Monitoring Report (3200-135) to DNR Science Service.

Site	Net ring depth	Net diameter (30 or 50 cm)	Ethanol added (Y or N)	Samples combined (Y or N)	Sample sent to, date

Step 4: Were plant voucher specimens submitted? Yes No (circle	e) If yes, indicate where: Fred	kmann Herbarium, Wisconsin State Herb	arium, Other
Step 5: Were snail voucher specimens submitted for all records (c	circle)? Yes No If yes, where	? (circle) UW-La Crosse or other	
Step 6: Data was entered into SWIMS on	. by		
Step 7: Data was proofed on	by		

Notes: