	Mag. Commission	Start Time	Lake Name	Data Collectors
	Dem	070/	MEST	
	End lime	7	Tokase + To	
	Secchi Depti	والمتام	TODAY Pulcou	
	(feet or meters (circle one)	County MOH	100 A	A COLOR
300	Conductivity 7	WBIC 1201	Date_//- / 7	
				. (

heart, zebra mussel, quagga mussel, Chinese mystery snail, banded mystery snail, faucet snail, New Zealand mud snail. List any other AIS found. If sites not snorkeled, take Look for the following species: Purple loosestrife, Phragmites, flowering rush, Hydrilla, Brazilian waterweed, Eurasian water-milfoil, curly-leaf pondweed, yellow floating

STEP 1: Record locations of sites (in decimal degrees) using a GPS unit (datum WGS84). List AIS found at each site or record none. Collect a sample of any suspected

3-labol blue by		Rake/D-net counts: Count 1 Species 1	Did you snorkel the search sites? Y/N If not, why? (cire	Meander Survey# Species	Meander Survey# Species	Meander Survey# Species	Search Site#Species	Search Site# Species	Search Site# Species	Search Site# 3 Species 3/45	Search Site# Species	Search Site# Species_BMS_, Z_M	Boat Landing# Species	Boat Landing# / Species VVS 7M
	; Count 2 Species 2; Count 4 Species 4	ociocal treatment, other	cle one) stained water turkid materials.		Longitude	Latitude Iongitude Density (1-5) Density	Longitude			Longitude 87.53484	Congitude S.	Loughude 22 Call	1	Latitude 45.15980 1 Longitude 87.5284

Step 2: Label first five specimens collected with species, collector, date, lake name, WBIC and Location # Send your specimens to an expert for verification. Instructions on how to voucher specimens and a list of statewide taxonomy experts can be found at: http://dnr.wi.gov/invasives/aquatic/whattodo/staff/

Step 3
Ö
ω
င္ပ
<u></u>
lect Waterflea Tows from th
5
at
e
Е
മ്.
<u>o</u>
S≥
⇉
9
⊃
=
three sites arou
S.
ŧе
S
ᅙ
Ĕ
ď
₽
e
<u>s</u>
æ
າd the lake in v
- €
黃
ter c
de
eр
ě
=
a
1
5 f
Step 3: Collect Waterflea Tows from three sites around the lake in water deeper than 15 feet (if possible).
<u>=</u>
þ
SO
Sik
Эle
ت

ep 4: Collect	Method used: Diameter of p Depth sample Has ethanol b
Veliger Tows ecchi depth is	Method used: hor Diameter of plankton net mouth Depth sampled: Tow 1 ft Has ethanol been added? Y/N
from three si	horiz net mouth (o w 1 3 1 ft ed? Y/N
tes in 5-10 fee o 2m deep sa	ontal tows (no ircle one) 30 Tow 2 <u>2</u>
ep 4: Collect Veliger Tows from three sites in 5-10 feet of water (within a meter of the bottom). Idelines: If Secchi depth is >4m take two 2m deep samples; if Secchi is between 2-4m take one 2m d	Method used: horizontal tows (near surface) oroblique tows (near bottom to surface if greater than 15 feet) Diameter of plankton net mouth (circle one) 30cm
ithin a meter :hi is betwee	or oblique otherft Tow 3ft been consolidated
of the botton	olique tows (n ft dated into or
m). one 2m deep	ear bottom t
leep sample; if Secchi is <2m take one 1m tov	to surface if gr Y/N
cchi is <2m t	reater than 1.
ake one 1m t	5 feet)
m tow	

· · · · · · · · · · · · · · · · · · ·	Has ethanol been added? Y/N	Diameter of plankton net mouth (circle one) 30cm 50cm other
		30cm
	Have samples been consolidated into one bottle? Y/N	50cm other

Name

Notes:

Step 5: Data was entered into SWIMS on

- 1 A few plants or invertebrates
- 2 One or a few plant beds or colonies of invertebrates
- 3 Many small beds or scattered plants or colonies of invertebrates
- 4- Dense plant, snail or mussel growth in a whole bay or portion of the lake
- 5 Dense plant, snail or mussel growth covering most shallow areas

General guidance on areas to search for the 10 minute quick snorkel search sites:

- Check rocks for zebra/quagga mussels, faucet snails and New Zealand mudsnails.
- Check around small backyard boat launches.
- Check near creek inlets (especially if AIS are found upstream).
- Check the stems of emergent vegetation for climbing faucet snails.
- Check a downwind of large boat landings.

