in fore Florence 65/300 @'N 5.5	Conductivity	Secchi (ft)or r	WBIC AIS sign?	County	Lake Name
Date(s) Data collectors Start time (nearest 15 min) End time (nearest 15 min) Total collector time (hrs x # collectors))	End time (neares	Start time (nearest 15 min)		Date(s)
8717 Seni Pour 10:50 3:00 Phouse	- Same	00 × 00	/0:50	n í	3

heart, zebra mussel, quagga mussel, Chinese mystery snail, banded mystery snail, faucet snail, New Zealand mud snail, didymo, water flea, and any other AIS found. Look for the following species: Purple loosestrife, Phragmites, flowering rush, Hydrilla, Brazilian waterweed, Eurasian water-milfoil, curly-leaf pondweed, yellow floating

STEP 1: Record locations of sampling sites (in decimal degrees). Sampling sites include all public boat landings (BL), 5 targeted sites (TS) and the meander survey sites (MS). label with species, collector, date, lake name, WBIC and sampling site. List AIS found at each site or record none. Collect a sample of any new AIS found. Collect five new invasive plant specimens, 20 Dreissenids, and 30 of each snail species and

				Long	Z	から	253	1851	なか	12	BU	Site
			7	18-87M1	45.840	828 CN	45.83676	NS. 8430	45.8374	•	9.888°SH	Latitude
		-		86.55 4 . 98-	15 SORY: 38-	96M. 188-	5-1894.88-	82616 . 32	82016.85	-88.271es	-83 X 85-1	Longitude
				~		4	<	0	×	\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\	<	Snorkel (Y or N*)
				Daw								If N snorkel, indicate why
•				7m-1	PC- (United to	P ()		POSIDIR ELININOME	RC	Sec	Eum Elaster Ag. Fay Stree not RC1/1,	Species, density 1-5 [‡]
					1							

For lakes/sites not snorkeled, substitute:

50 meander sites - 10 rake throws and 10 D-net samples during meander survey between sampling sites for a total of 50 meander survey sites Boat landing site - 15 rake throws and 15 D-net samples OR 30 minutes, whichever comes first Targeted site - 5 rake throws and 5 D-net samples OR 10 minutes, whichever comes first

if lake/site was not snorkeled, indicate why: stained water, turbid water, blue-green bloom, chemical treatment, other (please describe).

* Density Ratings

- 1-A few plants or invertebrates
- 2 One or a few plant beds or colonies of invertebrates
- 3 Many small beds or scattered plants or colonies of invertebrates

4 – Dense plant, snail or mussel growth in a whole bay or portion of the lake

5 – Dense plant, snail or mussel growth covering most shallow areas

Step 2: Collect Waterflea Tows from 3 sites: the deep hole (DH) and 2 other sites in water deeper than 15 feet (if possible). Submit sample and Water Flea To Monitoring Reprt form to Science Services

,	נ		Ļ	ن		<u></u>	olte	2:
	5//		JW/	77	10	18/1	Deprin sampled	7
							Method (hor, oblig) vert	5
		******					q) vert)	
	-				· ·		Net diameter (30 or 59 cm)	
			- and the state of		indicate of		Ethanol added (Yor N)	
					-	\$	Samples combined (V or N)	
					,	, , , , , , , , , , , , , , , , , , , ,	Sample sent to, date	

Mussel Veliger Tow Monitoring Report form to Science Service. Step 3: Collect Veliger Tows from 3 sites; the deep hole (DH), outlet site (OS), and or downwind site (DS) in water depth of about 4 meters (if possible). Submit sample and

Step 4: Were plant voucher specimens submitted? Yes No (circle) If yes, where? (circle) Freckmann Herbarium, Other

	S
	Step
	- 15
	5: Were
	Ω̈
	ന
	Sn
	<u>a</u>
	<
	õ
	\overline{c}
	Jer L
	er s
	ğ
	50
	3
	ē
	ร
	S
	₽.
	3
	Ħ
	œ.
	$\stackrel{\sim}{\sim}$
-	se
	parate
	¥.
	Ξ.
	긆
	parate into Chinese, b
	웃
	몰·
	g
	ĕ
	۵,
	ă
	ď
	e
	<u>1</u> , al
	≗
	0
	충
	œ
,	s.
	٠-ر
	☆
	ll others)? Yes No
	_
	6
	lo (circl
	≓ ∙
	<u>C</u>
	e)
	=
	If yes,
	/es
•	≤
	옭
	e
	œ,
	_
•	Ω.
	2
	œ.
•	\bar{c}
	₹
	_
1	מ
	Ç
1	rosse
	Ň
	-
	2
(Ö
	<u></u>
	Other

Step 6: Data was entered into SWIMS on

by

Notes:

Step 7: Data was proofed on

