

End time (nearest 15 min) lotal collector time (nrs x # collectors)	End time (nearest 15 min)	Start time (nearest 15 min)	Data collectors	Date(s)
The state of the s		(V) (S)	3672845	PRIS
Conductivity (2M tow It <u>></u> 99 umnos/cm)	Secchi (ft or m)	WBIC AIS sign?	County	Lake Name

heart, zebra mussel, quagga mussel, Chinese mystery snail, banded mystery snail, faucet snail, New Zealand mud snail, didymo, water flea, and any other AIS found. Look for the following species: Purple loosestrife, Phragmites, flowering rush, Hydrilla, Brazilian waterweed, Eurasian water-milfoil, curly-leaf pondweed, yellow floating

STEP 1: Record locations of sampling sites (in decimal degrees). Sampling sites include all public boat landings (BL), 5 targeted sites (TS) and the meander survey sites (MS). label with species, collector, date, lake name, WBIC and sampling site. List AIS found at each site or record none. Collect a sample of any new AIS found. Collect five new invasive plant specimens, 20 Dreissenids, and 30 of each snail species and

					X	3	5.	R	5	9	Site
		•			15:1321	5	15.15 2 5.	US:160 95	45,13217	45.81.34	Latitude
					- R - R - S - S - S - S - S - S - S - S	-88.04589	1000 88 -	81220 B	18000	- S ON SI	Longitude
					4		valin.		and the same	<	Snorkel (Y or N*)
						**The property of the control of the	and the transmission of the state of the sta				Snorkel (Y or N*) If N snorkel, indicate why
				÷	000	2	3000		3	NOR	Species, density 1-5 [‡]
	,			·					j.		

*For lakes/sites not snorkeled, substitute

Boat landing site - 15 rake throws and 15 D-net samples OR 30 minutes, whichever comes first 50 meander sites - 10 rake throws and 10 D-net samples during meander survey between sampling sites for a total of 50 meander survey sites Targeted site - 5 rake throws and 5 D-net samples OR 10 minutes, whichever comes first

+
_
흦
(i)
S.
/site w
5
à
2
5
æ/site was not snorke
š
윽
交
ë
ed, indicate why
Ξ.
ದ
Ω.
괊
Ð
₹
₹
S
tair
Ξ.
vhy: stained w
_
S
7
Ψ,
=
Ξ
rbid
turbid water,
ā
ŧ
ter,
<u>5</u>
Ë
ģ
~
een
bloom, ch
00
ĭ
Ξ
끍
hen
⊒,
<u>a</u>
chemical treatmer
ē
ä
∄
ΞĒ
킀
ō
₫
ē
_
ō
ea
Se
0
es
Š
=

* Density Ratings

- 1 A few plants or invertebrates
- 2 One or a few plant beds or colonies of invertebrates
- 3 Many small beds or scattered plants or colonies of invertebrates

5 – Dense plant, snail or mussel growth covering most shallow areas 4 – Dense plant, snail or mussel growth in a whole bay or portion of the lake

Site Reprt form to Science Services. Step 2: Collect Waterflea Tows from 3 sites: the deep hole (DH) and 2 other sites in water deeper than 15 feet (if possible). Submit sample and Water Flea To Monitoring Depth sampled Method (hor, obliq, vert) Net diameter (30 or 50 cm) Ethanol added (Y or N) | Samples combined (Y or N) Sample sent to, date

Mussel Veliger Tow Monitoring Report form to Science Service.

Step 7: Data was proofed on

Step 6: Data was entered into SWIMS on