	SON MARK	Date(s) Data collectors	N. N	lake Name County
	y'ton,		Sigto -	
de la constant de la	1:30	Start time (nearest 15 min)	628400 Y W	WBIC AIS sign?
	N.	End time (nearest 15 min)	5.6	Secchi (ft gr m)
Eurosian water milfeil curly loaf nondwood vollow floating	,5	End time (nearest 15 min)   Total collector time (hrs x # collectors)	2	Conductivity (ZM tow if > 99 umhos/cm)

heart, zebra mussel, quagga mussel, Chinese mystery snail, banded mystery snail, faucet snail, New Zealand mud snail, didymo, water flea, and any other AIS found. Look for the following species: Purple loosestrife, Phragmites, flowering rush, Hydrilla, Brazilian waterweed, Eurasian water-miltoil, curly-leaf pondweed, yellow floating

🔑 List AIS found at each site or record none. Collect a sample of any new AIS found. Collect five new invasive plant specimens, 20 Dreissenids, and 30 of each snail species and label with species, collector, date, lake name, WBIC and sampling site. STEP 1: Record locations of sampling sites (in decimal degrees). Sampling sites include all public boat landings (BL), 5 targeted sites (TS) and the meander survey sites (MS).

				25	F,	5	53	57	51	BL1	Site
					45.53829	45.53783	45.536KI	45. 5%70	45.53803	DE856.5H	Latitude
							188-15851			-33.15667	Longitude
-				8	~	2.		3	7	8	Snorkel (Y or N <sup>*</sup> )
					**Comment ***PERING	ंगध्य	200	**************************************		Dead bother	If N snorkel, indicate why
				Flor 2 Along S		Elomo 3	MORI	FOM- 2	EUM - V	TER W	Species, density 1-5*
			5 5	3							<u> </u>

## For lakes/sites not snorkeled, substitute:

Boat landing site - 15 rake throws and 15 D-net samples OR 30 minutes, whichever comes first Targeted site - 5 rake throws and 5 D-net samples OR 10 minutes, whichever comes first

50 meander sites - 10 rake throws and 10 D-net samples during meander survey between sampling sites for a total of 50 meander survey sites

<sup>†</sup>If lake/site was not snorkeled, indicate why: stained water, turbid water, blue-green bloom, chemical treatment, other (please describe).

## \* Density Ratings

- 1 A few plants or invertebrates
- 2 One or a few plant beds or colonies of invertebrates
- 3 Many small beds or scattered plants or colonies of invertebrates
- 4 Dense plant, snail or mussel growth in a whole bay or portion of the lake
- 5 Dense plant, snail or mussel growth covering most shallow areas

Step 2: Collect Waterflea Tows from 3 sites: the deep hole (DH) and 2 other sites in water deeper than 15 feet (if possible). Submit sample and Water Flea To Monitoring Reprt form to Science Services.

_			٠.				
1	<i>j</i> -	15		}			Site
			,		١	- de minore	Depth sampled
						יייר מיוטר, סטוול, veru)	Mathod /hor (atile tight)
		-		)_		Net diameter (30 or 50 cm)	N-1.
		-				Ethanol added (Yor N)	
		***************************************			1.00	Samples combined Ar or N	)
					n iv) Sample selle to, date	-1	

Mussel Veliger Tow Monitoring Report form to Science Service. Step 3: Collect Veliger Tows from 3 sites; the deep hole (DH), outlet site (OS), and or downwind site (DS) in water depth of about 4/meters (if possible). Submit sample and

.3							
	الر	-	د		1	Section 4	7
			nand.	774			Depth complet
						wer manneter (20 of 20 cm)	
				1		Ethanol added (Y)or N)	
P.					(N. 197. 1981)	Samples combined (Var NI)	
					ישוויטוב אבוור ניט, משנפ	Sample cont to date	

Step 4: Were plant voucher specimens submitted? Yes No (circle) If yes, where? (circle) Freckmann Herbarium, Other

" voderiet specifie
ווא submitted (sepa
arate into Chinese,
banded, all others
s)? Yes N
lo (circle) If yes, where?
(circle) UW La Crosse, or Other_

Step 7: Data was proofed on Step 6: Dàta was entered into SWIMS on

