End time (nearest 15 min) Total collector time (hrs x # collectors)
1
Secchi (ft pr m) Conductivity (ZM tow if >99 umhos/cm)

heart, zebra mussel, quagga mussel, Chinese mystery snail, banded mystery snail, faucet snail, New Zealand mud snail, didymo, water flea, and any other AIS found. es: Purple loośestrife, Phragmites, flowering rush, Hydrilla, Brazilian waterweed, Eurasian water-milfoil, curly-leaf pondweed, yellow floating

STEP 1: Record locations of sampling sites (in decimal degrees). Sampling sites include all public boat landings (BL), 5 targeted sites (TS) and the meander survey sites (MS). label with species, collector, date, lake name, WBIC and sampling site. List AIS found at each site or record none. Collect a sample of any new AIS found. Collect five new invasive plant specimens, 20 Dreissenids, and 30 of each snail species and

Site	Latitude	Longitude	Snorkel (Y or N*)	If N snorkel, indicate why	Species, density 1-5 [‡]
W.5.3			2	*	TONIA
35	18595.5h	9 1000 SS	2	2	Parson of the second
S	45.5034	S 5000 S	2	7.62	FOW -
多55	25.57.5K	165,00746			NEC
S	45.56232	105001 88		Taxi (exter	> 1/
53	45., 56 404	12900.88-			
5	U.S. 56397	-88:01383-	2	ng,	778
Y	45, 56403	-88, 00991	2		TOW -
	W5. 51513	-R-0017	Č	* /	
			3		,

For lakes/sites not snorkeled, substitute:

50 meander sites - 10 rake throws and 10 D-net samples during meander survey between sampling sites for a total of 50 meander survey sites Boat landing site - 15 rake throws and 15 D-net samples OR 30 minutes, whichever comes first Targeted site - 5 rake throws and 5 D-net samples OR 10 minutes, whichever comes first

If lake/site was not snorkeled, indicate why: stained water, turbid water, blue-green bloom, chemical treatment, other (please describe)

* Density Ratings

- 1-A few plants or invertebrates
- 2 One or a few plant beds or colonies of invertebrates
- 3 Many small beds or scattered plants or colonies of invertebrates

Reprt form to Science Services.

4 – Dense plant, snail or mussel growth in a whole bay or portion of the lake

5 – Dense plant, snail or mussel growth covering most shallow areas

ų,	دو	-21280/2/6/4	Site
びき	[3~	(3h)	Depth sampled
		~	Method (hor, oblig, vert)
	> ;		Net diameter (30 or 50 cm)
Circus			Ethanol added (Y or N) San
			Samples combined (g or N)
			Sample sent to, date

Step 2: Collect Waterflea Tows from 3 sites: the deep hole (DH) and 2 other sites in water deeper than 15 feet (if possible). Submit sample and Water Flea To Monitoring

Mussel Veliger Tow Monitoring Report form to Science Service. Step 3: Collect Veliger Tows from 3 sites; the deep hole (DH), outlet site (OS), and or downwind site (DS) in water depth of about 4 meters (if possible). Submit sample and

	لى	رو		Site
,	V	SE	42	
				Depth sampled Net diameter (30 or 50 cm)
				Ethanol added(Y) or N
	dr.			N) Samples combined (X or N)
				Sample sent to, date

Step 4: Were plant voucher specimens submitted? Yes No (circle) If yes, where? (circle) Freckmann Herbarium, Other

·	Step 6: Data was entered into SWIMS on _	Step 5: Were snail voucher specimens submitted (separate into Chinese, banded, all others)? Yes No (circle) If yes
and the same of th	21/22/12	nitted (separate into Chinese, b
	by Man Mo Hart	, banded, all others)? Yes No (circle) If yes, where? (circle) UW La Crosse, or Other
	• 4	

Step 7: Data was proofed on

