CONTRACTOR WITH THE TAXABLE CONTRACTOR
WBIC Date(s) AlS sign? Secchi (ft Conductivity (ZM tow if \geq 99 umhos/cm) $ \begin{array}{c ccccccccccccccccccccccccccccccccccc$

heart, zebra mussel, quagga mussel, Chinese mystery snail, banded mystery snail, faucet snail, New Zealand mud snail, didymo, water flea, and any other AIS found. Look for the following species: Purple loosestrife, Phragmites, flowering rush, Hydrilla, Brazillan Waterweed, Eurasian Water-miltoil, curly-leaf pondweed, yellow floating

label with species, collector, date, lake name, WBIC and sampling site. List AIS found at each site or record none. Collect a sample of any new AIS found. Collect five new invasive plant specimens, 20 Dreissenids, and 30 of each snail species and STEP 1: Record locations of sampling sites (in decimal degrees). Sampling sites include all public boat landings (BL), 5 targeted sites (TS) and the meander survey sites (MS).

					なり	134	72	22	73/	175	Site
					5		5. 54	55 55 55		52.82	Latitude
						2000		40-52 25-102	\$ 50 - 50 red -		Longitude
			ar a	· · · · · ·						~	Snorkel (Y or N*)
2											If N snorkel, indicate why
					EU n-V	EUM-1	EWM-1	Elm.	NO AIS	Elim - 1 bms-,	Species, density 1-5 [‡]
	 		,							1 snai	

*For lakes/sites not snorkeled, substitute:

Boat landing site - 15 rake throws and 15 D-net samples OR 30 minutes, whichever comes first Targeted site - 5 rake throws and 5 D-net samples OR 10 minutes, whichever comes first

50 meander sites - 10 rake throws and 10 D-net samples during meander survey between sampling sites for a total of 50 meander survey sites

†If lake/site was not snorkeled, indicate why: stained water, turbid water, blue-green bloom, chemical treatment, other (please describe).

‡ Density Ratings

- 1 A few plants or invertebrates
- 2 One or a few plant beds or colonies of invertebrates
- 3 Many small beds or scattered plants or colonies of invertebrates

4 – Dense plant, snail or mussel growth in a whole bay or portion of the lake

5 – Dense plant, snail or mussel growth covering most shallow areas

	т	т-	Т.
(1)	7	•	Site
318	29 FT	DET	Depth sampled
5		Chlia	Method (hor, obliq, vert)
<		50	Net diameter (30 or 50 cm) Ethanol added (Y or N
			Ethanol added (Y or N)
		<u></u>	Samples combined (Y or N)
			Sample sent to, date

Step 2: Collect Waterflea Tows from 3 sites: the deep hole (DH) and 2 other sites in water deeper than 15 feet (if possible). Submit sample and datasheet to Science Services.

Mussel Veliger Tow Monitoring Report form to Science Service. Step 3: Collect Veliger Tows from 3 sites; the deep hole (DH), outlet site (OS), and or downwind site (DS) in water depth of about 4 meters (if possible). Submit sample and

St	Sto	(3	2		Sit
ep 5: \	ep 4: \	V .	'		Site
Were snail vouch	Were plant vouch	SET	25 FF	TO FT	Depth sampled
Step 5: Were snail voucher specimens submitted (separate into Chinese, banded, all others)? Yes (vo (circle))	Step 4: Were plant voucher specimens submitted? Yes/No circle) If yes, where? (circle) Freckmann Herbarium, Other	<i>\(\)</i>		50	Depth sampled Net diameter (30 or 50 cm)
te into Chinese, banded, a	No (circle) If yes, where?	V		~	Ethanol added (Y or N)
	(circle) Freckmann Herbarium	<u></u>		2	Ethanol added (Y or N) Samples combined (Y or N)
HITEMY OID IN BOIL. If yes, where? (circle) UW La Crosse, or Other.), Other				Sample sent to, date
or Other					

Notes:

Step 7: Data was proofed on

by L

Step 6: Data was entered into SWIMS on

