	C. C				
42 22	W (V)	7	the state of the s		せらのるが
arest 15 min) Total collector time (hrs x # collectors)	End time (nearest 15 min)	Start time (nearest 15 min)	Start	Data collectors	Date(s)
	Ş	Y	0 7	895	366
Conductivity (ZM tow if >99 umhos/cm)	Secchi-(ft or m)	AlS sign?	WBIC	County	Lake Name

heart, zebra mussel, quagga mussel, Chinese mystery snail, banded mystery snail, faucet snail, New Zealand mud snail, didymo, water flea, and any other AIS found. Look for the following species: Purple loosestrife, Phragmites, flowering rush, Hydrilla, Brazilian waterweed, Eurasian water-milfoil, curly-leaf pondweed, yellow floating

STEP 1: Record locations of sampling sites (in decimal degrees). Sampling sites include all public boat landings (BL), 5 targeted sites (TS) and the meander survey sites (MS). label with species, collector, date, lake name, WBIC and sampling site. List AIS found at each site or record none. Collect a sample of any new AIS found. Collect five new invasive plant specimens, 20 Dreissenids, and 30 of each snail species and

 	 					F 31 21 21				Т	
					le le	Ŋή	() ()	کہ ش	5	X	Site
			ß.			50.38			45,13883	The second of th	Latitude
	,				·88. 103/12	38. KOKS	-88. XX X	-8.5007	, 00 00 00 00 00	6,803.0	Longitude
					2	Z.			Z	Ž	Snorkel (Y or N <sup>*</sup> )
					epit prilin Statemen	1986	1	en e	7 2 2 2 5 7	Jumpe Park	If N snorkel, indicate why
				72095					2000		Species, density 1-5*

## For lakes/sites not snorkeled, substitute

Boat landing site - 15 rake throws and 15 D-net samples OR 30 minutes, whichever comes first Targeted site - 5 rake throws and 5 D-net samples OR 10 minutes, whichever comes first

50 meander sites - 10 rake throws and 10 D-net samples during meander survey between sampling sites for a total of 50 meander survey sites

\*If lake/site was not snorkeled, indicate why: stained water, turbid water, blue-green bloom, chemical treatment, other (please describe)

## \* Density Ratings

- 1 A few plants or invertebrates
- 2 One or a few plant beds or colonies of invertebrates
- 3 Many small beds or scattered plants or colonies of invertebrates

4 – Dense plant, snail or mussel growth in a whole bay or portion of the lake

5 – Dense plant, snail or mussel growth covering most shallow areas

Site Reprt form to Science Services Step 2: Collect Waterflea Tows from 3 sites: the deep hole (DH) and 2 other sites in water deeper than 15 feet-(if-possible). Submit sample and Water Flea To Monitoring Depth sampled Method (hor, obliq, vert) Net diameter (30 or 50 cm) Ethanol added (Y or N) | Samples combined (Y or N) Sample sent to, date

Mussel Veliger Tow Monitoring Report form to Science Service. Step 3: Collect Veliger Tows from 3 sites; the deep hole (DH), outlet site (OS), and or downwind site (DS) in water depth of about 4 meters (if possible). Submit sample and

	Site Depth sampled	Depth sampled Net diameter (30 or 50 cm)	Ethanol added (Y or N)	Ethanol added (Y or N)   Samples combined (Y) or N)	Sample sent to, date
			1	**************************************	
3					
	<b>7</b>	e de circle de la companya de la co			

Step 4: Were plant voucher specimens submitted? Yes No (circle) If yes, where? (circle) Freckmann Herbarium, Other

Step 5: Were snail voucher specimens submitted (separate into Chinese, banded, all others)? Yes No (circle) If yes, where? (circle) UW La Crosse, or Other\_

Step 6: Data was entered into SWIMS on

Notes:

Step 7: Data was proofed on

