Look for the following	West Mass	Data collectors		Lake Name
ng species: Purple loosesti	V STOP HOW	i.	000 to	County
Look for the following species: Purple loosestrife, Phragmites, flowering rush, Hydrilla, Brazilian waterweed, Eu	? ? ?	Lead Monitor phone and email Start time (~ 15 min)	439800 8/14-8/15/13	WBIC Date(s)
rush, Hydrilla, Brazilian w	8-1413-940	email Start time (~ 15	STON N	AJS sign?
/aterweed, Eurasian wa	08	End	orm) ISF	Secchi
ırasian water-milfoil, curly-leaf pondweed, yellow floating	5-13 1 Pm Shans x 5 People: 35	time (~ 15 min) Total collector time (hrs x # collectors)	SF	Secchi (ft Conductivity (ZM tow if \geq 99 umhos/cm)

heart, zebra mussel, quagga mussel, Chinese mystery snail, banded mystery snail, faucet snail, New Zealand mud snail, didymo, water flea, and any other AIS found.

STEP 1: Record locations of sampling sites (in decimal degrees). Sampling sites include all public boat landings (BL), 5 targeted sites (TS) and the meander survey sites (MS). label with species, collector, date, lake name, WBIC and sampling site. List AIS found at each site or record none. Collect a sample of any new AIS found. Collect five new invasive plant specimens, 20 Dreissenids, and 30 of each snail species and

Site	Latitude	Longitude	Snorkel (Y or N*)	If N snorkel, indicate why	Species, density 1-5 [‡]
	00 84 03	Service - too o		x - 010 78 2	ROK traves
		, so		(
	:				

K W

*For lakes/sites not snorkeled, substitute:

Boat landing site - 15 rake throws and 15 D-net samples OR 30 minutes, whichever comes first Targeted site - 5 rake throws and 5 D-net samples OR 10 minutes, whichever comes first

50 meander sites - 10 rake throws and 10 D-net samples during meander survey between sampling sites for a total of 50 meander survey sites

+If lake/site was not snorkeled, indicate why: stained water, turbid water, blue-green bloom, chemical treatment, other (please describe).

‡ Density Ratings

- 1 A few plants or invertebrates
- 2 One or a few plant beds or colonies of invertebrates
- 3 Many small beds or scattered plants or colonies of invertebrates

4 – Dense plant, snail or mussel growth in a whole bay or portion of the lake

5 – Dense plant, snail or mussel growth covering most shallow areas

Site	Depth sampled	Method (hor, oblig, vert)	Net diameter (30 or 50 cm)	Ethanol added (Y or N)	Samples combined (Y or N)	Sample sent to, date
(000000000000000000000000000000000000000)
Ngg.)	* (VC	<u>^</u>	<	-((B) A & () B(C)
-			1. 5.000			
,	3 ()	70	L.	~	Section 1980
					,	
	1		3	4.	1	(
-	_	The state of the s	4.00			

Step 2: Collect Waterflea Tows from 3 sites: the deep hole (DH) and 2 other sites in water deeper than 15 feet (if possible). Submit sample and datasheet to Science Services.

Mussel Veliger Tow Monitoring Report form to Science Service. Step 3: Collect Veliger Tows from 3 sites; the deep hole (DH), outlet site (OS), and or downwind site (DS) in water depth of about 4 meters (if possible). Submit sample and

	-V-3-8-M	5	0	17-10-00-00	April 1
	1		E. V. Destination		Suppose Suppose
	7	Timer .	200	スレーのできる	7
るますったペス	~	C	0 N	V	Service.
Sample sent to, date	Ethanol added (Y or N) Samples combined (Y or N)	Ethanol added (Y or N)	Depth sampled Net diameter (30 or 50 cm)	Depth sampled	Site

Step 4: Were plant voucher specimens submitted? Yes No (circle) It yes, where? (circle) Freckmann Herbarium, Other

Ste
<u>0</u>
≶
re:
snai
:i \c
)uct
er
spe
cim
ens
suk
mi
ttec
) (se
epai
rate
Ξ̈́
0
hine
ese,
baı
nde
d, a
<u> </u>
)et he
رs) ع
Ύe
Step 5: Were snail voucher specimens submitted (separate into Chinese, banded, all others)? Yes No (circle) If yes, where? (circ
0 (0
oir <u>cl</u>
le)
\ Y
es, ı
whe
re?
(ci
ircle
$\overline{}$
٧L
a Cr
SSO.
JW La Crosse, or
Other

Step 6: Data was entered into SWIMS on	יינים יי אאריור היומיו יים מכויים ביים ביים ביים ביים ביים ביים ביים
Spall	
by Chan Wetil	

by

Notes:

Step 7: Data was proofed on

Mensions Wheeler with the mander of the first the winder of the Lumi