AIS Early Detection Monitoring Data Form

Entrad

Lake Name	County	WBIC	AIS sign?	Secchi (ft or m)	Conductivity (ZM tow if <u>> 99 umhos/cm)</u>
Little Alber Vile	Vilas	1545300	Y N	In	125
Date(s)	Data collectors	Start time (nearest 15	min)	End time (nearest 15 min)	Total collector time (hrs x # collectors)
8/22/13	Howes I Winder	10:30		,	•

Look for the following species: Purple loosestrife, Phragmites, flowering rush, Hydrilla, Brazilian waterweed, Eurasian water-milfoil, curly-leaf pondweed, yellow floating heart, zebra mussel, quagga mussel, Chinese mystery snail, banded mystery snail, faucet snail, New Zealand mud snail, didymo, water flea, and any other AIS found.

STEP 1: Record locations of sampling sites (in decimal degrees). Sampling sites include all public boat landings (BL), 5 targeted sites (TS) and the meander survey sites (MS). List AIS found at each site or record none. Collect a sample of any new AIS found. Collect five new invasive plant specimens, 20 Dreissenids, and 30 of each snall species and label with species, collector, date, lake name, WBIC and sampling site.

Site	Latitude ,	Longitude	Snorkel (Y or N*)	If N snorkel, indicate why	Species, density 1-5 [‡]
Q.	45.91998	-89.61328	y	1	BM5-2
MSI	45,91334	-87.61198	N		RC6-2
191	46.9/235	-89.60761	a, N	Algoe Bloom	BMS-2
TS2_	45,91030	-87.61325	N	Algae Bloom	A MY S
193	45,90745	-89.62727	N	A.V	BMS2
T54	4591801	-89,62682	N	A.D	
BL2	45.91811	-89.62714	N	1.6.	BM3-1
155	45.91910	-89.62188	N	1.6	
	,	· £	`※無析		
					3
	,				·
				·	

*For lakes/sites not snorkeled, substitute:

Boat landing site - 15 rake throws and 15 D-net samples OR 30 minutes, whichever comes first

Targeted site - 5 rake throws and 5 D-net samples OR 10 minutes, whichever comes first

50 meander sites - 10 rake throws and 10 D-net samples during meander survey between sampling sites for a total of 50 meander survey sites

[†]If lake/site was not snorkeled, indicate why: stained water, turbid water, blue-green bloom, chemical treatment, other (please describe).

[‡] Density Ratings

- 1 A few plants or invertebrates
- 2 One or a few plant beds or colonies of invertebrates ·
- 3 Many small beds or scattered plants or colonies of invertebrates

- 4 Dense plant, snail or mussel growth in a whole bay or portion of the lake
- 5 Dense plant, snail or mussel growth covering most shallow areas

Step 2: Collect Waterflea Tows from 3 sites: the deep hole (DH) and 2 other sites in water deeper than 15 feet (if possible). Submit sample and Water Flea To Monitoring Reprt form to Science Services.

Site	Depth sampled	Method (hor, obliq, vert)	Net diameter (30 or 50 cm)	Ethanol added (Y or N)	Samples combined (Y or N)	Sample sent to, date
	wi	60		•		
	19	00	, 5			
	27	OO			•	

Step 3: Collect Veliger Tows from 3 sites; the deep hole (DH), outlet site (OS), and or downwind site (DS) in water depth of about 4 meters (if possible). Submit sample and Mussel Veliger Tow Monitoring Report form to Science Service.

Site	Depth sampled	Net diameter (30 or 50 cm)	Ethanol added (Y or N)	Samples combined (Y or N)	Sample sent to, date
1	Um				
1	UM				
5	以外			,,,	·

Step 4: Were plant voucher specimens submitted? Yes No (circle) If yes, where? (circle) Freckmann Herbarium, Other							
Step 5: Were snail voucher specimens submitted (sepa	rate into Chinese, banded, all others)? Yes	No (circle) If yes, where? (circle) UW La	Crosse, or Other				
Step 6: Data was entered into SWIMS on	by						
Step 7: Data was proofed on	by						

Notes: