## AIS Early Detection Monitoring Data Form

Form 3200-xxx (R 6/2013)

Lake Name	County	WBIC AIS sign? 2334900 YN	Secchi (ft or m)	Conductivity (ZM tow if ≥99 umhos/cm)
Date(s)	Diane, marren, Katrinia	Start time (nearest 15 min)	End time (nearest 15 min) 257 pm	Total collector time (hrs x # collectors)

Look for the following species: Purple loosestrife, Phragmites, flowering rush, Hydrilla, Brazilian waterweed, Eurasian water-milfoil, curly-leaf pondweed, yellow floating heart, zebra mussel, quagga mussel, Chinese mystery snail, banded mystery snail, faucet snail, New Zealand mud snail, didymo, water flea, and any other AIS found.

STEP 1: Record locations of sampling sites (in decimal degrees). Sampling sites include all public boat landings (BL), 5 targeted sites (TS) and the meander survey sites (MS). List AIS found at each site or record none. Collect a sample of any new AIS found. Collect five new invasive plant specimens, 20 Dreissenids, and 30 of each snail species and label with species, collector, date, lake name, WBIC and sampling site.

Site .	Latitude	Longitude	Snorkel (Y or N*)	If N snorkel, indicate why**	Species (density 1-5)***
351	46.16866	089. 71656	У		NA
<52	46.17491	089. 71165	. У		cms - 1
X53	46. 17472	689. 7046°	7		CMs-(
127	46, 16816	089.70939	Y		CMS-1
105	46.16881	089.71140	Y		(3) RC-1 (MS-1
<i>SV</i>	46. 16904	089, 70583	4		CW>-/
				·	

## \*For lakes/sites not snorkeled, substitute:

Boat landing site - 15 rake throws and 15 D-net samples OR 30 minutes, whichever comes first

Targeted site - 5 rake throws and 5 D-net samples OR 10 minutes, whichever comes first

50 meander sites - 10 rake throws and 10 D-net samples during meander survey between sampling sites for a total of 50 meander survey sites

\*\*If lake/site was not snorkeled, indicate why: stained water, turbid water, blue-green bloom, chemical treatment, other (please describe).

## \*\*\* Density Ratings

- 1 A few plants or invertebrates
- 2 One or a few plant beds or colonies of invertebrates
- 3 Many small beds or scattered plants or colonies of invertebrates

- 4 Dense plant, snail or mussel growth in a whole bay or portion of the lake
- 5 Dense plant, snail or mussel growth covering most shallow areas

Step 2: Collect Waterflea Tows from 3 sites: the deep hole (DH) and 2 other sites in water deeper than 15 feet (if possible). Submit sample and Water Flea Tow Monitoring Diane Saul In diane, and the water gov 7/5 - 685 - 3911

Site	Depth sampled	Method (hor, obliq, vert)	Net diameter (30 or 50 cm)	Ethanol added (Y or N)	Samples combined (Y or N)	Sample sent to date
1	8 m	oblig.	50 cm	~ 1	1	18/25/13:
2	Go W	)! V	1	7		- 19/25/13
	8 m	1	N.			

Step 3: Collect Veliger Tows from 3 sites; the deep hole (DH), outlet site (OS), and or downwind site (DS) in water depth of about 4 meters (if possible). Submit sample and Mussel Veliger Tow Monitoring Report form to Science Service.

Site	Depth sampled	Net diameter (30 or 50 cm)	Ethanol added (Y or N)	Samples combined (Y or N)	Sample sent to date
	4m	50	. \	Y	·
	11	17	1.	Ý	
	((	11	/	\ \	

Step 4: Were plant voucher specimens submitted? Yes No (circle) If yes, where? (circle) Freckmann Herbarium, Other	
Step 5: Were snail voucher specimens submitted (separate into Chinese, banded, all others)? Yes No (circle) If yes, where? (circle) UW La Crosse or Other	
Step 6: Data was entered into SWIMS on 10/3/13 by D(1)	,
Step 7: Data was proofed on 10 23 13 by 5(6).	
Notes:	