Instructions: Bold fields must be completed.

,	. ^	Location Name
	Δi	8
!	SWGN	2.
1	3	2
!	5	z
	•	ີ 0
		៲៳៑
•		
.		3.000
-[
00	-	
œ Q	\$ L	- 8
٠١٧,	-4	- 丙
. 🗸		
		2000200000 (Acceptance)
;	\mathcal{C}	WBIC County
	y	Ě
	۶	Ţ
-	3	
	- છું	
1	5	
. [3.65%
·	-6	1002200
880	Columbia 6-7-17 4	Date(s) AIS Secchi Conductivity (ft or m) (ZM ≥ 99 umnos/cm)
	F	Te :
	Λ	S
'	Ū	
. —		AIS Secchi Conductivity sign? (ft or m) (ZM ≥ 99 umhos/a
	_/	igi Si n
	-GeZ-	ລີ
		28 15760 act
		∓ Se
		S C
		<i>></i> :2:
\vdash		2005
		₹ 0
		े तु र
		5 5
		∄ ≤ :
		% ∑
		n)
****		\$2000000000000000000000000000000000000
N. C	CB	Colle
1	TO.	ec
7	62.	8
ع)_	급
5	7	
1	r	
		\$2.00 (E
		Resident.
		\$40,000,000,000 \$40,000,000,000,000
- ,		Si
-		- 1
		\$68 = \.684
<u> </u>		Ē
		ime
		ime Er
		ime End
		ime End Tir
		ime End Time
		ime End Time
		ime End Time (h
		ime End Time Tota
		ime End Time Total F
		ime End Time Total Hou
- C TENTAL TO THE PARTY OF THE		ime End Time (hrs x # ppl)

STEP 1: Circle species that you looked for and review the Identification Handout.

	systemas and soft
3	AQUATIC PLANTS/ALGAE European frogbit Starry stonewort Hydrilla Yellow floating heart Curly leaf pondwe Brazilian waterweed Fanwort
i	
7	I≝≨≺∑
٥	an an st
7	의 를 의 근
í	P 28 8 5
•	S z A A
Ĺ	e a
-	≏
í	• • • • • • • • • • • • • • • • • • •
1	
į	Europea Hydrilla Curly lea Fanwort
١	European frogbit Hydrilla Curly leaf pondweed Fanwort
ŀ	[홍 주 급 전
,	이 등 등 등
	
	œ <u>-</u>
ï	₽ 📆
1	ຄົ →
ŀ	e
ľ	
•	389189/88 RSV
•	<u> </u>
	Parrot feather Water hyacinth Water lettuce Eurasian water milfoi
-	15. 15. 10.
١.	B 등 구 후
,	₹ E 29 9
	불 은 등 높
Ĺ	[역 은 탁 목]
,	l a
ì	2.
-	
	ュスロミ
7	Water chestnut Didymo RIPARIAN PLANTS Flowering rush
	é
	₹₽ŏo
	is z he
1	2 P S
-	유 A 교
_	3 7
٠	G
ı	
•	1656805000
	Phragmites Purple loosestrife Yellow flag iris Japanese knotwee
	Phragmites Purple loosestrife Yellow flag iris Japanese knotweed
•	교육학
	Se to one
_	K 88 05 68
	B
_	\$ 50 E
	e fe
	ů.
•	
	Japa INVI Zebr Asia
•	[글 목 유 원
	중 왕 원 교
-	
	[] B B F [
-	જ ≥응
	a m
	l É SE
	%
_	1.51 SEE 1811 SE
•	
-	100 100 100 20
	[왕윤문종]
	∌ ¤ #
_	ポッピス
	호 영 온 ᆲ
	첫 등 없음
	ទ្ទី®∃
	[출 후 등 등]
	[유 및 옷 Sh]
	[귤볶뚕림]
,	S S S
,	7 %
	교교
	¥ e
•	ucet snai her
•	of s
	<u> </u>
,	
	[~ ~ ~
	Zewenderfungenge

STEP 2: Record locations of sampling sites (in decimal degrees). While snorkeling is optional, please indicate whether snorkeled or why not. List AIS found and density at collector. Legibility is appreciated. If needed, preserve with adequate ethanol each site or record none. Collect photographs and samples of any new AIS found. Include internal and external labels with WBIC, name of lake, county, sample date, and

Site*	Latitude	Longitude	Snorkel (Y/N)	Snorkel If no, indicate (Y/N) why†	Species name, density (1-5) [‡] , and live (L) or dead (D) [§] (Y/N) (Y/N)	Sample (Y/N)	Photo	No AIS	Comments	
BL	43.54497189.35609	189.35609	Z	Stained	tww///	Z	Z.	8	Floating EWM	NW.
6	43.54516	-89.35742	Z	Sperred				~		
Š	43.84192	87.346 P	2	rand	11			R		
M.S.	43.5742X	81.31891	Z	حيلا	Matrix Phry myer		K	K		
551	759 43.53883 89.35e121 N	161398 16	Z	Strand	THE RESIDENCE OF THE PARTY OF T			R	netive programme	in the second
5	NS2.43, 54369	89,37909	Z	sterment	CAMPI	Z	Z		DESERVE	2 1
7510	7510 43.54303 89.379WS	3 W 16. 50	Z,	-	DT / 1/L	Z				
15 %	43.54076 89,375802 N	89,375B02	Z		2015/1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1	Z	2	8	PCG, native	of the second
15	15193.54705 85.37426 N	374296	Z		ACG	1	ţ	X		<u>.</u>
*boat	*boat landing (BL), target site (TS), meander survey (MS).	site (TŞ), meander	survey (N	IS).						<u></u>

[†]Stained water, turbid water, blue-green bloom, chemical treatment, other (please describe).

[§]Live (L) animals will contain flesh and live plants will generally be rooted. Dead (D) animals will not contain flesh and dead plants include sterile fragments. *Density ratings: 1-a few plants or invertebrates, 2-one or a few plant beds or colonies of invertebrates, 3-many small beds or scattered plants or colonies of invertebrates, 4-dense plant, snail, or mussel growth in a while bay or portion of the lake, or 5-dense plant, snail or mussel growth covering most shallow areas.

vida idantific <u>;</u>

Photo Name Date sent Comments	notographs and provide identification results. Submit to next ve omments This section is completed by 1 Verifier #1 Date	s and provide identification results. Submi This section is con Verifier #1
	This section is completed by a Verifier #1 Date	This section is completed by the verifier(s) Verifier #1 Date ID Verifier #2

Notes:

STEP 6: Data was proofed on _

Once data is entered, send scans of data sheets to central office (Maureen Ferry@Wisconsin.gov).

_ by _

Instructions: Bold fields must be completed.

The Lake	្ត្រ	
٠	≅.	
5	2	
·	2	
γ	ਜ	
交	- 2	
þ		
	\$6450KB	
	West.	
L K	. ≨.	
ルム	ᄦ	
V		
	2.32.12	
	S2(3549)02	١.
\circ	0	
6	135 3	
1	2.5	
3	345045	
V		
Ž.		
Columbia	1000	
	WEIGHT WEIGH	
, ,	B	
7	ិតិ	
1	8 0 8	
1	816850	
	60/00/00/00	
/	<u>≨</u> . ≥	
	5.4	
	MARKET .	-
	- π/ν	
	9/ 유	
	⊉ 🖰	
	0 10000 0000	
	ÞΩ	
	₹3	
	& C	
	∄ ⊞	
	∣ਫ਼∖≤∴	
	3.5	
	3000000	ø
7	8	
3 20		
-11	8	
m1 5		
3 5	S	-
~~		
	14.33 S	
	၂ တ	
	। छ	
<u>-</u>	5	
3	ne	
	0.000000000000000000000000000000000000	
	.	
-70	l d	
3	l ≡®	
	ᆸ	
	74.548S	
	الدوا	
-	STC Sto	
	l≚ ≝	
5	풀ᇂ	
<u></u>	ĕ ⊑	
) S	

TRACET

STEP 1: Circle species that you looked for and review the Identification Handout.

n	ام ی بر سا
150	AQUATIC PLANTS/ALGA Starry stonewort Yellow floating heart Brazilian waterweed
ب	an st in
Ö	PLAI newo ating
Ś	We DIT S
5	ă T A
<u>í</u>	A A
5	2 C ± E
<u>+</u>	European fro Hydrilla Curly leaf po Fanwort
j 3	r saf p
3	ond ogb
2.	vee(
5	¥ 8 4 #55 - 3 - 3
3	
2.	ter li
3	AQUATIC PLANTS/ALGAE European frogbit Parrot feather Starry stonewort Hydrilla Water hyacinth Yellow floating heart Curly leaf pondweed Water lettuce Brazilian waterweed Fanwort Eurasian water r
7	
	Parrot feather Water chestnut Water hyacinth Didymo Water lettuce RIPARIAN PLANTS Eurasian water milfoii Flowering rush
2	i∓
<u> </u>	Water che Didymo RIPARIAN Flowering
5	ter o
3	ng n
1	ish 🔏 inut
3	ば
;	5 K D D
)) †	Water chestnut Phragmites Japanese h Didymo Purple loosestrife INVERTEBR RIPARIAN PLANTS Yellow flag iris Zebra/quag Flowering rush Japanese knotweed Asian clam
3	e loc e loc e loc e loc
3	ss sest g iris knot
2	rife
j -	ο.
5	, z = J
) †	Japanese t INVERTEB Zebra/qua Asian clam
<u> </u>	lese RTEE 1/qui
<u>+</u>	hop RA1 agga
2	25 mm
3	ssels
2	
Ĺ	₩ ₩ ₽ ₽ ¥
•	ines
7	ealai ealai e/Ba red : fishr
į	nd n
;	d my wat
† >	rayfis
0	a sh Ysn,
	/Zealand mudsnails F lese/Banded mystery snails C ty/red swamp crayfish ty/fishhook waterflea
,	1 2 3
L L	her
2	sna
STED 7. Barrer locations of sampling sites (in decimal degrees) While specialized in places indicate whether specially or why not list AIC found and density of	F = 5
÷	Entre Mention of

each site or record none. Collect photographs and samples of any new AIS found. Include internal and external labels with WBIC, name of lake, county, sample date, and SIEP 2: Record locations of sampling sites (in decimal degrees). While snorkeling is optional, please indicate whether snorkeled or why not. List Als found and density at collector. Legibility is appreciated. If needed, preserve with adequate ethanol.

	If no, indicate why†	Species name, density $(1-5)^{\frac{1}{7}}$, and live (L) or dead $(D)^{\frac{5}{9}}$	Sample (Y/N)	Photo (Y/N)
2	stationed			
179 2	£1	JK, 5, L		7
5922 N	۲	Rampores geners, 5, Line	2	Z
5545 N	-			
716 1	\1	EWMIL, L		
148 Z	1,			
685 N	s	EMM, 1, D-REG		
	N N N N N N N N N N N N N N N N N N N	Shorkel If no, indicate (Y/N) whyt I stanced I i I i I i I i I i I i I i I	Shorkel If no, indicate Species name, density (1-5), a why! N stanced The Target Bass 5, L N 11 ENMILL L N 11 ENMILL D-RES	Shorkel If no, indicate (Y/N) whyt Species name, density (1-5) [†] , and live (L) or dead (D) [§] (Y/N) N stance T T T T T T T T T T T T T T T T T T T

^{*}boat landing (BL), target site (TS), meander survey (MS).

[†]Stained water, turbid water, blue-green bloom, chemical treatment, other (please describe).

^{\$}Live (L) animals will contain flesh and live plants will generally be rooted. Dead (D) animals will not contain flesh and dead plants include sterile fragments. *Density ratings: 1-a few plants or invertebrates, 2-one or a few plant beds or colonies of invertebrates, 3-many small beds or scattered plants or colonies of invertebrates, 4-dense plant, snail, or mussel growth in a while bay or portion of the lake, or 5-dense plant, snail or mussel growth covering most shallow areas.

		X	PL		Spec	7115
			Z	(Y/N)	ies Spe	3: Kegion
				V	dmen	al verifier
	Swanteke 179800 - Brenke - determent	1040 C192-			Species Specimen Photo Name Date sent Comments	examination s
	179800-1	, y			Date sent	pecimen(s) an
	Sunce d				Comments	d photograph
	strict					s and provide
						dentificat
				Verifier #1 Da	This section is completed by the verifier(s)	SIEP 3: Regional verifier examination specimen(s) and photographs and provide identification results. Submit to next verifier. Create ROI and attach documents.
			,	Date ID	npleted by	t to next v
***************************************		a three ways.			the verifier(erifier, Creat
		P. D. D. T. T. T. T. M. T.		Verifier #2	s)	e ROI and att
	***************************************			Verifier #2 Date ID		tach docume
-				ID		nts.

DNR verifier. Name photos with the SPSCODE_YYYYMMDD_WBIC or STATIONID or LAT LONG_ COLLECTOR. STEP 4: For new aquatic invasive species populations, collect photographs and samples. Provide photos, preserved specimens, and copies of the datasheet to the regional

STEP 5: Data was entered into SWIMS on

STEP 6: Data was proofed on _ Once data is entered, send scans of data sheets to central office (Maureen.Ferry@Wisconsin.gov).

, py ...

Notes:

Cheller entried in 1/2 dates. Tearner Finished any dute entry 193117
count assert to 11015.

(1)