LETTER OF TRANSMITTAL

To: Ms. Nancy Ryan

c/o Mr. Chue Yee Yang, RR Program Assistant Wisconsin Department of Natural Resources 2300 N. Dr. Martin Luther King Jr, Drive Milwaukee, WI 53212

Please check the type(s) of documents you have enclosed. Submittals will be tracked and filed based on the information you provide. Include the FID and BRRTS numbers which have been assigned to this site, and identify the intent of the document(s) you are submitting in order to speed processing. Please attach any required fees to this checklist. From: Adam J. Roder The Sigma Group, Inc. 1300 W. Canal Street Milwaukee, WI 53233

Date:	September 6, 2018	
Site Name:	MSOE Diercks Computational Science Hall	
	1025 N. Milwaukee Street	
Address:	Milwaukee, WI 53202	

FID# 241343410

BRRTS #

YES	IS THIS RELEASE PECFA-ELIGIBLE?	Type of Submittal:	✓ OTHER
IECK	Agreements		FEE
	Tax assignment agreement - ss.75.106(2)(d) & 292.55		\$700
	Tax cancellation agreement - ss. 75.106(2)(d) & 292.55		\$700
	Negotiated agreements - s. 292.11(7)(d)2		\$1,400
	Technical Assistance (s. 292.55)		FEE
Х	NR 708 No Further Action Letter - Fee not included as writte	en response not needed	\$350
	NR 716 No Further Investigation		\$700
	NR 716 Site Investigation Workplan		\$700
	NR 716 Site Investigation Report		\$1,050
	NR 720 Soil Cleanup Standards/Reports		\$1,050
	NR 722 Remedial Action Options Report		\$1,050
	NR 724 Remedial Design Report		\$1,050
	NR 724 Operation and Maintenance Report		\$425
	NR 724 Construction Documentation Reports		\$350
	NR 724 Long-Term Monitoring Plan		\$425
	NR 726 Case Closure Action		\$1,050
	NR 506 Exemption for building on a historic waste site		\$700
	Other Technical Assistance		\$700
	Liability Clarification Letters		FEE
	s. 292.13(3) Off-Site Exemption Letters		\$700
	s. 292.55 Lease Letters - Single Properties		\$700
	s. 292.55 Lease Letters - Multiple Properties		\$1,400
	s. 292.55 General Liability Clarification Letters		\$700
	s. 292.21(1)(c)1.d. Lender Assessments		\$700
	Department Database Fees (ss. 292.12 and 292		FEE
	Sites with groundwater contamination that attains or exceeds	ch. NR 140	\$350
	Sites with soil contamination that attains or exceeds ch. 720 F	RCLs	\$300
	Sites not otherwise addressed in this schedule, where the dep other limitation or condition in accordance with s. 292.12(2)	partment imposes any	\$350
	Cases submitted for closure with monitoring wells not properly residual groundwater contamination	y abandoned, without	\$350
	Modification or removal of a site or property from the databas	e	\$1,050
	Other / Miscellaneous		

Project Reference #17076



September 6, 2018

Ms. Nancy Ryan c/o Mr. Chue Yee Yang, Environmental Program Associate Wisconsin Department of Natural Resources Remediation & Redevelopment Program 2300 N. Dr. Martin Luther King Jr. Drive Milwaukee, WI 53212

Subject: NR 708.09 No Further Action Request for Tank System Site Assessment MSOE Diercks Computational Science Hall Development 1025 N. Milwaukee Street, Milwaukee, WI 53202 WDNR FID #241343410

Dear Ms. Ryan:

As discussed on September 5th, The Sigma Group, Inc. (Sigma) has prepared this letter on behalf of Milwaukee School of Engineering (MSOE) to specifically request that the residual petroleum impacts associated with the recently-submitted *Tank System Site Assessment Report*¹ be granted No Further Action status under NR 708.09. MSOE does not need to receive a written response letter from the Wisconsin Department of Natural Resources (WDNR) for this matter, so it is understood that this No Further Action status will only be listed on the WDNR's BRRTS on the Web online database. WDNR Form 4400-237 is also attached to supplement this No Further Action request.

Please contact Sigma if you have any questions about this submittal or the project in general.

Sincerely,

THE SIGMA GROUP, INC.

Adam J. Rader

Adam J. Roder, P.E., P.G. Senior Engineer

Enclosures: WDNR Form 4400-237

cc: Dr. Blake Wentz - MSOE (via email: wentz@msoe.edu)

¹ Tank System Site Assessment Report, MSOE Diercks Computational Science Hall Development, 1025 N. Milwaukee Street, Milwaukee, WI 53202, WDNR FID #241343410 by Sigma (dated August 29, 2018)

Form 4400-237 (R 9/15)

Page 1 of 8

Notice: Use this form to request a written response (on agency letterhead) from the Department of Natural Resources (DNR) regarding technical assistance, a post-closure change to a site, a specialized agreement or liability clarification for Property with known or suspected environmental contamination. A fee will be required as is authorized by s. 292.55, Wis. Stats., and NR 749, Wis. Adm. Code., unless noted in the instructions below. Personal information collected will be used for administrative purposes and may be provided to requesters to the extent required by Wisconsin's Open Records law [ss. 19.31 - 19.39, Wis. Stats.].

Definitions

"Property" refers to the subject Property that is perceived to have been or has been impacted by the discharge of hazardous substances.

"Liability Clarification" refers to a written determination by the Department provided in response to a request made on this form. The response clarifies whether a person is or may become liable for the environmental contamination of a Property, as provided in s. 292.55 Wis. Stats.

"Technical Assistance" refers to the Department's assistance or comments on the planning and implementation of an environmental investigation or environmental cleanup on a Property in response to a request made on this form as provided in s. 292.55, Wis. Stats.

"Post-closure modification" refers to changes to Property boundaries and/or continuing obligations for Properties or sites that received closure letters for which continuing obligations have been applied or where contamination remains. Many, but not all, of these sites are included on the GIS Registry layer of RR Sites Map to provide public notice of residual contamination and continuing obligations.

Select the Correct Form

This from should be used to request the following from the DNR:

- Technical Assistance
- Liability Clarification .
- Post-Closure Modifications .
- Specialized Agreements (tax cancellation, negotiated agreements, etc.)

Do not use this form if one of the following applies:

- Request for an off-site liability exemption or clarification for Property that has been or is perceived to be contaminated by one or more hazardous substances that originated on another Property containing the source of the contamination. Use DNR's Off-Site Liability Exemption and Liability Clarification Application Form 4400-201.
- Submittal of an Environmental Assessment for the Lender Liability Exemption, s 292.21, Wis. Stats., if no response or review by DNR is requested. Use the Lender Liability Exemption Environmental Assessment Tracking Form 4400-196.
- Request for an exemption to develop on a historic fill site or licensed landfill. Use DNR's Form 4400-226 or 4400-226A.
- Request for closure for Property where the investigation and cleanup actions are completed. Use DNR's Case Closure GIS Registry Form 4400-202.

All forms, publications and additional information are available on the internet at: dnr.wi.gov/topic/Brownfields/Pubs.html.

Instructions

- 1. Complete sections 1, 2, 6 and 7 for all requests. Be sure to provide adequate and complete information.
- 2. Select the type of assistance requested: Section 3 for technical assistance or post-closure modifications, Section 4 for a written determination or clarification of environmental liabilities; or Section 5 for a specialized agreement.
- 3. Include the fee payment that is listed in Section 3, 4, or 5, unless you are a "Voluntary Party" enrolled in the Voluntary Party Liability Exemption Program and the questions in Section 2 direct otherwise. Information on to whom and where to send the fee is found in Section 8 of this form.
- 4. Send the completed request, supporting materials and the fee to the appropriate DNR regional office where the Property is located. See the map on the last page of this form. A paper copy of the signed form and all reports and supporting materials shall be sent with an electronic copy of the form and supporting materials on a compact disk. For electronic document submittal requirements see: http://dnr.wi.gov/files/PDF/pubs/rr/RR690.pdf"

The time required for DNR's determination varies depending on the complexity of the site, and the clarity and completeness of the request and supporting documentation.

Form 4400-237 (R 9/15)

Section 1. Contact and Recipient Information

Page 2 of 8

Requester Information			internet States in the life of the states in the				
This is the person requesting tech specialized agreement and is ider	nical assistance or a post-clo ntified as the requester in Sec	osure ction	modification review, that his or her liability l 7. DNR will address its response letter to thi	be clarifi is persoi	ied o n.	ra	
Last Name	First	MI	Organization/ Business Name				
Wentz	Blake		Milwaukee School of Engineering				
Mailing Address			City	State	ZIP	Code	
1025 N. Broadway			Milwaukee	WI		53202	
Phone # (include area code) Fax # (include area code)			Email				
(414) 277-2204			wentz@msoe.edu				
The requester listed above: (selec	t all that apply)						
S currently the owner	`	[Is considering selling the Property				
Is renting or leasing the Property							
Is a lender with a mortgage	e interest in the Property						
Other. Explain the status of	the Property with respect to	the a	pplicant:				

Contact Information (to	be conta	acted with questio	ons ab	out	this request)		X Selec	t if san	ne as requester
Contact Last Name		First		MI	Organization/ Bus	siness Name			
Wentz		Blake			Milwaukee Sch	ool of Engineer	ing		
Mailing Address				1	City			State	ZIP Code
1025 N. Broadway					Milwaukee			WI	53202
Phone # (include area code)	Fax	(# (include area cod	de)		Email				
(414) 277-2204					wentz@msoe.ed	du			
Environmental Consul	tant (if a	applicable)			y y na gli shi shi s	Sugar in the American		d di n	
Contact Last Name		First		MI	Organization/ Bus	siness Name			
Roder		Adam		J	The Sigma Gro	up, Inc.			
Mailing Address					City State			State	ZIP Code
1300 W. Canal Street					Milwaukee WI				53233
Phone # (include area code)	Fax	# (include area coo	de)		Email				
(414) 643-4134		(414) 643-42	10		aroder@thesign	nagroup.com			
	41		_	_					
Section 2. Property Inform Property Name	ation					le l			``````````````````````````````````````
							FID No. (if		1)
MSOE Diercks Computat	ional Sc	cience Hall Develo	opmen				2413434	10	
BRRTS No. (if known)					Parcel Identification Number				
					3930411000				
Street Address					City State ZIP Coc			ZIP Code	
1025 N. Milwaukee Street				Milwaukee			WI	53202	
County	Municip	ality where the Prop	erty is	loca	ted	Property is comp			perty Size Acres
Milwaukee	Oity	○ Town ○ Villag	e of M	lilw	aukee	Single tax parcel	Multiple to parcels	ax 1	

Form 4400-237 (R 9/15)

Page 3 of 8

1. Is a response needed by a specific date? (e.g., Property closing date) Note: Most requests a	are completed within 60 days. Please
plan accordingly.	

No () Yes

Date requested by: _____ Reason:

2. Is the "Requester" enrolled as a Voluntary Party in the Voluntary Party Liability Exemption (VPLE) program?

No. Include the fee that is required for your request in Section 3, 4 or 5.

O Yes. Do not include a separate fee. This request will be billed separately through the VPLE Program.

Fill out the information in Section 3, 4 or 5 which corresponds with the type of request: Section 3. Technical Assistance or Post-Closure Modifications; Section 4. Liability Clarification; or Section 5. Specialized Agreement.

Section 3. Request for Technical Assistance or Post-Closure Modification

Select the type of technical assistance requested: [Numbers in brackets are for WI DNR Use]

No Further Action Letter (NFA) (Immediate Actions) - NR 708.09, [183] - Include a fee of \$350. Use for a written response to an immediate action after a discharge of a hazardous substance occurs. Generally, these are for a one-time spill event. included. Review of Site Investigation Work Plan - NR 716.09, [135] - Include a fee of \$700. not > Fee Review of Site Investigation Report - NR 716.15, [137] - Include a fee of \$1050. MSOE dors Approval of a Site-Specific Soil Cleanup Standard - NR 720.10 or 12, [67] - Include a fee of \$1050. Nech written response Review of a Remedial Action Options Report - NR 722.13, [143] - Include a fee of \$1050. Review of a Remedial Action Design Report - NR 724.09, [148] - Include a fee of \$1050. Review of a Remedial Action Documentation Report - NR 724.15, [152] - Include a fee of \$350 Review of a Long-term Monitoring Plan - NR 724.17, [25] - Include a fee of \$425. Review of an Operation and Maintenance Plan - NR 724.13, [192] - Include a fee of \$425. Other Technical Assistance - s. 292.55, Wis. Stats. [97] (For request to build on an abandoned landfill use Form 4400-226) Schedule a Technical Assistance Meeting - Include a fee of \$700. Hazardous Waste Determination - Include a fee of \$700. Other Technical Assistance - Include a fee of \$700. Explain your request in an attachment. Post-Closure Modifications - NR 727, [181] Post-Closure Modifications: Modification to Property boundaries and/or continuing obligations of a closed site or Property; sites may be on the GIS Registry. This also includes removal of a site or Property from the GIS Registry. Include a fee of \$1050, and: Include a fee of \$300 for sites with residual soil contamination; and

Include a fee of \$350 for sites with residual groundwater contamination, monitoring wells or for vapor intrusion continuing obligations.

Attach a description of the changes you are proposing, and documentation as to why the changes are needed (if the change to a Property, site or continuing obligation will result in revised maps, maintenance plans or photographs, those documents may be submitted later in the approval process, on a case-by-case basis).

Skip Sections 4 and 5 if the technical assistance you are requesting is listed above and complete Sections 6 and 7 of this form.

Form 4400-237 (R 9/15)

Page 4 of 8

Section 4. Request for Liability Clarification

Select the type of liability clarification requested. Use the available space given or attach information, explanations, or specific questions that you need answered in DNR's reply. Complete Sections 6 and 7 of this form. [Numbers in brackets are for DNR Use]

"Lender" liability exemption clarification - s. 292.21, Wis. Stats. [686]

Include a fee of \$700.

Provide the following documentation:

- (1) ownership status of the real Property, and/or the personal Property and fixtures;
- (2) an environmental assessment, in accordance with s. 292.21, Wis. Stats.;
- (3) the date the environmental assessment was conducted by the lender;
- (4) the date of the Property acquisition; for foreclosure actions, include a copy of the signed and dated court order confirming the sheriff's sale.
- (5) documentation showing how the Property was acquired and the steps followed under the appropriate state statutes.
- (6) a copy of the Property deed with the correct legal description; and,
- (7) the Lender Liability Exemption Environmental Assessment Tracking Form (Form 4400-196).
- (8) If no sampling was done, please provide reasoning as to why it was **not** conducted. Include this either in the accompanying environmental assessment or as an attachment to this form, and cite language in s. 292. 21(1)(c)2.,h.-i., Wis. Stats.:
 - h. The collection and analysis of representative samples of soil or other materials in the ground that are suspected of being contaminated based on observations made during a visual inspection of the real Property or based on aerial photographs, or other information available to the lender, including stained or discolored soil or other materials in the ground and including soil or materials in the ground in areas with dead or distressed vegetation. The collection and analysis shall identify contaminants in the soil or other materials in the ground and shall quantify concentrations.
 - i. The collection and analysis of representative samples of unknown wastes or potentially hazardous substances found on the real Property and the determination of concentrations of hazardous waste and hazardous substances found in tanks, drums or other containers or in piles or lagoons on the real Property.

] "Representative" liability exemption clarification (e.g. trustees, receivers, etc.) - s. 292.21, Wis. Stats. [686]

Include a fee of \$700.

Provide the following documentation:

- (1) ownership status of the Property;
- (2) the date of Property acquisition by the representative;
- (3) the means by which the Property was acquired;
- (4) documentation that the representative has no beneficial interest in any entity that owns, possesses, or controls the Property;
- (5) documentation that the representative has not caused any discharge of a hazardous substance on the Property; and
- (6) a copy of the Property deed with the correct legal description.
- Clarification of local governmental unit (LGU) liability exemption at sites with: (select all that apply)

hazardous substances spills - s. 292.11(9)(e), Wis. Stats. [649];

Perceived environmental contamination - [649];

hazardous waste - s. 292.24 (2), Wis. Stats. [649]; and/or

solid waste - s. 292.23 (2), Wis. Stats. [649].

Include a fee of \$700, a summary of the environmental liability clarification being requested, and the following:

(1) clear supporting documentation showing the acquisition method used, and the steps followed under the appropriate state statute(s).

- (2) current and proposed ownership status of the Property;
- (3) date and means by which the Property was acquired by the LGU, where applicable;
- (4) a map and the 1/4, 1/4 section location of the Property;
- (5) summary of current uses of the Property;
- (6) intended or potential use(s) of the Property;
- (7) descriptions of other investigations that have taken place on the Property; and
- (8) (for solid waste clarifications) a summary of the license history of the facility.

Form 4400-237 (R 9/15)

Page 5 of 8

Section 4. Request for Liability Clarification (cont.)

Lease liability clarification - s. 292.55, Wis. Stats. [646]

- Include a fee of \$700 for a single Property, or \$1400 for multiple Properties and the information listed below:
- (1) a copy of the proposed lease;
- (2) the name of the current owner of the Property and the person who will lease the Property;
- (3) a description of the lease holder's association with any persons who have possession, control, or caused a discharge of a hazardous substance on the Property;
- (4) map(s) showing the Property location and any suspected or known sources of contamination detected on the Property;
- (5) a description of the intended use of the Property by the lease holder, with reference to the maps to indicate which areas will be used. Explain how the use will not interfere with any future investigation or cleanup at the Property; and
- (6) all reports or investigations (e.g. Phase I and Phase II Environmental Assessments and/or Site Investigation Reports conducted under s. NR 716, Wis. Adm. Code) that identify areas of the Property where a discharge has occurred.

General or other environmental liability clarification - s. 292.55, Wis. Stats. [682] - Explain your request below.

Include a fee of \$700 and an adequate summary of relevant environmental work to date.

No Action Required (NAR) - NR 716.05, [682]

Include a fee of \$700.

Use where an environmental discharge has or has not occurred, and applicant wants a DNR determination that no further assessment or clean-up work is required. Usually this is requested after a Phase I and Phase II environmental assessment has been conducted; the assessment reports should be submitted with this form. This is not a closure letter.

Clarify the liability associated with a "closed" Property - s. 292.55, Wis. Stats. [682]

Include a fee of \$700.

- Include a copy of any closure documents if a state agency other than DNR approved the closure.

Use this space or attach additional sheets to provide necessary information, explanations or specific questions to be answered by the DNR.

It is requested that residual petroleum impacts documented in Sigma's August 22, 2018 "Tank System Site Assessment Report..." be granted No Further Action status under NR 708.09. MSOE does not need to receive a written response letter from the WDNR for this matter, so it is understood that this No Further Action status will only be listed on the WDNR's BRRTS on the Web online database.

Form 4400-237 (R 9/15)

Page 6 of 8

Section 5. Request for a Specialized Agreement

Select the type of agreement needed. Include the appropriate draft agreements and supporting materials. Complete Sections 6 and 7 of this form. More information and model draft agreements are available at: <u>dnr.wi.gov/topic/Brownfields/lgu.html#tabx4</u>.

Tax cancellation agreement - s. 75.105(2)(d), Wis. Stats. [654]
Include a fee of \$700, and the information listed below:
 (1) Phase I and II Environmental Site Assessment Reports, (2) a copy of the Property deed with the correct legal description; and, (3) a draft 75.105 agreement based on the DNR's model (<u>dnr.wi.gov/topic/brownfields/documents/mod75-105agrmt.pdf</u>).
Agreement for assignment of tax foreclosure judgement - s.75.106, Wis. Stats. [666]
Include a fee of \$700, and the information listed below:
 (1) Phase I and II Environmental Site Assessment Reports, (2) a copy of the Property deed with the correct legal description; and, (3) a draft 75.105 agreement based on the DNR's model (<u>dnr.wi.gov/topic/brownfields/documents/mod75-106agrmt.pdf</u>).
Negotiated agreement - Enforceable contract for non-emergency remediation - s. 292.11(7)(d) and (e), Wis. Stats. [630]
Include a fee of \$1400, and the information listed below:
(1) a draft schedule for remediation; and, (2) the name, mailing address, phone and email for each party to the agreement.
Section 6. Other Information Submitted
Identify all materials that are included with this request.
Include one copy of any document from any state agency files that you want the Department to review as part of this request. The person submitting this request is responsible for contacting other state agencies to obtain appropriate reports or information.
Phase I Environmental Site Assessment Report - Date:
Phase II Environmental Site Assessment Report - Date:
Legal Description of Property (required for all liability requests and specialized agreements)
Map of the Property (required for all liability requests and specialized agreements)
Analytical results of the following sampled media: Select all that apply and include date of collection.
Groundwater Soil Sediment Other medium - Describe:
Date of Collection:
A copy of the closure letter and submittal materials
Draft tax cancellation agreement
Draft agreement for assignment of tax foreclosure judgment
Other report(s) or information - Describe: TSSA report previously submitted to WDNR in August 2018
For Property with newly identified discharges of hazardous substances only: Has a notification of a discharge of a hazardous substance been sent to the DNR as required by s. NR 706.05(1)(b), Wis. Adm. Code?
 ○ Yes - Date (if known): ○ No

Note: The Notification for Hazardous Substance Discharge (non-emergency) form is available at: dnr.wi.gov/files/PDF/forms/4400/4400-225.pdf.

Form 4400-237 (R 9/15)

Page 7 of 8

Section 7. Certification by the Person who completed this form

I am the person submitting this request (requester)

I prepared this request for: Blake Wentz (MSOE)

Requester Name

I certify that I am familiar with the information submitted on this request, and that the information on and included with this request is true, accurate and complete to the best of my knowledge. I also certify I have the legal authority and the applicant's permission to make this request.

<u>Helam Ikaden</u> Signature <u>Senior Engineer</u> Title

 $\frac{q/b/18}{Date Signed}$

414-643-4134 Telephone Number (include area code)

Form 4400-237 (R 9/15)

Page 8 of 8

Section 8. DNR Contacts and Addresses for Request Submittals

Send or deliver one paper copy and one electronic copy on a compact disk of the completed request, supporting materials, and fee to the region where the property is located to the address below. Contact a <u>DNR regional brownfields specialist</u> with any questions about this form or a specific situation involving a contaminated property. For electronic document submittal requirements see: http://dnr.wi.gov/files/PDF/pubs/rr/RR690.pdf.

DNR NORTHERN REGION

Attn: RR Program Assistant Department of Natural Resources 223 E Steinfest Rd Antigo, WI 54409

DNR NORTHEAST REGION Attn: RR Program Assistant Department of Natural Resources 2984 Shawano Avenue Green Bay WI 54313


DNR SOUTH CENTRAL REGION Attn: RR Program Assistant Department of Natural Resources 3911 Fish Hatchery Road Fitchburg WI 53711

DNR SOUTHEAST REGION

Attn: RR Program Assistant Department of Natural Resources 2300 North Martin Luther King Drive Milwaukee WI 53212

DNR WEST CENTRAL REGION

Attn: RR Program Assistant Department of Natural Resources 1300 Clairemont Ave. Eau Claire WI 54702



Note: These are the Remediation and Redevelopment Program's designated regions. Other DNR program regional boundaries may be different,

DNR Use Only								
Date Received	Date Assigned	BRRTS Activity Code	BRRTS No. (if used)					
DNR Reviewer		Comments						
Fee Enclosed?	Fee Amount	Date Additional Information Requested	Date Requested for DNR Response Letter					
🔿 Yes 🔿 No	\$							
Date Approved	Final Determination							

LETTER OF TRANSMITTAL

To: Ms. Nancy Ryan

🗌 YES

🗌 NO

c/o Mr. Chue Yee Yang, RR Program Assistant Wisconsin Department of Natural Resources 2300 N. Dr. Martin Luther King Jr. Drive Milwaukee, WI 53212

Please check the type(s) of documents you have enclosed. Submittals will be tracked and filed based on the information you provide. Include the FID and BRRTS numbers which have been assigned to this site, and identify the intent of the document(s) you are submitting in order to speed processing. Please attach any required fees to this checklist.

IS THIS RELEASE PECFA-ELIGIBLE?

UNKNOWN AT THIS TIME

From: John T. Holcombe

The Sigma Group, Inc. 1300 W. Canal Street Milwaukee, WI 53233

Date:	August 29, 2018
Site Name:	MSOE Diercks Computational Science Hall
	1025 N. Milwaukee Street
Address:	Milwaukee, WI 53202

FID# <u>241343410</u> BRRTS # 02-41-581016

Type of Submittal:

				U OTHER
CK	Agreements			FEE
٦	Tax assignment agreement - ss.75.106(2)(d) & 292.55			\$700
٦	Tax cancellation agreement - ss. 75.106(2)(d) & 292.55			\$700
١	Negotiated agreements - s. 292.11(7)(d)2			\$1,400
٦	Technical Assistance (s. 292.55)			FEE
١	NR 708 No Further Action Letter			\$350
١	NR 716 No Further Investigation			\$700
١	NR 716 Site Investigation Workplan			\$700
١	NR 716 Site Investigation Report			\$1,050
١	NR 720 Soil Cleanup Standards/Reports			\$1,050
١	NR 722 Remedial Action Options Report			\$1,050
١	NR 724 Remedial Design Report			\$1,050
١	NR 724 Operation and Maintenance Report			\$425
١	NR 724 Construction Documentation Reports			\$350
١	NR 724 Long-Term Monitoring Plan			\$425
١	NR 726 Case Closure Action			\$1,050
١	NR 506 Exemption for building on a historic waste site			\$700
C	Other Technical Assistance			\$700
	Liability Clarification Letters			FEE
S	s. 292.13(3) Off-Site Exemption Letters			\$700
s	s. 292.55 Lease Letters - Single Properties			\$700
s	s. 292.55 Lease Letters - Multiple Properties			\$1,400
s	s. 292.55 General Liability Clarification Letters			\$700
s	s. 292.21(1)(c)1.d. Lender Assessments			\$700
	Department Database Fees (ss. 292.12 and 292	2		FEE
c,	Sites with groundwater contamination that attains or exceed	ls ch. NR 140		\$350
S	Sites with soil contamination that attains or exceeds ch. 720) RCLs		\$300
	Sites not otherwise addressed in this schedule, where the d	epartment impose	es any	
	other limitation or condition in accordance with s. 292.12(2)			\$350
	Cases submitted for closure with monitoring wells not prope	erly abandoned, w	ithout	\$350
	esidual groundwater contamination	200		
	Modification or removal of a site or property from the databa Other / Miscellaneous	190 		 \$1,050
	Submittal of TSSA Report and Release Notification			No Fee
\uparrow				
十				
\rightarrow				



August 29, 2018

Project Reference #17076

Ms. Nancy Ryan c/o Mr. Chue Yee Yang, Environmental Program Associate Wisconsin Department of Natural Resources Remediation & Redevelopment Program 2300 N. Dr. Martin Luther King Jr. Drive Milwaukee, WI 53212

Subject: Tank System Site Assessment Report MSOE Diercks Computational Science Hall Development 1025 N. Milwaukee Street, Milwaukee, WI 53202 WDNR FID #241343410

Dear Ms. Ryan:

On behalf of Milwaukee School of Engineering (MSOE), The Sigma Group, Inc. (Sigma) is submitting the attached *Tank System Site Assessment (TSSA) Report* to the Wisconsin Department of Natural Resources (WDNR) for a 500-gallon fuel oil underground storage tank (UST) discovered at the above-referenced property (the "Site"). The tank was discovered in June 2018 during mass excavation work for the construction of the new Milwaukee School of Engineering (MSOE) building with an underground parking level; subsurface impacts previously identified for this project are tracked by the Wisconsin Department of Natural Resources (WDNR) under BRRTS #02-41-581016. Based on the TSSA results, minor petroleum hydrocarbon impacts were identified at the east end of the tank basin, with a total trimethylbenzene concentration slightly above the Groundwater Pathway Residual Contaminant Level (RCL), but below the Non-Industrial Direct Contact RCL. All other petroleum hydrocarbon concentrations were reported below the laboratory detection limits and/or RCLs.

The detected petroleum hydrocarbons adjacent to this former UST constitute a release, so the WDNR's *Notification for Hazardous Substance Discharge* form 4400-225 has been submitted concurrently with the TSSA report in accordance with s. 292.11 Wis. Stats. However, the TSSA soil data suggests that this was a minor release, and subsequent soil excavation associated with the mass excavation work has already removed the residual soil impacts as described within the report. Therefore, Sigma and MSOE request that the WDNR concur a "No Action Required" designation is appropriate for this project.

Please contact Sigma if you have any questions or comments about the current submittals or the project in general.

Sincerely,

THE SIGMA GROUP, INC.

John T. Holcombe, P.E. Project Engineer

Adam J. Rader

Adam J. Roder, P.E., P.G. Senior Engineer

Enclosures:

Notification for Hazardous Substance Discharge (Non-Emergency Only) Tank System Site Assessment Report...

cc: Dr. Blake Wentz - MSOE (via email: wentz@msoe.edu)

Emergency Discharges / Spills should be reported via the 24-Hour Hotline: 1-800-943-0003

Notice: Hazardous substance discharges must be reported immediately according to s. 292.11 Wis. Stats. Non-emergency hazardous substance discharges may be reported by telefaxing or e-mailing a completed report to the Department, or calling or visiting a Department office in person. If you choose to notify the Department by telefax or by email, you should use this form to be sure that all necessary information is included. However, use of this form is not mandatory. Under s. 292.99, Wis. Stats., the penalty for violating the reporting requirements of ch. 292 Wis. Stats., shall be no less than \$10 nor more than \$5000 for each violation. Each day of continued violation is a separate offense. It is not the Department's intention to use any personally identifiable information from this form for any purpose other than program administration. However, information submitted on this form may also be made available to requesters under Wisconsin's Open Records Law (ss. 19.31 - 19.39, Wis, Stats).

Confirmatory laboratory data should be included with this form, to assist the DNR in processing this Hazardous Substance Release Notification.

Complete this form. TYPE or PRINT LEGIBLY, NOTIFY appropriate DNR region (see next page) IMMEDIATELY upon discovery of a potential release from (check one):

Ounderground Petroleum Storage Tank System (additional information may be required for Item 6 below)

Aboveground Petroleum Storage Tank System

O Dry Cleaner Facility

() Other - Describe

ATTN DNR: R & R Program Associate

ATTN DNR: R&RProg	gram Associate		Date	DNR Notifie	d: 08	129/2018
1. Discharge Reported E	Зу					
Name		Firm				ude area code)
Adam Roder		The Sigma Group, Inc		(41	(4) 643	-4200
Mailing Address			Email			
1300 W. Canal Street, N	Milwaukee, WI 53233	5	aroder@thesigmagrou	ip.com		
2. Site Information						
Name of site at which disc property.	harge occurred. Include	e local name of site/busine	ess, not responsible party	name, unles	s a resi	dence/vacant
MSOE Diercks Comput	ational Science Hall I	Development				
Location: Include street ac 123 on E side of CTH 60.	ldress, <u>not PO Box</u> . If n	o street address, describe	e as precisely as possible,	i.e., 1/4 mil	e NW of	CTHs 60 &
1025 N. Milwaukee Stre	eet					
Municipality: (City, Village,	Township) Specify mu	nicipality in which the site	is located, not mailing add	lress/city.		
Milwaukee						
County	Legal Description:			WTM:		
Milwaukee	NW 1/4 of NW 1/4 S	Section 28 , Town 07 N	Range 22 OE OW	X 6904	60 Y	287825
3. Responsible Party (R						
Responsible Party Name: necessary.	Business or owner nam	e that is responsible for c	leanup. If more than one,	list all_Attao	ch additi	onal pages as
Milwaukee School of En	ngineering					
discharge being reporte and 3) provide docume	ed, per Wis. Stat. §§ 292 Intation to DNR that den	2.11(9)(e) and 292.23, she nonstrates compliance wit	d Solid Waste Manageme buld: 1) check this box; 2) h the statutory requirement ion letter from DNR by usi	review DNR nts of the lia	bility exe	tion RR-055; emptions.
Contact Person Name (if c	lifferent)	Phone Number	Email			
Dr. Blake Wentz		(414) 277-2204	wentz@msoe.edu			
Mailing Address			City	Sta	ate ZIF	' Code
1025 N. Broadway			Milwaukee	V	VI	53202
Responsible Party Name: necessary.	Business or owner nam	e that is responsible for c	eanup. If more than one,	list all. Attac	ch additi	onal pages as
Contact Person Name (if c	lifferent)	Phone Number	Email			
Mailing Address			City	Sta	ate ZIF	Code

(continued)

Notification For Hazardous Substance Discharge (Non-Emergency Only)

Adam Roder The Sigma Group			Fo	orm 4400-225 (R 06/17)	Page 2 of 3
4. Hazardous Substance li	nformation	a set in the set			1
Identify hazardous substance	e discharged (check all	that apply):			
X VOCs	(VOCs continued)		Metals		
	Mineral Oil		Arsenio	с	
TCE	☐ Waste Oil		Chrom		
Other Chlorinated		Unknown Type			
		on nown Type	Other:		
X Fuel Oil			Pesticides:		
Gasoline	Cyanide		Fertilizer:	•	
	Leachate			zardous Waste:	
Hydraulic Oil					
☐ Jet Fuel	Manure		Other: Unknown		
5. Impacts to the Environn	nent Information				
Enter "K" for known/confirme		r all that apply			
Air Contamination		Fire Explosion Th	reat	K. Call Contamination	
	9 Non Dotroloum)	Free Product	ileat	K Soil Contamination	
Co-mingled (Petroleum		Groundwater Cor	tomination	Soil Gas Contamination	
Contamination in Fract				Sub-slab Vapor Contamina	
Contamination Within 1	-	Off-Site Contamir		Surface Water Contamir	
Contaminated Private \		Sanitary Sewer C		Within 100 ft of Private V	Vell
Contaminated Public W		Storm Sewer Cor		Within 1000 ft of Public	Well
Contamination in Right	of Way	Sediment Contami	nation		
		Other (specify):			
Contamination was discover	ed as a result of:				
X Tank closure assessme	ent 🗍 Site assessme	ent 🗌 Oth	er - Describe:		
			ci - Describe.		
Date 06/22/2018	Date	Date			
hazardous substances that Lab results included with TSS	have been discharged.			elease and contain or cleanup rm.	
6. Federal Energy Act Req	uirements (Section 90	02(d) of the Solid Wa	ste Disposal A	ct (SWDA))	
		Source		Cause	
For all confirmed releases	🗙 Tank			Spill	
from USTs occurring after	Piping			Overfill	
9/30/2007 please provide the following information:	Dispenser			Corrosion	
the following information.	Submersible Turbi	ine Pumn		Physical or Mechanical Dama	200
	Delivery Problem	ing r dinp		Installation Problem	ige
				•	
Does not apply	Other (specify)] Other (does not fit any of abo Unknown	ve)
Contact information to rep		elesses in DNR's fiv			
			•		
Northeast Region (FAX: 92 Brown, Calumet, Door, F Marinette, Marquette, Me	ond du Lac (except Cit	y of Waupun - see Sc	outh Central Re	NER@Wisconsin.gov e gion) , Green Lake, Kewaunee aca, Waushara, Winnebago cou	e, Manitowoc, unties
Northern Region (FAX: 715	-623-6773); Attention -	- R&R Program Assoc	iate: DNRRRN	OR@wisconsin.gov	
	d, Burnett, Douglas, For	-		Oneida, Polk, Price, Rusk, Sa	wyer, Taylor,
South Central Region (FAX:	608-273-5610): Attenti	on R&R Program As	sociate: DNRR	RSCR@wisconsin.gov	
		*		fferson, Lafayette, Richland, R	ock, Sauk,
Southeast Region (FAX: 4	14-263-8550); Attention	R&R Program Ass	ociate: DNRRF	RSER@wisconsin.gov	
Kenosha, Milwaukee, Oz		-		0	
· ····································					

Notification For Hazardous Substance Discharge (Non-Emergency Only)

Adam Roder The Sigma Group, Inc. West Central Region (FAX: 715-839-6076); Attention -- R&R Program Associate: DNRRRWCR@wisconsin.gov Adams, Buffalo, Chippewa, Clark, Crawford, Dunn, Eau Claire, Jackson, Juneau, LaCrosse, Marathon, Monroe, Pepin, Pierce, Portage, St. Croix, Trempealeau, Vernon, Wood counties

TANK SYSTEM SITE ASSESSMENT REPORT

UNDERGROUND STORAGE TANK CLOSURE MSOE DIERCKS COMPUTATIONAL SCIENCE HALL 1025 N. MILWAUKEE STREET MILWAUKEE, WISCONSIN 53202

Prepared for:

DR. BLAKE WENTZ MILWAUKEE SCHOOL OF ENGINEERING 1025 N. BROADWAY MILWAUKEE, WI 53202

Prepared by:



1300 West Canal Street Milwaukee, WI 5323 414-643-4200 FAX: 414-643-4210

Sigma Project No. 17076

August 29, 2018

John T. Holcombe, P.E. Project Engineer

Adam J. Roder, P.E., P.G. Senior Engineer

Randy E. Boness, P.G. Geosciences Group Leader

TABLE OF CONTENTS

1.0	INTRODUCTION	1
2.0	BACKGROUND	1
	Property Description UST Discovery	
3.0	UST REMOVAL FIELD OBSERVATIONS AND DOCUMENTATION	1
3.1 3.2	Project Team UST Removal and Observations	1 2
4.0	WASTE MANAGEMENT	3
4.1	Tank Content Removal and Disposal	3
5.0	RESULTS OF TSSA SOIL SAMPLES	3
5.1 5.2	Soil Sample Collection and Analysis Soil Sample Results	3 3
6.0	SUMMARY	3
7.0	RECOMMENDATION FOR NO FURTHER RESPONSE ACTION	4
8.0	LIMITATIONS OF INVESTIGATION	4

Table

1. TSSA Soil Analytical Results

Figures

- 1. Site Location Map
- 2. Site Plan Map
- 3. TSSA Soil Sample Location Map

Appendices

- A. Tank System Service and Closure Assessment Report (Form A) and Underground Flammable/Combustible/Hazardous Liquid Storage Tank Registration (Form TW-WM-137)
- B. Photo-Documentation of UST Removal
- C. Future Environmental Waste Transportation Manifest
- D. TSSA Form B
- E. TSSA Soil Laboratory Analytical Report

TANK SYSTEM SITE ASSESSMENT REPORT

UNDERGROUND STORAGE TANK CLOSURE MSOE DIERCKS COMPUTATIONAL SCIENCE HALL 1025 N. MILWAUKEE STREET MILWAUKEE, WISCONSIN 53202

Sigma Project No. 17076

AUGUST 2018

1.0 INTRODUCTION

The Sigma Group, Inc. (Sigma), on behalf of Milwaukee School of Engineering (MSOE), has prepared this Tank System Site Assessment (TSSA) report following the removal of one 500-gallon fuel oil underground storage tank (UST) at the property located at 1025 N. Milwaukee Street, Milwaukee, Wisconsin (the "Site"). A Site Location Map is presented as **Figure 1**. The TSSA was performed in accordance with Wisconsin Department of Agriculture, Trade, and Consumer Protection (DATCP) regulations and in concert with Chapter ATCP 93 Flammable, Combustible, and Hazardous Liquids code to assess and report suspected or obvious releases and/or leaks from the UST system. This report presents the results of the TSSA including Site background, field observations, soil sample collection, and analytical test results.

2.0 BACKGROUND

2.1 Property Description

The Site consists of a rectangular shaped parcel of land with an area of approximately 1.27 acres located at the northwest corner of E. State Street and N. Milwaukee Street. The Site is currently under construction for the new MSOE Dierks Computational Science Hall. The Site has been primarily used for residential and institutional purposes in the past, including a church, Jewish community center, electrical contractor, residences, and educational buildings. A review of the City of Milwaukee Property Assessment web page indicates that the Property is zoned C9D(A): Central Business - Civic Activity. Property features and the approximate property boundary are provided in the Site Plan Map provided as **Figure 2**.

2.2 UST Discovery

On June 14, 2018, during excavation work for an earth retention system installed along the east edge of the Site (part of an overall mass excavation to accommodate the construction of a future MSOE building with an underground parking level), a concrete slab was uncovered which included an abandoned electrical line, a steam line, and an UST filled with oily water. Work was stopped in the area until the UST could be properly assessed, abandoned, and removed.

3.0 UST REMOVAL FIELD OBSERVATIONS AND DOCUMENTATION

3.1 Project Team

The UST removal activities were coordinated by Sigma. The project team consisted of the following contractors:

Consultant:	The Sigma Group, Inc. 1300 W. Canal Street Milwaukee, WI 53233
Remover/Cleaner:	Southeast Tank, LLC PO Box 433 Muskego, WI 53150
Laboratory Services:	Synergy Environmental Lab, Inc. 1990 Prospect Court Appleton, WI 54914
Waste Disposal:	Future Environmental 3240 W. Elm Road Franklin, WI 53132

3.2 UST Removal and Observations

On June 22, 2018, Sigma completed TSSA activities. Mr. John T. Holcombe, P.E. (TSSA Certification #402896) monitored Site activities. The UST was removed by Southeast Tank, LLC located in Franklin, Wisconsin with Remover/Cleaner services provided Mr. Brian James (Certification #401529). Mr. Robert McInnes (Inspector Certification #411415) from the City of Milwaukee completed the inspection of the UST abandonment activities.

Observations made by Sigma during these activities are summarized below:

- During the morning of June 22nd, the UST was opened and 500 gallons of residual fuel oil, oily water, and sludge were pumped from the UST by Future Environmental and transported off-site for disposal. A visual inspection of the UST interior found no pitting or corrosion.
- No remnant piping associated with the UST was discovered during the tank removal process.
- Soil observed during the UST removal consisted of 3 inches of asphalt (former parking lot) over 1 to 2 feet of granular fill, followed by brown gravelly and silty sand. Backfill around the USTs consisted of brown medium sand with some gravel and silt.
- Groundwater was not observed during the TSSA activities. Based on water levels in former monitoring well MW-1 located near the UST, which was installed as part of subsurface investigation work completed by Sigma at the Site (associated with open BRRTS #02-41-581016), groundwater is approximately 20 to 21 feet below ground surface (bgs).

A copy of a completed Tank System Service and Closure Assessment Report (Part A) and the Underground Flammable/Combustible/Hazardous Liquid Storage Tank Registration (Form TW-WM-137) are provided as **Appendix A**. A visual inspection of the UST indicated that the tank was in good condition with no noticeable pitting or corrosion. Photo-documentation of the UST removal are provided as **Appendix B**.

4.0 WASTE MANAGEMENT

4.1 Tank Content Removal and Disposal

Future Environmental pumped and disposed of 500-gallons of residual fuel oil, oily water, and sludge from the UST. A copy of the transportation manifest for off-site disposal is provided as **Appendix C**.

The steel tank shell was crushed and disposed of at Waste Management's Orchard Ridge Recycling and Disposal Facility (RDF) in Menomonee Falls, Wisconsin with other jobsite waste materials.

5.0 RESULTS OF TSSA SOIL SAMPLES

5.1 Soil Sample Collection and Analysis

Following the completion of the UST removal activities, Sigma collected a total of 6 soil samples from beneath the UST. Two samples collected beneath the UST were located on the east and west ends of the tank directly under the apparent piping penetrations of the top of the tank. An additional four soil samples were collected from the sidewalls of the UST excavation. The approximate soil sample locations are provided on **Figure 3**. TSSA Part B is provided as **Appendix D**.

The soil samples collected by Sigma were placed in laboratory-supplied containers, placed on ice in a cooler, and transported with a chain-of-custody form to Synergy Environmental Lab, Inc. The soil samples were submitted for laboratory analysis of petroleum volatile organic compounds (PVOCs) and naphthalene.

5.2 Soil Sample Results

The laboratory analysis results from soil samples collected at the Site were compared to Groundwater Pathway Residual Cleanup Levels (RCLs) and Non-Industrial Direct Contact RCLs. A review of the PVOC and naphthalene analysis results indicate that all PVOC concentrations detected are below the Groundwater Pathway RCLs and the Non-Industrial Direct Contact RCLs, except for trimethylbenzenes in sample UST-4, 3 feet bgs on the east sidewall. The total trimethylbenzene concentration of 1.58 milligrams per kilogram (mg/kg) was slightly above the Groundwater Pathway RCL of 1.3787 mg/kg, but below the Non-Industrial Direct Contact RCLs. The TSSA soil sample analytical reports and chain-of-custody are provided as **Appendix E**. The TSSA analytical results are summarized in **Table 1**.

6.0 SUMMARY

Based on the information collected by Sigma during the completion of TSSA soil sampling activities, low-level petroleum hydrocarbon related constituents were detected in the east sidewall sample (UST-4) adjacent to the UST. The PVOC and naphthalene concentrations in the remaining TSSA soil samples were reported below the laboratory detection limits, or in a few instances at very low levels that were below applicable RCLs. Residual impacts associated with the UST were limited in degree and extent.

As part of the current mass soil excavation for the construction of a new MSOE building with an underground parking level, the soil surrounding this former UST - and nearly the entire Site - was removed for off-site disposal at Waste Management's Orchard Ridge RDF or at a WDNR pre-approved NR 718 disposal property (Lakefield Sand & Gravel). Soil in the vicinity of the UST was removed to a depth of approximately 16-feet bgs transported to the Orchard Ridge RDF as daily cover under profile DC129252WI such that no remaining impacts

directly associated with the UST will remain. Sidewall and bottom samples are in the process of being collected for the mass excavation and results will be reported in a future report under BRRTS #02-41-581016.

7.0 RECOMMENDATION FOR NO FURTHER RESPONSE ACTION

Review of the available site-specific information indicates that a hazardous substance discharge from the 500-gallon fuel oil UST has occurred. It is Sigma's opinion that the reporting requirements by the Site owner under the Wisconsin Hazardous Substance Spill Law, s. 292.11 Wis. Stats., are applicable to this release. However, soil impacts slightly above a Groundwater Pathway RCL were detected in only one sidewall sample and this soil, as well as the other soil surrounding the UST, has already been over-excavated as part of the overall Site construction work. Therefore, based on the criteria in s. NR 716.05(2)(a) and in s. NR 708.09(1) and (2), Wis. Adm. Code, Sigma is requesting that WDNR concur with a "No Further Response Action" determination for this UST release. No further risk to human health or the environment remains at the Site.

8.0 LIMITATIONS OF INVESTIGATION

This report was prepared under the constraint of cost, time, and scope of work, and reflects an assessment and evaluation that is based on data collected from potential areas of concern at the time of the evaluation. Our assessment was performed using the degree of care and skill ordinarily exercised, under similar circumstances, by professional consultants practicing in this or similar localities. No other warranty or guarantee, expressed or implied, is made as the conclusions and professional advice included in this report.

The findings of this report are valid as of the present date of the assessment. However, changes in the conditions of a property can occur with the passage of time, whether due to natural processes or the works of man on this or adjacent properties. In addition, changes in applicable or appropriate standards may occur, whether they result from legislation, from the broadening of knowledge, or from other reasons. Accordingly, the findings of this report may be invalid wholly or partially by changes outside our control.

A subsurface exploration was performed and is presented in this report. However, subsurface exploration cannot totally reveal what is below the surface. Depending upon the sampling method and frequency, every soil condition may not be observed, and some materials or layers, which are present in the subsurface, may not be noted. This report is issued with understanding that it is the responsibility of the owner(s) to ensure that the information and recommendations contained herein are brought to the attention of the appropriate regulatory agency(ies), if warranted.

Table

Table 1 TSSA Soil Analytical Results Diercks Computational Science Hall - 1025 N. Milwaukee Street, Milwaukee, Wisconsin Sigma Project No. 17076

Soil Samp	le Location:	UST-1	UST-2	UST-3	UST-4	UST-5	UST-6		Non-Industrial	
Sample Depth (feet bgs):		5 (bottom)	5 (bottom)	3 (sidewall)	3 (sidewall)	3 (sidewall)	3 (sidewall)	Groundwater	Direct Contact	Industrial Direct
Sample Collection Date:		6/22/18	6/22/18	6/22/18	6/22/18	6/22/18	6/22/18	Pathway RCL ⁴	RCL ⁵	Contact RCL ⁶
Unsaturated/Smear Zone (U) or Saturated (S):		U	U	U	U	U	U		RCL	
Photoionization Detector	ppm	0	0	0	7.4	0	0	NS	NS	NS
PVOCs + Naphthalene										
Benzene	mg/kg	<0.025	<0.025	<0.025	<0.025	<0.025	<0.025	0.0051	1.6	7.07
Ethylbenzene	mg/kg	<0.025	< 0.025	< 0.025	<0.025	<0.025	<0.025	1.57	8.02	35.4
Methyl-tert-butyl-ether	mg/kg	<0.025	<0.025	<0.025	<0.025	<0.025	<0.025	0.027	63.8	282
Naphthalene	mg/kg	<0.025	0.107	0.054 "J"	<0.025	<0.025	<0.025	0.6582	5.52	24.1
Toluene	mg/kg	<0.025	<0.025	<0.025	<0.025	<0.025	<0.025	1.1072	818	818
1,2,4-Trimethylbenzene	mg/kg	<0.025	<0.025	<0.025	1.06	0.061	<0.025	1.3787	219	219
1,3,5-Trimethylbenzene	mg/kg	<0.025	<0.025	<0.025	0.52	<0.025	<0.025	1.5707	182	182
Xylenes (total)	mg/kg	<0.075	<0.075	<0.075	<0.075	<0.075	<0.075	3.96	260	260

Notes:

1. Unsaturated/smear zone versus satured soil conditions based on: (1) measured water levels in adjacent/nearby monitoring wells, or (2) soil moisture conditions recorded on soil boring logs during drilling

2. Analytical units: mg/kg = milligrams per kilogram (equivalent to parts per million, ppm)

3. NA = not analyzed

4. Groundwater Pathway RCL = Residual Contaminant Level for protection of groundwater (dilution factor of 2) as presented on the WDNR's RCL Spreadsheet (dated June 2018) referenced in WDNR guidance document PUB-RR-890 "Soil Residual Contaminant Level Determinations Using the US EPA Regional Screening Level Web Calculator", dated June 2014

5. Non-Industrial Direct Contact RCL = Residual Contaminant Level for protection of direct contact at a <u>non-industrial</u> property as presented on the WDNR's RCL Spreadsheet (dated June 2018) with default input parameters as referenced in WDNR guidance document PUB-RR-890 "Soil Residual Contaminant Level Determinations Using the US EPA Regional Screening Level Web Calculator", dated 6. Industrial Direct Contact RCL = Residual Contaminant Level for protection of direct contact at an <u>industrial</u> property as presented on the WDNR's RCL Spreadsheet (dated June 2018) with default input parameters as referenced in WDNR guidance document PUB-RR-890 "Soil Residual Contaminant Level Determinations Using the US EPA Regional Screening Level (dated June 2018) with default input parameters as referenced in WDNR guidance document PUB-RR-890 "Soil Residual Contaminant Level Determinations Using the US EPA Regional Screening Level Web Calculator", dated June 2014 7. NS = no standard established

8. Laboratory flags:

9. Exceedances:


"J" = Analyte detected between Limit of Detection and Limit of Quantitation


BOLD = Concentration exceeds Groundwater Pathway RCL


[] = Concentration exceeds Non-Industrial Direct Contact RCL (any depth)

{ } = Concentration exceeds Industrial Direct Contact RCL (any depth)


Figures







APPROXIMATE LOCATION OF 500-GALLON FUEL OIL UST





TSSA SOIL SAMPLE LOCATION MAP

THURSDAY

MSOE DIERCKS COMPUTATIONAL SCIENCE HALL DEVELOPMENT 1025 N. MILWAUKEE STREET, MILWAUKEE, WISCONSIN

1.00

3

FIGURE

Appendix A

Tank System Service and Closure Assessment Report (Part A) and Underground Flammable/Combustible/Hazardous Liquid Storage Tank Registration (Form TW-WM-137)

Machine Machine	P.O. Bo (608) 22		son, WI 53707			dmin. Code ş				
TANK	SYST	EM SER	VICE A	ND CI	LOSUI	RE AS	SES	SMEN'	TRE	PORT
Personal infon Complete O FOR PORTIO	mation you pro ne Form for ONS OF THE	vide may be used i Each System S FORM THAT D	for purposes other ervice Event	than that for CHECK TH	which it was c	originally colle				
Part A - To I	be complete	d by contractor	nerforming ror	air or clos	ITO					
A. TYPE OF S					NGE-IN-SER	VICE				
		m being serviced i			-service is bei	ing performed	i			
B. IDENTIFIC		C Piping 1	Fransition/containr	nent sump	Spill buck	tet 🗌 Disj	penser			
OWNER INFOR										
OWNER NAME			CONTACT NA			17	TITLE			
Milwaukee So MAILING ADDRE	chool of Engir	neering	Blake We	ntz	thomas				1000	Le contra
1025 N. Bro					Milwaul	TOWN T	VILLAGE		STATE	ZIP 53202
ELEPHONE:					E-M	AIL	10 m		1 4 44	00202
44) 277-220					1123	wentz@ms	oe.edu			
ACILITY NAME	112212					P				
MSOE -	DIERKE	Cont PUTA	FIONAL S	CIENCE	HAL					
TE ADDRESS	(Not PO Box)		17 <u>17 1</u> 1 1 1 1		CITY I	TOWN D	VILLAGE		STATE	1
	RACTOR INFOR	RMATION			Milwauk	(ee			M	53202
		OR Section A Above	1.				TELE	PHONE:	CELL:	-
Southeast Tank					1			257 - 0030	(414) 5	88 - 0501
TREET ADDDE					111111111		VILLAGE		STATE	ZIP
W15058234	Inningt Ct				Muskego	1				53150
W15058234 H		Complete for all s	ervice activities)							
W15058234 F C. TANK SYST a	EM DETAIL (0 b	c	d	е	f		3		h	
W15058234 F	EM DETAIL (Complete for all s C Tank Material of Construction		e Tank Capacity (gallons)	f Contents ²	Release Integrity Co (e.g. hole	- System mpromised	If "Yes" to "g and Ca Source of Relea	", Then Sp ause of Rel	
W15058234 F C. TANK SYST a	EM DETAIL (b Type of	C Tank Material	d Piping Material	Tank Capacity	- Contractor of the second second	Release Integrity Co (e.g. hole	- System mpromised s, cracks, ection, etc)?	and Ca	", Then Sp ause of Rel	lease ⁵
W150S8234 F C. TANK SYST a Tank ID #	EM DETAIL ((b Type of Closure ¹	C Tank Material of Construction	d Piping Material of Construction	Tank Capacity (gallons)	Contents ²	Release Integrity Co (e.g. holes loose conne	- System mpromised s, cracks, ection, etc)?	and Ca	", Then Sp ause of Rel	lease ⁵
W150S8234 F TANK SYST a Tank ID #	EM DETAIL ((b Type of Closure ¹	C Tank Material of Construction	d Piping Material of Construction	Tank Capacity (gallons)	Contents ²	Release - Integrity Co (e.g. hole: loose conne Yes	- System mpromised s, cracks, ection, etc)?	and Ca	", Then Sp ause of Rel	lease ⁵
W150S8234 F TANK SYST a Tank ID #	EM DETAIL ((b Type of Closure ¹	C Tank Material of Construction	d Piping Material of Construction	Tank Capacity (gallons)	Contents ²	Release of Integrity Co (e.g. holes loose conne Yes Yes Yes	- System mpromised s, cracks, ection, etc)? No	and Ca	", Then Sp ause of Rel	lease ⁵
W150S8234 F C. TANK SYST a Tank ID #	EM DETAIL ((b Type of Closure ¹	C Tank Material of Construction	d Piping Material of Construction	Tank Capacity (gallons)	Contents ²	Release a Integrity Co (e.g. holes loose conne Yes Yes Yes Yes	- System mpromised s, cracks, ection, etc)? No No	and Ca	", Then Sp ause of Rel	lease ⁵
W150S8234 F C. TANK SYST a Tank ID #	EM DETAIL ((b Type of Closure ¹	C Tank Material of Construction	d Piping Material of Construction	Tank Capacity (gallons)	Contents ²	Release - Integrity Co (e.g. hole: loose conne Yes Yes Yes Yes Yes	- System mpromised s, cracks, ection, etc)? No No No No No	and Ca	", Then Sp ause of Rel	lease ⁵
W150S8234 F C. TANK SYST a Tank ID #	EM DETAIL ((b Type of Closure ¹ P	c Tank Material of Construction Steel	d Piping Material of Construction Unknown	Tank Capacity (gallons) 500	Contents ² FO	Release a Integrity Co (e.g. holes loose conne Yes Yes Yes Yes Yes Yes	- System mpromised s, cracks, ection, etc)? No No No No	and Ca	", Then Sp ause of Rel	lease ⁵
W150S8234 F TANK SYST a Tank ID # N/A I. Indicate typ	P De of closure:	c Tank Material of Construction Steel P = Permanent, T	d Piping Material of Construction Unknown OS = Temporarily	Tank Capacity (gallons) 500 Out-of-Servic	FO FO re, CIP = Clos	Release a Integrity Co (e.g. holes loose conne Yes Yes Yes Yes Yes Yes Yes Yes	- System mpromised s, cracks, ection, etc)? No No No No No	and Ca Source of Relea	", Then Sp ause of Rel ase ³ Cau	lease ⁵ se of Release ⁴
W150S8234 F TANK SYST a Tank ID # N/A N/A I. Indicate typ I. Indicate typ	P De of closure: De of closure: De of product: , PX = Premix,	c Tank Material of Construction Steel	d Piping Material of Construction Unknown OS = Temporarily Leaded Gasoline	Tank Capacity (gallons) 500 Out-of-Servic	FO FO re, CIP = Clos	Release - Integrity Co (e.g. hole: loose conne Yes Yes Yes Yes Yes Yes Yes Fo = Fuel C	- System mpromised s, cracks, ection, etc)? No No No No No No Oil, GH = Ga	and Ca Source of Relea	", Then Sp ause of Rel ase ³ Cau	el. K =
W150S8234 F TANK SYST a Tank ID # N/A N/A I. Indicate typ Kerosene chemical I	P De of closure: De of closure: De of product: , PX = Premix, name(s):	c Tank Material of Construction Steel P = Permanent, Tu DL = Diesel, LG =	d Piping Material of Construction Unknown OS = Temporarily Leaded Gasoline	Tank Capacity (gallons) 500 Out-of-Servic	FO FO re, CIP = Clos	Release - Integrity Co (e.g. hole: loose conne Yes Yes Yes Yes Yes Yes Yes Fo = Fuel C	- System mpromised s, cracks, ection, etc)? No No No No No No Oil, GH = Ga	and Ca Source of Relea	", Then Sp ause of Rel ase ³ Cau	el. K =
W150S8234 F TANK SYST a Tank ID # N/A N/A I. Indicate typ Kerosene	P De of closure: De of closure: De of product: , PX = Premix, name(s):	c Tank Material of Construction Steel P = Permanent, Tu DL = Diesel, LG =	d Piping Material of Construction Unknown OS = Temporarily Leaded Gasoline	Tank Capacity (gallons) 500 Out-of-Servic	FO FO re, CIP = Clos	Release - Integrity Co (e.g. hole: loose conne Yes Yes Yes Yes Yes Yes Yes Fo = Fuel C	- System mpromised s, cracks, ection, etc)? No No No No No No Oil, GH = Ga	and Ca Source of Relea	", Then Sp ause of Rel ase ³ Cau	el. K =
W150S8234 F TANK SYST a Tank ID # N/A N/A I. Indicate typ Kerosene chemical in CAS numb	P P P P P P P P P P P P P P	c Tank Material of Construction Steel P = Permanent, Tu DL = Diesel, LG =	d Piping Material of Construction Unknown OS = Temporarily Leaded Gasoline d Motor Oil, FCH	Tank Capacity (gallons) 500 Out-of-Servic , UG = Unlea ZW = Flamma	FO FO e, CIP = Clos ded Gasoline, able/Combusti	Release a Integrity Co (e.g. holes loose conne Yes Yes Yes Yes Yes Yes Yes Fo = Fuel C ble Hazardou	- System mpromised s, cracks, ection, etc)? No No No No No No No Solution No No Solution No No No Solution No Solution No Solution No No Solution No Solution No No No No No No No Solution No Solution No Solution No Solution No Solution Solution Solution Solution Solution Solution Solution Solution No Solution So	and Ca Source of Relea	", Then Sp ause of Rel ase ³ Cau viation Fue mical (indi-	el, K = cate the
W150S8234 F TANK SYST a Tank ID # N/A N/A Indicate typ Kerosene chemical in CAS numb Source of r Cause of re	EM DETAIL (f b Type of Closure1 P De of closure: De of product: p P = Premix, name(s): elease: T = tai	c Tank Material of Construction Steel P = Permanent, Tr DL = Diesel, LG = WO = Waste/Use	d Piping Material of Construction Unknown OS = Temporarily Leaded Gasoline d Motor Oil, FCH. = dispenser, STP	Tank Capacity (gallons) 500 Out-of-Servic , UG = Unlea ZW = Flamma	FO FO e, CIP = Clos ded Gasoline, able/Combusti	Release of Integrity Co (e.g. holes loose conner Yes Yes Yes Yes Yes Yes Yes FO = Fuel Co ble Hazardou	- System mpromised s, cracks, ection, etc)? No No No No No No Dil, GH = Ga us Waste, O	and Ca Source of Relea	", Then Sp ause of Rel ase ³ Cau viation Fue mical (indi-	el, K = cate the

D. CLOSURES (Check applicable box at right in response to all statements in section D) Witten notification was provide to the local agent & daving a focuse data. All local permits were oblande bufues beginning clasure. [Y vs.] No. All local permits were oblande bufues beginning clasure. [Y vs.] No. NOTE: TANK INVENTORY FORM TRYMAN 18 Med by owner with the DATCP indicating clasure. [Y vs.] No. NOTE: TANK INVENTORY FORM TRYMAN 18 Med by owner with the DATCP indicating clasure. [Y vs.] No. NOTE: TANK INVENTORY FORM TRYMAN 18 Med by owner with the DATCP indicating clasure. [Y vs.] No. NOTE: TANK INVENTORY FORM TRYMAN 18 Med Value Check/LIST Variation Vs. NOTE: TANK INVENTORY FORM TRYMAN 18 Med Value Vs. [Y N	TR-WM-140 (8/17) Formerly ERS-8951 (7/13)			
All local permits were obtained before beginning closure. \[Yes \] No \] NA SUIST Erom TRXWM-137 or \] \[AST From TRXWM-118 Since D Y THE OWNER MUST BE SUBMITTED WITE Conf. NEW Conference of PARCE - N-SERVICE OF CAUST Nemetry in the state of the state o				
BUILDE From TR-WM-139 CAPT Form TR-WM-139 IND NA DNE: TANK, MINOTROPY FORM TR-WM-139 SIGNADE TANK, MINOTRAP SERVICE Remover Inspector				
NOTE: TAWK INVENTORY FORM TR-WM-197 or TR-WM-118 SIGNED BY THE OWNER MUST BE SUBMITTED WITH EARC CLOSURE or CHANGE-IN-SERVICE D.1 TERMPORARLY OUT-OF-SERVICE A. Product trees drained into tank (or other container) and liquid removed, and Y N. Differenced. Y With Ear Temoved is bottom of succino hine, OR Y A. All product removed is bottom of succino hine, OR Y S. All product removed is bottom of succino hine, OR Y N. All product removed is bottom of succino hine, OR Y N. All product removed is bottom of succino test. Y N. Disponsemption of succino test. Y N. Disponsemption field indicating temporarily out-of-service (TOS) closure. Y N. The mighting temporarily out-of-service (TOS) closure. Y N. Product Ines let open. Y I. All product Ines of the islank (or other container). Y N. Product Inem pring drained into tank (or other container). Y N. Product Inem pring drained into tank using explosion-proof pumps or hand pumps. Y N A. Mapum motors and succino hoses bonded to tank or otherwise groundad. Y N Y A. All pump motors and succino hoses bonded to tank or otherwise groundad. Y <	그는 것이 않았다. 그 그 집에서 집에서 집에 집에 있는 것이 같은 것이라고 있는 것이라는 것이 같은 것이 같은 것이다. 것이 같은 것이 같은 것이 있는 것이 같이 있는 것이 같이 많이 했다.			
WTH EACH CLOSURE or CHANGE-IN-SERVICE CHECKLIST 1. TOMORARILY OUT-OF-SERVICE 8. Product removed. 9. All product removed. 9. All product removed in to tank (or other container) and liquid removed, and 9. All product removed to bottom of suction line, OR 9. All product removed to within 1° of bottom. 9. End product removed to within 1° of bottom. 9. End product pipel, tank true wappor recovery fittings, and vapor return lines capped. 9. All product temoved to within 1° of bottom. 9. All product temoved to within 1° of bottom. 9. All product temoved to within 1° of bottom. 9. All product temoved to within 1° of bottom. 9. All product temoved to within 1° of bottom. 9. All product temoved to within 1° of bottom. 9. All product temoved to within 1° of bottom. 9. All product temoved to within 1° of bottom. 9. All product temoved to within 1° of bottom. 9. Constrained to tank wappor recovery fittings, and vapor relum lines capped. 9. Constrained to tank wappor recovery fittings. 9. Constrained to tank the temoved. 9. Constrained to tank wappor recovery fittings. 9. Constrained to tank wappor recovery fittings. 9. Piping disconnected to tank and removed. 9. Piping disconnected to tank and removed. 9. Piping disconnected to tank and removed. 9. All product removed from tank using explosion-proof pumps or hand pumps. 9. Tank openings temporally pugged to vapors exit through vent. 9. Vin N 9. All pump motors and suction hoses bonded to tank or			🗌 No 📗	NA
D.1 TEMPORAPILY OUT-OF-SERVICE Person Inspector Minoperiod 1. Product lines drained into tank (or other container) and liquid removed, and Y N Y N Important removed is bottom of suction line, OR Y N Y N Important removed is bottom of suction line, OR Y N Y N Important removes is bottom of suction line, OR Y N Y N Important removes is bottom of suction line, OR Y N Y N Y N Y N Important removes is bottom of suction line, OR Y N Y N Y N Y N Important removes is bottom of suction line, OR Y N Y N Y N Important removes is bottom of suction line, OR Y N Y N Important removes is bottom of suction line, OR Y N Y N Important removes is bottom of suction removes is bottom removed. Y N Y N Important removes is bottom removed. Y N Y N Important removes is bottom removed. Y N Y N Important removes is bottom removed. Y N Y	NOTE: TANK INVENTORY FORM TR-WM-137 or TR-WM-118 SIGNED BY THE OWNER MUST BE SU	BMITTED		
1. Product removed. Vertice Vertice Present a. Product removed to bottom of suction line, OR Y N Y N Y N P c. All product removed to bottom of suction line, OR Y N		ALL PROPERTY.	Non-Services	La set de la calenda
a. Product lines drained into tank (or other container) and liquid removed, and Y N Y			100 C	
b. All product removed to bottom of suction line, OR Y N Y				
c. All product tensored to within 1° of bottom. Y N Y <		Contraction of the second s		second and the second second
2. Fill pibe, gauge pipe, tank truck vapor recovery fittings, and vapor return lines capped. Y N Y </td <td></td> <td></td> <td></td> <td>Contraction of the Contraction of the Contraction</td>				Contraction of the Contraction of the Contraction
3. All product lines at the islands or pumps located elsewhere are removed and capped, OR Y N Y				
4. Dispensars/pumps left in place but locked and power disconnected. Y N				
5. Vent lines left opon. Image: Section 1.		territe statute and the second s	and the second s	dation of the Hills
6. Inventory form filed indicating temporarily out-of-service (TOS) closure. I 17. General Requirements IV 18. Product from piping drained into tank (or other container). IV 19. Priping disconnected from tank using explosion-proof pumps or hand pumps. IV 19. Priping disconnected from tank using explosion-proof pumps or hand pumps. IV 19. Priping disconnected into tank (or other container). IV 10. All liquid and residue removed from tank using explosion-proof pumps or hand pumps. IV 19. Constraint (Internet Control (Internet Contenting grounded). IV 19. Continues (Internet Control (Internet Contenting grounded). IV 10. And pointings temporarily plugged so vapors exit through vent. IV 10. Tank denonges temporarily plugged so vapors exit through vent. IV 10. Tank denonges temporarily plugged so vapors exit through vent. IV 11. Tank atmospherer excuesed to 10% of the lower flammable range (LEL) - see Section E. IV 10. Tank cleaned before being removed from site. IV 10. Tank tabled in full compliance with API 1604 after removal but before being moved from site. IV 11. Tank attabled in full compliance with API 1604 after removal but before being moved from site. IV 11. Tank vent hole (1/8' in uppermost part of tank) installed prior to moving the tank from site. IV 12. Tank property cleaned to remove all sludge and residue. IV 14. Tank vent hole (1/8' in uppermost part of tank) installed prior to moving the tank from site. IV 13. Specific Closure-In-Place Requirements				
D.2. Since CLOSURE BY REMOVAL OR IN-PLACE Image: Closure by Removal OR IN-PLACE 1. General Requirements Image: Closure from piping drained into tank (or other container). Image: Closure from piping drained into tank (or other container). Image: Closure from piping drained into tank and removed. Image: Closure from piping drained into tank or other is grounded. Image: Closure from tank and removed.				
1. General Requirements IX Y N Y N I a. Product from piping drained into tank (or other container). IX Y N IX IX N </td <td></td> <td></td> <td></td> <td></td>				
a. Product from piping drained into tank (or other container). Image: Control of the control of the container). Image: Control of the control of the container). b. Piping disconnected from tank and removed. Image: Control of the contr				
b. Piping disconnected from tank using explosion-proof pumps or hand pumps. Image: Control of the tank of tank o			N N	
c. All liquid and residue removed from tank using explosion-proof pumps or hand pumps. I <td></td> <td>XYDN</td> <td>ZY 🗆 N</td> <td></td>		XYDN	ZY 🗆 N	
d. All pump motors and suction hoses bonded to tank or otherwise grounded. □ Y □ N □ Y □ N □ e. Fill pipes, gauge pipes, vapor recovery connections, submersible pumps and other fixtures removed. □ Y □ N □ Y □ N □ f. Vent lines left connected until tanks purged. □ Y □ N □ Y □ N □ g. Tank copenings temporally plugged so vapors exit through vent. □ Y □ N □ Y □ N □ h. Tank atmosphere reduced to 10% of the lower flammable range (LEL) - see Section E. □ Y □ N □ Y □ N □ 2. Specific Closure-by-Removal Requirements □ Y □ N □ Y □ N □ a. Tank removed from excavation after PURGING/INERTING; placed on level ground and blocked to prevent movement. □ Y □ N □ Y □ N □ b. Tank cleaned before being removed from site. □ Y □ N □ Y □ N □ c. Tank labeled in full compliance with API 1604 after removal but before being moved from site. □ Y □ N □ Y □ N □ COTE: COMPLETE TANK LABELING SHOLLD INCLUDE WARNING AGAINST REUSE; FORMER CONTENTS; VAPOR STATE; VAPOR FREEING TREATMENT, MONTH/DAY/EAR OF REMOVAL □ Y □ N □ Y □ N □ d. Tank vent hole (1/8" in uppermost part of tank) installed prior to moving the tank from site. □ Y □ N □ Y □ N □ s. Specific Closure-In-Place Requirements □ Y □ N □ Y □ N □ NOTE: CLOSURES IN-PLACE ARE ONLY ALLOWED WITH THE PRIOR WRITTEN APPROVAL OF THE DEPARTMENT OF AGRICULTURE, TRADE AND CONSUMER PROTECTION (DATCP) OR LOCAL AGENT. a. Tank properly cleaned to remove all sludge and		DY DN	UY UN	
e. Fill pipes, gauge pipes, vapor recovery connections, submersible pumps and other fixtures removed. Image: the state of the pipes, support recovery connections, submersible pumps and other fixtures removed. Image: the pipes, support recovery connections, submersible pumps and other fixtures removed. Image: the pipes, gauge pipes, vapor recovery connections, submersible pumps and other fixtures removed. Image: the pipes, support recovery connections, submersible pumps and other fixtures removed. Image: the pipes, gauge pipes, vapor recovery connections, submersible pumps and other fixtures removed. Image: the pipes, gauge pipes, vapor recovery connections, submersible pumps and other fixtures removed. Image: the pipes, gauge pipes, vapor recovery connections, submersible pumps and other fixtures removed. Image: the pipes, gauge pipes, vapor recovery connections, submersible pumps and other fixtures removed. Image: the pipes, vapor recovery connections, submersible pumps and other fixtures removed. Image: the pipes, vapor recovery connections, submersible pumps and other fixtures removed. Image: the pipes, vapor recovery connections, submersible pumps and other fixtures removed. Image: the pipes, vapor recovery connections, submersible pumps and other fixtures removed. Image: the pipes, vapor recovery connections, removed from site. Image: the pipes, vapor recovery connections, submersible pumps and other fixtures removed from site. Image: the pipes, vapor recovery connections, removed from site. Image: the pipes, vapor recovery connections, removed from site. Image: the pipes, vapor recovery connections, removed from site. Image: the pipes, vapor recovery connections, removed from site. Image: the pipes, vapor recovery connections, rem			ØY ON	
e. Fill pipes, gauge pipes, vapor recovery connections, submersible pumps and other fixtures removed. Y N	 All pump motors and suction hoses bonded to tank or otherwise grounded. 		DYDN	
f. Vent lines left connected until tanks purged. Y N Y N Y N g. Tank openings temporarily plugged so vapors exit through vent. Image Y N Y N Y N h. Tank atmosphere reduced to 10% of the lower flammable range (LEL) - see Section E. Image Y N I		. DY DN		
g. Tank openings temporarily plugged so vapors exit through vent. Image: Construct the intervent of the lower flammable range (LEL) - see Section E. Image: Construct the intervent of the lower flammable range (LEL) - see Section E. Image: Construct the intervent of the lower flammable range (LEL) - see Section E. Image: Construct the intervent of the lower flammable range (LEL) - see Section E. Image: Construct the intervent of the lower flammable range (LEL) - see Section E. Image: Construct the intervent of the lower flammable range (LEL) - see Section E. Image: Construct the intervent of the lower flammable range (LEL) - see Section E. Image: Construct the intervent of the lower flammable range (LEL) - see Section E. Image: Construct the intervent of the lower flammable range (LEL) - see Section E. Image: Construct the intervent of the lower flammable range (LEL) - see Section E. Image: Construct the intervent of the lower flammable range (LEL) - see Section E. Image: Construct the intervent of the lower flammable range (LEL) - see Section E. Image: Construct the intervent of the lower flammable range (LEL) - see Section E. Image: Construct the intervent of the intervent of the lower flammable range (LEL) - see Section E. Image: Construct the intervent of the lower flammable range (LEL) - see Section E. Image: Construct the intervent of the lower flammable range (LEL) - see Section E. Image: Construct the intervent of the lower flammable range (LEL) - see Section E. Image: Construct the intervent of the lower flammable range (LEL) - see Section E. Image: Construct the intervent of the lower range (LEL) - see Section E. Image: Construct the intervent of the lower range (LEL) - see Sec	f. Vent lines left connected until tanks purged.			The second s
h. Tank atmosphere reduced to 10% of the lower flammable range (LEL) - see Section E. Y N Y N 2. Specific Closure-by-Removal Requirements a. Tank removed from excavation after PURGING/INERTING; placed on level ground and blocked to prevent movement. Y N Y N b. Tank cleaned before being removed from site. Y N Y N Y N c. Tank labeled in full compliance with API 1604 after removal but before being moved from site. Y N Y N Image: Second Sec	g. Tank openings temporarily plugged so vapors exit through vent.			The last is a second
2. Specific Closure-by-Removal Requirements a. Tank removed from excavation after PURGING/INERTING; placed on level ground and blocked to prevent movement. b. Tank cleaned before being removed from site. c. Tank labeled in full compliance with API 1604 after removal but before being moved from site. c. Tank labeled in full compliance with API 1604 after removal but before being moved from site. c. Tank labeled in full compliance with API 1604 after removal but before being moved from site. c. Tank labeled in full compliance with API 1604 after removal but before being moved from site. c. Tank labeled in full compliance with API 1604 after removal but before being moved from site. c. Tank labeled in full compliance with API 1604 after removal but before being moved from site. c. Tank labeled in full compliance with API 1604 after removal but before being moved from site. d. Tank vent hole (1/8" in uppermost part of tank) installed prior to moving the tank from site. d. Tank vent hole (1/8" in uppermost part of tank) installed prior to moving the tank from site. e. Site security is provided while the excavation is open. Specific Closure-In-Place Requirements IOTE: CLOSURES IN-PLACE ARE ONLY ALLOWED WITH THE PRIOR WRITTEN APPROVAL OF THE DEPARTMENT OF AGRICULTURE, TRADE AND CONSUMER PROTECTION (DATCP) OR LOCAL AGENT. a. Tank properly cleaned to remove all sludge and residue. b. Solid inert material (sand, cyclone bo	h. Tank atmosphere reduced to 10% of the lower flammable range (LEL) - see Section E.	and the second	the second se	
b. Tank cleaned before being removed from site. Image: Computed with the provided with API 1604 after removal but before being moved from site. Image: Computed with API 1604 after removal but before being moved from site. Image: Computed with API 1604 after removal but before being moved from site. Image: Computed with API 1604 after removal but before being moved from site. Image: Computed with API 1604 after removal but before being moved from site. Image: Computed with API 1604 after removal but before being moved from site. Image: Computed with API 1604 after removal but before being moved from site. Image: Computed with API 1604 after removal but before being moved from site. Image: Computed with API 1604 after removal but before being moved from site. Image: Computed with API 1604 after removal but before being moved from site. Image: Computed with API 1604 after removal but before being moved from site. Image: Computed with API 1604 after removal but before being moved from site. Image: Computed with API 1604 after removal but before being moved from site. Image: Computed with API 1604 after removal but before being moved from site. Image: Computed with API 1604 after removal but before being moved from site. Image: Computed with API 1604 after removal but before being moved from site. Image: Computed with API 1604 after removal but before being moved from site. Image: Computed with API 1604 after removal but before being moved from site. Image: Computed with API 1604 after removal but before being moved from site. Image: Computed with API 1604 after removal but before being moved from site. Image: Computed with API 1604 after removal but before being after removal but before being after removal before being after removal bit after removal bintroduced and tank filled. Image: Computed with API 180 mov	2. Specific Closure-by-Removal Requirements			
b. Tank cleaned before being removed from site. Image: Computed with API 1604 after removal but before being moved from site. Image: Computed with API 1604 after removal but before being moved from site. Image: Computed with API 1604 after removal but before being moved from site. Image: Computed with API 1604 after removal but before being moved from site. Image: Computed with API 1604 after removal but before being moved from site. Image: Computed with API 1604 after removal but before being moved from site. Image: Computed with API 1604 after removal but before being moved from site. Image: Computed with API 1604 after removal but before being moved from site. Image: Computed with API 1604 after removal but before being moved from site. Image: Computed with API 1604 after removal but before being moved from site. Image: Computed with API 1604 after removal but before being moved from site. Image: Computed with API 1604 after removal but before being moved from site. Image: Computed with API 1604 after removal but before being moved from site. Image: Computed with API 1604 after removal but before being moved from site. Image: Computed with API 1604 after removal but before being moved from site. Image: Computed with API 1604 after removal but before being moved from site. Image: Computed with API 1604 after removal but before being moved from site. Image: Computed with API 1604 after removal but before being moved from site. Image: Computed with API 1604 after removal but before being moved from site. Image: Computed with API 1604 after removal but before being moved from site. Image: Computed with API 1604 after removal but before being after removal but before being moved from site. Image: Computed with API 1604 after removal before being after removal before being after removal before being after remo	a. Tank removed from excavation after PURGING/INERTING; placed on level ground and blocked to			
c. Tank labeled in full compliance with API 1604 after removal but before being moved from site. Image: Complete the text of the text of te	prevent movement.	LX Y LIN	MY LIN	
NOTE: COMPLETE TANK LABELING SHOULD INCLUDE WARNING AGAINST REUSE; FORMER CONTENTS; VAPOR STATE; VAPOR FREEING TREATMENT; MONTH/DAY/YEAR OF REMOVAL d. Tank vent hole (1/8" in uppermost part of tank) installed prior to moving the tank from site. Y N Y N Y N e. Site security is provided while the excavation is open. Y N Y N Y N Y N 3. Specific Closure-In-Place Requirements Y N Y N Y N Y N VOTE: CLOSURES IN-PLACE ARE ONLY ALLOWED WITH THE PRIOR WRITTEN APPROVAL OF THE DEPARTMENT OF AGRICULTURE, TRADE AND CONSUMER PROTECTION (DATCP) OR LOCAL AGENT. Y N Y N . . a. Tank properly cleaned to remove all sludge and residue. Y N Y N .			ZY DN	
VAPOR STATE; VAPOR FREEING TREATMENT; MONTH/DAY/YEAR OF REMOVAL d. Tank vent hole (1/8" in uppermost part of tank) installed prior to moving the tank from site. Y N Y N Y N Image: Stessecurity is provided while the excavation is open. 3. Specific Closure-In-Place Requirements Y N Y N Y N Y N Image: Stessecurity is provided while the excavation is open. 3. Specific Closure-In-Place Requirements Y N Y N Y N Y N Image: Stessecurity is provided while the excavation is open. 3. Specific Closure-In-Place Requirements Y N Y N Y N Y N Image: Stessecurity is provided while the excavation is open. 40 Ter. CLOSURES IN-PLACE ARE ONLY ALLOWED WITH THE PRIOR WRITTEN APPROVAL OF THE DEPARTMENT OF AGRICULTURE, TRADE AND CONSUMER PROTECTION (DATCP) OR LOCAL AGENT. Image: Stessecurity is provided to remove all sludge and residue. Y N Y N Image: Stessecurity is provided to the local agent resonance of the protection (DATCP) OR LOCAL AGENT. Image: Stessecurity is not include and tank filled. Y N Y N Image: Stessecurity is not include and time inclotating closure in-place. Y </td <td></td> <td>XY DN</td> <td>VY N</td> <td></td>		XY DN	V Y N	
d. Tank vent hole (1/8" in uppermost part of tank) installed prior to moving the tank from site. Y N Y N Y N e. Site security is provided while the excavation is open. Y N Y N Y N 3. Specific Closure-In-Place Requirements Y N Y N Y N NOTE: CLOSURES IN-PLACE ARE ONLY ALLOWED WITH THE PRIOR WRITTEN APPROVAL OF THE DEPARTMENT OF AGRICULTURE, TRADE AND CONSUMER PROTECTION (DATCP) OR LOCAL AGENT. a. Tank properly cleaned to remove all sludge and residue. Y N Y N Y N b. Solid inert material (sand, cyclone boiler slag, or pea gravel recommended) introduced and tank filled. Y N Y N Y N c. Vent line disconnected or removed. Y N Y N Y N Y N d. Inventory form filed by owner with the DATCP indicating closure in-place. Y N Y N Y N Written notification was provided to the local agent 5 days in advance of service date. Y N N N N All local permits were obtained before beginning service. Y N N N N Form TR-WM-137 or 0 TR-WM-118 filed by owner with the DATCP indicating change-in-service. Y N N N Displacement of vapors by eductor or diffused air blower. Eductor driven by compressed air, bonded and drop tube left in place; vapors discharged minimum of 12 feet above ground.	NOTE: COMPLETE TANK LABELING SHOULD INCLUDE WARNING AGAINST REUSE; FORMER CON	TENTS;		
e. Site security is provided while the excavation is open. 3. Specific Closure-In-Place Requirements VOTE: CLOSURES IN-PLACE ARE ONLY ALLOWED WITH THE PRIOR WRITTEN APPROVAL OF THE DEPARTMENT OF AGRICULTURE, TRADE AND CONSUMER PROTECTION (DATCP) OR LOCAL AGENT. a. Tank properly cleaned to remove all sludge and residue. b. Solid inert material (sand, cyclone boiler slag, or pea gravel recommended) introduced and tank filled. c. Vent line disconnected or removed. d. Inventory form filed by owner with the DATCP indicating closure in-place. Y N Written notification was provided to the local agent 5 days in advance of service date. Y N <	d. Tank vent hole (1/8" in uppermost part of tank) installed prior to moving the tank from site			
3. Specific Closure-In-Place Requirements Image: Closure-In-Place Requirements Image: Closures IN-PLACE ARE ONLY ALLOWED WITH THE PRIOR WRITTEN APPROVAL OF THE DEPARTMENT OF AGRICULTURE, TRADE AND CONSUMER PROTECTION (DATCP) OR LOCAL AGENT. a. Tank properly cleaned to remove all sludge and residue. Image: Yor North Cleaned International State Cleaned International S				
NOTE: CLOSURES IN-PLACE ARE ONLY ALLOWED WITH THE PRIOR WRITTEN APPROVAL OF THE DEPARTMENT OF AGRICULTURE, TRADE AND CONSUMER PROTECTION (DATCP) OR LOCAL AGENT. a. Tank properly cleaned to remove all sludge and residue. Y N Y N Y N b. Solid inert material (sand, cyclone boiler slag, or pea gravel recommended) introduced and tank filled. Y N Y N Y N c. Vent line disconnected or removed. Y N Y N Y N Y N Y N Image: Colspan="2">ON COLL AGENT. d. Inventory form filed by owner with the DATCP indicating closure in-place. Y N Y N Y N Image: Colspan="2">ON PARTICE Written notification was provided to the local agent 5 days in advance of service date. Image: Y N N NA All local permits were obtained before beginning service. Image: Y N N NA Form TR-WM-137 or 0 TR-WM-118 filed by owner with the DATCP indicating change-in-service. Image: Y N N NA METHOD OF VAPOR FREEING OF TANK Image: Displacement of vapors by eductor or diffused air blower. Eductor driven by compressed air, bonded and drop tube left in place; vapors discharged minimum of 12 feet above ground.				
THE DEPARTMENT OF AGRICULTURE, TRADE AND CONSUMER PROTECTION (DATCP) OR LOCAL AGENT. a. Tank properly cleaned to remove all sludge and residue. Y N N N N N N N </td <td></td> <td></td> <td></td> <td></td>				
a. Tank properly cleaned to remove all sludge and residue. Y N Y N Y N Y N Y N I I </td <td>THE DEPARTMENT OF AGRICULTURE TRADE AND CONSUMER PROTECTION (DATCR) OF</td> <td></td> <td>IT</td> <td></td>	THE DEPARTMENT OF AGRICULTURE TRADE AND CONSUMER PROTECTION (DATCR) OF		IT	
b. Solid inert material (sand, cyclone boiler slag, or pea gravel recommended) introduced and tank filled. Image: Comparison of the cyclone boiler slag, or pea gravel recommended) introduced and tank filled. Image: Comparison of the cyclone boiler slag, or pea gravel recommended) introduced and tank filled. Image: Cyclone boiler slag, or pea gravel recommended) introduced and tank filled. Image: Cyclone boiler slag, or pea gravel recommended) introduced and tank filled. Image: Cyclone boiler slag, or pea gravel recommended) introduced and tank filled. Image: Cyclone boiler slag, or pea gravel recommended) introduced and tank filled. Image: Cyclone boiler slag, or pea gravel recommended) introduced and tank filled. Image: Cyclone boiler slag, or pea gravel recommended) introduced and tank filled. Image: Cyclone boiler slag, or pea gravel recommended) introduced and tank filled. Image: Cyclone by Cyclone boiler slag, or pea gravel recommended) introduced and tank filled. Image: Cyclone by Cyclone boiler slag, or pea gravel recommended) introduced and tank filled. Image: Cyclone by Cyclone boiler slag, or pea gravel recommended) introduced and tank filled. Image: Cyclone by Cyclone boiler slag, or pea gravel recommended boiler slag, or pea gravel recommende	a. Tank properly cleaned to remove all sludge and residue.		and the second	
c. Vent line disconnected or removed. Image: Im		and the second		
d. Inventory form filed by owner with the DATCP indicating closure in-place. Image: Image		- The	and the second s	in the second second second
 REPAIR, UPGRADE OR CHANGE-IN-SERVICE Written notification was provided to the local agent 5 days in advance of service date. Y N NA All local permits were obtained before beginning service. Y N NA Form TR-WM-137 or 0 TR-WM-118 filed by owner with the DATCP indicating change-in-service. Y N NA METHOD OF VAPOR FREEING OF TANK Displacement of vapors by eductor or diffused air blower. Eductor driven by compressed air, bonded and drop tube left in place; vapors discharged minimum of 12 feet above ground. 				Shirthing
Written notification was provided to the local agent 5 days in advance of service date. Image: Y mining service.				
All local permits were obtained before beginning service.			-	
Form TR-WM-137 or 0 TR-WM-118 filed by owner with the DATCP indicating change-in-service. Y N NA • METHOD OF VAPOR FREEING OF TANK Displacement of vapors by eductor or diffused air blower. Eductor driven by compressed air, bonded and drop tube left in place; vapors discharged minimum of 12 feet above ground.				
 METHOD OF VAPOR FREEING OF TANK Displacement of vapors by eductor or diffused air blower. Eductor driven by compressed air, bonded and drop tube left in place; vapors discharged minimum of 12 feet above ground. 		20.20		
Displacement of vapors by eductor or diffused air blower. Eductor driven by compressed air, bonded and drop tube left in place; vapors discharged minimum of 12 feet above ground.		UY UN	LI NA	
Eductor driven by compressed air, bonded and drop tube left in place; vapors discharged minimum of 12 feet above ground.				
		a delera del		
Li inert gas using dry ice or liquid carbon dioxide.		2 feet above g	round.	
Inert gas using CO2 or N2 NOTE: INERT GASSES PRODUCE AN OXYGEN DEFICIENT ATMOSPHERE. LEL METERS MAY NOT FUNCTIO ACCURATELY. THE TANK MAY NOT BE ENTERED IN THIS STATE WITHOUT SPECIAL EQUIPMENT.	LI INERT gas using CO2 or N2 NOTE: INERT GASSES PRODUCE AN OXYGEN DEFICIENT ATMOS ACCURATELY. THE TANK MAY NOT BE ENTERED IN THIS	STATE WITH	METERS MAY	NOT FUNCTIO
Gas introduced through a single opening at a point near the bottom of the tank at the end of the tank opposite the vent.				
Gas introduced under low pressure not to exceed 5 psig to reduce static electricity. Gas introducing device grounded.				
Readings of 10% or less of the lower flammable range (LEL) or <5% oxygen obtained before removing tank from ground.				
			rouna.	
Tank atmosphere monitored for flammable or combustible vapor levels prior to and during cleaning and cutting.				
Calibrate combustible gas indicator and/or oxygen meter prior to use. Drop tube removed prior to checking atmosphere. Tank space monitored a bottom, middle and upper portion of tank.	bottom, middle and upper portion of tank.	lecking atmosp	onere. Tank sp	ace monitored a

G. REMOVER/CLEANER INFORMATION	,)	
Brian James Marcal K	401529	
REMOVER/CLEANER NAME (PRINT): REMOVER/CLEANER SIGNA	TURE CERTIFICATION NO	DATE SIGNED
attest that the procedures and information which I have provided as the tan	k closure contractor are correct and comply with A	TCP 93.
Company expected to perform call contamination assessment	I Man A	
Company expected to perform soil contamination assessment	To SiGALA GROUP	
Company expected to perform soil contamination assessment	To SiGNIA GROUP	
	To Signin Growp	
H. INSPECTOR INFORMATION		
	4/1 - 415	
H. INSPECTOR INFORMATION ROBWIT MCINES		LPO AGENCY #
H. INSPECTOR INFORMATION ROBUT MCTNES INSPECTOR NAME (PRINT): INSPECTOR SIGNATURE	4/1 - 4/5 INSPECTOR CERTIFICATION NO	
H. INSPECTOR INFORMATION ROBUT MCTNES INSPECTOR NAME (PRINT): INSPECTOR SIGNATURE	4/1 - 4/5 INSPECTOR CERTIFICATION NO	LPO AGENCY# 6-22-18
H. INSPECTOR INFORMATION ROBWIT MCINES	4/1 - 415	

6

				-	_		
TR-WM-137 (8/17) Formerly ERS 7437 (3/13)						FOR OFFICE USE O	NLY
Wisconsin Department of	of Agriculture, Tr	ade and C	onsumer Pro	ection	TDID#:		
Bureau of Weights and Me	asures				Reg Obj #:	2	
PO Box 7837 Madison, W	VI 53707-7837						
(608) 224-4942					Wis Adn	in. Code §A7	TCP 93.14
		7400000		OPACET			and the second se
UNDERGROUND FLAMMABLE/COI							
Personal information you provide may be	used for purposes othe	er than that for	which it was origi	nally collected	(s. 15.04(1)(m) Wis. Sta	ats.).
Underground tanks in Wisconsin that have stored c	or currently store petrole	eum or regulat	ed substances mu	ust be registere	ed. A sepa	rate form is no	eded for e
tank. Send each completed form to the agend					mitting a f	orm / L re	SANO
If yes,	are you correcting/upd	ating informati	on only? [] Yes	∐ No			
This registration applies to a tank status that is (check one)							
	andoned with Product (emp	oty)		ed with Inert Mat hange (Indicate		name in block 2) - attach de
	andon with Water sed - Tank Removed			Dut of Service – I			anach de
Fire Dept, providing fire coverage where tank is located:	SCITY TOWN		MILWAUKEE		12/12/2020		
IDENTIFICATION (Please Print)							
1. TANK SITE NAME			COUNTY .		PHON	E	
MSOE DIERKS COMPUTATIONAL SCIENC	E HALL		MILWAUKEE		(N/A)	1	
SITE STREET ADDRESS				AGE TOW	N OF:	STATE	ZIP
1025 N MILWAUKEE STREET			MILWAUKEE		-	WI	53202
2. TANK OWNER LEGAL NAME			COUNTY		a second	E: Check C C	Concernances
MILWAUKEE SCHOOL OF ENGINEERING						277 - 2204 STATE	ZIP
MAILING ADDRESS			MILWAUKEE	AGE LITOW	N OF:	WI	53202
1025 N BROADWAY 3. PROPERTY OWNER NAME (if different from Tank Owned)	ar Local Nama #91		COUNTY (if differ	ant from County	#21	1 2 2 1	100202
3. PROPERTY OWNER NAME (If different from Tank Owne	er Legar Ivanie #2)		ooon i (n amei	chi nom oounty	"-)		
PROPERTY OWNER ADDRESS (if different from Site St	reet Address #1)			AGE TOW	N OF:	STATE	ZIP
				· · · · · · · · · · · · · · · · · · ·		WI	
4. CLASS A NAME	DOB			GERTIFICATIO	N: (Attach)	certificate)	
	5.05			OFDIELGATIC	NI. (Attach	andificato)	
5. CLASS B NAME	DOB			CERTIFICATIO	IN. (Allach)	centricate)	
SITE ID:	FACILITY ID #			CUSTOMER ID) #		
Tank Capacity (gallons): 550	Tank Age (age or dal	te installed): I	INKNOWN	1		e fueling: 🛛 Ye	es 🖾 No
LAND OWNER TYPE (check one) Refer to back	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1						
County State Federal L	eased 🔲 Federal Own	ed 🛛 Triba	Nation D M	unicipal	Other (Government	🛛 Private
OCCUPANCY TYPE (check one) Refer to back							
Retail Fuel Sales Mercantile/Commercial	🗌 Industrial 🛛 🗍 R	lesidential	School C] Utility	Governme	nt Fleet	
Agricultural (crop or livestock production)	ckup or Emergency Gener	ator 🔲	Other (specify):				
TANK CONSTRUCTION:					Overfill Pr		Yes 1
Bare Steel Coated Steel Steel - Fiber	glass Reinforced Plastic C				Spill Cont		Yes D
Fiberglass Unknown Other (specif		Lined (dat			Tank Dou	ble Walled?	Yes 🔽
TANK CATHODIC PROTECTION: Sacrificial And					-		1.1.1
PRIMARY TANK LEAK DETECTION METHOD: Auto			ring ⇔ Electronic [tory control and	tigniness te
Manual tank gauging (only for tanks of 1,000 gallons or l		entory Reconcilia	tion (SIR) 🛛 Unk	nown			
PIPING CONSTRUCTION: Single Wall Double Wa	II. Flexible Copp	er 🗌 Unkn	own 🖾 N/A	Other:			
Bare Steel Coated Steel Fiberglass PIPING CATHODIC PROTECTION: Sacrificial Anode							
	ng with ⇔ □ A. Pump a			tricter - MLLD	Č	Unknown	
Suction piping with check valve at tank	Suction piping with cl					ed if waste oil	
PIPING LEAK DETECTION METHOD: Interstitial mor							
Tightness testing Electronic line monitor	1 A.O.C.T.] SIR		ot required		🖾 Unknown	
TANK CONTENTS (Current, or previous product (if tank no		Leaded	Unleaded	Gas-eth	anol blend:	%	Diesel
Bio-Diesel: % Aviation Premix		Kerosene	New Oil	New oil -	- Flash poir	t less than 200	Ρ
□ Waste/Used Motor Oil ⇔ □ Used for Healing	Hazardous Was	te/Interface*	Empty*	Sand/Gr	ave/Slurry*	🗌 Unk	nown
Other (specify):	Chemical* Nam	ie		CAS	#		
* NOT PECFA eligible.	Geo Latitude:	-		Geo Longitude:			
If Tank Closed, Abandoned or Out of Service: 06/22/201	в	Has a site as	sessment been co	mpleted? <i>(see i</i>	reverse side	for details) 🛛	Yes 🗆 N
TANK OWNER LEGAL NAME (please print)		TANK OWN	ER E-MAIL				
Milwaukee School of Engineering (c/o Bla	ake Wentz)		nsoe.edu				
TANK OWNER SIGNATURE (Note: By signing, signer is a	ccepting legal and financia	I responsibility for	or the storage tank s	ystem.)		DATE:	
Seg					4	5/21/2018	

Twok-18-00038

Note: Refer to comments on reverse side of form.

Appendix B

Photo-Documentation of UST Removal



PHOTO PAGE 1



Photo 1: Cleaning and removing 500-gallons of fuel oil and wastewater from UST with Future Environmental vacuum truck. Photo taken along North Milwaukee Street looking southwest across the site. (Taken 06/22/2018)



Photo 2: Cleaning and removing 500-gallons of fuel oil and wastewater from UST with Future Environmental vacuum truck. Photo taken looking south across the eastern edge of the site. (Taken 06/22/2018)

SITE NAME: MSOE DIERCKS COMPUTATIONAL SCIENCE HALL

ADDRESS: 1025 N. MILWAUKEE STREET, MILWAUKEE, WISCONSIN



PHOTO PAGE 2



Photo 3: Cleaned UST awaiting removal. Looking east with North Milwaukee Street in background. (Taken 06/22/2018)



Photo 4: Cleaned UST awaiting removal. Looking west across the site from the east. Grohmann Museum and other MSOE buildings can be seen in the background. (Taken 06/22/2018)

SITE NAME: MSOE DIERCKS COMPUTATIONAL SCIENCE HALL

ADDRESS: 1025 N. MILWAUKEE STREET, MILWAUKEE, WISCONSIN



PHOTO PAGE 3



Photo 5: Removal of UST with the help of an excavator. Photo looking north across the site. (Taken 06/22/2018)



Photo 6: Purged and cleaned tank after removal. Photo looking north across the site. (Taken 06/22/2018)

SITE NAME: MSOE DIERCKS COMPUTATIONAL SCIENCE HALL

ADDRESS: 1025 N. MILWAUKEE STREET, MILWAUKEE, WISCONSIN

Appendix C

Future Environmental Waste Transportation Manifest

							W.	27961
A	NON-HAZARDOUS WASTE MANIFEST	1. Generator ID Number	2. Page 1 c		61-9421	4. Waste T	-	mber 0023591
	5. Generator's Name and Maili Supre-Sau Generator's Phone:	ng Address All rest Tent Stational Angelerication International Angelerication		Generator's Site Addr	ess (if different	than mailing addr	ess)	
	6. Transporter 1 Company Nan	10	IRONMENTAL			U.S. EPA ID WIOO	Number 201223	158
	7. Transporter 2 Company Nar	+				U.S. EPA ID		
	8. Designated Facility Name ar	d Site Address FUTURE ENV 3240 W ELM FRANKLIN, W				U.S. EPA ID	Number ()() 1,2,23	358
	Facility's Phone:			10 0	ontainers		1.0.11.11	(i
	9. Waste Shipping Nam	e and Description		No.	Type	11. Total Quantity	12. Unit Wt./Vol.	
GENERATOR -	1. NON HAZ	ARDOUS, NON REGULATE	d by dot , /		TY	500	15	
- GENI	2.							3
	3.							
	4.							
*	14. GENERATOR'S/OFFERO marked and labeled/placar Generator's/Offeror's Printed/T	P'S CERTIFICATION: I hereby declare that the ded, and are in all respects in proper condition yped Name	for transport according to app	are fully and accurately licable international and signature	described abov national govern	a by the proper sh mental regulations	hipping name	e, and are classified, packaged, Month Day Year
- T.LNI	15. International Shipments Transporter Signature (for expo	Import to U.S.	Export from		f entry/exit: eaving U.S.:			1 2 2 2 2 3 3 40
_	16. Transporter Acknowledgme			1				
TRANSPORTER	Transporter 1 Printed/Typed N	Sherres		Signature	(ret			Month Day Year Month Day Year
F	17. Discrepancy							
Î	17a. Discrepancy Indication Sp	Quantity	Туре	Residue Manifest Reference	ce Number:	Partial Re	jection	Full Rejection
FACILITY	17b, Alternate Facility (or Gene	erator)				U.S. EPA ID	Number	
DESIGNATED F/	Facility's Phone: 17c. Signature of Alternate Fac	sility (or Generator)	1					Month Day Year
- DESIGI								
	18. Designated Facility Owner	or Operator: Certification of receipt of materials	covered by the manifest exc	ept as noted in Item 17a				
¥	Printed/Typed Name		S	Signature				Month Day Year

	UTURE		WORK OI	RDER W 27961
	INDUSTRIAL SERVICES INC.		DATE 6-22-18	SHIFT # 197
34			P.O. #	
Ph	HONE: 414-761-9421 FAX: 414-761-9542		CONTACT	START TIME AN 8:45 An
CUSTOM	www.futureenvironmental.com			9:20 / 1000 AM
CUSTOM	Siana / Southeast Tank		DESCRIPT	TION OF WORK
ADDRESS	1025 N. milanylese		Vac tank	
	4			
PHONE	Milwaukee, WI			
0.71	MATERIAL	115.117		
QTY.	MATERIAL	UNIT		
	VAC Fruck	34		
			MISCELLAN	EOUS CHARGES
		- Y.	2100235	91 500
			a 06235	SI 500 g
	\			
			LABOR	HRS RATE
		41	Warren B	
		3		
	the provide states of the second states of the seco		A	
1	1 mm		In	
	CUSTOMED AUTHORZIED SICNATURE		9	

CUSTOMER AUTHORZIED SIGNATURE

PROJECT SUPERVISOR SIGNATURE

(Internetion

Appendix D

TSSA Part B

TR-WM-140 (7/18) Formerly ERS-8951

Part B – To be completed by e	nvironmental professional - Sub	omit original Part B to the WDI	NR along with a <i>copy</i> of Part A
I. TANK-SYSTEM SITE ASSESSMENT	(TSSA)		
1	dress MUST MATCH with Part A Section 1.		
	(computational Scien		
SITE ADDRESS (Not PO Box) 1025 N. Milwau		Milwaukee	WI 53202
To determine if a TSSA is required, FROM UNDERGROUND AND ABO	see ATCP 93 and section II part B of AS WEGROUND STORAGE TANK SYSTE	SSESSMENT AND REPORTING OF MS.	SUSPECTED AND OBVIOUS RELEASES
If a TSSA is required, then follow the UNDERGROUND AND ABOVEGRO	e procedures detailed in ASSESSMENT OUND STORAGE TANK SYSTEMS	AND REPORTING OF SUSPECTE	D AND OBVIOUS RELEASES FROM
1. Site Information			
a. Has there been a previously	documented release at this site? 🕅 Y	□ N	
If yes, provide the DATCP #	/	or DNR BRRT's # 02-4	1-581016
b. Number of active tanks at fac	cility prior to completion of current service	es: USTs	ASTs
(NOTE 1: Do not include previou	usly closed systems or system compone	ents.)	
c. Excavation/trench dimension	s (in feet). (Photos must be provided.)		
EXCAVATION/TRENCH #	LENGTH	WIDTH	DEPTH
1	6	4'	5
	6	7	<u>J</u>
		ano	
2. Visual Excavation/Trench Insp	ection (Photos must be provided for '	'Yes" responses, except item b.)	1 Harana I
Do any of the following conditions ex			
-		KNo c. Water In excavation/	ronch: UVes XINo
a. Stained soils:			
d. Free product in the excavatio	n/trench: LI Yes Alvo e. S	heen or free product on water:	Yes Allo
3. Geology/Hydrogeology			
a. Depth to groundwater	20 feet b. In	ndicate type of geology ² Granula	av/silly sand w/ gravel
4. Receptors	_ \		5
	50 feet of the facility? 🔲 Yes 🖉 No		
	feet of the facility? Yes X No I	f yes, specify:	
5. Sampling			
ABOVEGROUND STORAGE	E TANK SYSTEMS.		RELEASES FROM UNDERGROUND AND
b. Complete Tables 1 and 2 as	appropriate. (Attach chain-of-custody a	nd laboratory analytical reports.)	
c. Attach a detailed map of site	features and sample locations.		
J. NOTE RELEVANT OBSERVATIONS.	SPECIFIC PROBLEMS OR CONCERNS BE	LOW	
Refer to ass	ociated TSSA repar	the additional	defails.

TR-WM-140 (8/17) Formerly ERS-8951 (7/13)

Sample ID #	Sample Location & Soil/Geologic Description	s	ample Colle	ection Metho	bd	Depth Below Tank/Piping (feet)	Field Screening Result (ppm)	GRO (mg/kg)	DRO (mg/kg)	
		Grab	Shelby Tube	Direct Push	Split Spoon					
									1	
						NTS				
			NO	171	FIRID	in the second se				
	54	10	AUTI	Ry.						
)6									
								1		
									1	

TABLE 2 SOIL LABORATORY ANALYTICAL RESULTS-FOR PETROLEUM PRODUCTS

Sample ID #	BENZENE	TOLUENE	ETHYLBENZENE	МТВЕ	TRIMETHYL - BENZENES (TOTAL)	XYLENES (TOTAL)	NAPHTHALENE
	ug/kg	ug/kg	ug/kg	ug/kg	ug/kg	ug/kg	ug/kg
				CHME	NTS		
	0	- CA	ATTA				
	C						
			1				
			1				

K. TANK-SYSTEM SITE ASSESSMENT INFORMATION

As a tank-system site assessor certified under Wis. Admin. Code section SPS 305.83, it is my opinion that there is no indication of a release of a regulated

substance to the environment. Sampling at the site indicates there has been a release to the environment. Pursuant to Wis. Admin. Code section ATCP 93.585 (2) (a) and Wis. Stats. section 292.11 (2) (a), the owner or operator or contractor performing work under chapter ATCP 93 shall immediately report any release of a regulated substance to the Wisconsin Department of Natural Resources. Failure to do so may result in forfeitures of a minimum of \$10 and a maximum of \$5000 for each violation under Wis. Stats. Section 168.26 (5). Each day of continued violation and each tank are treated as separate offenses.

JOHN T HOLCOMBE	A) Halale	402896	
TANK-SYSTEM SITE ASSESSOR NAME (PRINT):	TANK SYSTEM SITE ASSESSOR SIGNATURE	CERTIFICATION NO	
(114) 643- 4200	7/10/2018 THE SIGMA (2RWP	

TANK-SYSTEM SITE ASSESSOR TELEPHONE NUMBER DATE SIGNED

COMPANY NAME

Appendix E

TSSA Soil Laboratory Analytical Report

Synergy Environmental Lab, INC.

1990 Prospect Ct., Appleton, WI 54914 *P 920-830-2455 * F 920-733-0631

JT HOLCOMBE THE SIGMA GROUP, INC. 1300 W. CANAL STREET MILWAUKEE, WI 53233

Report Date 10-Jul-18

Project Name Project #	MSOE 17076	Invoice # E34849												
Lab Code Sample ID Sample Matrix Sample Date	5034849A UST-1 x Soil 6/22/2018	Result	Unit		loq d	:1	Method	Ext Data	Run Date	Analyst	Code			
General		Kesuit	Umt	LOD	LUQ D	11	Wiethou	Ext Date	Kun Date	Analyst	Coue			
General														
Solids Percent		93.1	%			1	5021		6/26/2018	NJC	1			
Organic														
PVOC + Nap	hthalene													
Benzene		< 0.025	mg/kg	0.0095	0.03	1	GRO95/8021		6/30/2018	CJR	1			
Ethylbenzene		< 0.025	mg/kg	0.016	0.05	1	GRO95/8021		6/30/2018	CJR	1			
Methyl tert-butyl	ether (MTBE)	< 0.025	mg/kg	0.011	0.034	1	GRO95/8021		6/30/2018	CJR	1			
Naphthalene		< 0.025	mg/kg	0.022	0.07	1	GRO95/8021		6/30/2018	CJR	1			
Toluene		< 0.025	mg/kg	0.013	0.041	1	GRO95/8021		6/30/2018	CJR	1			
1,2,4-Trimethylbo	enzene	< 0.025	mg/kg	0.019	0.06	1	GRO95/8021		6/30/2018	CJR	1			
1,3,5-Trimethylbo	enzene	< 0.025	mg/kg	0.0096	0.031	1	GRO95/8021		6/30/2018	CJR	1			
m&p-Xylene		< 0.05	mg/kg	0.013	0.042	1	GRO95/8021		6/30/2018	CJR	1			
o-Xylene		< 0.025	mg/kg	0.0062	0.02	1	GRO95/8021		6/30/2018	CJR	1			

0	MSOE 17076						Invoid	ce # E3484	19		
Lab Code	5034849B UST-2										
Sample ID Sample Matrix											
Sample Date	6/22/2018										
Sample Date	0/22/2018	Result	Unit		LOQ D	:1	Method	Ext Data	Run Date	Analyst	Code
C 1		Kesuit	Omt	LOD	LUQ D	11	Methou	Ext Date	Kull Date	Analyst	Coue
General											
General											
Solids Percent		89.3	%			1	5021		6/26/2018	NJC	1
Organic											
PVOC + Naph	thalene										
Benzene		< 0.025	mg/kg	0.0095	0.03	1	GRO95/8021		6/30/2018	CJR	1
Ethylbenzene		< 0.025	mg/kg	0.016	0.05	1	GRO95/8021		6/30/2018	CJR	1
Methyl tert-butyl et	ther (MTBE)	< 0.025	mg/kg	0.011	0.034	1	GRO95/8021		6/30/2018	CJR	1
Naphthalene		0.107	mg/kg	0.022	0.07	1	GRO95/8021		6/30/2018	CJR	1
Toluene		< 0.025	mg/kg	0.013	0.041	1	GRO95/8021		6/30/2018	CJR	1
1,2,4-Trimethylben		< 0.025	mg/kg	0.019	0.06	1	GRO95/8021		6/30/2018	CJR	1
1,3,5-Trimethylben	izene	< 0.025	mg/kg	0.0096	0.031	1	GRO95/8021		6/30/2018	CJR	1
m&p-Xylene		< 0.05	mg/kg	0.013	0.042	1	GRO95/8021		6/30/2018	CJR	1
o-Xylene		< 0.025	mg/kg	0.0062	0.02	1	GRO95/8021		6/30/2018	CJR	1
Lab Code	5034849C										
Sample ID	UST-3										
Sample Matrix											
Sample Date	6/22/2018										
		Result	Unit	LOD	LOQ D	il	Method	Ext Date	Run Date	Analyst	Code
General											
General											
Solids Percent		86.6	%			1	5021		6/26/2018	NJC	1
Organic											
PVOC + Naph	thalene										
Benzene		< 0.025	mg/kg	0.0095	0.03	1	GRO95/8021		6/30/2018	CJR	1
Ethylbenzene		< 0.025	mg/kg	0.016	0.05				6/30/2018	CJR	1
Methyl tert-butyl et	ther (MTBE)	< 0.025	mg/kg	0.011	0.034	1	GRO95/8021		6/30/2018	CJR	1
Naphthalene	. /	0.054 "J"	mg/kg	0.022	0.07	1	GRO95/8021		6/30/2018	CJR	1
Toluene		< 0.025	mg/kg	0.013	0.041	1	GRO95/8021		6/30/2018	CJR	1
1,2,4-Trimethylben	zene	< 0.025	mg/kg	0.019	0.06	1	GRO95/8021		6/30/2018	CJR	1
1,3,5-Trimethylben		< 0.025	mg/kg	0.0096	0.031	1	GRO95/8021		6/30/2018	CJR	1
m&p-Xylene		< 0.05	mg/kg	0.013	0.042	1	GRO95/8021		6/30/2018	CJR	1
o-Xylene		< 0.025	mg/kg	0.0062	0.02	1	GRO95/8021		6/30/2018	CJR	1

U	MSOE 17076						Invoid	e # E3484	19		
Lab Code Sample ID	5034849D UST-4										
Sample Matrix											
Sample Date	6/22/2018										
Sumpro 2 and	0,22,2010	Result	Unit	LODI	LOQ Di	1	Method	Ext Date	Run Date	Analyst	Code
General		Rebuit	Cint				Witthou	LAt Dutt	Run Dutt	1 mary 5t	couc
General											
		82.2	0/			1	5021		(12)(12)(12)	NIC	1
Solids Percent		82.3	%			1	5021		6/26/2018	NJC	1
Organic											
PVOC + Naph	nthalene										
Benzene		< 0.025	mg/kg	0.0095	0.03	1	GRO95/8021		6/30/2018	CJR	1
Ethylbenzene		< 0.025	mg/kg	0.016	0.05	1	GRO95/8021		6/30/2018	CJR	1
Methyl tert-butyl e	ther (MTBE)	< 0.025	mg/kg	0.011	0.034	1	GRO95/8021		6/30/2018	CJR	1
Naphthalene		< 0.025	mg/kg	0.022	0.07	1	GRO95/8021		6/30/2018	CJR	1
Toluene		< 0.025	mg/kg	0.013	0.041	1	GRO95/8021		6/30/2018	CJR	1
1,2,4-Trimethylber		1.06	mg/kg	0.019	0.06	1	GRO95/8021		6/30/2018	CJR	1
1,3,5-Trimethylber	nzene	0.52	mg/kg	0.0096	0.031	1	GRO95/8021		6/30/2018	CJR	1
m&p-Xylene		< 0.05	mg/kg	0.013	0.042	1	GRO95/8021		6/30/2018	CJR	1
o-Xylene		< 0.025	mg/kg	0.0062	0.02	1	GRO95/8021		6/30/2018	CJR	1
Lab Code	5034849E										
Sample ID	UST-5										
Sample Matrix	Soil										
Sample Date	6/22/2018										
Sumpro 2 and		Result	Unit		LOQ Di	1	Method	Ext Date	Run Date	Anglyst	Code
General		Kesuit	Omt		JOQ DI	L	Witthou	Ext Date	Kull Date	Analyst	Couc
General											
Solids Percent		88.0	%			1	5021		6/26/2018	NJC	1
Organic											
PVOC + Naph	nthalene										
Benzene		< 0.025	mg/kg	0.0095	0.03	1	GRO95/8021		6/30/2018	CJR	1
Ethylbenzene		< 0.025	mg/kg	0.016	0.05	1	GRO95/8021		6/30/2018	CJR	1
Methyl tert-butyl e	ther (MTBE)	< 0.025	mg/kg	0.011	0.034	1	GRO95/8021		6/30/2018	CJR	1
Naphthalene		< 0.025	mg/kg	0.022	0.07	1	GRO95/8021		6/30/2018	CJR	1
Toluene		< 0.025	mg/kg	0.013	0.041	1	GRO95/8021		6/30/2018	CJR	1
1,2,4-Trimethylber	nzene	0.061	mg/kg	0.019	0.06	1	GRO95/8021		6/30/2018	CJR	1
1,3,5-Trimethylber	nzene	< 0.025	mg/kg	0.0096	0.031	1	GRO95/8021		6/30/2018	CJR	1
m&p-Xylene		< 0.05	mg/kg	0.013	0.042	1	GRO95/8021		6/30/2018	CJR	1
o-Xylene		< 0.025	mg/kg	0.0062	0.02	1	GRO95/8021		6/30/2018	CJR	1

0	MSOE 17076	Invoice # E34849												
Lab Code Sample ID Sample Matrix Sample Date	5034849F UST-6 Soil 6/22/2018	Dogulá	T		LOQ D	21	Mathad	E-4 Do4a	Due Doto	Amolast	Code			
General		Result	Unit	LUD	LUQ D	11	Method	Ext Date	Run Date	Analysi	Code			
General														
Solids Percent		84.4	%			1	5021		6/26/2018	NJC	1			
Organic														
PVOC + Naph	nthalene													
Benzene		< 0.025	mg/kg	0.0095	0.03	1	GRO95/8021		6/30/2018	CJR	1			
Ethylbenzene		< 0.025	mg/kg	0.016	0.05	1	GRO95/8021		6/30/2018	CJR	1			
Methyl tert-butyl e	ther (MTBE)	< 0.025	mg/kg	0.011	0.034	1	GRO95/8021		6/30/2018	CJR	1			
Naphthalene		< 0.025	mg/kg	0.022	0.07	1	GRO95/8021		6/30/2018	CJR	1			
Toluene		< 0.025	mg/kg	0.013	0.041	1	GRO95/8021		6/30/2018	CJR	1			
1,2,4-Trimethylber	nzene	< 0.025	mg/kg	0.019	0.06	1	GRO95/8021		6/30/2018	CJR	1			
1,3,5-Trimethylber	nzene	< 0.025	mg/kg	0.0096	0.031	1	GRO95/8021		6/30/2018	CJR	1			
m&p-Xylene		< 0.05	mg/kg	0.013	0.042	1	GRO95/8021		6/30/2018	CJR	1			
o-Xylene		< 0.025	mg/kg	0.0062	0.02	1	GRO95/8021		6/30/2018	CJR	1			

"J" Flag: Analyte detected between LOD and LOQ

LOD Limit of Detection

LOQ Limit of Quantitation

Code Comment

1

Laboratory QC within limits.

All solid sample results reported on a dry weight basis unless otherwise indicated. All LOD's and LOQ's are adjusted for dilutions but not dry weight. Subcontracted results are denoted by SUB in the analyst field.

Authorized Signature

Michaelplul

	Ab I.D. #					Synergy										Chain # Nº 356 Page											
Lab I.D. #		parties.	<u>.</u>		- 4	Emirie	000	-	més		-	h		100	-		Γ			-	-			ing R	eque	st	
Account No. :	1	Quote No.:			6	Environmental Lab, Inc.								Rush Analysis Date Required													
Project #: 170	Prin	7			_						, WI 54914 733-0631							(Rushes accepted only w									
Sampler: (signature)	1 Halel	- ,			1			2455	• FAX S	120-73	-733-0631						L	Normai							Tour		
Project (Name / o	cation): MS	E/ 10	25	N	MILWA	UKEE S					Analysis Requeste						sted	bi					-	Oth	her A	nalys	is
Reports To: JT	HOLLOMA	E	Invo	vice To:		SAM	E		_												1						
Company	SIGMA		Con	npany								÷							0	2							
Address 1300	O W CAN	VAL ST	Add	ress							-							ш	10								
City State Zip	MILWAUKE	E WI 532	3 City	State Z	Zip	-					Sep 95)	ep 95)						LEN	0	5							
	643.42		Pho	ne				1-			0 Se	SOS	BITE	ш	(0)		021)	HI-	END	A 524	(08	ALS					1
FAX	-12: 1ª		FAX	(1	_		d DRO	d GF	EIN	EAS	A 827		PA 8		1 ICD	(FPU	A 820	MET)					PID/
Lab I.D.	Sample I.D.	Collection Date Time	Comp	Grab	Filtered Y/N	No. of Containers	San Ty (Mat	pe	Preserv	ation	DRO (Mod	GRO (Mod GRO Sep	NITRATE/NITRITE	OIL & GREASE	PAH (EPA 8270)	PCB	PVOC (EPA 8021)	PVOC + NAPHIHALENE	TOTAL SI	VOC DW (FPA 524 2)	VOC (EPA 8260)	8-RCRA METALS					FID
5054849A	UST-1	6/22/1011:50		X		Z	3		1-me					-		X		-	-	-							
R	UST-2						1			C								X		1							
Č.	UST-3							-		-	-	-	-			-	-	X	-	+		-		++			24
D D	UST-4 UST-5							-		-	-	-	+	-		-	-	X	-	+	-		-	++	++		7.4
F	UST-6	11		1		1	1	-	1	-		1	1					X		1	1						
					-		-	_	-	-	-	-	-	-	-	-		+	-	-	-			++			-
	-			-				T.	-	-	-	-	+	-		-	-	+	+	+	+		+			+	-
Comments/Spec	L cial Instructions (*	Specify ground	lwater '	'GW", I	Drinking V	Vater "DW", N	Waste W	/ater '	"WW", So	oil "S",	Air	"A",	Oil, S	Sluc	lge (etc.))							<u> </u>			
Met Ten	y - To be complet hod of Shipment: np. of Temp. Blan	K_ °CONI	<u>ده:</u> کم	Reli		ly: (hgh)		4	Tim 13:2		2. 4	Date 22/		Rece	eived	By:	(sig	n)						Tim	0	Da	.te
Cooler seal inta	ici upon receipty.	Yes	No	Rec	eived in La	boratory By:	h-	11	Re	-								Tin	ne:	18	>:4	5		Date	: 6	25-1	18