



REI

**CIVIL & ENVIRONMENTAL
ENGINEERING, SURVEYING**

SITE INVESTIGATION REPORT

**FONG FAMILY, LLC
360 & 372 GRAND AVENUE
WAUSAU, WI 54403
BRRTS #02-37-587441**

REI PROJECT #9640A



**COMPREHENSIVE
SERVICES WITH
PRACTICAL
SOLUTIONS**



SITE INVESTIGATION REPORT

**FONG FAMILY, LLC
360 & 372 GRAND AVENUE
WAUSAU, WI 54403
BRRTS #02-37-587441**

REI PROJECT #9640A



PREPARED FOR:

**Fong Family, LLC.
Attn: Mr. John Rosemurgy
PO Box 1966
Wausau, WI 54402**

JUNE 2021


SITE INVESTIGATION WORK PLAN

FONG FAMILY, LLC
360 & 372 GRAND AVENUE
WAUSAU, WI 54403
BRRTS #02-37-587441

REI PROJECT #9640A

The recommendations contained in this report are based on the information obtained from our study of the site and were arrived at in accordance with accepted hydrogeologic and engineering practices at this time and location.

"I, Matthew C. Michalski, hereby certify that I am a hydrogeologist as that term is defined in s. NR 712.03 (1), Wis. Adm. Code, am registered in accordance with the requirements of ch. GHSS 2, Wis. Adm. Code, or licensed in accordance with the requirements of ch. GHSS 3, Wis. Adm. Code, and that, to the best of my knowledge, all of the information contained in this document is correct and the document was prepared in compliance with all applicable requirements in chs. NR 700 to 726, Wis. Adm. Code."



Hydrogeologist

6/4/2021

Date

"I, Andy R. Delforge, hereby certify that I am a hydrogeologist as that term is defined in s. NR 712.03 (1), Wis. Adm. Code, am registered in accordance with the requirements of ch. GHSS 2, Wis. Adm. Code, or licensed in accordance with the requirements of ch. GHSS 3, Wis. Adm. Code, and that, to the best of my knowledge, all of the information contained in this document is correct and the document was prepared in compliance with all applicable requirements in chs. NR 700 to 726, Wis. Adm. Code."



Hydrogeologist

6/4/2021

Date

TABLE OF CONTENTS

1.0 Executive Summary	1
2.0 Introduction	4
2.1 Purpose of Report	4
2.2 General Information	4
2.2.1 Responsible Party	4
2.2.2 Regulatory Contact	4
2.2.3 Environmental Consulting Firm	4
2.2.4 Site Name, Address, & Legal Description.....	5
2.3 Site Background.....	6
2.3.1 Current & Historic Land Use	6
2.3.2 Zoning	8
2.3.3 Previous Releases/Investigations	9
2.3.4 Current Investigation	9
2.3.5 Regional Geology & Hydrogeology	9
3.0 Methodologies.....	10
3.1 Soil	11
3.2 Groundwater.....	11
3.3 Investigative Wastes.....	11
3.4 Borehole Abandonment.....	12
4.0 Summary of Site Investigation	12
5.0 Results of Investigation.....	12
5.1 Site Geology	12
5.2 Site Hydrogeology.....	13
5.3 Soil & Vadose Zone Quality	13
5.3.1 Fill Material	14
5.3.2 Native Unconsolidated Materials	16
5.4 Groundwater Quality	18
5.5 Potential/Known Receptors	18
5.5.1 Vapor Intrusion Potential	19
5.5.2 Private or Municipal Potable Wells	22

5.5.3 Surface Water & Sediments.....	22
6.0 Site Characterization	22
7.0 Conclusion & Recommendations.....	23
7.0 References.....	24

LIST OF FIGURES

Figure 1	Location Map
Figure 2	Detailed Site Map
Figure 3a-b	Geologic Cross-Section
Figure 4	Soil Contamination – Fill (VOC & PAH)
Figure 5	Soil Contamination – Fill (Metals)
Figure 6	Soil Contamination – Native
Figure 7	Groundwater Isoconcentration

LIST OF FIGURES

Tables 1a-c	Soil Analytical Results
Tables 2a-c	Groundwater Analytical Results

LIST OF APPENDICES

Appendix A	Source Legal Documents
Appendix B	Zoning Documentation
Appendix C	Methods and Procedures
Appendix D	Site Photographs
Appendix E	Soil Boring Logs
Appendix F	Borehole Abandonment Forms (WDNR Form 3300-005)
Appendix G	Laboratory Analytical Results

SITE INVESTIGATION REPORT

**FONG FAMILY, LLC
360 & 372 GRAND AVENUE
WAUSAU, WI 54403
BRRTS #02-37-587441**

REI PROJECT #9640A

1.0 EXECUTIVE SUMMARY

The subject property is currently developed with one (1) single store slab on-grade commercial structure, constructed in 1992, utilized for office space. Historically, the eastern portion of the property along Grand Avenue contained multiple small, conjoined structures utilized for a variety of residential and small commercial uses. Fill materials appear to have used to raise the grade of the central and western portion of the subject property and properties to the north and south between approximately 1950 and 1980. Fill materials placed along the Grave Avenue corridor to the north of south of this property around the same period are assumed to be from the same source.

The release was identified during the completion of a limited Phase II Environmental Site Assessment (ESA), completed in conjunction with Geotechnical Exploration conducted at the property. Geotech borings were advanced at the subject property on March 23rd and April 2nd, 2021. Subsequently, the Wisconsin Department of Natural Resources (WDNR) sent a Responsible Party (RP) letter, dated April 23, 2021, which required that a site investigation be conducted for the subject property.

The site investigation consisted of twelve (12) hydraulic push soil borings in addition to the four (4) soil borings conducted as part of the Geotechnical Exploration. Forty (40) unsaturated soil samples and seven (7) groundwater samples were submitted to a state certified laboratory for analysis. Results of the investigation are as follows:

The soils encountered in the soil borings generally consisted of fill materials from ground surface to depths ranging from eight (8) to seventeen (17) feet below land

surface (bls) on the eastern portion of the property and extending up to forty-eight (48) feet bls on the central and western portions of the property. Encountered fill materials generally consisted of a grey fine to medium grained silty sand. However, depending on soil boring location and depth fill materials ranged from reddish brown to brown to tan to light tan to white fine to coarse grained silty sand or sand with varying amount of gravel. Glass, brick, and concrete fragments were also encountered in some soil boring locations.

Native unconsolidated materials in the eastern portion of the subject property were encountered at depth ranging from eight (8) to seventeen (17) feet bls and generally consisted of a dark brown to brown to tan fine to coarse grained sand. This material extended to the end of the soil borings, sixteen (16) to twenty (20) feet bls, except in the area of G8, where a tan fine to coarse grained silty sand was encountered from the base of the fill, eleven (11) feet bls to the end of the soil boring sixteen (16) feet bls. In the central and western portions of the subject property, native unconsolidated materials consisted of interbedded dark brown to brown to tan fine to very coarse sand with varying amounts of gravel, fine to coarse grained silty sand, and sandy silt. Native materials were encountered at depths ranging from thirty-eight (38) to forty-eight (48) feet bls and extended to the end of the soil borings, fifty (50) feet bls.

Unsaturated soil contamination, within identified fill materials, exceeding the Wisconsin Administrative Code (WAC) Chapter NR720 Groundwater Pathway Protection RCLs was identified as follows:

- Tetrachloroethene (PCE) in five (5) of the completed soil borings.
- Polycyclic Aromatic Hydrocarbons (PAH) compounds in six (6) of the completed soil borings.
- Lead in six (6) of the completed soil borings.
- Arsenic in all fourteen (14) of the completed soil borings.

Unsaturated soil contamination, within identified fill materials, exceeding the WAC Chapter NR720 Non-Industrial Direct Contact RCLs was identified with the top four (4) feet of the soil column in thirteen (13) of the completed soil borings due to concentrations of Arsenic identified. Arsenic concentrations in eleven (11) of the soil borings also exceeded the WAC Chapter NR720 Industrial Direct Contact RCLs.

However, only one (1) soil being identified a concentration of Arsenic within the top four (4) feet of the soil column that also exceeded the Wisconsin Background Threshold Value of eight (8) mg/kg.

Unsaturated soil contamination, within underlying native materials, exceeding the WAC Chapter NR720 Groundwater Pathway Protection RCLs was identified as follows:

- PCE in one (1) of the completed soil borings.
- Ethylbenzene, Naphthalene, Trimethylbenzenes, and Xylenes in one (1) of the completed soil borings.
- PAH compounds in three (3) of the completed soil borings.
- Lead in one (1) of the completed soil borings.
- Arsenic in all eleven (11) of the completed soil borings advanced into the underlying native materials. Please note, Arsenic concentrations in zero (0) of the eleven soil borings exceeded the Wisconsin Background Threshold Value.

Dissolved phase groundwater contamination, exceeding the WAC Chapter NR140 Preventive Action Limit (PAL) was identified as follows:

- PCE in six (6) of the collected groundwater samples.
- Benzene in one (1) of the collected groundwater samples.
- Arsenic in one (1) of the collected groundwater samples.
- PAH compounds in three (3) of the collected groundwater samples.

Dissolved phase groundwater contamination, exceeding the WAC Chapter NR140 Enforcement Standard (ES) was not identified during the completion of the site investigation. Free product has not been observed at the site.

Based on the soil and groundwater laboratory analytical results along with site conditions, an evaluation of established WDNR criteria determined vapor intrusion does not appear to be a major concern at this site. PCE impacted soil was identified within one hundred (100) feet of the building's foundation. However, the identified PCE contamination in unsaturated soil appear to be sporadically located and the highest concentration of PCE detected was 0.0903 mg/kg [B-3 (7-9 feet bls)].

Based on these results, REI recommends no additional investigative at this time and the site be reviewed for the possibility of case closure with a cap maintenance plan to manage the identified WAC Chapter NR720 Direct Contact RCL exceedances for Arsenic.

2.0 INTRODUCTION

2.1 Purpose of Report

The purpose of the investigation was to determine the degree and extent of contamination in soil and groundwater. The investigation was prompted after contaminated unsaturated fill materials were discovered during completion of a limited Phase II ESA in April 2021. Subsequently, the WDNR sent a RP letter, dated April 23, 2021, which required that a site investigation be conducted for the subject property.

2.2 General Information

2.2.1 Responsible Party

Fong Family, LLC
Attn: Mr. John Rosemurgy
PO Box 1966
Wausau, WI 54403

2.2.2 Regulatory Contact

Wisconsin Department of Natural Resources
Remediation and Redevelopment Program
Attn: Mr. Matt Thompson
West Central Regional Office
1300 W. Clairemont Avenue
Eau Claire, WI 54701

2.2.3 Environmental Consulting Firm

REI Engineering, Inc.
Attn: Mr. Brian J. Bailey
4080 North 20th Avenue
Wausau, Wisconsin 54401

Phone (715) 675-9784

2.2.4 Site Name, Address, & Legal Description

Fong Family, LLC
360 & 372 Grand Avenue
Wausau, WI 54403

Facility ID:

737254760

Parcel ID Number:

291-2907-362-0511

Public Land Survey System:

The Southeast Quarter (SE $\frac{1}{4}$) of the Northwest Quarter (NW $\frac{1}{4}$) of Section Thirty-six (36), Township Twenty-nine North (29N), Range Seven East (7E), Marathon County, Wisconsin.

WTM Coordinates:

Easting: 549,655

Northing: 497,874

Latitude & Longitude:

Latitude: 44° 57' 13.26" N

Longitude: 89° 37' 26.56" W

Legal Description:

Lot Four (4) of Certified Survey Map No. 5576 recorded in Volume 20 of Surveys, on page 169; being a part of Lot Nine (9) in Block Three (3) and part of Lots Seven (7) and Eight (8) in Block Four (4) of B. Williams Addition in the City of Wausau, and part of Government Lot One (1) and part of Government Lot Two (2), all in Section Thirty-six (36), Township Twenty-nine (29) North, Range Seven (7) East, in the City of Wausau, Marathon County, Wisconsin, together with the Southerly one-half of that part of the vacated alley lying Northerly of and contiguous to said lot in B. Williams Addition.

The site location is depicted in Figure 1. Copies of the current deed and certified survey map are presented in Appendix A.

2.3 Site Background

2.3.1 Current & Historic Land Use

Based on historic Sanborn Fire Insurance Maps and aerial photographs the subject property appears to have been developed prior to 1891. Between 1891 and 1974 the eastern portion of the property along Grand Avenue contained multiple small, conjoined structures which varied in use from private residences, stores, and grocery stores. The structure located in the southeast corner of the property was associated with a larger facility to the south that was used as a brewing company, rubber products manufacturer, and electrical repair. Fill appears to have been placed on the property by 1950. Between 1951 and 1974, aerial photographs show additional fill being placed on the subject property and properties to the north and south. The 1980 aerial photograph appears to depict current site elevations present.

The current site structure was constructed in 1992 and the current property owner purchased the property in 2008. The site structure was utilized as office space.

Sanborn Fire Insurance Maps

1884 – No coverage by Sanborn Fire Insurance Maps

1891 – Approximately western half of the property utilized a lumber yard for Alexander Stewart Lumber Company Southeast yard. Small residence and store located along Grand Avenue on east end of property. Based on the Sanborn Map, an incline is noted on the eastern quarter of the property.

1898 – Western portion of the property noted as lumber yard for Alexander Stewart Lumber Company Southeast. Multiple attached structures including residence, grocery store, and vacant buildings noted adjacent to Grand Avenue. Map indicated an approximately forty (40)

foot decrease in ground surface elevations directly behind the eastern structures.

1904 – No significant changes from 1898. Additional structure associated with Mathie Brewing Company located along Grand Avenue on eastern side of subject property.

1912 – Lumberyard no longer identified on western portion of the property. Adjacent properties to the west appear to have been converted to private residential lots.

1923 – No significant changes to identified bank from 1912. Structure located in southeast corner of the property previously associated with Mathie Brewing Company identified as part of larger Marathon Rubber Products Co.

1950 – Appears some filling occurred on subject property based on mapped bank edge and addition of a free-standing garage behind structures located along Grand Avenue. Structure located in southeast corner of the property previously associated with Marathon Rubber Products Co. identified as electrical repair business.

1954 – No significant changes to subject property from 1950. Based on previous Sanborn maps, areas north of the subject property appear to have fill material placed based construction of building along Grand Avenue in areas of historically steep banks.

1961 – No significant changes to identified bank from 1954. Adjacent property to the north identified as Used Auto Sales.

1963 – No significant changes from 1961.

1967 – No significant changes from 1963.

Aerial Photographs

- 1938 – Structures present along east side of property adjacent to Grand Avenue. Appears to be a tree covered slop along west side of structures with western portion of the subject property part of a larger lumber yard.
- 1951 – Low resolution image, unable to identify individual structures or accurately identify change in elevation across subject property.
- 1962 – Compared to Sanborn Fire Insurance Maps, additional fill material appears present to the west of the site structures.
- 1964 – Additional filling appears to be occurring on subject property and properties to the north and south.
- 1974 – Additional filling appears to be occurring on subject property and properties to the north and south. Numerous small piles present on western portion of the property.
- 1980 – Ground surface elevations appear similar to current elevations. Structure located on adjacent property to the south is present, located on west side of property.
- 1998 – Current site structure present and ground surface covers appear to match current conditions.

2.3.2 Zoning

Based on the City of Wausau GIS the subject property and the adjacent properties to the north and south are zoned UMU – Urban Mixed Use. The adjacent properties to the west are zoned LI – Light Industrial and the adjacent property across Grand Avenue is zoned I – Institutional. A zoning map from the City of Wausau GIS and select portions of the City of Wausau Title 23: Zoning Ordinance is included in Appendix B.

2.3.3 Previous Releases/Investigations

No other Bureau for Remediation and Redevelopment Tracking System (BRRTS) activities are listed for the subject property and no other releases are known to have occurred on the property.

2.3.4 Current Investigation

American Engineering Testing, Inc. (AET) conducted Geotechnical soil borings on the subject property on March 23rd and April 2nd, 2021. Four (4) soil borings were completed. During the completion of the soil borings, REI personnel collected soil samples from two (2) of the completed soil borings, as part of a limited Phase II Environmental Site Assessment (ESA). Based on findings in the Geotech Report prepared by AET (dated April 7, 2021), fill material was encountered in all four (4) borings advanced at the property ranging from 12 to 48 feet bls. Fill thickness appears to increase across the property from east to west. The source of the fill material is unknown. Laboratory analytical results identified contamination within the unsaturated soils exceeding the WAC Chapter NR720 state soil standards.

The WDNR was notified of the identified contamination on April 6, 2021. On April 26, 2021, the WDNR sent a RP letter identifying the property owners' responsibilities in relation to the identified contamination. An Environmental Repair Program (ERP) site listing was opened for the property on the WDNR's BRRTS database. On May 5, 2021, REI submitted a Site Investigation Workplan on behalf of the responsible party.

2.3.5 Regional Geology & Hydrogeology

The site is located in the northcentral portion of the Central Wisconsin River Basin. Land surface elevation at the site is approximately 1,210 ± 10 feet above MSL according to the U.S.G.S. Wausau East, Wisconsin 7.5-minute quadrangle map. The topography for the region consists of gently rolling till plains slightly modified by stream erosion. The region has many crystalline rock outcroppings that project through the glacial deposits. The nearest surface water is Lake Wausau (WBIC 1437500) located approximately 1,100 feet west of the subject property. Lake Wausau is a drainage lake and impoundment of

the Wisconsin River (WBIC 1179900). Lake Wausau is not listed as an impaired water, but the Wisconsin River is identified as an impaired water due to Mercury and Polychlorinated biphenyls (PCBs).

The geology and water resources of the basin as described by Devaul and Green (1971), indicate that unconsolidated surficial geology generally consists of unpitted outwash consisting of stratified sand and gravel with some clay and silt including alluvium. Major streams generally have branching drainage patterns and there are fewer wetlands or natural lakes compared to outwash deposits to the south and northeast. The bedrock in the area consists of Pre-Cambrian crystalline rock. The depth to bedrock is anticipated to be present at approximately 80 feet bls, based on local Well Construction Reports.

Soil permeabilities for the unpitted outwash material are 2.5 to 5 inches per hour. The average annual precipitation in the area is about 30.9 inches per year. The typical evapotranspiration rate is about 19.7 inches per year. This leaves about 11.2 inches per year for surface runoff and groundwater recharge. Surface water inflow into the basin averages 7.1 inches per year and outflow averages 18 inches per year (Devaul and Green, 1971). Since approximately 1992, the majority of the property has been covered by the site structure and surrounding asphalt and concrete surface covers except for the western most portion of the property which consists of a steep slope with decreasing elevation toward the west which is covered with vegetation. The current site structure, asphalt, and concrete surface covers effectively reduces the site-specific groundwater recharge rate to 2.5 inches per year, or 25 percent of the NR720.09(3) default rate of 10.0 inches per year.

3.0 METHODOLOGIES

Sampling methods and procedures are included in this report as Appendix C. Site photographs are presented in Appendix D. Soil boring logs are provided in Appendix E. Borehole abandonment forms (WDNR Form 3300-005) are provided in Appendix F. The current layout of the property, sample locations are shown on Figures 2.

3.1 Soil

Investigation of the extent of soil contamination was conducted via a truck mounted hydraulic push drill rig. The majority of these borings were advanced around the perimeter of on-site structure and near the property boundaries. The borings were placed to determine the lateral and vertical extents of fill and contamination in the subsurface. The soil borings were advanced to depths ranging from sixteen (16) to fifty (50) feet bls. Soil samples were screened using a Photoionization Ionization Detector (PID) with a 10.6 eV lamp. Methods and procedures for soil sampling are summarized in Appendix C.

A total of four (4) soil samples were collected as part of the limited Phase II ESA and thirty-six (36) soil samples were collected from the completed soil borings. Soil samples collected during the limited Phase II ESA were submitted to a State of Wisconsin Certified Laboratory for analysis of Resource Conservation and Recovery Act (RCRA) Metals and VOCs. Soil samples collected during the site investigation were submitted to a State of Wisconsin Certified Laboratory for analysis of Arsenic, Lead, PAH compounds and VOCs. The soil analytical results are summarized on Tables 1a-c. The complete laboratory soil analytical reports are presented in Appendix G.

3.2 Groundwater

Groundwater samples were collected from the open boreholes of soil borings G1 through G7. Seven (7) groundwater samples were collected from completed soil borings. The samples were placed in laboratory provided containers and submitted to a State Certified Laboratory for analysis of Dissolved Arsenic, Dissolved Lead, PAH compounds and VOCs. Methods and procedures for groundwater sampling are included in Appendix B. Analytical results for the collected groundwater samples are summarized on Tables 2a-b. The complete laboratory groundwater analytical reports are presented in Appendix G. Additional information regarding site specific groundwater characteristics is presented in later sections of this report.

3.3 Investigative Wastes

No investigative waste was generated as part of this site investigation.

3.4 Borehole Abandonment

After completion soil borings conducted as part of the site investigation were properly abandoned and impenetrable ground surface covers repaired. Soil boring abandonment forms (WDNR Form 3300-005) are provided in Appendix F.

4.0 SUMMARY OF SITE INVESTIGATION

The following is a summary of events that have taken place at the site as part of the site investigation:

April 6, 2021	REI submitted a Notification for Hazardous Substance Discharge (Form 4400-225) on behalf of the responsible party after unsaturated soil contamination was identified on the subject property.
April 26, 2021	WDNR sent out a RP letter to the property owner.
May 5, 2021	REI submitted Site Investigation Work Plan to the WDNR.
May 10-11, 2021	REI personnel on site to oversee the completion of soil borings G1 through G12.

5.0 RESULTS OF INVESTIGATION

5.1 Site Geology

The soils encountered in the soil borings generally consisted of fill materials from ground surface to depths ranging from eight (8) to seventeen (17) feet bls on the eastern portion of the property and extending up to forty-eight (48) feet bls on the central and western portions of the property. Encountered fill materials generally consisted of a grey fine to medium grained silty sand. However, depending on soil boring location and depth fill materials ranged from reddish brown to brown to tan to light tan to white fine to coarse grained silty sand or sand with varying amount of gravel. Glass, brick, and concrete fragments were also encountered in some soil boring locations.

Native unconsolidated materials in the eastern portion of the subject property were encountered at depth ranging from eight (8) to seventeen (17) feet bls and generally consisted of a dark brown to brown to tan fine to coarse grained sand. This material extended to the end of the soil borings, sixteen (16) to twenty (20) feet bls, except in the area of G8, where a tan fine to coarse grained silty sand was encountered from the base of the fill, eleven (11) feet bls to the end of the soil boring sixteen (16) feet bls. In the central of western portions of the subject property, native unconsolidated materials consisted of interbedded dark brown to brown to tan fine to very coarse sand with varying amounts of gravel, fine to coarse grained silty sand, and sandy silt. Native materials were encountered at depths ranging from thirty-eight (38) to forty-eight (48) feet bls and extended to the end of the soil borings, fifty (50) feet bls.

Figure 3 depicts a cross section of the site based on observations from soil borings. Soil boring logs are included in Appendix E. Borehole abandonment forms (WDNR Form 3300-005) are included in Appendix F.

5.2 Site Hydrogeology

The subsurface investigation was conducted via a truck mounted hydraulic push drill rig. Based on the observations made from the soil sampling lines, depth to groundwater appears to exist at depths ranging from forty-four (44) to forty-eight (48) feet bls. Based on the historic ground surface slope and location of nearby waterbodies, Lake Wausau and Wisconsin River, the local groundwater flow direction is assumed to toward the west.

5.3 Soil & Vadose Zone Quality

Surface conditions observed at the boring locations included mostly asphalt surface covers except in the area of soil boring G1 where surface covers consisted of manicured grass. Samples collected and submitted for laboratory analysis during boring installation were collected from above the water table, as observed in the sampler liner. Text within the site investigation report only identifies exceedances of the WAC Chapter NR720 Non-Industrial and Industrial Direct Contact RCLs for soil samples collected within the top four (4) feet of the soil column. Soil analytical results are summarized on Tables 1a-c and identify exceedances of the WAC Chapter NR720 Non-Industrial and Industrial Direct Contact RCLs for soil samples collected at depths

greater than four (4) feet bls. The estimated extent of unsaturated soil contamination is presented on Figures 4-6. The complete laboratory reports are included in Appendix G.

5.3.1 Fill Material

Unsaturated soil contamination identified, within fill materials present at the site, during the limited Phase II ESA and site investigation soil borings included concentrations exceeding the WAC Chapter NR720 state soil standards for the following:

Concentrations of Tetrachloroethene (PCE) exceeding the WAC Chapter NR720 Groundwater Pathway Protections RCL were identified in soil samples B-3 (7-9 feet bls), G6-5 (18-20 feet bls), G8-1 (2-4 feet bls), G8-3 (9-11 feet bls), G10-1 (2-4 feet bls), and G12-4 (14-16 feet bls).

Concentrations of Arsenic exceeding the WAC Chapter NR720 Groundwater Pathway Protection RCL were identified in soil samples B-3 (2.5-4 feet bls), B-3 (7-9 feet bls), B-4 (5-6.5 feet bls), G1-1 (2-4 feet bls), G1-9 (32-36 feet bls), G2-1 (2-4 feet bls), G2-8 (30-32 feet bls), G3-1 (2-4 feet bls), G3-9 (32-36 feet bls), G4-1 (2-4 feet bls), G4-9 (32-36 feet bls), G5-1 (2.5-4 feet bls), G5-9 (32-36 feet bls), G6-1 (2.5-4 feet bls), G6-5 (18-20 feet bls), G7-1 (2-4 feet bls), G7-6 (22-24 feet bls), G8-1 (2-4 feet bls), G8-3 (9-11 feet bls), G9-1 (2-4 feet bls), G9-2 (6-8 feet bls), G10-1 (2-4 feet bls), G10-4 (14-16 feet bls), G11-1 (2-4 feet bls), G11-2 (6-8 feet bls), G12-1 (2-4 feet), G12-3 (8-10 feet bls), and G12-4 (14-16 feet bls). The concentrations identified in soil samples B-3 (2.5-4 feet bls) and G5-1 (2.5-4 feet bls) also exceeded the WAC Chapter NR720 Non-Industrial Direct Contact RCL. The concentrations identified in soil samples G1-1 (2-4 feet bls), G1-9 (32-36 feet bls), G2-1 (2-4 feet bls), G3-1 (2-4 feet bls), G4-1 (2-4 feet bls), G6-1 (2.5-4 feet bls), G7-1 (2-4 feet bls), G8-1 (2-4 feet bls), G9-1 (2-4 feet bls), G10-1 (2-4 feet bls), G11-1 (2-4 feet bls), and G12-1 (2-4 feet) also exceeded the WAC Chapter NR720 Industrial Direct Contact RCL. Please note, all the identified concentrations, except soil samples G2-1 (2-4 feet bls), G8-3 (9-11 feet bls), G12-3 (8-10 feet bls), and G12-4 (14-16 feet bls), were below the Wisconsin BTV of eight (8) mg/kg for Arsenic.

Concentrations of Lead exceeding the WAC Chapter NR720 Groundwater Pathway Protection RCL were identified in soil samples B-3 (2.5-4 feet bls), B-3 (7-9 feet bls), B-4 (5-6.5 feet bls), G5-1 (2.5-4 feet bls), G6-5 (18-20 feet bls), G8-3 (9-11 feet bls), G12-3 (8-10 feet bls) and G12-4 (14-16 feet bls). Please note, the identified concentrations in soil samples G5-1 (5-6.5 feet bls) and G6-5 (18-20 feet bls) were below the Wisconsin BTV of fifty-two (52) mg/kg for Lead. The concentrations identified in soil samples G12-3 (8-10 feet bls) and G12-4 (14-16 feet bls) also exceeded the WAC Chapter NR720 Non-Industrial Direct Contact RCL.

A concentration of Benzo(a)Anthracene exceeding the WAC Chapter NR720 Industrial Direct Contact RCL was identified in soil sample G10-1 (2-4 feet bls).

Concentrations of Benzo(a)Pyrene exceeding the WAC Chapter NR720 Groundwater Pathway Protection RCL were identified in soil samples G8-3 (9-11 feet bls), G9-2 (6-8 feet bls), G10-1 (2-4 feet bls), G11-1 (2-4 feet bls), and G11-2 (6-8 feet bls). The concentration identified in soil sample G10-1 (2-4 feet bls) also exceeded the WAC Chapter NR720 Industrial Direct Contact RCL and the concentration identified in soil sample G11-1 (2-4 feet bls) also exceeded the WAC Chapter NR720 Non-Industrial Direct Contact RCL.

Concentrations of Benzo(b)Fluoranthene exceeding the WAC Chapter NR720 Groundwater Pathway Protection RCL were identified in soil samples G6-5 (18-20 feet bls), G8-3 (9-11 feet bls), G10-1 (2-4 feet bls), G11-1 (2-4 feet bls), and G11-2 (6-8 feet bls). The concentration identified in soil sample G10-1 (2-4 feet bls) also exceeded the WAC Chapter NR720 Industrial Direct Contact RCL.

Concentrations of Benzo(k)Fluoranthene exceeding the WAC Chapter NR720 Non-Industrial Direct Contact RCL was identified in soil samples G6-5 (18-20 feet bls) and G10-1 (2-4 feet bls).

Concentrations of Chrysene exceeding the WAC Chapter NR720 Groundwater Pathway Protection RCL were identified in soil samples G6-5 (18-20 feet bls), G8-3 (9-11 feet bls), G9-2 (6-8 feet bls), G10-1 (2-4 feet bls), G11-1 (2-4 feet bls), G11-2 (6-8 feet bls), and G12-3 (8-10 feet bls).

A concentration of Dibenzo(a,h)Anthracene exceeding the WAC Chapter NR720 Industrial Direct Contact RCL was identified in soil sample G10-1 (2-4 feet bls).

A concentration of Fluoranthene exceeding the WAC Chapter NR720 Groundwater Pathway Protection RCL was identified in soil sample G6-5 (18-20 feet bls).

A concentration of Fluorene exceeding the WAC Chapter NR720 Groundwater Pathway Protection RCL was identified in soil sample G6-5 (18-20 feet bls).

A concentration of Indeno(1,2,3-cd)Pyrene exceeding the WAC Chapter NR720 Non-Industrial Direct Contact RCL was identified in soil sample G10-1 (2-4 feet bls).

Concentrations of Methylene Chloride exceeding the WAC Chapter NR720 Groundwater Pathway Protections RCLs were identified in soil samples G4-1 (2-4 feet bls), G4-9 (32-36 feet bls), G5-1 (2-4 feet bls), and G9-1 (2-4 feet bls). Please note all the above analytical results included a lab qualifier indicating that the provide results was between the Limit of Detection and Limit of Quantification. Additionally, low level concentrations of Methylene Chloride are a common laboratory contaminant associated with analysis of volatile compounds. Due to the low concentrations identified in the four (4) above soil samples it appears likely that the concentrations are not representative of contamination within the subsurface, but rather a contaminant associated with the laboratory analysis.

5.3.2 Native Unconsolidated Materials

A concentration of Ethylbenzene exceeding the WAC Chapter NR720 Groundwater Pathway Protection RCL was identified in soil sample G2-12 (45.5-48 feet bls).

A concentration of Naphthalene exceeding the WAC Chapter NR720 Groundwater Pathway Protection RCL was identified in soil sample G2-12 (45.5-48 feet bls).

A concentration of Trimethylbenzenes exceeding the WAC Chapter NR720 Groundwater Pathway Protection RCL was identified in soil sample G2-12 (45.5-48 feet bls).

A concentration of Xylenes exceeding the WAC Chapter NR720 Groundwater Pathway Protection RCL was identified in soil sample G2-12 (45.5-48 feet bls).

Concentrations of Arsenic exceeding the WAC Chapter NR720 Groundwater Pathway Protection RCL were identified in soil samples G1-11 (42-44 feet bls), G2-12 (45.5-48 feet bls), G3-11 (43-44 feet bls), G4-12 (45-48 feet bls), G5-11 (42-44 feet bls), G6-12 (45-47 feet bls), G7-10 (28-40 feet bls), G8-4 (12-14 feet bls), G9-3 (8-10 feet bls), G10-5 (17-19 feet bls), and G11-3 (10-12 feet bls). Please note, all the identified concentrations were below the Wisconsin BTV of eight (8) mg/kg for Arsenic.

A concentration of Lead exceeding the WAC Chapter NR720 Groundwater Pathway Protection RCL was identified in soil samples G1-11 (42-44 feet bls). Please note, the identified concentration was below the Wisconsin BTV of fifty-two (52) mg/kg for Lead.

Concentrations of Benzo(a)Pyrene exceeding the WAC Chapter NR720 Groundwater Pathway Protection RCL were identified in soil samples G1-11 (42-44 feet bls), G2-12 (45.5-48 feet bls), and G5-11 (42-44 feet bls).

Concentrations of Benzo(b)Fluoranthene exceeding the WAC Chapter NR720 Groundwater Pathway Protection RCL were identified in soil samples G1-11 (42-44 feet bls) and G5-11 (42-44 feet bls).

Concentrations of Chrysene exceeding the WAC Chapter NR720 Groundwater Pathway Protection RCL were identified in soil samples G1-11 (42-44 feet bls), G2-12 (45.5-48 feet bls), and G5-11 (42-44 feet bls).

Due to limited native soil materials located above the observed water table, soils samples of native materials from soil borings G1, G2, G3, G4, G5, and G6 were collected in close proximity to the interface of fill and native materials.

5.4 Groundwater Quality

Groundwater samples were collected from open boreholes of soil borings G1 through G7.

Concentrations of Tetrachloroethene (PCE) exceeding the WAC Chapter NR140 Preventive Action Limit (PAL) were identified in groundwater samples G1-W, G2-W, G3-W, G4-W, G6-W, and G7-W.

A concentration of Benzene exceeding the WAC Chapter NR140 PAL was identified in groundwater sample G2-W.

A concentration of Arsenic exceeding the WAC Chapter NR140 PAL was identified in groundwater sample G2-W.

A concentration of Benzo(b)Fluoranthene exceeding the WAC Chapter NR140 PAL was identified in groundwater sample G2-W.

Concentrations of Chrysene exceeding the WAC Chapter NR140 Preventive Action Limit (PAL) were identified in groundwater samples G2-W, G3-W, and G7-W.

The laboratory analytical results identified no exceedances of the WAC Chapter NR140 Enforcement Standards for any of the analyzed compounds.

The results of groundwater sampling are summarized on Table 2a-c. The approximate extent of dissolved phase groundwater contamination is depicted in Figure 7. The complete laboratory analytical reports are included in Appendix G.

5.5 Potential/Known Receptors

Based on the laboratory analytical results for soil boring G10, unsaturated soil contamination consisting of Tetrachloroethene exceeding the WAC Chapter NR720 Groundwater Pathway Protection RCLs exists in the area of the potable water and sanitary sewer laterals servicing the site structure. However, contamination was encountered at a depth of two (2) to four (4) feet bls and seventeen (17) to nineteen (19) feet bls, but the concentration of Tetrachloroethene was below the laboratory method limit of detection at a depth of fourteen (14) to sixteen (16) feet bls. The depth and backfill material of the private laterals is not known, but both lines are assumed to

exist at depths greater than four (4) feet bls. Dissolved phase groundwater contamination exceeding the WAC Chapter NR140 ES does not appear to be an issue based on the groundwater analytical results. Free product was not encountered during the completion of the site investigation.

5.5.1 Vapor Intrusion Potential

Based on WDNR Publication RR-800 *Addressing Vapor Intrusion at Remediation and Redevelopment Sites in Wisconsin*, the vapor intrusion pathway can be ruled out if the following criteria do not apply to the site:

Chlorinated Volatile Organic Compounds (CVOC)

- *CVOC contaminated soil are within one hundred (100) feet of the building foundation horizontally or vertically.*
 - This situation does apply. Based on the current analytical results, CVOC contaminated soils appear to exist within one hundred (100) feet of the buildings foundation horizontally and vertically. However, the identified PCE contamination in unsaturated soil appear to be sporadically located and the highest concentration of PCE detected was 0.0903 mg/kg [B-3 (7-9 feet bls)].
- *CVOC concentration in groundwater underlying a building is greater than the WAC Chapter NR140 ES.*
 - This situation does not apply. Based on groundwater samples collected from the open boreholes of soil boring G1 through G7, dissolved phase PCE concentrations do not appear to exceed the WAC Chapter NR140 ES.
- *Groundwater contaminated with CVOC above the NR140 PAL is entering a building or in contact with the building's foundation.*
 - This situation does not apply. The current on-site structure is a slab on-grade building and based on the hydraulic push soil boring advanced to the water table groundwater exists at depths of approximately forty-four (44) to forty-eight (48) feet bls. Dissolved phase CVOC contamination exceeding the WAC

Chapter NR140 PAL is not expected to be in contact with the building's foundation.

- *CVOC vapors are present that may migrate from the source areas and move through preferential pathways into a building.*
 - This situation may apply. Based on the laboratory analytical results for soil boring G10, unsaturated soil contamination consisting of Tetrachloroethene exceeding the WAC Chapter NR720 Groundwater Pathway Protection RCLs exists in the area of the potable water and sanitary sewer laterals servicing the site structure. However, contamination was encountered at a depth of two (2) to four (4) feet bls and seventeen (17) to nineteen (19) feet bls, but the concentration of Tetrachloroethene was below the laboratory method limit of detection at a depth of fourteen (14) to sixteen (16) feet bls. The depth and backfill material of the private laterals is not known, but both lines are assumed to exist at depths greater than four (4) feet bls.

Petroleum Volatile Organic Compounds (PVOC)

- *When petroleum odors are detected in the building.*
 - This situation does not apply. Per the current property owner, petroleum odors have never been reported within the current site structure.
- *Free-phase product that has the potential for off-gassing vapor underlies a building within fifteen (15) feet vertically or is within thirty (30) feet of the building foundation horizontally.*
 - This situation does not apply, free product has not been observed during this investigation.
- *Petroleum contaminated soils with the potential for off-gassing vapors are within five (5) feet or less of a building foundation.*
 - This situation does not apply. Based on the analytical results of soil borings, there appears to be greater than five (5) feet vertically from

the off-site building to unsaturated soil with petroleum contamination.

- *Less than five (5) feet in the horizontal and vertical direction of clean, unsaturated soil with an oxygen content of greater than or equal to 5%.*
 - This situation does not apply. Based on the analytical results of soil borings, there appears to be greater than five (5) feet vertically from the off-site building to unsaturated soil with petroleum contamination.
- *Benzene concentration in groundwater underlying a building is >1,000 ppb and there is less than five (5) feet of unsaturated soil between the groundwater and the building foundation.*
 - This situation does not apply. Based on groundwater analytical results, dissolved phase Benzene concentrations does not appear to exceed the WAC Chapter NR140 ES (5 µg/L).
- *Groundwater contaminated with petroleum product above the NR140 PAL is entering a building or in contact with the building's foundation.*
 - This situation does not apply. The current on-site structure is a slab on-grade building and based on the hydraulic push soil boring advanced to the water table groundwater exists at depths of approximately forty-four (44) to forty-eight (48) feet bls. Dissolved phase petroleum contamination exceeding the WAC Chapter NR140 PAL is not expected to be in contact with the building's foundation.
- *Petroleum vapors are present that may migrate from the petroleum source and move through preferential pathways into a building.*
 - This situation does not apply. Based on the laboratory analytical results, buried utility corridors do not appear to exist within the estimated extent of petroleum contamination at this site.

Based on the above criteria, the vapor intrusion pathway cannot be ruled out due to the presence of PCE impacted soil within one hundred (100) feet of the building's foundation. However, the identified PCE contamination in

unsaturated soil appear to be sporadically located and the highest concentration of PCE detected was 0.0903 mg/kg [B-3 (7-9 feet bls)].

5.5.2 Private or Municipal Potable Wells

The subject property is served by the City of Wausau municipal water system. The surrounding properties are all served by the City of Wausau municipal water system. According to the City of Wausau Water Works department, no municipal wells exist within 1,200 feet of the subject property. No private potable wells are known to exist within 1,200 feet of the subject property.

5.5.3 Surface Water & Sediments

The nearest surface water is Lake Wausau (WBIC 1437500) located approximately 1,100 feet west of the subject property. Lake Wausau is a drainage lake and impoundment of the Wisconsin River (WBIC 1179900). Lake Wausau is not listed as an impaired water, but the Wisconsin River is identified as an impaired water due to Mercury and PCBs. Based on the laboratory, the extent of residual contamination from this site does not appear to be impacting any surface waters or sediments.

6.0 SITE CHARACTERIZATION

The subject property is currently developed with one (1) single store slab on-grade commercial structure, constructed in 1992, utilized for office space. Ground surface covers on the property generally consist of asphalt and concrete with limited areas of landscaping. A steep downward slope exists on the western portion of the property and is covered with vegetation including trees and brush.

Unsaturated soil contamination exceeding the WAC Chapter NR720 state soil standards and dissolved phase groundwater contamination exceeding the WAC Chapter NR140 PAL at this property appear to be associated with historic fill placed on the property between approximately 1950 and 1980. Fill materials appear to have been placed along the Grave Avenue corridor to the north of south of this property around the same period and were likely from the same source.

As the source of the fill materials historically placed on the subject property and properties to the north and south is not known the potential presence of Perfluoroalky and Polyfluoroalky Substances (PFAS) can not be ruled out. However, the historic and current land use of the subject property did not identify any land uses generally associated with PFAS.

7.0 CONCLUSION & RECOMMENDATIONS

Based on the data collected, soil contamination, exceeding the WAC Chapter NR720 Groundwater Pathway Protection and Direct Contact RCLs exists on the subject property. Please note, the majority of the subject property is currently covered with the site structure or impenetrable ground surface covers. Unsaturated soil contamination, including Perchloroethylene, Arsenic, Lead, PAH compounds, and Petroleum Volatile Organic Compounds appear to be associated with historic fill material placed on the subject property. Fill materials appear to have been placed along the Grave Avenue corridor to the north of south of this property around the same period and were likely from the same source. The extent of unsaturated soil contamination appears to have been adequately defined.


Dissolved phase groundwater contamination, exceeding the WAC Chapter NR140 PAL for Perchloroethylene was identified in six (6) of the seven (7) groundwater samples collected from open soil borings. Three (3) of the collected groundwater samples also identified WAC Chapter NR140 PAL exceedances for Chrysene. The dissolved phase concentration of Benzene, Arsenic, and Benzo(b)Fluoranthene exceeded the WAC Chapter NR140 PAL in groundwater sample G2-W. Free product has not been observed at the site.

Based on these results, REI recommends no additional investigative at this time and the site be reviewed for the possibility of case closure with a cap maintenance plan to manage the identified WAC Chapter NR720 Direct Contact RCL exceedances for Arsenic.


7.0 REFERENCES

- Devaul, R.W., and Green, J.H. (1971). Water Resources of Wisconsin – Central Wisconsin River Basin: U.S. Geological Survey Hydrologic Investigations (Atlas HA-367). Washington DC: U.S. Geological Survey.
- Wisconsin Department of Natural Resources (2018). Addressing Vapor Intrusion at Remediation and Redevelopment Sites in Wisconsin (Guidance Document RR-800). Madison, WI: Author.
- Wisconsin Department of Natural Resources. (n.d.). Bureau for Remediation and Redevelopment Tracking System (BRRTS) on the Web. Retrieved from <https://dnr.wi.gov/botw/SetUpBasicSearchForm.do>
- Wisconsin Department of Natural Resources. (n.d.). RR Sites Map. Retrieved from <https://dnrmaps.wi.gov/H5/?viewer=rrsites>
- Wisconsin Department of Natural Resources. (n.d.). Surface Water Data Viewer. Retrieved from <https://dnrmaps.wi.gov/H5/?Viewer=SWDV>
- Wisconsin Department of Natural Resources. (n.d.). Well Driller Viewer. Retrieved from <https://dnrmaps.wi.gov/H5/?viewer=Well Driller Viewer>

DRAWING FILE: P:\19600-9699\19640A - FONG FAMILY, LLC\DWG\19640A-VICN(US TOPO).DWG LAYOUT: VICN PLOTTED: MAY 05, 2021 - 9:05AM PLOTTED BY: MATTM



SCALE 1:24 000



CONTOUR INTERVAL 10 FEET
NORTH AMERICAN VERTICAL DATUM OF 1988



WAUSAU EAST QUADRANGLE
WISCONSIN - MARATHON COUNTY
7.5-MINUTE SERIES



QUADRANGLE LOCATION

WAUSAU EAST, WI
2016

REI ENGINEERING, INC.

UTM GRID AND 2019 MAGNETIC NORTH
DECLINATION AT CENTER OF SHEET

FONG FAMILY, LLC
360 & 372 GRAND AVENUE
WAUSAU, WI 54403




FIGURE 1 : LOCATION MAP

PROJECT NO.
9640A

DRAWN BY:
MCM

DATE:
5/4/2021

DRAWING FILE: P:\9600-9699\9640A - FONG FAMILY, LLC\DWG\9640A-SITE.DWG LAYOUT: ENV_HORIZ-11X17 PLOTTED: MAY 24, 2021 - 8:28AM PLOTTED BY: MATTM



LEGEND



- GEOPROBE BORINGS - SHALLOW
- GEOPROBE BORINGS - 50' BLS
- ◇ GEOTECH SOIL BORINGS
- CATCH BASIN - STORM WATER
- ⊕ MANHOLE - STORM WATER
- ⊕ MANHOLE - SANITARY SEWER
- ⊕ MANHOLE - CABLE
- PROPERTY BOUNDARY (APPROXIMATE)

- BURIED UTILITY LINE - UNKNOWN
- WATER LINE
- SANITARY SEWER LINE
- STORM WATER LINE
- NATURAL GAS LINE
- ELECTRICAL LINE (BURIED)
- FIBER OPTIC LINE (BURIED)
- OVERHEAD UTILITY LINE
- TELECOMMUNICATION LINE (BURIED)
- CABLE LINE (BURIED)




FONG FAMILY, LLC
360 & 372 GRAND AVENUE
WAUSAU, WI 54403

FIGURE 2 : DETAILED SITE MAP

PROJECT No. 9640A	DRAWN BY: MCM	DATE: 5/24/2021
----------------------	------------------	--------------------

REI Engineering, INC.

DRAWING FILE: P:\9600-9699\9640A - FONG FAMILY, LLC\DWG\9640A-X SECTION.DWG LAYOUT: X-SECTION PLOTTED: JUN 04, 2021 - 4:37PM PLOTTED BY: MATTM



- | | | |
|--|--|--|
| | | |
| | | |
| | | |

HORIZONTAL SCALE: 1"=40'
VERTICAL SCALE: 1"=10'




FONG FAMILY, LLC
360 & 372 GRAND AVENUE
WAUSAU, WI 54403

FIGURE 3b: GEOLOGIC CROSS-SECTION A-A'

PROJECT No. 9640A	DRAWN BY: MCM	DATE: 6/4/2021
----------------------	------------------	-------------------

REI ENGINEERING, INC.

DRAWING FILE: P:\19600-9699\9640A - FONG FAMILY, LLC\DWG\19640A-SOIL CONTAMINATION (FILL).DWG LAYOUT: PAH & VOCs PLOTTED: JUN 04, 2021 - 1:04PM PLOTTED BY: MATTM



ESTIMATED EXTENT OF UNSATURATED SOIL CONTAMINATION (PAH COMPOUNDS) WITHIN FILL MATERIALS EXCEEDING THE NR720 GROUNDWATER PATHWAY PROTECTION RCLs.

ESTIMATED EXTENT OF UNSATURATED SOIL CONTAMINATION (PAH COMPOUNDS) WITHIN FILL MATERIALS EXCEEDING THE NR720 DIRECT CONTACT RCLs.

ESTIMATED EXTENT OF UNSATURATED SOIL CONTAMINATION (PCE) WITHIN FILL MATERIALS EXCEEDING THE NR720 GROUNDWATER PATHWAY PROTECTION RCLs.

LEGEND	
	BURIED UTILITY LINE - UNKNOWN
	WATER LINE
	SANITARY SEWER LINE
	STORM WATER LINE
	NATURAL GAS LINE
	ELECTRICAL LINE (BURIED)
	FIBER OPTIC LINE (BURIED)
	OVERHEAD UTILITY LINE
	TELECOMMUNICATION LINE (BURIED)
	CABLE LINE (BURIED)




FONG FAMILY, LLC
360 & 372 GRAND AVENUE
WAUSAU, WI 54403

FIGURE 4 : SOIL CONTAMINATION - FILL (VOC & PAH)

PROJECT No. 9640A	DRAWN BY: MCM	DATE: 6/2/2021
----------------------	------------------	-------------------

REI Engineering, INC.

DRAWING FILE: P:\19600-9699\9640A - FONG FAMILY, LLC\DWG\19640A-SOIL CONTAMINATION (FILL).DWG LAYOUT: METALS PLOTTED: JUN 04, 2021 - 1:04PM PLOTTED BY: MATTT




LEGEND	
	BURIED UTILITY LINE - UNKNOWN
	WATER LINE
	SANITARY SEWER LINE
	STORM WATER LINE
	NATURAL GAS LINE
	ELECTRICAL LINE (BURIED)
	FIBER OPTIC LINE (BURIED)
	OVERHEAD UTILITY LINE
	TELECOMMUNICATION LINE (BURIED)
	CABLE LINE (BURIED)
	PROPERTY BOUNDARY (APPROXIMATE)
	GEOPROBE BORINGS - SHALLOW
	GEOPROBE BORINGS - 50' BLS
	GEOTECH SOIL BORINGS
	CATCH BASIN - STORM WATER
	MANHOLE - STORM WATER
	MANHOLE - SANITARY SEWER
	MANHOLE - CABLE

<p>REI CIVIL & ENVIRONMENTAL ENGINEERING, SURVEYING</p>	FONG FAMILY, LLC 360 & 372 GRAND AVENUE WAUSAU, WI 54403	
	FIGURE 5 : SOIL CONTAMINATION - FILL (METALS)	
PROJECT No. 9640A	DRAWN BY: MCM	DATE: 6/2/2021

REI Engineering, INC.

DRAWING FILE: P:\19600-9699\19640A - FONG FAMILY, LLC\DWG\19640A-SOIL CONTAMINATION (NATIVE).DWG LAYOUT: PAH & VOCs PLOTTED: JUN 04, 2021 - 4:59PM PLOTTED BY: MATTM



ESTIMATED EXTENT OF UNSATURATED SOIL CONTAMINATION (PAH COMPOUNDS) WITHIN FILL MATERIALS EXCEEDING THE NR720 GROUNDWATER PATHWAY PROTECTION RCLS.

ESTIMATED EXTENT OF UNSATURATED SOIL CONTAMINATION (BENZENE) WITHIN FILL MATERIALS EXCEEDING THE NR720 GROUNDWATER PATHWAY PROTECTION RCLS.

ESTIMATED EXTENT OF UNSATURATED SOIL CONTAMINATION (PCE) WITHIN FILL MATERIALS EXCEEDING THE NR720 GROUNDWATER PATHWAY PROTECTION RCLS.

LEGEND	
	BURIED UTILITY LINE - UNKNOWN
	WATER LINE
	SANITARY SEWER LINE
	STORM WATER LINE
	NATURAL GAS LINE
	ELECTRICAL LINE (BURIED)
	FIBER OPTIC LINE (BURIED)
	OVERHEAD UTILITY LINE
	TELECOMMUNICATION LINE (BURIED)
	CABLE LINE (BURIED)




FONG FAMILY, LLC
360 & 372 GRAND AVENUE
WAUSAU, WI 54403

FIGURE 6 : SOIL CONTAMINATION - NATIVE

PROJECT No. 9640A	DRAWN BY: MCM	DATE: 6/2/2021
----------------------	------------------	-------------------

REI Engineering, INC.

DRAWING FILE: P:\9600-9699\9640A - FONG FAMILY, LLC\DWG\9640A-GW CONTAMINATION.DWG LAYOUT: PAH & VOCs PLOTTED: JUN 04, 2021 - 1:06PM PLOTTED BY: MATTM



LEGEND	
	BURIED UTILITY LINE - UNKNOWN
	WATER LINE
	SANITARY SEWER LINE
	STORM WATER LINE
	NATURAL GAS LINE
	ELECTRICAL LINE (BURIED)
	FIBER OPTIC LINE (BURIED)
	OVERHEAD UTILITY LINE
	TELECOMMUNICATION LINE (BURIED)
	CABLE LINE (BURIED)
	PROPERTY BOUNDARY (APPROXIMATE)
	BURIED UTILITY LINE - UNKNOWN
	WATER LINE
	SANITARY SEWER LINE
	STORM WATER LINE
	NATURAL GAS LINE
	ELECTRICAL LINE (BURIED)
	FIBER OPTIC LINE (BURIED)
	OVERHEAD UTILITY LINE
	TELECOMMUNICATION LINE (BURIED)
	CABLE LINE (BURIED)
	PROPERTY BOUNDARY (APPROXIMATE)

	FONG FAMILY, LLC 360 & 372 GRAND AVENUE WAUSAU, WI 54403	
--	--	--

FIGURE 7 : GROUNDWATER ISOCONCENTRATION		
PROJECT No. 9640A	DRAWN BY: MCM	DATE: 6/2/2021

REI Engineering, INC.

Table 1a-1
Soil Analytical Results - Geotechnical Report
Fong Family, LLC
360 & 372 Grand Ave
Wausau, WI 54403
BRRTS# 02-37-587441

Collected By-->				REI Engineering, Inc.			
Date-->				3/23/21	3/23/21	3/23/21	3/23/21
Sample-->				B-3	B-3	B-4	B-4
Sample Depth (Feet)-->				2.5-4'	7-9'	1-2.5'	5-6.5'
PID (ppm)-->				0.4	0.0	13.3	1.0
Percent Moisture (%)-->				9.0	9.1	6.6	8.3
Saturated (S) vs Unsaturated (U)-->				U	U	U	U
Native (N) vs Fill (F)-->				F	F	F	F
VOC's (mg/kg)	Non-Industrial Not-to-Exceed DC RCL	Industrial Not-to-Exceed DC RCL	Groundwater Pathway Protection RCL				
Benzene	1.6	7.07	0.0051	<0.0143	<0.0143	<0.0136	<0.0149
Bromobenzene	342	679	--	<0.0234	<0.0234	<0.0223	<0.0244
Bromochloromethane	216	906	--	<0.0164	<0.0164	<0.0156	<0.0171
Bromodichloromethane	0.418	1.83	--	<0.0143	<0.0143	<0.0136	<0.0149
Bromoform	25.4	113	0.0023	<0.264	<0.264	<0.251	<0.275
Bromomethane	9.6	43	0.0051	<0.0840	<0.0840	<0.0800	<0.0877
n-Butylbenzene	108	108	--	<0.0274	<0.0274	<0.0261	<0.0287
sec-Butylbenzene	145	145	--	<0.0146	<0.0146	<0.0139	<0.0153
tert-Butylbenzene	183	183	--	<0.0188	<0.0188	<0.0179	<0.0196
Carbon tetrachloride	0.916	4.03	0.0039	<0.0132	<0.0132	<0.0126	<0.0138
Chlorobenzene	370	761	--	<0.0072	0.0104 ¹	<0.0068	<0.0075
Chloroethane	--	--	0.2266	<0.0253	<0.0253	<0.0241	<0.0264
Chloroform	0.454	1.98	0.0033	<0.0429	<0.0429	<0.0409	<0.0448
Chloromethane	159	669	0.0155	<0.0228	<0.0228	<0.0217	<0.0238
2-Chlorotoluene	907	907	--	<0.0194	<0.0194	<0.0185	<0.0203
4-Chlorotoluene	253	253	--	<0.0228	<0.0228	<0.0217	<0.0238
1,2-Dibromo-3-chloropropane	0.008	0.092	0.00002	<0.0465	<0.0465	<0.0443	<0.0486
Dibromochloromethane	8.28	38.9	0.032	<0.205	<0.205	<0.195	<0.214
1,2-Dibromoethane (EDB)	0.05	0.221	2.82x10 ⁻⁵	<0.0164	<0.0164	<0.0156	<0.0171
Dibromomethane	34	143	--	<0.0177	<0.0177	<0.0169	<0.0185
1,2-Dichlorobenzene	376	376	1.168	<0.0186	<0.0186	<0.0177	<0.0194
1,3-Dichlorobenzene	297	297	1.1528	<0.0164	<0.0164	<0.0156	<0.0171
1,4-Dichlorobenzene	3.74	16.4	0.144	<0.0164	<0.0164	<0.0169	<0.0171
Dichlorodifluoromethane	126	530	3.0863	<0.0258	<0.0258	<0.0245	<0.0269
1,1-Dichloroethane	5.06	22.2	0.4834	<0.0153	<0.0153	<0.0146	<0.0160
1,2-Dichloroethane	0.652	2.87	0.0028	<0.0138	<0.0138	<0.0131	<0.0144
1,1-Dichloroethene	320	1190	0.005	<0.0199	<0.0199	<0.0189	<0.0208
cis-1,2-Dichloroethene	156	2340	0.0412	<0.0128	<0.0128	<0.0122	<0.0134
trans-1,2-Dichloroethene	1560	1850	0.0626	<0.0129	<0.0129	<0.0123	<0.0135
1,2-Dichloropropane	3.4	15	0.0033	<0.0143	<0.0143	<0.0136	<0.0149
1,3-Dichloropropane	1,490	1,490	--	<0.0131	<0.0131	<0.0124	<0.0136
2,2-Dichloropropane	191	191	--	<0.0162	<0.0162	<0.0154	<0.0169
1,1-Dichloropropene	--	--	--	<0.0194	<0.0194	<0.0185	<0.0203
cis-1,3-Dichloropropene	1,210	1,210	0.0003	<0.0396	<0.0396	<0.0377	<0.0413
trans-1,3-Dichloropropene	1,510	1,510	0.0003	<0.171	<0.171	<0.163	<0.179
Diisopropyl ether	2,260	2,260	--	<0.0149	<0.0149	<0.0142	<0.0155
Ethylbenzene	8.02	35.4	1.57	<0.0143	<0.0143	<0.0136	<0.0149
Hexachloro-1,3-butadiene	--	--	--	<0.119	<0.119	<0.113	<0.124
Isopropylbenzene (cumene)	268	268	--	<0.0162	<0.0162	<0.0154	<0.0169
p-Isopropyltoluene	162	162	--	<0.0182	<0.0182	<0.0173	<0.0190
Methylene Chloride	61.8	1,150	0.0026	<0.0167	<0.0167	<0.0159	<0.0174
Methyl-tert-butyl ether (MTBE)	63.8	282	0.027	<0.0176	<0.0176	<0.0168	<0.0184
Naphthalene	5.52	24.1	0.6582	<0.0187	0.0755 ¹	<0.0178	<0.0195
n-Propylbenzene	--	--	--	<0.0144	<0.0144	<0.0137	<0.0150
Styrene	867	867	0.22	<0.0153	<0.0153	<0.0146	<0.0160
1,1,1,2-Tetrachloroethane	2.78	12.3	0.0534	<0.0144	<0.0144	<0.0137	<0.0150
1,1,2,2-Tetrachloroethane	0.81	3.6	0.0002	<0.0217	<0.0217	<0.0207	<0.0227
Tetrachloroethene (PCE)	33	145	0.0045	<0.0233	0.0903	<0.0221	<0.0243
Toluene	818	818	1.1072	<0.0151	0.0451 ¹	<0.0144	<0.0158
1,2,3-Trichlorobenzene	62.6	934	--	<0.0668	<0.0668	<0.0636	<0.0697
1,2,4-Trichlorobenzene	24	113	0.408	<0.0494	<0.0494	<0.0470	<0.0516
1,1,1-Trichloroethane	640	640	0.1402	<0.0153	<0.0153	<0.0146	<0.0160
1,1,2-Trichloroethane	1.59	7.01	0.0032	<0.0218	<0.0218	<0.0208	<0.0228
Trichloroethene (TCE)	1.3	8.41	0.0036	<0.0224	<0.0224	<0.0213	<0.0234
Trichlorofluoromethane	1,230	1,230	--	<0.0174	<0.0174	<0.0165	<0.0181
1,2,3-Trichloropropane	0.005	0.109	0.0519	<0.0291	<0.0291	<0.0277	<0.0304
1,2,4-Trimethylbenzene (TMB)	219	219	1.3787	<0.0179	<0.0356 ¹	<0.0170	<0.0186
1,3,5-Trimethylbenzene (TMB)	182	182		<0.0193	<0.0193	<0.0184	<0.0201
Vinyl chloride	0.067	2.08	0.0001	<0.0121	<0.0121	<0.0115	<0.0126
m&p-Xylene	260	260	3.96	<0.0253	0.0658 ¹	<0.0241	<0.0264
o-Xylene				<0.0180	0.0491 ¹	<0.0171	<0.0188

Notes:

NR 720 Standards Obtained From WDNR RR Program's Soil RCL Spreadsheet

This site is assessed as Non-Industrial

RCL = Residual Contaminant Level

DC = Direct Contact

mg/kg = Parts Per Million (ppm)

< = Concentration Below Laboratory Detection Limit

-- = Not Sampled/Collected

- - = No Standard/Not Applicable

¹ = Estimated concentration at or above the Limit of Detection (LOD) and below the Limit of Quantitation (LOQ)

<i>Italic</i>	= Exceeds NR720 Groundwater Pathway Protection
Bold	= Exceeds NR720 Non-Industrial Not-To-Exceed DC RCL
<u>Underlined</u>	= Exceeds NR720 Industrial Not-To-Exceed DC RCL

Table 1a-2
Soil Analytical Results - Geotechnical Report
Fong Family, LLC
360 & 372 Grand Ave
Wausau, WI 54403
BRRS# 02-37-587441

<i>Collected By--></i>					REI Engineering, Inc.			
<i>Date--></i>					3/23/21	3/23/21	3/23/21	3/23/21
<i>Sample--></i>					B-3	B-3	B-4	B-4
<i>Sample Depth (Feet)--></i>					2.5-4'	7-9'	1-2.5'	5-6.5'
<i>PID (ppm)--></i>					0.4	0.0	13.3	1.0
<i>Percent Moisture --></i>					9.0	9.1	6.6	8.3
<i>Saturated (S) vs Unsaturated (U)--></i>					U	U	U	U
<i>Native (N) vs Fill (F)--></i>					F	F	F	F
Metals (mg/kg)	Wisconsin BTV	Non-Industrial Not-to-Exceed DC RCL	Industrial Not-to-Exceed DC RCL	Groundwater Pathway Protection RCL				
Arsenic (As)	8	0.667	3	0.584	2.7 ^J	2.5 ^J	<1.6	1.6 ^J
Barium (Ba)	364	15,300	100,000	164.8	68.6	152	88.6	138
Cadmium (Cd)	1	71.1	985	0.752	0.14 ^J	0.35 ^J	<0.14	0.20 ^J
Total Chromium (Cr)	44	--	--	360,000	10.0	10.3	3.0	12.6
Lead (Pb)	52	400	800	27	56.2	64.4	8.9	75.3
Selenium (Se)	--	391	5,840	0.52	<1.4	<1.4	<1.4	<1.4
Silver (Ag)	--	391	5,840	0.8491	<0.33	<0.32	<0.33	<0.33
Mercury (Hg)	--	3.13	3.13	0.208	0.028 ^J	0.063	<0.0099	<0.010

Notes:

NR 720 Standards Obtained From WDNR RR Program's Soil RCL Spreadsheet

This site is assessed as Non-Industrial

BTV = Background Threshold Value

RCL = Residual Contaminant Level

DC = Direct Contact

mg/kg = Parts Per Million (ppm)

< = Concentration Below Laboratory Detection Limit

- = Not Sampled/Collected

-- = No Standard/Not Applicable

^J = Estimated concentration at or above the Limit of Detection (LOD) and below the Limit of Quantitation (LOQ)

<i>Italic</i>	= Exceeds NR720 Groundwater Pathway Protection
Bold	= Exceeds NR720 Non-Industrial Not-To-Exceed DC RCL
<u>Underlined</u>	= Exceeds NR720 Industrial Not-To-Exceed DC RCL

Table 1b-1
Soil Analytical Results - Site Investigation
Fong Family, LLC
360 & 372 Grand Ave
Wausau, WI 54403
BRRTS# 02-37-587441

Collected By-->				REI Engineering, Inc.																	
Date-->				5/10/21	5/10/21	5/10/21	5/10/21	5/10/21	5/10/21	5/10/21	5/10/21	5/10/21	5/10/21	5/10/21	5/10/21	5/10/21	5/10/21	5/10/21	5/11/21	5/11/21	5/11/21
Sample-->				G1-1	G1-9	G1-11	G2-1	G2-8	G2-12	G3-1	G3-9	G3-11	G4-1	G4-9	G4-12	G5-1	G5-9	G5-11	G6-1	G6-5	G6-12
Sample Depth (Feet)-->				2-4	32-36	42-44	2-4	30-32	45.5-48	2-4	32-36	43-44	2-4	32-36	45-48	2.5-4	32-36	42-44	2.5-4	18-20	45-47
PID (ppm)-->				0.0	0.0	0.0	0.2	0.6	1.206	0.1	0.1	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Percent Moisture (%)-->				7.5	6.1	7.2	3.3	6.3	4.8	8.4	5.9	9.5	5.8	6.3	14.7	5.6	3.5	10.9	12.7	7.9	8.7
Saturated (S) vs Unsaturated (U)-->				U	U	U	U	U	U	U	U	U	U	U	U	U	U	U	U	U	U
Native (N) vs Fill (F)-->				F	F	N	F	F	N	F	F	N	F	F	N	F	F	N	F	F	N
VOC's (mg/kg)	Non-Industrial Not-to-Exceed DC RCL	Industrial Not-to-Exceed DC RCL	Groundwater Pathway Protection RCL																		
Benzene	1.6	7.07	0.0051	<0.0138	<0.0134	<0.0137	<0.0127	<0.0135	<1.050	<0.0141	<0.0134	<0.0144	<0.0148	<0.0135	<0.0160	<0.0133	<0.0128	<0.0148	<0.0154	<0.0139	<0.0142
Bromobenzene	342	679	--	<0.0227	<0.0220	<0.0225	<0.0208	<0.0221	<1.720	<0.0231	<0.0219	<0.0236	<0.0242	<0.0221	<0.0262	<0.0218	<0.0209	<0.0243	<0.0252	<0.0229	<0.0232
Bromochloromethane	216	906	--	<0.0159	<0.0155	<0.0158	<0.0146	<0.0155	<1.210	<0.0162	<0.0154	<0.0166	<0.0170	<0.0156	<0.0184	<0.0153	<0.0147	<0.0170	<0.0177	<0.0161	<0.0163
Bromodichloromethane	0.418	1.83	--	<0.0138	<0.0134	<0.0137	<0.0127	<0.0135	<1.050	<0.0141	<0.0134	<0.0144	<0.0148	<0.0135	<0.0160	<0.0133	<0.0128	<0.0148	<0.0154	<0.0139	<0.0142
Bromoform	25.4	113	0.0023	<0.256	<0.249	<0.254	<0.235	<0.249	<19.400	<0.260	<0.248	<0.266	<0.273	<0.250	<0.296	<0.246	<0.236	<0.274	<0.284	<0.258	<0.262
Bromomethane	9.6	43	0.0051	<0.0815	<0.0792	<0.0810	<0.0749	<0.0795	<6.180	<0.0829	<0.0789	<0.0848	<0.0871	<0.0796	<0.0942	<0.0785	<0.0752	<0.0872	<0.0906	<0.0821	<0.0835
n-Butylbenzene	108	108	--	<0.0266	<0.0259	<0.0264	<0.0245	<0.0260	14.400	<0.0271	<0.0258	<0.0277	<0.0284	<0.0260	<0.0308	<0.0256	<0.0246	<0.0285	<0.0296	<0.0268	<0.0273
sec-Butylbenzene	145	145	--	<0.0142	<0.0138	<0.0141	<0.0130	<0.0138	7.280	<0.0144	<0.0137	<0.0148	<0.0152	<0.0138	<0.0164	<0.0137	<0.0131	<0.0152	<0.0158	<0.0143	<0.0145
tert-Butylbenzene	183	183	--	<0.0183	<0.0177	<0.0181	<0.0168	<0.0178	<1.380	<0.0186	<0.0177	<0.0190	<0.0195	<0.0178	<0.0211	<0.0176	<0.0168	<0.0195	<0.0203	<0.0184	<0.0187
Carbon tetrachloride	0.916	4.03	0.0039	<0.0128	<0.0124	<0.0127	<0.0118	<0.0125	<0.970	<0.0130	<0.0124	<0.0133	<0.0137	<0.0125	<0.0148	<0.0123	<0.0118	<0.0137	<0.0142	<0.0129	<0.0131
Chlorobenzene	370	761	--	<0.0070	<0.0068	<0.0069	<0.0064	<0.0068	<0.528	<0.0071	<0.0067	<0.0072	<0.0074	<0.0068	<0.0081	<0.0067	<0.0064	<0.0075	<0.0077	<0.0070	<0.0071
Chloroethane	--	--	0.2266	<0.0245	<0.0238	<0.0244	<0.0225	<0.0239	<1.860	<0.0249	<0.0237	<0.0255	<0.0262	<0.0240	<0.0284	<0.0236	<0.0226	<0.0263	<0.0273	<0.0247	<0.0251
Chloroform	0.454	1.98	0.0033	<0.0416	<0.0405	<0.0413	<0.0383	<0.0406	<3.160	<0.0423	<0.0403	<0.0433	<0.0445	<0.0406	<0.0481	<0.0401	<0.0384	<0.0445	<0.0462	<0.042	<0.0426
Chloromethane	159	669	0.0155	<0.0221	<0.0215	<0.0219	<0.0203	<0.0215	<1.670	<0.0225	<0.0214	<0.0230	<0.0236	<0.0216	<0.0255	<0.0213	<0.0204	<0.0236	<0.0245	<0.0223	<0.0226
2-Chlorotoluene	907	907	--	<0.0188	<0.0183	<0.0187	<0.0173	<0.0184	<1.430	<0.0192	<0.0182	<0.0196	<0.0201	<0.0184	<0.0218	<0.0181	<0.0174	<0.0202	<0.0209	<0.019	<0.0193
4-Chlorotoluene	253	253	--	<0.0221	<0.0215	<0.0219	<0.0203	<0.0215	<1.670	<0.0225	<0.0214	<0.0230	<0.0236	<0.0216	<0.0255	<0.0213	<0.0204	<0.0236	<0.0245	<0.0223	<0.0226
1,2-Dibromo-3-chloropropane	0.008	0.092	0.00002	<0.0451	<0.0439	<0.0448	<0.0415	<0.0440	<3.420	<0.0459	<0.0437	<0.0469	<0.0482	<0.0440	<0.0522	<0.0434	<0.0416	<0.0483	<0.0501	<0.0455	<0.0462
Dibromochloromethane	8.28	38.9	0.032	<0.199	<0.193	<0.1979	<0.183	<0.194	<15.100	<0.202	<0.192	<0.207	<0.212	<0.194	<0.230	<0.191	<0.183	<0.213	<0.221	<0.200	<0.204
1,2-Dibromoethane (EDB)	0.05	0.221	2.82x10 ⁻⁵	<0.0159	<0.0155	<0.0158	<0.0146	<0.0155	<1.210	<0.0162	<0.0154	<0.0166	<0.0170	<0.0156	<0.0184	<0.0153	<0.0147	<0.0170	<0.0177	<0.0161	<0.0163
Dibromomethane	34	143	--	<0.0172	<0.0167	<0.0171	<0.0158	<0.0168	<1.300	<0.0175	<0.0167	<0.0179	<0.0184	<0.0168	<0.0199	<0.0166	<0.0159	<0.0184	<0.0191	<0.0173	<0.0176
1,2-Dichlorobenzene	376	376	1.168	<0.0180	<0.0175	<0.0179	<0.0166	<0.0176	<1.370	<0.0183	<0.0174	<0.0187	<0.0193	<0.0176	<0.0208	<0.0174	<0.0166	<0.0193	<0.0200	<0.0182	<0.0185
1,3-Dichlorobenzene	297	297	1.1528	<0.0159	<0.0155	<0.0158	<0.0146	<0.0155	<1.210	<0.0162	<0.0154	<0.0166	<0.0170	<0.0156	<0.0184	<0.0153	<0.0147	<0.0170	<0.0177	<0.0161	<0.0163
1,4-Dichlorobenzene	3.74	16.4	0.144	<0.0159	<0.0155	<0.0158	<0.0146	<0.0155	<1.210	<0.0162	<0.0154	<0.0166	<0.0170	<0.0156	<0.0184	<0.0153	<0.0147	<0.0170	<0.0177	<0.0161	<0.0163
Dichlorodifluoromethane	126	530	3.0863	<0.0250	<0.0243	<0.0248	<0.0230	<0.0244	<1.890	<0.0254	<0.0242	<0.0260	<0.0267	<0.0244	<0.0289	<0.0241	<0.0231	<0.0268	<0.0278	<0.0252	<0.0256
1,1-Dichloroethane	5.06	22.2	0.4834	<0.0149	<0.0145	<0.0148	<0.0137	<0.0145	<1.130	<0.0151	<0.0144	<0.0155	<0.0159	<0.0145	<0.0172	<0.0143	<0.0137	<0.0159	<0.0165	<0.0150	<0.0152
1,2-Dichloroethane	0.652	2.87	0.0028	<0.0134	<0.0130	<0.0133	<0.0123	<0.0130	<1.010	<0.0136	<0.0129	<0.0139	<0.0143	<0.0131	<0.0155	<0.0129	<0.0132	<0.0143	<0.0149	<0.0135	<0.0137
1,1-Dichloroethene	320	1190	0.005	<0.0193	<0.0188	<0.0192	<0.0177	<0.0188	<1.460	<0.0196	<0.0187	<0.0201	<0.0206	<0.0188	<0.0223	<0.0186	<0.0178	<0.0207	<0.0214	<0.0195	<0.0198
cis-1,2-Dichloroethene	156	2340	0.0412	<0.0124	<0.0121	<0.0124	<0.0114	<0.0121	<0.943	<0.0127	<0.0120	<0.0129	<0.0133	<0.0121	<0.0144	<0.0120	<0.0115	<0.0133	<0.0138	<0.0125	<0.0127
trans-1,2-Dichloroethene	1560	1850	0.0626	<0.0126	<0.0122	<0.0125	<0.0115	<0.0122	<0.952	<0.0128	<0.0122	<0.0131	<0.0134	<0.0123	<0.0145	<0.0121	<0.0116	<0.0134	<0.0140	<0.0127	<0.0129
1,2-Dichloropropane	3.4	15	0.0033	<0.0138	<0.0134	<0.0137	<0.0127	<0.0135	<1.050	<0.0141	<0.0134	<0.0144	<0.0148	<0.0135	<0.0160	<0.0133	<0.0128	<0.0148	<0.0154	<0.0139	<0.0142
1,3-Dichloropropane	1.490	1.490	--	0.0127	<0.0123	<0.0126	<0.0116	<0.0124	<0.961	<0.0129	<0.0123	<0.0132	<0.0135	<0.0124	<0.0147	<0.0132	<0.0117	<0.0136	<0.0141	<0.0128	<0.013
2,2-Dichloropropane	191	191	--	<0.0157	<0.0153	<0.0156	<0.0144	<0.0153	<1.190	<0.0160	<0.0152	<0.0163	<0.0168	<0.0153	<0.0181	<0.0151	<0.0145	<0.0168	<0.0174	<0.0158	<0.0161
1,1-Dichloropropene	--	--	--	<0.0188	<0.0183	<0.0187	<0.0173	<0.0184	<1.430	<0.0192	<0.0182	<0.0196	<0.0201	<0.0184	<0.0218	<0.0181	<0.0174	<0.0202	<0.0209	<0.0190	<0.0193
cis-1,3-Dichloropropene	1.210	1.210	0.0003	<0.0384	<0.0373	<0.0381	<0.0353	<0.0374	<2.910	<0.0390	<0.0371	<0.0399	<0.0410	<0.0375	<0.0444	<0.0269	<0.0354	<0.0411	<0.0426	<0.0387	<0.0393
trans-1,3-Dichloropropene	1.510	1.510	0.0003	<0.166	<0.162	<0.165	<0.153	<0.162	<12.600	<0.169	<0.161	<0.173	<0.178	<0.162	<0.192	<0.160	<0.153	<0.178	<0.185	<0.168	<0.170
Diisopropyl ether	2.260	2.260	--	<0.0144	<0.0140	<0.0143	<0.0132	<0.0141	<1.090	<0.0147	<0.0140	<0.0150	<0.0154	<0.0141	<0.0167	<0.0139	<0.0133	<0.0154	<0.016	<0.0145	<0.0148
Ethylbenzene	8.02	35.4	1.57	<0.0138	<0.0134	<0.0137	<0.0127	<0.0135	35.600	<0.0141	<0.0134	<0.0144	<0.0148	<0.0135	<0.0160	<0.0133	<0.0128	<0.0148	<0.0154	<0.0139	<0.0142
Hexachloro-1,3-butadiene	--	--	--	<0.116	<0.112	<0.115	<0.106	<0.113	<8.760	<0.118	<0.112	<0.120	<0.123	<0.113	<0.0134	<0.111	<0.107	<0.124	<0.128	<0.116	<0.118
Isopropylbenzene (cumene)	268	268	--	<0.0157	<0.0153	<0.0156	<0.0144	<0.0153	12.100	<0.0160	<0.0152	<0.0163	<0.0168	<0.0153	<0.0181	<0.0151	<0.0145	<0.0168	<0.0174	<0.0158	<0.0161
p-Isopropyltoluene	162	162	--	<0.0177	<0.0172	<0.0176	<0.0162	<0.0172	6.670	<0.0180	<0.0171	<0.0184	<0.0189	<0.0173	<0.020						

Table 1b-2
 Soil Analytical Results - Site Investigation
 Fong Family, LLC
 360 & 372 Grand Ave
 Wausau, WI 54403
 BRRTS# 02-37-587441

Collected By-->					REI Engineering, Inc.																	
Date-->					5/10/21	5/10/21	5/10/21	5/10/21	5/10/21	5/10/21	5/10/21	5/10/21	5/10/21	5/10/21	5/10/21	5/10/21	5/10/21	5/10/21	5/11/21	5/11/21	5/11/21	
Sample-->					G1-1	G1-9	G1-11	G2-1	G2-8	G2-12	G3-1	G3-9	G3-11	G4-1	G4-9	G4-12	G5-1	G5-9	G5-11	G6-1	G6-5	G6-12
Sample Depth (Feet)-->					2-4	32-36	42-44	2-4	30-32	45.5-48	2-4	32-36	43-44	2-4	32-36	45-48	2.5-4	32-36	42-44	2.5-4	18-20	45-47
PID (ppm)-->					0.0	0.0	0.0	0.2	0.6	1,206	0.1	0.1	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Percent Moisture -->					7.5	6.1	7.2	3.3	6.3	4.8	8.4	5.9	9.5	5.8	6.3	14.7	5.6	3.5	10.9	12.7	7.9	8.7
Saturated (S) vs Unsaturated (U)-->					U	U	U	U	U	U	U	U	U	U	U	U	U	U	U	U	U	U
Native (N) vs Fill (F)-->					F	F	N	F	F	N	F	F	N	F	F	N	F	F	N	F	F	N
Metals (mg/kg)	Wisconsin BTV	Non-Industrial Not-to-Exceed DC RCL	Industrial Not-to-Exceed DC RCL	Groundwater Pathway Protection RCL																		
Arsenic (As)	8	0.667	3	0.584	<i>4.6</i>	<i>4.8</i>	<i>3.4</i>	<u>14.1</u>	<i>4.5</i>	<i>4.5</i>	<i>4.4</i>	<i>4.1</i>	<i>4.1</i>	<i>4.3</i>	<i>4.7</i>	2.8	1.6	<i>0.67^J</i>	<i>4.8^J</i>	<i>4.6</i>	2.7	<i>3.8</i>
Lead (Pb)	52	400	800	27	6.5	5.3	34.5	9.3	5.9	5.7	19.9	4.2	4.8	6.9	6.3	2.1	32.0	1.4	2.2	8.4	38.2	13.1

Notes:
 NR 720 Standards Obtained From WDNR RR Program's Soil RCL Spreadsheet
 This site is assessed as Non-Industrial
 BTV = Background Threshold Value
 RCL = Residual Contaminant Level
 DC = Direct Contact
 mg/kg = Parts Per Million (ppm)
 < = Concentration Below Laboratory Detection Limit
 - = Not Sampled/Collected
 - - = No Standard/Not Applicable
^J = Estimated concentration at or above the Limit of Detection (LOD) and below the Limit of Quantitation (LOQ)

<i>Italic</i>	= Exceeds NR720 Groundwater Pathway Protection
Bold	= Exceeds NR720 Non-Industrial Not-To-Exceed DC RCL
<u>Underlined</u>	= Exceeds NR720 Industrial Not-To-Exceed DC RCL

Table 1b-3
 Soil Analytical Results - Site Investigation
 Fong Family, LLC
 360 & 372 Grand Ave
 Wausau, WI 54403
 BRRTS# 02-37-587441

Collected By-->				REI Engineering, Inc.																	
Date-->				5/10/21	5/10/21	5/10/21	5/10/21	5/10/21	5/10/21	5/10/21	5/10/21	5/10/21	5/10/21	5/10/21	5/10/21	5/10/21	5/10/21	5/11/21	5/11/21	5/11/21	
Sample-->				G1-1	G1-9	G1-11	G2-1	G2-8	G2-12	G3-1	G3-9	G3-11	G4-1	G4-9	G4-12	G5-1	G5-9	G5-11	G6-1	G6-5	G6-12
Sample Depth (Feet)-->				2-4	32-36	42-44	2-4	30-32	45.5-48	2-4	32-36	43-44	2-4	32-36	45-48	2.5-4	32-36	42-44	2.5-4	18-20	45-47
PID (ppm)-->				0.0	0.0	0.0	0.2	0.6	1,206	0.1	0.1	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Percent Moisture -->				7.5	6.1	7.2	3.3	6.3	4.8	8.4	5.9	9.5	5.8	6.3	14.7	5.6	3.5	10.9	12.7	7.9	8.7
Saturated (S) vs Unsaturated (U)-->				U	U	U	U	U	U	U	U	U	U	U	U	U	U	U	U	U	U
Native (N) vs Fill (F)-->				F	F	N	F	F	N	F	F	N	F	F	N	F	F	N	F	F	N
PAH's (mg/kg)	Non-Industrial Not-to-Exceed DC RCL	Industrial Not-to-Exceed DC RCL	Groundwater Pathway Protection RCL																		
Acenaphthene	3,590	45,200	--	<0.0023	<0.0023	0.0545 ^J	<0.0022	<0.0023	0.0050 ^J	0.0030 ^J	<0.0023	<0.0024	<0.0023	<0.0023	<0.0025	<0.0023	<0.0022	<0.0122	<0.0025	10.300 ^J	<0.0024
Acenaphthylene	--	--	--	<0.0023	<0.0022	1.090	<0.0022	<0.0022	0.0223	0.0026 ^J	<0.0022	<0.0023	<0.0022	<0.0022	<0.0025	<0.0022	<0.0022	0.110	<0.0024	6.610 ^J	<0.0023
Anthracene	17,900	100,000	196.9492	<0.0022	<0.0022	1.030	0.0031 ^J	<0.0022	0.0187	0.0119 ^J	<0.0022	<0.0023	<0.0022	<0.0022	<0.0024	<0.0022	<0.0021	0.123	<0.0024	70.700	<0.0023
Benzo (a) Anthracene	1.14	20.8	--	<0.0023	0.0044 ^J	3.880	0.0277	<0.0023	0.104	0.0347	<0.0023	0.0027 ^J	<0.0023	<0.0023	0.0072 ^J	0.0067 ^J	<0.0022	0.387	<0.0025	141.000	0.0051 ^J
Benzo (a) Pyrene	0.115	2.11	0.47	<0.0021	0.0034 ^J	5.930	0.0292	<0.0020	0.132	0.0374	<0.0020	<0.0021	<0.0020	<0.0020	0.0064 ^J	0.0061 ^J	<0.0020	0.442	<0.0022	129.000	0.003 ^J
Benzo (b) Fluoranthene	1.15	21.1	0.4781	<0.0025	0.0044 ^J	8.320	0.0379	<0.0025	0.196	0.0475	<0.0025	<0.0026	<0.0025	<0.0025	0.0088 ^J	0.0083 ^J	<0.0024	0.623	<0.0027	161.000	0.0043 ^J
Benzo (g,h,i) Perylene	--	--	--	<0.0032	<0.0031	3.550	0.0214	<0.0031	0.101	0.0247	<0.0031	<0.0032	<0.0031	<0.0031	0.0049 ^J	0.0046 ^J	<0.0030	0.314	<0.0034	85.100	<0.0032
Benzo (k) Fluoranthene	11.5	211	--	<0.0023	<0.0023	3.020	0.0193	<0.0023	0.0982	0.0242	<0.0023	<0.0024	<0.0023	<0.0023	0.0044 ^J	0.0041 ^J	<0.0022	0.247	<0.0024	82.800	0.0025 ^J
Chrysene	115	2,110	0.1442	<0.0034	<0.0034	4.440	0.028	<0.0034	0.145	0.0418	<0.0033	<0.0035	<0.0033	<0.0034	0.0067 ^J	0.0064 ^J	<0.0033	0.507	<0.0036	147.000	0.0038 ^J
Dibenzo (a,h) Anthracene	0.115	2.11	--	<0.0025	<0.0025	1.100	0.0063 ^J	<0.0025	0.0281	0.0060 ^J	<0.0025	<0.0026	<0.0025	<0.0025	<0.0027	<0.0024	<0.0024	0.0736 ^J	<0.0026	18.700	<0.0025
Fluoranthene	2,390	30,100	88.8778	<0.0021	0.0049 ^J	5.020	0.0477	<0.0021	0.220	0.0690	<0.0021	0.0024 ^J	<0.0021	<0.0021	0.0116 ^J	0.0107 ^J	<0.0020	0.845	<0.0023	377.000	0.0087 ^J
Fluorene	2,390	30,100	14.8299	<0.0022	<0.0021	0.128 ^J	<0.0021	<0.0021	0.0080 ^J	0.0029 ^J	<0.0021	<0.0022	<0.0021	<0.0021	<0.0023	<0.0021	<0.0021	0.0298 ^J	<0.0023	19.200	<0.0022
Indeno (1,2,3-cd) Pyrene	1.15	21.1	--	<0.0038	<0.0037	3.470	0.0202	<0.0037	0.0896	0.0205	<0.0037	<0.0038	<0.0037	<0.0037	0.0042 ^J	0.0039 ^J	<0.0036	0.280	<0.004	78.100	<0.0038
1-Methyl Naphthalene	17.6	72.7	--	<0.0026	<0.0026	<0.0526	<0.0025	<0.0026	0.0700	<0.0027	<0.0026	<0.0027	<0.0026	<0.0026	<0.0029	<0.0026	<0.0025	0.0169 ^J	<0.0028	<6.620	<0.0027
2-Methyl Naphthalene	239	3,010	--	<0.0026	<0.0026	<0.0527	<0.0025	<0.0026	0.168	<0.0027	<0.0026	<0.0027	<0.0026	<0.0026	<0.0029	<0.0026	<0.0025	0.0239 ^J	<0.0028	<6.630	<0.0027
Naphthalene	5.52	21.1	0.6582	<0.0018	<0.0017	0.0715 ^J	<0.0017	<0.0017	0.145	0.0069 ^J	<0.0017	<0.0018	<0.0017	<0.0017	<0.0019	<0.0017	<0.0017	0.0884 ^J	<0.0019	<4.420	<0.0018
Phenanthrene	--	--	--	<0.0021	<0.0020	1.530	0.0073 ^J	<0.0020	0.0996	0.0307	<0.0020	<0.0021	<0.0020	<0.0020	0.0049 ^J	0.0026 ^J	<0.0020	0.470	<0.0022	249.000	0.0071 ^J
Pyrene	1,790	22,600	54.5455	<0.0027	0.0043 ^J	4.970	0.0441	<0.0026	0.195	0.0616	<0.0026	<0.0027	<0.0026	<0.0026	0.0109 ^J	0.0095 ^J	<0.0025	0.843	<0.0028	281.000	0.0068 ^J

Notes:
 NR 720 Standards Obtained From WDNR RR Program's Soil RCL Spreadsheet
 This site is assessed as Non-Industrial
 RCL = Residual Contaminant Level
 DC = Direct Contact
 mg/kg = Parts Per Million (ppm)
 < = Concentration Below Laboratory Detection Limit
 - = Not Sampled/Collected
 -- = No Standard/Not Applicable
^J = Estimated concentration at or above the Limit of Detection (LOD) and below the Limit of Quantitation (LOQ)
 Please note: Exceedances for compounds with background threshold values are only identified as exceeding a RCL after exceeding the background threshold values.

<i>Italic</i>	= Exceeds NR720 Groundwater Pathway Protection
Bold	= Exceeds NR720 Non-Industrial Not-To-Exceed DC RCL
<u>Underlined</u>	= Exceeds NR720 Industrial Not-To-Exceed DC RCL

Table 1c-1
Soil Analytical Results - Site Investigation
Fong Family, LLC
360 & 372 Grand Ave
Wausau, WI 54403
BRRTS# 02-37-587441

Collected By-->				REI Engineering, Inc.																		
Date-->				5/11/21	5/11/21	5/11/21	5/11/21	5/11/21	5/11/21	5/11/21	5/11/21	5/11/21	5/11/21	5/11/21	5/11/21	5/11/21	5/11/21	5/11/21	5/11/21	5/11/21	5/11/21	5/11/21
Sample-->				G7-1	G7-6	G7-10	G8-1	G8-3	G8-4	G9-1	G9-2	G9-3	G10-1	G10-4	G10-5	G11-1	G11-2	G11-3	G12-1	G12-3	G12-4	
Sample Depth (Feet)-->				2-4	22-24	38-40	2-4	9-11	12-14	2-4	6-8	8-10	2-4	14-16	17-19	2-4	6-8	10-12	2-4	8-10	14-16	
PID (ppm)-->				0.0	0.0	0.1	0.0	0.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.1	0.1	0.1	0.3	0.2	
Percent Moisture (%)-->				6.3	7.4	11.8	7.5	5.9	3.8	6.8	9.2	2.2	7.8	8.8	2.9	7.4	8.6	3.0	5.0	13.2	10.7	
Saturated (S) vs Unsaturated (U)-->				U	U	U	U	U	U	U	U	U	U	U	U	U	U	U	U	U	U	
Native (N) vs Fill (F)-->				F	F	N	F	F	N	F	F	N	F	F	N	F	F	N	F	F	F	
VOC's (mg/kg)	Non-Industrial Not-to-Exceed DC RCL	Industrial Not-to-Exceed DC RCL	Groundwater Pathway Protection RCL																			
Benzene	1.6	7.07	0.0051	<0.0135	<0.0138	<0.0151	<0.0138	<0.0134	<0.0128	<0.0136	<0.0143	<0.0124	<0.0139	<0.0142	<0.0126	<0.0138	<0.0141	<0.0126	<0.0132	<0.0155	<0.0147	
Bromobenzene	342	679	--	<0.0221	<0.0226	<0.0247	<0.0226	<0.0219	<0.0210	<0.0236	<0.0234	<0.0228	<0.0233	<0.0207	<0.0226	<0.0232	<0.0207	<0.0226	<0.0216	<0.0254	<0.0242	
Bromochloromethane	216	906	--	<0.0155	<0.0159	<0.0174	<0.0159	<0.0154	<0.0148	<0.0157	<0.0165	<0.0143	<0.0160	<0.0164	<0.0145	<0.0159	<0.0163	<0.0146	<0.0152	<0.0179	<0.0170	
Bromodichloromethane	0.418	1.83	--	<0.0135	<0.0138	<0.0151	<0.0138	<0.0134	<0.0128	<0.0136	<0.0143	<0.0124	<0.0139	<0.0142	<0.0126	<0.0138	<0.0141	<0.0126	<0.0132	<0.0155	<0.0147	
Bromoform	25.4	113	0.0023	<0.250	<0.255	<0.279	<0.255	<0.247	<0.237	<0.252	<0.264	<0.230	<0.257	<0.263	<0.233	<0.255	<0.262	<0.234	<0.243	<0.287	<0.273	
Bromomethane	9.6	43	0.0051	<0.0795	<0.0813	<0.0888	<0.0814	<0.0788	<0.0756	<0.0803	<0.0843	<0.0732	<0.0820	<0.0837	<0.0743	<0.0814	<0.0833	<0.0745	<0.0775	<0.0914	<0.0869	
n-Butylbenzene	108	108	--	<0.0260	<0.0265	<0.0290	<0.0266	<0.0257	<0.0247	<0.0262	<0.0275	<0.0239	<0.0268	<0.0273	<0.0243	<0.0266	<0.0272	<0.0243	<0.0253	<0.0299	<0.0284	
sec-Butylbenzene	145	145	--	<0.0138	<0.0141	<0.0155	<0.0142	<0.0137	<0.0132	<0.0140	<0.0147	<0.0127	<0.0143	<0.0146	<0.0129	<0.0142	<0.0145	<0.0130	<0.0135	<0.0159	<0.0151	
tert-Butylbenzene	183	183	--	<0.0178	<0.0182	<0.0199	<0.0182	<0.0177	<0.0169	<0.0180	<0.0189	<0.0164	<0.0184	<0.0187	<0.0166	<0.0182	<0.0187	<0.0167	<0.0174	<0.0205	<0.0195	
Carbon tetrachloride	0.916	4.03	0.0039	<0.0125	<0.0128	<0.0139	<0.0128	<0.0124	<0.0119	<0.0126	<0.0132	<0.0115	<0.0129	<0.0131	<0.0117	<0.0128	<0.0131	<0.0117	<0.0122	<0.0143	<0.0136	
Chlorobenzene	370	761	--	<0.0068	<0.0069	<0.0076	<0.0070	<0.0067	<0.0065	<0.0069	<0.0072	<0.0063	<0.0070	<0.0071	<0.0064	<0.0070	<0.0071	<0.0064	<0.0066	<0.0078	<0.0074	
Chloroethane	--	--	0.2266	<0.0239	<0.0245	<0.0267	<0.0245	<0.0237	<0.0228	<0.0242	<0.0254	<0.0220	<0.0247	<0.0252	<0.0224	<0.0245	<0.0251	<0.0224	<0.0233	<0.0275	<0.0261	
Chloroform	0.454	1.98	0.0033	<0.0406	<0.0415	<0.0436	<0.0416	<0.0403	<0.0386	<0.0410	<0.0430	<0.0374	<0.0419	<0.0427	<0.0380	<0.0416	<0.0426	<0.0380	<0.0396	<0.0467	<0.0444	
Chloromethane	159	669	0.0155	<0.0216	<0.022	<0.0241	<0.0221	<0.0214	<0.0205	<0.0218	<0.0228	<0.0198	<0.0222	<0.0227	<0.0201	<0.0221	<0.0226	<0.0202	<0.0210	<0.0248	<0.0235	
2-Chlorotoluene	907	907	--	<0.0184	<0.0188	<0.0205	<0.0188	<0.0182	<0.0175	<0.0186	<0.0195	<0.0169	<0.0189	<0.0193	<0.0172	<0.0188	<0.0193	<0.0172	<0.0179	<0.0211	<0.0201	
4-Chlorotoluene	253	253	--	<0.0216	<0.0220	<0.0241	<0.0221	<0.0214	<0.0205	<0.0218	<0.0228	<0.0198	<0.0222	<0.0227	<0.0201	<0.0221	<0.0226	<0.0202	<0.0210	<0.0248	<0.0235	
1,2-Dibromo-3-chloropropane	0.008	0.092	0.00002	<0.0440	<0.0450	<0.0492	<0.0451	<0.0436	<0.0418	<0.0444	<0.0466	<0.0405	<0.0454	<0.0463	<0.0411	<0.0450	<0.0461	<0.0412	<0.0429	<0.0506	<0.0481	
Dibromochloromethane	8.28	38.9	0.032	<0.194	<0.198	<0.217	<0.198	<0.192	<0.184	<0.196	<0.205	<0.179	<0.200	<0.204	<0.181	<0.198	<0.203	<0.182	<0.189	<0.223	<0.212	
1,2-Dibromoethane (EDB)	0.05	0.221	2.82x10 ⁻⁵	<0.0155	<0.0159	<0.0174	<0.0159	<0.0154	<0.0148	<0.0157	<0.0165	<0.0143	<0.0160	<0.0164	<0.0145	<0.0159	<0.0163	<0.0146	<0.0152	<0.0179	<0.0170	
Dibromomethane	34	143	--	<0.0168	<0.0172	<0.0188	<0.0172	<0.0166	<0.0160	<0.0169	<0.0178	<0.0155	<0.0173	<0.0177	<0.0157	<0.0172	<0.0176	<0.0157	<0.0164	<0.0193	<0.0183	
1,2-Dichlorobenzene	376	376	1.168	<0.0176	<0.0180	<0.0196	<0.0180	<0.0174	<0.0167	<0.0177	<0.0186	<0.0162	<0.0181	<0.0185	<0.0164	<0.0180	<0.0184	<0.0165	<0.0171	<0.0202	<0.0192	
1,3-Dichlorobenzene	297	297	1.1528	<0.0155	<0.0159	<0.0174	<0.0159	<0.0154	<0.0148	<0.0157	<0.0165	<0.0143	<0.0160	<0.0164	<0.0145	<0.0159	<0.0163	<0.0146	<0.0152	<0.0179	<0.0170	
1,4-Dichlorobenzene	3.74	16.4	0.144	<0.0155	<0.0159	<0.0174	<0.0159	<0.0154	<0.0148	<0.0157	<0.0165	<0.0143	<0.0160	<0.0164	<0.0145	<0.0159	<0.0163	<0.0146	<0.0152	<0.0179	<0.0170	
Dichlorodifluoromethane	126	530	3.0863	<0.0244	<0.0249	<0.0272	<0.0250	<0.0242	<0.0232	<0.0246	<0.0258	<0.0225	<0.0251	<0.0257	<0.0228	<0.0250	<0.0256	<0.0229	<0.0238	<0.0280	<0.0266	
1,1-Dichloroethane	5.06	22.2	0.4834	<0.0145	<0.0148	<0.0162	<0.0149	<0.0144	<0.0138	<0.0147	<0.0154	<0.0134	<0.0150	<0.0153	<0.0136	<0.0149	<0.0152	<0.0136	<0.0142	<0.0167	<0.0159	
1,2-Dichloroethane	0.652	2.87	0.0028	<0.0130	<0.0133	<0.0146	<0.0134	<0.0129	<0.0124	<0.0132	<0.0138	<0.0120	<0.0134	<0.0137	<0.0122	<0.0133	<0.0137	<0.0122	<0.0127	<0.0150	<0.0143	
1,1-Dichloroethene	320	1190	0.005	<0.0188	<0.0192	<0.0210	<0.0193	<0.0187	<0.0179	<0.0190	<0.0200	<0.0173	<0.0194	<0.0198	<0.0176	<0.0193	<0.0197	<0.0176	<0.0184	<0.0216	<0.0206	
cis-1,2-Dichloroethene	156	2340	0.0412	<0.0121	<0.0124	<0.0136	<0.0124	<0.0120	<0.0115	<0.0123	<0.0129	<0.0112	<0.0125	<0.0128	<0.0113	<0.0124	<0.0127	<0.0114	<0.0118	<0.0139	<0.0133	
trans-1,2-Dichloroethene	1560	1850	0.0626	<0.0123	<0.0125	<0.0137	<0.0125	<0.0121	<0.0116	<0.0124	<0.0130	<0.0113	<0.0126	<0.0129	<0.0115	<0.0125	<0.0128	<0.0115	<0.0119	<0.0141	<0.0134	
1,2-Dichloropropane	3.4	15	0.0033	<0.0135	<0.0138	<0.0151	<0.0138	<0.0134	<0.0128	<0.0136	<0.0143	<0.0124	<0.0139	<0.0142	<0.0126	<0.0138	<0.0141	<0.0126	<0.0132	<0.0155	<0.0147	
1,3-Dichloropropane	1.490	1.490	--	<0.0124	<0.0126	<0.0138	<0.0127	<0.0123	<0.0118	<0.0125	<0.0131	<0.0114	<0.0127	<0.013	<0.0116	<0.0127	<0.0130	<0.0116	<0.0121	<0.0142	<0.0135	
2,2-Dichloropropane	191	191	--	<0.0153	<0.0157	<0.0171	<0.0157	<0.0152	<0.0146	<0.0155	<0.0162	<0.0141	<0.0158	<0.0161	<0.0143	<0.0157	<0.0161	<0.0143	<0.0149	<0.0176	<0.0167	
1,1-Dichloropropene	--	--	--	<0.0184	<0.0188	<0.0205	<0.0188	<0.0182	<0.0175	<0.0186	<0.0195	<0.0169	<0.0189	<0.0193	<0.0172	<0.0188	<0.0193	<0.0172	<0.0179	<0.0211	<0.0201	
cis-1,3-Dichloropropene	1.210	1.210	0.0003	<0.0374	<0.0383	<0.0418	<0.0383	<0.0371	<0.0356	<0.0378	<0.0397	<0.0345	<0.0386	<0.0394	<0.0350	<0.0383	<0.0392	<0.0351	<0.0365	<0.0430	<0.0409	
trans-1,3-Dichloropropene	1.510	1.510	0.0003	<0.162	<0.166	<0.181	<0.166	<0.161	<0.154	<0.164	<0.172	<0.149	<0.167	<0.171	<0.152	<0.166	<0.170	<0.152	<0.158	<0.186	<0.177	
Diisopropyl ether	2.260	2.260	--	<0.0141	<0.0144	<0.0157	<0.0144	<0.0139	<0.0134	<0.0142	<0.0149	<0.0130	<0.0145	<0.0148	<0.0131	<0.0144	<0.0147	<0.0132	<0.0137	<0.0162	<0.0154	
Ethylbenzene	8.02	35.4	1.57	<0.0135	<0.0138	<0.0151	<0.0138	<0.0134	<0.0128	<0.0136	<0.0143	<0.0124	<0.0139	<0.0142	<0.0126	<0.0138	<0.0141	<0.0126	<0.0132	<0.0155	<0.0147	
Hexachloro-1,3-butadiene	--	--	--	<0.113	<0.115	<0.126	<0.115	<0.112	<0.107	<0.114	<0.119	<0.104	<0.116	<0.119	<0.105	<0.118	<0.116	<0.106	<0.110	<0.130	<0.123	
Isopropylbenzene (cumene)	268	268	--	<0.0153	<0.0157	<0.0171	<0.0157	<0.0152	<0.0146	<0.0155	<0.0162	<0.0141	<0.0158	<0.0161	<0.0143	<0.0157	<0.0161	<0.0143	<0.0149	<0.0176	<0.0167	
p-Isopropyltoluene	162	162	--	<0.0172	<0.0176	<0.0193	<0.0177	<0.0171	<0.0164	<0.0174	<0.0183											

Table 1c-2
 Soil Analytical Results - Site Investigation
 Fong Family, LLC
 360 & 372 Grand Ave
 Wausau, WI 54403
 BRRTS# 02-37-587441

Collected By-->					REI Engineering, Inc.																		
Date-->					5/11/21	5/11/21	5/11/21	5/11/21	5/11/21	5/11/21	5/11/21	5/11/21	5/11/21	5/11/21	5/11/21	5/11/21	5/11/21	5/11/21	5/11/21	5/11/21			
Sample-->					G7-1	G7-6	G7-10	G8-1	G8-3	G8-4	G9-1	G9-2	G9-3	G10-1	G10-4	G10-5	G11-1	G11-2	G11-3	G12-1	G12-3	G12-4	
Sample Depth (Feet)-->					2-4	22-24	38-40	2-4	9-11	12-14	2-4	6-8	8-10	2-4	14-16	17-19	2-4	6-8	10-12	2-4	8-10	14-16	
PID (ppm)-->					0.0	0.0	0.1	0.0	0.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.1	0.1	0.1	0.3	0.2	
Percent Moisture -->					6.3	7.4	11.8	7.5	5.9	3.8	6.8	9.2	2.2	7.8	8.8	2.9	7.4	8.6	3.0	5.0	13.2	10.7	
Saturated (S) vs Unsaturated (U)-->					U	U	U	U	U	U	U	U	U	U	U	U	U	U	U	U	U	U	U
Native (N) vs Fill (F)-->					F	F	N	F	F	N	F	F	N	F	F	N	F	F	N	F	F	F	F
Metals (mg/kg)	Wisconsin BTV	Non-Industrial Not-to-Exceed DC RCL	Industrial Not-to-Exceed DC RCL	Groundwater Pathway Protection RCL																			
Arsenic (As)	8	0.667	3	0.584	<i>5.8</i>	<i>4.6</i>	2.1	<i>4.3</i>	<i>15.2</i>	0.96	<i>4.8</i>	<i>4.2</i>	1.3	<i>4.3</i>	<i>4.4</i>	1.1	<i>4.2</i>	<i>3.9</i>	1.5	<i>3.4</i>	<i>10.2</i>	<i>12.6</i>	
Lead (Pb)	52	400	800	27	6.7	7.4	26.4	19.9	<i>202</i>	1.2	14.3	17.2	1.3	17.1	19.8	1.4	11.9	15.2	1.3	46.7	536	428	

Notes:
 NR 720 Standards Obtained From WDNR RR Program's Soil RCL Spreadsheet
 This site is assessed as Non-Industrial
 BTV = Background Threshold Value
 RCL = Residual Contaminant Level
 DC = Direct Contact
 mg/kg = Parts Per Million (ppm)
 < = Concentration Below Laboratory Detection Limit
 - = Not Sampled/Collected
 - - = No Standard/Not Applicable
^J = Estimated concentration at or above the Limit of Detection (LOD) and below the Limit of Quantitation (LOQ)

<i>Italic</i>	= Exceeds NR720 Groundwater Pathway Protection
Bold	= Exceeds NR720 Non-Industrial Not-To-Exceed DC RCL
<u>Underlined</u>	= Exceeds NR720 Industrial Not-To-Exceed DC RCL

Table 1c-3
 Soil Analytical Results - Site Investigation
 Fong Family, LLC
 360 & 372 Grand Ave
 Wausau, WI 54403
 BRRTS# 02-37-587441

Collected By-->				REI Engineering, Inc.																	
Date-->				5/11/21	5/11/21	5/11/21	5/11/21	5/11/21	5/11/21	5/11/21	5/11/21	5/11/21	5/11/21	5/11/21	5/11/21	5/11/21	5/11/21	5/11/21	5/11/21	5/11/21	
Sample-->				G7-1	G7-6	G7-10	G8-1	G8-3	G8-4	G9-1	G9-2	G9-3	G10-1	G10-4	G10-5	G11-1	G11-2	G11-3	G12-1	G12-3	G12-4
Sample Depth (Feet)-->				2-4	22-24	38-40	2-4	9-11	12-14	2-4	6-8	8-10	2-4	14-16	17-19	2-4	6-8	10-12	2-4	8-10	14-16
PID (ppm)-->				0.0	0.0	0.1	0.0	0.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.1	0.1	0.1	0.3	0.2
Percent Moisture -->				6.3	7.4	11.8	7.5	5.9	3.8	6.8	9.2	2.2	7.8	8.8	2.9	7.4	8.6	3.0	5.0	13.2	10.7
Saturated (S) vs Unsaturated (U)-->				U	U	U	U	U	U	U	U	U	U	U	U	U	U	U	U	U	U
Native (N) vs Fill (F)-->				F	F	N	F	F	N	F	F	N	F	F	N	F	F	N	F	F	F
PAH's (mg/kg)	Non-Industrial Not-to-Exceed DC RCL	Industrial Not-to-Exceed DC RCL	Groundwater Pathway Protection RCL																		
Acenaphthene	3,590	45,200	--	<0.0023	<0.0023	0.0025 ^J	<0.0023	0.925 ^J	<0.0023	<0.0023	0.0034 ^J	<0.0022	<0.471	<0.0024	<0.0022	<0.0094	<0.0118	<0.0022	<0.0023	0.0115 ^J	<0.0024
Acenaphthylene	--	--	--	0.0040 ^J	<0.0023	0.0109 ^J	0.0032 ^J	<0.224	<0.0022	0.0086 ^J	0.0227	<0.0022	0.634 ^J	<0.0023	<0.0022	0.0382 ^J	0.0238 ^J	<0.0022	0.0090 ^J	0.0047 ^J	<0.0024
Anthracene	17,900	100,000	196.9492	0.0082 ^J	<0.0022	0.0217	0.0033 ^J	2.230	<0.0022	0.0097 ^J	0.0400	<0.0021	3.810	<0.0023	<0.0021	0.0523 ^J	0.114	<0.0021	0.0127 ^J	0.0578	<0.0023
Benzo (a) Anthracene	1.14	20.8	--	0.0517	0.0073 ^J	0.0831	0.0164 ^J	13.000	<0.0022	0.0380	0.164	<0.0022	<u>22.100</u>	0.0054 ^J	<0.0022	0.285	0.398	<0.0022	0.0569	0.134	<0.0024
Benzo (a) Pyrene	0.115	2.11	0.47	0.0596	0.0066 ^J	0.0961	0.0203	<u>13.500</u>	<0.0020	0.0477	0.186	<0.0019	<u>24.900</u>	0.0040 ^J	<0.0020	0.328	0.425	<0.0020	0.0696	0.145	<0.0021
Benzo (b) Fluoranthene	1.15	21.1	0.4781	0.0768	0.0085 ^J	0.123	0.0286	<u>18.500</u>	<0.0024	0.0718	0.240	<0.0024	<u>35.400</u>	0.0049 ^J	<0.0024	<u>0.487</u>	<u>0.543</u>	<0.0024	0.111	0.212	<0.0026
Benzo (g,h,i) Perylene	--	--	--	0.0414	0.0049 ^J	0.0643	0.0175 ^J	8.500	<0.0030	0.0363	0.130	<0.0030	18.100	<0.0032	<0.0030	0.246	0.320	<0.0030	0.0538	0.113	<0.0033
Benzo (k) Fluoranthene	11.5	211	--	0.0443	0.0045 ^J	0.0649	0.0115 ^J	6.860	<0.0022	0.0250	0.131	<0.0022	13.300	0.0030 ^J	<0.0022	0.174	0.291	<0.0022	0.0371	0.0823	<0.0024
Chrysene	115	2,110	0.1442	0.0600	0.0068 ^J	0.102	0.0190	<u>14.800</u>	<0.0033	0.0491	<u>0.165</u>	<0.0032	<u>22.400</u>	0.0040 ^J	<0.0032	<u>0.289</u>	<u>0.414</u>	<0.0032	0.0853	<u>0.161</u>	<0.0035
Dibenzo (a,h) Anthracene	0.115	2.11	--	0.0095 ^J	<0.0025	0.0161 ^J	0.0047 ^J	<u>2.450</u>	<0.0024	0.0095 ^J	0.0371	<0.0024	<u>4.480</u>	<0.0025	<0.0024	0.0630 ^J	0.0787 ^J	<0.0024	0.0137 ^J	0.0249	<0.0026
Fluoranthene	2,390	30,100	88.8778	0.109	0.0102 ^J	0.169	0.0267	23.100	<0.0021	0.0797	0.297	<0.0020	50.500	0.0083 ^J	<0.0020	0.503	0.980	<0.0020	0.120	0.403	<0.0022
Fluorene	2,390	30,100	14.8299	<0.0021	<0.0022	0.0046 ^J	<0.0022	0.494 ^J	<0.0021	<0.0021	0.0065 ^J	<0.0020	<0.435	<0.0022	<0.0021	<0.0086	0.0111 ^J	<0.0021	<0.0021	0.0099 ^J	<0.0022
Indeno (1,2,3-cd) Pyrene	1.15	21.1	--	0.0362	0.0042 ^J	0.0587	0.0134 ^J	7.900	<0.0036	0.0306	0.120	<0.0036	16.600	<0.0038	<0.0036	0.223	0.273	<0.0036	0.0436	0.0956	<0.0039
1-Methyl Naphthalene	17.6	72.7	--	<0.0026	<0.0026	<0.0028	<0.0026	<0.259	<0.0025	<0.0026	0.0031 ^J	<0.0025	<0.530	<0.0027	<0.0025	<0.0105	<0.0133	<0.0025	0.0050 ^J	0.0043 ^J	<0.0027
2-Methyl Naphthalene	239	3,010	--	<0.0026	<0.0026	0.0030 ^J	<0.0026	<0.259	<0.0025	<0.0026	0.0053 ^J	<0.0025	<0.531	<0.0027	<0.0025	<0.0105	<0.0133	<0.0025	0.0083 ^J	0.0054 ^J	<0.0027
Naphthalene	5.52	21.1	0.6582	<0.0017	<0.0018	0.0107 ^J	<0.0018	0.556 ^J	<0.0017	0.0021 ^J	0.0150 ^J	<0.0017	<0.354	<0.0018	<0.0017	0.0166 ^J	0.0153 ^J	<0.0017	0.0099 ^J	0.0077 ^J	<0.0018
Phenanthrene	--	--	--	0.0242	0.0047 ^J	0.0851	0.0071 ^J	11.000	<0.0020	0.0319	0.0975	<0.0020	9.650	<0.0021	<0.0020	0.118	0.386	<0.0020	0.0349	0.128	<0.0021
Pyrene	1,790	22,600	54.5455	0.0927	0.0088 ^J	0.147	0.0272	20.100	<0.0026	0.0770	0.276	<0.0025	41.500	0.0068 ^J	<0.0025	0.468	0.815	<0.0025	0.109	0.325	<0.0027

Notes:
 NR 720 Standards Obtained From WDNR RR Program's Soil RCL Spreadsheet
 This site is assessed as Non-Industrial
 RCL = Residual Contaminant Level
 DC = Direct Contact
 mg/kg = Parts Per Million (ppm)
 < = Concentration Below Laboratory Detection Limit
 - = Not Sampled/Collected
 -- = No Standard/Not Applicable
^J = Estimated concentration at or above the Limit of Detection (LOD) and below the Limit of Quantitation (LOQ)
 Please note: Exceedances for compounds with background threshold values are only identified as exceeding a RCL after exceeding the background threshold values.

<i>Italic</i>	= Exceeds NR720 Groundwater Pathway Protection
Bold	= Exceeds NR720 Non-Industrial Not-To-Exceed DC RCL
<u>Underlined</u>	= Exceeds NR720 Industrial Not-To-Exceed DC RCL

Table 2a
Groundwater Analytical Results
Fong Family, LLC
360 & 372 Grand Ave
Wausau, WI 54403
BRRTS# 02-37-587441

Collected By-->			REI Engineering, Inc.							
Date-->			5/10/21	5/10/21	5/10/21	5/10/21	5/10/21	5/11/21	5/11/21	
Sample-->			G1-W	G2-W	G3-W	G4-W	G5-W	G6-W	G7-W	
VOC's (µg/L)	Enforcement Standard (ES)	Preventive Action Limit (PAL)								
Benzene	5	0.5	<0.30	4.3	<0.30	<0.30	<0.30	<0.30	0.34 ^J	<0.30
Bromobenzene	--	--	<0.36	<0.36	<0.36	<0.36	<0.36	<0.36	<0.36	<0.36
Bromochloromethane	--	--	<0.36	<0.36	<0.36	<0.36	<0.36	<0.36	<0.36	<0.36
Bromodichloromethane	0.6	0.06	<0.42	<0.42	<0.42	<0.42	<0.42	<0.42	<0.42	<0.42
Bromoform	4.4	0.44	<3.8	<3.8	<3.8	<3.8	<3.8	<3.8	<3.8	<3.8
Bromomethane	10	1	<1.2	<1.2	<1.2	<1.2	<1.2	<1.2	<1.2	<1.2
n-Butylbenzene	--	--	<0.86	<0.86	<0.86	<0.86	<0.86	<0.86	<0.86	<0.86
sec-Butylbenzene	--	--	<0.42	<0.42	<0.42	<0.42	<0.42	<0.42	<0.42	<0.42
tert-Butylbenzene	--	--	<0.59	<0.59	<0.59	<0.59	<0.59	<0.59	<0.59	<0.59
Carbon tetrachloride	5	0.5	<0.37	<0.37	<0.37	<0.37	<0.37	<0.37	<0.37	<0.37
Chlorobenzene	--	--	<0.86	<0.86	<0.86	<0.86	<0.86	<0.86	<0.86	<0.86
Chloroethane	400	80	<1.4	<1.4	<1.4	<1.4	<1.4	<1.4	<1.4	<1.4
Chloroform	6	0.6	<1.2	<1.2	<1.2	<1.2	<1.2	<1.2	<1.2	<1.2
Chloromethane	30	3	<1.6	<1.6	<1.6	<1.6	<1.6	<1.6	<1.6	<1.6
2-Chlorotoluene	--	--	<0.89	<0.89	<0.89	<0.89	<0.89	<0.89	<0.89	<0.89
4-Chlorotoluene	--	--	<0.89	<0.89	<0.89	<0.89	<0.89	<0.89	<0.89	<0.89
1,2-Dibromo-3-chloropropane	0.2	0.02	<2.4	<2.4	<2.4	<2.4	<2.4	<2.4	<2.4	<2.4
Dibromochloromethane	60	6	<2.6	<2.6	<2.6	<2.6	<2.6	<2.6	<2.6	<2.6
1,2-Dibromoethane (EDB)	0.05	0.005	<0.31	<0.31	<0.31	<0.31	<0.31	<0.31	<0.31	<0.31
Dibromomethane	--	--	<0.99	<0.99	<0.99	<0.99	<0.99	<0.99	<0.99	<0.99
1,2-Dichlorobenzene	600	60	<0.33	<0.33	<0.33	<0.33	<0.33	<0.33	<0.33	<0.33
1,3-Dichlorobenzene	600	120	<0.35	<0.35	<0.35	<0.35	<0.35	<0.35	<0.35	<0.35
1,4-Dichlorobenzene	75	15	<0.89	<0.89	<0.89	<0.89	<0.89	<0.89	<0.89	<0.89
Dichlorodifluoromethane	1,000	200	<0.46	<0.46	<0.46	<0.46	<0.46	<0.46	<0.46	<0.46
1,1-Dichloroethane	850	85	<0.30	<0.30	<0.30	<0.30	<0.30	<0.30	<0.30	<0.30
1,2-Dichloroethane	5	0.5	<0.29	<0.29	<0.29	<0.29	<0.29	<0.29	<0.29	<0.29
1,1-Dichloroethene	7	0.7	<0.58	<0.58	<0.58	<0.58	<0.58	<0.58	<0.58	<0.58
cis-1,2-Dichloroethene	70	7	<0.47	<0.47	<0.47	<0.47	<0.47	<0.47	<0.47	<0.47
trans-1,2-Dichloroethene	100	20	<0.53	<0.53	<0.53	<0.53	<0.53	<0.53	<0.53	<0.53
1,2-Dichloropropane	5	0.5	<0.45	<0.45	<0.45	<0.45	<0.45	<0.45	<0.45	<0.45
1,3-Dichloropropane	--	--	<0.30	<0.30	<0.30	<0.30	<0.30	<0.30	<0.30	<0.30
2,2-Dichloropropane	--	--	<4.2	<4.2	<4.2	<4.2	<4.2	<4.2	<4.2	<4.2
1,1-Dichloropropene	--	--	<0.41	<0.41	<0.41	<0.41	<0.41	<0.41	<0.41	<0.41
cis-1,3-Dichloropropene	0.4	0.04	<0.36	<0.36	<0.36	<0.36	<0.36	<0.36	<0.36	<0.36
trans-1,3-Dichloropropene	0.4	0.04	<3.5	<3.5	<3.5	<3.5	<3.5	<3.5	<3.5	<3.5
Diisopropyl ether	--	--	<1.1	<1.1	<1.1	<1.1	<1.1	<1.1	<1.1	<1.1
Ethylbenzene	700	140	<0.33	4.3	<0.33	<0.33	<0.33	<0.33	<0.33	<0.33
Hexachloro-1,3-butadiene	--	--	<2.7	<2.7	<2.7	<2.7	<2.7	<2.7	<2.7	<2.7
Isopropylbenzene (cumene)	--	--	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
p-Isopropyltoluene	--	--	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
Methylene Chloride	5	1	<0.32	<0.32	<0.32	<0.32	<0.32	<0.32	<0.32	<0.32
Methyl-tert-butyl ether (MTBE)	60	12	<1.1	<1.1	<1.1	<1.1	<1.1	<1.1	<1.1	<1.1
Naphthalene	100	10	<1.1	<1.1	<1.1	<1.1	<1.1	<1.1	<1.1	<1.1
n-Propylbenzene	--	--	<0.35	<0.35	<0.35	<0.35	<0.35	<0.35	<0.35	<0.35
Styrene	100	10	<0.36	<0.36	<0.36	<0.36	<0.36	<0.36	<0.36	<0.36
1,1,1,2-Tetrachloroethane	70	7	<0.36	<0.36	<0.36	<0.36	<0.36	<0.36	<0.36	<0.36
1,1,2,2-Tetrachloroethane	0.2	0.02	<0.38	<0.38	<0.38	<0.38	<0.38	<0.38	<0.38	<0.38
Tetrachloroethene (PCE)	5	0.5	3.9	1.1	<i>0.98^J</i>	1.3	<0.41	1.5	1.6	
Toluene	800	160	0.62 ^J	0.91 ^J	<0.29	<0.29	<0.29	1.1	<0.29	
1,2,3-Trichlorobenzene	--	--	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	
1,2,4-Trichlorobenzene	70	14	<0.95	<0.95	<0.95	<0.95	<0.95	<0.95	<0.95	
1,1,1-Trichloroethane	200	40	<0.30	<0.30	<0.30	<0.3	<0.30	<0.30	0.37 ^J	
1,1,2-Trichloroethane	5	0.5	<0.34	<0.34	<0.34	<0.34	<0.34	<0.34	<0.34	
Trichloroethene (TCE)	5	0.5	<0.32	<0.32	<0.32	<0.32	<0.32	<0.32	<0.32	
Trichlorofluoromethane	--	--	<0.98	<0.42	<0.42	<0.42	<0.42	<0.42	<0.42	
1,2,3-Trichloropropane	60	12	<0.45	<0.56	<0.56	<0.56	<0.56	<0.56	<0.56	
Trimethylbenzenes (TMB) ¹	480	96	<0.81	1.1 ^J	<0.81	<0.81	<0.81	<0.81	<0.81	
Vinyl chloride	0.2	0.02	<0.17	<0.17	<0.17	<0.17	<0.17	<0.17	<0.17	
Xylenes ²	2,000	400	<1.1	15	<1.1	<1.1	<1.1	0.38 ^J	<1.1	

Notes:

¹ = NR140.10 Trimethylbenzene standard is for combined 1,2,4- and 1,3,5- isomers

² = NR140.10 Xylene standard is for combined m-, o-, and p- isomers

µg/L - Parts Per Billion (ppb)

< = Concentration Below Laboratory Detection Limit

- = Not Sampled

-- = No Standard/Not Applicable

^J = Estimated concentration at or above the Limit of Detection (LOD) and below the Limit of Quantitation (LOQ)

Bold	= Exceeds NR140.10 Enforcement Standard
<i>Italic</i>	= Exceeds NR140.10 Preventive Action Limit

Table 2b
Groundwater Analytical Results
Fong Family, LLC
360 & 372 Grand Ave
Wausau, WI 54403
BRRTS# 02-37-587441

<i>Collected By--></i>			REI Engineering, Inc.						
<i>Date--></i>			5/10/21	5/10/21	5/10/21	5/10/21	5/10/21	5/11/21	5/11/21
<i>Sample--></i>			<i>G1-W</i>	<i>G2-W</i>	<i>G3-W</i>	<i>G4-W</i>	<i>G5-W</i>	<i>G6-W</i>	<i>G7-W</i>
Dissolved Metals (µg/L)	Enforcement Standard (ES)	Preventive Action Limit (PAL)							
Arsenic (As) ¹	10	1	<0.28	2.2	<0.24	<0.24	<0.24	0.90 ^J	0.96 ^J
Lead (Pb) ¹	15	1.5	<0.24	<0.24	0.46	0.17	0.11	<0.24	<0.24

Notes:

µg/L - Parts Per Billion (ppb)

< = Concentration Below Laboratory Detection Limit

- = Not Sampled

-- = No Standard/Not Applicable

^J = Estimated concentration at or above the Limit of Detection (LOD) and below the Limit of Quantitation (LOQ)

¹ = NR140.10 Table 1 Public Health Groundwater Quality Standard

² = NR140.12 Table 2 Public Welfare Groundwater Quality Standard

Bold	= Exceeds NR140.10 or NR140.12 Enforcement Standard
<i>Italic</i>	= Exceeds NR140.10 or NR140.12 Preventive Action Limit

Table 2c
Groundwater Analytical Results
Fong Family, LLC
360 & 372 Grand Ave
Wausau, WI 54403
BRRTS# 02-37-587441

Collected By-->			REI Engineering, Inc.						
Date-->			5/10/21	5/10/21	5/10/21	5/10/21	5/10/21	5/11/21	5/11/21
Sample-->			G1-W	G2-W	G3-W	G4-W	G5-W	G6-W	G7-W
PAH's (µg/L)	Enforcement Standard (ES)	Preventive Action Limit (PAL)							
Acenaphthene	--	--	<0.0056	<0.0070	0.015 ^J	0.0068 ^J	<0.0060	0.029 ^J	0.059
Acenaphthylene	--	--	<0.0046	<0.0057	0.0064 ^J	<0.0050	<0.0049	0.0053 ^J	<0.0051
Anthracene	3,000	600	<0.0097	<0.012	<0.011	<0.010	<0.010	0.034 ^J	0.055
Benzo (a) Anthracene	--	--	<0.0070	0.020 ^J	0.017 ^J	<0.0076	<0.0074	0.014 ^J	0.020 ^J
Benzo (a) Pyrene	0.2	0.02	<0.0098	0.016 ^J	<0.011	<0.011	<0.010	<0.010	<0.011
Benzo (b) Fluoranthene	0.2	0.02	<0.0053	0.031^J	0.019 ^J	<0.0057	<0.0056	0.0084 ^J	0.0087 ^J
Benzo (g,h,i) Perylene	--	--	<0.0063	0.016 ^J	0.0095 ^J	<0.0068	<0.0066	<0.0066	<0.0069
Benzo (k) Fluoranthene	--	--	<0.0070	0.016 ^J	<0.0081	<0.0076	<0.0074	<0.0073	<0.0077
Chrysene	0.2	0.02	<0.012	0.027^J	0.024^J	<0.013	<0.013	0.016 ^J	0.021^J
Dibenzo (a,h) Anthracene	--	--	<0.0093	<0.012	<0.011	<0.010	<0.0098	<0.0097	<0.010
Fluoranthene	400	80	<0.0099	0.062	0.047 ^J	0.012 ^J	0.011 ^J	0.084	0.15
Fluorene	400	80	<0.0074	<0.0092	0.026 ^J	0.016 ^J	0.012 ^J	0.044	0.074
Indeno (1,2,3-cd) Pyrene	--	--	<0.016	<0.020	<0.019	<0.018	<0.017	<0.017	<0.018
1-Methyl Naphthalene	--	--	0.0074 ^J	0.014 ^J	0.035	0.016 ^J	0.0091 ^J	0.056	0.023 ^J
2-Methyl Naphthalene	--	--	0.023	0.024 ^J	0.053	0.020 ^J	0.0099 ^J	0.066	0.028
Naphthalene	100	10	0.036 ^J	0.044 ^J	0.038 ^J	<0.018	<0.018	0.078 ^J	0.041 ^J
Phenanthrene	--	--	<0.013	0.030 ^J	0.079	0.059 ^J	0.026 ^J	0.20	0.40
Pyrene	250	50	<0.0071	0.056	0.058	0.014 ^J	0.011 ^J	0.059	0.10

Notes:

µg/L - Parts Per Billion (ppb)

< = Concentration Below Laboratory Detection Limit

-- = Not Sampled

-- = No Standard/Not Applicable

^J = Estimated concentration at or above the Limit of Detection (LOD) and below the Limit of Quantitation (LOQ)

Bold	= Exceeds Enforcement Standard
<i>Italic</i>	= Exceeds Preventive Action Limit

APPENDIX A

SOURCE LEGAL DOCUMENTS



DOCUMENT NO.

STATE BAR OF WISCONSIN FORM 2
WARRANTY DEED

Michael A. Yokers and Scott Gile, d/b/a HILife Investments, LLP, a Limited Liability Partnership conveys and warrants to Fong Family, LLC, a Wisconsin Limited Liability Company the following described real estate in Marathon County, State of Wisconsin:



DOC# 1510256

Michael J. Sydow

RETURN TO
Fong Family LLC
221 Stewart Avenue
Wausau, WI 54401

00013623 pd ck.13- t.t. 14775.00

See Exhibit A attached hereto and made a part hereof.

TRANSFER
\$14775.00
FEE

This IS NOT homestead property of the grantors.
(is)(is not)

Together with all and singular hereditaments and appurtenances thereunto belonging; And Grantor, Michael A. Yokers and Scott Gile, d/b/a HILife Investments, LLP, a limited liability partnership, warrants that the title is good, indefeasible in fee simple and free and clear of encumbrances except municipal and zoning ordinances and agreements entered under them, recorded easements for the distribution of utility and municipal services, recorded building and use restrictions and covenants, and general taxes levied in the year of closing and will warrant and defend the same.

Dated this May 13, 2008

HILife Investments, LLP

by: *Michael A. Yokers* (SEAL)
* Michael A. Yokers, partner

HILife Investments, LLP

by: *Scott Gile* (SEAL)
* Scott Gile, partner

____ (SEAL)
*

____ (SEAL)
*

AUTHENTICATION

Signatures authenticated this _____ day of _____, 2008

TITLE: MEMBER STATE BAR OF WISCONSIN
(If not, _____
authorized by § 706.06, Wis. Stats.)

THIS INSTRUMENT WAS DRAFTED BY

Paul E. Duerst

Attorney at Law

(Signatures may be authenticated or acknowledged separately, where not necessary.)

ACKNOWLEDGMENT

STATE OF WISCONSIN


Portage County } ss.

Personally came before me this 13th day of May, 2008 the above named Michael A. Yokers and Scott Gile to me known to be the person who executed the foregoing instrument and acknowledge the same.

Diana M. Orlikowski
* Diana M. Orlikowski

Notary Public Portage County, Wis.

My Commission is permanent. (If not, state expiration date: 10/19/08)



*Names of persons signing in any capacity should be typed or printed below their signatures.

WARRANTY DEED

Exhibit A

B Williams Rhomboid
7900 # 6400

291.4.2907.362.0511

006216 912900

Parcel I:

Lot Four (4) of Certified Survey Map No. 5576 recorded in Volume 20 of Surveys, on page 169; being a part of Lot Nine (9) in Block Three (3) and part of Lots Seven (7) and Eight (8) in Block Four (4) of B. Williams Addition in the City of Wausau, also being a part of Lot "C" and a part of Lot "D" of Rhomboid Addition in the City of Wausau, and being part of Government Lot One (1) and a part of Government Lot Two (2), all in Section Thirty-six (36), Township Twenty-nine (29) North, Range Seven (7) East, in the City of Wausau, Marathon County, Wisconsin, together with the Southerly one-half of that part of the vacated alley lying Northerly of and contiguous to said lot in B. Williams Addition.

808052 250800

Parcel II:

Lot One (1) of Certified Survey Map No. 3326 recorded in Volume 12 of Surveys, on page 196; being a part of Block "C" of Rhomboid Addition, in the City of Wausau, Marathon County, Wisconsin.

291.4.2907.362.0499
6400

Parcel III:

That part of Outlot One (1) of Walton's Addition to Wausau, Marathon County, Wisconsin, described as follows:

Beginning at the Southeast corner of said Outlot One (1); and running thence West along the South line thereof, 110 feet; thence Northwesterly, parallel with the Easterly line of said Lot, 170 feet; thence East parallel with the South line thereof, 110 feet to the Easterly line of said Lot; and thence Southeasterly, along the Easterly line thereof, 170 feet to the place of beginning.

291.4.2907.362.0440
7500





DOC# 1510256


912900

Lot 9, Block 3, Lots 7 & 8, Block 4, B. Williams Addition AND Part Lot C, all of Lot D and part of Lot E of Rhomboid Addition and being parts of Government Lots 1 and 2, all in Section 36, T 29 N, R 7 E, City of Wausau, Marathon County, Wisconsin

SHEET 1 OF 5




LOT 1
47,680 sq.ft. of which
± 33,600 sq.ft. is above
the high bank as shown



LEGEND


- = 3/4" x 24" Rebar, 1.50 lbs per ft.
○ = 1" iron pipe, found
⊙ = 3/4" rebar, found
Bearings ref. to CSM #1327 Vol. 6, Page 8 and said CSM used as a basis for this map
⊙ = 3/4" iron pipe, found

LOT 2, reverse side this map




In connection with... Patricia O. Bracy, Register

SE cor. CSM 3325-12-195





Elderly Housing

Grand Avenue



B. Williams
Henriette Street
Block 4
Lot 7
Addition
Block 3
Lot 10
60'




I, Keith R. Vreeland, Registered Professional Land Surveyor, do hereby certify, that at the direction of Richard Austin, I surveyed, mapped and divided the described property and that the map is true and correct and that I have complied with Chapter 236.34 of the Wisconsin Statutes, all to the best of my knowledge and belief.

Keith R. Vreeland

Keith R. Vreeland S 0931 8-20-89
1629 Lakehurst Rd., Mosinee, WI 54455

DESCRIPTION

Lot 9, Block 3; Lots 7 and 8, Block 4, all of B. Williams Addition AND part of Lot C, all of Lot D, part of Lot E of Rhomboid Addition and also being part of Marathon County Certified Survey Map Number 1327 as recorded in Volume 6 on Page 8 of Certified Surveys; and all being located in Government Lots 1 and 2, Section 36, T 29 N, R 7 E, City of Wausau, Marathon County, Wisconsin, to wit: Commencing at the northeast corner of Lot C Rhomboid Addition which is the northeast corner of Parcel 2 of said Certified Survey Map number 1327; S 13°22' E 286.30 feet to the point of beginning; S 13°22' E 352.20 feet; S 76°51' W 315.00 feet; S 13°22' E 285.00 feet; N 76°51' E 91.90 feet; S 5°28' W 60.26 feet; S 84°32' E 20.00 feet; S 5°28' W 203.60 feet; S 72°43' W 67.20 feet to the easterly rights of way line of a railroad; thence along said railroad right of way on chords of N 44°27' W 124.30 feet; N 43°17'20" W 179.35 feet; N 40°14' 01 " W 320.10 feet; thence leaving said railroad right of way N 76°51' E 71.20 feet; N 1°24' E 488.35 feet; S 88°40' E 52.00 feet; S 1°24' W 30.00 feet; N 87°30'45" E 423.98 feet to the point of beginning.



LOCATION AND LOT CONFIGURATION



city only
1517
912900

'89 SEP 7 AM 11 46



REGISTER'S OFFICE }
Marathon County, Wis. }
Received for Record this _____
day of _____ A.D. 19 _____
at _____ o'clock _____ M and recorded
in Vol. 20 of 1517
on page 169
Patrick P. Brady
Register

paid \$12.00 # 6361
North Country
Investment Corp.

APPENDIX B


ZONING DOCUMENTATION





Legend

- Muni-Outline (FullExtent)
- Parcel
- HighwaySign (FullExtent)**
 - USH
 - STH
 - CTH
- Street Name**
- Zoning**
 - SR-2 - Single Family Residential - 2
 - SR-3 - Single Family Residential - 3
 - SR-5 - Single Family Residential - 5
 - SR-7 - Single Family Residential - 7
 - MH-7 - Mobile Home Residential - 7
 - DR-8 - Duplex Residential - 8
 - TF-10 - Two-Flat Residential - 10
 - TRD-12 - Townhome Residential - 12
 - MRL-12 - Multi-Family Residential - 12
 - MRM-20 - Multi-Family Residential - 20
 - MRH-50 - Multi-Family Residential - 50
 - PUD - Planned Unit Development
 - RH-35 - Rural Holding
 - I - Institutional
 - NMU - Neighborhood Mixed-Use
 - SO - Suburban Office
 - SMU - Suburban Mixed Use
 - UMU - Urban Mixed-Use
 - DPMU - Downtown Periphery Mixed-Use
 - DHMU - Downtown Historic Mixed-Use
 - DRMU - Downtown High-Rise Mixed-Use
 - LI - Light Industrial
 - MI - Medium Industrial
 - HI - Heavy Industrial



Map Created: 6/1/2021

50.00 0 50.00 Feet

NAD_1983_HARN_WISCRS_Marathon_County_Feet

DISCLAIMER: The information and depictions herein are for informational purposes and Marathon County-City of Wausau specifically disclaims accuracy in this reproduction and specifically admonishes and advises that if specific and precise accuracy is required, the same should be determined by procurement of certified maps, surveys, plats, Flood Insurance Studies, or other official means. Marathon County-City of Wausau will not be responsible for any damages which result from third party use of the information and depictions herein or for use which ignores this warning.

THIS MAP IS NOT TO BE USED FOR NAVIGATION

Notes

CITY OF WAUSAU

ZONING DISTRICT CLASSIFICATIONS

ZONE	USE
RESIDENTIAL ZONING DISTRICTS	
SR-2	SINGLE FAMILY RESIDENTIAL - 2
SR-3	SINGLE FAMILY RESIDENTIAL - 3
SR-5	SINGLE FAMILY RESIDENTIAL - 5
SR-7	SINGLE FAMILY RESIDENTIAL - 7
MH-7	MOBILE HOME RESIDENTIAL - 7
DR-8	DUPLEX RESIDENTIAL - 8
TF-10	TWO-FLAT RESIDENTIAL - 10
TRD-12	TOWNHOUSE RESIDENTIAL - 12
MR-12	MULTI-FAMILY RESIDENTIAL - 12
MR-20	MULTI-FAMILY RESIDENTIAL - 20
MR-50	MULTI-FAMILY RESIDENTIAL - 50
NONRESIDENTIAL ZONING DISTRICTS	
AGRICULTURAL	
RH-35	RURAL HOLDING-35
COMMERCIAL	
I	INSTITUTIONAL
NMU	NEIGHBORHOOD MIXED-USE
SO	SUBURBAN OFFICE
SMU	SUBURBAN MIXED-USE
UMU	URBAN MIXED-USE
DPMU	DOWNTOWN PERIPHERY MIXED-USE
DHMU	DOWNTOWN HISTORIC MIXED-USE
DRMU	DOWNTOWN HIGH-RISE MIXED-USE
RP	RESEARCH PARK
INDUSTRIAL	
LI	LIGHT INDUSTRIAL
MI	MEDIUM INDUSTRIAL
HI	HEAVY INDUSTRIAL
OTHER	
IOS	INTENSIVE OUTDOOR STORAGE
IOC	INTENSIVE OUTDOOR COMMERCIAL
AO	ADULT-ORIENTED ENTERTAINMENT
EX	EXTRACTION/DISPOSAL

Section 23.02.54: (UMU) Urban Mixed-Use Zoning District

- (1) Intent. This district is intended to permit areas, generally on established commercial corridors, that are or are planning to become mixed use in character and establish standards that are compatible with the existing mix of land uses and redevelopment objectives. This district is intended to provide for a variety of employment, retail, and community service opportunities, while allowing some residential uses at an approximate density of up to 36 dwelling units per acre. Residential uses should not become the majority ground floor land use in this district. As of the adoption of this code, any existing single-family or two-family use on a parcel zoned Urban Mixed-Use is a legal conforming land use. Uses shall be compatible not only with other uses within the district, but land uses in adjoining zoning districts as well.
- (2) Principal Uses Permitted by Right. Refer to Article III for detailed definitions and requirements for each of the following land uses.
 - (a) Existing Single-Family or Two-Family Land Use (as of the adoption of this code)
 - (b) Townhouse 2-4 units
 - (c) Townhouse 5-8 units
 - (d) Multiplex 3-4 units
 - (e) Multiplex 5-8 units
 - (f) Apartments 3-4 units
 - (g) Apartments 5-8 units
 - (h) Apartments 9-12 units
 - (i) Apartments 13-16 units
 - (j) Apartments 17-20 units
 - (k) Single Family Living Arrangement
 - (l) Apartments with Limited Commercial
 - (m) Mixed-Use Building
 - (n) Live/Work Unit
 - (o) Office
 - (p) Personal or Professional Service
 - (q) Indoor Sales or Service
 - (r) Outdoor Display
 - (s) Artisan Production Shop
 - (t) Physical Activity Studio
 - (u) Commercial Kitchen
 - (v) Restaurants, Taverns, and Indoor Commercial Entertainment
 - (w) Outdoor Commercial Entertainment
 - (x) Drive-Through and In-Vehicle Sales or Service
 - (y) Group Daycare Center
 - (z) Indoor Maintenance Service
 - (aa) Water-Related Recreation
 - (bb) Indoor Institutional
 - (cc) Outdoor Open Space Institutional
 - (dd) Passive Outdoor Recreation
 - (ee) Active Outdoor Recreation
 - (ff) Essential Services
 - (gg) Community Living Arrangement (1-8 residents) meeting the requirements of Section 23.03.12(7)
- (3) Principal Uses Permitted as Conditional Use. Refer to Article III for detailed definitions and requirements for each of the following land uses.
 - (a) Apartments 21-36 units

Section 23.02.54: (UMU) Urban Mixed-Use Zoning District

- (b) Roommate Living Arrangement (4+ units)
 - (c) Boarding House Living Arrangement
 - (d) Outdoor Commercial Entertainment
 - (e) Commercial Indoor Lodging
 - (f) Vehicle Sales
 - (g) Vehicle Service and Repair
 - (h) Community Living Arrangement (9-15 residents) meeting the requirements of Section 23.03.12(8)
 - (i) Community Living Arrangement (16+ residents) meeting the requirements of Section 23.03.12(9)
 - (j) Institutional Residential (Assisted Living)
 - (k) Production Greenhouse
 - (l) Indoor Food Cultivation and Farming
 - (m) Transit Center
 - (n) Off-Site Parking Lot
 - (o) Off-Site Structured Parking
 - (p) Communication Tower
 - (q) Cultivation
 - (r) Community Garden
 - (s) Market Garden
- (4) Accessory Uses Permitted by Right. Refer to Article III for detailed definitions and requirements for each of the following land uses.
- (a) Arbor/Trellis
 - (b) Basketball Hoop
 - (c) Clothes Line
 - (d) Flag Pole
 - (e) Fountain
 - (f) Little Library
 - (g) Little Food Pantry
 - (h) Picnic Table
 - (i) Bench
 - (j) Gazebo/Picnic Shelter
 - (k) Patio
 - (l) Freestanding Deck
 - (m) Seasonal Decorations
 - (n) Shed/Storage Building
 - (o) Statue/Art Object
 - (p) Swimming Pool/Recreational Court
 - (q) Swing set/Play Equipment/Play House
 - (r) Paved Play Court (basketball, tennis, pickle ball, etc.)
 - (s) Walkways/Steps
 - (t) Refuse Enclosure
 - (u) Outdoor Kitchen
 - (v) Pond
 - (w) Garden, Raised Garden Bed, Landscape Area, Rain Garden, or Bioswale
 - (x) Birdbath, Bird House, or Birdfeeder
 - (y) Detached Accessory Building
 - (z) Home Occupation
 - (aa) In-Home Daycare (4-8 children)
 - (bb) Boathouse

Section 23.02.54: (UMU) Urban Mixed-Use Zoning District

- (cc) In-Family Suite
 - (dd) Tourist Rooming House
 - (ee) Nonresidential Accessory Structure
 - (ff) On-Site Parking Lot
 - (gg) On-Site Structured Parking
 - (hh) Company Cafeteria
 - (ii) Incidental Outdoor Display
 - (jj) Incidental Indoor Sales
 - (kk) Incidental Light Industrial
 - (ll) Incidental Outdoor Storage
 - (mm) Satellite Dish
 - (nn) Personal Antenna and Towers
 - (oo) Small Solar Energy System
- (5) Accessory Uses Permitted as Conditional Use. Refer to Article III for detailed definitions and requirements for each of the following land uses.
- (a) Communication Antenna
 - (b) Small Wind Energy System
- (6) Temporary Uses. Most temporary uses are limited to 90 days per calendar year. Temporary uses below marked with an asterisk (*) may be extended in duration through the conditional use process. Refer to Section 23.03.30 for detailed definitions and requirements for each of the following land uses.
- (a) Temporary Moving Container (Residential)
 - (b) Temporary Outdoor Storage Container (Nonresidential)
 - (c) Farmer's Market
 - (d) Temporary Outdoor Sales*
 - (e) Temporary Outdoor Assembly*
 - (f) Temporary On-Site Construction Storage*
 - (g) Temporary Contractor's Project Office*
 - (h) Temporary On-Site Real Estate Sales Office*
 - (i) Temporary Relocatable Building*
 - (j) Temporary Shelter Structure
 - (k) Temporary Vehicle Sales*

Section 23.02.54: (UMU) Urban Mixed-Use Zoning District

(7) Density, Intensity, and Bulk Regulations for the (UMU) Urban Mixed-Use District.

	Requirement	
Minimum Lot Area	10,000 square feet lot	
Maximum Impervious Surface Ratio	90 percent	
Minimum Lot Width	60 feet	
Minimum Lot Depth	120 feet	
Minimum Lot Frontage at Right-of-Way	30 feet	
Minimum Front Setback	10 feet	
Minimum Attached Garage Setback	2 feet behind the plane of the building	
Minimum Porch Setback (front and side yard)	10 feet	
Minimum Street Side Setback (on corner lots)	10 feet	
Minimum Side Setback	0 or 10 feet	
Minimum Rear Setback	10 feet	
Maximum Principal Building Height	50 feet	
Minimum Number of Stories	1 story	
Minimum Principal Building Separation	10 feet	
Minimum Pavement Setback (lot line to pavement, excludes driveway entrances)	5 feet on side and rear yards 10 feet from any street right-of-way	
Minimum Parking Required	See Article III	
Minimum Dwelling Unit Structure Area	400 square feet per bedroom	
Accessory Buildings:	Residential	Nonresidential
Minimum Front Setback	Even with or behind the principal structure	60 feet and at least 5 feet behind the principal structure
Minimum Side Setback	5 feet	5 feet
Minimum Side Setback (on corner)	Even with or behind the principal structure	60 feet and at least 5 feet behind the principal structure
Minimum Rear Setback	5 feet	5 feet
Maximum Height	18 feet	18 feet

Section 23.02.60: (LI) Light Industrial Zoning District

- (1) Intent. This district is intended to permit both small- and mid-scale industrial and office development at an intensity which is consistent with economic development objectives and compatible with adjacent residential and commercial development. The primary distinguishing feature of this district is that it is geared toward indoor industrial activities with some loading and unloading exposed which are not typically associated with high levels of noise, soot, odors and other potential nuisances for adjoining properties.
- (2) Principal Uses Permitted by Right. Refer to Article III for detailed definitions and requirements for each of the following land uses.
 - (a) Office
 - (b) Personal or Professional Service
 - (c) Outdoor Display
 - (d) Artisan Production Shop
 - (e) Commercial Kitchen
 - (f) Indoor Maintenance Service
 - (g) Outdoor Open Space Institutional
 - (h) Passive Outdoor Recreation
 - (i) Active Outdoor Recreation
 - (j) Essential Services
 - (k) Light Industrial
 - (l) Indoor Storage and Wholesaling
- (3) Principal Uses Permitted as Conditional Use. Refer to Article III for detailed definitions and requirements for each of the following land uses.
 - (a) Vehicle Service and Repair
 - (b) Large Scale Public Services and Utilities
 - (c) Production Greenhouse
 - (d) Indoor Food Production and Processing
 - (e) Personal Storage Facility
 - (f) Transit Center
 - (g) Distribution Center
 - (h) Off-Site Parking Lot
 - (i) Off-Site Structured Parking
 - (j) Communication Tower
 - (k) Cultivation
 - (l) Community Garden
- (4) Accessory Uses Permitted by Right. Refer to Article III for detailed definitions and requirements for each of the following land uses.
 - (a) Flag Pole
 - (b) Shed/Storage Building
 - (c) Walkways/Steps
 - (d) Detached Accessory Buildings
 - (e) Home Occupations
 - (f) Tourist Rooming Housing (In Single-Family Home)
 - (g) Nonresidential Accessory Structure
 - (h) On-Site Parking Lot
 - (i) On-Site Structured Parking
 - (j) Company Cafeteria
 - (k) Incidental Outdoor Display

Section 23.02.60: (LI) Light Industrial Zoning District

- (l) Incidental Indoor Sales
 - (m) Incidental Light Industrial
 - (n) Incidental Outdoor Storage
 - (o) Satellite Dish
 - (p) Personal Antenna and Towers
 - (q) Small Wind Energy System
 - (r) Small Solar Energy System
- (5) Accessory Uses Permitted as Conditional Use. Refer to Article III for detailed definitions and requirements.
- (a) Communication Antenna
- (6) Temporary Uses. Most temporary uses are limited to 90 days per calendar year. Temporary uses below marked with an asterisk (*) may be extended in duration through the conditional use process. Refer to Section 23.03.30 for detailed definitions and requirements for each of the following land uses.
- (a) Temporary Moving Container (Residential)
 - (b) Temporary Outdoor Storage Container (Nonresidential)
 - (c) Farmer's Market
 - (d) Temporary Outdoor Assembly*
 - (e) Temporary On-Site Construction Storage*
 - (f) Temporary Contractor's Project Office*
 - (g) Temporary On-Site Real Estate Sales Office*
 - (h) Temporary Relocatable Building*
 - (i) Temporary Shelter Structure
 - (j) Temporary Vehicle Sales*

Section 23.02.60: (LI) Light Industrial Zoning District

(7) Density, Intensity, and Bulk Regulations for the (LI) Light Industrial District.

	Requirement	
Minimum Lot Area	10,000 square feet	
Maximum Impervious Surface Ratio	80 percent	
Minimum Lot Width	60 feet	
Minimum Lot Depth	120 feet	
Minimum Lot Frontage at Right-of-Way	30 feet	
Minimum Front Setback	30 feet	
Minimum Attached Garage Setback	2 feet behind the plane of the building	
Minimum Porch Setback (front and side yard)	NA	
Minimum Street Side Setback (on corner lots)	30 feet	
Minimum Side Setback	10 feet	
Minimum Rear Setback	30 feet	
Maximum Principal Building Height	50 feet	
Minimum Number of Stories	1 story	
Minimum Principal Building Separation	10 feet	
Minimum Pavement Setback (lot line to pavement, excludes driveway entrances)	5 feet on side and rear yards 10 feet from any street right-of-way	
Minimum Parking Required	See Article III	
Minimum Dwelling Unit Structure Area	NA	
Accessory Buildings:	Residential	Nonresidential
Minimum Front Setback	Even with or behind the principal structure	60 feet and at least 5 feet behind the principal structure
Minimum Side Setback	5 feet	5 feet
Minimum Side Setback (on corner)	Even with or behind the principal structure	60 feet and at least 5 feet behind the principal structure
Minimum Rear Setback	5 feet	5 feet
Maximum Height	18 feet	45 feet

Section 23.02.50: (I) Institutional Zoning District

Section 23.02.50: (I) Institutional Zoning District

- (1) Intent. This district is intended to permit both large- and small-scale institutional development including those on single sites within larger areas of both residential and nonresidential zoning districts. Residential uses are intended to occur at an approximate density of 1 dwelling unit per acre or a density similar to the adjacent zoning districts, whichever is less restrictive. This district avoids the creation of commercial spot zone intrusions in primarily residential or industrial areas where spots of commercial zoning may be incompatible.
- (2) Principal Uses Permitted by Right. Refer to Article III for detailed definitions and requirements for each of the following land uses.
 - (a) Office
 - (b) Personal or Professional Service
 - (c) Artisan Production Shop
 - (d) Group Daycare Center
 - (e) Water-Related Recreation
 - (f) Indoor Institutional
 - (g) Outdoor Open Space Institutional
 - (h) Passive Outdoor Recreation
 - (i) Active Outdoor Recreation
 - (j) Essential Services
 - (k) Community Living Arrangement (1-8 residents) meeting the requirements of Section 23.03.12(7)
 - (l) Cultivation
 - (m) Community Garden
- (3) Principal Uses Permitted as Conditional Use. Refer to Article III for detailed definitions and requirements for each of the following land uses.
 - (a) Physical Activity Studio
 - (b) Commercial Kitchen
 - (c) Indoor Maintenance Service
 - (d) Large Scale Public Service and Utilities
 - (e) Community Living Arrangement (9-15 residents) meeting the requirements of Section 23.03.12(8)
 - (f) Community Living Arrangement (16+ residents) meeting the requirements of Section 23.03.12(9)
 - (g) Institutional Residential (Assisted Living)
 - (h) Off-Site Parking Lot
 - (i) Off-Site Structured Parking
 - (j) Communication Tower
 - (k) Market Garden
- (4) Accessory Uses Permitted by Right. Refer to Article III for detailed definitions and requirements for each of the following land uses.
 - (a) Arbor/Trellis
 - (b) Basketball Hoop
 - (c) Clothes Line
 - (d) Flag Pole
 - (e) Fountain
 - (f) Little Library
 - (g) Little Food Pantry
 - (h) Picnic Table

Section 23.02.50: (I) Institutional Zoning District

- (i) Bench
 - (j) Gazebo/Picnic Shelter
 - (k) Patio
 - (l) Freestanding Deck
 - (m) Seasonal Decorations
 - (n) Shed/Storage Building
 - (o) Statue/Art Object
 - (p) Swimming Pool/Recreational Court
 - (q) Swing set/Play Equipment/Play House
 - (r) Paved Play Court (basketball, tennis, pickle ball, etc.)
 - (s) Walkways/Steps
 - (t) Refuse Enclosure
 - (u) Outdoor Kitchen
 - (v) Pond
 - (w) Garden, Raised Garden Bed, Landscape Area, Rain Garden, or Bioswale
 - (x) Birdbath, Bird House, or Birdfeeder
 - (y) Detached Accessory Building
 - (z) Home Occupation
 - (aa) In-Home Daycare (4-8 children)
 - (bb) Boathouse
 - (cc) In-Family Suite
 - (dd) Tourist Rooming House
 - (ee) Nonresidential Accessory Structure
 - (ff) On-Site Parking Lot
 - (gg) On-Site Structured Parking
 - (hh) Company Cafeteria
 - (ii) Incidental Indoor Sales
 - (jj) Incidental Light Industrial
 - (kk) Incidental Outdoor Storage
 - (ll) Satellite Dish
 - (mm) Personal Antenna and Towers
 - (nn) Small Solar Energy System
- (5) Accessory Uses Permitted as Conditional Use. Refer to Article III for detailed definitions and requirements for each of the following land uses.
- (a) Communication Antenna
 - (b) Small Wind Energy System
 - (c) Helipad
- (6) Temporary Uses. Most temporary uses are limited to 90 days per calendar year. Temporary uses below marked with an asterisk (*) may be extended in duration through the conditional use process. Refer to Section 23-87 for detailed definitions and requirements for each of the following land uses.
- (a) Temporary Moving Container (Residential)
 - (b) Temporary Outdoor Storage Container (Nonresidential)
 - (c) Farmer's Market
 - (d) Temporary Outdoor Sales*
 - (e) Temporary Outdoor Assembly*
 - (f) Temporary On-Site Construction Storage*
 - (g) Temporary Contractor's Project Office*
 - (h) Temporary On-Site Real Estate Sales Office*
 - (i) Temporary Relocatable Building*

Section 23.02.50: (I) Institutional Zoning District

- (j) Temporary Shelter Structure
- (k) Temporary Vehicle Sales*

(7) Density, Intensity, and Bulk Regulations for the (I) Institutional District.

	Requirement	
Minimum Lot Area	7,000 square feet lot	
Maximum Impervious Surface Ratio	75 percent	
Minimum Lot Width	60 feet	
Minimum Lot Depth	120 feet	
Minimum Lot Frontage at Right-of-Way	30 feet	
Minimum Front Setback	20 feet	
Minimum Attached Garage Setback	2 feet behind the plane of the building	
Minimum Porch Setback (front and side yard)	12 feet	
Minimum Street Side Setback (on corner lots)	20 feet	
Minimum Side Setback	8 feet	
Minimum Rear Setback	25 feet	
Maximum Principal Building Height	35 feet	
Minimum Number of Stories	1 story	
Minimum Principal Building Separation	10 feet	
Minimum Pavement Setback (lot line to pavement, excludes driveway entrances)	5 feet on side and rear yards 10 feet from any street right-of-way	
Minimum Parking Required	See Article III	
Minimum Dwelling Unit Structure Area	800 square feet per dwelling unit	
Accessory Buildings:	Residential	Nonresidential
Minimum Front Setback	Even with or behind the principal structure	60 feet and at least 5 feet behind the principal structure
Minimum Side Setback	5 feet	5 feet
Minimum Side Setback (on corner)	Even with or behind the principal structure	60 feet and at least 5 feet behind the principal structure
Minimum Rear Setback	5 feet	5 feet
Maximum Height	18 feet	18 feet

APPENDIX C

METHODS AND PROCEDURES



METHODS AND PROCEDURES

FOR

GEOPROBE SOIL SAMPLING

The Geoprobe unit hydraulically advances threaded, two-inch diameter, four-foot long, steel rod sections into the subsurface. A four-foot sampler, consisting of a drive shoe, a steel tube with a clean acetate liner, and a drive-head retractable piston, is attached to the leading Geoprobe rod. The sampler is driven down to the top of the interval to be sampled. The stop-pin is removed to release the drive head piston, which retracts as the sampler is advanced. When the sampler has been advanced four feet, the rods are retracted from the hole and the soil in the acetate liner is recovered. The acetate liner is split open and the soil is visually and manually classified by the field geologist/technician in accordance with **ASTM:D2488-84**. Logs of the borings are filled out indicating the depth and identification of the various strata, water level information, and pertinent information regarding the method of maintaining and advancing the borings.

Immediately after identification, the soil is quickly divided into two portions. One portion is prepared for potential laboratory analysis. The other portion is placed into a clean one-quart Ziploc bag for field screening. See the section "Soil Headspace Analysis" for field screening procedures.

HEADSPACE ANALYSIS

The soils were screened with a Mini-RAE photoionization detector (PID) equipped with an 10.6 eV lamp. The detector was calibrated in instrument units for Total Organic Vapors using an isobutylene standard. The soil sample, sealed in a Ziploc bag, was shaken vigorously to promote volatilization of the contaminant into the headspace of the bag. The sample was allowed to rest for at least ten minutes and then shaken again before screening. When ambient temperatures were below 60 degrees F, soil samples were allowed to warm for a minimum of 10 minutes in a heated environment prior to headspace development. The Ziploc bag was punctured with the PID probe and the resulting meter reading was recorded.

SAMPLING AND CHAIN OF CUSTODY

Soil samples for laboratory analysis were collected into laboratory prepared vials. Each vial was labeled and placed directly into a cooler pending delivery to the laboratory. Latex gloves were worn during all sample collection procedures.

An entry on a Chain of Custody log was completed as each sample was collected. The Chain of Custody included the following information: project name, work order number, shipped by, shipped to, sampling point, location, field ID number, date and time taken, sample type, number of containers, analysis required, sampler (s) signature (s), etc. As few people as possible handled the samples. The Chain of Custody log was sent to the laboratory with each cooler of samples.

DECONTAMINATION

Sampling equipment was decontaminated prior to sampling. Steel rod sections were washed after every sample collected.

METHODS AND PROCEDURES

FOR

GEOPROBE WATER SAMPLING

GROUNDWATER PROFILER (IF SOIL SAMPLES ARE NOT COLLECTED)

The Geoprobe rods are connected to a covered stainless steel, 2-foot screen and driven to the appropriate depth. Internal rods are inserted in the hollow rods, and the cover is unscrewed and released, exposing the screen. Following sample collection, the rods are withdrawn, and the borehole is properly abandoned.

TEMPORARY CASING AND SCREEN INSTALLATION (FOLLOWING SOIL SAMPLING)

One (1) inch PVC casing and screen is placed in the open geoprobe borehole to the appropriate depth. The annular space seal between the screen and the borehole is filled with #30 Red Flint filter pack sand. Following sample collection, the casing and screen is withdrawn, and the borehole is properly abandoned.

PURGING, SAMPLING AND CHAIN OF CUSTODY

Disposable ¼" polyethylene tubing is inserted to the screen and connected to a peristaltic pump. The water is pumped slowly until sediment free. Purge water is containerized for proper disposal. Water samples are collected directly from the tubing. If the well is purged dry, it is allowed to recharge and then sampled. Samples are labeled and placed in a cooler to be preserved at approximately 4 degrees C. Samples are accompanied by Chain of Custody records.

Upon completion of a sample, a chain of custody log is initiated. The chain of custody record includes the following information: project name, work order number, shipped by, shipped to, sampling point, location, field ID number, date and time taken, sample type, number of containers, analysis required, sampler (s) signature (s), etc. As few people as possible handle the samples.

DECONTAMINATION

Sampling equipment is decontaminated prior to sampling. The Geoprobe rods and screen are washed between holes using distilled water and Alconox cleaning detergent. New, disposable

tubing is used at each sample location. Latex gloves are worn during all sample collection procedures and are changed between the collection of each of the water samples from each monitoring well.

APPENDIX D

SITE PHOTOGRAPHS





View northwest toward on-site structure.



View southwest toward on-site structure.



View northeast toward on-site structure.



View southeast toward on-site structure.

Site Investigation Report - Fong Family, LLC	Photographs
360 & 372 Grand Avenue, Wausau, WI 54403	REI No. 9640a



View west along northern property boundary.



View south along western property boundary.



View north along western property boundary.



View west along southern property boundary.



View east along southern property boundary.



View north along western edge of parking lot.



View south along western edge of parking lot.



View east along northern property boundary.

Site Investigation Report - Fong Family, LLC	Photographs
360 & 372 Grand Avenue, Wausau, WI 54403	REI No. 9640a



View west down slope on western portion of property.



View west down slope on western portion of property.

Site Investigation Report - Fong Family, LLC	Photographs
360 & 372 Grand Avenue, Wausau, WI 54403	REI No. 9640a



Hydraulic Push Soil Boring G1.



Hydraulic Push Soil Boring G2.



Hydraulic Push Soil Boring G3.



Hydraulic Push Soil Boring G4.


Site Investigation Report - Fong Family, LLC	Photographs
360 & 372 Grand Avenue, Wausau, WI 54403	REI No. 9640a



Hydraulic Push Soil Boring G5.



Hydraulic Push Soil Boring G6.



Groundwater Profiler Soil Boring G6W.

Site Investigation Report - Fong Family, LLC	Photographs
360 & 372 Grand Avenue, Wausau, WI 54403	REI No. 9640a



Hydraulic Push Soil Boring G7.



Hydraulic Push Soil Boring G7.



Hydraulic Push Soil Boring G9.

Site Investigation Report - Fong Family, LLC	Photographs
360 & 372 Grand Avenue, Wausau, WI 54403	REI No. 9640a



Hydraulic Push Soil Boring G10.



Hydraulic Push Soil Boring G11.



Hydraulic Push Soil Boring G12.

Site Investigation Report - Fong Family, LLC	Photographs
360 & 372 Grand Avenue, Wausau, WI 54403	REI No. 9640a

APPENDIX E

SOIL BORING LOGS



Route To: Watershed/Wastewater Waste Management
 Remediation/Redevelopment Other

Facility/Project Name Fong Family, LLC		License/Permit/Monitoring Number BRRTS# 02-37-587441		Boring Number G1	
Boring Drilled By: Name of crew chief (first, last) and Firm Geiss Soil & Samples, LLC. Keith Weisman			Date Drilling Started 5/10/2021	Date Drilling Completed 5/10/2021	Drilling Method Hydraulic Push
WI Unique Well No.	DNR Well ID No.	Common Well Name	Final Static Water Level	Surface Elevation 0	Borehole Diameter 2.25"
Local Grid Origin <input type="checkbox"/> (estimated) <input type="checkbox"/> or Boring Location <input checked="" type="checkbox"/> State Plane			Lat Long	Local Grid Location N <input type="checkbox"/> E <input type="checkbox"/> S <input type="checkbox"/> W <input type="checkbox"/>	
Facility ID 727254760		County Marathon	County Code 37	Civil Town/City/or Village City of Wausau	

Sample Number	Type	Length Att. & Recovered (in)	Blow Counts	Depth In Feet	Soil/ Rock Description And Geologic Origin For Each Major Unit	U.S.C.S.	Graphic	Well	PID/FID	Soil Properties					RQD/ Comments	
										Compressive Strength	Moisture Content	Liquid Limit	Plasticity Index	P 200		
1	SS	30		1	Grass				0.0		M					
				2	Silty Sand (Fill) Brown, fine to coarse grained, with trace gravel.											
				3	Silty Sand (Fill) Grey, fine to medium grained.				0.0							G1-1
2	SS	18		4					0.0							
3	SS	18		5					0.0							
4	SS	16		6					0.0							
5	SS	16		7					0.0							
6	SS	4		8					0.0							
7	SS	2		9	Sand (Fill) Green, fine to coarse grained.				0.0							

I hereby certify that the information on this form is true and the correct to the best of my knowledge

Signature <i>Matthew C. Michalski</i>	Firm REI Engineering, Inc. 4080 North 20th Avenue, Wausau, WI
---------------------------------------	---

This form is authorized by Chapters 281,283,289,292,293,295, and 299, Wis. Stats. Completion of this form is mandatory. Failure to file this form may result in forfeiture of between \$10 and \$25,000, or imprisonment for up to one year, depending on the program and conduct involved. Personally identifiable information on this form is not intended to be used for any other purpose. NOTE: See instructions for more information, including where the completed form should be sent.

Route To: Watershed/Wastewater Waste Management
 Remediation/Redevelopment Other

Facility/Project Name Fong Family, LLC		License/Permit/Monitoring Number BRRTS# 02-37-587441		Boring Number G1	
Boring Drilled By: Name of crew chief (first, last) and Firm Geiss Soil & Samples, LLC. Keith Weisman			Date Drilling Started 5/10/2021	Date Drilling Completed 5/10/2021	Drilling Method Hydraulic Push
WI Unique Well No.	DNR Well ID No.	Common Well Name	Final Static Water Level	Surface Elevation 0	Borehole Diameter 2.25"
Local Grid Origin <input type="checkbox"/> (estimated) <input type="checkbox"/> or Boring Location <input checked="" type="checkbox"/> State Plane			Lat	Local Grid Location N <input type="checkbox"/> E <input type="checkbox"/> S <input type="checkbox"/> W <input type="checkbox"/>	
Facility ID 727254760		County Marathon	County Code 37	Civil Town/City/or Village City of Wausau	

Sample Number	Type	Length Att. & Recovered (in)	Blow Counts	Depth In Feet	Soil/ Rock Description And Geologic Origin For Each Major Unit	U.S.C.S.	Graphic	Well	PID/FID	Soil Properties					RQD/ Comments		
										Compressive Strength	Moisture Content	Liquid Limit	Plasticity Index	P 200			
				27	Silty Sand (Fill) Grey, fine to medium grained.												
8	SS	24		28-30	Sand (Fill) Tan, fine to very coarse grained, with gravel and rock fragments.				0.0								
				31	Silty Sand (Fill) Grey, very fine to fine grained.												
9	SS	24		32-35					0.0								G1-9
				36	Silty Sand (Fill) Grey, fine to coarse grained.												
10	SS	36		37-38					0.0								
				39	Sand (Fill) Red, Green, White, & Blue, medium grained sand.												
				40	Silty Sand (Fill) Grey, very fine to fine grained.												
11	SS	32		41-42													
				43	Sand Dark Brown, fine to very coarse grained, with gravel and silt.				0.0								G1-11
				44													
12	SS	4		45-46					0.0		W						
				47													
13	SS	2		48-49													
				50	End of Borings												
				51	Groundwater sample G1-W collected. Borehole abandoned.												
				52													

I hereby certify that the information on this form is true and the correct to the best of my knowledge

Signature <i>Matthew C. Michalski</i>	Firm REI Engineering, Inc. 4080 North 20th Avenue, Wausau, WI
---------------------------------------	---

This form is authorized by Chapters 281,283,289,292,293,295, and 299, Wis. Stats. Completion of this form is mandatory. Failure to file this form may result in forfeiture of between \$10 and \$25,000, or imprisonment for up to one year, depending on the program and conduct involved. Personally identifiable information on this form is not intended to be used for any other purpose. NOTE: See instructions for more information, including where the completed form should be sent.

Route To: **Watershed/Wastewater** **Waste Management**
Remediation/Redevelopment **Other**

Facility/Project Name Fong Family, LLC		License/Permit/Monitoring Number BRRTS# 02-37-587441		Boring Number G2	
Boring Drilled By: Name of crew chief (first, last) and Firm Geiss Soil & Samples, LLC. Keith Weisman			Date Drilling Started 5/10/2021	Date Drilling Completed 5/10/2021	Drilling Method Hydraulic Push
WI Unique Well No.	DNR Well ID No.	Common Well Name	Final Static Water Level	Surface Elevation 0	Borehole Diameter 2.25"
Local Grid Origin <input type="checkbox"/> (estimated) <input type="checkbox"/> or Boring Location <input checked="" type="checkbox"/> State Plane			Lat Long	Local Grid Location N <input type="checkbox"/> E <input type="checkbox"/> S <input type="checkbox"/> W <input type="checkbox"/>	
Facility ID 727254760		County Marathon	County Code 37	Civil Town/City/or Village City of Wausau	

Sample Number	Type	Length Att. & Recovered (in)	Blow Counts	Depth In Feet	Soil/ Rock Description And Geologic Origin For Each Major Unit	U.S.C.S.	Graphic	Well	PID/FID	Soil Properties					RQD/ Comments			
										Compressive Strength	Moisture Content	Liquid Limit	Plasticity Index	P 200				
1	SS	26		1	Asphalt													
				2	Silty Sand (Fill) Brown, fine to coarse grained, with trace gravel.				0.2									G2-1
2	SS	24		5	Silty Sand (Fill) Grey, fine to medium grained.				0.0									
3	SS	12		10					0.0									
4	SS	28		14					0.0									
5	SS	18		18					0.0									
6	SS	24		22					0.0									
7	SS	22		26					0.5									

I hereby certify that the information on this form is true and the correct to the best of my knowledge

Signature <i>Matthew C. Michalski</i>	Firm REI Engineering, Inc. 4080 North 20th Avenue, Wausau, WI
--	--

This form is authorized by Chapters 281,283,289,292,293,295, and 299, Wis. Stats. Completion of this form is mandatory. Failure to file this form may result in forfeiture of between \$10 and \$25,000, or imprisonment for up to one year, depending on the program and conduct involved. Personally identifiable information on this form is not intended to be used for any other purpose. NOTE: See instructions for more information, including where the completed form should be sent.

Route To: **Watershed/Wastewater** **Waste Management**
Remediation/Redevelopment **Other**

Facility/Project Name Fong Family, LLC		License/Permit/Monitoring Number BRRTS# 02-37-587441		Boring Number G2	
Boring Drilled By: Name of crew chief (first, last) and Firm Geiss Soil & Samples, LLC. Keith Weisman			Date Drilling Started 5/10/2021	Date Drilling Completed 5/10/2021	Drilling Method Hydraulic Push
WI Unique Well No.	DNR Well ID No.	Common Well Name	Final Static Water Level	Surface Elevation 0	Borehole Diameter 2.25"
Local Grid Origin <input type="checkbox"/> (estimated) <input type="checkbox"/> or Boring Location <input checked="" type="checkbox"/> State Plane			Lat	Local Grid Location N <input type="checkbox"/> E <input type="checkbox"/> S <input type="checkbox"/> W <input type="checkbox"/>	
Facility ID 727254760		County Marathon	County Code 37	Civil Town/City/or Village City of Wausau	

Sample				Depth In Feet	Soil/ Rock Description And Geologic Origin For Each Major Unit	U.S.C.S.	Graphic	Well	PID/FID	Soil Properties					RQD/ Comments
Number	Type	Length Att. & Recovered (in)	Blow Counts							Compressive Strength	Moisture Content	Liquid Limit	Plasticity Index	P 200	
				27											
8	SS	36		28											
				29											
				30											
9	SS	24		31					0.6						G2-8
				32											
				33											
9	SS	24		34					0.2						
				35											
				36											
10	SS	24		37					0.0						
				38											
				39											
				40											
				41											
11	SS	20		42					0.0						
				43											
				44											
				45											
12	SS	30		46	Sandy Silt Dark Brown				1,206						G2-12
				47											
				48											
13	SS	14		49	Sand Dark Brown, fine to very coarse grained, with gravel and silt.				5.7		W				
				50											
				51	End of Borings Groundwater sample G2-W collected. Borehole abandoned.										
				52											

I hereby certify that the information on this form is true and the correct to the best of my knowledge

Signature <i>Matthew C. Michalski</i>	Firm REI Engineering, Inc. 4080 North 20th Avenue, Wausau, WI
--	--

This form is authorized by Chapters 281,283,289,292,293,295, and 299, Wis. Stats. Completion of this form is mandatory. Failure to file this form may result in forfeiture of between \$10 and \$25,000, or imprisonment for up to one year, depending on the program and conduct involved. Personally identifiable information on this form is not intended to be used for any other purpose. NOTE: See instructions for more information, including where the completed form should be sent.

Route To: Watershed/Wastewater Waste Management
 Remediation/Redevelopment Other

Facility/Project Name Fong Family, LLC		License/Permit/Monitoring Number BRRTS# 02-37-587441		Boring Number G3	
Boring Drilled By: Name of crew chief (first, last) and Firm Geiss Soil & Samples, LLC. Keith Weisman			Date Drilling Started 5/10/2021	Date Drilling Completed 5/10/2021	Drilling Method Hydraulic Push
WI Unique Well No.	DNR Well ID No.	Common Well Name	Final Static Water Level	Surface Elevation 0	Borehole Diameter 2.25"
Local Grid Origin <input type="checkbox"/> (estimated) <input type="checkbox"/> or Boring Location <input checked="" type="checkbox"/> State Plane			Lat Long	Local Grid Location N <input type="checkbox"/> E <input type="checkbox"/> S <input type="checkbox"/> W <input type="checkbox"/>	
Facility ID 727254760		County Marathon	County Code 37	Civil Town/City/or Village City of Wausau	

Sample				Depth In Feet	Soil/ Rock Description And Geologic Origin For Each Major Unit	U.S.C.S.	Graphic	Well	PID/FID	Soil Properties					RQD/ Comments
Number	Type	Length Att. & Recovered (in)	Blow Counts							Compressive Strength	Moisture Content	Liquid Limit	Plasticity Index	P 200	
1	SS	24		1	Asphalt										
				2	Silty Sand (Fill) Brown, fine to coarse grained, with trace gravel.										
				3	Silty Sand (Fill) Greyish Tan, fine to medium grained, with trace gravel.			0.1						G3-1	
2	SS	30		4	Silty Sand (Fill) Grey, fine to medium grained.										
				5				0.3							
3	SS	18		6											
				7											
4	SS	10		8											
				9											
5	SS	30		10											
				11											
6	SS	22		12	Silty Sand (Fill) Tan, fine to medium grained, with trace gravel.										
				13					0.2						
7	SS	24		14											
				15											
7	SS	24		16	Silty Sand (Fill) Grey, fine to medium grained.										
				17						0.1					
7	SS	24		18											
				19											
7	SS	24		20											
				21											
7	SS	24		22											
				23											
7	SS	24		24											
				25											
7	SS	24		26											
				27											

I hereby certify that the information on this form is true and the correct to the best of my knowledge

Signature <i>Matthew C. Michalski</i>	Firm REI Engineering, Inc. 4080 North 20th Avenue, Wausau, WI
---------------------------------------	---

This form is authorized by Chapters 281,283,289,292,293,295, and 299, Wis. Stats. Completion of this form is mandatory. Failure to file this form may result in forfeiture of between \$10 and \$25,000, or imprisonment for up to one year, depending on the program and conduct involved. Personally identifiable information on this form is not intended to be used for any other purpose. NOTE: See instructions for more information, including where the completed form should be sent.

Route To: Watershed/Wastewater Waste Management
 Remediation/Redevelopment Other

Facility/Project Name Fong Family, LLC		License/Permit/Monitoring Number BRRTS# 02-37-587441		Boring Number G3	
Boring Drilled By: Name of crew chief (first, last) and Firm Geiss Soil & Samples, LLC. Keith Weisman			Date Drilling Started 5/10/2021	Date Drilling Completed 5/10/2021	Drilling Method Hydraulic Push
WI Unique Well No.	DNR Well ID No.	Common Well Name	Final Static Water Level	Surface Elevation 0	Borehole Diameter 2.25"
Local Grid Origin <input type="checkbox"/> (estimated) <input type="checkbox"/> or Boring Location <input checked="" type="checkbox"/> State Plane			Lat	Local Grid Location N <input type="checkbox"/> E <input type="checkbox"/> S <input type="checkbox"/> W <input type="checkbox"/>	
Facility ID 727254760		County Marathon	County Code 37	Civil Town/City/or Village City of Wausau	

Sample Number	Type	Length Att. & Recovered (in)	Blow Counts	Depth In Feet	Soil/ Rock Description And Geologic Origin For Each Major Unit	U.S.C.S.	Graphic	Well	PID/FID	Soil Properties					RQD/ Comments
										Compressive Strength	Moisture Content	Liquid Limit	Plasticity Index	P 200	
				27	Silty Sand (Fill) Light Brown, with approximately 25% if individual sand grains colored White, Orange, or Blue.				0.2						
8	SS	24		28					0.0						
				29	Silty Sand (Fill) Grey, fine to medium grained.										
9	SS	24		30					0.1					G3-9	
				31											
10	SS	28		32					0.1						
				33											
11	SS	24		34					0.0						
				35	Sand Tan, fine to medium grained, with trace silt.				0.0					G3-11	
				36											
				37	Sandy Silt Brown				0.0						
12	SS	24		38					0.0						
				39	Silty Sand Brown, fine to coarse grained, with gravel.										
				40											
				41											
13	SS	1		42											
				43											
				44											
				45	End of Borings Groundwater sample G3-W collected. Borehole abandoned.										
				46											
				47											
				48											
				49											
				50											
				51											
				52											

I hereby certify that the information on this form is true and the correct to the best of my knowledge

Signature <i>Matthew C. Michalski</i>	Firm REI Engineering, Inc. 4080 North 20th Avenue, Wausau, WI
---------------------------------------	---

This form is authorized by Chapters 281,283,289,292,293,295, and 299, Wis. Stats. Completion of this form is mandatory. Failure to file this form may result in forfeiture of between \$10 and \$25,000, or imprisonment for up to one year, depending on the program and conduct involved. Personally identifiable information on this form is not intended to be used for any other purpose. NOTE: See instructions for more information, including where the completed form should be sent.

Route To: Watershed/Wastewater Waste Management
 Remediation/Redevelopment Other

Facility/Project Name Fong Family, LLC		License/Permit/Monitoring Number BRRTS# 02-37-587441		Boring Number G4	
Boring Drilled By: Name of crew chief (first, last) and Firm Geiss Soil & Samples, LLC. Keith Weisman			Date Drilling Started 5/10/2021	Date Drilling Completed 5/10/2021	Drilling Method Hydraulic Push
WI Unique Well No.	DNR Well ID No.	Common Well Name	Final Static Water Level	Surface Elevation 0	Borehole Diameter 2.25"
Local Grid Origin <input type="checkbox"/> (estimated) <input type="checkbox"/> or Boring Location <input checked="" type="checkbox"/> State Plane			Lat	Local Grid Location N <input type="checkbox"/> E <input type="checkbox"/> S <input type="checkbox"/> W <input type="checkbox"/>	
Facility ID 727254760		County Marathon	County Code 37	Civil Town/City/or Village City of Wausau	

Sample Number	Type	Length Att. & Recovered (in)	Blow Counts	Depth In Feet	Soil/ Rock Description And Geologic Origin For Each Major Unit	U.S.C.S.	Graphic	Well	PID/FID	Soil Properties					RQD/ Comments	
										Compressive Strength	Moisture Content	Liquid Limit	Plasticity Index	P 200		
1	SS	30		1	Asphalt				0.1		M					
				2	Sand (Fill) Brown, fine to coarse grained, with gravel.											
				3	Silty Sand (Fill) Grey, fine to medium grained.				0.1							G4-1
				4												
2	SS	24		5					0.0							
				6	Sand (Fill) Tan to Brown, fine to coarse grained, with silt and trace gravel.											
				7					0.1							
				8												
3	SS	20		9					0.0							
				10	Silty Sand (Fill) Grey, fine to medium grained.											
				11					0.0							
				12												
4	SS	28		13					0.0							
				14												
				15					0.0							
				16												
5	SS	24		17					0.0							
				18												
				19					0.0							
				20												
6	SS	36		21					0.0							
				22												
				23					0.0							
				24												
7	SS	36		25					0.0							
				26												

I hereby certify that the information on this form is true and the correct to the best of my knowledge

Signature <i>Matthew C. Michalski</i>	Firm REI Engineering, Inc. 4080 North 20th Avenue, Wausau, WI
---------------------------------------	---

This form is authorized by Chapters 281,283,289,292,293,295, and 299, Wis. Stats. Completion of this form is mandatory. Failure to file this form may result in forfeiture of between \$10 and \$25,000, or imprisonment for up to one year, depending on the program and conduct involved. Personally identifiable information on this form is not intended to be used for any other purpose. NOTE: See instructions for more information, including where the completed form should be sent.

Route To: Watershed/Wastewater Waste Management
 Remediation/Redevelopment Other

Facility/Project Name Fong Family, LLC		License/Permit/Monitoring Number BRRTS# 02-37-587441		Boring Number G4	
Boring Drilled By: Name of crew chief (first, last) and Firm Geiss Soil & Samples, LLC. Keith Weisman			Date Drilling Started 5/10/2021	Date Drilling Completed 5/10/2021	Drilling Method Hydraulic Push
WI Unique Well No.	DNR Well ID No.	Common Well Name	Final Static Water Level	Surface Elevation 0	Borehole Diameter 2.25"
Local Grid Origin <input type="checkbox"/> (estimated) <input type="checkbox"/> or Boring Location <input checked="" type="checkbox"/> State Plane			Lat	Local Grid Location N <input type="checkbox"/> E <input type="checkbox"/> S <input type="checkbox"/> W <input type="checkbox"/>	
Facility ID 727254760		County Marathon	County Code 37	Civil Town/City/or Village City of Wausau	

Sample Number	Type	Length Att. & Recovered (in)	Blow Counts	Depth In Feet	Soil/ Rock Description And Geologic Origin For Each Major Unit	U.S.C.S.	Graphic	Well	PID/FID	Soil Properties					RQD/ Comments	
										Compressive Strength	Moisture Content	Liquid Limit	Plasticity Index	P 200		
8	SS	30		27-30					0.0							
9	SS	36		30-36					0.0							G4-9
10	SS	30		36-39												
11	SS	14		40-44	Silty Sand (Fill) Tannish Grey, fine to medium grained.				0.0							
12	SS	20		44-46	Sandy Silt Brown Silty Sand Reddish Brown, fine grained.				0.0							G4-12
13	SS	14		46-50	Sand Brown, coarse to very coarse grained.				0.0		W					
				50-52	End of Borings Groundwater sample G4-W collected. Borehole abandoned.											

I hereby certify that the information on this form is true and the correct to the best of my knowledge

Signature <i>Matthew C. Michalski</i>	Firm REI Engineering, Inc. 4080 North 20th Avenue, Wausau, WI
---------------------------------------	---

This form is authorized by Chapters 281,283,289,292,293,295, and 299, Wis. Stats. Completion of this form is mandatory. Failure to file this form may result in forfeiture of between \$10 and \$25,000, or imprisonment for up to one year, depending on the program and conduct involved. Personally identifiable information on this form is not intended to be used for any other purpose. NOTE: See instructions for more information, including where the completed form should be sent.

Route To: Watershed/Wastewater Waste Management
 Remediation/Redevelopment Other

Facility/Project Name Fong Family, LLC		License/Permit/Monitoring Number BRRTS# 02-37-587441		Boring Number G5	
Boring Drilled By: Name of crew chief (first, last) and Firm Geiss Soil & Samples, LLC. Keith Weisman			Date Drilling Started 5/10/2021	Date Drilling Completed 5/10/2021	Drilling Method Hydraulic Push
WI Unique Well No.	DNR Well ID No.	Common Well Name	Final Static Water Level	Surface Elevation 0	Borehole Diameter 2.25"
Local Grid Origin <input type="checkbox"/> (estimated) <input type="checkbox"/> or Boring Location <input checked="" type="checkbox"/> State Plane			Lat	Local Grid Location N <input type="checkbox"/> E <input type="checkbox"/> S <input type="checkbox"/> W <input type="checkbox"/>	
Facility ID 727254760		County Marathon	County Code 37	Civil Town/City/or Village City of Wausau	

Sample Number	Type	Length Att. & Recovered (in)	Blow Counts	Depth In Feet	Soil/ Rock Description And Geologic Origin For Each Major Unit	U.S.C.S.	Graphic	Well	PID/FID	Soil Properties					RQD/ Comments		
										Compressive Strength	Moisture Content	Liquid Limit	Plasticity Index	P 200			
1	SS	36		1	Asphalt												
				2	Decomposed Granite Red to Brown.				0.0								
				3	Silty Sand (Fill) Grey, fine to medium grained.				0.0								
2	SS	12		4	Silty Sand (Fill) Dark Brown to Brown, fine to medium grained.												
				5				0.2									
3	SS	1		8	Crushed Rock Very limited recovery.												
				9				0.0									
4	SS	20		12	Silty Sand (Fill) Grey, fine to medium grained.												
				13				0.0									
5	SS	18		17													
				18				0.0									
6	SS	22		21	Silty Sand (Fill) Brown to Tan, fine to medium grained. Individual sand grains of Green and Red throughout.												
				22				0.0									
7	SS	26		24	Silty Sand (Fill) Grey, fine to medium grained.												
				25				0.0									

I hereby certify that the information on this form is true and the correct to the best of my knowledge

Signature <i>Matthew C. Michalski</i>	Firm REI Engineering, Inc. 4080 North 20th Avenue, Wausau, WI
---------------------------------------	---

This form is authorized by Chapters 281,283,289,292,293,295, and 299, Wis. Stats. Completion of this form is mandatory. Failure to file this form may result in forfeiture of between \$10 and \$25,000, or imprisonment for up to one year, depending on the program and conduct involved. Personally identifiable information on this form is not intended to be used for any other purpose. NOTE: See instructions for more information, including where the completed form should be sent.

Route To: **Watershed/Wastewater** **Waste Management**
Remediation/Redevelopment **Other**

Facility/Project Name Fong Family, LLC		License/Permit/Monitoring Number BRRTS# 02-37-587441		Boring Number G5	
Boring Drilled By: Name of crew chief (first, last) and Firm Geiss Soil & Samples, LLC. Keith Weisman			Date Drilling Started 5/10/2021	Date Drilling Completed 5/10/2021	Drilling Method Hydraulic Push
WI Unique Well No.	DNR Well ID No.	Common Well Name	Final Static Water Level	Surface Elevation 0	Borehole Diameter 2.25"
Local Grid Origin <input type="checkbox"/> (estimated) <input type="checkbox"/> or Boring Location <input checked="" type="checkbox"/> State Plane			Lat	Local Grid Location N <input type="checkbox"/> E <input type="checkbox"/> S <input type="checkbox"/> W <input type="checkbox"/>	
Facility ID 727254760		County Marathon	County Code 37	Civil Town/City/or Village City of Wausau	

Sample				Depth In Feet	Soil/ Rock Description And Geologic Origin For Each Major Unit	U.S.C.S.	Graphic	Well	PID/FID	Soil Properties					RQD/ Comments
Number	Type	Length Att. & Recovered (in)	Blow Counts							Compressive Strength	Moisture Content	Liquid Limit	Plasticity Index	P 200	
8	SS	24		27-31	Silty Sand (Fill) White to Light Tan, fine grained.				0.0						
9	SS	24		31-36	Silty Sand (Fill) Grey, fine to medium grained.				0.0						G5-9
10	SS	24		36-42	Sandy Silt Dark Brown to Brown.				0.0						G5-11
11	SS	28		42-44	Silty Sand Brown, fine to coarse grained, with trace gravel.				0.0		W				
12	SS	16		44-48	Sand Brown, fine to coarse grained.				0.0						
13	SS	12		48-50	Silty Sand Brown, fine to coarse grained, with gravel.				0.0						
				50-52	End of Borings Groundwater sample G5-W collected. Borehole abandoned.										

I hereby certify that the information on this form is true and the correct to the best of my knowledge

Signature <i>Matthew C. Michalski</i>	Firm REI Engineering, Inc. 4080 North 20th Avenue, Wausau, WI
--	--

This form is authorized by Chapters 281,283,289,292,293,295, and 299, Wis. Stats. Completion of this form is mandatory. Failure to file this form may result in forfeiture of between \$10 and \$25,000, or imprisonment for up to one year, depending on the program and conduct involved. Personally identifiable information on this form is not intended to be used for any other purpose. NOTE: See instructions for more information, including where the completed form should be sent.

Route To: **Watershed/Wastewater** **Waste Management**
Remediation/Redevelopment **Other**

Facility/Project Name Fong Family, LLC		License/Permit/Monitoring Number BRRTS# 02-37-587441		Boring Number G6	
Boring Drilled By: Name of crew chief (first, last) and Firm Geiss Soil & Samples, LLC. Keith Weisman			Date Drilling Started 5/11/2021	Date Drilling Completed 5/11/2021	Drilling Method Hydraulic Push
WI Unique Well No.	DNR Well ID No.	Common Well Name	Final Static Water Level	Surface Elevation 0	Borehole Diameter 2.25"
Local Grid Origin <input type="checkbox"/> (estimated) <input type="checkbox"/> or Boring Location <input checked="" type="checkbox"/> State Plane			Lat	Local Grid Location N <input type="checkbox"/> E <input type="checkbox"/> S <input type="checkbox"/> W <input type="checkbox"/>	
Facility ID 727254760		County Marathon	County Code 37	Civil Town/City/or Village City of Wausau	

Sample Number	Type	Length Att. & Recovered (in)	Blow Counts	Depth In Feet	Soil/ Rock Description And Geologic Origin For Each Major Unit	U.S.C.S.	Graphic	Well	PID/FID	Soil Properties					RQD/ Comments		
										Compressive Strength	Moisture Content	Liquid Limit	Plasticity Index	P 200			
1	SS	36		1	Asphalt												
				2	Silty Sand (Fill) Dark Brown to Brown, fine to coarse grained, with gravel.				0.0								
2	SS	30		3	Silty Sand (Fill) Grey, fine to medium grained.					0.0							G6-1
				4	Silty Sand (Fill) Brown, fine to coarse grained.												
				5	Silty Sand (Fill) Grey, fine to medium grained.												
				6	Sand (Fill) Brown, fine to medium grained.								0.4				
3	SS	38		7	Sand (Fill) Brown, fine to medium grained.												
				8	Silty Sand (Fill) Brown, fine to coarse grained.												
4	SS	26		9	Sand (Fill) Brown, fine to medium grained.												
				10	Silty Sand (Fill) Brown, fine to coarse grained.												
5	SS	18		11	Sand (Fill) Tan, fine to coarse grained, with silt.												
				12	Crushed Concrete (Fill)												
6	SS	20		13	Sand (Fill) Brown, fine to medium grained.												
				14	Silty Sand (Fill) Brown, fine to coarse grained, with gravel.												
7	SS	12		15	Sand (Fill) Brown, fine to medium grained.												
				16	Silty Sand (Fill) Brown, fine to coarse grained, with gravel.												
				17													
				18													
				19													
				20													
				21													
				22													
				23													
				24													
				25	Silty Sand (Fill) Brown, fine to medium grained, with gravel.												
				26													

I hereby certify that the information on this form is true and the correct to the best of my knowledge

Signature <i>Matthew C. Michalski</i>	Firm REI Engineering, Inc. 4080 North 20th Avenue, Wausau, WI
--	---

This form is authorized by Chapters 281,283,289,292,293,295, and 299, Wis. Stats. Completion of this form is mandatory. Failure to file this form may result in forfeiture of between \$10 and \$25,000, or imprisonment for up to one year, depending on the program and conduct involved. Personally identifiable information on this form is not intended to be used for any other purpose. NOTE: See instructions for more information, including where the completed form should be sent.

Route To: **Watershed/Wastewater** **Waste Management**
Remediation/Redevelopment **Other**

Facility/Project Name Fong Family, LLC		License/Permit/Monitoring Number BRRTS# 02-37-587441		Boring Number G6	
Boring Drilled By: Name of crew chief (first, last) and Firm Geiss Soil & Samples, LLC. Keith Weisman			Date Drilling Started 5/11/2021	Date Drilling Completed 5/11/2021	Drilling Method Hydraulic Push
WI Unique Well No.	DNR Well ID No.	Common Well Name	Final Static Water Level	Surface Elevation 0	Borehole Diameter 2.25"
Local Grid Origin <input type="checkbox"/> (estimated) <input type="checkbox"/> or Boring Location <input checked="" type="checkbox"/> State Plane			Lat	Local Grid Location N <input type="checkbox"/> E <input type="checkbox"/> S <input type="checkbox"/> W <input type="checkbox"/>	
Facility ID 727254760		County Marathon	County Code 37	Civil Town/City/or Village City of Wausau	

Sample				Depth In Feet	Soil/ Rock Description And Geologic Origin For Each Major Unit	U.S.C.S.	Graphic	Well	PID/FID	Soil Properties					RQD/ Comments
Number	Type	Length Att. & Recovered (in)	Blow Counts							Compressive Strength	Moisture Content	Liquid Limit	Plasticity Index	P 200	
				27	Sand (Fill) Dark Brown, fine to coarse grained, with silt and gravel.										
8	SS	5		28						0.0					
				29	No Recovery										
9	SS	0		30											
				31	Silty Sand (Fill) Grey, fine to medium grained, crushed red brick fragments at approximately 41 feet bls.										
10	SS	28		32						0.0					
				33	Sandy Silt Dark Brown.										
11	SS	30		34						0.0					
				35	Sand Reddish Brown, fine to coarse grained.										
12	SS	28		36						0.0					
				37	Silty Sand Tan, fine to coarse grained, with gravel.										
13	SS	12		38						0.0					
				39	End of Borings Borehole abandoned.										
				40											
				41											
				42											
				43											
				44											
				45											
				46											
				47											
				48											
				49											
				50											
				51											
				52											

I hereby certify that the information on this form is true and the correct to the best of my knowledge

Signature <i>Matthew C. Michalski</i>	Firm REI Engineering, Inc. 4080 North 20th Avenue, Wausau, WI
--	---

This form is authorized by Chapters 281,283,289,292,293,295, and 299, Wis. Stats. Completion of this form is mandatory. Failure to file this form may result in forfeiture of between \$10 and \$25,000, or imprisonment for up to one year, depending on the program and conduct involved. Personally identifiable information on this form is not intended to be used for any other purpose. NOTE: See instructions for more information, including where the completed form should be sent.

Route To: **Watershed/Wastewater** **Waste Management**
Remediation/Redevelopment **Other**

Facility/Project Name Fong Family, LLC		License/Permit/Monitoring Number BRRTS# 02-37-587441		Boring Number G6W	
Boring Drilled By: Name of crew chief (first, last) and Firm Geiss Soil & Samples, LLC. Keith Weisman			Date Drilling Started 5/11/2021	Date Drilling Completed 5/11/2021	Drilling Method Hydraulic Push
WI Unique Well No.	DNR Well ID No.	Common Well Name	Final Static Water Level	Surface Elevation 0	Borehole Diameter 2.25"
Local Grid Origin <input type="checkbox"/> (estimated) <input type="checkbox"/> or Boring Location <input checked="" type="checkbox"/> GW State Plane			Lat Long	Local Grid Location N <input type="checkbox"/> E <input type="checkbox"/> S <input type="checkbox"/> W <input type="checkbox"/>	
Facility ID 727254760		County Marathon	County Code 37	Civil Town/City/or Village City of Wausau	

Sample				Depth In Feet	Soil/ Rock Description And Geologic Origin For Each Major Unit	U.S.C.S.	Graphic	Well	PID/FID	Soil Properties					RQD/ Comments
Number	Type	Length Att. & Recovered (in)	Blow Counts							Compressive Strength	Moisture Content	Liquid Limit	Plasticity Index	P 200	
1	SS			1	Asphalt Blind Drilled See Boring Log G6, located approximately 2 feet to the west. Advanced groundwater profiler to collect groundwater sample.										
2	SS			2											
3	SS			3											
4	SS			4											
5	SS			5											
6	SS			6											
7	SS			7											

I hereby certify that the information on this form is true and the correct to the best of my knowledge

Signature <i>Matthew C. Michaelson</i>	Firm REI Engineering, Inc. 4080 North 20th Avenue, Wausau, WI
---	--

This form is authorized by Chapters 281,283,289,292,293,295, and 299, Wis. Stats. Completion of this form is mandatory. Failure to file this form may result in forfeiture of between \$10 and \$25,000, or imprisonment for up to one year, depending on the program and conduct involved. Personally identifiable information on this form is not intended to be used for any other purpose. NOTE: See instructions for more information, including where the completed form should be sent.

Route To: **Watershed/Wastewater** **Waste Management**
Remediation/Redevelopment **Other**

Facility/Project Name Fong Family, LLC		License/Permit/Monitoring Number BRRTS# 02-37-587441		Boring Number G6W	
Boring Drilled By: Name of crew chief (first, last) and Firm Geiss Soil & Samples, LLC. Keith Weisman			Date Drilling Started 5/11/2021	Date Drilling Completed 5/11/2021	Drilling Method Hydraulic Push
WI Unique Well No.	DNR Well ID No.	Common Well Name	Final Static Water Level	Surface Elevation 0	Borehole Diameter 2.25"
Local Grid Origin <input type="checkbox"/> (estimated) <input type="checkbox"/> or Boring Location <input checked="" type="checkbox"/> G6W State Plane			Lat Long	Local Grid Location N <input type="checkbox"/> E <input type="checkbox"/> S <input type="checkbox"/> W <input type="checkbox"/>	
Facility ID 727254760		County Marathon	County Code 37	Civil Town/City/or Village City of Wausau	

Sample				Depth In Feet	Soil/ Rock Description And Geologic Origin For Each Major Unit	U.S.C.S.	Graphic	Well	PID/FID	Soil Properties					RQD/ Comments
Number	Type	Length Att. & Recovered (in)	Blow Counts							Compressive Strength	Moisture Content	Liquid Limit	Plasticity Index	P 200	
				27											
8	SS			28											
				29											
9	SS			30											
				31											
				32											
10	SS			33											
				34											
				35											
				36											
				37											
11	SS			38											
				39											
				40											
				41											
				42											
				43											
				44											
				45											
12	SS			46											
				47											
				48											
13	SS			49											
				50											
				51	End of Borings Groundwater sample G6-W collected. Borehole abandoned.										
				52											

I hereby certify that the information on this form is true and the correct to the best of my knowledge

Signature <i>Matthew C. Michalski</i>	Firm REI Engineering, Inc. 4080 North 20th Avenue, Wausau, WI
--	--

This form is authorized by Chapters 281,283,289,292,293,295, and 299, Wis. Stats. Completion of this form is mandatory. Failure to file this form may result in forfeiture of between \$10 and \$25,000, or imprisonment for up to one year, depending on the program and conduct involved. Personally identifiable information on this form is not intended to be used for any other purpose. NOTE: See instructions for more information, including where the completed form should be sent.

Route To: Watershed/Wastewater Waste Management
 Remediation/Redevelopment Other

Facility/Project Name Fong Family, LLC		License/Permit/Monitoring Number BRRTS# 02-37-587441		Boring Number G7	
Boring Drilled By: Name of crew chief (first, last) and Firm Geiss Soil & Samples, LLC. Keith Weisman			Date Drilling Started 5/11/2021	Date Drilling Completed 5/11/2021	Drilling Method Hydraulic Push
WI Unique Well No.	DNR Well ID No.	Common Well Name	Final Static Water Level	Surface Elevation 0	Borehole Diameter 2.25"
Local Grid Origin <input type="checkbox"/> (estimated) <input type="checkbox"/> or Boring Location <input checked="" type="checkbox"/> State Plane			Lat	Local Grid Location N <input type="checkbox"/> E <input type="checkbox"/> S <input type="checkbox"/> W <input type="checkbox"/>	
Facility ID 727254760		County Marathon	County Code 37	Civil Town/City/or Village City of Wausau	

Sample Number	Type	Length Att. & Recovered (in)	Blow Counts	Depth In Feet	Soil/ Rock Description And Geologic Origin For Each Major Unit	U.S.C.S.	Graphic	Well	PID/FID	Soil Properties					RQD/ Comments
										Compressive Strength	Moisture Content	Liquid Limit	Plasticity Index	P 200	
1	SS	24		1	Asphalt				0.0		M				
				2	Silty Sand (Fill) Brown, fine to coarse grained, with gravel.										
2	SS	18		3	Silty Sand (Fill) Grey, fine to medium grained.				0.0						G7-1
				4											
3	SS	22		5					0.0						
				6											
4	SS	24		7					0.0						
				8											
5	SS	20		9					0.0						
				10											
6	SS	15		11					0.0						
				12											
7	SS	12		13					0.0						
				14											
				15					0.0						
				16					0.0						
				17					0.0						
				18					0.0						
				19					0.0						
				20					0.0						
				21					0.0						
				22					0.0						
				23					0.0						
				24					0.0						
				25	Silty Sand (Fill) Grey, fine to coarse grained, crushed brick fragments at approximately 28 feet bls.				0.1						
				26					0.1						

I hereby certify that the information on this form is true and the correct to the best of my knowledge

Signature <i>Matthew C. Michaelson</i>	Firm REI Engineering, Inc. 4080 North 20th Avenue, Wausau, WI
--	---

This form is authorized by Chapters 281,283,289,292,293,295, and 299, Wis. Stats. Completion of this form is mandatory. Failure to file this form may result in forfeiture of between \$10 and \$25,000, or imprisonment for up to one year, depending on the program and conduct involved. Personally identifiable information on this form is not intended to be used for any other purpose. NOTE: See instructions for more information, including where the completed form should be sent.

Route To: **Watershed/Wastewater** **Waste Management**
Remediation/Redevelopment **Other**

Facility/Project Name Fong Family, LLC		License/Permit/Monitoring Number BRRTS# 02-37-587441		Boring Number G7	
Boring Drilled By: Name of crew chief (first, last) and Firm Geiss Soil & Samples, LLC. Keith Weisman			Date Drilling Started 5/11/2021	Date Drilling Completed 5/11/2021	Drilling Method Hydraulic Push
WI Unique Well No.	DNR Well ID No.	Common Well Name	Final Static Water Level	Surface Elevation 0	Borehole Diameter 2.25"
Local Grid Origin <input type="checkbox"/> (estimated) <input type="checkbox"/> or Boring Location <input checked="" type="checkbox"/> State Plane			Lat	Local Grid Location N <input type="checkbox"/> E <input type="checkbox"/> S <input type="checkbox"/> W <input type="checkbox"/>	
Facility ID 727254760		County Marathon	County Code 37	Civil Town/City/or Village City of Wausau	

Sample Number	Type	Length Att. & Recovered (in)	Blow Counts	Depth In Feet	Soil/ Rock Description And Geologic Origin For Each Major Unit	U.S.C.S.	Graphic	Well	PID/FID	Soil Properties					RQD/ Comments		
										Compressive Strength	Moisture Content	Liquid Limit	Plasticity Index	P 200			
				27													
8	SS	10		28-31	Silty Sand (Fill) Brown to Grey, fine to very coarse grained, with gravel.				0.0								
9	SS	12		32-35	Silty Sand (Fill) Brown, very fine to fine grained, with glass shards.				1.2								
10	SS	17		36-38	Grevelly Sand (Fill) Dark Brown, coarse grained sand.				0.2								
				39	Sand Brown, fine to coarse grained, with gravel and silt.				0.1								G7-10
11	SS	6		40-41	Sandy Silt Dark Borwn.				0.0								
				42	Sand Brown, fine to coarse grained, with gravel.				0.0								
12	SS	24		43-45					0.1								
				46													
13	SS	12		47-49					0.0								
				50	End of Borings												
				51	Collected groundwater sample G7-W. Borehole abandoned.												
				52													

I hereby certify that the information on this form is true and the correct to the best of my knowledge

Signature <i>Matthew C. Michalski</i>	Firm REI Engineering, Inc. 4080 North 20th Avenue, Wausau, WI
--	--

This form is authorized by Chapters 281,283,289,292,293,295, and 299, Wis. Stats. Completion of this form is mandatory. Failure to file this form may result in forfeiture of between \$10 and \$25,000, or imprisonment for up to one year, depending on the program and conduct involved. Personally identifiable information on this form is not intended to be used for any other purpose. NOTE: See instructions for more information, including where the completed form should be sent.

Route To: Watershed/Wastewater Waste Management
 Remediation/Redevelopment Other

Facility/Project Name Fong Family, LLC		License/Permit/Monitoring Number BRRTS# 02-37-587441		Boring Number G8	
Boring Drilled By: Name of crew chief (first, last) and Firm Geiss Soil & Samples, LLC. Keith Weisman			Date Drilling Started 5/11/2021	Date Drilling Completed 5/11/2021	Drilling Method Hydraulic Push
WI Unique Well No.	DNR Well ID No.	Common Well Name	Final Static Water Level	Surface Elevation 0	Borehole Diameter 2.25"
Local Grid Origin <input type="checkbox"/> (estimated) <input type="checkbox"/> or Boring Location <input checked="" type="checkbox"/> State Plane			Lat Long	Local Grid Location N <input type="checkbox"/> E <input type="checkbox"/> S <input type="checkbox"/> W <input type="checkbox"/>	
Facility ID 727254760		County Marathon	County Code 37	Civil Town/City/or Village City of Wausau	

Sample Number	Sample Type	Length Att. & Recovered (in)	Blow Counts	Depth In Feet	Soil/ Rock Description And Geologic Origin For Each Major Unit	U.S.C.S.	Graphic	Well	PID/FID	Soil Properties					RQD/ Comments		
										Compressive Strength	Moisture Content	Liquid Limit	Plasticity Index	P 200			
1	SS	30		1	Asphalt												
				2	Sand (Fill) Brown, fine to coarse grained, with gravel and silt.												
				3	Silty Sand (Fill) Grey, fine to medium grained, brick fragments from 1-4 feet bls and wood pieces from 7.5-8 feet bls.				0.0							G8-1	
2	SS	24		4													
				5					0.0								
3	SS	24		6													
				7													
3	SS	24		8													
				9	Sand (Fill) Brown, fine to coarse grained, with gravel and brick fragments.				0.4						G8-3		
4	SS	26		10													
				11	Silty Sand Tan, fine for coarse grained with gravel.				0.0						G8-4		
				12													
				13													
				14													
				15													
				16	End of Borings Borehole abandoned.												
				17													
				18													
				19													
				20													
				21													
				22													
				23													
				24													
				25													
				26													

I hereby certify that the information on this form is true and the correct to the best of my knowledge

Signature <i>Matthew C. Michalski</i>	Firm REI Engineering, Inc. 4080 North 20th Avenue, Wausau, WI
---------------------------------------	---

This form is authorized by Chapters 281,283,289,292,293,295, and 299, Wis. Stats. Completion of this form is mandatory. Failure to file this form may result in forfeiture of between \$10 and \$25,000, or imprisonment for up to one year, depending on the program and conduct involved. Personally identifiable information on this form is not intended to be used for any other purpose. NOTE: See instructions for more information, including where the completed form should be sent.

Route To: Watershed/Wastewater Waste Management
 Remediation/Redevelopment Other

Facility/Project Name Fong Family, LLC		License/Permit/Monitoring Number BRRTS# 02-37-587441		Boring Number G9	
Boring Drilled By: Name of crew chief (first, last) and Firm Geiss Soil & Samples, LLC. Keith Weisman			Date Drilling Started 5/11/2021	Date Drilling Completed 5/11/2021	Drilling Method Hydraulic Push
WI Unique Well No.	DNR Well ID No.	Common Well Name	Final Static Water Level	Surface Elevation 0	Borehole Diameter 2.25"
Local Grid Origin <input type="checkbox"/> (estimated) <input type="checkbox"/> or Boring Location <input checked="" type="checkbox"/> State Plane			Lat Long	Local Grid Location N <input type="checkbox"/> E <input type="checkbox"/> S <input type="checkbox"/> W <input type="checkbox"/>	
Facility ID 727254760		County Marathon	County Code 37	Civil Town/City/or Village City of Wausau	

Sample Number	Type	Length Att. & Recovered (in)	Blow Counts	Depth In Feet	Soil/ Rock Description And Geologic Origin For Each Major Unit	U.S.C.S.	Graphic	Well	PID/FID	Soil Properties					RQD/ Comments		
										Compressive Strength	Moisture Content	Liquid Limit	Plasticity Index	P 200			
1	SS	30		1	Asphalt												
				2	Sand (Fill) Brown, fine to coarse grained, with gravel and silt.												
				3	Silty Sand (Fill) Grey, fine to medium grained, brick fragments from 1.5-4 feet bls.				0.0							G9-1	
2	SS	28		5	Silty Sand (Fill) Brown, fine to medium grained.												
				6				0.0						G9-2			
3	SS	26		8	Sand Tan, fine for coarse grained with gravel.												
				9				0.0						G9-3			
4	SS	48		13													
				14				0.0									
				16	End of Borings Borehole abandoned.												

I hereby certify that the information on this form is true and the correct to the best of my knowledge

Signature <i>Matthew C. Michalski</i>	Firm REI Engineering, Inc. 4080 North 20th Avenue, Wausau, WI
---------------------------------------	---

This form is authorized by Chapters 281,283,289,292,293,295, and 299, Wis. Stats. Completion of this form is mandatory. Failure to file this form may result in forfeiture of between \$10 and \$25,000, or imprisonment for up to one year, depending on the program and conduct involved. Personally identifiable information on this form is not intended to be used for any other purpose. NOTE: See instructions for more information, including where the completed form should be sent.

Route To: Watershed/Wastewater Waste Management
 Remediation/Redevelopment Other

Facility/Project Name Fong Family, LLC		License/Permit/Monitoring Number BRRTS# 02-37-587441		Boring Number G10	
Boring Drilled By: Name of crew chief (first, last) and Firm Geiss Soil & Samples, LLC. Keith Weisman			Date Drilling Started 5/11/2021	Date Drilling Completed 5/11/2021	Drilling Method Hydraulic Push
WI Unique Well No.	DNR Well ID No.	Common Well Name	Final Static Water Level	Surface Elevation 0	Borehole Diameter 2.25"
Local Grid Origin <input type="checkbox"/> (estimated) <input type="checkbox"/> or Boring Location <input checked="" type="checkbox"/> State Plane			Lat	Local Grid Location N <input type="checkbox"/> E <input type="checkbox"/> S <input type="checkbox"/> W <input type="checkbox"/>	
Facility ID 727254760		County Marathon	County Code 37	Civil Town/City/or Village City of Wausau	

Sample Number	Type	Length Att. & Recovered (in)	Blow Counts	Depth In Feet	Soil/ Rock Description And Geologic Origin For Each Major Unit	U.S.C.S.	Graphic	Well	PID/FID	Soil Properties					RQD/ Comments		
										Compressive Strength	Moisture Content	Liquid Limit	Plasticity Index	P 200			
1	SS	28		1	Asphalt												
				2	Sand (Fill) Brown, fine to coarse grained, with gravel.												
				3	Silty Sand (Fill) Grey, fine to medium grained, brick fragments from 1.5-4 feet bls.				0.0								G10-1
2	SS	36		5	Silty Sand (Fill) Brown, fine to medium grained, broken glass at approximately 17 feet bls.				0.0								
3	SS	32		10					0.0								
4	SS	30		15					0.0								G10-4
5	SS	30		18	Sand Brown to Tan, fine for coarse grained with silt.				0.0								G10-5
				20	End of Borings Borehole abandoned.												

I hereby certify that the information on this form is true and the correct to the best of my knowledge

Signature <i>Matthew C. Michalski</i>	Firm REI Engineering, Inc. 4080 North 20th Avenue, Wausau, WI
---------------------------------------	---

This form is authorized by Chapters 281,283,289,292,293,295, and 299, Wis. Stats. Completion of this form is mandatory. Failure to file this form may result in forfeiture of between \$10 and \$25,000, or imprisonment for up to one year, depending on the program and conduct involved. Personally identifiable information on this form is not intended to be used for any other purpose. NOTE: See instructions for more information, including where the completed form should be sent.

Route To: **Watershed/Wastewater** **Waste Management**
Remediation/Redevelopment **Other**

Facility/Project Name Fong Family, LLC		License/Permit/Monitoring Number BRRTS# 02-37-587441		Boring Number G11	
Boring Drilled By: Name of crew chief (first, last) and Firm Geiss Soil & Samples, LLC. Keith Weisman			Date Drilling Started 5/11/2021	Date Drilling Completed 5/11/2021	Drilling Method Hydraulic Push
WI Unique Well No.	DNR Well ID No.	Common Well Name	Final Static Water Level	Surface Elevation 0	Borehole Diameter 2.25"
Local Grid Origin <input type="checkbox"/> (estimated) <input type="checkbox"/> or Boring Location <input checked="" type="checkbox"/> 11 State Plane			Lat Long	Local Grid Location N <input type="checkbox"/> E <input type="checkbox"/> S <input type="checkbox"/> W <input type="checkbox"/>	
Facility ID 727254760		County Marathon	County Code 37	Civil Town/City/or Village City of Wausau	

Sample Number	Sample Type	Length Att. & Recovered (in)	Blow Counts	Depth In Feet	Soil/ Rock Description And Geologic Origin For Each Major Unit	U.S.C.S.	Graphic	Well	PID/FID	Soil Properties					RQD/ Comments	
										Compressive Strength	Moisture Content	Liquid Limit	Plasticity Index	P 200		
1	SS	30		1	Asphalt											
				2	Sand (Fill) Brown, fine to coarse grained, with gravel and silt.											
				3	Silty Sand (Fill) Grey, fine to medium grained, brick fragments.			0.1						G11-1		
2	SS	30		4	Silty Sand (Fill) Brown, fine to medium grained, brick fragments.											
				5				0.1				G11-2				
3	SS	30		8	Silty Sand (Fill) Tan, fine to medium grained.											
				9				0.1				G11-3				
4	SS	48		11	Sand Tan, fine for coarse grained with gravel.											
				12				0.0								
				16	End of Borings Borehole abandoned.											

I hereby certify that the information on this form is true and the correct to the best of my knowledge

Signature <i>Matthew C. Michalski</i>	Firm REI Engineering, Inc. 4080 North 20th Avenue, Wausau, WI
--	---

This form is authorized by Chapters 281,283,289,292,293,295, and 299, Wis. Stats. Completion of this form is mandatory. Failure to file this form may result in forfeiture of between \$10 and \$25,000, or imprisonment for up to one year, depending on the program and conduct involved. Personally identifiable information on this form is not intended to be used for any other purpose. NOTE: See instructions for more information, including where the completed form should be sent.

Route To: Watershed/Wastewater Waste Management
 Remediation/Redevelopment Other

Facility/Project Name Fong Family, LLC		License/Permit/Monitoring Number BRRTS# 02-37-587441		Boring Number G12	
Boring Drilled By: Name of crew chief (first, last) and Firm Geiss Soil & Samples, LLC. Keith Weisman			Date Drilling Started 5/11/2021	Date Drilling Completed 5/11/2021	Drilling Method Hydraulic Push
WI Unique Well No.	DNR Well ID No.	Common Well Name	Final Static Water Level	Surface Elevation 0	Borehole Diameter 2.25"
Local Grid Origin <input type="checkbox"/> (estimated) <input type="checkbox"/> or Boring Location <input checked="" type="checkbox"/> 12 State Plane			Lat	Local Grid Location N <input type="checkbox"/> E <input type="checkbox"/> S <input type="checkbox"/> W <input type="checkbox"/>	
Facility ID 727254760		County Marathon	County Code 37	Civil Town/City/or Village City of Wausau	

Sample Number	Type	Length Att. & Recovered (in)	Blow Counts	Depth In Feet	Soil/ Rock Description And Geologic Origin For Each Major Unit	U.S.C.S.	Graphic	Well	PID/FID	Soil Properties					RQD/ Comments			
										Compressive Strength	Moisture Content	Liquid Limit	Plasticity Index	P 200				
1	SS	36		1	Asphalt													
				2	Sand (Fill) Brown, fine to coarse grained, with gravel and brick fragments.				0.1									G11-1
				3	Silty Sand (Fill) Grey, fine to medium grained, brick fragments.													
2	SS	24		4					0.1									
				5														
				6														
				7														
				8														
3	SS	24		9	Sand (Fill) Brown to Dark Brown, fine to very coarse garined, with gravel adn brick fragments.				0.3									G11-3
				10														
				11														
				12														
4	SS	18		13														
				14														
				15					0.2									G11-4
				16														
				17	End of Borings Borehole abandoned.													
				18														
				19														
				20														
				21														
				22														
				23														
				24														
				25														
				26														

I herby certify that the information on this form is true and the correct to the best of my knowledge

Signature <i>Matthew C. Michalski</i>	Firm REI Engineering, Inc. 4080 North 20th Avenue, Wausau, WI
---------------------------------------	---

This form is authorized by Chapters 281,283,289,292,293,295, and 299, Wis. Stats. Completion of this form is mandatory. Failure to file this form may result in forfeiture of between \$10 and \$25,000, or imprisonment for up to one year, depending on the program and conduct involved. Personally identifiable information on this form is not intended to be used for any other purpose. NOTE: See instructions for more information, including where the completed form should be sent.

APPENDIX F

BOREHOLE ABANDONMENT FORMS (WDNR FORM 3300-005)



Notice: Completion of this report is required by chs. 160, 281, 283, 289, 291-293, 295, and 299, Wis. Stats., and chs. NR 141 and 812, Wis. Adm. Code. In accordance with chs. 281, 289, 291-293, 295, and 299, Wis. Stats., failure to file this form may result in a forfeiture of between \$10-25,000, or imprisonment for up to one year, depending on the program and conduct involved. Personally identifiable information on this form is not intended to be used for any other purpose. Return form to the appropriate DNR office and bureau. See instructions on reverse for more information.

Verification Only of Fill and Seal

Route to DNR Bureau:

- Drinking Water
- Watershed/Wastewater
- Remediation/Redevelopment
- Waste Management
- Other: _____

1. Well Location Information

County Marathon	WI Unique Well # of Removed Well _____	Hicap # _____
---------------------------	---	------------------

Latitude / Longitude (see instructions) _____ N _____ W	Format Code <input type="checkbox"/> DD <input type="checkbox"/> DDM	Method Code <input type="checkbox"/> GPS008 <input type="checkbox"/> SCR002 <input type="checkbox"/> OTH001
---	--	--

¼ / ¼ SE ¼ NW	Section 36	Township 29 N	Range 7 <input checked="" type="checkbox"/> E <input type="checkbox"/> W
-----------------------------	----------------------	-------------------------	---

Well Street Address
360 & 372 Grand Avenue

Well City, Village or Town
Wausau

Well ZIP Code
54403

Subdivision Name

Lot #

Reason for Removal from Service
Sampling completed

WI Unique Well # of Replacement Well

3. Filled & Sealed Well / Drillhole / Borehole Information

Monitoring Well

Water Well

Borehole / Drillhole

Original Construction Date (mm/dd/yyyy)
5/10/2021

If a Well Construction Report is available, please attach.

Construction Type:

Drilled Driven (Sandpoint) Dug

Other (specify): Geoprobe

Formation Type:

Unconsolidated Formation Bedrock

Total Well Depth From Ground Surface (ft.)
50

Casing Diameter (in.)

Lower Drillhole Diameter (in.)
2

Casing Depth (ft.)

Was well annular space grouted? Yes No Unknown

If yes, to what depth (feet)?

Depth to Water (feet)
48

5. Material Used to Fill Well / Drillhole

	From (ft.)	To (ft.)	No. Yards, Sacks Sealant or Volume (circle one)	Mix Ratio or Mud Weight
3/8" Holeplug Bentonite	Surface	50	98 lbs	

6. Comments

Borehole G2: Abandoned by Geiss Soil & Samples, LLC under supervision of REI

7. Supervision of Work

Name of Person or Firm Doing Filling & Sealing Geiss Soil & Samples, LLC c/o REI	License # _____	Date of Filling & Sealing or Verification (mm/dd/yyyy) 5/10/2020	DNR Use Only	
			Date Received	Noted By
Street or Route 4080 N. 20th Avenue		Telephone Number (715) 675-9784	Comments	
City Wausau	State WI	ZIP Code 54401	Signature of Person Doing Work <i>Matthew C. Michalski</i>	Date Signed 6/3/2021

Notice: Completion of this report is required by chs. 160, 281, 283, 289, 291-293, 295, and 299, Wis. Stats., and chs. NR 141 and 812, Wis. Adm. Code. In accordance with chs. 281, 289, 291-293, 295, and 299, Wis. Stats., failure to file this form may result in a forfeiture of between \$10-25,000, or imprisonment for up to one year, depending on the program and conduct involved. Personally identifiable information on this form is not intended to be used for any other purpose. Return form to the appropriate DNR office and bureau. See instructions on reverse for more information.

Verification Only of Fill and Seal

Route to DNR Bureau:

- Drinking Water
- Watershed/Wastewater
- Remediation/Redevelopment
- Waste Management
- Other: _____

1. Well Location Information

County Marathon	WI Unique Well # of Removed Well _____	Hicap # _____
---------------------------	---	------------------

Latitude / Longitude (see instructions) _____ N _____ W	Format Code <input type="checkbox"/> DD <input type="checkbox"/> DDM	Method Code <input type="checkbox"/> GPS008 <input type="checkbox"/> SCR002 <input type="checkbox"/> OTH001
---	--	--

¼ / ¼ SE NW or Gov't Lot #	Section 36	Township 29 N	Range <input checked="" type="checkbox"/> E <input type="checkbox"/> W
-------------------------------	----------------------	-------------------------	--

Well Street Address
360 & 372 Grand Avenue

Well City, Village or Town
Wausau

Subdivision Name

Reason for Removal from Service
Sampling completed

3. Filled & Sealed Well / Drillhole / Borehole Information

<input type="checkbox"/> Monitoring Well	Original Construction Date (mm/dd/yyyy) 5/11/2021
<input type="checkbox"/> Water Well	
<input checked="" type="checkbox"/> Borehole / Drillhole	If a Well Construction Report is available, please attach. _____

Construction Type:
 Drilled Driven (Sandpoint) Dug
 Other (specify): Geoprobe

Formation Type:
 Unconsolidated Formation Bedrock

Total Well Depth From Ground Surface (ft.)
50

Lower Drillhole Diameter (in.)
2

Was well annular space grouted? Yes No Unknown

If yes, to what depth (feet)? Depth to Water (feet)
45

5. Material Used to Fill Well / Drillhole

	From (ft.)	To (ft.)	No. Yards, Sacks Sealant or Volume (circle one)	Mix Ratio or Mud Weight
3/8" Holeplug Bentonite	Surface	50	98 lbs	

6. Comments

Borehole G7: Abandoned by Geiss Soil & Samples, LLC under supervision of REI

7. Supervision of Work

Name of Person or Firm Doing Filling & Sealing Geiss Soil & Samples, LLC c/o REI	License # _____	Date of Filling & Sealing or Verification (mm/dd/yyyy) 5/11/2020	DNR Use Only	
			Date Received	Noted By
Street or Route 4080 N. 20th Avenue		Telephone Number (715) 675-9784		Comments
City Wausau	State WI	ZIP Code 54401	Signature of Person Doing Work <i>Matthew C. Michalski</i>	Date Signed 6/3/2021

Notice: Completion of this report is required by chs. 160, 281, 283, 289, 291-293, 295, and 299, Wis. Stats., and chs. NR 141 and 812, Wis. Adm. Code. In accordance with chs. 281, 289, 291-293, 295, and 299, Wis. Stats., failure to file this form may result in a forfeiture of between \$10-25,000, or imprisonment for up to one year, depending on the program and conduct involved. Personally identifiable information on this form is not intended to be used for any other purpose. Return form to the appropriate DNR office and bureau. See instructions on reverse for more information.

<input type="checkbox"/> Verification Only of Fill and Seal	Route to DNR Bureau:		
	<input type="checkbox"/> Drinking Water	<input type="checkbox"/> Watershed/Wastewater	<input checked="" type="checkbox"/> Remediation/Redevelopment
	<input type="checkbox"/> Waste Management	<input type="checkbox"/> Other: _____	

1. Well Location Information	2. Facility / Owner Information
------------------------------	---------------------------------

County Marathon	WI Unique Well # of Removed Well _____	Hicap # _____	Facility Name Fong Family, LLC		
Latitude / Longitude (see instructions) _____ N _____ W		Format Code <input type="checkbox"/> DD <input type="checkbox"/> DDM	Method Code <input type="checkbox"/> GPS008 <input type="checkbox"/> SCR002 <input type="checkbox"/> OTH001	Facility ID (FID or PWS) 737254760	
¼ / ¼ SE ¼ NW		Section 36	Township 29 N	Range <input checked="" type="checkbox"/> E <input type="checkbox"/> W	License/Permit/Monitoring # BRRTS #02-37-587441
or Gov't Lot #		Original Well Owner Fong Family, LLC			Present Well Owner Fong Family, LLC
Well Street Address 360 & 372 Grand Avenue			Mailing Address of Present Owner PO Box 1966		
Well City, Village or Town Wausau			Well ZIP Code 54403		
Subdivision Name			Lot #	City of Present Owner Wausau	State WI
				ZIP Code 54403	

3. Filled & Sealed Well / Drillhole / Borehole Information	4. Pump, Liner, Screen, Casing & Sealing Material
--	---

Reason for Removal from Service Sampling completed	WI Unique Well # of Replacement Well _____	<input type="checkbox"/> Pump and piping removed? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A <input type="checkbox"/> Liner(s) removed? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A <input type="checkbox"/> Liner(s) perforated? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A <input type="checkbox"/> Screen removed? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A <input type="checkbox"/> Casing left in place? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A <input type="checkbox"/> Was casing cut off below surface? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A <input checked="" type="checkbox"/> Did sealing material rise to surface? <input type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/> Did material settle after 24 hours? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A If yes, was hole retopped? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A <input type="checkbox"/> If bentonite chips were used, were they hydrated with water from a known safe source? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A			
<input type="checkbox"/> Monitoring Well <input type="checkbox"/> Water Well <input checked="" type="checkbox"/> Borehole / Drillhole		Original Construction Date (mm/dd/yyyy) 5/11/2021 If a Well Construction Report is available, please attach.			
Construction Type:					
<input type="checkbox"/> Drilled <input type="checkbox"/> Driven (Sandpoint) <input type="checkbox"/> Dug <input checked="" type="checkbox"/> Other (specify): <u>Geoprobe</u>					
Formation Type:					
<input checked="" type="checkbox"/> Unconsolidated Formation <input type="checkbox"/> Bedrock					
Total Well Depth From Ground Surface (ft.) 20		Casing Diameter (in.)			
Lower Drillhole Diameter (in.) 2		Casing Depth (ft.)			
Was well annular space grouted? <input type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> Unknown					
If yes, to what depth (feet)?		Depth to Water (feet)			

5. Material Used to Fill Well / Drillhole	From (ft.)	To (ft.)	No. Yards, Sacks Sealant or Volume (circle one)	Mix Ratio or Mud Weight
---	------------	----------	---	-------------------------

3/8" Holeplug Bentonite	Surface	20	40 lbs	

6. Comments

Borehole G10: Abandoned by Geiss Soil & Samples, LLC under supervision of REI

7. Supervision of Work	DNR Use Only
------------------------	--------------

Name of Person or Firm Doing Filling & Sealing Geiss Soil & Samples, LLC c/o REI	License #	Date of Filling & Sealing or Verification (mm/dd/yyyy) 5/11/2020	Date Received	Noted By
Street or Route 4080 N. 20th Avenue		Telephone Number (715) 675-9784		Comments
City Wausau	State WI	ZIP Code 54401	Signature of Person Doing Work <i>Matthew C. Michalski</i>	
			Date Signed 6/3/2021	

Notice: Completion of this report is required by chs. 160, 281, 283, 289, 291-293, 295, and 299, Wis. Stats., and chs. NR 141 and 812, Wis. Adm. Code. In accordance with chs. 281, 289, 291-293, 295, and 299, Wis. Stats., failure to file this form may result in a forfeiture of between \$10-25,000, or imprisonment for up to one year, depending on the program and conduct involved. Personally identifiable information on this form is not intended to be used for any other purpose. Return form to the appropriate DNR office and bureau. See instructions on reverse for more information.

Verification Only of Fill and Seal

Route to DNR Bureau:

Drinking Water Watershed/Wastewater Remediation/Redevelopment
 Waste Management Other: _____

1. Well Location Information **2. Facility / Owner Information**

County: **Marathon** WI Unique Well # of Removed Well: _____ Hicap #: _____

Facility Name: **Fong Family, LLC**

Latitude / Longitude (see instructions): _____ N Format Code: DD Method Code: GPS008
_____ W DDM SCR002
 OTH001

Facility ID (FID or PWS): **737254760**

¼ / ¼ **SE** ¼ **NW** Section: **36** Township: **29 N** Range: **E** **W**
or Gov't Lot #

License/Permit/Monitoring #: **BRRTS #02-37-587441**

Well Street Address: **360 & 372 Grand Avenue**

Original Well Owner: **Fong Family, LLC**

Well City, Village or Town: **Wausau** Well ZIP Code: **54403**

Present Well Owner: **Fong Family, LLC**

Subdivision Name: _____ Lot #: _____

Mailing Address of Present Owner: **PO Box 1966**

Reason for Removal from Service: **Sampling completed** WI Unique Well # of Replacement Well: _____

City of Present Owner: **Wausau** State: **WI** ZIP Code: **54403**

3. Filled & Sealed Well / Drillhole / Borehole Information

4. Pump, Liner, Screen, Casing & Sealing Material

Monitoring Well Original Construction Date (mm/dd/yyyy): **5/11/2021**
 Water Well If a Well Construction Report is available, please attach.
 Borehole / Drillhole

Pump and piping removed? Yes No N/A
Liner(s) removed? Yes No N/A
Liner(s) perforated? Yes No N/A
Screen removed? Yes No N/A
Casing left in place? Yes No N/A

Construction Type:
 Drilled Driven (Sandpoint) Dug
 Other (specify): **Geoprobe**

Was casing cut off below surface? Yes No N/A
Did sealing material rise to surface? Yes No N/A
Did material settle after 24 hours? Yes No N/A
If yes, was hole retopped? Yes No N/A
If bentonite chips were used, were they hydrated with water from a known safe source? Yes No N/A

Formation Type:
 Unconsolidated Formation Bedrock

Required Method of Placing Sealing Material:
 Conductor Pipe-Gravity Conductor Pipe-Pumped
 Screened & Poured (Bentonite Chips) Other (Explain): _____

Total Well Depth From Ground Surface (ft.): **16** Casing Diameter (in.): _____

Sealing Materials:
 Neat Cement Grout Concrete
 Sand-Cement (Concrete) Grout Bentonite Chips

Lower Drillhole Diameter (in.): **2** Casing Depth (ft.): _____

For Monitoring Wells and Monitoring Well Boreholes Only:
 Bentonite Chips Bentonite - Cement Grout
 Granular Bentonite Bentonite - Sand Slurry

Was well annular space grouted? Yes No Unknown

If yes, to what depth (feet)? _____ Depth to Water (feet): _____

5. Material Used to Fill Well / Drillhole

From (ft.)	To (ft.)	No. Yards, Sacks Sealant or Volume (circle one)	Mix Ratio or Mud Weight
Surface	16	32 lbs	

3/8" Holeplug Bentonite

6. Comments

Borehole G12: Abandoned by Geiss Soil & Samples, LLC under supervision of REI

7. Supervision of Work **DNR Use Only**

Name of Person or Firm Doing Filling & Sealing	License #	Date of Filling & Sealing or Verification (mm/dd/yyyy)	Date Received	Noted By
Geiss Soil & Samples, LLC c/o REI		5/11/2020		
Street or Route	City	State	ZIP Code	Telephone Number
4080 N. 20th Avenue	Wausau	WI	54401	(715) 675-9784
Signature of Person Doing Work			Date Signed	
<i>Matthew C. Michalski</i>			6/3/2021	

APPENDIX G

LABORATORY ANALYTICAL REPORTS



May 21, 2021

Brian Bailey
REI Engineering
4080 North 20th Ave
Wausau, WI 54401

RE: Project: 9640A FONG FAMILY, LLC
Pace Project No.: 40226787

Dear Brian Bailey:

Enclosed are the analytical results for sample(s) received by the laboratory on May 12, 2021. The results relate only to the samples included in this report. Results reported herein conform to the applicable TNI/NELAC Standards and the laboratory's Quality Manual, where applicable, unless otherwise noted in the body of the report.

The test results provided in this final report were generated by each of the following laboratories within the Pace Network:

- Pace Analytical Services - Green Bay

If you have any questions concerning this report, please feel free to contact me.

Sincerely,



Brian Basten
brian.basten@pacelabs.com
(920)469-2436
Project Manager

Enclosures

cc: Kaylin Felix, REI



REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

CERTIFICATIONS

Project: 9640A FONG FAMILY, LLC

Pace Project No.: 40226787

Pace Analytical Services Green Bay

1241 Bellevue Street, Green Bay, WI 54302

Florida/NELAP Certification #: E87948

Illinois Certification #: 200050

Kentucky UST Certification #: 82

Louisiana Certification #: 04168

Minnesota Certification #: 055-999-334

New York Certification #: 12064

North Dakota Certification #: R-150

Virginia VELAP ID: 460263

South Carolina Certification #: 83006001

Texas Certification #: T104704529-14-1

Wisconsin Certification #: 405132750

Wisconsin DATCP Certification #: 105-444

USDA Soil Permit #: P330-16-00157

Federal Fish & Wildlife Permit #: LE51774A-0

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

SAMPLE SUMMARY

Project: 9640A FONG FAMILY, LLC

Pace Project No.: 40226787

Lab ID	Sample ID	Matrix	Date Collected	Date Received
40226787001	G1-1 (2-4')	Solid	05/10/21 07:20	05/12/21 09:05
40226787002	G1-9 (32-36)	Solid	05/10/21 07:50	05/12/21 09:05
40226787003	G1-11 (42-44)	Solid	05/10/21 08:05	05/12/21 09:05
40226787004	G2-1 (2-4')	Solid	05/10/21 09:45	05/12/21 09:05
40226787005	G2-8 (30-32')	Solid	05/10/21 10:05	05/12/21 09:05
40226787006	G2-12 (45.5-48)	Solid	05/10/21 10:20	05/12/21 09:05
40226787007	G3-1 (2-4)	Solid	05/10/21 11:15	05/12/21 09:05
40226787008	G3-9 (32-36)	Solid	05/10/21 11:40	05/12/21 09:05
40226787009	G3-11 (43-44)	Solid	05/10/21 11:50	05/12/21 09:05
40226787010	G4-1 (2-4)	Solid	05/10/21 13:55	05/12/21 09:05
40226787011	G4-9 (32-36)	Solid	05/10/21 14:20	05/12/21 09:05
40226787012	G4-12 (45-48)	Solid	05/10/21 14:35	05/12/21 09:05
40226787013	G5-1 (2.5-4)	Solid	05/10/21 15:40	05/12/21 09:05
40226787014	G5-9 (32-36)	Solid	05/10/21 15:55	05/12/21 09:05
40226787015	G5-11 (42-44)	Solid	05/10/21 16:05	05/12/21 09:05
40226787016	G6-1 (2.5-4)	Solid	05/11/21 06:58	05/12/21 09:05
40226787017	G6-5 (18-20)	Solid	05/11/21 07:20	05/12/21 09:05
40226787018	G6-12 (45-47)	Solid	05/11/21 08:15	05/12/21 09:05
40226787019	G7-1 (2-4)	Solid	05/11/21 09:50	05/12/21 09:05
40226787020	G7-6 (22-24)	Solid	05/11/21 10:05	05/12/21 09:05
40226787021	G7-10 (38-40)	Solid	05/11/21 10:23	05/12/21 09:05
40226787022	G8-1 (2-4)	Solid	05/11/21 11:05	05/12/21 09:05
40226787023	G8-3 (9-11)	Solid	05/11/21 11:15	05/12/21 09:05
40226787024	G8-4 (12-14)	Solid	05/11/21 11:20	05/12/21 09:05
40226787025	G9-1 (2-4)	Solid	05/11/21 11:35	05/12/21 09:05
40226787026	G9-2 (6-8)	Solid	05/11/21 11:40	05/12/21 09:05
40226787027	G9-3 (8-10)	Solid	05/11/21 11:45	05/12/21 09:05
40226787028	G10-1 (2-4)	Solid	05/11/21 12:00	05/12/21 09:05
40226787029	G10-4 (14-16)	Solid	05/11/21 12:10	05/12/21 09:05
40226787030	G10-5 (17-19)	Solid	05/11/21 12:15	05/12/21 09:05
40226787031	G11-1 (2-4)	Solid	05/11/21 12:30	05/12/21 09:05
40226787032	G11-2 (6-8)	Solid	05/11/21 12:35	05/12/21 09:05
40226787033	G11-3 (10-12)	Solid	05/11/21 12:40	05/12/21 09:05
40226787034	G12-1 (2-4)	Solid	05/11/21 12:55	05/12/21 09:05
40226787035	G12-3 (8-10)	Solid	05/11/21 13:00	05/12/21 09:05
40226787036	G12-4 (14-16)	Solid	05/11/21 13:05	05/12/21 09:05
40226787037	G1-W	Water	05/10/21 09:20	05/12/21 09:05

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

SAMPLE SUMMARY

Project: 9640A FONG FAMILY, LLC

Pace Project No.: 40226787

Lab ID	Sample ID	Matrix	Date Collected	Date Received
40226787038	G2-W	Water	05/10/21 10:50	05/12/21 09:05
40226787039	G3-W	Water	05/10/21 13:30	05/12/21 09:05
40226787040	G4-W	Water	05/10/21 15:20	05/12/21 09:05
40226787041	G5-W	Water	05/10/21 16:55	05/12/21 09:05
40226787042	G6-W	Water	05/11/21 09:25	05/12/21 09:05
40226787043	G7-W	Water	05/11/21 10:43	05/12/21 09:05

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

SAMPLE ANALYTE COUNT

Project: 9640A FONG FAMILY, LLC

Pace Project No.: 40226787

Lab ID	Sample ID	Method	Analysts	Analytes Reported
40226787001	G1-1 (2-4')	EPA 6020	KXS	2
		EPA 8270E by SIM	JJB	20
		EPA 8260	ALD	64
		ASTM D2974-87	AH	1
40226787002	G1-9 (32-36)	EPA 6020	KXS	2
		EPA 8270E by SIM	JJB	20
		EPA 8260	ALD	64
		ASTM D2974-87	AH	1
40226787003	G1-11 (42-44)	EPA 6020	KXS	2
		EPA 8270E by SIM	JJB	20
		EPA 8260	ALD	64
		ASTM D2974-87	AH	1
40226787004	G2-1 (2-4')	EPA 6020	KXS	2
		EPA 8270E by SIM	JJB	20
		EPA 8260	ALD	64
		ASTM D2974-87	AH	1
40226787005	G2-8 (30-32')	EPA 6020	KXS	2
		EPA 8270E by SIM	JJB	20
		EPA 8260	ALD	64
		ASTM D2974-87	AH	1
40226787006	G2-12 (45.5-48)	EPA 6020	KXS	2
		EPA 8270E by SIM	JJB	20
		EPA 8260	MDS	64
		ASTM D2974-87	AH	1
40226787007	G3-1 (2-4)	EPA 6020	KXS	2
		EPA 8270E by SIM	JJB	20
		EPA 8260	ALD	64
		ASTM D2974-87	AH	1
40226787008	G3-9 (32-36)	EPA 6020	KXS	2
		EPA 8270E by SIM	JJB	20
		EPA 8260	ALD	64
		ASTM D2974-87	AH	1
40226787009	G3-11 (43-44)	EPA 6020	KXS	2
		EPA 8270E by SIM	JJB	20
		EPA 8260	ALD	64
		ASTM D2974-87	AH	1
40226787010	G4-1 (2-4)	EPA 6020	KXS	2

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

SAMPLE ANALYTE COUNT

Project: 9640A FONG FAMILY, LLC

Pace Project No.: 40226787

Lab ID	Sample ID	Method	Analysts	Analytes Reported
40226787011	G4-9 (32-36)	EPA 8270E by SIM	JJB	20
		EPA 8260	ALD	64
		ASTM D2974-87	AH	1
		EPA 6020	KXS	2
		EPA 8270E by SIM	JJB	20
40226787012	G4-12 (45-48)	EPA 8260	ALD	64
		ASTM D2974-87	AH	1
		EPA 6020	KXS	2
		EPA 8270E by SIM	JJB	20
		EPA 8260	ALD	64
40226787013	G5-1 (2.5-4)	ASTM D2974-87	AH	1
		EPA 6020	KXS	2
		EPA 8270E by SIM	JJB	20
		EPA 8260	ALD	64
		ASTM D2974-87	AH	1
40226787014	G5-9 (32-36)	EPA 6020	KXS	2
		EPA 8270E by SIM	JJB	20
		EPA 8260	ALD	64
		ASTM D2974-87	AH	1
		EPA 6020	KXS	2
40226787015	G5-11 (42-44)	EPA 8270E by SIM	JJB	20
		EPA 8260	ALD	64
		ASTM D2974-87	AH	1
		EPA 6020	KXS	2
		EPA 8270E by SIM	JJB	20
40226787016	G6-1 (2.5-4)	EPA 8260	ALD	64
		ASTM D2974-87	AH	1
		EPA 6020	KXS	2
		EPA 8270E by SIM	JJB	20
		EPA 8260	ALD	64
40226787017	G6-5 (18-20)	ASTM D2974-87	AH	1
		EPA 6020	KXS	2
		EPA 8270E by SIM	JJB	20
		EPA 8260	ALD	64
		ASTM D2974-87	AH	1
40226787018	G6-12 (45-47)	EPA 6020	KXS	2
		EPA 8270E by SIM	JJB	20
		EPA 8260	ALD	64
		ASTM D2974-87	AH	1
		EPA 6020	KXS	2
40226787019	G7-1 (2-4)	EPA 8270E by SIM	JJB	20
		EPA 6020	KXS	2
		ASTM D2974-87	AH	1

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

SAMPLE ANALYTE COUNT

Project: 9640A FONG FAMILY, LLC
Pace Project No.: 40226787

Lab ID	Sample ID	Method	Analysts	Analytes Reported
40226787020	G7-6 (22-24)	EPA 8260	ALD	64
		ASTM D2974-87	AH	1
		EPA 6020	KXS	2
		EPA 8270E by SIM	JJB	20
40226787021	G7-10 (38-40)	EPA 8260	ALD	64
		ASTM D2974-87	AH	1
		EPA 6020	KXS	2
		EPA 8270E by SIM	JJB	20
40226787022	G8-1 (2-4)	EPA 8260	ALD	64
		ASTM D2974-87	AH	1
		EPA 6020	KXS	2
		EPA 8270E by SIM	JJB	20
40226787023	G8-3 (9-11)	EPA 8260	ALD	64
		ASTM D2974-87	AH	1
		EPA 6020	KXS	2
		EPA 8270E by SIM	JJB	20
40226787024	G8-4 (12-14)	EPA 8260	ALD	64
		ASTM D2974-87	AH	1
		EPA 6020	KXS	2
		EPA 8270E by SIM	JJB	20
40226787025	G9-1 (2-4)	EPA 8260	ALD	64
		ASTM D2974-87	AH	1
		EPA 6020	KXS	2
		EPA 8270E by SIM	JJB	20
40226787026	G9-2 (6-8)	EPA 8260	ALD	64
		ASTM D2974-87	AH	1
		EPA 6020	KXS	2
		EPA 8270E by SIM	JJB	20
40226787027	G9-3 (8-10)	EPA 8260	ALD	64
		ASTM D2974-87	AH	1
		EPA 6020	KXS	2
		EPA 8270E by SIM	JJB	20
40226787028	G10-1 (2-4)	EPA 8260	ALD	64
		ASTM D2974-87	AH	1
		EPA 6020	KXS	2

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

SAMPLE ANALYTE COUNT

Project: 9640A FONG FAMILY, LLC

Pace Project No.: 40226787

Lab ID	Sample ID	Method	Analysts	Analytes Reported
40226787029	G10-4 (14-16)	ASTM D2974-87	AH	1
		EPA 6020	KXS	2
		EPA 8270E by SIM	JJB	20
		EPA 8260	ALD	64
40226787030	G10-5 (17-19)	ASTM D2974-87	AH	1
		EPA 6020	KXS	2
		EPA 8270E by SIM	JJB	20
		EPA 8260	ALD	64
40226787031	G11-1 (2-4)	ASTM D2974-87	AH	1
		EPA 6020	KXS	2
		EPA 8270E by SIM	JJB	20
		EPA 8260	MDS	64
40226787032	G11-2 (6-8)	ASTM D2974-87	AH	1
		EPA 6020	KXS	2
		EPA 8270E by SIM	JJB	20
		EPA 8260	ALD	64
40226787033	G11-3 (10-12)	ASTM D2974-87	AH	1
		EPA 6020	KXS	2
		EPA 8270E by SIM	JJB	20
		EPA 8260	ALD	64
40226787034	G12-1 (2-4)	ASTM D2974-87	AH	1
		EPA 6020	KXS	2
		EPA 8270E by SIM	JJB	20
		EPA 8260	ALD	64
40226787035	G12-3 (8-10)	ASTM D2974-87	AXW	1
		EPA 6020	KXS	2
		EPA 8270E by SIM	JJB	20
		EPA 8260	ALD	64
40226787036	G12-4 (14-16)	ASTM D2974-87	AXW	1
		EPA 6020	KXS	2
		EPA 8270E by SIM	JJB	20
		EPA 8260	ALD	64
40226787037	G1-W	ASTM D2974-87	AXW	1
		EPA 6020	KXS	2
		EPA 8270E by SIM	RJN	21
40226787038	G2-W	EPA 8260	SMT	64
		EPA 6020	KXS	2

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

SAMPLE ANALYTE COUNT

Project: 9640A FONG FAMILY, LLC

Pace Project No.: 40226787

Lab ID	Sample ID	Method	Analysts	Analytes Reported
40226787039	G3-W	EPA 8270E by SIM	RJN	21
		EPA 8260	SMT	64
		EPA 6020	KXS	2
40226787040	G4-W	EPA 8270E by SIM	RJN	21
		EPA 8260	SMT	64
		EPA 6020	KXS	2
40226787041	G5-W	EPA 8270E by SIM	RJN	21
		EPA 8260	SMT	64
		EPA 6020	KXS	2
40226787042	G6-W	EPA 8270E by SIM	RJN	21
		EPA 8260	SMT	64
		EPA 6020	KXS	2
40226787043	G7-W	EPA 8270E by SIM	RJN	21
		EPA 8260	SMT	64
		EPA 6020	KXS	2

PASI-G = Pace Analytical Services - Green Bay

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 9640A FONG FAMILY, LLC
Pace Project No.: 40226787

Sample: G1-1 (2-4) **Lab ID: 40226787001** Collected: 05/10/21 07:20 Received: 05/12/21 09:05 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
6020 MET ICPMS									
Analytical Method: EPA 6020 Preparation Method: EPA 3050									
Pace Analytical Services - Green Bay									
Arsenic	4.6	mg/kg	0.95	0.28	6.667	05/14/21 09:03	05/18/21 06:47	7440-38-2	
Lead	6.5	mg/kg	0.72	0.19	6.667	05/14/21 09:03	05/18/21 06:47	7439-92-1	
8270E MSSV PAH by SIM									
Analytical Method: EPA 8270E by SIM Preparation Method: EPA 3546									
Pace Analytical Services - Green Bay									
Acenaphthene	<2.3	ug/kg	18.1	2.3	1	05/18/21 06:59	05/18/21 13:02	83-32-9	
Acenaphthylene	<2.3	ug/kg	18.1	2.3	1	05/18/21 06:59	05/18/21 13:02	208-96-8	
Anthracene	<2.2	ug/kg	18.1	2.2	1	05/18/21 06:59	05/18/21 13:02	120-12-7	
Benzo(a)anthracene	<2.3	ug/kg	18.1	2.3	1	05/18/21 06:59	05/18/21 13:02	56-55-3	
Benzo(a)pyrene	<2.1	ug/kg	18.1	2.1	1	05/18/21 06:59	05/18/21 13:02	50-32-8	
Benzo(b)fluoranthene	<2.5	ug/kg	18.1	2.5	1	05/18/21 06:59	05/18/21 13:02	205-99-2	
Benzo(g,h,i)perylene	<3.2	ug/kg	18.1	3.2	1	05/18/21 06:59	05/18/21 13:02	191-24-2	
Benzo(k)fluoranthene	<2.3	ug/kg	18.1	2.3	1	05/18/21 06:59	05/18/21 13:02	207-08-9	
Chrysene	<3.4	ug/kg	18.1	3.4	1	05/18/21 06:59	05/18/21 13:02	218-01-9	
Dibenz(a,h)anthracene	<2.5	ug/kg	18.1	2.5	1	05/18/21 06:59	05/18/21 13:02	53-70-3	
Fluoranthene	<2.1	ug/kg	18.1	2.1	1	05/18/21 06:59	05/18/21 13:02	206-44-0	
Fluorene	<2.2	ug/kg	18.1	2.2	1	05/18/21 06:59	05/18/21 13:02	86-73-7	
Indeno(1,2,3-cd)pyrene	<3.8	ug/kg	18.1	3.8	1	05/18/21 06:59	05/18/21 13:02	193-39-5	
1-Methylnaphthalene	<2.6	ug/kg	18.1	2.6	1	05/18/21 06:59	05/18/21 13:02	90-12-0	
2-Methylnaphthalene	<2.6	ug/kg	18.1	2.6	1	05/18/21 06:59	05/18/21 13:02	91-57-6	
Naphthalene	<1.8	ug/kg	18.1	1.8	1	05/18/21 06:59	05/18/21 13:02	91-20-3	
Phenanthrene	<2.1	ug/kg	18.1	2.1	1	05/18/21 06:59	05/18/21 13:02	85-01-8	
Pyrene	<2.7	ug/kg	18.1	2.7	1	05/18/21 06:59	05/18/21 13:02	129-00-0	
Surrogates									
2-Fluorobiphenyl (S)	56	%	36-86		1	05/18/21 06:59	05/18/21 13:02	321-60-8	
Terphenyl-d14 (S)	63	%	41-97		1	05/18/21 06:59	05/18/21 13:02	1718-51-0	
8260 MSV Med Level Normal List									
Analytical Method: EPA 8260 Preparation Method: EPA 5035/5030B									
Pace Analytical Services - Green Bay									
Benzene	<13.8	ug/kg	23.2	13.8	1	05/18/21 08:15	05/19/21 22:07	71-43-2	
Bromobenzene	<22.7	ug/kg	58.1	22.7	1	05/18/21 08:15	05/19/21 22:07	108-86-1	
Bromochloromethane	<15.9	ug/kg	58.1	15.9	1	05/18/21 08:15	05/19/21 22:07	74-97-5	
Bromodichloromethane	<13.8	ug/kg	58.1	13.8	1	05/18/21 08:15	05/19/21 22:07	75-27-4	
Bromoform	<256	ug/kg	291	256	1	05/18/21 08:15	05/19/21 22:07	75-25-2	
Bromomethane	<81.5	ug/kg	291	81.5	1	05/18/21 08:15	05/19/21 22:07	74-83-9	
n-Butylbenzene	<26.6	ug/kg	58.1	26.6	1	05/18/21 08:15	05/19/21 22:07	104-51-8	
sec-Butylbenzene	<14.2	ug/kg	58.1	14.2	1	05/18/21 08:15	05/19/21 22:07	135-98-8	
tert-Butylbenzene	<18.3	ug/kg	58.1	18.3	1	05/18/21 08:15	05/19/21 22:07	98-06-6	
Carbon tetrachloride	<12.8	ug/kg	58.1	12.8	1	05/18/21 08:15	05/19/21 22:07	56-23-5	
Chlorobenzene	<7.0	ug/kg	58.1	7.0	1	05/18/21 08:15	05/19/21 22:07	108-90-7	
Chloroethane	<24.5	ug/kg	291	24.5	1	05/18/21 08:15	05/19/21 22:07	75-00-3	
Chloroform	<41.6	ug/kg	291	41.6	1	05/18/21 08:15	05/19/21 22:07	67-66-3	
Chloromethane	<22.1	ug/kg	58.1	22.1	1	05/18/21 08:15	05/19/21 22:07	74-87-3	
2-Chlorotoluene	<18.8	ug/kg	58.1	18.8	1	05/18/21 08:15	05/19/21 22:07	95-49-8	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 9640A FONG FAMILY, LLC
Pace Project No.: 40226787

Sample: G1-1 (2-4) **Lab ID: 40226787001** Collected: 05/10/21 07:20 Received: 05/12/21 09:05 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Med Level Normal List									
Analytical Method: EPA 8260 Preparation Method: EPA 5035/5030B									
Pace Analytical Services - Green Bay									
4-Chlorotoluene	<22.1	ug/kg	58.1	22.1	1	05/18/21 08:15	05/19/21 22:07	106-43-4	
1,2-Dibromo-3-chloropropane	<45.1	ug/kg	291	45.1	1	05/18/21 08:15	05/19/21 22:07	96-12-8	
Dibromochloromethane	<199	ug/kg	291	199	1	05/18/21 08:15	05/19/21 22:07	124-48-1	
1,2-Dibromoethane (EDB)	<15.9	ug/kg	58.1	15.9	1	05/18/21 08:15	05/19/21 22:07	106-93-4	
Dibromomethane	<17.2	ug/kg	58.1	17.2	1	05/18/21 08:15	05/19/21 22:07	74-95-3	
1,2-Dichlorobenzene	<18.0	ug/kg	58.1	18.0	1	05/18/21 08:15	05/19/21 22:07	95-50-1	
1,3-Dichlorobenzene	<15.9	ug/kg	58.1	15.9	1	05/18/21 08:15	05/19/21 22:07	541-73-1	
1,4-Dichlorobenzene	<15.9	ug/kg	58.1	15.9	1	05/18/21 08:15	05/19/21 22:07	106-46-7	
Dichlorodifluoromethane	<25.0	ug/kg	58.1	25.0	1	05/18/21 08:15	05/19/21 22:07	75-71-8	
1,1-Dichloroethane	<14.9	ug/kg	58.1	14.9	1	05/18/21 08:15	05/19/21 22:07	75-34-3	
1,2-Dichloroethane	<13.4	ug/kg	58.1	13.4	1	05/18/21 08:15	05/19/21 22:07	107-06-2	
1,1-Dichloroethene	<19.3	ug/kg	58.1	19.3	1	05/18/21 08:15	05/19/21 22:07	75-35-4	
cis-1,2-Dichloroethene	<12.4	ug/kg	58.1	12.4	1	05/18/21 08:15	05/19/21 22:07	156-59-2	
trans-1,2-Dichloroethene	<12.6	ug/kg	58.1	12.6	1	05/18/21 08:15	05/19/21 22:07	156-60-5	
1,2-Dichloropropane	<13.8	ug/kg	58.1	13.8	1	05/18/21 08:15	05/19/21 22:07	78-87-5	
1,3-Dichloropropane	<12.7	ug/kg	58.1	12.7	1	05/18/21 08:15	05/19/21 22:07	142-28-9	
2,2-Dichloropropane	<15.7	ug/kg	58.1	15.7	1	05/18/21 08:15	05/19/21 22:07	594-20-7	
1,1-Dichloropropene	<18.8	ug/kg	58.1	18.8	1	05/18/21 08:15	05/19/21 22:07	563-58-6	
cis-1,3-Dichloropropene	<38.4	ug/kg	291	38.4	1	05/18/21 08:15	05/19/21 22:07	10061-01-5	
trans-1,3-Dichloropropene	<166	ug/kg	291	166	1	05/18/21 08:15	05/19/21 22:07	10061-02-6	
Diisopropyl ether	<14.4	ug/kg	58.1	14.4	1	05/18/21 08:15	05/19/21 22:07	108-20-3	
Ethylbenzene	<13.8	ug/kg	58.1	13.8	1	05/18/21 08:15	05/19/21 22:07	100-41-4	
Hexachloro-1,3-butadiene	<116	ug/kg	291	116	1	05/18/21 08:15	05/19/21 22:07	87-68-3	
Isopropylbenzene (Cumene)	<15.7	ug/kg	58.1	15.7	1	05/18/21 08:15	05/19/21 22:07	98-82-8	
p-Isopropyltoluene	<17.7	ug/kg	58.1	17.7	1	05/18/21 08:15	05/19/21 22:07	99-87-6	
Methylene Chloride	<16.2	ug/kg	58.1	16.2	1	05/18/21 08:15	05/19/21 22:07	75-09-2	
Methyl-tert-butyl ether	<17.1	ug/kg	58.1	17.1	1	05/18/21 08:15	05/19/21 22:07	1634-04-4	
Naphthalene	<18.1	ug/kg	291	18.1	1	05/18/21 08:15	05/19/21 22:07	91-20-3	
n-Propylbenzene	<13.9	ug/kg	58.1	13.9	1	05/18/21 08:15	05/19/21 22:07	103-65-1	
Styrene	<14.9	ug/kg	58.1	14.9	1	05/18/21 08:15	05/19/21 22:07	100-42-5	
1,1,1,2-Tetrachloroethane	<13.9	ug/kg	58.1	13.9	1	05/18/21 08:15	05/19/21 22:07	630-20-6	
1,1,2,2-Tetrachloroethane	<21.0	ug/kg	58.1	21.0	1	05/18/21 08:15	05/19/21 22:07	79-34-5	
Tetrachloroethene	<22.6	ug/kg	58.1	22.6	1	05/18/21 08:15	05/19/21 22:07	127-18-4	
Toluene	<14.6	ug/kg	58.1	14.6	1	05/18/21 08:15	05/19/21 22:07	108-88-3	
1,2,3-Trichlorobenzene	<64.8	ug/kg	291	64.8	1	05/18/21 08:15	05/19/21 22:07	87-61-6	
1,2,4-Trichlorobenzene	<47.9	ug/kg	291	47.9	1	05/18/21 08:15	05/19/21 22:07	120-82-1	
1,1,1-Trichloroethane	<14.9	ug/kg	58.1	14.9	1	05/18/21 08:15	05/19/21 22:07	71-55-6	
1,1,2-Trichloroethane	<21.2	ug/kg	58.1	21.2	1	05/18/21 08:15	05/19/21 22:07	79-00-5	
Trichloroethene	<21.7	ug/kg	58.1	21.7	1	05/18/21 08:15	05/19/21 22:07	79-01-6	
Trichlorofluoromethane	<16.9	ug/kg	58.1	16.9	1	05/18/21 08:15	05/19/21 22:07	75-69-4	
1,2,3-Trichloropropane	<28.2	ug/kg	58.1	28.2	1	05/18/21 08:15	05/19/21 22:07	96-18-4	
1,2,4-Trimethylbenzene	<17.3	ug/kg	58.1	17.3	1	05/18/21 08:15	05/19/21 22:07	95-63-6	
1,3,5-Trimethylbenzene	<18.7	ug/kg	58.1	18.7	1	05/18/21 08:15	05/19/21 22:07	108-67-8	
Vinyl chloride	<11.7	ug/kg	58.1	11.7	1	05/18/21 08:15	05/19/21 22:07	75-01-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 9640A FONG FAMILY, LLC
Pace Project No.: 40226787

Sample: G1-1 (2-4) **Lab ID: 40226787001** Collected: 05/10/21 07:20 Received: 05/12/21 09:05 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Med Level Normal List									
Analytical Method: EPA 8260 Preparation Method: EPA 5035/5030B									
Pace Analytical Services - Green Bay									
m&p-Xylene	<24.5	ug/kg	116	24.5	1	05/18/21 08:15	05/19/21 22:07	179601-23-1	
o-Xylene	<17.4	ug/kg	58.1	17.4	1	05/18/21 08:15	05/19/21 22:07	95-47-6	
Surrogates									
Toluene-d8 (S)	106	%	67-159		1	05/18/21 08:15	05/19/21 22:07	2037-26-5	
4-Bromofluorobenzene (S)	96	%	66-153		1	05/18/21 08:15	05/19/21 22:07	460-00-4	
1,2-Dichlorobenzene-d4 (S)	110	%	82-158		1	05/18/21 08:15	05/19/21 22:07	2199-69-1	
Percent Moisture									
Analytical Method: ASTM D2974-87									
Pace Analytical Services - Green Bay									
Percent Moisture	7.5	%	0.10	0.10	1		05/12/21 17:01		

Sample: G1-9 (32-36) **Lab ID: 40226787002** Collected: 05/10/21 07:50 Received: 05/12/21 09:05 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
6020 MET ICPMS									
Analytical Method: EPA 6020 Preparation Method: EPA 3050									
Pace Analytical Services - Green Bay									
Arsenic	4.8	mg/kg	0.92	0.28	6.667	05/14/21 09:03	05/18/21 07:16	7440-38-2	
Lead	5.3	mg/kg	0.69	0.19	6.667	05/14/21 09:03	05/18/21 07:16	7439-92-1	
8270E MSSV PAH by SIM									
Analytical Method: EPA 8270E by SIM Preparation Method: EPA 3546									
Pace Analytical Services - Green Bay									
Acenaphthene	<2.3	ug/kg	17.8	2.3	1	05/18/21 06:59	05/18/21 13:36	83-32-9	
Acenaphthylene	<2.2	ug/kg	17.8	2.2	1	05/18/21 06:59	05/18/21 13:36	208-96-8	
Anthracene	<2.2	ug/kg	17.8	2.2	1	05/18/21 06:59	05/18/21 13:36	120-12-7	
Benzo(a)anthracene	4.4J	ug/kg	17.8	2.3	1	05/18/21 06:59	05/18/21 13:36	56-55-3	
Benzo(a)pyrene	3.4J	ug/kg	17.8	2.0	1	05/18/21 06:59	05/18/21 13:36	50-32-8	
Benzo(b)fluoranthene	4.4J	ug/kg	17.8	2.5	1	05/18/21 06:59	05/18/21 13:36	205-99-2	
Benzo(g,h,i)perylene	<3.1	ug/kg	17.8	3.1	1	05/18/21 06:59	05/18/21 13:36	191-24-2	
Benzo(k)fluoranthene	<2.3	ug/kg	17.8	2.3	1	05/18/21 06:59	05/18/21 13:36	207-08-9	
Chrysene	<3.4	ug/kg	17.8	3.4	1	05/18/21 06:59	05/18/21 13:36	218-01-9	
Dibenz(a,h)anthracene	<2.5	ug/kg	17.8	2.5	1	05/18/21 06:59	05/18/21 13:36	53-70-3	
Fluoranthene	4.9J	ug/kg	17.8	2.1	1	05/18/21 06:59	05/18/21 13:36	206-44-0	
Fluorene	<2.1	ug/kg	17.8	2.1	1	05/18/21 06:59	05/18/21 13:36	86-73-7	
Indeno(1,2,3-cd)pyrene	<3.7	ug/kg	17.8	3.7	1	05/18/21 06:59	05/18/21 13:36	193-39-5	
1-Methylnaphthalene	<2.6	ug/kg	17.8	2.6	1	05/18/21 06:59	05/18/21 13:36	90-12-0	
2-Methylnaphthalene	<2.6	ug/kg	17.8	2.6	1	05/18/21 06:59	05/18/21 13:36	91-57-6	
Naphthalene	<1.7	ug/kg	17.8	1.7	1	05/18/21 06:59	05/18/21 13:36	91-20-3	
Phenanthrene	<2.0	ug/kg	17.8	2.0	1	05/18/21 06:59	05/18/21 13:36	85-01-8	
Pyrene	4.3J	ug/kg	17.8	2.6	1	05/18/21 06:59	05/18/21 13:36	129-00-0	
Surrogates									
2-Fluorobiphenyl (S)	65	%	36-86		1	05/18/21 06:59	05/18/21 13:36	321-60-8	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 9640A FONG FAMILY, LLC
Pace Project No.: 40226787

Sample: G1-9 (32-36) **Lab ID: 40226787002** Collected: 05/10/21 07:50 Received: 05/12/21 09:05 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8270E MSSV PAH by SIM									
Analytical Method: EPA 8270E by SIM Preparation Method: EPA 3546									
Pace Analytical Services - Green Bay									
Surrogates									
Terphenyl-d14 (S)	71	%	41-97		1	05/18/21 06:59	05/18/21 13:36	1718-51-0	
8260 MSV Med Level Normal List									
Analytical Method: EPA 8260 Preparation Method: EPA 5035/5030B									
Pace Analytical Services - Green Bay									
Benzene	<13.4	ug/kg	22.6	13.4	1	05/17/21 08:45	05/18/21 10:42	71-43-2	
Bromobenzene	<22.0	ug/kg	56.5	22.0	1	05/17/21 08:45	05/18/21 10:42	108-86-1	
Bromochloromethane	<15.5	ug/kg	56.5	15.5	1	05/17/21 08:45	05/18/21 10:42	74-97-5	
Bromodichloromethane	<13.4	ug/kg	56.5	13.4	1	05/17/21 08:45	05/18/21 10:42	75-27-4	
Bromoform	<249	ug/kg	283	249	1	05/17/21 08:45	05/18/21 10:42	75-25-2	L1
Bromomethane	<79.2	ug/kg	283	79.2	1	05/17/21 08:45	05/18/21 10:42	74-83-9	
n-Butylbenzene	<25.9	ug/kg	56.5	25.9	1	05/17/21 08:45	05/18/21 10:42	104-51-8	
sec-Butylbenzene	<13.8	ug/kg	56.5	13.8	1	05/17/21 08:45	05/18/21 10:42	135-98-8	
tert-Butylbenzene	<17.7	ug/kg	56.5	17.7	1	05/17/21 08:45	05/18/21 10:42	98-06-6	
Carbon tetrachloride	<12.4	ug/kg	56.5	12.4	1	05/17/21 08:45	05/18/21 10:42	56-23-5	
Chlorobenzene	<6.8	ug/kg	56.5	6.8	1	05/17/21 08:45	05/18/21 10:42	108-90-7	
Chloroethane	<23.8	ug/kg	283	23.8	1	05/17/21 08:45	05/18/21 10:42	75-00-3	
Chloroform	<40.5	ug/kg	283	40.5	1	05/17/21 08:45	05/18/21 10:42	67-66-3	
Chloromethane	<21.5	ug/kg	56.5	21.5	1	05/17/21 08:45	05/18/21 10:42	74-87-3	
2-Chlorotoluene	<18.3	ug/kg	56.5	18.3	1	05/17/21 08:45	05/18/21 10:42	95-49-8	
4-Chlorotoluene	<21.5	ug/kg	56.5	21.5	1	05/17/21 08:45	05/18/21 10:42	106-43-4	
1,2-Dibromo-3-chloropropane	<43.9	ug/kg	283	43.9	1	05/17/21 08:45	05/18/21 10:42	96-12-8	
Dibromochloromethane	<193	ug/kg	283	193	1	05/17/21 08:45	05/18/21 10:42	124-48-1	
1,2-Dibromoethane (EDB)	<15.5	ug/kg	56.5	15.5	1	05/17/21 08:45	05/18/21 10:42	106-93-4	
Dibromomethane	<16.7	ug/kg	56.5	16.7	1	05/17/21 08:45	05/18/21 10:42	74-95-3	
1,2-Dichlorobenzene	<17.5	ug/kg	56.5	17.5	1	05/17/21 08:45	05/18/21 10:42	95-50-1	
1,3-Dichlorobenzene	<15.5	ug/kg	56.5	15.5	1	05/17/21 08:45	05/18/21 10:42	541-73-1	
1,4-Dichlorobenzene	<15.5	ug/kg	56.5	15.5	1	05/17/21 08:45	05/18/21 10:42	106-46-7	
Dichlorodifluoromethane	<24.3	ug/kg	56.5	24.3	1	05/17/21 08:45	05/18/21 10:42	75-71-8	
1,1-Dichloroethane	<14.5	ug/kg	56.5	14.5	1	05/17/21 08:45	05/18/21 10:42	75-34-3	
1,2-Dichloroethane	<13.0	ug/kg	56.5	13.0	1	05/17/21 08:45	05/18/21 10:42	107-06-2	
1,1-Dichloroethene	<18.8	ug/kg	56.5	18.8	1	05/17/21 08:45	05/18/21 10:42	75-35-4	
cis-1,2-Dichloroethene	<12.1	ug/kg	56.5	12.1	1	05/17/21 08:45	05/18/21 10:42	156-59-2	
trans-1,2-Dichloroethene	<12.2	ug/kg	56.5	12.2	1	05/17/21 08:45	05/18/21 10:42	156-60-5	
1,2-Dichloropropane	<13.4	ug/kg	56.5	13.4	1	05/17/21 08:45	05/18/21 10:42	78-87-5	
1,3-Dichloropropane	<12.3	ug/kg	56.5	12.3	1	05/17/21 08:45	05/18/21 10:42	142-28-9	
2,2-Dichloropropane	<15.3	ug/kg	56.5	15.3	1	05/17/21 08:45	05/18/21 10:42	594-20-7	
1,1-Dichloropropene	<18.3	ug/kg	56.5	18.3	1	05/17/21 08:45	05/18/21 10:42	563-58-6	
cis-1,3-Dichloropropene	<37.3	ug/kg	283	37.3	1	05/17/21 08:45	05/18/21 10:42	10061-01-5	
trans-1,3-Dichloropropene	<162	ug/kg	283	162	1	05/17/21 08:45	05/18/21 10:42	10061-02-6	
Diisopropyl ether	<14.0	ug/kg	56.5	14.0	1	05/17/21 08:45	05/18/21 10:42	108-20-3	
Ethylbenzene	<13.4	ug/kg	56.5	13.4	1	05/17/21 08:45	05/18/21 10:42	100-41-4	
Hexachloro-1,3-butadiene	<112	ug/kg	283	112	1	05/17/21 08:45	05/18/21 10:42	87-68-3	
Isopropylbenzene (Cumene)	<15.3	ug/kg	56.5	15.3	1	05/17/21 08:45	05/18/21 10:42	98-82-8	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 9640A FONG FAMILY, LLC
Pace Project No.: 40226787

Sample: G1-9 (32-36) **Lab ID: 40226787002** Collected: 05/10/21 07:50 Received: 05/12/21 09:05 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Med Level Normal List									
Analytical Method: EPA 8260 Preparation Method: EPA 5035/5030B									
Pace Analytical Services - Green Bay									
p-Isopropyltoluene	<17.2	ug/kg	56.5	17.2	1	05/17/21 08:45	05/18/21 10:42	99-87-6	
Methylene Chloride	<15.7	ug/kg	56.5	15.7	1	05/17/21 08:45	05/18/21 10:42	75-09-2	
Methyl-tert-butyl ether	<16.6	ug/kg	56.5	16.6	1	05/17/21 08:45	05/18/21 10:42	1634-04-4	
Naphthalene	<17.6	ug/kg	283	17.6	1	05/17/21 08:45	05/18/21 10:42	91-20-3	
n-Propylbenzene	<13.6	ug/kg	56.5	13.6	1	05/17/21 08:45	05/18/21 10:42	103-65-1	
Styrene	<14.5	ug/kg	56.5	14.5	1	05/17/21 08:45	05/18/21 10:42	100-42-5	
1,1,1,2-Tetrachloroethane	<13.6	ug/kg	56.5	13.6	1	05/17/21 08:45	05/18/21 10:42	630-20-6	
1,1,2,2-Tetrachloroethane	<20.5	ug/kg	56.5	20.5	1	05/17/21 08:45	05/18/21 10:42	79-34-5	
Tetrachloroethene	<21.9	ug/kg	56.5	21.9	1	05/17/21 08:45	05/18/21 10:42	127-18-4	
Toluene	<14.2	ug/kg	56.5	14.2	1	05/17/21 08:45	05/18/21 10:42	108-88-3	
1,2,3-Trichlorobenzene	<63.0	ug/kg	283	63.0	1	05/17/21 08:45	05/18/21 10:42	87-61-6	
1,2,4-Trichlorobenzene	<46.6	ug/kg	283	46.6	1	05/17/21 08:45	05/18/21 10:42	120-82-1	
1,1,1-Trichloroethane	<14.5	ug/kg	56.5	14.5	1	05/17/21 08:45	05/18/21 10:42	71-55-6	
1,1,2-Trichloroethane	<20.6	ug/kg	56.5	20.6	1	05/17/21 08:45	05/18/21 10:42	79-00-5	
Trichloroethene	<21.1	ug/kg	56.5	21.1	1	05/17/21 08:45	05/18/21 10:42	79-01-6	
Trichlorofluoromethane	<16.4	ug/kg	56.5	16.4	1	05/17/21 08:45	05/18/21 10:42	75-69-4	
1,2,3-Trichloropropane	<27.5	ug/kg	56.5	27.5	1	05/17/21 08:45	05/18/21 10:42	96-18-4	
1,2,4-Trimethylbenzene	<16.8	ug/kg	56.5	16.8	1	05/17/21 08:45	05/18/21 10:42	95-63-6	
1,3,5-Trimethylbenzene	<18.2	ug/kg	56.5	18.2	1	05/17/21 08:45	05/18/21 10:42	108-67-8	
Vinyl chloride	<11.4	ug/kg	56.5	11.4	1	05/17/21 08:45	05/18/21 10:42	75-01-4	
m&p-Xylene	<23.8	ug/kg	113	23.8	1	05/17/21 08:45	05/18/21 10:42	179601-23-1	
o-Xylene	<17.0	ug/kg	56.5	17.0	1	05/17/21 08:45	05/18/21 10:42	95-47-6	
Surrogates									
Toluene-d8 (S)	117	%	67-159		1	05/17/21 08:45	05/18/21 10:42	2037-26-5	
4-Bromofluorobenzene (S)	104	%	66-153		1	05/17/21 08:45	05/18/21 10:42	460-00-4	
1,2-Dichlorobenzene-d4 (S)	117	%	82-158		1	05/17/21 08:45	05/18/21 10:42	2199-69-1	

Percent Moisture

Analytical Method: ASTM D2974-87
Pace Analytical Services - Green Bay

Percent Moisture	6.1	%	0.10	0.10	1		05/12/21 17:01		
------------------	-----	---	------	------	---	--	----------------	--	--

Sample: G1-11 (42-44) **Lab ID: 40226787003** Collected: 05/10/21 08:05 Received: 05/12/21 09:05 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
6020 MET ICPMS									
Analytical Method: EPA 6020 Preparation Method: EPA 3050									
Pace Analytical Services - Green Bay									
Arsenic	3.4	mg/kg	0.88	0.26	6.667	05/14/21 09:03	05/18/21 07:30	7440-38-2	
Lead	34.5	mg/kg	0.66	0.18	6.667	05/14/21 09:03	05/18/21 07:30	7439-92-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 9640A FONG FAMILY, LLC
Pace Project No.: 40226787

Sample: G1-11 (42-44) Lab ID: 40226787003 Collected: 05/10/21 08:05 Received: 05/12/21 09:05 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8270E MSSV PAH by SIM									
Analytical Method: EPA 8270E by SIM Preparation Method: EPA 3546									
Pace Analytical Services - Green Bay									
Acenaphthene	54.5J	ug/kg	360	46.7	20	05/18/21 06:59	05/19/21 20:35	83-32-9	
Acenaphthylene	1090	ug/kg	360	45.4	20	05/18/21 06:59	05/19/21 20:35	208-96-8	
Anthracene	1030	ug/kg	360	44.7	20	05/18/21 06:59	05/19/21 20:35	120-12-7	
Benzo(a)anthracene	3880	ug/kg	360	46.6	20	05/18/21 06:59	05/19/21 20:35	56-55-3	
Benzo(a)pyrene	5930	ug/kg	360	40.9	20	05/18/21 06:59	05/19/21 20:35	50-32-8	
Benzo(b)fluoranthene	8320	ug/kg	360	50.0	20	05/18/21 06:59	05/19/21 20:35	205-99-2	
Benzo(g,h,i)perylene	3550	ug/kg	360	63.2	20	05/18/21 06:59	05/19/21 20:35	191-24-2	
Benzo(k)fluoranthene	3020	ug/kg	360	46.0	20	05/18/21 06:59	05/19/21 20:35	207-08-9	
Chrysene	4440	ug/kg	360	67.9	20	05/18/21 06:59	05/19/21 20:35	218-01-9	
Dibenz(a,h)anthracene	1100	ug/kg	360	49.9	20	05/18/21 06:59	05/19/21 20:35	53-70-3	
Fluoranthene	5020	ug/kg	360	42.6	20	05/18/21 06:59	05/19/21 20:35	206-44-0	
Fluorene	128J	ug/kg	360	43.2	20	05/18/21 06:59	05/19/21 20:35	86-73-7	
Indeno(1,2,3-cd)pyrene	3470	ug/kg	360	75.1	20	05/18/21 06:59	05/19/21 20:35	193-39-5	
1-Methylnaphthalene	<52.6	ug/kg	360	52.6	20	05/18/21 06:59	05/19/21 20:35	90-12-0	
2-Methylnaphthalene	<52.7	ug/kg	360	52.7	20	05/18/21 06:59	05/19/21 20:35	91-57-6	
Naphthalene	71.5J	ug/kg	360	35.1	20	05/18/21 06:59	05/19/21 20:35	91-20-3	
Phenanthrene	1530	ug/kg	360	41.3	20	05/18/21 06:59	05/19/21 20:35	85-01-8	
Pyrene	4970	ug/kg	360	53.0	20	05/18/21 06:59	05/19/21 20:35	129-00-0	
Surrogates									
2-Fluorobiphenyl (S)	0	%	36-86		20	05/18/21 06:59	05/19/21 20:35	321-60-8	S4
Terphenyl-d14 (S)	0	%	41-97		20	05/18/21 06:59	05/19/21 20:35	1718-51-0	S4

8260 MSV Med Level Normal List									
Analytical Method: EPA 8260 Preparation Method: EPA 5035/5030B									
Pace Analytical Services - Green Bay									
Benzene	<13.7	ug/kg	23.1	13.7	1	05/17/21 08:45	05/18/21 11:02	71-43-2	
Bromobenzene	<22.5	ug/kg	57.7	22.5	1	05/17/21 08:45	05/18/21 11:02	108-86-1	
Bromochloromethane	<15.8	ug/kg	57.7	15.8	1	05/17/21 08:45	05/18/21 11:02	74-97-5	
Bromodichloromethane	<13.7	ug/kg	57.7	13.7	1	05/17/21 08:45	05/18/21 11:02	75-27-4	
Bromoform	<254	ug/kg	289	254	1	05/17/21 08:45	05/18/21 11:02	75-25-2	L1
Bromomethane	<81.0	ug/kg	289	81.0	1	05/17/21 08:45	05/18/21 11:02	74-83-9	
n-Butylbenzene	<26.4	ug/kg	57.7	26.4	1	05/17/21 08:45	05/18/21 11:02	104-51-8	
sec-Butylbenzene	<14.1	ug/kg	57.7	14.1	1	05/17/21 08:45	05/18/21 11:02	135-98-8	
tert-Butylbenzene	<18.1	ug/kg	57.7	18.1	1	05/17/21 08:45	05/18/21 11:02	98-06-6	
Carbon tetrachloride	<12.7	ug/kg	57.7	12.7	1	05/17/21 08:45	05/18/21 11:02	56-23-5	
Chlorobenzene	<6.9	ug/kg	57.7	6.9	1	05/17/21 08:45	05/18/21 11:02	108-90-7	
Chloroethane	<24.4	ug/kg	289	24.4	1	05/17/21 08:45	05/18/21 11:02	75-00-3	
Chloroform	<41.3	ug/kg	289	41.3	1	05/17/21 08:45	05/18/21 11:02	67-66-3	
Chloromethane	<21.9	ug/kg	57.7	21.9	1	05/17/21 08:45	05/18/21 11:02	74-87-3	
2-Chlorotoluene	<18.7	ug/kg	57.7	18.7	1	05/17/21 08:45	05/18/21 11:02	95-49-8	
4-Chlorotoluene	<21.9	ug/kg	57.7	21.9	1	05/17/21 08:45	05/18/21 11:02	106-43-4	
1,2-Dibromo-3-chloropropane	<44.8	ug/kg	289	44.8	1	05/17/21 08:45	05/18/21 11:02	96-12-8	
Dibromochloromethane	<197	ug/kg	289	197	1	05/17/21 08:45	05/18/21 11:02	124-48-1	
1,2-Dibromoethane (EDB)	<15.8	ug/kg	57.7	15.8	1	05/17/21 08:45	05/18/21 11:02	106-93-4	
Dibromomethane	<17.1	ug/kg	57.7	17.1	1	05/17/21 08:45	05/18/21 11:02	74-95-3	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 9640A FONG FAMILY, LLC
Pace Project No.: 40226787

Sample: G1-11 (42-44) **Lab ID: 40226787003** Collected: 05/10/21 08:05 Received: 05/12/21 09:05 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Med Level Normal List									
Analytical Method: EPA 8260 Preparation Method: EPA 5035/5030B									
Pace Analytical Services - Green Bay									
1,2-Dichlorobenzene	<17.9	ug/kg	57.7	17.9	1	05/17/21 08:45	05/18/21 11:02	95-50-1	
1,3-Dichlorobenzene	<15.8	ug/kg	57.7	15.8	1	05/17/21 08:45	05/18/21 11:02	541-73-1	
1,4-Dichlorobenzene	<15.8	ug/kg	57.7	15.8	1	05/17/21 08:45	05/18/21 11:02	106-46-7	
Dichlorodifluoromethane	<24.8	ug/kg	57.7	24.8	1	05/17/21 08:45	05/18/21 11:02	75-71-8	
1,1-Dichloroethane	<14.8	ug/kg	57.7	14.8	1	05/17/21 08:45	05/18/21 11:02	75-34-3	
1,2-Dichloroethane	<13.3	ug/kg	57.7	13.3	1	05/17/21 08:45	05/18/21 11:02	107-06-2	
1,1-Dichloroethene	<19.2	ug/kg	57.7	19.2	1	05/17/21 08:45	05/18/21 11:02	75-35-4	
cis-1,2-Dichloroethene	<12.4	ug/kg	57.7	12.4	1	05/17/21 08:45	05/18/21 11:02	156-59-2	
trans-1,2-Dichloroethene	<12.5	ug/kg	57.7	12.5	1	05/17/21 08:45	05/18/21 11:02	156-60-5	
1,2-Dichloropropane	<13.7	ug/kg	57.7	13.7	1	05/17/21 08:45	05/18/21 11:02	78-87-5	
1,3-Dichloropropane	<12.6	ug/kg	57.7	12.6	1	05/17/21 08:45	05/18/21 11:02	142-28-9	
2,2-Dichloropropane	<15.6	ug/kg	57.7	15.6	1	05/17/21 08:45	05/18/21 11:02	594-20-7	
1,1-Dichloropropene	<18.7	ug/kg	57.7	18.7	1	05/17/21 08:45	05/18/21 11:02	563-58-6	
cis-1,3-Dichloropropene	<38.1	ug/kg	289	38.1	1	05/17/21 08:45	05/18/21 11:02	10061-01-5	
trans-1,3-Dichloropropene	<165	ug/kg	289	165	1	05/17/21 08:45	05/18/21 11:02	10061-02-6	
Diisopropyl ether	<14.3	ug/kg	57.7	14.3	1	05/17/21 08:45	05/18/21 11:02	108-20-3	
Ethylbenzene	<13.7	ug/kg	57.7	13.7	1	05/17/21 08:45	05/18/21 11:02	100-41-4	
Hexachloro-1,3-butadiene	<115	ug/kg	289	115	1	05/17/21 08:45	05/18/21 11:02	87-68-3	
Isopropylbenzene (Cumene)	<15.6	ug/kg	57.7	15.6	1	05/17/21 08:45	05/18/21 11:02	98-82-8	
p-Isopropyltoluene	<17.6	ug/kg	57.7	17.6	1	05/17/21 08:45	05/18/21 11:02	99-87-6	
Methylene Chloride	<16.1	ug/kg	57.7	16.1	1	05/17/21 08:45	05/18/21 11:02	75-09-2	
Methyl-tert-butyl ether	<17.0	ug/kg	57.7	17.0	1	05/17/21 08:45	05/18/21 11:02	1634-04-4	
Naphthalene	<18.0	ug/kg	289	18.0	1	05/17/21 08:45	05/18/21 11:02	91-20-3	
n-Propylbenzene	<13.9	ug/kg	57.7	13.9	1	05/17/21 08:45	05/18/21 11:02	103-65-1	
Styrene	<14.8	ug/kg	57.7	14.8	1	05/17/21 08:45	05/18/21 11:02	100-42-5	
1,1,1,2-Tetrachloroethane	<13.9	ug/kg	57.7	13.9	1	05/17/21 08:45	05/18/21 11:02	630-20-6	
1,1,2,2-Tetrachloroethane	<20.9	ug/kg	57.7	20.9	1	05/17/21 08:45	05/18/21 11:02	79-34-5	
Tetrachloroethene	<22.4	ug/kg	57.7	22.4	1	05/17/21 08:45	05/18/21 11:02	127-18-4	
Toluene	<14.6	ug/kg	57.7	14.6	1	05/17/21 08:45	05/18/21 11:02	108-88-3	
1,2,3-Trichlorobenzene	<64.3	ug/kg	289	64.3	1	05/17/21 08:45	05/18/21 11:02	87-61-6	
1,2,4-Trichlorobenzene	<47.6	ug/kg	289	47.6	1	05/17/21 08:45	05/18/21 11:02	120-82-1	
1,1,1-Trichloroethane	<14.8	ug/kg	57.7	14.8	1	05/17/21 08:45	05/18/21 11:02	71-55-6	
1,1,2-Trichloroethane	<21.0	ug/kg	57.7	21.0	1	05/17/21 08:45	05/18/21 11:02	79-00-5	
Trichloroethene	<21.6	ug/kg	57.7	21.6	1	05/17/21 08:45	05/18/21 11:02	79-01-6	
Trichlorofluoromethane	<16.7	ug/kg	57.7	16.7	1	05/17/21 08:45	05/18/21 11:02	75-69-4	
1,2,3-Trichloropropane	<28.1	ug/kg	57.7	28.1	1	05/17/21 08:45	05/18/21 11:02	96-18-4	
1,2,4-Trimethylbenzene	<17.2	ug/kg	57.7	17.2	1	05/17/21 08:45	05/18/21 11:02	95-63-6	
1,3,5-Trimethylbenzene	<18.6	ug/kg	57.7	18.6	1	05/17/21 08:45	05/18/21 11:02	108-67-8	
Vinyl chloride	<11.7	ug/kg	57.7	11.7	1	05/17/21 08:45	05/18/21 11:02	75-01-4	
m&p-Xylene	<24.4	ug/kg	115	24.4	1	05/17/21 08:45	05/18/21 11:02	179601-23-1	
o-Xylene	<17.3	ug/kg	57.7	17.3	1	05/17/21 08:45	05/18/21 11:02	95-47-6	
Surrogates									
Toluene-d8 (S)	115	%	67-159		1	05/17/21 08:45	05/18/21 11:02	2037-26-5	
4-Bromofluorobenzene (S)	101	%	66-153		1	05/17/21 08:45	05/18/21 11:02	460-00-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 9640A FONG FAMILY, LLC
Pace Project No.: 40226787

Sample: G1-11 (42-44) **Lab ID: 40226787003** Collected: 05/10/21 08:05 Received: 05/12/21 09:05 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Med Level Normal List									
Analytical Method: EPA 8260 Preparation Method: EPA 5035/5030B Pace Analytical Services - Green Bay									
Surrogates									
1,2-Dichlorobenzene-d4 (S)	119	%	82-158		1	05/17/21 08:45	05/18/21 11:02	2199-69-1	
Percent Moisture									
Analytical Method: ASTM D2974-87 Pace Analytical Services - Green Bay									
Percent Moisture	7.2	%	0.10	0.10	1		05/12/21 17:01		

Sample: G2-1 (2-4') **Lab ID: 40226787004** Collected: 05/10/21 09:45 Received: 05/12/21 09:05 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
6020 MET ICPMS									
Analytical Method: EPA 6020 Preparation Method: EPA 3050 Pace Analytical Services - Green Bay									
Arsenic	14.1	mg/kg	6.5	2.0	50	05/14/21 09:03	05/18/21 10:29	7440-38-2	
Lead	9.3	mg/kg	0.66	0.18	6.667	05/14/21 09:03	05/18/21 07:37	7439-92-1	
8270E MSSV PAH by SIM									
Analytical Method: EPA 8270E by SIM Preparation Method: EPA 3546 Pace Analytical Services - Green Bay									
Acenaphthene	<2.2	ug/kg	17.2	2.2	1	05/18/21 07:40	05/19/21 21:44	83-32-9	
Acenaphthylene	<2.2	ug/kg	17.2	2.2	1	05/18/21 07:40	05/19/21 21:44	208-96-8	
Anthracene	3.1J	ug/kg	17.2	2.1	1	05/18/21 07:40	05/19/21 21:44	120-12-7	
Benzo(a)anthracene	27.7	ug/kg	17.2	2.2	1	05/18/21 07:40	05/19/21 21:44	56-55-3	
Benzo(a)pyrene	29.2	ug/kg	17.2	2.0	1	05/18/21 07:40	05/19/21 21:44	50-32-8	
Benzo(b)fluoranthene	37.9	ug/kg	17.2	2.4	1	05/18/21 07:40	05/19/21 21:44	205-99-2	
Benzo(g,h,i)perylene	21.4	ug/kg	17.2	3.0	1	05/18/21 07:40	05/19/21 21:44	191-24-2	
Benzo(k)fluoranthene	19.3	ug/kg	17.2	2.2	1	05/18/21 07:40	05/19/21 21:44	207-08-9	
Chrysene	28.0	ug/kg	17.2	3.3	1	05/18/21 07:40	05/19/21 21:44	218-01-9	
Dibenz(a,h)anthracene	6.3J	ug/kg	17.2	2.4	1	05/18/21 07:40	05/19/21 21:44	53-70-3	
Fluoranthene	47.7	ug/kg	17.2	2.0	1	05/18/21 07:40	05/19/21 21:44	206-44-0	
Fluorene	<2.1	ug/kg	17.2	2.1	1	05/18/21 07:40	05/19/21 21:44	86-73-7	
Indeno(1,2,3-cd)pyrene	20.2	ug/kg	17.2	3.6	1	05/18/21 07:40	05/19/21 21:44	193-39-5	
1-Methylnaphthalene	<2.5	ug/kg	17.2	2.5	1	05/18/21 07:40	05/19/21 21:44	90-12-0	
2-Methylnaphthalene	<2.5	ug/kg	17.2	2.5	1	05/18/21 07:40	05/19/21 21:44	91-57-6	
Naphthalene	<1.7	ug/kg	17.2	1.7	1	05/18/21 07:40	05/19/21 21:44	91-20-3	
Phenanthrene	7.3J	ug/kg	17.2	2.0	1	05/18/21 07:40	05/19/21 21:44	85-01-8	
Pyrene	44.1	ug/kg	17.2	2.5	1	05/18/21 07:40	05/19/21 21:44	129-00-0	
Surrogates									
2-Fluorobiphenyl (S)	68	%	36-86		1	05/18/21 07:40	05/19/21 21:44	321-60-8	
Terphenyl-d14 (S)	75	%	41-97		1	05/18/21 07:40	05/19/21 21:44	1718-51-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 9640A FONG FAMILY, LLC
Pace Project No.: 40226787

Sample: G2-1 (2-4) **Lab ID: 40226787004** Collected: 05/10/21 09:45 Received: 05/12/21 09:05 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Med Level Normal List									
Analytical Method: EPA 8260 Preparation Method: EPA 5035/5030B									
Pace Analytical Services - Green Bay									
Benzene	<12.7	ug/kg	21.4	12.7	1	05/17/21 08:45	05/18/21 11:22	71-43-2	
Bromobenzene	<20.8	ug/kg	53.4	20.8	1	05/17/21 08:45	05/18/21 11:22	108-86-1	
Bromochloromethane	<14.6	ug/kg	53.4	14.6	1	05/17/21 08:45	05/18/21 11:22	74-97-5	
Bromodichloromethane	<12.7	ug/kg	53.4	12.7	1	05/17/21 08:45	05/18/21 11:22	75-27-4	
Bromoform	<235	ug/kg	267	235	1	05/17/21 08:45	05/18/21 11:22	75-25-2	L1
Bromomethane	<74.9	ug/kg	267	74.9	1	05/17/21 08:45	05/18/21 11:22	74-83-9	
n-Butylbenzene	<24.5	ug/kg	53.4	24.5	1	05/17/21 08:45	05/18/21 11:22	104-51-8	
sec-Butylbenzene	<13.0	ug/kg	53.4	13.0	1	05/17/21 08:45	05/18/21 11:22	135-98-8	
tert-Butylbenzene	<16.8	ug/kg	53.4	16.8	1	05/17/21 08:45	05/18/21 11:22	98-06-6	
Carbon tetrachloride	<11.8	ug/kg	53.4	11.8	1	05/17/21 08:45	05/18/21 11:22	56-23-5	
Chlorobenzene	<6.4	ug/kg	53.4	6.4	1	05/17/21 08:45	05/18/21 11:22	108-90-7	
Chloroethane	<22.5	ug/kg	267	22.5	1	05/17/21 08:45	05/18/21 11:22	75-00-3	
Chloroform	<38.3	ug/kg	267	38.3	1	05/17/21 08:45	05/18/21 11:22	67-66-3	
Chloromethane	<20.3	ug/kg	53.4	20.3	1	05/17/21 08:45	05/18/21 11:22	74-87-3	
2-Chlorotoluene	<17.3	ug/kg	53.4	17.3	1	05/17/21 08:45	05/18/21 11:22	95-49-8	
4-Chlorotoluene	<20.3	ug/kg	53.4	20.3	1	05/17/21 08:45	05/18/21 11:22	106-43-4	
1,2-Dibromo-3-chloropropane	<41.5	ug/kg	267	41.5	1	05/17/21 08:45	05/18/21 11:22	96-12-8	
Dibromochloromethane	<183	ug/kg	267	183	1	05/17/21 08:45	05/18/21 11:22	124-48-1	
1,2-Dibromoethane (EDB)	<14.6	ug/kg	53.4	14.6	1	05/17/21 08:45	05/18/21 11:22	106-93-4	
Dibromomethane	<15.8	ug/kg	53.4	15.8	1	05/17/21 08:45	05/18/21 11:22	74-95-3	
1,2-Dichlorobenzene	<16.6	ug/kg	53.4	16.6	1	05/17/21 08:45	05/18/21 11:22	95-50-1	
1,3-Dichlorobenzene	<14.6	ug/kg	53.4	14.6	1	05/17/21 08:45	05/18/21 11:22	541-73-1	
1,4-Dichlorobenzene	<14.6	ug/kg	53.4	14.6	1	05/17/21 08:45	05/18/21 11:22	106-46-7	
Dichlorodifluoromethane	<23.0	ug/kg	53.4	23.0	1	05/17/21 08:45	05/18/21 11:22	75-71-8	
1,1-Dichloroethane	<13.7	ug/kg	53.4	13.7	1	05/17/21 08:45	05/18/21 11:22	75-34-3	
1,2-Dichloroethane	<12.3	ug/kg	53.4	12.3	1	05/17/21 08:45	05/18/21 11:22	107-06-2	
1,1-Dichloroethene	<17.7	ug/kg	53.4	17.7	1	05/17/21 08:45	05/18/21 11:22	75-35-4	
cis-1,2-Dichloroethene	<11.4	ug/kg	53.4	11.4	1	05/17/21 08:45	05/18/21 11:22	156-59-2	
trans-1,2-Dichloroethene	<11.5	ug/kg	53.4	11.5	1	05/17/21 08:45	05/18/21 11:22	156-60-5	
1,2-Dichloropropane	<12.7	ug/kg	53.4	12.7	1	05/17/21 08:45	05/18/21 11:22	78-87-5	
1,3-Dichloropropane	<11.6	ug/kg	53.4	11.6	1	05/17/21 08:45	05/18/21 11:22	142-28-9	
2,2-Dichloropropane	<14.4	ug/kg	53.4	14.4	1	05/17/21 08:45	05/18/21 11:22	594-20-7	
1,1-Dichloropropene	<17.3	ug/kg	53.4	17.3	1	05/17/21 08:45	05/18/21 11:22	563-58-6	
cis-1,3-Dichloropropene	<35.3	ug/kg	267	35.3	1	05/17/21 08:45	05/18/21 11:22	10061-01-5	
trans-1,3-Dichloropropene	<153	ug/kg	267	153	1	05/17/21 08:45	05/18/21 11:22	10061-02-6	
Diisopropyl ether	<13.2	ug/kg	53.4	13.2	1	05/17/21 08:45	05/18/21 11:22	108-20-3	
Ethylbenzene	<12.7	ug/kg	53.4	12.7	1	05/17/21 08:45	05/18/21 11:22	100-41-4	
Hexachloro-1,3-butadiene	<106	ug/kg	267	106	1	05/17/21 08:45	05/18/21 11:22	87-68-3	
Isopropylbenzene (Cumene)	<14.4	ug/kg	53.4	14.4	1	05/17/21 08:45	05/18/21 11:22	98-82-8	
p-Isopropyltoluene	<16.2	ug/kg	53.4	16.2	1	05/17/21 08:45	05/18/21 11:22	99-87-6	
Methylene Chloride	<14.9	ug/kg	53.4	14.9	1	05/17/21 08:45	05/18/21 11:22	75-09-2	
Methyl-tert-butyl ether	<15.7	ug/kg	53.4	15.7	1	05/17/21 08:45	05/18/21 11:22	1634-04-4	
Naphthalene	<16.7	ug/kg	267	16.7	1	05/17/21 08:45	05/18/21 11:22	91-20-3	
n-Propylbenzene	<12.8	ug/kg	53.4	12.8	1	05/17/21 08:45	05/18/21 11:22	103-65-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 9640A FONG FAMILY, LLC
Pace Project No.: 40226787

Sample: G2-1 (2-4') Lab ID: 40226787004 Collected: 05/10/21 09:45 Received: 05/12/21 09:05 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Med Level Normal List									
Analytical Method: EPA 8260 Preparation Method: EPA 5035/5030B									
Pace Analytical Services - Green Bay									
Styrene	<13.7	ug/kg	53.4	13.7	1	05/17/21 08:45	05/18/21 11:22	100-42-5	
1,1,1,2-Tetrachloroethane	<12.8	ug/kg	53.4	12.8	1	05/17/21 08:45	05/18/21 11:22	630-20-6	
1,1,2,2-Tetrachloroethane	<19.3	ug/kg	53.4	19.3	1	05/17/21 08:45	05/18/21 11:22	79-34-5	
Tetrachloroethene	<20.7	ug/kg	53.4	20.7	1	05/17/21 08:45	05/18/21 11:22	127-18-4	
Toluene	<13.5	ug/kg	53.4	13.5	1	05/17/21 08:45	05/18/21 11:22	108-88-3	
1,2,3-Trichlorobenzene	<59.5	ug/kg	267	59.5	1	05/17/21 08:45	05/18/21 11:22	87-61-6	
1,2,4-Trichlorobenzene	<44.0	ug/kg	267	44.0	1	05/17/21 08:45	05/18/21 11:22	120-82-1	
1,1,1-Trichloroethane	<13.7	ug/kg	53.4	13.7	1	05/17/21 08:45	05/18/21 11:22	71-55-6	
1,1,2-Trichloroethane	<19.4	ug/kg	53.4	19.4	1	05/17/21 08:45	05/18/21 11:22	79-00-5	
Trichloroethene	<20.0	ug/kg	53.4	20.0	1	05/17/21 08:45	05/18/21 11:22	79-01-6	
Trichlorofluoromethane	<15.5	ug/kg	53.4	15.5	1	05/17/21 08:45	05/18/21 11:22	75-69-4	
1,2,3-Trichloropropane	<26.0	ug/kg	53.4	26.0	1	05/17/21 08:45	05/18/21 11:22	96-18-4	
1,2,4-Trimethylbenzene	<15.9	ug/kg	53.4	15.9	1	05/17/21 08:45	05/18/21 11:22	95-63-6	
1,3,5-Trimethylbenzene	<17.2	ug/kg	53.4	17.2	1	05/17/21 08:45	05/18/21 11:22	108-67-8	
Vinyl chloride	<10.8	ug/kg	53.4	10.8	1	05/17/21 08:45	05/18/21 11:22	75-01-4	
m&p-Xylene	<22.5	ug/kg	107	22.5	1	05/17/21 08:45	05/18/21 11:22	179601-23-1	
o-Xylene	<16.0	ug/kg	53.4	16.0	1	05/17/21 08:45	05/18/21 11:22	95-47-6	
Surrogates									
Toluene-d8 (S)	104	%	67-159		1	05/17/21 08:45	05/18/21 11:22	2037-26-5	
4-Bromofluorobenzene (S)	89	%	66-153		1	05/17/21 08:45	05/18/21 11:22	460-00-4	
1,2-Dichlorobenzene-d4 (S)	108	%	82-158		1	05/17/21 08:45	05/18/21 11:22	2199-69-1	
Percent Moisture									
Analytical Method: ASTM D2974-87									
Pace Analytical Services - Green Bay									
Percent Moisture	3.3	%	0.10	0.10	1		05/12/21 17:01		

Sample: G2-8 (30-32') Lab ID: 40226787005 Collected: 05/10/21 10:05 Received: 05/12/21 09:05 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
6020 MET ICPMS									
Analytical Method: EPA 6020 Preparation Method: EPA 3050									
Pace Analytical Services - Green Bay									
Arsenic	4.5	mg/kg	0.92	0.28	6.667	05/14/21 09:03	05/18/21 07:59	7440-38-2	
Lead	5.9	mg/kg	0.70	0.19	6.667	05/14/21 09:03	05/18/21 07:59	7439-92-1	
8270E MSSV PAH by SIM									
Analytical Method: EPA 8270E by SIM Preparation Method: EPA 3546									
Pace Analytical Services - Green Bay									
Acenaphthene	<2.3	ug/kg	17.8	2.3	1	05/18/21 07:40	05/19/21 07:37	83-32-9	
Acenaphthylene	<2.2	ug/kg	17.8	2.2	1	05/18/21 07:40	05/19/21 07:37	208-96-8	
Anthracene	<2.2	ug/kg	17.8	2.2	1	05/18/21 07:40	05/19/21 07:37	120-12-7	
Benzo(a)anthracene	<2.3	ug/kg	17.8	2.3	1	05/18/21 07:40	05/19/21 07:37	56-55-3	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 9640A FONG FAMILY, LLC
Pace Project No.: 40226787

Sample: G2-8 (30-32') **Lab ID: 40226787005** Collected: 05/10/21 10:05 Received: 05/12/21 09:05 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8270E MSSV PAH by SIM									
Analytical Method: EPA 8270E by SIM Preparation Method: EPA 3546									
Pace Analytical Services - Green Bay									
Benzo(a)pyrene	<2.0	ug/kg	17.8	2.0	1	05/18/21 07:40	05/19/21 07:37	50-32-8	
Benzo(b)fluoranthene	<2.5	ug/kg	17.8	2.5	1	05/18/21 07:40	05/19/21 07:37	205-99-2	
Benzo(g,h,i)perylene	<3.1	ug/kg	17.8	3.1	1	05/18/21 07:40	05/19/21 07:37	191-24-2	
Benzo(k)fluoranthene	<2.3	ug/kg	17.8	2.3	1	05/18/21 07:40	05/19/21 07:37	207-08-9	
Chrysene	<3.4	ug/kg	17.8	3.4	1	05/18/21 07:40	05/19/21 07:37	218-01-9	
Dibenz(a,h)anthracene	<2.5	ug/kg	17.8	2.5	1	05/18/21 07:40	05/19/21 07:37	53-70-3	
Fluoranthene	<2.1	ug/kg	17.8	2.1	1	05/18/21 07:40	05/19/21 07:37	206-44-0	
Fluorene	<2.1	ug/kg	17.8	2.1	1	05/18/21 07:40	05/19/21 07:37	86-73-7	
Indeno(1,2,3-cd)pyrene	<3.7	ug/kg	17.8	3.7	1	05/18/21 07:40	05/19/21 07:37	193-39-5	
1-Methylnaphthalene	<2.6	ug/kg	17.8	2.6	1	05/18/21 07:40	05/19/21 07:37	90-12-0	
2-Methylnaphthalene	<2.6	ug/kg	17.8	2.6	1	05/18/21 07:40	05/19/21 07:37	91-57-6	
Naphthalene	<1.7	ug/kg	17.8	1.7	1	05/18/21 07:40	05/19/21 07:37	91-20-3	
Phenanthrene	<2.0	ug/kg	17.8	2.0	1	05/18/21 07:40	05/19/21 07:37	85-01-8	
Pyrene	<2.6	ug/kg	17.8	2.6	1	05/18/21 07:40	05/19/21 07:37	129-00-0	
Surrogates									
2-Fluorobiphenyl (S)	50	%	36-86		1	05/18/21 07:40	05/19/21 07:37	321-60-8	
Terphenyl-d14 (S)	54	%	41-97		1	05/18/21 07:40	05/19/21 07:37	1718-51-0	
8260 MSV Med Level Normal List									
Analytical Method: EPA 8260 Preparation Method: EPA 5035/5030B									
Pace Analytical Services - Green Bay									
Benzene	<13.5	ug/kg	22.7	13.5	1	05/17/21 08:45	05/18/21 11:42	71-43-2	
Bromobenzene	<22.1	ug/kg	56.7	22.1	1	05/17/21 08:45	05/18/21 11:42	108-86-1	
Bromochloromethane	<15.5	ug/kg	56.7	15.5	1	05/17/21 08:45	05/18/21 11:42	74-97-5	
Bromodichloromethane	<13.5	ug/kg	56.7	13.5	1	05/17/21 08:45	05/18/21 11:42	75-27-4	
Bromoform	<249	ug/kg	283	249	1	05/17/21 08:45	05/18/21 11:42	75-25-2	L1
Bromomethane	<79.5	ug/kg	283	79.5	1	05/17/21 08:45	05/18/21 11:42	74-83-9	
n-Butylbenzene	<26.0	ug/kg	56.7	26.0	1	05/17/21 08:45	05/18/21 11:42	104-51-8	
sec-Butylbenzene	<13.8	ug/kg	56.7	13.8	1	05/17/21 08:45	05/18/21 11:42	135-98-8	
tert-Butylbenzene	<17.8	ug/kg	56.7	17.8	1	05/17/21 08:45	05/18/21 11:42	98-06-6	
Carbon tetrachloride	<12.5	ug/kg	56.7	12.5	1	05/17/21 08:45	05/18/21 11:42	56-23-5	
Chlorobenzene	<6.8	ug/kg	56.7	6.8	1	05/17/21 08:45	05/18/21 11:42	108-90-7	
Chloroethane	<23.9	ug/kg	283	23.9	1	05/17/21 08:45	05/18/21 11:42	75-00-3	
Chloroform	<40.6	ug/kg	283	40.6	1	05/17/21 08:45	05/18/21 11:42	67-66-3	
Chloromethane	<21.5	ug/kg	56.7	21.5	1	05/17/21 08:45	05/18/21 11:42	74-87-3	
2-Chlorotoluene	<18.4	ug/kg	56.7	18.4	1	05/17/21 08:45	05/18/21 11:42	95-49-8	
4-Chlorotoluene	<21.5	ug/kg	56.7	21.5	1	05/17/21 08:45	05/18/21 11:42	106-43-4	
1,2-Dibromo-3-chloropropane	<44.0	ug/kg	283	44.0	1	05/17/21 08:45	05/18/21 11:42	96-12-8	
Dibromochloromethane	<194	ug/kg	283	194	1	05/17/21 08:45	05/18/21 11:42	124-48-1	
1,2-Dibromoethane (EDB)	<15.5	ug/kg	56.7	15.5	1	05/17/21 08:45	05/18/21 11:42	106-93-4	
Dibromomethane	<16.8	ug/kg	56.7	16.8	1	05/17/21 08:45	05/18/21 11:42	74-95-3	
1,2-Dichlorobenzene	<17.6	ug/kg	56.7	17.6	1	05/17/21 08:45	05/18/21 11:42	95-50-1	
1,3-Dichlorobenzene	<15.5	ug/kg	56.7	15.5	1	05/17/21 08:45	05/18/21 11:42	541-73-1	
1,4-Dichlorobenzene	<15.5	ug/kg	56.7	15.5	1	05/17/21 08:45	05/18/21 11:42	106-46-7	
Dichlorodifluoromethane	<24.4	ug/kg	56.7	24.4	1	05/17/21 08:45	05/18/21 11:42	75-71-8	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 9640A FONG FAMILY, LLC
Pace Project No.: 40226787

Sample: G2-8 (30-32') **Lab ID: 40226787005** Collected: 05/10/21 10:05 Received: 05/12/21 09:05 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Med Level Normal List									
Analytical Method: EPA 8260 Preparation Method: EPA 5035/5030B									
Pace Analytical Services - Green Bay									
1,1-Dichloroethane	<14.5	ug/kg	56.7	14.5	1	05/17/21 08:45	05/18/21 11:42	75-34-3	
1,2-Dichloroethane	<13.0	ug/kg	56.7	13.0	1	05/17/21 08:45	05/18/21 11:42	107-06-2	
1,1-Dichloroethene	<18.8	ug/kg	56.7	18.8	1	05/17/21 08:45	05/18/21 11:42	75-35-4	
cis-1,2-Dichloroethene	<12.1	ug/kg	56.7	12.1	1	05/17/21 08:45	05/18/21 11:42	156-59-2	
trans-1,2-Dichloroethene	<12.2	ug/kg	56.7	12.2	1	05/17/21 08:45	05/18/21 11:42	156-60-5	
1,2-Dichloropropane	<13.5	ug/kg	56.7	13.5	1	05/17/21 08:45	05/18/21 11:42	78-87-5	
1,3-Dichloropropane	<12.4	ug/kg	56.7	12.4	1	05/17/21 08:45	05/18/21 11:42	142-28-9	
2,2-Dichloropropane	<15.3	ug/kg	56.7	15.3	1	05/17/21 08:45	05/18/21 11:42	594-20-7	
1,1-Dichloropropene	<18.4	ug/kg	56.7	18.4	1	05/17/21 08:45	05/18/21 11:42	563-58-6	
cis-1,3-Dichloropropene	<37.4	ug/kg	283	37.4	1	05/17/21 08:45	05/18/21 11:42	10061-01-5	
trans-1,3-Dichloropropene	<162	ug/kg	283	162	1	05/17/21 08:45	05/18/21 11:42	10061-02-6	
Diisopropyl ether	<14.1	ug/kg	56.7	14.1	1	05/17/21 08:45	05/18/21 11:42	108-20-3	
Ethylbenzene	<13.5	ug/kg	56.7	13.5	1	05/17/21 08:45	05/18/21 11:42	100-41-4	
Hexachloro-1,3-butadiene	<113	ug/kg	283	113	1	05/17/21 08:45	05/18/21 11:42	87-68-3	
Isopropylbenzene (Cumene)	<15.3	ug/kg	56.7	15.3	1	05/17/21 08:45	05/18/21 11:42	98-82-8	
p-Isopropyltoluene	<17.2	ug/kg	56.7	17.2	1	05/17/21 08:45	05/18/21 11:42	99-87-6	
Methylene Chloride	<15.8	ug/kg	56.7	15.8	1	05/17/21 08:45	05/18/21 11:42	75-09-2	
Methyl-tert-butyl ether	<16.7	ug/kg	56.7	16.7	1	05/17/21 08:45	05/18/21 11:42	1634-04-4	
Naphthalene	<17.7	ug/kg	283	17.7	1	05/17/21 08:45	05/18/21 11:42	91-20-3	
n-Propylbenzene	<13.6	ug/kg	56.7	13.6	1	05/17/21 08:45	05/18/21 11:42	103-65-1	
Styrene	<14.5	ug/kg	56.7	14.5	1	05/17/21 08:45	05/18/21 11:42	100-42-5	
1,1,1,2-Tetrachloroethane	<13.6	ug/kg	56.7	13.6	1	05/17/21 08:45	05/18/21 11:42	630-20-6	
1,1,2,2-Tetrachloroethane	<20.5	ug/kg	56.7	20.5	1	05/17/21 08:45	05/18/21 11:42	79-34-5	
Tetrachloroethene	<22.0	ug/kg	56.7	22.0	1	05/17/21 08:45	05/18/21 11:42	127-18-4	
Toluene	<14.3	ug/kg	56.7	14.3	1	05/17/21 08:45	05/18/21 11:42	108-88-3	
1,2,3-Trichlorobenzene	<63.2	ug/kg	283	63.2	1	05/17/21 08:45	05/18/21 11:42	87-61-6	
1,2,4-Trichlorobenzene	<46.7	ug/kg	283	46.7	1	05/17/21 08:45	05/18/21 11:42	120-82-1	
1,1,1-Trichloroethane	<14.5	ug/kg	56.7	14.5	1	05/17/21 08:45	05/18/21 11:42	71-55-6	
1,1,2-Trichloroethane	<20.6	ug/kg	56.7	20.6	1	05/17/21 08:45	05/18/21 11:42	79-00-5	
Trichloroethene	<21.2	ug/kg	56.7	21.2	1	05/17/21 08:45	05/18/21 11:42	79-01-6	
Trichlorofluoromethane	<16.4	ug/kg	56.7	16.4	1	05/17/21 08:45	05/18/21 11:42	75-69-4	
1,2,3-Trichloropropane	<27.6	ug/kg	56.7	27.6	1	05/17/21 08:45	05/18/21 11:42	96-18-4	
1,2,4-Trimethylbenzene	<16.9	ug/kg	56.7	16.9	1	05/17/21 08:45	05/18/21 11:42	95-63-6	
1,3,5-Trimethylbenzene	<18.3	ug/kg	56.7	18.3	1	05/17/21 08:45	05/18/21 11:42	108-67-8	
Vinyl chloride	<11.5	ug/kg	56.7	11.5	1	05/17/21 08:45	05/18/21 11:42	75-01-4	
m&p-Xylene	<23.9	ug/kg	113	23.9	1	05/17/21 08:45	05/18/21 11:42	179601-23-1	
o-Xylene	<17.0	ug/kg	56.7	17.0	1	05/17/21 08:45	05/18/21 11:42	95-47-6	
Surrogates									
Toluene-d8 (S)	105	%	67-159		1	05/17/21 08:45	05/18/21 11:42	2037-26-5	
4-Bromofluorobenzene (S)	93	%	66-153		1	05/17/21 08:45	05/18/21 11:42	460-00-4	
1,2-Dichlorobenzene-d4 (S)	108	%	82-158		1	05/17/21 08:45	05/18/21 11:42	2199-69-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 9640A FONG FAMILY, LLC

Pace Project No.: 40226787

Sample: G2-8 (30-32') **Lab ID: 40226787005** Collected: 05/10/21 10:05 Received: 05/12/21 09:05 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
Percent Moisture									
Analytical Method: ASTM D2974-87									
Pace Analytical Services - Green Bay									
Percent Moisture	6.3	%	0.10	0.10	1		05/12/21 17:01		

Sample: G2-12 (45.5-48) **Lab ID: 40226787006** Collected: 05/10/21 10:20 Received: 05/12/21 09:05 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
6020 MET ICPMS									
Analytical Method: EPA 6020 Preparation Method: EPA 3050									
Pace Analytical Services - Green Bay									
Arsenic	4.5	mg/kg	0.90	0.27	6.667	05/14/21 09:03	05/18/21 08:06	7440-38-2	
Lead	5.7	mg/kg	0.68	0.19	6.667	05/14/21 09:03	05/18/21 08:06	7439-92-1	
8270E MSSV PAH by SIM									
Analytical Method: EPA 8270E by SIM Preparation Method: EPA 3546									
Pace Analytical Services - Green Bay									
Acenaphthene	5.0J	ug/kg	17.6	2.3	1	05/18/21 07:40	05/19/21 22:01	83-32-9	
Acenaphthylene	22.3	ug/kg	17.6	2.2	1	05/18/21 07:40	05/19/21 22:01	208-96-8	
Anthracene	18.7	ug/kg	17.6	2.2	1	05/18/21 07:40	05/19/21 22:01	120-12-7	
Benzo(a)anthracene	104	ug/kg	17.6	2.3	1	05/18/21 07:40	05/19/21 22:01	56-55-3	
Benzo(a)pyrene	132	ug/kg	17.6	2.0	1	05/18/21 07:40	05/19/21 22:01	50-32-8	
Benzo(b)fluoranthene	196	ug/kg	17.6	2.4	1	05/18/21 07:40	05/19/21 22:01	205-99-2	
Benzo(g,h,i)perylene	101	ug/kg	17.6	3.1	1	05/18/21 07:40	05/19/21 22:01	191-24-2	
Benzo(k)fluoranthene	98.2	ug/kg	17.6	2.2	1	05/18/21 07:40	05/19/21 22:01	207-08-9	
Chrysene	145	ug/kg	17.6	3.3	1	05/18/21 07:40	05/19/21 22:01	218-01-9	
Dibenz(a,h)anthracene	28.1	ug/kg	17.6	2.4	1	05/18/21 07:40	05/19/21 22:01	53-70-3	
Fluoranthene	220	ug/kg	17.6	2.1	1	05/18/21 07:40	05/19/21 22:01	206-44-0	
Fluorene	8.0J	ug/kg	17.6	2.1	1	05/18/21 07:40	05/19/21 22:01	86-73-7	
Indeno(1,2,3-cd)pyrene	89.6	ug/kg	17.6	3.7	1	05/18/21 07:40	05/19/21 22:01	193-39-5	
1-Methylnaphthalene	70.0	ug/kg	17.6	2.6	1	05/18/21 07:40	05/19/21 22:01	90-12-0	
2-Methylnaphthalene	168	ug/kg	17.6	2.6	1	05/18/21 07:40	05/19/21 22:01	91-57-6	
Naphthalene	145	ug/kg	17.6	1.7	1	05/18/21 07:40	05/19/21 22:01	91-20-3	
Phenanthrene	99.6	ug/kg	17.6	2.0	1	05/18/21 07:40	05/19/21 22:01	85-01-8	
Pyrene	195	ug/kg	17.6	2.6	1	05/18/21 07:40	05/19/21 22:01	129-00-0	
Surrogates									
2-Fluorobiphenyl (S)	67	%	36-86		1	05/18/21 07:40	05/19/21 22:01	321-60-8	
Terphenyl-d14 (S)	71	%	41-97		1	05/18/21 07:40	05/19/21 22:01	1718-51-0	

8260 MSV Med Level Normal List Analytical Method: EPA 8260 Preparation Method: EPA 5035/5030B
Pace Analytical Services - Green Bay

Benzene	<1050	ug/kg	1760	1050	80	05/17/21 08:45	05/18/21 03:20	71-43-2	
Bromobenzene	<1720	ug/kg	4410	1720	80	05/17/21 08:45	05/18/21 03:20	108-86-1	
Bromochloromethane	<1210	ug/kg	4410	1210	80	05/17/21 08:45	05/18/21 03:20	74-97-5	
Bromodichloromethane	<1050	ug/kg	4410	1050	80	05/17/21 08:45	05/18/21 03:20	75-27-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 9640A FONG FAMILY, LLC
Pace Project No.: 40226787

Sample: G2-12 (45.5-48) **Lab ID: 40226787006** Collected: 05/10/21 10:20 Received: 05/12/21 09:05 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Med Level Normal List									
Analytical Method: EPA 8260 Preparation Method: EPA 5035/5030B									
Pace Analytical Services - Green Bay									
Bromoform	<19400	ug/kg	22000	19400	80	05/17/21 08:45	05/18/21 03:20	75-25-2	L1
Bromomethane	<6180	ug/kg	22000	6180	80	05/17/21 08:45	05/18/21 03:20	74-83-9	
n-Butylbenzene	14400	ug/kg	4410	2020	80	05/17/21 08:45	05/18/21 03:20	104-51-8	
sec-Butylbenzene	7280	ug/kg	4410	1080	80	05/17/21 08:45	05/18/21 03:20	135-98-8	
tert-Butylbenzene	<1380	ug/kg	4410	1380	80	05/17/21 08:45	05/18/21 03:20	98-06-6	
Carbon tetrachloride	<970	ug/kg	4410	970	80	05/17/21 08:45	05/18/21 03:20	56-23-5	
Chlorobenzene	<528	ug/kg	4410	528	80	05/17/21 08:45	05/18/21 03:20	108-90-7	
Chloroethane	<1860	ug/kg	22000	1860	80	05/17/21 08:45	05/18/21 03:20	75-00-3	
Chloroform	<3160	ug/kg	22000	3160	80	05/17/21 08:45	05/18/21 03:20	67-66-3	
Chloromethane	<1670	ug/kg	4410	1670	80	05/17/21 08:45	05/18/21 03:20	74-87-3	
2-Chlorotoluene	<1430	ug/kg	4410	1430	80	05/17/21 08:45	05/18/21 03:20	95-49-8	
4-Chlorotoluene	<1670	ug/kg	4410	1670	80	05/17/21 08:45	05/18/21 03:20	106-43-4	
1,2-Dibromo-3-chloropropane	<3420	ug/kg	22000	3420	80	05/17/21 08:45	05/18/21 03:20	96-12-8	
Dibromochloromethane	<15100	ug/kg	22000	15100	80	05/17/21 08:45	05/18/21 03:20	124-48-1	
1,2-Dibromoethane (EDB)	<1210	ug/kg	4410	1210	80	05/17/21 08:45	05/18/21 03:20	106-93-4	
Dibromomethane	<1300	ug/kg	4410	1300	80	05/17/21 08:45	05/18/21 03:20	74-95-3	
1,2-Dichlorobenzene	<1370	ug/kg	4410	1370	80	05/17/21 08:45	05/18/21 03:20	95-50-1	
1,3-Dichlorobenzene	<1210	ug/kg	4410	1210	80	05/17/21 08:45	05/18/21 03:20	541-73-1	
1,4-Dichlorobenzene	<1210	ug/kg	4410	1210	80	05/17/21 08:45	05/18/21 03:20	106-46-7	
Dichlorodifluoromethane	<1890	ug/kg	4410	1890	80	05/17/21 08:45	05/18/21 03:20	75-71-8	
1,1-Dichloroethane	<1130	ug/kg	4410	1130	80	05/17/21 08:45	05/18/21 03:20	75-34-3	
1,2-Dichloroethane	<1010	ug/kg	4410	1010	80	05/17/21 08:45	05/18/21 03:20	107-06-2	
1,1-Dichloroethene	<1460	ug/kg	4410	1460	80	05/17/21 08:45	05/18/21 03:20	75-35-4	
cis-1,2-Dichloroethene	<943	ug/kg	4410	943	80	05/17/21 08:45	05/18/21 03:20	156-59-2	
trans-1,2-Dichloroethene	<952	ug/kg	4410	952	80	05/17/21 08:45	05/18/21 03:20	156-60-5	
1,2-Dichloropropane	<1050	ug/kg	4410	1050	80	05/17/21 08:45	05/18/21 03:20	78-87-5	
1,3-Dichloropropane	<961	ug/kg	4410	961	80	05/17/21 08:45	05/18/21 03:20	142-28-9	
2,2-Dichloropropane	<1190	ug/kg	4410	1190	80	05/17/21 08:45	05/18/21 03:20	594-20-7	
1,1-Dichloropropene	<1430	ug/kg	4410	1430	80	05/17/21 08:45	05/18/21 03:20	563-58-6	
cis-1,3-Dichloropropene	<2910	ug/kg	22000	2910	80	05/17/21 08:45	05/18/21 03:20	10061-01-5	
trans-1,3-Dichloropropene	<12600	ug/kg	22000	12600	80	05/17/21 08:45	05/18/21 03:20	10061-02-6	
Diisopropyl ether	<1090	ug/kg	4410	1090	80	05/17/21 08:45	05/18/21 03:20	108-20-3	
Ethylbenzene	35600	ug/kg	4410	1050	80	05/17/21 08:45	05/18/21 03:20	100-41-4	
Hexachloro-1,3-butadiene	<8760	ug/kg	22000	8760	80	05/17/21 08:45	05/18/21 03:20	87-68-3	
Isopropylbenzene (Cumene)	12100	ug/kg	4410	1190	80	05/17/21 08:45	05/18/21 03:20	98-82-8	
p-Isopropyltoluene	6670	ug/kg	4410	1340	80	05/17/21 08:45	05/18/21 03:20	99-87-6	
Methylene Chloride	<1230	ug/kg	4410	1230	80	05/17/21 08:45	05/18/21 03:20	75-09-2	
Methyl-tert-butyl ether	<1300	ug/kg	4410	1300	80	05/17/21 08:45	05/18/21 03:20	1634-04-4	
Naphthalene	4470J	ug/kg	22000	1370	80	05/17/21 08:45	05/18/21 03:20	91-20-3	
n-Propylbenzene	19300	ug/kg	4410	1060	80	05/17/21 08:45	05/18/21 03:20	103-65-1	
Styrene	<1130	ug/kg	4410	1130	80	05/17/21 08:45	05/18/21 03:20	100-42-5	
1,1,1,2-Tetrachloroethane	<1060	ug/kg	4410	1060	80	05/17/21 08:45	05/18/21 03:20	630-20-6	
1,1,2,2-Tetrachloroethane	<1600	ug/kg	4410	1600	80	05/17/21 08:45	05/18/21 03:20	79-34-5	
Tetrachloroethene	<1710	ug/kg	4410	1710	80	05/17/21 08:45	05/18/21 03:20	127-18-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 9640A FONG FAMILY, LLC

Pace Project No.: 40226787

Sample: G2-12 (45.5-48) **Lab ID: 40226787006** Collected: 05/10/21 10:20 Received: 05/12/21 09:05 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Med Level Normal List									
Analytical Method: EPA 8260 Preparation Method: EPA 5035/5030B									
Pace Analytical Services - Green Bay									
Toluene	<1110	ug/kg	4410	1110	80	05/17/21 08:45	05/18/21 03:20	108-88-3	
1,2,3-Trichlorobenzene	<4910	ug/kg	22000	4910	80	05/17/21 08:45	05/18/21 03:20	87-61-6	
1,2,4-Trichlorobenzene	<3630	ug/kg	22000	3630	80	05/17/21 08:45	05/18/21 03:20	120-82-1	
1,1,1-Trichloroethane	<1130	ug/kg	4410	1130	80	05/17/21 08:45	05/18/21 03:20	71-55-6	
1,1,2-Trichloroethane	<1600	ug/kg	4410	1600	80	05/17/21 08:45	05/18/21 03:20	79-00-5	
Trichloroethene	<1650	ug/kg	4410	1650	80	05/17/21 08:45	05/18/21 03:20	79-01-6	
Trichlorofluoromethane	<1280	ug/kg	4410	1280	80	05/17/21 08:45	05/18/21 03:20	75-69-4	
1,2,3-Trichloropropane	<2140	ug/kg	4410	2140	80	05/17/21 08:45	05/18/21 03:20	96-18-4	
1,2,4-Trimethylbenzene	76000	ug/kg	4410	1310	80	05/17/21 08:45	05/18/21 03:20	95-63-6	
1,3,5-Trimethylbenzene	23300	ug/kg	4410	1420	80	05/17/21 08:45	05/18/21 03:20	108-67-8	
Vinyl chloride	<890	ug/kg	4410	890	80	05/17/21 08:45	05/18/21 03:20	75-01-4	
m&p-Xylene	85400	ug/kg	8810	1860	80	05/17/21 08:45	05/18/21 03:20	179601-23-1	
o-Xylene	37200	ug/kg	4410	1320	80	05/17/21 08:45	05/18/21 03:20	95-47-6	
Surrogates									
Toluene-d8 (S)	0	%	67-159		80	05/17/21 08:45	05/18/21 03:20	2037-26-5	D3,S4
4-Bromofluorobenzene (S)	0	%	66-153		80	05/17/21 08:45	05/18/21 03:20	460-00-4	S4
1,2-Dichlorobenzene-d4 (S)	0	%	82-158		80	05/17/21 08:45	05/18/21 03:20	2199-69-1	S4

Percent Moisture

Analytical Method: ASTM D2974-87
Pace Analytical Services - Green Bay

Percent Moisture	4.8	%	0.10	0.10	1		05/12/21 17:01		
------------------	-----	---	------	------	---	--	----------------	--	--

Sample: G3-1 (2-4) **Lab ID: 40226787007** Collected: 05/10/21 11:15 Received: 05/12/21 09:05 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
6020 MET ICPMS									
Analytical Method: EPA 6020 Preparation Method: EPA 3050									
Pace Analytical Services - Green Bay									
Arsenic	4.4	mg/kg	0.91	0.27	6.667	05/14/21 09:03	05/18/21 08:13	7440-38-2	
Lead	19.9	mg/kg	0.69	0.19	6.667	05/14/21 09:03	05/18/21 08:13	7439-92-1	
8270E MSSV PAH by SIM									
Analytical Method: EPA 8270E by SIM Preparation Method: EPA 3546									
Pace Analytical Services - Green Bay									
Acenaphthene	3.0J	ug/kg	18.2	2.4	1	05/18/21 07:40	05/19/21 19:43	83-32-9	
Acenaphthylene	2.6J	ug/kg	18.2	2.3	1	05/18/21 07:40	05/19/21 19:43	208-96-8	
Anthracene	11.9J	ug/kg	18.2	2.3	1	05/18/21 07:40	05/19/21 19:43	120-12-7	
Benzo(a)anthracene	34.7	ug/kg	18.2	2.4	1	05/18/21 07:40	05/19/21 19:43	56-55-3	
Benzo(a)pyrene	37.4	ug/kg	18.2	2.1	1	05/18/21 07:40	05/19/21 19:43	50-32-8	
Benzo(b)fluoranthene	47.5	ug/kg	18.2	2.5	1	05/18/21 07:40	05/19/21 19:43	205-99-2	
Benzo(g,h,i)perylene	24.7	ug/kg	18.2	3.2	1	05/18/21 07:40	05/19/21 19:43	191-24-2	
Benzo(k)fluoranthene	24.2	ug/kg	18.2	2.3	1	05/18/21 07:40	05/19/21 19:43	207-08-9	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 9640A FONG FAMILY, LLC
Pace Project No.: 40226787

Sample: G3-1 (2-4) **Lab ID: 40226787007** Collected: 05/10/21 11:15 Received: 05/12/21 09:05 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8270E MSSV PAH by SIM									
Analytical Method: EPA 8270E by SIM Preparation Method: EPA 3546									
Pace Analytical Services - Green Bay									
Chrysene	41.8	ug/kg	18.2	3.4	1	05/18/21 07:40	05/19/21 19:43	218-01-9	
Dibenz(a,h)anthracene	6.0J	ug/kg	18.2	2.5	1	05/18/21 07:40	05/19/21 19:43	53-70-3	
Fluoranthene	69.0	ug/kg	18.2	2.2	1	05/18/21 07:40	05/19/21 19:43	206-44-0	
Fluorene	2.9J	ug/kg	18.2	2.2	1	05/18/21 07:40	05/19/21 19:43	86-73-7	
Indeno(1,2,3-cd)pyrene	20.5	ug/kg	18.2	3.8	1	05/18/21 07:40	05/19/21 19:43	193-39-5	
1-Methylnaphthalene	<2.7	ug/kg	18.2	2.7	1	05/18/21 07:40	05/19/21 19:43	90-12-0	
2-Methylnaphthalene	<2.7	ug/kg	18.2	2.7	1	05/18/21 07:40	05/19/21 19:43	91-57-6	
Naphthalene	6.9J	ug/kg	18.2	1.8	1	05/18/21 07:40	05/19/21 19:43	91-20-3	
Phenanthrene	30.7	ug/kg	18.2	2.1	1	05/18/21 07:40	05/19/21 19:43	85-01-8	
Pyrene	61.6	ug/kg	18.2	2.7	1	05/18/21 07:40	05/19/21 19:43	129-00-0	
Surrogates									
2-Fluorobiphenyl (S)	65	%	36-86		1	05/18/21 07:40	05/19/21 19:43	321-60-8	
Terphenyl-d14 (S)	74	%	41-97		1	05/18/21 07:40	05/19/21 19:43	1718-51-0	
8260 MSV Med Level Normal List									
Analytical Method: EPA 8260 Preparation Method: EPA 5035/5030B									
Pace Analytical Services - Green Bay									
Benzene	<14.1	ug/kg	23.6	14.1	1	05/17/21 08:45	05/18/21 12:02	71-43-2	
Bromobenzene	<23.1	ug/kg	59.1	23.1	1	05/17/21 08:45	05/18/21 12:02	108-86-1	
Bromochloromethane	<16.2	ug/kg	59.1	16.2	1	05/17/21 08:45	05/18/21 12:02	74-97-5	
Bromodichloromethane	<14.1	ug/kg	59.1	14.1	1	05/17/21 08:45	05/18/21 12:02	75-27-4	
Bromoform	<260	ug/kg	296	260	1	05/17/21 08:45	05/18/21 12:02	75-25-2	L1
Bromomethane	<82.9	ug/kg	296	82.9	1	05/17/21 08:45	05/18/21 12:02	74-83-9	
n-Butylbenzene	<27.1	ug/kg	59.1	27.1	1	05/17/21 08:45	05/18/21 12:02	104-51-8	
sec-Butylbenzene	<14.4	ug/kg	59.1	14.4	1	05/17/21 08:45	05/18/21 12:02	135-98-8	
tert-Butylbenzene	<18.6	ug/kg	59.1	18.6	1	05/17/21 08:45	05/18/21 12:02	98-06-6	
Carbon tetrachloride	<13.0	ug/kg	59.1	13.0	1	05/17/21 08:45	05/18/21 12:02	56-23-5	
Chlorobenzene	<7.1	ug/kg	59.1	7.1	1	05/17/21 08:45	05/18/21 12:02	108-90-7	
Chloroethane	<24.9	ug/kg	296	24.9	1	05/17/21 08:45	05/18/21 12:02	75-00-3	
Chloroform	<42.3	ug/kg	296	42.3	1	05/17/21 08:45	05/18/21 12:02	67-66-3	
Chloromethane	<22.5	ug/kg	59.1	22.5	1	05/17/21 08:45	05/18/21 12:02	74-87-3	
2-Chlorotoluene	<19.2	ug/kg	59.1	19.2	1	05/17/21 08:45	05/18/21 12:02	95-49-8	
4-Chlorotoluene	<22.5	ug/kg	59.1	22.5	1	05/17/21 08:45	05/18/21 12:02	106-43-4	
1,2-Dibromo-3-chloropropane	<45.9	ug/kg	296	45.9	1	05/17/21 08:45	05/18/21 12:02	96-12-8	
Dibromochloromethane	<202	ug/kg	296	202	1	05/17/21 08:45	05/18/21 12:02	124-48-1	
1,2-Dibromoethane (EDB)	<16.2	ug/kg	59.1	16.2	1	05/17/21 08:45	05/18/21 12:02	106-93-4	
Dibromomethane	<17.5	ug/kg	59.1	17.5	1	05/17/21 08:45	05/18/21 12:02	74-95-3	
1,2-Dichlorobenzene	<18.3	ug/kg	59.1	18.3	1	05/17/21 08:45	05/18/21 12:02	95-50-1	
1,3-Dichlorobenzene	<16.2	ug/kg	59.1	16.2	1	05/17/21 08:45	05/18/21 12:02	541-73-1	
1,4-Dichlorobenzene	<16.2	ug/kg	59.1	16.2	1	05/17/21 08:45	05/18/21 12:02	106-46-7	
Dichlorodifluoromethane	<25.4	ug/kg	59.1	25.4	1	05/17/21 08:45	05/18/21 12:02	75-71-8	
1,1-Dichloroethane	<15.1	ug/kg	59.1	15.1	1	05/17/21 08:45	05/18/21 12:02	75-34-3	
1,2-Dichloroethane	<13.6	ug/kg	59.1	13.6	1	05/17/21 08:45	05/18/21 12:02	107-06-2	
1,1-Dichloroethene	<19.6	ug/kg	59.1	19.6	1	05/17/21 08:45	05/18/21 12:02	75-35-4	
cis-1,2-Dichloroethene	<12.7	ug/kg	59.1	12.7	1	05/17/21 08:45	05/18/21 12:02	156-59-2	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 9640A FONG FAMILY, LLC
Pace Project No.: 40226787

Sample: G3-1 (2-4) **Lab ID: 40226787007** Collected: 05/10/21 11:15 Received: 05/12/21 09:05 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Med Level Normal List									
Analytical Method: EPA 8260 Preparation Method: EPA 5035/5030B									
Pace Analytical Services - Green Bay									
trans-1,2-Dichloroethene	<12.8	ug/kg	59.1	12.8	1	05/17/21 08:45	05/18/21 12:02	156-60-5	
1,2-Dichloropropane	<14.1	ug/kg	59.1	14.1	1	05/17/21 08:45	05/18/21 12:02	78-87-5	
1,3-Dichloropropane	<12.9	ug/kg	59.1	12.9	1	05/17/21 08:45	05/18/21 12:02	142-28-9	
2,2-Dichloropropane	<16.0	ug/kg	59.1	16.0	1	05/17/21 08:45	05/18/21 12:02	594-20-7	
1,1-Dichloropropene	<19.2	ug/kg	59.1	19.2	1	05/17/21 08:45	05/18/21 12:02	563-58-6	
cis-1,3-Dichloropropene	<39.0	ug/kg	296	39.0	1	05/17/21 08:45	05/18/21 12:02	10061-01-5	
trans-1,3-Dichloropropene	<169	ug/kg	296	169	1	05/17/21 08:45	05/18/21 12:02	10061-02-6	
Diisopropyl ether	<14.7	ug/kg	59.1	14.7	1	05/17/21 08:45	05/18/21 12:02	108-20-3	
Ethylbenzene	<14.1	ug/kg	59.1	14.1	1	05/17/21 08:45	05/18/21 12:02	100-41-4	
Hexachloro-1,3-butadiene	<118	ug/kg	296	118	1	05/17/21 08:45	05/18/21 12:02	87-68-3	
Isopropylbenzene (Cumene)	<16.0	ug/kg	59.1	16.0	1	05/17/21 08:45	05/18/21 12:02	98-82-8	
p-Isopropyltoluene	<18.0	ug/kg	59.1	18.0	1	05/17/21 08:45	05/18/21 12:02	99-87-6	
Methylene Chloride	<16.4	ug/kg	59.1	16.4	1	05/17/21 08:45	05/18/21 12:02	75-09-2	
Methyl-tert-butyl ether	<17.4	ug/kg	59.1	17.4	1	05/17/21 08:45	05/18/21 12:02	1634-04-4	
Naphthalene	<18.4	ug/kg	296	18.4	1	05/17/21 08:45	05/18/21 12:02	91-20-3	
n-Propylbenzene	<14.2	ug/kg	59.1	14.2	1	05/17/21 08:45	05/18/21 12:02	103-65-1	
Styrene	<15.1	ug/kg	59.1	15.1	1	05/17/21 08:45	05/18/21 12:02	100-42-5	
1,1,1,2-Tetrachloroethane	<14.2	ug/kg	59.1	14.2	1	05/17/21 08:45	05/18/21 12:02	630-20-6	
1,1,1,2,2-Tetrachloroethane	<21.4	ug/kg	59.1	21.4	1	05/17/21 08:45	05/18/21 12:02	79-34-5	
Tetrachloroethene	<22.9	ug/kg	59.1	22.9	1	05/17/21 08:45	05/18/21 12:02	127-18-4	
Toluene	<14.9	ug/kg	59.1	14.9	1	05/17/21 08:45	05/18/21 12:02	108-88-3	
1,2,3-Trichlorobenzene	<65.9	ug/kg	296	65.9	1	05/17/21 08:45	05/18/21 12:02	87-61-6	
1,2,4-Trichlorobenzene	<48.7	ug/kg	296	48.7	1	05/17/21 08:45	05/18/21 12:02	120-82-1	
1,1,1-Trichloroethane	<15.1	ug/kg	59.1	15.1	1	05/17/21 08:45	05/18/21 12:02	71-55-6	
1,1,2-Trichloroethane	<21.5	ug/kg	59.1	21.5	1	05/17/21 08:45	05/18/21 12:02	79-00-5	
Trichloroethene	<22.1	ug/kg	59.1	22.1	1	05/17/21 08:45	05/18/21 12:02	79-01-6	
Trichlorofluoromethane	<17.1	ug/kg	59.1	17.1	1	05/17/21 08:45	05/18/21 12:02	75-69-4	
1,2,3-Trichloropropane	<28.7	ug/kg	59.1	28.7	1	05/17/21 08:45	05/18/21 12:02	96-18-4	
1,2,4-Trimethylbenzene	<17.6	ug/kg	59.1	17.6	1	05/17/21 08:45	05/18/21 12:02	95-63-6	
1,3,5-Trimethylbenzene	<19.0	ug/kg	59.1	19.0	1	05/17/21 08:45	05/18/21 12:02	108-67-8	
Vinyl chloride	<11.9	ug/kg	59.1	11.9	1	05/17/21 08:45	05/18/21 12:02	75-01-4	
m&p-Xylene	<24.9	ug/kg	118	24.9	1	05/17/21 08:45	05/18/21 12:02	179601-23-1	
o-Xylene	<17.7	ug/kg	59.1	17.7	1	05/17/21 08:45	05/18/21 12:02	95-47-6	
Surrogates									
Toluene-d8 (S)	112	%	67-159		1	05/17/21 08:45	05/18/21 12:02	2037-26-5	
4-Bromofluorobenzene (S)	107	%	66-153		1	05/17/21 08:45	05/18/21 12:02	460-00-4	
1,2-Dichlorobenzene-d4 (S)	121	%	82-158		1	05/17/21 08:45	05/18/21 12:02	2199-69-1	

Percent Moisture

Analytical Method: ASTM D2974-87
Pace Analytical Services - Green Bay

Percent Moisture	8.4	%	0.10	0.10	1		05/12/21 17:02		
------------------	------------	---	------	------	---	--	----------------	--	--

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 9640A FONG FAMILY, LLC
Pace Project No.: 40226787

Sample: G3-9 (32-36) **Lab ID: 40226787008** Collected: 05/10/21 11:40 Received: 05/12/21 09:05 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
6020 MET ICPMS									
Analytical Method: EPA 6020 Preparation Method: EPA 3050									
Pace Analytical Services - Green Bay									
Arsenic	4.1	mg/kg	0.88	0.26	6.667	05/14/21 09:03	05/18/21 08:20	7440-38-2	
Lead	4.2	mg/kg	0.67	0.18	6.667	05/14/21 09:03	05/18/21 08:20	7439-92-1	
8270E MSSV PAH by SIM									
Analytical Method: EPA 8270E by SIM Preparation Method: EPA 3546									
Pace Analytical Services - Green Bay									
Acenaphthene	<2.3	ug/kg	17.8	2.3	1	05/18/21 07:40	05/19/21 06:45	83-32-9	
Acenaphthylene	<2.2	ug/kg	17.8	2.2	1	05/18/21 07:40	05/19/21 06:45	208-96-8	
Anthracene	<2.2	ug/kg	17.8	2.2	1	05/18/21 07:40	05/19/21 06:45	120-12-7	
Benzo(a)anthracene	<2.3	ug/kg	17.8	2.3	1	05/18/21 07:40	05/19/21 06:45	56-55-3	
Benzo(a)pyrene	<2.0	ug/kg	17.8	2.0	1	05/18/21 07:40	05/19/21 06:45	50-32-8	
Benzo(b)fluoranthene	<2.5	ug/kg	17.8	2.5	1	05/18/21 07:40	05/19/21 06:45	205-99-2	
Benzo(g,h,i)perylene	<3.1	ug/kg	17.8	3.1	1	05/18/21 07:40	05/19/21 06:45	191-24-2	
Benzo(k)fluoranthene	<2.3	ug/kg	17.8	2.3	1	05/18/21 07:40	05/19/21 06:45	207-08-9	
Chrysene	<3.3	ug/kg	17.8	3.3	1	05/18/21 07:40	05/19/21 06:45	218-01-9	M1
Dibenz(a,h)anthracene	<2.5	ug/kg	17.8	2.5	1	05/18/21 07:40	05/19/21 06:45	53-70-3	
Fluoranthene	<2.1	ug/kg	17.8	2.1	1	05/18/21 07:40	05/19/21 06:45	206-44-0	
Fluorene	<2.1	ug/kg	17.8	2.1	1	05/18/21 07:40	05/19/21 06:45	86-73-7	
Indeno(1,2,3-cd)pyrene	<3.7	ug/kg	17.8	3.7	1	05/18/21 07:40	05/19/21 06:45	193-39-5	
1-Methylnaphthalene	<2.6	ug/kg	17.8	2.6	1	05/18/21 07:40	05/19/21 06:45	90-12-0	
2-Methylnaphthalene	<2.6	ug/kg	17.8	2.6	1	05/18/21 07:40	05/19/21 06:45	91-57-6	
Naphthalene	<1.7	ug/kg	17.8	1.7	1	05/18/21 07:40	05/19/21 06:45	91-20-3	
Phenanthrene	<2.0	ug/kg	17.8	2.0	1	05/18/21 07:40	05/19/21 06:45	85-01-8	
Pyrene	<2.6	ug/kg	17.8	2.6	1	05/18/21 07:40	05/19/21 06:45	129-00-0	
Surrogates									
2-Fluorobiphenyl (S)	58	%	36-86		1	05/18/21 07:40	05/19/21 06:45	321-60-8	
Terphenyl-d14 (S)	64	%	41-97		1	05/18/21 07:40	05/19/21 06:45	1718-51-0	
8260 MSV Med Level Normal List									
Analytical Method: EPA 8260 Preparation Method: EPA 5035/5030B									
Pace Analytical Services - Green Bay									
Benzene	<13.4	ug/kg	22.5	13.4	1	05/17/21 08:45	05/18/21 12:23	71-43-2	
Bromobenzene	<21.9	ug/kg	56.3	21.9	1	05/17/21 08:45	05/18/21 12:23	108-86-1	
Bromochloromethane	<15.4	ug/kg	56.3	15.4	1	05/17/21 08:45	05/18/21 12:23	74-97-5	
Bromodichloromethane	<13.4	ug/kg	56.3	13.4	1	05/17/21 08:45	05/18/21 12:23	75-27-4	
Bromoform	<248	ug/kg	281	248	1	05/17/21 08:45	05/18/21 12:23	75-25-2	L1
Bromomethane	<78.9	ug/kg	281	78.9	1	05/17/21 08:45	05/18/21 12:23	74-83-9	
n-Butylbenzene	<25.8	ug/kg	56.3	25.8	1	05/17/21 08:45	05/18/21 12:23	104-51-8	
sec-Butylbenzene	<13.7	ug/kg	56.3	13.7	1	05/17/21 08:45	05/18/21 12:23	135-98-8	
tert-Butylbenzene	<17.7	ug/kg	56.3	17.7	1	05/17/21 08:45	05/18/21 12:23	98-06-6	
Carbon tetrachloride	<12.4	ug/kg	56.3	12.4	1	05/17/21 08:45	05/18/21 12:23	56-23-5	
Chlorobenzene	<6.7	ug/kg	56.3	6.7	1	05/17/21 08:45	05/18/21 12:23	108-90-7	
Chloroethane	<23.7	ug/kg	281	23.7	1	05/17/21 08:45	05/18/21 12:23	75-00-3	
Chloroform	<40.3	ug/kg	281	40.3	1	05/17/21 08:45	05/18/21 12:23	67-66-3	
Chloromethane	<21.4	ug/kg	56.3	21.4	1	05/17/21 08:45	05/18/21 12:23	74-87-3	
2-Chlorotoluene	<18.2	ug/kg	56.3	18.2	1	05/17/21 08:45	05/18/21 12:23	95-49-8	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 9640A FONG FAMILY, LLC
Pace Project No.: 40226787

Sample: G3-9 (32-36) **Lab ID: 40226787008** Collected: 05/10/21 11:40 Received: 05/12/21 09:05 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Med Level Normal List									
Analytical Method: EPA 8260 Preparation Method: EPA 5035/5030B									
Pace Analytical Services - Green Bay									
4-Chlorotoluene	<21.4	ug/kg	56.3	21.4	1	05/17/21 08:45	05/18/21 12:23	106-43-4	
1,2-Dibromo-3-chloropropane	<43.7	ug/kg	281	43.7	1	05/17/21 08:45	05/18/21 12:23	96-12-8	
Dibromochloromethane	<192	ug/kg	281	192	1	05/17/21 08:45	05/18/21 12:23	124-48-1	
1,2-Dibromoethane (EDB)	<15.4	ug/kg	56.3	15.4	1	05/17/21 08:45	05/18/21 12:23	106-93-4	
Dibromomethane	<16.7	ug/kg	56.3	16.7	1	05/17/21 08:45	05/18/21 12:23	74-95-3	
1,2-Dichlorobenzene	<17.4	ug/kg	56.3	17.4	1	05/17/21 08:45	05/18/21 12:23	95-50-1	
1,3-Dichlorobenzene	<15.4	ug/kg	56.3	15.4	1	05/17/21 08:45	05/18/21 12:23	541-73-1	
1,4-Dichlorobenzene	<15.4	ug/kg	56.3	15.4	1	05/17/21 08:45	05/18/21 12:23	106-46-7	
Dichlorodifluoromethane	<24.2	ug/kg	56.3	24.2	1	05/17/21 08:45	05/18/21 12:23	75-71-8	
1,1-Dichloroethane	<14.4	ug/kg	56.3	14.4	1	05/17/21 08:45	05/18/21 12:23	75-34-3	
1,2-Dichloroethane	<12.9	ug/kg	56.3	12.9	1	05/17/21 08:45	05/18/21 12:23	107-06-2	
1,1-Dichloroethene	<18.7	ug/kg	56.3	18.7	1	05/17/21 08:45	05/18/21 12:23	75-35-4	
cis-1,2-Dichloroethene	<12.0	ug/kg	56.3	12.0	1	05/17/21 08:45	05/18/21 12:23	156-59-2	
trans-1,2-Dichloroethene	<12.2	ug/kg	56.3	12.2	1	05/17/21 08:45	05/18/21 12:23	156-60-5	
1,2-Dichloropropane	<13.4	ug/kg	56.3	13.4	1	05/17/21 08:45	05/18/21 12:23	78-87-5	
1,3-Dichloropropane	<12.3	ug/kg	56.3	12.3	1	05/17/21 08:45	05/18/21 12:23	142-28-9	
2,2-Dichloropropane	<15.2	ug/kg	56.3	15.2	1	05/17/21 08:45	05/18/21 12:23	594-20-7	
1,1-Dichloropropene	<18.2	ug/kg	56.3	18.2	1	05/17/21 08:45	05/18/21 12:23	563-58-6	
cis-1,3-Dichloropropene	<37.1	ug/kg	281	37.1	1	05/17/21 08:45	05/18/21 12:23	10061-01-5	
trans-1,3-Dichloropropene	<161	ug/kg	281	161	1	05/17/21 08:45	05/18/21 12:23	10061-02-6	
Diisopropyl ether	<14.0	ug/kg	56.3	14.0	1	05/17/21 08:45	05/18/21 12:23	108-20-3	
Ethylbenzene	<13.4	ug/kg	56.3	13.4	1	05/17/21 08:45	05/18/21 12:23	100-41-4	
Hexachloro-1,3-butadiene	<112	ug/kg	281	112	1	05/17/21 08:45	05/18/21 12:23	87-68-3	
Isopropylbenzene (Cumene)	<15.2	ug/kg	56.3	15.2	1	05/17/21 08:45	05/18/21 12:23	98-82-8	
p-Isopropyltoluene	<17.1	ug/kg	56.3	17.1	1	05/17/21 08:45	05/18/21 12:23	99-87-6	
Methylene Chloride	<15.6	ug/kg	56.3	15.6	1	05/17/21 08:45	05/18/21 12:23	75-09-2	
Methyl-tert-butyl ether	<16.5	ug/kg	56.3	16.5	1	05/17/21 08:45	05/18/21 12:23	1634-04-4	
Naphthalene	<17.6	ug/kg	281	17.6	1	05/17/21 08:45	05/18/21 12:23	91-20-3	
n-Propylbenzene	<13.5	ug/kg	56.3	13.5	1	05/17/21 08:45	05/18/21 12:23	103-65-1	
Styrene	<14.4	ug/kg	56.3	14.4	1	05/17/21 08:45	05/18/21 12:23	100-42-5	
1,1,1,2-Tetrachloroethane	<13.5	ug/kg	56.3	13.5	1	05/17/21 08:45	05/18/21 12:23	630-20-6	
1,1,2,2-Tetrachloroethane	<20.4	ug/kg	56.3	20.4	1	05/17/21 08:45	05/18/21 12:23	79-34-5	
Tetrachloroethene	<21.8	ug/kg	56.3	21.8	1	05/17/21 08:45	05/18/21 12:23	127-18-4	
Toluene	<14.2	ug/kg	56.3	14.2	1	05/17/21 08:45	05/18/21 12:23	108-88-3	
1,2,3-Trichlorobenzene	<62.7	ug/kg	281	62.7	1	05/17/21 08:45	05/18/21 12:23	87-61-6	
1,2,4-Trichlorobenzene	<46.4	ug/kg	281	46.4	1	05/17/21 08:45	05/18/21 12:23	120-82-1	
1,1,1-Trichloroethane	<14.4	ug/kg	56.3	14.4	1	05/17/21 08:45	05/18/21 12:23	71-55-6	
1,1,2-Trichloroethane	<20.5	ug/kg	56.3	20.5	1	05/17/21 08:45	05/18/21 12:23	79-00-5	
Trichloroethene	<21.0	ug/kg	56.3	21.0	1	05/17/21 08:45	05/18/21 12:23	79-01-6	
Trichlorofluoromethane	<16.3	ug/kg	56.3	16.3	1	05/17/21 08:45	05/18/21 12:23	75-69-4	
1,2,3-Trichloropropane	<27.3	ug/kg	56.3	27.3	1	05/17/21 08:45	05/18/21 12:23	96-18-4	
1,2,4-Trimethylbenzene	<16.8	ug/kg	56.3	16.8	1	05/17/21 08:45	05/18/21 12:23	95-63-6	
1,3,5-Trimethylbenzene	<18.1	ug/kg	56.3	18.1	1	05/17/21 08:45	05/18/21 12:23	108-67-8	
Vinyl chloride	<11.4	ug/kg	56.3	11.4	1	05/17/21 08:45	05/18/21 12:23	75-01-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 9640A FONG FAMILY, LLC

Pace Project No.: 40226787

Sample: G3-9 (32-36) **Lab ID: 40226787008** Collected: 05/10/21 11:40 Received: 05/12/21 09:05 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Med Level Normal List									
Analytical Method: EPA 8260 Preparation Method: EPA 5035/5030B									
Pace Analytical Services - Green Bay									
m&p-Xylene	<23.7	ug/kg	113	23.7	1	05/17/21 08:45	05/18/21 12:23	179601-23-1	
o-Xylene	<16.9	ug/kg	56.3	16.9	1	05/17/21 08:45	05/18/21 12:23	95-47-6	
Surrogates									
Toluene-d8 (S)	115	%	67-159		1	05/17/21 08:45	05/18/21 12:23	2037-26-5	
4-Bromofluorobenzene (S)	99	%	66-153		1	05/17/21 08:45	05/18/21 12:23	460-00-4	
1,2-Dichlorobenzene-d4 (S)	115	%	82-158		1	05/17/21 08:45	05/18/21 12:23	2199-69-1	
Percent Moisture									
Analytical Method: ASTM D2974-87									
Pace Analytical Services - Green Bay									
Percent Moisture	5.9	%	0.10	0.10	1		05/12/21 17:02		

Sample: G3-11 (43-44) **Lab ID: 40226787009** Collected: 05/10/21 11:50 Received: 05/12/21 09:05 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
6020 MET ICPMS									
Analytical Method: EPA 6020 Preparation Method: EPA 3050									
Pace Analytical Services - Green Bay									
Arsenic	4.1	mg/kg	0.95	0.29	6.667	05/14/21 09:03	05/18/21 08:27	7440-38-2	
Lead	4.8	mg/kg	0.72	0.20	6.667	05/14/21 09:03	05/18/21 08:27	7439-92-1	
8270E MSSV PAH by SIM									
Analytical Method: EPA 8270E by SIM Preparation Method: EPA 3546									
Pace Analytical Services - Green Bay									
Acenaphthene	<2.4	ug/kg	18.4	2.4	1	05/18/21 07:40	05/19/21 07:54	83-32-9	
Acenaphthylene	<2.3	ug/kg	18.4	2.3	1	05/18/21 07:40	05/19/21 07:54	208-96-8	
Anthracene	<2.3	ug/kg	18.4	2.3	1	05/18/21 07:40	05/19/21 07:54	120-12-7	
Benzo(a)anthracene	2.7J	ug/kg	18.4	2.4	1	05/18/21 07:40	05/19/21 07:54	56-55-3	
Benzo(a)pyrene	<2.1	ug/kg	18.4	2.1	1	05/18/21 07:40	05/19/21 07:54	50-32-8	
Benzo(b)fluoranthene	<2.6	ug/kg	18.4	2.6	1	05/18/21 07:40	05/19/21 07:54	205-99-2	
Benzo(g,h,i)perylene	<3.2	ug/kg	18.4	3.2	1	05/18/21 07:40	05/19/21 07:54	191-24-2	
Benzo(k)fluoranthene	<2.4	ug/kg	18.4	2.4	1	05/18/21 07:40	05/19/21 07:54	207-08-9	
Chrysene	<3.5	ug/kg	18.4	3.5	1	05/18/21 07:40	05/19/21 07:54	218-01-9	
Dibenz(a,h)anthracene	<2.6	ug/kg	18.4	2.6	1	05/18/21 07:40	05/19/21 07:54	53-70-3	
Fluoranthene	2.4J	ug/kg	18.4	2.2	1	05/18/21 07:40	05/19/21 07:54	206-44-0	
Fluorene	<2.2	ug/kg	18.4	2.2	1	05/18/21 07:40	05/19/21 07:54	86-73-7	
Indeno(1,2,3-cd)pyrene	<3.8	ug/kg	18.4	3.8	1	05/18/21 07:40	05/19/21 07:54	193-39-5	
1-Methylnaphthalene	<2.7	ug/kg	18.4	2.7	1	05/18/21 07:40	05/19/21 07:54	90-12-0	
2-Methylnaphthalene	<2.7	ug/kg	18.4	2.7	1	05/18/21 07:40	05/19/21 07:54	91-57-6	
Naphthalene	<1.8	ug/kg	18.4	1.8	1	05/18/21 07:40	05/19/21 07:54	91-20-3	
Phenanthrene	<2.1	ug/kg	18.4	2.1	1	05/18/21 07:40	05/19/21 07:54	85-01-8	
Pyrene	<2.7	ug/kg	18.4	2.7	1	05/18/21 07:40	05/19/21 07:54	129-00-0	
Surrogates									
2-Fluorobiphenyl (S)	61	%	36-86		1	05/18/21 07:40	05/19/21 07:54	321-60-8	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 9640A FONG FAMILY, LLC
Pace Project No.: 40226787

Sample: G3-11 (43-44) **Lab ID: 40226787009** Collected: 05/10/21 11:50 Received: 05/12/21 09:05 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8270E MSSV PAH by SIM									
Analytical Method: EPA 8270E by SIM Preparation Method: EPA 3546									
Pace Analytical Services - Green Bay									
Surrogates									
Terphenyl-d14 (S)	68	%	41-97		1	05/18/21 07:40	05/19/21 07:54	1718-51-0	
8260 MSV Med Level Normal List									
Analytical Method: EPA 8260 Preparation Method: EPA 5035/5030B									
Pace Analytical Services - Green Bay									
Benzene	<14.4	ug/kg	24.2	14.4	1	05/17/21 08:45	05/18/21 12:43	71-43-2	
Bromobenzene	<23.6	ug/kg	60.5	23.6	1	05/17/21 08:45	05/18/21 12:43	108-86-1	
Bromochloromethane	<16.6	ug/kg	60.5	16.6	1	05/17/21 08:45	05/18/21 12:43	74-97-5	
Bromodichloromethane	<14.4	ug/kg	60.5	14.4	1	05/17/21 08:45	05/18/21 12:43	75-27-4	
Bromoform	<266	ug/kg	302	266	1	05/17/21 08:45	05/18/21 12:43	75-25-2	L1
Bromomethane	<84.8	ug/kg	302	84.8	1	05/17/21 08:45	05/18/21 12:43	74-83-9	
n-Butylbenzene	<27.7	ug/kg	60.5	27.7	1	05/17/21 08:45	05/18/21 12:43	104-51-8	
sec-Butylbenzene	<14.8	ug/kg	60.5	14.8	1	05/17/21 08:45	05/18/21 12:43	135-98-8	
tert-Butylbenzene	<19.0	ug/kg	60.5	19.0	1	05/17/21 08:45	05/18/21 12:43	98-06-6	
Carbon tetrachloride	<13.3	ug/kg	60.5	13.3	1	05/17/21 08:45	05/18/21 12:43	56-23-5	
Chlorobenzene	<7.2	ug/kg	60.5	7.2	1	05/17/21 08:45	05/18/21 12:43	108-90-7	
Chloroethane	<25.5	ug/kg	302	25.5	1	05/17/21 08:45	05/18/21 12:43	75-00-3	
Chloroform	<43.3	ug/kg	302	43.3	1	05/17/21 08:45	05/18/21 12:43	67-66-3	
Chloromethane	<23.0	ug/kg	60.5	23.0	1	05/17/21 08:45	05/18/21 12:43	74-87-3	
2-Chlorotoluene	<19.6	ug/kg	60.5	19.6	1	05/17/21 08:45	05/18/21 12:43	95-49-8	
4-Chlorotoluene	<23.0	ug/kg	60.5	23.0	1	05/17/21 08:45	05/18/21 12:43	106-43-4	
1,2-Dibromo-3-chloropropane	<46.9	ug/kg	302	46.9	1	05/17/21 08:45	05/18/21 12:43	96-12-8	
Dibromochloromethane	<207	ug/kg	302	207	1	05/17/21 08:45	05/18/21 12:43	124-48-1	
1,2-Dibromoethane (EDB)	<16.6	ug/kg	60.5	16.6	1	05/17/21 08:45	05/18/21 12:43	106-93-4	
Dibromomethane	<17.9	ug/kg	60.5	17.9	1	05/17/21 08:45	05/18/21 12:43	74-95-3	
1,2-Dichlorobenzene	<18.7	ug/kg	60.5	18.7	1	05/17/21 08:45	05/18/21 12:43	95-50-1	
1,3-Dichlorobenzene	<16.6	ug/kg	60.5	16.6	1	05/17/21 08:45	05/18/21 12:43	541-73-1	
1,4-Dichlorobenzene	<16.6	ug/kg	60.5	16.6	1	05/17/21 08:45	05/18/21 12:43	106-46-7	
Dichlorodifluoromethane	<26.0	ug/kg	60.5	26.0	1	05/17/21 08:45	05/18/21 12:43	75-71-8	
1,1-Dichloroethane	<15.5	ug/kg	60.5	15.5	1	05/17/21 08:45	05/18/21 12:43	75-34-3	
1,2-Dichloroethane	<13.9	ug/kg	60.5	13.9	1	05/17/21 08:45	05/18/21 12:43	107-06-2	
1,1-Dichloroethene	<20.1	ug/kg	60.5	20.1	1	05/17/21 08:45	05/18/21 12:43	75-35-4	
cis-1,2-Dichloroethene	<12.9	ug/kg	60.5	12.9	1	05/17/21 08:45	05/18/21 12:43	156-59-2	
trans-1,2-Dichloroethene	<13.1	ug/kg	60.5	13.1	1	05/17/21 08:45	05/18/21 12:43	156-60-5	
1,2-Dichloropropane	<14.4	ug/kg	60.5	14.4	1	05/17/21 08:45	05/18/21 12:43	78-87-5	
1,3-Dichloropropane	<13.2	ug/kg	60.5	13.2	1	05/17/21 08:45	05/18/21 12:43	142-28-9	
2,2-Dichloropropane	<16.3	ug/kg	60.5	16.3	1	05/17/21 08:45	05/18/21 12:43	594-20-7	
1,1-Dichloropropene	<19.6	ug/kg	60.5	19.6	1	05/17/21 08:45	05/18/21 12:43	563-58-6	
cis-1,3-Dichloropropene	<39.9	ug/kg	302	39.9	1	05/17/21 08:45	05/18/21 12:43	10061-01-5	
trans-1,3-Dichloropropene	<173	ug/kg	302	173	1	05/17/21 08:45	05/18/21 12:43	10061-02-6	
Diisopropyl ether	<15.0	ug/kg	60.5	15.0	1	05/17/21 08:45	05/18/21 12:43	108-20-3	
Ethylbenzene	<14.4	ug/kg	60.5	14.4	1	05/17/21 08:45	05/18/21 12:43	100-41-4	
Hexachloro-1,3-butadiene	<120	ug/kg	302	120	1	05/17/21 08:45	05/18/21 12:43	87-68-3	
Isopropylbenzene (Cumene)	<16.3	ug/kg	60.5	16.3	1	05/17/21 08:45	05/18/21 12:43	98-82-8	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 9640A FONG FAMILY, LLC
Pace Project No.: 40226787

Sample: G3-11 (43-44) **Lab ID: 40226787009** Collected: 05/10/21 11:50 Received: 05/12/21 09:05 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Med Level Normal List									
Analytical Method: EPA 8260 Preparation Method: EPA 5035/5030B Pace Analytical Services - Green Bay									
p-Isopropyltoluene	<18.4	ug/kg	60.5	18.4	1	05/17/21 08:45	05/18/21 12:43	99-87-6	
Methylene Chloride	<16.8	ug/kg	60.5	16.8	1	05/17/21 08:45	05/18/21 12:43	75-09-2	
Methyl-tert-butyl ether	<17.8	ug/kg	60.5	17.8	1	05/17/21 08:45	05/18/21 12:43	1634-04-4	
Naphthalene	<18.9	ug/kg	302	18.9	1	05/17/21 08:45	05/18/21 12:43	91-20-3	
n-Propylbenzene	<14.5	ug/kg	60.5	14.5	1	05/17/21 08:45	05/18/21 12:43	103-65-1	
Styrene	<15.5	ug/kg	60.5	15.5	1	05/17/21 08:45	05/18/21 12:43	100-42-5	
1,1,1,2-Tetrachloroethane	<14.5	ug/kg	60.5	14.5	1	05/17/21 08:45	05/18/21 12:43	630-20-6	
1,1,2,2-Tetrachloroethane	<21.9	ug/kg	60.5	21.9	1	05/17/21 08:45	05/18/21 12:43	79-34-5	
Tetrachloroethene	<23.5	ug/kg	60.5	23.5	1	05/17/21 08:45	05/18/21 12:43	127-18-4	
Toluene	<15.2	ug/kg	60.5	15.2	1	05/17/21 08:45	05/18/21 12:43	108-88-3	
1,2,3-Trichlorobenzene	<67.4	ug/kg	302	67.4	1	05/17/21 08:45	05/18/21 12:43	87-61-6	
1,2,4-Trichlorobenzene	<49.8	ug/kg	302	49.8	1	05/17/21 08:45	05/18/21 12:43	120-82-1	
1,1,1-Trichloroethane	<15.5	ug/kg	60.5	15.5	1	05/17/21 08:45	05/18/21 12:43	71-55-6	
1,1,2-Trichloroethane	<22.0	ug/kg	60.5	22.0	1	05/17/21 08:45	05/18/21 12:43	79-00-5	
Trichloroethene	<22.6	ug/kg	60.5	22.6	1	05/17/21 08:45	05/18/21 12:43	79-01-6	
Trichlorofluoromethane	<17.5	ug/kg	60.5	17.5	1	05/17/21 08:45	05/18/21 12:43	75-69-4	
1,2,3-Trichloropropane	<29.4	ug/kg	60.5	29.4	1	05/17/21 08:45	05/18/21 12:43	96-18-4	
1,2,4-Trimethylbenzene	<18.0	ug/kg	60.5	18.0	1	05/17/21 08:45	05/18/21 12:43	95-63-6	
1,3,5-Trimethylbenzene	<19.5	ug/kg	60.5	19.5	1	05/17/21 08:45	05/18/21 12:43	108-67-8	
Vinyl chloride	<12.2	ug/kg	60.5	12.2	1	05/17/21 08:45	05/18/21 12:43	75-01-4	
m&p-Xylene	<25.5	ug/kg	121	25.5	1	05/17/21 08:45	05/18/21 12:43	179601-23-1	
o-Xylene	<18.1	ug/kg	60.5	18.1	1	05/17/21 08:45	05/18/21 12:43	95-47-6	
Surrogates									
Toluene-d8 (S)	92	%	67-159		1	05/17/21 08:45	05/18/21 12:43	2037-26-5	
4-Bromofluorobenzene (S)	83	%	66-153		1	05/17/21 08:45	05/18/21 12:43	460-00-4	
1,2-Dichlorobenzene-d4 (S)	100	%	82-158		1	05/17/21 08:45	05/18/21 12:43	2199-69-1	

Percent Moisture

Analytical Method: ASTM D2974-87
Pace Analytical Services - Green Bay

Percent Moisture	9.5	%	0.10	0.10	1		05/12/21 17:02		
------------------	-----	---	------	------	---	--	----------------	--	--

Sample: G4-1 (2-4) **Lab ID: 40226787010** Collected: 05/10/21 13:55 Received: 05/12/21 09:05 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
6020 MET ICPMS									
Analytical Method: EPA 6020 Preparation Method: EPA 3050 Pace Analytical Services - Green Bay									
Arsenic	4.3	mg/kg	0.92	0.27	6.667	05/14/21 09:03	05/18/21 08:34	7440-38-2	
Lead	6.9	mg/kg	0.69	0.19	6.667	05/14/21 09:03	05/18/21 08:34	7439-92-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 9640A FONG FAMILY, LLC

Pace Project No.: 40226787

Sample: G4-1 (2-4) **Lab ID: 40226787010** Collected: 05/10/21 13:55 Received: 05/12/21 09:05 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8270E MSSV PAH by SIM									
Analytical Method: EPA 8270E by SIM Preparation Method: EPA 3546									
Pace Analytical Services - Green Bay									
Acenaphthene	<2.3	ug/kg	17.7	2.3	1	05/18/21 07:40	05/19/21 08:11	83-32-9	
Acenaphthylene	<2.2	ug/kg	17.7	2.2	1	05/18/21 07:40	05/19/21 08:11	208-96-8	
Anthracene	<2.2	ug/kg	17.7	2.2	1	05/18/21 07:40	05/19/21 08:11	120-12-7	
Benzo(a)anthracene	<2.3	ug/kg	17.7	2.3	1	05/18/21 07:40	05/19/21 08:11	56-55-3	
Benzo(a)pyrene	<2.0	ug/kg	17.7	2.0	1	05/18/21 07:40	05/19/21 08:11	50-32-8	
Benzo(b)fluoranthene	<2.5	ug/kg	17.7	2.5	1	05/18/21 07:40	05/19/21 08:11	205-99-2	
Benzo(g,h,i)perylene	<3.1	ug/kg	17.7	3.1	1	05/18/21 07:40	05/19/21 08:11	191-24-2	
Benzo(k)fluoranthene	<2.3	ug/kg	17.7	2.3	1	05/18/21 07:40	05/19/21 08:11	207-08-9	
Chrysene	<3.3	ug/kg	17.7	3.3	1	05/18/21 07:40	05/19/21 08:11	218-01-9	
Dibenz(a,h)anthracene	<2.5	ug/kg	17.7	2.5	1	05/18/21 07:40	05/19/21 08:11	53-70-3	
Fluoranthene	<2.1	ug/kg	17.7	2.1	1	05/18/21 07:40	05/19/21 08:11	206-44-0	
Fluorene	<2.1	ug/kg	17.7	2.1	1	05/18/21 07:40	05/19/21 08:11	86-73-7	
Indeno(1,2,3-cd)pyrene	<3.7	ug/kg	17.7	3.7	1	05/18/21 07:40	05/19/21 08:11	193-39-5	
1-Methylnaphthalene	<2.6	ug/kg	17.7	2.6	1	05/18/21 07:40	05/19/21 08:11	90-12-0	
2-Methylnaphthalene	<2.6	ug/kg	17.7	2.6	1	05/18/21 07:40	05/19/21 08:11	91-57-6	
Naphthalene	<1.7	ug/kg	17.7	1.7	1	05/18/21 07:40	05/19/21 08:11	91-20-3	
Phenanthrene	<2.0	ug/kg	17.7	2.0	1	05/18/21 07:40	05/19/21 08:11	85-01-8	
Pyrene	<2.6	ug/kg	17.7	2.6	1	05/18/21 07:40	05/19/21 08:11	129-00-0	
Surrogates									
2-Fluorobiphenyl (S)	49	%	36-86		1	05/18/21 07:40	05/19/21 08:11	321-60-8	
Terphenyl-d14 (S)	55	%	41-97		1	05/18/21 07:40	05/19/21 08:11	1718-51-0	
8260 MSV Med Level Normal List									
Analytical Method: EPA 8260 Preparation Method: EPA 5035/5030B									
Pace Analytical Services - Green Bay									
Benzene	<14.8	ug/kg	24.8	14.8	1	05/18/21 07:45	05/19/21 12:09	71-43-2	
Bromobenzene	<24.2	ug/kg	62.1	24.2	1	05/18/21 07:45	05/19/21 12:09	108-86-1	
Bromochloromethane	<17.0	ug/kg	62.1	17.0	1	05/18/21 07:45	05/19/21 12:09	74-97-5	
Bromodichloromethane	<14.8	ug/kg	62.1	14.8	1	05/18/21 07:45	05/19/21 12:09	75-27-4	
Bromoform	<273	ug/kg	311	273	1	05/18/21 07:45	05/19/21 12:09	75-25-2	L1
Bromomethane	<87.1	ug/kg	311	87.1	1	05/18/21 07:45	05/19/21 12:09	74-83-9	
n-Butylbenzene	<28.4	ug/kg	62.1	28.4	1	05/18/21 07:45	05/19/21 12:09	104-51-8	
sec-Butylbenzene	<15.2	ug/kg	62.1	15.2	1	05/18/21 07:45	05/19/21 12:09	135-98-8	
tert-Butylbenzene	<19.5	ug/kg	62.1	19.5	1	05/18/21 07:45	05/19/21 12:09	98-06-6	
Carbon tetrachloride	<13.7	ug/kg	62.1	13.7	1	05/18/21 07:45	05/19/21 12:09	56-23-5	
Chlorobenzene	<7.4	ug/kg	62.1	7.4	1	05/18/21 07:45	05/19/21 12:09	108-90-7	
Chloroethane	<26.2	ug/kg	311	26.2	1	05/18/21 07:45	05/19/21 12:09	75-00-3	
Chloroform	<44.5	ug/kg	311	44.5	1	05/18/21 07:45	05/19/21 12:09	67-66-3	
Chloromethane	<23.6	ug/kg	62.1	23.6	1	05/18/21 07:45	05/19/21 12:09	74-87-3	
2-Chlorotoluene	<20.1	ug/kg	62.1	20.1	1	05/18/21 07:45	05/19/21 12:09	95-49-8	
4-Chlorotoluene	<23.6	ug/kg	62.1	23.6	1	05/18/21 07:45	05/19/21 12:09	106-43-4	
1,2-Dibromo-3-chloropropane	<48.2	ug/kg	311	48.2	1	05/18/21 07:45	05/19/21 12:09	96-12-8	
Dibromochloromethane	<212	ug/kg	311	212	1	05/18/21 07:45	05/19/21 12:09	124-48-1	
1,2-Dibromoethane (EDB)	<17.0	ug/kg	62.1	17.0	1	05/18/21 07:45	05/19/21 12:09	106-93-4	
Dibromomethane	<18.4	ug/kg	62.1	18.4	1	05/18/21 07:45	05/19/21 12:09	74-95-3	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 9640A FONG FAMILY, LLC
Pace Project No.: 40226787

Sample: G4-1 (2-4) **Lab ID: 40226787010** Collected: 05/10/21 13:55 Received: 05/12/21 09:05 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Med Level Normal List									
Analytical Method: EPA 8260 Preparation Method: EPA 5035/5030B									
Pace Analytical Services - Green Bay									
1,2-Dichlorobenzene	<19.3	ug/kg	62.1	19.3	1	05/18/21 07:45	05/19/21 12:09	95-50-1	
1,3-Dichlorobenzene	<17.0	ug/kg	62.1	17.0	1	05/18/21 07:45	05/19/21 12:09	541-73-1	
1,4-Dichlorobenzene	<17.0	ug/kg	62.1	17.0	1	05/18/21 07:45	05/19/21 12:09	106-46-7	
Dichlorodifluoromethane	<26.7	ug/kg	62.1	26.7	1	05/18/21 07:45	05/19/21 12:09	75-71-8	
1,1-Dichloroethane	<15.9	ug/kg	62.1	15.9	1	05/18/21 07:45	05/19/21 12:09	75-34-3	
1,2-Dichloroethane	<14.3	ug/kg	62.1	14.3	1	05/18/21 07:45	05/19/21 12:09	107-06-2	
1,1-Dichloroethene	<20.6	ug/kg	62.1	20.6	1	05/18/21 07:45	05/19/21 12:09	75-35-4	
cis-1,2-Dichloroethene	<13.3	ug/kg	62.1	13.3	1	05/18/21 07:45	05/19/21 12:09	156-59-2	
trans-1,2-Dichloroethene	<13.4	ug/kg	62.1	13.4	1	05/18/21 07:45	05/19/21 12:09	156-60-5	
1,2-Dichloropropane	<14.8	ug/kg	62.1	14.8	1	05/18/21 07:45	05/19/21 12:09	78-87-5	
1,3-Dichloropropane	<13.5	ug/kg	62.1	13.5	1	05/18/21 07:45	05/19/21 12:09	142-28-9	
2,2-Dichloropropane	<16.8	ug/kg	62.1	16.8	1	05/18/21 07:45	05/19/21 12:09	594-20-7	
1,1-Dichloropropene	<20.1	ug/kg	62.1	20.1	1	05/18/21 07:45	05/19/21 12:09	563-58-6	
cis-1,3-Dichloropropene	<41.0	ug/kg	311	41.0	1	05/18/21 07:45	05/19/21 12:09	10061-01-5	
trans-1,3-Dichloropropene	<178	ug/kg	311	178	1	05/18/21 07:45	05/19/21 12:09	10061-02-6	
Diisopropyl ether	<15.4	ug/kg	62.1	15.4	1	05/18/21 07:45	05/19/21 12:09	108-20-3	
Ethylbenzene	<14.8	ug/kg	62.1	14.8	1	05/18/21 07:45	05/19/21 12:09	100-41-4	
Hexachloro-1,3-butadiene	<123	ug/kg	311	123	1	05/18/21 07:45	05/19/21 12:09	87-68-3	
Isopropylbenzene (Cumene)	<16.8	ug/kg	62.1	16.8	1	05/18/21 07:45	05/19/21 12:09	98-82-8	
p-Isopropyltoluene	<18.9	ug/kg	62.1	18.9	1	05/18/21 07:45	05/19/21 12:09	99-87-6	
Methylene Chloride	26.0J	ug/kg	62.1	17.3	1	05/18/21 07:45	05/19/21 12:09	75-09-2	
Methyl-tert-butyl ether	<18.3	ug/kg	62.1	18.3	1	05/18/21 07:45	05/19/21 12:09	1634-04-4	
Naphthalene	<19.4	ug/kg	311	19.4	1	05/18/21 07:45	05/19/21 12:09	91-20-3	
n-Propylbenzene	<14.9	ug/kg	62.1	14.9	1	05/18/21 07:45	05/19/21 12:09	103-65-1	
Styrene	<15.9	ug/kg	62.1	15.9	1	05/18/21 07:45	05/19/21 12:09	100-42-5	
1,1,1,2-Tetrachloroethane	<14.9	ug/kg	62.1	14.9	1	05/18/21 07:45	05/19/21 12:09	630-20-6	
1,1,2,2-Tetrachloroethane	<22.5	ug/kg	62.1	22.5	1	05/18/21 07:45	05/19/21 12:09	79-34-5	
Tetrachloroethene	<24.1	ug/kg	62.1	24.1	1	05/18/21 07:45	05/19/21 12:09	127-18-4	
Toluene	<15.7	ug/kg	62.1	15.7	1	05/18/21 07:45	05/19/21 12:09	108-88-3	
1,2,3-Trichlorobenzene	<69.2	ug/kg	311	69.2	1	05/18/21 07:45	05/19/21 12:09	87-61-6	
1,2,4-Trichlorobenzene	<51.2	ug/kg	311	51.2	1	05/18/21 07:45	05/19/21 12:09	120-82-1	
1,1,1-Trichloroethane	<15.9	ug/kg	62.1	15.9	1	05/18/21 07:45	05/19/21 12:09	71-55-6	
1,1,2-Trichloroethane	<22.6	ug/kg	62.1	22.6	1	05/18/21 07:45	05/19/21 12:09	79-00-5	
Trichloroethene	<23.2	ug/kg	62.1	23.2	1	05/18/21 07:45	05/19/21 12:09	79-01-6	
Trichlorofluoromethane	<18.0	ug/kg	62.1	18.0	1	05/18/21 07:45	05/19/21 12:09	75-69-4	
1,2,3-Trichloropropane	<30.2	ug/kg	62.1	30.2	1	05/18/21 07:45	05/19/21 12:09	96-18-4	
1,2,4-Trimethylbenzene	<18.5	ug/kg	62.1	18.5	1	05/18/21 07:45	05/19/21 12:09	95-63-6	
1,3,5-Trimethylbenzene	<20.0	ug/kg	62.1	20.0	1	05/18/21 07:45	05/19/21 12:09	108-67-8	
Vinyl chloride	<12.5	ug/kg	62.1	12.5	1	05/18/21 07:45	05/19/21 12:09	75-01-4	
m&p-Xylene	<26.2	ug/kg	124	26.2	1	05/18/21 07:45	05/19/21 12:09	179601-23-1	
o-Xylene	<18.6	ug/kg	62.1	18.6	1	05/18/21 07:45	05/19/21 12:09	95-47-6	
Surrogates									
Toluene-d8 (S)	115	%	67-159		1	05/18/21 07:45	05/19/21 12:09	2037-26-5	
4-Bromofluorobenzene (S)	104	%	66-153		1	05/18/21 07:45	05/19/21 12:09	460-00-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 9640A FONG FAMILY, LLC
Pace Project No.: 40226787

Sample: G4-1 (2-4) **Lab ID: 40226787010** Collected: 05/10/21 13:55 Received: 05/12/21 09:05 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Med Level Normal List									
Analytical Method: EPA 8260 Preparation Method: EPA 5035/5030B Pace Analytical Services - Green Bay									
Surrogates									
1,2-Dichlorobenzene-d4 (S)	122	%	82-158		1	05/18/21 07:45	05/19/21 12:09	2199-69-1	
Percent Moisture									
Analytical Method: ASTM D2974-87 Pace Analytical Services - Green Bay									
Percent Moisture	5.8	%	0.10	0.10	1		05/12/21 17:02		

Sample: G4-9 (32-36) **Lab ID: 40226787011** Collected: 05/10/21 14:20 Received: 05/12/21 09:05 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
6020 MET ICPMS									
Analytical Method: EPA 6020 Preparation Method: EPA 3050 Pace Analytical Services - Green Bay									
Arsenic	4.7	mg/kg	0.90	0.27	6.667	05/14/21 09:03	05/18/21 08:42	7440-38-2	
Lead	6.3	mg/kg	0.68	0.19	6.667	05/14/21 09:03	05/18/21 08:42	7439-92-1	
8270E MSSV PAH by SIM									
Analytical Method: EPA 8270E by SIM Preparation Method: EPA 3546 Pace Analytical Services - Green Bay									
Acenaphthene	<2.3	ug/kg	17.8	2.3	1	05/18/21 07:40	05/19/21 08:29	83-32-9	
Acenaphthylene	<2.2	ug/kg	17.8	2.2	1	05/18/21 07:40	05/19/21 08:29	208-96-8	
Anthracene	<2.2	ug/kg	17.8	2.2	1	05/18/21 07:40	05/19/21 08:29	120-12-7	
Benzo(a)anthracene	<2.3	ug/kg	17.8	2.3	1	05/18/21 07:40	05/19/21 08:29	56-55-3	
Benzo(a)pyrene	<2.0	ug/kg	17.8	2.0	1	05/18/21 07:40	05/19/21 08:29	50-32-8	
Benzo(b)fluoranthene	<2.5	ug/kg	17.8	2.5	1	05/18/21 07:40	05/19/21 08:29	205-99-2	
Benzo(g,h,i)perylene	<3.1	ug/kg	17.8	3.1	1	05/18/21 07:40	05/19/21 08:29	191-24-2	
Benzo(k)fluoranthene	<2.3	ug/kg	17.8	2.3	1	05/18/21 07:40	05/19/21 08:29	207-08-9	
Chrysene	<3.4	ug/kg	17.8	3.4	1	05/18/21 07:40	05/19/21 08:29	218-01-9	
Dibenz(a,h)anthracene	<2.5	ug/kg	17.8	2.5	1	05/18/21 07:40	05/19/21 08:29	53-70-3	
Fluoranthene	<2.1	ug/kg	17.8	2.1	1	05/18/21 07:40	05/19/21 08:29	206-44-0	
Fluorene	<2.1	ug/kg	17.8	2.1	1	05/18/21 07:40	05/19/21 08:29	86-73-7	
Indeno(1,2,3-cd)pyrene	<3.7	ug/kg	17.8	3.7	1	05/18/21 07:40	05/19/21 08:29	193-39-5	
1-Methylnaphthalene	<2.6	ug/kg	17.8	2.6	1	05/18/21 07:40	05/19/21 08:29	90-12-0	
2-Methylnaphthalene	<2.6	ug/kg	17.8	2.6	1	05/18/21 07:40	05/19/21 08:29	91-57-6	
Naphthalene	<1.7	ug/kg	17.8	1.7	1	05/18/21 07:40	05/19/21 08:29	91-20-3	
Phenanthrene	<2.0	ug/kg	17.8	2.0	1	05/18/21 07:40	05/19/21 08:29	85-01-8	
Pyrene	<2.6	ug/kg	17.8	2.6	1	05/18/21 07:40	05/19/21 08:29	129-00-0	
Surrogates									
2-Fluorobiphenyl (S)	47	%	36-86		1	05/18/21 07:40	05/19/21 08:29	321-60-8	
Terphenyl-d14 (S)	50	%	41-97		1	05/18/21 07:40	05/19/21 08:29	1718-51-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 9640A FONG FAMILY, LLC
Pace Project No.: 40226787

Sample: **G4-9 (32-36)** Lab ID: **40226787011** Collected: 05/10/21 14:20 Received: 05/12/21 09:05 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Med Level Normal List									
Analytical Method: EPA 8260 Preparation Method: EPA 5035/5030B									
Pace Analytical Services - Green Bay									
Benzene	<13.5	ug/kg	22.7	13.5	1	05/18/21 07:45	05/19/21 12:30	71-43-2	
Bromobenzene	<22.1	ug/kg	56.8	22.1	1	05/18/21 07:45	05/19/21 12:30	108-86-1	
Bromochloromethane	<15.6	ug/kg	56.8	15.6	1	05/18/21 07:45	05/19/21 12:30	74-97-5	
Bromodichloromethane	<13.5	ug/kg	56.8	13.5	1	05/18/21 07:45	05/19/21 12:30	75-27-4	
Bromoform	<250	ug/kg	284	250	1	05/18/21 07:45	05/19/21 12:30	75-25-2	L1
Bromomethane	<79.6	ug/kg	284	79.6	1	05/18/21 07:45	05/19/21 12:30	74-83-9	
n-Butylbenzene	<26.0	ug/kg	56.8	26.0	1	05/18/21 07:45	05/19/21 12:30	104-51-8	
sec-Butylbenzene	<13.8	ug/kg	56.8	13.8	1	05/18/21 07:45	05/19/21 12:30	135-98-8	
tert-Butylbenzene	<17.8	ug/kg	56.8	17.8	1	05/18/21 07:45	05/19/21 12:30	98-06-6	
Carbon tetrachloride	<12.5	ug/kg	56.8	12.5	1	05/18/21 07:45	05/19/21 12:30	56-23-5	
Chlorobenzene	<6.8	ug/kg	56.8	6.8	1	05/18/21 07:45	05/19/21 12:30	108-90-7	
Chloroethane	<24.0	ug/kg	284	24.0	1	05/18/21 07:45	05/19/21 12:30	75-00-3	
Chloroform	<40.6	ug/kg	284	40.6	1	05/18/21 07:45	05/19/21 12:30	67-66-3	
Chloromethane	<21.6	ug/kg	56.8	21.6	1	05/18/21 07:45	05/19/21 12:30	74-87-3	
2-Chlorotoluene	<18.4	ug/kg	56.8	18.4	1	05/18/21 07:45	05/19/21 12:30	95-49-8	
4-Chlorotoluene	<21.6	ug/kg	56.8	21.6	1	05/18/21 07:45	05/19/21 12:30	106-43-4	
1,2-Dibromo-3-chloropropane	<44.0	ug/kg	284	44.0	1	05/18/21 07:45	05/19/21 12:30	96-12-8	
Dibromochloromethane	<194	ug/kg	284	194	1	05/18/21 07:45	05/19/21 12:30	124-48-1	
1,2-Dibromoethane (EDB)	<15.6	ug/kg	56.8	15.6	1	05/18/21 07:45	05/19/21 12:30	106-93-4	
Dibromomethane	<16.8	ug/kg	56.8	16.8	1	05/18/21 07:45	05/19/21 12:30	74-95-3	
1,2-Dichlorobenzene	<17.6	ug/kg	56.8	17.6	1	05/18/21 07:45	05/19/21 12:30	95-50-1	
1,3-Dichlorobenzene	<15.6	ug/kg	56.8	15.6	1	05/18/21 07:45	05/19/21 12:30	541-73-1	
1,4-Dichlorobenzene	<15.6	ug/kg	56.8	15.6	1	05/18/21 07:45	05/19/21 12:30	106-46-7	
Dichlorodifluoromethane	<24.4	ug/kg	56.8	24.4	1	05/18/21 07:45	05/19/21 12:30	75-71-8	
1,1-Dichloroethane	<14.5	ug/kg	56.8	14.5	1	05/18/21 07:45	05/19/21 12:30	75-34-3	
1,2-Dichloroethane	<13.1	ug/kg	56.8	13.1	1	05/18/21 07:45	05/19/21 12:30	107-06-2	
1,1-Dichloroethene	<18.8	ug/kg	56.8	18.8	1	05/18/21 07:45	05/19/21 12:30	75-35-4	
cis-1,2-Dichloroethene	<12.1	ug/kg	56.8	12.1	1	05/18/21 07:45	05/19/21 12:30	156-59-2	
trans-1,2-Dichloroethene	<12.3	ug/kg	56.8	12.3	1	05/18/21 07:45	05/19/21 12:30	156-60-5	
1,2-Dichloropropane	<13.5	ug/kg	56.8	13.5	1	05/18/21 07:45	05/19/21 12:30	78-87-5	
1,3-Dichloropropane	<12.4	ug/kg	56.8	12.4	1	05/18/21 07:45	05/19/21 12:30	142-28-9	
2,2-Dichloropropane	<15.3	ug/kg	56.8	15.3	1	05/18/21 07:45	05/19/21 12:30	594-20-7	
1,1-Dichloropropene	<18.4	ug/kg	56.8	18.4	1	05/18/21 07:45	05/19/21 12:30	563-58-6	
cis-1,3-Dichloropropene	<37.5	ug/kg	284	37.5	1	05/18/21 07:45	05/19/21 12:30	10061-01-5	
trans-1,3-Dichloropropene	<162	ug/kg	284	162	1	05/18/21 07:45	05/19/21 12:30	10061-02-6	
Diisopropyl ether	<14.1	ug/kg	56.8	14.1	1	05/18/21 07:45	05/19/21 12:30	108-20-3	
Ethylbenzene	<13.5	ug/kg	56.8	13.5	1	05/18/21 07:45	05/19/21 12:30	100-41-4	
Hexachloro-1,3-butadiene	<113	ug/kg	284	113	1	05/18/21 07:45	05/19/21 12:30	87-68-3	
Isopropylbenzene (Cumene)	<15.3	ug/kg	56.8	15.3	1	05/18/21 07:45	05/19/21 12:30	98-82-8	
p-Isopropyltoluene	<17.3	ug/kg	56.8	17.3	1	05/18/21 07:45	05/19/21 12:30	99-87-6	
Methylene Chloride	19.3J	ug/kg	56.8	15.8	1	05/18/21 07:45	05/19/21 12:30	75-09-2	
Methyl-tert-butyl ether	<16.7	ug/kg	56.8	16.7	1	05/18/21 07:45	05/19/21 12:30	1634-04-4	
Naphthalene	<17.7	ug/kg	284	17.7	1	05/18/21 07:45	05/19/21 12:30	91-20-3	
n-Propylbenzene	<13.6	ug/kg	56.8	13.6	1	05/18/21 07:45	05/19/21 12:30	103-65-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 9640A FONG FAMILY, LLC
Pace Project No.: 40226787

Sample: G4-9 (32-36) **Lab ID: 40226787011** Collected: 05/10/21 14:20 Received: 05/12/21 09:05 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Med Level Normal List									
Analytical Method: EPA 8260 Preparation Method: EPA 5035/5030B Pace Analytical Services - Green Bay									
Styrene	<14.5	ug/kg	56.8	14.5	1	05/18/21 07:45	05/19/21 12:30	100-42-5	
1,1,1,2-Tetrachloroethane	<13.6	ug/kg	56.8	13.6	1	05/18/21 07:45	05/19/21 12:30	630-20-6	
1,1,2,2-Tetrachloroethane	<20.5	ug/kg	56.8	20.5	1	05/18/21 07:45	05/19/21 12:30	79-34-5	
Tetrachloroethene	<22.0	ug/kg	56.8	22.0	1	05/18/21 07:45	05/19/21 12:30	127-18-4	
Toluene	<14.3	ug/kg	56.8	14.3	1	05/18/21 07:45	05/19/21 12:30	108-88-3	
1,2,3-Trichlorobenzene	<63.2	ug/kg	284	63.2	1	05/18/21 07:45	05/19/21 12:30	87-61-6	
1,2,4-Trichlorobenzene	<46.8	ug/kg	284	46.8	1	05/18/21 07:45	05/19/21 12:30	120-82-1	
1,1,1-Trichloroethane	<14.5	ug/kg	56.8	14.5	1	05/18/21 07:45	05/19/21 12:30	71-55-6	
1,1,2-Trichloroethane	<20.7	ug/kg	56.8	20.7	1	05/18/21 07:45	05/19/21 12:30	79-00-5	
Trichloroethene	<21.2	ug/kg	56.8	21.2	1	05/18/21 07:45	05/19/21 12:30	79-01-6	
Trichlorofluoromethane	<16.5	ug/kg	56.8	16.5	1	05/18/21 07:45	05/19/21 12:30	75-69-4	
1,2,3-Trichloropropane	<27.6	ug/kg	56.8	27.6	1	05/18/21 07:45	05/19/21 12:30	96-18-4	
1,2,4-Trimethylbenzene	<16.9	ug/kg	56.8	16.9	1	05/18/21 07:45	05/19/21 12:30	95-63-6	
1,3,5-Trimethylbenzene	<18.3	ug/kg	56.8	18.3	1	05/18/21 07:45	05/19/21 12:30	108-67-8	
Vinyl chloride	<11.5	ug/kg	56.8	11.5	1	05/18/21 07:45	05/19/21 12:30	75-01-4	
m&p-Xylene	<24.0	ug/kg	114	24.0	1	05/18/21 07:45	05/19/21 12:30	179601-23-1	
o-Xylene	<17.0	ug/kg	56.8	17.0	1	05/18/21 07:45	05/19/21 12:30	95-47-6	
Surrogates									
Toluene-d8 (S)	86	%	67-159		1	05/18/21 07:45	05/19/21 12:30	2037-26-5	
4-Bromofluorobenzene (S)	76	%	66-153		1	05/18/21 07:45	05/19/21 12:30	460-00-4	
1,2-Dichlorobenzene-d4 (S)	90	%	82-158		1	05/18/21 07:45	05/19/21 12:30	2199-69-1	
Percent Moisture									
Analytical Method: ASTM D2974-87 Pace Analytical Services - Green Bay									
Percent Moisture	6.3	%	0.10	0.10	1		05/12/21 17:02		

Sample: G4-12 (45-48) **Lab ID: 40226787012** Collected: 05/10/21 14:35 Received: 05/12/21 09:05 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
6020 MET ICPMS									
Analytical Method: EPA 6020 Preparation Method: EPA 3050 Pace Analytical Services - Green Bay									
Arsenic	2.8	mg/kg	0.99	0.30	6.667	05/14/21 09:03	05/18/21 08:49	7440-38-2	
Lead	2.1	mg/kg	0.75	0.20	6.667	05/14/21 09:03	05/18/21 08:49	7439-92-1	
8270E MSSV PAH by SIM									
Analytical Method: EPA 8270E by SIM Preparation Method: EPA 3546 Pace Analytical Services - Green Bay									
Acenaphthene	<2.5	ug/kg	19.5	2.5	1	05/18/21 07:40	05/19/21 08:46	83-32-9	
Acenaphthylene	<2.5	ug/kg	19.5	2.5	1	05/18/21 07:40	05/19/21 08:46	208-96-8	
Anthracene	<2.4	ug/kg	19.5	2.4	1	05/18/21 07:40	05/19/21 08:46	120-12-7	
Benzo(a)anthracene	7.2J	ug/kg	19.5	2.5	1	05/18/21 07:40	05/19/21 08:46	56-55-3	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 9640A FONG FAMILY, LLC

Pace Project No.: 40226787

Sample: G4-12 (45-48) **Lab ID: 40226787012** Collected: 05/10/21 14:35 Received: 05/12/21 09:05 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8270E MSSV PAH by SIM									
Analytical Method: EPA 8270E by SIM Preparation Method: EPA 3546									
Pace Analytical Services - Green Bay									
Benzo(a)pyrene	6.4J	ug/kg	19.5	2.2	1	05/18/21 07:40	05/19/21 08:46	50-32-8	
Benzo(b)fluoranthene	8.8J	ug/kg	19.5	2.7	1	05/18/21 07:40	05/19/21 08:46	205-99-2	
Benzo(g,h,i)perylene	4.9J	ug/kg	19.5	3.4	1	05/18/21 07:40	05/19/21 08:46	191-24-2	
Benzo(k)fluoranthene	4.4J	ug/kg	19.5	2.5	1	05/18/21 07:40	05/19/21 08:46	207-08-9	
Chrysene	6.7J	ug/kg	19.5	3.7	1	05/18/21 07:40	05/19/21 08:46	218-01-9	
Dibenz(a,h)anthracene	<2.7	ug/kg	19.5	2.7	1	05/18/21 07:40	05/19/21 08:46	53-70-3	
Fluoranthene	11.6J	ug/kg	19.5	2.3	1	05/18/21 07:40	05/19/21 08:46	206-44-0	
Fluorene	<2.3	ug/kg	19.5	2.3	1	05/18/21 07:40	05/19/21 08:46	86-73-7	
Indeno(1,2,3-cd)pyrene	4.2J	ug/kg	19.5	4.1	1	05/18/21 07:40	05/19/21 08:46	193-39-5	
1-Methylnaphthalene	<2.9	ug/kg	19.5	2.9	1	05/18/21 07:40	05/19/21 08:46	90-12-0	
2-Methylnaphthalene	<2.9	ug/kg	19.5	2.9	1	05/18/21 07:40	05/19/21 08:46	91-57-6	
Naphthalene	<1.9	ug/kg	19.5	1.9	1	05/18/21 07:40	05/19/21 08:46	91-20-3	
Phenanthrene	4.9J	ug/kg	19.5	2.2	1	05/18/21 07:40	05/19/21 08:46	85-01-8	
Pyrene	10.9J	ug/kg	19.5	2.9	1	05/18/21 07:40	05/19/21 08:46	129-00-0	
Surrogates									
2-Fluorobiphenyl (S)	55	%	36-86		1	05/18/21 07:40	05/19/21 08:46	321-60-8	
Terphenyl-d14 (S)	67	%	41-97		1	05/18/21 07:40	05/19/21 08:46	1718-51-0	
8260 MSV Med Level Normal List									
Analytical Method: EPA 8260 Preparation Method: EPA 5035/5030B									
Pace Analytical Services - Green Bay									
Benzene	<16.0	ug/kg	26.9	16.0	1	05/18/21 07:45	05/19/21 12:50	71-43-2	
Bromobenzene	<26.2	ug/kg	67.2	26.2	1	05/18/21 07:45	05/19/21 12:50	108-86-1	
Bromochloromethane	<18.4	ug/kg	67.2	18.4	1	05/18/21 07:45	05/19/21 12:50	74-97-5	
Bromodichloromethane	<16.0	ug/kg	67.2	16.0	1	05/18/21 07:45	05/19/21 12:50	75-27-4	
Bromoform	<296	ug/kg	336	296	1	05/18/21 07:45	05/19/21 12:50	75-25-2	L1
Bromomethane	<94.2	ug/kg	336	94.2	1	05/18/21 07:45	05/19/21 12:50	74-83-9	
n-Butylbenzene	<30.8	ug/kg	67.2	30.8	1	05/18/21 07:45	05/19/21 12:50	104-51-8	
sec-Butylbenzene	<16.4	ug/kg	67.2	16.4	1	05/18/21 07:45	05/19/21 12:50	135-98-8	
tert-Butylbenzene	<21.1	ug/kg	67.2	21.1	1	05/18/21 07:45	05/19/21 12:50	98-06-6	
Carbon tetrachloride	<14.8	ug/kg	67.2	14.8	1	05/18/21 07:45	05/19/21 12:50	56-23-5	
Chlorobenzene	<8.1	ug/kg	67.2	8.1	1	05/18/21 07:45	05/19/21 12:50	108-90-7	
Chloroethane	<28.4	ug/kg	336	28.4	1	05/18/21 07:45	05/19/21 12:50	75-00-3	
Chloroform	<48.1	ug/kg	336	48.1	1	05/18/21 07:45	05/19/21 12:50	67-66-3	
Chloromethane	<25.5	ug/kg	67.2	25.5	1	05/18/21 07:45	05/19/21 12:50	74-87-3	
2-Chlorotoluene	<21.8	ug/kg	67.2	21.8	1	05/18/21 07:45	05/19/21 12:50	95-49-8	
4-Chlorotoluene	<25.5	ug/kg	67.2	25.5	1	05/18/21 07:45	05/19/21 12:50	106-43-4	
1,2-Dibromo-3-chloropropane	<52.2	ug/kg	336	52.2	1	05/18/21 07:45	05/19/21 12:50	96-12-8	
Dibromochloromethane	<230	ug/kg	336	230	1	05/18/21 07:45	05/19/21 12:50	124-48-1	
1,2-Dibromoethane (EDB)	<18.4	ug/kg	67.2	18.4	1	05/18/21 07:45	05/19/21 12:50	106-93-4	
Dibromomethane	<19.9	ug/kg	67.2	19.9	1	05/18/21 07:45	05/19/21 12:50	74-95-3	
1,2-Dichlorobenzene	<20.8	ug/kg	67.2	20.8	1	05/18/21 07:45	05/19/21 12:50	95-50-1	
1,3-Dichlorobenzene	<18.4	ug/kg	67.2	18.4	1	05/18/21 07:45	05/19/21 12:50	541-73-1	
1,4-Dichlorobenzene	<18.4	ug/kg	67.2	18.4	1	05/18/21 07:45	05/19/21 12:50	106-46-7	
Dichlorodifluoromethane	<28.9	ug/kg	67.2	28.9	1	05/18/21 07:45	05/19/21 12:50	75-71-8	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 9640A FONG FAMILY, LLC
Pace Project No.: 40226787

Sample: G4-12 (45-48) **Lab ID: 40226787012** Collected: 05/10/21 14:35 Received: 05/12/21 09:05 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Med Level Normal List									
Analytical Method: EPA 8260 Preparation Method: EPA 5035/5030B									
Pace Analytical Services - Green Bay									
1,1-Dichloroethane	<17.2	ug/kg	67.2	17.2	1	05/18/21 07:45	05/19/21 12:50	75-34-3	
1,2-Dichloroethane	<15.5	ug/kg	67.2	15.5	1	05/18/21 07:45	05/19/21 12:50	107-06-2	
1,1-Dichloroethene	<22.3	ug/kg	67.2	22.3	1	05/18/21 07:45	05/19/21 12:50	75-35-4	
cis-1,2-Dichloroethene	<14.4	ug/kg	67.2	14.4	1	05/18/21 07:45	05/19/21 12:50	156-59-2	
trans-1,2-Dichloroethene	<14.5	ug/kg	67.2	14.5	1	05/18/21 07:45	05/19/21 12:50	156-60-5	
1,2-Dichloropropane	<16.0	ug/kg	67.2	16.0	1	05/18/21 07:45	05/19/21 12:50	78-87-5	
1,3-Dichloropropane	<14.7	ug/kg	67.2	14.7	1	05/18/21 07:45	05/19/21 12:50	142-28-9	
2,2-Dichloropropane	<18.1	ug/kg	67.2	18.1	1	05/18/21 07:45	05/19/21 12:50	594-20-7	
1,1-Dichloropropene	<21.8	ug/kg	67.2	21.8	1	05/18/21 07:45	05/19/21 12:50	563-58-6	
cis-1,3-Dichloropropene	<44.4	ug/kg	336	44.4	1	05/18/21 07:45	05/19/21 12:50	10061-01-5	
trans-1,3-Dichloropropene	<192	ug/kg	336	192	1	05/18/21 07:45	05/19/21 12:50	10061-02-6	
Diisopropyl ether	<16.7	ug/kg	67.2	16.7	1	05/18/21 07:45	05/19/21 12:50	108-20-3	
Ethylbenzene	<16.0	ug/kg	67.2	16.0	1	05/18/21 07:45	05/19/21 12:50	100-41-4	
Hexachloro-1,3-butadiene	<134	ug/kg	336	134	1	05/18/21 07:45	05/19/21 12:50	87-68-3	
Isopropylbenzene (Cumene)	<18.1	ug/kg	67.2	18.1	1	05/18/21 07:45	05/19/21 12:50	98-82-8	
p-Isopropyltoluene	<20.4	ug/kg	67.2	20.4	1	05/18/21 07:45	05/19/21 12:50	99-87-6	
Methylene Chloride	<18.7	ug/kg	67.2	18.7	1	05/18/21 07:45	05/19/21 12:50	75-09-2	
Methyl-tert-butyl ether	<19.8	ug/kg	67.2	19.8	1	05/18/21 07:45	05/19/21 12:50	1634-04-4	
Naphthalene	<21.0	ug/kg	336	21.0	1	05/18/21 07:45	05/19/21 12:50	91-20-3	
n-Propylbenzene	<16.1	ug/kg	67.2	16.1	1	05/18/21 07:45	05/19/21 12:50	103-65-1	
Styrene	<17.2	ug/kg	67.2	17.2	1	05/18/21 07:45	05/19/21 12:50	100-42-5	
1,1,1,2-Tetrachloroethane	<16.1	ug/kg	67.2	16.1	1	05/18/21 07:45	05/19/21 12:50	630-20-6	
1,1,2,2-Tetrachloroethane	<24.3	ug/kg	67.2	24.3	1	05/18/21 07:45	05/19/21 12:50	79-34-5	
Tetrachloroethene	<26.1	ug/kg	67.2	26.1	1	05/18/21 07:45	05/19/21 12:50	127-18-4	
Toluene	<16.9	ug/kg	67.2	16.9	1	05/18/21 07:45	05/19/21 12:50	108-88-3	
1,2,3-Trichlorobenzene	<74.9	ug/kg	336	74.9	1	05/18/21 07:45	05/19/21 12:50	87-61-6	
1,2,4-Trichlorobenzene	<55.4	ug/kg	336	55.4	1	05/18/21 07:45	05/19/21 12:50	120-82-1	
1,1,1-Trichloroethane	<17.2	ug/kg	67.2	17.2	1	05/18/21 07:45	05/19/21 12:50	71-55-6	
1,1,2-Trichloroethane	<24.5	ug/kg	67.2	24.5	1	05/18/21 07:45	05/19/21 12:50	79-00-5	
Trichloroethene	<25.1	ug/kg	67.2	25.1	1	05/18/21 07:45	05/19/21 12:50	79-01-6	
Trichlorofluoromethane	<19.5	ug/kg	67.2	19.5	1	05/18/21 07:45	05/19/21 12:50	75-69-4	
1,2,3-Trichloropropane	<32.7	ug/kg	67.2	32.7	1	05/18/21 07:45	05/19/21 12:50	96-18-4	
1,2,4-Trimethylbenzene	<20.0	ug/kg	67.2	20.0	1	05/18/21 07:45	05/19/21 12:50	95-63-6	
1,3,5-Trimethylbenzene	<21.6	ug/kg	67.2	21.6	1	05/18/21 07:45	05/19/21 12:50	108-67-8	
Vinyl chloride	<13.6	ug/kg	67.2	13.6	1	05/18/21 07:45	05/19/21 12:50	75-01-4	
m&p-Xylene	<28.4	ug/kg	134	28.4	1	05/18/21 07:45	05/19/21 12:50	179601-23-1	
o-Xylene	<20.2	ug/kg	67.2	20.2	1	05/18/21 07:45	05/19/21 12:50	95-47-6	
Surrogates									
Toluene-d8 (S)	99	%	67-159		1	05/18/21 07:45	05/19/21 12:50	2037-26-5	
4-Bromofluorobenzene (S)	92	%	66-153		1	05/18/21 07:45	05/19/21 12:50	460-00-4	
1,2-Dichlorobenzene-d4 (S)	106	%	82-158		1	05/18/21 07:45	05/19/21 12:50	2199-69-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 9640A FONG FAMILY, LLC

Pace Project No.: 40226787

Sample: G4-12 (45-48) **Lab ID: 40226787012** Collected: 05/10/21 14:35 Received: 05/12/21 09:05 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
Percent Moisture									
Analytical Method: ASTM D2974-87									
Pace Analytical Services - Green Bay									
Percent Moisture	14.7	%	0.10	0.10	1		05/12/21 17:02		

Sample: G5-1 (2.5-4) **Lab ID: 40226787013** Collected: 05/10/21 15:40 Received: 05/12/21 09:05 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
6020 MET ICPMS									
Analytical Method: EPA 6020 Preparation Method: EPA 3050									
Pace Analytical Services - Green Bay									
Arsenic	1.6	mg/kg	0.88	0.26	6.667	05/14/21 09:03	05/18/21 08:56	7440-38-2	
Lead	32.0	mg/kg	0.67	0.18	6.667	05/14/21 09:03	05/18/21 08:56	7439-92-1	
8270E MSSV PAH by SIM									
Analytical Method: EPA 8270E by SIM Preparation Method: EPA 3546									
Pace Analytical Services - Green Bay									
Acenaphthene	<2.3	ug/kg	17.7	2.3	1	05/18/21 07:40	05/19/21 09:03	83-32-9	
Acenaphthylene	<2.2	ug/kg	17.7	2.2	1	05/18/21 07:40	05/19/21 09:03	208-96-8	
Anthracene	<2.2	ug/kg	17.7	2.2	1	05/18/21 07:40	05/19/21 09:03	120-12-7	
Benzo(a)anthracene	6.7J	ug/kg	17.7	2.3	1	05/18/21 07:40	05/19/21 09:03	56-55-3	
Benzo(a)pyrene	6.1J	ug/kg	17.7	2.0	1	05/18/21 07:40	05/19/21 09:03	50-32-8	
Benzo(b)fluoranthene	8.3J	ug/kg	17.7	2.5	1	05/18/21 07:40	05/19/21 09:03	205-99-2	
Benzo(g,h,i)perylene	4.6J	ug/kg	17.7	3.1	1	05/18/21 07:40	05/19/21 09:03	191-24-2	
Benzo(k)fluoranthene	4.1J	ug/kg	17.7	2.3	1	05/18/21 07:40	05/19/21 09:03	207-08-9	
Chrysene	6.4J	ug/kg	17.7	3.3	1	05/18/21 07:40	05/19/21 09:03	218-01-9	
Dibenz(a,h)anthracene	<2.4	ug/kg	17.7	2.4	1	05/18/21 07:40	05/19/21 09:03	53-70-3	
Fluoranthene	10.7J	ug/kg	17.7	2.1	1	05/18/21 07:40	05/19/21 09:03	206-44-0	
Fluorene	<2.1	ug/kg	17.7	2.1	1	05/18/21 07:40	05/19/21 09:03	86-73-7	
Indeno(1,2,3-cd)pyrene	3.9J	ug/kg	17.7	3.7	1	05/18/21 07:40	05/19/21 09:03	193-39-5	
1-Methylnaphthalene	<2.6	ug/kg	17.7	2.6	1	05/18/21 07:40	05/19/21 09:03	90-12-0	
2-Methylnaphthalene	<2.6	ug/kg	17.7	2.6	1	05/18/21 07:40	05/19/21 09:03	91-57-6	
Naphthalene	<1.7	ug/kg	17.7	1.7	1	05/18/21 07:40	05/19/21 09:03	91-20-3	
Phenanthrene	2.6J	ug/kg	17.7	2.0	1	05/18/21 07:40	05/19/21 09:03	85-01-8	
Pyrene	9.5J	ug/kg	17.7	2.6	1	05/18/21 07:40	05/19/21 09:03	129-00-0	
Surrogates									
2-Fluorobiphenyl (S)	63	%	36-86		1	05/18/21 07:40	05/19/21 09:03	321-60-8	
Terphenyl-d14 (S)	71	%	41-97		1	05/18/21 07:40	05/19/21 09:03	1718-51-0	
8260 MSV Med Level Normal List									
Analytical Method: EPA 8260 Preparation Method: EPA 5035/5030B									
Pace Analytical Services - Green Bay									
Benzene	<13.3	ug/kg	22.4	13.3	1	05/18/21 07:45	05/19/21 13:10	71-43-2	
Bromobenzene	<21.8	ug/kg	56.0	21.8	1	05/18/21 07:45	05/19/21 13:10	108-86-1	
Bromochloromethane	<15.3	ug/kg	56.0	15.3	1	05/18/21 07:45	05/19/21 13:10	74-97-5	
Bromodichloromethane	<13.3	ug/kg	56.0	13.3	1	05/18/21 07:45	05/19/21 13:10	75-27-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 9640A FONG FAMILY, LLC
Pace Project No.: 40226787

Sample: G5-1 (2.5-4) **Lab ID: 40226787013** Collected: 05/10/21 15:40 Received: 05/12/21 09:05 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Med Level Normal List									
Analytical Method: EPA 8260 Preparation Method: EPA 5035/5030B									
Pace Analytical Services - Green Bay									
Bromoform	<246	ug/kg	280	246	1	05/18/21 07:45	05/19/21 13:10	75-25-2	L1
Bromomethane	<78.5	ug/kg	280	78.5	1	05/18/21 07:45	05/19/21 13:10	74-83-9	
n-Butylbenzene	<25.6	ug/kg	56.0	25.6	1	05/18/21 07:45	05/19/21 13:10	104-51-8	
sec-Butylbenzene	<13.7	ug/kg	56.0	13.7	1	05/18/21 07:45	05/19/21 13:10	135-98-8	
tert-Butylbenzene	<17.6	ug/kg	56.0	17.6	1	05/18/21 07:45	05/19/21 13:10	98-06-6	
Carbon tetrachloride	<12.3	ug/kg	56.0	12.3	1	05/18/21 07:45	05/19/21 13:10	56-23-5	
Chlorobenzene	<6.7	ug/kg	56.0	6.7	1	05/18/21 07:45	05/19/21 13:10	108-90-7	
Chloroethane	<23.6	ug/kg	280	23.6	1	05/18/21 07:45	05/19/21 13:10	75-00-3	
Chloroform	<40.1	ug/kg	280	40.1	1	05/18/21 07:45	05/19/21 13:10	67-66-3	
Chloromethane	<21.3	ug/kg	56.0	21.3	1	05/18/21 07:45	05/19/21 13:10	74-87-3	
2-Chlorotoluene	<18.1	ug/kg	56.0	18.1	1	05/18/21 07:45	05/19/21 13:10	95-49-8	
4-Chlorotoluene	<21.3	ug/kg	56.0	21.3	1	05/18/21 07:45	05/19/21 13:10	106-43-4	
1,2-Dibromo-3-chloropropane	<43.4	ug/kg	280	43.4	1	05/18/21 07:45	05/19/21 13:10	96-12-8	
Dibromochloromethane	<191	ug/kg	280	191	1	05/18/21 07:45	05/19/21 13:10	124-48-1	
1,2-Dibromoethane (EDB)	<15.3	ug/kg	56.0	15.3	1	05/18/21 07:45	05/19/21 13:10	106-93-4	
Dibromomethane	<16.6	ug/kg	56.0	16.6	1	05/18/21 07:45	05/19/21 13:10	74-95-3	
1,2-Dichlorobenzene	<17.4	ug/kg	56.0	17.4	1	05/18/21 07:45	05/19/21 13:10	95-50-1	
1,3-Dichlorobenzene	<15.3	ug/kg	56.0	15.3	1	05/18/21 07:45	05/19/21 13:10	541-73-1	
1,4-Dichlorobenzene	<15.3	ug/kg	56.0	15.3	1	05/18/21 07:45	05/19/21 13:10	106-46-7	
Dichlorodifluoromethane	<24.1	ug/kg	56.0	24.1	1	05/18/21 07:45	05/19/21 13:10	75-71-8	
1,1-Dichloroethane	<14.3	ug/kg	56.0	14.3	1	05/18/21 07:45	05/19/21 13:10	75-34-3	
1,2-Dichloroethane	<12.9	ug/kg	56.0	12.9	1	05/18/21 07:45	05/19/21 13:10	107-06-2	
1,1-Dichloroethene	<18.6	ug/kg	56.0	18.6	1	05/18/21 07:45	05/19/21 13:10	75-35-4	
cis-1,2-Dichloroethene	<12.0	ug/kg	56.0	12.0	1	05/18/21 07:45	05/19/21 13:10	156-59-2	
trans-1,2-Dichloroethene	<12.1	ug/kg	56.0	12.1	1	05/18/21 07:45	05/19/21 13:10	156-60-5	
1,2-Dichloropropane	<13.3	ug/kg	56.0	13.3	1	05/18/21 07:45	05/19/21 13:10	78-87-5	
1,3-Dichloropropane	<12.2	ug/kg	56.0	12.2	1	05/18/21 07:45	05/19/21 13:10	142-28-9	
2,2-Dichloropropane	<15.1	ug/kg	56.0	15.1	1	05/18/21 07:45	05/19/21 13:10	594-20-7	
1,1-Dichloropropene	<18.1	ug/kg	56.0	18.1	1	05/18/21 07:45	05/19/21 13:10	563-58-6	
cis-1,3-Dichloropropene	<36.9	ug/kg	280	36.9	1	05/18/21 07:45	05/19/21 13:10	10061-01-5	
trans-1,3-Dichloropropene	<160	ug/kg	280	160	1	05/18/21 07:45	05/19/21 13:10	10061-02-6	
Diisopropyl ether	<13.9	ug/kg	56.0	13.9	1	05/18/21 07:45	05/19/21 13:10	108-20-3	
Ethylbenzene	<13.3	ug/kg	56.0	13.3	1	05/18/21 07:45	05/19/21 13:10	100-41-4	
Hexachloro-1,3-butadiene	<111	ug/kg	280	111	1	05/18/21 07:45	05/19/21 13:10	87-68-3	
Isopropylbenzene (Cumene)	<15.1	ug/kg	56.0	15.1	1	05/18/21 07:45	05/19/21 13:10	98-82-8	
p-Isopropyltoluene	<17.0	ug/kg	56.0	17.0	1	05/18/21 07:45	05/19/21 13:10	99-87-6	
Methylene Chloride	20.1J	ug/kg	56.0	15.6	1	05/18/21 07:45	05/19/21 13:10	75-09-2	
Methyl-tert-butyl ether	<16.5	ug/kg	56.0	16.5	1	05/18/21 07:45	05/19/21 13:10	1634-04-4	
Naphthalene	<17.5	ug/kg	280	17.5	1	05/18/21 07:45	05/19/21 13:10	91-20-3	
n-Propylbenzene	<13.4	ug/kg	56.0	13.4	1	05/18/21 07:45	05/19/21 13:10	103-65-1	
Styrene	<14.3	ug/kg	56.0	14.3	1	05/18/21 07:45	05/19/21 13:10	100-42-5	
1,1,1,2-Tetrachloroethane	<13.4	ug/kg	56.0	13.4	1	05/18/21 07:45	05/19/21 13:10	630-20-6	
1,1,2,2-Tetrachloroethane	<20.3	ug/kg	56.0	20.3	1	05/18/21 07:45	05/19/21 13:10	79-34-5	
Tetrachloroethene	<21.7	ug/kg	56.0	21.7	1	05/18/21 07:45	05/19/21 13:10	127-18-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 9640A FONG FAMILY, LLC
Pace Project No.: 40226787

Sample: G5-1 (2.5-4) **Lab ID: 40226787013** Collected: 05/10/21 15:40 Received: 05/12/21 09:05 Matrix: Solid
Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Med Level Normal List									
Analytical Method: EPA 8260 Preparation Method: EPA 5035/5030B Pace Analytical Services - Green Bay									
Toluene	<14.1	ug/kg	56.0	14.1	1	05/18/21 07:45	05/19/21 13:10	108-88-3	
1,2,3-Trichlorobenzene	<62.4	ug/kg	280	62.4	1	05/18/21 07:45	05/19/21 13:10	87-61-6	
1,2,4-Trichlorobenzene	<46.1	ug/kg	280	46.1	1	05/18/21 07:45	05/19/21 13:10	120-82-1	
1,1,1-Trichloroethane	<14.3	ug/kg	56.0	14.3	1	05/18/21 07:45	05/19/21 13:10	71-55-6	
1,1,2-Trichloroethane	<20.4	ug/kg	56.0	20.4	1	05/18/21 07:45	05/19/21 13:10	79-00-5	
Trichloroethene	<20.9	ug/kg	56.0	20.9	1	05/18/21 07:45	05/19/21 13:10	79-01-6	
Trichlorofluoromethane	<16.2	ug/kg	56.0	16.2	1	05/18/21 07:45	05/19/21 13:10	75-69-4	
1,2,3-Trichloropropane	<27.2	ug/kg	56.0	27.2	1	05/18/21 07:45	05/19/21 13:10	96-18-4	
1,2,4-Trimethylbenzene	<16.7	ug/kg	56.0	16.7	1	05/18/21 07:45	05/19/21 13:10	95-63-6	
1,3,5-Trimethylbenzene	<18.0	ug/kg	56.0	18.0	1	05/18/21 07:45	05/19/21 13:10	108-67-8	
Vinyl chloride	<11.3	ug/kg	56.0	11.3	1	05/18/21 07:45	05/19/21 13:10	75-01-4	
m&p-Xylene	<23.6	ug/kg	112	23.6	1	05/18/21 07:45	05/19/21 13:10	179601-23-1	
o-Xylene	<16.8	ug/kg	56.0	16.8	1	05/18/21 07:45	05/19/21 13:10	95-47-6	
Surrogates									
Toluene-d8 (S)	94	%	67-159		1	05/18/21 07:45	05/19/21 13:10	2037-26-5	
4-Bromofluorobenzene (S)	89	%	66-153		1	05/18/21 07:45	05/19/21 13:10	460-00-4	
1,2-Dichlorobenzene-d4 (S)	101	%	82-158		1	05/18/21 07:45	05/19/21 13:10	2199-69-1	

Percent Moisture									
Analytical Method: ASTM D2974-87 Pace Analytical Services - Green Bay									
Percent Moisture	5.6	%	0.10	0.10	1		05/12/21 17:02		

Sample: G5-9 (32-36) **Lab ID: 40226787014** Collected: 05/10/21 15:55 Received: 05/12/21 09:05 Matrix: Solid
Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
6020 MET ICPMS									
Analytical Method: EPA 6020 Preparation Method: EPA 3050 Pace Analytical Services - Green Bay									
Arsenic	0.67J	mg/kg	0.86	0.26	6.667	05/14/21 09:03	05/18/21 09:03	7440-38-2	D3
Lead	1.4	mg/kg	0.65	0.18	6.667	05/14/21 09:03	05/18/21 09:03	7439-92-1	
8270E MSSV PAH by SIM									
Analytical Method: EPA 8270E by SIM Preparation Method: EPA 3546 Pace Analytical Services - Green Bay									
Acenaphthene	<2.2	ug/kg	17.3	2.2	1	05/18/21 07:40	05/19/21 09:20	83-32-9	
Acenaphthylene	<2.2	ug/kg	17.3	2.2	1	05/18/21 07:40	05/19/21 09:20	208-96-8	
Anthracene	<2.1	ug/kg	17.3	2.1	1	05/18/21 07:40	05/19/21 09:20	120-12-7	
Benzo(a)anthracene	<2.2	ug/kg	17.3	2.2	1	05/18/21 07:40	05/19/21 09:20	56-55-3	
Benzo(a)pyrene	<2.0	ug/kg	17.3	2.0	1	05/18/21 07:40	05/19/21 09:20	50-32-8	
Benzo(b)fluoranthene	<2.4	ug/kg	17.3	2.4	1	05/18/21 07:40	05/19/21 09:20	205-99-2	
Benzo(g,h,i)perylene	<3.0	ug/kg	17.3	3.0	1	05/18/21 07:40	05/19/21 09:20	191-24-2	
Benzo(k)fluoranthene	<2.2	ug/kg	17.3	2.2	1	05/18/21 07:40	05/19/21 09:20	207-08-9	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 9640A FONG FAMILY, LLC
Pace Project No.: 40226787

Sample: G5-9 (32-36) Lab ID: 40226787014 Collected: 05/10/21 15:55 Received: 05/12/21 09:05 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8270E MSSV PAH by SIM									
Analytical Method: EPA 8270E by SIM Preparation Method: EPA 3546									
Pace Analytical Services - Green Bay									
Chrysene	<3.3	ug/kg	17.3	3.3	1	05/18/21 07:40	05/19/21 09:20	218-01-9	
Dibenz(a,h)anthracene	<2.4	ug/kg	17.3	2.4	1	05/18/21 07:40	05/19/21 09:20	53-70-3	
Fluoranthene	<2.0	ug/kg	17.3	2.0	1	05/18/21 07:40	05/19/21 09:20	206-44-0	
Fluorene	<2.1	ug/kg	17.3	2.1	1	05/18/21 07:40	05/19/21 09:20	86-73-7	
Indeno(1,2,3-cd)pyrene	<3.6	ug/kg	17.3	3.6	1	05/18/21 07:40	05/19/21 09:20	193-39-5	
1-Methylnaphthalene	<2.5	ug/kg	17.3	2.5	1	05/18/21 07:40	05/19/21 09:20	90-12-0	
2-Methylnaphthalene	<2.5	ug/kg	17.3	2.5	1	05/18/21 07:40	05/19/21 09:20	91-57-6	
Naphthalene	<1.7	ug/kg	17.3	1.7	1	05/18/21 07:40	05/19/21 09:20	91-20-3	
Phenanthrene	<2.0	ug/kg	17.3	2.0	1	05/18/21 07:40	05/19/21 09:20	85-01-8	
Pyrene	<2.5	ug/kg	17.3	2.5	1	05/18/21 07:40	05/19/21 09:20	129-00-0	
Surrogates									
2-Fluorobiphenyl (S)	44	%	36-86		1	05/18/21 07:40	05/19/21 09:20	321-60-8	
Terphenyl-d14 (S)	46	%	41-97		1	05/18/21 07:40	05/19/21 09:20	1718-51-0	
8260 MSV Med Level Normal List									
Analytical Method: EPA 8260 Preparation Method: EPA 5035/5030B									
Pace Analytical Services - Green Bay									
Benzene	<12.8	ug/kg	21.5	12.8	1	05/18/21 07:45	05/19/21 13:30	71-43-2	
Bromobenzene	<20.9	ug/kg	53.6	20.9	1	05/18/21 07:45	05/19/21 13:30	108-86-1	
Bromochloromethane	<14.7	ug/kg	53.6	14.7	1	05/18/21 07:45	05/19/21 13:30	74-97-5	
Bromodichloromethane	<12.8	ug/kg	53.6	12.8	1	05/18/21 07:45	05/19/21 13:30	75-27-4	
Bromoform	<236	ug/kg	268	236	1	05/18/21 07:45	05/19/21 13:30	75-25-2	L1
Bromomethane	<75.2	ug/kg	268	75.2	1	05/18/21 07:45	05/19/21 13:30	74-83-9	
n-Butylbenzene	<24.6	ug/kg	53.6	24.6	1	05/18/21 07:45	05/19/21 13:30	104-51-8	
sec-Butylbenzene	<13.1	ug/kg	53.6	13.1	1	05/18/21 07:45	05/19/21 13:30	135-98-8	
tert-Butylbenzene	<16.8	ug/kg	53.6	16.8	1	05/18/21 07:45	05/19/21 13:30	98-06-6	
Carbon tetrachloride	<11.8	ug/kg	53.6	11.8	1	05/18/21 07:45	05/19/21 13:30	56-23-5	
Chlorobenzene	<6.4	ug/kg	53.6	6.4	1	05/18/21 07:45	05/19/21 13:30	108-90-7	
Chloroethane	<22.6	ug/kg	268	22.6	1	05/18/21 07:45	05/19/21 13:30	75-00-3	
Chloroform	<38.4	ug/kg	268	38.4	1	05/18/21 07:45	05/19/21 13:30	67-66-3	
Chloromethane	<20.4	ug/kg	53.6	20.4	1	05/18/21 07:45	05/19/21 13:30	74-87-3	
2-Chlorotoluene	<17.4	ug/kg	53.6	17.4	1	05/18/21 07:45	05/19/21 13:30	95-49-8	
4-Chlorotoluene	<20.4	ug/kg	53.6	20.4	1	05/18/21 07:45	05/19/21 13:30	106-43-4	
1,2-Dibromo-3-chloropropane	<41.6	ug/kg	268	41.6	1	05/18/21 07:45	05/19/21 13:30	96-12-8	
Dibromochloromethane	<183	ug/kg	268	183	1	05/18/21 07:45	05/19/21 13:30	124-48-1	
1,2-Dibromoethane (EDB)	<14.7	ug/kg	53.6	14.7	1	05/18/21 07:45	05/19/21 13:30	106-93-4	
Dibromomethane	<15.9	ug/kg	53.6	15.9	1	05/18/21 07:45	05/19/21 13:30	74-95-3	
1,2-Dichlorobenzene	<16.6	ug/kg	53.6	16.6	1	05/18/21 07:45	05/19/21 13:30	95-50-1	
1,3-Dichlorobenzene	<14.7	ug/kg	53.6	14.7	1	05/18/21 07:45	05/19/21 13:30	541-73-1	
1,4-Dichlorobenzene	<14.7	ug/kg	53.6	14.7	1	05/18/21 07:45	05/19/21 13:30	106-46-7	
Dichlorodifluoromethane	<23.1	ug/kg	53.6	23.1	1	05/18/21 07:45	05/19/21 13:30	75-71-8	
1,1-Dichloroethane	<13.7	ug/kg	53.6	13.7	1	05/18/21 07:45	05/19/21 13:30	75-34-3	
1,2-Dichloroethane	<12.3	ug/kg	53.6	12.3	1	05/18/21 07:45	05/19/21 13:30	107-06-2	
1,1-Dichloroethene	<17.8	ug/kg	53.6	17.8	1	05/18/21 07:45	05/19/21 13:30	75-35-4	
cis-1,2-Dichloroethene	<11.5	ug/kg	53.6	11.5	1	05/18/21 07:45	05/19/21 13:30	156-59-2	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 9640A FONG FAMILY, LLC
Pace Project No.: 40226787

Sample: G5-9 (32-36) **Lab ID: 40226787014** Collected: 05/10/21 15:55 Received: 05/12/21 09:05 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Med Level Normal List									
Analytical Method: EPA 8260 Preparation Method: EPA 5035/5030B									
Pace Analytical Services - Green Bay									
trans-1,2-Dichloroethene	<11.6	ug/kg	53.6	11.6	1	05/18/21 07:45	05/19/21 13:30	156-60-5	
1,2-Dichloropropane	<12.8	ug/kg	53.6	12.8	1	05/18/21 07:45	05/19/21 13:30	78-87-5	
1,3-Dichloropropane	<11.7	ug/kg	53.6	11.7	1	05/18/21 07:45	05/19/21 13:30	142-28-9	
2,2-Dichloropropane	<14.5	ug/kg	53.6	14.5	1	05/18/21 07:45	05/19/21 13:30	594-20-7	
1,1-Dichloropropene	<17.4	ug/kg	53.6	17.4	1	05/18/21 07:45	05/19/21 13:30	563-58-6	
cis-1,3-Dichloropropene	<35.4	ug/kg	268	35.4	1	05/18/21 07:45	05/19/21 13:30	10061-01-5	
trans-1,3-Dichloropropene	<153	ug/kg	268	153	1	05/18/21 07:45	05/19/21 13:30	10061-02-6	
Diisopropyl ether	<13.3	ug/kg	53.6	13.3	1	05/18/21 07:45	05/19/21 13:30	108-20-3	
Ethylbenzene	<12.8	ug/kg	53.6	12.8	1	05/18/21 07:45	05/19/21 13:30	100-41-4	
Hexachloro-1,3-butadiene	<107	ug/kg	268	107	1	05/18/21 07:45	05/19/21 13:30	87-68-3	
Isopropylbenzene (Cumene)	<14.5	ug/kg	53.6	14.5	1	05/18/21 07:45	05/19/21 13:30	98-82-8	
p-Isopropyltoluene	<16.3	ug/kg	53.6	16.3	1	05/18/21 07:45	05/19/21 13:30	99-87-6	
Methylene Chloride	<14.9	ug/kg	53.6	14.9	1	05/18/21 07:45	05/19/21 13:30	75-09-2	
Methyl-tert-butyl ether	<15.8	ug/kg	53.6	15.8	1	05/18/21 07:45	05/19/21 13:30	1634-04-4	
Naphthalene	<16.7	ug/kg	268	16.7	1	05/18/21 07:45	05/19/21 13:30	91-20-3	
n-Propylbenzene	<12.9	ug/kg	53.6	12.9	1	05/18/21 07:45	05/19/21 13:30	103-65-1	
Styrene	<13.7	ug/kg	53.6	13.7	1	05/18/21 07:45	05/19/21 13:30	100-42-5	
1,1,1,2-Tetrachloroethane	<12.9	ug/kg	53.6	12.9	1	05/18/21 07:45	05/19/21 13:30	630-20-6	
1,1,2,2-Tetrachloroethane	<19.4	ug/kg	53.6	19.4	1	05/18/21 07:45	05/19/21 13:30	79-34-5	
Tetrachloroethene	<20.8	ug/kg	53.6	20.8	1	05/18/21 07:45	05/19/21 13:30	127-18-4	
Toluene	<13.5	ug/kg	53.6	13.5	1	05/18/21 07:45	05/19/21 13:30	108-88-3	
1,2,3-Trichlorobenzene	<59.7	ug/kg	268	59.7	1	05/18/21 07:45	05/19/21 13:30	87-61-6	
1,2,4-Trichlorobenzene	<44.2	ug/kg	268	44.2	1	05/18/21 07:45	05/19/21 13:30	120-82-1	
1,1,1-Trichloroethane	<13.7	ug/kg	53.6	13.7	1	05/18/21 07:45	05/19/21 13:30	71-55-6	
1,1,2-Trichloroethane	<19.5	ug/kg	53.6	19.5	1	05/18/21 07:45	05/19/21 13:30	79-00-5	
Trichloroethene	<20.1	ug/kg	53.6	20.1	1	05/18/21 07:45	05/19/21 13:30	79-01-6	
Trichlorofluoromethane	<15.6	ug/kg	53.6	15.6	1	05/18/21 07:45	05/19/21 13:30	75-69-4	
1,2,3-Trichloropropane	<26.1	ug/kg	53.6	26.1	1	05/18/21 07:45	05/19/21 13:30	96-18-4	
1,2,4-Trimethylbenzene	<16.0	ug/kg	53.6	16.0	1	05/18/21 07:45	05/19/21 13:30	95-63-6	
1,3,5-Trimethylbenzene	<17.3	ug/kg	53.6	17.3	1	05/18/21 07:45	05/19/21 13:30	108-67-8	
Vinyl chloride	<10.8	ug/kg	53.6	10.8	1	05/18/21 07:45	05/19/21 13:30	75-01-4	
m&p-Xylene	<22.6	ug/kg	107	22.6	1	05/18/21 07:45	05/19/21 13:30	179601-23-1	
o-Xylene	<16.1	ug/kg	53.6	16.1	1	05/18/21 07:45	05/19/21 13:30	95-47-6	
Surrogates									
Toluene-d8 (S)	77	%	67-159		1	05/18/21 07:45	05/19/21 13:30	2037-26-5	
4-Bromofluorobenzene (S)	72	%	66-153		1	05/18/21 07:45	05/19/21 13:30	460-00-4	
1,2-Dichlorobenzene-d4 (S)	85	%	82-158		1	05/18/21 07:45	05/19/21 13:30	2199-69-1	

Percent Moisture

Analytical Method: ASTM D2974-87
Pace Analytical Services - Green Bay

Percent Moisture	3.5	%	0.10	0.10	1		05/12/21 17:02		
------------------	-----	---	------	------	---	--	----------------	--	--

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 9640A FONG FAMILY, LLC
Pace Project No.: 40226787

Sample: G5-11 (42-44) Lab ID: 40226787015 Collected: 05/10/21 16:05 Received: 05/12/21 09:05 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
6020 MET ICPMS									
Analytical Method: EPA 6020 Preparation Method: EPA 3050									
Pace Analytical Services - Green Bay									
Arsenic	4.8J	mg/kg	6.9	2.1	50	05/14/21 09:03	05/18/21 10:50	7440-38-2	D3
Lead	2.2	mg/kg	0.69	0.19	6.667	05/14/21 09:03	05/18/21 09:31	7439-92-1	
8270E MSSV PAH by SIM									
Analytical Method: EPA 8270E by SIM Preparation Method: EPA 3546									
Pace Analytical Services - Green Bay									
Acenaphthene	<12.2	ug/kg	93.8	12.2	5	05/18/21 07:40	05/19/21 21:09	83-32-9	
Acenaphthylene	110	ug/kg	93.8	11.8	5	05/18/21 07:40	05/19/21 21:09	208-96-8	
Anthracene	123	ug/kg	93.8	11.6	5	05/18/21 07:40	05/19/21 21:09	120-12-7	
Benzo(a)anthracene	387	ug/kg	93.8	12.1	5	05/18/21 07:40	05/19/21 21:09	56-55-3	
Benzo(a)pyrene	442	ug/kg	93.8	10.7	5	05/18/21 07:40	05/19/21 21:09	50-32-8	
Benzo(b)fluoranthene	623	ug/kg	93.8	13.0	5	05/18/21 07:40	05/19/21 21:09	205-99-2	
Benzo(g,h,i)perylene	314	ug/kg	93.8	16.5	5	05/18/21 07:40	05/19/21 21:09	191-24-2	
Benzo(k)fluoranthene	247	ug/kg	93.8	12.0	5	05/18/21 07:40	05/19/21 21:09	207-08-9	
Chrysene	507	ug/kg	93.8	17.7	5	05/18/21 07:40	05/19/21 21:09	218-01-9	
Dibenz(a,h)anthracene	73.6J	ug/kg	93.8	13.0	5	05/18/21 07:40	05/19/21 21:09	53-70-3	
Fluoranthene	845	ug/kg	93.8	11.1	5	05/18/21 07:40	05/19/21 21:09	206-44-0	
Fluorene	29.8J	ug/kg	93.8	11.2	5	05/18/21 07:40	05/19/21 21:09	86-73-7	
Indeno(1,2,3-cd)pyrene	280	ug/kg	93.8	19.5	5	05/18/21 07:40	05/19/21 21:09	193-39-5	
1-Methylnaphthalene	16.9J	ug/kg	93.8	13.7	5	05/18/21 07:40	05/19/21 21:09	90-12-0	
2-Methylnaphthalene	23.9J	ug/kg	93.8	13.7	5	05/18/21 07:40	05/19/21 21:09	91-57-6	
Naphthalene	88.4J	ug/kg	93.8	9.1	5	05/18/21 07:40	05/19/21 21:09	91-20-3	
Phenanthrene	470	ug/kg	93.8	10.7	5	05/18/21 07:40	05/19/21 21:09	85-01-8	
Pyrene	843	ug/kg	93.8	13.8	5	05/18/21 07:40	05/19/21 21:09	129-00-0	
Surrogates									
2-Fluorobiphenyl (S)	54	%	36-86		5	05/18/21 07:40	05/19/21 21:09	321-60-8	
Terphenyl-d14 (S)	62	%	41-97		5	05/18/21 07:40	05/19/21 21:09	1718-51-0	
8260 MSV Med Level Normal List									
Analytical Method: EPA 8260 Preparation Method: EPA 5035/5030B									
Pace Analytical Services - Green Bay									
Benzene	<14.8	ug/kg	24.9	14.8	1	05/18/21 07:45	05/19/21 13:50	71-43-2	
Bromobenzene	<24.3	ug/kg	62.2	24.3	1	05/18/21 07:45	05/19/21 13:50	108-86-1	
Bromochloromethane	<17.0	ug/kg	62.2	17.0	1	05/18/21 07:45	05/19/21 13:50	74-97-5	
Bromodichloromethane	<14.8	ug/kg	62.2	14.8	1	05/18/21 07:45	05/19/21 13:50	75-27-4	
Bromoform	<274	ug/kg	311	274	1	05/18/21 07:45	05/19/21 13:50	75-25-2	L1
Bromomethane	<87.2	ug/kg	311	87.2	1	05/18/21 07:45	05/19/21 13:50	74-83-9	
n-Butylbenzene	<28.5	ug/kg	62.2	28.5	1	05/18/21 07:45	05/19/21 13:50	104-51-8	
sec-Butylbenzene	<15.2	ug/kg	62.2	15.2	1	05/18/21 07:45	05/19/21 13:50	135-98-8	
tert-Butylbenzene	<19.5	ug/kg	62.2	19.5	1	05/18/21 07:45	05/19/21 13:50	98-06-6	
Carbon tetrachloride	<13.7	ug/kg	62.2	13.7	1	05/18/21 07:45	05/19/21 13:50	56-23-5	
Chlorobenzene	<7.5	ug/kg	62.2	7.5	1	05/18/21 07:45	05/19/21 13:50	108-90-7	
Chloroethane	<26.3	ug/kg	311	26.3	1	05/18/21 07:45	05/19/21 13:50	75-00-3	
Chloroform	<44.5	ug/kg	311	44.5	1	05/18/21 07:45	05/19/21 13:50	67-66-3	
Chloromethane	<23.6	ug/kg	62.2	23.6	1	05/18/21 07:45	05/19/21 13:50	74-87-3	
2-Chlorotoluene	<20.2	ug/kg	62.2	20.2	1	05/18/21 07:45	05/19/21 13:50	95-49-8	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 9640A FONG FAMILY, LLC
Pace Project No.: 40226787

Sample: G5-11 (42-44) **Lab ID: 40226787015** Collected: 05/10/21 16:05 Received: 05/12/21 09:05 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Med Level Normal List									
Analytical Method: EPA 8260 Preparation Method: EPA 5035/5030B									
Pace Analytical Services - Green Bay									
4-Chlorotoluene	<23.6	ug/kg	62.2	23.6	1	05/18/21 07:45	05/19/21 13:50	106-43-4	
1,2-Dibromo-3-chloropropane	<48.3	ug/kg	311	48.3	1	05/18/21 07:45	05/19/21 13:50	96-12-8	
Dibromochloromethane	<213	ug/kg	311	213	1	05/18/21 07:45	05/19/21 13:50	124-48-1	
1,2-Dibromoethane (EDB)	<17.0	ug/kg	62.2	17.0	1	05/18/21 07:45	05/19/21 13:50	106-93-4	
Dibromomethane	<18.4	ug/kg	62.2	18.4	1	05/18/21 07:45	05/19/21 13:50	74-95-3	
1,2-Dichlorobenzene	<19.3	ug/kg	62.2	19.3	1	05/18/21 07:45	05/19/21 13:50	95-50-1	
1,3-Dichlorobenzene	<17.0	ug/kg	62.2	17.0	1	05/18/21 07:45	05/19/21 13:50	541-73-1	
1,4-Dichlorobenzene	<17.0	ug/kg	62.2	17.0	1	05/18/21 07:45	05/19/21 13:50	106-46-7	
Dichlorodifluoromethane	<26.8	ug/kg	62.2	26.8	1	05/18/21 07:45	05/19/21 13:50	75-71-8	
1,1-Dichloroethane	<15.9	ug/kg	62.2	15.9	1	05/18/21 07:45	05/19/21 13:50	75-34-3	
1,2-Dichloroethane	<14.3	ug/kg	62.2	14.3	1	05/18/21 07:45	05/19/21 13:50	107-06-2	
1,1-Dichloroethene	<20.7	ug/kg	62.2	20.7	1	05/18/21 07:45	05/19/21 13:50	75-35-4	
cis-1,2-Dichloroethene	<13.3	ug/kg	62.2	13.3	1	05/18/21 07:45	05/19/21 13:50	156-59-2	
trans-1,2-Dichloroethene	<13.4	ug/kg	62.2	13.4	1	05/18/21 07:45	05/19/21 13:50	156-60-5	
1,2-Dichloropropane	<14.8	ug/kg	62.2	14.8	1	05/18/21 07:45	05/19/21 13:50	78-87-5	
1,3-Dichloropropane	<13.6	ug/kg	62.2	13.6	1	05/18/21 07:45	05/19/21 13:50	142-28-9	
2,2-Dichloropropane	<16.8	ug/kg	62.2	16.8	1	05/18/21 07:45	05/19/21 13:50	594-20-7	
1,1-Dichloropropene	<20.2	ug/kg	62.2	20.2	1	05/18/21 07:45	05/19/21 13:50	563-58-6	
cis-1,3-Dichloropropene	<41.1	ug/kg	311	41.1	1	05/18/21 07:45	05/19/21 13:50	10061-01-5	
trans-1,3-Dichloropropene	<178	ug/kg	311	178	1	05/18/21 07:45	05/19/21 13:50	10061-02-6	
Diisopropyl ether	<15.4	ug/kg	62.2	15.4	1	05/18/21 07:45	05/19/21 13:50	108-20-3	
Ethylbenzene	<14.8	ug/kg	62.2	14.8	1	05/18/21 07:45	05/19/21 13:50	100-41-4	
Hexachloro-1,3-butadiene	<124	ug/kg	311	124	1	05/18/21 07:45	05/19/21 13:50	87-68-3	
Isopropylbenzene (Cumene)	<16.8	ug/kg	62.2	16.8	1	05/18/21 07:45	05/19/21 13:50	98-82-8	
p-Isopropyltoluene	<18.9	ug/kg	62.2	18.9	1	05/18/21 07:45	05/19/21 13:50	99-87-6	
Methylene Chloride	<17.3	ug/kg	62.2	17.3	1	05/18/21 07:45	05/19/21 13:50	75-09-2	
Methyl-tert-butyl ether	<18.3	ug/kg	62.2	18.3	1	05/18/21 07:45	05/19/21 13:50	1634-04-4	
Naphthalene	<19.4	ug/kg	311	19.4	1	05/18/21 07:45	05/19/21 13:50	91-20-3	
n-Propylbenzene	<14.9	ug/kg	62.2	14.9	1	05/18/21 07:45	05/19/21 13:50	103-65-1	
Styrene	<15.9	ug/kg	62.2	15.9	1	05/18/21 07:45	05/19/21 13:50	100-42-5	
1,1,1,2-Tetrachloroethane	<14.9	ug/kg	62.2	14.9	1	05/18/21 07:45	05/19/21 13:50	630-20-6	
1,1,2,2-Tetrachloroethane	<22.5	ug/kg	62.2	22.5	1	05/18/21 07:45	05/19/21 13:50	79-34-5	
Tetrachloroethene	<24.1	ug/kg	62.2	24.1	1	05/18/21 07:45	05/19/21 13:50	127-18-4	
Toluene	<15.7	ug/kg	62.2	15.7	1	05/18/21 07:45	05/19/21 13:50	108-88-3	
1,2,3-Trichlorobenzene	<69.3	ug/kg	311	69.3	1	05/18/21 07:45	05/19/21 13:50	87-61-6	
1,2,4-Trichlorobenzene	<51.3	ug/kg	311	51.3	1	05/18/21 07:45	05/19/21 13:50	120-82-1	
1,1,1-Trichloroethane	<15.9	ug/kg	62.2	15.9	1	05/18/21 07:45	05/19/21 13:50	71-55-6	
1,1,2-Trichloroethane	<22.6	ug/kg	62.2	22.6	1	05/18/21 07:45	05/19/21 13:50	79-00-5	
Trichloroethene	<23.3	ug/kg	62.2	23.3	1	05/18/21 07:45	05/19/21 13:50	79-01-6	
Trichlorofluoromethane	<18.0	ug/kg	62.2	18.0	1	05/18/21 07:45	05/19/21 13:50	75-69-4	
1,2,3-Trichloropropane	<30.2	ug/kg	62.2	30.2	1	05/18/21 07:45	05/19/21 13:50	96-18-4	
1,2,4-Trimethylbenzene	<18.5	ug/kg	62.2	18.5	1	05/18/21 07:45	05/19/21 13:50	95-63-6	
1,3,5-Trimethylbenzene	<20.0	ug/kg	62.2	20.0	1	05/18/21 07:45	05/19/21 13:50	108-67-8	
Vinyl chloride	<12.6	ug/kg	62.2	12.6	1	05/18/21 07:45	05/19/21 13:50	75-01-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 9640A FONG FAMILY, LLC
Pace Project No.: 40226787

Sample: G5-11 (42-44) **Lab ID: 40226787015** Collected: 05/10/21 16:05 Received: 05/12/21 09:05 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Med Level Normal List									
Analytical Method: EPA 8260 Preparation Method: EPA 5035/5030B									
Pace Analytical Services - Green Bay									
m&p-Xylene	<26.3	ug/kg	124	26.3	1	05/18/21 07:45	05/19/21 13:50	179601-23-1	
o-Xylene	<18.7	ug/kg	62.2	18.7	1	05/18/21 07:45	05/19/21 13:50	95-47-6	
Surrogates									
Toluene-d8 (S)	109	%	67-159		1	05/18/21 07:45	05/19/21 13:50	2037-26-5	
4-Bromofluorobenzene (S)	100	%	66-153		1	05/18/21 07:45	05/19/21 13:50	460-00-4	
1,2-Dichlorobenzene-d4 (S)	117	%	82-158		1	05/18/21 07:45	05/19/21 13:50	2199-69-1	
Percent Moisture									
Analytical Method: ASTM D2974-87									
Pace Analytical Services - Green Bay									
Percent Moisture	10.9	%	0.10	0.10	1		05/12/21 17:03		

Sample: G6-1 (2.5-4) **Lab ID: 40226787016** Collected: 05/11/21 06:58 Received: 05/12/21 09:05 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
6020 MET ICPMS									
Analytical Method: EPA 6020 Preparation Method: EPA 3050									
Pace Analytical Services - Green Bay									
Arsenic	4.6	mg/kg	0.99	0.30	6.667	05/14/21 09:03	05/18/21 09:39	7440-38-2	
Lead	8.4	mg/kg	0.75	0.20	6.667	05/14/21 09:03	05/18/21 09:39	7439-92-1	
8270E MSSV PAH by SIM									
Analytical Method: EPA 8270E by SIM Preparation Method: EPA 3546									
Pace Analytical Services - Green Bay									
Acenaphthene	<2.5	ug/kg	19.1	2.5	1	05/18/21 07:40	05/19/21 09:38	83-32-9	
Acenaphthylene	<2.4	ug/kg	19.1	2.4	1	05/18/21 07:40	05/19/21 09:38	208-96-8	
Anthracene	<2.4	ug/kg	19.1	2.4	1	05/18/21 07:40	05/19/21 09:38	120-12-7	
Benzo(a)anthracene	<2.5	ug/kg	19.1	2.5	1	05/18/21 07:40	05/19/21 09:38	56-55-3	
Benzo(a)pyrene	<2.2	ug/kg	19.1	2.2	1	05/18/21 07:40	05/19/21 09:38	50-32-8	
Benzo(b)fluoranthene	<2.7	ug/kg	19.1	2.7	1	05/18/21 07:40	05/19/21 09:38	205-99-2	
Benzo(g,h,i)perylene	<3.4	ug/kg	19.1	3.4	1	05/18/21 07:40	05/19/21 09:38	191-24-2	
Benzo(k)fluoranthene	<2.4	ug/kg	19.1	2.4	1	05/18/21 07:40	05/19/21 09:38	207-08-9	
Chrysene	<3.6	ug/kg	19.1	3.6	1	05/18/21 07:40	05/19/21 09:38	218-01-9	
Dibenz(a,h)anthracene	<2.6	ug/kg	19.1	2.6	1	05/18/21 07:40	05/19/21 09:38	53-70-3	
Fluoranthene	<2.3	ug/kg	19.1	2.3	1	05/18/21 07:40	05/19/21 09:38	206-44-0	
Fluorene	<2.3	ug/kg	19.1	2.3	1	05/18/21 07:40	05/19/21 09:38	86-73-7	
Indeno(1,2,3-cd)pyrene	<4.0	ug/kg	19.1	4.0	1	05/18/21 07:40	05/19/21 09:38	193-39-5	
1-Methylnaphthalene	<2.8	ug/kg	19.1	2.8	1	05/18/21 07:40	05/19/21 09:38	90-12-0	
2-Methylnaphthalene	<2.8	ug/kg	19.1	2.8	1	05/18/21 07:40	05/19/21 09:38	91-57-6	
Naphthalene	<1.9	ug/kg	19.1	1.9	1	05/18/21 07:40	05/19/21 09:38	91-20-3	
Phenanthrene	<2.2	ug/kg	19.1	2.2	1	05/18/21 07:40	05/19/21 09:38	85-01-8	
Pyrene	<2.8	ug/kg	19.1	2.8	1	05/18/21 07:40	05/19/21 09:38	129-00-0	
Surrogates									
2-Fluorobiphenyl (S)	65	%	36-86		1	05/18/21 07:40	05/19/21 09:38	321-60-8	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 9640A FONG FAMILY, LLC
Pace Project No.: 40226787

Sample: G6-1 (2.5-4) Lab ID: 40226787016 Collected: 05/11/21 06:58 Received: 05/12/21 09:05 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8270E MSSV PAH by SIM									
Analytical Method: EPA 8270E by SIM Preparation Method: EPA 3546									
Pace Analytical Services - Green Bay									
Surrogates									
Terphenyl-d14 (S)	73	%	41-97		1	05/18/21 07:40	05/19/21 09:38	1718-51-0	
8260 MSV Med Level Normal List									
Analytical Method: EPA 8260 Preparation Method: EPA 5035/5030B									
Pace Analytical Services - Green Bay									
Benzene	<15.4	ug/kg	25.8	15.4	1	05/18/21 07:45	05/19/21 14:11	71-43-2	
Bromobenzene	<25.2	ug/kg	64.6	25.2	1	05/18/21 07:45	05/19/21 14:11	108-86-1	
Bromochloromethane	<17.7	ug/kg	64.6	17.7	1	05/18/21 07:45	05/19/21 14:11	74-97-5	
Bromodichloromethane	<15.4	ug/kg	64.6	15.4	1	05/18/21 07:45	05/19/21 14:11	75-27-4	
Bromoform	<284	ug/kg	323	284	1	05/18/21 07:45	05/19/21 14:11	75-25-2	L1
Bromomethane	<90.6	ug/kg	323	90.6	1	05/18/21 07:45	05/19/21 14:11	74-83-9	
n-Butylbenzene	<29.6	ug/kg	64.6	29.6	1	05/18/21 07:45	05/19/21 14:11	104-51-8	
sec-Butylbenzene	<15.8	ug/kg	64.6	15.8	1	05/18/21 07:45	05/19/21 14:11	135-98-8	
tert-Butylbenzene	<20.3	ug/kg	64.6	20.3	1	05/18/21 07:45	05/19/21 14:11	98-06-6	
Carbon tetrachloride	<14.2	ug/kg	64.6	14.2	1	05/18/21 07:45	05/19/21 14:11	56-23-5	
Chlorobenzene	<7.7	ug/kg	64.6	7.7	1	05/18/21 07:45	05/19/21 14:11	108-90-7	
Chloroethane	<27.3	ug/kg	323	27.3	1	05/18/21 07:45	05/19/21 14:11	75-00-3	
Chloroform	<46.2	ug/kg	323	46.2	1	05/18/21 07:45	05/19/21 14:11	67-66-3	
Chloromethane	<24.5	ug/kg	64.6	24.5	1	05/18/21 07:45	05/19/21 14:11	74-87-3	
2-Chlorotoluene	<20.9	ug/kg	64.6	20.9	1	05/18/21 07:45	05/19/21 14:11	95-49-8	
4-Chlorotoluene	<24.5	ug/kg	64.6	24.5	1	05/18/21 07:45	05/19/21 14:11	106-43-4	
1,2-Dibromo-3-chloropropane	<50.1	ug/kg	323	50.1	1	05/18/21 07:45	05/19/21 14:11	96-12-8	
Dibromochloromethane	<221	ug/kg	323	221	1	05/18/21 07:45	05/19/21 14:11	124-48-1	
1,2-Dibromoethane (EDB)	<17.7	ug/kg	64.6	17.7	1	05/18/21 07:45	05/19/21 14:11	106-93-4	
Dibromomethane	<19.1	ug/kg	64.6	19.1	1	05/18/21 07:45	05/19/21 14:11	74-95-3	
1,2-Dichlorobenzene	<20.0	ug/kg	64.6	20.0	1	05/18/21 07:45	05/19/21 14:11	95-50-1	
1,3-Dichlorobenzene	<17.7	ug/kg	64.6	17.7	1	05/18/21 07:45	05/19/21 14:11	541-73-1	
1,4-Dichlorobenzene	<17.7	ug/kg	64.6	17.7	1	05/18/21 07:45	05/19/21 14:11	106-46-7	
Dichlorodifluoromethane	<27.8	ug/kg	64.6	27.8	1	05/18/21 07:45	05/19/21 14:11	75-71-8	
1,1-Dichloroethane	<16.5	ug/kg	64.6	16.5	1	05/18/21 07:45	05/19/21 14:11	75-34-3	
1,2-Dichloroethane	<14.9	ug/kg	64.6	14.9	1	05/18/21 07:45	05/19/21 14:11	107-06-2	
1,1-Dichloroethene	<21.4	ug/kg	64.6	21.4	1	05/18/21 07:45	05/19/21 14:11	75-35-4	
cis-1,2-Dichloroethene	<13.8	ug/kg	64.6	13.8	1	05/18/21 07:45	05/19/21 14:11	156-59-2	
trans-1,2-Dichloroethene	<14.0	ug/kg	64.6	14.0	1	05/18/21 07:45	05/19/21 14:11	156-60-5	
1,2-Dichloropropane	<15.4	ug/kg	64.6	15.4	1	05/18/21 07:45	05/19/21 14:11	78-87-5	
1,3-Dichloropropane	<14.1	ug/kg	64.6	14.1	1	05/18/21 07:45	05/19/21 14:11	142-28-9	
2,2-Dichloropropane	<17.4	ug/kg	64.6	17.4	1	05/18/21 07:45	05/19/21 14:11	594-20-7	
1,1-Dichloropropene	<20.9	ug/kg	64.6	20.9	1	05/18/21 07:45	05/19/21 14:11	563-58-6	
cis-1,3-Dichloropropene	<42.6	ug/kg	323	42.6	1	05/18/21 07:45	05/19/21 14:11	10061-01-5	
trans-1,3-Dichloropropene	<185	ug/kg	323	185	1	05/18/21 07:45	05/19/21 14:11	10061-02-6	
Diisopropyl ether	<16.0	ug/kg	64.6	16.0	1	05/18/21 07:45	05/19/21 14:11	108-20-3	
Ethylbenzene	<15.4	ug/kg	64.6	15.4	1	05/18/21 07:45	05/19/21 14:11	100-41-4	
Hexachloro-1,3-butadiene	<128	ug/kg	323	128	1	05/18/21 07:45	05/19/21 14:11	87-68-3	
Isopropylbenzene (Cumene)	<17.4	ug/kg	64.6	17.4	1	05/18/21 07:45	05/19/21 14:11	98-82-8	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 9640A FONG FAMILY, LLC
Pace Project No.: 40226787

Sample: G6-1 (2.5-4) **Lab ID: 40226787016** Collected: 05/11/21 06:58 Received: 05/12/21 09:05 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Med Level Normal List									
Analytical Method: EPA 8260 Preparation Method: EPA 5035/5030B									
Pace Analytical Services - Green Bay									
p-Isopropyltoluene	<19.6	ug/kg	64.6	19.6	1	05/18/21 07:45	05/19/21 14:11	99-87-6	
Methylene Chloride	<18.0	ug/kg	64.6	18.0	1	05/18/21 07:45	05/19/21 14:11	75-09-2	
Methyl-tert-butyl ether	<19.0	ug/kg	64.6	19.0	1	05/18/21 07:45	05/19/21 14:11	1634-04-4	
Naphthalene	<20.2	ug/kg	323	20.2	1	05/18/21 07:45	05/19/21 14:11	91-20-3	
n-Propylbenzene	<15.5	ug/kg	64.6	15.5	1	05/18/21 07:45	05/19/21 14:11	103-65-1	
Styrene	<16.5	ug/kg	64.6	16.5	1	05/18/21 07:45	05/19/21 14:11	100-42-5	
1,1,1,2-Tetrachloroethane	<15.5	ug/kg	64.6	15.5	1	05/18/21 07:45	05/19/21 14:11	630-20-6	
1,1,2,2-Tetrachloroethane	<23.4	ug/kg	64.6	23.4	1	05/18/21 07:45	05/19/21 14:11	79-34-5	
Tetrachloroethene	<25.1	ug/kg	64.6	25.1	1	05/18/21 07:45	05/19/21 14:11	127-18-4	
Toluene	<16.3	ug/kg	64.6	16.3	1	05/18/21 07:45	05/19/21 14:11	108-88-3	
1,2,3-Trichlorobenzene	<72.0	ug/kg	323	72.0	1	05/18/21 07:45	05/19/21 14:11	87-61-6	
1,2,4-Trichlorobenzene	<53.2	ug/kg	323	53.2	1	05/18/21 07:45	05/19/21 14:11	120-82-1	
1,1,1-Trichloroethane	<16.5	ug/kg	64.6	16.5	1	05/18/21 07:45	05/19/21 14:11	71-55-6	
1,1,2-Trichloroethane	<23.5	ug/kg	64.6	23.5	1	05/18/21 07:45	05/19/21 14:11	79-00-5	
Trichloroethene	<24.2	ug/kg	64.6	24.2	1	05/18/21 07:45	05/19/21 14:11	79-01-6	
Trichlorofluoromethane	<18.7	ug/kg	64.6	18.7	1	05/18/21 07:45	05/19/21 14:11	75-69-4	
1,2,3-Trichloropropane	<31.4	ug/kg	64.6	31.4	1	05/18/21 07:45	05/19/21 14:11	96-18-4	
1,2,4-Trimethylbenzene	<19.2	ug/kg	64.6	19.2	1	05/18/21 07:45	05/19/21 14:11	95-63-6	
1,3,5-Trimethylbenzene	<20.8	ug/kg	64.6	20.8	1	05/18/21 07:45	05/19/21 14:11	108-67-8	
Vinyl chloride	<13.0	ug/kg	64.6	13.0	1	05/18/21 07:45	05/19/21 14:11	75-01-4	
m&p-Xylene	<27.3	ug/kg	129	27.3	1	05/18/21 07:45	05/19/21 14:11	179601-23-1	
o-Xylene	<19.4	ug/kg	64.6	19.4	1	05/18/21 07:45	05/19/21 14:11	95-47-6	
Surrogates									
Toluene-d8 (S)	107	%	67-159		1	05/18/21 07:45	05/19/21 14:11	2037-26-5	
4-Bromofluorobenzene (S)	102	%	66-153		1	05/18/21 07:45	05/19/21 14:11	460-00-4	
1,2-Dichlorobenzene-d4 (S)	119	%	82-158		1	05/18/21 07:45	05/19/21 14:11	2199-69-1	

Percent Moisture

Analytical Method: ASTM D2974-87
Pace Analytical Services - Green Bay

Percent Moisture	12.7	%	0.10	0.10	1		05/12/21 17:03		
------------------	------	---	------	------	---	--	----------------	--	--

Sample: G6-5 (18-20) **Lab ID: 40226787017** Collected: 05/11/21 07:20 Received: 05/12/21 09:05 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
6020 MET ICPMS									
Analytical Method: EPA 6020 Preparation Method: EPA 3050									
Pace Analytical Services - Green Bay									
Arsenic	2.7	mg/kg	0.91	0.27	6.667	05/14/21 09:03	05/18/21 09:46	7440-38-2	
Lead	38.2	mg/kg	0.69	0.19	6.667	05/14/21 09:03	05/18/21 09:46	7439-92-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 9640A FONG FAMILY, LLC

Pace Project No.: 40226787

Sample: G6-5 (18-20) **Lab ID: 40226787017** Collected: 05/11/21 07:20 Received: 05/12/21 09:05 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8270E MSSV PAH by SIM									
Analytical Method: EPA 8270E by SIM Preparation Method: EPA 3546									
Pace Analytical Services - Green Bay									
Acenaphthene	10300J	ug/kg	45300	5880	100	05/18/21 07:40	05/19/21 19:26	83-32-9	
Acenaphthylene	6610J	ug/kg	45300	5710	100	05/18/21 07:40	05/19/21 19:26	208-96-8	
Anthracene	70700	ug/kg	45300	5630	100	05/18/21 07:40	05/19/21 19:26	120-12-7	
Benzo(a)anthracene	141000	ug/kg	45300	5860	100	05/18/21 07:40	05/19/21 19:26	56-55-3	
Benzo(a)pyrene	129000	ug/kg	45300	5150	100	05/18/21 07:40	05/19/21 19:26	50-32-8	
Benzo(b)fluoranthene	161000	ug/kg	45300	6290	100	05/18/21 07:40	05/19/21 19:26	205-99-2	
Benzo(g,h,i)perylene	85100	ug/kg	45300	7950	100	05/18/21 07:40	05/19/21 19:26	191-24-2	
Benzo(k)fluoranthene	82800	ug/kg	45300	5790	100	05/18/21 07:40	05/19/21 19:26	207-08-9	
Chrysene	147000	ug/kg	45300	8550	100	05/18/21 07:40	05/19/21 19:26	218-01-9	
Dibenz(a,h)anthracene	18700J	ug/kg	45300	6270	100	05/18/21 07:40	05/19/21 19:26	53-70-3	
Fluoranthene	377000	ug/kg	45300	5360	100	05/18/21 07:40	05/19/21 19:26	206-44-0	
Fluorene	19200J	ug/kg	45300	5440	100	05/18/21 07:40	05/19/21 19:26	86-73-7	
Indeno(1,2,3-cd)pyrene	78100	ug/kg	45300	9440	100	05/18/21 07:40	05/19/21 19:26	193-39-5	
1-Methylnaphthalene	<6620	ug/kg	45300	6620	100	05/18/21 07:40	05/19/21 19:26	90-12-0	
2-Methylnaphthalene	<6630	ug/kg	45300	6630	100	05/18/21 07:40	05/19/21 19:26	91-57-6	
Naphthalene	<4420	ug/kg	45300	4420	100	05/18/21 07:40	05/19/21 19:26	91-20-3	
Phenanthrene	249000	ug/kg	45300	5190	100	05/18/21 07:40	05/19/21 19:26	85-01-8	
Pyrene	281000	ug/kg	45300	6660	100	05/18/21 07:40	05/19/21 19:26	129-00-0	
Surrogates									
2-Fluorobiphenyl (S)	0	%	36-86		100	05/18/21 07:40	05/19/21 19:26	321-60-8	S4
Terphenyl-d14 (S)	0	%	41-97		100	05/18/21 07:40	05/19/21 19:26	1718-51-0	S4

8260 MSV Med Level Normal List

Analytical Method: EPA 8260 Preparation Method: EPA 5035/5030B

Pace Analytical Services - Green Bay

Benzene	<13.9	ug/kg	23.4	13.9	1	05/18/21 07:45	05/19/21 14:31	71-43-2	
Bromobenzene	<22.9	ug/kg	58.6	22.9	1	05/18/21 07:45	05/19/21 14:31	108-86-1	
Bromochloromethane	<16.1	ug/kg	58.6	16.1	1	05/18/21 07:45	05/19/21 14:31	74-97-5	
Bromodichloromethane	<13.9	ug/kg	58.6	13.9	1	05/18/21 07:45	05/19/21 14:31	75-27-4	
Bromoform	<258	ug/kg	293	258	1	05/18/21 07:45	05/19/21 14:31	75-25-2	L1
Bromomethane	<82.1	ug/kg	293	82.1	1	05/18/21 07:45	05/19/21 14:31	74-83-9	
n-Butylbenzene	<26.8	ug/kg	58.6	26.8	1	05/18/21 07:45	05/19/21 14:31	104-51-8	
sec-Butylbenzene	<14.3	ug/kg	58.6	14.3	1	05/18/21 07:45	05/19/21 14:31	135-98-8	
tert-Butylbenzene	<18.4	ug/kg	58.6	18.4	1	05/18/21 07:45	05/19/21 14:31	98-06-6	
Carbon tetrachloride	<12.9	ug/kg	58.6	12.9	1	05/18/21 07:45	05/19/21 14:31	56-23-5	
Chlorobenzene	<7.0	ug/kg	58.6	7.0	1	05/18/21 07:45	05/19/21 14:31	108-90-7	
Chloroethane	<24.7	ug/kg	293	24.7	1	05/18/21 07:45	05/19/21 14:31	75-00-3	
Chloroform	<42.0	ug/kg	293	42.0	1	05/18/21 07:45	05/19/21 14:31	67-66-3	
Chloromethane	<22.3	ug/kg	58.6	22.3	1	05/18/21 07:45	05/19/21 14:31	74-87-3	
2-Chlorotoluene	<19.0	ug/kg	58.6	19.0	1	05/18/21 07:45	05/19/21 14:31	95-49-8	
4-Chlorotoluene	<22.3	ug/kg	58.6	22.3	1	05/18/21 07:45	05/19/21 14:31	106-43-4	
1,2-Dibromo-3-chloropropane	<45.5	ug/kg	293	45.5	1	05/18/21 07:45	05/19/21 14:31	96-12-8	
Dibromochloromethane	<200	ug/kg	293	200	1	05/18/21 07:45	05/19/21 14:31	124-48-1	
1,2-Dibromoethane (EDB)	<16.1	ug/kg	58.6	16.1	1	05/18/21 07:45	05/19/21 14:31	106-93-4	
Dibromomethane	<17.3	ug/kg	58.6	17.3	1	05/18/21 07:45	05/19/21 14:31	74-95-3	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 9640A FONG FAMILY, LLC
Pace Project No.: 40226787

Sample: G6-5 (18-20) **Lab ID: 40226787017** Collected: 05/11/21 07:20 Received: 05/12/21 09:05 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Med Level Normal List									
Analytical Method: EPA 8260 Preparation Method: EPA 5035/5030B									
Pace Analytical Services - Green Bay									
1,2-Dichlorobenzene	<18.2	ug/kg	58.6	18.2	1	05/18/21 07:45	05/19/21 14:31	95-50-1	
1,3-Dichlorobenzene	<16.1	ug/kg	58.6	16.1	1	05/18/21 07:45	05/19/21 14:31	541-73-1	
1,4-Dichlorobenzene	<16.1	ug/kg	58.6	16.1	1	05/18/21 07:45	05/19/21 14:31	106-46-7	
Dichlorodifluoromethane	<25.2	ug/kg	58.6	25.2	1	05/18/21 07:45	05/19/21 14:31	75-71-8	
1,1-Dichloroethane	<15.0	ug/kg	58.6	15.0	1	05/18/21 07:45	05/19/21 14:31	75-34-3	
1,2-Dichloroethane	<13.5	ug/kg	58.6	13.5	1	05/18/21 07:45	05/19/21 14:31	107-06-2	
1,1-Dichloroethene	<19.5	ug/kg	58.6	19.5	1	05/18/21 07:45	05/19/21 14:31	75-35-4	
cis-1,2-Dichloroethene	<12.5	ug/kg	58.6	12.5	1	05/18/21 07:45	05/19/21 14:31	156-59-2	
trans-1,2-Dichloroethene	<12.7	ug/kg	58.6	12.7	1	05/18/21 07:45	05/19/21 14:31	156-60-5	
1,2-Dichloropropane	<13.9	ug/kg	58.6	13.9	1	05/18/21 07:45	05/19/21 14:31	78-87-5	
1,3-Dichloropropane	<12.8	ug/kg	58.6	12.8	1	05/18/21 07:45	05/19/21 14:31	142-28-9	
2,2-Dichloropropane	<15.8	ug/kg	58.6	15.8	1	05/18/21 07:45	05/19/21 14:31	594-20-7	
1,1-Dichloropropene	<19.0	ug/kg	58.6	19.0	1	05/18/21 07:45	05/19/21 14:31	563-58-6	
cis-1,3-Dichloropropene	<38.7	ug/kg	293	38.7	1	05/18/21 07:45	05/19/21 14:31	10061-01-5	
trans-1,3-Dichloropropene	<168	ug/kg	293	168	1	05/18/21 07:45	05/19/21 14:31	10061-02-6	
Diisopropyl ether	<14.5	ug/kg	58.6	14.5	1	05/18/21 07:45	05/19/21 14:31	108-20-3	
Ethylbenzene	<13.9	ug/kg	58.6	13.9	1	05/18/21 07:45	05/19/21 14:31	100-41-4	
Hexachloro-1,3-butadiene	<116	ug/kg	293	116	1	05/18/21 07:45	05/19/21 14:31	87-68-3	
Isopropylbenzene (Cumene)	<15.8	ug/kg	58.6	15.8	1	05/18/21 07:45	05/19/21 14:31	98-82-8	
p-Isopropyltoluene	<17.8	ug/kg	58.6	17.8	1	05/18/21 07:45	05/19/21 14:31	99-87-6	
Methylene Chloride	<16.3	ug/kg	58.6	16.3	1	05/18/21 07:45	05/19/21 14:31	75-09-2	
Methyl-tert-butyl ether	<17.2	ug/kg	58.6	17.2	1	05/18/21 07:45	05/19/21 14:31	1634-04-4	
Naphthalene	180J	ug/kg	293	18.3	1	05/18/21 07:45	05/19/21 14:31	91-20-3	
n-Propylbenzene	<14.1	ug/kg	58.6	14.1	1	05/18/21 07:45	05/19/21 14:31	103-65-1	
Styrene	<15.0	ug/kg	58.6	15.0	1	05/18/21 07:45	05/19/21 14:31	100-42-5	
1,1,1,2-Tetrachloroethane	<14.1	ug/kg	58.6	14.1	1	05/18/21 07:45	05/19/21 14:31	630-20-6	
1,1,2,2-Tetrachloroethane	<21.2	ug/kg	58.6	21.2	1	05/18/21 07:45	05/19/21 14:31	79-34-5	
Tetrachloroethene	30.1J	ug/kg	58.6	22.7	1	05/18/21 07:45	05/19/21 14:31	127-18-4	
Toluene	<14.8	ug/kg	58.6	14.8	1	05/18/21 07:45	05/19/21 14:31	108-88-3	
1,2,3-Trichlorobenzene	<65.3	ug/kg	293	65.3	1	05/18/21 07:45	05/19/21 14:31	87-61-6	
1,2,4-Trichlorobenzene	<48.3	ug/kg	293	48.3	1	05/18/21 07:45	05/19/21 14:31	120-82-1	
1,1,1-Trichloroethane	<15.0	ug/kg	58.6	15.0	1	05/18/21 07:45	05/19/21 14:31	71-55-6	
1,1,2-Trichloroethane	<21.3	ug/kg	58.6	21.3	1	05/18/21 07:45	05/19/21 14:31	79-00-5	
Trichloroethene	<21.9	ug/kg	58.6	21.9	1	05/18/21 07:45	05/19/21 14:31	79-01-6	
Trichlorofluoromethane	<17.0	ug/kg	58.6	17.0	1	05/18/21 07:45	05/19/21 14:31	75-69-4	
1,2,3-Trichloropropane	<28.5	ug/kg	58.6	28.5	1	05/18/21 07:45	05/19/21 14:31	96-18-4	
1,2,4-Trimethylbenzene	<17.5	ug/kg	58.6	17.5	1	05/18/21 07:45	05/19/21 14:31	95-63-6	
1,3,5-Trimethylbenzene	<18.9	ug/kg	58.6	18.9	1	05/18/21 07:45	05/19/21 14:31	108-67-8	
Vinyl chloride	<11.8	ug/kg	58.6	11.8	1	05/18/21 07:45	05/19/21 14:31	75-01-4	
m&p-Xylene	<24.7	ug/kg	117	24.7	1	05/18/21 07:45	05/19/21 14:31	179601-23-1	
o-Xylene	<17.6	ug/kg	58.6	17.6	1	05/18/21 07:45	05/19/21 14:31	95-47-6	
Surrogates									
Toluene-d8 (S)	108	%	67-159		1	05/18/21 07:45	05/19/21 14:31	2037-26-5	
4-Bromofluorobenzene (S)	94	%	66-153		1	05/18/21 07:45	05/19/21 14:31	460-00-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 9640A FONG FAMILY, LLC
Pace Project No.: 40226787

Sample: G6-5 (18-20) **Lab ID: 40226787017** Collected: 05/11/21 07:20 Received: 05/12/21 09:05 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Med Level Normal List									
Analytical Method: EPA 8260 Preparation Method: EPA 5035/5030B Pace Analytical Services - Green Bay									
Surrogates									
1,2-Dichlorobenzene-d4 (S)	110	%	82-158		1	05/18/21 07:45	05/19/21 14:31	2199-69-1	
Percent Moisture									
Analytical Method: ASTM D2974-87 Pace Analytical Services - Green Bay									
Percent Moisture	7.9	%	0.10	0.10	1		05/12/21 17:03		

Sample: G6-12 (45-47) **Lab ID: 40226787018** Collected: 05/11/21 08:15 Received: 05/12/21 09:05 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
6020 MET ICPMS									
Analytical Method: EPA 6020 Preparation Method: EPA 3050 Pace Analytical Services - Green Bay									
Arsenic	3.8	mg/kg	0.92	0.27	6.667	05/14/21 09:03	05/18/21 09:53	7440-38-2	
Lead	13.1	mg/kg	0.69	0.19	6.667	05/14/21 09:03	05/18/21 09:53	7439-92-1	
8270E MSSV PAH by SIM									
Analytical Method: EPA 8270E by SIM Preparation Method: EPA 3546 Pace Analytical Services - Green Bay									
Acenaphthene	<2.4	ug/kg	18.3	2.4	1	05/18/21 07:40	05/19/21 09:55	83-32-9	
Acenaphthylene	<2.3	ug/kg	18.3	2.3	1	05/18/21 07:40	05/19/21 09:55	208-96-8	
Anthracene	<2.3	ug/kg	18.3	2.3	1	05/18/21 07:40	05/19/21 09:55	120-12-7	
Benzo(a)anthracene	5.1J	ug/kg	18.3	2.4	1	05/18/21 07:40	05/19/21 09:55	56-55-3	
Benzo(a)pyrene	3.0J	ug/kg	18.3	2.1	1	05/18/21 07:40	05/19/21 09:55	50-32-8	
Benzo(b)fluoranthene	4.3J	ug/kg	18.3	2.5	1	05/18/21 07:40	05/19/21 09:55	205-99-2	
Benzo(g,h,i)perylene	<3.2	ug/kg	18.3	3.2	1	05/18/21 07:40	05/19/21 09:55	191-24-2	
Benzo(k)fluoranthene	2.5J	ug/kg	18.3	2.3	1	05/18/21 07:40	05/19/21 09:55	207-08-9	
Chrysene	3.8J	ug/kg	18.3	3.5	1	05/18/21 07:40	05/19/21 09:55	218-01-9	
Dibenz(a,h)anthracene	<2.5	ug/kg	18.3	2.5	1	05/18/21 07:40	05/19/21 09:55	53-70-3	
Fluoranthene	8.7J	ug/kg	18.3	2.2	1	05/18/21 07:40	05/19/21 09:55	206-44-0	
Fluorene	<2.2	ug/kg	18.3	2.2	1	05/18/21 07:40	05/19/21 09:55	86-73-7	
Indeno(1,2,3-cd)pyrene	<3.8	ug/kg	18.3	3.8	1	05/18/21 07:40	05/19/21 09:55	193-39-5	
1-Methylnaphthalene	<2.7	ug/kg	18.3	2.7	1	05/18/21 07:40	05/19/21 09:55	90-12-0	
2-Methylnaphthalene	<2.7	ug/kg	18.3	2.7	1	05/18/21 07:40	05/19/21 09:55	91-57-6	
Naphthalene	<1.8	ug/kg	18.3	1.8	1	05/18/21 07:40	05/19/21 09:55	91-20-3	
Phenanthrene	7.1J	ug/kg	18.3	2.1	1	05/18/21 07:40	05/19/21 09:55	85-01-8	
Pyrene	6.8J	ug/kg	18.3	2.7	1	05/18/21 07:40	05/19/21 09:55	129-00-0	
Surrogates									
2-Fluorobiphenyl (S)	56	%	36-86		1	05/18/21 07:40	05/19/21 09:55	321-60-8	
Terphenyl-d14 (S)	69	%	41-97		1	05/18/21 07:40	05/19/21 09:55	1718-51-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 9640A FONG FAMILY, LLC

Pace Project No.: 40226787

Sample: G6-12 (45-47) **Lab ID: 40226787018** Collected: 05/11/21 08:15 Received: 05/12/21 09:05 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Med Level Normal List									
Analytical Method: EPA 8260 Preparation Method: EPA 5035/5030B									
Pace Analytical Services - Green Bay									
Benzene	<14.2	ug/kg	23.8	14.2	1	05/18/21 07:45	05/19/21 20:06	71-43-2	
Bromobenzene	<23.2	ug/kg	59.5	23.2	1	05/18/21 07:45	05/19/21 20:06	108-86-1	
Bromochloromethane	<16.3	ug/kg	59.5	16.3	1	05/18/21 07:45	05/19/21 20:06	74-97-5	
Bromodichloromethane	<14.2	ug/kg	59.5	14.2	1	05/18/21 07:45	05/19/21 20:06	75-27-4	
Bromoform	<262	ug/kg	298	262	1	05/18/21 07:45	05/19/21 20:06	75-25-2	L1
Bromomethane	<83.5	ug/kg	298	83.5	1	05/18/21 07:45	05/19/21 20:06	74-83-9	
n-Butylbenzene	<27.3	ug/kg	59.5	27.3	1	05/18/21 07:45	05/19/21 20:06	104-51-8	
sec-Butylbenzene	<14.5	ug/kg	59.5	14.5	1	05/18/21 07:45	05/19/21 20:06	135-98-8	
tert-Butylbenzene	<18.7	ug/kg	59.5	18.7	1	05/18/21 07:45	05/19/21 20:06	98-06-6	
Carbon tetrachloride	<13.1	ug/kg	59.5	13.1	1	05/18/21 07:45	05/19/21 20:06	56-23-5	
Chlorobenzene	<7.1	ug/kg	59.5	7.1	1	05/18/21 07:45	05/19/21 20:06	108-90-7	
Chloroethane	<25.1	ug/kg	298	25.1	1	05/18/21 07:45	05/19/21 20:06	75-00-3	
Chloroform	<42.6	ug/kg	298	42.6	1	05/18/21 07:45	05/19/21 20:06	67-66-3	
Chloromethane	<22.6	ug/kg	59.5	22.6	1	05/18/21 07:45	05/19/21 20:06	74-87-3	
2-Chlorotoluene	<19.3	ug/kg	59.5	19.3	1	05/18/21 07:45	05/19/21 20:06	95-49-8	
4-Chlorotoluene	<22.6	ug/kg	59.5	22.6	1	05/18/21 07:45	05/19/21 20:06	106-43-4	
1,2-Dibromo-3-chloropropane	<46.2	ug/kg	298	46.2	1	05/18/21 07:45	05/19/21 20:06	96-12-8	
Dibromochloromethane	<204	ug/kg	298	204	1	05/18/21 07:45	05/19/21 20:06	124-48-1	
1,2-Dibromoethane (EDB)	<16.3	ug/kg	59.5	16.3	1	05/18/21 07:45	05/19/21 20:06	106-93-4	
Dibromomethane	<17.6	ug/kg	59.5	17.6	1	05/18/21 07:45	05/19/21 20:06	74-95-3	
1,2-Dichlorobenzene	<18.5	ug/kg	59.5	18.5	1	05/18/21 07:45	05/19/21 20:06	95-50-1	
1,3-Dichlorobenzene	<16.3	ug/kg	59.5	16.3	1	05/18/21 07:45	05/19/21 20:06	541-73-1	
1,4-Dichlorobenzene	<16.3	ug/kg	59.5	16.3	1	05/18/21 07:45	05/19/21 20:06	106-46-7	
Dichlorodifluoromethane	<25.6	ug/kg	59.5	25.6	1	05/18/21 07:45	05/19/21 20:06	75-71-8	
1,1-Dichloroethane	<15.2	ug/kg	59.5	15.2	1	05/18/21 07:45	05/19/21 20:06	75-34-3	
1,2-Dichloroethane	<13.7	ug/kg	59.5	13.7	1	05/18/21 07:45	05/19/21 20:06	107-06-2	
1,1-Dichloroethene	<19.8	ug/kg	59.5	19.8	1	05/18/21 07:45	05/19/21 20:06	75-35-4	
cis-1,2-Dichloroethene	<12.7	ug/kg	59.5	12.7	1	05/18/21 07:45	05/19/21 20:06	156-59-2	
trans-1,2-Dichloroethene	<12.9	ug/kg	59.5	12.9	1	05/18/21 07:45	05/19/21 20:06	156-60-5	
1,2-Dichloropropane	<14.2	ug/kg	59.5	14.2	1	05/18/21 07:45	05/19/21 20:06	78-87-5	
1,3-Dichloropropane	<13.0	ug/kg	59.5	13.0	1	05/18/21 07:45	05/19/21 20:06	142-28-9	
2,2-Dichloropropane	<16.1	ug/kg	59.5	16.1	1	05/18/21 07:45	05/19/21 20:06	594-20-7	
1,1-Dichloropropene	<19.3	ug/kg	59.5	19.3	1	05/18/21 07:45	05/19/21 20:06	563-58-6	
cis-1,3-Dichloropropene	<39.3	ug/kg	298	39.3	1	05/18/21 07:45	05/19/21 20:06	10061-01-5	
trans-1,3-Dichloropropene	<170	ug/kg	298	170	1	05/18/21 07:45	05/19/21 20:06	10061-02-6	
Diisopropyl ether	<14.8	ug/kg	59.5	14.8	1	05/18/21 07:45	05/19/21 20:06	108-20-3	
Ethylbenzene	<14.2	ug/kg	59.5	14.2	1	05/18/21 07:45	05/19/21 20:06	100-41-4	
Hexachloro-1,3-butadiene	<118	ug/kg	298	118	1	05/18/21 07:45	05/19/21 20:06	87-68-3	
Isopropylbenzene (Cumene)	<16.1	ug/kg	59.5	16.1	1	05/18/21 07:45	05/19/21 20:06	98-82-8	
p-Isopropyltoluene	<18.1	ug/kg	59.5	18.1	1	05/18/21 07:45	05/19/21 20:06	99-87-6	
Methylene Chloride	<16.6	ug/kg	59.5	16.6	1	05/18/21 07:45	05/19/21 20:06	75-09-2	
Methyl-tert-butyl ether	<17.5	ug/kg	59.5	17.5	1	05/18/21 07:45	05/19/21 20:06	1634-04-4	
Naphthalene	<18.6	ug/kg	298	18.6	1	05/18/21 07:45	05/19/21 20:06	91-20-3	
n-Propylbenzene	<14.3	ug/kg	59.5	14.3	1	05/18/21 07:45	05/19/21 20:06	103-65-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 9640A FONG FAMILY, LLC
Pace Project No.: 40226787

Sample: G6-12 (45-47) **Lab ID: 40226787018** Collected: 05/11/21 08:15 Received: 05/12/21 09:05 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Med Level Normal List									
Analytical Method: EPA 8260 Preparation Method: EPA 5035/5030B									
Pace Analytical Services - Green Bay									
Styrene	<15.2	ug/kg	59.5	15.2	1	05/18/21 07:45	05/19/21 20:06	100-42-5	
1,1,1,2-Tetrachloroethane	<14.3	ug/kg	59.5	14.3	1	05/18/21 07:45	05/19/21 20:06	630-20-6	
1,1,2,2-Tetrachloroethane	<21.6	ug/kg	59.5	21.6	1	05/18/21 07:45	05/19/21 20:06	79-34-5	
Tetrachloroethene	<23.1	ug/kg	59.5	23.1	1	05/18/21 07:45	05/19/21 20:06	127-18-4	
Toluene	<15.0	ug/kg	59.5	15.0	1	05/18/21 07:45	05/19/21 20:06	108-88-3	
1,2,3-Trichlorobenzene	<66.3	ug/kg	298	66.3	1	05/18/21 07:45	05/19/21 20:06	87-61-6	
1,2,4-Trichlorobenzene	<49.1	ug/kg	298	49.1	1	05/18/21 07:45	05/19/21 20:06	120-82-1	
1,1,1-Trichloroethane	<15.2	ug/kg	59.5	15.2	1	05/18/21 07:45	05/19/21 20:06	71-55-6	
1,1,2-Trichloroethane	<21.7	ug/kg	59.5	21.7	1	05/18/21 07:45	05/19/21 20:06	79-00-5	
Trichloroethene	<22.3	ug/kg	59.5	22.3	1	05/18/21 07:45	05/19/21 20:06	79-01-6	
Trichlorofluoromethane	<17.3	ug/kg	59.5	17.3	1	05/18/21 07:45	05/19/21 20:06	75-69-4	
1,2,3-Trichloropropane	<28.9	ug/kg	59.5	28.9	1	05/18/21 07:45	05/19/21 20:06	96-18-4	
1,2,4-Trimethylbenzene	<17.7	ug/kg	59.5	17.7	1	05/18/21 07:45	05/19/21 20:06	95-63-6	
1,3,5-Trimethylbenzene	<19.2	ug/kg	59.5	19.2	1	05/18/21 07:45	05/19/21 20:06	108-67-8	
Vinyl chloride	<12.0	ug/kg	59.5	12.0	1	05/18/21 07:45	05/19/21 20:06	75-01-4	
m&p-Xylene	<25.1	ug/kg	119	25.1	1	05/18/21 07:45	05/19/21 20:06	179601-23-1	
o-Xylene	<17.9	ug/kg	59.5	17.9	1	05/18/21 07:45	05/19/21 20:06	95-47-6	
Surrogates									
Toluene-d8 (S)	102	%	67-159		1	05/18/21 07:45	05/19/21 20:06	2037-26-5	
4-Bromofluorobenzene (S)	99	%	66-153		1	05/18/21 07:45	05/19/21 20:06	460-00-4	
1,2-Dichlorobenzene-d4 (S)	116	%	82-158		1	05/18/21 07:45	05/19/21 20:06	2199-69-1	
Percent Moisture									
Analytical Method: ASTM D2974-87									
Pace Analytical Services - Green Bay									
Percent Moisture	8.7	%	0.10	0.10	1		05/12/21 17:15		

Sample: G7-1 (2-4) **Lab ID: 40226787019** Collected: 05/11/21 09:50 Received: 05/12/21 09:05 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
6020 MET ICPMS									
Analytical Method: EPA 6020 Preparation Method: EPA 3050									
Pace Analytical Services - Green Bay									
Arsenic	5.8	mg/kg	0.90	0.27	6.667	05/14/21 09:03	05/18/21 10:00	7440-38-2	
Lead	6.7	mg/kg	0.68	0.18	6.667	05/14/21 09:03	05/18/21 10:00	7439-92-1	
8270E MSSV PAH by SIM									
Analytical Method: EPA 8270E by SIM Preparation Method: EPA 3546									
Pace Analytical Services - Green Bay									
Acenaphthene	<2.3	ug/kg	17.8	2.3	1	05/18/21 07:40	05/19/21 21:26	83-32-9	
Acenaphthylene	4.0J	ug/kg	17.8	2.2	1	05/18/21 07:40	05/19/21 21:26	208-96-8	
Anthracene	8.2J	ug/kg	17.8	2.2	1	05/18/21 07:40	05/19/21 21:26	120-12-7	
Benzo(a)anthracene	51.7	ug/kg	17.8	2.3	1	05/18/21 07:40	05/19/21 21:26	56-55-3	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 9640A FONG FAMILY, LLC
Pace Project No.: 40226787

Sample: G7-1 (2-4) **Lab ID: 40226787019** Collected: 05/11/21 09:50 Received: 05/12/21 09:05 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8270E MSSV PAH by SIM									
Analytical Method: EPA 8270E by SIM Preparation Method: EPA 3546									
Pace Analytical Services - Green Bay									
Benzo(a)pyrene	59.6	ug/kg	17.8	2.0	1	05/18/21 07:40	05/19/21 21:26	50-32-8	
Benzo(b)fluoranthene	76.8	ug/kg	17.8	2.5	1	05/18/21 07:40	05/19/21 21:26	205-99-2	
Benzo(g,h,i)perylene	41.4	ug/kg	17.8	3.1	1	05/18/21 07:40	05/19/21 21:26	191-24-2	
Benzo(k)fluoranthene	44.3	ug/kg	17.8	2.3	1	05/18/21 07:40	05/19/21 21:26	207-08-9	
Chrysene	60.0	ug/kg	17.8	3.4	1	05/18/21 07:40	05/19/21 21:26	218-01-9	
Dibenz(a,h)anthracene	9.5J	ug/kg	17.8	2.5	1	05/18/21 07:40	05/19/21 21:26	53-70-3	
Fluoranthene	109	ug/kg	17.8	2.1	1	05/18/21 07:40	05/19/21 21:26	206-44-0	
Fluorene	<2.1	ug/kg	17.8	2.1	1	05/18/21 07:40	05/19/21 21:26	86-73-7	
Indeno(1,2,3-cd)pyrene	36.2	ug/kg	17.8	3.7	1	05/18/21 07:40	05/19/21 21:26	193-39-5	
1-Methylnaphthalene	<2.6	ug/kg	17.8	2.6	1	05/18/21 07:40	05/19/21 21:26	90-12-0	
2-Methylnaphthalene	<2.6	ug/kg	17.8	2.6	1	05/18/21 07:40	05/19/21 21:26	91-57-6	
Naphthalene	<1.7	ug/kg	17.8	1.7	1	05/18/21 07:40	05/19/21 21:26	91-20-3	
Phenanthrene	24.2	ug/kg	17.8	2.0	1	05/18/21 07:40	05/19/21 21:26	85-01-8	
Pyrene	92.7	ug/kg	17.8	2.6	1	05/18/21 07:40	05/19/21 21:26	129-00-0	
Surrogates									
2-Fluorobiphenyl (S)	53	%	36-86		1	05/18/21 07:40	05/19/21 21:26	321-60-8	
Terphenyl-d14 (S)	58	%	41-97		1	05/18/21 07:40	05/19/21 21:26	1718-51-0	
8260 MSV Med Level Normal List									
Analytical Method: EPA 8260 Preparation Method: EPA 5035/5030B									
Pace Analytical Services - Green Bay									
Benzene	<13.5	ug/kg	22.7	13.5	1	05/18/21 07:45	05/19/21 20:26	71-43-2	
Bromobenzene	<22.1	ug/kg	56.7	22.1	1	05/18/21 07:45	05/19/21 20:26	108-86-1	
Bromochloromethane	<15.5	ug/kg	56.7	15.5	1	05/18/21 07:45	05/19/21 20:26	74-97-5	
Bromodichloromethane	<13.5	ug/kg	56.7	13.5	1	05/18/21 07:45	05/19/21 20:26	75-27-4	
Bromoform	<250	ug/kg	284	250	1	05/18/21 07:45	05/19/21 20:26	75-25-2	L1
Bromomethane	<79.5	ug/kg	284	79.5	1	05/18/21 07:45	05/19/21 20:26	74-83-9	
n-Butylbenzene	<26.0	ug/kg	56.7	26.0	1	05/18/21 07:45	05/19/21 20:26	104-51-8	
sec-Butylbenzene	<13.8	ug/kg	56.7	13.8	1	05/18/21 07:45	05/19/21 20:26	135-98-8	
tert-Butylbenzene	<17.8	ug/kg	56.7	17.8	1	05/18/21 07:45	05/19/21 20:26	98-06-6	
Carbon tetrachloride	<12.5	ug/kg	56.7	12.5	1	05/18/21 07:45	05/19/21 20:26	56-23-5	
Chlorobenzene	<6.8	ug/kg	56.7	6.8	1	05/18/21 07:45	05/19/21 20:26	108-90-7	
Chloroethane	<23.9	ug/kg	284	23.9	1	05/18/21 07:45	05/19/21 20:26	75-00-3	
Chloroform	<40.6	ug/kg	284	40.6	1	05/18/21 07:45	05/19/21 20:26	67-66-3	
Chloromethane	<21.6	ug/kg	56.7	21.6	1	05/18/21 07:45	05/19/21 20:26	74-87-3	
2-Chlorotoluene	<18.4	ug/kg	56.7	18.4	1	05/18/21 07:45	05/19/21 20:26	95-49-8	
4-Chlorotoluene	<21.6	ug/kg	56.7	21.6	1	05/18/21 07:45	05/19/21 20:26	106-43-4	
1,2-Dibromo-3-chloropropane	<44.0	ug/kg	284	44.0	1	05/18/21 07:45	05/19/21 20:26	96-12-8	
Dibromochloromethane	<194	ug/kg	284	194	1	05/18/21 07:45	05/19/21 20:26	124-48-1	
1,2-Dibromoethane (EDB)	<15.5	ug/kg	56.7	15.5	1	05/18/21 07:45	05/19/21 20:26	106-93-4	
Dibromomethane	<16.8	ug/kg	56.7	16.8	1	05/18/21 07:45	05/19/21 20:26	74-95-3	
1,2-Dichlorobenzene	<17.6	ug/kg	56.7	17.6	1	05/18/21 07:45	05/19/21 20:26	95-50-1	
1,3-Dichlorobenzene	<15.5	ug/kg	56.7	15.5	1	05/18/21 07:45	05/19/21 20:26	541-73-1	
1,4-Dichlorobenzene	<15.5	ug/kg	56.7	15.5	1	05/18/21 07:45	05/19/21 20:26	106-46-7	
Dichlorodifluoromethane	<24.4	ug/kg	56.7	24.4	1	05/18/21 07:45	05/19/21 20:26	75-71-8	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 9640A FONG FAMILY, LLC
Pace Project No.: 40226787

Sample: G7-1 (2-4) **Lab ID: 40226787019** Collected: 05/11/21 09:50 Received: 05/12/21 09:05 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Med Level Normal List									
Analytical Method: EPA 8260 Preparation Method: EPA 5035/5030B									
Pace Analytical Services - Green Bay									
1,1-Dichloroethane	<14.5	ug/kg	56.7	14.5	1	05/18/21 07:45	05/19/21 20:26	75-34-3	
1,2-Dichloroethane	<13.0	ug/kg	56.7	13.0	1	05/18/21 07:45	05/19/21 20:26	107-06-2	
1,1-Dichloroethene	<18.8	ug/kg	56.7	18.8	1	05/18/21 07:45	05/19/21 20:26	75-35-4	
cis-1,2-Dichloroethene	<12.1	ug/kg	56.7	12.1	1	05/18/21 07:45	05/19/21 20:26	156-59-2	
trans-1,2-Dichloroethene	<12.3	ug/kg	56.7	12.3	1	05/18/21 07:45	05/19/21 20:26	156-60-5	
1,2-Dichloropropane	<13.5	ug/kg	56.7	13.5	1	05/18/21 07:45	05/19/21 20:26	78-87-5	
1,3-Dichloropropane	<12.4	ug/kg	56.7	12.4	1	05/18/21 07:45	05/19/21 20:26	142-28-9	
2,2-Dichloropropane	<15.3	ug/kg	56.7	15.3	1	05/18/21 07:45	05/19/21 20:26	594-20-7	
1,1-Dichloropropene	<18.4	ug/kg	56.7	18.4	1	05/18/21 07:45	05/19/21 20:26	563-58-6	
cis-1,3-Dichloropropene	<37.4	ug/kg	284	37.4	1	05/18/21 07:45	05/19/21 20:26	10061-01-5	
trans-1,3-Dichloropropene	<162	ug/kg	284	162	1	05/18/21 07:45	05/19/21 20:26	10061-02-6	
Diisopropyl ether	<14.1	ug/kg	56.7	14.1	1	05/18/21 07:45	05/19/21 20:26	108-20-3	
Ethylbenzene	<13.5	ug/kg	56.7	13.5	1	05/18/21 07:45	05/19/21 20:26	100-41-4	
Hexachloro-1,3-butadiene	<113	ug/kg	284	113	1	05/18/21 07:45	05/19/21 20:26	87-68-3	
Isopropylbenzene (Cumene)	<15.3	ug/kg	56.7	15.3	1	05/18/21 07:45	05/19/21 20:26	98-82-8	
p-Isopropyltoluene	<17.2	ug/kg	56.7	17.2	1	05/18/21 07:45	05/19/21 20:26	99-87-6	
Methylene Chloride	<15.8	ug/kg	56.7	15.8	1	05/18/21 07:45	05/19/21 20:26	75-09-2	
Methyl-tert-butyl ether	<16.7	ug/kg	56.7	16.7	1	05/18/21 07:45	05/19/21 20:26	1634-04-4	
Naphthalene	<17.7	ug/kg	284	17.7	1	05/18/21 07:45	05/19/21 20:26	91-20-3	
n-Propylbenzene	<13.6	ug/kg	56.7	13.6	1	05/18/21 07:45	05/19/21 20:26	103-65-1	
Styrene	<14.5	ug/kg	56.7	14.5	1	05/18/21 07:45	05/19/21 20:26	100-42-5	
1,1,1,2-Tetrachloroethane	<13.6	ug/kg	56.7	13.6	1	05/18/21 07:45	05/19/21 20:26	630-20-6	
1,1,2,2-Tetrachloroethane	<20.5	ug/kg	56.7	20.5	1	05/18/21 07:45	05/19/21 20:26	79-34-5	
Tetrachloroethene	<22.0	ug/kg	56.7	22.0	1	05/18/21 07:45	05/19/21 20:26	127-18-4	
Toluene	<14.3	ug/kg	56.7	14.3	1	05/18/21 07:45	05/19/21 20:26	108-88-3	
1,2,3-Trichlorobenzene	<63.2	ug/kg	284	63.2	1	05/18/21 07:45	05/19/21 20:26	87-61-6	
1,2,4-Trichlorobenzene	<46.7	ug/kg	284	46.7	1	05/18/21 07:45	05/19/21 20:26	120-82-1	
1,1,1-Trichloroethane	<14.5	ug/kg	56.7	14.5	1	05/18/21 07:45	05/19/21 20:26	71-55-6	
1,1,2-Trichloroethane	<20.6	ug/kg	56.7	20.6	1	05/18/21 07:45	05/19/21 20:26	79-00-5	
Trichloroethene	<21.2	ug/kg	56.7	21.2	1	05/18/21 07:45	05/19/21 20:26	79-01-6	
Trichlorofluoromethane	<16.4	ug/kg	56.7	16.4	1	05/18/21 07:45	05/19/21 20:26	75-69-4	
1,2,3-Trichloropropane	<27.6	ug/kg	56.7	27.6	1	05/18/21 07:45	05/19/21 20:26	96-18-4	
1,2,4-Trimethylbenzene	<16.9	ug/kg	56.7	16.9	1	05/18/21 07:45	05/19/21 20:26	95-63-6	
1,3,5-Trimethylbenzene	<18.3	ug/kg	56.7	18.3	1	05/18/21 07:45	05/19/21 20:26	108-67-8	
Vinyl chloride	<11.5	ug/kg	56.7	11.5	1	05/18/21 07:45	05/19/21 20:26	75-01-4	
m&p-Xylene	<23.9	ug/kg	113	23.9	1	05/18/21 07:45	05/19/21 20:26	179601-23-1	
o-Xylene	<17.0	ug/kg	56.7	17.0	1	05/18/21 07:45	05/19/21 20:26	95-47-6	
Surrogates									
Toluene-d8 (S)	90	%	67-159		1	05/18/21 07:45	05/19/21 20:26	2037-26-5	
4-Bromofluorobenzene (S)	84	%	66-153		1	05/18/21 07:45	05/19/21 20:26	460-00-4	
1,2-Dichlorobenzene-d4 (S)	99	%	82-158		1	05/18/21 07:45	05/19/21 20:26	2199-69-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 9640A FONG FAMILY, LLC
Pace Project No.: 40226787

Sample: G7-1 (2-4) **Lab ID: 40226787019** Collected: 05/11/21 09:50 Received: 05/12/21 09:05 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
Percent Moisture									
Analytical Method: ASTM D2974-87 Pace Analytical Services - Green Bay									
Percent Moisture	6.3	%	0.10	0.10	1		05/12/21 17:15		

Sample: G7-6 (22-24) **Lab ID: 40226787020** Collected: 05/11/21 10:05 Received: 05/12/21 09:05 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
6020 MET ICPMS									
Analytical Method: EPA 6020 Preparation Method: EPA 3050 Pace Analytical Services - Green Bay									
Arsenic	4.6	mg/kg	0.91	0.27	6.667	05/14/21 09:03	05/18/21 10:07	7440-38-2	
Lead	7.4	mg/kg	0.69	0.19	6.667	05/14/21 09:03	05/18/21 10:07	7439-92-1	
8270E MSSV PAH by SIM									
Analytical Method: EPA 8270E by SIM Preparation Method: EPA 3546 Pace Analytical Services - Green Bay									
Acenaphthene	<2.3	ug/kg	18.0	2.3	1	05/18/21 07:40	05/19/21 10:12	83-32-9	
Acenaphthylene	<2.3	ug/kg	18.0	2.3	1	05/18/21 07:40	05/19/21 10:12	208-96-8	
Anthracene	<2.2	ug/kg	18.0	2.2	1	05/18/21 07:40	05/19/21 10:12	120-12-7	
Benzo(a)anthracene	7.3J	ug/kg	18.0	2.3	1	05/18/21 07:40	05/19/21 10:12	56-55-3	
Benzo(a)pyrene	6.6J	ug/kg	18.0	2.0	1	05/18/21 07:40	05/19/21 10:12	50-32-8	
Benzo(b)fluoranthene	8.5J	ug/kg	18.0	2.5	1	05/18/21 07:40	05/19/21 10:12	205-99-2	
Benzo(g,h,i)perylene	4.9J	ug/kg	18.0	3.2	1	05/18/21 07:40	05/19/21 10:12	191-24-2	
Benzo(k)fluoranthene	4.5J	ug/kg	18.0	2.3	1	05/18/21 07:40	05/19/21 10:12	207-08-9	
Chrysene	6.8J	ug/kg	18.0	3.4	1	05/18/21 07:40	05/19/21 10:12	218-01-9	
Dibenz(a,h)anthracene	<2.5	ug/kg	18.0	2.5	1	05/18/21 07:40	05/19/21 10:12	53-70-3	
Fluoranthene	10.2J	ug/kg	18.0	2.1	1	05/18/21 07:40	05/19/21 10:12	206-44-0	
Fluorene	<2.2	ug/kg	18.0	2.2	1	05/18/21 07:40	05/19/21 10:12	86-73-7	
Indeno(1,2,3-cd)pyrene	4.2J	ug/kg	18.0	3.8	1	05/18/21 07:40	05/19/21 10:12	193-39-5	
1-Methylnaphthalene	<2.6	ug/kg	18.0	2.6	1	05/18/21 07:40	05/19/21 10:12	90-12-0	
2-Methylnaphthalene	<2.6	ug/kg	18.0	2.6	1	05/18/21 07:40	05/19/21 10:12	91-57-6	
Naphthalene	<1.8	ug/kg	18.0	1.8	1	05/18/21 07:40	05/19/21 10:12	91-20-3	
Phenanthrene	4.7J	ug/kg	18.0	2.1	1	05/18/21 07:40	05/19/21 10:12	85-01-8	
Pyrene	8.8J	ug/kg	18.0	2.7	1	05/18/21 07:40	05/19/21 10:12	129-00-0	
Surrogates									
2-Fluorobiphenyl (S)	56	%	36-86		1	05/18/21 07:40	05/19/21 10:12	321-60-8	
Terphenyl-d14 (S)	63	%	41-97		1	05/18/21 07:40	05/19/21 10:12	1718-51-0	
8260 MSV Med Level Normal List									
Analytical Method: EPA 8260 Preparation Method: EPA 5035/5030B Pace Analytical Services - Green Bay									
Benzene	<13.8	ug/kg	23.2	13.8	1	05/18/21 07:45	05/19/21 20:46	71-43-2	
Bromobenzene	<22.6	ug/kg	58.0	22.6	1	05/18/21 07:45	05/19/21 20:46	108-86-1	
Bromochloromethane	<15.9	ug/kg	58.0	15.9	1	05/18/21 07:45	05/19/21 20:46	74-97-5	
Bromodichloromethane	<13.8	ug/kg	58.0	13.8	1	05/18/21 07:45	05/19/21 20:46	75-27-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 9640A FONG FAMILY, LLC

Pace Project No.: 40226787

Sample: G7-6 (22-24) **Lab ID: 40226787020** Collected: 05/11/21 10:05 Received: 05/12/21 09:05 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Med Level Normal List									
Analytical Method: EPA 8260 Preparation Method: EPA 5035/5030B									
Pace Analytical Services - Green Bay									
Bromoform	<255	ug/kg	290	255	1	05/18/21 07:45	05/19/21 20:46	75-25-2	L1
Bromomethane	<81.3	ug/kg	290	81.3	1	05/18/21 07:45	05/19/21 20:46	74-83-9	
n-Butylbenzene	<26.5	ug/kg	58.0	26.5	1	05/18/21 07:45	05/19/21 20:46	104-51-8	
sec-Butylbenzene	<14.1	ug/kg	58.0	14.1	1	05/18/21 07:45	05/19/21 20:46	135-98-8	
tert-Butylbenzene	<18.2	ug/kg	58.0	18.2	1	05/18/21 07:45	05/19/21 20:46	98-06-6	
Carbon tetrachloride	<12.8	ug/kg	58.0	12.8	1	05/18/21 07:45	05/19/21 20:46	56-23-5	
Chlorobenzene	<6.9	ug/kg	58.0	6.9	1	05/18/21 07:45	05/19/21 20:46	108-90-7	
Chloroethane	<24.5	ug/kg	290	24.5	1	05/18/21 07:45	05/19/21 20:46	75-00-3	
Chloroform	<41.5	ug/kg	290	41.5	1	05/18/21 07:45	05/19/21 20:46	67-66-3	
Chloromethane	<22.0	ug/kg	58.0	22.0	1	05/18/21 07:45	05/19/21 20:46	74-87-3	
2-Chlorotoluene	<18.8	ug/kg	58.0	18.8	1	05/18/21 07:45	05/19/21 20:46	95-49-8	
4-Chlorotoluene	<22.0	ug/kg	58.0	22.0	1	05/18/21 07:45	05/19/21 20:46	106-43-4	
1,2-Dibromo-3-chloropropane	<45.0	ug/kg	290	45.0	1	05/18/21 07:45	05/19/21 20:46	96-12-8	
Dibromochloromethane	<198	ug/kg	290	198	1	05/18/21 07:45	05/19/21 20:46	124-48-1	
1,2-Dibromoethane (EDB)	<15.9	ug/kg	58.0	15.9	1	05/18/21 07:45	05/19/21 20:46	106-93-4	
Dibromomethane	<17.2	ug/kg	58.0	17.2	1	05/18/21 07:45	05/19/21 20:46	74-95-3	
1,2-Dichlorobenzene	<18.0	ug/kg	58.0	18.0	1	05/18/21 07:45	05/19/21 20:46	95-50-1	
1,3-Dichlorobenzene	<15.9	ug/kg	58.0	15.9	1	05/18/21 07:45	05/19/21 20:46	541-73-1	
1,4-Dichlorobenzene	<15.9	ug/kg	58.0	15.9	1	05/18/21 07:45	05/19/21 20:46	106-46-7	
Dichlorodifluoromethane	<24.9	ug/kg	58.0	24.9	1	05/18/21 07:45	05/19/21 20:46	75-71-8	
1,1-Dichloroethane	<14.8	ug/kg	58.0	14.8	1	05/18/21 07:45	05/19/21 20:46	75-34-3	
1,2-Dichloroethane	<13.3	ug/kg	58.0	13.3	1	05/18/21 07:45	05/19/21 20:46	107-06-2	
1,1-Dichloroethene	<19.2	ug/kg	58.0	19.2	1	05/18/21 07:45	05/19/21 20:46	75-35-4	
cis-1,2-Dichloroethene	<12.4	ug/kg	58.0	12.4	1	05/18/21 07:45	05/19/21 20:46	156-59-2	
trans-1,2-Dichloroethene	<12.5	ug/kg	58.0	12.5	1	05/18/21 07:45	05/19/21 20:46	156-60-5	
1,2-Dichloropropane	<13.8	ug/kg	58.0	13.8	1	05/18/21 07:45	05/19/21 20:46	78-87-5	
1,3-Dichloropropane	<12.6	ug/kg	58.0	12.6	1	05/18/21 07:45	05/19/21 20:46	142-28-9	
2,2-Dichloropropane	<15.7	ug/kg	58.0	15.7	1	05/18/21 07:45	05/19/21 20:46	594-20-7	
1,1-Dichloropropene	<18.8	ug/kg	58.0	18.8	1	05/18/21 07:45	05/19/21 20:46	563-58-6	
cis-1,3-Dichloropropene	<38.3	ug/kg	290	38.3	1	05/18/21 07:45	05/19/21 20:46	10061-01-5	
trans-1,3-Dichloropropene	<166	ug/kg	290	166	1	05/18/21 07:45	05/19/21 20:46	10061-02-6	
Diisopropyl ether	<14.4	ug/kg	58.0	14.4	1	05/18/21 07:45	05/19/21 20:46	108-20-3	
Ethylbenzene	<13.8	ug/kg	58.0	13.8	1	05/18/21 07:45	05/19/21 20:46	100-41-4	
Hexachloro-1,3-butadiene	<115	ug/kg	290	115	1	05/18/21 07:45	05/19/21 20:46	87-68-3	
Isopropylbenzene (Cumene)	<15.7	ug/kg	58.0	15.7	1	05/18/21 07:45	05/19/21 20:46	98-82-8	
p-Isopropyltoluene	<17.6	ug/kg	58.0	17.6	1	05/18/21 07:45	05/19/21 20:46	99-87-6	
Methylene Chloride	<16.1	ug/kg	58.0	16.1	1	05/18/21 07:45	05/19/21 20:46	75-09-2	
Methyl-tert-butyl ether	<17.0	ug/kg	58.0	17.0	1	05/18/21 07:45	05/19/21 20:46	1634-04-4	
Naphthalene	<18.1	ug/kg	290	18.1	1	05/18/21 07:45	05/19/21 20:46	91-20-3	
n-Propylbenzene	<13.9	ug/kg	58.0	13.9	1	05/18/21 07:45	05/19/21 20:46	103-65-1	
Styrene	<14.8	ug/kg	58.0	14.8	1	05/18/21 07:45	05/19/21 20:46	100-42-5	
1,1,1,2-Tetrachloroethane	<13.9	ug/kg	58.0	13.9	1	05/18/21 07:45	05/19/21 20:46	630-20-6	
1,1,2,2-Tetrachloroethane	<21.0	ug/kg	58.0	21.0	1	05/18/21 07:45	05/19/21 20:46	79-34-5	
Tetrachloroethene	<22.5	ug/kg	58.0	22.5	1	05/18/21 07:45	05/19/21 20:46	127-18-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 9640A FONG FAMILY, LLC
Pace Project No.: 40226787

Sample: G7-6 (22-24) **Lab ID: 40226787020** Collected: 05/11/21 10:05 Received: 05/12/21 09:05 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Med Level Normal List									
Analytical Method: EPA 8260 Preparation Method: EPA 5035/5030B									
Pace Analytical Services - Green Bay									
Toluene	<14.6	ug/kg	58.0	14.6	1	05/18/21 07:45	05/19/21 20:46	108-88-3	
1,2,3-Trichlorobenzene	<64.6	ug/kg	290	64.6	1	05/18/21 07:45	05/19/21 20:46	87-61-6	
1,2,4-Trichlorobenzene	<47.8	ug/kg	290	47.8	1	05/18/21 07:45	05/19/21 20:46	120-82-1	
1,1,1-Trichloroethane	<14.8	ug/kg	58.0	14.8	1	05/18/21 07:45	05/19/21 20:46	71-55-6	
1,1,2-Trichloroethane	<21.1	ug/kg	58.0	21.1	1	05/18/21 07:45	05/19/21 20:46	79-00-5	
Trichloroethene	<21.7	ug/kg	58.0	21.7	1	05/18/21 07:45	05/19/21 20:46	79-01-6	
Trichlorofluoromethane	<16.8	ug/kg	58.0	16.8	1	05/18/21 07:45	05/19/21 20:46	75-69-4	
1,2,3-Trichloropropane	<28.2	ug/kg	58.0	28.2	1	05/18/21 07:45	05/19/21 20:46	96-18-4	
1,2,4-Trimethylbenzene	<17.3	ug/kg	58.0	17.3	1	05/18/21 07:45	05/19/21 20:46	95-63-6	
1,3,5-Trimethylbenzene	<18.7	ug/kg	58.0	18.7	1	05/18/21 07:45	05/19/21 20:46	108-67-8	
Vinyl chloride	<11.7	ug/kg	58.0	11.7	1	05/18/21 07:45	05/19/21 20:46	75-01-4	
m&p-Xylene	<24.5	ug/kg	116	24.5	1	05/18/21 07:45	05/19/21 20:46	179601-23-1	
o-Xylene	<17.4	ug/kg	58.0	17.4	1	05/18/21 07:45	05/19/21 20:46	95-47-6	
Surrogates									
Toluene-d8 (S)	104	%	67-159		1	05/18/21 07:45	05/19/21 20:46	2037-26-5	
4-Bromofluorobenzene (S)	93	%	66-153		1	05/18/21 07:45	05/19/21 20:46	460-00-4	
1,2-Dichlorobenzene-d4 (S)	110	%	82-158		1	05/18/21 07:45	05/19/21 20:46	2199-69-1	

Percent Moisture

Analytical Method: ASTM D2974-87
Pace Analytical Services - Green Bay

Percent Moisture	7.4	%	0.10	0.10	1		05/12/21 17:15		
------------------	-----	---	------	------	---	--	----------------	--	--

Sample: G7-10 (38-40) **Lab ID: 40226787021** Collected: 05/11/21 10:23 Received: 05/12/21 09:05 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
6020 MET ICPMS									
Analytical Method: EPA 6020 Preparation Method: EPA 3050									
Pace Analytical Services - Green Bay									
Arsenic	2.1	mg/kg	0.99	0.30	6.667	05/14/21 08:43	05/18/21 11:26	7440-38-2	
Lead	26.4	mg/kg	0.75	0.20	6.667	05/14/21 08:43	05/18/21 11:26	7439-92-1	
8270E MSSV PAH by SIM									
Analytical Method: EPA 8270E by SIM Preparation Method: EPA 3546									
Pace Analytical Services - Green Bay									
Acenaphthene	2.5J	ug/kg	18.9	2.5	1	05/18/21 07:40	05/19/21 20:00	83-32-9	
Acenaphthylene	10.9J	ug/kg	18.9	2.4	1	05/18/21 07:40	05/19/21 20:00	208-96-8	
Anthracene	21.7	ug/kg	18.9	2.3	1	05/18/21 07:40	05/19/21 20:00	120-12-7	
Benzo(a)anthracene	83.1	ug/kg	18.9	2.4	1	05/18/21 07:40	05/19/21 20:00	56-55-3	
Benzo(a)pyrene	96.1	ug/kg	18.9	2.1	1	05/18/21 07:40	05/19/21 20:00	50-32-8	
Benzo(b)fluoranthene	123	ug/kg	18.9	2.6	1	05/18/21 07:40	05/19/21 20:00	205-99-2	
Benzo(g,h,i)perylene	64.3	ug/kg	18.9	3.3	1	05/18/21 07:40	05/19/21 20:00	191-24-2	
Benzo(k)fluoranthene	64.9	ug/kg	18.9	2.4	1	05/18/21 07:40	05/19/21 20:00	207-08-9	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 9640A FONG FAMILY, LLC
Pace Project No.: 40226787

Sample: G7-10 (38-40) **Lab ID: 40226787021** Collected: 05/11/21 10:23 Received: 05/12/21 09:05 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8270E MSSV PAH by SIM									
Analytical Method: EPA 8270E by SIM Preparation Method: EPA 3546									
Pace Analytical Services - Green Bay									
Chrysene	102	ug/kg	18.9	3.6	1	05/18/21 07:40	05/19/21 20:00	218-01-9	
Dibenz(a,h)anthracene	16.1J	ug/kg	18.9	2.6	1	05/18/21 07:40	05/19/21 20:00	53-70-3	
Fluoranthene	169	ug/kg	18.9	2.2	1	05/18/21 07:40	05/19/21 20:00	206-44-0	
Fluorene	4.6J	ug/kg	18.9	2.3	1	05/18/21 07:40	05/19/21 20:00	86-73-7	
Indeno(1,2,3-cd)pyrene	58.7	ug/kg	18.9	3.9	1	05/18/21 07:40	05/19/21 20:00	193-39-5	
1-Methylnaphthalene	<2.8	ug/kg	18.9	2.8	1	05/18/21 07:40	05/19/21 20:00	90-12-0	
2-Methylnaphthalene	3.0J	ug/kg	18.9	2.8	1	05/18/21 07:40	05/19/21 20:00	91-57-6	
Naphthalene	10.7J	ug/kg	18.9	1.8	1	05/18/21 07:40	05/19/21 20:00	91-20-3	
Phenanthrene	85.1	ug/kg	18.9	2.2	1	05/18/21 07:40	05/19/21 20:00	85-01-8	
Pyrene	147	ug/kg	18.9	2.8	1	05/18/21 07:40	05/19/21 20:00	129-00-0	
Surrogates									
2-Fluorobiphenyl (S)	59	%	36-86		1	05/18/21 07:40	05/19/21 20:00	321-60-8	
Terphenyl-d14 (S)	64	%	41-97		1	05/18/21 07:40	05/19/21 20:00	1718-51-0	
8260 MSV Med Level Normal List									
Analytical Method: EPA 8260 Preparation Method: EPA 5035/5030B									
Pace Analytical Services - Green Bay									
Benzene	<15.1	ug/kg	25.3	15.1	1	05/18/21 07:45	05/19/21 21:07	71-43-2	
Bromobenzene	<24.7	ug/kg	63.3	24.7	1	05/18/21 07:45	05/19/21 21:07	108-86-1	
Bromochloromethane	<17.4	ug/kg	63.3	17.4	1	05/18/21 07:45	05/19/21 21:07	74-97-5	
Bromodichloromethane	<15.1	ug/kg	63.3	15.1	1	05/18/21 07:45	05/19/21 21:07	75-27-4	
Bromoform	<279	ug/kg	317	279	1	05/18/21 07:45	05/19/21 21:07	75-25-2	L1
Bromomethane	<88.8	ug/kg	317	88.8	1	05/18/21 07:45	05/19/21 21:07	74-83-9	
n-Butylbenzene	<29.0	ug/kg	63.3	29.0	1	05/18/21 07:45	05/19/21 21:07	104-51-8	
sec-Butylbenzene	<15.5	ug/kg	63.3	15.5	1	05/18/21 07:45	05/19/21 21:07	135-98-8	
tert-Butylbenzene	<19.9	ug/kg	63.3	19.9	1	05/18/21 07:45	05/19/21 21:07	98-06-6	
Carbon tetrachloride	<13.9	ug/kg	63.3	13.9	1	05/18/21 07:45	05/19/21 21:07	56-23-5	
Chlorobenzene	<7.6	ug/kg	63.3	7.6	1	05/18/21 07:45	05/19/21 21:07	108-90-7	
Chloroethane	<26.7	ug/kg	317	26.7	1	05/18/21 07:45	05/19/21 21:07	75-00-3	
Chloroform	<45.4	ug/kg	317	45.4	1	05/18/21 07:45	05/19/21 21:07	67-66-3	
Chloromethane	<24.1	ug/kg	63.3	24.1	1	05/18/21 07:45	05/19/21 21:07	74-87-3	
2-Chlorotoluene	<20.5	ug/kg	63.3	20.5	1	05/18/21 07:45	05/19/21 21:07	95-49-8	
4-Chlorotoluene	<24.1	ug/kg	63.3	24.1	1	05/18/21 07:45	05/19/21 21:07	106-43-4	
1,2-Dibromo-3-chloropropane	<49.2	ug/kg	317	49.2	1	05/18/21 07:45	05/19/21 21:07	96-12-8	
Dibromochloromethane	<217	ug/kg	317	217	1	05/18/21 07:45	05/19/21 21:07	124-48-1	
1,2-Dibromoethane (EDB)	<17.4	ug/kg	63.3	17.4	1	05/18/21 07:45	05/19/21 21:07	106-93-4	
Dibromomethane	<18.8	ug/kg	63.3	18.8	1	05/18/21 07:45	05/19/21 21:07	74-95-3	
1,2-Dichlorobenzene	<19.6	ug/kg	63.3	19.6	1	05/18/21 07:45	05/19/21 21:07	95-50-1	
1,3-Dichlorobenzene	<17.4	ug/kg	63.3	17.4	1	05/18/21 07:45	05/19/21 21:07	541-73-1	
1,4-Dichlorobenzene	<17.4	ug/kg	63.3	17.4	1	05/18/21 07:45	05/19/21 21:07	106-46-7	
Dichlorodifluoromethane	<27.2	ug/kg	63.3	27.2	1	05/18/21 07:45	05/19/21 21:07	75-71-8	
1,1-Dichloroethane	<16.2	ug/kg	63.3	16.2	1	05/18/21 07:45	05/19/21 21:07	75-34-3	
1,2-Dichloroethane	<14.6	ug/kg	63.3	14.6	1	05/18/21 07:45	05/19/21 21:07	107-06-2	
1,1-Dichloroethene	<21.0	ug/kg	63.3	21.0	1	05/18/21 07:45	05/19/21 21:07	75-35-4	
cis-1,2-Dichloroethene	<13.6	ug/kg	63.3	13.6	1	05/18/21 07:45	05/19/21 21:07	156-59-2	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 9640A FONG FAMILY, LLC
Pace Project No.: 40226787

Sample: G7-10 (38-40) **Lab ID: 40226787021** Collected: 05/11/21 10:23 Received: 05/12/21 09:05 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Med Level Normal List									
Analytical Method: EPA 8260 Preparation Method: EPA 5035/5030B									
Pace Analytical Services - Green Bay									
trans-1,2-Dichloroethene	<13.7	ug/kg	63.3	13.7	1	05/18/21 07:45	05/19/21 21:07	156-60-5	
1,2-Dichloropropane	<15.1	ug/kg	63.3	15.1	1	05/18/21 07:45	05/19/21 21:07	78-87-5	
1,3-Dichloropropane	<13.8	ug/kg	63.3	13.8	1	05/18/21 07:45	05/19/21 21:07	142-28-9	
2,2-Dichloropropane	<17.1	ug/kg	63.3	17.1	1	05/18/21 07:45	05/19/21 21:07	594-20-7	
1,1-Dichloropropene	<20.5	ug/kg	63.3	20.5	1	05/18/21 07:45	05/19/21 21:07	563-58-6	
cis-1,3-Dichloropropene	<41.8	ug/kg	317	41.8	1	05/18/21 07:45	05/19/21 21:07	10061-01-5	
trans-1,3-Dichloropropene	<181	ug/kg	317	181	1	05/18/21 07:45	05/19/21 21:07	10061-02-6	
Diisopropyl ether	<15.7	ug/kg	63.3	15.7	1	05/18/21 07:45	05/19/21 21:07	108-20-3	
Ethylbenzene	<15.1	ug/kg	63.3	15.1	1	05/18/21 07:45	05/19/21 21:07	100-41-4	
Hexachloro-1,3-butadiene	<126	ug/kg	317	126	1	05/18/21 07:45	05/19/21 21:07	87-68-3	
Isopropylbenzene (Cumene)	<17.1	ug/kg	63.3	17.1	1	05/18/21 07:45	05/19/21 21:07	98-82-8	
p-Isopropyltoluene	<19.3	ug/kg	63.3	19.3	1	05/18/21 07:45	05/19/21 21:07	99-87-6	
Methylene Chloride	<17.6	ug/kg	63.3	17.6	1	05/18/21 07:45	05/19/21 21:07	75-09-2	
Methyl-tert-butyl ether	<18.6	ug/kg	63.3	18.6	1	05/18/21 07:45	05/19/21 21:07	1634-04-4	
Naphthalene	<19.8	ug/kg	317	19.8	1	05/18/21 07:45	05/19/21 21:07	91-20-3	
n-Propylbenzene	<15.2	ug/kg	63.3	15.2	1	05/18/21 07:45	05/19/21 21:07	103-65-1	
Styrene	<16.2	ug/kg	63.3	16.2	1	05/18/21 07:45	05/19/21 21:07	100-42-5	
1,1,1,2-Tetrachloroethane	<15.2	ug/kg	63.3	15.2	1	05/18/21 07:45	05/19/21 21:07	630-20-6	
1,1,2,2-Tetrachloroethane	<22.9	ug/kg	63.3	22.9	1	05/18/21 07:45	05/19/21 21:07	79-34-5	
Tetrachloroethene	<24.6	ug/kg	63.3	24.6	1	05/18/21 07:45	05/19/21 21:07	127-18-4	
Toluene	<16.0	ug/kg	63.3	16.0	1	05/18/21 07:45	05/19/21 21:07	108-88-3	
1,2,3-Trichlorobenzene	<70.6	ug/kg	317	70.6	1	05/18/21 07:45	05/19/21 21:07	87-61-6	
1,2,4-Trichlorobenzene	<52.2	ug/kg	317	52.2	1	05/18/21 07:45	05/19/21 21:07	120-82-1	
1,1,1-Trichloroethane	<16.2	ug/kg	63.3	16.2	1	05/18/21 07:45	05/19/21 21:07	71-55-6	
1,1,2-Trichloroethane	<23.1	ug/kg	63.3	23.1	1	05/18/21 07:45	05/19/21 21:07	79-00-5	
Trichloroethene	<23.7	ug/kg	63.3	23.7	1	05/18/21 07:45	05/19/21 21:07	79-01-6	
Trichlorofluoromethane	<18.4	ug/kg	63.3	18.4	1	05/18/21 07:45	05/19/21 21:07	75-69-4	
1,2,3-Trichloropropane	<30.8	ug/kg	63.3	30.8	1	05/18/21 07:45	05/19/21 21:07	96-18-4	
1,2,4-Trimethylbenzene	<18.9	ug/kg	63.3	18.9	1	05/18/21 07:45	05/19/21 21:07	95-63-6	
1,3,5-Trimethylbenzene	<20.4	ug/kg	63.3	20.4	1	05/18/21 07:45	05/19/21 21:07	108-67-8	
Vinyl chloride	<12.8	ug/kg	63.3	12.8	1	05/18/21 07:45	05/19/21 21:07	75-01-4	
m&p-Xylene	<26.7	ug/kg	127	26.7	1	05/18/21 07:45	05/19/21 21:07	179601-23-1	
o-Xylene	<19.0	ug/kg	63.3	19.0	1	05/18/21 07:45	05/19/21 21:07	95-47-6	
Surrogates									
Toluene-d8 (S)	102	%	67-159		1	05/18/21 07:45	05/19/21 21:07	2037-26-5	
4-Bromofluorobenzene (S)	97	%	66-153		1	05/18/21 07:45	05/19/21 21:07	460-00-4	
1,2-Dichlorobenzene-d4 (S)	116	%	82-158		1	05/18/21 07:45	05/19/21 21:07	2199-69-1	

Percent Moisture

Analytical Method: ASTM D2974-87
Pace Analytical Services - Green Bay

Percent Moisture	11.8	%	0.10	0.10	1		05/12/21 17:15		
------------------	-------------	---	------	------	---	--	----------------	--	--

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 9640A FONG FAMILY, LLC
Pace Project No.: 40226787

Sample: G8-1 (2-4) **Lab ID: 40226787022** Collected: 05/11/21 11:05 Received: 05/12/21 09:05 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
6020 MET ICPMS									
Analytical Method: EPA 6020 Preparation Method: EPA 3050									
Pace Analytical Services - Green Bay									
Arsenic	4.3	mg/kg	0.90	0.27	6.667	05/14/21 08:43	05/18/21 11:54	7440-38-2	
Lead	19.9	mg/kg	0.68	0.19	6.667	05/14/21 08:43	05/18/21 11:54	7439-92-1	
8270E MSSV PAH by SIM									
Analytical Method: EPA 8270E by SIM Preparation Method: EPA 3546									
Pace Analytical Services - Green Bay									
Acenaphthene	<2.3	ug/kg	18.0	2.3	1	05/18/21 07:40	05/19/21 20:18	83-32-9	
Acenaphthylene	3.2J	ug/kg	18.0	2.3	1	05/18/21 07:40	05/19/21 20:18	208-96-8	
Anthracene	3.3J	ug/kg	18.0	2.2	1	05/18/21 07:40	05/19/21 20:18	120-12-7	
Benzo(a)anthracene	16.4J	ug/kg	18.0	2.3	1	05/18/21 07:40	05/19/21 20:18	56-55-3	
Benzo(a)pyrene	20.3	ug/kg	18.0	2.1	1	05/18/21 07:40	05/19/21 20:18	50-32-8	
Benzo(b)fluoranthene	28.6	ug/kg	18.0	2.5	1	05/18/21 07:40	05/19/21 20:18	205-99-2	
Benzo(g,h,i)perylene	17.5J	ug/kg	18.0	3.2	1	05/18/21 07:40	05/19/21 20:18	191-24-2	
Benzo(k)fluoranthene	11.5J	ug/kg	18.0	2.3	1	05/18/21 07:40	05/19/21 20:18	207-08-9	
Chrysene	19.0	ug/kg	18.0	3.4	1	05/18/21 07:40	05/19/21 20:18	218-01-9	
Dibenz(a,h)anthracene	4.7J	ug/kg	18.0	2.5	1	05/18/21 07:40	05/19/21 20:18	53-70-3	
Fluoranthene	26.7	ug/kg	18.0	2.1	1	05/18/21 07:40	05/19/21 20:18	206-44-0	
Fluorene	<2.2	ug/kg	18.0	2.2	1	05/18/21 07:40	05/19/21 20:18	86-73-7	
Indeno(1,2,3-cd)pyrene	13.4J	ug/kg	18.0	3.8	1	05/18/21 07:40	05/19/21 20:18	193-39-5	
1-Methylnaphthalene	<2.6	ug/kg	18.0	2.6	1	05/18/21 07:40	05/19/21 20:18	90-12-0	
2-Methylnaphthalene	<2.6	ug/kg	18.0	2.6	1	05/18/21 07:40	05/19/21 20:18	91-57-6	
Naphthalene	<1.8	ug/kg	18.0	1.8	1	05/18/21 07:40	05/19/21 20:18	91-20-3	
Phenanthrene	7.1J	ug/kg	18.0	2.1	1	05/18/21 07:40	05/19/21 20:18	85-01-8	
Pyrene	27.2	ug/kg	18.0	2.7	1	05/18/21 07:40	05/19/21 20:18	129-00-0	
Surrogates									
2-Fluorobiphenyl (S)	56	%	36-86		1	05/18/21 07:40	05/19/21 20:18	321-60-8	
Terphenyl-d14 (S)	64	%	41-97		1	05/18/21 07:40	05/19/21 20:18	1718-51-0	
8260 MSV Med Level Normal List									
Analytical Method: EPA 8260 Preparation Method: EPA 5035/5030B									
Pace Analytical Services - Green Bay									
Benzene	<13.8	ug/kg	23.2	13.8	1	05/18/21 07:45	05/19/21 21:27	71-43-2	
Bromobenzene	<22.6	ug/kg	58.1	22.6	1	05/18/21 07:45	05/19/21 21:27	108-86-1	
Bromochloromethane	<15.9	ug/kg	58.1	15.9	1	05/18/21 07:45	05/19/21 21:27	74-97-5	
Bromodichloromethane	<13.8	ug/kg	58.1	13.8	1	05/18/21 07:45	05/19/21 21:27	75-27-4	
Bromoform	<255	ug/kg	290	255	1	05/18/21 07:45	05/19/21 21:27	75-25-2	L1
Bromomethane	<81.4	ug/kg	290	81.4	1	05/18/21 07:45	05/19/21 21:27	74-83-9	
n-Butylbenzene	<26.6	ug/kg	58.1	26.6	1	05/18/21 07:45	05/19/21 21:27	104-51-8	
sec-Butylbenzene	<14.2	ug/kg	58.1	14.2	1	05/18/21 07:45	05/19/21 21:27	135-98-8	
tert-Butylbenzene	<18.2	ug/kg	58.1	18.2	1	05/18/21 07:45	05/19/21 21:27	98-06-6	
Carbon tetrachloride	<12.8	ug/kg	58.1	12.8	1	05/18/21 07:45	05/19/21 21:27	56-23-5	
Chlorobenzene	<7.0	ug/kg	58.1	7.0	1	05/18/21 07:45	05/19/21 21:27	108-90-7	
Chloroethane	<24.5	ug/kg	290	24.5	1	05/18/21 07:45	05/19/21 21:27	75-00-3	
Chloroform	<41.6	ug/kg	290	41.6	1	05/18/21 07:45	05/19/21 21:27	67-66-3	
Chloromethane	<22.1	ug/kg	58.1	22.1	1	05/18/21 07:45	05/19/21 21:27	74-87-3	
2-Chlorotoluene	<18.8	ug/kg	58.1	18.8	1	05/18/21 07:45	05/19/21 21:27	95-49-8	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 9640A FONG FAMILY, LLC

Pace Project No.: 40226787

Sample: G8-1 (2-4) **Lab ID: 40226787022** Collected: 05/11/21 11:05 Received: 05/12/21 09:05 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Med Level Normal List									
Analytical Method: EPA 8260 Preparation Method: EPA 5035/5030B									
Pace Analytical Services - Green Bay									
4-Chlorotoluene	<22.1	ug/kg	58.1	22.1	1	05/18/21 07:45	05/19/21 21:27	106-43-4	
1,2-Dibromo-3-chloropropane	<45.1	ug/kg	290	45.1	1	05/18/21 07:45	05/19/21 21:27	96-12-8	
Dibromochloromethane	<198	ug/kg	290	198	1	05/18/21 07:45	05/19/21 21:27	124-48-1	
1,2-Dibromoethane (EDB)	<15.9	ug/kg	58.1	15.9	1	05/18/21 07:45	05/19/21 21:27	106-93-4	
Dibromomethane	<17.2	ug/kg	58.1	17.2	1	05/18/21 07:45	05/19/21 21:27	74-95-3	
1,2-Dichlorobenzene	<18.0	ug/kg	58.1	18.0	1	05/18/21 07:45	05/19/21 21:27	95-50-1	
1,3-Dichlorobenzene	<15.9	ug/kg	58.1	15.9	1	05/18/21 07:45	05/19/21 21:27	541-73-1	
1,4-Dichlorobenzene	<15.9	ug/kg	58.1	15.9	1	05/18/21 07:45	05/19/21 21:27	106-46-7	
Dichlorodifluoromethane	<25.0	ug/kg	58.1	25.0	1	05/18/21 07:45	05/19/21 21:27	75-71-8	
1,1-Dichloroethane	<14.9	ug/kg	58.1	14.9	1	05/18/21 07:45	05/19/21 21:27	75-34-3	
1,2-Dichloroethane	<13.4	ug/kg	58.1	13.4	1	05/18/21 07:45	05/19/21 21:27	107-06-2	
1,1-Dichloroethene	<19.3	ug/kg	58.1	19.3	1	05/18/21 07:45	05/19/21 21:27	75-35-4	
cis-1,2-Dichloroethene	<12.4	ug/kg	58.1	12.4	1	05/18/21 07:45	05/19/21 21:27	156-59-2	
trans-1,2-Dichloroethene	<12.5	ug/kg	58.1	12.5	1	05/18/21 07:45	05/19/21 21:27	156-60-5	
1,2-Dichloropropane	<13.8	ug/kg	58.1	13.8	1	05/18/21 07:45	05/19/21 21:27	78-87-5	
1,3-Dichloropropane	<12.7	ug/kg	58.1	12.7	1	05/18/21 07:45	05/19/21 21:27	142-28-9	
2,2-Dichloropropane	<15.7	ug/kg	58.1	15.7	1	05/18/21 07:45	05/19/21 21:27	594-20-7	
1,1-Dichloropropene	<18.8	ug/kg	58.1	18.8	1	05/18/21 07:45	05/19/21 21:27	563-58-6	
cis-1,3-Dichloropropene	<38.3	ug/kg	290	38.3	1	05/18/21 07:45	05/19/21 21:27	10061-01-5	
trans-1,3-Dichloropropene	<166	ug/kg	290	166	1	05/18/21 07:45	05/19/21 21:27	10061-02-6	
Diisopropyl ether	<14.4	ug/kg	58.1	14.4	1	05/18/21 07:45	05/19/21 21:27	108-20-3	
Ethylbenzene	<13.8	ug/kg	58.1	13.8	1	05/18/21 07:45	05/19/21 21:27	100-41-4	
Hexachloro-1,3-butadiene	<115	ug/kg	290	115	1	05/18/21 07:45	05/19/21 21:27	87-68-3	
Isopropylbenzene (Cumene)	<15.7	ug/kg	58.1	15.7	1	05/18/21 07:45	05/19/21 21:27	98-82-8	
p-Isopropyltoluene	<17.7	ug/kg	58.1	17.7	1	05/18/21 07:45	05/19/21 21:27	99-87-6	
Methylene Chloride	<16.1	ug/kg	58.1	16.1	1	05/18/21 07:45	05/19/21 21:27	75-09-2	
Methyl-tert-butyl ether	<17.1	ug/kg	58.1	17.1	1	05/18/21 07:45	05/19/21 21:27	1634-04-4	
Naphthalene	55.2J	ug/kg	290	18.1	1	05/18/21 07:45	05/19/21 21:27	91-20-3	
n-Propylbenzene	<13.9	ug/kg	58.1	13.9	1	05/18/21 07:45	05/19/21 21:27	103-65-1	
Styrene	<14.9	ug/kg	58.1	14.9	1	05/18/21 07:45	05/19/21 21:27	100-42-5	
1,1,1,2-Tetrachloroethane	<13.9	ug/kg	58.1	13.9	1	05/18/21 07:45	05/19/21 21:27	630-20-6	
1,1,2,2-Tetrachloroethane	<21.0	ug/kg	58.1	21.0	1	05/18/21 07:45	05/19/21 21:27	79-34-5	
Tetrachloroethene	43.7J	ug/kg	58.1	22.5	1	05/18/21 07:45	05/19/21 21:27	127-18-4	
Toluene	<14.6	ug/kg	58.1	14.6	1	05/18/21 07:45	05/19/21 21:27	108-88-3	
1,2,3-Trichlorobenzene	<64.7	ug/kg	290	64.7	1	05/18/21 07:45	05/19/21 21:27	87-61-6	
1,2,4-Trichlorobenzene	<47.8	ug/kg	290	47.8	1	05/18/21 07:45	05/19/21 21:27	120-82-1	
1,1,1-Trichloroethane	<14.9	ug/kg	58.1	14.9	1	05/18/21 07:45	05/19/21 21:27	71-55-6	
1,1,2-Trichloroethane	<21.1	ug/kg	58.1	21.1	1	05/18/21 07:45	05/19/21 21:27	79-00-5	
Trichloroethene	<21.7	ug/kg	58.1	21.7	1	05/18/21 07:45	05/19/21 21:27	79-01-6	
Trichlorofluoromethane	<16.8	ug/kg	58.1	16.8	1	05/18/21 07:45	05/19/21 21:27	75-69-4	
1,2,3-Trichloropropane	<28.2	ug/kg	58.1	28.2	1	05/18/21 07:45	05/19/21 21:27	96-18-4	
1,2,4-Trimethylbenzene	<17.3	ug/kg	58.1	17.3	1	05/18/21 07:45	05/19/21 21:27	95-63-6	
1,3,5-Trimethylbenzene	<18.7	ug/kg	58.1	18.7	1	05/18/21 07:45	05/19/21 21:27	108-67-8	
Vinyl chloride	<11.7	ug/kg	58.1	11.7	1	05/18/21 07:45	05/19/21 21:27	75-01-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 9640A FONG FAMILY, LLC

Pace Project No.: 40226787

Sample: G8-1 (2-4) **Lab ID: 40226787022** Collected: 05/11/21 11:05 Received: 05/12/21 09:05 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Med Level Normal List									
Analytical Method: EPA 8260 Preparation Method: EPA 5035/5030B									
Pace Analytical Services - Green Bay									
m&p-Xylene	<24.5	ug/kg	116	24.5	1	05/18/21 07:45	05/19/21 21:27	179601-23-1	
o-Xylene	<17.4	ug/kg	58.1	17.4	1	05/18/21 07:45	05/19/21 21:27	95-47-6	
Surrogates									
Toluene-d8 (S)	95	%	67-159		1	05/18/21 07:45	05/19/21 21:27	2037-26-5	
4-Bromofluorobenzene (S)	89	%	66-153		1	05/18/21 07:45	05/19/21 21:27	460-00-4	
1,2-Dichlorobenzene-d4 (S)	106	%	82-158		1	05/18/21 07:45	05/19/21 21:27	2199-69-1	
Percent Moisture									
Analytical Method: ASTM D2974-87									
Pace Analytical Services - Green Bay									
Percent Moisture	7.5	%	0.10	0.10	1		05/12/21 17:15		

Sample: G8-3 (9-11) **Lab ID: 40226787023** Collected: 05/11/21 11:15 Received: 05/12/21 09:05 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
6020 MET ICPMS									
Analytical Method: EPA 6020 Preparation Method: EPA 3050									
Pace Analytical Services - Green Bay									
Arsenic	15.2	mg/kg	6.8	2.0	50	05/14/21 08:43	05/18/21 14:45	7440-38-2	
Lead	202	mg/kg	0.69	0.19	6.667	05/14/21 08:43	05/18/21 12:23	7439-92-1	
8270E MSSV PAH by SIM									
Analytical Method: EPA 8270E by SIM Preparation Method: EPA 3546									
Pace Analytical Services - Green Bay									
Acenaphthene	925J	ug/kg	1770	230	100	05/18/21 07:40	05/19/21 20:52	83-32-9	
Acenaphthylene	<224	ug/kg	1770	224	100	05/18/21 07:40	05/19/21 20:52	208-96-8	
Anthracene	2230	ug/kg	1770	220	100	05/18/21 07:40	05/19/21 20:52	120-12-7	
Benzo(a)anthracene	13000	ug/kg	1770	229	100	05/18/21 07:40	05/19/21 20:52	56-55-3	
Benzo(a)pyrene	13500	ug/kg	1770	202	100	05/18/21 07:40	05/19/21 20:52	50-32-8	
Benzo(b)fluoranthene	18500	ug/kg	1770	246	100	05/18/21 07:40	05/19/21 20:52	205-99-2	
Benzo(g,h,i)perylene	8500	ug/kg	1770	311	100	05/18/21 07:40	05/19/21 20:52	191-24-2	
Benzo(k)fluoranthene	6860	ug/kg	1770	227	100	05/18/21 07:40	05/19/21 20:52	207-08-9	
Chrysene	14800	ug/kg	1770	335	100	05/18/21 07:40	05/19/21 20:52	218-01-9	
Dibenz(a,h)anthracene	2450	ug/kg	1770	246	100	05/18/21 07:40	05/19/21 20:52	53-70-3	
Fluoranthene	23100	ug/kg	1770	210	100	05/18/21 07:40	05/19/21 20:52	206-44-0	
Fluorene	494J	ug/kg	1770	213	100	05/18/21 07:40	05/19/21 20:52	86-73-7	
Indeno(1,2,3-cd)pyrene	7900	ug/kg	1770	370	100	05/18/21 07:40	05/19/21 20:52	193-39-5	
1-Methylnaphthalene	<259	ug/kg	1770	259	100	05/18/21 07:40	05/19/21 20:52	90-12-0	
2-Methylnaphthalene	<259	ug/kg	1770	259	100	05/18/21 07:40	05/19/21 20:52	91-57-6	
Naphthalene	556J	ug/kg	1770	173	100	05/18/21 07:40	05/19/21 20:52	91-20-3	
Phenanthrene	11000	ug/kg	1770	203	100	05/18/21 07:40	05/19/21 20:52	85-01-8	
Pyrene	20100	ug/kg	1770	261	100	05/18/21 07:40	05/19/21 20:52	129-00-0	
Surrogates									
2-Fluorobiphenyl (S)	0	%	36-86		100	05/18/21 07:40	05/19/21 20:52	321-60-8	S4

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 9640A FONG FAMILY, LLC
Pace Project No.: 40226787

Sample: G8-3 (9-11) **Lab ID: 40226787023** Collected: 05/11/21 11:15 Received: 05/12/21 09:05 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8270E MSSV PAH by SIM									
Analytical Method: EPA 8270E by SIM Preparation Method: EPA 3546									
Pace Analytical Services - Green Bay									
Surrogates									
Terphenyl-d14 (S)	0	%	41-97		100	05/18/21 07:40	05/19/21 20:52	1718-51-0	S4
8260 MSV Med Level Normal List									
Analytical Method: EPA 8260 Preparation Method: EPA 5035/5030B									
Pace Analytical Services - Green Bay									
Benzene	<13.4	ug/kg	22.5	13.4	1	05/18/21 07:45	05/19/21 21:47	71-43-2	
Bromobenzene	<21.9	ug/kg	56.2	21.9	1	05/18/21 07:45	05/19/21 21:47	108-86-1	
Bromochloromethane	<15.4	ug/kg	56.2	15.4	1	05/18/21 07:45	05/19/21 21:47	74-97-5	
Bromodichloromethane	<13.4	ug/kg	56.2	13.4	1	05/18/21 07:45	05/19/21 21:47	75-27-4	
Bromoform	<247	ug/kg	281	247	1	05/18/21 07:45	05/19/21 21:47	75-25-2	L1
Bromomethane	<78.8	ug/kg	281	78.8	1	05/18/21 07:45	05/19/21 21:47	74-83-9	
n-Butylbenzene	<25.7	ug/kg	56.2	25.7	1	05/18/21 07:45	05/19/21 21:47	104-51-8	
sec-Butylbenzene	<13.7	ug/kg	56.2	13.7	1	05/18/21 07:45	05/19/21 21:47	135-98-8	
tert-Butylbenzene	<17.7	ug/kg	56.2	17.7	1	05/18/21 07:45	05/19/21 21:47	98-06-6	
Carbon tetrachloride	<12.4	ug/kg	56.2	12.4	1	05/18/21 07:45	05/19/21 21:47	56-23-5	
Chlorobenzene	<6.7	ug/kg	56.2	6.7	1	05/18/21 07:45	05/19/21 21:47	108-90-7	
Chloroethane	<23.7	ug/kg	281	23.7	1	05/18/21 07:45	05/19/21 21:47	75-00-3	
Chloroform	<40.3	ug/kg	281	40.3	1	05/18/21 07:45	05/19/21 21:47	67-66-3	
Chloromethane	<21.4	ug/kg	56.2	21.4	1	05/18/21 07:45	05/19/21 21:47	74-87-3	
2-Chlorotoluene	<18.2	ug/kg	56.2	18.2	1	05/18/21 07:45	05/19/21 21:47	95-49-8	
4-Chlorotoluene	<21.4	ug/kg	56.2	21.4	1	05/18/21 07:45	05/19/21 21:47	106-43-4	
1,2-Dibromo-3-chloropropane	<43.6	ug/kg	281	43.6	1	05/18/21 07:45	05/19/21 21:47	96-12-8	
Dibromochloromethane	<192	ug/kg	281	192	1	05/18/21 07:45	05/19/21 21:47	124-48-1	
1,2-Dibromoethane (EDB)	<15.4	ug/kg	56.2	15.4	1	05/18/21 07:45	05/19/21 21:47	106-93-4	
Dibromomethane	<16.6	ug/kg	56.2	16.6	1	05/18/21 07:45	05/19/21 21:47	74-95-3	
1,2-Dichlorobenzene	<17.4	ug/kg	56.2	17.4	1	05/18/21 07:45	05/19/21 21:47	95-50-1	
1,3-Dichlorobenzene	<15.4	ug/kg	56.2	15.4	1	05/18/21 07:45	05/19/21 21:47	541-73-1	
1,4-Dichlorobenzene	<15.4	ug/kg	56.2	15.4	1	05/18/21 07:45	05/19/21 21:47	106-46-7	
Dichlorodifluoromethane	<24.2	ug/kg	56.2	24.2	1	05/18/21 07:45	05/19/21 21:47	75-71-8	
1,1-Dichloroethane	<14.4	ug/kg	56.2	14.4	1	05/18/21 07:45	05/19/21 21:47	75-34-3	
1,2-Dichloroethane	<12.9	ug/kg	56.2	12.9	1	05/18/21 07:45	05/19/21 21:47	107-06-2	
1,1-Dichloroethene	<18.7	ug/kg	56.2	18.7	1	05/18/21 07:45	05/19/21 21:47	75-35-4	
cis-1,2-Dichloroethene	<12.0	ug/kg	56.2	12.0	1	05/18/21 07:45	05/19/21 21:47	156-59-2	
trans-1,2-Dichloroethene	<12.1	ug/kg	56.2	12.1	1	05/18/21 07:45	05/19/21 21:47	156-60-5	
1,2-Dichloropropane	<13.4	ug/kg	56.2	13.4	1	05/18/21 07:45	05/19/21 21:47	78-87-5	
1,3-Dichloropropane	<12.3	ug/kg	56.2	12.3	1	05/18/21 07:45	05/19/21 21:47	142-28-9	
2,2-Dichloropropane	<15.2	ug/kg	56.2	15.2	1	05/18/21 07:45	05/19/21 21:47	594-20-7	
1,1-Dichloropropene	<18.2	ug/kg	56.2	18.2	1	05/18/21 07:45	05/19/21 21:47	563-58-6	
cis-1,3-Dichloropropene	<37.1	ug/kg	281	37.1	1	05/18/21 07:45	05/19/21 21:47	10061-01-5	
trans-1,3-Dichloropropene	<161	ug/kg	281	161	1	05/18/21 07:45	05/19/21 21:47	10061-02-6	
Diisopropyl ether	<13.9	ug/kg	56.2	13.9	1	05/18/21 07:45	05/19/21 21:47	108-20-3	
Ethylbenzene	<13.4	ug/kg	56.2	13.4	1	05/18/21 07:45	05/19/21 21:47	100-41-4	
Hexachloro-1,3-butadiene	<112	ug/kg	281	112	1	05/18/21 07:45	05/19/21 21:47	87-68-3	
Isopropylbenzene (Cumene)	<15.2	ug/kg	56.2	15.2	1	05/18/21 07:45	05/19/21 21:47	98-82-8	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 9640A FONG FAMILY, LLC
Pace Project No.: 40226787

Sample: **G8-3 (9-11)** Lab ID: **40226787023** Collected: 05/11/21 11:15 Received: 05/12/21 09:05 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Med Level Normal List									
Analytical Method: EPA 8260 Preparation Method: EPA 5035/5030B									
Pace Analytical Services - Green Bay									
p-Isopropyltoluene	<17.1	ug/kg	56.2	17.1	1	05/18/21 07:45	05/19/21 21:47	99-87-6	
Methylene Chloride	<15.6	ug/kg	56.2	15.6	1	05/18/21 07:45	05/19/21 21:47	75-09-2	
Methyl-tert-butyl ether	<16.5	ug/kg	56.2	16.5	1	05/18/21 07:45	05/19/21 21:47	1634-04-4	
Naphthalene	21.3J	ug/kg	281	17.5	1	05/18/21 07:45	05/19/21 21:47	91-20-3	
n-Propylbenzene	<13.5	ug/kg	56.2	13.5	1	05/18/21 07:45	05/19/21 21:47	103-65-1	
Styrene	<14.4	ug/kg	56.2	14.4	1	05/18/21 07:45	05/19/21 21:47	100-42-5	
1,1,1,2-Tetrachloroethane	<13.5	ug/kg	56.2	13.5	1	05/18/21 07:45	05/19/21 21:47	630-20-6	
1,1,2,2-Tetrachloroethane	<20.4	ug/kg	56.2	20.4	1	05/18/21 07:45	05/19/21 21:47	79-34-5	
Tetrachloroethene	58.1	ug/kg	56.2	21.8	1	05/18/21 07:45	05/19/21 21:47	127-18-4	
Toluene	<14.2	ug/kg	56.2	14.2	1	05/18/21 07:45	05/19/21 21:47	108-88-3	
1,2,3-Trichlorobenzene	<62.6	ug/kg	281	62.6	1	05/18/21 07:45	05/19/21 21:47	87-61-6	
1,2,4-Trichlorobenzene	<46.3	ug/kg	281	46.3	1	05/18/21 07:45	05/19/21 21:47	120-82-1	
1,1,1-Trichloroethane	<14.4	ug/kg	56.2	14.4	1	05/18/21 07:45	05/19/21 21:47	71-55-6	
1,1,2-Trichloroethane	<20.5	ug/kg	56.2	20.5	1	05/18/21 07:45	05/19/21 21:47	79-00-5	
Trichloroethene	<21.0	ug/kg	56.2	21.0	1	05/18/21 07:45	05/19/21 21:47	79-01-6	
Trichlorofluoromethane	<16.3	ug/kg	56.2	16.3	1	05/18/21 07:45	05/19/21 21:47	75-69-4	
1,2,3-Trichloropropane	<27.3	ug/kg	56.2	27.3	1	05/18/21 07:45	05/19/21 21:47	96-18-4	
1,2,4-Trimethylbenzene	<16.8	ug/kg	56.2	16.8	1	05/18/21 07:45	05/19/21 21:47	95-63-6	
1,3,5-Trimethylbenzene	<18.1	ug/kg	56.2	18.1	1	05/18/21 07:45	05/19/21 21:47	108-67-8	
Vinyl chloride	<11.4	ug/kg	56.2	11.4	1	05/18/21 07:45	05/19/21 21:47	75-01-4	
m&p-Xylene	<23.7	ug/kg	112	23.7	1	05/18/21 07:45	05/19/21 21:47	179601-23-1	
o-Xylene	<16.9	ug/kg	56.2	16.9	1	05/18/21 07:45	05/19/21 21:47	95-47-6	
Surrogates									
Toluene-d8 (S)	96	%	67-159		1	05/18/21 07:45	05/19/21 21:47	2037-26-5	
4-Bromofluorobenzene (S)	88	%	66-153		1	05/18/21 07:45	05/19/21 21:47	460-00-4	
1,2-Dichlorobenzene-d4 (S)	101	%	82-158		1	05/18/21 07:45	05/19/21 21:47	2199-69-1	

Percent Moisture

Analytical Method: ASTM D2974-87
Pace Analytical Services - Green Bay

Percent Moisture	5.9	%	0.10	0.10	1		05/12/21 17:15		
------------------	-----	---	------	------	---	--	----------------	--	--

Sample: **G8-4 (12-14)** Lab ID: **40226787024** Collected: 05/11/21 11:20 Received: 05/12/21 09:05 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
6020 MET ICPMS									
Analytical Method: EPA 6020 Preparation Method: EPA 3050									
Pace Analytical Services - Green Bay									
Arsenic	0.96	mg/kg	0.85	0.26	6.667	05/14/21 08:43	05/18/21 12:30	7440-38-2	
Lead	1.2	mg/kg	0.64	0.18	6.667	05/14/21 08:43	05/18/21 12:30	7439-92-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 9640A FONG FAMILY, LLC
Pace Project No.: 40226787

Sample: G8-4 (12-14) **Lab ID: 40226787024** Collected: 05/11/21 11:20 Received: 05/12/21 09:05 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8270E MSSV PAH by SIM									
Analytical Method: EPA 8270E by SIM Preparation Method: EPA 3546									
Pace Analytical Services - Green Bay									
Acenaphthene	<2.3	ug/kg	17.4	2.3	1	05/19/21 07:02	05/19/21 11:04	83-32-9	
Acenaphthylene	<2.2	ug/kg	17.4	2.2	1	05/19/21 07:02	05/19/21 11:04	208-96-8	
Anthracene	<2.2	ug/kg	17.4	2.2	1	05/19/21 07:02	05/19/21 11:04	120-12-7	
Benzo(a)anthracene	<2.2	ug/kg	17.4	2.2	1	05/19/21 07:02	05/19/21 11:04	56-55-3	
Benzo(a)pyrene	<2.0	ug/kg	17.4	2.0	1	05/19/21 07:02	05/19/21 11:04	50-32-8	
Benzo(b)fluoranthene	<2.4	ug/kg	17.4	2.4	1	05/19/21 07:02	05/19/21 11:04	205-99-2	
Benzo(g,h,i)perylene	<3.0	ug/kg	17.4	3.0	1	05/19/21 07:02	05/19/21 11:04	191-24-2	
Benzo(k)fluoranthene	<2.2	ug/kg	17.4	2.2	1	05/19/21 07:02	05/19/21 11:04	207-08-9	
Chrysene	<3.3	ug/kg	17.4	3.3	1	05/19/21 07:02	05/19/21 11:04	218-01-9	
Dibenz(a,h)anthracene	<2.4	ug/kg	17.4	2.4	1	05/19/21 07:02	05/19/21 11:04	53-70-3	
Fluoranthene	<2.1	ug/kg	17.4	2.1	1	05/19/21 07:02	05/19/21 11:04	206-44-0	
Fluorene	<2.1	ug/kg	17.4	2.1	1	05/19/21 07:02	05/19/21 11:04	86-73-7	
Indeno(1,2,3-cd)pyrene	<3.6	ug/kg	17.4	3.6	1	05/19/21 07:02	05/19/21 11:04	193-39-5	
1-Methylnaphthalene	<2.5	ug/kg	17.4	2.5	1	05/19/21 07:02	05/19/21 11:04	90-12-0	
2-Methylnaphthalene	<2.5	ug/kg	17.4	2.5	1	05/19/21 07:02	05/19/21 11:04	91-57-6	
Naphthalene	<1.7	ug/kg	17.4	1.7	1	05/19/21 07:02	05/19/21 11:04	91-20-3	
Phenanthrene	<2.0	ug/kg	17.4	2.0	1	05/19/21 07:02	05/19/21 11:04	85-01-8	
Pyrene	<2.6	ug/kg	17.4	2.6	1	05/19/21 07:02	05/19/21 11:04	129-00-0	
Surrogates									
2-Fluorobiphenyl (S)	77	%	36-86		1	05/19/21 07:02	05/19/21 11:04	321-60-8	
Terphenyl-d14 (S)	82	%	41-97		1	05/19/21 07:02	05/19/21 11:04	1718-51-0	
8260 MSV Med Level Normal List									
Analytical Method: EPA 8260 Preparation Method: EPA 5035/5030B									
Pace Analytical Services - Green Bay									
Benzene	<12.8	ug/kg	21.6	12.8	1	05/18/21 08:15	05/19/21 22:27	71-43-2	
Bromobenzene	<21.0	ug/kg	53.9	21.0	1	05/18/21 08:15	05/19/21 22:27	108-86-1	
Bromochloromethane	<14.8	ug/kg	53.9	14.8	1	05/18/21 08:15	05/19/21 22:27	74-97-5	
Bromodichloromethane	<12.8	ug/kg	53.9	12.8	1	05/18/21 08:15	05/19/21 22:27	75-27-4	
Bromoform	<237	ug/kg	270	237	1	05/18/21 08:15	05/19/21 22:27	75-25-2	
Bromomethane	<75.6	ug/kg	270	75.6	1	05/18/21 08:15	05/19/21 22:27	74-83-9	
n-Butylbenzene	<24.7	ug/kg	53.9	24.7	1	05/18/21 08:15	05/19/21 22:27	104-51-8	
sec-Butylbenzene	<13.2	ug/kg	53.9	13.2	1	05/18/21 08:15	05/19/21 22:27	135-98-8	
tert-Butylbenzene	<16.9	ug/kg	53.9	16.9	1	05/18/21 08:15	05/19/21 22:27	98-06-6	
Carbon tetrachloride	<11.9	ug/kg	53.9	11.9	1	05/18/21 08:15	05/19/21 22:27	56-23-5	
Chlorobenzene	<6.5	ug/kg	53.9	6.5	1	05/18/21 08:15	05/19/21 22:27	108-90-7	
Chloroethane	<22.8	ug/kg	270	22.8	1	05/18/21 08:15	05/19/21 22:27	75-00-3	
Chloroform	<38.6	ug/kg	270	38.6	1	05/18/21 08:15	05/19/21 22:27	67-66-3	
Chloromethane	<20.5	ug/kg	53.9	20.5	1	05/18/21 08:15	05/19/21 22:27	74-87-3	
2-Chlorotoluene	<17.5	ug/kg	53.9	17.5	1	05/18/21 08:15	05/19/21 22:27	95-49-8	
4-Chlorotoluene	<20.5	ug/kg	53.9	20.5	1	05/18/21 08:15	05/19/21 22:27	106-43-4	
1,2-Dibromo-3-chloropropane	<41.8	ug/kg	270	41.8	1	05/18/21 08:15	05/19/21 22:27	96-12-8	
Dibromochloromethane	<184	ug/kg	270	184	1	05/18/21 08:15	05/19/21 22:27	124-48-1	
1,2-Dibromoethane (EDB)	<14.8	ug/kg	53.9	14.8	1	05/18/21 08:15	05/19/21 22:27	106-93-4	
Dibromomethane	<16.0	ug/kg	53.9	16.0	1	05/18/21 08:15	05/19/21 22:27	74-95-3	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 9640A FONG FAMILY, LLC
Pace Project No.: 40226787

Sample: G8-4 (12-14) **Lab ID: 40226787024** Collected: 05/11/21 11:20 Received: 05/12/21 09:05 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Med Level Normal List									
Analytical Method: EPA 8260 Preparation Method: EPA 5035/5030B									
Pace Analytical Services - Green Bay									
1,2-Dichlorobenzene	<16.7	ug/kg	53.9	16.7	1	05/18/21 08:15	05/19/21 22:27	95-50-1	
1,3-Dichlorobenzene	<14.8	ug/kg	53.9	14.8	1	05/18/21 08:15	05/19/21 22:27	541-73-1	
1,4-Dichlorobenzene	<14.8	ug/kg	53.9	14.8	1	05/18/21 08:15	05/19/21 22:27	106-46-7	
Dichlorodifluoromethane	<23.2	ug/kg	53.9	23.2	1	05/18/21 08:15	05/19/21 22:27	75-71-8	
1,1-Dichloroethane	<13.8	ug/kg	53.9	13.8	1	05/18/21 08:15	05/19/21 22:27	75-34-3	
1,2-Dichloroethane	<12.4	ug/kg	53.9	12.4	1	05/18/21 08:15	05/19/21 22:27	107-06-2	
1,1-Dichloroethene	<17.9	ug/kg	53.9	17.9	1	05/18/21 08:15	05/19/21 22:27	75-35-4	
cis-1,2-Dichloroethene	<11.5	ug/kg	53.9	11.5	1	05/18/21 08:15	05/19/21 22:27	156-59-2	
trans-1,2-Dichloroethene	<11.6	ug/kg	53.9	11.6	1	05/18/21 08:15	05/19/21 22:27	156-60-5	
1,2-Dichloropropane	<12.8	ug/kg	53.9	12.8	1	05/18/21 08:15	05/19/21 22:27	78-87-5	
1,3-Dichloropropane	<11.8	ug/kg	53.9	11.8	1	05/18/21 08:15	05/19/21 22:27	142-28-9	
2,2-Dichloropropane	<14.6	ug/kg	53.9	14.6	1	05/18/21 08:15	05/19/21 22:27	594-20-7	
1,1-Dichloropropene	<17.5	ug/kg	53.9	17.5	1	05/18/21 08:15	05/19/21 22:27	563-58-6	
cis-1,3-Dichloropropene	<35.6	ug/kg	270	35.6	1	05/18/21 08:15	05/19/21 22:27	10061-01-5	
trans-1,3-Dichloropropene	<154	ug/kg	270	154	1	05/18/21 08:15	05/19/21 22:27	10061-02-6	
Diisopropyl ether	<13.4	ug/kg	53.9	13.4	1	05/18/21 08:15	05/19/21 22:27	108-20-3	
Ethylbenzene	<12.8	ug/kg	53.9	12.8	1	05/18/21 08:15	05/19/21 22:27	100-41-4	
Hexachloro-1,3-butadiene	<107	ug/kg	270	107	1	05/18/21 08:15	05/19/21 22:27	87-68-3	
Isopropylbenzene (Cumene)	<14.6	ug/kg	53.9	14.6	1	05/18/21 08:15	05/19/21 22:27	98-82-8	
p-Isopropyltoluene	<16.4	ug/kg	53.9	16.4	1	05/18/21 08:15	05/19/21 22:27	99-87-6	
Methylene Chloride	<15.0	ug/kg	53.9	15.0	1	05/18/21 08:15	05/19/21 22:27	75-09-2	
Methyl-tert-butyl ether	<15.9	ug/kg	53.9	15.9	1	05/18/21 08:15	05/19/21 22:27	1634-04-4	
Naphthalene	<16.8	ug/kg	270	16.8	1	05/18/21 08:15	05/19/21 22:27	91-20-3	
n-Propylbenzene	<12.9	ug/kg	53.9	12.9	1	05/18/21 08:15	05/19/21 22:27	103-65-1	
Styrene	<13.8	ug/kg	53.9	13.8	1	05/18/21 08:15	05/19/21 22:27	100-42-5	
1,1,1,2-Tetrachloroethane	<12.9	ug/kg	53.9	12.9	1	05/18/21 08:15	05/19/21 22:27	630-20-6	
1,1,2,2-Tetrachloroethane	<19.5	ug/kg	53.9	19.5	1	05/18/21 08:15	05/19/21 22:27	79-34-5	
Tetrachloroethene	<20.9	ug/kg	53.9	20.9	1	05/18/21 08:15	05/19/21 22:27	127-18-4	
Toluene	<13.6	ug/kg	53.9	13.6	1	05/18/21 08:15	05/19/21 22:27	108-88-3	
1,2,3-Trichlorobenzene	<60.1	ug/kg	270	60.1	1	05/18/21 08:15	05/19/21 22:27	87-61-6	
1,2,4-Trichlorobenzene	<44.4	ug/kg	270	44.4	1	05/18/21 08:15	05/19/21 22:27	120-82-1	
1,1,1-Trichloroethane	<13.8	ug/kg	53.9	13.8	1	05/18/21 08:15	05/19/21 22:27	71-55-6	
1,1,2-Trichloroethane	<19.6	ug/kg	53.9	19.6	1	05/18/21 08:15	05/19/21 22:27	79-00-5	
Trichloroethene	<20.2	ug/kg	53.9	20.2	1	05/18/21 08:15	05/19/21 22:27	79-01-6	
Trichlorofluoromethane	<15.6	ug/kg	53.9	15.6	1	05/18/21 08:15	05/19/21 22:27	75-69-4	
1,2,3-Trichloropropane	<26.2	ug/kg	53.9	26.2	1	05/18/21 08:15	05/19/21 22:27	96-18-4	
1,2,4-Trimethylbenzene	<16.1	ug/kg	53.9	16.1	1	05/18/21 08:15	05/19/21 22:27	95-63-6	
1,3,5-Trimethylbenzene	<17.4	ug/kg	53.9	17.4	1	05/18/21 08:15	05/19/21 22:27	108-67-8	
Vinyl chloride	<10.9	ug/kg	53.9	10.9	1	05/18/21 08:15	05/19/21 22:27	75-01-4	
m&p-Xylene	<22.8	ug/kg	108	22.8	1	05/18/21 08:15	05/19/21 22:27	179601-23-1	
o-Xylene	<16.2	ug/kg	53.9	16.2	1	05/18/21 08:15	05/19/21 22:27	95-47-6	
Surrogates									
Toluene-d8 (S)	92	%	67-159		1	05/18/21 08:15	05/19/21 22:27	2037-26-5	
4-Bromofluorobenzene (S)	88	%	66-153		1	05/18/21 08:15	05/19/21 22:27	460-00-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 9640A FONG FAMILY, LLC
Pace Project No.: 40226787

Sample: G8-4 (12-14) **Lab ID: 40226787024** Collected: 05/11/21 11:20 Received: 05/12/21 09:05 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Med Level Normal List									
Analytical Method: EPA 8260 Preparation Method: EPA 5035/5030B Pace Analytical Services - Green Bay									
Surrogates									
1,2-Dichlorobenzene-d4 (S)	106	%	82-158		1	05/18/21 08:15	05/19/21 22:27	2199-69-1	
Percent Moisture									
Analytical Method: ASTM D2974-87 Pace Analytical Services - Green Bay									
Percent Moisture	3.8	%	0.10	0.10	1		05/12/21 17:15		

Sample: G9-1 (2-4) **Lab ID: 40226787025** Collected: 05/11/21 11:35 Received: 05/12/21 09:05 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
6020 MET ICPMS									
Analytical Method: EPA 6020 Preparation Method: EPA 3050 Pace Analytical Services - Green Bay									
Arsenic	4.8	mg/kg	0.94	0.28	6.667	05/14/21 08:43	05/18/21 12:37	7440-38-2	
Lead	14.3	mg/kg	0.71	0.19	6.667	05/14/21 08:43	05/18/21 12:37	7439-92-1	
8270E MSSV PAH by SIM									
Analytical Method: EPA 8270E by SIM Preparation Method: EPA 3546 Pace Analytical Services - Green Bay									
Acenaphthene	<2.3	ug/kg	17.9	2.3	1	05/19/21 07:02	05/19/21 23:44	83-32-9	
Acenaphthylene	8.6J	ug/kg	17.9	2.3	1	05/19/21 07:02	05/19/21 23:44	208-96-8	
Anthracene	9.7J	ug/kg	17.9	2.2	1	05/19/21 07:02	05/19/21 23:44	120-12-7	
Benzo(a)anthracene	38.0	ug/kg	17.9	2.3	1	05/19/21 07:02	05/19/21 23:44	56-55-3	
Benzo(a)pyrene	47.7	ug/kg	17.9	2.0	1	05/19/21 07:02	05/19/21 23:44	50-32-8	
Benzo(b)fluoranthene	71.8	ug/kg	17.9	2.5	1	05/19/21 07:02	05/19/21 23:44	205-99-2	
Benzo(g,h,i)perylene	36.3	ug/kg	17.9	3.1	1	05/19/21 07:02	05/19/21 23:44	191-24-2	
Benzo(k)fluoranthene	25.0	ug/kg	17.9	2.3	1	05/19/21 07:02	05/19/21 23:44	207-08-9	
Chrysene	49.1	ug/kg	17.9	3.4	1	05/19/21 07:02	05/19/21 23:44	218-01-9	
Dibenz(a,h)anthracene	9.5J	ug/kg	17.9	2.5	1	05/19/21 07:02	05/19/21 23:44	53-70-3	
Fluoranthene	79.7	ug/kg	17.9	2.1	1	05/19/21 07:02	05/19/21 23:44	206-44-0	
Fluorene	<2.1	ug/kg	17.9	2.1	1	05/19/21 07:02	05/19/21 23:44	86-73-7	
Indeno(1,2,3-cd)pyrene	30.6	ug/kg	17.9	3.7	1	05/19/21 07:02	05/19/21 23:44	193-39-5	
1-Methylnaphthalene	<2.6	ug/kg	17.9	2.6	1	05/19/21 07:02	05/19/21 23:44	90-12-0	
2-Methylnaphthalene	<2.6	ug/kg	17.9	2.6	1	05/19/21 07:02	05/19/21 23:44	91-57-6	
Naphthalene	2.1J	ug/kg	17.9	1.7	1	05/19/21 07:02	05/19/21 23:44	91-20-3	
Phenanthrene	31.9	ug/kg	17.9	2.0	1	05/19/21 07:02	05/19/21 23:44	85-01-8	
Pyrene	77.0	ug/kg	17.9	2.6	1	05/19/21 07:02	05/19/21 23:44	129-00-0	
Surrogates									
2-Fluorobiphenyl (S)	76	%	36-86		1	05/19/21 07:02	05/19/21 23:44	321-60-8	
Terphenyl-d14 (S)	83	%	41-97		1	05/19/21 07:02	05/19/21 23:44	1718-51-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 9640A FONG FAMILY, LLC

Pace Project No.: 40226787

Sample: G9-1 (2-4) **Lab ID: 40226787025** Collected: 05/11/21 11:35 Received: 05/12/21 09:05 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Med Level Normal List									
Analytical Method: EPA 8260 Preparation Method: EPA 5035/5030B									
Pace Analytical Services - Green Bay									
Benzene	<13.6	ug/kg	22.9	13.6	1	05/18/21 08:15	05/20/21 03:10	71-43-2	
Bromobenzene	<22.3	ug/kg	57.3	22.3	1	05/18/21 08:15	05/20/21 03:10	108-86-1	
Bromochloromethane	<15.7	ug/kg	57.3	15.7	1	05/18/21 08:15	05/20/21 03:10	74-97-5	
Bromodichloromethane	<13.6	ug/kg	57.3	13.6	1	05/18/21 08:15	05/20/21 03:10	75-27-4	
Bromoform	<252	ug/kg	286	252	1	05/18/21 08:15	05/20/21 03:10	75-25-2	
Bromomethane	<80.3	ug/kg	286	80.3	1	05/18/21 08:15	05/20/21 03:10	74-83-9	
n-Butylbenzene	<26.2	ug/kg	57.3	26.2	1	05/18/21 08:15	05/20/21 03:10	104-51-8	
sec-Butylbenzene	<14.0	ug/kg	57.3	14.0	1	05/18/21 08:15	05/20/21 03:10	135-98-8	
tert-Butylbenzene	<18.0	ug/kg	57.3	18.0	1	05/18/21 08:15	05/20/21 03:10	98-06-6	
Carbon tetrachloride	<12.6	ug/kg	57.3	12.6	1	05/18/21 08:15	05/20/21 03:10	56-23-5	
Chlorobenzene	<6.9	ug/kg	57.3	6.9	1	05/18/21 08:15	05/20/21 03:10	108-90-7	
Chloroethane	<24.2	ug/kg	286	24.2	1	05/18/21 08:15	05/20/21 03:10	75-00-3	
Chloroform	<41.0	ug/kg	286	41.0	1	05/18/21 08:15	05/20/21 03:10	67-66-3	
Chloromethane	<21.8	ug/kg	57.3	21.8	1	05/18/21 08:15	05/20/21 03:10	74-87-3	
2-Chlorotoluene	<18.6	ug/kg	57.3	18.6	1	05/18/21 08:15	05/20/21 03:10	95-49-8	
4-Chlorotoluene	<21.8	ug/kg	57.3	21.8	1	05/18/21 08:15	05/20/21 03:10	106-43-4	
1,2-Dibromo-3-chloropropane	<44.4	ug/kg	286	44.4	1	05/18/21 08:15	05/20/21 03:10	96-12-8	
Dibromochloromethane	<196	ug/kg	286	196	1	05/18/21 08:15	05/20/21 03:10	124-48-1	
1,2-Dibromoethane (EDB)	<15.7	ug/kg	57.3	15.7	1	05/18/21 08:15	05/20/21 03:10	106-93-4	
Dibromomethane	<16.9	ug/kg	57.3	16.9	1	05/18/21 08:15	05/20/21 03:10	74-95-3	
1,2-Dichlorobenzene	<17.7	ug/kg	57.3	17.7	1	05/18/21 08:15	05/20/21 03:10	95-50-1	
1,3-Dichlorobenzene	<15.7	ug/kg	57.3	15.7	1	05/18/21 08:15	05/20/21 03:10	541-73-1	
1,4-Dichlorobenzene	<15.7	ug/kg	57.3	15.7	1	05/18/21 08:15	05/20/21 03:10	106-46-7	
Dichlorodifluoromethane	<24.6	ug/kg	57.3	24.6	1	05/18/21 08:15	05/20/21 03:10	75-71-8	
1,1-Dichloroethane	<14.7	ug/kg	57.3	14.7	1	05/18/21 08:15	05/20/21 03:10	75-34-3	
1,2-Dichloroethane	<13.2	ug/kg	57.3	13.2	1	05/18/21 08:15	05/20/21 03:10	107-06-2	
1,1-Dichloroethene	<19.0	ug/kg	57.3	19.0	1	05/18/21 08:15	05/20/21 03:10	75-35-4	
cis-1,2-Dichloroethene	<12.3	ug/kg	57.3	12.3	1	05/18/21 08:15	05/20/21 03:10	156-59-2	
trans-1,2-Dichloroethene	<12.4	ug/kg	57.3	12.4	1	05/18/21 08:15	05/20/21 03:10	156-60-5	
1,2-Dichloropropane	<13.6	ug/kg	57.3	13.6	1	05/18/21 08:15	05/20/21 03:10	78-87-5	
1,3-Dichloropropane	<12.5	ug/kg	57.3	12.5	1	05/18/21 08:15	05/20/21 03:10	142-28-9	
2,2-Dichloropropane	<15.5	ug/kg	57.3	15.5	1	05/18/21 08:15	05/20/21 03:10	594-20-7	
1,1-Dichloropropene	<18.6	ug/kg	57.3	18.6	1	05/18/21 08:15	05/20/21 03:10	563-58-6	
cis-1,3-Dichloropropene	<37.8	ug/kg	286	37.8	1	05/18/21 08:15	05/20/21 03:10	10061-01-5	
trans-1,3-Dichloropropene	<164	ug/kg	286	164	1	05/18/21 08:15	05/20/21 03:10	10061-02-6	
Diisopropyl ether	<14.2	ug/kg	57.3	14.2	1	05/18/21 08:15	05/20/21 03:10	108-20-3	
Ethylbenzene	<13.6	ug/kg	57.3	13.6	1	05/18/21 08:15	05/20/21 03:10	100-41-4	
Hexachloro-1,3-butadiene	<114	ug/kg	286	114	1	05/18/21 08:15	05/20/21 03:10	87-68-3	
Isopropylbenzene (Cumene)	<15.5	ug/kg	57.3	15.5	1	05/18/21 08:15	05/20/21 03:10	98-82-8	
p-Isopropyltoluene	<17.4	ug/kg	57.3	17.4	1	05/18/21 08:15	05/20/21 03:10	99-87-6	
Methylene Chloride	16.7J	ug/kg	57.3	15.9	1	05/18/21 08:15	05/20/21 03:10	75-09-2	
Methyl-tert-butyl ether	<16.8	ug/kg	57.3	16.8	1	05/18/21 08:15	05/20/21 03:10	1634-04-4	
Naphthalene	<17.9	ug/kg	286	17.9	1	05/18/21 08:15	05/20/21 03:10	91-20-3	
n-Propylbenzene	<13.7	ug/kg	57.3	13.7	1	05/18/21 08:15	05/20/21 03:10	103-65-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 9640A FONG FAMILY, LLC
Pace Project No.: 40226787

Sample: G9-1 (2-4) **Lab ID: 40226787025** Collected: 05/11/21 11:35 Received: 05/12/21 09:05 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Med Level Normal List									
Analytical Method: EPA 8260 Preparation Method: EPA 5035/5030B Pace Analytical Services - Green Bay									
Styrene	<14.7	ug/kg	57.3	14.7	1	05/18/21 08:15	05/20/21 03:10	100-42-5	
1,1,1,2-Tetrachloroethane	<13.7	ug/kg	57.3	13.7	1	05/18/21 08:15	05/20/21 03:10	630-20-6	
1,1,1,2,2-Tetrachloroethane	<20.7	ug/kg	57.3	20.7	1	05/18/21 08:15	05/20/21 03:10	79-34-5	
Tetrachloroethene	<22.2	ug/kg	57.3	22.2	1	05/18/21 08:15	05/20/21 03:10	127-18-4	
Toluene	<14.4	ug/kg	57.3	14.4	1	05/18/21 08:15	05/20/21 03:10	108-88-3	
1,2,3-Trichlorobenzene	<63.8	ug/kg	286	63.8	1	05/18/21 08:15	05/20/21 03:10	87-61-6	
1,2,4-Trichlorobenzene	<47.2	ug/kg	286	47.2	1	05/18/21 08:15	05/20/21 03:10	120-82-1	
1,1,1-Trichloroethane	<14.7	ug/kg	57.3	14.7	1	05/18/21 08:15	05/20/21 03:10	71-55-6	
1,1,2-Trichloroethane	<20.8	ug/kg	57.3	20.8	1	05/18/21 08:15	05/20/21 03:10	79-00-5	
Trichloroethene	<21.4	ug/kg	57.3	21.4	1	05/18/21 08:15	05/20/21 03:10	79-01-6	
Trichlorofluoromethane	<16.6	ug/kg	57.3	16.6	1	05/18/21 08:15	05/20/21 03:10	75-69-4	
1,2,3-Trichloropropane	<27.8	ug/kg	57.3	27.8	1	05/18/21 08:15	05/20/21 03:10	96-18-4	
1,2,4-Trimethylbenzene	<17.1	ug/kg	57.3	17.1	1	05/18/21 08:15	05/20/21 03:10	95-63-6	
1,3,5-Trimethylbenzene	<18.4	ug/kg	57.3	18.4	1	05/18/21 08:15	05/20/21 03:10	108-67-8	
Vinyl chloride	<11.6	ug/kg	57.3	11.6	1	05/18/21 08:15	05/20/21 03:10	75-01-4	
m&p-Xylene	<24.2	ug/kg	115	24.2	1	05/18/21 08:15	05/20/21 03:10	179601-23-1	
o-Xylene	<17.2	ug/kg	57.3	17.2	1	05/18/21 08:15	05/20/21 03:10	95-47-6	
Surrogates									
Toluene-d8 (S)	105	%	67-159		1	05/18/21 08:15	05/20/21 03:10	2037-26-5	
4-Bromofluorobenzene (S)	97	%	66-153		1	05/18/21 08:15	05/20/21 03:10	460-00-4	
1,2-Dichlorobenzene-d4 (S)	115	%	82-158		1	05/18/21 08:15	05/20/21 03:10	2199-69-1	
Percent Moisture									
Analytical Method: ASTM D2974-87 Pace Analytical Services - Green Bay									
Percent Moisture	6.8	%	0.10	0.10	1		05/12/21 17:15		

Sample: G9-2 (6-8) **Lab ID: 40226787026** Collected: 05/11/21 11:40 Received: 05/12/21 09:05 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
6020 MET ICPMS									
Analytical Method: EPA 6020 Preparation Method: EPA 3050 Pace Analytical Services - Green Bay									
Arsenic	4.2	mg/kg	0.93	0.28	6.667	05/14/21 08:43	05/18/21 12:44	7440-38-2	
Lead	17.2	mg/kg	0.71	0.19	6.667	05/14/21 08:43	05/18/21 12:44	7439-92-1	
8270E MSSV PAH by SIM									
Analytical Method: EPA 8270E by SIM Preparation Method: EPA 3546 Pace Analytical Services - Green Bay									
Acenaphthene	3.4J	ug/kg	18.4	2.4	1	05/19/21 07:02	05/20/21 00:53	83-32-9	
Acenaphthylene	22.7	ug/kg	18.4	2.3	1	05/19/21 07:02	05/20/21 00:53	208-96-8	
Anthracene	40.0	ug/kg	18.4	2.3	1	05/19/21 07:02	05/20/21 00:53	120-12-7	
Benzo(a)anthracene	164	ug/kg	18.4	2.4	1	05/19/21 07:02	05/20/21 00:53	56-55-3	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 9640A FONG FAMILY, LLC
Pace Project No.: 40226787

Sample: G9-2 (6-8) **Lab ID: 40226787026** Collected: 05/11/21 11:40 Received: 05/12/21 09:05 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8270E MSSV PAH by SIM									
Analytical Method: EPA 8270E by SIM Preparation Method: EPA 3546									
Pace Analytical Services - Green Bay									
Benzo(a)pyrene	186	ug/kg	18.4	2.1	1	05/19/21 07:02	05/20/21 00:53	50-32-8	
Benzo(b)fluoranthene	240	ug/kg	18.4	2.6	1	05/19/21 07:02	05/20/21 00:53	205-99-2	
Benzo(g,h,i)perylene	130	ug/kg	18.4	3.2	1	05/19/21 07:02	05/20/21 00:53	191-24-2	
Benzo(k)fluoranthene	131	ug/kg	18.4	2.4	1	05/19/21 07:02	05/20/21 00:53	207-08-9	
Chrysene	165	ug/kg	18.4	3.5	1	05/19/21 07:02	05/20/21 00:53	218-01-9	
Dibenz(a,h)anthracene	37.1	ug/kg	18.4	2.5	1	05/19/21 07:02	05/20/21 00:53	53-70-3	
Fluoranthene	297	ug/kg	18.4	2.2	1	05/19/21 07:02	05/20/21 00:53	206-44-0	
Fluorene	6.5J	ug/kg	18.4	2.2	1	05/19/21 07:02	05/20/21 00:53	86-73-7	
Indeno(1,2,3-cd)pyrene	120	ug/kg	18.4	3.8	1	05/19/21 07:02	05/20/21 00:53	193-39-5	
1-Methylnaphthalene	3.1J	ug/kg	18.4	2.7	1	05/19/21 07:02	05/20/21 00:53	90-12-0	
2-Methylnaphthalene	5.3J	ug/kg	18.4	2.7	1	05/19/21 07:02	05/20/21 00:53	91-57-6	
Naphthalene	15.0J	ug/kg	18.4	1.8	1	05/19/21 07:02	05/20/21 00:53	91-20-3	
Phenanthrene	97.5	ug/kg	18.4	2.1	1	05/19/21 07:02	05/20/21 00:53	85-01-8	
Pyrene	276	ug/kg	18.4	2.7	1	05/19/21 07:02	05/20/21 00:53	129-00-0	
Surrogates									
2-Fluorobiphenyl (S)	72	%	36-86		1	05/19/21 07:02	05/20/21 00:53	321-60-8	
Terphenyl-d14 (S)	82	%	41-97		1	05/19/21 07:02	05/20/21 00:53	1718-51-0	
8260 MSV Med Level Normal List									
Analytical Method: EPA 8260 Preparation Method: EPA 5035/5030B									
Pace Analytical Services - Green Bay									
Benzene	<14.3	ug/kg	24.0	14.3	1	05/18/21 08:15	05/19/21 22:47	71-43-2	
Bromobenzene	<23.4	ug/kg	60.1	23.4	1	05/18/21 08:15	05/19/21 22:47	108-86-1	
Bromochloromethane	<16.5	ug/kg	60.1	16.5	1	05/18/21 08:15	05/19/21 22:47	74-97-5	
Bromodichloromethane	<14.3	ug/kg	60.1	14.3	1	05/18/21 08:15	05/19/21 22:47	75-27-4	
Bromoform	<264	ug/kg	301	264	1	05/18/21 08:15	05/19/21 22:47	75-25-2	
Bromomethane	<84.3	ug/kg	301	84.3	1	05/18/21 08:15	05/19/21 22:47	74-83-9	
n-Butylbenzene	<27.5	ug/kg	60.1	27.5	1	05/18/21 08:15	05/19/21 22:47	104-51-8	
sec-Butylbenzene	<14.7	ug/kg	60.1	14.7	1	05/18/21 08:15	05/19/21 22:47	135-98-8	
tert-Butylbenzene	<18.9	ug/kg	60.1	18.9	1	05/18/21 08:15	05/19/21 22:47	98-06-6	
Carbon tetrachloride	<13.2	ug/kg	60.1	13.2	1	05/18/21 08:15	05/19/21 22:47	56-23-5	
Chlorobenzene	<7.2	ug/kg	60.1	7.2	1	05/18/21 08:15	05/19/21 22:47	108-90-7	
Chloroethane	<25.4	ug/kg	301	25.4	1	05/18/21 08:15	05/19/21 22:47	75-00-3	
Chloroform	<43.0	ug/kg	301	43.0	1	05/18/21 08:15	05/19/21 22:47	67-66-3	
Chloromethane	<22.8	ug/kg	60.1	22.8	1	05/18/21 08:15	05/19/21 22:47	74-87-3	
2-Chlorotoluene	<19.5	ug/kg	60.1	19.5	1	05/18/21 08:15	05/19/21 22:47	95-49-8	
4-Chlorotoluene	<22.8	ug/kg	60.1	22.8	1	05/18/21 08:15	05/19/21 22:47	106-43-4	
1,2-Dibromo-3-chloropropane	<46.6	ug/kg	301	46.6	1	05/18/21 08:15	05/19/21 22:47	96-12-8	
Dibromochloromethane	<205	ug/kg	301	205	1	05/18/21 08:15	05/19/21 22:47	124-48-1	
1,2-Dibromoethane (EDB)	<16.5	ug/kg	60.1	16.5	1	05/18/21 08:15	05/19/21 22:47	106-93-4	
Dibromomethane	<17.8	ug/kg	60.1	17.8	1	05/18/21 08:15	05/19/21 22:47	74-95-3	
1,2-Dichlorobenzene	<18.6	ug/kg	60.1	18.6	1	05/18/21 08:15	05/19/21 22:47	95-50-1	
1,3-Dichlorobenzene	<16.5	ug/kg	60.1	16.5	1	05/18/21 08:15	05/19/21 22:47	541-73-1	
1,4-Dichlorobenzene	<16.5	ug/kg	60.1	16.5	1	05/18/21 08:15	05/19/21 22:47	106-46-7	
Dichlorodifluoromethane	<25.8	ug/kg	60.1	25.8	1	05/18/21 08:15	05/19/21 22:47	75-71-8	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 9640A FONG FAMILY, LLC
Pace Project No.: 40226787

Sample: G9-2 (6-8) **Lab ID: 40226787026** Collected: 05/11/21 11:40 Received: 05/12/21 09:05 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Med Level Normal List									
Analytical Method: EPA 8260 Preparation Method: EPA 5035/5030B									
Pace Analytical Services - Green Bay									
1,1-Dichloroethane	<15.4	ug/kg	60.1	15.4	1	05/18/21 08:15	05/19/21 22:47	75-34-3	
1,2-Dichloroethane	<13.8	ug/kg	60.1	13.8	1	05/18/21 08:15	05/19/21 22:47	107-06-2	
1,1-Dichloroethene	<20.0	ug/kg	60.1	20.0	1	05/18/21 08:15	05/19/21 22:47	75-35-4	
cis-1,2-Dichloroethene	<12.9	ug/kg	60.1	12.9	1	05/18/21 08:15	05/19/21 22:47	156-59-2	
trans-1,2-Dichloroethene	<13.0	ug/kg	60.1	13.0	1	05/18/21 08:15	05/19/21 22:47	156-60-5	
1,2-Dichloropropane	<14.3	ug/kg	60.1	14.3	1	05/18/21 08:15	05/19/21 22:47	78-87-5	
1,3-Dichloropropane	<13.1	ug/kg	60.1	13.1	1	05/18/21 08:15	05/19/21 22:47	142-28-9	
2,2-Dichloropropane	<16.2	ug/kg	60.1	16.2	1	05/18/21 08:15	05/19/21 22:47	594-20-7	
1,1-Dichloropropene	<19.5	ug/kg	60.1	19.5	1	05/18/21 08:15	05/19/21 22:47	563-58-6	
cis-1,3-Dichloropropene	<39.7	ug/kg	301	39.7	1	05/18/21 08:15	05/19/21 22:47	10061-01-5	
trans-1,3-Dichloropropene	<172	ug/kg	301	172	1	05/18/21 08:15	05/19/21 22:47	10061-02-6	
Diisopropyl ether	<14.9	ug/kg	60.1	14.9	1	05/18/21 08:15	05/19/21 22:47	108-20-3	
Ethylbenzene	<14.3	ug/kg	60.1	14.3	1	05/18/21 08:15	05/19/21 22:47	100-41-4	
Hexachloro-1,3-butadiene	<119	ug/kg	301	119	1	05/18/21 08:15	05/19/21 22:47	87-68-3	
Isopropylbenzene (Cumene)	<16.2	ug/kg	60.1	16.2	1	05/18/21 08:15	05/19/21 22:47	98-82-8	
p-Isopropyltoluene	<18.3	ug/kg	60.1	18.3	1	05/18/21 08:15	05/19/21 22:47	99-87-6	
Methylene Chloride	<16.7	ug/kg	60.1	16.7	1	05/18/21 08:15	05/19/21 22:47	75-09-2	
Methyl-tert-butyl ether	<17.7	ug/kg	60.1	17.7	1	05/18/21 08:15	05/19/21 22:47	1634-04-4	
Naphthalene	<18.8	ug/kg	301	18.8	1	05/18/21 08:15	05/19/21 22:47	91-20-3	
n-Propylbenzene	<14.4	ug/kg	60.1	14.4	1	05/18/21 08:15	05/19/21 22:47	103-65-1	
Styrene	<15.4	ug/kg	60.1	15.4	1	05/18/21 08:15	05/19/21 22:47	100-42-5	
1,1,1,2-Tetrachloroethane	<14.4	ug/kg	60.1	14.4	1	05/18/21 08:15	05/19/21 22:47	630-20-6	
1,1,2,2-Tetrachloroethane	<21.8	ug/kg	60.1	21.8	1	05/18/21 08:15	05/19/21 22:47	79-34-5	
Tetrachloroethene	<23.3	ug/kg	60.1	23.3	1	05/18/21 08:15	05/19/21 22:47	127-18-4	
Toluene	<15.1	ug/kg	60.1	15.1	1	05/18/21 08:15	05/19/21 22:47	108-88-3	
1,2,3-Trichlorobenzene	<67.0	ug/kg	301	67.0	1	05/18/21 08:15	05/19/21 22:47	87-61-6	
1,2,4-Trichlorobenzene	<49.5	ug/kg	301	49.5	1	05/18/21 08:15	05/19/21 22:47	120-82-1	
1,1,1-Trichloroethane	<15.4	ug/kg	60.1	15.4	1	05/18/21 08:15	05/19/21 22:47	71-55-6	
1,1,2-Trichloroethane	<21.9	ug/kg	60.1	21.9	1	05/18/21 08:15	05/19/21 22:47	79-00-5	
Trichloroethene	<22.5	ug/kg	60.1	22.5	1	05/18/21 08:15	05/19/21 22:47	79-01-6	
Trichlorofluoromethane	<17.4	ug/kg	60.1	17.4	1	05/18/21 08:15	05/19/21 22:47	75-69-4	
1,2,3-Trichloropropane	<29.2	ug/kg	60.1	29.2	1	05/18/21 08:15	05/19/21 22:47	96-18-4	
1,2,4-Trimethylbenzene	<17.9	ug/kg	60.1	17.9	1	05/18/21 08:15	05/19/21 22:47	95-63-6	
1,3,5-Trimethylbenzene	<19.4	ug/kg	60.1	19.4	1	05/18/21 08:15	05/19/21 22:47	108-67-8	
Vinyl chloride	<12.1	ug/kg	60.1	12.1	1	05/18/21 08:15	05/19/21 22:47	75-01-4	
m&p-Xylene	<25.4	ug/kg	120	25.4	1	05/18/21 08:15	05/19/21 22:47	179601-23-1	
o-Xylene	<18.0	ug/kg	60.1	18.0	1	05/18/21 08:15	05/19/21 22:47	95-47-6	
Surrogates									
Toluene-d8 (S)	96	%	67-159		1	05/18/21 08:15	05/19/21 22:47	2037-26-5	
4-Bromofluorobenzene (S)	88	%	66-153		1	05/18/21 08:15	05/19/21 22:47	460-00-4	
1,2-Dichlorobenzene-d4 (S)	104	%	82-158		1	05/18/21 08:15	05/19/21 22:47	2199-69-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 9640A FONG FAMILY, LLC

Pace Project No.: 40226787

Sample: G9-2 (6-8) **Lab ID: 40226787026** Collected: 05/11/21 11:40 Received: 05/12/21 09:05 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
Percent Moisture									
Analytical Method: ASTM D2974-87									
Pace Analytical Services - Green Bay									
Percent Moisture	9.2	%	0.10	0.10	1		05/12/21 17:15		

Sample: G9-3 (8-10) **Lab ID: 40226787027** Collected: 05/11/21 11:45 Received: 05/12/21 09:05 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
6020 MET ICPMS									
Analytical Method: EPA 6020 Preparation Method: EPA 3050									
Pace Analytical Services - Green Bay									
Arsenic	1.3	mg/kg	0.87	0.26	6.667	05/14/21 08:43	05/18/21 12:51	7440-38-2	
Lead	1.3	mg/kg	0.66	0.18	6.667	05/14/21 08:43	05/18/21 12:51	7439-92-1	
8270E MSSV PAH by SIM									
Analytical Method: EPA 8270E by SIM Preparation Method: EPA 3546									
Pace Analytical Services - Green Bay									
Acenaphthene	<2.2	ug/kg	17.1	2.2	1	05/19/21 07:02	05/19/21 12:13	83-32-9	
Acenaphthylene	<2.2	ug/kg	17.1	2.2	1	05/19/21 07:02	05/19/21 12:13	208-96-8	
Anthracene	<2.1	ug/kg	17.1	2.1	1	05/19/21 07:02	05/19/21 12:13	120-12-7	
Benzo(a)anthracene	<2.2	ug/kg	17.1	2.2	1	05/19/21 07:02	05/19/21 12:13	56-55-3	
Benzo(a)pyrene	<1.9	ug/kg	17.1	1.9	1	05/19/21 07:02	05/19/21 12:13	50-32-8	
Benzo(b)fluoranthene	<2.4	ug/kg	17.1	2.4	1	05/19/21 07:02	05/19/21 12:13	205-99-2	
Benzo(g,h,i)perylene	<3.0	ug/kg	17.1	3.0	1	05/19/21 07:02	05/19/21 12:13	191-24-2	
Benzo(k)fluoranthene	<2.2	ug/kg	17.1	2.2	1	05/19/21 07:02	05/19/21 12:13	207-08-9	
Chrysene	<3.2	ug/kg	17.1	3.2	1	05/19/21 07:02	05/19/21 12:13	218-01-9	
Dibenz(a,h)anthracene	<2.4	ug/kg	17.1	2.4	1	05/19/21 07:02	05/19/21 12:13	53-70-3	
Fluoranthene	<2.0	ug/kg	17.1	2.0	1	05/19/21 07:02	05/19/21 12:13	206-44-0	
Fluorene	<2.0	ug/kg	17.1	2.0	1	05/19/21 07:02	05/19/21 12:13	86-73-7	
Indeno(1,2,3-cd)pyrene	<3.6	ug/kg	17.1	3.6	1	05/19/21 07:02	05/19/21 12:13	193-39-5	
1-Methylnaphthalene	<2.5	ug/kg	17.1	2.5	1	05/19/21 07:02	05/19/21 12:13	90-12-0	
2-Methylnaphthalene	<2.5	ug/kg	17.1	2.5	1	05/19/21 07:02	05/19/21 12:13	91-57-6	
Naphthalene	<1.7	ug/kg	17.1	1.7	1	05/19/21 07:02	05/19/21 12:13	91-20-3	
Phenanthrene	<2.0	ug/kg	17.1	2.0	1	05/19/21 07:02	05/19/21 12:13	85-01-8	
Pyrene	<2.5	ug/kg	17.1	2.5	1	05/19/21 07:02	05/19/21 12:13	129-00-0	
Surrogates									
2-Fluorobiphenyl (S)	71	%	36-86		1	05/19/21 07:02	05/19/21 12:13	321-60-8	
Terphenyl-d14 (S)	75	%	41-97		1	05/19/21 07:02	05/19/21 12:13	1718-51-0	
8260 MSV Med Level Normal List									
Analytical Method: EPA 8260 Preparation Method: EPA 5035/5030B									
Pace Analytical Services - Green Bay									
Benzene	<12.4	ug/kg	20.9	12.4	1	05/18/21 08:15	05/19/21 23:08	71-43-2	
Bromobenzene	<20.4	ug/kg	52.2	20.4	1	05/18/21 08:15	05/19/21 23:08	108-86-1	
Bromochloromethane	<14.3	ug/kg	52.2	14.3	1	05/18/21 08:15	05/19/21 23:08	74-97-5	
Bromodichloromethane	<12.4	ug/kg	52.2	12.4	1	05/18/21 08:15	05/19/21 23:08	75-27-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 9640A FONG FAMILY, LLC

Pace Project No.: 40226787

Sample: G9-3 (8-10) **Lab ID: 40226787027** Collected: 05/11/21 11:45 Received: 05/12/21 09:05 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Med Level Normal List									
Analytical Method: EPA 8260 Preparation Method: EPA 5035/5030B									
Pace Analytical Services - Green Bay									
Bromoform	<230	ug/kg	261	230	1	05/18/21 08:15	05/19/21 23:08	75-25-2	
Bromomethane	<73.2	ug/kg	261	73.2	1	05/18/21 08:15	05/19/21 23:08	74-83-9	
n-Butylbenzene	<23.9	ug/kg	52.2	23.9	1	05/18/21 08:15	05/19/21 23:08	104-51-8	
sec-Butylbenzene	<12.7	ug/kg	52.2	12.7	1	05/18/21 08:15	05/19/21 23:08	135-98-8	
tert-Butylbenzene	<16.4	ug/kg	52.2	16.4	1	05/18/21 08:15	05/19/21 23:08	98-06-6	
Carbon tetrachloride	<11.5	ug/kg	52.2	11.5	1	05/18/21 08:15	05/19/21 23:08	56-23-5	
Chlorobenzene	<6.3	ug/kg	52.2	6.3	1	05/18/21 08:15	05/19/21 23:08	108-90-7	
Chloroethane	<22.0	ug/kg	261	22.0	1	05/18/21 08:15	05/19/21 23:08	75-00-3	
Chloroform	<37.4	ug/kg	261	37.4	1	05/18/21 08:15	05/19/21 23:08	67-66-3	
Chloromethane	<19.8	ug/kg	52.2	19.8	1	05/18/21 08:15	05/19/21 23:08	74-87-3	
2-Chlorotoluene	<16.9	ug/kg	52.2	16.9	1	05/18/21 08:15	05/19/21 23:08	95-49-8	
4-Chlorotoluene	<19.8	ug/kg	52.2	19.8	1	05/18/21 08:15	05/19/21 23:08	106-43-4	
1,2-Dibromo-3-chloropropane	<40.5	ug/kg	261	40.5	1	05/18/21 08:15	05/19/21 23:08	96-12-8	
Dibromochloromethane	<179	ug/kg	261	179	1	05/18/21 08:15	05/19/21 23:08	124-48-1	
1,2-Dibromoethane (EDB)	<14.3	ug/kg	52.2	14.3	1	05/18/21 08:15	05/19/21 23:08	106-93-4	
Dibromomethane	<15.5	ug/kg	52.2	15.5	1	05/18/21 08:15	05/19/21 23:08	74-95-3	
1,2-Dichlorobenzene	<16.2	ug/kg	52.2	16.2	1	05/18/21 08:15	05/19/21 23:08	95-50-1	
1,3-Dichlorobenzene	<14.3	ug/kg	52.2	14.3	1	05/18/21 08:15	05/19/21 23:08	541-73-1	
1,4-Dichlorobenzene	<14.3	ug/kg	52.2	14.3	1	05/18/21 08:15	05/19/21 23:08	106-46-7	
Dichlorodifluoromethane	<22.5	ug/kg	52.2	22.5	1	05/18/21 08:15	05/19/21 23:08	75-71-8	
1,1-Dichloroethane	<13.4	ug/kg	52.2	13.4	1	05/18/21 08:15	05/19/21 23:08	75-34-3	
1,2-Dichloroethane	<12.0	ug/kg	52.2	12.0	1	05/18/21 08:15	05/19/21 23:08	107-06-2	
1,1-Dichloroethene	<17.3	ug/kg	52.2	17.3	1	05/18/21 08:15	05/19/21 23:08	75-35-4	
cis-1,2-Dichloroethene	<11.2	ug/kg	52.2	11.2	1	05/18/21 08:15	05/19/21 23:08	156-59-2	
trans-1,2-Dichloroethene	<11.3	ug/kg	52.2	11.3	1	05/18/21 08:15	05/19/21 23:08	156-60-5	
1,2-Dichloropropane	<12.4	ug/kg	52.2	12.4	1	05/18/21 08:15	05/19/21 23:08	78-87-5	
1,3-Dichloropropane	<11.4	ug/kg	52.2	11.4	1	05/18/21 08:15	05/19/21 23:08	142-28-9	
2,2-Dichloropropane	<14.1	ug/kg	52.2	14.1	1	05/18/21 08:15	05/19/21 23:08	594-20-7	
1,1-Dichloropropene	<16.9	ug/kg	52.2	16.9	1	05/18/21 08:15	05/19/21 23:08	563-58-6	
cis-1,3-Dichloropropene	<34.5	ug/kg	261	34.5	1	05/18/21 08:15	05/19/21 23:08	10061-01-5	
trans-1,3-Dichloropropene	<149	ug/kg	261	149	1	05/18/21 08:15	05/19/21 23:08	10061-02-6	
Diisopropyl ether	<13.0	ug/kg	52.2	13.0	1	05/18/21 08:15	05/19/21 23:08	108-20-3	
Ethylbenzene	<12.4	ug/kg	52.2	12.4	1	05/18/21 08:15	05/19/21 23:08	100-41-4	
Hexachloro-1,3-butadiene	<104	ug/kg	261	104	1	05/18/21 08:15	05/19/21 23:08	87-68-3	
Isopropylbenzene (Cumene)	<14.1	ug/kg	52.2	14.1	1	05/18/21 08:15	05/19/21 23:08	98-82-8	
p-Isopropyltoluene	<15.9	ug/kg	52.2	15.9	1	05/18/21 08:15	05/19/21 23:08	99-87-6	
Methylene Chloride	<14.5	ug/kg	52.2	14.5	1	05/18/21 08:15	05/19/21 23:08	75-09-2	
Methyl-tert-butyl ether	<15.4	ug/kg	52.2	15.4	1	05/18/21 08:15	05/19/21 23:08	1634-04-4	
Naphthalene	<16.3	ug/kg	261	16.3	1	05/18/21 08:15	05/19/21 23:08	91-20-3	
n-Propylbenzene	<12.5	ug/kg	52.2	12.5	1	05/18/21 08:15	05/19/21 23:08	103-65-1	
Styrene	<13.4	ug/kg	52.2	13.4	1	05/18/21 08:15	05/19/21 23:08	100-42-5	
1,1,1,2-Tetrachloroethane	<12.5	ug/kg	52.2	12.5	1	05/18/21 08:15	05/19/21 23:08	630-20-6	
1,1,2,2-Tetrachloroethane	<18.9	ug/kg	52.2	18.9	1	05/18/21 08:15	05/19/21 23:08	79-34-5	
Tetrachloroethene	<20.3	ug/kg	52.2	20.3	1	05/18/21 08:15	05/19/21 23:08	127-18-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 9640A FONG FAMILY, LLC

Pace Project No.: 40226787

Sample: G9-3 (8-10) **Lab ID: 40226787027** Collected: 05/11/21 11:45 Received: 05/12/21 09:05 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Med Level Normal List									
Analytical Method: EPA 8260 Preparation Method: EPA 5035/5030B									
Pace Analytical Services - Green Bay									
Toluene	<13.2	ug/kg	52.2	13.2	1	05/18/21 08:15	05/19/21 23:08	108-88-3	
1,2,3-Trichlorobenzene	<58.2	ug/kg	261	58.2	1	05/18/21 08:15	05/19/21 23:08	87-61-6	
1,2,4-Trichlorobenzene	<43.0	ug/kg	261	43.0	1	05/18/21 08:15	05/19/21 23:08	120-82-1	
1,1,1-Trichloroethane	<13.4	ug/kg	52.2	13.4	1	05/18/21 08:15	05/19/21 23:08	71-55-6	
1,1,2-Trichloroethane	<19.0	ug/kg	52.2	19.0	1	05/18/21 08:15	05/19/21 23:08	79-00-5	
Trichloroethene	<19.5	ug/kg	52.2	19.5	1	05/18/21 08:15	05/19/21 23:08	79-01-6	
Trichlorofluoromethane	<15.1	ug/kg	52.2	15.1	1	05/18/21 08:15	05/19/21 23:08	75-69-4	
1,2,3-Trichloropropane	<25.4	ug/kg	52.2	25.4	1	05/18/21 08:15	05/19/21 23:08	96-18-4	
1,2,4-Trimethylbenzene	<15.6	ug/kg	52.2	15.6	1	05/18/21 08:15	05/19/21 23:08	95-63-6	
1,3,5-Trimethylbenzene	<16.8	ug/kg	52.2	16.8	1	05/18/21 08:15	05/19/21 23:08	108-67-8	
Vinyl chloride	<10.5	ug/kg	52.2	10.5	1	05/18/21 08:15	05/19/21 23:08	75-01-4	
m&p-Xylene	<22.0	ug/kg	104	22.0	1	05/18/21 08:15	05/19/21 23:08	179601-23-1	
o-Xylene	<15.7	ug/kg	52.2	15.7	1	05/18/21 08:15	05/19/21 23:08	95-47-6	
Surrogates									
Toluene-d8 (S)	99	%	67-159		1	05/18/21 08:15	05/19/21 23:08	2037-26-5	
4-Bromofluorobenzene (S)	92	%	66-153		1	05/18/21 08:15	05/19/21 23:08	460-00-4	
1,2-Dichlorobenzene-d4 (S)	111	%	82-158		1	05/18/21 08:15	05/19/21 23:08	2199-69-1	

Percent Moisture

Analytical Method: ASTM D2974-87
Pace Analytical Services - Green Bay

Percent Moisture	2.2	%	0.10	0.10	1		05/12/21 17:15		
------------------	-----	---	------	------	---	--	----------------	--	--

Sample: G10-1 (2-4) **Lab ID: 40226787028** Collected: 05/11/21 12:00 Received: 05/12/21 09:05 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
6020 MET ICPMS									
Analytical Method: EPA 6020 Preparation Method: EPA 3050									
Pace Analytical Services - Green Bay									
Arsenic	4.3	mg/kg	0.91	0.27	6.667	05/14/21 08:43	05/18/21 12:58	7440-38-2	
Lead	17.1	mg/kg	0.69	0.19	6.667	05/14/21 08:43	05/18/21 12:58	7439-92-1	
8270E MSSV PAH by SIM									
Analytical Method: EPA 8270E by SIM Preparation Method: EPA 3546									
Pace Analytical Services - Green Bay									
Acenaphthene	<471	ug/kg	3630	471	200	05/19/21 07:02	05/19/21 22:35	83-32-9	
Acenaphthylene	634J	ug/kg	3630	457	200	05/19/21 07:02	05/19/21 22:35	208-96-8	
Anthracene	3810	ug/kg	3630	450	200	05/19/21 07:02	05/19/21 22:35	120-12-7	
Benzo(a)anthracene	22100	ug/kg	3630	469	200	05/19/21 07:02	05/19/21 22:35	56-55-3	
Benzo(a)pyrene	24900	ug/kg	3630	412	200	05/19/21 07:02	05/19/21 22:35	50-32-8	
Benzo(b)fluoranthene	35400	ug/kg	3630	504	200	05/19/21 07:02	05/19/21 22:35	205-99-2	
Benzo(g,h,i)perylene	18100	ug/kg	3630	637	200	05/19/21 07:02	05/19/21 22:35	191-24-2	
Benzo(k)fluoranthene	13300	ug/kg	3630	464	200	05/19/21 07:02	05/19/21 22:35	207-08-9	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 9640A FONG FAMILY, LLC
Pace Project No.: 40226787

Sample: G10-1 (2-4) **Lab ID: 40226787028** Collected: 05/11/21 12:00 Received: 05/12/21 09:05 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8270E MSSV PAH by SIM									
Analytical Method: EPA 8270E by SIM Preparation Method: EPA 3546									
Pace Analytical Services - Green Bay									
Chrysene	22400	ug/kg	3630	684	200	05/19/21 07:02	05/19/21 22:35	218-01-9	
Dibenz(a,h)anthracene	4480	ug/kg	3630	502	200	05/19/21 07:02	05/19/21 22:35	53-70-3	
Fluoranthene	50500	ug/kg	3630	429	200	05/19/21 07:02	05/19/21 22:35	206-44-0	
Fluorene	<435	ug/kg	3630	435	200	05/19/21 07:02	05/19/21 22:35	86-73-7	
Indeno(1,2,3-cd)pyrene	16600	ug/kg	3630	756	200	05/19/21 07:02	05/19/21 22:35	193-39-5	
1-Methylnaphthalene	<530	ug/kg	3630	530	200	05/19/21 07:02	05/19/21 22:35	90-12-0	
2-Methylnaphthalene	<531	ug/kg	3630	531	200	05/19/21 07:02	05/19/21 22:35	91-57-6	
Naphthalene	<354	ug/kg	3630	354	200	05/19/21 07:02	05/19/21 22:35	91-20-3	
Phenanthrene	9650	ug/kg	3630	415	200	05/19/21 07:02	05/19/21 22:35	85-01-8	
Pyrene	41500	ug/kg	3630	533	200	05/19/21 07:02	05/19/21 22:35	129-00-0	
Surrogates									
2-Fluorobiphenyl (S)	0	%	36-86		200	05/19/21 07:02	05/19/21 22:35	321-60-8	S4
Terphenyl-d14 (S)	0	%	41-97		200	05/19/21 07:02	05/19/21 22:35	1718-51-0	S4
8260 MSV Med Level Normal List									
Analytical Method: EPA 8260 Preparation Method: EPA 5035/5030B									
Pace Analytical Services - Green Bay									
Benzene	<13.9	ug/kg	23.4	13.9	1	05/18/21 08:15	05/19/21 23:28	71-43-2	
Bromobenzene	<22.8	ug/kg	58.5	22.8	1	05/18/21 08:15	05/19/21 23:28	108-86-1	
Bromochloromethane	<16.0	ug/kg	58.5	16.0	1	05/18/21 08:15	05/19/21 23:28	74-97-5	
Bromodichloromethane	<13.9	ug/kg	58.5	13.9	1	05/18/21 08:15	05/19/21 23:28	75-27-4	
Bromoform	<257	ug/kg	292	257	1	05/18/21 08:15	05/19/21 23:28	75-25-2	
Bromomethane	<82.0	ug/kg	292	82.0	1	05/18/21 08:15	05/19/21 23:28	74-83-9	
n-Butylbenzene	<26.8	ug/kg	58.5	26.8	1	05/18/21 08:15	05/19/21 23:28	104-51-8	
sec-Butylbenzene	<14.3	ug/kg	58.5	14.3	1	05/18/21 08:15	05/19/21 23:28	135-98-8	
tert-Butylbenzene	<18.4	ug/kg	58.5	18.4	1	05/18/21 08:15	05/19/21 23:28	98-06-6	
Carbon tetrachloride	<12.9	ug/kg	58.5	12.9	1	05/18/21 08:15	05/19/21 23:28	56-23-5	
Chlorobenzene	<7.0	ug/kg	58.5	7.0	1	05/18/21 08:15	05/19/21 23:28	108-90-7	
Chloroethane	<24.7	ug/kg	292	24.7	1	05/18/21 08:15	05/19/21 23:28	75-00-3	
Chloroform	<41.9	ug/kg	292	41.9	1	05/18/21 08:15	05/19/21 23:28	67-66-3	
Chloromethane	<22.2	ug/kg	58.5	22.2	1	05/18/21 08:15	05/19/21 23:28	74-87-3	
2-Chlorotoluene	<18.9	ug/kg	58.5	18.9	1	05/18/21 08:15	05/19/21 23:28	95-49-8	
4-Chlorotoluene	<22.2	ug/kg	58.5	22.2	1	05/18/21 08:15	05/19/21 23:28	106-43-4	
1,2-Dibromo-3-chloropropane	<45.4	ug/kg	292	45.4	1	05/18/21 08:15	05/19/21 23:28	96-12-8	
Dibromochloromethane	<200	ug/kg	292	200	1	05/18/21 08:15	05/19/21 23:28	124-48-1	
1,2-Dibromoethane (EDB)	<16.0	ug/kg	58.5	16.0	1	05/18/21 08:15	05/19/21 23:28	106-93-4	
Dibromomethane	<17.3	ug/kg	58.5	17.3	1	05/18/21 08:15	05/19/21 23:28	74-95-3	
1,2-Dichlorobenzene	<18.1	ug/kg	58.5	18.1	1	05/18/21 08:15	05/19/21 23:28	95-50-1	
1,3-Dichlorobenzene	<16.0	ug/kg	58.5	16.0	1	05/18/21 08:15	05/19/21 23:28	541-73-1	
1,4-Dichlorobenzene	<16.0	ug/kg	58.5	16.0	1	05/18/21 08:15	05/19/21 23:28	106-46-7	
Dichlorodifluoromethane	<25.1	ug/kg	58.5	25.1	1	05/18/21 08:15	05/19/21 23:28	75-71-8	
1,1-Dichloroethane	<15.0	ug/kg	58.5	15.0	1	05/18/21 08:15	05/19/21 23:28	75-34-3	
1,2-Dichloroethane	<13.4	ug/kg	58.5	13.4	1	05/18/21 08:15	05/19/21 23:28	107-06-2	
1,1-Dichloroethene	<19.4	ug/kg	58.5	19.4	1	05/18/21 08:15	05/19/21 23:28	75-35-4	
cis-1,2-Dichloroethene	<12.5	ug/kg	58.5	12.5	1	05/18/21 08:15	05/19/21 23:28	156-59-2	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 9640A FONG FAMILY, LLC
Pace Project No.: 40226787

Sample: G10-1 (2-4) **Lab ID: 40226787028** Collected: 05/11/21 12:00 Received: 05/12/21 09:05 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Med Level Normal List									
Analytical Method: EPA 8260 Preparation Method: EPA 5035/5030B									
Pace Analytical Services - Green Bay									
trans-1,2-Dichloroethene	<12.6	ug/kg	58.5	12.6	1	05/18/21 08:15	05/19/21 23:28	156-60-5	
1,2-Dichloropropane	<13.9	ug/kg	58.5	13.9	1	05/18/21 08:15	05/19/21 23:28	78-87-5	
1,3-Dichloropropane	<12.7	ug/kg	58.5	12.7	1	05/18/21 08:15	05/19/21 23:28	142-28-9	
2,2-Dichloropropane	<15.8	ug/kg	58.5	15.8	1	05/18/21 08:15	05/19/21 23:28	594-20-7	
1,1-Dichloropropene	<18.9	ug/kg	58.5	18.9	1	05/18/21 08:15	05/19/21 23:28	563-58-6	
cis-1,3-Dichloropropene	<38.6	ug/kg	292	38.6	1	05/18/21 08:15	05/19/21 23:28	10061-01-5	
trans-1,3-Dichloropropene	<167	ug/kg	292	167	1	05/18/21 08:15	05/19/21 23:28	10061-02-6	
Diisopropyl ether	<14.5	ug/kg	58.5	14.5	1	05/18/21 08:15	05/19/21 23:28	108-20-3	
Ethylbenzene	<13.9	ug/kg	58.5	13.9	1	05/18/21 08:15	05/19/21 23:28	100-41-4	
Hexachloro-1,3-butadiene	<116	ug/kg	292	116	1	05/18/21 08:15	05/19/21 23:28	87-68-3	
Isopropylbenzene (Cumene)	<15.8	ug/kg	58.5	15.8	1	05/18/21 08:15	05/19/21 23:28	98-82-8	
p-Isopropyltoluene	<17.8	ug/kg	58.5	17.8	1	05/18/21 08:15	05/19/21 23:28	99-87-6	
Methylene Chloride	<16.3	ug/kg	58.5	16.3	1	05/18/21 08:15	05/19/21 23:28	75-09-2	
Methyl-tert-butyl ether	<17.2	ug/kg	58.5	17.2	1	05/18/21 08:15	05/19/21 23:28	1634-04-4	
Naphthalene	45.8J	ug/kg	292	18.2	1	05/18/21 08:15	05/19/21 23:28	91-20-3	
n-Propylbenzene	<14.0	ug/kg	58.5	14.0	1	05/18/21 08:15	05/19/21 23:28	103-65-1	
Styrene	<15.0	ug/kg	58.5	15.0	1	05/18/21 08:15	05/19/21 23:28	100-42-5	
1,1,1,2-Tetrachloroethane	<14.0	ug/kg	58.5	14.0	1	05/18/21 08:15	05/19/21 23:28	630-20-6	
1,1,1,2,2-Tetrachloroethane	<21.2	ug/kg	58.5	21.2	1	05/18/21 08:15	05/19/21 23:28	79-34-5	
Tetrachloroethene	71.6	ug/kg	58.5	22.7	1	05/18/21 08:15	05/19/21 23:28	127-18-4	
Toluene	<14.7	ug/kg	58.5	14.7	1	05/18/21 08:15	05/19/21 23:28	108-88-3	
1,2,3-Trichlorobenzene	<65.1	ug/kg	292	65.1	1	05/18/21 08:15	05/19/21 23:28	87-61-6	
1,2,4-Trichlorobenzene	<48.2	ug/kg	292	48.2	1	05/18/21 08:15	05/19/21 23:28	120-82-1	
1,1,1-Trichloroethane	<15.0	ug/kg	58.5	15.0	1	05/18/21 08:15	05/19/21 23:28	71-55-6	
1,1,2-Trichloroethane	<21.3	ug/kg	58.5	21.3	1	05/18/21 08:15	05/19/21 23:28	79-00-5	
Trichloroethene	<21.9	ug/kg	58.5	21.9	1	05/18/21 08:15	05/19/21 23:28	79-01-6	
Trichlorofluoromethane	<17.0	ug/kg	58.5	17.0	1	05/18/21 08:15	05/19/21 23:28	75-69-4	
1,2,3-Trichloropropane	<28.4	ug/kg	58.5	28.4	1	05/18/21 08:15	05/19/21 23:28	96-18-4	
1,2,4-Trimethylbenzene	<17.4	ug/kg	58.5	17.4	1	05/18/21 08:15	05/19/21 23:28	95-63-6	
1,3,5-Trimethylbenzene	<18.8	ug/kg	58.5	18.8	1	05/18/21 08:15	05/19/21 23:28	108-67-8	
Vinyl chloride	<11.8	ug/kg	58.5	11.8	1	05/18/21 08:15	05/19/21 23:28	75-01-4	
m&p-Xylene	<24.7	ug/kg	117	24.7	1	05/18/21 08:15	05/19/21 23:28	179601-23-1	
o-Xylene	<17.5	ug/kg	58.5	17.5	1	05/18/21 08:15	05/19/21 23:28	95-47-6	
Surrogates									
Toluene-d8 (S)	93	%	67-159		1	05/18/21 08:15	05/19/21 23:28	2037-26-5	
4-Bromofluorobenzene (S)	85	%	66-153		1	05/18/21 08:15	05/19/21 23:28	460-00-4	
1,2-Dichlorobenzene-d4 (S)	104	%	82-158		1	05/18/21 08:15	05/19/21 23:28	2199-69-1	

Percent Moisture

Analytical Method: ASTM D2974-87
Pace Analytical Services - Green Bay

Percent Moisture	7.8	%	0.10	0.10	1		05/12/21 17:15		
------------------	-----	---	------	------	---	--	----------------	--	--

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 9640A FONG FAMILY, LLC
Pace Project No.: 40226787

Sample: G10-4 (14-16) **Lab ID: 40226787029** Collected: 05/11/21 12:10 Received: 05/12/21 09:05 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
6020 MET ICPMS									
Analytical Method: EPA 6020 Preparation Method: EPA 3050									
Pace Analytical Services - Green Bay									
Arsenic	4.4	mg/kg	0.90	0.27	6.667	05/14/21 08:43	05/18/21 13:05	7440-38-2	
Lead	19.8	mg/kg	0.68	0.19	6.667	05/14/21 08:43	05/18/21 13:05	7439-92-1	
8270E MSSV PAH by SIM									
Analytical Method: EPA 8270E by SIM Preparation Method: EPA 3546									
Pace Analytical Services - Green Bay									
Acenaphthene	<2.4	ug/kg	18.3	2.4	1	05/19/21 07:02	05/19/21 12:30	83-32-9	
Acenaphthylene	<2.3	ug/kg	18.3	2.3	1	05/19/21 07:02	05/19/21 12:30	208-96-8	
Anthracene	<2.3	ug/kg	18.3	2.3	1	05/19/21 07:02	05/19/21 12:30	120-12-7	
Benzo(a)anthracene	5.4J	ug/kg	18.3	2.4	1	05/19/21 07:02	05/19/21 12:30	56-55-3	
Benzo(a)pyrene	4.0J	ug/kg	18.3	2.1	1	05/19/21 07:02	05/19/21 12:30	50-32-8	
Benzo(b)fluoranthene	4.9J	ug/kg	18.3	2.5	1	05/19/21 07:02	05/19/21 12:30	205-99-2	
Benzo(g,h,i)perylene	<3.2	ug/kg	18.3	3.2	1	05/19/21 07:02	05/19/21 12:30	191-24-2	
Benzo(k)fluoranthene	3.0J	ug/kg	18.3	2.3	1	05/19/21 07:02	05/19/21 12:30	207-08-9	
Chrysene	4.0J	ug/kg	18.3	3.5	1	05/19/21 07:02	05/19/21 12:30	218-01-9	
Dibenz(a,h)anthracene	<2.5	ug/kg	18.3	2.5	1	05/19/21 07:02	05/19/21 12:30	53-70-3	
Fluoranthene	8.3J	ug/kg	18.3	2.2	1	05/19/21 07:02	05/19/21 12:30	206-44-0	
Fluorene	<2.2	ug/kg	18.3	2.2	1	05/19/21 07:02	05/19/21 12:30	86-73-7	
Indeno(1,2,3-cd)pyrene	<3.8	ug/kg	18.3	3.8	1	05/19/21 07:02	05/19/21 12:30	193-39-5	
1-Methylnaphthalene	<2.7	ug/kg	18.3	2.7	1	05/19/21 07:02	05/19/21 12:30	90-12-0	
2-Methylnaphthalene	<2.7	ug/kg	18.3	2.7	1	05/19/21 07:02	05/19/21 12:30	91-57-6	
Naphthalene	<1.8	ug/kg	18.3	1.8	1	05/19/21 07:02	05/19/21 12:30	91-20-3	
Phenanthrene	<2.1	ug/kg	18.3	2.1	1	05/19/21 07:02	05/19/21 12:30	85-01-8	
Pyrene	6.8J	ug/kg	18.3	2.7	1	05/19/21 07:02	05/19/21 12:30	129-00-0	
Surrogates									
2-Fluorobiphenyl (S)	65	%	36-86		1	05/19/21 07:02	05/19/21 12:30	321-60-8	
Terphenyl-d14 (S)	72	%	41-97		1	05/19/21 07:02	05/19/21 12:30	1718-51-0	
8260 MSV Med Level Normal List									
Analytical Method: EPA 8260 Preparation Method: EPA 5035/5030B									
Pace Analytical Services - Green Bay									
Benzene	<14.2	ug/kg	23.9	14.2	1	05/18/21 08:15	05/19/21 23:48	71-43-2	
Bromobenzene	<23.3	ug/kg	59.7	23.3	1	05/18/21 08:15	05/19/21 23:48	108-86-1	
Bromochloromethane	<16.4	ug/kg	59.7	16.4	1	05/18/21 08:15	05/19/21 23:48	74-97-5	
Bromodichloromethane	<14.2	ug/kg	59.7	14.2	1	05/18/21 08:15	05/19/21 23:48	75-27-4	
Bromoform	<263	ug/kg	298	263	1	05/18/21 08:15	05/19/21 23:48	75-25-2	
Bromomethane	<83.7	ug/kg	298	83.7	1	05/18/21 08:15	05/19/21 23:48	74-83-9	
n-Butylbenzene	<27.3	ug/kg	59.7	27.3	1	05/18/21 08:15	05/19/21 23:48	104-51-8	
sec-Butylbenzene	<14.6	ug/kg	59.7	14.6	1	05/18/21 08:15	05/19/21 23:48	135-98-8	
tert-Butylbenzene	<18.7	ug/kg	59.7	18.7	1	05/18/21 08:15	05/19/21 23:48	98-06-6	
Carbon tetrachloride	<13.1	ug/kg	59.7	13.1	1	05/18/21 08:15	05/19/21 23:48	56-23-5	
Chlorobenzene	<7.1	ug/kg	59.7	7.1	1	05/18/21 08:15	05/19/21 23:48	108-90-7	
Chloroethane	<25.2	ug/kg	298	25.2	1	05/18/21 08:15	05/19/21 23:48	75-00-3	
Chloroform	<42.7	ug/kg	298	42.7	1	05/18/21 08:15	05/19/21 23:48	67-66-3	
Chloromethane	<22.7	ug/kg	59.7	22.7	1	05/18/21 08:15	05/19/21 23:48	74-87-3	
2-Chlorotoluene	<19.3	ug/kg	59.7	19.3	1	05/18/21 08:15	05/19/21 23:48	95-49-8	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 9640A FONG FAMILY, LLC
Pace Project No.: 40226787

Sample: G10-4 (14-16) **Lab ID: 40226787029** Collected: 05/11/21 12:10 Received: 05/12/21 09:05 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Med Level Normal List									
Analytical Method: EPA 8260 Preparation Method: EPA 5035/5030B									
Pace Analytical Services - Green Bay									
4-Chlorotoluene	<22.7	ug/kg	59.7	22.7	1	05/18/21 08:15	05/19/21 23:48	106-43-4	
1,2-Dibromo-3-chloropropane	<46.3	ug/kg	298	46.3	1	05/18/21 08:15	05/19/21 23:48	96-12-8	
Dibromochloromethane	<204	ug/kg	298	204	1	05/18/21 08:15	05/19/21 23:48	124-48-1	
1,2-Dibromoethane (EDB)	<16.4	ug/kg	59.7	16.4	1	05/18/21 08:15	05/19/21 23:48	106-93-4	
Dibromomethane	<17.7	ug/kg	59.7	17.7	1	05/18/21 08:15	05/19/21 23:48	74-95-3	
1,2-Dichlorobenzene	<18.5	ug/kg	59.7	18.5	1	05/18/21 08:15	05/19/21 23:48	95-50-1	
1,3-Dichlorobenzene	<16.4	ug/kg	59.7	16.4	1	05/18/21 08:15	05/19/21 23:48	541-73-1	
1,4-Dichlorobenzene	<16.4	ug/kg	59.7	16.4	1	05/18/21 08:15	05/19/21 23:48	106-46-7	
Dichlorodifluoromethane	<25.7	ug/kg	59.7	25.7	1	05/18/21 08:15	05/19/21 23:48	75-71-8	
1,1-Dichloroethane	<15.3	ug/kg	59.7	15.3	1	05/18/21 08:15	05/19/21 23:48	75-34-3	
1,2-Dichloroethane	<13.7	ug/kg	59.7	13.7	1	05/18/21 08:15	05/19/21 23:48	107-06-2	
1,1-Dichloroethene	<19.8	ug/kg	59.7	19.8	1	05/18/21 08:15	05/19/21 23:48	75-35-4	
cis-1,2-Dichloroethene	<12.8	ug/kg	59.7	12.8	1	05/18/21 08:15	05/19/21 23:48	156-59-2	
trans-1,2-Dichloroethene	<12.9	ug/kg	59.7	12.9	1	05/18/21 08:15	05/19/21 23:48	156-60-5	
1,2-Dichloropropane	<14.2	ug/kg	59.7	14.2	1	05/18/21 08:15	05/19/21 23:48	78-87-5	
1,3-Dichloropropane	<13.0	ug/kg	59.7	13.0	1	05/18/21 08:15	05/19/21 23:48	142-28-9	
2,2-Dichloropropane	<16.1	ug/kg	59.7	16.1	1	05/18/21 08:15	05/19/21 23:48	594-20-7	
1,1-Dichloropropene	<19.3	ug/kg	59.7	19.3	1	05/18/21 08:15	05/19/21 23:48	563-58-6	
cis-1,3-Dichloropropene	<39.4	ug/kg	298	39.4	1	05/18/21 08:15	05/19/21 23:48	10061-01-5	
trans-1,3-Dichloropropene	<171	ug/kg	298	171	1	05/18/21 08:15	05/19/21 23:48	10061-02-6	
Diisopropyl ether	<14.8	ug/kg	59.7	14.8	1	05/18/21 08:15	05/19/21 23:48	108-20-3	
Ethylbenzene	<14.2	ug/kg	59.7	14.2	1	05/18/21 08:15	05/19/21 23:48	100-41-4	
Hexachloro-1,3-butadiene	<119	ug/kg	298	119	1	05/18/21 08:15	05/19/21 23:48	87-68-3	
Isopropylbenzene (Cumene)	<16.1	ug/kg	59.7	16.1	1	05/18/21 08:15	05/19/21 23:48	98-82-8	
p-Isopropyltoluene	<18.1	ug/kg	59.7	18.1	1	05/18/21 08:15	05/19/21 23:48	99-87-6	
Methylene Chloride	<16.6	ug/kg	59.7	16.6	1	05/18/21 08:15	05/19/21 23:48	75-09-2	
Methyl-tert-butyl ether	<17.5	ug/kg	59.7	17.5	1	05/18/21 08:15	05/19/21 23:48	1634-04-4	
Naphthalene	<18.6	ug/kg	298	18.6	1	05/18/21 08:15	05/19/21 23:48	91-20-3	
n-Propylbenzene	<14.3	ug/kg	59.7	14.3	1	05/18/21 08:15	05/19/21 23:48	103-65-1	
Styrene	<15.3	ug/kg	59.7	15.3	1	05/18/21 08:15	05/19/21 23:48	100-42-5	
1,1,1,2-Tetrachloroethane	<14.3	ug/kg	59.7	14.3	1	05/18/21 08:15	05/19/21 23:48	630-20-6	
1,1,2,2-Tetrachloroethane	<21.6	ug/kg	59.7	21.6	1	05/18/21 08:15	05/19/21 23:48	79-34-5	
Tetrachloroethene	<23.2	ug/kg	59.7	23.2	1	05/18/21 08:15	05/19/21 23:48	127-18-4	
Toluene	<15.0	ug/kg	59.7	15.0	1	05/18/21 08:15	05/19/21 23:48	108-88-3	
1,2,3-Trichlorobenzene	<66.5	ug/kg	298	66.5	1	05/18/21 08:15	05/19/21 23:48	87-61-6	
1,2,4-Trichlorobenzene	<49.2	ug/kg	298	49.2	1	05/18/21 08:15	05/19/21 23:48	120-82-1	
1,1,1-Trichloroethane	<15.3	ug/kg	59.7	15.3	1	05/18/21 08:15	05/19/21 23:48	71-55-6	
1,1,2-Trichloroethane	<21.7	ug/kg	59.7	21.7	1	05/18/21 08:15	05/19/21 23:48	79-00-5	
Trichloroethene	<22.3	ug/kg	59.7	22.3	1	05/18/21 08:15	05/19/21 23:48	79-01-6	
Trichlorofluoromethane	<17.3	ug/kg	59.7	17.3	1	05/18/21 08:15	05/19/21 23:48	75-69-4	
1,2,3-Trichloropropane	<29.0	ug/kg	59.7	29.0	1	05/18/21 08:15	05/19/21 23:48	96-18-4	
1,2,4-Trimethylbenzene	<17.8	ug/kg	59.7	17.8	1	05/18/21 08:15	05/19/21 23:48	95-63-6	
1,3,5-Trimethylbenzene	<19.2	ug/kg	59.7	19.2	1	05/18/21 08:15	05/19/21 23:48	108-67-8	
Vinyl chloride	<12.1	ug/kg	59.7	12.1	1	05/18/21 08:15	05/19/21 23:48	75-01-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 9640A FONG FAMILY, LLC
Pace Project No.: 40226787

Sample: G10-4 (14-16) **Lab ID: 40226787029** Collected: 05/11/21 12:10 Received: 05/12/21 09:05 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Med Level Normal List									
Analytical Method: EPA 8260 Preparation Method: EPA 5035/5030B									
Pace Analytical Services - Green Bay									
m&p-Xylene	<25.2	ug/kg	119	25.2	1	05/18/21 08:15	05/19/21 23:48	179601-23-1	
o-Xylene	<17.9	ug/kg	59.7	17.9	1	05/18/21 08:15	05/19/21 23:48	95-47-6	
Surrogates									
Toluene-d8 (S)	102	%	67-159		1	05/18/21 08:15	05/19/21 23:48	2037-26-5	
4-Bromofluorobenzene (S)	89	%	66-153		1	05/18/21 08:15	05/19/21 23:48	460-00-4	
1,2-Dichlorobenzene-d4 (S)	109	%	82-158		1	05/18/21 08:15	05/19/21 23:48	2199-69-1	
Percent Moisture									
Analytical Method: ASTM D2974-87									
Pace Analytical Services - Green Bay									
Percent Moisture	8.8	%	0.10	0.10	1		05/12/21 17:15		

Sample: G10-5 (17-19) **Lab ID: 40226787030** Collected: 05/11/21 12:15 Received: 05/12/21 09:05 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
6020 MET ICPMS									
Analytical Method: EPA 6020 Preparation Method: EPA 3050									
Pace Analytical Services - Green Bay									
Arsenic	1.1	mg/kg	0.88	0.26	6.667	05/14/21 08:43	05/18/21 13:12	7440-38-2	
Lead	1.4	mg/kg	0.66	0.18	6.667	05/14/21 08:43	05/18/21 13:12	7439-92-1	
8270E MSSV PAH by SIM									
Analytical Method: EPA 8270E by SIM Preparation Method: EPA 3546									
Pace Analytical Services - Green Bay									
Acenaphthene	<2.2	ug/kg	17.2	2.2	1	05/19/21 07:02	05/19/21 12:48	83-32-9	
Acenaphthylene	<2.2	ug/kg	17.2	2.2	1	05/19/21 07:02	05/19/21 12:48	208-96-8	
Anthracene	<2.1	ug/kg	17.2	2.1	1	05/19/21 07:02	05/19/21 12:48	120-12-7	
Benzo(a)anthracene	<2.2	ug/kg	17.2	2.2	1	05/19/21 07:02	05/19/21 12:48	56-55-3	
Benzo(a)pyrene	<2.0	ug/kg	17.2	2.0	1	05/19/21 07:02	05/19/21 12:48	50-32-8	
Benzo(b)fluoranthene	<2.4	ug/kg	17.2	2.4	1	05/19/21 07:02	05/19/21 12:48	205-99-2	
Benzo(g,h,i)perylene	<3.0	ug/kg	17.2	3.0	1	05/19/21 07:02	05/19/21 12:48	191-24-2	
Benzo(k)fluoranthene	<2.2	ug/kg	17.2	2.2	1	05/19/21 07:02	05/19/21 12:48	207-08-9	
Chrysene	<3.2	ug/kg	17.2	3.2	1	05/19/21 07:02	05/19/21 12:48	218-01-9	
Dibenz(a,h)anthracene	<2.4	ug/kg	17.2	2.4	1	05/19/21 07:02	05/19/21 12:48	53-70-3	
Fluoranthene	<2.0	ug/kg	17.2	2.0	1	05/19/21 07:02	05/19/21 12:48	206-44-0	
Fluorene	<2.1	ug/kg	17.2	2.1	1	05/19/21 07:02	05/19/21 12:48	86-73-7	
Indeno(1,2,3-cd)pyrene	<3.6	ug/kg	17.2	3.6	1	05/19/21 07:02	05/19/21 12:48	193-39-5	
1-Methylnaphthalene	<2.5	ug/kg	17.2	2.5	1	05/19/21 07:02	05/19/21 12:48	90-12-0	
2-Methylnaphthalene	<2.5	ug/kg	17.2	2.5	1	05/19/21 07:02	05/19/21 12:48	91-57-6	
Naphthalene	<1.7	ug/kg	17.2	1.7	1	05/19/21 07:02	05/19/21 12:48	91-20-3	
Phenanthrene	<2.0	ug/kg	17.2	2.0	1	05/19/21 07:02	05/19/21 12:48	85-01-8	
Pyrene	<2.5	ug/kg	17.2	2.5	1	05/19/21 07:02	05/19/21 12:48	129-00-0	
Surrogates									
2-Fluorobiphenyl (S)	64	%	36-86		1	05/19/21 07:02	05/19/21 12:48	321-60-8	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 9640A FONG FAMILY, LLC
Pace Project No.: 40226787

Sample: G10-5 (17-19) **Lab ID: 40226787030** Collected: 05/11/21 12:15 Received: 05/12/21 09:05 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8270E MSSV PAH by SIM									
Analytical Method: EPA 8270E by SIM Preparation Method: EPA 3546									
Pace Analytical Services - Green Bay									
Surrogates									
Terphenyl-d14 (S)	69	%	41-97		1	05/19/21 07:02	05/19/21 12:48	1718-51-0	
8260 MSV Med Level Normal List									
Analytical Method: EPA 8260 Preparation Method: EPA 5035/5030B									
Pace Analytical Services - Green Bay									
Benzene	<12.6	ug/kg	21.2	12.6	1	05/18/21 08:15	05/20/21 00:08	71-43-2	
Bromobenzene	<20.7	ug/kg	53.0	20.7	1	05/18/21 08:15	05/20/21 00:08	108-86-1	
Bromochloromethane	<14.5	ug/kg	53.0	14.5	1	05/18/21 08:15	05/20/21 00:08	74-97-5	
Bromodichloromethane	<12.6	ug/kg	53.0	12.6	1	05/18/21 08:15	05/20/21 00:08	75-27-4	
Bromoform	<233	ug/kg	265	233	1	05/18/21 08:15	05/20/21 00:08	75-25-2	
Bromomethane	<74.3	ug/kg	265	74.3	1	05/18/21 08:15	05/20/21 00:08	74-83-9	
n-Butylbenzene	<24.3	ug/kg	53.0	24.3	1	05/18/21 08:15	05/20/21 00:08	104-51-8	
sec-Butylbenzene	<12.9	ug/kg	53.0	12.9	1	05/18/21 08:15	05/20/21 00:08	135-98-8	
tert-Butylbenzene	<16.6	ug/kg	53.0	16.6	1	05/18/21 08:15	05/20/21 00:08	98-06-6	
Carbon tetrachloride	<11.7	ug/kg	53.0	11.7	1	05/18/21 08:15	05/20/21 00:08	56-23-5	
Chlorobenzene	<6.4	ug/kg	53.0	6.4	1	05/18/21 08:15	05/20/21 00:08	108-90-7	
Chloroethane	<22.4	ug/kg	265	22.4	1	05/18/21 08:15	05/20/21 00:08	75-00-3	
Chloroform	<38.0	ug/kg	265	38.0	1	05/18/21 08:15	05/20/21 00:08	67-66-3	
Chloromethane	<20.1	ug/kg	53.0	20.1	1	05/18/21 08:15	05/20/21 00:08	74-87-3	
2-Chlorotoluene	<17.2	ug/kg	53.0	17.2	1	05/18/21 08:15	05/20/21 00:08	95-49-8	
4-Chlorotoluene	<20.1	ug/kg	53.0	20.1	1	05/18/21 08:15	05/20/21 00:08	106-43-4	
1,2-Dibromo-3-chloropropane	<41.1	ug/kg	265	41.1	1	05/18/21 08:15	05/20/21 00:08	96-12-8	
Dibromochloromethane	<181	ug/kg	265	181	1	05/18/21 08:15	05/20/21 00:08	124-48-1	
1,2-Dibromoethane (EDB)	<14.5	ug/kg	53.0	14.5	1	05/18/21 08:15	05/20/21 00:08	106-93-4	
Dibromomethane	<15.7	ug/kg	53.0	15.7	1	05/18/21 08:15	05/20/21 00:08	74-95-3	
1,2-Dichlorobenzene	<16.4	ug/kg	53.0	16.4	1	05/18/21 08:15	05/20/21 00:08	95-50-1	
1,3-Dichlorobenzene	<14.5	ug/kg	53.0	14.5	1	05/18/21 08:15	05/20/21 00:08	541-73-1	
1,4-Dichlorobenzene	<14.5	ug/kg	53.0	14.5	1	05/18/21 08:15	05/20/21 00:08	106-46-7	
Dichlorodifluoromethane	<22.8	ug/kg	53.0	22.8	1	05/18/21 08:15	05/20/21 00:08	75-71-8	
1,1-Dichloroethane	<13.6	ug/kg	53.0	13.6	1	05/18/21 08:15	05/20/21 00:08	75-34-3	
1,2-Dichloroethane	<12.2	ug/kg	53.0	12.2	1	05/18/21 08:15	05/20/21 00:08	107-06-2	
1,1-Dichloroethene	<17.6	ug/kg	53.0	17.6	1	05/18/21 08:15	05/20/21 00:08	75-35-4	
cis-1,2-Dichloroethene	<11.3	ug/kg	53.0	11.3	1	05/18/21 08:15	05/20/21 00:08	156-59-2	
trans-1,2-Dichloroethene	<11.5	ug/kg	53.0	11.5	1	05/18/21 08:15	05/20/21 00:08	156-60-5	
1,2-Dichloropropane	<12.6	ug/kg	53.0	12.6	1	05/18/21 08:15	05/20/21 00:08	78-87-5	
1,3-Dichloropropane	<11.6	ug/kg	53.0	11.6	1	05/18/21 08:15	05/20/21 00:08	142-28-9	
2,2-Dichloropropane	<14.3	ug/kg	53.0	14.3	1	05/18/21 08:15	05/20/21 00:08	594-20-7	
1,1-Dichloropropene	<17.2	ug/kg	53.0	17.2	1	05/18/21 08:15	05/20/21 00:08	563-58-6	
cis-1,3-Dichloropropene	<35.0	ug/kg	265	35.0	1	05/18/21 08:15	05/20/21 00:08	10061-01-5	
trans-1,3-Dichloropropene	<152	ug/kg	265	152	1	05/18/21 08:15	05/20/21 00:08	10061-02-6	
Diisopropyl ether	<13.1	ug/kg	53.0	13.1	1	05/18/21 08:15	05/20/21 00:08	108-20-3	
Ethylbenzene	<12.6	ug/kg	53.0	12.6	1	05/18/21 08:15	05/20/21 00:08	100-41-4	
Hexachloro-1,3-butadiene	<105	ug/kg	265	105	1	05/18/21 08:15	05/20/21 00:08	87-68-3	
Isopropylbenzene (Cumene)	<14.3	ug/kg	53.0	14.3	1	05/18/21 08:15	05/20/21 00:08	98-82-8	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 9640A FONG FAMILY, LLC
Pace Project No.: 40226787

Sample: G10-5 (17-19) **Lab ID: 40226787030** Collected: 05/11/21 12:15 Received: 05/12/21 09:05 Matrix: Solid
Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Med Level Normal List									
Analytical Method: EPA 8260 Preparation Method: EPA 5035/5030B Pace Analytical Services - Green Bay									
p-Isopropyltoluene	<16.1	ug/kg	53.0	16.1	1	05/18/21 08:15	05/20/21 00:08	99-87-6	
Methylene Chloride	<14.7	ug/kg	53.0	14.7	1	05/18/21 08:15	05/20/21 00:08	75-09-2	
Methyl-tert-butyl ether	<15.6	ug/kg	53.0	15.6	1	05/18/21 08:15	05/20/21 00:08	1634-04-4	
Naphthalene	<16.5	ug/kg	265	16.5	1	05/18/21 08:15	05/20/21 00:08	91-20-3	
n-Propylbenzene	<12.7	ug/kg	53.0	12.7	1	05/18/21 08:15	05/20/21 00:08	103-65-1	
Styrene	<13.6	ug/kg	53.0	13.6	1	05/18/21 08:15	05/20/21 00:08	100-42-5	
1,1,1,2-Tetrachloroethane	<12.7	ug/kg	53.0	12.7	1	05/18/21 08:15	05/20/21 00:08	630-20-6	
1,1,2,2-Tetrachloroethane	<19.2	ug/kg	53.0	19.2	1	05/18/21 08:15	05/20/21 00:08	79-34-5	
Tetrachloroethene	55.7	ug/kg	53.0	20.6	1	05/18/21 08:15	05/20/21 00:08	127-18-4	
Toluene	<13.4	ug/kg	53.0	13.4	1	05/18/21 08:15	05/20/21 00:08	108-88-3	
1,2,3-Trichlorobenzene	<59.1	ug/kg	265	59.1	1	05/18/21 08:15	05/20/21 00:08	87-61-6	
1,2,4-Trichlorobenzene	<43.7	ug/kg	265	43.7	1	05/18/21 08:15	05/20/21 00:08	120-82-1	
1,1,1-Trichloroethane	<13.6	ug/kg	53.0	13.6	1	05/18/21 08:15	05/20/21 00:08	71-55-6	
1,1,2-Trichloroethane	<19.3	ug/kg	53.0	19.3	1	05/18/21 08:15	05/20/21 00:08	79-00-5	
Trichloroethene	<19.8	ug/kg	53.0	19.8	1	05/18/21 08:15	05/20/21 00:08	79-01-6	
Trichlorofluoromethane	<15.4	ug/kg	53.0	15.4	1	05/18/21 08:15	05/20/21 00:08	75-69-4	
1,2,3-Trichloropropane	<25.8	ug/kg	53.0	25.8	1	05/18/21 08:15	05/20/21 00:08	96-18-4	
1,2,4-Trimethylbenzene	<15.8	ug/kg	53.0	15.8	1	05/18/21 08:15	05/20/21 00:08	95-63-6	
1,3,5-Trimethylbenzene	<17.1	ug/kg	53.0	17.1	1	05/18/21 08:15	05/20/21 00:08	108-67-8	
Vinyl chloride	<10.7	ug/kg	53.0	10.7	1	05/18/21 08:15	05/20/21 00:08	75-01-4	
m&p-Xylene	<22.4	ug/kg	106	22.4	1	05/18/21 08:15	05/20/21 00:08	179601-23-1	
o-Xylene	<15.9	ug/kg	53.0	15.9	1	05/18/21 08:15	05/20/21 00:08	95-47-6	
Surrogates									
Toluene-d8 (S)	97	%	67-159		1	05/18/21 08:15	05/20/21 00:08	2037-26-5	
4-Bromofluorobenzene (S)	90	%	66-153		1	05/18/21 08:15	05/20/21 00:08	460-00-4	
1,2-Dichlorobenzene-d4 (S)	104	%	82-158		1	05/18/21 08:15	05/20/21 00:08	2199-69-1	

Percent Moisture

Analytical Method: ASTM D2974-87
Pace Analytical Services - Green Bay

Percent Moisture	2.9	%	0.10	0.10	1		05/12/21 17:16		
------------------	-----	---	------	------	---	--	----------------	--	--

Sample: G11-1 (2-4) **Lab ID: 40226787031** Collected: 05/11/21 12:30 Received: 05/12/21 09:05 Matrix: Solid
Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
6020 MET ICPMS									
Analytical Method: EPA 6020 Preparation Method: EPA 3050 Pace Analytical Services - Green Bay									
Arsenic	4.2	mg/kg	0.92	0.28	6.667	05/14/21 08:43	05/18/21 13:20	7440-38-2	
Lead	11.9	mg/kg	0.69	0.19	6.667	05/14/21 08:43	05/18/21 13:20	7439-92-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 9640A FONG FAMILY, LLC
Pace Project No.: 40226787

Sample: G11-1 (2-4) **Lab ID: 40226787031** Collected: 05/11/21 12:30 Received: 05/12/21 09:05 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8270E MSSV PAH by SIM									
Analytical Method: EPA 8270E by SIM Preparation Method: EPA 3546									
Pace Analytical Services - Green Bay									
Acenaphthene	<9.4	ug/kg	72.1	9.4	4	05/19/21 07:02	05/19/21 22:53	83-32-9	
Acenaphthylene	38.2J	ug/kg	72.1	9.1	4	05/19/21 07:02	05/19/21 22:53	208-96-8	
Anthracene	52.3J	ug/kg	72.1	8.9	4	05/19/21 07:02	05/19/21 22:53	120-12-7	
Benzo(a)anthracene	285	ug/kg	72.1	9.3	4	05/19/21 07:02	05/19/21 22:53	56-55-3	
Benzo(a)pyrene	328	ug/kg	72.1	8.2	4	05/19/21 07:02	05/19/21 22:53	50-32-8	
Benzo(b)fluoranthene	487	ug/kg	72.1	10.0	4	05/19/21 07:02	05/19/21 22:53	205-99-2	
Benzo(g,h,i)perylene	246	ug/kg	72.1	12.7	4	05/19/21 07:02	05/19/21 22:53	191-24-2	
Benzo(k)fluoranthene	174	ug/kg	72.1	9.2	4	05/19/21 07:02	05/19/21 22:53	207-08-9	
Chrysene	289	ug/kg	72.1	13.6	4	05/19/21 07:02	05/19/21 22:53	218-01-9	
Dibenz(a,h)anthracene	63.0J	ug/kg	72.1	10	4	05/19/21 07:02	05/19/21 22:53	53-70-3	
Fluoranthene	503	ug/kg	72.1	8.5	4	05/19/21 07:02	05/19/21 22:53	206-44-0	
Fluorene	<8.6	ug/kg	72.1	8.6	4	05/19/21 07:02	05/19/21 22:53	86-73-7	
Indeno(1,2,3-cd)pyrene	223	ug/kg	72.1	15.0	4	05/19/21 07:02	05/19/21 22:53	193-39-5	
1-Methylnaphthalene	<10.5	ug/kg	72.1	10.5	4	05/19/21 07:02	05/19/21 22:53	90-12-0	
2-Methylnaphthalene	<10.5	ug/kg	72.1	10.5	4	05/19/21 07:02	05/19/21 22:53	91-57-6	
Naphthalene	16.6J	ug/kg	72.1	7.0	4	05/19/21 07:02	05/19/21 22:53	91-20-3	
Phenanthrene	118	ug/kg	72.1	8.3	4	05/19/21 07:02	05/19/21 22:53	85-01-8	
Pyrene	468	ug/kg	72.1	10.6	4	05/19/21 07:02	05/19/21 22:53	129-00-0	
Surrogates									
2-Fluorobiphenyl (S)	66	%	36-86		4	05/19/21 07:02	05/19/21 22:53	321-60-8	
Terphenyl-d14 (S)	72	%	41-97		4	05/19/21 07:02	05/19/21 22:53	1718-51-0	
8260 MSV Med Level Normal List									
Analytical Method: EPA 8260 Preparation Method: EPA 5035/5030B									
Pace Analytical Services - Green Bay									
Benzene	<13.8	ug/kg	23.2	13.8	1	05/18/21 08:15	05/19/21 14:51	71-43-2	
Bromobenzene	<22.6	ug/kg	58.0	22.6	1	05/18/21 08:15	05/19/21 14:51	108-86-1	
Bromochloromethane	<15.9	ug/kg	58.0	15.9	1	05/18/21 08:15	05/19/21 14:51	74-97-5	
Bromodichloromethane	<13.8	ug/kg	58.0	13.8	1	05/18/21 08:15	05/19/21 14:51	75-27-4	
Bromoform	<255	ug/kg	290	255	1	05/18/21 08:15	05/19/21 14:51	75-25-2	
Bromomethane	<81.4	ug/kg	290	81.4	1	05/18/21 08:15	05/19/21 14:51	74-83-9	
n-Butylbenzene	<26.6	ug/kg	58.0	26.6	1	05/18/21 08:15	05/19/21 14:51	104-51-8	
sec-Butylbenzene	<14.2	ug/kg	58.0	14.2	1	05/18/21 08:15	05/19/21 14:51	135-98-8	
tert-Butylbenzene	<18.2	ug/kg	58.0	18.2	1	05/18/21 08:15	05/19/21 14:51	98-06-6	
Carbon tetrachloride	<12.8	ug/kg	58.0	12.8	1	05/18/21 08:15	05/19/21 14:51	56-23-5	
Chlorobenzene	<7.0	ug/kg	58.0	7.0	1	05/18/21 08:15	05/19/21 14:51	108-90-7	
Chloroethane	<24.5	ug/kg	290	24.5	1	05/18/21 08:15	05/19/21 14:51	75-00-3	
Chloroform	<41.6	ug/kg	290	41.6	1	05/18/21 08:15	05/19/21 14:51	67-66-3	
Chloromethane	<22.1	ug/kg	58.0	22.1	1	05/18/21 08:15	05/19/21 14:51	74-87-3	
2-Chlorotoluene	<18.8	ug/kg	58.0	18.8	1	05/18/21 08:15	05/19/21 14:51	95-49-8	
4-Chlorotoluene	<22.1	ug/kg	58.0	22.1	1	05/18/21 08:15	05/19/21 14:51	106-43-4	
1,2-Dibromo-3-chloropropane	<45.0	ug/kg	290	45.0	1	05/18/21 08:15	05/19/21 14:51	96-12-8	
Dibromochloromethane	<198	ug/kg	290	198	1	05/18/21 08:15	05/19/21 14:51	124-48-1	
1,2-Dibromoethane (EDB)	<15.9	ug/kg	58.0	15.9	1	05/18/21 08:15	05/19/21 14:51	106-93-4	
Dibromomethane	<17.2	ug/kg	58.0	17.2	1	05/18/21 08:15	05/19/21 14:51	74-95-3	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 9640A FONG FAMILY, LLC

Pace Project No.: 40226787

Sample: G11-1 (2-4) **Lab ID: 40226787031** Collected: 05/11/21 12:30 Received: 05/12/21 09:05 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Med Level Normal List									
Analytical Method: EPA 8260 Preparation Method: EPA 5035/5030B									
Pace Analytical Services - Green Bay									
1,2-Dichlorobenzene	<18.0	ug/kg	58.0	18.0	1	05/18/21 08:15	05/19/21 14:51	95-50-1	
1,3-Dichlorobenzene	<15.9	ug/kg	58.0	15.9	1	05/18/21 08:15	05/19/21 14:51	541-73-1	
1,4-Dichlorobenzene	<15.9	ug/kg	58.0	15.9	1	05/18/21 08:15	05/19/21 14:51	106-46-7	
Dichlorodifluoromethane	<25.0	ug/kg	58.0	25.0	1	05/18/21 08:15	05/19/21 14:51	75-71-8	
1,1-Dichloroethane	<14.9	ug/kg	58.0	14.9	1	05/18/21 08:15	05/19/21 14:51	75-34-3	
1,2-Dichloroethane	<13.3	ug/kg	58.0	13.3	1	05/18/21 08:15	05/19/21 14:51	107-06-2	
1,1-Dichloroethene	<19.3	ug/kg	58.0	19.3	1	05/18/21 08:15	05/19/21 14:51	75-35-4	
cis-1,2-Dichloroethene	<12.4	ug/kg	58.0	12.4	1	05/18/21 08:15	05/19/21 14:51	156-59-2	
trans-1,2-Dichloroethene	<12.5	ug/kg	58.0	12.5	1	05/18/21 08:15	05/19/21 14:51	156-60-5	
1,2-Dichloropropane	<13.8	ug/kg	58.0	13.8	1	05/18/21 08:15	05/19/21 14:51	78-87-5	
1,3-Dichloropropane	<12.7	ug/kg	58.0	12.7	1	05/18/21 08:15	05/19/21 14:51	142-28-9	
2,2-Dichloropropane	<15.7	ug/kg	58.0	15.7	1	05/18/21 08:15	05/19/21 14:51	594-20-7	
1,1-Dichloropropene	<18.8	ug/kg	58.0	18.8	1	05/18/21 08:15	05/19/21 14:51	563-58-6	
cis-1,3-Dichloropropene	<38.3	ug/kg	290	38.3	1	05/18/21 08:15	05/19/21 14:51	10061-01-5	
trans-1,3-Dichloropropene	<166	ug/kg	290	166	1	05/18/21 08:15	05/19/21 14:51	10061-02-6	
Diisopropyl ether	<14.4	ug/kg	58.0	14.4	1	05/18/21 08:15	05/19/21 14:51	108-20-3	
Ethylbenzene	<13.8	ug/kg	58.0	13.8	1	05/18/21 08:15	05/19/21 14:51	100-41-4	
Hexachloro-1,3-butadiene	<115	ug/kg	290	115	1	05/18/21 08:15	05/19/21 14:51	87-68-3	
Isopropylbenzene (Cumene)	<15.7	ug/kg	58.0	15.7	1	05/18/21 08:15	05/19/21 14:51	98-82-8	
p-Isopropyltoluene	<17.6	ug/kg	58.0	17.6	1	05/18/21 08:15	05/19/21 14:51	99-87-6	
Methylene Chloride	95.8	ug/kg	58.0	16.1	1	05/18/21 08:15	05/19/21 14:51	75-09-2	
Methyl-tert-butyl ether	<17.1	ug/kg	58.0	17.1	1	05/18/21 08:15	05/19/21 14:51	1634-04-4	
Naphthalene	<18.1	ug/kg	290	18.1	1	05/18/21 08:15	05/19/21 14:51	91-20-3	
n-Propylbenzene	<13.9	ug/kg	58.0	13.9	1	05/18/21 08:15	05/19/21 14:51	103-65-1	
Styrene	<14.9	ug/kg	58.0	14.9	1	05/18/21 08:15	05/19/21 14:51	100-42-5	
1,1,1,2-Tetrachloroethane	<13.9	ug/kg	58.0	13.9	1	05/18/21 08:15	05/19/21 14:51	630-20-6	
1,1,2,2-Tetrachloroethane	<21.0	ug/kg	58.0	21.0	1	05/18/21 08:15	05/19/21 14:51	79-34-5	
Tetrachloroethene	<22.5	ug/kg	58.0	22.5	1	05/18/21 08:15	05/19/21 14:51	127-18-4	
Toluene	<14.6	ug/kg	58.0	14.6	1	05/18/21 08:15	05/19/21 14:51	108-88-3	
1,2,3-Trichlorobenzene	<64.7	ug/kg	290	64.7	1	05/18/21 08:15	05/19/21 14:51	87-61-6	
1,2,4-Trichlorobenzene	<47.8	ug/kg	290	47.8	1	05/18/21 08:15	05/19/21 14:51	120-82-1	
1,1,1-Trichloroethane	<14.9	ug/kg	58.0	14.9	1	05/18/21 08:15	05/19/21 14:51	71-55-6	
1,1,2-Trichloroethane	<21.1	ug/kg	58.0	21.1	1	05/18/21 08:15	05/19/21 14:51	79-00-5	
Trichloroethene	<21.7	ug/kg	58.0	21.7	1	05/18/21 08:15	05/19/21 14:51	79-01-6	
Trichlorofluoromethane	<16.8	ug/kg	58.0	16.8	1	05/18/21 08:15	05/19/21 14:51	75-69-4	
1,2,3-Trichloropropane	<28.2	ug/kg	58.0	28.2	1	05/18/21 08:15	05/19/21 14:51	96-18-4	
1,2,4-Trimethylbenzene	<17.3	ug/kg	58.0	17.3	1	05/18/21 08:15	05/19/21 14:51	95-63-6	
1,3,5-Trimethylbenzene	<18.7	ug/kg	58.0	18.7	1	05/18/21 08:15	05/19/21 14:51	108-67-8	
Vinyl chloride	<11.7	ug/kg	58.0	11.7	1	05/18/21 08:15	05/19/21 14:51	75-01-4	
m&p-Xylene	<24.5	ug/kg	116	24.5	1	05/18/21 08:15	05/19/21 14:51	179601-23-1	
o-Xylene	<17.4	ug/kg	58.0	17.4	1	05/18/21 08:15	05/19/21 14:51	95-47-6	
Surrogates									
Toluene-d8 (S)	94	%	67-159		1	05/18/21 08:15	05/19/21 14:51	2037-26-5	
4-Bromofluorobenzene (S)	84	%	66-153		1	05/18/21 08:15	05/19/21 14:51	460-00-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 9640A FONG FAMILY, LLC
Pace Project No.: 40226787

Sample: G11-1 (2-4) **Lab ID: 40226787031** Collected: 05/11/21 12:30 Received: 05/12/21 09:05 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Med Level Normal List									
Analytical Method: EPA 8260 Preparation Method: EPA 5035/5030B Pace Analytical Services - Green Bay									
Surrogates									
1,2-Dichlorobenzene-d4 (S)	100	%	82-158		1	05/18/21 08:15	05/19/21 14:51	2199-69-1	
Percent Moisture									
Analytical Method: ASTM D2974-87 Pace Analytical Services - Green Bay									
Percent Moisture	7.4	%	0.10	0.10	1		05/12/21 17:16		

Sample: G11-2 (6-8) **Lab ID: 40226787032** Collected: 05/11/21 12:35 Received: 05/12/21 09:05 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
6020 MET ICPMS									
Analytical Method: EPA 6020 Preparation Method: EPA 3050 Pace Analytical Services - Green Bay									
Arsenic	3.9	mg/kg	0.95	0.29	6.667	05/14/21 08:43	05/18/21 13:41	7440-38-2	
Lead	15.2	mg/kg	0.72	0.20	6.667	05/14/21 08:43	05/18/21 13:41	7439-92-1	
8270E MSSV PAH by SIM									
Analytical Method: EPA 8270E by SIM Preparation Method: EPA 3546 Pace Analytical Services - Green Bay									
Acenaphthene	<11.8	ug/kg	91.3	11.8	5	05/19/21 07:02	05/19/21 19:09	83-32-9	
Acenaphthylene	23.8J	ug/kg	91.3	11.5	5	05/19/21 07:02	05/19/21 19:09	208-96-8	
Anthracene	114	ug/kg	91.3	11.3	5	05/19/21 07:02	05/19/21 19:09	120-12-7	
Benzo(a)anthracene	398	ug/kg	91.3	11.8	5	05/19/21 07:02	05/19/21 19:09	56-55-3	
Benzo(a)pyrene	425	ug/kg	91.3	10.4	5	05/19/21 07:02	05/19/21 19:09	50-32-8	
Benzo(b)fluoranthene	543	ug/kg	91.3	12.7	5	05/19/21 07:02	05/19/21 19:09	205-99-2	
Benzo(g,h,i)perylene	320	ug/kg	91.3	16.0	5	05/19/21 07:02	05/19/21 19:09	191-24-2	
Benzo(k)fluoranthene	291	ug/kg	91.3	11.7	5	05/19/21 07:02	05/19/21 19:09	207-08-9	
Chrysene	414	ug/kg	91.3	17.2	5	05/19/21 07:02	05/19/21 19:09	218-01-9	
Dibenz(a,h)anthracene	78.7J	ug/kg	91.3	12.6	5	05/19/21 07:02	05/19/21 19:09	53-70-3	
Fluoranthene	980	ug/kg	91.3	10.8	5	05/19/21 07:02	05/19/21 19:09	206-44-0	
Fluorene	11.1J	ug/kg	91.3	10.9	5	05/19/21 07:02	05/19/21 19:09	86-73-7	
Indeno(1,2,3-cd)pyrene	273	ug/kg	91.3	19.0	5	05/19/21 07:02	05/19/21 19:09	193-39-5	
1-Methylnaphthalene	<13.3	ug/kg	91.3	13.3	5	05/19/21 07:02	05/19/21 19:09	90-12-0	
2-Methylnaphthalene	<13.3	ug/kg	91.3	13.3	5	05/19/21 07:02	05/19/21 19:09	91-57-6	
Naphthalene	15.3J	ug/kg	91.3	8.9	5	05/19/21 07:02	05/19/21 19:09	91-20-3	
Phenanthrene	386	ug/kg	91.3	10.4	5	05/19/21 07:02	05/19/21 19:09	85-01-8	
Pyrene	815	ug/kg	91.3	13.4	5	05/19/21 07:02	05/19/21 19:09	129-00-0	
Surrogates									
2-Fluorobiphenyl (S)	67	%	36-86		5	05/19/21 07:02	05/19/21 19:09	321-60-8	
Terphenyl-d14 (S)	73	%	41-97		5	05/19/21 07:02	05/19/21 19:09	1718-51-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 9640A FONG FAMILY, LLC
Pace Project No.: 40226787

Sample: G11-2 (6-8) **Lab ID: 40226787032** Collected: 05/11/21 12:35 Received: 05/12/21 09:05 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Med Level Normal List									
Analytical Method: EPA 8260 Preparation Method: EPA 5035/5030B									
Pace Analytical Services - Green Bay									
Benzene	<14.1	ug/kg	23.8	14.1	1	05/18/21 08:15	05/20/21 00:28	71-43-2	
Bromobenzene	<23.2	ug/kg	59.4	23.2	1	05/18/21 08:15	05/20/21 00:28	108-86-1	
Bromochloromethane	<16.3	ug/kg	59.4	16.3	1	05/18/21 08:15	05/20/21 00:28	74-97-5	
Bromodichloromethane	<14.1	ug/kg	59.4	14.1	1	05/18/21 08:15	05/20/21 00:28	75-27-4	
Bromoform	<262	ug/kg	297	262	1	05/18/21 08:15	05/20/21 00:28	75-25-2	
Bromomethane	<83.3	ug/kg	297	83.3	1	05/18/21 08:15	05/20/21 00:28	74-83-9	
n-Butylbenzene	<27.2	ug/kg	59.4	27.2	1	05/18/21 08:15	05/20/21 00:28	104-51-8	
sec-Butylbenzene	<14.5	ug/kg	59.4	14.5	1	05/18/21 08:15	05/20/21 00:28	135-98-8	
tert-Butylbenzene	<18.7	ug/kg	59.4	18.7	1	05/18/21 08:15	05/20/21 00:28	98-06-6	
Carbon tetrachloride	<13.1	ug/kg	59.4	13.1	1	05/18/21 08:15	05/20/21 00:28	56-23-5	
Chlorobenzene	<7.1	ug/kg	59.4	7.1	1	05/18/21 08:15	05/20/21 00:28	108-90-7	
Chloroethane	<25.1	ug/kg	297	25.1	1	05/18/21 08:15	05/20/21 00:28	75-00-3	
Chloroform	<42.6	ug/kg	297	42.6	1	05/18/21 08:15	05/20/21 00:28	67-66-3	
Chloromethane	<22.6	ug/kg	59.4	22.6	1	05/18/21 08:15	05/20/21 00:28	74-87-3	
2-Chlorotoluene	<19.3	ug/kg	59.4	19.3	1	05/18/21 08:15	05/20/21 00:28	95-49-8	
4-Chlorotoluene	<22.6	ug/kg	59.4	22.6	1	05/18/21 08:15	05/20/21 00:28	106-43-4	
1,2-Dibromo-3-chloropropane	<46.1	ug/kg	297	46.1	1	05/18/21 08:15	05/20/21 00:28	96-12-8	
Dibromochloromethane	<203	ug/kg	297	203	1	05/18/21 08:15	05/20/21 00:28	124-48-1	
1,2-Dibromoethane (EDB)	<16.3	ug/kg	59.4	16.3	1	05/18/21 08:15	05/20/21 00:28	106-93-4	
Dibromomethane	<17.6	ug/kg	59.4	17.6	1	05/18/21 08:15	05/20/21 00:28	74-95-3	
1,2-Dichlorobenzene	<18.4	ug/kg	59.4	18.4	1	05/18/21 08:15	05/20/21 00:28	95-50-1	
1,3-Dichlorobenzene	<16.3	ug/kg	59.4	16.3	1	05/18/21 08:15	05/20/21 00:28	541-73-1	
1,4-Dichlorobenzene	<16.3	ug/kg	59.4	16.3	1	05/18/21 08:15	05/20/21 00:28	106-46-7	
Dichlorodifluoromethane	<25.6	ug/kg	59.4	25.6	1	05/18/21 08:15	05/20/21 00:28	75-71-8	
1,1-Dichloroethane	<15.2	ug/kg	59.4	15.2	1	05/18/21 08:15	05/20/21 00:28	75-34-3	
1,2-Dichloroethane	<13.7	ug/kg	59.4	13.7	1	05/18/21 08:15	05/20/21 00:28	107-06-2	
1,1-Dichloroethene	<19.7	ug/kg	59.4	19.7	1	05/18/21 08:15	05/20/21 00:28	75-35-4	
cis-1,2-Dichloroethene	<12.7	ug/kg	59.4	12.7	1	05/18/21 08:15	05/20/21 00:28	156-59-2	
trans-1,2-Dichloroethene	<12.8	ug/kg	59.4	12.8	1	05/18/21 08:15	05/20/21 00:28	156-60-5	
1,2-Dichloropropane	<14.1	ug/kg	59.4	14.1	1	05/18/21 08:15	05/20/21 00:28	78-87-5	
1,3-Dichloropropane	<13.0	ug/kg	59.4	13.0	1	05/18/21 08:15	05/20/21 00:28	142-28-9	
2,2-Dichloropropane	<16.1	ug/kg	59.4	16.1	1	05/18/21 08:15	05/20/21 00:28	594-20-7	
1,1-Dichloropropene	<19.3	ug/kg	59.4	19.3	1	05/18/21 08:15	05/20/21 00:28	563-58-6	
cis-1,3-Dichloropropene	<39.2	ug/kg	297	39.2	1	05/18/21 08:15	05/20/21 00:28	10061-01-5	
trans-1,3-Dichloropropene	<170	ug/kg	297	170	1	05/18/21 08:15	05/20/21 00:28	10061-02-6	
Diisopropyl ether	<14.7	ug/kg	59.4	14.7	1	05/18/21 08:15	05/20/21 00:28	108-20-3	
Ethylbenzene	<14.1	ug/kg	59.4	14.1	1	05/18/21 08:15	05/20/21 00:28	100-41-4	
Hexachloro-1,3-butadiene	<118	ug/kg	297	118	1	05/18/21 08:15	05/20/21 00:28	87-68-3	
Isopropylbenzene (Cumene)	<16.1	ug/kg	59.4	16.1	1	05/18/21 08:15	05/20/21 00:28	98-82-8	
p-Isopropyltoluene	<18.1	ug/kg	59.4	18.1	1	05/18/21 08:15	05/20/21 00:28	99-87-6	
Methylene Chloride	<16.5	ug/kg	59.4	16.5	1	05/18/21 08:15	05/20/21 00:28	75-09-2	
Methyl-tert-butyl ether	<17.5	ug/kg	59.4	17.5	1	05/18/21 08:15	05/20/21 00:28	1634-04-4	
Naphthalene	<18.5	ug/kg	297	18.5	1	05/18/21 08:15	05/20/21 00:28	91-20-3	
n-Propylbenzene	<14.3	ug/kg	59.4	14.3	1	05/18/21 08:15	05/20/21 00:28	103-65-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 9640A FONG FAMILY, LLC
Pace Project No.: 40226787

Sample: G11-2 (6-8) **Lab ID: 40226787032** Collected: 05/11/21 12:35 Received: 05/12/21 09:05 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Med Level Normal List									
Analytical Method: EPA 8260 Preparation Method: EPA 5035/5030B Pace Analytical Services - Green Bay									
Styrene	<15.2	ug/kg	59.4	15.2	1	05/18/21 08:15	05/20/21 00:28	100-42-5	
1,1,1,2-Tetrachloroethane	<14.3	ug/kg	59.4	14.3	1	05/18/21 08:15	05/20/21 00:28	630-20-6	
1,1,2,2-Tetrachloroethane	<21.5	ug/kg	59.4	21.5	1	05/18/21 08:15	05/20/21 00:28	79-34-5	
Tetrachloroethene	<23.1	ug/kg	59.4	23.1	1	05/18/21 08:15	05/20/21 00:28	127-18-4	
Toluene	<15.0	ug/kg	59.4	15.0	1	05/18/21 08:15	05/20/21 00:28	108-88-3	
1,2,3-Trichlorobenzene	<66.2	ug/kg	297	66.2	1	05/18/21 08:15	05/20/21 00:28	87-61-6	
1,2,4-Trichlorobenzene	<49.0	ug/kg	297	49.0	1	05/18/21 08:15	05/20/21 00:28	120-82-1	
1,1,1-Trichloroethane	<15.2	ug/kg	59.4	15.2	1	05/18/21 08:15	05/20/21 00:28	71-55-6	
1,1,2-Trichloroethane	<21.6	ug/kg	59.4	21.6	1	05/18/21 08:15	05/20/21 00:28	79-00-5	
Trichloroethene	<22.2	ug/kg	59.4	22.2	1	05/18/21 08:15	05/20/21 00:28	79-01-6	
Trichlorofluoromethane	<17.2	ug/kg	59.4	17.2	1	05/18/21 08:15	05/20/21 00:28	75-69-4	
1,2,3-Trichloropropane	<28.9	ug/kg	59.4	28.9	1	05/18/21 08:15	05/20/21 00:28	96-18-4	
1,2,4-Trimethylbenzene	<17.7	ug/kg	59.4	17.7	1	05/18/21 08:15	05/20/21 00:28	95-63-6	
1,3,5-Trimethylbenzene	<19.1	ug/kg	59.4	19.1	1	05/18/21 08:15	05/20/21 00:28	108-67-8	
Vinyl chloride	<12.0	ug/kg	59.4	12.0	1	05/18/21 08:15	05/20/21 00:28	75-01-4	
m&p-Xylene	<25.1	ug/kg	119	25.1	1	05/18/21 08:15	05/20/21 00:28	179601-23-1	
o-Xylene	<17.8	ug/kg	59.4	17.8	1	05/18/21 08:15	05/20/21 00:28	95-47-6	
Surrogates									
Toluene-d8 (S)	99	%	67-159		1	05/18/21 08:15	05/20/21 00:28	2037-26-5	
4-Bromofluorobenzene (S)	92	%	66-153		1	05/18/21 08:15	05/20/21 00:28	460-00-4	
1,2-Dichlorobenzene-d4 (S)	110	%	82-158		1	05/18/21 08:15	05/20/21 00:28	2199-69-1	
Percent Moisture									
Analytical Method: ASTM D2974-87 Pace Analytical Services - Green Bay									
Percent Moisture	8.6	%	0.10	0.10	1		05/12/21 17:16		

Sample: G11-3 (10-12) **Lab ID: 40226787033** Collected: 05/11/21 12:40 Received: 05/12/21 09:05 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
6020 MET ICPMS									
Analytical Method: EPA 6020 Preparation Method: EPA 3050 Pace Analytical Services - Green Bay									
Arsenic	1.5	mg/kg	0.89	0.27	6.667	05/14/21 08:43	05/18/21 13:48	7440-38-2	
Lead	1.3	mg/kg	0.67	0.18	6.667	05/14/21 08:43	05/18/21 13:48	7439-92-1	
8270E MSSV PAH by SIM									
Analytical Method: EPA 8270E by SIM Preparation Method: EPA 3546 Pace Analytical Services - Green Bay									
Acenaphthene	<2.2	ug/kg	17.2	2.2	1	05/19/21 07:02	05/19/21 13:40	83-32-9	
Acenaphthylene	<2.2	ug/kg	17.2	2.2	1	05/19/21 07:02	05/19/21 13:40	208-96-8	
Anthracene	<2.1	ug/kg	17.2	2.1	1	05/19/21 07:02	05/19/21 13:40	120-12-7	
Benzo(a)anthracene	<2.2	ug/kg	17.2	2.2	1	05/19/21 07:02	05/19/21 13:40	56-55-3	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 9640A FONG FAMILY, LLC
Pace Project No.: 40226787

Sample: G11-3 (10-12) Lab ID: 40226787033 Collected: 05/11/21 12:40 Received: 05/12/21 09:05 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8270E MSSV PAH by SIM									
Analytical Method: EPA 8270E by SIM Preparation Method: EPA 3546									
Pace Analytical Services - Green Bay									
Benzo(a)pyrene	<2.0	ug/kg	17.2	2.0	1	05/19/21 07:02	05/19/21 13:40	50-32-8	
Benzo(b)fluoranthene	<2.4	ug/kg	17.2	2.4	1	05/19/21 07:02	05/19/21 13:40	205-99-2	
Benzo(g,h,i)perylene	<3.0	ug/kg	17.2	3.0	1	05/19/21 07:02	05/19/21 13:40	191-24-2	
Benzo(k)fluoranthene	<2.2	ug/kg	17.2	2.2	1	05/19/21 07:02	05/19/21 13:40	207-08-9	
Chrysene	<3.2	ug/kg	17.2	3.2	1	05/19/21 07:02	05/19/21 13:40	218-01-9	
Dibenz(a,h)anthracene	<2.4	ug/kg	17.2	2.4	1	05/19/21 07:02	05/19/21 13:40	53-70-3	
Fluoranthene	<2.0	ug/kg	17.2	2.0	1	05/19/21 07:02	05/19/21 13:40	206-44-0	
Fluorene	<2.1	ug/kg	17.2	2.1	1	05/19/21 07:02	05/19/21 13:40	86-73-7	
Indeno(1,2,3-cd)pyrene	<3.6	ug/kg	17.2	3.6	1	05/19/21 07:02	05/19/21 13:40	193-39-5	
1-Methylnaphthalene	<2.5	ug/kg	17.2	2.5	1	05/19/21 07:02	05/19/21 13:40	90-12-0	
2-Methylnaphthalene	<2.5	ug/kg	17.2	2.5	1	05/19/21 07:02	05/19/21 13:40	91-57-6	
Naphthalene	<1.7	ug/kg	17.2	1.7	1	05/19/21 07:02	05/19/21 13:40	91-20-3	
Phenanthrene	<2.0	ug/kg	17.2	2.0	1	05/19/21 07:02	05/19/21 13:40	85-01-8	
Pyrene	<2.5	ug/kg	17.2	2.5	1	05/19/21 07:02	05/19/21 13:40	129-00-0	
Surrogates									
2-Fluorobiphenyl (S)	77	%	36-86		1	05/19/21 07:02	05/19/21 13:40	321-60-8	
Terphenyl-d14 (S)	82	%	41-97		1	05/19/21 07:02	05/19/21 13:40	1718-51-0	
8260 MSV Med Level Normal List									
Analytical Method: EPA 8260 Preparation Method: EPA 5035/5030B									
Pace Analytical Services - Green Bay									
Benzene	<12.6	ug/kg	21.3	12.6	1	05/18/21 08:15	05/20/21 00:49	71-43-2	
Bromobenzene	<20.7	ug/kg	53.1	20.7	1	05/18/21 08:15	05/20/21 00:49	108-86-1	
Bromochloromethane	<14.6	ug/kg	53.1	14.6	1	05/18/21 08:15	05/20/21 00:49	74-97-5	
Bromodichloromethane	<12.6	ug/kg	53.1	12.6	1	05/18/21 08:15	05/20/21 00:49	75-27-4	
Bromoform	<234	ug/kg	266	234	1	05/18/21 08:15	05/20/21 00:49	75-25-2	
Bromomethane	<74.5	ug/kg	266	74.5	1	05/18/21 08:15	05/20/21 00:49	74-83-9	
n-Butylbenzene	<24.3	ug/kg	53.1	24.3	1	05/18/21 08:15	05/20/21 00:49	104-51-8	
sec-Butylbenzene	<13.0	ug/kg	53.1	13.0	1	05/18/21 08:15	05/20/21 00:49	135-98-8	
tert-Butylbenzene	<16.7	ug/kg	53.1	16.7	1	05/18/21 08:15	05/20/21 00:49	98-06-6	
Carbon tetrachloride	<11.7	ug/kg	53.1	11.7	1	05/18/21 08:15	05/20/21 00:49	56-23-5	
Chlorobenzene	<6.4	ug/kg	53.1	6.4	1	05/18/21 08:15	05/20/21 00:49	108-90-7	
Chloroethane	<22.4	ug/kg	266	22.4	1	05/18/21 08:15	05/20/21 00:49	75-00-3	
Chloroform	<38.0	ug/kg	266	38.0	1	05/18/21 08:15	05/20/21 00:49	67-66-3	
Chloromethane	<20.2	ug/kg	53.1	20.2	1	05/18/21 08:15	05/20/21 00:49	74-87-3	
2-Chlorotoluene	<17.2	ug/kg	53.1	17.2	1	05/18/21 08:15	05/20/21 00:49	95-49-8	
4-Chlorotoluene	<20.2	ug/kg	53.1	20.2	1	05/18/21 08:15	05/20/21 00:49	106-43-4	
1,2-Dibromo-3-chloropropane	<41.2	ug/kg	266	41.2	1	05/18/21 08:15	05/20/21 00:49	96-12-8	
Dibromochloromethane	<182	ug/kg	266	182	1	05/18/21 08:15	05/20/21 00:49	124-48-1	
1,2-Dibromoethane (EDB)	<14.6	ug/kg	53.1	14.6	1	05/18/21 08:15	05/20/21 00:49	106-93-4	
Dibromomethane	<15.7	ug/kg	53.1	15.7	1	05/18/21 08:15	05/20/21 00:49	74-95-3	
1,2-Dichlorobenzene	<16.5	ug/kg	53.1	16.5	1	05/18/21 08:15	05/20/21 00:49	95-50-1	
1,3-Dichlorobenzene	<14.6	ug/kg	53.1	14.6	1	05/18/21 08:15	05/20/21 00:49	541-73-1	
1,4-Dichlorobenzene	<14.6	ug/kg	53.1	14.6	1	05/18/21 08:15	05/20/21 00:49	106-46-7	
Dichlorodifluoromethane	<22.9	ug/kg	53.1	22.9	1	05/18/21 08:15	05/20/21 00:49	75-71-8	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 9640A FONG FAMILY, LLC
Pace Project No.: 40226787

Sample: G11-3 (10-12) **Lab ID: 40226787033** Collected: 05/11/21 12:40 Received: 05/12/21 09:05 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Med Level Normal List									
Analytical Method: EPA 8260 Preparation Method: EPA 5035/5030B									
Pace Analytical Services - Green Bay									
1,1-Dichloroethane	<13.6	ug/kg	53.1	13.6	1	05/18/21 08:15	05/20/21 00:49	75-34-3	
1,2-Dichloroethane	<12.2	ug/kg	53.1	12.2	1	05/18/21 08:15	05/20/21 00:49	107-06-2	
1,1-Dichloroethene	<17.6	ug/kg	53.1	17.6	1	05/18/21 08:15	05/20/21 00:49	75-35-4	
cis-1,2-Dichloroethene	<11.4	ug/kg	53.1	11.4	1	05/18/21 08:15	05/20/21 00:49	156-59-2	
trans-1,2-Dichloroethene	<11.5	ug/kg	53.1	11.5	1	05/18/21 08:15	05/20/21 00:49	156-60-5	
1,2-Dichloropropane	<12.6	ug/kg	53.1	12.6	1	05/18/21 08:15	05/20/21 00:49	78-87-5	
1,3-Dichloropropane	<11.6	ug/kg	53.1	11.6	1	05/18/21 08:15	05/20/21 00:49	142-28-9	
2,2-Dichloropropane	<14.3	ug/kg	53.1	14.3	1	05/18/21 08:15	05/20/21 00:49	594-20-7	
1,1-Dichloropropene	<17.2	ug/kg	53.1	17.2	1	05/18/21 08:15	05/20/21 00:49	563-58-6	
cis-1,3-Dichloropropene	<35.1	ug/kg	266	35.1	1	05/18/21 08:15	05/20/21 00:49	10061-01-5	
trans-1,3-Dichloropropene	<152	ug/kg	266	152	1	05/18/21 08:15	05/20/21 00:49	10061-02-6	
Diisopropyl ether	<13.2	ug/kg	53.1	13.2	1	05/18/21 08:15	05/20/21 00:49	108-20-3	
Ethylbenzene	<12.6	ug/kg	53.1	12.6	1	05/18/21 08:15	05/20/21 00:49	100-41-4	
Hexachloro-1,3-butadiene	<106	ug/kg	266	106	1	05/18/21 08:15	05/20/21 00:49	87-68-3	
Isopropylbenzene (Cumene)	<14.3	ug/kg	53.1	14.3	1	05/18/21 08:15	05/20/21 00:49	98-82-8	
p-Isopropyltoluene	<16.2	ug/kg	53.1	16.2	1	05/18/21 08:15	05/20/21 00:49	99-87-6	
Methylene Chloride	<14.8	ug/kg	53.1	14.8	1	05/18/21 08:15	05/20/21 00:49	75-09-2	
Methyl-tert-butyl ether	<15.6	ug/kg	53.1	15.6	1	05/18/21 08:15	05/20/21 00:49	1634-04-4	
Naphthalene	<16.6	ug/kg	266	16.6	1	05/18/21 08:15	05/20/21 00:49	91-20-3	
n-Propylbenzene	<12.8	ug/kg	53.1	12.8	1	05/18/21 08:15	05/20/21 00:49	103-65-1	
Styrene	<13.6	ug/kg	53.1	13.6	1	05/18/21 08:15	05/20/21 00:49	100-42-5	
1,1,1,2-Tetrachloroethane	<12.8	ug/kg	53.1	12.8	1	05/18/21 08:15	05/20/21 00:49	630-20-6	
1,1,2,2-Tetrachloroethane	<19.2	ug/kg	53.1	19.2	1	05/18/21 08:15	05/20/21 00:49	79-34-5	
Tetrachloroethene	<20.6	ug/kg	53.1	20.6	1	05/18/21 08:15	05/20/21 00:49	127-18-4	
Toluene	<13.4	ug/kg	53.1	13.4	1	05/18/21 08:15	05/20/21 00:49	108-88-3	
1,2,3-Trichlorobenzene	<59.2	ug/kg	266	59.2	1	05/18/21 08:15	05/20/21 00:49	87-61-6	
1,2,4-Trichlorobenzene	<43.8	ug/kg	266	43.8	1	05/18/21 08:15	05/20/21 00:49	120-82-1	
1,1,1-Trichloroethane	<13.6	ug/kg	53.1	13.6	1	05/18/21 08:15	05/20/21 00:49	71-55-6	
1,1,2-Trichloroethane	<19.3	ug/kg	53.1	19.3	1	05/18/21 08:15	05/20/21 00:49	79-00-5	
Trichloroethene	<19.9	ug/kg	53.1	19.9	1	05/18/21 08:15	05/20/21 00:49	79-01-6	
Trichlorofluoromethane	<15.4	ug/kg	53.1	15.4	1	05/18/21 08:15	05/20/21 00:49	75-69-4	
1,2,3-Trichloropropane	<25.8	ug/kg	53.1	25.8	1	05/18/21 08:15	05/20/21 00:49	96-18-4	
1,2,4-Trimethylbenzene	<15.8	ug/kg	53.1	15.8	1	05/18/21 08:15	05/20/21 00:49	95-63-6	
1,3,5-Trimethylbenzene	<17.1	ug/kg	53.1	17.1	1	05/18/21 08:15	05/20/21 00:49	108-67-8	
Vinyl chloride	<10.7	ug/kg	53.1	10.7	1	05/18/21 08:15	05/20/21 00:49	75-01-4	
m&p-Xylene	<22.4	ug/kg	106	22.4	1	05/18/21 08:15	05/20/21 00:49	179601-23-1	
o-Xylene	<15.9	ug/kg	53.1	15.9	1	05/18/21 08:15	05/20/21 00:49	95-47-6	
Surrogates									
Toluene-d8 (S)	95	%	67-159		1	05/18/21 08:15	05/20/21 00:49	2037-26-5	
4-Bromofluorobenzene (S)	90	%	66-153		1	05/18/21 08:15	05/20/21 00:49	460-00-4	
1,2-Dichlorobenzene-d4 (S)	109	%	82-158		1	05/18/21 08:15	05/20/21 00:49	2199-69-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 9640A FONG FAMILY, LLC

Pace Project No.: 40226787

Sample: G11-3 (10-12) **Lab ID: 40226787033** Collected: 05/11/21 12:40 Received: 05/12/21 09:05 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
Percent Moisture									
Analytical Method: ASTM D2974-87									
Pace Analytical Services - Green Bay									
Percent Moisture	3.0	%	0.10	0.10	1		05/12/21 17:16		

Sample: G12-1 (2-4) **Lab ID: 40226787034** Collected: 05/11/21 12:55 Received: 05/12/21 09:05 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
6020 MET ICPMS									
Analytical Method: EPA 6020 Preparation Method: EPA 3050									
Pace Analytical Services - Green Bay									
Arsenic	3.4	mg/kg	0.91	0.27	6.667	05/14/21 08:43	05/18/21 13:55	7440-38-2	
Lead	46.7	mg/kg	0.69	0.19	6.667	05/14/21 08:43	05/18/21 13:55	7439-92-1	
8270E MSSV PAH by SIM									
Analytical Method: EPA 8270E by SIM Preparation Method: EPA 3546									
Pace Analytical Services - Green Bay									
Acenaphthene	<2.3	ug/kg	17.6	2.3	1	05/19/21 07:02	05/19/21 22:18	83-32-9	
Acenaphthylene	9.0J	ug/kg	17.6	2.2	1	05/19/21 07:02	05/19/21 22:18	208-96-8	
Anthracene	12.7J	ug/kg	17.6	2.2	1	05/19/21 07:02	05/19/21 22:18	120-12-7	
Benzo(a)anthracene	56.9	ug/kg	17.6	2.3	1	05/19/21 07:02	05/19/21 22:18	56-55-3	
Benzo(a)pyrene	69.6	ug/kg	17.6	2.0	1	05/19/21 07:02	05/19/21 22:18	50-32-8	
Benzo(b)fluoranthene	111	ug/kg	17.6	2.4	1	05/19/21 07:02	05/19/21 22:18	205-99-2	
Benzo(g,h,i)perylene	53.8	ug/kg	17.6	3.1	1	05/19/21 07:02	05/19/21 22:18	191-24-2	
Benzo(k)fluoranthene	37.1	ug/kg	17.6	2.2	1	05/19/21 07:02	05/19/21 22:18	207-08-9	
Chrysene	85.3	ug/kg	17.6	3.3	1	05/19/21 07:02	05/19/21 22:18	218-01-9	
Dibenz(a,h)anthracene	13.7J	ug/kg	17.6	2.4	1	05/19/21 07:02	05/19/21 22:18	53-70-3	
Fluoranthene	120	ug/kg	17.6	2.1	1	05/19/21 07:02	05/19/21 22:18	206-44-0	
Fluorene	<2.1	ug/kg	17.6	2.1	1	05/19/21 07:02	05/19/21 22:18	86-73-7	
Indeno(1,2,3-cd)pyrene	43.6	ug/kg	17.6	3.7	1	05/19/21 07:02	05/19/21 22:18	193-39-5	
1-Methylnaphthalene	5.0J	ug/kg	17.6	2.6	1	05/19/21 07:02	05/19/21 22:18	90-12-0	
2-Methylnaphthalene	8.3J	ug/kg	17.6	2.6	1	05/19/21 07:02	05/19/21 22:18	91-57-6	
Naphthalene	9.9J	ug/kg	17.6	1.7	1	05/19/21 07:02	05/19/21 22:18	91-20-3	
Phenanthrene	34.9	ug/kg	17.6	2.0	1	05/19/21 07:02	05/19/21 22:18	85-01-8	
Pyrene	109	ug/kg	17.6	2.6	1	05/19/21 07:02	05/19/21 22:18	129-00-0	
Surrogates									
2-Fluorobiphenyl (S)	72	%	36-86		1	05/19/21 07:02	05/19/21 22:18	321-60-8	
Terphenyl-d14 (S)	76	%	41-97		1	05/19/21 07:02	05/19/21 22:18	1718-51-0	

8260 MSV Med Level Normal List Analytical Method: EPA 8260 Preparation Method: EPA 5035/5030B
Pace Analytical Services - Green Bay

Benzene	<13.2	ug/kg	22.1	13.2	1	05/18/21 08:15	05/20/21 01:09	71-43-2	
Bromobenzene	<21.6	ug/kg	55.3	21.6	1	05/18/21 08:15	05/20/21 01:09	108-86-1	
Bromochloromethane	<15.2	ug/kg	55.3	15.2	1	05/18/21 08:15	05/20/21 01:09	74-97-5	
Bromodichloromethane	<13.2	ug/kg	55.3	13.2	1	05/18/21 08:15	05/20/21 01:09	75-27-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 9640A FONG FAMILY, LLC
Pace Project No.: 40226787

Sample: G12-1 (2-4) **Lab ID: 40226787034** Collected: 05/11/21 12:55 Received: 05/12/21 09:05 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Med Level Normal List									
Analytical Method: EPA 8260 Preparation Method: EPA 5035/5030B									
Pace Analytical Services - Green Bay									
Bromoform	<243	ug/kg	276	243	1	05/18/21 08:15	05/20/21 01:09	75-25-2	
Bromomethane	<77.5	ug/kg	276	77.5	1	05/18/21 08:15	05/20/21 01:09	74-83-9	
n-Butylbenzene	<25.3	ug/kg	55.3	25.3	1	05/18/21 08:15	05/20/21 01:09	104-51-8	
sec-Butylbenzene	<13.5	ug/kg	55.3	13.5	1	05/18/21 08:15	05/20/21 01:09	135-98-8	
tert-Butylbenzene	<17.4	ug/kg	55.3	17.4	1	05/18/21 08:15	05/20/21 01:09	98-06-6	
Carbon tetrachloride	<12.2	ug/kg	55.3	12.2	1	05/18/21 08:15	05/20/21 01:09	56-23-5	
Chlorobenzene	<6.6	ug/kg	55.3	6.6	1	05/18/21 08:15	05/20/21 01:09	108-90-7	
Chloroethane	<23.3	ug/kg	276	23.3	1	05/18/21 08:15	05/20/21 01:09	75-00-3	
Chloroform	<39.6	ug/kg	276	39.6	1	05/18/21 08:15	05/20/21 01:09	67-66-3	
Chloromethane	<21.0	ug/kg	55.3	21.0	1	05/18/21 08:15	05/20/21 01:09	74-87-3	
2-Chlorotoluene	<17.9	ug/kg	55.3	17.9	1	05/18/21 08:15	05/20/21 01:09	95-49-8	
4-Chlorotoluene	<21.0	ug/kg	55.3	21.0	1	05/18/21 08:15	05/20/21 01:09	106-43-4	
1,2-Dibromo-3-chloropropane	<42.9	ug/kg	276	42.9	1	05/18/21 08:15	05/20/21 01:09	96-12-8	
Dibromochloromethane	<189	ug/kg	276	189	1	05/18/21 08:15	05/20/21 01:09	124-48-1	
1,2-Dibromoethane (EDB)	<15.2	ug/kg	55.3	15.2	1	05/18/21 08:15	05/20/21 01:09	106-93-4	
Dibromomethane	<16.4	ug/kg	55.3	16.4	1	05/18/21 08:15	05/20/21 01:09	74-95-3	
1,2-Dichlorobenzene	<17.1	ug/kg	55.3	17.1	1	05/18/21 08:15	05/20/21 01:09	95-50-1	
1,3-Dichlorobenzene	<15.2	ug/kg	55.3	15.2	1	05/18/21 08:15	05/20/21 01:09	541-73-1	
1,4-Dichlorobenzene	<15.2	ug/kg	55.3	15.2	1	05/18/21 08:15	05/20/21 01:09	106-46-7	
Dichlorodifluoromethane	<23.8	ug/kg	55.3	23.8	1	05/18/21 08:15	05/20/21 01:09	75-71-8	
1,1-Dichloroethane	<14.2	ug/kg	55.3	14.2	1	05/18/21 08:15	05/20/21 01:09	75-34-3	
1,2-Dichloroethane	<12.7	ug/kg	55.3	12.7	1	05/18/21 08:15	05/20/21 01:09	107-06-2	
1,1-Dichloroethene	<18.4	ug/kg	55.3	18.4	1	05/18/21 08:15	05/20/21 01:09	75-35-4	
cis-1,2-Dichloroethene	<11.8	ug/kg	55.3	11.8	1	05/18/21 08:15	05/20/21 01:09	156-59-2	
trans-1,2-Dichloroethene	<11.9	ug/kg	55.3	11.9	1	05/18/21 08:15	05/20/21 01:09	156-60-5	
1,2-Dichloropropane	<13.2	ug/kg	55.3	13.2	1	05/18/21 08:15	05/20/21 01:09	78-87-5	
1,3-Dichloropropane	<12.1	ug/kg	55.3	12.1	1	05/18/21 08:15	05/20/21 01:09	142-28-9	
2,2-Dichloropropane	<14.9	ug/kg	55.3	14.9	1	05/18/21 08:15	05/20/21 01:09	594-20-7	
1,1-Dichloropropene	<17.9	ug/kg	55.3	17.9	1	05/18/21 08:15	05/20/21 01:09	563-58-6	
cis-1,3-Dichloropropene	<36.5	ug/kg	276	36.5	1	05/18/21 08:15	05/20/21 01:09	10061-01-5	
trans-1,3-Dichloropropene	<158	ug/kg	276	158	1	05/18/21 08:15	05/20/21 01:09	10061-02-6	
Diisopropyl ether	<13.7	ug/kg	55.3	13.7	1	05/18/21 08:15	05/20/21 01:09	108-20-3	
Ethylbenzene	<13.2	ug/kg	55.3	13.2	1	05/18/21 08:15	05/20/21 01:09	100-41-4	
Hexachloro-1,3-butadiene	<110	ug/kg	276	110	1	05/18/21 08:15	05/20/21 01:09	87-68-3	
Isopropylbenzene (Cumene)	<14.9	ug/kg	55.3	14.9	1	05/18/21 08:15	05/20/21 01:09	98-82-8	
p-Isopropyltoluene	<16.8	ug/kg	55.3	16.8	1	05/18/21 08:15	05/20/21 01:09	99-87-6	
Methylene Chloride	<15.4	ug/kg	55.3	15.4	1	05/18/21 08:15	05/20/21 01:09	75-09-2	
Methyl-tert-butyl ether	<16.3	ug/kg	55.3	16.3	1	05/18/21 08:15	05/20/21 01:09	1634-04-4	
Naphthalene	<17.3	ug/kg	276	17.3	1	05/18/21 08:15	05/20/21 01:09	91-20-3	
n-Propylbenzene	<13.3	ug/kg	55.3	13.3	1	05/18/21 08:15	05/20/21 01:09	103-65-1	
Styrene	<14.2	ug/kg	55.3	14.2	1	05/18/21 08:15	05/20/21 01:09	100-42-5	
1,1,1,2-Tetrachloroethane	<13.3	ug/kg	55.3	13.3	1	05/18/21 08:15	05/20/21 01:09	630-20-6	
1,1,2,2-Tetrachloroethane	<20.0	ug/kg	55.3	20.0	1	05/18/21 08:15	05/20/21 01:09	79-34-5	
Tetrachloroethene	<21.5	ug/kg	55.3	21.5	1	05/18/21 08:15	05/20/21 01:09	127-18-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 9640A FONG FAMILY, LLC
Pace Project No.: 40226787

Sample: G12-1 (2-4) **Lab ID: 40226787034** Collected: 05/11/21 12:55 Received: 05/12/21 09:05 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Med Level Normal List									
Analytical Method: EPA 8260 Preparation Method: EPA 5035/5030B									
Pace Analytical Services - Green Bay									
Toluene	<13.9	ug/kg	55.3	13.9	1	05/18/21 08:15	05/20/21 01:09	108-88-3	
1,2,3-Trichlorobenzene	<61.6	ug/kg	276	61.6	1	05/18/21 08:15	05/20/21 01:09	87-61-6	
1,2,4-Trichlorobenzene	<45.6	ug/kg	276	45.6	1	05/18/21 08:15	05/20/21 01:09	120-82-1	
1,1,1-Trichloroethane	<14.2	ug/kg	55.3	14.2	1	05/18/21 08:15	05/20/21 01:09	71-55-6	
1,1,2-Trichloroethane	<20.1	ug/kg	55.3	20.1	1	05/18/21 08:15	05/20/21 01:09	79-00-5	
Trichloroethene	<20.7	ug/kg	55.3	20.7	1	05/18/21 08:15	05/20/21 01:09	79-01-6	
Trichlorofluoromethane	<16.0	ug/kg	55.3	16.0	1	05/18/21 08:15	05/20/21 01:09	75-69-4	
1,2,3-Trichloropropane	<26.9	ug/kg	55.3	26.9	1	05/18/21 08:15	05/20/21 01:09	96-18-4	
1,2,4-Trimethylbenzene	<16.5	ug/kg	55.3	16.5	1	05/18/21 08:15	05/20/21 01:09	95-63-6	
1,3,5-Trimethylbenzene	<17.8	ug/kg	55.3	17.8	1	05/18/21 08:15	05/20/21 01:09	108-67-8	
Vinyl chloride	<11.2	ug/kg	55.3	11.2	1	05/18/21 08:15	05/20/21 01:09	75-01-4	
m&p-Xylene	<23.3	ug/kg	111	23.3	1	05/18/21 08:15	05/20/21 01:09	179601-23-1	
o-Xylene	<16.6	ug/kg	55.3	16.6	1	05/18/21 08:15	05/20/21 01:09	95-47-6	
Surrogates									
Toluene-d8 (S)	88	%	67-159		1	05/18/21 08:15	05/20/21 01:09	2037-26-5	
4-Bromofluorobenzene (S)	84	%	66-153		1	05/18/21 08:15	05/20/21 01:09	460-00-4	
1,2-Dichlorobenzene-d4 (S)	103	%	82-158		1	05/18/21 08:15	05/20/21 01:09	2199-69-1	

Percent Moisture

Analytical Method: ASTM D2974-87
Pace Analytical Services - Green Bay

Percent Moisture	5.0	%	0.10	0.10	1		05/12/21 17:35		
------------------	-----	---	------	------	---	--	----------------	--	--

Sample: G12-3 (8-10) **Lab ID: 40226787035** Collected: 05/11/21 13:00 Received: 05/12/21 09:05 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
6020 MET ICPMS									
Analytical Method: EPA 6020 Preparation Method: EPA 3050									
Pace Analytical Services - Green Bay									
Arsenic	10.2	mg/kg	0.98	0.29	6.667	05/14/21 08:43	05/18/21 14:02	7440-38-2	
Lead	536	mg/kg	0.74	0.20	6.667	05/14/21 08:43	05/18/21 14:02	7439-92-1	
8270E MSSV PAH by SIM									
Analytical Method: EPA 8270E by SIM Preparation Method: EPA 3546									
Pace Analytical Services - Green Bay									
Acenaphthene	11.5J	ug/kg	19.2	2.5	1	05/19/21 07:02	05/20/21 00:01	83-32-9	
Acenaphthylene	4.7J	ug/kg	19.2	2.4	1	05/19/21 07:02	05/20/21 00:01	208-96-8	
Anthracene	57.8	ug/kg	19.2	2.4	1	05/19/21 07:02	05/20/21 00:01	120-12-7	
Benzo(a)anthracene	134	ug/kg	19.2	2.5	1	05/19/21 07:02	05/20/21 00:01	56-55-3	
Benzo(a)pyrene	145	ug/kg	19.2	2.2	1	05/19/21 07:02	05/20/21 00:01	50-32-8	
Benzo(b)fluoranthene	212	ug/kg	19.2	2.7	1	05/19/21 07:02	05/20/21 00:01	205-99-2	
Benzo(g,h,i)perylene	113	ug/kg	19.2	3.4	1	05/19/21 07:02	05/20/21 00:01	191-24-2	
Benzo(k)fluoranthene	82.3	ug/kg	19.2	2.5	1	05/19/21 07:02	05/20/21 00:01	207-08-9	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 9640A FONG FAMILY, LLC
Pace Project No.: 40226787

Sample: G12-3 (8-10) **Lab ID: 40226787035** Collected: 05/11/21 13:00 Received: 05/12/21 09:05 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8270E MSSV PAH by SIM									
Analytical Method: EPA 8270E by SIM Preparation Method: EPA 3546									
Pace Analytical Services - Green Bay									
Chrysene	161	ug/kg	19.2	3.6	1	05/19/21 07:02	05/20/21 00:01	218-01-9	
Dibenz(a,h)anthracene	24.9	ug/kg	19.2	2.7	1	05/19/21 07:02	05/20/21 00:01	53-70-3	
Fluoranthene	403	ug/kg	19.2	2.3	1	05/19/21 07:02	05/20/21 00:01	206-44-0	
Fluorene	9.9J	ug/kg	19.2	2.3	1	05/19/21 07:02	05/20/21 00:01	86-73-7	
Indeno(1,2,3-cd)pyrene	95.6	ug/kg	19.2	4.0	1	05/19/21 07:02	05/20/21 00:01	193-39-5	
1-Methylnaphthalene	4.3J	ug/kg	19.2	2.8	1	05/19/21 07:02	05/20/21 00:01	90-12-0	
2-Methylnaphthalene	5.4J	ug/kg	19.2	2.8	1	05/19/21 07:02	05/20/21 00:01	91-57-6	
Naphthalene	7.7J	ug/kg	19.2	1.9	1	05/19/21 07:02	05/20/21 00:01	91-20-3	
Phenanthrene	128	ug/kg	19.2	2.2	1	05/19/21 07:02	05/20/21 00:01	85-01-8	
Pyrene	325	ug/kg	19.2	2.8	1	05/19/21 07:02	05/20/21 00:01	129-00-0	
Surrogates									
2-Fluorobiphenyl (S)	73	%	36-86		1	05/19/21 07:02	05/20/21 00:01	321-60-8	
Terphenyl-d14 (S)	84	%	41-97		1	05/19/21 07:02	05/20/21 00:01	1718-51-0	

8260 MSV Med Level Normal List Analytical Method: EPA 8260 Preparation Method: EPA 5035/5030B
Pace Analytical Services - Green Bay

Benzene	<15.5	ug/kg	26.1	15.5	1	05/18/21 08:15	05/20/21 01:29	71-43-2	
Bromobenzene	<25.4	ug/kg	65.2	25.4	1	05/18/21 08:15	05/20/21 01:29	108-86-1	
Bromochloromethane	<17.9	ug/kg	65.2	17.9	1	05/18/21 08:15	05/20/21 01:29	74-97-5	
Bromodichloromethane	<15.5	ug/kg	65.2	15.5	1	05/18/21 08:15	05/20/21 01:29	75-27-4	
Bromoform	<287	ug/kg	326	287	1	05/18/21 08:15	05/20/21 01:29	75-25-2	
Bromomethane	<91.4	ug/kg	326	91.4	1	05/18/21 08:15	05/20/21 01:29	74-83-9	
n-Butylbenzene	<29.9	ug/kg	65.2	29.9	1	05/18/21 08:15	05/20/21 01:29	104-51-8	
sec-Butylbenzene	<15.9	ug/kg	65.2	15.9	1	05/18/21 08:15	05/20/21 01:29	135-98-8	
tert-Butylbenzene	<20.5	ug/kg	65.2	20.5	1	05/18/21 08:15	05/20/21 01:29	98-06-6	
Carbon tetrachloride	<14.3	ug/kg	65.2	14.3	1	05/18/21 08:15	05/20/21 01:29	56-23-5	
Chlorobenzene	<7.8	ug/kg	65.2	7.8	1	05/18/21 08:15	05/20/21 01:29	108-90-7	
Chloroethane	<27.5	ug/kg	326	27.5	1	05/18/21 08:15	05/20/21 01:29	75-00-3	
Chloroform	<46.7	ug/kg	326	46.7	1	05/18/21 08:15	05/20/21 01:29	67-66-3	
Chloromethane	<24.8	ug/kg	65.2	24.8	1	05/18/21 08:15	05/20/21 01:29	74-87-3	
2-Chlorotoluene	<21.1	ug/kg	65.2	21.1	1	05/18/21 08:15	05/20/21 01:29	95-49-8	
4-Chlorotoluene	<24.8	ug/kg	65.2	24.8	1	05/18/21 08:15	05/20/21 01:29	106-43-4	
1,2-Dibromo-3-chloropropane	<50.6	ug/kg	326	50.6	1	05/18/21 08:15	05/20/21 01:29	96-12-8	
Dibromochloromethane	<223	ug/kg	326	223	1	05/18/21 08:15	05/20/21 01:29	124-48-1	
1,2-Dibromoethane (EDB)	<17.9	ug/kg	65.2	17.9	1	05/18/21 08:15	05/20/21 01:29	106-93-4	
Dibromomethane	<19.3	ug/kg	65.2	19.3	1	05/18/21 08:15	05/20/21 01:29	74-95-3	
1,2-Dichlorobenzene	<20.2	ug/kg	65.2	20.2	1	05/18/21 08:15	05/20/21 01:29	95-50-1	
1,3-Dichlorobenzene	<17.9	ug/kg	65.2	17.9	1	05/18/21 08:15	05/20/21 01:29	541-73-1	
1,4-Dichlorobenzene	<17.9	ug/kg	65.2	17.9	1	05/18/21 08:15	05/20/21 01:29	106-46-7	
Dichlorodifluoromethane	<28.0	ug/kg	65.2	28.0	1	05/18/21 08:15	05/20/21 01:29	75-71-8	
1,1-Dichloroethane	<16.7	ug/kg	65.2	16.7	1	05/18/21 08:15	05/20/21 01:29	75-34-3	
1,2-Dichloroethane	<15.0	ug/kg	65.2	15.0	1	05/18/21 08:15	05/20/21 01:29	107-06-2	
1,1-Dichloroethene	<21.6	ug/kg	65.2	21.6	1	05/18/21 08:15	05/20/21 01:29	75-35-4	
cis-1,2-Dichloroethene	<13.9	ug/kg	65.2	13.9	1	05/18/21 08:15	05/20/21 01:29	156-59-2	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 9640A FONG FAMILY, LLC
Pace Project No.: 40226787

Sample: G12-3 (8-10) **Lab ID: 40226787035** Collected: 05/11/21 13:00 Received: 05/12/21 09:05 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Med Level Normal List									
Analytical Method: EPA 8260 Preparation Method: EPA 5035/5030B									
Pace Analytical Services - Green Bay									
trans-1,2-Dichloroethene	<14.1	ug/kg	65.2	14.1	1	05/18/21 08:15	05/20/21 01:29	156-60-5	
1,2-Dichloropropane	<15.5	ug/kg	65.2	15.5	1	05/18/21 08:15	05/20/21 01:29	78-87-5	
1,3-Dichloropropane	<14.2	ug/kg	65.2	14.2	1	05/18/21 08:15	05/20/21 01:29	142-28-9	
2,2-Dichloropropane	<17.6	ug/kg	65.2	17.6	1	05/18/21 08:15	05/20/21 01:29	594-20-7	
1,1-Dichloropropene	<21.1	ug/kg	65.2	21.1	1	05/18/21 08:15	05/20/21 01:29	563-58-6	
cis-1,3-Dichloropropene	<43.0	ug/kg	326	43.0	1	05/18/21 08:15	05/20/21 01:29	10061-01-5	
trans-1,3-Dichloropropene	<186	ug/kg	326	186	1	05/18/21 08:15	05/20/21 01:29	10061-02-6	
Diisopropyl ether	<16.2	ug/kg	65.2	16.2	1	05/18/21 08:15	05/20/21 01:29	108-20-3	
Ethylbenzene	<15.5	ug/kg	65.2	15.5	1	05/18/21 08:15	05/20/21 01:29	100-41-4	
Hexachloro-1,3-butadiene	<130	ug/kg	326	130	1	05/18/21 08:15	05/20/21 01:29	87-68-3	
Isopropylbenzene (Cumene)	<17.6	ug/kg	65.2	17.6	1	05/18/21 08:15	05/20/21 01:29	98-82-8	
p-Isopropyltoluene	<19.8	ug/kg	65.2	19.8	1	05/18/21 08:15	05/20/21 01:29	99-87-6	
Methylene Chloride	<18.1	ug/kg	65.2	18.1	1	05/18/21 08:15	05/20/21 01:29	75-09-2	
Methyl-tert-butyl ether	<19.2	ug/kg	65.2	19.2	1	05/18/21 08:15	05/20/21 01:29	1634-04-4	
Naphthalene	58.4J	ug/kg	326	20.3	1	05/18/21 08:15	05/20/21 01:29	91-20-3	
n-Propylbenzene	<15.6	ug/kg	65.2	15.6	1	05/18/21 08:15	05/20/21 01:29	103-65-1	
Styrene	<16.7	ug/kg	65.2	16.7	1	05/18/21 08:15	05/20/21 01:29	100-42-5	
1,1,1,2-Tetrachloroethane	<15.6	ug/kg	65.2	15.6	1	05/18/21 08:15	05/20/21 01:29	630-20-6	
1,1,1,2,2-Tetrachloroethane	<23.6	ug/kg	65.2	23.6	1	05/18/21 08:15	05/20/21 01:29	79-34-5	
Tetrachloroethene	<25.3	ug/kg	65.2	25.3	1	05/18/21 08:15	05/20/21 01:29	127-18-4	
Toluene	<16.4	ug/kg	65.2	16.4	1	05/18/21 08:15	05/20/21 01:29	108-88-3	
1,2,3-Trichlorobenzene	<72.6	ug/kg	326	72.6	1	05/18/21 08:15	05/20/21 01:29	87-61-6	
1,2,4-Trichlorobenzene	<53.7	ug/kg	326	53.7	1	05/18/21 08:15	05/20/21 01:29	120-82-1	
1,1,1-Trichloroethane	<16.7	ug/kg	65.2	16.7	1	05/18/21 08:15	05/20/21 01:29	71-55-6	
1,1,2-Trichloroethane	<23.7	ug/kg	65.2	23.7	1	05/18/21 08:15	05/20/21 01:29	79-00-5	
Trichloroethene	<24.4	ug/kg	65.2	24.4	1	05/18/21 08:15	05/20/21 01:29	79-01-6	
Trichlorofluoromethane	<18.9	ug/kg	65.2	18.9	1	05/18/21 08:15	05/20/21 01:29	75-69-4	
1,2,3-Trichloropropane	<31.7	ug/kg	65.2	31.7	1	05/18/21 08:15	05/20/21 01:29	96-18-4	
1,2,4-Trimethylbenzene	<19.4	ug/kg	65.2	19.4	1	05/18/21 08:15	05/20/21 01:29	95-63-6	
1,3,5-Trimethylbenzene	<21.0	ug/kg	65.2	21.0	1	05/18/21 08:15	05/20/21 01:29	108-67-8	
Vinyl chloride	<13.2	ug/kg	65.2	13.2	1	05/18/21 08:15	05/20/21 01:29	75-01-4	
m&p-Xylene	<27.5	ug/kg	130	27.5	1	05/18/21 08:15	05/20/21 01:29	179601-23-1	
o-Xylene	<19.6	ug/kg	65.2	19.6	1	05/18/21 08:15	05/20/21 01:29	95-47-6	
Surrogates									
Toluene-d8 (S)	102	%	67-159		1	05/18/21 08:15	05/20/21 01:29	2037-26-5	
4-Bromofluorobenzene (S)	93	%	66-153		1	05/18/21 08:15	05/20/21 01:29	460-00-4	
1,2-Dichlorobenzene-d4 (S)	107	%	82-158		1	05/18/21 08:15	05/20/21 01:29	2199-69-1	

Percent Moisture

Analytical Method: ASTM D2974-87
Pace Analytical Services - Green Bay

Percent Moisture	13.2	%	0.10	0.10	1		05/12/21 17:35		
------------------	------	---	------	------	---	--	----------------	--	--

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 9640A FONG FAMILY, LLC
Pace Project No.: 40226787

Sample: G12-4 (14-16) **Lab ID: 40226787036** Collected: 05/11/21 13:05 Received: 05/12/21 09:05 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
6020 MET ICPMS									
Analytical Method: EPA 6020 Preparation Method: EPA 3050									
Pace Analytical Services - Green Bay									
Arsenic	12.6	mg/kg	0.97	0.29	6.667	05/14/21 08:43	05/18/21 14:10	7440-38-2	
Lead	428	mg/kg	0.73	0.20	6.667	05/14/21 08:43	05/18/21 14:10	7439-92-1	
8270E MSSV PAH by SIM									
Analytical Method: EPA 8270E by SIM Preparation Method: EPA 3546									
Pace Analytical Services - Green Bay									
Acenaphthene	<2.4	ug/kg	18.7	2.4	1	05/19/21 07:02	05/19/21 14:32	83-32-9	
Acenaphthylene	<2.4	ug/kg	18.7	2.4	1	05/19/21 07:02	05/19/21 14:32	208-96-8	
Anthracene	<2.3	ug/kg	18.7	2.3	1	05/19/21 07:02	05/19/21 14:32	120-12-7	
Benzo(a)anthracene	<2.4	ug/kg	18.7	2.4	1	05/19/21 07:02	05/19/21 14:32	56-55-3	
Benzo(a)pyrene	<2.1	ug/kg	18.7	2.1	1	05/19/21 07:02	05/19/21 14:32	50-32-8	
Benzo(b)fluoranthene	<2.6	ug/kg	18.7	2.6	1	05/19/21 07:02	05/19/21 14:32	205-99-2	
Benzo(g,h,i)perylene	<3.3	ug/kg	18.7	3.3	1	05/19/21 07:02	05/19/21 14:32	191-24-2	
Benzo(k)fluoranthene	<2.4	ug/kg	18.7	2.4	1	05/19/21 07:02	05/19/21 14:32	207-08-9	
Chrysene	<3.5	ug/kg	18.7	3.5	1	05/19/21 07:02	05/19/21 14:32	218-01-9	
Dibenz(a,h)anthracene	<2.6	ug/kg	18.7	2.6	1	05/19/21 07:02	05/19/21 14:32	53-70-3	
Fluoranthene	<2.2	ug/kg	18.7	2.2	1	05/19/21 07:02	05/19/21 14:32	206-44-0	
Fluorene	<2.2	ug/kg	18.7	2.2	1	05/19/21 07:02	05/19/21 14:32	86-73-7	
Indeno(1,2,3-cd)pyrene	<3.9	ug/kg	18.7	3.9	1	05/19/21 07:02	05/19/21 14:32	193-39-5	
1-Methylnaphthalene	<2.7	ug/kg	18.7	2.7	1	05/19/21 07:02	05/19/21 14:32	90-12-0	
2-Methylnaphthalene	<2.7	ug/kg	18.7	2.7	1	05/19/21 07:02	05/19/21 14:32	91-57-6	
Naphthalene	<1.8	ug/kg	18.7	1.8	1	05/19/21 07:02	05/19/21 14:32	91-20-3	
Phenanthrene	<2.1	ug/kg	18.7	2.1	1	05/19/21 07:02	05/19/21 14:32	85-01-8	
Pyrene	<2.7	ug/kg	18.7	2.7	1	05/19/21 07:02	05/19/21 14:32	129-00-0	
Surrogates									
2-Fluorobiphenyl (S)	67	%	36-86		1	05/19/21 07:02	05/19/21 14:32	321-60-8	
Terphenyl-d14 (S)	74	%	41-97		1	05/19/21 07:02	05/19/21 14:32	1718-51-0	
8260 MSV Med Level Normal List									
Analytical Method: EPA 8260 Preparation Method: EPA 5035/5030B									
Pace Analytical Services - Green Bay									
Benzene	<14.7	ug/kg	24.8	14.7	1	05/18/21 08:15	05/20/21 01:49	71-43-2	
Bromobenzene	<24.2	ug/kg	62.0	24.2	1	05/18/21 08:15	05/20/21 01:49	108-86-1	
Bromochloromethane	<17.0	ug/kg	62.0	17.0	1	05/18/21 08:15	05/20/21 01:49	74-97-5	
Bromodichloromethane	<14.7	ug/kg	62.0	14.7	1	05/18/21 08:15	05/20/21 01:49	75-27-4	
Bromoform	<273	ug/kg	310	273	1	05/18/21 08:15	05/20/21 01:49	75-25-2	
Bromomethane	<86.9	ug/kg	310	86.9	1	05/18/21 08:15	05/20/21 01:49	74-83-9	
n-Butylbenzene	<28.4	ug/kg	62.0	28.4	1	05/18/21 08:15	05/20/21 01:49	104-51-8	
sec-Butylbenzene	<15.1	ug/kg	62.0	15.1	1	05/18/21 08:15	05/20/21 01:49	135-98-8	
tert-Butylbenzene	<19.5	ug/kg	62.0	19.5	1	05/18/21 08:15	05/20/21 01:49	98-06-6	
Carbon tetrachloride	<13.6	ug/kg	62.0	13.6	1	05/18/21 08:15	05/20/21 01:49	56-23-5	
Chlorobenzene	<7.4	ug/kg	62.0	7.4	1	05/18/21 08:15	05/20/21 01:49	108-90-7	
Chloroethane	<26.1	ug/kg	310	26.1	1	05/18/21 08:15	05/20/21 01:49	75-00-3	
Chloroform	<44.4	ug/kg	310	44.4	1	05/18/21 08:15	05/20/21 01:49	67-66-3	
Chloromethane	<23.5	ug/kg	62.0	23.5	1	05/18/21 08:15	05/20/21 01:49	74-87-3	
2-Chlorotoluene	<20.1	ug/kg	62.0	20.1	1	05/18/21 08:15	05/20/21 01:49	95-49-8	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 9640A FONG FAMILY, LLC
Pace Project No.: 40226787

Sample: G12-4 (14-16) **Lab ID: 40226787036** Collected: 05/11/21 13:05 Received: 05/12/21 09:05 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Med Level Normal List									
Analytical Method: EPA 8260 Preparation Method: EPA 5035/5030B									
Pace Analytical Services - Green Bay									
4-Chlorotoluene	<23.5	ug/kg	62.0	23.5	1	05/18/21 08:15	05/20/21 01:49	106-43-4	
1,2-Dibromo-3-chloropropane	<48.1	ug/kg	310	48.1	1	05/18/21 08:15	05/20/21 01:49	96-12-8	
Dibromochloromethane	<212	ug/kg	310	212	1	05/18/21 08:15	05/20/21 01:49	124-48-1	
1,2-Dibromoethane (EDB)	<17.0	ug/kg	62.0	17.0	1	05/18/21 08:15	05/20/21 01:49	106-93-4	
Dibromomethane	<18.3	ug/kg	62.0	18.3	1	05/18/21 08:15	05/20/21 01:49	74-95-3	
1,2-Dichlorobenzene	<19.2	ug/kg	62.0	19.2	1	05/18/21 08:15	05/20/21 01:49	95-50-1	
1,3-Dichlorobenzene	<17.0	ug/kg	62.0	17.0	1	05/18/21 08:15	05/20/21 01:49	541-73-1	
1,4-Dichlorobenzene	<17.0	ug/kg	62.0	17.0	1	05/18/21 08:15	05/20/21 01:49	106-46-7	
Dichlorodifluoromethane	<26.6	ug/kg	62.0	26.6	1	05/18/21 08:15	05/20/21 01:49	75-71-8	
1,1-Dichloroethane	<15.9	ug/kg	62.0	15.9	1	05/18/21 08:15	05/20/21 01:49	75-34-3	
1,2-Dichloroethane	<14.3	ug/kg	62.0	14.3	1	05/18/21 08:15	05/20/21 01:49	107-06-2	
1,1-Dichloroethene	<20.6	ug/kg	62.0	20.6	1	05/18/21 08:15	05/20/21 01:49	75-35-4	
cis-1,2-Dichloroethene	<13.3	ug/kg	62.0	13.3	1	05/18/21 08:15	05/20/21 01:49	156-59-2	
trans-1,2-Dichloroethene	<13.4	ug/kg	62.0	13.4	1	05/18/21 08:15	05/20/21 01:49	156-60-5	
1,2-Dichloropropane	<14.7	ug/kg	62.0	14.7	1	05/18/21 08:15	05/20/21 01:49	78-87-5	
1,3-Dichloropropane	<13.5	ug/kg	62.0	13.5	1	05/18/21 08:15	05/20/21 01:49	142-28-9	
2,2-Dichloropropane	<16.7	ug/kg	62.0	16.7	1	05/18/21 08:15	05/20/21 01:49	594-20-7	
1,1-Dichloropropene	<20.1	ug/kg	62.0	20.1	1	05/18/21 08:15	05/20/21 01:49	563-58-6	
cis-1,3-Dichloropropene	<40.9	ug/kg	310	40.9	1	05/18/21 08:15	05/20/21 01:49	10061-01-5	
trans-1,3-Dichloropropene	<177	ug/kg	310	177	1	05/18/21 08:15	05/20/21 01:49	10061-02-6	
Diisopropyl ether	<15.4	ug/kg	62.0	15.4	1	05/18/21 08:15	05/20/21 01:49	108-20-3	
Ethylbenzene	<14.7	ug/kg	62.0	14.7	1	05/18/21 08:15	05/20/21 01:49	100-41-4	
Hexachloro-1,3-butadiene	<123	ug/kg	310	123	1	05/18/21 08:15	05/20/21 01:49	87-68-3	
Isopropylbenzene (Cumene)	<16.7	ug/kg	62.0	16.7	1	05/18/21 08:15	05/20/21 01:49	98-82-8	
p-Isopropyltoluene	<18.8	ug/kg	62.0	18.8	1	05/18/21 08:15	05/20/21 01:49	99-87-6	
Methylene Chloride	<17.2	ug/kg	62.0	17.2	1	05/18/21 08:15	05/20/21 01:49	75-09-2	
Methyl-tert-butyl ether	<18.2	ug/kg	62.0	18.2	1	05/18/21 08:15	05/20/21 01:49	1634-04-4	
Naphthalene	<19.3	ug/kg	310	19.3	1	05/18/21 08:15	05/20/21 01:49	91-20-3	
n-Propylbenzene	<14.9	ug/kg	62.0	14.9	1	05/18/21 08:15	05/20/21 01:49	103-65-1	
Styrene	<15.9	ug/kg	62.0	15.9	1	05/18/21 08:15	05/20/21 01:49	100-42-5	
1,1,1,2-Tetrachloroethane	<14.9	ug/kg	62.0	14.9	1	05/18/21 08:15	05/20/21 01:49	630-20-6	
1,1,2,2-Tetrachloroethane	<22.4	ug/kg	62.0	22.4	1	05/18/21 08:15	05/20/21 01:49	79-34-5	
Tetrachloroethene	58.6J	ug/kg	62.0	24.0	1	05/18/21 08:15	05/20/21 01:49	127-18-4	
Toluene	<15.6	ug/kg	62.0	15.6	1	05/18/21 08:15	05/20/21 01:49	108-88-3	
1,2,3-Trichlorobenzene	<69.0	ug/kg	310	69.0	1	05/18/21 08:15	05/20/21 01:49	87-61-6	
1,2,4-Trichlorobenzene	<51.1	ug/kg	310	51.1	1	05/18/21 08:15	05/20/21 01:49	120-82-1	
1,1,1-Trichloroethane	<15.9	ug/kg	62.0	15.9	1	05/18/21 08:15	05/20/21 01:49	71-55-6	
1,1,2-Trichloroethane	<22.6	ug/kg	62.0	22.6	1	05/18/21 08:15	05/20/21 01:49	79-00-5	
Trichloroethene	<23.2	ug/kg	62.0	23.2	1	05/18/21 08:15	05/20/21 01:49	79-01-6	
Trichlorofluoromethane	<18.0	ug/kg	62.0	18.0	1	05/18/21 08:15	05/20/21 01:49	75-69-4	
1,2,3-Trichloropropane	<30.1	ug/kg	62.0	30.1	1	05/18/21 08:15	05/20/21 01:49	96-18-4	
1,2,4-Trimethylbenzene	<18.5	ug/kg	62.0	18.5	1	05/18/21 08:15	05/20/21 01:49	95-63-6	
1,3,5-Trimethylbenzene	<20.0	ug/kg	62.0	20.0	1	05/18/21 08:15	05/20/21 01:49	108-67-8	
Vinyl chloride	<12.5	ug/kg	62.0	12.5	1	05/18/21 08:15	05/20/21 01:49	75-01-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 9640A FONG FAMILY, LLC
Pace Project No.: 40226787

Sample: G12-4 (14-16) **Lab ID: 40226787036** Collected: 05/11/21 13:05 Received: 05/12/21 09:05 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Med Level Normal List									
Analytical Method: EPA 8260 Preparation Method: EPA 5035/5030B									
Pace Analytical Services - Green Bay									
m&p-Xylene	<26.1	ug/kg	124	26.1	1	05/18/21 08:15	05/20/21 01:49	179601-23-1	
o-Xylene	<18.6	ug/kg	62.0	18.6	1	05/18/21 08:15	05/20/21 01:49	95-47-6	
Surrogates									
Toluene-d8 (S)	103	%	67-159		1	05/18/21 08:15	05/20/21 01:49	2037-26-5	
4-Bromofluorobenzene (S)	104	%	66-153		1	05/18/21 08:15	05/20/21 01:49	460-00-4	
1,2-Dichlorobenzene-d4 (S)	122	%	82-158		1	05/18/21 08:15	05/20/21 01:49	2199-69-1	
Percent Moisture									
Analytical Method: ASTM D2974-87									
Pace Analytical Services - Green Bay									
Percent Moisture	10.7	%	0.10	0.10	1		05/12/21 17:35		

Sample: G1-W **Lab ID: 40226787037** Collected: 05/10/21 09:20 Received: 05/12/21 09:05 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
6020 MET ICPMS, Dissolved									
Analytical Method: EPA 6020 Preparation Method: EPA 3010									
Pace Analytical Services - Green Bay									
Arsenic, Dissolved	<0.28	ug/L	1.0	0.28	1	05/14/21 07:46	05/18/21 01:10	7440-38-2	
Lead, Dissolved	<0.24	ug/L	1.0	0.24	1	05/14/21 07:46	05/18/21 01:10	7439-92-1	
8270E MSSV PAH									
Analytical Method: EPA 8270E by SIM Preparation Method: EPA 3510									
Pace Analytical Services - Green Bay									
Acenaphthene	<0.0056	ug/L	0.028	0.0056	1	05/17/21 09:03	05/18/21 12:35	83-32-9	
Acenaphthylene	<0.0046	ug/L	0.023	0.0046	1	05/17/21 09:03	05/18/21 12:35	208-96-8	
Anthracene	<0.0097	ug/L	0.048	0.0097	1	05/17/21 09:03	05/18/21 12:35	120-12-7	
Benzo(a)anthracene	<0.0070	ug/L	0.035	0.0070	1	05/17/21 09:03	05/18/21 12:35	56-55-3	
Benzo(a)pyrene	<0.0098	ug/L	0.049	0.0098	1	05/17/21 09:03	05/18/21 12:35	50-32-8	L2
Benzo(b)fluoranthene	<0.0053	ug/L	0.027	0.0053	1	05/17/21 09:03	05/18/21 12:35	205-99-2	
Benzo(g,h,i)perylene	<0.0063	ug/L	0.031	0.0063	1	05/17/21 09:03	05/18/21 12:35	191-24-2	
Benzo(k)fluoranthene	<0.0070	ug/L	0.035	0.0070	1	05/17/21 09:03	05/18/21 12:35	207-08-9	
Chrysene	<0.012	ug/L	0.060	0.012	1	05/17/21 09:03	05/18/21 12:35	218-01-9	
Dibenz(a,h)anthracene	<0.0093	ug/L	0.046	0.0093	1	05/17/21 09:03	05/18/21 12:35	53-70-3	
Fluoranthene	<0.0099	ug/L	0.049	0.0099	1	05/17/21 09:03	05/18/21 12:35	206-44-0	
Fluorene	<0.0074	ug/L	0.037	0.0074	1	05/17/21 09:03	05/18/21 12:35	86-73-7	
Indeno(1,2,3-cd)pyrene	<0.016	ug/L	0.082	0.016	1	05/17/21 09:03	05/18/21 12:35	193-39-5	
1-Methylnaphthalene	0.0074J	ug/L	0.027	0.0055	1	05/17/21 09:03	05/18/21 12:35	90-12-0	
2-Methylnaphthalene	0.023	ug/L	0.023	0.0045	1	05/17/21 09:03	05/18/21 12:35	91-57-6	
Naphthalene	0.036J	ug/L	0.085	0.017	1	05/17/21 09:03	05/18/21 12:35	91-20-3	
Phenanthrene	<0.013	ug/L	0.064	0.013	1	05/17/21 09:03	05/18/21 12:35	85-01-8	
Pyrene	<0.0071	ug/L	0.035	0.0071	1	05/17/21 09:03	05/18/21 12:35	129-00-0	
Total PAHs	0.11	ug/L			1	05/17/21 09:03	05/18/21 12:35		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 9640A FONG FAMILY, LLC
Pace Project No.: 40226787

Sample: G1-W **Lab ID: 40226787037** Collected: 05/10/21 09:20 Received: 05/12/21 09:05 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8270E MSSV PAH									
Analytical Method: EPA 8270E by SIM Preparation Method: EPA 3510									
Pace Analytical Services - Green Bay									
Surrogates									
2-Fluorobiphenyl (S)	56	%	39-120		1	05/17/21 09:03	05/18/21 12:35	321-60-8	
Terphenyl-d14 (S)	66	%	10-159		1	05/17/21 09:03	05/18/21 12:35	1718-51-0	
8260 MSV									
Analytical Method: EPA 8260									
Pace Analytical Services - Green Bay									
1,1,1,2-Tetrachloroethane	<0.36	ug/L	1.0	0.36	1		05/13/21 22:34	630-20-6	
1,1,1-Trichloroethane	<0.30	ug/L	1.0	0.30	1		05/13/21 22:34	71-55-6	
1,1,2,2-Tetrachloroethane	<0.38	ug/L	1.0	0.38	1		05/13/21 22:34	79-34-5	
1,1,2-Trichloroethane	<0.34	ug/L	5.0	0.34	1		05/13/21 22:34	79-00-5	
1,1-Dichloroethane	<0.30	ug/L	1.0	0.30	1		05/13/21 22:34	75-34-3	
1,1-Dichloroethene	<0.58	ug/L	1.0	0.58	1		05/13/21 22:34	75-35-4	
1,1-Dichloropropene	<0.41	ug/L	1.0	0.41	1		05/13/21 22:34	563-58-6	
1,2,3-Trichlorobenzene	<1.0	ug/L	5.0	1.0	1		05/13/21 22:34	87-61-6	
1,2,3-Trichloropropane	<0.56	ug/L	5.0	0.56	1		05/13/21 22:34	96-18-4	
1,2,4-Trichlorobenzene	<0.95	ug/L	5.0	0.95	1		05/13/21 22:34	120-82-1	
1,2,4-Trimethylbenzene	<0.45	ug/L	1.0	0.45	1		05/13/21 22:34	95-63-6	
1,2-Dibromo-3-chloropropane	<2.4	ug/L	5.0	2.4	1		05/13/21 22:34	96-12-8	
1,2-Dibromoethane (EDB)	<0.31	ug/L	1.0	0.31	1		05/13/21 22:34	106-93-4	
1,2-Dichlorobenzene	<0.33	ug/L	1.0	0.33	1		05/13/21 22:34	95-50-1	
1,2-Dichloroethane	<0.29	ug/L	1.0	0.29	1		05/13/21 22:34	107-06-2	
1,2-Dichloropropane	<0.45	ug/L	1.0	0.45	1		05/13/21 22:34	78-87-5	
1,3,5-Trimethylbenzene	<0.36	ug/L	1.0	0.36	1		05/13/21 22:34	108-67-8	
1,3-Dichlorobenzene	<0.35	ug/L	1.0	0.35	1		05/13/21 22:34	541-73-1	
1,3-Dichloropropane	<0.30	ug/L	1.0	0.30	1		05/13/21 22:34	142-28-9	
1,4-Dichlorobenzene	<0.89	ug/L	1.0	0.89	1		05/13/21 22:34	106-46-7	
2,2-Dichloropropane	<4.2	ug/L	5.0	4.2	1		05/13/21 22:34	594-20-7	
2-Chlorotoluene	<0.89	ug/L	5.0	0.89	1		05/13/21 22:34	95-49-8	
4-Chlorotoluene	<0.89	ug/L	5.0	0.89	1		05/13/21 22:34	106-43-4	
Benzene	<0.30	ug/L	1.0	0.30	1		05/13/21 22:34	71-43-2	
Bromobenzene	<0.36	ug/L	1.0	0.36	1		05/13/21 22:34	108-86-1	
Bromochloromethane	<0.36	ug/L	5.0	0.36	1		05/13/21 22:34	74-97-5	
Bromodichloromethane	<0.42	ug/L	1.0	0.42	1		05/13/21 22:34	75-27-4	
Bromoform	<3.8	ug/L	5.0	3.8	1		05/13/21 22:34	75-25-2	
Bromomethane	<1.2	ug/L	5.0	1.2	1		05/13/21 22:34	74-83-9	
Carbon tetrachloride	<0.37	ug/L	1.0	0.37	1		05/13/21 22:34	56-23-5	
Chlorobenzene	<0.86	ug/L	1.0	0.86	1		05/13/21 22:34	108-90-7	
Chloroethane	<1.4	ug/L	5.0	1.4	1		05/13/21 22:34	75-00-3	
Chloroform	<1.2	ug/L	5.0	1.2	1		05/13/21 22:34	67-66-3	
Chloromethane	<1.6	ug/L	5.0	1.6	1		05/13/21 22:34	74-87-3	
Dibromochloromethane	<2.6	ug/L	5.0	2.6	1		05/13/21 22:34	124-48-1	
Dibromomethane	<0.99	ug/L	5.0	0.99	1		05/13/21 22:34	74-95-3	
Dichlorodifluoromethane	<0.46	ug/L	5.0	0.46	1		05/13/21 22:34	75-71-8	
Diisopropyl ether	<1.1	ug/L	5.0	1.1	1		05/13/21 22:34	108-20-3	
Ethylbenzene	<0.33	ug/L	1.0	0.33	1		05/13/21 22:34	100-41-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 9640A FONG FAMILY, LLC

Pace Project No.: 40226787

Sample: G1-W **Lab ID: 40226787037** Collected: 05/10/21 09:20 Received: 05/12/21 09:05 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV									
Analytical Method: EPA 8260									
Pace Analytical Services - Green Bay									
Hexachloro-1,3-butadiene	<2.7	ug/L	5.0	2.7	1		05/13/21 22:34	87-68-3	
Isopropylbenzene (Cumene)	<1.0	ug/L	5.0	1.0	1		05/13/21 22:34	98-82-8	
Methyl-tert-butyl ether	<1.1	ug/L	5.0	1.1	1		05/13/21 22:34	1634-04-4	
Methylene Chloride	<0.32	ug/L	5.0	0.32	1		05/13/21 22:34	75-09-2	
Naphthalene	<1.1	ug/L	5.0	1.1	1		05/13/21 22:34	91-20-3	
Styrene	<0.36	ug/L	1.0	0.36	1		05/13/21 22:34	100-42-5	
Tetrachloroethene	3.9	ug/L	1.0	0.41	1		05/13/21 22:34	127-18-4	
Toluene	0.62J	ug/L	1.0	0.29	1		05/13/21 22:34	108-88-3	
Trichloroethene	<0.32	ug/L	1.0	0.32	1		05/13/21 22:34	79-01-6	
Trichlorofluoromethane	<0.42	ug/L	1.0	0.42	1		05/13/21 22:34	75-69-4	
Vinyl chloride	<0.17	ug/L	1.0	0.17	1		05/13/21 22:34	75-01-4	
cis-1,2-Dichloroethene	<0.47	ug/L	1.0	0.47	1		05/13/21 22:34	156-59-2	
cis-1,3-Dichloropropene	<0.36	ug/L	1.0	0.36	1		05/13/21 22:34	10061-01-5	
m&p-Xylene	<0.70	ug/L	2.0	0.70	1		05/13/21 22:34	179601-23-1	
n-Butylbenzene	<0.86	ug/L	1.0	0.86	1		05/13/21 22:34	104-51-8	
n-Propylbenzene	<0.35	ug/L	1.0	0.35	1		05/13/21 22:34	103-65-1	
o-Xylene	<0.35	ug/L	1.0	0.35	1		05/13/21 22:34	95-47-6	
p-Isopropyltoluene	<1.0	ug/L	5.0	1.0	1		05/13/21 22:34	99-87-6	
sec-Butylbenzene	<0.42	ug/L	1.0	0.42	1		05/13/21 22:34	135-98-8	
tert-Butylbenzene	<0.59	ug/L	1.0	0.59	1		05/13/21 22:34	98-06-6	
trans-1,2-Dichloroethene	<0.53	ug/L	1.0	0.53	1		05/13/21 22:34	156-60-5	
trans-1,3-Dichloropropene	<3.5	ug/L	5.0	3.5	1		05/13/21 22:34	10061-02-6	
Surrogates									
4-Bromofluorobenzene (S)	96	%	70-130		1		05/13/21 22:34	460-00-4	
1,2-Dichlorobenzene-d4 (S)	103	%	70-130		1		05/13/21 22:34	2199-69-1	
Toluene-d8 (S)	95	%	70-130		1		05/13/21 22:34	2037-26-5	

Sample: G2-W **Lab ID: 40226787038** Collected: 05/10/21 10:50 Received: 05/12/21 09:05 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
6020 MET ICPMS, Dissolved									
Analytical Method: EPA 6020 Preparation Method: EPA 3010									
Pace Analytical Services - Green Bay									
Arsenic, Dissolved	2.2	ug/L	1.0	0.28	1	05/14/21 07:46	05/18/21 01:17	7440-38-2	
Lead, Dissolved	<0.24	ug/L	1.0	0.24	1	05/14/21 07:46	05/18/21 01:17	7439-92-1	
8270E MSSV PAH									
Analytical Method: EPA 8270E by SIM Preparation Method: EPA 3510									
Pace Analytical Services - Green Bay									
Acenaphthene	<0.0070	ug/L	0.035	0.0070	1	05/17/21 09:03	05/18/21 12:53	83-32-9	
Acenaphthylene	<0.0057	ug/L	0.029	0.0057	1	05/17/21 09:03	05/18/21 12:53	208-96-8	
Anthracene	<0.012	ug/L	0.060	0.012	1	05/17/21 09:03	05/18/21 12:53	120-12-7	
Benzo(a)anthracene	0.020J	ug/L	0.043	0.0087	1	05/17/21 09:03	05/18/21 12:53	56-55-3	
Benzo(a)pyrene	0.016J	ug/L	0.060	0.012	1	05/17/21 09:03	05/18/21 12:53	50-32-8	L2

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 9640A FONG FAMILY, LLC

Pace Project No.: 40226787

Sample: G2-W **Lab ID: 40226787038** Collected: 05/10/21 10:50 Received: 05/12/21 09:05 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8270E MSSV PAH									
Analytical Method: EPA 8270E by SIM Preparation Method: EPA 3510									
Pace Analytical Services - Green Bay									
Benzo(b)fluoranthene	0.031J	ug/L	0.033	0.0066	1	05/17/21 09:03	05/18/21 12:53	205-99-2	
Benzo(g,h,i)perylene	0.016J	ug/L	0.039	0.0078	1	05/17/21 09:03	05/18/21 12:53	191-24-2	
Benzo(k)fluoranthene	0.016J	ug/L	0.043	0.0087	1	05/17/21 09:03	05/18/21 12:53	207-08-9	
Chrysene	0.027J	ug/L	0.075	0.015	1	05/17/21 09:03	05/18/21 12:53	218-01-9	
Dibenz(a,h)anthracene	<0.012	ug/L	0.058	0.012	1	05/17/21 09:03	05/18/21 12:53	53-70-3	
Fluoranthene	0.062	ug/L	0.061	0.012	1	05/17/21 09:03	05/18/21 12:53	206-44-0	
Fluorene	<0.0092	ug/L	0.046	0.0092	1	05/17/21 09:03	05/18/21 12:53	86-73-7	
Indeno(1,2,3-cd)pyrene	<0.020	ug/L	0.10	0.020	1	05/17/21 09:03	05/18/21 12:53	193-39-5	
1-Methylnaphthalene	0.014J	ug/L	0.034	0.0068	1	05/17/21 09:03	05/18/21 12:53	90-12-0	
2-Methylnaphthalene	0.024J	ug/L	0.028	0.0056	1	05/17/21 09:03	05/18/21 12:53	91-57-6	
Naphthalene	0.044J	ug/L	0.11	0.021	1	05/17/21 09:03	05/18/21 12:53	91-20-3	
Phenanthrene	0.030J	ug/L	0.079	0.016	1	05/17/21 09:03	05/18/21 12:53	85-01-8	
Pyrene	0.056	ug/L	0.044	0.0088	1	05/17/21 09:03	05/18/21 12:53	129-00-0	
Total PAHs	0.39	ug/L			1	05/17/21 09:03	05/18/21 12:53		
Surrogates									
2-Fluorobiphenyl (S)	58	%	39-120		1	05/17/21 09:03	05/18/21 12:53	321-60-8	
Terphenyl-d14 (S)	55	%	10-159		1	05/17/21 09:03	05/18/21 12:53	1718-51-0	
8260 MSV									
Analytical Method: EPA 8260									
Pace Analytical Services - Green Bay									
1,1,1,2-Tetrachloroethane	<0.36	ug/L	1.0	0.36	1		05/13/21 22:53	630-20-6	
1,1,1-Trichloroethane	<0.30	ug/L	1.0	0.30	1		05/13/21 22:53	71-55-6	
1,1,2,2-Tetrachloroethane	<0.38	ug/L	1.0	0.38	1		05/13/21 22:53	79-34-5	
1,1,2-Trichloroethane	<0.34	ug/L	5.0	0.34	1		05/13/21 22:53	79-00-5	
1,1-Dichloroethane	<0.30	ug/L	1.0	0.30	1		05/13/21 22:53	75-34-3	
1,1-Dichloroethene	<0.58	ug/L	1.0	0.58	1		05/13/21 22:53	75-35-4	
1,1-Dichloropropene	<0.41	ug/L	1.0	0.41	1		05/13/21 22:53	563-58-6	
1,2,3-Trichlorobenzene	<1.0	ug/L	5.0	1.0	1		05/13/21 22:53	87-61-6	
1,2,3-Trichloropropane	<0.56	ug/L	5.0	0.56	1		05/13/21 22:53	96-18-4	
1,2,4-Trichlorobenzene	<0.95	ug/L	5.0	0.95	1		05/13/21 22:53	120-82-1	
1,2,4-Trimethylbenzene	0.73J	ug/L	1.0	0.45	1		05/13/21 22:53	95-63-6	
1,2-Dibromo-3-chloropropane	<2.4	ug/L	5.0	2.4	1		05/13/21 22:53	96-12-8	
1,2-Dibromoethane (EDB)	<0.31	ug/L	1.0	0.31	1		05/13/21 22:53	106-93-4	
1,2-Dichlorobenzene	<0.33	ug/L	1.0	0.33	1		05/13/21 22:53	95-50-1	
1,2-Dichloroethane	<0.29	ug/L	1.0	0.29	1		05/13/21 22:53	107-06-2	
1,2-Dichloropropane	<0.45	ug/L	1.0	0.45	1		05/13/21 22:53	78-87-5	
1,3,5-Trimethylbenzene	0.40J	ug/L	1.0	0.36	1		05/13/21 22:53	108-67-8	
1,3-Dichlorobenzene	<0.35	ug/L	1.0	0.35	1		05/13/21 22:53	541-73-1	
1,3-Dichloropropane	<0.30	ug/L	1.0	0.30	1		05/13/21 22:53	142-28-9	
1,4-Dichlorobenzene	<0.89	ug/L	1.0	0.89	1		05/13/21 22:53	106-46-7	
2,2-Dichloropropane	<4.2	ug/L	5.0	4.2	1		05/13/21 22:53	594-20-7	
2-Chlorotoluene	<0.89	ug/L	5.0	0.89	1		05/13/21 22:53	95-49-8	
4-Chlorotoluene	<0.89	ug/L	5.0	0.89	1		05/13/21 22:53	106-43-4	
Benzene	4.3	ug/L	1.0	0.30	1		05/13/21 22:53	71-43-2	
Bromobenzene	<0.36	ug/L	1.0	0.36	1		05/13/21 22:53	108-86-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 9640A FONG FAMILY, LLC
Pace Project No.: 40226787

Sample: G2-W **Lab ID: 40226787038** Collected: 05/10/21 10:50 Received: 05/12/21 09:05 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV									
Analytical Method: EPA 8260									
Pace Analytical Services - Green Bay									
Bromochloromethane	<0.36	ug/L	5.0	0.36	1		05/13/21 22:53	74-97-5	
Bromodichloromethane	<0.42	ug/L	1.0	0.42	1		05/13/21 22:53	75-27-4	
Bromoform	<3.8	ug/L	5.0	3.8	1		05/13/21 22:53	75-25-2	
Bromomethane	<1.2	ug/L	5.0	1.2	1		05/13/21 22:53	74-83-9	
Carbon tetrachloride	<0.37	ug/L	1.0	0.37	1		05/13/21 22:53	56-23-5	
Chlorobenzene	<0.86	ug/L	1.0	0.86	1		05/13/21 22:53	108-90-7	
Chloroethane	<1.4	ug/L	5.0	1.4	1		05/13/21 22:53	75-00-3	
Chloroform	<1.2	ug/L	5.0	1.2	1		05/13/21 22:53	67-66-3	
Chloromethane	<1.6	ug/L	5.0	1.6	1		05/13/21 22:53	74-87-3	
Dibromochloromethane	<2.6	ug/L	5.0	2.6	1		05/13/21 22:53	124-48-1	
Dibromomethane	<0.99	ug/L	5.0	0.99	1		05/13/21 22:53	74-95-3	
Dichlorodifluoromethane	<0.46	ug/L	5.0	0.46	1		05/13/21 22:53	75-71-8	
Diisopropyl ether	<1.1	ug/L	5.0	1.1	1		05/13/21 22:53	108-20-3	
Ethylbenzene	4.3	ug/L	1.0	0.33	1		05/13/21 22:53	100-41-4	
Hexachloro-1,3-butadiene	<2.7	ug/L	5.0	2.7	1		05/13/21 22:53	87-68-3	
Isopropylbenzene (Cumene)	<1.0	ug/L	5.0	1.0	1		05/13/21 22:53	98-82-8	
Methyl-tert-butyl ether	<1.1	ug/L	5.0	1.1	1		05/13/21 22:53	1634-04-4	
Methylene Chloride	<0.32	ug/L	5.0	0.32	1		05/13/21 22:53	75-09-2	
Naphthalene	<1.1	ug/L	5.0	1.1	1		05/13/21 22:53	91-20-3	
Styrene	<0.36	ug/L	1.0	0.36	1		05/13/21 22:53	100-42-5	
Tetrachloroethene	1.1	ug/L	1.0	0.41	1		05/13/21 22:53	127-18-4	
Toluene	0.91J	ug/L	1.0	0.29	1		05/13/21 22:53	108-88-3	
Trichloroethene	<0.32	ug/L	1.0	0.32	1		05/13/21 22:53	79-01-6	
Trichlorofluoromethane	<0.42	ug/L	1.0	0.42	1		05/13/21 22:53	75-69-4	
Vinyl chloride	<0.17	ug/L	1.0	0.17	1		05/13/21 22:53	75-01-4	
cis-1,2-Dichloroethene	<0.47	ug/L	1.0	0.47	1		05/13/21 22:53	156-59-2	
cis-1,3-Dichloropropene	<0.36	ug/L	1.0	0.36	1		05/13/21 22:53	10061-01-5	
m&p-Xylene	9.4	ug/L	2.0	0.70	1		05/13/21 22:53	179601-23-1	
n-Butylbenzene	<0.86	ug/L	1.0	0.86	1		05/13/21 22:53	104-51-8	
n-Propylbenzene	<0.35	ug/L	1.0	0.35	1		05/13/21 22:53	103-65-1	
o-Xylene	5.6	ug/L	1.0	0.35	1		05/13/21 22:53	95-47-6	
p-Isopropyltoluene	<1.0	ug/L	5.0	1.0	1		05/13/21 22:53	99-87-6	
sec-Butylbenzene	<0.42	ug/L	1.0	0.42	1		05/13/21 22:53	135-98-8	
tert-Butylbenzene	<0.59	ug/L	1.0	0.59	1		05/13/21 22:53	98-06-6	
trans-1,2-Dichloroethene	<0.53	ug/L	1.0	0.53	1		05/13/21 22:53	156-60-5	
trans-1,3-Dichloropropene	<3.5	ug/L	5.0	3.5	1		05/13/21 22:53	10061-02-6	
Surrogates									
4-Bromofluorobenzene (S)	98	%	70-130		1		05/13/21 22:53	460-00-4	HS,pH
1,2-Dichlorobenzene-d4 (S)	102	%	70-130		1		05/13/21 22:53	2199-69-1	
Toluene-d8 (S)	94	%	70-130		1		05/13/21 22:53	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 9640A FONG FAMILY, LLC

Pace Project No.: 40226787

Sample: G3-W **Lab ID: 40226787039** Collected: 05/10/21 13:30 Received: 05/12/21 09:05 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
6020 MET ICPMS, Dissolved									
Analytical Method: EPA 6020 Preparation Method: EPA 3010									
Pace Analytical Services - Green Bay									
Arsenic, Dissolved	0.55J	ug/L	1.0	0.28	1	05/14/21 07:46	05/18/21 01:24	7440-38-2	
Lead, Dissolved	<0.24	ug/L	1.0	0.24	1	05/14/21 07:46	05/18/21 01:24	7439-92-1	
8270E MSSV PAH									
Analytical Method: EPA 8270E by SIM Preparation Method: EPA 3510									
Pace Analytical Services - Green Bay									
Acenaphthene	0.015J	ug/L	0.033	0.0065	1	05/17/21 09:03	05/18/21 13:12	83-32-9	
Acenaphthylene	0.0064J	ug/L	0.027	0.0054	1	05/17/21 09:03	05/18/21 13:12	208-96-8	
Anthracene	<0.011	ug/L	0.056	0.011	1	05/17/21 09:03	05/18/21 13:12	120-12-7	
Benzo(a)anthracene	0.017J	ug/L	0.041	0.0081	1	05/17/21 09:03	05/18/21 13:12	56-55-3	
Benzo(a)pyrene	<0.011	ug/L	0.057	0.011	1	05/17/21 09:03	05/18/21 13:12	50-32-8	L2
Benzo(b)fluoranthene	0.019J	ug/L	0.031	0.0062	1	05/17/21 09:03	05/18/21 13:12	205-99-2	
Benzo(g,h,i)perylene	0.0095J	ug/L	0.036	0.0073	1	05/17/21 09:03	05/18/21 13:12	191-24-2	
Benzo(k)fluoranthene	<0.0081	ug/L	0.041	0.0081	1	05/17/21 09:03	05/18/21 13:12	207-08-9	
Chrysene	0.024J	ug/L	0.070	0.014	1	05/17/21 09:03	05/18/21 13:12	218-01-9	
Dibenz(a,h)anthracene	<0.011	ug/L	0.054	0.011	1	05/17/21 09:03	05/18/21 13:12	53-70-3	
Fluoranthene	0.047J	ug/L	0.057	0.011	1	05/17/21 09:03	05/18/21 13:12	206-44-0	
Fluorene	0.026J	ug/L	0.043	0.0086	1	05/17/21 09:03	05/18/21 13:12	86-73-7	
Indeno(1,2,3-cd)pyrene	<0.019	ug/L	0.095	0.019	1	05/17/21 09:03	05/18/21 13:12	193-39-5	
1-Methylnaphthalene	0.035	ug/L	0.032	0.0063	1	05/17/21 09:03	05/18/21 13:12	90-12-0	
2-Methylnaphthalene	0.053	ug/L	0.026	0.0053	1	05/17/21 09:03	05/18/21 13:12	91-57-6	
Naphthalene	0.038J	ug/L	0.099	0.020	1	05/17/21 09:03	05/18/21 13:12	91-20-3	
Phenanthrene	0.079	ug/L	0.074	0.015	1	05/17/21 09:03	05/18/21 13:12	85-01-8	
Pyrene	0.058	ug/L	0.041	0.0082	1	05/17/21 09:03	05/18/21 13:12	129-00-0	
Total PAHs	0.46	ug/L			1	05/17/21 09:03	05/18/21 13:12		
Surrogates									
2-Fluorobiphenyl (S)	45	%	39-120		1	05/17/21 09:03	05/18/21 13:12	321-60-8	
Terphenyl-d14 (S)	25	%	10-159		1	05/17/21 09:03	05/18/21 13:12	1718-51-0	
8260 MSV									
Analytical Method: EPA 8260									
Pace Analytical Services - Green Bay									
1,1,1,2-Tetrachloroethane	<0.36	ug/L	1.0	0.36	1		05/13/21 23:13	630-20-6	
1,1,1-Trichloroethane	<0.30	ug/L	1.0	0.30	1		05/13/21 23:13	71-55-6	
1,1,2,2-Tetrachloroethane	<0.38	ug/L	1.0	0.38	1		05/13/21 23:13	79-34-5	
1,1,2-Trichloroethane	<0.34	ug/L	5.0	0.34	1		05/13/21 23:13	79-00-5	
1,1-Dichloroethane	<0.30	ug/L	1.0	0.30	1		05/13/21 23:13	75-34-3	
1,1-Dichloroethene	<0.58	ug/L	1.0	0.58	1		05/13/21 23:13	75-35-4	
1,1-Dichloropropene	<0.41	ug/L	1.0	0.41	1		05/13/21 23:13	563-58-6	
1,2,3-Trichlorobenzene	<1.0	ug/L	5.0	1.0	1		05/13/21 23:13	87-61-6	
1,2,3-Trichloropropane	<0.56	ug/L	5.0	0.56	1		05/13/21 23:13	96-18-4	
1,2,4-Trichlorobenzene	<0.95	ug/L	5.0	0.95	1		05/13/21 23:13	120-82-1	
1,2,4-Trimethylbenzene	<0.45	ug/L	1.0	0.45	1		05/13/21 23:13	95-63-6	
1,2-Dibromo-3-chloropropane	<2.4	ug/L	5.0	2.4	1		05/13/21 23:13	96-12-8	
1,2-Dibromoethane (EDB)	<0.31	ug/L	1.0	0.31	1		05/13/21 23:13	106-93-4	
1,2-Dichlorobenzene	<0.33	ug/L	1.0	0.33	1		05/13/21 23:13	95-50-1	
1,2-Dichloroethane	<0.29	ug/L	1.0	0.29	1		05/13/21 23:13	107-06-2	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 9640A FONG FAMILY, LLC
Pace Project No.: 40226787

Sample: G3-W **Lab ID: 40226787039** Collected: 05/10/21 13:30 Received: 05/12/21 09:05 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV									
Analytical Method: EPA 8260									
Pace Analytical Services - Green Bay									
1,2-Dichloropropane	<0.45	ug/L	1.0	0.45	1		05/13/21 23:13	78-87-5	
1,3,5-Trimethylbenzene	<0.36	ug/L	1.0	0.36	1		05/13/21 23:13	108-67-8	
1,3-Dichlorobenzene	<0.35	ug/L	1.0	0.35	1		05/13/21 23:13	541-73-1	
1,3-Dichloropropane	<0.30	ug/L	1.0	0.30	1		05/13/21 23:13	142-28-9	
1,4-Dichlorobenzene	<0.89	ug/L	1.0	0.89	1		05/13/21 23:13	106-46-7	
2,2-Dichloropropane	<4.2	ug/L	5.0	4.2	1		05/13/21 23:13	594-20-7	
2-Chlorotoluene	<0.89	ug/L	5.0	0.89	1		05/13/21 23:13	95-49-8	
4-Chlorotoluene	<0.89	ug/L	5.0	0.89	1		05/13/21 23:13	106-43-4	
Benzene	<0.30	ug/L	1.0	0.30	1		05/13/21 23:13	71-43-2	
Bromobenzene	<0.36	ug/L	1.0	0.36	1		05/13/21 23:13	108-86-1	
Bromochloromethane	<0.36	ug/L	5.0	0.36	1		05/13/21 23:13	74-97-5	
Bromodichloromethane	<0.42	ug/L	1.0	0.42	1		05/13/21 23:13	75-27-4	
Bromoform	<3.8	ug/L	5.0	3.8	1		05/13/21 23:13	75-25-2	
Bromomethane	<1.2	ug/L	5.0	1.2	1		05/13/21 23:13	74-83-9	
Carbon tetrachloride	<0.37	ug/L	1.0	0.37	1		05/13/21 23:13	56-23-5	
Chlorobenzene	<0.86	ug/L	1.0	0.86	1		05/13/21 23:13	108-90-7	
Chloroethane	<1.4	ug/L	5.0	1.4	1		05/13/21 23:13	75-00-3	
Chloroform	<1.2	ug/L	5.0	1.2	1		05/13/21 23:13	67-66-3	
Chloromethane	<1.6	ug/L	5.0	1.6	1		05/13/21 23:13	74-87-3	
Dibromochloromethane	<2.6	ug/L	5.0	2.6	1		05/13/21 23:13	124-48-1	
Dibromomethane	<0.99	ug/L	5.0	0.99	1		05/13/21 23:13	74-95-3	
Dichlorodifluoromethane	<0.46	ug/L	5.0	0.46	1		05/13/21 23:13	75-71-8	
Diisopropyl ether	<1.1	ug/L	5.0	1.1	1		05/13/21 23:13	108-20-3	
Ethylbenzene	<0.33	ug/L	1.0	0.33	1		05/13/21 23:13	100-41-4	
Hexachloro-1,3-butadiene	<2.7	ug/L	5.0	2.7	1		05/13/21 23:13	87-68-3	
Isopropylbenzene (Cumene)	<1.0	ug/L	5.0	1.0	1		05/13/21 23:13	98-82-8	
Methyl-tert-butyl ether	<1.1	ug/L	5.0	1.1	1		05/13/21 23:13	1634-04-4	
Methylene Chloride	<0.32	ug/L	5.0	0.32	1		05/13/21 23:13	75-09-2	
Naphthalene	<1.1	ug/L	5.0	1.1	1		05/13/21 23:13	91-20-3	
Styrene	<0.36	ug/L	1.0	0.36	1		05/13/21 23:13	100-42-5	
Tetrachloroethene	0.98J	ug/L	1.0	0.41	1		05/13/21 23:13	127-18-4	
Toluene	<0.29	ug/L	1.0	0.29	1		05/13/21 23:13	108-88-3	
Trichloroethene	<0.32	ug/L	1.0	0.32	1		05/13/21 23:13	79-01-6	
Trichlorofluoromethane	<0.42	ug/L	1.0	0.42	1		05/13/21 23:13	75-69-4	
Vinyl chloride	<0.17	ug/L	1.0	0.17	1		05/13/21 23:13	75-01-4	
cis-1,2-Dichloroethene	<0.47	ug/L	1.0	0.47	1		05/13/21 23:13	156-59-2	
cis-1,3-Dichloropropene	<0.36	ug/L	1.0	0.36	1		05/13/21 23:13	10061-01-5	
m&p-Xylene	<0.70	ug/L	2.0	0.70	1		05/13/21 23:13	179601-23-1	
n-Butylbenzene	<0.86	ug/L	1.0	0.86	1		05/13/21 23:13	104-51-8	
n-Propylbenzene	<0.35	ug/L	1.0	0.35	1		05/13/21 23:13	103-65-1	
o-Xylene	<0.35	ug/L	1.0	0.35	1		05/13/21 23:13	95-47-6	
p-Isopropyltoluene	<1.0	ug/L	5.0	1.0	1		05/13/21 23:13	99-87-6	
sec-Butylbenzene	<0.42	ug/L	1.0	0.42	1		05/13/21 23:13	135-98-8	
tert-Butylbenzene	<0.59	ug/L	1.0	0.59	1		05/13/21 23:13	98-06-6	
trans-1,2-Dichloroethene	<0.53	ug/L	1.0	0.53	1		05/13/21 23:13	156-60-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 9640A FONG FAMILY, LLC

Pace Project No.: 40226787

Sample: G3-W **Lab ID: 40226787039** Collected: 05/10/21 13:30 Received: 05/12/21 09:05 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV									
Analytical Method: EPA 8260									
Pace Analytical Services - Green Bay									
trans-1,3-Dichloropropene	<3.5	ug/L	5.0	3.5	1		05/13/21 23:13	10061-02-6	
Surrogates									
4-Bromofluorobenzene (S)	94	%	70-130		1		05/13/21 23:13	460-00-4	
1,2-Dichlorobenzene-d4 (S)	102	%	70-130		1		05/13/21 23:13	2199-69-1	
Toluene-d8 (S)	95	%	70-130		1		05/13/21 23:13	2037-26-5	

Sample: G4-W **Lab ID: 40226787040** Collected: 05/10/21 15:20 Received: 05/12/21 09:05 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
6020 MET ICPMS, Dissolved									
Analytical Method: EPA 6020 Preparation Method: EPA 3010									
Pace Analytical Services - Green Bay									
Arsenic, Dissolved	1.3	ug/L	1.0	0.28	1	05/14/21 07:46	05/18/21 01:31	7440-38-2	
Lead, Dissolved	<0.24	ug/L	1.0	0.24	1	05/14/21 07:46	05/18/21 01:31	7439-92-1	
8270E MSSV PAH									
Analytical Method: EPA 8270E by SIM Preparation Method: EPA 3510									
Pace Analytical Services - Green Bay									
Acenaphthene	0.0068J	ug/L	0.030	0.0061	1	05/17/21 09:03	05/18/21 13:30	83-32-9	
Acenaphthylene	<0.0050	ug/L	0.025	0.0050	1	05/17/21 09:03	05/18/21 13:30	208-96-8	
Anthracene	<0.010	ug/L	0.052	0.010	1	05/17/21 09:03	05/18/21 13:30	120-12-7	
Benzo(a)anthracene	<0.0076	ug/L	0.038	0.0076	1	05/17/21 09:03	05/18/21 13:30	56-55-3	
Benzo(a)pyrene	<0.011	ug/L	0.053	0.011	1	05/17/21 09:03	05/18/21 13:30	50-32-8	L2
Benzo(b)fluoranthene	<0.0057	ug/L	0.029	0.0057	1	05/17/21 09:03	05/18/21 13:30	205-99-2	
Benzo(g,h,i)perylene	<0.0068	ug/L	0.034	0.0068	1	05/17/21 09:03	05/18/21 13:30	191-24-2	
Benzo(k)fluoranthene	<0.0076	ug/L	0.038	0.0076	1	05/17/21 09:03	05/18/21 13:30	207-08-9	
Chrysene	<0.013	ug/L	0.065	0.013	1	05/17/21 09:03	05/18/21 13:30	218-01-9	
Dibenz(a,h)anthracene	<0.010	ug/L	0.050	0.010	1	05/17/21 09:03	05/18/21 13:30	53-70-3	
Fluoranthene	0.012J	ug/L	0.053	0.011	1	05/17/21 09:03	05/18/21 13:30	206-44-0	
Fluorene	0.016J	ug/L	0.040	0.0080	1	05/17/21 09:03	05/18/21 13:30	86-73-7	
Indeno(1,2,3-cd)pyrene	<0.018	ug/L	0.088	0.018	1	05/17/21 09:03	05/18/21 13:30	193-39-5	
1-Methylnaphthalene	0.016J	ug/L	0.030	0.0059	1	05/17/21 09:03	05/18/21 13:30	90-12-0	
2-Methylnaphthalene	0.020J	ug/L	0.024	0.0049	1	05/17/21 09:03	05/18/21 13:30	91-57-6	
Naphthalene	<0.018	ug/L	0.092	0.018	1	05/17/21 09:03	05/18/21 13:30	91-20-3	
Phenanthrene	0.059J	ug/L	0.069	0.014	1	05/17/21 09:03	05/18/21 13:30	85-01-8	
Pyrene	0.014J	ug/L	0.038	0.0076	1	05/17/21 09:03	05/18/21 13:30	129-00-0	
Total PAHs	0.17	ug/L			1	05/17/21 09:03	05/18/21 13:30		
Surrogates									
2-Fluorobiphenyl (S)	48	%	39-120		1	05/17/21 09:03	05/18/21 13:30	321-60-8	
Terphenyl-d14 (S)	61	%	10-159		1	05/17/21 09:03	05/18/21 13:30	1718-51-0	

8260 MSV									
Analytical Method: EPA 8260									
Pace Analytical Services - Green Bay									
1,1,1,2-Tetrachloroethane	<0.36	ug/L	1.0	0.36	1		05/13/21 23:32	630-20-6	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 9640A FONG FAMILY, LLC

Pace Project No.: 40226787

Sample: G4-W **Lab ID: 40226787040** Collected: 05/10/21 15:20 Received: 05/12/21 09:05 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV									
Analytical Method: EPA 8260									
Pace Analytical Services - Green Bay									
1,1,1-Trichloroethane	<0.30	ug/L	1.0	0.30	1		05/13/21 23:32	71-55-6	
1,1,2,2-Tetrachloroethane	<0.38	ug/L	1.0	0.38	1		05/13/21 23:32	79-34-5	
1,1,2-Trichloroethane	<0.34	ug/L	5.0	0.34	1		05/13/21 23:32	79-00-5	
1,1-Dichloroethane	<0.30	ug/L	1.0	0.30	1		05/13/21 23:32	75-34-3	
1,1-Dichloroethene	<0.58	ug/L	1.0	0.58	1		05/13/21 23:32	75-35-4	
1,1-Dichloropropene	<0.41	ug/L	1.0	0.41	1		05/13/21 23:32	563-58-6	
1,2,3-Trichlorobenzene	<1.0	ug/L	5.0	1.0	1		05/13/21 23:32	87-61-6	
1,2,3-Trichloropropane	<0.56	ug/L	5.0	0.56	1		05/13/21 23:32	96-18-4	
1,2,4-Trichlorobenzene	<0.95	ug/L	5.0	0.95	1		05/13/21 23:32	120-82-1	
1,2,4-Trimethylbenzene	<0.45	ug/L	1.0	0.45	1		05/13/21 23:32	95-63-6	
1,2-Dibromo-3-chloropropane	<2.4	ug/L	5.0	2.4	1		05/13/21 23:32	96-12-8	
1,2-Dibromoethane (EDB)	<0.31	ug/L	1.0	0.31	1		05/13/21 23:32	106-93-4	
1,2-Dichlorobenzene	<0.33	ug/L	1.0	0.33	1		05/13/21 23:32	95-50-1	
1,2-Dichloroethane	<0.29	ug/L	1.0	0.29	1		05/13/21 23:32	107-06-2	
1,2-Dichloropropane	<0.45	ug/L	1.0	0.45	1		05/13/21 23:32	78-87-5	
1,3,5-Trimethylbenzene	<0.36	ug/L	1.0	0.36	1		05/13/21 23:32	108-67-8	
1,3-Dichlorobenzene	<0.35	ug/L	1.0	0.35	1		05/13/21 23:32	541-73-1	
1,3-Dichloropropane	<0.30	ug/L	1.0	0.30	1		05/13/21 23:32	142-28-9	
1,4-Dichlorobenzene	<0.89	ug/L	1.0	0.89	1		05/13/21 23:32	106-46-7	
2,2-Dichloropropane	<4.2	ug/L	5.0	4.2	1		05/13/21 23:32	594-20-7	
2-Chlorotoluene	<0.89	ug/L	5.0	0.89	1		05/13/21 23:32	95-49-8	
4-Chlorotoluene	<0.89	ug/L	5.0	0.89	1		05/13/21 23:32	106-43-4	
Benzene	<0.30	ug/L	1.0	0.30	1		05/13/21 23:32	71-43-2	
Bromobenzene	<0.36	ug/L	1.0	0.36	1		05/13/21 23:32	108-86-1	
Bromochloromethane	<0.36	ug/L	5.0	0.36	1		05/13/21 23:32	74-97-5	
Bromodichloromethane	<0.42	ug/L	1.0	0.42	1		05/13/21 23:32	75-27-4	
Bromoform	<3.8	ug/L	5.0	3.8	1		05/13/21 23:32	75-25-2	
Bromomethane	<1.2	ug/L	5.0	1.2	1		05/13/21 23:32	74-83-9	
Carbon tetrachloride	<0.37	ug/L	1.0	0.37	1		05/13/21 23:32	56-23-5	
Chlorobenzene	<0.86	ug/L	1.0	0.86	1		05/13/21 23:32	108-90-7	
Chloroethane	<1.4	ug/L	5.0	1.4	1		05/13/21 23:32	75-00-3	
Chloroform	<1.2	ug/L	5.0	1.2	1		05/13/21 23:32	67-66-3	
Chloromethane	<1.6	ug/L	5.0	1.6	1		05/13/21 23:32	74-87-3	
Dibromochloromethane	<2.6	ug/L	5.0	2.6	1		05/13/21 23:32	124-48-1	
Dibromomethane	<0.99	ug/L	5.0	0.99	1		05/13/21 23:32	74-95-3	
Dichlorodifluoromethane	<0.46	ug/L	5.0	0.46	1		05/13/21 23:32	75-71-8	
Diisopropyl ether	<1.1	ug/L	5.0	1.1	1		05/13/21 23:32	108-20-3	
Ethylbenzene	<0.33	ug/L	1.0	0.33	1		05/13/21 23:32	100-41-4	
Hexachloro-1,3-butadiene	<2.7	ug/L	5.0	2.7	1		05/13/21 23:32	87-68-3	
Isopropylbenzene (Cumene)	<1.0	ug/L	5.0	1.0	1		05/13/21 23:32	98-82-8	
Methyl-tert-butyl ether	<1.1	ug/L	5.0	1.1	1		05/13/21 23:32	1634-04-4	
Methylene Chloride	<0.32	ug/L	5.0	0.32	1		05/13/21 23:32	75-09-2	
Naphthalene	<1.1	ug/L	5.0	1.1	1		05/13/21 23:32	91-20-3	
Styrene	<0.36	ug/L	1.0	0.36	1		05/13/21 23:32	100-42-5	
Tetrachloroethene	1.3	ug/L	1.0	0.41	1		05/13/21 23:32	127-18-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 9640A FONG FAMILY, LLC
Pace Project No.: 40226787

Sample: G4-W **Lab ID: 40226787040** Collected: 05/10/21 15:20 Received: 05/12/21 09:05 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV									
Analytical Method: EPA 8260									
Pace Analytical Services - Green Bay									
Toluene	<0.29	ug/L	1.0	0.29	1		05/13/21 23:32	108-88-3	
Trichloroethene	<0.32	ug/L	1.0	0.32	1		05/13/21 23:32	79-01-6	
Trichlorofluoromethane	<0.42	ug/L	1.0	0.42	1		05/13/21 23:32	75-69-4	
Vinyl chloride	<0.17	ug/L	1.0	0.17	1		05/13/21 23:32	75-01-4	
cis-1,2-Dichloroethene	<0.47	ug/L	1.0	0.47	1		05/13/21 23:32	156-59-2	
cis-1,3-Dichloropropene	<0.36	ug/L	1.0	0.36	1		05/13/21 23:32	10061-01-5	
m&p-Xylene	<0.70	ug/L	2.0	0.70	1		05/13/21 23:32	179601-23-1	
n-Butylbenzene	<0.86	ug/L	1.0	0.86	1		05/13/21 23:32	104-51-8	
n-Propylbenzene	<0.35	ug/L	1.0	0.35	1		05/13/21 23:32	103-65-1	
o-Xylene	<0.35	ug/L	1.0	0.35	1		05/13/21 23:32	95-47-6	
p-Isopropyltoluene	<1.0	ug/L	5.0	1.0	1		05/13/21 23:32	99-87-6	
sec-Butylbenzene	<0.42	ug/L	1.0	0.42	1		05/13/21 23:32	135-98-8	
tert-Butylbenzene	<0.59	ug/L	1.0	0.59	1		05/13/21 23:32	98-06-6	
trans-1,2-Dichloroethene	<0.53	ug/L	1.0	0.53	1		05/13/21 23:32	156-60-5	
trans-1,3-Dichloropropene	<3.5	ug/L	5.0	3.5	1		05/13/21 23:32	10061-02-6	
Surrogates									
4-Bromofluorobenzene (S)	96	%	70-130		1		05/13/21 23:32	460-00-4	
1,2-Dichlorobenzene-d4 (S)	101	%	70-130		1		05/13/21 23:32	2199-69-1	
Toluene-d8 (S)	96	%	70-130		1		05/13/21 23:32	2037-26-5	

Sample: G5-W **Lab ID: 40226787041** Collected: 05/10/21 16:55 Received: 05/12/21 09:05 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
6020 MET ICPMS, Dissolved									
Analytical Method: EPA 6020 Preparation Method: EPA 3010									
Pace Analytical Services - Green Bay									
Arsenic, Dissolved	0.41J	ug/L	1.0	0.28	1	05/14/21 07:46	05/18/21 01:38	7440-38-2	
Lead, Dissolved	<0.24	ug/L	1.0	0.24	1	05/14/21 07:46	05/18/21 01:38	7439-92-1	
8270E MSSV PAH									
Analytical Method: EPA 8270E by SIM Preparation Method: EPA 3510									
Pace Analytical Services - Green Bay									
Acenaphthene	<0.0060	ug/L	0.030	0.0060	1	05/17/21 09:03	05/18/21 13:48	83-32-9	
Acenaphthylene	<0.0049	ug/L	0.024	0.0049	1	05/17/21 09:03	05/18/21 13:48	208-96-8	
Anthracene	<0.010	ug/L	0.051	0.010	1	05/17/21 09:03	05/18/21 13:48	120-12-7	
Benzo(a)anthracene	<0.0074	ug/L	0.037	0.0074	1	05/17/21 09:03	05/18/21 13:48	56-55-3	
Benzo(a)pyrene	<0.010	ug/L	0.052	0.010	1	05/17/21 09:03	05/18/21 13:48	50-32-8	L2
Benzo(b)fluoranthene	<0.0056	ug/L	0.028	0.0056	1	05/17/21 09:03	05/18/21 13:48	205-99-2	
Benzo(g,h,i)perylene	<0.0066	ug/L	0.033	0.0066	1	05/17/21 09:03	05/18/21 13:48	191-24-2	
Benzo(k)fluoranthene	<0.0074	ug/L	0.037	0.0074	1	05/17/21 09:03	05/18/21 13:48	207-08-9	
Chrysene	<0.013	ug/L	0.064	0.013	1	05/17/21 09:03	05/18/21 13:48	218-01-9	
Dibenz(a,h)anthracene	<0.0098	ug/L	0.049	0.0098	1	05/17/21 09:03	05/18/21 13:48	53-70-3	
Fluoranthene	0.011J	ug/L	0.052	0.010	1	05/17/21 09:03	05/18/21 13:48	206-44-0	
Fluorene	0.012J	ug/L	0.039	0.0078	1	05/17/21 09:03	05/18/21 13:48	86-73-7	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 9640A FONG FAMILY, LLC

Pace Project No.: 40226787

Sample: G5-W **Lab ID: 40226787041** Collected: 05/10/21 16:55 Received: 05/12/21 09:05 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8270E MSSV PAH									
Analytical Method: EPA 8270E by SIM Preparation Method: EPA 3510									
Pace Analytical Services - Green Bay									
Indeno(1,2,3-cd)pyrene	<0.017	ug/L	0.086	0.017	1	05/17/21 09:03	05/18/21 13:48	193-39-5	
1-Methylnaphthalene	0.0091J	ug/L	0.029	0.0058	1	05/17/21 09:03	05/18/21 13:48	90-12-0	
2-Methylnaphthalene	0.0099J	ug/L	0.024	0.0048	1	05/17/21 09:03	05/18/21 13:48	91-57-6	
Naphthalene	<0.018	ug/L	0.090	0.018	1	05/17/21 09:03	05/18/21 13:48	91-20-3	
Phenanthrene	0.026J	ug/L	0.068	0.014	1	05/17/21 09:03	05/18/21 13:48	85-01-8	
Pyrene	0.011J	ug/L	0.038	0.0075	1	05/17/21 09:03	05/18/21 13:48	129-00-0	
Total PAHs	0.11	ug/L			1	05/17/21 09:03	05/18/21 13:48		
Surrogates									
2-Fluorobiphenyl (S)	51	%	39-120		1	05/17/21 09:03	05/18/21 13:48	321-60-8	
Terphenyl-d14 (S)	58	%	10-159		1	05/17/21 09:03	05/18/21 13:48	1718-51-0	
8260 MSV									
Analytical Method: EPA 8260									
Pace Analytical Services - Green Bay									
1,1,1,2-Tetrachloroethane	<0.36	ug/L	1.0	0.36	1		05/13/21 23:51	630-20-6	
1,1,1-Trichloroethane	<0.30	ug/L	1.0	0.30	1		05/13/21 23:51	71-55-6	
1,1,2,2-Tetrachloroethane	<0.38	ug/L	1.0	0.38	1		05/13/21 23:51	79-34-5	
1,1,2-Trichloroethane	<0.34	ug/L	5.0	0.34	1		05/13/21 23:51	79-00-5	
1,1-Dichloroethane	<0.30	ug/L	1.0	0.30	1		05/13/21 23:51	75-34-3	
1,1-Dichloroethene	<0.58	ug/L	1.0	0.58	1		05/13/21 23:51	75-35-4	
1,1-Dichloropropene	<0.41	ug/L	1.0	0.41	1		05/13/21 23:51	563-58-6	
1,2,3-Trichlorobenzene	<1.0	ug/L	5.0	1.0	1		05/13/21 23:51	87-61-6	
1,2,3-Trichloropropane	<0.56	ug/L	5.0	0.56	1		05/13/21 23:51	96-18-4	
1,2,4-Trichlorobenzene	<0.95	ug/L	5.0	0.95	1		05/13/21 23:51	120-82-1	
1,2,4-Trimethylbenzene	<0.45	ug/L	1.0	0.45	1		05/13/21 23:51	95-63-6	
1,2-Dibromo-3-chloropropane	<2.4	ug/L	5.0	2.4	1		05/13/21 23:51	96-12-8	
1,2-Dibromoethane (EDB)	<0.31	ug/L	1.0	0.31	1		05/13/21 23:51	106-93-4	
1,2-Dichlorobenzene	<0.33	ug/L	1.0	0.33	1		05/13/21 23:51	95-50-1	
1,2-Dichloroethane	<0.29	ug/L	1.0	0.29	1		05/13/21 23:51	107-06-2	
1,2-Dichloropropane	<0.45	ug/L	1.0	0.45	1		05/13/21 23:51	78-87-5	
1,3,5-Trimethylbenzene	<0.36	ug/L	1.0	0.36	1		05/13/21 23:51	108-67-8	
1,3-Dichlorobenzene	<0.35	ug/L	1.0	0.35	1		05/13/21 23:51	541-73-1	
1,3-Dichloropropane	<0.30	ug/L	1.0	0.30	1		05/13/21 23:51	142-28-9	
1,4-Dichlorobenzene	<0.89	ug/L	1.0	0.89	1		05/13/21 23:51	106-46-7	
2,2-Dichloropropane	<4.2	ug/L	5.0	4.2	1		05/13/21 23:51	594-20-7	
2-Chlorotoluene	<0.89	ug/L	5.0	0.89	1		05/13/21 23:51	95-49-8	
4-Chlorotoluene	<0.89	ug/L	5.0	0.89	1		05/13/21 23:51	106-43-4	
Benzene	<0.30	ug/L	1.0	0.30	1		05/13/21 23:51	71-43-2	
Bromobenzene	<0.36	ug/L	1.0	0.36	1		05/13/21 23:51	108-86-1	
Bromochloromethane	<0.36	ug/L	5.0	0.36	1		05/13/21 23:51	74-97-5	
Bromodichloromethane	<0.42	ug/L	1.0	0.42	1		05/13/21 23:51	75-27-4	
Bromoform	<3.8	ug/L	5.0	3.8	1		05/13/21 23:51	75-25-2	
Bromomethane	<1.2	ug/L	5.0	1.2	1		05/13/21 23:51	74-83-9	
Carbon tetrachloride	<0.37	ug/L	1.0	0.37	1		05/13/21 23:51	56-23-5	
Chlorobenzene	<0.86	ug/L	1.0	0.86	1		05/13/21 23:51	108-90-7	
Chloroethane	<1.4	ug/L	5.0	1.4	1		05/13/21 23:51	75-00-3	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 9640A FONG FAMILY, LLC

Pace Project No.: 40226787

Sample: G5-W **Lab ID: 40226787041** Collected: 05/10/21 16:55 Received: 05/12/21 09:05 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV									
Analytical Method: EPA 8260									
Pace Analytical Services - Green Bay									
Chloroform	<1.2	ug/L	5.0	1.2	1		05/13/21 23:51	67-66-3	
Chloromethane	<1.6	ug/L	5.0	1.6	1		05/13/21 23:51	74-87-3	
Dibromochloromethane	<2.6	ug/L	5.0	2.6	1		05/13/21 23:51	124-48-1	
Dibromomethane	<0.99	ug/L	5.0	0.99	1		05/13/21 23:51	74-95-3	
Dichlorodifluoromethane	<0.46	ug/L	5.0	0.46	1		05/13/21 23:51	75-71-8	
Diisopropyl ether	<1.1	ug/L	5.0	1.1	1		05/13/21 23:51	108-20-3	
Ethylbenzene	<0.33	ug/L	1.0	0.33	1		05/13/21 23:51	100-41-4	
Hexachloro-1,3-butadiene	<2.7	ug/L	5.0	2.7	1		05/13/21 23:51	87-68-3	
Isopropylbenzene (Cumene)	<1.0	ug/L	5.0	1.0	1		05/13/21 23:51	98-82-8	
Methyl-tert-butyl ether	<1.1	ug/L	5.0	1.1	1		05/13/21 23:51	1634-04-4	
Methylene Chloride	<0.32	ug/L	5.0	0.32	1		05/13/21 23:51	75-09-2	
Naphthalene	<1.1	ug/L	5.0	1.1	1		05/13/21 23:51	91-20-3	
Styrene	<0.36	ug/L	1.0	0.36	1		05/13/21 23:51	100-42-5	
Tetrachloroethene	<0.41	ug/L	1.0	0.41	1		05/13/21 23:51	127-18-4	
Toluene	<0.29	ug/L	1.0	0.29	1		05/13/21 23:51	108-88-3	
Trichloroethene	<0.32	ug/L	1.0	0.32	1		05/13/21 23:51	79-01-6	
Trichlorofluoromethane	<0.42	ug/L	1.0	0.42	1		05/13/21 23:51	75-69-4	
Vinyl chloride	<0.17	ug/L	1.0	0.17	1		05/13/21 23:51	75-01-4	
cis-1,2-Dichloroethene	<0.47	ug/L	1.0	0.47	1		05/13/21 23:51	156-59-2	
cis-1,3-Dichloropropene	<0.36	ug/L	1.0	0.36	1		05/13/21 23:51	10061-01-5	
m&p-Xylene	<0.70	ug/L	2.0	0.70	1		05/13/21 23:51	179601-23-1	
n-Butylbenzene	<0.86	ug/L	1.0	0.86	1		05/13/21 23:51	104-51-8	
n-Propylbenzene	<0.35	ug/L	1.0	0.35	1		05/13/21 23:51	103-65-1	
o-Xylene	<0.35	ug/L	1.0	0.35	1		05/13/21 23:51	95-47-6	
p-Isopropyltoluene	<1.0	ug/L	5.0	1.0	1		05/13/21 23:51	99-87-6	
sec-Butylbenzene	<0.42	ug/L	1.0	0.42	1		05/13/21 23:51	135-98-8	
tert-Butylbenzene	<0.59	ug/L	1.0	0.59	1		05/13/21 23:51	98-06-6	
trans-1,2-Dichloroethene	<0.53	ug/L	1.0	0.53	1		05/13/21 23:51	156-60-5	
trans-1,3-Dichloropropene	<3.5	ug/L	5.0	3.5	1		05/13/21 23:51	10061-02-6	
Surrogates									
4-Bromofluorobenzene (S)	99	%	70-130		1		05/13/21 23:51	460-00-4	
1,2-Dichlorobenzene-d4 (S)	104	%	70-130		1		05/13/21 23:51	2199-69-1	
Toluene-d8 (S)	95	%	70-130		1		05/13/21 23:51	2037-26-5	

Sample: G6-W **Lab ID: 40226787042** Collected: 05/11/21 09:25 Received: 05/12/21 09:05 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
6020 MET ICPMS, Dissolved									
Analytical Method: EPA 6020 Preparation Method: EPA 3010									
Pace Analytical Services - Green Bay									
Arsenic, Dissolved	0.90J	ug/L	1.0	0.28	1	05/14/21 07:46	05/18/21 01:46	7440-38-2	
Lead, Dissolved	<0.24	ug/L	1.0	0.24	1	05/14/21 07:46	05/18/21 01:46	7439-92-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 9640A FONG FAMILY, LLC

Pace Project No.: 40226787

Sample: G6-W **Lab ID: 40226787042** Collected: 05/11/21 09:25 Received: 05/12/21 09:05 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8270E MSSV PAH									
Analytical Method: EPA 8270E by SIM Preparation Method: EPA 3510									
Pace Analytical Services - Green Bay									
Acenaphthene	0.029J	ug/L	0.029	0.0059	1	05/17/21 09:03	05/18/21 14:06	83-32-9	
Acenaphthylene	0.0053J	ug/L	0.024	0.0048	1	05/17/21 09:03	05/18/21 14:06	208-96-8	
Anthracene	0.034J	ug/L	0.051	0.010	1	05/17/21 09:03	05/18/21 14:06	120-12-7	
Benzo(a)anthracene	0.014J	ug/L	0.037	0.0073	1	05/17/21 09:03	05/18/21 14:06	56-55-3	
Benzo(a)pyrene	<0.010	ug/L	0.051	0.010	1	05/17/21 09:03	05/18/21 14:06	50-32-8	L2
Benzo(b)fluoranthene	0.0084J	ug/L	0.028	0.0056	1	05/17/21 09:03	05/18/21 14:06	205-99-2	
Benzo(g,h,i)perylene	<0.0066	ug/L	0.033	0.0066	1	05/17/21 09:03	05/18/21 14:06	191-24-2	
Benzo(k)fluoranthene	<0.0073	ug/L	0.037	0.0073	1	05/17/21 09:03	05/18/21 14:06	207-08-9	
Chrysene	0.016J	ug/L	0.063	0.013	1	05/17/21 09:03	05/18/21 14:06	218-01-9	
Dibenz(a,h)anthracene	<0.0097	ug/L	0.049	0.0097	1	05/17/21 09:03	05/18/21 14:06	53-70-3	
Fluoranthene	0.084	ug/L	0.052	0.010	1	05/17/21 09:03	05/18/21 14:06	206-44-0	
Fluorene	0.044	ug/L	0.039	0.0077	1	05/17/21 09:03	05/18/21 14:06	86-73-7	
Indeno(1,2,3-cd)pyrene	<0.017	ug/L	0.086	0.017	1	05/17/21 09:03	05/18/21 14:06	193-39-5	
1-Methylnaphthalene	0.056	ug/L	0.029	0.0057	1	05/17/21 09:03	05/18/21 14:06	90-12-0	
2-Methylnaphthalene	0.066	ug/L	0.024	0.0048	1	05/17/21 09:03	05/18/21 14:06	91-57-6	
Naphthalene	0.078J	ug/L	0.089	0.018	1	05/17/21 09:03	05/18/21 14:06	91-20-3	
Phenanthrene	0.20	ug/L	0.067	0.013	1	05/17/21 09:03	05/18/21 14:06	85-01-8	
Pyrene	0.059	ug/L	0.037	0.0074	1	05/17/21 09:03	05/18/21 14:06	129-00-0	
Total PAHs	0.71	ug/L			1	05/17/21 09:03	05/18/21 14:06		
Surrogates									
2-Fluorobiphenyl (S)	52	%	39-120		1	05/17/21 09:03	05/18/21 14:06	321-60-8	
Terphenyl-d14 (S)	51	%	10-159		1	05/17/21 09:03	05/18/21 14:06	1718-51-0	
8260 MSV									
Analytical Method: EPA 8260									
Pace Analytical Services - Green Bay									
1,1,1,2-Tetrachloroethane	<0.36	ug/L	1.0	0.36	1		05/14/21 00:11	630-20-6	
1,1,1-Trichloroethane	<0.30	ug/L	1.0	0.30	1		05/14/21 00:11	71-55-6	
1,1,2,2-Tetrachloroethane	<0.38	ug/L	1.0	0.38	1		05/14/21 00:11	79-34-5	
1,1,2-Trichloroethane	<0.34	ug/L	5.0	0.34	1		05/14/21 00:11	79-00-5	
1,1-Dichloroethane	<0.30	ug/L	1.0	0.30	1		05/14/21 00:11	75-34-3	
1,1-Dichloroethene	<0.58	ug/L	1.0	0.58	1		05/14/21 00:11	75-35-4	
1,1-Dichloropropene	<0.41	ug/L	1.0	0.41	1		05/14/21 00:11	563-58-6	
1,2,3-Trichlorobenzene	<1.0	ug/L	5.0	1.0	1		05/14/21 00:11	87-61-6	
1,2,3-Trichloropropane	<0.56	ug/L	5.0	0.56	1		05/14/21 00:11	96-18-4	
1,2,4-Trichlorobenzene	<0.95	ug/L	5.0	0.95	1		05/14/21 00:11	120-82-1	
1,2,4-Trimethylbenzene	<0.45	ug/L	1.0	0.45	1		05/14/21 00:11	95-63-6	
1,2-Dibromo-3-chloropropane	<2.4	ug/L	5.0	2.4	1		05/14/21 00:11	96-12-8	
1,2-Dibromoethane (EDB)	<0.31	ug/L	1.0	0.31	1		05/14/21 00:11	106-93-4	
1,2-Dichlorobenzene	<0.33	ug/L	1.0	0.33	1		05/14/21 00:11	95-50-1	
1,2-Dichloroethane	<0.29	ug/L	1.0	0.29	1		05/14/21 00:11	107-06-2	
1,2-Dichloropropane	<0.45	ug/L	1.0	0.45	1		05/14/21 00:11	78-87-5	
1,3,5-Trimethylbenzene	<0.36	ug/L	1.0	0.36	1		05/14/21 00:11	108-67-8	
1,3-Dichlorobenzene	<0.35	ug/L	1.0	0.35	1		05/14/21 00:11	541-73-1	
1,3-Dichloropropane	<0.30	ug/L	1.0	0.30	1		05/14/21 00:11	142-28-9	
1,4-Dichlorobenzene	<0.89	ug/L	1.0	0.89	1		05/14/21 00:11	106-46-7	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 9640A FONG FAMILY, LLC
Pace Project No.: 40226787

Sample: G6-W **Lab ID: 40226787042** Collected: 05/11/21 09:25 Received: 05/12/21 09:05 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV									
Analytical Method: EPA 8260									
Pace Analytical Services - Green Bay									
2,2-Dichloropropane	<4.2	ug/L	5.0	4.2	1		05/14/21 00:11	594-20-7	
2-Chlorotoluene	<0.89	ug/L	5.0	0.89	1		05/14/21 00:11	95-49-8	
4-Chlorotoluene	<0.89	ug/L	5.0	0.89	1		05/14/21 00:11	106-43-4	
Benzene	0.34J	ug/L	1.0	0.30	1		05/14/21 00:11	71-43-2	
Bromobenzene	<0.36	ug/L	1.0	0.36	1		05/14/21 00:11	108-86-1	
Bromochloromethane	<0.36	ug/L	5.0	0.36	1		05/14/21 00:11	74-97-5	
Bromodichloromethane	<0.42	ug/L	1.0	0.42	1		05/14/21 00:11	75-27-4	
Bromoform	<3.8	ug/L	5.0	3.8	1		05/14/21 00:11	75-25-2	
Bromomethane	<1.2	ug/L	5.0	1.2	1		05/14/21 00:11	74-83-9	
Carbon tetrachloride	<0.37	ug/L	1.0	0.37	1		05/14/21 00:11	56-23-5	
Chlorobenzene	<0.86	ug/L	1.0	0.86	1		05/14/21 00:11	108-90-7	
Chloroethane	<1.4	ug/L	5.0	1.4	1		05/14/21 00:11	75-00-3	
Chloroform	<1.2	ug/L	5.0	1.2	1		05/14/21 00:11	67-66-3	
Chloromethane	<1.6	ug/L	5.0	1.6	1		05/14/21 00:11	74-87-3	
Dibromochloromethane	<2.6	ug/L	5.0	2.6	1		05/14/21 00:11	124-48-1	
Dibromomethane	<0.99	ug/L	5.0	0.99	1		05/14/21 00:11	74-95-3	
Dichlorodifluoromethane	<0.46	ug/L	5.0	0.46	1		05/14/21 00:11	75-71-8	
Diisopropyl ether	<1.1	ug/L	5.0	1.1	1		05/14/21 00:11	108-20-3	
Ethylbenzene	<0.33	ug/L	1.0	0.33	1		05/14/21 00:11	100-41-4	
Hexachloro-1,3-butadiene	<2.7	ug/L	5.0	2.7	1		05/14/21 00:11	87-68-3	
Isopropylbenzene (Cumene)	<1.0	ug/L	5.0	1.0	1		05/14/21 00:11	98-82-8	
Methyl-tert-butyl ether	<1.1	ug/L	5.0	1.1	1		05/14/21 00:11	1634-04-4	
Methylene Chloride	<0.32	ug/L	5.0	0.32	1		05/14/21 00:11	75-09-2	
Naphthalene	<1.1	ug/L	5.0	1.1	1		05/14/21 00:11	91-20-3	
Styrene	<0.36	ug/L	1.0	0.36	1		05/14/21 00:11	100-42-5	
Tetrachloroethene	1.5	ug/L	1.0	0.41	1		05/14/21 00:11	127-18-4	
Toluene	1.1	ug/L	1.0	0.29	1		05/14/21 00:11	108-88-3	
Trichloroethene	<0.32	ug/L	1.0	0.32	1		05/14/21 00:11	79-01-6	
Trichlorofluoromethane	<0.42	ug/L	1.0	0.42	1		05/14/21 00:11	75-69-4	
Vinyl chloride	<0.17	ug/L	1.0	0.17	1		05/14/21 00:11	75-01-4	
cis-1,2-Dichloroethene	<0.47	ug/L	1.0	0.47	1		05/14/21 00:11	156-59-2	
cis-1,3-Dichloropropene	<0.36	ug/L	1.0	0.36	1		05/14/21 00:11	10061-01-5	
m&p-Xylene	<0.70	ug/L	2.0	0.70	1		05/14/21 00:11	179601-23-1	
n-Butylbenzene	<0.86	ug/L	1.0	0.86	1		05/14/21 00:11	104-51-8	
n-Propylbenzene	<0.35	ug/L	1.0	0.35	1		05/14/21 00:11	103-65-1	
o-Xylene	0.38J	ug/L	1.0	0.35	1		05/14/21 00:11	95-47-6	
p-Isopropyltoluene	<1.0	ug/L	5.0	1.0	1		05/14/21 00:11	99-87-6	
sec-Butylbenzene	<0.42	ug/L	1.0	0.42	1		05/14/21 00:11	135-98-8	
tert-Butylbenzene	<0.59	ug/L	1.0	0.59	1		05/14/21 00:11	98-06-6	
trans-1,2-Dichloroethene	<0.53	ug/L	1.0	0.53	1		05/14/21 00:11	156-60-5	
trans-1,3-Dichloropropene	<3.5	ug/L	5.0	3.5	1		05/14/21 00:11	10061-02-6	
Surrogates									
4-Bromofluorobenzene (S)	97	%	70-130		1		05/14/21 00:11	460-00-4	
1,2-Dichlorobenzene-d4 (S)	100	%	70-130		1		05/14/21 00:11	2199-69-1	
Toluene-d8 (S)	95	%	70-130		1		05/14/21 00:11	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 9640A FONG FAMILY, LLC

Pace Project No.: 40226787

Sample: G7-W **Lab ID: 40226787043** Collected: 05/11/21 10:43 Received: 05/12/21 09:05 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
6020 MET ICPMS, Dissolved									
Analytical Method: EPA 6020 Preparation Method: EPA 3010									
Pace Analytical Services - Green Bay									
Arsenic, Dissolved	0.96J	ug/L	1.0	0.28	1	05/14/21 07:46	05/18/21 10:57	7440-38-2	
Lead, Dissolved	<0.24	ug/L	1.0	0.24	1	05/14/21 07:46	05/18/21 10:57	7439-92-1	
8270E MSSV PAH									
Analytical Method: EPA 8270E by SIM Preparation Method: EPA 3510									
Pace Analytical Services - Green Bay									
Acenaphthene	0.059	ug/L	0.031	0.0062	1	05/17/21 09:03	05/18/21 14:25	83-32-9	
Acenaphthylene	<0.0051	ug/L	0.025	0.0051	1	05/17/21 09:03	05/18/21 14:25	208-96-8	
Anthracene	0.055	ug/L	0.053	0.011	1	05/17/21 09:03	05/18/21 14:25	120-12-7	
Benzo(a)anthracene	0.020J	ug/L	0.039	0.0077	1	05/17/21 09:03	05/18/21 14:25	56-55-3	
Benzo(a)pyrene	<0.011	ug/L	0.054	0.011	1	05/17/21 09:03	05/18/21 14:25	50-32-8	L2
Benzo(b)fluoranthene	0.0087J	ug/L	0.029	0.0059	1	05/17/21 09:03	05/18/21 14:25	205-99-2	
Benzo(g,h,i)perylene	<0.0069	ug/L	0.035	0.0069	1	05/17/21 09:03	05/18/21 14:25	191-24-2	
Benzo(k)fluoranthene	<0.0077	ug/L	0.039	0.0077	1	05/17/21 09:03	05/18/21 14:25	207-08-9	
Chrysene	0.021J	ug/L	0.067	0.013	1	05/17/21 09:03	05/18/21 14:25	218-01-9	
Dibenz(a,h)anthracene	<0.010	ug/L	0.051	0.010	1	05/17/21 09:03	05/18/21 14:25	53-70-3	
Fluoranthene	0.15	ug/L	0.054	0.011	1	05/17/21 09:03	05/18/21 14:25	206-44-0	
Fluorene	0.074	ug/L	0.041	0.0081	1	05/17/21 09:03	05/18/21 14:25	86-73-7	
Indeno(1,2,3-cd)pyrene	<0.018	ug/L	0.090	0.018	1	05/17/21 09:03	05/18/21 14:25	193-39-5	
1-Methylnaphthalene	0.023J	ug/L	0.030	0.0060	1	05/17/21 09:03	05/18/21 14:25	90-12-0	
2-Methylnaphthalene	0.028	ug/L	0.025	0.0050	1	05/17/21 09:03	05/18/21 14:25	91-57-6	
Naphthalene	0.041J	ug/L	0.094	0.019	1	05/17/21 09:03	05/18/21 14:25	91-20-3	
Phenanthrene	0.40	ug/L	0.070	0.014	1	05/17/21 09:03	05/18/21 14:25	85-01-8	
Pyrene	0.10	ug/L	0.039	0.0078	1	05/17/21 09:03	05/18/21 14:25	129-00-0	
Total PAHs	0.99	ug/L			1	05/17/21 09:03	05/18/21 14:25		
Surrogates									
2-Fluorobiphenyl (S)	55	%	39-120		1	05/17/21 09:03	05/18/21 14:25	321-60-8	
Terphenyl-d14 (S)	74	%	10-159		1	05/17/21 09:03	05/18/21 14:25	1718-51-0	
8260 MSV									
Analytical Method: EPA 8260									
Pace Analytical Services - Green Bay									
1,1,1,2-Tetrachloroethane	<0.36	ug/L	1.0	0.36	1		05/14/21 00:30	630-20-6	
1,1,1-Trichloroethane	0.37J	ug/L	1.0	0.30	1		05/14/21 00:30	71-55-6	
1,1,2,2-Tetrachloroethane	<0.38	ug/L	1.0	0.38	1		05/14/21 00:30	79-34-5	
1,1,2-Trichloroethane	<0.34	ug/L	5.0	0.34	1		05/14/21 00:30	79-00-5	
1,1-Dichloroethane	<0.30	ug/L	1.0	0.30	1		05/14/21 00:30	75-34-3	
1,1-Dichloroethene	<0.58	ug/L	1.0	0.58	1		05/14/21 00:30	75-35-4	
1,1-Dichloropropene	<0.41	ug/L	1.0	0.41	1		05/14/21 00:30	563-58-6	
1,2,3-Trichlorobenzene	<1.0	ug/L	5.0	1.0	1		05/14/21 00:30	87-61-6	
1,2,3-Trichloropropane	<0.56	ug/L	5.0	0.56	1		05/14/21 00:30	96-18-4	
1,2,4-Trichlorobenzene	<0.95	ug/L	5.0	0.95	1		05/14/21 00:30	120-82-1	
1,2,4-Trimethylbenzene	<0.45	ug/L	1.0	0.45	1		05/14/21 00:30	95-63-6	
1,2-Dibromo-3-chloropropane	<2.4	ug/L	5.0	2.4	1		05/14/21 00:30	96-12-8	
1,2-Dibromoethane (EDB)	<0.31	ug/L	1.0	0.31	1		05/14/21 00:30	106-93-4	
1,2-Dichlorobenzene	<0.33	ug/L	1.0	0.33	1		05/14/21 00:30	95-50-1	
1,2-Dichloroethane	<0.29	ug/L	1.0	0.29	1		05/14/21 00:30	107-06-2	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 9640A FONG FAMILY, LLC

Pace Project No.: 40226787

Sample: G7-W **Lab ID: 40226787043** Collected: 05/11/21 10:43 Received: 05/12/21 09:05 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV									
Analytical Method: EPA 8260									
Pace Analytical Services - Green Bay									
1,2-Dichloropropane	<0.45	ug/L	1.0	0.45	1		05/14/21 00:30	78-87-5	
1,3,5-Trimethylbenzene	<0.36	ug/L	1.0	0.36	1		05/14/21 00:30	108-67-8	
1,3-Dichlorobenzene	<0.35	ug/L	1.0	0.35	1		05/14/21 00:30	541-73-1	
1,3-Dichloropropane	<0.30	ug/L	1.0	0.30	1		05/14/21 00:30	142-28-9	
1,4-Dichlorobenzene	<0.89	ug/L	1.0	0.89	1		05/14/21 00:30	106-46-7	
2,2-Dichloropropane	<4.2	ug/L	5.0	4.2	1		05/14/21 00:30	594-20-7	
2-Chlorotoluene	<0.89	ug/L	5.0	0.89	1		05/14/21 00:30	95-49-8	
4-Chlorotoluene	<0.89	ug/L	5.0	0.89	1		05/14/21 00:30	106-43-4	
Benzene	<0.30	ug/L	1.0	0.30	1		05/14/21 00:30	71-43-2	
Bromobenzene	<0.36	ug/L	1.0	0.36	1		05/14/21 00:30	108-86-1	
Bromochloromethane	<0.36	ug/L	5.0	0.36	1		05/14/21 00:30	74-97-5	
Bromodichloromethane	<0.42	ug/L	1.0	0.42	1		05/14/21 00:30	75-27-4	
Bromoform	<3.8	ug/L	5.0	3.8	1		05/14/21 00:30	75-25-2	
Bromomethane	<1.2	ug/L	5.0	1.2	1		05/14/21 00:30	74-83-9	
Carbon tetrachloride	<0.37	ug/L	1.0	0.37	1		05/14/21 00:30	56-23-5	
Chlorobenzene	<0.86	ug/L	1.0	0.86	1		05/14/21 00:30	108-90-7	
Chloroethane	<1.4	ug/L	5.0	1.4	1		05/14/21 00:30	75-00-3	
Chloroform	<1.2	ug/L	5.0	1.2	1		05/14/21 00:30	67-66-3	
Chloromethane	<1.6	ug/L	5.0	1.6	1		05/14/21 00:30	74-87-3	
Dibromochloromethane	<2.6	ug/L	5.0	2.6	1		05/14/21 00:30	124-48-1	
Dibromomethane	<0.99	ug/L	5.0	0.99	1		05/14/21 00:30	74-95-3	
Dichlorodifluoromethane	<0.46	ug/L	5.0	0.46	1		05/14/21 00:30	75-71-8	
Diisopropyl ether	<1.1	ug/L	5.0	1.1	1		05/14/21 00:30	108-20-3	
Ethylbenzene	<0.33	ug/L	1.0	0.33	1		05/14/21 00:30	100-41-4	
Hexachloro-1,3-butadiene	<2.7	ug/L	5.0	2.7	1		05/14/21 00:30	87-68-3	
Isopropylbenzene (Cumene)	<1.0	ug/L	5.0	1.0	1		05/14/21 00:30	98-82-8	
Methyl-tert-butyl ether	<1.1	ug/L	5.0	1.1	1		05/14/21 00:30	1634-04-4	
Methylene Chloride	<0.32	ug/L	5.0	0.32	1		05/14/21 00:30	75-09-2	
Naphthalene	<1.1	ug/L	5.0	1.1	1		05/14/21 00:30	91-20-3	
Styrene	<0.36	ug/L	1.0	0.36	1		05/14/21 00:30	100-42-5	
Tetrachloroethene	1.6	ug/L	1.0	0.41	1		05/14/21 00:30	127-18-4	
Toluene	<0.29	ug/L	1.0	0.29	1		05/14/21 00:30	108-88-3	
Trichloroethene	<0.32	ug/L	1.0	0.32	1		05/14/21 00:30	79-01-6	
Trichlorofluoromethane	<0.42	ug/L	1.0	0.42	1		05/14/21 00:30	75-69-4	
Vinyl chloride	<0.17	ug/L	1.0	0.17	1		05/14/21 00:30	75-01-4	
cis-1,2-Dichloroethene	<0.47	ug/L	1.0	0.47	1		05/14/21 00:30	156-59-2	
cis-1,3-Dichloropropene	<0.36	ug/L	1.0	0.36	1		05/14/21 00:30	10061-01-5	
m&p-Xylene	<0.70	ug/L	2.0	0.70	1		05/14/21 00:30	179601-23-1	
n-Butylbenzene	<0.86	ug/L	1.0	0.86	1		05/14/21 00:30	104-51-8	
n-Propylbenzene	<0.35	ug/L	1.0	0.35	1		05/14/21 00:30	103-65-1	
o-Xylene	<0.35	ug/L	1.0	0.35	1		05/14/21 00:30	95-47-6	
p-Isopropyltoluene	<1.0	ug/L	5.0	1.0	1		05/14/21 00:30	99-87-6	
sec-Butylbenzene	<0.42	ug/L	1.0	0.42	1		05/14/21 00:30	135-98-8	
tert-Butylbenzene	<0.59	ug/L	1.0	0.59	1		05/14/21 00:30	98-06-6	
trans-1,2-Dichloroethene	<0.53	ug/L	1.0	0.53	1		05/14/21 00:30	156-60-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 9640A FONG FAMILY, LLC

Pace Project No.: 40226787

Sample: G7-W **Lab ID: 40226787043** Collected: 05/11/21 10:43 Received: 05/12/21 09:05 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV									
Analytical Method: EPA 8260									
Pace Analytical Services - Green Bay									
trans-1,3-Dichloropropene	<3.5	ug/L	5.0	3.5	1		05/14/21 00:30	10061-02-6	
Surrogates									
4-Bromofluorobenzene (S)	97	%	70-130		1		05/14/21 00:30	460-00-4	
1,2-Dichlorobenzene-d4 (S)	101	%	70-130		1		05/14/21 00:30	2199-69-1	
Toluene-d8 (S)	96	%	70-130		1		05/14/21 00:30	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: 9640A FONG FAMILY, LLC
Pace Project No.: 40226787

QC Batch:	385108	Analysis Method:	EPA 6020
QC Batch Method:	EPA 3050	Analysis Description:	6020 MET
		Laboratory:	Pace Analytical Services - Green Bay

Associated Lab Samples: 40226787021, 40226787022, 40226787023, 40226787024, 40226787025, 40226787026, 40226787027, 40226787028, 40226787029, 40226787030, 40226787031, 40226787032, 40226787033, 40226787034, 40226787035, 40226787036

METHOD BLANK: 2221830 Matrix: Solid
Associated Lab Samples: 40226787021, 40226787022, 40226787023, 40226787024, 40226787025, 40226787026, 40226787027, 40226787028, 40226787029, 40226787030, 40226787031, 40226787032, 40226787033, 40226787034, 40226787035, 40226787036

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
Arsenic	mg/kg	<0.040	0.13	05/18/21 11:11	
Lead	mg/kg	<0.027	0.10	05/18/21 11:11	

LABORATORY CONTROL SAMPLE: 2221831

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Arsenic	mg/kg	50	49.6	99	80-120	
Lead	mg/kg	50	47.5	95	80-120	

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 2221832 2221833

Parameter	Units	2221832		2221833		MS Result	MSD Result	MS % Rec	MSD % Rec	% Rec Limits	RPD	Max RPD	Qual
		40226787021 Result	MS Spike Conc.	MSD Spike Conc.	MS Result								
Arsenic	mg/kg	2.1	56.3	56.6	56.0	56.9	96	97	75-125	2	20		
Lead	mg/kg	26.4	56.3	56.6	86.8	93.4	107	118	75-125	7	20		

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: 9640A FONG FAMILY, LLC
Pace Project No.: 40226787

QC Batch:	385140	Analysis Method:	EPA 6020
QC Batch Method:	EPA 3050	Analysis Description:	6020 MET
		Laboratory:	Pace Analytical Services - Green Bay

Associated Lab Samples: 40226787001, 40226787002, 40226787003, 40226787004, 40226787005, 40226787006, 40226787007, 40226787008, 40226787009, 40226787010, 40226787011, 40226787012, 40226787013, 40226787014, 40226787015, 40226787016, 40226787017, 40226787018, 40226787019, 40226787020

METHOD BLANK: 2222104 Matrix: Solid
Associated Lab Samples: 40226787001, 40226787002, 40226787003, 40226787004, 40226787005, 40226787006, 40226787007, 40226787008, 40226787009, 40226787010, 40226787011, 40226787012, 40226787013, 40226787014, 40226787015, 40226787016, 40226787017, 40226787018, 40226787019, 40226787020

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
Arsenic	mg/kg	<0.040	0.13	05/18/21 06:33	
Lead	mg/kg	<0.027	0.10	05/18/21 06:33	

LABORATORY CONTROL SAMPLE: 2222105

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Arsenic	mg/kg	50	49.0	98	80-120	
Lead	mg/kg	50	46.9	94	80-120	

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 2222106 2222107

Parameter	Units	40226787001 Result	MS Spike		MSD Spike		MS % Rec	MSD % Rec	% Rec Limits	RPD	Max RPD	Qual
			Conc.	Conc.	Result	Result						
Arsenic	mg/kg	4.6	54	53.6	52.9	52.7	90	90	75-125	1	20	
Lead	mg/kg	6.5	54	53.6	63.4	62.7	105	105	75-125	1	20	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full, without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: 9640A FONG FAMILY, LLC
Pace Project No.: 40226787

QC Batch: 385229 Analysis Method: EPA 6020
QC Batch Method: EPA 3010 Analysis Description: 6020 MET Dissolved
Laboratory: Pace Analytical Services - Green Bay
Associated Lab Samples: 40226787037, 40226787038, 40226787039, 40226787040, 40226787041, 40226787042, 40226787043

METHOD BLANK: 2222859 Matrix: Water
Associated Lab Samples: 40226787037, 40226787038, 40226787039, 40226787040, 40226787041, 40226787042, 40226787043

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
Arsenic, Dissolved	ug/L	<0.28	1.0	05/17/21 23:37	
Lead, Dissolved	ug/L	<0.24	1.0	05/17/21 23:37	

LABORATORY CONTROL SAMPLE: 2222860

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Arsenic, Dissolved	ug/L	500	492	98	80-120	
Lead, Dissolved	ug/L	500	473	95	80-120	

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 2222861 2222862

Parameter	Units	50286712010		MS		MSD		% Rec	% Rec	% Rec	Limits	RPD	Max RPD	Qual
		Result	Conc.	Spike Conc.	Spike Conc.	Result	Result							
Arsenic, Dissolved	ug/L	1.6	500	500	494	493	99	98	75-125	0	20			
Lead, Dissolved	ug/L	ND	500	500	470	480	94	96	75-125	2	20			

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: 9640A FONG FAMILY, LLC

Pace Project No.: 40226787

METHOD BLANK: 2224501

Matrix: Solid

Associated Lab Samples: 40226787002, 40226787003, 40226787004, 40226787005, 40226787006, 40226787007, 40226787008, 40226787009

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
Diisopropyl ether	ug/kg	<12.4	50.0	05/17/21 17:35	
Ethylbenzene	ug/kg	<11.9	50.0	05/17/21 17:35	
Hexachloro-1,3-butadiene	ug/kg	<99.4	250	05/17/21 17:35	
Isopropylbenzene (Cumene)	ug/kg	<13.5	50.0	05/17/21 17:35	
m&p-Xylene	ug/kg	<21.1	100	05/17/21 17:35	
Methyl-tert-butyl ether	ug/kg	<14.7	50.0	05/17/21 17:35	
Methylene Chloride	ug/kg	<13.9	50.0	05/17/21 17:35	
n-Butylbenzene	ug/kg	<22.9	50.0	05/17/21 17:35	
n-Propylbenzene	ug/kg	<12.0	50.0	05/17/21 17:35	
Naphthalene	ug/kg	<15.6	250	05/17/21 17:35	
o-Xylene	ug/kg	<15.0	50.0	05/17/21 17:35	
p-Isopropyltoluene	ug/kg	<15.2	50.0	05/17/21 17:35	
sec-Butylbenzene	ug/kg	<12.2	50.0	05/17/21 17:35	
Styrene	ug/kg	<12.8	50.0	05/17/21 17:35	
tert-Butylbenzene	ug/kg	<15.7	50.0	05/17/21 17:35	
Tetrachloroethene	ug/kg	<19.4	50.0	05/17/21 17:35	
Toluene	ug/kg	<12.6	50.0	05/17/21 17:35	
trans-1,2-Dichloroethene	ug/kg	<10.8	50.0	05/17/21 17:35	
trans-1,3-Dichloropropene	ug/kg	<143	250	05/17/21 17:35	
Trichloroethene	ug/kg	<18.7	50.0	05/17/21 17:35	
Trichlorofluoromethane	ug/kg	<14.5	50.0	05/17/21 17:35	
Vinyl chloride	ug/kg	<10.1	50.0	05/17/21 17:35	
1,2-Dichlorobenzene-d4 (S)	%	106	82-158	05/17/21 17:35	
4-Bromofluorobenzene (S)	%	89	66-153	05/17/21 17:35	
Toluene-d8 (S)	%	99	67-159	05/17/21 17:35	

LABORATORY CONTROL SAMPLE: 2224502

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
1,1,1-Trichloroethane	ug/kg	2500	2630	105	70-130	
1,1,1,2-Tetrachloroethane	ug/kg	2500	2230	89	65-129	
1,1,2-Trichloroethane	ug/kg	2500	2580	103	70-130	
1,1-Dichloroethane	ug/kg	2500	2920	117	70-130	
1,1-Dichloroethene	ug/kg	2500	2330	93	67-120	
1,2,4-Trichlorobenzene	ug/kg	2500	2370	95	64-130	
1,2-Dibromo-3-chloropropane	ug/kg	2500	2200	88	57-119	
1,2-Dibromoethane (EDB)	ug/kg	2500	2410	96	70-130	
1,2-Dichlorobenzene	ug/kg	2500	2470	99	70-130	
1,2-Dichloroethane	ug/kg	2500	2750	110	70-130	
1,2-Dichloropropane	ug/kg	2500	2530	101	72-118	
1,3-Dichlorobenzene	ug/kg	2500	2440	97	70-130	
1,4-Dichlorobenzene	ug/kg	2500	2270	91	70-130	
Benzene	ug/kg	2500	2440	98	70-130	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: 9640A FONG FAMILY, LLC

Pace Project No.: 40226787

LABORATORY CONTROL SAMPLE: 2224502

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Bromodichloromethane	ug/kg	2500	2460	98	70-130	
Bromoform	ug/kg	2500	3350	134	66-130	L1
Bromomethane	ug/kg	2500	1580	63	13-153	
Carbon tetrachloride	ug/kg	2500	2630	105	73-134	
Chlorobenzene	ug/kg	2500	2510	101	70-130	
Chloroethane	ug/kg	2500	1910	76	19-170	
Chloroform	ug/kg	2500	2600	104	79-120	
Chloromethane	ug/kg	2500	2720	109	45-117	
cis-1,2-Dichloroethene	ug/kg	2500	2490	100	70-130	
cis-1,3-Dichloropropene	ug/kg	2500	2490	100	68-130	
Dibromochloromethane	ug/kg	2500	2350	94	70-130	
Dichlorodifluoromethane	ug/kg	2500	2880	115	15-135	
Ethylbenzene	ug/kg	2500	2470	99	78-120	
Isopropylbenzene (Cumene)	ug/kg	2500	2320	93	70-130	
m&p-Xylene	ug/kg	5000	4480	90	70-130	
Methyl-tert-butyl ether	ug/kg	2500	2360	95	65-130	
Methylene Chloride	ug/kg	2500	2510	100	70-130	
o-Xylene	ug/kg	2500	2310	92	70-130	
Styrene	ug/kg	2500	2480	99	70-130	
Tetrachloroethene	ug/kg	2500	2650	106	70-130	
Toluene	ug/kg	2500	2450	98	76-120	
trans-1,2-Dichloroethene	ug/kg	2500	2710	108	70-130	
trans-1,3-Dichloropropene	ug/kg	2500	2570	103	70-130	
Trichloroethene	ug/kg	2500	2480	99	70-130	
Trichlorofluoromethane	ug/kg	2500	2130	85	49-153	
Vinyl chloride	ug/kg	2500	2460	99	58-121	
1,2-Dichlorobenzene-d4 (S)	%			103	82-158	
4-Bromofluorobenzene (S)	%			95	66-153	
Toluene-d8 (S)	%			106	67-159	

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 2224513 2224514

Parameter	Units	MS		MSD		MS Result	MSD Result	MS % Rec	MSD % Rec	% Rec Limits	RPD	Max RPD	Qual
		40226676011 Result	Spike Conc.	Spike Conc.	Conc.								
1,1,1-Trichloroethane	ug/kg	<17.2	1350	1350	1270	1340	95	100	70-130	6	20		
1,1,2,2-Tetrachloroethane	ug/kg	<24.3	1350	1350	1340	1310	100	98	65-129	2	20		
1,1,2-Trichloroethane	ug/kg	<24.4	1350	1350	1380	1430	103	106	70-130	3	20		
1,1-Dichloroethane	ug/kg	<17.2	1350	1350	1500	1520	112	114	70-130	1	20		
1,1-Dichloroethene	ug/kg	<22.3	1350	1350	1150	1180	86	88	64-120	3	20		
1,2,4-Trichlorobenzene	ug/kg	<55.3	1350	1350	1680	1490	125	111	64-130	12	20		
1,2-Dibromo-3-chloropropane	ug/kg	<52.1	1350	1350	1460	1450	109	108	57-130	1	21		
1,2-Dibromoethane (EDB)	ug/kg	<18.4	1350	1350	1250	1360	93	101	70-130	8	20		
1,2-Dichlorobenzene	ug/kg	<20.8	1350	1350	1460	1430	109	107	70-130	2	20		
1,2-Dichloroethane	ug/kg	<15.4	1350	1350	1450	1530	108	114	70-130	5	20		

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: 9640A FONG FAMILY, LLC
Pace Project No.: 40226787

Parameter	Units	2224513		2224514		MS Result	MSD Result	MS % Rec	MSD % Rec	% Rec Limits	Max RPD	RPD	Qual
		40226676011 Result	MS Spike Conc.	MSD Spike Conc.	MS Result								
1,2-Dichloropropane	ug/kg	<16.0	1350	1350	1290	1380	96	103	72-122	6	20		
1,3-Dichlorobenzene	ug/kg	<18.4	1350	1350	1440	1380	107	103	70-130	4	20		
1,4-Dichlorobenzene	ug/kg	<18.4	1350	1350	1410	1350	105	101	70-130	4	20		
Benzene	ug/kg	<16.0	1350	1350	1260	1320	94	98	70-130	4	20		
Bromodichloromethane	ug/kg	<16.0	1350	1350	1350	1360	101	102	70-130	1	20		
Bromoform	ug/kg	<295	1350	1350	1750	1770	130	132	66-130	1	20	M0	
Bromomethane	ug/kg	<94.0	1350	1350	980	982	73	73	13-153	0	20		
Carbon tetrachloride	ug/kg	<14.8	1350	1350	1080	1250	80	93	67-134	15	20		
Chlorobenzene	ug/kg	<8.0	1350	1350	1340	1370	100	102	70-130	2	20		
Chloroethane	ug/kg	<28.3	1350	1350	1210	1250	90	93	11-195	3	20		
Chloroform	ug/kg	<48.0	1350	1350	1360	1390	102	103	79-120	2	20		
Chloromethane	ug/kg	<25.5	1350	1350	1450	1510	108	113	30-136	4	20		
cis-1,2-Dichloroethene	ug/kg	<14.4	1350	1350	1310	1400	97	104	70-130	7	20		
cis-1,3-Dichloropropene	ug/kg	<44.3	1350	1350	1300	1280	97	95	68-130	2	20		
Dibromochloromethane	ug/kg	<229	1350	1350	1270	1330	95	99	70-130	4	20		
Dichlorodifluoromethane	ug/kg	<28.8	1350	1350	1140	1710	85	127	10-158	40	25	R1	
Ethylbenzene	ug/kg	<16.0	1350	1350	1270	1360	95	101	78-120	6	20		
Isopropylbenzene (Cumene)	ug/kg	<18.1	1350	1350	1230	1290	92	96	70-130	5	20		
m&p-Xylene	ug/kg	<28.3	2680	2680	2370	2400	88	89	70-130	1	20		
Methyl-tert-butyl ether	ug/kg	<19.7	1350	1350	1320	1420	99	105	65-130	7	20		
Methylene Chloride	ug/kg	<18.6	1350	1350	1340	1330	100	99	70-130	1	20		
o-Xylene	ug/kg	<20.1	1350	1350	1210	1240	90	92	70-130	2	20		
Styrene	ug/kg	<17.2	1350	1350	1290	1320	96	98	70-130	2	20		
Tetrachloroethene	ug/kg	<26.0	1350	1350	1190	1370	88	102	70-130	14	20		
Toluene	ug/kg	<16.9	1350	1350	1210	1340	90	100	76-120	10	20		
trans-1,2-Dichloroethene	ug/kg	<14.5	1350	1350	1280	1340	96	100	70-130	5	20		
trans-1,3-Dichloropropene	ug/kg	<192	1350	1350	1400	1420	104	106	70-130	2	20		
Trichloroethene	ug/kg	<25.1	1350	1350	1240	1250	92	93	70-130	1	20		
Trichlorofluoromethane	ug/kg	<19.5	1350	1350	915	1040	68	78	42-159	13	21		
Vinyl chloride	ug/kg	<13.5	1350	1350	1070	1310	80	98	43-137	20	20		
1,2-Dichlorobenzene-d4 (S)	%						112	95	82-158				
4-Bromofluorobenzene (S)	%						102	89	66-153				
Toluene-d8 (S)	%						108	100	67-159				

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: 9640A FONG FAMILY, LLC
Pace Project No.: 40226787

QC Batch:	385581	Analysis Method:	EPA 8260
QC Batch Method:	EPA 5035/5030B	Analysis Description:	8260 MSV Med Level Normal List
		Laboratory:	Pace Analytical Services - Green Bay

Associated Lab Samples: 40226787010, 40226787011, 40226787012, 40226787013, 40226787014, 40226787015, 40226787016, 40226787017, 40226787018, 40226787019, 40226787020, 40226787021, 40226787022, 40226787023

METHOD BLANK: 2225013 Matrix: Solid
Associated Lab Samples: 40226787010, 40226787011, 40226787012, 40226787013, 40226787014, 40226787015, 40226787016, 40226787017, 40226787018, 40226787019, 40226787020, 40226787021, 40226787022, 40226787023

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
1,1,1,2-Tetrachloroethane	ug/kg	<12.0	50.0	05/18/21 08:20	
1,1,1-Trichloroethane	ug/kg	<12.8	50.0	05/18/21 08:20	
1,1,2,2-Tetrachloroethane	ug/kg	<18.1	50.0	05/18/21 08:20	
1,1,2-Trichloroethane	ug/kg	<18.2	50.0	05/18/21 08:20	
1,1-Dichloroethane	ug/kg	<12.8	50.0	05/18/21 08:20	
1,1-Dichloroethene	ug/kg	<16.6	50.0	05/18/21 08:20	
1,1-Dichloropropene	ug/kg	<16.2	50.0	05/18/21 08:20	
1,2,3-Trichlorobenzene	ug/kg	<55.7	250	05/18/21 08:20	
1,2,3-Trichloropropane	ug/kg	<24.3	50.0	05/18/21 08:20	
1,2,4-Trichlorobenzene	ug/kg	<41.2	250	05/18/21 08:20	
1,2,4-Trimethylbenzene	ug/kg	<14.9	50.0	05/18/21 08:20	
1,2-Dibromo-3-chloropropane	ug/kg	<38.8	250	05/18/21 08:20	
1,2-Dibromoethane (EDB)	ug/kg	<13.7	50.0	05/18/21 08:20	
1,2-Dichlorobenzene	ug/kg	<15.5	50.0	05/18/21 08:20	
1,2-Dichloroethane	ug/kg	<11.5	50.0	05/18/21 08:20	
1,2-Dichloropropane	ug/kg	<11.9	50.0	05/18/21 08:20	
1,3,5-Trimethylbenzene	ug/kg	<16.1	50.0	05/18/21 08:20	
1,3-Dichlorobenzene	ug/kg	<13.7	50.0	05/18/21 08:20	
1,3-Dichloropropane	ug/kg	<10.9	50.0	05/18/21 08:20	
1,4-Dichlorobenzene	ug/kg	<13.7	50.0	05/18/21 08:20	
2,2-Dichloropropane	ug/kg	<13.5	50.0	05/18/21 08:20	
2-Chlorotoluene	ug/kg	<16.2	50.0	05/18/21 08:20	
4-Chlorotoluene	ug/kg	<19.0	50.0	05/18/21 08:20	
Benzene	ug/kg	<11.9	20.0	05/18/21 08:20	
Bromobenzene	ug/kg	<19.5	50.0	05/18/21 08:20	
Bromochloromethane	ug/kg	<13.7	50.0	05/18/21 08:20	
Bromodichloromethane	ug/kg	<11.9	50.0	05/18/21 08:20	
Bromoform	ug/kg	<220	250	05/18/21 08:20	
Bromomethane	ug/kg	<70.1	250	05/18/21 08:20	
Carbon tetrachloride	ug/kg	<11.0	50.0	05/18/21 08:20	
Chlorobenzene	ug/kg	<6.0	50.0	05/18/21 08:20	
Chloroethane	ug/kg	<21.1	250	05/18/21 08:20	
Chloroform	ug/kg	<35.8	250	05/18/21 08:20	
Chloromethane	ug/kg	<19.0	50.0	05/18/21 08:20	
cis-1,2-Dichloroethene	ug/kg	<10.7	50.0	05/18/21 08:20	
cis-1,3-Dichloropropene	ug/kg	<33.0	250	05/18/21 08:20	
Dibromochloromethane	ug/kg	<171	250	05/18/21 08:20	
Dibromomethane	ug/kg	<14.8	50.0	05/18/21 08:20	
Dichlorodifluoromethane	ug/kg	<21.5	50.0	05/18/21 08:20	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: 9640A FONG FAMILY, LLC

Pace Project No.: 40226787

METHOD BLANK: 2225013

Matrix: Solid

Associated Lab Samples: 40226787010, 40226787011, 40226787012, 40226787013, 40226787014, 40226787015, 40226787016, 40226787017, 40226787018, 40226787019, 40226787020, 40226787021, 40226787022, 40226787023

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
Diisopropyl ether	ug/kg	<12.4	50.0	05/18/21 08:20	
Ethylbenzene	ug/kg	<11.9	50.0	05/18/21 08:20	
Hexachloro-1,3-butadiene	ug/kg	<99.4	250	05/18/21 08:20	
Isopropylbenzene (Cumene)	ug/kg	<13.5	50.0	05/18/21 08:20	
m&p-Xylene	ug/kg	<21.1	100	05/18/21 08:20	
Methyl-tert-butyl ether	ug/kg	<14.7	50.0	05/18/21 08:20	
Methylene Chloride	ug/kg	<13.9	50.0	05/18/21 08:20	
n-Butylbenzene	ug/kg	<22.9	50.0	05/18/21 08:20	
n-Propylbenzene	ug/kg	<12.0	50.0	05/18/21 08:20	
Naphthalene	ug/kg	<15.6	250	05/18/21 08:20	
o-Xylene	ug/kg	<15.0	50.0	05/18/21 08:20	
p-Isopropyltoluene	ug/kg	<15.2	50.0	05/18/21 08:20	
sec-Butylbenzene	ug/kg	<12.2	50.0	05/18/21 08:20	
Styrene	ug/kg	<12.8	50.0	05/18/21 08:20	
tert-Butylbenzene	ug/kg	<15.7	50.0	05/18/21 08:20	
Tetrachloroethene	ug/kg	<19.4	50.0	05/18/21 08:20	
Toluene	ug/kg	<12.6	50.0	05/18/21 08:20	
trans-1,2-Dichloroethene	ug/kg	<10.8	50.0	05/18/21 08:20	
trans-1,3-Dichloropropene	ug/kg	<143	250	05/18/21 08:20	
Trichloroethene	ug/kg	<18.7	50.0	05/18/21 08:20	
Trichlorofluoromethane	ug/kg	<14.5	50.0	05/18/21 08:20	
Vinyl chloride	ug/kg	<10.1	50.0	05/18/21 08:20	
1,2-Dichlorobenzene-d4 (S)	%	100	82-158	05/18/21 08:20	
4-Bromofluorobenzene (S)	%	89	66-153	05/18/21 08:20	
Toluene-d8 (S)	%	100	67-159	05/18/21 08:20	

LABORATORY CONTROL SAMPLE: 2225014

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
1,1,1-Trichloroethane	ug/kg	2500	2760	111	70-130	
1,1,1,2-Tetrachloroethane	ug/kg	2500	2720	109	65-129	
1,1,2-Trichloroethane	ug/kg	2500	2830	113	70-130	
1,1-Dichloroethane	ug/kg	2500	3030	121	70-130	
1,1-Dichloroethene	ug/kg	2500	2640	106	67-120	
1,2,4-Trichlorobenzene	ug/kg	2500	2710	108	64-130	
1,2-Dibromo-3-chloropropane	ug/kg	2500	2880	115	57-119	
1,2-Dibromoethane (EDB)	ug/kg	2500	2690	108	70-130	
1,2-Dichlorobenzene	ug/kg	2500	2690	108	70-130	
1,2-Dichloroethane	ug/kg	2500	3080	123	70-130	
1,2-Dichloropropane	ug/kg	2500	2720	109	72-118	
1,3-Dichlorobenzene	ug/kg	2500	2520	101	70-130	
1,4-Dichlorobenzene	ug/kg	2500	2530	101	70-130	
Benzene	ug/kg	2500	2540	102	70-130	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: 9640A FONG FAMILY, LLC
Pace Project No.: 40226787

LABORATORY CONTROL SAMPLE: 2225014

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Bromodichloromethane	ug/kg	2500	2680	107	70-130	
Bromoform	ug/kg	2500	3770	151	66-130	L1
Bromomethane	ug/kg	2500	1790	71	13-153	
Carbon tetrachloride	ug/kg	2500	2750	110	73-134	
Chlorobenzene	ug/kg	2500	2710	108	70-130	
Chloroethane	ug/kg	2500	1760	70	19-170	
Chloroform	ug/kg	2500	2880	115	79-120	
Chloromethane	ug/kg	2500	2770	111	45-117	
cis-1,2-Dichloroethene	ug/kg	2500	2640	106	70-130	
cis-1,3-Dichloropropene	ug/kg	2500	2710	108	68-130	
Dibromochloromethane	ug/kg	2500	2690	108	70-130	
Dichlorodifluoromethane	ug/kg	2500	3000	120	15-135	
Ethylbenzene	ug/kg	2500	2570	103	78-120	
Isopropylbenzene (Cumene)	ug/kg	2500	2370	95	70-130	
m&p-Xylene	ug/kg	5000	4630	93	70-130	
Methyl-tert-butyl ether	ug/kg	2500	2840	114	65-130	
Methylene Chloride	ug/kg	2500	2580	103	70-130	
o-Xylene	ug/kg	2500	2290	91	70-130	
Styrene	ug/kg	2500	2560	102	70-130	
Tetrachloroethene	ug/kg	2500	2760	111	70-130	
Toluene	ug/kg	2500	2580	103	76-120	
trans-1,2-Dichloroethene	ug/kg	2500	2760	110	70-130	
trans-1,3-Dichloropropene	ug/kg	2500	2760	110	70-130	
Trichloroethene	ug/kg	2500	2620	105	70-130	
Trichlorofluoromethane	ug/kg	2500	2260	90	49-153	
Vinyl chloride	ug/kg	2500	2440	98	58-121	
1,2-Dichlorobenzene-d4 (S)	%			102	82-158	
4-Bromofluorobenzene (S)	%			95	66-153	
Toluene-d8 (S)	%			103	67-159	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: 9640A FONG FAMILY, LLC
Pace Project No.: 40226787

QC Batch: 385591 Analysis Method: EPA 8260
QC Batch Method: EPA 5035/5030B Analysis Description: 8260 MSV Med Level Normal List
Laboratory: Pace Analytical Services - Green Bay

Associated Lab Samples: 40226787001, 40226787024, 40226787025, 40226787026, 40226787027, 40226787028, 40226787029, 40226787030, 40226787031, 40226787032, 40226787033, 40226787034, 40226787035, 40226787036

METHOD BLANK: 2225081 Matrix: Solid
Associated Lab Samples: 40226787001, 40226787024, 40226787025, 40226787026, 40226787027, 40226787028, 40226787029, 40226787030, 40226787031, 40226787032, 40226787033, 40226787034, 40226787035, 40226787036

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
1,1,1,2-Tetrachloroethane	ug/kg	<12.0	50.0	05/19/21 11:09	
1,1,1-Trichloroethane	ug/kg	<12.8	50.0	05/19/21 11:09	
1,1,2,2-Tetrachloroethane	ug/kg	<18.1	50.0	05/19/21 11:09	
1,1,2-Trichloroethane	ug/kg	<18.2	50.0	05/19/21 11:09	
1,1-Dichloroethane	ug/kg	<12.8	50.0	05/19/21 11:09	
1,1-Dichloroethene	ug/kg	<16.6	50.0	05/19/21 11:09	
1,1-Dichloropropene	ug/kg	<16.2	50.0	05/19/21 11:09	
1,2,3-Trichlorobenzene	ug/kg	<55.7	250	05/19/21 11:09	
1,2,3-Trichloropropane	ug/kg	<24.3	50.0	05/19/21 11:09	
1,2,4-Trichlorobenzene	ug/kg	<41.2	250	05/19/21 11:09	
1,2,4-Trimethylbenzene	ug/kg	<14.9	50.0	05/19/21 11:09	
1,2-Dibromo-3-chloropropane	ug/kg	<38.8	250	05/19/21 11:09	
1,2-Dibromoethane (EDB)	ug/kg	<13.7	50.0	05/19/21 11:09	
1,2-Dichlorobenzene	ug/kg	<15.5	50.0	05/19/21 11:09	
1,2-Dichloroethane	ug/kg	<11.5	50.0	05/19/21 11:09	
1,2-Dichloropropane	ug/kg	<11.9	50.0	05/19/21 11:09	
1,3,5-Trimethylbenzene	ug/kg	<16.1	50.0	05/19/21 11:09	
1,3-Dichlorobenzene	ug/kg	<13.7	50.0	05/19/21 11:09	
1,3-Dichloropropane	ug/kg	<10.9	50.0	05/19/21 11:09	
1,4-Dichlorobenzene	ug/kg	<13.7	50.0	05/19/21 11:09	
2,2-Dichloropropane	ug/kg	<13.5	50.0	05/19/21 11:09	
2-Chlorotoluene	ug/kg	<16.2	50.0	05/19/21 11:09	
4-Chlorotoluene	ug/kg	<19.0	50.0	05/19/21 11:09	
Benzene	ug/kg	<11.9	20.0	05/19/21 11:09	
Bromobenzene	ug/kg	<19.5	50.0	05/19/21 11:09	
Bromochloromethane	ug/kg	<13.7	50.0	05/19/21 11:09	
Bromodichloromethane	ug/kg	<11.9	50.0	05/19/21 11:09	
Bromoform	ug/kg	<220	250	05/19/21 11:09	
Bromomethane	ug/kg	<70.1	250	05/19/21 11:09	
Carbon tetrachloride	ug/kg	<11.0	50.0	05/19/21 11:09	
Chlorobenzene	ug/kg	<6.0	50.0	05/19/21 11:09	
Chloroethane	ug/kg	<21.1	250	05/19/21 11:09	
Chloroform	ug/kg	<35.8	250	05/19/21 11:09	
Chloromethane	ug/kg	<19.0	50.0	05/19/21 11:09	
cis-1,2-Dichloroethene	ug/kg	<10.7	50.0	05/19/21 11:09	
cis-1,3-Dichloropropene	ug/kg	<33.0	250	05/19/21 11:09	
Dibromochloromethane	ug/kg	<171	250	05/19/21 11:09	
Dibromomethane	ug/kg	<14.8	50.0	05/19/21 11:09	
Dichlorodifluoromethane	ug/kg	<21.5	50.0	05/19/21 11:09	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: 9640A FONG FAMILY, LLC

Pace Project No.: 40226787

METHOD BLANK: 2225081

Matrix: Solid

Associated Lab Samples: 40226787001, 40226787024, 40226787025, 40226787026, 40226787027, 40226787028, 40226787029, 40226787030, 40226787031, 40226787032, 40226787033, 40226787034, 40226787035, 40226787036

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
Diisopropyl ether	ug/kg	<12.4	50.0	05/19/21 11:09	
Ethylbenzene	ug/kg	<11.9	50.0	05/19/21 11:09	
Hexachloro-1,3-butadiene	ug/kg	<99.4	250	05/19/21 11:09	
Isopropylbenzene (Cumene)	ug/kg	<13.5	50.0	05/19/21 11:09	
m&p-Xylene	ug/kg	<21.1	100	05/19/21 11:09	
Methyl-tert-butyl ether	ug/kg	<14.7	50.0	05/19/21 11:09	
Methylene Chloride	ug/kg	<13.9	50.0	05/19/21 11:09	
n-Butylbenzene	ug/kg	<22.9	50.0	05/19/21 11:09	
n-Propylbenzene	ug/kg	<12.0	50.0	05/19/21 11:09	
Naphthalene	ug/kg	<15.6	250	05/19/21 11:09	
o-Xylene	ug/kg	<15.0	50.0	05/19/21 11:09	
p-Isopropyltoluene	ug/kg	<15.2	50.0	05/19/21 11:09	
sec-Butylbenzene	ug/kg	<12.2	50.0	05/19/21 11:09	
Styrene	ug/kg	<12.8	50.0	05/19/21 11:09	
tert-Butylbenzene	ug/kg	<15.7	50.0	05/19/21 11:09	
Tetrachloroethene	ug/kg	<19.4	50.0	05/19/21 11:09	
Toluene	ug/kg	<12.6	50.0	05/19/21 11:09	
trans-1,2-Dichloroethene	ug/kg	<10.8	50.0	05/19/21 11:09	
trans-1,3-Dichloropropene	ug/kg	<143	250	05/19/21 11:09	
Trichloroethene	ug/kg	<18.7	50.0	05/19/21 11:09	
Trichlorofluoromethane	ug/kg	<14.5	50.0	05/19/21 11:09	
Vinyl chloride	ug/kg	<10.1	50.0	05/19/21 11:09	
1,2-Dichlorobenzene-d4 (S)	%	103	82-158	05/19/21 11:09	
4-Bromofluorobenzene (S)	%	90	66-153	05/19/21 11:09	
Toluene-d8 (S)	%	97	67-159	05/19/21 11:09	

LABORATORY CONTROL SAMPLE: 2225082

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
1,1,1-Trichloroethane	ug/kg	2500	2490	100	70-130	
1,1,1,2-Tetrachloroethane	ug/kg	2500	2970	119	65-129	
1,1,2-Trichloroethane	ug/kg	2500	2530	101	70-130	
1,1-Dichloroethane	ug/kg	2500	2560	102	70-130	
1,1-Dichloroethene	ug/kg	2500	2460	99	67-120	
1,2,4-Trichlorobenzene	ug/kg	2500	2260	90	64-130	
1,2-Dibromo-3-chloropropane	ug/kg	2500	2600	104	57-119	
1,2-Dibromoethane (EDB)	ug/kg	2500	2690	108	70-130	
1,2-Dichlorobenzene	ug/kg	2500	2810	113	70-130	
1,2-Dichloroethane	ug/kg	2500	2420	97	70-130	
1,2-Dichloropropane	ug/kg	2500	2430	97	72-118	
1,3-Dichlorobenzene	ug/kg	2500	2640	106	70-130	
1,4-Dichlorobenzene	ug/kg	2500	2660	106	70-130	
Benzene	ug/kg	2500	2310	93	70-130	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: 9640A FONG FAMILY, LLC
Pace Project No.: 40226787

LABORATORY CONTROL SAMPLE: 2225082

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Bromodichloromethane	ug/kg	2500	2440	98	70-130	
Bromoform	ug/kg	2500	2890	116	66-130	
Bromomethane	ug/kg	2500	2470	99	13-153	
Carbon tetrachloride	ug/kg	2500	2530	101	73-134	
Chlorobenzene	ug/kg	2500	2420	97	70-130	
Chloroethane	ug/kg	2500	2240	90	19-170	
Chloroform	ug/kg	2500	2500	100	79-120	
Chloromethane	ug/kg	2500	2230	89	45-117	
cis-1,2-Dichloroethene	ug/kg	2500	2540	101	70-130	
cis-1,3-Dichloropropene	ug/kg	2500	2310	92	68-130	
Dibromochloromethane	ug/kg	2500	2600	104	70-130	
Dichlorodifluoromethane	ug/kg	2500	2520	101	15-135	
Ethylbenzene	ug/kg	2500	2290	91	78-120	
Isopropylbenzene (Cumene)	ug/kg	2500	2300	92	70-130	
m&p-Xylene	ug/kg	5000	4520	90	70-130	
Methyl-tert-butyl ether	ug/kg	2500	2430	97	65-130	
Methylene Chloride	ug/kg	2500	2430	97	70-130	
o-Xylene	ug/kg	2500	2240	89	70-130	
Styrene	ug/kg	2500	2490	99	70-130	
Tetrachloroethene	ug/kg	2500	2160	86	70-130	
Toluene	ug/kg	2500	2280	91	76-120	
trans-1,2-Dichloroethene	ug/kg	2500	2640	106	70-130	
trans-1,3-Dichloropropene	ug/kg	2500	2360	94	70-130	
Trichloroethene	ug/kg	2500	2380	95	70-130	
Trichlorofluoromethane	ug/kg	2500	2040	82	49-153	
Vinyl chloride	ug/kg	2500	2090	84	58-121	
1,2-Dichlorobenzene-d4 (S)	%			103	82-158	
4-Bromofluorobenzene (S)	%			91	66-153	
Toluene-d8 (S)	%			97	67-159	

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 2225083 2225084

Parameter	Units	MS		MSD		MS Result	MSD Result	MS % Rec	MSD % Rec	% Rec Limits	RPD	Max RPD	Qual
		40226787031 Result	Spike Conc.	MSD Spike Conc.	MSD Result								
1,1,1-Trichloroethane	ug/kg	<14.9	1160	1160	1030	985	89	85	70-130	4	20		
1,1,2,2-Tetrachloroethane	ug/kg	<21.0	1160	1160	1330	1270	114	110	65-129	4	20		
1,1,2-Trichloroethane	ug/kg	<21.1	1160	1160	1190	1140	103	98	70-130	4	20		
1,1-Dichloroethane	ug/kg	<14.9	1160	1160	1180	1130	102	97	70-130	5	20		
1,1-Dichloroethene	ug/kg	<19.3	1160	1160	1020	991	88	85	64-120	3	20		
1,2,4-Trichlorobenzene	ug/kg	<47.8	1160	1160	1180	1060	102	92	64-130	10	20		
1,2-Dibromo-3-chloropropane	ug/kg	<45.0	1160	1160	1220	1240	105	107	57-130	1	21		
1,2-Dibromoethane (EDB)	ug/kg	<15.9	1160	1160	1250	1150	108	99	70-130	8	20		
1,2-Dichlorobenzene	ug/kg	<18.0	1160	1160	1370	1320	118	113	70-130	4	20		
1,2-Dichloroethane	ug/kg	<13.3	1160	1160	1130	1050	98	90	70-130	8	20		

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: 9640A FONG FAMILY, LLC

Pace Project No.: 40226787

Parameter	Units	MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 2225083		2225084		MS Result	MSD Result	MS % Rec	MSD % Rec	% Rec Limits	Max RPD	RPD	Qual
		40226787031 Result	MS Spike Conc.	MSD Spike Conc.									
1,2-Dichloropropane	ug/kg	<13.8	1160	1160	1150	1090	99	94	72-122	6	20		
1,3-Dichlorobenzene	ug/kg	<15.9	1160	1160	1250	1180	107	101	70-130	6	20		
1,4-Dichlorobenzene	ug/kg	<15.9	1160	1160	1270	1210	109	104	70-130	5	20		
Benzene	ug/kg	<13.8	1160	1160	1090	1030	94	89	70-130	5	20		
Bromodichloromethane	ug/kg	<13.8	1160	1160	1120	1070	96	92	70-130	4	20		
Bromoform	ug/kg	<255	1160	1160	1300	1180	112	102	66-130	10	20		
Bromomethane	ug/kg	<81.4	1160	1160	1320	1180	113	102	13-153	11	20		
Carbon tetrachloride	ug/kg	<12.8	1160	1160	1050	973	91	84	67-134	8	20		
Chlorobenzene	ug/kg	<7.0	1160	1160	1140	1030	98	89	70-130	10	20		
Chloroethane	ug/kg	<24.5	1160	1160	1150	1120	99	96	11-195	3	20		
Chloroform	ug/kg	<41.6	1160	1160	1180	1110	101	96	79-120	6	20		
Chloromethane	ug/kg	<22.1	1160	1160	1050	993	91	86	30-136	6	20		
cis-1,2-Dichloroethene	ug/kg	<12.4	1160	1160	1210	1090	104	94	70-130	10	20		
cis-1,3-Dichloropropene	ug/kg	<38.3	1160	1160	1070	1040	92	90	68-130	2	20		
Dibromochloromethane	ug/kg	<198	1160	1160	1150	1150	99	99	70-130	0	20		
Dichlorodifluoromethane	ug/kg	<25.0	1160	1160	1230	1080	106	93	10-158	12	25		
Ethylbenzene	ug/kg	<13.8	1160	1160	1060	957	91	82	78-120	10	20		
Isopropylbenzene (Cumene)	ug/kg	<15.7	1160	1160	1050	959	91	83	70-130	9	20		
m&p-Xylene	ug/kg	<24.5	2320	2320	2110	1920	91	83	70-130	10	20		
Methyl-tert-butyl ether	ug/kg	<17.1	1160	1160	1190	1110	103	95	65-130	8	20		
Methylene Chloride	ug/kg	95.8	1160	1160	1240	1180	98	93	70-130	5	20		
o-Xylene	ug/kg	<17.4	1160	1160	1080	979	93	84	70-130	10	20		
Styrene	ug/kg	<14.9	1160	1160	1110	1060	96	92	70-130	5	20		
Tetrachloroethene	ug/kg	<22.5	1160	1160	1000	920	86	79	70-130	8	20		
Toluene	ug/kg	<14.6	1160	1160	1080	995	93	86	76-120	9	20		
trans-1,2-Dichloroethene	ug/kg	<12.5	1160	1160	1170	1170	101	101	70-130	0	20		
trans-1,3-Dichloropropene	ug/kg	<166	1160	1160	1100	1030	94	89	70-130	6	20		
Trichloroethene	ug/kg	<21.7	1160	1160	1090	1030	94	89	70-130	5	20		
Trichlorofluoromethane	ug/kg	<16.8	1160	1160	933	820	80	71	42-159	13	21		
Vinyl chloride	ug/kg	<11.7	1160	1160	955	871	82	75	43-137	9	20		
1,2-Dichlorobenzene-d4 (S)	%						107	98	82-158				
4-Bromofluorobenzene (S)	%						95	88	66-153				
Toluene-d8 (S)	%						103	93	67-159				

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: 9640A FONG FAMILY, LLC
Pace Project No.: 40226787

QC Batch: 385101 Analysis Method: EPA 8260
QC Batch Method: EPA 8260 Analysis Description: 8260 MSV
Laboratory: Pace Analytical Services - Green Bay

Associated Lab Samples: 40226787037, 40226787038, 40226787039, 40226787040, 40226787041, 40226787042, 40226787043

METHOD BLANK: 2221811 Matrix: Water
Associated Lab Samples: 40226787037, 40226787038, 40226787039, 40226787040, 40226787041, 40226787042, 40226787043

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
1,1,1,2-Tetrachloroethane	ug/L	<0.36	1.0	05/13/21 16:43	
1,1,1-Trichloroethane	ug/L	<0.30	1.0	05/13/21 16:43	
1,1,2,2-Tetrachloroethane	ug/L	<0.38	1.0	05/13/21 16:43	
1,1,2-Trichloroethane	ug/L	<0.34	5.0	05/13/21 16:43	
1,1-Dichloroethane	ug/L	<0.30	1.0	05/13/21 16:43	
1,1-Dichloroethene	ug/L	<0.58	1.0	05/13/21 16:43	
1,1-Dichloropropene	ug/L	<0.41	1.0	05/13/21 16:43	
1,2,3-Trichlorobenzene	ug/L	<1.0	5.0	05/13/21 16:43	
1,2,3-Trichloropropane	ug/L	<0.56	5.0	05/13/21 16:43	
1,2,4-Trichlorobenzene	ug/L	<0.95	5.0	05/13/21 16:43	
1,2,4-Trimethylbenzene	ug/L	<0.45	1.0	05/13/21 16:43	
1,2-Dibromo-3-chloropropane	ug/L	<2.4	5.0	05/13/21 16:43	
1,2-Dibromoethane (EDB)	ug/L	<0.31	1.0	05/13/21 16:43	
1,2-Dichlorobenzene	ug/L	<0.33	1.0	05/13/21 16:43	
1,2-Dichloroethane	ug/L	<0.29	1.0	05/13/21 16:43	
1,2-Dichloropropane	ug/L	<0.45	1.0	05/13/21 16:43	
1,3,5-Trimethylbenzene	ug/L	<0.36	1.0	05/13/21 16:43	
1,3-Dichlorobenzene	ug/L	<0.35	1.0	05/13/21 16:43	
1,3-Dichloropropane	ug/L	<0.30	1.0	05/13/21 16:43	
1,4-Dichlorobenzene	ug/L	<0.89	1.0	05/13/21 16:43	
2,2-Dichloropropane	ug/L	<4.2	5.0	05/13/21 16:43	
2-Chlorotoluene	ug/L	<0.89	5.0	05/13/21 16:43	
4-Chlorotoluene	ug/L	<0.89	5.0	05/13/21 16:43	
Benzene	ug/L	<0.30	1.0	05/13/21 16:43	
Bromobenzene	ug/L	<0.36	1.0	05/13/21 16:43	
Bromochloromethane	ug/L	<0.36	5.0	05/13/21 16:43	
Bromodichloromethane	ug/L	<0.42	1.0	05/13/21 16:43	
Bromoform	ug/L	<3.8	5.0	05/13/21 16:43	
Bromomethane	ug/L	<1.2	5.0	05/13/21 16:43	
Carbon tetrachloride	ug/L	<0.37	1.0	05/13/21 16:43	
Chlorobenzene	ug/L	<0.86	1.0	05/13/21 16:43	
Chloroethane	ug/L	<1.4	5.0	05/13/21 16:43	
Chloroform	ug/L	<1.2	5.0	05/13/21 16:43	
Chloromethane	ug/L	<1.6	5.0	05/13/21 16:43	
cis-1,2-Dichloroethene	ug/L	<0.47	1.0	05/13/21 16:43	
cis-1,3-Dichloropropene	ug/L	<0.36	1.0	05/13/21 16:43	
Dibromochloromethane	ug/L	<2.6	5.0	05/13/21 16:43	
Dibromomethane	ug/L	<0.99	5.0	05/13/21 16:43	
Dichlorodifluoromethane	ug/L	<0.46	5.0	05/13/21 16:43	
Diisopropyl ether	ug/L	<1.1	5.0	05/13/21 16:43	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: 9640A FONG FAMILY, LLC

Pace Project No.: 40226787

METHOD BLANK: 2221811

Matrix: Water

Associated Lab Samples: 40226787037, 40226787038, 40226787039, 40226787040, 40226787041, 40226787042, 40226787043

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
Ethylbenzene	ug/L	<0.33	1.0	05/13/21 16:43	
Hexachloro-1,3-butadiene	ug/L	<2.7	5.0	05/13/21 16:43	
Isopropylbenzene (Cumene)	ug/L	<1.0	5.0	05/13/21 16:43	
m&p-Xylene	ug/L	<0.70	2.0	05/13/21 16:43	
Methyl-tert-butyl ether	ug/L	<1.1	5.0	05/13/21 16:43	
Methylene Chloride	ug/L	<0.32	5.0	05/13/21 16:43	
n-Butylbenzene	ug/L	<0.86	1.0	05/13/21 16:43	
n-Propylbenzene	ug/L	<0.35	1.0	05/13/21 16:43	
Naphthalene	ug/L	<1.1	5.0	05/13/21 16:43	
o-Xylene	ug/L	<0.35	1.0	05/13/21 16:43	
p-Isopropyltoluene	ug/L	<1.0	5.0	05/13/21 16:43	
sec-Butylbenzene	ug/L	<0.42	1.0	05/13/21 16:43	
Styrene	ug/L	<0.36	1.0	05/13/21 16:43	
tert-Butylbenzene	ug/L	<0.59	1.0	05/13/21 16:43	
Tetrachloroethene	ug/L	<0.41	1.0	05/13/21 16:43	
Toluene	ug/L	<0.29	1.0	05/13/21 16:43	
trans-1,2-Dichloroethene	ug/L	<0.53	1.0	05/13/21 16:43	
trans-1,3-Dichloropropene	ug/L	<3.5	5.0	05/13/21 16:43	
Trichloroethene	ug/L	<0.32	1.0	05/13/21 16:43	
Trichlorofluoromethane	ug/L	<0.42	1.0	05/13/21 16:43	
Vinyl chloride	ug/L	<0.17	1.0	05/13/21 16:43	
1,2-Dichlorobenzene-d4 (S)	%	102	70-130	05/13/21 16:43	
4-Bromofluorobenzene (S)	%	98	70-130	05/13/21 16:43	
Toluene-d8 (S)	%	96	70-130	05/13/21 16:43	

LABORATORY CONTROL SAMPLE: 2221812

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
1,1,1-Trichloroethane	ug/L	50	55.4	111	70-130	
1,1,2,2-Tetrachloroethane	ug/L	50	49.0	98	66-130	
1,1,2-Trichloroethane	ug/L	50	52.3	105	70-130	
1,1-Dichloroethane	ug/L	50	55.8	112	68-132	
1,1-Dichloroethene	ug/L	50	60.4	121	85-126	
1,2,4-Trichlorobenzene	ug/L	50	46.3	93	70-130	
1,2-Dibromo-3-chloropropane	ug/L	50	44.9	90	51-126	
1,2-Dibromoethane (EDB)	ug/L	50	54.3	109	70-130	
1,2-Dichlorobenzene	ug/L	50	53.4	107	70-130	
1,2-Dichloroethane	ug/L	50	48.0	96	70-130	
1,2-Dichloropropane	ug/L	50	51.8	104	78-125	
1,3-Dichlorobenzene	ug/L	50	53.9	108	70-130	
1,4-Dichlorobenzene	ug/L	50	53.3	107	70-130	
Benzene	ug/L	50	53.4	107	70-132	
Bromodichloromethane	ug/L	50	52.8	106	70-130	
Bromoform	ug/L	50	52.5	105	65-130	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: 9640A FONG FAMILY, LLC
Pace Project No.: 40226787

LABORATORY CONTROL SAMPLE: 2221812

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Bromomethane	ug/L	50	35.4	71	44-128	
Carbon tetrachloride	ug/L	50	59.3	119	70-130	
Chlorobenzene	ug/L	50	53.9	108	70-130	
Chloroethane	ug/L	50	61.9	124	73-137	
Chloroform	ug/L	50	54.8	110	80-122	
Chloromethane	ug/L	50	49.8	100	27-148	
cis-1,2-Dichloroethene	ug/L	50	52.3	105	70-130	
cis-1,3-Dichloropropene	ug/L	50	48.4	97	70-130	
Dibromochloromethane	ug/L	50	55.6	111	70-130	
Dichlorodifluoromethane	ug/L	50	36.8	74	22-151	
Ethylbenzene	ug/L	50	54.4	109	80-123	
Isopropylbenzene (Cumene)	ug/L	50	57.9	116	70-130	
m&p-Xylene	ug/L	100	111	111	70-130	
Methyl-tert-butyl ether	ug/L	50	59.1	118	66-130	
Methylene Chloride	ug/L	50	58.7	117	70-130	
o-Xylene	ug/L	50	54.9	110	70-130	
Styrene	ug/L	50	56.2	112	70-130	
Tetrachloroethene	ug/L	50	55.2	110	70-130	
Toluene	ug/L	50	52.7	105	80-121	
trans-1,2-Dichloroethene	ug/L	50	61.3	123	70-130	
trans-1,3-Dichloropropene	ug/L	50	45.3	91	58-125	
Trichloroethene	ug/L	50	54.9	110	70-130	
Trichlorofluoromethane	ug/L	50	63.4	127	84-148	
Vinyl chloride	ug/L	50	58.6	117	63-142	
1,2-Dichlorobenzene-d4 (S)	%			98	70-130	
4-Bromofluorobenzene (S)	%			99	70-130	
Toluene-d8 (S)	%			98	70-130	

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 2222473 2222474

Parameter	Units	MS		MSD		MS Result	MSD Result	MS % Rec	MSD % Rec	% Rec Limits	RPD	Max RPD	Qual
		40226835013 Result	Spike Conc.	Spike Conc.	Conc.								
1,1,1-Trichloroethane	ug/L	<0.30	50	50	50	58.3	56.0	117	112	70-130	4	20	
1,1,2,2-Tetrachloroethane	ug/L	<0.38	50	50	50	52.8	50.8	106	102	66-130	4	20	
1,1,2-Trichloroethane	ug/L	<0.34	50	50	50	54.6	52.0	109	104	70-130	5	20	
1,1-Dichloroethane	ug/L	<0.30	50	50	50	57.4	55.8	115	112	68-132	3	20	
1,1-Dichloroethene	ug/L	<0.58	50	50	50	62.8	61.9	126	124	76-132	1	20	
1,2,4-Trichlorobenzene	ug/L	<0.95	50	50	50	51.2	49.5	102	99	70-130	3	20	
1,2-Dibromo-3-chloropropane	ug/L	<2.4	50	50	50	46.1	44.1	92	88	51-126	5	20	
1,2-Dibromoethane (EDB)	ug/L	<0.31	50	50	50	57.0	51.3	114	103	70-130	10	20	
1,2-Dichlorobenzene	ug/L	<0.33	50	50	50	56.8	55.8	114	112	70-130	2	20	
1,2-Dichloroethane	ug/L	<0.29	50	50	50	55.3	51.5	111	103	70-130	7	20	
1,2-Dichloropropane	ug/L	<0.45	50	50	50	54.8	52.9	110	106	77-125	4	20	
1,3-Dichlorobenzene	ug/L	<0.35	50	50	50	56.9	55.2	114	110	70-130	3	20	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: 9640A FONG FAMILY, LLC
Pace Project No.: 40226787

Parameter	Units	MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 2222473		2222474		MS Result	MSD Result	MS % Rec	MSD % Rec	% Rec Limits	Max RPD	RPD	Qual
		40226835013 Result	MS Spike Conc.	MSD Spike Conc.	MS Result								
1,4-Dichlorobenzene	ug/L	<0.89	50	50	57.5	56.0	115	112	70-130	2	20		
Benzene	ug/L	<0.30	50	50	55.9	53.6	112	107	70-132	4	20		
Bromodichloromethane	ug/L	<0.42	50	50	56.5	54.9	113	110	70-130	3	20		
Bromoform	ug/L	<3.8	50	50	55.6	51.8	111	104	65-130	7	20		
Bromomethane	ug/L	<1.2	50	50	42.5	45.7	85	91	44-128	7	21		
Carbon tetrachloride	ug/L	<0.37	50	50	61.7	58.8	123	118	70-132	5	20		
Chlorobenzene	ug/L	<0.86	50	50	56.9	54.9	114	110	70-130	3	20		
Chloroethane	ug/L	<1.4	50	50	65.3	64.7	131	129	70-137	1	20		
Chloroform	ug/L	<1.2	50	50	58.6	55.6	117	111	80-122	5	20		
Chloromethane	ug/L	<1.6	50	50	54.0	53.1	108	106	17-149	2	20		
cis-1,2-Dichloroethene	ug/L	<0.47	50	50	54.7	53.5	109	107	70-130	2	20		
cis-1,3-Dichloropropene	ug/L	<0.36	50	50	53.0	51.6	106	103	70-130	3	20		
Dibromochloromethane	ug/L	<2.6	50	50	58.9	56.5	118	113	70-130	4	20		
Dichlorodifluoromethane	ug/L	<0.46	50	50	43.4	41.9	87	84	22-158	4	20		
Ethylbenzene	ug/L	<0.33	50	50	56.6	53.7	113	107	80-123	5	20		
Isopropylbenzene (Cumene)	ug/L	<1.0	50	50	59.8	57.1	120	114	70-130	5	20		
m&p-Xylene	ug/L	<0.70	100	100	117	110	117	110	70-130	5	20		
Methyl-tert-butyl ether	ug/L	<1.1	50	50	60.4	57.0	121	114	66-130	6	20		
Methylene Chloride	ug/L	<0.32	50	50	62.8	61.0	126	122	70-130	3	20		
o-Xylene	ug/L	<0.35	50	50	57.2	53.9	114	108	70-130	6	20		
Styrene	ug/L	<0.36	50	50	58.3	56.7	117	113	70-130	3	20		
Tetrachloroethene	ug/L	<0.41	50	50	59.1	55.3	118	111	70-130	7	20		
Toluene	ug/L	<0.29	50	50	55.2	51.1	110	102	80-121	8	20		
trans-1,2-Dichloroethene	ug/L	<0.53	50	50	62.5	57.2	125	114	70-134	9	20		
trans-1,3-Dichloropropene	ug/L	<3.5	50	50	48.6	47.0	97	94	58-130	3	20		
Trichloroethene	ug/L	<0.32	50	50	55.9	54.1	112	108	70-130	3	20		
Trichlorofluoromethane	ug/L	<0.42	50	50	66.3	64.4	133	129	82-151	3	20		
Vinyl chloride	ug/L	<0.17	50	50	63.5	61.1	127	122	61-143	4	20		
1,2-Dichlorobenzene-d4 (S)	%						100	99	70-130				
4-Bromofluorobenzene (S)	%						104	103	70-130				
Toluene-d8 (S)	%						99	96	70-130				

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: 9640A FONG FAMILY, LLC
Pace Project No.: 40226787

QC Batch: 385463 Analysis Method: EPA 8270E by SIM
QC Batch Method: EPA 3546 Analysis Description: 8270E/3546 MSSV PAH by SIM
Laboratory: Pace Analytical Services - Green Bay

Associated Lab Samples: 40226787001, 40226787002, 40226787003

METHOD BLANK: 2224638 Matrix: Solid

Associated Lab Samples: 40226787001, 40226787002, 40226787003

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
1-Methylnaphthalene	ug/kg	<2.4	16.7	05/18/21 09:52	
2-Methylnaphthalene	ug/kg	<2.4	16.7	05/18/21 09:52	
Acenaphthene	ug/kg	<2.2	16.7	05/18/21 09:52	
Acenaphthylene	ug/kg	<2.1	16.7	05/18/21 09:52	
Anthracene	ug/kg	<2.1	16.7	05/18/21 09:52	
Benzo(a)anthracene	ug/kg	<2.2	16.7	05/18/21 09:52	
Benzo(a)pyrene	ug/kg	<1.9	16.7	05/18/21 09:52	
Benzo(b)fluoranthene	ug/kg	<2.3	16.7	05/18/21 09:52	
Benzo(g,h,i)perylene	ug/kg	<2.9	16.7	05/18/21 09:52	
Benzo(k)fluoranthene	ug/kg	<2.1	16.7	05/18/21 09:52	
Chrysene	ug/kg	<3.1	16.7	05/18/21 09:52	
Dibenz(a,h)anthracene	ug/kg	<2.3	16.7	05/18/21 09:52	
Fluoranthene	ug/kg	<2.0	16.7	05/18/21 09:52	
Fluorene	ug/kg	<2.0	16.7	05/18/21 09:52	
Indeno(1,2,3-cd)pyrene	ug/kg	<3.5	16.7	05/18/21 09:52	
Naphthalene	ug/kg	<1.6	16.7	05/18/21 09:52	
Phenanthrene	ug/kg	<1.9	16.7	05/18/21 09:52	
Pyrene	ug/kg	<2.5	16.7	05/18/21 09:52	
2-Fluorobiphenyl (S)	%	74	36-86	05/18/21 09:52	
Terphenyl-d14 (S)	%	84	41-97	05/18/21 09:52	

LABORATORY CONTROL SAMPLE: 2224639

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
1-Methylnaphthalene	ug/kg	333	224	67	53-100	
2-Methylnaphthalene	ug/kg	333	217	65	51-97	
Acenaphthene	ug/kg	333	246	74	62-120	
Acenaphthylene	ug/kg	333	252	76	61-120	
Anthracene	ug/kg	333	272	82	62-111	
Benzo(a)anthracene	ug/kg	333	261	78	61-120	
Benzo(a)pyrene	ug/kg	333	292	88	65-120	
Benzo(b)fluoranthene	ug/kg	333	299	90	64-108	
Benzo(g,h,i)perylene	ug/kg	333	250	75	71-120	
Benzo(k)fluoranthene	ug/kg	333	272	82	76-120	
Chrysene	ug/kg	333	273	82	74-120	
Dibenz(a,h)anthracene	ug/kg	333	283	85	71-120	
Fluoranthene	ug/kg	333	280	84	67-112	
Fluorene	ug/kg	333	257	77	65-120	
Indeno(1,2,3-cd)pyrene	ug/kg	333	292	88	74-120	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: 9640A FONG FAMILY, LLC
Pace Project No.: 40226787

LABORATORY CONTROL SAMPLE: 2224639

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Naphthalene	ug/kg	333	244	73	53-120	
Phenanthrene	ug/kg	333	273	82	67-120	
Pyrene	ug/kg	333	277	83	60-103	
2-Fluorobiphenyl (S)	%			72	36-86	
Terphenyl-d14 (S)	%			82	41-97	

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 2224640 2224641

Parameter	Units	MS		MSD		MS Result	MSD Result	MS % Rec	MSD % Rec	% Rec Limits	RPD	Max RPD	Qual
		40226709003 Result	Spike Conc.	Spike Conc.	Result								
1-Methylnaphthalene	ug/kg	<2.6	358	357	225	231	62	64	41-100	3	29		
2-Methylnaphthalene	ug/kg	<2.6	358	357	221	227	61	63	42-97	3	21		
Acenaphthene	ug/kg	<2.3	358	357	247	255	69	71	43-120	3	27		
Acenaphthylene	ug/kg	<2.3	358	357	252	257	70	72	51-120	2	26		
Anthracene	ug/kg	<2.2	358	357	275	272	77	76	46-111	1	29		
Benzo(a)anthracene	ug/kg	8.2J	358	357	248	265	67	72	48-120	7	23		
Benzo(a)pyrene	ug/kg	<2.0	358	357	269	283	75	79	46-108	5	30		
Benzo(b)fluoranthene	ug/kg	<2.5	358	357	290	285	80	79	45-108	2	30		
Benzo(g,h,i)perylene	ug/kg	8.0J	358	357	223	234	60	63	39-120	5	37		
Benzo(k)fluoranthene	ug/kg	<2.3	358	357	248	266	69	74	47-120	7	31		
Chrysene	ug/kg	6.9J	358	357	262	266	71	73	54-120	1	21		
Dibenz(a,h)anthracene	ug/kg	<2.5	358	357	254	267	71	75	46-120	5	34		
Fluoranthene	ug/kg	3.0J	358	357	271	275	75	76	53-112	1	27		
Fluorene	ug/kg	<2.1	358	357	254	261	71	73	48-120	3	29		
Indeno(1,2,3-cd)pyrene	ug/kg	<3.7	358	357	258	272	72	76	40-120	5	34		
Naphthalene	ug/kg	2.2J	358	357	244	247	68	69	47-120	1	25		
Phenanthrene	ug/kg	7.1J	358	357	266	278	72	76	49-120	4	28		
Pyrene	ug/kg	6.6J	358	357	275	276	75	76	43-103	1	31		
2-Fluorobiphenyl (S)	%						65	62	36-86				
Terphenyl-d14 (S)	%						70	67	41-97				

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: 9640A FONG FAMILY, LLC

Pace Project No.: 40226787

LABORATORY CONTROL SAMPLE: 2224816

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Dibenz(a,h)anthracene	ug/kg	333	275	83	71-120	
Fluoranthene	ug/kg	333	272	82	67-112	
Fluorene	ug/kg	333	253	76	65-120	
Indeno(1,2,3-cd)pyrene	ug/kg	333	283	85	74-120	
Naphthalene	ug/kg	333	244	73	53-120	
Phenanthrene	ug/kg	333	264	79	67-120	
Pyrene	ug/kg	333	296	89	60-103	
2-Fluorobiphenyl (S)	%			72	36-86	
Terphenyl-d14 (S)	%			81	41-97	

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 2224817 2224818

Parameter	Units	MS		MSD		MS % Rec	MSD % Rec	% Rec Limits	RPD	Max RPD	Qual
		40226787008 Result	Spike Conc.	Spike Conc.	MS Result						
1-Methylnaphthalene	ug/kg	<2.6	355	354	184	166	52	47	41-100	10	29
2-Methylnaphthalene	ug/kg	<2.6	355	354	179	159	50	45	42-97	12	21
Acenaphthene	ug/kg	<2.3	355	354	197	176	55	50	43-120	11	27
Acenaphthylene	ug/kg	<2.2	355	354	203	182	57	51	51-120	11	26
Anthracene	ug/kg	<2.2	355	354	226	200	64	57	46-111	12	29
Benzo(a)anthracene	ug/kg	<2.3	355	354	201	181	56	51	48-120	10	23
Benzo(a)pyrene	ug/kg	<2.0	355	354	225	203	64	57	46-108	10	30
Benzo(b)fluoranthene	ug/kg	<2.5	355	354	217	206	61	58	45-108	5	30
Benzo(g,h,i)perylene	ug/kg	<3.1	355	354	188	168	53	48	39-120	11	37
Benzo(k)fluoranthene	ug/kg	<2.3	355	354	211	187	60	53	47-120	12	31
Chrysene	ug/kg	<3.3	355	354	206	189	58	53	54-120	9	21 M1
Dibenz(a,h)anthracene	ug/kg	<2.5	355	354	212	191	60	54	46-120	11	34
Fluoranthene	ug/kg	<2.1	355	354	213	192	60	54	53-112	11	27
Fluorene	ug/kg	<2.1	355	354	202	181	57	51	48-120	11	29
Indeno(1,2,3-cd)pyrene	ug/kg	<3.7	355	354	220	196	62	55	40-120	11	34
Naphthalene	ug/kg	<1.7	355	354	200	178	56	50	47-120	11	25
Phenanthrene	ug/kg	<2.0	355	354	209	189	59	53	49-120	10	28
Pyrene	ug/kg	<2.6	355	354	234	212	66	60	43-103	10	31
2-Fluorobiphenyl (S)	%						54	48	36-86		
Terphenyl-d14 (S)	%						58	52	41-97		

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: 9640A FONG FAMILY, LLC
Pace Project No.: 40226787

QC Batch: 385626 Analysis Method: EPA 8270E by SIM
QC Batch Method: EPA 3546 Analysis Description: 8270E/3546 MSSV PAH by SIM
Laboratory: Pace Analytical Services - Green Bay
Associated Lab Samples: 40226787024, 40226787025, 40226787026, 40226787027, 40226787028, 40226787029, 40226787030, 40226787031, 40226787032, 40226787033, 40226787034, 40226787035, 40226787036

METHOD BLANK: 2225300 Matrix: Solid
Associated Lab Samples: 40226787024, 40226787025, 40226787026, 40226787027, 40226787028, 40226787029, 40226787030, 40226787031, 40226787032, 40226787033, 40226787034, 40226787035, 40226787036

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
1-Methylnaphthalene	ug/kg	<2.4	16.7	05/19/21 10:29	
2-Methylnaphthalene	ug/kg	<2.4	16.7	05/19/21 10:29	
Acenaphthene	ug/kg	<2.2	16.7	05/19/21 10:29	
Acenaphthylene	ug/kg	<2.1	16.7	05/19/21 10:29	
Anthracene	ug/kg	<2.1	16.7	05/19/21 10:29	
Benzo(a)anthracene	ug/kg	<2.2	16.7	05/19/21 10:29	
Benzo(a)pyrene	ug/kg	<1.9	16.7	05/19/21 10:29	
Benzo(b)fluoranthene	ug/kg	<2.3	16.7	05/19/21 10:29	
Benzo(g,h,i)perylene	ug/kg	<2.9	16.7	05/19/21 10:29	
Benzo(k)fluoranthene	ug/kg	<2.1	16.7	05/19/21 10:29	
Chrysene	ug/kg	<3.1	16.7	05/19/21 10:29	
Dibenz(a,h)anthracene	ug/kg	<2.3	16.7	05/19/21 10:29	
Fluoranthene	ug/kg	<2.0	16.7	05/19/21 10:29	
Fluorene	ug/kg	<2.0	16.7	05/19/21 10:29	
Indeno(1,2,3-cd)pyrene	ug/kg	<3.5	16.7	05/19/21 10:29	
Naphthalene	ug/kg	<1.6	16.7	05/19/21 10:29	
Phenanthrene	ug/kg	<1.9	16.7	05/19/21 10:29	
Pyrene	ug/kg	<2.5	16.7	05/19/21 10:29	
2-Fluorobiphenyl (S)	%	73	36-86	05/19/21 10:29	
Terphenyl-d14 (S)	%	84	41-97	05/19/21 10:29	

LABORATORY CONTROL SAMPLE: 2225301

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
1-Methylnaphthalene	ug/kg	334	250	75	53-100	
2-Methylnaphthalene	ug/kg	334	240	72	51-97	
Acenaphthene	ug/kg	334	271	81	62-120	
Acenaphthylene	ug/kg	334	277	83	61-120	
Anthracene	ug/kg	334	316	95	62-111	
Benzo(a)anthracene	ug/kg	334	282	85	61-120	
Benzo(a)pyrene	ug/kg	334	319	95	65-120	
Benzo(b)fluoranthene	ug/kg	334	299	89	64-108	
Benzo(g,h,i)perylene	ug/kg	334	263	79	71-120	
Benzo(k)fluoranthene	ug/kg	334	305	91	76-120	
Chrysene	ug/kg	334	283	85	74-120	
Dibenz(a,h)anthracene	ug/kg	334	300	90	71-120	
Fluoranthene	ug/kg	334	298	89	67-112	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: 9640A FONG FAMILY, LLC
Pace Project No.: 40226787

LABORATORY CONTROL SAMPLE: 2225301

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Fluorene	ug/kg	334	279	84	65-120	
Indeno(1,2,3-cd)pyrene	ug/kg	334	309	93	74-120	
Naphthalene	ug/kg	334	267	80	53-120	
Phenanthrene	ug/kg	334	292	88	67-120	
Pyrene	ug/kg	334	327	98	60-103	
2-Fluorobiphenyl (S)	%			80	36-86	
Terphenyl-d14 (S)	%			87	41-97	

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 2225302 2225303

Parameter	Units	MS		MSD		MS % Rec	MSD % Rec	% Rec Limits	RPD	Max RPD	Qual
		40226787024 Result	Spike Conc.	Spike Conc.	MS Result						
1-Methylnaphthalene	ug/kg	<2.5	346	347	246	244	71	70	41-100	1	29
2-Methylnaphthalene	ug/kg	<2.5	346	347	238	237	69	68	42-97	0	21
Acenaphthene	ug/kg	<2.3	346	347	273	267	79	77	43-120	2	27
Acenaphthylene	ug/kg	<2.2	346	347	277	275	80	79	51-120	1	26
Anthracene	ug/kg	<2.2	346	347	313	309	91	89	46-111	1	29
Benzo(a)anthracene	ug/kg	<2.2	346	347	269	273	78	79	48-120	2	23
Benzo(a)pyrene	ug/kg	<2.0	346	347	311	310	90	89	46-108	0	30
Benzo(b)fluoranthene	ug/kg	<2.4	346	347	296	295	86	85	45-108	0	30
Benzo(g,h,i)perylene	ug/kg	<3.0	346	347	258	255	75	74	39-120	1	37
Benzo(k)fluoranthene	ug/kg	<2.2	346	347	295	290	85	84	47-120	2	31
Chrysene	ug/kg	<3.3	346	347	283	283	82	82	54-120	0	21
Dibenz(a,h)anthracene	ug/kg	<2.4	346	347	294	292	85	84	46-120	1	34
Fluoranthene	ug/kg	<2.1	346	347	294	290	85	84	53-112	1	27
Fluorene	ug/kg	<2.1	346	347	281	275	81	79	48-120	2	29
Indeno(1,2,3-cd)pyrene	ug/kg	<3.6	346	347	302	300	87	86	40-120	1	34
Naphthalene	ug/kg	<1.7	346	347	267	265	77	76	47-120	1	25
Phenanthrene	ug/kg	<2.0	346	347	291	288	84	83	49-120	1	28
Pyrene	ug/kg	<2.6	346	347	318	294	92	85	43-103	8	31
2-Fluorobiphenyl (S)	%						80	73	36-86		
Terphenyl-d14 (S)	%						85	80	41-97		

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: 9640A FONG FAMILY, LLC

Pace Project No.: 40226787

QC Batch: 385365

Analysis Method: EPA 8270E by SIM

QC Batch Method: EPA 3510

Analysis Description: 8270E Water PAH

Laboratory: Pace Analytical Services - Green Bay

Associated Lab Samples: 40226787037, 40226787038, 40226787039, 40226787040, 40226787041, 40226787042, 40226787043

METHOD BLANK: 2224155

Matrix: Water

Associated Lab Samples: 40226787037, 40226787038, 40226787039, 40226787040, 40226787041, 40226787042, 40226787043

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
1-Methylnaphthalene	ug/L	<0.0059	0.030	05/18/21 10:08	
2-Methylnaphthalene	ug/L	<0.0049	0.024	05/18/21 10:08	
Acenaphthene	ug/L	<0.0061	0.030	05/18/21 10:08	
Acenaphthylene	ug/L	<0.0050	0.025	05/18/21 10:08	
Anthracene	ug/L	<0.010	0.052	05/18/21 10:08	
Benzo(a)anthracene	ug/L	<0.0076	0.038	05/18/21 10:08	
Benzo(a)pyrene	ug/L	<0.011	0.053	05/18/21 10:08	
Benzo(b)fluoranthene	ug/L	<0.0057	0.029	05/18/21 10:08	
Benzo(g,h,i)perylene	ug/L	<0.0068	0.034	05/18/21 10:08	
Benzo(k)fluoranthene	ug/L	<0.0076	0.038	05/18/21 10:08	
Chrysene	ug/L	<0.013	0.065	05/18/21 10:08	
Dibenz(a,h)anthracene	ug/L	<0.010	0.050	05/18/21 10:08	
Fluoranthene	ug/L	<0.011	0.053	05/18/21 10:08	
Fluorene	ug/L	<0.0080	0.040	05/18/21 10:08	
Indeno(1,2,3-cd)pyrene	ug/L	<0.018	0.088	05/18/21 10:08	
Naphthalene	ug/L	<0.018	0.092	05/18/21 10:08	
Phenanthrene	ug/L	<0.014	0.069	05/18/21 10:08	
Pyrene	ug/L	<0.0076	0.038	05/18/21 10:08	
Total PAHs	ug/L	0.013		05/18/21 10:08	
2-Fluorobiphenyl (S)	%	63	39-120	05/18/21 10:08	
Terphenyl-d14 (S)	%	91	10-159	05/18/21 10:08	

LABORATORY CONTROL SAMPLE: 2224156

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
1-Methylnaphthalene	ug/L	2	1.3	63	37-120	
2-Methylnaphthalene	ug/L	2	1.2	62	38-120	
Acenaphthene	ug/L	2	1.3	63	49-120	
Acenaphthylene	ug/L	2	1.2	60	43-85	
Anthracene	ug/L	2	1.2	61	57-110	
Benzo(a)anthracene	ug/L	2	1.4	68	47-118	
Benzo(a)pyrene	ug/L	2	1.3	66	70-120 L2	
Benzo(b)fluoranthene	ug/L	2	1.4	71	54-97	
Benzo(g,h,i)perylene	ug/L	2	0.68	34	26-74	
Benzo(k)fluoranthene	ug/L	2	1.5	76	73-126	
Chrysene	ug/L	2	1.5	77	75-151	
Dibenz(a,h)anthracene	ug/L	2	0.60	30	13-72	
Fluoranthene	ug/L	2	1.5	74	63-120	
Fluorene	ug/L	2	1.3	64	53-120	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: 9640A FONG FAMILY, LLC
Pace Project No.: 40226787

LABORATORY CONTROL SAMPLE: 2224156

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Indeno(1,2,3-cd)pyrene	ug/L	2	1.2	62	51-101	
Naphthalene	ug/L	2	1.2	61	41-120	
Phenanthrene	ug/L	2	1.4	71	47-100	
Pyrene	ug/L	2	1.4	71	70-128	
Total PAHs	ug/L		22.7			
2-Fluorobiphenyl (S)	%			64	39-120	
Terphenyl-d14 (S)	%			80	10-159	

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 2224157 2224158

Parameter	Units	2224157		2224158		MS % Rec	MSD % Rec	% Rec Limits	RPD	Max RPD	Qual
		40227002001 Result	MS Spike Conc.	MSD Spike Conc.	MS Result						
1-Methylnaphthalene	ug/L	0.0079J	2	2	1.0	1.1	51	54	16-120	8	28
2-Methylnaphthalene	ug/L	0.0069J	2	2	0.98	1.1	50	53	29-120	8	31
Acenaphthene	ug/L	0.0064J	2	2	1.0	1.1	51	55	33-120	8	30
Acenaphthylene	ug/L	<0.0048	2	2	0.95	1.0	48	51	21-85	7	26
Anthracene	ug/L	<0.010	2	2	0.99	1.2	51	60	16-114	18	36
Benzo(a)anthracene	ug/L	<0.0073	2	2	1.3	1.3	64	66	10-118	5	35
Benzo(a)pyrene	ug/L	<0.010	2	2	1.3	1.3	64	65	10-120	2	37
Benzo(b)fluoranthene	ug/L	<0.0055	2	2	1.4	1.4	69	71	10-97	3	36
Benzo(g,h,i)perylene	ug/L	<0.0065	2	2	0.62	0.57	32	29	10-74	8	45
Benzo(k)fluoranthene	ug/L	<0.0073	2	2	1.4	1.4	73	72	10-126	0	41
Chrysene	ug/L	<0.013	2	2	1.5	1.5	75	78	10-161	5	30
Dibenz(a,h)anthracene	ug/L	<0.0096	2	2	0.60	0.59	31	30	10-72	1	50
Fluoranthene	ug/L	<0.010	2	2	1.3	1.4	67	71	35-120	7	33
Fluorene	ug/L	<0.0077	2	2	1.0	1.1	53	56	17-120	7	33
Indeno(1,2,3-cd)pyrene	ug/L	<0.017	2	2	1.1	1.0	54	51	10-101	4	41
Naphthalene	ug/L	<0.018	2	2	1.0	1.1	50	54	24-120	7	30
Phenanthrene	ug/L	<0.013	2	2	1.2	1.3	60	64	15-100	8	30
Pyrene	ug/L	<0.0074	2	2	1.3	1.4	66	70	14-137	7	31
Total PAHs	ug/L	0.064			19.8	20.9				5	
2-Fluorobiphenyl (S)	%						52	57	39-120		
Terphenyl-d14 (S)	%						79	82	10-159		

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: 9640A FONG FAMILY, LLC

Pace Project No.: 40226787

QC Batch:	385065	Analysis Method:	ASTM D2974-87
QC Batch Method:	ASTM D2974-87	Analysis Description:	Dry Weight/Percent Moisture
		Laboratory:	Pace Analytical Services - Green Bay

Associated Lab Samples: 40226787001, 40226787002, 40226787003, 40226787004, 40226787005, 40226787006, 40226787007, 40226787008, 40226787009, 40226787010, 40226787011, 40226787012, 40226787013, 40226787014, 40226787015, 40226787016, 40226787017

SAMPLE DUPLICATE: 2221623

Parameter	Units	40226787014 Result	Dup Result	RPD	Max RPD	Qualifiers
Percent Moisture	%	3.5	3.7	5	10	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: 9640A FONG FAMILY, LLC

Pace Project No.: 40226787

QC Batch:	385068	Analysis Method:	ASTM D2974-87
QC Batch Method:	ASTM D2974-87	Analysis Description:	Dry Weight/Percent Moisture
		Laboratory:	Pace Analytical Services - Green Bay

Associated Lab Samples: 40226787018, 40226787019, 40226787020, 40226787021, 40226787022, 40226787023, 40226787024, 40226787025, 40226787026, 40226787027, 40226787028, 40226787029, 40226787030, 40226787031, 40226787032, 40226787033

SAMPLE DUPLICATE: 2221674

Parameter	Units	40226787020 Result	Dup Result	RPD	Max RPD	Qualifiers
Percent Moisture	%	7.4	7.3	2	10	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: 9640A FONG FAMILY, LLC
Pace Project No.: 40226787

QC Batch:	385070	Analysis Method:	ASTM D2974-87
QC Batch Method:	ASTM D2974-87	Analysis Description:	Dry Weight/Percent Moisture
		Laboratory:	Pace Analytical Services - Green Bay

Associated Lab Samples: 40226787034, 40226787035, 40226787036

SAMPLE DUPLICATE: 2221681

Parameter	Units	40226815002 Result	Dup Result	RPD	Max RPD	Qualifiers
Percent Moisture	%	77.8	75.7			

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALIFIERS

Project: 9640A FONG FAMILY, LLC

Pace Project No.: 40226787

DEFINITIONS

DF - Dilution Factor, if reported, represents the factor applied to the reported data due to dilution of the sample aliquot.

ND - Not Detected at or above LOD.

J - Estimated concentration at or above the LOD and below the LOQ.

LOD - Limit of Detection adjusted for dilution factor, percent moisture, initial weight and final volume.

LOQ - Limit of Quantitation adjusted for dilution factor, percent moisture, initial weight and final volume.

S - Surrogate

1,2-Diphenylhydrazine decomposes to and cannot be separated from Azobenzene using Method 8270. The result for each analyte is a combined concentration.

Consistent with EPA guidelines, unrounded data are displayed and have been used to calculate % recovery and RPD values.

LCS(D) - Laboratory Control Sample (Duplicate)

MS(D) - Matrix Spike (Duplicate)

DUP - Sample Duplicate

RPD - Relative Percent Difference

NC - Not Calculable.

SG - Silica Gel - Clean-Up

U - Indicates the compound was analyzed for, but not detected at or above the adjusted LOD.

N-Nitrosodiphenylamine decomposes and cannot be separated from Diphenylamine using Method 8270. The result reported for each analyte is a combined concentration.

Pace Analytical is TNI accredited. Contact your Pace PM for the current list of accredited analytes.

TNI - The NELAC Institute.

ANALYTE QUALIFIERS

D3	Sample was diluted due to the presence of high levels of non-target analytes or other matrix interference.
HS	Results are from sample aliquot taken from VOA vial with headspace (air bubble greater than 6 mm diameter).
L1	Analyte recovery in the laboratory control sample (LCS) was above QC limits. Results may be biased high.
L2	Analyte recovery in the laboratory control sample (LCS) was below QC limits. Results may be biased low.
M0	Matrix spike recovery and/or matrix spike duplicate recovery was outside laboratory control limits.
M1	Matrix spike recovery exceeded QC limits. Batch accepted based on laboratory control sample (LCS) recovery.
R1	RPD value was outside control limits.
S4	Surrogate recovery not evaluated against control limits due to sample dilution.
pH	Post-analysis pH measurement indicates insufficient VOA sample preservation.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA CROSS REFERENCE TABLE

Project: 9640A FONG FAMILY, LLC
Pace Project No.: 40226787

Lab ID	Sample ID	QC Batch Method	QC Batch	Analytical Method	Analytical Batch
40226787001	G1-1 (2-4')	EPA 3050	385140	EPA 6020	385307
40226787002	G1-9 (32-36)	EPA 3050	385140	EPA 6020	385307
40226787003	G1-11 (42-44)	EPA 3050	385140	EPA 6020	385307
40226787004	G2-1 (2-4')	EPA 3050	385140	EPA 6020	385307
40226787005	G2-8 (30-32')	EPA 3050	385140	EPA 6020	385307
40226787006	G2-12 (45.5-48)	EPA 3050	385140	EPA 6020	385307
40226787007	G3-1 (2-4)	EPA 3050	385140	EPA 6020	385307
40226787008	G3-9 (32-36)	EPA 3050	385140	EPA 6020	385307
40226787009	G3-11 (43-44)	EPA 3050	385140	EPA 6020	385307
40226787010	G4-1 (2-4)	EPA 3050	385140	EPA 6020	385307
40226787011	G4-9 (32-36)	EPA 3050	385140	EPA 6020	385307
40226787012	G4-12 (45-48)	EPA 3050	385140	EPA 6020	385307
40226787013	G5-1 (2.5-4)	EPA 3050	385140	EPA 6020	385307
40226787014	G5-9 (32-36)	EPA 3050	385140	EPA 6020	385307
40226787015	G5-11 (42-44)	EPA 3050	385140	EPA 6020	385307
40226787016	G6-1 (2.5-4)	EPA 3050	385140	EPA 6020	385307
40226787017	G6-5 (18-20)	EPA 3050	385140	EPA 6020	385307
40226787018	G6-12 (45-47)	EPA 3050	385140	EPA 6020	385307
40226787019	G7-1 (2-4)	EPA 3050	385140	EPA 6020	385307
40226787020	G7-6 (22-24)	EPA 3050	385140	EPA 6020	385307
40226787021	G7-10 (38-40)	EPA 3050	385108	EPA 6020	385306
40226787022	G8-1 (2-4)	EPA 3050	385108	EPA 6020	385306
40226787023	G8-3 (9-11)	EPA 3050	385108	EPA 6020	385306
40226787024	G8-4 (12-14)	EPA 3050	385108	EPA 6020	385306
40226787025	G9-1 (2-4)	EPA 3050	385108	EPA 6020	385306
40226787026	G9-2 (6-8)	EPA 3050	385108	EPA 6020	385306
40226787027	G9-3 (8-10)	EPA 3050	385108	EPA 6020	385306
40226787028	G10-1 (2-4)	EPA 3050	385108	EPA 6020	385306
40226787029	G10-4 (14-16)	EPA 3050	385108	EPA 6020	385306
40226787030	G10-5 (17-19)	EPA 3050	385108	EPA 6020	385306
40226787031	G11-1 (2-4)	EPA 3050	385108	EPA 6020	385306
40226787032	G11-2 (6-8)	EPA 3050	385108	EPA 6020	385306
40226787033	G11-3 (10-12)	EPA 3050	385108	EPA 6020	385306
40226787034	G12-1 (2-4)	EPA 3050	385108	EPA 6020	385306
40226787035	G12-3 (8-10)	EPA 3050	385108	EPA 6020	385306
40226787036	G12-4 (14-16)	EPA 3050	385108	EPA 6020	385306
40226787037	G1-W	EPA 3010	385229	EPA 6020	385310
40226787038	G2-W	EPA 3010	385229	EPA 6020	385310
40226787039	G3-W	EPA 3010	385229	EPA 6020	385310
40226787040	G4-W	EPA 3010	385229	EPA 6020	385310
40226787041	G5-W	EPA 3010	385229	EPA 6020	385310
40226787042	G6-W	EPA 3010	385229	EPA 6020	385310
40226787043	G7-W	EPA 3010	385229	EPA 6020	385310
40226787001	G1-1 (2-4')	EPA 3546	385463	EPA 8270E by SIM	385549
40226787002	G1-9 (32-36)	EPA 3546	385463	EPA 8270E by SIM	385549
40226787003	G1-11 (42-44)	EPA 3546	385463	EPA 8270E by SIM	385549
40226787004	G2-1 (2-4')	EPA 3546	385503	EPA 8270E by SIM	385576

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA CROSS REFERENCE TABLE

Project: 9640A FONG FAMILY, LLC

Pace Project No.: 40226787

Lab ID	Sample ID	QC Batch Method	QC Batch	Analytical Method	Analytical Batch
40226787005	G2-8 (30-32')	EPA 3546	385503	EPA 8270E by SIM	385576
40226787006	G2-12 (45.5-48)	EPA 3546	385503	EPA 8270E by SIM	385576
40226787007	G3-1 (2-4)	EPA 3546	385503	EPA 8270E by SIM	385576
40226787008	G3-9 (32-36)	EPA 3546	385503	EPA 8270E by SIM	385576
40226787009	G3-11 (43-44)	EPA 3546	385503	EPA 8270E by SIM	385576
40226787010	G4-1 (2-4)	EPA 3546	385503	EPA 8270E by SIM	385576
40226787011	G4-9 (32-36)	EPA 3546	385503	EPA 8270E by SIM	385576
40226787012	G4-12 (45-48)	EPA 3546	385503	EPA 8270E by SIM	385576
40226787013	G5-1 (2.5-4)	EPA 3546	385503	EPA 8270E by SIM	385576
40226787014	G5-9 (32-36)	EPA 3546	385503	EPA 8270E by SIM	385576
40226787015	G5-11 (42-44)	EPA 3546	385503	EPA 8270E by SIM	385576
40226787016	G6-1 (2.5-4)	EPA 3546	385503	EPA 8270E by SIM	385576
40226787017	G6-5 (18-20)	EPA 3546	385503	EPA 8270E by SIM	385576
40226787018	G6-12 (45-47)	EPA 3546	385503	EPA 8270E by SIM	385576
40226787019	G7-1 (2-4)	EPA 3546	385503	EPA 8270E by SIM	385576
40226787020	G7-6 (22-24)	EPA 3546	385503	EPA 8270E by SIM	385576
40226787021	G7-10 (38-40)	EPA 3546	385503	EPA 8270E by SIM	385576
40226787022	G8-1 (2-4)	EPA 3546	385503	EPA 8270E by SIM	385576
40226787023	G8-3 (9-11)	EPA 3546	385503	EPA 8270E by SIM	385576
40226787024	G8-4 (12-14)	EPA 3546	385626	EPA 8270E by SIM	385717
40226787025	G9-1 (2-4)	EPA 3546	385626	EPA 8270E by SIM	385717
40226787026	G9-2 (6-8)	EPA 3546	385626	EPA 8270E by SIM	385717
40226787027	G9-3 (8-10)	EPA 3546	385626	EPA 8270E by SIM	385717
40226787028	G10-1 (2-4)	EPA 3546	385626	EPA 8270E by SIM	385717
40226787029	G10-4 (14-16)	EPA 3546	385626	EPA 8270E by SIM	385717
40226787030	G10-5 (17-19)	EPA 3546	385626	EPA 8270E by SIM	385717
40226787031	G11-1 (2-4)	EPA 3546	385626	EPA 8270E by SIM	385717
40226787032	G11-2 (6-8)	EPA 3546	385626	EPA 8270E by SIM	385717
40226787033	G11-3 (10-12)	EPA 3546	385626	EPA 8270E by SIM	385717
40226787034	G12-1 (2-4)	EPA 3546	385626	EPA 8270E by SIM	385717
40226787035	G12-3 (8-10)	EPA 3546	385626	EPA 8270E by SIM	385717
40226787036	G12-4 (14-16)	EPA 3546	385626	EPA 8270E by SIM	385717
40226787037	G1-W	EPA 3510	385365	EPA 8270E by SIM	385443
40226787038	G2-W	EPA 3510	385365	EPA 8270E by SIM	385443
40226787039	G3-W	EPA 3510	385365	EPA 8270E by SIM	385443
40226787040	G4-W	EPA 3510	385365	EPA 8270E by SIM	385443
40226787041	G5-W	EPA 3510	385365	EPA 8270E by SIM	385443
40226787042	G6-W	EPA 3510	385365	EPA 8270E by SIM	385443
40226787043	G7-W	EPA 3510	385365	EPA 8270E by SIM	385443
40226787001	G1-1 (2-4')	EPA 5035/5030B	385591	EPA 8260	385600
40226787002	G1-9 (32-36)	EPA 5035/5030B	385432	EPA 8260	385458
40226787003	G1-11 (42-44)	EPA 5035/5030B	385432	EPA 8260	385458
40226787004	G2-1 (2-4')	EPA 5035/5030B	385432	EPA 8260	385458
40226787005	G2-8 (30-32')	EPA 5035/5030B	385432	EPA 8260	385458
40226787006	G2-12 (45.5-48)	EPA 5035/5030B	385432	EPA 8260	385458
40226787007	G3-1 (2-4)	EPA 5035/5030B	385432	EPA 8260	385458
40226787008	G3-9 (32-36)	EPA 5035/5030B	385432	EPA 8260	385458

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA CROSS REFERENCE TABLE

Project: 9640A FONG FAMILY, LLC
Pace Project No.: 40226787

Lab ID	Sample ID	QC Batch Method	QC Batch	Analytical Method	Analytical Batch
40226787009	G3-11 (43-44)	EPA 5035/5030B	385432	EPA 8260	385458
40226787010	G4-1 (2-4)	EPA 5035/5030B	385581	EPA 8260	385589
40226787011	G4-9 (32-36)	EPA 5035/5030B	385581	EPA 8260	385589
40226787012	G4-12 (45-48)	EPA 5035/5030B	385581	EPA 8260	385589
40226787013	G5-1 (2.5-4)	EPA 5035/5030B	385581	EPA 8260	385589
40226787014	G5-9 (32-36)	EPA 5035/5030B	385581	EPA 8260	385589
40226787015	G5-11 (42-44)	EPA 5035/5030B	385581	EPA 8260	385589
40226787016	G6-1 (2.5-4)	EPA 5035/5030B	385581	EPA 8260	385589
40226787017	G6-5 (18-20)	EPA 5035/5030B	385581	EPA 8260	385589
40226787018	G6-12 (45-47)	EPA 5035/5030B	385581	EPA 8260	385589
40226787019	G7-1 (2-4)	EPA 5035/5030B	385581	EPA 8260	385589
40226787020	G7-6 (22-24)	EPA 5035/5030B	385581	EPA 8260	385589
40226787021	G7-10 (38-40)	EPA 5035/5030B	385581	EPA 8260	385589
40226787022	G8-1 (2-4)	EPA 5035/5030B	385581	EPA 8260	385589
40226787023	G8-3 (9-11)	EPA 5035/5030B	385581	EPA 8260	385589
40226787024	G8-4 (12-14)	EPA 5035/5030B	385591	EPA 8260	385600
40226787025	G9-1 (2-4)	EPA 5035/5030B	385591	EPA 8260	385600
40226787026	G9-2 (6-8)	EPA 5035/5030B	385591	EPA 8260	385600
40226787027	G9-3 (8-10)	EPA 5035/5030B	385591	EPA 8260	385600
40226787028	G10-1 (2-4)	EPA 5035/5030B	385591	EPA 8260	385600
40226787029	G10-4 (14-16)	EPA 5035/5030B	385591	EPA 8260	385600
40226787030	G10-5 (17-19)	EPA 5035/5030B	385591	EPA 8260	385600
40226787031	G11-1 (2-4)	EPA 5035/5030B	385591	EPA 8260	385600
40226787032	G11-2 (6-8)	EPA 5035/5030B	385591	EPA 8260	385600
40226787033	G11-3 (10-12)	EPA 5035/5030B	385591	EPA 8260	385600
40226787034	G12-1 (2-4)	EPA 5035/5030B	385591	EPA 8260	385600
40226787035	G12-3 (8-10)	EPA 5035/5030B	385591	EPA 8260	385600
40226787036	G12-4 (14-16)	EPA 5035/5030B	385591	EPA 8260	385600
40226787037	G1-W	EPA 8260	385101		
40226787038	G2-W	EPA 8260	385101		
40226787039	G3-W	EPA 8260	385101		
40226787040	G4-W	EPA 8260	385101		
40226787041	G5-W	EPA 8260	385101		
40226787042	G6-W	EPA 8260	385101		
40226787043	G7-W	EPA 8260	385101		
40226787001	G1-1 (2-4')	ASTM D2974-87	385065		
40226787002	G1-9 (32-36)	ASTM D2974-87	385065		
40226787003	G1-11 (42-44)	ASTM D2974-87	385065		
40226787004	G2-1 (2-4')	ASTM D2974-87	385065		
40226787005	G2-8 (30-32')	ASTM D2974-87	385065		
40226787006	G2-12 (45.5-48)	ASTM D2974-87	385065		
40226787007	G3-1 (2-4)	ASTM D2974-87	385065		
40226787008	G3-9 (32-36)	ASTM D2974-87	385065		
40226787009	G3-11 (43-44)	ASTM D2974-87	385065		
40226787010	G4-1 (2-4)	ASTM D2974-87	385065		
40226787011	G4-9 (32-36)	ASTM D2974-87	385065		
40226787012	G4-12 (45-48)	ASTM D2974-87	385065		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA CROSS REFERENCE TABLE

Project: 9640A FONG FAMILY, LLC

Pace Project No.: 40226787

Lab ID	Sample ID	QC Batch Method	QC Batch	Analytical Method	Analytical Batch
40226787013	G5-1 (2.5-4)	ASTM D2974-87	385065		
40226787014	G5-9 (32-36)	ASTM D2974-87	385065		
40226787015	G5-11 (42-44)	ASTM D2974-87	385065		
40226787016	G6-1 (2.5-4)	ASTM D2974-87	385065		
40226787017	G6-5 (18-20)	ASTM D2974-87	385065		
40226787018	G6-12 (45-47)	ASTM D2974-87	385068		
40226787019	G7-1 (2-4)	ASTM D2974-87	385068		
40226787020	G7-6 (22-24)	ASTM D2974-87	385068		
40226787021	G7-10 (38-40)	ASTM D2974-87	385068		
40226787022	G8-1 (2-4)	ASTM D2974-87	385068		
40226787023	G8-3 (9-11)	ASTM D2974-87	385068		
40226787024	G8-4 (12-14)	ASTM D2974-87	385068		
40226787025	G9-1 (2-4)	ASTM D2974-87	385068		
40226787026	G9-2 (6-8)	ASTM D2974-87	385068		
40226787027	G9-3 (8-10)	ASTM D2974-87	385068		
40226787028	G10-1 (2-4)	ASTM D2974-87	385068		
40226787029	G10-4 (14-16)	ASTM D2974-87	385068		
40226787030	G10-5 (17-19)	ASTM D2974-87	385068		
40226787031	G11-1 (2-4)	ASTM D2974-87	385068		
40226787032	G11-2 (6-8)	ASTM D2974-87	385068		
40226787033	G11-3 (10-12)	ASTM D2974-87	385068		
40226787034	G12-1 (2-4)	ASTM D2974-87	385070		
40226787035	G12-3 (8-10)	ASTM D2974-87	385070		
40226787036	G12-4 (14-16)	ASTM D2974-87	385070		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

(Please Print Clearly)

UPPER MIDWEST REGION

Company Name: REI
 Branch/Location: Wausau, WI
 Project Contact: Brian Bailey
 Phone: (715) 675-9789
 Project Number: 96409
 Project Name: Fong Family, LLC
 Project State: WI
 Sampled By (Print): Matthew C Michalski
 Sampled By (Sign): *Matthew C Michalski*



MN: 612-607-1700 WI: 920-469-2436

40226787

CHAIN OF CUSTODY

***Preservation Codes**
 A=None B=HCL C=H2SO4 D=HNO3 E=D1 Water F=Methanol G=NaOH
 H=Sodium Bisulfate Solution I=Sodium Thiosulfate J=Other

FILTERED?
(YES/NO)
 PRESERVATION
(CODE)*

Y/N	N	N	N	N	N
Pick Letter	F	A	A	A	A
Analyses Requested	VOC (8260)	PAH (8270)	Arsenic (6020)	Lead (6020)	Dry Weight

Quote #:
 Mail To Contact: Matthew C Michalski
 Mail To Company: REI
 Mail To Address: MMichalski@REIEngineering.com
 Invoice To Contact: SAA
 Invoice To Company: SAA
 Invoice To Address: SAA
 Invoice To Phone: (715) 675-9789
 CLIENT COMMENTS:
 LAB COMMENTS (Lab Use Only):
 Profile #:

PO #:
 Regulatory Program: WDR
Data Package Options (billable)
 EPA Level III
 EPA Level IV
MS/MSD
 On your sample (billable)
 NOT needed on your sample
Matrix Codes
 A = Air W = Water
 B = Biota DW = Drinking Water
 C = Charcoal GW = Ground Water
 O = Oil SW = Surface Water
 S = Soil WW = Waste Water
 SI = Sludge WP = Wipe

PACE LAB #	CLIENT FIELD ID	COLLECTION		MATRIX
		DATE	TIME	
001	G1-1 (2-4)	5/10	7:20	S
002	G1-9 (32-36)		7:30	
003	G1-11 (42-44)		8:05	
004	G2-1 (2-4)		9:45	
005	G2-8 (30-32)		10:05	
006	G2-12 (455-48)		10:20	
007	G3-1 (2-4)		11:15	
008	G3-9 (32-36)		11:40	
009	G3-11 (43-44)		11:50	
010	G4-1 (2-4)		18:55	
011	G4-9 (32-36)		14:20	
012	G4-12 (455-48)		14:35	
013	G5-1 (2,5-4)		15:40	

Rush Turnaround Time Requested - Prelims (Rush TAT subject to approval/surcharge)
 Date Needed:
 Transmit Prelim Rush Results by (complete what you want):
 Email #1:
 Email #2:
 Telephone:
 Fax:
 Samples on HOLD are subject to special pricing and release of liability

Relinquished By: <i>[Signature]</i>	Date/Time: 5/11/21 16:00	Received By: <i>[Signature]</i>	Date/Time: 5/11/21 09:05
Relinquished By: Walter	Date/Time: 5/12/21 09:04	Received By: <i>[Signature]</i>	Date/Time: 5/12/21 09:05
Relinquished By:	Date/Time: 09:05	Received By:	Date/Time:
Relinquished By:	Date/Time:	Received By:	Date/Time:
Relinquished By:	Date/Time:	Received By:	Date/Time:

PACE Project No. 40226787
 Receipt Temp = .5 °C
 Sample Receipt pH OK / Adjusted
 Cooler Custody Seal Present / Not Present Intact / Not Intact

(Please Print Clearly)

Company Name: REE
 Branch/Location: Wauqua
 Project Contact: Brian Bailey
 Phone: (715) 675-9789
 Project Number: 96909
 Project Name: Fong Family, LLC
 Project State:
 Sampled By (Print):
 Sampled By (Sign):
 PO #:
 Regulatory Program: WDR



UPPER MIDWEST REGION
 MN: 612-607-1700 WI: 920-469-2436

40226787

CHAIN OF CUSTODY

***Preservation Codes**
 A=None B=HCL C=H2SO4 D=HNO3 E=DI Water F=Methanol G=NaOH
 H=Sodium Bisulfate Solution I=Sodium Thiosulfate J=Other

FILTERED?
(YES/NO)
 PRESERVATION
(CODE)*

Y/N	N	N	N	N	N													
Pick Letter	F	A	A	A	A													
Analyses Requested	VOC (8260)	PAH (8270)	Arsenic (6020)	Lead (6020)	Dry weight													

Quote #:
 Mail To Contact: Matthew C Michalski
 Mail To Company: REE
 Mail To Address: MMichalski@REEInc.com
 Invoice To Contact: SAA
 Invoice To Company: SAA
 Invoice To Address: SAA
 Invoice To Phone: (715) 675-9789

Data Package Options (billable)
 EPA Level III
 EPA Level IV

MS/MSD
 On your sample (billable)
 NOT needed on your sample

Matrix Codes
 A = Air W = Water
 B = Biota DW = Drinking Water
 C = Charcoal GW = Ground Water
 O = Oil SW = Surface Water
 S = Soil WW = Waste Water
 Sl = Sludge WP = Wipe

PACE LAB #	CLIENT FIELD ID	COLLECTION		MATRIX	Y/N	F	A	A	A	A									
		DATE	TIME																
014	G5-9(32-36)	5/10/21	15:55	S		α	α	α	α	α									
015	G5-11(40-44)	↓	16:05																
016	G6-1(25-4)	5/11/21	6:58																
017	G6-5(18-20)		7:20																
018	G6-12(45-47)		8:15																
019	G6-1(2-4)		9:50																
020	G7-6(32-34)		10:05																
021	G7-10(38-40)		10:23																
022	G8-1(2-4)		11:05																
023	G8-3(9-11)		11:15																
024	G8-4(11-12-14)		11:20																
025	G9-1(2-4)		11:35																
026	G9-2(6-8)		11:40																

CLIENT COMMENTS
 LAB COMMENTS (Lab Use Only)
 Profile #

Rush Turnaround Time Requested - Prelims (Rush TAT subject to approval/surcharge)
 Date Needed: _____

Transmit Prelim Rush Results by (complete what you want):

Relinquished By: <i>[Signature]</i>	Date/Time: 5/11/2021 16:00	Received By: <i>[Signature]</i>	Date/Time: 5/12/21 09:05
Relinquished By: Walter	Date/Time: 5/12/21 09:05	Received By: <i>[Signature]</i>	Date/Time: 5/12/21 09:05
Relinquished By:	Date/Time:	Received By:	Date/Time:
Relinquished By:	Date/Time:	Received By:	Date/Time:

PACE Project No. 40226787
 Receipt Temp = .5 °C
 Sample Receipt pH (X) Adjusted
 Cooler Custody Seal Present / Not Present Intact / Not Intact

(Please Print Clearly)

Company Name: **REE**
 Branch/Location: **Wausau, WI**
 Project Contact: **Brian Bailey**
 Phone: **(715) 675-9784**
 Project Number: **96409**
 Project Name: **Fong Family, LLC**
 Project State: **WI**
 Sampled By (Print): **Matt C Michalski**
 Sampled By (Sign): *[Signature]*
 PO #: _____ Regulatory Program: **WDNR**



UPPER MIDWEST REGION
 MN: 612-607-1700 WI: 920-469-2436

40226787

CHAIN OF CUSTODY

***Preservation Codes**
 A=None B=HCL C=H2SO4 D=HNO3 E=DI Water F=Methanol G=NaOH
 H=Sodium Bisulfate Solution I=Sodium Thiosulfate J=Other

FILTERED?
(YES/NO)
 PRESERVATION
(CODE)*

Y/N	N	N	N	N	N													
Pick Letter	F	A	A	A	A													
Analyses Requested	VOC (8260)	PAH (8270)	Asenic (6020)	Lead (6020)	Phy Wash													

Quote #: _____
 Mail To Contact: **Matt C Michalski**
 Mail To Company: **REE**
 Mail To Address: **M Michalski @ REE engineering, com**
 Invoice To Contact: **SAH**
 Invoice To Company: **SAH**
 Invoice To Address: **SAH**
 Invoice To Phone: **(715) 675-9784**
 CLIENT COMMENTS: _____ LAB COMMENTS (Lab Use Only): _____ Profile #: _____

Data Package Options (billable)
 EPA Level III
 EPA Level IV

MS/MSD
 On your sample (billable)
 NOT needed on your sample

Matrix Codes
 A = Air W = Water
 B = Biota DW = Drinking Water
 C = Charcoal GW = Ground Water
 O = Oil SW = Surface Water
 S = Soil WW = Waste Water
 Sl = Sludge WP = Wipe

PACE LAB #	CLIENT FIELD ID	COLLECTION		MATRIX
		DATE	TIME	
027	G9-3(8-10)	5/11/21	11:45	S
028	G10-1(12-4)		12:00	
029	G10-4(14-16)		12:10	
030	G10-5(17-19)		12:15	
031	G11-1(2-4)		12:30	
032	G11-2(6-8)		12:35	
033	G11-3(10-12)		12:40	
034	G12-1(3-4)		12:55	
035	G12-3(8-10)		13:00	
036	G12-4(14-16)		13:05	

Rush Turnaround Time Requested - Prelims (Rush TAT subject to approval/surcharge)
 Date Needed: _____

Transmit Prelim Rush Results by (complete what you want): _____

Relinquished By: <i>[Signature]</i> Date/Time: 5/11/2021 06:00	Received By: <i>[Signature]</i> Date/Time: _____
Relinquished By: <i>[Signature]</i> Date/Time: 5/12/21 0905	Received By: <i>[Signature]</i> Date/Time: 5/12/21 0905
Relinquished By: _____ Date/Time: _____	Received By: _____ Date/Time: _____
Relinquished By: _____ Date/Time: _____	Received By: _____ Date/Time: _____

PACE Project No. **40226787**
 Receipt Temp = **.5** °C
 Sample Receipt pH **6.8** / Adjusted
 Cooler Custody Seal Present / Not Present
 Intact / Not Intact

(Please Print Clearly)

Company Name: RBF
 Branch/Location: Wausau, WI
 Project Contact: Brian Bailey
 Phone: (715) 675-9784
 Project Number: 96409
 Project Name: Park Family, LLC
 Project State: WI
 Sampled By (Print): Matthew C Michalski
 Sampled By (Sign): [Signature]
 PO #: _____
 Regulatory Program: WRNR



UPPER MIDWEST REGION
 MN: 612-607-1700 WI: 920-469-2436

40226787

CHAIN OF CUSTODY

***Preservation Codes**
 A=None B=HCL C=H2SO4 D=HNO3 E=DI Water F=Methanol G=NaOH
 H=Sodium Bisulfate Solution I=Sodium Thiosulfate J=Other

FILTERED?
(YES/NO)
 PRESERVATION
(CODE)*

Y/N	N	N	Y	Y														
Pick Letter	D	A	D	D														
Analyses Requested	VOC (8260)	PAH (8270)	Dissolved Arsenic (6020)	Dissolved Lead (6020)														

Data Package Options (billable)
 EPA Level III
 EPA Level IV

MS/MSD
 On your sample (billable)
 NOT needed on your sample

Matrix Codes
 A = Air W = Water
 B = Biota DW = Drinking Water
 C = Charcoal GW = Ground Water
 O = Oil SW = Surface Water
 S = Soil WW = Waste Water
 SI = Sludge WP = Wipe

Quote #: _____

Mail To Contact: Matthew C Michalski

Mail To Company: RBF

Mail To Address: Michalski & AEL Engineers

Invoice To Contact: SAA

Invoice To Company: SAA

Invoice To Address: SAA

Invoice To Phone: (715) 675-9784

CLIENT COMMENTS

LAB COMMENTS (Lab Use Only)

Profile #

PACE LAB #	CLIENT FIELD ID	COLLECTION		MATRIX	Y/N	Pick Letter	Analyses Requested	VOC (8260)	PAH (8270)	Dissolved Arsenic (6020)	Dissolved Lead (6020)								
		DATE	TIME																
037	G1-W	5/10/21	9:20	GW				α	α	α	α								
038	G2-W	5/11/21	10:50					↓	↓	↓	↓								
039	G3-W		13:30					↓	↓	↓	↓								
040	G4-W		15:20					↓	↓	↓	↓								
041	G5-W		16:55					↓	↓	↓	↓								
042	G6-W	5/11/21	9:25					↓	↓	↓	↓								
043	G7-W		10:43					↓	↓	↓	↓								

Rush Turnaround Time Requested - Prelims
 (Rush TAT subject to approval/surcharge)
 Date Needed: _____

Transmit Prelim Rush Results by (complete what you want):

Relinquished By: [Signature] Date/Time: 5/11/2021 16:00
 Received By: [Signature] Date/Time: 5/12/21 09:05

Relinquished By: WATCO Date/Time: 5/12/21 09:05
 Received By: [Signature] Date/Time: 5/12/21 09:05

Relinquished By: _____ Date/Time: _____
 Received By: _____ Date/Time: _____

Relinquished By: _____ Date/Time: _____
 Received By: _____ Date/Time: _____

Relinquished By: _____ Date/Time: _____
 Received By: _____ Date/Time: _____

Relinquished By: _____ Date/Time: _____
 Received By: _____ Date/Time: _____

PACE Project No. 40226787

Receipt Temp = .5 °C

Sample Receipt pH OK Adjusted

Cooler Custody Seal Present / Not Present Intact / Not Intact

Sample Preservation Receipt Form

Pace Analytical Services, LLC
1241 Bellevue Street, Suite 9
Green Bay, WI 54302

Client Name: KEA

Project # 40226787

All containers needing preservation have been checked and noted below: Yes No N/A

Lab Lot# of pH paper: 1003601 Lab Std #ID of preservation (if pH adjusted):

Initial when completed: NY Date/Time:

Pace Lab #	Glass							Plastic					Vials					Jars				General			VOA Vials (>6mm) *	H2SO4 pH ≤2	NaOH+Zn Act pH ≥9	NaOH pH ≥12	HNO3 pH ≤2	pH after adjusted	Volume (mL)				
	AG1U	BG1U	AG1H	AG4S	AG4U	AG5U	AG2S	BP1U	BP3U	BP3B	BP3N	BP3S	VG9A	DG9T	VG9U	VG9H	VG9M	VG9D	JG9U	JG9U	WGFU	WPFU	SP5T	ZPLC								GN			
001																																			2.5 / 5 / 10
002																																			2.5 / 5 / 10
003																																			2.5 / 5 / 10
004																																			2.5 / 5 / 10
005																																			2.5 / 5 / 10
006																																			2.5 / 5 / 10
007																																			2.5 / 5 / 10
008																																			2.5 / 5 / 10
009																																			2.5 / 5 / 10
010																																			2.5 / 5 / 10
011																																			2.5 / 5 / 10
012																																			2.5 / 5 / 10
013																																			2.5 / 5 / 10
014																																			2.5 / 5 / 10
015																																			2.5 / 5 / 10
016																																			2.5 / 5 / 10
017																																			2.5 / 5 / 10
018																																			2.5 / 5 / 10
019																																			2.5 / 5 / 10
020																																			2.5 / 5 / 10

Exceptions to preservation check: VOA, Coliform, TOC, TOX, TOH, O&G, WI DRO, Phenolics, Other: _____ Headspace in VOA Vials (>6mm) : Yes No N/A *If yes look in headspace column

AG1U 1 liter amber glass	BP1U 1 liter plastic unpres	VG9A 40 mL clear ascorbic	JG9U 4 oz amber jar unpres
BG1U 1 liter clear glass	BP3U 250 mL plastic unpres	DG9T 40 mL amber Na Thio	JG9U 9 oz amber jar unpres
AG1H 1 liter amber glass HCL	BP3B 250 mL plastic NaOH	VG9U 40 mL clear vial unpres	WGFU 4 oz clear jar unpres
AG4S 125 mL amber glass H2SO4	BP3N 250 mL plastic HNO3	VG9H 40 mL clear vial HCL	WPFU 4 oz plastic jar unpres
AG4U 120 mL amber glass unpres	BP3S 250 mL plastic H2SO4	VG9M 40 mL clear vial MeOH	SP5T 120 mL plastic Na Thiosulfate
AG5U 100 mL amber glass unpres		VG9D 40 mL clear vial DI	ZPLC ziploc bag
AG2S 500 mL amber glass H2SO4			GN
BG3U 250 mL clear glass unpres			


Sample Preservation Receipt Form

Project #: 40226787

Client Name: PEI

Pace Lab #	Glass							Plastic					Vials					Jars				General			VOA Vials (>6mm) *	H2SO4 pH ≤2	NaOH+Zn Act pH ≥9	NaOH pH ≥12	HNO3 pH ≤2	pH after adjusted	Volume (mL)					
	AG1U	BG1U	AG1H	AG4S	AG4U	AG5U	AG2S	BG3U	BP1U	BP3U	BP3B	BP3N	BP3S	VG9A	DG9T	VG9U	VG9H	VG9M	VG9D	JG9U	JG9U	WGFU	WPFU	SP5T								ZPLC	GN			
021																				2														2.5/5/10		
022																				2														2.5/5/10		
023																				2															2.5/5/10	
024																				2															2.5/5/10	
025																				2															2.5/5/10	
026																				2																2.5/5/10
027																				2																2.5/5/10
028																				2																2.5/5/10
029																				2																2.5/5/10
030																				2																2.5/5/10
031																				2																2.5/5/10
032																				2																2.5/5/10
033																				2																2.5/5/10
034																				2																2.5/5/10
035																				2																2.5/5/10
036																																				2.5/5/10
037																																			X	2.5/5/10
038																																	2		X	2.5/5/10
039																																		X	2.5/5/10	
040																																		X	2.5/5/10	
041																																		X	2.5/5/10	
042																																		X	2.5/5/10	
043																																		X	2.5/5/10	
																																				2.5/5/10
																																				2.5/5/10
																																				2.5/5/10
																																				2.5/5/10
																																				2.5/5/10
																																				2.5/5/10
																																				2.5/5/10

5/12/21
 KP

 1241 Bellevue Street, Green Bay, WI 54302	Document Name: Sample Condition Upon Receipt (SCUR)	Document Revised: 25Apr2018
	Document No.: F-GB-C-031-Rev.07	Issuing Authority: Pace Green Bay Quality Office

Sample Condition Upon Receipt Form (SCUR)


Client Name: REI Project # 40226787

Additional Comments/Resolution: _____

- VG9M -011 ID IS 64-9 (34-36)
- VG9M -012 date is 5/1/21
- 038 vials - heavy sediment
- 039 vials - heavy sediment
- 043 vials - heavy sediment
- 008 wpfu ID 63-9 (30-39) & JGFU'S
- 009 wpfu & JGFU time is 11:55
- 011 ID IS 64-9 (34-36)

RJ 5/1/21

Project Manager Review: _____ Date: _____

 1241 Bellevue Street, Green Bay, WI 54302	Document Name: Sample Condition Upon Receipt (SCUR)	Document Revised: 26Mar2020
	Document No.: ENV-FRM-GBAY-0014-Rev.00	Author: Pace Green Bay Quality Office

Sample Condition Upon Receipt Form (SCUR)

Client Name: REF Project #: _____
WO#: **40226787**
 Courier: CS Logistics Fed Ex Speedee UPS **Waltco**
 Client Pace Other: _____
Tracking #: 2839323-1



Custody Seal on Cooler/Box Present: yes no **Seals intact:** yes no
Custody Seal on Samples Present: yes no **Seals intact:** yes no
Packing Material: Bubble Wrap Bubble Bags None Other
Thermometer Used: SR - 90 **Type of Ice:** Wet Blue Dry None Samples on ice, cooling process has begun
Cooler Temperature: Uncorr: 1 / Corr: .5
Temp Blank Present: yes no **Biological Tissue is Frozen:** yes no

Person examining contents:	
Date: <u>5/12/21</u>	Initials: <u>[Signature]</u>
Labeled By Initials: <u>[Signature]</u>	

Temp should be above freezing to 6°C.
 Biota Samples may be received at ≤ 0°C if shipped on Dry Ice.

Chain of Custody Present:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	1.
Chain of Custody Filled Out:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	2.
Chain of Custody Relinquished:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	3.
Sampler Name & Signature on COC:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	4.
Samples Arrived within Hold Time:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	5.
- VOA Samples frozen upon receipt	<input type="checkbox"/> Yes <input type="checkbox"/> No	Date/Time: _____
Short Hold Time Analysis (<72hr):	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	6.
Rush Turn Around Time Requested:	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	7.
Sufficient Volume:		8.
For Analysis: <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	MS/MSD: <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A	
Correct Containers Used:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	9.
- Pace Containers Used:	<input checked="" type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A	
- Pace IR Containers Used:	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	
Containers Intact:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	10.
Filtered volume received for Dissolved tests	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	11.
Sample Labels match COC:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	12.
- Includes date/time/ID/Analysis Matrix: <u>SW</u>	<u>008 V69M ID GB-9 (30-34) V8 5/12/21</u> <u>009 V69M time 11:55 V8 5/12/21</u> <u>010 V69M ID half legible 5/12/21</u>	
Trip Blank Present:	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A	13.
Trip Blank Custody Seals Present	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	
Pace Trip Blank Lot # (if purchased): _____		

Client Notification/ Resolution: If checked, see attached form for additional comments
 Person Contacted: _____ Date/Time: _____
 Comments/ Resolution: _____

PM Review is documented electronically in LIMS. By releasing the project, the PM acknowledges they have reviewed the sample logir

Notice: Use this form to request a **written response (on agency letterhead)** from the Department of Natural Resources (DNR) regarding technical assistance, a post-closure change to a site, a specialized agreement or liability clarification for Property with known or suspected environmental contamination. A fee will be required as is authorized by s. 292.55, Wis. Stats., and NR 749, Wis. Adm. Code., unless noted in the instructions below. Personal information collected will be used for administrative purposes and may be provided to requesters to the extent required by Wisconsin's Open Records law [ss. 19.31 - 19.39, Wis. Stats.].

Definitions

"Property" refers to the subject Property that is perceived to have been or has been impacted by the discharge of hazardous substances.

"Liability Clarification" refers to a written determination by the Department provided in response to a request made on this form. The response clarifies whether a person is or may become liable for the environmental contamination of a Property, as provided in s. 292.55, Wis. Stats.

"Technical Assistance" refers to the Department's assistance or comments on the planning and implementation of an environmental investigation or environmental cleanup on a Property in response to a request made on this form as provided in s. 292.55, Wis. Stats.

"Post-closure modification" refers to changes to Property boundaries and/or continuing obligations for Properties or sites that received closure letters for which continuing obligations have been applied or where contamination remains. Many, but not all, of these sites are included on the GIS Registry layer of RR Sites Map to provide public notice of residual contamination and continuing obligations.

Select the Correct Form

This form should be used to request the following from the DNR:

- Technical Assistance
- Liability Clarification
- Post-Closure Modifications
- Specialized Agreements (tax cancellation, negotiated agreements, etc.)

Do not use this form if one of the following applies:

- Request for an **off-site liability exemption or clarification** for Property that has been or is perceived to be contaminated by one or more hazardous substances that originated on another Property containing the source of the contamination. Use DNR's Off-Site Liability Exemption and Liability Clarification Application Form 4400-201.
- Submittal of an Environmental Assessment for the **Lender Liability Exemption**, s 292.21, Wis. Stats., **if no response or review by DNR is requested**. Use the Lender Liability Exemption Environmental Assessment Tracking Form 4400-196.
- Request for an **exemption to develop on a historic fill site** or licensed landfill. Use DNR's Form 4400-226 or 4400-226A.
- **Request for closure** for Property where the investigation and cleanup actions are completed. Use DNR's Case Closure - GIS Registry Form 4400-202.

All forms, publications and additional information are available on the internet at: dnr.wi.gov/topic/Brownfields/Pubs.html.

Instructions

1. Complete sections 1, 2, 6 and 7 for all requests. Be sure to provide adequate and complete information.
2. Select the type of assistance requested: Section 3 for technical assistance or post-closure modifications, Section 4 for a written determination or clarification of environmental liabilities; or Section 5 for a specialized agreement.
3. Include the fee payment that is listed in Section 3, 4, or 5, unless you are a "Voluntary Party" enrolled in the Voluntary Party Liability Exemption Program **and** the questions in Section 2 direct otherwise. Information on to whom and where to send the fee is found in Section 8 of this form.
4. Send the completed request, supporting materials and the fee to the appropriate DNR regional office where the Property is located. See the map on the last page of this form. A paper copy of the signed form and all reports and supporting materials shall be sent with an electronic copy of the form and supporting materials on a compact disk. For electronic document submittal requirements see: <http://dnr.wi.gov/files/PDF/pubs/rr/RR690.pdf>

The time required for DNR's determination varies depending on the complexity of the site, and the clarity and completeness of the request and supporting documentation.

Technical Assistance, Environmental Liability Clarification or Post-Closure Modification Request

Form 4400-237 (R 12/18)

Page 2 of 6

Section 1. Contact and Recipient Information

Requester Information

This is the person requesting technical assistance or a post-closure modification review, that his or her liability be clarified or a specialized agreement and is identified as the requester in Section 7. DNR will address its response letter to this person.

Last Name Rosemurgy	First John	MI	Organization/ Business Name Fong Family, LLC.
Mailing Address PO Box 1966		City Wausau	State WI
		ZIP Code 54403	
Phone # (include area code) (715) 573-2111	Fax # (include area code)	Email jkmrosemurgy@live.com	

The requester listed above: (select all that apply)

- Is currently the owner
 Is considering selling the Property
 Is renting or leasing the Property
 Is considering acquiring the Property
 Is a lender with a mortgagee interest in the Property
 Other. Explain the status of the Property with respect to the applicant:

Contact Information (to be contacted with questions about this request)

Select if same as requester

Contact Last Name Matthew	First Michalski	MI C	Organization/ Business Name REI Engineering, Inc.
Mailing Address 4080 N 20th Avenue		City Wausau	State WI
		ZIP Code 54401	
Phone # (include area code) (715) 675-9784	Fax # (include area code) (715) 675-4060	Email BBailey@REIengineering.com	

Environmental Consultant (if applicable)

Contact Last Name Bailey	First Brian	MI J	Organization/ Business Name REI Engineering, Inc.
Mailing Address 4080 N 20th Avenue		City Wausau	State WI
		ZIP Code 54401	
Phone # (include area code)	Fax # (include area code)	Email BBailey@REIengineering.com	

Section 2. Property Information

Property Name Fong Family, LLC.	FID No. (if known) 737254760
BRRTS No. (if known) 02-37-587441	Parcel Identification Number 291-2907-362-0511
Street Address 360 & 372 Grand Avenue	City Wausau
	State WI
	ZIP Code 54403
County Marathon	Municipality where the Property is located <input checked="" type="radio"/> City <input type="radio"/> Town <input type="radio"/> Village of Wausau
	Property is composed of: <input checked="" type="radio"/> Single tax parcel <input type="radio"/> Multiple tax parcels
	Property Size Acres 2

Technical Assistance, Environmental Liability Clarification or Post-Closure Modification Request

Form 4400-237 (R 12/18)

Page 3 of 6

1. Is a response needed by a specific date? (e.g., Property closing date) Note: Most requests are completed within 60 days. Please plan accordingly.

No Yes

Date requested by: 06/21/2021

Reason: Pending property transaction and addition to site structure on hold until site investigation complete.

2. Is the "Requester" enrolled as a Voluntary Party in the Voluntary Party Liability Exemption (VPLE) program?

No. **Include the fee that is required for your request in Section 3, 4 or 5.**

Yes. **Do not include a separate fee.** This request will be billed separately through the VPLE Program.

Fill out the information in Section 3, 4 or 5 which corresponds with the type of request:

Section 3. Technical Assistance or Post-Closure Modifications;

Section 4. Liability Clarification; or Section 5. Specialized Agreement.

Section 3. Request for Technical Assistance or Post-Closure Modification

Select the type of technical assistance requested: [Numbers in brackets are for WI DNR Use]

- No Further Action Letter (NFA) (Immediate Actions) - NR 708.09, [183] - **Include a fee of \$350.** Use for a written response to an immediate action after a discharge of a hazardous substance occurs. Generally, these are for a one-time spill event.
- Review of Site Investigation Work Plan - NR 716.09, [135] - **Include a fee of \$700.**
- Review of Site Investigation Report - NR 716.15, [137] - **Include a fee of \$1050.**
- Approval of a Site-Specific Soil Cleanup Standard - NR 720.10 or 12, [67] - **Include a fee of \$1050.**
- Review of a Remedial Action Options Report - NR 722.13, [143] - **Include a fee of \$1050.**
- Review of a Remedial Action Design Report - NR 724.09, [148] - **Include a fee of \$1050.**
- Review of a Remedial Action Documentation Report - NR 724.15, [152] - **Include a fee of \$350**
- Review of a Long-term Monitoring Plan - NR 724.17, [25] - **Include a fee of \$425.**
- Review of an Operation and Maintenance Plan - NR 724.13, [192] - **Include a fee of \$425.**

Other Technical Assistance - s. 292.55, Wis. Stats. [97] (For request to build on an abandoned landfill use Form 4400-226)

- Schedule a Technical Assistance Meeting - **Include a fee of \$700.**
- Hazardous Waste Determination - **Include a fee of \$700.**
- Other Technical Assistance - **Include a fee of \$700.** Explain your request in an attachment.

Post-Closure Modifications - NR 727, [181]

- Post-Closure Modifications: Modification to Property boundaries and/or continuing obligations of a closed site or Property; sites may be on the GIS Registry. This also includes removal of a site or Property from the GIS Registry. **Include a fee of \$1050, and:**
 - Include a fee of \$300 for sites with residual soil contamination; and
 - Include a fee of \$350 for sites with residual groundwater contamination, monitoring wells or for vapor intrusion continuing obligations.

Attach a description of the changes you are proposing, and documentation as to why the changes are needed (if the change to a Property, site or continuing obligation will result in revised maps, maintenance plans or photographs, those documents may be submitted later in the approval process, on a case-by-case basis).

Technical Assistance, Environmental Liability Clarification or Post-Closure Modification Request

Form 4400-237 (R 12/18)

Page 4 of 6

Skip Sections 4 and 5 if the technical assistance you are requesting is listed above and complete Sections 6 and 7 of this form.

Section 5. Request for a Specialized Agreement

Select the type of agreement needed. Include the appropriate draft agreements and supporting materials. Complete Sections 6 and 7 of this form. More information and model draft agreements are available at: dnr.wi.gov/topic/Brownfields/Igu.html#tabx4.

Tax cancellation agreement - s. 75.105(2)(d), Wis. Stats. [654]

❖ **Include a fee of \$700, and the information listed below:**

- (1) Phase I and II Environmental Site Assessment Reports,
- (2) a copy of the Property deed with the correct legal description.

Agreement for assignment of tax foreclosure judgement - s.75.106, Wis. Stats. [666]

❖ **Include a fee of \$700, and the information listed below:**

- (1) Phase I and II Environmental Site Assessment Reports,
- (2) a copy of the Property deed with the correct legal description.

Negotiated agreement - Enforceable contract for non-emergency remediation - s. 292.11(7)(d) and (e), Wis. Stats. [630]

❖ **Include a fee of \$1400, and the information listed below:**

- (1) a draft schedule for remediation; and,
- (2) the name, mailing address, phone and email for each party to the agreement.

Section 6. Other Information Submitted

Identify all materials that are included with this request.

Send both a paper copy of the signed form and all reports and supporting materials, and an electronic copy of the form and all reports, including Environmental Site Assessment Reports, and supporting materials on a compact disk.

Include one copy of any document from any state agency files that you want the Department to review as part of this request. The person submitting this request is responsible for contacting other state agencies to obtain appropriate reports or information.

Phase I Environmental Site Assessment Report - Date: _____

Phase II Environmental Site Assessment Report - Date: _____

Legal Description of Property (required for all liability requests and specialized agreements)

Map of the Property (required for all liability requests and specialized agreements)

Analytical results of the following sampled media: Select all that apply and include date of collection.

Groundwater Soil Sediment Other medium - Describe: _____

Date of Collection: _____

A copy of the closure letter and submittal materials

Draft tax cancellation agreement

Draft agreement for assignment of tax foreclosure judgment

Other report(s) or information - Describe: Site Investigation Report

For Property with newly identified discharges of hazardous substances only: Has a notification of a discharge of a hazardous substance been sent to the DNR as required by s. NR 706.05(1)(b), Wis. Adm. Code?

Yes - Date (if known): _____

No

Note: The Notification for Hazardous Substance Discharge (non-emergency) form is available at:

dnr.wi.gov/files/PDF/forms/4400/4400-225.pdf.

Section 7. Certification by the Person who completed this form

I am the person submitting this request (requester)

I prepared this request for: Fong Family, LLC.

Requester Name

I certify that I am familiar with the information submitted on this request, and that the information on and included with this request is true, accurate and complete to the best of my knowledge. I also certify I have the legal authority and the applicant's permission to make this request.

**Technical Assistance, Environmental Liability
Clarification or Post-Closure Modification Request**

Form 4400-237 (R 12/18)

Page 5 of 6

Matthew C. Michalski

6/7/2021

Signature

Date Signed

Hydrogeologist

(715) 675-9784

Title

Telephone Number (include area code)

