

May 16, 2011

Ms. Kathy Sylvester
Wisconsin Department of Natural Resources
Remediation and Redevelopment Program
625 East County Road Y, Suite 700
Oshkosh, Wisconsin 54901

Re: Data Transmittal
Gunderson Cleaners, Inc.
904 South Commercial Street
Neenah, Wisconsin 54956
BRRTS #02-71-108446
Terracon Project No: 38077004

R + R - OSH
RECEIVED

MAY 20 2011

TRACKED 43
REVIEWED

Dear Ms. Sylvester:

On behalf of Gunderson Cleaners, LLC, Terracon Consultants, Inc. (Terracon) has prepared this groundwater data transmittal for the November 19, 2010 and February 22, 2011 groundwater sampling events at the above-referenced site. Please find attached a Site Location Map (Figure 1), Groundwater Contour Maps (Figures 2 and 3), Monitoring Well Hydrographs (Figures 4 and 5), Groundwater Contaminant Trend graphs (Figures 6 through 13), a Groundwater Elevation Summary table (Table 1), a Groundwater Analytical Summary table (Table 2), and a Natural Attenuation Analytical Summary table (Table 3). A copy of the laboratory analytical reports with the chain-of-custody record and field sampling sheets for each round are also attached.

As shown on Figures 2 and 3, the groundwater flow direction during both the November 2010 and February 2011 sampling events is very similar with a northeasterly flow from MW-4 toward MW-6 on the northern portion of the site with a horizontal gradient of 0.013 feet per foot (ft/ft) and south-westerly flow on the southwestern portion with a 0.014 ft/ft horizontal gradient. Although there are only two mid-level piezometers (PZ-3 and PZ-6) and two deep piezometers (PZ-4 and PZ-5), the general flow direction at the mid-level potentiometric surface is to the southwest, but is generally to the northeast at the deep potentiometric surface. During recent sampling events it has been noted that multiple flushmounts are in need of repairs and/or replacement.



A comparison of water levels in the observation well/mid-level piezometer well nests during the November 2010 and February 2011 sampling events are shown below. A positive number indicates a downward component and a negative number indicates an upward component.

Well Nest	November 2010 Event	February 2011 Event
MW-11/PZ-3	0.013	0.006
MW-15/PZ-6	0.008	0.005
MW-9/PZ-5	0.073	0.073
MW-14/PZ-4	-0.019	-0.022

During the November 2010 and February 2011 sampling event, monitoring wells MW-8, MW-9, MW11, MW-13, MW-15, PZ-3, PZ-4 and PZ-6 were sampled using low-flow groundwater sampling techniques. A peristaltic pump and Horiba U-22 water quality meter were used to pump and monitor the temperature and natural attenuation parameters including pH, dissolved oxygen (DO), oxidation-reduction potential (ORP), and specific conductance of the groundwater during purging. The measurements were recorded every 5 to 10 minutes until the parameters stabilized. Generally, parameters were considered stabilized when three consecutive readings had less than 10% difference from the previous reading. Measurements were recorded on the attached field sampling sheets for each well. The final parameter measurements are shown on the attached Table 3. Oxidation-reduction potential (ORP) measurements from monitoring wells MW-9, MW-15 and PZ-6 are indicative of reductive dechlorination during both groundwater sampling events. In addition, ORP measurements from monitoring well MW-11 during the November 2010 event is indicative of reductive chlorination. Dissolved oxygen measurements taken from monitoring wells MW-8, MW-9, MW-15, PZ-4, and PZ-6 during the February 2011 sampling event were also indicative of a reductive dechlorination environment.

The results indicated that VOCs were detected above the laboratory limit of detection (LOD) in all of the monitoring wells sampled during both sampling events. The most recent results are shown below. Historical results are presented in Table 2.

- tetrachloroethene (PCE) MW-8 (34.9 micrograms per liter (µg/L)); MW-9 (11.8 µg/L); MW-11 (7.7 µg/L); MW-13 (21.7 µg/L); MW-15 (16.0 µg/L); and PZ-4 (7.8 µg/L).
- cis-1,2-dichloroethene (cis 1,2-DCE) MW-15 (203 µg/L)

The following compounds were detected below their respective ES but above their WAC, Chapter NR 140 Groundwater Quality Preventive Action Limit (PAL) during the February 2011 sampling event:

- PCE PZ-6 (0.97 µg/L) and PZ-3 (1.1 µg/L);
- trichloroethene (TCE) MW-8 (1.2 µg/L); MW-13 (0.96 µg/L); MW-15 (2.8 µg/L); PZ-4 (0.61 µg/L); and PZ-6 (0.52 µg/L)
- cis 1,2-DCE PZ-4 (10 µg/L) and PZ-6 (13.6 µg/L);
- chloromethane MW-13 (2.2 µg/L) and PZ-4 (10 µg/L);
- benzene MW-13 (0.52 µg/L);
- methylene chloride MW-9 (0.50 µg/L); MW-11 (1.1 µg/L); MW-13 (1.4 µg/L); and PZ-6 (0.79 µg/L).


Groundwater contaminant concentration trend graphs for the eight sampled monitoring wells are attached as Figures 6 through 13.

The next (last) round of sampling is scheduled to take place in May 2011. If you have questions or require additional information, please do not hesitate to contact our office at (414) 423-0255.

Sincerely,




Renee N. Ransom
Staff Geologist


Scott A. Hodgson, P.G.
Project Geologist

RNR/SAH:mr/N:\Projects\2007\38077004\Data Transmittals\November 2010 and February 2011\Data Transmittal NOV2010 and FEB2011.sah.doc

Attachments: Figures 1 through 13
Tables 1 through 3
Laboratory Analytical Test Reports (Groundwater)
Groundwater Sampling Field Sheets

Copies to: Gary Gunderson, Gunderson Cleaners
Michelle Williams, Reinhart Boerner Van Deuren, s.c.
File

Gunderson Cleaners, Inc.
904 South Commercial Street ■ Winnebago County, Wisconsin
May 16, 2011 ■ Terracon Project No. 38077004




CERTIFICATIONS

I, Scott A. Hodgson, hereby certify that I am a hydrogeologist as that term is defined in s. NR 712.03 (1), Wis. Adm. Code, and that, to the best of my knowledge, all of the information contained in this document is correct and the document was prepared in compliance with all applicable requirements in chs. NR 700 to 726, Wis. Adm. Code.


Scott A. Hodgson
Signature

5/16/11
Date

Project Hydrogeologist
Title



SCALE 1:24 000



CONTOUR INTERVAL 10 FEET
NATIONAL GEODETIC VERTICAL DATUM OF 1929


NEENAH QUADRANGLE
WISCONSIN - WINNEBAGO COUNTY
1992
7.5 MINUTE SERIES (TOPOGRAPHIC)



Project Mngr:	JVS	Project No.	38077004
Drawn By:	AGC	Scale:	AS SHOWN
Checked By:	JVS	File No.	38077004 SL
Approved By:	JVS	Date:	11/22/10

Terracon
Consulting Engineers and Scientists
9856 SOUTH 57th STREET FRANKLIN, WI 53132
PH. (414) 423-0255 FAX. (414) 423-0566

SITE LOCATION MAP		FIGURE 1
GUNDERSON CLEANERS 904 SOUTH COMMERCIAL AVENUE NEENAH WISCONSIN		



Project Mngr:	SAH	Project No.	38077004
Drawn By:	AGC	Scale:	AS SHOWN
Checked By:	SAH	File No.	38077004.SM2
Approved By:	SAH	Date:	5/3/11


Terracon
 Consulting Engineers and Scientists
 9856 SOUTH 57th STREET FRANKLIN, WI 53132
 PH. (414) 423-0255 FAX. (414) 423-0566

GROUNDWATER TABLE CONTOUR MAP (11/19/10)

GUNDERSON CLEANERS
 904 SOUTH COMMERCIAL STREET

NEENAH WISCONSIN

FIG. No.	2
(Layout12)	



LEGEND

MONITORING WELL	ABANDONED MONITORING WELL
PIEZOMETER	ABANDONED PIEZOMETER
747.94 GROUNDWATER ELEVATION	GROUNDWATER CONTOUR
GROUNDWATER FLOW DIRECTION	

NOTE: THE CONTOUR LINES DEPICTED ARE BASED ON INTERPOLATION AND EXTRAPOLATION OF GROUNDWATER ELEVATION MEASUREMENTS FOR THE DATE SHOWN. ACTUAL CONDITIONS MAY VARY.

Project Mngr:	SAH
Drawn By:	AGC
Checked By:	SAH
Approved By:	SAH

Project No.	38077004
Scale:	AS SHOWN
File No.	38077004.SM2
Date:	5/3/11

Terracon
Consulting Engineers and Scientists

9856 SOUTH 57th STREET FRANKLIN, WI 53132
PH. (414) 423-0255 FAX. (414) 423-0566

GROUNDWATER TABLE CONTOUR MAP (2/22/11)

GUNDERSON CLEANERS
904 SOUTH COMMERCIAL STREET

NEENAH WISCONSIN

FIG. No.
3
(Layout13)

FIGURE 5

Groundwater Hydrographs - Well Nests

Gunderson Cleaners
Neenah, Wisconsin
Terracon Project No. 38077004




FIGURE 6
MW-8 Groundwater Concentration Trends

Gunderson Cleaners
Neenah, Wisconsin
Terracon Project No. 38077004




FIGURE 7
MW-9 Groundwater Concentration Trends

Gunderson Cleaners
Neenah, Wisconsin
Terracon Project No. 38077004




FIGURE 8
MW-11 Groundwater Concentration Trends

Gunderson Cleaners
Neenah, Wisconsin
Terracon Project No. 38077004




FIGURE 9
MW-13 Groundwater Concentration Trends

Gunderson Cleaners
Neenah, Wisconsin
Terracon Project No. 38077004




FIGURE 10
MW-15 Groundwater Concentration Trends

Gunderson Cleaners
Neenah, Wisconsin
Terracon Project No. 38077004




FIGURE 11
PZ-3 Groundwater Concentration Trends

Gunderson Cleaners
Neenah, Wisconsin
Terracon Project No. 38077004




FIGURE 12
PZ-4 Groundwater Concentration Trends

Gunderson Cleaners
Neenah, Wisconsin
Terracon Project No. 38077004




FIGURE 13
PZ-4 Groundwater Concentration Trends

Gunderson Cleaners
Neenah, Wisconsin
Terracon Project No. 38077004




TABLE 1
Groundwater Elevations

Gunderson Cleaners
Neenah, Wisconsin
Terracon Project No. 38077004

Measured Location	Date	Depth to Groundwater*	Reference Elevation	Groundwater Elevation	Screened Interval		
MW-1	12/8/2005	9.54	758.10	748.56	743.6	-	753.6
MW-1	3/14/2006	7.23	758.10	750.87	743.6	-	753.6
Soil Remedial Actions Conducted May 30 to June 1, 2007							
MW-1	6/27/2007	9.42	758.10	748.68	743.6	-	753.6
MW-1	9/18/2007	9.75	758.10	748.35	743.6	-	753.6
MW-1	12/10/2007	11.41	758.10	746.69	743.6	-	753.6
MW-1	3/28/2008	Unmeasurable due to ice blockage			743.6	-	753.6
MW-1	6/24/2008	8.22	758.10	749.88	744.6	-	754.6
MW-1	10/2/2008	11.46	758.10	746.64	744.6	-	754.6
Additional Soil Remedial Action Conducted July 10-13, 2010							
MW-1	7/26/2010	6.27	758.10	751.83	744.6	-	754.6
MW-1	11/19/2010	10.03	758.10	748.07	744.6	-	754.6
MW-1	2/22/2011	9.02	758.10	749.08	744.6	-	754.6
MW-3	12/8/2005	10.07	758.68	748.61	744.0	-	754.0
MW-3	3/14/2006	7.78	758.68	750.90	744.0	-	754.0
Soil Remedial Actions Conducted May 30 to June 1, 2007							
MW-3	6/27/2007	9.98	758.68	748.70	744.0	-	754.0
MW-3	9/18/2007	10.30	758.68	748.38	744.0	-	754.0
MW-3	12/10/2007	12.00	758.68	746.68	744.0	-	754.0
MW-3	3/28/2008	8.01	758.68	750.67	744.0	-	754.0
MW-3	6/24/2008	8.83	758.68	749.85	744.0	-	754.0
Resurvey**	6/30/2008		758.69				
MW-3	10/2/2008	11.83	758.69	746.86	744.5	-	754.5
Additional Soil Remedial Action Conducted July 10-13, 2010							
MW-3	7/26/2010	6.70	758.69	751.99	744.5	-	754.5
MW-3	11/19/2010	10.43	758.69	748.26	744.5	-	754.5
MW-3	2/22/2011	9.45	758.69	749.24	744.5	-	754.5
MW-4	12/8/2005	9.54	758.15	748.61	744.1	-	754.1
MW-4	3/14/2006	7.49	758.15	750.66	744.1	-	754.1
Soil Remedial Actions Conducted May 30 to June 1, 2007							
MW-4	6/27/2007	9.54	758.15	748.61	744.1	-	754.1
MW-4	9/18/2007	9.87	758.15	748.28	744.1	-	754.1
MW-4	12/10/2007	11.51	758.15	746.64	744.1	-	754.1
MW-4	3/28/2008	7.52	758.15	750.63	744.1	-	754.1
MW-4	6/24/2008	8.37	758.15	749.78	744.1	-	754.1
Resurvey**	6/30/2008		759.17				
MW-4	10/2/2008	11.35	759.17	747.82	745.6	-	755.6
Additional Soil Remedial Action Conducted July 10-13, 2010							
MW-4	7/26/2010	6.16	759.17	753.01	745.6	-	755.6
MW-4	11/19/2010	9.95	759.17	749.22	745.6	-	755.6
MW-4	2/22/2011	8.98	759.17	750.19	745.6	-	755.6

TABLE 1
Groundwater Elevations

Gunderson Cleaners
Neenah, Wisconsin
Terracon Project No. 38077004

Measured Location	Date	Depth to Groundwater*	Reference Elevation	Groundwater Elevation	Screened Interval		
MW-6	12/8/2005	10.33	759.09	748.76	744.7	-	754.7
MW-6	3/14/2006	8.09	759.09	751.00	744.7	-	754.7
Soil Remedial Actions Conducted May 30 to June 1, 2007							
MW-6	6/27/2007	10.21	759.09	748.88	744.7	-	754.7
MW-6	9/18/2007	10.50	759.09	748.59	744.7	-	754.7
MW-6	12/10/2007	12.32	759.09	746.77	744.7	-	754.7
MW-6	3/28/2008	Unmeasurable due to ice blockage			744.7	-	754.7
MW-6	6/24/2008	9.03	759.09	750.06	745.7	-	755.7
Resurvey**	6/30/2008		758.29				
MW-6	10/2/2008	12.14	758.29	746.15	744.4	-	754.4
Additional Soil Remedial Action Conducted July 10-13, 2010							
MW-6	7/26/2010	6.90	758.29	751.39	744.4	-	754.4
MW-6	11/19/2010	10.76	758.29	747.53	744.4	-	754.4
MW-6	2/22/2011	9.73	758.29	748.56	744.4	-	754.4
MW-8	12/8/2005	10.25	758.74	748.49	745.4	-	755.4
MW-8	3/14/2006	7.76	758.74	750.98	745.4	-	755.4
Soil Remedial Actions Conducted May 30 to June 1, 2007							
MW-8	6/27/2007	10.04	758.74	748.70	745.4	-	755.4
MW-8	9/18/2007	10.37	758.74	748.37	745.4	-	755.4
MW-8	12/10/2007	12.06	758.74	746.68	745.4	-	755.4
MW-8	3/28/2008	8.04	758.74	750.70	745.4	-	755.4
MW-8	6/24/2008	8.91	758.74	749.83	745.4	-	755.4
Resurvey**	6/30/2008		758.64				
MW-8	10/2/2008	11.85	758.64	746.79	745.9	-	755.9
Additional Soil Remedial Action Conducted July 10-13, 2010							
MW-8	7/26/2010	6.52	758.64	752.12	745.9	-	755.9
MW-8	11/19/2010	10.49	758.64	748.15	745.9	-	755.9
MW-8	2/22/2011	9.50	758.64	749.14	745.9	-	755.9
MW-9	12/8/2005	10.00	758.50	748.50	743.6	-	753.6
MW-9	3/14/2006	7.51	758.50	750.99	743.6	-	753.6
Conducted May 30 to June 1, 2007							
MW-9	6/27/2007	9.91	758.50	748.59	743.6	-	753.6
MW-9	9/18/2007	10.22	758.50	748.28	743.6	-	753.6
MW-9	12/10/2007	11.81	758.50	746.69	743.6	-	753.6
MW-9	3/28/2008	7.82	758.50	750.68	743.6	-	753.6
MW-9	6/24/2008	8.82	758.50	749.68	743.6	-	753.6
Resurvey**	6/30/2008		758.80				
MW-9	10/2/2008	11.75	758.80	747.05	744.4	-	754.4
Additional Soil Remedial Action Conducted July 10-13, 2010							
MW-9	7/26/2010	6.51	758.80	752.29	744.4	-	754.4
MW-9	11/19/2010	10.40	758.80	748.40	744.4	-	754.4
MW-9	2/22/2011	9.42	758.80	749.38	744.4	-	754.4

TABLE 1
Groundwater Elevations

Gunderson Cleaners
Neenah, Wisconsin
Terracon Project No. 38077004

Measured Location	Date	Depth to Groundwater*	Reference Elevation	Groundwater Elevation	Screened Interval	
MW-10	3/14/2006	7.49	759.01	751.52	747.4	- 752.4
Conducted May 30 to June 1, 2007						
MW-10	6/27/2007	10.09	759.01	748.92	747.4	- 752.4
MW-10	9/18/2007	10.40	759.01	748.61	747.4	- 752.4
MW-10	12/10/2007	DRY	759.01	DRY	747.4	- 752.4
MW-10	3/28/2008	8.00	759.01	751.01	747.4	- 752.4
MW-10	6/24/2008	9.04	759.01	749.97	747.4	- 752.4
MW-10	10/2/2008	11.41	759.01	747.60	747.4	- 752.4
Additional Soil Remedial Action Conducted July 10-13, 2010						
MW-10	7/26/2010	6.81	759.01	752.20	747.4	- 752.4
MW-10	11/19/2010	10.85	759.01	748.16	747.4	- 752.4
MW-10	2/22/2011	9.84	759.01	749.17	747.4	- 752.4
MW-11	12/8/2005	9.67	758.13	748.46	743.4	- 753.4
MW-11	3/14/2006	7.09	758.13	751.04	743.4	- 753.4
Soil Remedial Actions Conducted May 30 to June 1, 2007						
MW-11	6/27/2007	9.54	758.13	748.59	743.4	- 753.4
MW-11	9/18/2007	9.87	758.13	748.26	743.4	- 753.4
MW-11	12/10/2007	11.50	758.13	746.63	743.4	- 753.4
MW-11	3/28/2008	7.39	758.13	750.74	743.4	- 753.4
MW-11	6/24/2008	8.39	758.13	749.74	743.4	- 753.4
MW-11	10/2/2008	11.53	758.13	746.60	743.4	- 753.4
Additional Soil Remedial Action Conducted July 10-13, 2010						
MW-11	7/26/2010	6.17	758.13	751.96	743.4	- 753.4
MW-11	11/19/2010	10.09	758.13	748.04	743.4	- 753.4
MW-11	2/22/2011	9.10	758.13	749.03	743.4	- 753.4
MW-12	12/8/2005	10.00	758.64	748.64	747.2	- 754.7
MW-12	3/14/2006	7.44	758.64	751.20	747.2	- 754.7
Soil Remedial Actions Conducted May 30 to June 1, 2007						
MW-12	6/27/2007	9.95	758.64	748.69	747.2	- 754.7
MW-12	9/18/2007	10.25	758.64	748.39	747.2	- 754.7
MW-12	12/10/2007	DRY	758.64		747.2	- 754.7
MW-12	3/28/2008	7.74	758.64	750.90	747.2	- 754.7
MW-12	6/24/2008	8.84	758.64	749.80	747.2	- 754.7
MW-12	10/2/2008	11.11	758.64	747.53	747.2	- 754.7
Additional Soil Remedial Action Conducted July 10-13, 2010						
MW-12	7/26/2010	6.66	758.64	751.98	747.2	- 754.7
MW-12	11/19/2010	10.58	758.64	748.06	747.2	- 754.7
MW-12	2/22/2011	9.60	758.64	749.04	747.2	- 754.7

TABLE 1
Groundwater Elevations

Gunderson Cleaners
Neenah, Wisconsin
Terracon Project No. 38077004

Measured Location	Date	Depth to Groundwater*	Reference Elevation	Groundwater Elevation	Screened Interval	
MW-13	12/8/2005	9.15	757.62	748.47	745.4	- 755.4
MW-13	3/14/2006	6.71	757.62	750.91	745.4	- 755.4
Soil Remedial Actions Conducted May 30 to June 1, 2007						
MW-13	6/27/2007	9.02	757.62	748.60	745.4	- 755.4
MW-13	9/18/2007	9.35	757.62	748.27	745.4	- 755.4
MW-13	12/10/2007	11.00	757.62	746.62	745.4	- 755.4
MW-13	3/28/2008	7.91	757.62	749.71	745.4	- 755.4
MW-13	6/24/2008	7.86	757.62	749.76	745.4	- 755.4
MW-13	10/2/2008	11.20	757.62	746.42	745.4	- 755.4
Additional Soil Remedial Action Conducted July 10-13, 2010						
MW-13	7/26/2010	6.77	757.62	750.85	745.4	- 755.4
MW-13	11/19/2010	9.65	757.62	747.97	745.4	- 755.4
MW-13	2/22/2011	8.57	757.62	749.05	745.4	- 755.4
MW-14	12/8/2005	8.46	756.84	748.38	746.0	- 753.0
MW-14	3/14/2006	6.03	756.84	750.81	746.0	- 753.0
Soil Remedial Actions Conducted May 30 to June 1, 2007						
MW-14	6/27/2007	8.33	756.84	748.51	746.0	- 753.0
MW-14	9/18/2007	8.59	756.84	748.25	746.0	- 753.0
MW-14	12/10/2007	10.51	756.84	746.33	746.0	- 753.0
MW-14	3/28/2008	6.17	756.84	750.67	746.0	- 753.0
MW-14	6/24/2008	7.18	756.84	749.66	746.0	- 753.0
MW-14	10/2/2008	10.22	756.84	746.62	746.0	- 753.0
Additional Soil Remedial Action Conducted July 10-13, 2010						
MW-14	7/27/2010	5.30	756.84	751.54	746.0	- 753.0
MW-14	11/19/2010	9.85	756.84	746.99	746.0	- 753.0
MW-14	2/22/2011	8.90	756.84	747.94	746.0	- 753.0
Soil Remedial Actions Conducted May 30 to June 1, 2007						
MW-15	6/27/2007	9.94	758.55	748.61	745.0	- 755.0
MW-15	9/18/2007	10.26	758.55	748.29	745.0	- 755.0
MW-15	12/10/2007	11.98	758.55	746.57	745.0	- 755.0
MW-15	3/28/2008	7.82	758.55	750.73	745.0	- 755.0
MW-15	6/24/2008	8.81	758.55	749.74	745.0	- 755.0
MW-15	10/2/2008	12.30	758.55	746.25	745.0	- 755.0
Additional Soil Remedial Action Conducted July 10-13, 2010						
MW-15	7/26/2010	6.55	758.55	752.00	745.0	- 755.0
MW-15	11/19/2010	10.58	758.55	747.97	745.0	- 755.0
MW-15	2/22/2011	9.55	758.55	749.00	745.0	- 755.0

TABLE 1
Groundwater Elevations

Gunderson Cleaners
Neenah, Wisconsin
Terracon Project No. 38077004

Measured Location	Date	Depth to Groundwater*	Reference Elevation	Groundwater Elevation	Screened Interval		
PZ-3	12/8/2005	9.86	758.07	748.21	730.5	-	735.5
PZ-3	3/14/2006	7.35	758.07	750.72	730.5	-	735.5
Soil Remedial Actions Conducted May 30 to June 1, 2007							
PZ-3	6/27/2007	9.75	758.07	748.32	730.5	-	735.5
PZ-3	9/18/2007	9.99	758.07	748.08	730.5	-	735.5
PZ-3	12/10/2007	11.45	758.07	746.62	730.5	-	735.5
PZ-3	3/28/2008	7.57	758.07	750.50	730.5	-	735.5
PZ-3	6/24/2008	8.61	758.07	749.46	730.5	-	735.5
PZ-3	10/2/2008	11.64	758.07	746.43	730.5	-	735.5
Additional Soil Remedial Action Conducted July 10-13, 2010							
PZ-3	7/27/2010	6.78	758.07	751.29	730.5	-	735.5
PZ-3	11/19/2010	10.20	758.07	747.87	730.5	-	735.5
PZ-3	2/22/2011	9.12	758.07	748.95	730.5	-	735.5
PZ-4	12/8/2005	9.10	756.89	747.79	717.0	-	722.0
PZ-4	3/14/2006	6.59	756.89	750.30	717.0	-	722.0
Soil Remedial Actions Conducted May 30 to June 1, 2007							
PZ-4	6/27/2007	9.08	756.89	747.81	717.0	-	722.0
PZ-4	9/18/2007	9.33	756.89	747.56	717.0	-	722.0
PZ-4	12/10/2007	10.72	756.89	746.17	717.0	-	722.0
PZ-4	3/28/2008	6.84	756.89	750.05	717.0	-	722.0
PZ-4	6/24/2008	7.94	756.89	748.95	717.0	-	722.0
PZ-4	10/2/2008	10.91	756.89	745.98	717.0	-	722.0
Additional Soil Remedial Action Conducted July 10-13, 2010							
PZ-4	7/27/2010	6.13	756.89	750.76	717.0	-	722.0
PZ-4	11/19/2010	9.36	756.89	747.53	717.0	-	722.0
PZ-4	2/22/2011	8.30	756.89	748.59	717.0	-	722.0
PZ-5	3/14/2006	9.37	758.29	748.92	714.2	-	719.2
Soil Remedial Actions Conducted May 30 to June 1, 2007							
PZ-5	6/27/2007	12.32	758.29	745.97	714.2	-	719.2
PZ-5	9/18/2007	12.74	758.29	745.55	714.2	-	719.2
PZ-5	12/10/2007	13.65	758.29	744.64	714.2	-	719.2
PZ-5	3/28/2008	9.52	758.29	748.77	714.2	-	719.2
PZ-5	6/24/2008	10.90	758.29	747.39	714.2	-	719.2
PZ-5	10/2/2008	13.95	758.29	744.34	714.2	-	719.2
Additional Soil Remedial Action Conducted July 10-13, 2010							
PZ-5	7/27/2010	9.12	758.29	749.17	714.2	-	719.2
PZ-5	11/19/2010	12.10	758.29	746.19	714.2	-	719.2
PZ-5	2/22/2011	11.12	758.29	747.17	714.2	-	719.2

TABLE 1
Groundwater Elevations

Gunderson Cleaners
Neenah, Wisconsin
Terracon Project No. 38077004

Measured Location	Date	Depth to Groundwater*	Reference Elevation	Groundwater Elevation	Screened Interval		
Soil Remedial Actions Conducted May 30 to June 1, 2007							
PZ-6	6/27/2007	10.31	758.58	748.27	729.0	-	734.0
PZ-6	9/18/2007	10.57	758.58	748.01	729.0	-	734.0
PZ-6	12/10/2007	12.05	758.58	746.53	729.0	-	734.0
PZ-6	3/28/2008	8.05	758.58	750.53	729.0	-	734.0
PZ-6	6/24/2008	9.11	758.58	749.47	729.0	-	734.0
PZ-6	10/2/2008	12.20	758.58	746.38	729.0	-	734.0
Additional Soil Remedial Action Conducted July 10-13, 2010							
PZ-6	7/27/2010	7.05	758.58	751.53	729.0	-	734.0
PZ-6	11/19/2010	10.75	758.58	747.83	729.0	-	734.0
PZ-6	2/22/2011	9.66	758.58	748.92	729.0	-	734.0

*Depth to groundwater is measured from the top of the riser pipe.

** PVC casing was cut down and resurveyed due to heaving

Measurements are in feet.

Reference elevations per Table 2 of Supplemental Site Investigation Report dated June 2006

TABLE 2
Groundwater Analytical Summary

Gundersen Cleaners
Neenah, Wisconsin
Terracon Project No. 38077004

		Volatile Organic Compounds																														
Sample Location	Sample Date	Benzene	n-Butylbenzene	sec-Butylbenzene	tert-Butylbenzene	Chloroethane	Chloroform	Chloromethane	Dichlorodifluoromethane	1,1-Dichloroethane	1,2-Dichloroethane	1,1-Dichloroethene	cis-1,2-Dichloroethene	trans-1,2-Dichloroethene	Ethylbenzene	Isopropylbenzene	p-Isopropyltoluene	Methylene Chloride	Methyl tert-butyl ether	Naphthalene	n-Propylbenzene	1,1,1,2-Tetrachloroethane	1,1,2,2-Tetrachloroethane	Tetrachloroethene (PCE)	Toluene	1,1,1-Trichloroethane	1,1,2-Trichloroethane	Trichloroethene	1,2,4-Trimethylbenzene	1,3,5-Trimethylbenzene	Vinyl Chloride	Xylenes
NR 140 PAL ¹		0.5	NE	NE	NE	80	0.6	3	200	85	0.5	0.7	7	20	140	NE	NE	0.5	12	70	NE	7	0.02	0.5	160	40	0.5	0.5	<---96---	<---480---	0.02	400
NR 140 ES ²		5	NE	NE	NE	400	6	30	1,000	850	5	7	70	100	700	NE	NE	5	60	100	NE	70	0.2	5	800	200	5	5	<---96---	<---480---	0.2	2,000
MW-5	3/4/2006	<3.2	<3.2	<4.0	<3.2	<16	<3.2	<3.2	<8.0	<8.0	<8.0	<8.0	140	<8.0	<8.0	<3.2	<3.2	<16	<8.0	<4.0	<8.0	<4.0	<3.2	260	<3.2	<8.0	<4.0	16	6.4	<3.2	<3.2	<8.0
Monitoring well MW-5 abandoned during May/June 2007 soil excavation																																
MW-6	10/19/1998	<0.27	<0.29	<0.29	<0.32	<0.54	<0.35	<0.61	<0.47	<0.35	<0.37	<0.43	<0.28	<0.79	<0.32	<0.26	<0.24	0.40	<0.32	<0.35	<0.76	<0.70	<0.69	<0.43	<0.27	<0.30	<0.61	<0.37	0.31	<0.27	<0.20	<0.67
MW-6	3/11/1999	<0.26	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	<0.24	<0.24	NA	NA	NA	<0.22	<0.22	<0.35	<0.76	<0.70	<0.69	<0.43	<0.27	<0.30	<0.61	<0.37	<0.22	<0.27	<0.20	<0.67
MW-6	6/10/1999	<0.27	<0.29	<0.29	<0.32	<0.54	<0.35	<0.61	0.88	<0.35	<0.37	<0.43	<0.28	<0.79	<0.32	<0.26	<0.24	<0.36	<0.32	<0.35	<0.76	<0.70	<0.69	<0.43	<0.27	<0.30	<0.61	<0.37	<0.22	<0.27	<0.20	<0.67
MW-6	12/21/1999	<0.27	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	<0.32	NA	NA	NA	<0.32	NA	NA	NA	NA	NA	NA	<0.27	NA	NA	NA	<0.27	NA	<0.43
MW-6	3/22/2000	<0.27	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	<0.32	NA	NA	NA	<0.32	NA	NA	NA	NA	NA	NA	<0.27	NA	NA	NA	<0.27	NA	<0.43
MW-6	8/29/2000	<0.35	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	<0.37	NA	NA	NA	<0.36	NA	NA	NA	NA	NA	NA	<0.38	NA	NA	NA	<0.37	NA	<0.76
MW-6	11/15/2000	<0.35	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	<0.37	NA	NA	NA	<0.36	NA	NA	NA	NA	NA	NA	<0.38	NA	NA	NA	<0.37	NA	<0.76
MW-6	4/17/2001	<0.45	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	<0.82	NA	NA	NA	<0.43	NA	NA	NA	NA	NA	NA	<0.68	NA	NA	NA	<1.86	NA	<2.47
Soil Remedial Actions Conducted May 30 to June 1, 2007																																
MW-6	6/28/2007	<0.41	<0.93	<0.89	<0.97	<0.97	<0.37	<0.24	2.6	<0.75	<0.36	<0.57	<0.83	<0.89	<0.54	<0.59	<0.67	<0.43	<0.61	<0.74	<0.81	<0.92	<0.20	<0.45	<0.67	<0.90	<0.42	<0.48	<0.97	<0.83	<0.18	<2.63
MW-8	6/10/1999	0.63	<0.32	<0.29	NA	<0.54	0.46	NA	NA	<0.46	<0.37	<0.43	3.2	<0.79	<0.32	<0.26	<0.24	<0.36	<0.32	<0.35	<0.76	NA	NA	50	0.31	9.3	NA	5.8	<0.27	<0.20	<0.20	
MW-8	12/21/1999	0.34	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	<0.32	NA	NA	NA	<0.32	NA	NA	NA	NA	NA	NA	<0.27	NA	NA	NA	<0.27	NA	NA
MW-8	3/22/2000	1.4	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	<0.32	NA	NA	NA	<0.32	NA	NA	NA	NA	NA	NA	<0.27	NA	NA	NA	<0.27	NA	NA
MW-8	8/29/2000	1.8	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	<0.37	NA	NA	NA	<0.36	NA	NA	NA	NA	NA	NA	<0.38	NA	NA	NA	<0.37	NA	NA
MW-8	11/15/2000	1.4	<0.28	<0.20	<0.23	<0.46	0.55	<0.42	<0.12	2.4	<0.21	<0.85	5.7	<0.35	<0.57	<0.19	<0.25	<0.36	<0.20	<0.27	<0.17	<0.30	<0.22	93	<1.1	14	<0.33	8.1	<0.34	<0.29	<0.19	<0.19
MW-8	4/17/2001	0.48	<0.28	<0.20	<0.23	<0.46	<0.29	<0.42	<0.12	0.85	<0.21	<0.85	2.3	<0.35	<0.57	<0.19	<0.25	<0.36	<0.20	<0.27	<0.17	<0.30	<0.22	52	<0.13	6.1	<0.33	3.9	<0.34	<0.29	<0.19	<0.19
MW-8	7/30/2001	0.84	<0.61	<0.49	<0.50	<0.57	<0.75	<0.62	<0.68	1.3	<0.47	<0.85	4.0	<0.79	<0.43	<0.43	<0.57	<0.85	<0.67	<0.59	<0.64	<0.75	<0.91	75	<0.47	9.3	<0.72	6.1	<0.51	<0.52	<0.18	<0.18
MW-8	10/22/2001	3.2	<0.61	<0.49	<0.50	<0.57	0.83	<0.62	<0.68	3.7	<0.47	<0.85	6.2	<0.79	<0.43	<0.43	<0.57	<0.85	<0.67	<0.59	<0.64	<0.75	<0.91	43	<0.47	17	<0.72	5.3	<0.51	<0.52	<0.18	<0.18
MW-8	5/14/2002	<0.48	<0.61	<0.49	<0.50	<0.57	<0.75	<0.62	<0.68	<0.48	<0.47	<0.85	0.94	<0.79	<0.43	<0.43	<0.57	<0.85	<0.67	<0.59	<0.64	<0.75	<0.91	42	<0.47	2.4	<0.72	2.3	<0.51	<0.52	<0.18	<0.18
MW-8	8/29/2002	0.88	<0.61	<0.49	<0.50	<0.57	<0.75	<0.62	<0.68	1.6	<0.47	<0.85	3.0	<0.79	<0.43	<0.43	<0.57	<0.85	<0.67	<0.59	<0.64	<0.75	<0.91	65	<0.47	7.6	<0.72	5.1	<0.51	<0.52	<0.18	<0.18
MW-8	11/20/2002	0.44	<0.65	<0.62	<0.96	<0.84	<0.45	<0.27	<0.57	1.2	<0.55	1.3	2.0	<0.80	<0.53	<0.66	<0.58	<0.47	<0.87	<0.63	<0.95	<0.95	<0.77	46	<0.84	7.0	<0.50	4.5	<0.69	<0.64	<0.11	<0.11
MW-8	4/15/2003	<0.41	<0.93	<0.89	<0.97	<0.97	<0.37	<0.24	<0.99	<0.75	<0.36	<0.57	0.90	<0.89	<0.54	<0.59	<0.67	<0.43	<0.61	<0.74	<0.81	<0.92	<0.20	27	<0.67	<0.90	<0.42	2.5	<0.97	<0.93	<0.18	<0.18
MW-8	7/18/2003	<0.41	<0.93	<0.89	<0.97	<0.97	<0.37	<0.24	<0.99	<0.75	<0.36	<0.57	1.0	<0.89	<0.54	<0.59	<0.67	<0.43	<0.61	<0.74	<0.81	<0.92	<0.20	32	<0.67	2.9	<0.42	2.5	<0.97	<0.93	<0.18	<0.18
MW-8	3/25/2004	<0.41	<0.93	<0.89	<0.97	<0.97	<0.37	<0.24	<0.99	<0.75	<0.56	0.88	3.0	<0.89	<0.54	<0.59	<0.67	<0.43	<0.61	<0.74	<0.81	<0.92	<0.20	39	<0.67	3.1	<0.42	2.6	<0.97	<0.93	<0.18	<0.18
MW-8	12/8/2005	<0.20	<0.20	<0.25	<0.20	<1.0	<0.20	<0.20	0.85	<0.50	<0.50	0.50	3.1	<0.50	<0.50	<0.20	<0.20	3.1	<0.50	<0.25	<0.81	<0.92	<0.20	21	<0.20	1.5	<0.25	1.6	<0.97	<0.93	<0.18	<0.18
MW-8	3/14/2006	<0.20	<0.20	<0.25	<0.20	<1.0	<0.20	<0.20	0.85	<0.50	<0.50	0.50	5.7	<0.50	<0.50	<0.20	<0.20	<1.0	<0.50	<0.25	<0.81	<0.92	<0.20	49	<0.20	2.6	<0.25	2.8	<0.97	<0.93	<0.18	<0.18
Soil Remedial Actions Conducted May 30 to June 1, 2007																																
MW-8	6/28/2007	<0.41	<0.93	<0.89	<0.97	<0.97	<0.37	<0.24	3.3	<0.75	<0.36	<0.57	4.7	0.98	<0.54	<0.59	<0.67	<0.43	<0.61	<0.74	<0.81	<0.92	<0.20	28	<0.67	1.5	<0.42	1.5	<0.97	<0.93	<0.18	<0.18
MW-8	9/18/2007	<0.41	<0.93	<0.89	<0.97	<0.97	<0.37	<0.24	<0.99	<0.75	<0.36	<0.57	6.5	0.93	<0.54	<0.59	<0.67	<0.43	<0.61	<0.74	<0.81	<0.92	<0.20	25	<0.67	2.2	<0.42	1.7	<0.97	<0.93	<0.18	<0.18
MW-8 (duplicate)	9/18/2007	<0.41	<0.93	<0.89	<0.97	<0.97	<0.37	<0.24	<0.99	<0.75	<0.36	<0.57	6.0	<0.89	<0.54	<0.59	<0.67	<0.43	<0.61	<0.74	<0.81	<0.92	<0.20	23	<0.67	2.8	<0.42	1.8	<0.97	<0.93	<0.18	<0.18
MW-8	12/11/2007	<0.41	<0.94	<0.90	<0.98	<0.98	<0.38	<0.25	1.1	<0.76	<0.36	<0.57	6.0	<0.90	<0.54	<0.59	<0.67	<0.43	<0.61	<0.74	<0.81	<0.92	<0.20	22	<0.67	2.1	<0.42	1.6	<0.97	<0.93	<0.18	<0.18
MW-8 (duplicate)	12/11/2007	<0.41	<0.93	<0.89	<0.97	<0.97	<0.37	<0.24	1.2	<0.75	<0.36	<0.57	6.3	0.93	<0.54	<0.59	<0.67	<0.43	<0.61	<0.74	<0.81	<0.92	<0.20	25	<0.67	2.6	<0.42	2.0	<0.97	<0.93	<0.18	<0.18
MW-8	3/28/2008	<0.41	<0.93	<0.89	<0.97	<0.97	<0.37	<0.24	<0.99	<0.75	<0.36	<0.57	25.1	<0.89	<0.54	<0.59	<0.67	<0.43	<0.61	<0.74	<0.81	<0.92	<0.20	31.0	<0.67	1.7	<0.42	1.9	<0.97	<0.93	<0.18	<0.18
MW-8 (duplicate)	3/28/2008	<0.41	<0.93	<0.89	<0.97	<0.97	<0.37	<0.24	<0.99	<0.75	<0.36	<0.57	23.5	<0.89	<0.54	<0.59	<0.67	<0.43	<0.61	<0.74	<0.81	<0.92	<0.20	30.8	<0.67	1.5	<0.42	1.8	<0.97	<0.93	<0.18	<0.18
MW-8	6/24/2008	<0.41	<0.93	<0.89	<0.97	<0.97	<0.37	<0.24	<0.99	<0.75	<0.36	<0.57	3.7	<0.89	<0.54	<0.59	<0.67	<0.43	<0.61	<0.74	<0.81	<0.92	<0.20	21.8	<0.67	<0.90	<0.42	0.8	<0.97	<0.93	<0.18	<2.63
MW-8	10/2/2008	<0.41	<0.93	<0.89	<0.97	<0.97	<1.3	<0.24	<0.99	0.81	<0.36	<0.57	7.5	<1.1	<0.54	<0.54	<0.67	<0.43	<0.61													

TABLE 2
Groundwater Analytical Summary

Gundersen Cleaners
Neenah, Wisconsin
Terracon Project No. 38077004

Sample Location	Sample Date	Volatile Organic Compounds																																						
		Benzene	n-Butylbenzene	sec-Butylbenzene	tert-Butylbenzene	Chloroethane	Chloroform	Chloromethane	Dichlorodifluoromethane	1,1-Dichloroethane	1,2-Dichloroethane	1,1-Dichloroethene	cis-1,2-Dichloroethene	trans-1,2-Dichloroethene	Ethylbenzene	Isopropylbenzene	n-Propyltoluene	Methylene Chloride	Methyl tert-butyl ether	Naphthalene	n-Propylbenzene	1,1,1,2-Tetrachloroethane	1,1,2,2-Tetrachloroethane	Tetrachloroethene (PCE)	Toluene	1,1,1-Trichloroethane	1,1,2-Trichloroethane	Trichloroethene	1,2,4-Trimethylbenzene	1,3,5-Trimethylbenzene	Vinyl Chloride	Xylenes								
NR 140 PAL ¹		0.5	NE	NE	NE	80	0.6	3	200	85	0.5	0.7	70	20	140	NE	NE	0.5	12	10	NE	7	0.02	0.5	160	40	0.5	0.5	<----96---->		0.02	400								
NR 140 ES ²		5	NE	NE	NE	400	6	30	1,000	850	5	7	70	100	700	NE	NE	5	60	100	NE	70	0.02	0.5	800	200	5	0.5	<-----480----->		0.2	2,000								
MW-11	12/11/2007	<0.41	<0.93	<0.89	<0.97	<0.97	<0.37	<0.24	<0.99	<0.75	<0.36	<0.57	<0.83	<0.89	<0.54	<0.59	<0.67	<0.43	<0.61	<0.74	<0.81	<0.92	<0.20	8.3	<0.67	<0.90	<0.42	<0.48	<0.97	<0.83	<0.18	<2.63								
MW-11	3/28/2008	<0.41	<0.93	<0.89	<0.97	<0.97	<0.37	<0.24	<0.99	<0.75	<0.36	<0.57	<0.83	<0.89	<0.54	<0.59	<0.67	<0.43	<0.61	<0.74	<0.81	<0.92	<0.20	5.8	<0.67	<0.90	<0.42	<0.48	<0.97	<0.83	<0.18	<2.63								
MW-11	6/24/2008	<0.41	<0.93	<0.89	<0.97	<0.97	<0.37	<0.24	<0.99	<0.75	<0.36	<0.57	<0.83	<0.89	<0.54	<0.59	<0.67	<0.43	<0.61	<0.74	<0.81	<0.92	<0.20	8.4	<0.67	<0.90	<0.42	<0.48	<0.97	<0.83	<0.18	<2.63								
MW-11	10/2/2008	<0.41	<0.93	<0.89	<0.97	<0.97	<1.3	<0.24	<0.99	<0.75	<0.36	<0.57	<0.83	<0.89	<0.54	<0.59	<0.67	<0.43	<0.61	<0.89	<0.81	<0.92	<0.20	10.7	<0.67	<0.90	<0.42	<0.48	<0.97	<0.83	<0.18	<2.63								
MW-11	7/27/2010	<0.41	<0.93	<0.89	<0.97	<0.97	<1.3	<0.24	<0.99	<0.75	<0.36	<0.57	<0.83	<0.89	<0.54	<0.59	<0.67	<0.43	<0.61	<0.89	<0.81	<0.92	<0.20	8.5	<0.67	<0.90	<0.42	<0.48	<0.97	<0.83	<0.18	<2.63								
MW-11	11/19/2010	<0.41	<0.93	<0.89	<0.97	<0.97	<1.3	<0.24	<0.99	<0.75	<0.36	<0.57	<0.83	<0.89	<0.54	<0.59	<0.67	<0.43	<0.61	<0.89	<0.81	<0.92	<0.20	9.0	<0.67	<0.90	<0.42	<0.48	<0.97	<0.83	<0.18	<2.63								
MW-11	2/22/2011	<0.41	<0.93	<0.89	<0.97	<0.97	<1.3	0.69	<0.99	<0.75	<0.36	<0.57	<0.83	<0.89	<0.54	<0.59	<0.67	1.1	<0.61	<0.89	<0.81	<0.92	<0.20	7.7	<0.67	<0.90	<0.42	<0.48	<0.97	<0.83	<0.18	<2.63								
MW-12	8/29/2002	<0.48	<0.61	<0.49	<0.50	<0.57	<0.75	<0.62	<0.68	<0.48	<0.47	<0.85	<0.73	<0.79	<0.43	<0.43	<0.57	<0.85	<0.67	<0.59	<0.64	<0.75	<0.91	<0.57	1.3	<0.69	<0.72	<0.89	<0.51	<0.52	<0.18	<1.94								
MW-12	7/18/2003	<0.41	<0.93	<0.89	<0.97	<0.97	<0.37	<0.24	<0.99	<0.75	<0.36	<0.57	<0.83	<0.89	<0.54	<0.59	<0.67	<0.43	<0.61	<0.74	<0.81	<0.92	<0.20	<0.45	<0.47	<0.90	<0.42	<0.48	<0.97	<0.83	<0.18	<2.63								
MW-12	3/25/2004	<0.41	<0.93	<0.89	<0.97	<0.97	<0.37	<0.24	<0.99	<0.75	<0.36	<0.57	<0.83	<0.89	<0.54	<0.59	<0.67	<0.43	<0.61	<0.74	<0.81	<0.92	<0.20	<0.45	<0.47	<0.90	<0.42	<0.48	<0.97	<0.83	<0.18	<2.63								
MW-12	Soil Remedial Actions Conducted May 30 to June 1, 2007																																							
MW-12	6/28/2007	<0.41	<0.93	<0.89	<0.97	<0.97	<0.37	<0.24	<0.99	<0.75	<0.36	<0.57	<0.83	<0.89	<0.54	<0.59	<0.67	<0.43	<0.61	<0.74	<0.81	<0.92	<0.20	<0.45	<0.47	<0.90	<0.42	<0.48	<0.97	<0.83	<0.18	<2.63								
MW-13	8/29/2002	<0.48	<0.61	<0.49	<0.50	<0.57	<0.75	<0.62	<0.68	<0.48	<0.47	<0.85	0.91	<0.79	<0.43	<0.43	<0.57	<0.85	<0.67	<0.59	<0.64	<0.75	<0.91	17	0.49	<0.69	<0.72	1.5	<0.51	<0.52	<0.18	<1.4								
MW-13	11/20/2002	<0.25	<0.65	<0.62	<0.96	<0.84	<0.45	<0.27	<0.57	<0.87	<0.55	<0.56	<0.81	<0.80	<0.53	<0.66	<0.58	<0.47	<0.87	<0.63	<0.95	<0.95	<0.77	24	<0.84	1.8	<0.50	2.1	<0.69	<0.64	<0.11	<1.1								
MW-13	4/15/2003	<0.41	<0.93	<0.89	<0.97	<0.97	<0.37	<0.24	<0.99	<0.75	<0.36	<0.57	<0.83	<0.89	<0.54	<0.59	<0.67	<0.43	<0.61	<0.74	<0.81	<0.92	<0.20	16	<0.67	<0.90	<0.42	1.3	<0.97	<0.83	<0.18	<1.8								
MW-13	7/18/2003	<0.41	<0.93	<0.89	<0.97	<0.97	<0.37	<0.24	<0.99	<0.75	<0.36	<0.57	<0.83	<0.89	<0.54	<0.59	<0.67	<0.43	<0.61	<0.74	<0.81	<0.92	<0.20	22	<0.67	<0.90	<0.42	1.1	<0.97	<0.83	<0.18	<1.8								
MW-13	3/25/2004	<0.41	<0.93	<0.89	<0.97	<0.97	<0.37	<0.24	<0.99	<0.75	<0.36	<0.57	<0.83	<0.89	<0.54	<0.59	<0.67	<0.43	<0.61	<0.74	<0.81	<0.92	<0.20	21	<0.67	1.2	<0.42	1.2	<0.97	<0.83	<0.18	<1.8								
MW-13	12/8/2005	<0.20	<0.20	<0.25	<0.20	<1.0	<0.20	<0.20	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.20	<0.20	3.2	<0.50	<0.25	<0.50	<0.25	<0.20	15	<0.20	0.75	<0.25	0.79	<0.20	<0.20	<0.20	<0.50							
MW-13	3/14/2006	<0.20	<0.20	<0.25	<0.20	<1.0	<0.20	<0.20	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.20	<0.20	1.0	<0.50	<0.25	<0.50	<0.25	<0.20	17	<0.20	1.0	<0.25	0.94	<0.20	<0.20	<0.20	<0.50								
MW-13	Soil Remedial Actions Conducted May 30 to June 1, 2007																																							
MW-13	6/27/2007	<0.41	<0.93	<0.89	<0.97	<0.97	<0.37	<0.24	<0.99	<0.75	<0.36	<0.57	<0.83	<0.89	<0.54	<0.59	<0.67	<0.43	<0.61	<0.74	<0.81	<0.92	<0.20	18	<0.67	<0.90	<0.42	0.80	<0.97	<0.83	<0.18	<2.63								
MW-13	9/18/2007	<0.41	<0.93	<0.89	<0.97	<0.97	<0.37	<0.24	<0.99	<0.75	<0.36	<0.57	<0.83	<0.89	<0.54	<0.59	<0.67	<0.43	<0.61	<0.74	<0.81	<0.92	<0.20	16	<0.67	<0.90	<0.42	0.62	<0.97	<0.83	<0.18	<2.63								
MW-13	12/11/2007	<0.41	<0.93	<0.89	<0.97	<0.97	<0.37	<0.24	<0.99	<0.75	<0.36	<0.57	<0.83	<0.89	<0.54	<0.59	<0.67	<0.43	<0.61	<0.74	<0.81	<0.92	<0.20	24	<0.67	<0.90	<0.42	1.00	<0.97	<0.83	<0.18	<2.63								
MW-13	3/28/2008	<0.41	<0.93	<0.89	<0.97	<0.97	<0.37	<0.24	<0.99	<0.75	<0.36	<0.57	<0.83	<0.89	<0.54	<0.59	<0.67	<0.43	<0.61	<0.74	<0.81	<0.92	<0.20	16.6	<0.67	<0.90	<0.42	0.70	<0.97	<0.83	<0.18	<2.63								
MW-13	6/24/2008	<0.41	<0.93	<0.89	<0.97	<0.97	<0.37	<0.24	<0.99	<0.75	<0.36	<0.57	<0.83	<0.89	<0.54	<0.59	<0.67	<0.43	<0.61	<0.74	<0.81	<0.92	<0.20	14.2	<0.67	<0.90	<0.42	0.72	<0.97	<0.83	<0.18	<2.63								
MW-13	10/2/2008	<0.41	<0.93	<0.89	<0.97	<0.97	<1.3	<0.24	<0.99	<0.75	<0.36	<0.57	<0.83	<0.89	<0.54	<0.59	<0.67	<0.43	<0.61	<0.89	<0.81	<0.92	<0.20	30.8	<0.67	0.92	<0.42	1.20	<0.97	<0.83	<0.18	<2.63								
MW-13	7/26/2010	<0.41	<0.93	<0.89	<0.97	<0.97	<1.3	2.2	<0.99	<0.75	<0.36	<0.57	<0.83	<0.89	<0.54	<0.59	<0.67	<0.43	<0.61	<0.89	<0.81	<0.92	<0.20	12.8	<0.67	<0.90	<0.42	0.54	<0.97	<0.83	<0.18	<2.63								
MW-13	11/19/2010	<0.41	<0.93	<0.89	<0.97	<0.97	<1.3	<0.24	<0.99	<0.75	<0.36	<0.57	<0.83	<0.89	<0.54	<0.59	<0.67	<0.43	<0.61	<0.89	<0.81	<0.92	<0.20	23.7	<0.67	0.92	<0.42	0.92	<0.97	<0.83	<0.18	<2.63								
MW-13	2/22/2011	0.52	<0.93	<0.89	<0.97	<0.97	<1.3	1.8	<0.99	<0.75	<0.36	<0.57	<0.83	<0.89	<0.54	<0.59	<0.67	1.4	<0.61	<0.89	<0.81	<0.92	<0.20	21.7	<0.67	1.1	<0.42	0.96	<0.97	<0.83	<0.18	<2.63								
MW-14	8/29/2002	0.80	<0.61	<0.49	<0.50	<0.57	<0.75	<0.62	<0.68	<0.48	<0.47	&																												

TABLE 2
Groundwater Analytical Summary

Gunderson Cleaners
Neenah, Wisconsin
Terracon Project No. 38077004

Sample Location	Sample Date	Volatile Organic Compounds																															
		Benzene	n-Butylbenzene	sec-Butylbenzene	tert-Butylbenzene	Chloroethane	Chloroform	Chloromethane	Dichlorofluoromethane	1,1-Dichloroethane	1,2-Dichloroethane	1,1-Dichloroethene	cis-1,2-Dichloroethene	trans-1,2-Dichloroethene	Ethylbenzene	Isopropylbenzene	Isopropyltoluene	Methylene Chloride	Methyl tert-butyl ether	Naphthalene	n-Propylbenzene	1,1,1,2-Tetrachloroethane	1,1,2,2-Tetrachloroethane	Tetrachloroethene (PCE)	Toluene	1,1,1-Trichloroethane	1,1,2-Trichloroethane	Trichloroethene	1,2,4-Trimethylbenzene	1,3,5-Trimethylbenzene	Vinyl Chloride	Xylenes	
NR 140 PAL ¹		0.5	NE	NE	NE	80	0.6	3	200	85	0.5	0.7	7	20	140	NE	NE	0.5	12	10	NE	7	0.02	0.5	160	40	0.5	0.5	<---96---	0.02	400		
NR 140 ES ²		5	NE	NE	NE	400	6	30	1,000	850	5	7	70	100	700	NE	NE	5	60	100	NE	70	0.2	5	800	200	5	5	<---480---	0.2	2,000		
PZ-3	7/27/2010	<0.41	<0.93	<0.89	<0.97	<0.97	<1.3	<0.24	<0.99	<0.75	<0.36	<0.57	<0.83	<0.89	<0.54	<0.59	<0.67	<0.43	<0.61	<0.89	<0.81	<0.92	<0.20	0.80	<0.67	<0.90	<0.42	<0.48	<0.97	<0.83	<0.18	<2.63	
PZ-3	11/19/2010	<0.41	<0.93	<0.89	<0.97	<0.97	<1.3	<0.24	<0.99	<0.75	<0.36	<0.57	4.5	<0.89	<0.54	<0.59	<0.67	<0.43	<0.61	<0.89	<0.81	<0.92	<0.20	2.4	<0.67	<0.90	<0.42	<0.48	<0.97	<0.83	<0.18	<2.63	
PZ-3	2/22/2011	<0.41	<0.93	<0.89	<0.97	<0.97	<1.3	0.25	<0.99	<0.75	<0.36	<0.57	0.83	<0.89	<0.54	<0.59	<0.67	<0.43	<0.61	<0.89	<0.81	<0.92	<0.20	0.97	<0.67	<0.90	<0.42	<0.48	<0.97	<0.83	<0.18	<2.63	
PZ-4	8/9/2002	0.73	<0.61	<0.49	<0.50	<0.57	<0.75	<0.62	<0.68	<0.48	<0.47	<0.85	1.6	<0.79	<0.43	<0.43	<0.57	<0.85	<0.67	<0.59	<0.64	<0.75	<0.91	9.8	<0.47	<0.69	<0.72	<0.89	<0.51	<0.52	<0.18	<1.4	
PZ-4	11/20/2002	15	<0.65	<0.62	<0.96	<0.84	<0.45	<0.27	1.9	<0.87	<0.55	<0.56	8.6	<0.80	<0.53	<0.66	<0.58	<0.47	<0.87	<0.63	<0.95	<0.95	<0.77	21	<0.84	<0.65	<0.50	<0.39	<0.69	<0.64	<0.11	<1.1	
PZ-4	4/15/2003	<0.41	<0.93	<0.89	<0.97	<0.97	<0.37	<0.24	<0.99	<0.75	<0.36	<0.57	5.7	<0.89	<0.54	<0.59	<0.67	<0.43	<0.61	<0.74	<0.93	<0.92	<0.20	15	<0.67	<0.90	<0.42	0.88	<0.97	<0.83	<0.18	<1.8	
PZ-4	7/18/2003	0.49	<0.93	<0.89	<0.97	<0.97	<0.37	<0.24	<0.99	<0.75	<0.36	<0.57	16	<0.89	<0.54	<0.59	<0.67	<0.43	2.0	<0.74	<0.93	<0.92	<0.20	33	<0.67	<0.90	<0.42	1.9	<0.97	<0.83	<0.18	<1.8	
PZ-4	3/25/2004	<0.41	<0.93	<0.89	<0.97	<0.97	<0.37	<0.24	<0.99	<0.75	<0.36	<0.57	8.3	<0.89	<0.54	<0.59	<0.67	<0.43	1.5	<0.74	<0.81	<0.92	<0.20	16	<0.67	<0.90	<0.42	1.0	<0.97	<0.83	<0.18	<1.8	
PZ-4	12/8/2005	<0.20	<0.20	<0.25	<0.20	<1.0	0.49	<0.20	<0.50	<0.50	<0.50	<0.50	2.4	<0.50	<0.50	<0.20	<0.20	3.5	<0.50	<0.25	<0.50	<0.25	<0.20	14	<0.20	<0.50	<0.25	0.59	<0.20	<0.20	<0.20	<0.50	
PZ-4	3/14/2006	<0.20	<0.20	<0.25	<0.20	<1.0	0.62	<0.20	<0.50	<0.50	<0.50	<0.50	1.6	<0.50	<0.50	<0.20	<0.20	<1.0	<0.50	<0.25	<0.50	<0.25	<0.20	7.4	<0.20	<0.50	<0.25	0.27	<0.20	<0.20	<0.20	<0.50	
Soil Remedial Actions Conducted May 30 to June 1, 2007																																	
PZ-4	6/27/2007	<0.41	<0.65	<0.62	<0.96	<0.84	<0.37	<0.27	1.0	<0.87	<0.55	<0.56	18	<0.80	<0.53	<0.66	<0.58	<0.43	<0.61	<0.63	<0.81	<0.95	<0.77	19	<0.84	<0.65	<0.50	3.7	<0.69	<0.64	<0.18	<2.63	
PZ-4	9/18/2007	6.7	<0.93	<0.89	<0.97	<0.97	<0.37	<0.24	<0.99	<0.75	<0.36	<0.57	17	<0.89	<0.54	<0.59	<0.67	<0.43	0.64	<0.74	<0.81	<0.92	<0.20	25	<0.67	<0.90	<0.42	4.3	<0.97	<0.83	<0.18	<2.63	
PZ-4	12/11/2007	1.0	<0.93	<0.89	<0.97	<0.97	<0.37	<0.24	1.2	<0.75	<0.36	<0.57	36	<0.89	<0.54	<0.59	<0.67	<0.43	<0.61	<0.74	<0.81	<0.92	<0.20	31	<0.67	<0.90	<0.42	5.0	<0.97	<0.83	<0.18	<2.63	
PZ-4	3/28/2008	<0.41	<0.93	<0.89	<0.97	<0.97	<0.37	<0.24	<0.99	<0.75	<0.36	<0.57	7.2	<0.89	<0.54	<0.59	<0.67	<0.43	<0.61	<0.74	<0.81	<0.92	<0.20	12.7	<0.67	<0.90	<0.42	1.3	<0.97	<0.83	<0.18	<2.63	
PZ-4	6/24/2008	<0.41	<0.93	<0.89	<0.97	<0.97	<0.37	<0.24	<0.99	<0.75	<0.36	<0.57	15	<0.89	<0.54	<0.59	<0.67	<0.43	<0.61	<0.74	<0.81	<0.92	<0.20	14.1	<0.67	<0.90	<0.42	1.9	<0.97	<0.83	<0.18	<2.63	
PZ-4 (Duplicate)	6/24/2008	<0.41	<0.93	<0.89	<0.97	<0.97	<0.37	<0.24	<0.99	<0.75	<0.36	<0.57	14.3	<0.89	<0.54	<0.59	<0.67	<0.43	<0.61	<0.74	<0.81	<0.92	<0.20	13.5	<0.67	<0.90	<0.42	1.4	<0.97	<0.83	<0.18	<2.63	
PZ-4	10/2/2008	0.90	<0.93	<0.89	<0.97	<0.97	<1.3	<0.24	<0.99	<0.75	<0.36	<0.57	81.7	1.8	<0.54	<0.59	<0.67	<0.43	<0.61	<0.89	<0.81	<0.92	<0.20	32.0	<0.67	<0.90	<0.42	4.8	<0.97	<0.83	<0.18	<2.63	
PZ-4	7/27/2010	<0.41	<0.93	<0.89	<0.97	<0.97	<1.3	0.41	<0.99	<0.75	<0.36	<0.57	1.2	<0.89	<0.54	<0.59	<0.67	<0.43	<0.61	<0.89	<0.81	<0.92	<0.20	6.2	<0.67	<0.90	<0.42	-0.48	<0.97	<0.83	<0.18	<2.63	
PZ-4	11/19/2010	<0.41	<0.93	<0.89	<0.97	<0.97	<1.3	<0.24	<0.99	<0.75	<0.36	<0.57	0.94	<0.89	<0.54	<0.59	<0.67	<0.43	<0.61	<0.89	<0.81	<0.92	<0.20	6.7	<0.67	<0.90	<0.42	-0.48	<0.97	<0.83	<0.18	<2.63	
PZ-4	2/22/2011	<0.41	<0.93	<0.89	<0.97	<0.97	<1.3	0.79	<0.99	<0.75	<0.36	<0.57	10	<0.89	<0.54	<0.59	<0.67	1.1	<0.61	<0.89	<0.81	<0.92	<0.20	7.8	<0.67	<0.90	<0.42	0.61	<0.97	<0.83	<0.18	<2.63	
PZ-5	8/29/2002	<0.48	<0.61	<0.49	<0.50	<0.57	<0.75	<0.62	<0.68	<0.48	<0.47	<0.85	<0.73	<0.79	<0.43	<0.43	<0.57	<0.85	<0.67	<0.59	<0.64	<0.75	<0.91	<0.57	<0.47	<0.69	<0.72	<0.89	<0.51	<0.52	<0.18	<1.94	
PZ-5	11/20/2002	<0.25	<0.65	<0.62	<0.96	<0.84	<0.45	<0.27	<0.57	<0.87	<0.55	<0.56	1.6	<0.80	<0.53	<0.66	<0.58	<0.47	<0.87	<0.63	<0.95	<0.95	<0.77	<0.63	<0.84	<0.65	<0.50	<0.39	<0.69	<0.64	<0.11	<1.83	
PZ-5	7/18/2003	<0.41	<0.93	<0.89	<0.97	<0.97	<0.37	<0.24	<0.99	<0.75	<0.36	<0.57	0.85	<0.89	<0.54	<0.59	<0.67	<0.43	<0.61	<0.74	<0.81	<0.92	<0.20	<0.45	<0.47	<0.90	<0.42	<0.48	<0.97	<0.83	<0.18	<2.63	
PZ-5	3/25/2004	<0.41	<0.93	<0.89	<0.97	<0.97	<0.37	<0.24	<0.99	<0.75	<0.36	<0.57	2.0	<0.89	<0.54	<0.59	<0.67	<0.43	<0.61	<0.74	<0.81	<0.92	<0.20	<0.45	<0.47	<0.90	<0.42	<0.48	<0.97	<0.83	<0.18	<2.63	
Soil Remedial Actions Conducted May 30 to June 1, 2007																																	
PZ-5	6/27/2007	<0.41	<0.93	<0.89	<0.97	<0.97	<0.37	<0.24	<0.99	<0.75	<0.36	<0.57	1.1	<0.89	<0.54	<0.59	<0.67	<0.43	<0.61	<0.74	<0.81	<0.92	<0.20	<0.45	<0.47	<0.90	<0.42	<0.48	<0.97	<0.83	<0.18	<2.63	
Soil Remedial Actions Conducted May 30 to June 1, 2007																																	
PZ-6	6/28/2007	0.92	<0.93	<0.89	<0.97	<0.97	0.52	<0.24	<0.99	<0.75	<0.36	<0.57	36	1.3	1.0	<0.59	<0.67	<0.43	<0.61	<0.74	<0.81	<0.92	<0.20	24	<0.47	<0.90	<0.42	9.1	<0.97	<0.83	<0.18	<2.63	
PZ-6	9/18/2007	<0.41	<0.93	<0.89	<0.97	<0.97	0.40	<0.24	<0.99	<0.75	<0.36	<0.57	47	0.92	<0.54	<0.59	<0.67	<0.43	<0.61	<0.74	<0.81	<0.92	<0.20	11	<0.47	<0.90	<0.42	11	<0.97	<0.83	<0.18	<2.63	
PZ-6	12/11/2007																																

TABLE 3
Natural Attenuation Analytical Summary

Gunderson Cleaners
Neenah, Wisconsin
Terracon Project No. 38077004

Location	Sample Date	Field Parameters					Lab Parameters					
		Dissolved Oxygen (mg/L) - FIELD	Ferrous Iron (mg/L) - FIELD	ORP (mV) - FIELD	Specific Conductance (µS/cm x 1000) - FIELD	Manganese (mg/L) - FIELD	Methane (µg/L) - LAB	Ethane (µg/L) - LAB	Ethene (µg/L) - LAB	Total Organic Carbon (mg/L) - LAB	Sulfate (mg/L) - LAB	Nitrate (mg/L) - LAB
MW-4	28-Jun-07	3	0.4	142	1.14	0.3	14	<10	<10	1.9	45	0.24
MW-6	28-Jun-07	4.5	5.0	-20	1.49	0.3	<10	<10	<10	3.2	120	<0.085
MW-8	28-Jun-07	3	0.1	149	1.60	0.3	<10	<10	<10	2.8	56	3.0
MW-8	18-Sep-07	2	0.1	55	-	0.3	<10	<10	<10	<1.4	50	3.3
MW-8	11-Dec-07	1	0.1	131	-	0.0	<10	<10	<10	1.4	44	4.2
MW-8	27-Jul-10	12.1	-	100	1,900	-	-	-	-	-	-	-
MW-8	19-Nov-10	9.3	-	66	2,500	-	-	-	-	-	-	-
MW-8	22-Feb-11	0.3	-	58	2,600	-	-	-	-	-	-	-
MW-9	27-Jun-07	4	2	98	2.03	0.3	93	<10	<10	12	39	<0.085
MW-9	18-Sep-07	1	1	76	-	0.0	49	<10	<10	7.1	38	0.32
MW-9	11-Dec-07	1	2	65	-	0.0	51	<10	<10	7.7	34	<0.085
MW-9	27-Jul-10	10.3	-	74	1,900	-	-	-	-	-	-	-
MW-9	19-Nov-10	4.0	-	13	2,000	-	-	-	-	-	-	-
MW-9	22-Feb-11	0	-	37	560	-	-	-	-	-	-	-
MW-10	28-Jun-07	5	0.4	114	1.44	0.6	<10	<10	<10	5.7	140	16
MW-11	27-Jun-07	2	2	5	1.68	0.3	<10	<10	<10	4.2	110	0.31
MW-11	18-Sep-07	1	3	-23	-	0.0	17	<10	<10	4.0	95	0.47
MW-11	11-Dec-07	1	2	21	-	0.3	<10	<10	<10	9.3	120	<0.085
MW-11	26-Jul-10	10.0	-	-32	1,800	-	-	-	-	-	-	-
MW-11	19-Nov-10	9.5	-	12	1,800	-	-	-	-	-	-	-
MW-11	22-Feb-11	2.3	-	125	490	-	-	-	-	-	-	-
MW-12	27-Jun-07	3	4.0	3	1.91	0.6	<10	<10	<10	13	310	<0.085
MW-13	27-Jun-07	4	0.2	107	1.83	0.3	<10	<10	<10	<1.4	67	5.2
MW-13	18-Sep-07	2	0.6	117	-	0.0	<10	<10	<10	2.6	71	4.2
MW-13	11-Dec-07	1	0.1	107	-	0.0	<10	<10	<10	2.0	64	3.6
MW-13	26-Jul-10	10.0	-	103	1,500	-	-	-	-	-	-	-
MW-13	19-Nov-10	9.3	-	86	1,800	-	-	-	-	-	-	-
MW-13	22-Feb-11	2.1	-	132	510	-	-	-	-	-	-	-
MW-14	27-Jun-07	2	0.1	148	2.15	0.3	<10	<10	<10	5.4	210	1.2
MW-15	28-Jun-07	4	3.0	143	1.64	0.3	<10	<10	<10	7.0	280	1.4
MW-15	20-Sep-07	1	1.0	132	-	0.0	12	<10	<10	6.0	350	1.3
MW-15	11-Dec-07	2	0.4	130	-	0.0	<10	<10	<10	7.1	320	0.49
MW-15	26-Jul-10	7.9	-	57	1,700	-	-	-	-	-	-	-
MW-15	19-Nov-10	3.5	-	7	930	-	-	-	-	-	-	-
MW-15	22-Feb-11	0	-	38	260	-	-	-	-	-	-	-
PZ-3	27-Jun-07	3	0.1	131	1.77	0.3	<10	<10	<10	<1.4	65	6.1
PZ-3	18-Sep-07	2	0.0	58	-	0.0	24	<10	<10	1.9	89	5.8
PZ-3	11-Dec-07	1	0.0	86	-	0.0	140	<10	<10	2.8	68	2.4
PZ-3	27-Jul-10	10.7	-	119	1,500	-	-	-	-	-	-	-
PZ-3	19-Nov-10	8.9	-	93	1,500	-	-	-	-	-	-	-
PZ-3	22-Feb-11	3.1	-	125	500	-	-	-	-	-	-	-
PZ-4	27-Jun-07	5	0.0	89	1.53	0.0	<10	<10	<10	3.2	120	5.7
PZ-4	18-Sep-07	1	0.0	42	-	0.0	26	<10	<10	2.3	130	4.3
PZ-4	11-Dec-07	1	0.0	122	-	0.0	67	<10	<10	3.6	110	2.3
PZ-4	27-Jul-10	10.2	-	100	1,500	-	-	-	-	-	-	-
PZ-4	19-Nov-10	6.2	-	85	1,400	-	-	-	-	-	-	-
PZ-4	22-Feb-11	0	-	128	420	-	-	-	-	-	-	-
PZ-5	27-Jun-07	4	1.0	16	1.07	0.3	<10	<10	<10	<1.4	74	0.15
PZ-6	28-Jun-07	6	1.0	121	1.73	0.6	34	<10	<10	<1.4	71	2.3
PZ-6	18-Sep-07	2	0.8	41	-	0.0	74	<10	<10	1.7	58	6.6
PZ-6	11-Dec-07	1	0.4	127	-	0.0	<10	<10	<10	1.5	77	4.9
PZ-6	27-Jul-10	7.7	-	30	2,700	-	-	-	-	-	-	-
PZ-6	19-Nov-10	3.7	-	-70	1,300	-	-	-	-	-	-	-
PZ-6	22-Feb-11	0	-	-81	1,120	-	-	-	-	-	-	-
Average Background Concentration ¹		3.6	1.8	67.2	1.5	0.4	6.5	5	5	5.0	149.8	2.9
Average Concentration in Plume ²		1.0	-	70.3	NA	-	5.0	5	5	-	-	0.0
% Difference in Concentration ³		-73%	-	5%	NA	-	-23%	0%	0%	-	-	-99%
% Difference in Concentration ³		<0.5	>BG	<50	>BG	>BG	>BG	Present	Present	>20,000	<BG	<1

- Indicates data not collected or not valid

¹Average background concentration estimated using monitoring wells MW-4, MW-6, MW-10, MW-14, and PZ-5

²Average concentration in plume estimated using monitoring wells MW-8, MW-9, MW-11, MW-13, MW-15, PZ-3, PZ-4, and PZ-6

³Difference between average plume and average background concentrations divided by average background concentration

NA - calculation not applicable in determining likelihood of natural attenuation in the form of reductive dechlorination

mg/L - milligrams per liter

µg/L - micrograms per liter

< - Indicates below limit of detection.

ORP (mV) - oxidation - reduction potential (measured in millivolts)

Bold font - results indicative of natural attenuation in the form of reductive dechlorination.

December 09, 2010

Renee Ransom
Terracon, Inc. - Franklin
9856 South 57th Street
Franklin, WI 53132


RE: Project: 38077001 GUNDERSON CLEANERS
Pace Project No.: 4039978

Dear Renee Ransom:

Enclosed are the analytical results for sample(s) received by the laboratory on November 23, 2010. The results relate only to the samples included in this report. Results reported herein conform to the most current NELAC standards, where applicable, unless otherwise narrated in the body of the report.

If you have any questions concerning this report, please feel free to contact me.

Sincerely,



Kang Khang

kang.khang@pacelabs.com
Project Manager

Enclosures

REPORT OF LABORATORY ANALYSIS

Page 1 of 34

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..



CERTIFICATIONS

Project: 38077001 GUNDERSON CLEANERS
Pace Project No.: 4039978

Green Bay Certification IDs

1241 Bellevue Street, Green Bay, WI 54302
California Certification #: 09268CA
Florida/NELAP Certification #: E87948
Illinois Certification #: 200050
Kentucky Certification #: 82
Louisiana Certification #: 04168
Minnesota Certification #: 055-999-334
New York Certification #: 11888

New York Certification #: 11888
North Carolina Certification #: 503
North Dakota Certification #: R-150
South Carolina Certification #: 83006001
US Dept of Agriculture #: S-76505
Wisconsin Certification #: 405132750
Wisconsin DATCP Certification #: 105-444

REPORT OF LABORATORY ANALYSIS

Page 2 of 34

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..



SAMPLE SUMMARY

Project: 38077001 GUNDERSON CLEANERS
Pace Project No.: 4039978

Lab ID	Sample ID	Matrix	Date Collected	Date Received
4039978001	MW-15	Water	11/19/10 10:20	11/23/10 09:15
4039978002	PZ-6	Water	11/19/10 11:35	11/23/10 09:15
4039978003	MW-8	Water	11/19/10 12:15	11/23/10 09:15
4039978004	MW-9	Water	11/19/10 12:55	11/23/10 09:15
4039978005	PZ-3	Water	11/19/10 13:35	11/23/10 09:15
4039978006	MW-11	Water	11/19/10 14:25	11/23/10 09:15
4039978007	MW-13	Water	11/19/10 15:10	11/23/10 09:15
4039978008	PZ-4	Water	11/19/10 16:00	11/23/10 09:15
4039978009	BD-1	Water	11/19/10 00:00	11/23/10 09:15
4039978010	TRIP BLANKS	Water	11/19/10 00:00	11/23/10 09:15

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..



SAMPLE ANALYTE COUNT

Project: 38077001 GUNDERSON CLEANERS
Pace Project No.: 4039978

Lab ID	Sample ID	Method	Analysts	Analytes Reported	Laboratory
4039978001	MW-15	EPA 8260	JJB	64	PASI-G
4039978002	PZ-6	EPA 8260	JJB	64	PASI-G
4039978003	MW-8	EPA 8260	JJB	64	PASI-G
4039978004	MW-9	EPA 8260	JJB	64	PASI-G
4039978005	PZ-3	EPA 8260	JJB	64	PASI-G
4039978006	MW-11	EPA 8260	JJB	64	PASI-G
4039978007	MW-13	EPA 8260	JJB	64	PASI-G
4039978008	PZ-4	EPA 8260	SMT	64	PASI-G
4039978009	BD-1	EPA 8260	SMT	64	PASI-G
4039978010	TRIP BLANKS	EPA 8260	SMT	64	PASI-G

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..



PROJECT NARRATIVE

Project: 38077001 GUNDERSON CLEANERS
Pace Project No.: 4039978

Method: EPA 8260
Description: 8260 MSV
Client: Terracon, Inc. - Franklin
Date: December 09, 2010

General Information:

10 samples were analyzed for EPA 8260. All samples were received in acceptable condition with any exceptions noted below.

Hold Time:

The samples were analyzed within the method required hold times with any exceptions noted below.

Initial Calibrations (including MS Tune as applicable):

All criteria were within method requirements with any exceptions noted below.

Continuing Calibration:

All criteria were within method requirements with any exceptions noted below.

Internal Standards:

All internal standards were within QC limits with any exceptions noted below.

Surrogates:

All surrogates were within QC limits with any exceptions noted below.

Method Blank:

All analytes were below the report limit in the method blank with any exceptions noted below.

Laboratory Control Spike:

All laboratory control spike compounds were within QC limits with any exceptions noted below.

Matrix Spikes:

All percent recoveries and relative percent differences (RPDs) were within acceptance criteria with any exceptions noted below.

Duplicate Sample:

All duplicate sample results were within method acceptance criteria with any exceptions noted below.

Additional Comments:

This data package has been reviewed for quality and completeness and is approved for release.

REPORT OF LABORATORY ANALYSIS

Page 5 of 34

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..



ANALYTICAL RESULTS

Project: 38077001 GUNDERSON CLEANERS
Pace Project No.: 4039978

Sample: MW-15 Lab ID: 4039978001 Collected: 11/19/10 10:20 Received: 11/23/10 09:15 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV		Analytical Method: EPA 8260							
Benzene	<0.41	ug/L	1.0	0.41	1		11/24/10 19:16	71-43-2	
Bromobenzene	<0.82	ug/L	1.0	0.82	1		11/24/10 19:16	108-86-1	
Bromochloromethane	<0.97	ug/L	1.0	0.97	1		11/24/10 19:16	74-97-5	
Bromodichloromethane	<0.56	ug/L	1.0	0.56	1		11/24/10 19:16	75-27-4	
Bromoform	<0.94	ug/L	1.0	0.94	1		11/24/10 19:16	75-25-2	
Bromomethane	<0.91	ug/L	1.0	0.91	1		11/24/10 19:16	74-83-9	
n-Butylbenzene	<0.93	ug/L	1.0	0.93	1		11/24/10 19:16	104-51-8	
sec-Butylbenzene	<0.89	ug/L	5.0	0.89	1		11/24/10 19:16	135-98-8	
tert-Butylbenzene	<0.97	ug/L	1.0	0.97	1		11/24/10 19:16	98-06-6	
Carbon tetrachloride	<0.49	ug/L	1.0	0.49	1		11/24/10 19:16	56-23-5	
Chlorobenzene	<0.41	ug/L	1.0	0.41	1		11/24/10 19:16	108-90-7	
Chloroethane	<0.97	ug/L	1.0	0.97	1		11/24/10 19:16	75-00-3	
Chloroform	<1.3	ug/L	5.0	1.3	1		11/24/10 19:16	67-66-3	
Chloromethane	<0.24	ug/L	1.0	0.24	1		11/24/10 19:16	74-87-3	
2-Chlorotoluene	<0.85	ug/L	1.0	0.85	1		11/24/10 19:16	95-49-8	
4-Chlorotoluene	<0.74	ug/L	1.0	0.74	1		11/24/10 19:16	106-43-4	
1,2-Dibromo-3-chloropropane	<1.7	ug/L	5.0	1.7	1		11/24/10 19:16	96-12-8	
Dibromochloromethane	<0.81	ug/L	1.0	0.81	1		11/24/10 19:16	124-48-1	
1,2-Dibromoethane (EDB)	<0.56	ug/L	1.0	0.56	1		11/24/10 19:16	106-93-4	
Dibromomethane	<0.60	ug/L	1.0	0.60	1		11/24/10 19:16	74-95-3	
1,2-Dichlorobenzene	<0.83	ug/L	1.0	0.83	1		11/24/10 19:16	95-50-1	
1,3-Dichlorobenzene	<0.87	ug/L	1.0	0.87	1		11/24/10 19:16	541-73-1	
1,4-Dichlorobenzene	<0.95	ug/L	1.0	0.95	1		11/24/10 19:16	106-46-7	
Dichlorodifluoromethane	<0.99	ug/L	1.0	0.99	1		11/24/10 19:16	75-71-8	
1,1-Dichloroethane	<0.75	ug/L	1.0	0.75	1		11/24/10 19:16	75-34-3	
1,2-Dichloroethane	<0.36	ug/L	1.0	0.36	1		11/24/10 19:16	107-06-2	
1,1-Dichloroethene	<0.57	ug/L	1.0	0.57	1		11/24/10 19:16	75-35-4	
cis-1,2-Dichloroethene	170	ug/L	1.0	0.83	1		11/24/10 19:16	156-59-2	
trans-1,2-Dichloroethene	3.2	ug/L	1.0	0.89	1		11/24/10 19:16	156-60-5	
1,2-Dichloropropane	<0.49	ug/L	1.0	0.49	1		11/24/10 19:16	78-87-5	
1,3-Dichloropropane	<0.61	ug/L	1.0	0.61	1		11/24/10 19:16	142-28-9	
2,2-Dichloropropane	<0.62	ug/L	1.0	0.62	1		11/24/10 19:16	594-20-7	
1,1-Dichloropropene	<0.75	ug/L	1.0	0.75	1		11/24/10 19:16	563-58-6	
cis-1,3-Dichloropropene	<0.20	ug/L	1.0	0.20	1		11/24/10 19:16	10061-01-5	
trans-1,3-Dichloropropene	<0.19	ug/L	1.0	0.19	1		11/24/10 19:16	10061-02-6	
Diisopropyl ether	<0.76	ug/L	1.0	0.76	1		11/24/10 19:16	108-20-3	
Ethylbenzene	<0.54	ug/L	1.0	0.54	1		11/24/10 19:16	100-41-4	
Hexachloro-1,3-butadiene	<0.67	ug/L	5.0	0.67	1		11/24/10 19:16	87-68-3	
Isopropylbenzene (Cumene)	<0.59	ug/L	1.0	0.59	1		11/24/10 19:16	98-82-8	
p-Isopropyltoluene	<0.67	ug/L	1.0	0.67	1		11/24/10 19:16	99-87-6	
Methylene Chloride	<0.43	ug/L	1.0	0.43	1		11/24/10 19:16	75-09-2	
Methyl-tert-butyl ether	<0.61	ug/L	1.0	0.61	1		11/24/10 19:16	1634-04-4	
Naphthalene	<0.89	ug/L	5.0	0.89	1		11/24/10 19:16	91-20-3	
n-Propylbenzene	<0.81	ug/L	1.0	0.81	1		11/24/10 19:16	103-65-1	
Styrene	<0.86	ug/L	1.0	0.86	1		11/24/10 19:16	100-42-5	
1,1,1,2-Tetrachloroethane	<0.92	ug/L	1.0	0.92	1		11/24/10 19:16	630-20-6	

Date: 12/09/2010 03:46 PM

REPORT OF LABORATORY ANALYSIS

Page 6 of 34

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..



ANALYTICAL RESULTS

Project: 38077001 GUNDERSON CLEANERS
Pace Project No.: 4039978

Sample: MW-15 Lab ID: 4039978001 Collected: 11/19/10 10:20 Received: 11/23/10 09:15 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV		Analytical Method: EPA 8260							
1,1,2,2-Tetrachloroethane	<0.20	ug/L	1.0	0.20	1		11/24/10 19:16	79-34-5	
Tetrachloroethene	28.0	ug/L	1.0	0.45	1		11/24/10 19:16	127-18-4	
Toluene	<0.67	ug/L	1.0	0.67	1		11/24/10 19:16	108-88-3	
1,2,3-Trichlorobenzene	<0.74	ug/L	1.0	0.74	1		11/24/10 19:16	87-61-6	
1,2,4-Trichlorobenzene	<0.97	ug/L	1.0	0.97	1		11/24/10 19:16	120-82-1	
1,1,1-Trichloroethane	1.5	ug/L	1.0	0.90	1		11/24/10 19:16	71-55-6	
1,1,2-Trichloroethane	<0.42	ug/L	1.0	0.42	1		11/24/10 19:16	79-00-5	
Trichloroethene	4.3	ug/L	1.0	0.48	1		11/24/10 19:16	79-01-6	
Trichlorofluoromethane	<0.79	ug/L	1.0	0.79	1		11/24/10 19:16	75-69-4	
1,2,3-Trichloropropane	<0.99	ug/L	1.0	0.99	1		11/24/10 19:16	96-18-4	
1,2,4-Trimethylbenzene	<0.97	ug/L	1.0	0.97	1		11/24/10 19:16	95-63-6	
1,3,5-Trimethylbenzene	<0.83	ug/L	1.0	0.83	1		11/24/10 19:16	108-67-8	
Vinyl chloride	<0.18	ug/L	1.0	0.18	1		11/24/10 19:16	75-01-4	
m&p-Xylene	<1.8	ug/L	2.0	1.8	1		11/24/10 19:16	179601-23-1	
o-Xylene	<0.83	ug/L	1.0	0.83	1		11/24/10 19:16	95-47-6	
4-Bromofluorobenzene (S)	94	%	69-130		1		11/24/10 19:16	460-00-4	
Dibromofluoromethane (S)	103	%	70-134		1		11/24/10 19:16	1868-53-7	
Toluene-d8 (S)	99	%	70-130		1		11/24/10 19:16	2037-26-5	

ANALYTICAL RESULTS

Project: 38077001 GUNDERSON CLEANERS
Pace Project No.: 4039978

Sample: PZ-6 Lab ID: 4039978002 Collected: 11/19/10 11:35 Received: 11/23/10 09:15 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV		Analytical Method: EPA 8260							
Benzene	<0.41	ug/L	1.0	0.41	1		11/24/10 19:39	71-43-2	
Bromobenzene	<0.82	ug/L	1.0	0.82	1		11/24/10 19:39	108-86-1	
Bromochloromethane	<0.97	ug/L	1.0	0.97	1		11/24/10 19:39	74-97-5	
Bromodichloromethane	<0.56	ug/L	1.0	0.56	1		11/24/10 19:39	75-27-4	
Bromoform	<0.94	ug/L	1.0	0.94	1		11/24/10 19:39	75-25-2	
Bromomethane	<0.91	ug/L	1.0	0.91	1		11/24/10 19:39	74-83-9	
n-Butylbenzene	<0.93	ug/L	1.0	0.93	1		11/24/10 19:39	104-51-8	
sec-Butylbenzene	<0.89	ug/L	5.0	0.89	1		11/24/10 19:39	135-98-8	
tert-Butylbenzene	<0.97	ug/L	1.0	0.97	1		11/24/10 19:39	98-06-6	
Carbon tetrachloride	<0.49	ug/L	1.0	0.49	1		11/24/10 19:39	56-23-5	
Chlorobenzene	<0.41	ug/L	1.0	0.41	1		11/24/10 19:39	108-90-7	
Chloroethane	<0.97	ug/L	1.0	0.97	1		11/24/10 19:39	75-00-3	
Chloroform	<1.3	ug/L	5.0	1.3	1		11/24/10 19:39	67-66-3	
Chloromethane	<0.24	ug/L	1.0	0.24	1		11/24/10 19:39	74-87-3	
2-Chlorotoluene	<0.85	ug/L	1.0	0.85	1		11/24/10 19:39	95-49-8	
4-Chlorotoluene	<0.74	ug/L	1.0	0.74	1		11/24/10 19:39	106-43-4	
1,2-Dibromo-3-chloropropane	<1.7	ug/L	5.0	1.7	1		11/24/10 19:39	96-12-8	
Dibromochloromethane	<0.81	ug/L	1.0	0.81	1		11/24/10 19:39	124-48-1	
1,2-Dibromoethane (EDB)	<0.56	ug/L	1.0	0.56	1		11/24/10 19:39	106-93-4	
Dibromomethane	<0.60	ug/L	1.0	0.60	1		11/24/10 19:39	74-95-3	
1,2-Dichlorobenzene	<0.83	ug/L	1.0	0.83	1		11/24/10 19:39	95-50-1	
1,3-Dichlorobenzene	<0.87	ug/L	1.0	0.87	1		11/24/10 19:39	541-73-1	
1,4-Dichlorobenzene	<0.95	ug/L	1.0	0.95	1		11/24/10 19:39	106-46-7	
Dichlorodifluoromethane	<0.99	ug/L	1.0	0.99	1		11/24/10 19:39	75-71-8	
1,1-Dichloroethane	<0.75	ug/L	1.0	0.75	1		11/24/10 19:39	75-34-3	
1,2-Dichloroethane	<0.36	ug/L	1.0	0.36	1		11/24/10 19:39	107-06-2	
1,1-Dichloroethene	<0.57	ug/L	1.0	0.57	1		11/24/10 19:39	75-35-4	
cis-1,2-Dichloroethene	127	ug/L	1.0	0.83	1		11/24/10 19:39	156-59-2	
trans-1,2-Dichloroethene	2.0	ug/L	1.0	0.89	1		11/24/10 19:39	156-60-5	
1,2-Dichloropropane	<0.49	ug/L	1.0	0.49	1		11/24/10 19:39	78-87-5	
1,3-Dichloropropane	<0.61	ug/L	1.0	0.61	1		11/24/10 19:39	142-28-9	
2,2-Dichloropropane	<0.62	ug/L	1.0	0.62	1		11/24/10 19:39	594-20-7	
1,1-Dichloropropene	<0.75	ug/L	1.0	0.75	1		11/24/10 19:39	563-58-6	
cis-1,3-Dichloropropene	<0.20	ug/L	1.0	0.20	1		11/24/10 19:39	10061-01-5	
trans-1,3-Dichloropropene	<0.19	ug/L	1.0	0.19	1		11/24/10 19:39	10061-02-6	
Diisopropyl ether	<0.76	ug/L	1.0	0.76	1		11/24/10 19:39	108-20-3	
Ethylbenzene	<0.54	ug/L	1.0	0.54	1		11/24/10 19:39	100-41-4	
Hexachloro-1,3-butadiene	<0.67	ug/L	5.0	0.67	1		11/24/10 19:39	87-68-3	
Isopropylbenzene (Cumene)	<0.59	ug/L	1.0	0.59	1		11/24/10 19:39	98-82-8	
p-Isopropyltoluene	<0.67	ug/L	1.0	0.67	1		11/24/10 19:39	99-87-6	
Methylene Chloride	<0.43	ug/L	1.0	0.43	1		11/24/10 19:39	75-09-2	
Methyl-tert-butyl ether	<0.61	ug/L	1.0	0.61	1		11/24/10 19:39	1634-04-4	
Naphthalene	<0.89	ug/L	5.0	0.89	1		11/24/10 19:39	91-20-3	
n-Propylbenzene	<0.81	ug/L	1.0	0.81	1		11/24/10 19:39	103-65-1	
Styrene	<0.86	ug/L	1.0	0.86	1		11/24/10 19:39	100-42-5	
1,1,1,2-Tetrachloroethane	<0.92	ug/L	1.0	0.92	1		11/24/10 19:39	630-20-6	

Date: 12/09/2010 03:46 PM

REPORT OF LABORATORY ANALYSIS

Page 8 of 34

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..



ANALYTICAL RESULTS

Project: 38077001 GUNDERSON CLEANERS
Pace Project No.: 4039978

Sample: PZ-6 Lab ID: 4039978002 Collected: 11/19/10 11:35 Received: 11/23/10 09:15 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV		Analytical Method: EPA 8260							
1,1,2,2-Tetrachloroethane	<0.20	ug/L	1.0	0.20	1		11/24/10 19:39	79-34-5	
Tetrachloroethene	2.8	ug/L	1.0	0.45	1		11/24/10 19:39	127-18-4	
Toluene	<0.67	ug/L	1.0	0.67	1		11/24/10 19:39	108-88-3	
1,2,3-Trichlorobenzene	<0.74	ug/L	1.0	0.74	1		11/24/10 19:39	87-61-6	
1,2,4-Trichlorobenzene	<0.97	ug/L	1.0	0.97	1		11/24/10 19:39	120-82-1	
1,1,1-Trichloroethane	<0.90	ug/L	1.0	0.90	1		11/24/10 19:39	71-55-6	
1,1,2-Trichloroethane	<0.42	ug/L	1.0	0.42	1		11/24/10 19:39	79-00-5	
Trichloroethene	2.0	ug/L	1.0	0.48	1		11/24/10 19:39	79-01-6	
Trichlorofluoromethane	<0.79	ug/L	1.0	0.79	1		11/24/10 19:39	75-69-4	
1,2,3-Trichloropropane	<0.99	ug/L	1.0	0.99	1		11/24/10 19:39	96-18-4	
1,2,4-Trimethylbenzene	<0.97	ug/L	1.0	0.97	1		11/24/10 19:39	95-63-6	
1,3,5-Trimethylbenzene	<0.83	ug/L	1.0	0.83	1		11/24/10 19:39	108-67-8	
Vinyl chloride	<0.18	ug/L	1.0	0.18	1		11/24/10 19:39	75-01-4	
m&p-Xylene	<1.8	ug/L	2.0	1.8	1		11/24/10 19:39	179601-23-1	
o-Xylene	<0.83	ug/L	1.0	0.83	1		11/24/10 19:39	95-47-6	
4-Bromofluorobenzene (S)	95 %		69-130		1		11/24/10 19:39	460-00-4	
Dibromofluoromethane (S)	100 %		70-134		1		11/24/10 19:39	1868-53-7	
Toluene-d8 (S)	100 %		70-130		1		11/24/10 19:39	2037-26-5	

ANALYTICAL RESULTS

Project: 38077001 GUNDERSON CLEANERS

Pace Project No.: 4039978

Sample: MW-8 Lab ID: 4039978003 Collected: 11/19/10 12:15 Received: 11/23/10 09:15 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV		Analytical Method: EPA 8260							
Benzene	<0.41	ug/L	1.0	0.41	1		11/24/10 20:02	71-43-2	
Bromobenzene	<0.82	ug/L	1.0	0.82	1		11/24/10 20:02	108-86-1	
Bromochloromethane	<0.97	ug/L	1.0	0.97	1		11/24/10 20:02	74-97-5	
Bromodichloromethane	<0.56	ug/L	1.0	0.56	1		11/24/10 20:02	75-27-4	
Bromoform	<0.94	ug/L	1.0	0.94	1		11/24/10 20:02	75-25-2	
Bromomethane	<0.91	ug/L	1.0	0.91	1		11/24/10 20:02	74-83-9	
n-Butylbenzene	<0.93	ug/L	1.0	0.93	1		11/24/10 20:02	104-51-8	
sec-Butylbenzene	<0.89	ug/L	5.0	0.89	1		11/24/10 20:02	135-98-8	
tert-Butylbenzene	<0.97	ug/L	1.0	0.97	1		11/24/10 20:02	98-06-6	
Carbon tetrachloride	<0.49	ug/L	1.0	0.49	1		11/24/10 20:02	56-23-5	
Chlorobenzene	<0.41	ug/L	1.0	0.41	1		11/24/10 20:02	108-90-7	
Chloroethane	<0.97	ug/L	1.0	0.97	1		11/24/10 20:02	75-00-3	
Chloroform	<1.3	ug/L	5.0	1.3	1		11/24/10 20:02	67-66-3	
Chloromethane	<0.24	ug/L	1.0	0.24	1		11/24/10 20:02	74-87-3	
2-Chlorotoluene	<0.85	ug/L	1.0	0.85	1		11/24/10 20:02	95-49-8	
4-Chlorotoluene	<0.74	ug/L	1.0	0.74	1		11/24/10 20:02	106-43-4	
1,2-Dibromo-3-chloropropane	<1.7	ug/L	5.0	1.7	1		11/24/10 20:02	96-12-8	
Dibromochloromethane	<0.81	ug/L	1.0	0.81	1		11/24/10 20:02	124-48-1	
1,2-Dibromoethane (EDB)	<0.56	ug/L	1.0	0.56	1		11/24/10 20:02	106-93-4	
Dibromomethane	<0.60	ug/L	1.0	0.60	1		11/24/10 20:02	74-95-3	
1,2-Dichlorobenzene	<0.83	ug/L	1.0	0.83	1		11/24/10 20:02	95-50-1	
1,3-Dichlorobenzene	<0.87	ug/L	1.0	0.87	1		11/24/10 20:02	541-73-1	
1,4-Dichlorobenzene	<0.95	ug/L	1.0	0.95	1		11/24/10 20:02	106-46-7	
Dichlorodifluoromethane	<0.99	ug/L	1.0	0.99	1		11/24/10 20:02	75-71-8	
1,1-Dichloroethane	<0.75	ug/L	1.0	0.75	1		11/24/10 20:02	75-34-3	
1,2-Dichloroethane	<0.36	ug/L	1.0	0.36	1		11/24/10 20:02	107-06-2	
1,1-Dichloroethene	<0.57	ug/L	1.0	0.57	1		11/24/10 20:02	75-35-4	
cis-1,2-Dichloroethene	9.4	ug/L	1.0	0.83	1		11/24/10 20:02	156-59-2	
trans-1,2-Dichloroethene	2.1	ug/L	1.0	0.89	1		11/24/10 20:02	156-60-5	
1,2-Dichloropropane	<0.49	ug/L	1.0	0.49	1		11/24/10 20:02	78-87-5	
1,3-Dichloropropane	<0.61	ug/L	1.0	0.61	1		11/24/10 20:02	142-28-9	
2,2-Dichloropropane	<0.62	ug/L	1.0	0.62	1		11/24/10 20:02	594-20-7	
1,1-Dichloropropene	<0.75	ug/L	1.0	0.75	1		11/24/10 20:02	563-58-6	
cis-1,3-Dichloropropene	<0.20	ug/L	1.0	0.20	1		11/24/10 20:02	10061-01-5	
trans-1,3-Dichloropropene	<0.19	ug/L	1.0	0.19	1		11/24/10 20:02	10061-02-6	
Diisopropyl ether	<0.76	ug/L	1.0	0.76	1		11/24/10 20:02	108-20-3	
Ethylbenzene	<0.54	ug/L	1.0	0.54	1		11/24/10 20:02	100-41-4	
Hexachloro-1,3-butadiene	<0.67	ug/L	5.0	0.67	1		11/24/10 20:02	87-68-3	
Isopropylbenzene (Cumene)	<0.59	ug/L	1.0	0.59	1		11/24/10 20:02	98-82-8	
p-Isopropyltoluene	<0.67	ug/L	1.0	0.67	1		11/24/10 20:02	99-87-6	
Methylene Chloride	<0.43	ug/L	1.0	0.43	1		11/24/10 20:02	75-09-2	
Methyl-tert-butyl ether	<0.61	ug/L	1.0	0.61	1		11/24/10 20:02	1634-04-4	
Naphthalene	<0.89	ug/L	5.0	0.89	1		11/24/10 20:02	91-20-3	
n-Propylbenzene	<0.81	ug/L	1.0	0.81	1		11/24/10 20:02	103-65-1	
Styrene	<0.86	ug/L	1.0	0.86	1		11/24/10 20:02	100-42-5	
1,1,1,2-Tetrachloroethane	<0.92	ug/L	1.0	0.92	1		11/24/10 20:02	630-20-6	

Date: 12/09/2010 03:46 PM

REPORT OF LABORATORY ANALYSIS

Page 10 of 34

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..



ANALYTICAL RESULTS

Project: 38077001 GUNDERSON CLEANERS
Pace Project No.: 4039978

Sample: MW-8 Lab ID: 4039978003 Collected: 11/19/10 12:15 Received: 11/23/10 09:15 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV									
Analytical Method: EPA 8260									
1,1,2,2-Tetrachloroethane	<0.20	ug/L	1.0	0.20	1		11/24/10 20:02	79-34-5	
Tetrachloroethene	29.9	ug/L	1.0	0.45	1		11/24/10 20:02	127-18-4	
Toluene	<0.67	ug/L	1.0	0.67	1		11/24/10 20:02	108-88-3	
1,2,3-Trichlorobenzene	<0.74	ug/L	1.0	0.74	1		11/24/10 20:02	87-61-6	
1,2,4-Trichlorobenzene	<0.97	ug/L	1.0	0.97	1		11/24/10 20:02	120-82-1	
1,1,1-Trichloroethane	1.6	ug/L	1.0	0.90	1		11/24/10 20:02	71-55-6	
1,1,2-Trichloroethane	<0.42	ug/L	1.0	0.42	1		11/24/10 20:02	79-00-5	
Trichloroethene	1.6	ug/L	1.0	0.48	1		11/24/10 20:02	79-01-6	
Trichlorofluoromethane	<0.79	ug/L	1.0	0.79	1		11/24/10 20:02	75-69-4	
1,2,3-Trichloropropane	<0.99	ug/L	1.0	0.99	1		11/24/10 20:02	96-18-4	
1,2,4-Trimethylbenzene	<0.97	ug/L	1.0	0.97	1		11/24/10 20:02	95-63-6	
1,3,5-Trimethylbenzene	<0.83	ug/L	1.0	0.83	1		11/24/10 20:02	108-67-8	
Vinyl chloride	1.7	ug/L	1.0	0.18	1		11/24/10 20:02	75-01-4	
m&p-Xylene	<1.8	ug/L	2.0	1.8	1		11/24/10 20:02	179601-23-1	
o-Xylene	<0.83	ug/L	1.0	0.83	1		11/24/10 20:02	95-47-6	
4-Bromofluorobenzene (S)	93	%	69-130		1		11/24/10 20:02	460-00-4	
Dibromofluoromethane (S)	97	%	70-134		1		11/24/10 20:02	1868-53-7	
Toluene-d8 (S)	101	%	70-130		1		11/24/10 20:02	2037-26-5	

ANALYTICAL RESULTS

Project: 38077001 GUNDERSON CLEANERS
Pace Project No.: 4039978

Sample: MW-9 Lab ID: 4039978004 Collected: 11/19/10 12:55 Received: 11/23/10 09:15 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV		Analytical Method: EPA 8260							
Benzene	<0.41	ug/L	1.0	0.41	1		11/24/10 17:23	71-43-2	
Bromobenzene	<0.82	ug/L	1.0	0.82	1		11/24/10 17:23	108-86-1	
Bromochloromethane	<0.97	ug/L	1.0	0.97	1		11/24/10 17:23	74-97-5	
Bromodichloromethane	<0.56	ug/L	1.0	0.56	1		11/24/10 17:23	75-27-4	
Bromoform	<0.94	ug/L	1.0	0.94	1		11/24/10 17:23	75-25-2	
Bromomethane	<0.91	ug/L	1.0	0.91	1		11/24/10 17:23	74-83-9	
n-Butylbenzene	<0.93	ug/L	1.0	0.93	1		11/24/10 17:23	104-51-8	
sec-Butylbenzene	<0.89	ug/L	5.0	0.89	1		11/24/10 17:23	135-98-8	
tert-Butylbenzene	<0.97	ug/L	1.0	0.97	1		11/24/10 17:23	98-06-6	
Carbon tetrachloride	<0.49	ug/L	1.0	0.49	1		11/24/10 17:23	56-23-5	
Chlorobenzene	<0.41	ug/L	1.0	0.41	1		11/24/10 17:23	108-90-7	
Chloroethane	<0.97	ug/L	1.0	0.97	1		11/24/10 17:23	75-00-3	
Chloroform	<1.3	ug/L	5.0	1.3	1		11/24/10 17:23	67-66-3	
Chloromethane	<0.24	ug/L	1.0	0.24	1		11/24/10 17:23	74-87-3	
2-Chlorotoluene	<0.85	ug/L	1.0	0.85	1		11/24/10 17:23	95-49-8	
4-Chlorotoluene	<0.74	ug/L	1.0	0.74	1		11/24/10 17:23	106-43-4	
1,2-Dibromo-3-chloropropane	<1.7	ug/L	5.0	1.7	1		11/24/10 17:23	96-12-8	
Dibromochloromethane	<0.81	ug/L	1.0	0.81	1		11/24/10 17:23	124-48-1	
1,2-Dibromoethane (EDB)	<0.56	ug/L	1.0	0.56	1		11/24/10 17:23	106-93-4	
Dibromomethane	<0.60	ug/L	1.0	0.60	1		11/24/10 17:23	74-95-3	
1,2-Dichlorobenzene	<0.83	ug/L	1.0	0.83	1		11/24/10 17:23	95-50-1	
1,3-Dichlorobenzene	<0.87	ug/L	1.0	0.87	1		11/24/10 17:23	541-73-1	
1,4-Dichlorobenzene	<0.95	ug/L	1.0	0.95	1		11/24/10 17:23	106-46-7	
Dichlorodifluoromethane	<0.99	ug/L	1.0	0.99	1		11/24/10 17:23	75-71-8	
1,1-Dichloroethane	<0.75	ug/L	1.0	0.75	1		11/24/10 17:23	75-34-3	
1,2-Dichloroethane	<0.36	ug/L	1.0	0.36	1		11/24/10 17:23	107-06-2	
1,1-Dichloroethene	<0.57	ug/L	1.0	0.57	1		11/24/10 17:23	75-35-4	
cis-1,2-Dichloroethene	<0.83	ug/L	1.0	0.83	1		11/24/10 17:23	156-59-2	
trans-1,2-Dichloroethene	<0.89	ug/L	1.0	0.89	1		11/24/10 17:23	156-60-5	
1,2-Dichloropropane	<0.49	ug/L	1.0	0.49	1		11/24/10 17:23	78-87-5	
1,3-Dichloropropane	<0.61	ug/L	1.0	0.61	1		11/24/10 17:23	142-28-9	
2,2-Dichloropropane	<0.62	ug/L	1.0	0.62	1		11/24/10 17:23	594-20-7	
1,1-Dichloropropene	<0.75	ug/L	1.0	0.75	1		11/24/10 17:23	563-58-6	
cis-1,3-Dichloropropene	<0.20	ug/L	1.0	0.20	1		11/24/10 17:23	10061-01-5	
trans-1,3-Dichloropropene	<0.19	ug/L	1.0	0.19	1		11/24/10 17:23	10061-02-6	
Diisopropyl ether	<0.76	ug/L	1.0	0.76	1		11/24/10 17:23	108-20-3	
Ethylbenzene	<0.54	ug/L	1.0	0.54	1		11/24/10 17:23	100-41-4	
Hexachloro-1,3-butadiene	<0.67	ug/L	5.0	0.67	1		11/24/10 17:23	87-68-3	
Isopropylbenzene (Cumene)	<0.59	ug/L	1.0	0.59	1		11/24/10 17:23	98-82-8	
p-Isopropyltoluene	<0.67	ug/L	1.0	0.67	1		11/24/10 17:23	99-87-6	
Methylene Chloride	<0.43	ug/L	1.0	0.43	1		11/24/10 17:23	75-09-2	
Methyl-tert-butyl ether	<0.61	ug/L	1.0	0.61	1		11/24/10 17:23	1634-04-4	
Naphthalene	<0.89	ug/L	5.0	0.89	1		11/24/10 17:23	91-20-3	
n-Propylbenzene	<0.81	ug/L	1.0	0.81	1		11/24/10 17:23	103-65-1	
Styrene	<0.86	ug/L	1.0	0.86	1		11/24/10 17:23	100-42-5	
1,1,1,2-Tetrachloroethane	<0.92	ug/L	1.0	0.92	1		11/24/10 17:23	630-20-6	

ANALYTICAL RESULTS

Project: 38077001 GUNDERSON CLEANERS
Pace Project No.: 4039978

Sample: MW-9 Lab ID: 4039978004 Collected: 11/19/10 12:55 Received: 11/23/10 09:15 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV		Analytical Method: EPA 8260							
1,1,2,2-Tetrachloroethane	<0.20	ug/L	1.0	0.20	1		11/24/10 17:23	79-34-5	
Tetrachloroethene	15.5	ug/L	1.0	0.45	1		11/24/10 17:23	127-18-4	
Toluene	<0.67	ug/L	1.0	0.67	1		11/24/10 17:23	108-88-3	
1,2,3-Trichlorobenzene	<0.74	ug/L	1.0	0.74	1		11/24/10 17:23	87-61-6	
1,2,4-Trichlorobenzene	<0.97	ug/L	1.0	0.97	1		11/24/10 17:23	120-82-1	
1,1,1-Trichloroethane	<0.90	ug/L	1.0	0.90	1		11/24/10 17:23	71-55-6	
1,1,2-Trichloroethane	<0.42	ug/L	1.0	0.42	1		11/24/10 17:23	79-00-5	
Trichloroethene	<0.48	ug/L	1.0	0.48	1		11/24/10 17:23	79-01-6	
Trichlorofluoromethane	<0.79	ug/L	1.0	0.79	1		11/24/10 17:23	75-69-4	
1,2,3-Trichloropropane	<0.99	ug/L	1.0	0.99	1		11/24/10 17:23	96-18-4	
1,2,4-Trimethylbenzene	<0.97	ug/L	1.0	0.97	1		11/24/10 17:23	95-63-6	
1,3,5-Trimethylbenzene	<0.83	ug/L	1.0	0.83	1		11/24/10 17:23	108-67-8	
Vinyl chloride	<0.18	ug/L	1.0	0.18	1		11/24/10 17:23	75-01-4	
m&p-Xylene	<1.8	ug/L	2.0	1.8	1		11/24/10 17:23	179601-23-1	
o-Xylene	<0.83	ug/L	1.0	0.83	1		11/24/10 17:23	95-47-6	
4-Bromofluorobenzene (S)	97	%	69-130		1		11/24/10 17:23	460-00-4	
Dibromofluoromethane (S)	102	%	70-134		1		11/24/10 17:23	1868-53-7	
Toluene-d8 (S)	100	%	70-130		1		11/24/10 17:23	2037-26-5	

ANALYTICAL RESULTS

Project: 38077001 GUNDERSON CLEANERS
Pace Project No.: 4039978

Sample: PZ-3 Lab ID: 4039978005 Collected: 11/19/10 13:35 Received: 11/23/10 09:15 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV		Analytical Method: EPA 8260							
Benzene	<0.41	ug/L	1.0	0.41	1		11/24/10 17:45	71-43-2	
Bromobenzene	<0.82	ug/L	1.0	0.82	1		11/24/10 17:45	108-86-1	
Bromochloromethane	<0.97	ug/L	1.0	0.97	1		11/24/10 17:45	74-97-5	
Bromodichloromethane	<0.56	ug/L	1.0	0.56	1		11/24/10 17:45	75-27-4	
Bromoform	<0.94	ug/L	1.0	0.94	1		11/24/10 17:45	75-25-2	
Bromomethane	<0.91	ug/L	1.0	0.91	1		11/24/10 17:45	74-83-9	
n-Butylbenzene	<0.93	ug/L	1.0	0.93	1		11/24/10 17:45	104-51-8	
sec-Butylbenzene	<0.89	ug/L	5.0	0.89	1		11/24/10 17:45	135-98-8	
tert-Butylbenzene	<0.97	ug/L	1.0	0.97	1		11/24/10 17:45	98-06-6	
Carbon tetrachloride	<0.49	ug/L	1.0	0.49	1		11/24/10 17:45	56-23-5	
Chlorobenzene	<0.41	ug/L	1.0	0.41	1		11/24/10 17:45	108-90-7	
Chloroethane	<0.97	ug/L	1.0	0.97	1		11/24/10 17:45	75-00-3	
Chloroform	<1.3	ug/L	5.0	1.3	1		11/24/10 17:45	67-66-3	
Chloromethane	<0.24	ug/L	1.0	0.24	1		11/24/10 17:45	74-87-3	
2-Chlorotoluene	<0.85	ug/L	1.0	0.85	1		11/24/10 17:45	95-49-8	
4-Chlorotoluene	<0.74	ug/L	1.0	0.74	1		11/24/10 17:45	106-43-4	
1,2-Dibromo-3-chloropropane	<1.7	ug/L	5.0	1.7	1		11/24/10 17:45	96-12-8	
Dibromochloromethane	<0.81	ug/L	1.0	0.81	1		11/24/10 17:45	124-48-1	
1,2-Dibromoethane (EDB)	<0.56	ug/L	1.0	0.56	1		11/24/10 17:45	106-93-4	
Dibromomethane	<0.60	ug/L	1.0	0.60	1		11/24/10 17:45	74-95-3	
1,2-Dichlorobenzene	<0.83	ug/L	1.0	0.83	1		11/24/10 17:45	95-50-1	
1,3-Dichlorobenzene	<0.87	ug/L	1.0	0.87	1		11/24/10 17:45	541-73-1	
1,4-Dichlorobenzene	<0.95	ug/L	1.0	0.95	1		11/24/10 17:45	106-46-7	
Dichlorodifluoromethane	<0.99	ug/L	1.0	0.99	1		11/24/10 17:45	75-71-8	
1,1-Dichloroethane	<0.75	ug/L	1.0	0.75	1		11/24/10 17:45	75-34-3	
1,2-Dichloroethane	<0.36	ug/L	1.0	0.36	1		11/24/10 17:45	107-06-2	
1,1-Dichloroethene	<0.57	ug/L	1.0	0.57	1		11/24/10 17:45	75-35-4	
cis-1,2-Dichloroethene	4.5	ug/L	1.0	0.83	1		11/24/10 17:45	156-59-2	
trans-1,2-Dichloroethene	<0.89	ug/L	1.0	0.89	1		11/24/10 17:45	156-60-5	
1,2-Dichloropropane	<0.49	ug/L	1.0	0.49	1		11/24/10 17:45	78-87-5	
1,3-Dichloropropane	<0.61	ug/L	1.0	0.61	1		11/24/10 17:45	142-28-9	
2,2-Dichloropropane	<0.62	ug/L	1.0	0.62	1		11/24/10 17:45	594-20-7	
1,1-Dichloropropene	<0.75	ug/L	1.0	0.75	1		11/24/10 17:45	563-58-6	
cis-1,3-Dichloropropene	<0.20	ug/L	1.0	0.20	1		11/24/10 17:45	10061-01-5	
trans-1,3-Dichloropropene	<0.19	ug/L	1.0	0.19	1		11/24/10 17:45	10061-02-6	
Diisopropyl ether	<0.76	ug/L	1.0	0.76	1		11/24/10 17:45	108-20-3	
Ethylbenzene	<0.54	ug/L	1.0	0.54	1		11/24/10 17:45	100-41-4	
Hexachloro-1,3-butadiene	<0.67	ug/L	5.0	0.67	1		11/24/10 17:45	87-68-3	
Isopropylbenzene (Cumene)	<0.59	ug/L	1.0	0.59	1		11/24/10 17:45	98-82-8	
p-Isopropyltoluene	<0.67	ug/L	1.0	0.67	1		11/24/10 17:45	99-87-6	
Methylene Chloride	<0.43	ug/L	1.0	0.43	1		11/24/10 17:45	75-09-2	
Methyl-tert-butyl ether	<0.61	ug/L	1.0	0.61	1		11/24/10 17:45	1634-04-4	
Naphthalene	<0.89	ug/L	5.0	0.89	1		11/24/10 17:45	91-20-3	
n-Propylbenzene	<0.81	ug/L	1.0	0.81	1		11/24/10 17:45	103-65-1	
Styrene	<0.86	ug/L	1.0	0.86	1		11/24/10 17:45	100-42-5	
1,1,1,2-Tetrachloroethane	<0.92	ug/L	1.0	0.92	1		11/24/10 17:45	630-20-6	

ANALYTICAL RESULTS

Project: 38077001 GUNDERSON CLEANERS
Pace Project No.: 4039978

Sample: PZ-3 Lab ID: 4039978005 Collected: 11/19/10 13:35 Received: 11/23/10 09:15 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV									
Analytical Method: EPA 8260									
1,1,2,2-Tetrachloroethane	<0.20	ug/L	1.0	0.20	1		11/24/10 17:45	79-34-5	
Tetrachloroethene	2.4	ug/L	1.0	0.45	1		11/24/10 17:45	127-18-4	
Toluene	<0.67	ug/L	1.0	0.67	1		11/24/10 17:45	108-88-3	
1,2,3-Trichlorobenzene	<0.74	ug/L	1.0	0.74	1		11/24/10 17:45	87-61-6	
1,2,4-Trichlorobenzene	<0.97	ug/L	1.0	0.97	1		11/24/10 17:45	120-82-1	
1,1,1-Trichloroethane	<0.90	ug/L	1.0	0.90	1		11/24/10 17:45	71-55-6	
1,1,2-Trichloroethane	<0.42	ug/L	1.0	0.42	1		11/24/10 17:45	79-00-5	
Trichloroethene	<0.48	ug/L	1.0	0.48	1		11/24/10 17:45	79-01-6	
Trichlorofluoromethane	<0.79	ug/L	1.0	0.79	1		11/24/10 17:45	75-69-4	
1,2,3-Trichloropropane	<0.99	ug/L	1.0	0.99	1		11/24/10 17:45	96-18-4	
1,2,4-Trimethylbenzene	<0.97	ug/L	1.0	0.97	1		11/24/10 17:45	95-63-6	
1,3,5-Trimethylbenzene	<0.83	ug/L	1.0	0.83	1		11/24/10 17:45	108-67-8	
Vinyl chloride	<0.18	ug/L	1.0	0.18	1		11/24/10 17:45	75-01-4	
m&p-Xylene	<1.8	ug/L	2.0	1.8	1		11/24/10 17:45	179601-23-1	
o-Xylene	<0.83	ug/L	1.0	0.83	1		11/24/10 17:45	95-47-6	
4-Bromofluorobenzene (S)	95	%	69-130		1		11/24/10 17:45	460-00-4	
Dibromofluoromethane (S)	103	%	70-134		1		11/24/10 17:45	1868-53-7	
Toluene-d8 (S)	101	%	70-130		1		11/24/10 17:45	2037-26-5	

ANALYTICAL RESULTS

Project: 38077001 GUNDERSON CLEANERS
Pace Project No.: 4039978

Sample: MW-11 Lab ID: 4039978006 Collected: 11/19/10 14:25 Received: 11/23/10 09:15 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Analytical Method: EPA 8260									
Benzene	<0.41	ug/L	1.0	0.41	1		11/24/10 18:08	71-43-2	
Bromobenzene	<0.82	ug/L	1.0	0.82	1		11/24/10 18:08	108-86-1	
Bromochloromethane	<0.97	ug/L	1.0	0.97	1		11/24/10 18:08	74-97-5	
Bromodichloromethane	<0.56	ug/L	1.0	0.56	1		11/24/10 18:08	75-27-4	
Bromoform	<0.94	ug/L	1.0	0.94	1		11/24/10 18:08	75-25-2	
Bromomethane	<0.91	ug/L	1.0	0.91	1		11/24/10 18:08	74-83-9	
n-Butylbenzene	<0.93	ug/L	1.0	0.93	1		11/24/10 18:08	104-51-8	
sec-Butylbenzene	<0.89	ug/L	5.0	0.89	1		11/24/10 18:08	135-98-8	
tert-Butylbenzene	<0.97	ug/L	1.0	0.97	1		11/24/10 18:08	98-06-6	
Carbon tetrachloride	<0.49	ug/L	1.0	0.49	1		11/24/10 18:08	56-23-5	
Chlorobenzene	<0.41	ug/L	1.0	0.41	1		11/24/10 18:08	108-90-7	
Chloroethane	<0.97	ug/L	1.0	0.97	1		11/24/10 18:08	75-00-3	
Chloroform	<1.3	ug/L	5.0	1.3	1		11/24/10 18:08	67-66-3	
Chloromethane	<0.24	ug/L	1.0	0.24	1		11/24/10 18:08	74-87-3	
2-Chlorotoluene	<0.85	ug/L	1.0	0.85	1		11/24/10 18:08	95-49-8	
4-Chlorotoluene	<0.74	ug/L	1.0	0.74	1		11/24/10 18:08	106-43-4	
1,2-Dibromo-3-chloropropane	<1.7	ug/L	5.0	1.7	1		11/24/10 18:08	96-12-8	
Dibromochloromethane	<0.81	ug/L	1.0	0.81	1		11/24/10 18:08	124-48-1	
1,2-Dibromoethane (EDB)	<0.56	ug/L	1.0	0.56	1		11/24/10 18:08	106-93-4	
Dibromomethane	<0.60	ug/L	1.0	0.60	1		11/24/10 18:08	74-95-3	
1,2-Dichlorobenzene	<0.83	ug/L	1.0	0.83	1		11/24/10 18:08	95-50-1	
1,3-Dichlorobenzene	<0.87	ug/L	1.0	0.87	1		11/24/10 18:08	541-73-1	
1,4-Dichlorobenzene	<0.95	ug/L	1.0	0.95	1		11/24/10 18:08	106-46-7	
Dichlorodifluoromethane	<0.99	ug/L	1.0	0.99	1		11/24/10 18:08	75-71-8	
1,1-Dichloroethane	<0.75	ug/L	1.0	0.75	1		11/24/10 18:08	75-34-3	
1,2-Dichloroethane	<0.36	ug/L	1.0	0.36	1		11/24/10 18:08	107-06-2	
1,1-Dichloroethene	<0.57	ug/L	1.0	0.57	1		11/24/10 18:08	75-35-4	
cis-1,2-Dichloroethene	<0.83	ug/L	1.0	0.83	1		11/24/10 18:08	156-59-2	
trans-1,2-Dichloroethene	<0.89	ug/L	1.0	0.89	1		11/24/10 18:08	156-60-5	
1,2-Dichloropropane	<0.49	ug/L	1.0	0.49	1		11/24/10 18:08	78-87-5	
1,3-Dichloropropane	<0.61	ug/L	1.0	0.61	1		11/24/10 18:08	142-28-9	
2,2-Dichloropropane	<0.62	ug/L	1.0	0.62	1		11/24/10 18:08	594-20-7	
1,1-Dichloropropene	<0.75	ug/L	1.0	0.75	1		11/24/10 18:08	563-58-6	
cis-1,3-Dichloropropene	<0.20	ug/L	1.0	0.20	1		11/24/10 18:08	10061-01-5	
trans-1,3-Dichloropropene	<0.19	ug/L	1.0	0.19	1		11/24/10 18:08	10061-02-6	
Diisopropyl ether	<0.76	ug/L	1.0	0.76	1		11/24/10 18:08	108-20-3	
Ethylbenzene	<0.54	ug/L	1.0	0.54	1		11/24/10 18:08	100-41-4	
Hexachloro-1,3-butadiene	<0.67	ug/L	5.0	0.67	1		11/24/10 18:08	87-68-3	
Isopropylbenzene (Cumene)	<0.59	ug/L	1.0	0.59	1		11/24/10 18:08	98-82-8	
p-Isopropyltoluene	<0.67	ug/L	1.0	0.67	1		11/24/10 18:08	99-87-6	
Methylene Chloride	<0.43	ug/L	1.0	0.43	1		11/24/10 18:08	75-09-2	
Methyl-tert-butyl ether	<0.61	ug/L	1.0	0.61	1		11/24/10 18:08	1634-04-4	
Naphthalene	<0.89	ug/L	5.0	0.89	1		11/24/10 18:08	91-20-3	
n-Propylbenzene	<0.81	ug/L	1.0	0.81	1		11/24/10 18:08	103-65-1	
Styrene	<0.86	ug/L	1.0	0.86	1		11/24/10 18:08	100-42-5	
1,1,1,2-Tetrachloroethane	<0.92	ug/L	1.0	0.92	1		11/24/10 18:08	630-20-6	

Date: 12/09/2010 03:46 PM

REPORT OF LABORATORY ANALYSIS

Page 16 of 34

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..



ANALYTICAL RESULTS

Project: 38077001 GUNDERSON CLEANERS
Pace Project No.: 4039978

Sample: MW-11 Lab ID: 4039978006 Collected: 11/19/10 14:25 Received: 11/23/10 09:15 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV		Analytical Method: EPA 8260							
1,1,2,2-Tetrachloroethane	<0.20	ug/L	1.0	0.20	1		11/24/10 18:08	79-34-5	
Tetrachloroethene	9.0	ug/L	1.0	0.45	1		11/24/10 18:08	127-18-4	
Toluene	<0.67	ug/L	1.0	0.67	1		11/24/10 18:08	108-88-3	
1,2,3-Trichlorobenzene	<0.74	ug/L	1.0	0.74	1		11/24/10 18:08	87-61-6	
1,2,4-Trichlorobenzene	<0.97	ug/L	1.0	0.97	1		11/24/10 18:08	120-82-1	
1,1,1-Trichloroethane	<0.90	ug/L	1.0	0.90	1		11/24/10 18:08	71-55-6	
1,1,2-Trichloroethane	<0.42	ug/L	1.0	0.42	1		11/24/10 18:08	79-00-5	
Trichloroethene	<0.48	ug/L	1.0	0.48	1		11/24/10 18:08	79-01-6	
Trichlorofluoromethane	<0.79	ug/L	1.0	0.79	1		11/24/10 18:08	75-69-4	
1,2,3-Trichloropropane	<0.99	ug/L	1.0	0.99	1		11/24/10 18:08	96-18-4	
1,2,4-Trimethylbenzene	<0.97	ug/L	1.0	0.97	1		11/24/10 18:08	95-63-6	
1,3,5-Trimethylbenzene	<0.83	ug/L	1.0	0.83	1		11/24/10 18:08	108-67-8	
Vinyl chloride	<0.18	ug/L	1.0	0.18	1		11/24/10 18:08	75-01-4	
m&p-Xylene	<1.8	ug/L	2.0	1.8	1		11/24/10 18:08	179601-23-1	
o-Xylene	<0.83	ug/L	1.0	0.83	1		11/24/10 18:08	95-47-6	
4-Bromofluorobenzene (S)	93	%	69-130		1		11/24/10 18:08	460-00-4	
Dibromofluoromethane (S)	100	%	70-134		1		11/24/10 18:08	1868-53-7	
Toluene-d8 (S)	100	%	70-130		1		11/24/10 18:08	2037-26-5	

ANALYTICAL RESULTS

Project: 38077001 GUNDERSON CLEANERS
Pace Project No.: 4039978

Sample: MW-13 Lab ID: 4039978007 Collected: 11/19/10 15:10 Received: 11/23/10 09:15 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV		Analytical Method: EPA 8260							
Benzene	<0.41	ug/L	1.0	0.41	1		11/24/10 18:31	71-43-2	
Bromobenzene	<0.82	ug/L	1.0	0.82	1		11/24/10 18:31	108-86-1	
Bromochloromethane	<0.97	ug/L	1.0	0.97	1		11/24/10 18:31	74-97-5	
Bromodichloromethane	<0.56	ug/L	1.0	0.56	1		11/24/10 18:31	75-27-4	
Bromoform	<0.94	ug/L	1.0	0.94	1		11/24/10 18:31	75-25-2	
Bromomethane	<0.91	ug/L	1.0	0.91	1		11/24/10 18:31	74-83-9	
n-Butylbenzene	<0.93	ug/L	1.0	0.93	1		11/24/10 18:31	104-51-8	
sec-Butylbenzene	<0.89	ug/L	5.0	0.89	1		11/24/10 18:31	135-98-8	
tert-Butylbenzene	<0.97	ug/L	1.0	0.97	1		11/24/10 18:31	98-06-6	
Carbon tetrachloride	<0.49	ug/L	1.0	0.49	1		11/24/10 18:31	56-23-5	
Chlorobenzene	<0.41	ug/L	1.0	0.41	1		11/24/10 18:31	108-90-7	
Chloroethane	<0.97	ug/L	1.0	0.97	1		11/24/10 18:31	75-00-3	
Chloroform	<1.3	ug/L	5.0	1.3	1		11/24/10 18:31	67-66-3	
Chloromethane	<0.24	ug/L	1.0	0.24	1		11/24/10 18:31	74-87-3	
2-Chlorotoluene	<0.85	ug/L	1.0	0.85	1		11/24/10 18:31	95-49-8	
4-Chlorotoluene	<0.74	ug/L	1.0	0.74	1		11/24/10 18:31	106-43-4	
1,2-Dibromo-3-chloropropane	<1.7	ug/L	5.0	1.7	1		11/24/10 18:31	96-12-8	
Dibromochloromethane	<0.81	ug/L	1.0	0.81	1		11/24/10 18:31	124-48-1	
1,2-Dibromoethane (EDB)	<0.56	ug/L	1.0	0.56	1		11/24/10 18:31	106-93-4	
Dibromomethane	<0.60	ug/L	1.0	0.60	1		11/24/10 18:31	74-95-3	
1,2-Dichlorobenzene	<0.83	ug/L	1.0	0.83	1		11/24/10 18:31	95-50-1	
1,3-Dichlorobenzene	<0.87	ug/L	1.0	0.87	1		11/24/10 18:31	541-73-1	
1,4-Dichlorobenzene	<0.95	ug/L	1.0	0.95	1		11/24/10 18:31	106-46-7	
Dichlorodifluoromethane	<0.99	ug/L	1.0	0.99	1		11/24/10 18:31	75-71-8	
1,1-Dichloroethane	<0.75	ug/L	1.0	0.75	1		11/24/10 18:31	75-34-3	
1,2-Dichloroethane	<0.36	ug/L	1.0	0.36	1		11/24/10 18:31	107-06-2	
1,1-Dichloroethene	<0.57	ug/L	1.0	0.57	1		11/24/10 18:31	75-35-4	
cis-1,2-Dichloroethene	<0.83	ug/L	1.0	0.83	1		11/24/10 18:31	156-59-2	
trans-1,2-Dichloroethene	<0.89	ug/L	1.0	0.89	1		11/24/10 18:31	156-60-5	
1,2-Dichloropropane	<0.49	ug/L	1.0	0.49	1		11/24/10 18:31	78-87-5	
1,3-Dichloropropane	<0.61	ug/L	1.0	0.61	1		11/24/10 18:31	142-28-9	
2,2-Dichloropropane	<0.62	ug/L	1.0	0.62	1		11/24/10 18:31	594-20-7	
1,1-Dichloropropene	<0.75	ug/L	1.0	0.75	1		11/24/10 18:31	563-58-6	
cis-1,3-Dichloropropene	<0.20	ug/L	1.0	0.20	1		11/24/10 18:31	10061-01-5	
trans-1,3-Dichloropropene	<0.19	ug/L	1.0	0.19	1		11/24/10 18:31	10061-02-6	
Diisopropyl ether	<0.76	ug/L	1.0	0.76	1		11/24/10 18:31	108-20-3	
Ethylbenzene	<0.54	ug/L	1.0	0.54	1		11/24/10 18:31	100-41-4	
Hexachloro-1,3-butadiene	<0.67	ug/L	5.0	0.67	1		11/24/10 18:31	87-68-3	
Isopropylbenzene (Cumene)	<0.59	ug/L	1.0	0.59	1		11/24/10 18:31	98-82-8	
p-Isopropyltoluene	<0.67	ug/L	1.0	0.67	1		11/24/10 18:31	99-87-6	
Methylene Chloride	<0.43	ug/L	1.0	0.43	1		11/24/10 18:31	75-09-2	
Methyl-tert-butyl ether	<0.61	ug/L	1.0	0.61	1		11/24/10 18:31	1634-04-4	
Naphthalene	<0.89	ug/L	5.0	0.89	1		11/24/10 18:31	91-20-3	
n-Propylbenzene	<0.81	ug/L	1.0	0.81	1		11/24/10 18:31	103-65-1	
Styrene	<0.86	ug/L	1.0	0.86	1		11/24/10 18:31	100-42-5	
1,1,1,2-Tetrachloroethane	<0.92	ug/L	1.0	0.92	1		11/24/10 18:31	630-20-6	

Date: 12/09/2010 03:46 PM

REPORT OF LABORATORY ANALYSIS

Page 18 of 34

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..



ANALYTICAL RESULTS

Project: 38077001 GUNDERSON CLEANERS

Pace Project No.: 4039978

Sample: MW-13 Lab ID: 4039978007 Collected: 11/19/10 15:10 Received: 11/23/10 09:15 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV									
Analytical Method: EPA 8260									
1,1,2,2-Tetrachloroethane	<0.20	ug/L	1.0	0.20	1		11/24/10 18:31	79-34-5	
Tetrachloroethene	23.7	ug/L	1.0	0.45	1		11/24/10 18:31	127-18-4	
Toluene	<0.67	ug/L	1.0	0.67	1		11/24/10 18:31	108-88-3	
1,2,3-Trichlorobenzene	<0.74	ug/L	1.0	0.74	1		11/24/10 18:31	87-61-6	
1,2,4-Trichlorobenzene	<0.97	ug/L	1.0	0.97	1		11/24/10 18:31	120-82-1	
1,1,1-Trichloroethane	0.92J	ug/L	1.0	0.90	1		11/24/10 18:31	71-55-6	
1,1,2-Trichloroethane	<0.42	ug/L	1.0	0.42	1		11/24/10 18:31	79-00-5	
Trichloroethene	0.92J	ug/L	1.0	0.48	1		11/24/10 18:31	79-01-6	
Trichlorofluoromethane	<0.79	ug/L	1.0	0.79	1		11/24/10 18:31	75-69-4	
1,2,3-Trichloropropane	<0.99	ug/L	1.0	0.99	1		11/24/10 18:31	96-18-4	
1,2,4-Trimethylbenzene	<0.97	ug/L	1.0	0.97	1		11/24/10 18:31	95-63-6	
1,3,5-Trimethylbenzene	<0.83	ug/L	1.0	0.83	1		11/24/10 18:31	108-67-8	
Vinyl chloride	<0.18	ug/L	1.0	0.18	1		11/24/10 18:31	75-01-4	
m&p-Xylene	<1.8	ug/L	2.0	1.8	1		11/24/10 18:31	179601-23-1	
o-Xylene	<0.83	ug/L	1.0	0.83	1		11/24/10 18:31	95-47-6	
4-Bromofluorobenzene (S)	95 %		69-130		1		11/24/10 18:31	460-00-4	
Dibromofluoromethane (S)	99 %		70-134		1		11/24/10 18:31	1868-53-7	
Toluene-d8 (S)	99 %		70-130		1		11/24/10 18:31	2037-26-5	

ANALYTICAL RESULTS

Project: 38077001 GUNDERSON CLEANERS
Pace Project No.: 4039978

Sample: PZ-4 Lab ID: 4039978008 Collected: 11/19/10 16:00 Received: 11/23/10 09:15 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV									
Analytical Method: EPA 8260									
Benzene	<0.41	ug/L	1.0	0.41	1		11/30/10 09:26	71-43-2	
Bromobenzene	<0.82	ug/L	1.0	0.82	1		11/30/10 09:26	108-86-1	
Bromochloromethane	<0.97	ug/L	1.0	0.97	1		11/30/10 09:26	74-97-5	
Bromodichloromethane	<0.56	ug/L	1.0	0.56	1		11/30/10 09:26	75-27-4	
Bromoform	<0.94	ug/L	1.0	0.94	1		11/30/10 09:26	75-25-2	
Bromomethane	<0.91	ug/L	1.0	0.91	1		11/30/10 09:26	74-83-9	
n-Butylbenzene	<0.93	ug/L	1.0	0.93	1		11/30/10 09:26	104-51-8	
sec-Butylbenzene	<0.89	ug/L	5.0	0.89	1		11/30/10 09:26	135-98-8	
tert-Butylbenzene	<0.97	ug/L	1.0	0.97	1		11/30/10 09:26	98-06-6	
Carbon tetrachloride	<0.49	ug/L	1.0	0.49	1		11/30/10 09:26	56-23-5	
Chlorobenzene	<0.41	ug/L	1.0	0.41	1		11/30/10 09:26	108-90-7	
Chloroethane	<0.97	ug/L	1.0	0.97	1		11/30/10 09:26	75-00-3	
Chloroform	<1.3	ug/L	5.0	1.3	1		11/30/10 09:26	67-66-3	
Chloromethane	<0.24	ug/L	1.0	0.24	1		11/30/10 09:26	74-87-3	
2-Chlorotoluene	<0.85	ug/L	1.0	0.85	1		11/30/10 09:26	95-49-8	
4-Chlorotoluene	<0.74	ug/L	1.0	0.74	1		11/30/10 09:26	106-43-4	
1,2-Dibromo-3-chloropropane	<1.7	ug/L	5.0	1.7	1		11/30/10 09:26	96-12-8	
Dibromochloromethane	<0.81	ug/L	1.0	0.81	1		11/30/10 09:26	124-48-1	
1,2-Dibromoethane (EDB)	<0.56	ug/L	1.0	0.56	1		11/30/10 09:26	106-93-4	
Dibromomethane	<0.60	ug/L	1.0	0.60	1		11/30/10 09:26	74-95-3	
1,2-Dichlorobenzene	<0.83	ug/L	1.0	0.83	1		11/30/10 09:26	95-50-1	
1,3-Dichlorobenzene	<0.87	ug/L	1.0	0.87	1		11/30/10 09:26	541-73-1	
1,4-Dichlorobenzene	<0.95	ug/L	1.0	0.95	1		11/30/10 09:26	106-46-7	
Dichlorodifluoromethane	<0.99	ug/L	1.0	0.99	1		11/30/10 09:26	75-71-8	
1,1-Dichloroethane	<0.75	ug/L	1.0	0.75	1		11/30/10 09:26	75-34-3	
1,2-Dichloroethane	<0.36	ug/L	1.0	0.36	1		11/30/10 09:26	107-06-2	
1,1-Dichloroethene	<0.57	ug/L	1.0	0.57	1		11/30/10 09:26	75-35-4	
cis-1,2-Dichloroethene	0.94J	ug/L	1.0	0.83	1		11/30/10 09:26	156-59-2	
trans-1,2-Dichloroethene	<0.89	ug/L	1.0	0.89	1		11/30/10 09:26	156-60-5	
1,2-Dichloropropane	<0.49	ug/L	1.0	0.49	1		11/30/10 09:26	78-87-5	
1,3-Dichloropropane	<0.61	ug/L	1.0	0.61	1		11/30/10 09:26	142-28-9	
2,2-Dichloropropane	<0.62	ug/L	1.0	0.62	1		11/30/10 09:26	594-20-7	
1,1-Dichloropropene	<0.75	ug/L	1.0	0.75	1		11/30/10 09:26	563-58-6	
cis-1,3-Dichloropropene	<0.20	ug/L	1.0	0.20	1		11/30/10 09:26	10061-01-5	
trans-1,3-Dichloropropene	<0.19	ug/L	1.0	0.19	1		11/30/10 09:26	10061-02-6	
Diisopropyl ether	<0.76	ug/L	1.0	0.76	1		11/30/10 09:26	108-20-3	
Ethylbenzene	<0.54	ug/L	1.0	0.54	1		11/30/10 09:26	100-41-4	
Hexachloro-1,3-butadiene	<0.67	ug/L	5.0	0.67	1		11/30/10 09:26	87-68-3	
Isopropylbenzene (Cumene)	<0.59	ug/L	1.0	0.59	1		11/30/10 09:26	98-82-8	
p-Isopropyltoluene	<0.67	ug/L	1.0	0.67	1		11/30/10 09:26	99-87-6	
Methylene Chloride	<0.43	ug/L	1.0	0.43	1		11/30/10 09:26	75-09-2	
Methyl-tert-butyl ether	<0.61	ug/L	1.0	0.61	1		11/30/10 09:26	1634-04-4	
Naphthalene	<0.89	ug/L	5.0	0.89	1		11/30/10 09:26	91-20-3	
n-Propylbenzene	<0.81	ug/L	1.0	0.81	1		11/30/10 09:26	103-65-1	
Styrene	<0.86	ug/L	1.0	0.86	1		11/30/10 09:26	100-42-5	
1,1,1,2-Tetrachloroethane	<0.92	ug/L	1.0	0.92	1		11/30/10 09:26	630-20-6	

Date: 12/09/2010 03:46 PM

REPORT OF LABORATORY ANALYSIS

Page 20 of 34

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..



ANALYTICAL RESULTS

Project: 38077001 GUNDERSON CLEANERS

Pace Project No.: 4039978

Sample: PZ-4 Lab ID: 4039978008 Collected: 11/19/10 16:00 Received: 11/23/10 09:15 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV		Analytical Method: EPA 8260							
1,1,2,2-Tetrachloroethane	<0.20	ug/L	1.0	0.20	1		11/30/10 09:26	79-34-5	
Tetrachloroethene	6.7	ug/L	1.0	0.45	1		11/30/10 09:26	127-18-4	
Toluene	<0.67	ug/L	1.0	0.67	1		11/30/10 09:26	108-88-3	
1,2,3-Trichlorobenzene	<0.74	ug/L	1.0	0.74	1		11/30/10 09:26	87-61-6	
1,2,4-Trichlorobenzene	<0.97	ug/L	1.0	0.97	1		11/30/10 09:26	120-82-1	
1,1,1-Trichloroethane	<0.90	ug/L	1.0	0.90	1		11/30/10 09:26	71-55-6	
1,1,2-Trichloroethane	<0.42	ug/L	1.0	0.42	1		11/30/10 09:26	79-00-5	
Trichloroethene	<0.48	ug/L	1.0	0.48	1		11/30/10 09:26	79-01-6	
Trichlorofluoromethane	<0.79	ug/L	1.0	0.79	1		11/30/10 09:26	75-69-4	
1,2,3-Trichloropropane	<0.99	ug/L	1.0	0.99	1		11/30/10 09:26	96-18-4	
1,2,4-Trimethylbenzene	<0.97	ug/L	1.0	0.97	1		11/30/10 09:26	95-63-6	
1,3,5-Trimethylbenzene	<0.83	ug/L	1.0	0.83	1		11/30/10 09:26	108-67-8	
Vinyl chloride	<0.18	ug/L	1.0	0.18	1		11/30/10 09:26	75-01-4	
m&p-Xylene	<1.8	ug/L	2.0	1.8	1		11/30/10 09:26	179601-23-1	
o-Xylene	<0.83	ug/L	1.0	0.83	1		11/30/10 09:26	95-47-6	
4-Bromofluorobenzene (S)	98	%	69-130		1		11/30/10 09:26	460-00-4	
Dibromofluoromethane (S)	99	%	70-134		1		11/30/10 09:26	1868-53-7	
Toluene-d8 (S)	100	%	70-130		1		11/30/10 09:26	2037-26-5	

ANALYTICAL RESULTS

Project: 38077001 GUNDERSON CLEANERS
Pace Project No.: 4039978

Sample: BD-1 Lab ID: 4039978009 Collected: 11/19/10 00:00 Received: 11/23/10 09:15 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV		Analytical Method: EPA 8260							
Benzene	<0.41	ug/L	1.0	0.41	1		11/30/10 12:50	71-43-2	
Bromobenzene	<0.82	ug/L	1.0	0.82	1		11/30/10 12:50	108-86-1	
Bromochloromethane	<0.97	ug/L	1.0	0.97	1		11/30/10 12:50	74-97-5	
Bromodichloromethane	<0.56	ug/L	1.0	0.56	1		11/30/10 12:50	75-27-4	
Bromoform	<0.94	ug/L	1.0	0.94	1		11/30/10 12:50	75-25-2	
Bromomethane	<0.91	ug/L	1.0	0.91	1		11/30/10 12:50	74-83-9	
n-Butylbenzene	<0.93	ug/L	1.0	0.93	1		11/30/10 12:50	104-51-8	
sec-Butylbenzene	<0.89	ug/L	5.0	0.89	1		11/30/10 12:50	135-98-8	
tert-Butylbenzene	<0.97	ug/L	1.0	0.97	1		11/30/10 12:50	98-06-6	
Carbon tetrachloride	<0.49	ug/L	1.0	0.49	1		11/30/10 12:50	56-23-5	
Chlorobenzene	<0.41	ug/L	1.0	0.41	1		11/30/10 12:50	108-90-7	
Chloroethane	<0.97	ug/L	1.0	0.97	1		11/30/10 12:50	75-00-3	
Chloroform	<1.3	ug/L	5.0	1.3	1		11/30/10 12:50	67-66-3	
Chloromethane	<0.24	ug/L	1.0	0.24	1		11/30/10 12:50	74-87-3	
2-Chlorotoluene	<0.85	ug/L	1.0	0.85	1		11/30/10 12:50	95-49-8	
4-Chlorotoluene	<0.74	ug/L	1.0	0.74	1		11/30/10 12:50	106-43-4	
1,2-Dibromo-3-chloropropane	<1.7	ug/L	5.0	1.7	1		11/30/10 12:50	96-12-8	
Dibromochloromethane	<0.81	ug/L	1.0	0.81	1		11/30/10 12:50	124-48-1	
1,2-Dibromoethane (EDB)	<0.56	ug/L	1.0	0.56	1		11/30/10 12:50	106-93-4	
Dibromomethane	<0.60	ug/L	1.0	0.60	1		11/30/10 12:50	74-95-3	
1,2-Dichlorobenzene	<0.83	ug/L	1.0	0.83	1		11/30/10 12:50	95-50-1	
1,3-Dichlorobenzene	<0.87	ug/L	1.0	0.87	1		11/30/10 12:50	541-73-1	
1,4-Dichlorobenzene	<0.95	ug/L	1.0	0.95	1		11/30/10 12:50	106-46-7	
Dichlorodifluoromethane	<0.99	ug/L	1.0	0.99	1		11/30/10 12:50	75-71-8	
1,1-Dichloroethane	<0.75	ug/L	1.0	0.75	1		11/30/10 12:50	75-34-3	
1,2-Dichloroethane	<0.36	ug/L	1.0	0.36	1		11/30/10 12:50	107-06-2	
1,1-Dichloroethene	<0.57	ug/L	1.0	0.57	1		11/30/10 12:50	75-35-4	
cis-1,2-Dichloroethene	9.2	ug/L	1.0	0.83	1		11/30/10 12:50	156-59-2	
trans-1,2-Dichloroethene	1.7	ug/L	1.0	0.89	1		11/30/10 12:50	156-60-5	
1,2-Dichloropropane	<0.49	ug/L	1.0	0.49	1		11/30/10 12:50	78-87-5	
1,3-Dichloropropane	<0.61	ug/L	1.0	0.61	1		11/30/10 12:50	142-28-9	
2,2-Dichloropropane	<0.62	ug/L	1.0	0.62	1		11/30/10 12:50	594-20-7	
1,1-Dichloropropene	<0.75	ug/L	1.0	0.75	1		11/30/10 12:50	563-58-6	
cis-1,3-Dichloropropene	<0.20	ug/L	1.0	0.20	1		11/30/10 12:50	10061-01-5	
trans-1,3-Dichloropropene	<0.19	ug/L	1.0	0.19	1		11/30/10 12:50	10061-02-6	
Diisopropyl ether	<0.76	ug/L	1.0	0.76	1		11/30/10 12:50	108-20-3	
Ethylbenzene	<0.54	ug/L	1.0	0.54	1		11/30/10 12:50	100-41-4	
Hexachloro-1,3-butadiene	<0.67	ug/L	5.0	0.67	1		11/30/10 12:50	87-68-3	
Isopropylbenzene (Cumene)	<0.59	ug/L	1.0	0.59	1		11/30/10 12:50	98-82-8	
p-Isopropyltoluene	<0.67	ug/L	1.0	0.67	1		11/30/10 12:50	99-87-6	
Methylene Chloride	<0.43	ug/L	1.0	0.43	1		11/30/10 12:50	75-09-2	
Methyl-tert-butyl ether	<0.61	ug/L	1.0	0.61	1		11/30/10 12:50	1634-04-4	
Naphthalene	<0.89	ug/L	5.0	0.89	1		11/30/10 12:50	91-20-3	
n-Propylbenzene	<0.81	ug/L	1.0	0.81	1		11/30/10 12:50	103-65-1	
Styrene	<0.86	ug/L	1.0	0.86	1		11/30/10 12:50	100-42-5	
1,1,1,2-Tetrachloroethane	<0.92	ug/L	1.0	0.92	1		11/30/10 12:50	630-20-6	

Date: 12/09/2010 03:46 PM

REPORT OF LABORATORY ANALYSIS

Page 22 of 34

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..



ANALYTICAL RESULTS

Project: 38077001 GUNDERSON CLEANERS
Pace Project No.: 4039978

Sample: **BD-1** Lab ID: **4039978009** Collected: 11/19/10 00:00 Received: 11/23/10 09:15 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV		Analytical Method: EPA 8260							
1,1,2,2-Tetrachloroethane	<0.20	ug/L	1.0	0.20	1		11/30/10 12:50	79-34-5	
Tetrachloroethene	30.3	ug/L	1.0	0.45	1		11/30/10 12:50	127-18-4	
Toluene	<0.67	ug/L	1.0	0.67	1		11/30/10 12:50	108-88-3	
1,2,3-Trichlorobenzene	<0.74	ug/L	1.0	0.74	1		11/30/10 12:50	87-61-6	
1,2,4-Trichlorobenzene	<0.97	ug/L	1.0	0.97	1		11/30/10 12:50	120-82-1	
1,1,1-Trichloroethane	1.4	ug/L	1.0	0.90	1		11/30/10 12:50	71-55-6	
1,1,2-Trichloroethane	<0.42	ug/L	1.0	0.42	1		11/30/10 12:50	79-00-5	
Trichloroethene	1.5	ug/L	1.0	0.48	1		11/30/10 12:50	79-01-6	
Trichlorofluoromethane	<0.79	ug/L	1.0	0.79	1		11/30/10 12:50	75-69-4	
1,2,3-Trichloropropane	<0.99	ug/L	1.0	0.99	1		11/30/10 12:50	96-18-4	
1,2,4-Trimethylbenzene	<0.97	ug/L	1.0	0.97	1		11/30/10 12:50	95-63-6	
1,3,5-Trimethylbenzene	<0.83	ug/L	1.0	0.83	1		11/30/10 12:50	108-67-8	
Vinyl chloride	1.5	ug/L	1.0	0.18	1		11/30/10 12:50	75-01-4	
m&p-Xylene	<1.8	ug/L	2.0	1.8	1		11/30/10 12:50	179601-23-1	
o-Xylene	<0.83	ug/L	1.0	0.83	1		11/30/10 12:50	95-47-6	
4-Bromofluorobenzene (S)	91	%	69-130		1		11/30/10 12:50	460-00-4	
Dibromofluoromethane (S)	101	%	70-134		1		11/30/10 12:50	1868-53-7	
Toluene-d8 (S)	97	%	70-130		1		11/30/10 12:50	2037-26-5	

ANALYTICAL RESULTS

Project: 38077001 GUNDERSON CLEANERS
Pace Project No.: 4039978

Sample: TRIP BLANKS Lab ID: 4039978010 Collected: 11/19/10 00:00 Received: 11/23/10 09:15 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV		Analytical Method: EPA 8260							
Benzene	<0.41	ug/L	1.0	0.41	1		11/30/10 09:49	71-43-2	
Bromobenzene	<0.82	ug/L	1.0	0.82	1		11/30/10 09:49	108-86-1	
Bromochloromethane	<0.97	ug/L	1.0	0.97	1		11/30/10 09:49	74-97-5	
Bromodichloromethane	<0.56	ug/L	1.0	0.56	1		11/30/10 09:49	75-27-4	
Bromoform	<0.94	ug/L	1.0	0.94	1		11/30/10 09:49	75-25-2	
Bromomethane	<0.91	ug/L	1.0	0.91	1		11/30/10 09:49	74-83-9	
n-Butylbenzene	<0.93	ug/L	1.0	0.93	1		11/30/10 09:49	104-51-8	
sec-Butylbenzene	<0.89	ug/L	5.0	0.89	1		11/30/10 09:49	135-98-8	
tert-Butylbenzene	<0.97	ug/L	1.0	0.97	1		11/30/10 09:49	98-06-6	
Carbon tetrachloride	<0.49	ug/L	1.0	0.49	1		11/30/10 09:49	56-23-5	
Chlorobenzene	<0.41	ug/L	1.0	0.41	1		11/30/10 09:49	108-90-7	
Chloroethane	<0.97	ug/L	1.0	0.97	1		11/30/10 09:49	75-00-3	
Chloroform	<1.3	ug/L	5.0	1.3	1		11/30/10 09:49	67-66-3	
Chloromethane	<0.24	ug/L	1.0	0.24	1		11/30/10 09:49	74-87-3	
2-Chlorotoluene	<0.85	ug/L	1.0	0.85	1		11/30/10 09:49	95-49-8	
4-Chlorotoluene	<0.74	ug/L	1.0	0.74	1		11/30/10 09:49	106-43-4	
1,2-Dibromo-3-chloropropane	<1.7	ug/L	5.0	1.7	1		11/30/10 09:49	96-12-8	
Dibromochloromethane	<0.81	ug/L	1.0	0.81	1		11/30/10 09:49	124-48-1	
1,2-Dibromoethane (EDB)	<0.56	ug/L	1.0	0.56	1		11/30/10 09:49	106-93-4	
Dibromomethane	<0.60	ug/L	1.0	0.60	1		11/30/10 09:49	74-95-3	
1,2-Dichlorobenzene	<0.83	ug/L	1.0	0.83	1		11/30/10 09:49	95-50-1	
1,3-Dichlorobenzene	<0.87	ug/L	1.0	0.87	1		11/30/10 09:49	541-73-1	
1,4-Dichlorobenzene	<0.95	ug/L	1.0	0.95	1		11/30/10 09:49	106-46-7	
Dichlorodifluoromethane	<0.99	ug/L	1.0	0.99	1		11/30/10 09:49	75-71-8	
1,1-Dichloroethane	<0.75	ug/L	1.0	0.75	1		11/30/10 09:49	75-34-3	
1,2-Dichloroethane	<0.36	ug/L	1.0	0.36	1		11/30/10 09:49	107-06-2	
1,1-Dichloroethene	<0.57	ug/L	1.0	0.57	1		11/30/10 09:49	75-35-4	
cis-1,2-Dichloroethene	<0.83	ug/L	1.0	0.83	1		11/30/10 09:49	156-59-2	
trans-1,2-Dichloroethene	<0.89	ug/L	1.0	0.89	1		11/30/10 09:49	156-60-5	
1,2-Dichloropropane	<0.49	ug/L	1.0	0.49	1		11/30/10 09:49	78-87-5	
1,3-Dichloropropane	<0.61	ug/L	1.0	0.61	1		11/30/10 09:49	142-28-9	
2,2-Dichloropropane	<0.62	ug/L	1.0	0.62	1		11/30/10 09:49	594-20-7	
1,1-Dichloropropene	<0.75	ug/L	1.0	0.75	1		11/30/10 09:49	563-58-6	
cis-1,3-Dichloropropene	<0.20	ug/L	1.0	0.20	1		11/30/10 09:49	10061-01-5	
trans-1,3-Dichloropropene	<0.19	ug/L	1.0	0.19	1		11/30/10 09:49	10061-02-6	
Diisopropyl ether	<0.76	ug/L	1.0	0.76	1		11/30/10 09:49	108-20-3	
Ethylbenzene	<0.54	ug/L	1.0	0.54	1		11/30/10 09:49	100-41-4	
Hexachloro-1,3-butadiene	<0.67	ug/L	5.0	0.67	1		11/30/10 09:49	87-68-3	
Isopropylbenzene (Cumene)	<0.59	ug/L	1.0	0.59	1		11/30/10 09:49	98-82-8	
p-Isopropyltoluene	<0.67	ug/L	1.0	0.67	1		11/30/10 09:49	99-87-6	
Methylene Chloride	<0.43	ug/L	1.0	0.43	1		11/30/10 09:49	75-09-2	
Methyl-tert-butyl ether	<0.61	ug/L	1.0	0.61	1		11/30/10 09:49	1634-04-4	
Naphthalene	<0.89	ug/L	5.0	0.89	1		11/30/10 09:49	91-20-3	
n-Propylbenzene	<0.81	ug/L	1.0	0.81	1		11/30/10 09:49	103-65-1	
Styrene	<0.86	ug/L	1.0	0.86	1		11/30/10 09:49	100-42-5	
1,1,1,2-Tetrachloroethane	<0.92	ug/L	1.0	0.92	1		11/30/10 09:49	630-20-6	

Date: 12/09/2010 03:46 PM

REPORT OF LABORATORY ANALYSIS

Page 24 of 34

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..



ANALYTICAL RESULTS

Project: 38077001 GUNDERSON CLEANERS
Pace Project No.: 4039978

Sample: TRIP BLANKS Lab ID: 4039978010 Collected: 11/19/10 00:00 Received: 11/23/10 09:15 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV		Analytical Method: EPA 8260							
1,1,2,2-Tetrachloroethane	<0.20	ug/L	1.0	0.20	1		11/30/10 09:49	79-34-5	
Tetrachloroethene	<0.45	ug/L	1.0	0.45	1		11/30/10 09:49	127-18-4	
Toluene	<0.67	ug/L	1.0	0.67	1		11/30/10 09:49	108-88-3	
1,2,3-Trichlorobenzene	<0.74	ug/L	1.0	0.74	1		11/30/10 09:49	87-61-6	
1,2,4-Trichlorobenzene	<0.97	ug/L	1.0	0.97	1		11/30/10 09:49	120-82-1	
1,1,1-Trichloroethane	<0.90	ug/L	1.0	0.90	1		11/30/10 09:49	71-55-6	
1,1,2-Trichloroethane	<0.42	ug/L	1.0	0.42	1		11/30/10 09:49	79-00-5	
Trichloroethene	<0.48	ug/L	1.0	0.48	1		11/30/10 09:49	79-01-6	
Trichlorofluoromethane	<0.79	ug/L	1.0	0.79	1		11/30/10 09:49	75-69-4	
1,2,3-Trichloropropane	<0.99	ug/L	1.0	0.99	1		11/30/10 09:49	96-18-4	
1,2,4-Trimethylbenzene	<0.97	ug/L	1.0	0.97	1		11/30/10 09:49	95-63-6	
1,3,5-Trimethylbenzene	<0.83	ug/L	1.0	0.83	1		11/30/10 09:49	108-67-8	
Vinyl chloride	<0.18	ug/L	1.0	0.18	1		11/30/10 09:49	75-01-4	
m&p-Xylene	<1.8	ug/L	2.0	1.8	1		11/30/10 09:49	179601-23-1	
o-Xylene	<0.83	ug/L	1.0	0.83	1		11/30/10 09:49	95-47-6	
4-Bromofluorobenzene (S)	96	%	69-130		1		11/30/10 09:49	460-00-4	
Dibromofluoromethane (S)	99	%	70-134		1		11/30/10 09:49	1868-53-7	
Toluene-d8 (S)	101	%	70-130		1		11/30/10 09:49	2037-26-5	

QUALITY CONTROL DATA

Project: 38077001 GUNDERSON CLEANERS
Pace Project No.: 4039978

QC Batch: MSV/9708 Analysis Method: EPA 8260
QC Batch Method: EPA 8260 Analysis Description: 8260 MSV
Associated Lab Samples: 4039978001, 4039978002, 4039978003, 4039978004, 4039978005, 4039978006, 4039978007

METHOD BLANK: 388707 Matrix: Water
Associated Lab Samples: 4039978001, 4039978002, 4039978003, 4039978004, 4039978005, 4039978006, 4039978007

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
1,1,1,2-Tetrachloroethane	ug/L	<0.92	1.0	11/24/10 10:56	
1,1,1-Trichloroethane	ug/L	<0.90	1.0	11/24/10 10:56	
1,1,2,2-Tetrachloroethane	ug/L	<0.20	1.0	11/24/10 10:56	
1,1,2-Trichloroethane	ug/L	<0.42	1.0	11/24/10 10:56	
1,1-Dichloroethane	ug/L	<0.75	1.0	11/24/10 10:56	
1,1-Dichloroethene	ug/L	<0.57	1.0	11/24/10 10:56	
1,1-Dichloropropene	ug/L	<0.75	1.0	11/24/10 10:56	
1,2,3-Trichlorobenzene	ug/L	<0.74	1.0	11/24/10 10:56	
1,2,3-Trichloropropane	ug/L	<0.99	1.0	11/24/10 10:56	
1,2,4-Trichlorobenzene	ug/L	<0.97	1.0	11/24/10 10:56	
1,2,4-Trimethylbenzene	ug/L	<0.97	1.0	11/24/10 10:56	
1,2-Dibromo-3-chloropropane	ug/L	<1.7	5.0	11/24/10 10:56	
1,2-Dibromoethane (EDB)	ug/L	<0.56	1.0	11/24/10 10:56	
1,2-Dichlorobenzene	ug/L	<0.83	1.0	11/24/10 10:56	
1,2-Dichloroethane	ug/L	<0.36	1.0	11/24/10 10:56	
1,2-Dichloropropane	ug/L	<0.49	1.0	11/24/10 10:56	
1,3,5-Trimethylbenzene	ug/L	<0.83	1.0	11/24/10 10:56	
1,3-Dichlorobenzene	ug/L	<0.87	1.0	11/24/10 10:56	
1,3-Dichloropropane	ug/L	<0.61	1.0	11/24/10 10:56	
1,4-Dichlorobenzene	ug/L	<0.95	1.0	11/24/10 10:56	
2,2-Dichloropropane	ug/L	<0.62	1.0	11/24/10 10:56	
2-Chlorotoluene	ug/L	<0.85	1.0	11/24/10 10:56	
4-Chlorotoluene	ug/L	<0.74	1.0	11/24/10 10:56	
Benzene	ug/L	<0.41	1.0	11/24/10 10:56	
Bromobenzene	ug/L	<0.82	1.0	11/24/10 10:56	
Bromochloromethane	ug/L	<0.97	1.0	11/24/10 10:56	
Bromodichloromethane	ug/L	<0.56	1.0	11/24/10 10:56	
Bromoform	ug/L	<0.94	1.0	11/24/10 10:56	
Bromomethane	ug/L	<0.91	1.0	11/24/10 10:56	
Carbon tetrachloride	ug/L	<0.49	1.0	11/24/10 10:56	
Chlorobenzene	ug/L	<0.41	1.0	11/24/10 10:56	
Chloroethane	ug/L	<0.97	1.0	11/24/10 10:56	
Chloroform	ug/L	<1.3	5.0	11/24/10 10:56	
Chloromethane	ug/L	<0.24	1.0	11/24/10 10:56	
cis-1,2-Dichloroethene	ug/L	<0.83	1.0	11/24/10 10:56	
cis-1,3-Dichloropropene	ug/L	<0.20	1.0	11/24/10 10:56	
Dibromochloromethane	ug/L	<0.81	1.0	11/24/10 10:56	
Dibromomethane	ug/L	<0.60	1.0	11/24/10 10:56	
Dichlorodifluoromethane	ug/L	<0.99	1.0	11/24/10 10:56	
Diisopropyl ether	ug/L	<0.76	1.0	11/24/10 10:56	
Ethylbenzene	ug/L	<0.54	1.0	11/24/10 10:56	
Hexachloro-1,3-butadiene	ug/L	<0.67	5.0	11/24/10 10:56	
Isopropylbenzene (Cumene)	ug/L	<0.59	1.0	11/24/10 10:56	

Date: 12/09/2010 03:46 PM

REPORT OF LABORATORY ANALYSIS

Page 26 of 34

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..



QUALITY CONTROL DATA

Project: 38077001 GUNDERSON CLEANERS
Pace Project No.: 4039978

METHOD BLANK: 388707

Matrix: Water

Associated Lab Samples: 4039978001, 4039978002, 4039978003, 4039978004, 4039978005, 4039978006, 4039978007

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
m&p-Xylene	ug/L	<1.8	2.0	11/24/10 10:56	
Methyl-tert-butyl ether	ug/L	<0.61	1.0	11/24/10 10:56	
Methylene Chloride	ug/L	<0.43	1.0	11/24/10 10:56	
n-Butylbenzene	ug/L	<0.93	1.0	11/24/10 10:56	
n-Propylbenzene	ug/L	<0.81	1.0	11/24/10 10:56	
Naphthalene	ug/L	<0.89	5.0	11/24/10 10:56	
o-Xylene	ug/L	<0.83	1.0	11/24/10 10:56	
p-Isopropyltoluene	ug/L	<0.67	1.0	11/24/10 10:56	
sec-Butylbenzene	ug/L	<0.89	5.0	11/24/10 10:56	
Styrene	ug/L	<0.86	1.0	11/24/10 10:56	
tert-Butylbenzene	ug/L	<0.97	1.0	11/24/10 10:56	
Tetrachloroethene	ug/L	<0.45	1.0	11/24/10 10:56	
Toluene	ug/L	<0.67	1.0	11/24/10 10:56	
trans-1,2-Dichloroethene	ug/L	<0.89	1.0	11/24/10 10:56	
trans-1,3-Dichloropropene	ug/L	<0.19	1.0	11/24/10 10:56	
Trichloroethene	ug/L	<0.48	1.0	11/24/10 10:56	
Trichlorofluoromethane	ug/L	<0.79	1.0	11/24/10 10:56	
Vinyl chloride	ug/L	<0.18	1.0	11/24/10 10:56	
4-Bromofluorobenzene (S)	%	95	69-130	11/24/10 10:56	
Dibromofluoromethane (S)	%	101	70-134	11/24/10 10:56	
Toluene-d8 (S)	%	99	70-130	11/24/10 10:56	

LABORATORY CONTROL SAMPLE & LCSD: 388708

388709

Parameter	Units	Spike Conc.	LCS Result	LCSD Result	LCS % Rec	LCSD % Rec	% Rec Limits	RPD	Max RPD	Qualifiers
1,1,1-Trichloroethane	ug/L	50	55.2	55.5	110	111	70-132	.6	20	
1,1,2,2-Tetrachloroethane	ug/L	50	43.6	44.9	87	90	63-130	3	20	
1,1,2-Trichloroethane	ug/L	50	49.4	51.4	99	103	70-130	4	20	
1,1-Dichloroethane	ug/L	50	52.8	52.5	106	105	70-132	.5	20	
1,1-Dichloroethene	ug/L	50	53.7	53.2	107	106	70-137	1	20	
1,2-Dichloroethane	ug/L	50	53.8	53.9	108	108	70-130	.1	20	
1,2-Dichloropropane	ug/L	50	51.5	49.4	103	99	70-130	4	20	
Benzene	ug/L	50	50.7	51.4	101	103	70-130	1	20	
Bromodichloromethane	ug/L	50	53.4	53.1	107	106	70-131	.5	20	
Bromoform	ug/L	50	50.5	49.3	101	99	70-130	2	20	
Bromomethane	ug/L	50	51.0	52.0	102	104	53-160	2	20	
Carbon tetrachloride	ug/L	50	59.8	58.7	120	117	70-130	2	20	
Chlorobenzene	ug/L	50	50.3	49.8	101	100	70-130	1	20	
Chloroethane	ug/L	50	51.1	51.4	102	103	70-147	.5	20	
Chloroform	ug/L	50	52.2	52.7	104	105	70-130	.9	20	
Chloromethane	ug/L	50	45.7	48.3	91	97	41-137	6	20	
cis-1,2-Dichloroethene	ug/L	50	48.0	48.3	96	97	70-130	.5	20	
cis-1,3-Dichloropropene	ug/L	50	50.9	52.2	102	104	70-130	2	20	
Dibromochloromethane	ug/L	50	54.5	54.7	109	109	70-130	.5	20	
Ethylbenzene	ug/L	50	53.0	52.6	106	105	70-130	.8	20	

Date: 12/09/2010 03:46 PM

REPORT OF LABORATORY ANALYSIS

Page 27 of 34

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..



QUALITY CONTROL DATA

Project: 38077001 GUNDERSON CLEANERS
Pace Project No.: 4039978

LABORATORY CONTROL SAMPLE & LCSD: 388708		388709								
Parameter	Units	Spike Conc.	LCS Result	LCSD Result	LCS % Rec	LCSD % Rec	% Rec Limits	RPD	Max RPD	Qualifiers
m&p-Xylene	ug/L	100	107	107	107	107	70-130	.5	20	
Methylene Chloride	ug/L	50	49.3	50.5	99	101	70-130	2	20	
o-Xylene	ug/L	50	52.6	54.4	105	109	70-130	3	20	
Styrene	ug/L	50	51.6	52.3	103	105	70-130	1	20	
Tetrachloroethene	ug/L	50	50.9	52.3	102	105	70-130	3	20	
Toluene	ug/L	50	51.8	51.8	104	104	70-130	.2	20	
trans-1,2-Dichloroethene	ug/L	50	53.8	53.3	108	107	70-130	1	20	
trans-1,3-Dichloropropene	ug/L	50	49.7	49.8	99	100	70-130	.2	20	
Trichloroethene	ug/L	50	53.1	53.3	106	107	70-130	.4	20	
Vinyl chloride	ug/L	50	45.8	45.7	92	91	47-131	.2	20	
4-Bromofluorobenzene (S)	%				100	100	69-130			
Dibromofluoromethane (S)	%				103	101	70-134			
Toluene-d8 (S)	%				101	101	70-130			

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 388866		388867											
Parameter	Units	4039989001		MS Spike Conc.	MSD Spike Conc.	MS Result	MSD Result	MS % Rec	MSD % Rec	% Rec Limits	RPD	Max RPD	Qual
		1,1,1-Trichloroethane	ug/L	<0.90	50	50	53.3	55.3	107	111	70-132	4	20
1,1,2,2-Tetrachloroethane	ug/L	<0.20	50	50	44.8	47.1	90	94	61-130	5	20		
1,1,2-Trichloroethane	ug/L	<0.42	50	50	49.6	51.5	99	103	70-130	4	20		
1,1-Dichloroethane	ug/L	<0.75	50	50	50.0	53.4	100	107	70-132	7	20		
1,1-Dichloroethene	ug/L	<0.57	50	50	50.8	52.0	102	104	70-137	2	20		
1,2-Dichloroethane	ug/L	<0.36	50	50	51.2	53.8	102	108	70-133	5	20		
1,2-Dichloropropane	ug/L	<0.49	50	50	48.6	53.3	97	107	70-130	9	20		
Benzene	ug/L	0.96J	50	50	49.4	52.8	97	104	70-130	7	20		
Bromodichloromethane	ug/L	<0.56	50	50	52.6	54.7	105	109	70-131	4	20		
Bromoform	ug/L	<0.94	50	50	48.6	49.2	97	98	68-130	1	20		
Bromomethane	ug/L	<0.91	50	50	48.0	50.8	96	102	47-177	6	20		
Carbon tetrachloride	ug/L	<0.49	50	50	55.5	57.8	111	116	70-149	4	20		
Chlorobenzene	ug/L	5.9	50	50	54.5	56.5	97	101	70-130	4	20		
Chloroethane	ug/L	<0.97	50	50	49.1	53.4	98	107	66-147	8	20		
Chloroform	ug/L	<1.3	50	50	50.1	53.3	100	107	70-130	6	20		
Chloromethane	ug/L	<0.24	50	50	40.4	44.0	81	88	41-137	9	20		
cis-1,2-Dichloroethene	ug/L	<0.83	50	50	46.7	50.2	93	100	70-130	7	20		
cis-1,3-Dichloropropene	ug/L	<0.20	50	50	50.3	53.6	101	107	70-130	6	20		
Dibromochloromethane	ug/L	<0.81	50	50	52.9	55.4	106	111	70-130	5	20		
Ethylbenzene	ug/L	<0.54	50	50	52.3	53.0	105	106	70-130	1	20		
m&p-Xylene	ug/L		100	100	105	110	105	110	70-130	5	20		
Methylene Chloride	ug/L	<0.43	50	50	47.2	48.9	94	98	70-130	3	20		
o-Xylene	ug/L		50	50	54.1	54.8	108	110	70-130	1	20		
Styrene	ug/L	<0.86	50	50	51.7	52.6	103	105	13-149	2	20		
Tetrachloroethene	ug/L	<0.45	50	50	52.3	52.4	105	105	70-130	.2	20		
Toluene	ug/L	<0.67	50	50	50.9	52.8	102	106	70-130	4	20		
trans-1,2-Dichloroethene	ug/L	<0.89	50	50	50.5	53.6	101	107	70-130	6	20		
trans-1,3-Dichloropropene	ug/L	<0.19	50	50	49.7	51.4	99	103	70-130	3	20		
Trichloroethene	ug/L	<0.48	50	50	52.1	53.3	104	107	70-130	2	20		

Date: 12/09/2010 03:46 PM

REPORT OF LABORATORY ANALYSIS

Page 28 of 34

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..



QUALITY CONTROL DATA

Project: 38077001 GUNDERSON CLEANERS
Pace Project No.: 4039978

Parameter	Units	388866		388867		MS Result	MSD Result	MS % Rec	MSD % Rec	% Rec Limits	Max RPD	RPD	Qual
		4039989001 Result	MS Spike Conc.	MSD Spike Conc.	MS Result								
Vinyl chloride	ug/L	<0.18	50	50	40.9	43.1	82	86	46-131	5	20		
4-Bromofluorobenzene (S)	%							98	101	69-130			
Dibromofluoromethane (S)	%							95	101	70-134			
Toluene-d8 (S)	%							101	103	70-130			

QUALITY CONTROL DATA

Project: 38077001 GUNDERSON CLEANERS
Pace Project No.: 4039978

QC Batch: MSV/9711 Analysis Method: EPA 8260
QC Batch Method: EPA 8260 Analysis Description: 8260 MSV
Associated Lab Samples: 4039978008, 4039978009, 4039978010

METHOD BLANK: 388716 Matrix: Water
Associated Lab Samples: 4039978008, 4039978009, 4039978010

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
1,1,1,2-Tetrachloroethane	ug/L	<0.92	1.0	11/30/10 07:33	
1,1,1-Trichloroethane	ug/L	<0.90	1.0	11/30/10 07:33	
1,1,2,2-Tetrachloroethane	ug/L	<0.20	1.0	11/30/10 07:33	
1,1,2-Trichloroethane	ug/L	<0.42	1.0	11/30/10 07:33	
1,1-Dichloroethane	ug/L	<0.75	1.0	11/30/10 07:33	
1,1-Dichloroethene	ug/L	<0.57	1.0	11/30/10 07:33	
1,1-Dichloropropene	ug/L	<0.75	1.0	11/30/10 07:33	
1,2,3-Trichlorobenzene	ug/L	<0.74	1.0	11/30/10 07:33	
1,2,3-Trichloropropane	ug/L	<0.99	1.0	11/30/10 07:33	
1,2,4-Trichlorobenzene	ug/L	<0.97	1.0	11/30/10 07:33	
1,2,4-Trimethylbenzene	ug/L	<0.97	1.0	11/30/10 07:33	
1,2-Dibromo-3-chloropropane	ug/L	<1.7	5.0	11/30/10 07:33	
1,2-Dibromoethane (EDB)	ug/L	<0.56	1.0	11/30/10 07:33	
1,2-Dichlorobenzene	ug/L	<0.83	1.0	11/30/10 07:33	
1,2-Dichloroethane	ug/L	<0.36	1.0	11/30/10 07:33	
1,2-Dichloropropane	ug/L	<0.49	1.0	11/30/10 07:33	
1,3,5-Trimethylbenzene	ug/L	<0.83	1.0	11/30/10 07:33	
1,3-Dichlorobenzene	ug/L	<0.87	1.0	11/30/10 07:33	
1,3-Dichloropropane	ug/L	<0.61	1.0	11/30/10 07:33	
1,4-Dichlorobenzene	ug/L	<0.95	1.0	11/30/10 07:33	
2,2-Dichloropropane	ug/L	<0.62	1.0	11/30/10 07:33	
2-Chlorotoluene	ug/L	<0.85	1.0	11/30/10 07:33	
4-Chlorotoluene	ug/L	<0.74	1.0	11/30/10 07:33	
Benzene	ug/L	<0.41	1.0	11/30/10 07:33	
Bromobenzene	ug/L	<0.82	1.0	11/30/10 07:33	
Bromochloromethane	ug/L	<0.97	1.0	11/30/10 07:33	
Bromodichloromethane	ug/L	<0.56	1.0	11/30/10 07:33	
Bromoform	ug/L	<0.94	1.0	11/30/10 07:33	
Bromomethane	ug/L	<0.91	1.0	11/30/10 07:33	
Carbon tetrachloride	ug/L	<0.49	1.0	11/30/10 07:33	
Chlorobenzene	ug/L	<0.41	1.0	11/30/10 07:33	
Chloroethane	ug/L	<0.97	1.0	11/30/10 07:33	
Chloroform	ug/L	<1.3	5.0	11/30/10 07:33	
Chloromethane	ug/L	<0.24	1.0	11/30/10 07:33	
cis-1,2-Dichloroethene	ug/L	<0.83	1.0	11/30/10 07:33	
cis-1,3-Dichloropropene	ug/L	<0.20	1.0	11/30/10 07:33	
Dibromochloromethane	ug/L	<0.81	1.0	11/30/10 07:33	
Dibromomethane	ug/L	<0.60	1.0	11/30/10 07:33	
Dichlorodifluoromethane	ug/L	<0.99	1.0	11/30/10 07:33	
Diisopropyl ether	ug/L	<0.76	1.0	11/30/10 07:33	
Ethylbenzene	ug/L	<0.54	1.0	11/30/10 07:33	
Hexachloro-1,3-butadiene	ug/L	<0.67	5.0	11/30/10 07:33	
Isopropylbenzene (Cumene)	ug/L	<0.59	1.0	11/30/10 07:33	

Date: 12/09/2010 03:46 PM

REPORT OF LABORATORY ANALYSIS

Page 30 of 34

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..



QUALITY CONTROL DATA

Project: 38077001 GUNDERSON CLEANERS
Pace Project No.: 4039978

METHOD BLANK: 388716 Matrix: Water

Associated Lab Samples: 4039978008, 4039978009, 4039978010

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
m&p-Xylene	ug/L	<1.8	2.0	11/30/10 07:33	
Methyl-tert-butyl ether	ug/L	<0.61	1.0	11/30/10 07:33	
Methylene Chloride	ug/L	<0.43	1.0	11/30/10 07:33	
n-Butylbenzene	ug/L	<0.93	1.0	11/30/10 07:33	
n-Propylbenzene	ug/L	<0.81	1.0	11/30/10 07:33	
Naphthalene	ug/L	<0.89	5.0	11/30/10 07:33	
o-Xylene	ug/L	<0.83	1.0	11/30/10 07:33	
p-Isopropyltoluene	ug/L	<0.67	1.0	11/30/10 07:33	
sec-Butylbenzene	ug/L	<0.89	5.0	11/30/10 07:33	
Styrene	ug/L	<0.86	1.0	11/30/10 07:33	
tert-Butylbenzene	ug/L	<0.97	1.0	11/30/10 07:33	
Tetrachloroethene	ug/L	<0.45	1.0	11/30/10 07:33	
Toluene	ug/L	<0.67	1.0	11/30/10 07:33	
trans-1,2-Dichloroethene	ug/L	<0.89	1.0	11/30/10 07:33	
trans-1,3-Dichloropropene	ug/L	<0.19	1.0	11/30/10 07:33	
Trichloroethene	ug/L	<0.48	1.0	11/30/10 07:33	
Trichlorofluoromethane	ug/L	<0.79	1.0	11/30/10 07:33	
Vinyl chloride	ug/L	<0.18	1.0	11/30/10 07:33	
4-Bromofluorobenzene (S)	%	97	69-130	11/30/10 07:33	
Dibromofluoromethane (S)	%	102	70-134	11/30/10 07:33	
Toluene-d8 (S)	%	101	70-130	11/30/10 07:33	

LABORATORY CONTROL SAMPLE & LCSD: 388717 388718

Parameter	Units	Spike Conc.	LCS Result	LCSD Result	LCS % Rec	LCSD % Rec	% Rec Limits	RPD	Max RPD	Qualifiers
1,1,1-Trichloroethane	ug/L	50	54.0	53.2	108	106	70-132	1	20	
1,1,2,2-Tetrachloroethane	ug/L	50	42.7	43.6	85	87	63-130	2	20	
1,1,2-Trichloroethane	ug/L	50	50.1	51.2	100	102	70-130	2	20	
1,1-Dichloroethane	ug/L	50	52.4	50.4	105	101	70-132	4	20	
1,1-Dichloroethene	ug/L	50	51.2	53.0	102	106	70-137	4	20	
1,2-Dichloroethane	ug/L	50	53.4	51.8	107	104	70-130	3	20	
1,2-Dichloropropane	ug/L	50	50.1	50.7	100	101	70-130	1	20	
Benzene	ug/L	50	50.0	49.0	100	98	70-130	2	20	
Bromodichloromethane	ug/L	50	53.9	54.6	108	109	70-131	1	20	
Bromoform	ug/L	50	49.7	49.8	99	100	70-130	.2	20	
Bromomethane	ug/L	50	47.1	51.5	94	103	53-160	9	20	
Carbon tetrachloride	ug/L	50	58.3	58.0	117	116	70-130	.4	20	
Chlorobenzene	ug/L	50	49.3	49.9	99	100	70-130	1	20	
Chloroethane	ug/L	50	49.9	49.1	100	98	70-147	2	20	
Chloroform	ug/L	50	51.1	50.6	102	101	70-130	1	20	
Chloromethane	ug/L	50	40.9	41.6	82	83	41-137	2	20	
cis-1,2-Dichloroethene	ug/L	50	48.4	47.7	97	95	70-130	2	20	
cis-1,3-Dichloropropene	ug/L	50	51.3	52.0	103	104	70-130	1	20	
Dibromochloromethane	ug/L	50	55.6	54.3	111	109	70-130	2	20	
Ethylbenzene	ug/L	50	51.4	53.3	103	107	70-130	4	20	

QUALITY CONTROL DATA

Project: 38077001 GUNDERSON CLEANERS
Pace Project No.: 4039978

LABORATORY CONTROL SAMPLE & LCSD: 388717		388718								
Parameter	Units	Spike Conc.	LCS Result	LCSD Result	LCS % Rec	LCSD % Rec	% Rec Limits	RPD	Max RPD	Qualifiers
m&p-Xylene	ug/L	100	105	104	105	104	70-130	.2	20	
Methylene Chloride	ug/L	50	49.0	49.3	98	99	70-130	.6	20	
o-Xylene	ug/L	50	52.3	53.9	105	108	70-130	3	20	
Styrene	ug/L	50	51.8	52.0	104	104	70-130	.3	20	
Tetrachloroethene	ug/L	50	51.1	52.1	102	104	70-130	2	20	
Toluene	ug/L	50	50.6	51.0	101	102	70-130	.6	20	
trans-1,2-Dichloroethene	ug/L	50	51.0	52.4	102	105	70-130	3	20	
trans-1,3-Dichloropropene	ug/L	50	51.2	50.6	102	101	70-130	1	20	
Trichloroethene	ug/L	50	50.3	52.8	101	106	70-130	5	20	
Vinyl chloride	ug/L	50	40.1	40.9	80	82	47-131	2	20	
4-Bromofluorobenzene (S)	%				101	101	69-130			
Dibromofluoromethane (S)	%				99	97	70-134			
Toluene-d8 (S)	%				100	100	70-130			

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 389873		389874											
Parameter	Units	4039978008		MS	MSD	MS Result	MSD Result	MS % Rec	MSD % Rec	% Rec Limits	Max RPD	RPD	Qual
		Result	Conc.	Spike Conc.	Spike Conc.								
1,1,1-Trichloroethane	ug/L	<0.90	50	50	53.6	55.1	107	110	70-132	3	20		
1,1,2,2-Tetrachloroethane	ug/L	<0.20	50	50	43.5	43.9	87	88	61-130	.9	20		
1,1,2-Trichloroethane	ug/L	<0.42	50	50	48.1	47.1	96	94	70-130	2	20		
1,1-Dichloroethane	ug/L	<0.75	50	50	51.5	50.9	103	102	70-132	1	20		
1,1-Dichloroethene	ug/L	<0.57	50	50	50.0	51.3	100	103	70-137	3	20		
1,2-Dichloroethane	ug/L	<0.36	50	50	52.2	53.5	104	107	70-133	2	20		
1,2-Dichloropropane	ug/L	<0.49	50	50	50.2	50.6	100	101	70-130	.7	20		
Benzene	ug/L	<0.41	50	50	49.9	51.6	100	103	70-130	3	20		
Bromodichloromethane	ug/L	<0.56	50	50	52.6	53.5	105	107	70-131	2	20		
Bromoform	ug/L	<0.94	50	50	47.4	46.7	95	93	68-130	2	20		
Bromomethane	ug/L	<0.91	50	50	52.7	50.4	105	101	47-177	5	20		
Carbon tetrachloride	ug/L	<0.49	50	50	59.0	59.6	118	119	70-149	1	20		
Chlorobenzene	ug/L	<0.41	50	50	49.1	48.7	98	97	70-130	.8	20		
Chloroethane	ug/L	<0.97	50	50	49.8	49.3	100	99	66-147	1	20		
Chloroform	ug/L	<1.3	50	50	51.3	51.7	103	103	70-130	.7	20		
Chloromethane	ug/L	<0.24	50	50	39.3	38.8	79	78	41-137	1	20		
cis-1,2-Dichloroethene	ug/L	0.94J	50	50	48.8	49.3	96	97	70-130	1	20		
cis-1,3-Dichloropropene	ug/L	<0.20	50	50	52.4	52.3	105	105	70-130	.07	20		
Dibromochloromethane	ug/L	<0.81	50	50	53.0	53.2	106	106	70-130	.4	20		
Ethylbenzene	ug/L	<0.54	50	50	51.4	51.8	103	104	70-130	.7	20		
m&p-Xylene	ug/L	<1.8	100	100	107	105	107	105	70-130	2	20		
Methylene Chloride	ug/L	<0.43	50	50	48.9	48.0	98	96	70-130	2	20		
o-Xylene	ug/L	<0.83	50	50	52.1	53.4	104	107	70-130	3	20		
Styrene	ug/L	<0.86	50	50	51.0	50.8	102	102	13-149	.4	20		
Tetrachloroethene	ug/L	6.7	50	50	59.1	58.4	105	103	70-130	1	20		
Toluene	ug/L	<0.67	50	50	51.3	50.7	103	101	70-130	1	20		
trans-1,2-Dichloroethene	ug/L	<0.89	50	50	52.3	53.3	105	107	70-130	2	20		
trans-1,3-Dichloropropene	ug/L	<0.19	50	50	49.9	50.2	100	100	70-130	.6	20		
Trichloroethene	ug/L	<0.48	50	50	50.2	50.9	100	102	70-130	1	20		

Date: 12/09/2010 03:46 PM

REPORT OF LABORATORY ANALYSIS

Page 32 of 34

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..



QUALITY CONTROL DATA

Project: 38077001 GUNDERSON CLEANERS
Pace Project No.: 4039978

Parameter	4039978008		MS	MSD	389873		389874		% Rec	% Rec	Limits	Max		Qual
	Units	Result	Spike Conc.	Spike Conc.	MS Result	MSD Result	MS % Rec	MSD % Rec				RPD	RPD	
Vinyl chloride	ug/L	<0.18	50	50	40.0	42.2	80	84	46-131	5	20			
4-Bromofluorobenzene (S)	%						102	99	69-130					
Dibromofluoromethane (S)	%						97	100	70-134					
Toluene-d8 (S)	%						99	99	70-130					

QUALIFIERS

Project: 38077001 GUNDERSON CLEANERS
Pace Project No.: 4039978

DEFINITIONS

DF - Dilution Factor, if reported, represents the factor applied to the reported data due to changes in sample preparation, dilution of the sample aliquot, or moisture content.

ND - Not Detected at or above adjusted reporting limit.

J - Estimated concentration above the adjusted method detection limit and below the adjusted reporting limit.

MDL - Adjusted Method Detection Limit.

S - Surrogate

1,2-Diphenylhydrazine (8270 listed analyte) decomposes to Azobenzene.

Consistent with EPA guidelines, unrounded data are displayed and have been used to calculate % recovery and RPD values.

LCS(D) - Laboratory Control Sample (Duplicate)

MS(D) - Matrix Spike (Duplicate)

DUP - Sample Duplicate

RPD - Relative Percent Difference

NC - Not Calculable.

U - Indicates the compound was analyzed for, but not detected.

N-Nitrosodiphenylamine decomposes and cannot be separated from Diphenylamine using Method 8270. The result reported for each analyte is a combined concentration.

Pace Analytical is NELAP accredited. Contact your Pace PM for the current list of accredited analytes.

LABORATORIES

PASI-G Pace Analytical Services - Green Bay

(Please Print Clearly)

Company Name: Terracore
 Branch/Location: Franklin
 Project Contact: Renee Ransom
 Phone: 414.423.0255
 Project Number: 38077004
 Project Name: Gunderson Cleaners
 Project State: Wisconsin
 Sampled By (Print): Renee Ransom
 Sampled By (Sign): *Renee Ransom*
 PO #:
 Regulatory Program:

Data Package Options (billable)
 EPA Level III
 EPA Level IV

MS/MSD
 On your sample (billable)
 NOT needed on your sample

Matrix Codes
 A = Air W = Water
 B = Biota DW = Drinking Water
 C = Charcoal GW = Ground Water
 O = Oil SW = Surface Water
 S = Soil WW = Waste Water
 SI = Sludge WP = Wipe

PACE LAB #	CLIENT FIELD ID	COLLECTION		MATRIX
		DATE	TIME	
001	MW-15	11/19	1020	W
002	PZ-6		1135	
003	MW-8		1215	
004	MW-9		1255	
005	PZ-3		135	
006	MW-11		225	
007	MW-13		310	
008	PZ-4		400	
009	BD-1			
010	trip blanks *added to eoc by lab new 1/23/10			



UPPER MIDWEST REGION
 MN: 612-607-1700 WI: 920-469-2436

11/19/2010

4039978
 Page 1 of 1

CHAIN OF CUSTODY

Preservation Codes
 A=None B=HCL C=H2SO4 D=HNO3 E=DI Water F=Methanol G=NaOH
 H=Sodium Bisulfate Solution I=Sodium Thiosulfate J=Other

FILTERED? (YES/NO)
 PRESERVATION (CODE)*

Y/N	PK	Analysis Requested
BN	B	VOCs

Quote #:
Mail To Contact: *same*
Mail To Company:
Mail To Address: rnransom@terraco...can
Invoice To Contact:
Invoice To Company:
Invoice To Address:
Invoice To Phone:

CLIENT COMMENTS	LAB COMMENTS (Lab Use Only)	Profile #
	3-40ml B	
	2-40ml B	

Rush Turnaround Time Requested - Prelims (Rush TAT subject to approval/surcharge)
 Date Needed:
 Transmit Prelim Rush Results by (complete what you want):
 Email #1:
 Email #2:
 Telephone:
 Fax:

Relinquished By: <i>David Riegel</i>	Date/Time: 11/22/10 1330	Received By: <i>D. Fennel</i>	Date/Time: 11/22/10 1330
Relinquished By: <i>D. Fennel</i>	Date/Time: 11/22/10 1700	Received By:	Date/Time:
Relinquished By: <i>CS Logistics</i>	Date/Time: 11/23/10 0915	Received By: <i>Melko Pace</i>	Date/Time: 11/23/10 0915
Relinquished By:	Date/Time:	Received By:	Date/Time:

PACE Project No. 4039978
 Receipt Temp = ROT °C
 Sample Receipt pH OK/Adjusted
 Cooler Custody Seal Present / Not Present Intact / Not Intact

no more samples



Sample Condition Upon Receipt

Client Name: Merracon Project # 4039978

Courier: Fed Ex UPS USPS Client Commercial Pace Other _____

Tracking #: _____

Custody Seal on Cooler/Box Present: yes no Seals intact: yes no

Custody Seal on Samples Present: yes no Seals intact: yes no

Packing Material: Bubble Wrap Bubble Bags None Other _____

Thermometer Used: N/A Type of Ice: Wet Blue Dry None Samples on ice, cooling process has begun

Cooler Temperature: ROI Biological Tissue is Frozen: yes no

Temp Blank Present: yes no

Temp should be above freezing to 6°C for all sample except Biota.
Biota Samples should be received ≤ 0°C.

Optional:
Proj. Due Date:
Proj. Name:

Person examining contents:
Date: 11/23/10
Initials: KM

Comments:

Chain of Custody Present:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	1.
Chain of Custody Filled Out:	<input type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	2.
Chain of Custody Relinquished:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	3.
Sampler Name & Signature on COC:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	4.
Samples Arrived within Hold Time:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	5.
Short Hold Time Analysis (<72hr):	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A	6.
Rush Turn Around Time Requested:	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A	7.
Sufficient Volume:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	8.
Correct Containers Used:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	9.
-Pace Containers Used:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	
Containers Intact:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	10.
Filtered volume received for Dissolved tests	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A	11.
Sample Labels match COC:	<input checked="" type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A	12. <i>1-40ml for-001 labeled MW-5. Placed by collection time 11/23/10</i>
-Includes date/time/ID/Analysis Matrix:	<u>W</u>	
All containers needing preservation have been checked.	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	13.
All containers needing preservation are found to be in compliance with EPA recommendation.	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	
exceptions: VOA, coliform, TOC, O&G, WI-DRO (water)	<input type="checkbox"/> Yes <input type="checkbox"/> No	Initial when completed
		Lot # of added preservative
Samples checked for dechlorination:	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	14.
Headspace in VOA Vials (>6mm):	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A	15.
Trip Blank Present:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	16.
Trip Blank Custody Seals Present	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	
Pace Trip Blank Lot # (if purchased):	_____	

Client Notification/ Resolution:

Person Contacted: _____ Date/Time: _____ Field Data Required? Y N

Comments/ Resolution: _____

Project Manager Review: [Signature] Date: 11/23/10

Note: Whenever there is a discrepancy affecting North Carolina compliance samples, a copy of this form will be sent to the North Carolina DEHNR Certification Office (i.e. out of hold, incorrect preservative, out of temp, incorrect containers)

March 02, 2011

Scott Hodgson
Terracon, Inc. - Appleton
3011B E. Capital Dr.
Appleton, WI 54911


RE: Project: 38077004 GUNDERSON CLEANERS
Pace Project No.: 4042843

Dear Scott Hodgson:

Enclosed are the analytical results for sample(s) received by the laboratory on February 25, 2011. The results relate only to the samples included in this report. Results reported herein conform to the most current NELAC standards, where applicable, unless otherwise narrated in the body of the report.

If you have any questions concerning this report, please feel free to contact me.

Sincerely,



Kang Khang

kang.khang@pacelabs.com
Project Manager

Enclosures

REPORT OF LABORATORY ANALYSIS

Page 1 of 25

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..



CERTIFICATIONS

Project: 38077004 GUNDERSON CLEANERS
Pace Project No.: 4042843

Green Bay Certification IDs

1241 Bellevue Street, Green Bay, WI 54302
California Certification #: 09268CA
Florida/NELAP Certification #: E87948
Illinois Certification #: 200050
Kentucky Certification #: 82
Louisiana Certification #: 04168
Minnesota Certification #: 055-999-334
New York Certification #: 11888

New York Certification #: 11888
North Carolina Certification #: 503
North Dakota Certification #: R-150
South Carolina Certification #: 83006001
US Dept of Agriculture #: S-76505
Wisconsin Certification #: 405132750
Wisconsin DATCP Certification #: 105-444

REPORT OF LABORATORY ANALYSIS

Page 2 of 25

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..



SAMPLE SUMMARY

Project: 38077004 GUNDERSON CLEANERS
Pace Project No.: 4042843

Lab ID	Sample ID	Matrix	Date Collected	Date Received
4042843001	MW-8	Water	02/22/11 17:20	02/25/11 10:00
4042843002	PZ-6	Water	02/22/11 16:45	02/25/11 10:00
4042843003	MW-15	Water	02/22/11 15:30	02/25/11 10:00
4042843004	PZ-4	Water	02/22/11 14:30	02/25/11 10:00
4042843005	MW-13	Water	02/22/11 13:40	02/25/11 10:00
4042843006	PZ-3	Water	02/22/11 12:55	02/25/11 10:00
4042843007	MW-11	Water	02/22/11 14:15	02/25/11 10:00
4042843008	MW-9	Water	02/22/11 11:25	02/25/11 10:00
4042843009	BD-1	Water	02/22/11 00:00	02/25/11 10:00
4042843010	TRIP BLANK	Water	02/22/11 00:00	02/25/11 10:00

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

SAMPLE ANALYTE COUNT

Project: 38077004 GUNDERSON CLEANERS
Pace Project No.: 4042843

Lab ID	Sample ID	Method	Analysts	Analytes Reported	Laboratory
4042843001	MW-8	EPA 8260	SMT	64	PASI-G
4042843002	PZ-6	EPA 8260	SMT	64	PASI-G
4042843003	MW-15	EPA 8260	SMT	64	PASI-G
4042843004	PZ-4	EPA 8260	SMT	64	PASI-G
4042843005	MW-13	EPA 8260	SMT	64	PASI-G
4042843006	PZ-3	EPA 8260	SMT	64	PASI-G
4042843007	MW-11	EPA 8260	SMT	64	PASI-G
4042843008	MW-9	EPA 8260	SMT	64	PASI-G
4042843009	BD-1	EPA 8260	SMT	64	PASI-G
4042843010	TRIP BLANK	EPA 8260	SMT	64	PASI-G

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..



PROJECT NARRATIVE

Project: 38077004 GUNDERSON CLEANERS
Pace Project No.: 4042843

Method: EPA 8260
Description: 8260 MSV
Client: Terracon, Inc. - Franklin
Date: March 02, 2011

General Information:

10 samples were analyzed for EPA 8260. All samples were received in acceptable condition with any exceptions noted below.

Hold Time:

The samples were analyzed within the method required hold times with any exceptions noted below.

Initial Calibrations (including MS Tune as applicable):

All criteria were within method requirements with any exceptions noted below.

Continuing Calibration:

All criteria were within method requirements with any exceptions noted below.

Internal Standards:

All internal standards were within QC limits with any exceptions noted below.

Surrogates:

All surrogates were within QC limits with any exceptions noted below.

Method Blank:

All analytes were below the report limit in the method blank with any exceptions noted below.

Laboratory Control Spike:

All laboratory control spike compounds were within QC limits with any exceptions noted below.

QC Batch: MSV/10522

L0: Analyte recovery in the laboratory control sample (LCS) was outside QC limits.

- LCSD (Lab ID: 418600)
- Vinyl chloride

Matrix Spikes:

All percent recoveries and relative percent differences (RPDs) were within acceptance criteria with any exceptions noted below.

QC Batch: MSV/10522

A matrix spike and matrix spike duplicate (MS/MSD) were performed on the following sample(s): 4042813006

M1: Matrix spike recovery exceeded QC limits. Batch accepted based on laboratory control sample (LCS) recovery.

- MSD (Lab ID: 418654)
- 1,1-Dichloroethane

Duplicate Sample:

All duplicate sample results were within method acceptance criteria with any exceptions noted below.

Additional Comments:

This data package has been reviewed for quality and completeness and is approved for release.

REPORT OF LABORATORY ANALYSIS

Page 5 of 25

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..



ANALYTICAL RESULTS

Project: 38077004 GUNDERSON CLEANERS
Pace Project No.: 4042843

Sample: MW-8 Lab ID: 4042843001 Collected: 02/22/11 17:20 Received: 02/25/11 10:00 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV		Analytical Method: EPA 8260							
Benzene	<0.41	ug/L	1.0	0.41	1		02/28/11 16:28	71-43-2	
Bromobenzene	<0.82	ug/L	1.0	0.82	1		02/28/11 16:28	108-86-1	
Bromochloromethane	<0.97	ug/L	1.0	0.97	1		02/28/11 16:28	74-97-5	
Bromodichloromethane	<0.56	ug/L	1.0	0.56	1		02/28/11 16:28	75-27-4	
Bromoform	<0.94	ug/L	1.0	0.94	1		02/28/11 16:28	75-25-2	
Bromomethane	<0.91	ug/L	1.0	0.91	1		02/28/11 16:28	74-83-9	
n-Butylbenzene	<0.93	ug/L	1.0	0.93	1		02/28/11 16:28	104-51-8	
sec-Butylbenzene	<0.89	ug/L	5.0	0.89	1		02/28/11 16:28	135-98-8	
tert-Butylbenzene	<0.97	ug/L	1.0	0.97	1		02/28/11 16:28	98-06-6	
Carbon tetrachloride	<0.49	ug/L	1.0	0.49	1		02/28/11 16:28	56-23-5	
Chlorobenzene	<0.41	ug/L	1.0	0.41	1		02/28/11 16:28	108-90-7	
Chloroethane	<0.97	ug/L	1.0	0.97	1		02/28/11 16:28	75-00-3	
Chloroform	<1.3	ug/L	5.0	1.3	1		02/28/11 16:28	67-66-3	
Chloromethane	0.27J	ug/L	1.0	0.24	1		02/28/11 16:28	74-87-3	
2-Chlorotoluene	<0.85	ug/L	1.0	0.85	1		02/28/11 16:28	95-49-8	
4-Chlorotoluene	<0.74	ug/L	1.0	0.74	1		02/28/11 16:28	106-43-4	
1,2-Dibromo-3-chloropropane	<1.7	ug/L	5.0	1.7	1		02/28/11 16:28	96-12-8	
Dibromochloromethane	<0.81	ug/L	1.0	0.81	1		02/28/11 16:28	124-48-1	
1,2-Dibromoethane (EDB)	<0.56	ug/L	1.0	0.56	1		02/28/11 16:28	106-93-4	
Dibromomethane	<0.60	ug/L	1.0	0.60	1		02/28/11 16:28	74-95-3	
1,2-Dichlorobenzene	<0.83	ug/L	1.0	0.83	1		02/28/11 16:28	95-50-1	
1,3-Dichlorobenzene	<0.87	ug/L	1.0	0.87	1		02/28/11 16:28	541-73-1	
1,4-Dichlorobenzene	<0.95	ug/L	1.0	0.95	1		02/28/11 16:28	106-46-7	
Dichlorodifluoromethane	1.1	ug/L	1.0	0.99	1		02/28/11 16:28	75-71-8	
1,1-Dichloroethane	<0.75	ug/L	1.0	0.75	1		02/28/11 16:28	75-34-3	
1,2-Dichloroethane	<0.36	ug/L	1.0	0.36	1		02/28/11 16:28	107-06-2	
1,1-Dichloroethene	<0.57	ug/L	1.0	0.57	1		02/28/11 16:28	75-35-4	
cis-1,2-Dichloroethene	6.5	ug/L	1.0	0.83	1		02/28/11 16:28	156-59-2	
trans-1,2-Dichloroethene	0.90J	ug/L	1.0	0.89	1		02/28/11 16:28	156-60-5	
1,2-Dichloropropane	<0.49	ug/L	1.0	0.49	1		02/28/11 16:28	78-87-5	
1,3-Dichloropropane	<0.61	ug/L	1.0	0.61	1		02/28/11 16:28	142-28-9	
2,2-Dichloropropane	<0.62	ug/L	1.0	0.62	1		02/28/11 16:28	594-20-7	
1,1-Dichloropropene	<0.75	ug/L	1.0	0.75	1		02/28/11 16:28	563-58-6	
cis-1,3-Dichloropropene	<0.20	ug/L	1.0	0.20	1		02/28/11 16:28	10061-01-5	
trans-1,3-Dichloropropene	<0.19	ug/L	1.0	0.19	1		02/28/11 16:28	10061-02-6	
Diisopropyl ether	<0.76	ug/L	1.0	0.76	1		02/28/11 16:28	108-20-3	
Ethylbenzene	<0.54	ug/L	1.0	0.54	1		02/28/11 16:28	100-41-4	
Hexachloro-1,3-butadiene	<0.67	ug/L	5.0	0.67	1		02/28/11 16:28	87-68-3	
Isopropylbenzene (Cumene)	<0.59	ug/L	1.0	0.59	1		02/28/11 16:28	98-82-8	
p-Isopropyltoluene	<0.67	ug/L	1.0	0.67	1		02/28/11 16:28	99-87-6	
Methylene Chloride	0.50J	ug/L	1.0	0.43	1		02/28/11 16:28	75-09-2	Z3
Methyl-tert-butyl ether	<0.61	ug/L	1.0	0.61	1		02/28/11 16:28	1634-04-4	
Naphthalene	<0.89	ug/L	5.0	0.89	1		02/28/11 16:28	91-20-3	
n-Propylbenzene	<0.81	ug/L	1.0	0.81	1		02/28/11 16:28	103-65-1	
Styrene	<0.86	ug/L	1.0	0.86	1		02/28/11 16:28	100-42-5	
1,1,1,2-Tetrachloroethane	<0.92	ug/L	1.0	0.92	1		02/28/11 16:28	630-20-6	

Date: 03/02/2011 10:27 AM

REPORT OF LABORATORY ANALYSIS

Page 6 of 25

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..



ANALYTICAL RESULTS

Project: 38077004 GUNDERSON CLEANERS
Pace Project No.: 4042843

Sample: MW-8 Lab ID: 4042843001 Collected: 02/22/11 17:20 Received: 02/25/11 10:00 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Analytical Method: EPA 8260									
1,1,2,2-Tetrachloroethane	<0.20	ug/L	1.0	0.20	1		02/28/11 16:28	79-34-5	
Tetrachloroethene	34.9	ug/L	1.0	0.45	1		02/28/11 16:28	127-18-4	
Toluene	<0.67	ug/L	1.0	0.67	1		02/28/11 16:28	108-88-3	
1,2,3-Trichlorobenzene	<0.74	ug/L	1.0	0.74	1		02/28/11 16:28	87-61-6	
1,2,4-Trichlorobenzene	<0.97	ug/L	1.0	0.97	1		02/28/11 16:28	120-82-1	
1,1,1-Trichloroethane	1.2	ug/L	1.0	0.90	1		02/28/11 16:28	71-55-6	
1,1,2-Trichloroethane	<0.42	ug/L	1.0	0.42	1		02/28/11 16:28	79-00-5	
Trichloroethene	1.2	ug/L	1.0	0.48	1		02/28/11 16:28	79-01-6	
Trichlorofluoromethane	<0.79	ug/L	1.0	0.79	1		02/28/11 16:28	75-69-4	
1,2,3-Trichloropropane	<0.99	ug/L	1.0	0.99	1		02/28/11 16:28	96-18-4	
1,2,4-Trimethylbenzene	<0.97	ug/L	1.0	0.97	1		02/28/11 16:28	95-63-6	
1,3,5-Trimethylbenzene	<0.83	ug/L	1.0	0.83	1		02/28/11 16:28	108-67-8	
Vinyl chloride	<0.18	ug/L	1.0	0.18	1		02/28/11 16:28	75-01-4	L3
m&p-Xylene	<1.8	ug/L	2.0	1.8	1		02/28/11 16:28	179601-23-1	
o-Xylene	<0.83	ug/L	1.0	0.83	1		02/28/11 16:28	95-47-6	
4-Bromofluorobenzene (S)	98 %		69-130		1		02/28/11 16:28	460-00-4	
Dibromofluoromethane (S)	105 %		70-134		1		02/28/11 16:28	1868-53-7	
Toluene-d8 (S)	86 %		70-130		1		02/28/11 16:28	2037-26-5	

Sample: PZ-6 Lab ID: 4042843002 Collected: 02/22/11 16:45 Received: 02/25/11 10:00 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Analytical Method: EPA 8260									
Benzene	<0.41	ug/L	1.0	0.41	1		02/28/11 16:50	71-43-2	
Bromobenzene	<0.82	ug/L	1.0	0.82	1		02/28/11 16:50	108-86-1	
Bromochloromethane	<0.97	ug/L	1.0	0.97	1		02/28/11 16:50	74-97-5	
Bromodichloromethane	<0.56	ug/L	1.0	0.56	1		02/28/11 16:50	75-27-4	
Bromoform	<0.94	ug/L	1.0	0.94	1		02/28/11 16:50	75-25-2	
Bromomethane	<0.91	ug/L	1.0	0.91	1		02/28/11 16:50	74-83-9	
n-Butylbenzene	<0.93	ug/L	1.0	0.93	1		02/28/11 16:50	104-51-8	
sec-Butylbenzene	<0.89	ug/L	5.0	0.89	1		02/28/11 16:50	135-98-8	
tert-Butylbenzene	<0.97	ug/L	1.0	0.97	1		02/28/11 16:50	98-06-6	
Carbon tetrachloride	<0.49	ug/L	1.0	0.49	1		02/28/11 16:50	56-23-5	
Chlorobenzene	<0.41	ug/L	1.0	0.41	1		02/28/11 16:50	108-90-7	
Chloroethane	<0.97	ug/L	1.0	0.97	1		02/28/11 16:50	75-00-3	
Chloroform	<1.3	ug/L	5.0	1.3	1		02/28/11 16:50	67-66-3	
Chloromethane	1.1	ug/L	1.0	0.24	1		02/28/11 16:50	74-87-3	
2-Chlorotoluene	<0.85	ug/L	1.0	0.85	1		02/28/11 16:50	95-49-8	
4-Chlorotoluene	<0.74	ug/L	1.0	0.74	1		02/28/11 16:50	106-43-4	
1,2-Dibromo-3-chloropropane	<1.7	ug/L	5.0	1.7	1		02/28/11 16:50	96-12-8	
Dibromochloromethane	<0.81	ug/L	1.0	0.81	1		02/28/11 16:50	124-48-1	
1,2-Dibromoethane (EDB)	<0.56	ug/L	1.0	0.56	1		02/28/11 16:50	106-93-4	
Dibromomethane	<0.60	ug/L	1.0	0.60	1		02/28/11 16:50	74-95-3	

Date: 03/02/2011 10:27 AM

REPORT OF LABORATORY ANALYSIS

Page 7 of 25

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..



ANALYTICAL RESULTS

Project: 38077004 GUNDERSON CLEANERS
Pace Project No.: 4042843

Sample: PZ-6 Lab ID: 4042843002 Collected: 02/22/11 16:45 Received: 02/25/11 10:00 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV		Analytical Method: EPA 8260							
1,2-Dichlorobenzene	<0.83	ug/L	1.0	0.83	1		02/28/11 16:50	95-50-1	
1,3-Dichlorobenzene	<0.87	ug/L	1.0	0.87	1		02/28/11 16:50	541-73-1	
1,4-Dichlorobenzene	<0.95	ug/L	1.0	0.95	1		02/28/11 16:50	106-46-7	
Dichlorodifluoromethane	<0.99	ug/L	1.0	0.99	1		02/28/11 16:50	75-71-8	
1,1-Dichloroethane	<0.75	ug/L	1.0	0.75	1		02/28/11 16:50	75-34-3	
1,2-Dichloroethane	<0.36	ug/L	1.0	0.36	1		02/28/11 16:50	107-06-2	
1,1-Dichloroethene	<0.57	ug/L	1.0	0.57	1		02/28/11 16:50	75-35-4	
cis-1,2-Dichloroethene	13.6	ug/L	1.0	0.83	1		02/28/11 16:50	156-59-2	
trans-1,2-Dichloroethene	<0.89	ug/L	1.0	0.89	1		02/28/11 16:50	156-60-5	
1,2-Dichloropropane	<0.49	ug/L	1.0	0.49	1		02/28/11 16:50	78-87-5	
1,3-Dichloropropane	<0.61	ug/L	1.0	0.61	1		02/28/11 16:50	142-28-9	
2,2-Dichloropropane	<0.62	ug/L	1.0	0.62	1		02/28/11 16:50	594-20-7	
1,1-Dichloropropene	<0.75	ug/L	1.0	0.75	1		02/28/11 16:50	563-58-6	
cis-1,3-Dichloropropene	<0.20	ug/L	1.0	0.20	1		02/28/11 16:50	10061-01-5	
trans-1,3-Dichloropropene	<0.19	ug/L	1.0	0.19	1		02/28/11 16:50	10061-02-6	
Diisopropyl ether	<0.76	ug/L	1.0	0.76	1		02/28/11 16:50	108-20-3	
Ethylbenzene	<0.54	ug/L	1.0	0.54	1		02/28/11 16:50	100-41-4	
Hexachloro-1,3-butadiene	<0.67	ug/L	5.0	0.67	1		02/28/11 16:50	87-68-3	
Isopropylbenzene (Cumene)	<0.59	ug/L	1.0	0.59	1		02/28/11 16:50	98-82-8	
p-Isopropyltoluene	<0.67	ug/L	1.0	0.67	1		02/28/11 16:50	99-87-6	
Methylene Chloride	0.79J	ug/L	1.0	0.43	1		02/28/11 16:50	75-09-2	Z3
Methyl-tert-butyl ether	<0.61	ug/L	1.0	0.61	1		02/28/11 16:50	1634-04-4	
Naphthalene	<0.89	ug/L	5.0	0.89	1		02/28/11 16:50	91-20-3	
n-Propylbenzene	<0.81	ug/L	1.0	0.81	1		02/28/11 16:50	103-65-1	
Styrene	<0.86	ug/L	1.0	0.86	1		02/28/11 16:50	100-42-5	
1,1,1,2-Tetrachloroethane	<0.92	ug/L	1.0	0.92	1		02/28/11 16:50	630-20-6	
1,1,2,2-Tetrachloroethane	<0.20	ug/L	1.0	0.20	1		02/28/11 16:50	79-34-5	
Tetrachloroethene	1.1	ug/L	1.0	0.45	1		02/28/11 16:50	127-18-4	
Toluene	<0.67	ug/L	1.0	0.67	1		02/28/11 16:50	108-88-3	
1,2,3-Trichlorobenzene	<0.74	ug/L	1.0	0.74	1		02/28/11 16:50	87-61-6	
1,2,4-Trichlorobenzene	<0.97	ug/L	1.0	0.97	1		02/28/11 16:50	120-82-1	
1,1,1-Trichloroethane	<0.90	ug/L	1.0	0.90	1		02/28/11 16:50	71-55-6	
1,1,2-Trichloroethane	<0.42	ug/L	1.0	0.42	1		02/28/11 16:50	79-00-5	
Trichloroethene	0.52J	ug/L	1.0	0.48	1		02/28/11 16:50	79-01-6	
Trichlorofluoromethane	<0.79	ug/L	1.0	0.79	1		02/28/11 16:50	75-69-4	
1,2,3-Trichloropropane	<0.99	ug/L	1.0	0.99	1		02/28/11 16:50	96-18-4	
1,2,4-Trimethylbenzene	<0.97	ug/L	1.0	0.97	1		02/28/11 16:50	95-63-6	
1,3,5-Trimethylbenzene	<0.83	ug/L	1.0	0.83	1		02/28/11 16:50	108-67-8	
Vinyl chloride	<0.18	ug/L	1.0	0.18	1		02/28/11 16:50	75-01-4	L3
m&p-Xylene	<1.8	ug/L	2.0	1.8	1		02/28/11 16:50	179601-23-1	
o-Xylene	<0.83	ug/L	1.0	0.83	1		02/28/11 16:50	95-47-6	
4-Bromofluorobenzene (S)	97 %		69-130		1		02/28/11 16:50	460-00-4	
Dibromofluoromethane (S)	103 %		70-134		1		02/28/11 16:50	1868-53-7	
Toluene-d8 (S)	87 %		70-130		1		02/28/11 16:50	2037-26-5	

ANALYTICAL RESULTS

Project: 38077004 GUNDERSON CLEANERS
Pace Project No.: 4042843

Sample: MW-15 Lab ID: 4042843003 Collected: 02/22/11 15:30 Received: 02/25/11 10:00 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV									
Analytical Method: EPA 8260									
Benzene	0.43J	ug/L	1.0	0.41	1		02/28/11 17:13	71-43-2	
Bromobenzene	<0.82	ug/L	1.0	0.82	1		02/28/11 17:13	108-86-1	
Bromochloromethane	<0.97	ug/L	1.0	0.97	1		02/28/11 17:13	74-97-5	
Bromodichloromethane	<0.56	ug/L	1.0	0.56	1		02/28/11 17:13	75-27-4	
Bromoform	<0.94	ug/L	1.0	0.94	1		02/28/11 17:13	75-25-2	
Bromomethane	<0.91	ug/L	1.0	0.91	1		02/28/11 17:13	74-83-9	
n-Butylbenzene	<0.93	ug/L	1.0	0.93	1		02/28/11 17:13	104-51-8	
sec-Butylbenzene	<0.89	ug/L	5.0	0.89	1		02/28/11 17:13	135-98-8	
tert-Butylbenzene	<0.97	ug/L	1.0	0.97	1		02/28/11 17:13	98-06-6	
Carbon tetrachloride	<0.49	ug/L	1.0	0.49	1		02/28/11 17:13	56-23-5	
Chlorobenzene	<0.41	ug/L	1.0	0.41	1		02/28/11 17:13	108-90-7	
Chloroethane	<0.97	ug/L	1.0	0.97	1		02/28/11 17:13	75-00-3	
Chloroform	<1.3	ug/L	5.0	1.3	1		02/28/11 17:13	67-66-3	
Chloromethane	1.6	ug/L	1.0	0.24	1		02/28/11 17:13	74-87-3	
2-Chlorotoluene	<0.85	ug/L	1.0	0.85	1		02/28/11 17:13	95-49-8	
4-Chlorotoluene	<0.74	ug/L	1.0	0.74	1		02/28/11 17:13	106-43-4	
1,2-Dibromo-3-chloropropane	<1.7	ug/L	5.0	1.7	1		02/28/11 17:13	96-12-8	
Dibromochloromethane	<0.81	ug/L	1.0	0.81	1		02/28/11 17:13	124-48-1	
1,2-Dibromoethane (EDB)	<0.56	ug/L	1.0	0.56	1		02/28/11 17:13	106-93-4	
Dibromomethane	<0.60	ug/L	1.0	0.60	1		02/28/11 17:13	74-95-3	
1,2-Dichlorobenzene	<0.83	ug/L	1.0	0.83	1		02/28/11 17:13	95-50-1	
1,3-Dichlorobenzene	<0.87	ug/L	1.0	0.87	1		02/28/11 17:13	541-73-1	
1,4-Dichlorobenzene	<0.95	ug/L	1.0	0.95	1		02/28/11 17:13	106-46-7	
Dichlorodifluoromethane	<0.99	ug/L	1.0	0.99	1		02/28/11 17:13	75-71-8	
1,1-Dichloroethane	<0.75	ug/L	1.0	0.75	1		02/28/11 17:13	75-34-3	
1,2-Dichloroethane	<0.36	ug/L	1.0	0.36	1		02/28/11 17:13	107-06-2	
1,1-Dichloroethene	<0.57	ug/L	1.0	0.57	1		02/28/11 17:13	75-35-4	
cis-1,2-Dichloroethene	203	ug/L	1.0	0.83	1		02/28/11 17:13	156-59-2	
trans-1,2-Dichloroethene	3.7	ug/L	1.0	0.89	1		02/28/11 17:13	156-60-5	
1,2-Dichloropropane	<0.49	ug/L	1.0	0.49	1		02/28/11 17:13	78-87-5	
1,3-Dichloropropane	<0.61	ug/L	1.0	0.61	1		02/28/11 17:13	142-28-9	
2,2-Dichloropropane	<0.62	ug/L	1.0	0.62	1		02/28/11 17:13	594-20-7	
1,1-Dichloropropene	<0.75	ug/L	1.0	0.75	1		02/28/11 17:13	563-58-6	
cis-1,3-Dichloropropene	<0.20	ug/L	1.0	0.20	1		02/28/11 17:13	10061-01-5	
trans-1,3-Dichloropropene	<0.19	ug/L	1.0	0.19	1		02/28/11 17:13	10061-02-6	
Diisopropyl ether	<0.76	ug/L	1.0	0.76	1		02/28/11 17:13	108-20-3	
Ethylbenzene	<0.54	ug/L	1.0	0.54	1		02/28/11 17:13	100-41-4	
Hexachloro-1,3-butadiene	<0.67	ug/L	5.0	0.67	1		02/28/11 17:13	87-68-3	
Isopropylbenzene (Cumene)	<0.59	ug/L	1.0	0.59	1		02/28/11 17:13	98-82-8	
p-Isopropyltoluene	<0.67	ug/L	1.0	0.67	1		02/28/11 17:13	99-87-6	
Methylene Chloride	1.3	ug/L	1.0	0.43	1		02/28/11 17:13	75-09-2	Z3
Methyl-tert-butyl ether	<0.61	ug/L	1.0	0.61	1		02/28/11 17:13	1634-04-4	
Naphthalene	<0.89	ug/L	5.0	0.89	1		02/28/11 17:13	91-20-3	
n-Propylbenzene	<0.81	ug/L	1.0	0.81	1		02/28/11 17:13	103-65-1	
Styrene	<0.86	ug/L	1.0	0.86	1		02/28/11 17:13	100-42-5	
1,1,1,2-Tetrachloroethane	<0.92	ug/L	1.0	0.92	1		02/28/11 17:13	630-20-6	

Date: 03/02/2011 10:27 AM

REPORT OF LABORATORY ANALYSIS

Page 9 of 25

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..



ANALYTICAL RESULTS

Project: 38077004 GUNDERSON CLEANERS
Pace Project No.: 4042843

Sample: MW-15 Lab ID: 4042843003 Collected: 02/22/11 15:30 Received: 02/25/11 10:00 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Analytical Method: EPA 8260									
1,1,2,2-Tetrachloroethane	<0.20	ug/L	1.0	0.20	1		02/28/11 17:13	79-34-5	
Tetrachloroethene	16.0	ug/L	1.0	0.45	1		02/28/11 17:13	127-18-4	
Toluene	<0.67	ug/L	1.0	0.67	1		02/28/11 17:13	108-88-3	
1,2,3-Trichlorobenzene	<0.74	ug/L	1.0	0.74	1		02/28/11 17:13	87-61-6	
1,2,4-Trichlorobenzene	<0.97	ug/L	1.0	0.97	1		02/28/11 17:13	120-82-1	
1,1,1-Trichloroethane	1.8	ug/L	1.0	0.90	1		02/28/11 17:13	71-55-6	
1,1,2-Trichloroethane	<0.42	ug/L	1.0	0.42	1		02/28/11 17:13	79-00-5	
Trichloroethene	2.8	ug/L	1.0	0.48	1		02/28/11 17:13	79-01-6	
Trichlorofluoromethane	<0.79	ug/L	1.0	0.79	1		02/28/11 17:13	75-69-4	
1,2,3-Trichloropropane	<0.99	ug/L	1.0	0.99	1		02/28/11 17:13	96-18-4	
1,2,4-Trimethylbenzene	<0.97	ug/L	1.0	0.97	1		02/28/11 17:13	95-63-6	
1,3,5-Trimethylbenzene	<0.83	ug/L	1.0	0.83	1		02/28/11 17:13	108-67-8	
Vinyl chloride	<0.18	ug/L	1.0	0.18	1		02/28/11 17:13	75-01-4	L3
m&p-Xylene	<1.8	ug/L	2.0	1.8	1		02/28/11 17:13	179601-23-1	
o-Xylene	<0.83	ug/L	1.0	0.83	1		02/28/11 17:13	95-47-6	
4-Bromofluorobenzene (S)	97	%	69-130		1		02/28/11 17:13	460-00-4	
Dibromofluoromethane (S)	103	%	70-134		1		02/28/11 17:13	1868-53-7	
Toluene-d8 (S)	86	%	70-130		1		02/28/11 17:13	2037-26-5	

Sample: PZ-4 Lab ID: 4042843004 Collected: 02/22/11 14:30 Received: 02/25/11 10:00 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Analytical Method: EPA 8260									
Benzene	<0.41	ug/L	1.0	0.41	1		02/28/11 14:12	71-43-2	
Bromobenzene	<0.82	ug/L	1.0	0.82	1		02/28/11 14:12	108-86-1	
Bromochloromethane	<0.97	ug/L	1.0	0.97	1		02/28/11 14:12	74-97-5	
Bromodichloromethane	<0.56	ug/L	1.0	0.56	1		02/28/11 14:12	75-27-4	
Bromoform	<0.94	ug/L	1.0	0.94	1		02/28/11 14:12	75-25-2	
Bromomethane	<0.91	ug/L	1.0	0.91	1		02/28/11 14:12	74-83-9	
n-Butylbenzene	<0.93	ug/L	1.0	0.93	1		02/28/11 14:12	104-51-8	
sec-Butylbenzene	<0.89	ug/L	5.0	0.89	1		02/28/11 14:12	135-98-8	
tert-Butylbenzene	<0.97	ug/L	1.0	0.97	1		02/28/11 14:12	98-06-6	
Carbon tetrachloride	<0.49	ug/L	1.0	0.49	1		02/28/11 14:12	56-23-5	
Chlorobenzene	<0.41	ug/L	1.0	0.41	1		02/28/11 14:12	108-90-7	
Chloroethane	<0.97	ug/L	1.0	0.97	1		02/28/11 14:12	75-00-3	
Chloroform	<1.3	ug/L	5.0	1.3	1		02/28/11 14:12	67-66-3	
Chloromethane	0.79J	ug/L	1.0	0.24	1		02/28/11 14:12	74-87-3	
2-Chlorotoluene	<0.85	ug/L	1.0	0.85	1		02/28/11 14:12	95-49-8	
4-Chlorotoluene	<0.74	ug/L	1.0	0.74	1		02/28/11 14:12	106-43-4	
1,2-Dibromo-3-chloropropane	<1.7	ug/L	5.0	1.7	1		02/28/11 14:12	96-12-8	
Dibromochloromethane	<0.81	ug/L	1.0	0.81	1		02/28/11 14:12	124-48-1	
1,2-Dibromoethane (EDB)	<0.56	ug/L	1.0	0.56	1		02/28/11 14:12	106-93-4	
Dibromomethane	<0.60	ug/L	1.0	0.60	1		02/28/11 14:12	74-95-3	

Date: 03/02/2011 10:27 AM

REPORT OF LABORATORY ANALYSIS

Page 10 of 25

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..



ANALYTICAL RESULTS

Project: 38077004 GUNDERSON CLEANERS
Pace Project No.: 4042843

Sample: PZ-4 Lab ID: 4042843004 Collected: 02/22/11 14:30 Received: 02/25/11 10:00 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV									
Analytical Method: EPA 8260									
1,2-Dichlorobenzene	<0.83	ug/L	1.0	0.83	1		02/28/11 14:12	95-50-1	
1,3-Dichlorobenzene	<0.87	ug/L	1.0	0.87	1		02/28/11 14:12	541-73-1	
1,4-Dichlorobenzene	<0.95	ug/L	1.0	0.95	1		02/28/11 14:12	106-46-7	
Dichlorodifluoromethane	<0.99	ug/L	1.0	0.99	1		02/28/11 14:12	75-71-8	
1,1-Dichloroethane	<0.75	ug/L	1.0	0.75	1		02/28/11 14:12	75-34-3	
1,2-Dichloroethane	<0.36	ug/L	1.0	0.36	1		02/28/11 14:12	107-06-2	
1,1-Dichloroethene	<0.57	ug/L	1.0	0.57	1		02/28/11 14:12	75-35-4	
cis-1,2-Dichloroethene	10	ug/L	1.0	0.83	1		02/28/11 14:12	156-59-2	
trans-1,2-Dichloroethene	<0.89	ug/L	1.0	0.89	1		02/28/11 14:12	156-60-5	
1,2-Dichloropropane	<0.49	ug/L	1.0	0.49	1		02/28/11 14:12	78-87-5	
1,3-Dichloropropane	<0.61	ug/L	1.0	0.61	1		02/28/11 14:12	142-28-9	
2,2-Dichloropropane	<0.62	ug/L	1.0	0.62	1		02/28/11 14:12	594-20-7	
1,1-Dichloropropene	<0.75	ug/L	1.0	0.75	1		02/28/11 14:12	563-58-6	
cis-1,3-Dichloropropene	<0.20	ug/L	1.0	0.20	1		02/28/11 14:12	10061-01-5	
trans-1,3-Dichloropropene	<0.19	ug/L	1.0	0.19	1		02/28/11 14:12	10061-02-6	
Diisopropyl ether	<0.76	ug/L	1.0	0.76	1		02/28/11 14:12	108-20-3	
Ethylbenzene	<0.54	ug/L	1.0	0.54	1		02/28/11 14:12	100-41-4	
Hexachloro-1,3-butadiene	<0.67	ug/L	5.0	0.67	1		02/28/11 14:12	87-68-3	
Isopropylbenzene (Cumene)	<0.59	ug/L	1.0	0.59	1		02/28/11 14:12	98-82-8	
p-Isopropyltoluene	<0.67	ug/L	1.0	0.67	1		02/28/11 14:12	99-87-6	
Methylene Chloride	1.1	ug/L	1.0	0.43	1		02/28/11 14:12	75-09-2	Z3
Methyl-tert-butyl ether	<0.61	ug/L	1.0	0.61	1		02/28/11 14:12	1634-04-4	
Naphthalene	<0.89	ug/L	5.0	0.89	1		02/28/11 14:12	91-20-3	
n-Propylbenzene	<0.81	ug/L	1.0	0.81	1		02/28/11 14:12	103-65-1	
Styrene	<0.86	ug/L	1.0	0.86	1		02/28/11 14:12	100-42-5	
1,1,1,2-Tetrachloroethane	<0.92	ug/L	1.0	0.92	1		02/28/11 14:12	630-20-6	
1,1,1,2,2-Tetrachloroethane	<0.20	ug/L	1.0	0.20	1		02/28/11 14:12	79-34-5	
Tetrachloroethene	7.8	ug/L	1.0	0.45	1		02/28/11 14:12	127-18-4	
Toluene	<0.67	ug/L	1.0	0.67	1		02/28/11 14:12	108-88-3	
1,2,3-Trichlorobenzene	<0.74	ug/L	1.0	0.74	1		02/28/11 14:12	87-61-6	
1,2,4-Trichlorobenzene	<0.97	ug/L	1.0	0.97	1		02/28/11 14:12	120-82-1	
1,1,1-Trichloroethane	<0.90	ug/L	1.0	0.90	1		02/28/11 14:12	71-55-6	
1,1,2-Trichloroethane	<0.42	ug/L	1.0	0.42	1		02/28/11 14:12	79-00-5	
Trichloroethene	0.61J	ug/L	1.0	0.48	1		02/28/11 14:12	79-01-6	
Trichlorofluoromethane	<0.79	ug/L	1.0	0.79	1		02/28/11 14:12	75-69-4	
1,2,3-Trichloropropane	<0.99	ug/L	1.0	0.99	1		02/28/11 14:12	96-18-4	
1,2,4-Trimethylbenzene	<0.97	ug/L	1.0	0.97	1		02/28/11 14:12	95-63-6	
1,3,5-Trimethylbenzene	<0.83	ug/L	1.0	0.83	1		02/28/11 14:12	108-67-8	
Vinyl chloride	<0.18	ug/L	1.0	0.18	1		02/28/11 14:12	75-01-4	L3
m&p-Xylene	<1.8	ug/L	2.0	1.8	1		02/28/11 14:12	179601-23-1	
o-Xylene	<0.83	ug/L	1.0	0.83	1		02/28/11 14:12	95-47-6	
4-Bromofluorobenzene (S)	98 %		69-130		1		02/28/11 14:12	460-00-4	
Dibromofluoromethane (S)	104 %		70-134		1		02/28/11 14:12	1868-53-7	
Toluene-d8 (S)	86 %		70-130		1		02/28/11 14:12	2037-26-5	

ANALYTICAL RESULTS

Project: 38077004 GUNDERSON CLEANERS
Pace Project No.: 4042843

Sample: MW-13 Lab ID: 4042843005 Collected: 02/22/11 13:40 Received: 02/25/11 10:00 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV									
Analytical Method: EPA 8260									
Benzene	0.52J	ug/L	1.0	0.41	1		02/28/11 14:35	71-43-2	
Bromobenzene	<0.82	ug/L	1.0	0.82	1		02/28/11 14:35	108-86-1	
Bromochloromethane	<0.97	ug/L	1.0	0.97	1		02/28/11 14:35	74-97-5	
Bromodichloromethane	<0.56	ug/L	1.0	0.56	1		02/28/11 14:35	75-27-4	
Bromoform	<0.94	ug/L	1.0	0.94	1		02/28/11 14:35	75-25-2	
Bromomethane	<0.91	ug/L	1.0	0.91	1		02/28/11 14:35	74-83-9	
n-Butylbenzene	<0.93	ug/L	1.0	0.93	1		02/28/11 14:35	104-51-8	
sec-Butylbenzene	<0.89	ug/L	5.0	0.89	1		02/28/11 14:35	135-98-8	
tert-Butylbenzene	<0.97	ug/L	1.0	0.97	1		02/28/11 14:35	98-06-6	
Carbon tetrachloride	<0.49	ug/L	1.0	0.49	1		02/28/11 14:35	56-23-5	
Chlorobenzene	<0.41	ug/L	1.0	0.41	1		02/28/11 14:35	108-90-7	
Chloroethane	<0.97	ug/L	1.0	0.97	1		02/28/11 14:35	75-00-3	
Chloroform	<1.3	ug/L	5.0	1.3	1		02/28/11 14:35	67-66-3	
Chloromethane	1.8	ug/L	1.0	0.24	1		02/28/11 14:35	74-87-3	
2-Chlorotoluene	<0.85	ug/L	1.0	0.85	1		02/28/11 14:35	95-49-8	
4-Chlorotoluene	<0.74	ug/L	1.0	0.74	1		02/28/11 14:35	106-43-4	
1,2-Dibromo-3-chloropropane	<1.7	ug/L	5.0	1.7	1		02/28/11 14:35	96-12-8	
Dibromochloromethane	<0.81	ug/L	1.0	0.81	1		02/28/11 14:35	124-48-1	
1,2-Dibromoethane (EDB)	<0.56	ug/L	1.0	0.56	1		02/28/11 14:35	106-93-4	
Dibromomethane	<0.60	ug/L	1.0	0.60	1		02/28/11 14:35	74-95-3	
1,2-Dichlorobenzene	<0.83	ug/L	1.0	0.83	1		02/28/11 14:35	95-50-1	
1,3-Dichlorobenzene	<0.87	ug/L	1.0	0.87	1		02/28/11 14:35	541-73-1	
1,4-Dichlorobenzene	<0.95	ug/L	1.0	0.95	1		02/28/11 14:35	106-46-7	
Dichlorodifluoromethane	<0.99	ug/L	1.0	0.99	1		02/28/11 14:35	75-71-8	
1,1-Dichloroethane	<0.75	ug/L	1.0	0.75	1		02/28/11 14:35	75-34-3	
1,2-Dichloroethane	<0.36	ug/L	1.0	0.36	1		02/28/11 14:35	107-06-2	
1,1-Dichloroethene	<0.57	ug/L	1.0	0.57	1		02/28/11 14:35	75-35-4	
cis-1,2-Dichloroethene	<0.83	ug/L	1.0	0.83	1		02/28/11 14:35	156-59-2	
trans-1,2-Dichloroethene	<0.89	ug/L	1.0	0.89	1		02/28/11 14:35	156-60-5	
1,2-Dichloropropane	<0.49	ug/L	1.0	0.49	1		02/28/11 14:35	78-87-5	
1,3-Dichloropropane	<0.61	ug/L	1.0	0.61	1		02/28/11 14:35	142-28-9	
2,2-Dichloropropane	<0.62	ug/L	1.0	0.62	1		02/28/11 14:35	594-20-7	
1,1-Dichloropropene	<0.75	ug/L	1.0	0.75	1		02/28/11 14:35	563-58-6	
cis-1,3-Dichloropropene	<0.20	ug/L	1.0	0.20	1		02/28/11 14:35	10061-01-5	
trans-1,3-Dichloropropene	<0.19	ug/L	1.0	0.19	1		02/28/11 14:35	10061-02-6	
Diisopropyl ether	<0.76	ug/L	1.0	0.76	1		02/28/11 14:35	108-20-3	
Ethylbenzene	<0.54	ug/L	1.0	0.54	1		02/28/11 14:35	100-41-4	
Hexachloro-1,3-butadiene	<0.67	ug/L	5.0	0.67	1		02/28/11 14:35	87-68-3	
Isopropylbenzene (Cumene)	<0.59	ug/L	1.0	0.59	1		02/28/11 14:35	98-82-8	
p-Isopropyltoluene	<0.67	ug/L	1.0	0.67	1		02/28/11 14:35	99-87-6	
Methylene Chloride	1.4	ug/L	1.0	0.43	1		02/28/11 14:35	75-09-2	Z3
Methyl-tert-butyl ether	<0.61	ug/L	1.0	0.61	1		02/28/11 14:35	1634-04-4	
Naphthalene	<0.89	ug/L	5.0	0.89	1		02/28/11 14:35	91-20-3	
n-Propylbenzene	<0.81	ug/L	1.0	0.81	1		02/28/11 14:35	103-65-1	
Styrene	<0.86	ug/L	1.0	0.86	1		02/28/11 14:35	100-42-5	
1,1,1,2-Tetrachloroethane	<0.92	ug/L	1.0	0.92	1		02/28/11 14:35	630-20-6	

Date: 03/02/2011 10:27 AM

REPORT OF LABORATORY ANALYSIS

Page 12 of 25

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..



ANALYTICAL RESULTS

Project: 38077004 GUNDERSON CLEANERS
Pace Project No.: 4042843

Sample: MW-13 Lab ID: 4042843005 Collected: 02/22/11 13:40 Received: 02/25/11 10:00 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV		Analytical Method: EPA 8260							
1,1,2,2-Tetrachloroethane	<0.20	ug/L	1.0	0.20	1		02/28/11 14:35	79-34-5	
Tetrachloroethene	21.7	ug/L	1.0	0.45	1		02/28/11 14:35	127-18-4	
Toluene	<0.67	ug/L	1.0	0.67	1		02/28/11 14:35	108-88-3	
1,2,3-Trichlorobenzene	<0.74	ug/L	1.0	0.74	1		02/28/11 14:35	87-61-6	
1,2,4-Trichlorobenzene	<0.97	ug/L	1.0	0.97	1		02/28/11 14:35	120-82-1	
1,1,1-Trichloroethane	1.1	ug/L	1.0	0.90	1		02/28/11 14:35	71-55-6	
1,1,2-Trichloroethane	<0.42	ug/L	1.0	0.42	1		02/28/11 14:35	79-00-5	
Trichloroethene	0.96J	ug/L	1.0	0.48	1		02/28/11 14:35	79-01-6	
Trichlorofluoromethane	<0.79	ug/L	1.0	0.79	1		02/28/11 14:35	75-69-4	
1,2,3-Trichloropropane	<0.99	ug/L	1.0	0.99	1		02/28/11 14:35	96-18-4	
1,2,4-Trimethylbenzene	<0.97	ug/L	1.0	0.97	1		02/28/11 14:35	95-63-6	
1,3,5-Trimethylbenzene	<0.83	ug/L	1.0	0.83	1		02/28/11 14:35	108-67-8	
Vinyl chloride	<0.18	ug/L	1.0	0.18	1		02/28/11 14:35	75-01-4	L3
m&p-Xylene	<1.8	ug/L	2.0	1.8	1		02/28/11 14:35	179601-23-1	
o-Xylene	<0.83	ug/L	1.0	0.83	1		02/28/11 14:35	95-47-6	
4-Bromofluorobenzene (S)	98	%	69-130		1		02/28/11 14:35	460-00-4	
Dibromofluoromethane (S)	102	%	70-134		1		02/28/11 14:35	1868-53-7	
Toluene-d8 (S)	86	%	70-130		1		02/28/11 14:35	2037-26-5	

Sample: PZ-3 Lab ID: 4042843006 Collected: 02/22/11 12:55 Received: 02/25/11 10:00 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV		Analytical Method: EPA 8260							
Benzene	<0.41	ug/L	1.0	0.41	1		02/28/11 14:57	71-43-2	
Bromobenzene	<0.82	ug/L	1.0	0.82	1		02/28/11 14:57	108-86-1	
Bromochloromethane	<0.97	ug/L	1.0	0.97	1		02/28/11 14:57	74-97-5	
Bromodichloromethane	<0.56	ug/L	1.0	0.56	1		02/28/11 14:57	75-27-4	
Bromoform	<0.94	ug/L	1.0	0.94	1		02/28/11 14:57	75-25-2	
Bromomethane	<0.91	ug/L	1.0	0.91	1		02/28/11 14:57	74-83-9	
n-Butylbenzene	<0.93	ug/L	1.0	0.93	1		02/28/11 14:57	104-51-8	
sec-Butylbenzene	<0.89	ug/L	5.0	0.89	1		02/28/11 14:57	135-98-8	
tert-Butylbenzene	<0.97	ug/L	1.0	0.97	1		02/28/11 14:57	98-06-6	
Carbon tetrachloride	<0.49	ug/L	1.0	0.49	1		02/28/11 14:57	56-23-5	
Chlorobenzene	<0.41	ug/L	1.0	0.41	1		02/28/11 14:57	108-90-7	
Chloroethane	<0.97	ug/L	1.0	0.97	1		02/28/11 14:57	75-00-3	
Chloroform	<1.3	ug/L	5.0	1.3	1		02/28/11 14:57	67-66-3	
Chloromethane	0.25J	ug/L	1.0	0.24	1		02/28/11 14:57	74-87-3	
2-Chlorotoluene	<0.85	ug/L	1.0	0.85	1		02/28/11 14:57	95-49-8	
4-Chlorotoluene	<0.74	ug/L	1.0	0.74	1		02/28/11 14:57	106-43-4	
1,2-Dibromo-3-chloropropane	<1.7	ug/L	5.0	1.7	1		02/28/11 14:57	96-12-8	
Dibromochloromethane	<0.81	ug/L	1.0	0.81	1		02/28/11 14:57	124-48-1	
1,2-Dibromoethane (EDB)	<0.56	ug/L	1.0	0.56	1		02/28/11 14:57	106-93-4	
Dibromomethane	<0.60	ug/L	1.0	0.60	1		02/28/11 14:57	74-95-3	

Date: 03/02/2011 10:27 AM

REPORT OF LABORATORY ANALYSIS

Page 13 of 25

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..



ANALYTICAL RESULTS

Project: 38077004 GUNDERSON CLEANERS
Pace Project No.: 4042843

Sample: PZ-3 Lab ID: 4042843006 Collected: 02/22/11 12:55 Received: 02/25/11 10:00 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV									
Analytical Method: EPA 8260									
1,2-Dichlorobenzene	<0.83	ug/L	1.0	0.83	1		02/28/11 14:57	95-50-1	
1,3-Dichlorobenzene	<0.87	ug/L	1.0	0.87	1		02/28/11 14:57	541-73-1	
1,4-Dichlorobenzene	<0.95	ug/L	1.0	0.95	1		02/28/11 14:57	106-46-7	
Dichlorodifluoromethane	<0.99	ug/L	1.0	0.99	1		02/28/11 14:57	75-71-8	
1,1-Dichloroethane	<0.75	ug/L	1.0	0.75	1		02/28/11 14:57	75-34-3	
1,2-Dichloroethane	<0.36	ug/L	1.0	0.36	1		02/28/11 14:57	107-06-2	
1,1-Dichloroethene	<0.57	ug/L	1.0	0.57	1		02/28/11 14:57	75-35-4	
cis-1,2-Dichloroethene	0.83J	ug/L	1.0	0.83	1		02/28/11 14:57	156-59-2	
trans-1,2-Dichloroethene	<0.89	ug/L	1.0	0.89	1		02/28/11 14:57	156-60-5	
1,2-Dichloropropane	<0.49	ug/L	1.0	0.49	1		02/28/11 14:57	78-87-5	
1,3-Dichloropropane	<0.61	ug/L	1.0	0.61	1		02/28/11 14:57	142-28-9	
2,2-Dichloropropane	<0.62	ug/L	1.0	0.62	1		02/28/11 14:57	594-20-7	
1,1-Dichloropropene	<0.75	ug/L	1.0	0.75	1		02/28/11 14:57	563-58-6	
cis-1,3-Dichloropropene	<0.20	ug/L	1.0	0.20	1		02/28/11 14:57	10061-01-5	
trans-1,3-Dichloropropene	<0.19	ug/L	1.0	0.19	1		02/28/11 14:57	10061-02-6	
Diisopropyl ether	<0.76	ug/L	1.0	0.76	1		02/28/11 14:57	108-20-3	
Ethylbenzene	<0.54	ug/L	1.0	0.54	1		02/28/11 14:57	100-41-4	
Hexachloro-1,3-butadiene	<0.67	ug/L	5.0	0.67	1		02/28/11 14:57	87-68-3	
Isopropylbenzene (Cumene)	<0.59	ug/L	1.0	0.59	1		02/28/11 14:57	98-82-8	
p-Isopropyltoluene	<0.67	ug/L	1.0	0.67	1		02/28/11 14:57	99-87-6	
Methylene Chloride	<0.43	ug/L	1.0	0.43	1		02/28/11 14:57	75-09-2	
Methyl-tert-butyl ether	<0.61	ug/L	1.0	0.61	1		02/28/11 14:57	1634-04-4	
Naphthalene	<0.89	ug/L	5.0	0.89	1		02/28/11 14:57	91-20-3	
n-Propylbenzene	<0.81	ug/L	1.0	0.81	1		02/28/11 14:57	103-65-1	
Styrene	<0.86	ug/L	1.0	0.86	1		02/28/11 14:57	100-42-5	
1,1,1,2-Tetrachloroethane	<0.92	ug/L	1.0	0.92	1		02/28/11 14:57	630-20-6	
1,1,2,2-Tetrachloroethane	<0.20	ug/L	1.0	0.20	1		02/28/11 14:57	79-34-5	
Tetrachloroethene	0.97J	ug/L	1.0	0.45	1		02/28/11 14:57	127-18-4	
Toluene	<0.67	ug/L	1.0	0.67	1		02/28/11 14:57	108-88-3	
1,2,3-Trichlorobenzene	<0.74	ug/L	1.0	0.74	1		02/28/11 14:57	87-61-6	
1,2,4-Trichlorobenzene	<0.97	ug/L	1.0	0.97	1		02/28/11 14:57	120-82-1	
1,1,1-Trichloroethane	<0.90	ug/L	1.0	0.90	1		02/28/11 14:57	71-55-6	
1,1,2-Trichloroethane	<0.42	ug/L	1.0	0.42	1		02/28/11 14:57	79-00-5	
Trichloroethene	<0.48	ug/L	1.0	0.48	1		02/28/11 14:57	79-01-6	
Trichlorofluoromethane	<0.79	ug/L	1.0	0.79	1		02/28/11 14:57	75-69-4	
1,2,3-Trichloropropane	<0.99	ug/L	1.0	0.99	1		02/28/11 14:57	96-18-4	
1,2,4-Trimethylbenzene	<0.97	ug/L	1.0	0.97	1		02/28/11 14:57	95-63-6	
1,3,5-Trimethylbenzene	<0.83	ug/L	1.0	0.83	1		02/28/11 14:57	108-67-8	
Vinyl chloride	<0.18	ug/L	1.0	0.18	1		02/28/11 14:57	75-01-4	L3
m&p-Xylene	<1.8	ug/L	2.0	1.8	1		02/28/11 14:57	179601-23-1	
o-Xylene	<0.83	ug/L	1.0	0.83	1		02/28/11 14:57	95-47-6	
4-Bromofluorobenzene (S)	99 %		69-130		1		02/28/11 14:57	460-00-4	
Dibromofluoromethane (S)	104 %		70-134		1		02/28/11 14:57	1868-53-7	
Toluene-d8 (S)	87 %		70-130		1		02/28/11 14:57	2037-26-5	

Date: 03/02/2011 10:27 AM

REPORT OF LABORATORY ANALYSIS

Page 14 of 25

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..



ANALYTICAL RESULTS

Project: 38077004 GUNDERSON CLEANERS
Pace Project No.: 4042843

Sample: MW-11 Lab ID: 4042843007 Collected: 02/22/11 14:15 Received: 02/25/11 10:00 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV									
Analytical Method: EPA 8260									
Benzene	<0.41	ug/L	1.0	0.41	1		02/28/11 15:20	71-43-2	
Bromobenzene	<0.82	ug/L	1.0	0.82	1		02/28/11 15:20	108-86-1	
Bromochloromethane	<0.97	ug/L	1.0	0.97	1		02/28/11 15:20	74-97-5	
Bromodichloromethane	<0.56	ug/L	1.0	0.56	1		02/28/11 15:20	75-27-4	
Bromoform	<0.94	ug/L	1.0	0.94	1		02/28/11 15:20	75-25-2	
Bromomethane	<0.91	ug/L	1.0	0.91	1		02/28/11 15:20	74-83-9	
n-Butylbenzene	<0.93	ug/L	1.0	0.93	1		02/28/11 15:20	104-51-8	
sec-Butylbenzene	<0.89	ug/L	5.0	0.89	1		02/28/11 15:20	135-98-8	
tert-Butylbenzene	<0.97	ug/L	1.0	0.97	1		02/28/11 15:20	98-06-6	
Carbon tetrachloride	<0.49	ug/L	1.0	0.49	1		02/28/11 15:20	56-23-5	
Chlorobenzene	<0.41	ug/L	1.0	0.41	1		02/28/11 15:20	108-90-7	
Chloroethane	<0.97	ug/L	1.0	0.97	1		02/28/11 15:20	75-00-3	
Chloroform	<1.3	ug/L	5.0	1.3	1		02/28/11 15:20	67-66-3	
Chloromethane	0.69J	ug/L	1.0	0.24	1		02/28/11 15:20	74-87-3	
2-Chlorotoluene	<0.85	ug/L	1.0	0.85	1		02/28/11 15:20	95-49-8	
4-Chlorotoluene	<0.74	ug/L	1.0	0.74	1		02/28/11 15:20	106-43-4	
1,2-Dibromo-3-chloropropane	<1.7	ug/L	5.0	1.7	1		02/28/11 15:20	96-12-8	
Dibromochloromethane	<0.81	ug/L	1.0	0.81	1		02/28/11 15:20	124-48-1	
1,2-Dibromoethane (EDB)	<0.56	ug/L	1.0	0.56	1		02/28/11 15:20	106-93-4	
Dibromomethane	<0.60	ug/L	1.0	0.60	1		02/28/11 15:20	74-95-3	
1,2-Dichlorobenzene	<0.83	ug/L	1.0	0.83	1		02/28/11 15:20	95-50-1	
1,3-Dichlorobenzene	<0.87	ug/L	1.0	0.87	1		02/28/11 15:20	541-73-1	
1,4-Dichlorobenzene	<0.95	ug/L	1.0	0.95	1		02/28/11 15:20	106-46-7	
Dichlorodifluoromethane	<0.99	ug/L	1.0	0.99	1		02/28/11 15:20	75-71-8	
1,1-Dichloroethane	<0.75	ug/L	1.0	0.75	1		02/28/11 15:20	75-34-3	
1,2-Dichloroethane	<0.36	ug/L	1.0	0.36	1		02/28/11 15:20	107-06-2	
1,1-Dichloroethene	<0.57	ug/L	1.0	0.57	1		02/28/11 15:20	75-35-4	
cis-1,2-Dichloroethene	<0.83	ug/L	1.0	0.83	1		02/28/11 15:20	156-59-2	
trans-1,2-Dichloroethene	<0.89	ug/L	1.0	0.89	1		02/28/11 15:20	156-60-5	
1,2-Dichloropropane	<0.49	ug/L	1.0	0.49	1		02/28/11 15:20	78-87-5	
1,3-Dichloropropane	<0.61	ug/L	1.0	0.61	1		02/28/11 15:20	142-28-9	
2,2-Dichloropropane	<0.62	ug/L	1.0	0.62	1		02/28/11 15:20	594-20-7	
1,1-Dichloropropene	<0.75	ug/L	1.0	0.75	1		02/28/11 15:20	563-58-6	
cis-1,3-Dichloropropene	<0.20	ug/L	1.0	0.20	1		02/28/11 15:20	10061-01-5	
trans-1,3-Dichloropropene	<0.19	ug/L	1.0	0.19	1		02/28/11 15:20	10061-02-6	
Diisopropyl ether	<0.76	ug/L	1.0	0.76	1		02/28/11 15:20	108-20-3	
Ethylbenzene	<0.54	ug/L	1.0	0.54	1		02/28/11 15:20	100-41-4	
Hexachloro-1,3-butadiene	<0.67	ug/L	5.0	0.67	1		02/28/11 15:20	87-68-3	
Isopropylbenzene (Cumene)	<0.59	ug/L	1.0	0.59	1		02/28/11 15:20	98-82-8	
p-Isopropyltoluene	<0.67	ug/L	1.0	0.67	1		02/28/11 15:20	99-87-6	
Methylene Chloride	1.1	ug/L	1.0	0.43	1		02/28/11 15:20	75-09-2	Z3
Methyl-tert-butyl ether	<0.61	ug/L	1.0	0.61	1		02/28/11 15:20	1634-04-4	
Naphthalene	<0.89	ug/L	5.0	0.89	1		02/28/11 15:20	91-20-3	
n-Propylbenzene	<0.81	ug/L	1.0	0.81	1		02/28/11 15:20	103-65-1	
Styrene	<0.86	ug/L	1.0	0.86	1		02/28/11 15:20	100-42-5	
1,1,1,2-Tetrachloroethane	<0.92	ug/L	1.0	0.92	1		02/28/11 15:20	630-20-6	

Date: 03/02/2011 10:27 AM

REPORT OF LABORATORY ANALYSIS

Page 15 of 25

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..



ANALYTICAL RESULTS

Project: 38077004 GUNDERSON CLEANERS
Pace Project No.: 4042843

Sample: MW-11 Lab ID: 4042843007 Collected: 02/22/11 14:15 Received: 02/25/11 10:00 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Analytical Method: EPA 8260									
1,1,2,2-Tetrachloroethane	<0.20	ug/L	1.0	0.20	1		02/28/11 15:20	79-34-5	
Tetrachloroethene	7.7	ug/L	1.0	0.45	1		02/28/11 15:20	127-18-4	
Toluene	<0.67	ug/L	1.0	0.67	1		02/28/11 15:20	108-88-3	
1,2,3-Trichlorobenzene	<0.74	ug/L	1.0	0.74	1		02/28/11 15:20	87-61-6	
1,2,4-Trichlorobenzene	<0.97	ug/L	1.0	0.97	1		02/28/11 15:20	120-82-1	
1,1,1-Trichloroethane	<0.90	ug/L	1.0	0.90	1		02/28/11 15:20	71-55-6	
1,1,2-Trichloroethane	<0.42	ug/L	1.0	0.42	1		02/28/11 15:20	79-00-5	
Trichloroethene	<0.48	ug/L	1.0	0.48	1		02/28/11 15:20	79-01-6	
Trichlorofluoromethane	<0.79	ug/L	1.0	0.79	1		02/28/11 15:20	75-69-4	
1,2,3-Trichloropropane	<0.99	ug/L	1.0	0.99	1		02/28/11 15:20	96-18-4	
1,2,4-Trimethylbenzene	<0.97	ug/L	1.0	0.97	1		02/28/11 15:20	95-63-6	
1,3,5-Trimethylbenzene	<0.83	ug/L	1.0	0.83	1		02/28/11 15:20	108-67-8	
Vinyl chloride	<0.18	ug/L	1.0	0.18	1		02/28/11 15:20	75-01-4	L3
m&p-Xylene	<1.8	ug/L	2.0	1.8	1		02/28/11 15:20	179601-23-1	
o-Xylene	<0.83	ug/L	1.0	0.83	1		02/28/11 15:20	95-47-6	
4-Bromofluorobenzene (S)	97	%	69-130		1		02/28/11 15:20	460-00-4	
Dibromofluoromethane (S)	103	%	70-134		1		02/28/11 15:20	1868-53-7	
Toluene-d8 (S)	88	%	70-130		1		02/28/11 15:20	2037-26-5	

Sample: MW-9 Lab ID: 4042843008 Collected: 02/22/11 11:25 Received: 02/25/11 10:00 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Analytical Method: EPA 8260									
Benzene	<0.41	ug/L	1.0	0.41	1		02/28/11 15:43	71-43-2	
Bromobenzene	<0.82	ug/L	1.0	0.82	1		02/28/11 15:43	108-86-1	
Bromochloromethane	<0.97	ug/L	1.0	0.97	1		02/28/11 15:43	74-97-5	
Bromodichloromethane	<0.56	ug/L	1.0	0.56	1		02/28/11 15:43	75-27-4	
Bromoform	<0.94	ug/L	1.0	0.94	1		02/28/11 15:43	75-25-2	
Bromomethane	<0.91	ug/L	1.0	0.91	1		02/28/11 15:43	74-83-9	
n-Butylbenzene	<0.93	ug/L	1.0	0.93	1		02/28/11 15:43	104-51-8	
sec-Butylbenzene	<0.89	ug/L	5.0	0.89	1		02/28/11 15:43	135-98-8	
tert-Butylbenzene	<0.97	ug/L	1.0	0.97	1		02/28/11 15:43	98-06-6	
Carbon tetrachloride	<0.49	ug/L	1.0	0.49	1		02/28/11 15:43	56-23-5	
Chlorobenzene	<0.41	ug/L	1.0	0.41	1		02/28/11 15:43	108-90-7	
Chloroethane	<0.97	ug/L	1.0	0.97	1		02/28/11 15:43	75-00-3	
Chloroform	<1.3	ug/L	5.0	1.3	1		02/28/11 15:43	67-66-3	
Chloromethane	0.42J	ug/L	1.0	0.24	1		02/28/11 15:43	74-87-3	
2-Chlorotoluene	<0.85	ug/L	1.0	0.85	1		02/28/11 15:43	95-49-8	
4-Chlorotoluene	<0.74	ug/L	1.0	0.74	1		02/28/11 15:43	106-43-4	
1,2-Dibromo-3-chloropropane	<1.7	ug/L	5.0	1.7	1		02/28/11 15:43	96-12-8	
Dibromochloromethane	<0.81	ug/L	1.0	0.81	1		02/28/11 15:43	124-48-1	
1,2-Dibromoethane (EDB)	<0.56	ug/L	1.0	0.56	1		02/28/11 15:43	106-93-4	
Dibromomethane	<0.60	ug/L	1.0	0.60	1		02/28/11 15:43	74-95-3	

Date: 03/02/2011 10:27 AM

REPORT OF LABORATORY ANALYSIS

Page 16 of 25

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..



ANALYTICAL RESULTS

Project: 38077004 GUNDERSON CLEANERS
Pace Project No.: 4042843

Sample: MW-9 Lab ID: 4042843008 Collected: 02/22/11 11:25 Received: 02/25/11 10:00 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV									
Analytical Method: EPA 8260									
1,2-Dichlorobenzene	<0.83	ug/L	1.0	0.83	1		02/28/11 15:43	95-50-1	
1,3-Dichlorobenzene	<0.87	ug/L	1.0	0.87	1		02/28/11 15:43	541-73-1	
1,4-Dichlorobenzene	<0.95	ug/L	1.0	0.95	1		02/28/11 15:43	106-46-7	
Dichlorodifluoromethane	<0.99	ug/L	1.0	0.99	1		02/28/11 15:43	75-71-8	
1,1-Dichloroethane	<0.75	ug/L	1.0	0.75	1		02/28/11 15:43	75-34-3	
1,2-Dichloroethane	<0.36	ug/L	1.0	0.36	1		02/28/11 15:43	107-06-2	
1,1-Dichloroethene	<0.57	ug/L	1.0	0.57	1		02/28/11 15:43	75-35-4	
cis-1,2-Dichloroethene	<0.83	ug/L	1.0	0.83	1		02/28/11 15:43	156-59-2	
trans-1,2-Dichloroethene	<0.89	ug/L	1.0	0.89	1		02/28/11 15:43	156-60-5	
1,2-Dichloropropane	<0.49	ug/L	1.0	0.49	1		02/28/11 15:43	78-87-5	
1,3-Dichloropropane	<0.61	ug/L	1.0	0.61	1		02/28/11 15:43	142-28-9	
2,2-Dichloropropane	<0.62	ug/L	1.0	0.62	1		02/28/11 15:43	594-20-7	
1,1-Dichloropropene	<0.75	ug/L	1.0	0.75	1		02/28/11 15:43	563-58-6	
cis-1,3-Dichloropropene	<0.20	ug/L	1.0	0.20	1		02/28/11 15:43	10061-01-5	
trans-1,3-Dichloropropene	<0.19	ug/L	1.0	0.19	1		02/28/11 15:43	10061-02-6	
Diisopropyl ether	<0.76	ug/L	1.0	0.76	1		02/28/11 15:43	108-20-3	
Ethylbenzene	<0.54	ug/L	1.0	0.54	1		02/28/11 15:43	100-41-4	
Hexachloro-1,3-butadiene	<0.67	ug/L	5.0	0.67	1		02/28/11 15:43	87-68-3	
Isopropylbenzene (Cumene)	<0.59	ug/L	1.0	0.59	1		02/28/11 15:43	98-82-8	
p-Isopropyltoluene	<0.67	ug/L	1.0	0.67	1		02/28/11 15:43	99-87-6	
Methylene Chloride	0.50J	ug/L	1.0	0.43	1		02/28/11 15:43	75-09-2	Z3
Methyl-tert-butyl ether	<0.61	ug/L	1.0	0.61	1		02/28/11 15:43	1634-04-4	
Naphthalene	<0.89	ug/L	5.0	0.89	1		02/28/11 15:43	91-20-3	
n-Propylbenzene	<0.81	ug/L	1.0	0.81	1		02/28/11 15:43	103-65-1	
Styrene	<0.86	ug/L	1.0	0.86	1		02/28/11 15:43	100-42-5	
1,1,1,2-Tetrachloroethane	<0.92	ug/L	1.0	0.92	1		02/28/11 15:43	630-20-6	
1,1,2,2-Tetrachloroethane	<0.20	ug/L	1.0	0.20	1		02/28/11 15:43	79-34-5	
Tetrachloroethene	11.8	ug/L	1.0	0.45	1		02/28/11 15:43	127-18-4	
Toluene	<0.67	ug/L	1.0	0.67	1		02/28/11 15:43	108-88-3	
1,2,3-Trichlorobenzene	<0.74	ug/L	1.0	0.74	1		02/28/11 15:43	87-61-6	
1,2,4-Trichlorobenzene	<0.97	ug/L	1.0	0.97	1		02/28/11 15:43	120-82-1	
1,1,1-Trichloroethane	<0.90	ug/L	1.0	0.90	1		02/28/11 15:43	71-55-6	
1,1,2-Trichloroethane	<0.42	ug/L	1.0	0.42	1		02/28/11 15:43	79-00-5	
Trichloroethene	<0.48	ug/L	1.0	0.48	1		02/28/11 15:43	79-01-6	
Trichlorofluoromethane	<0.79	ug/L	1.0	0.79	1		02/28/11 15:43	75-69-4	
1,2,3-Trichloropropane	<0.99	ug/L	1.0	0.99	1		02/28/11 15:43	96-18-4	
1,2,4-Trimethylbenzene	<0.97	ug/L	1.0	0.97	1		02/28/11 15:43	95-63-6	
1,3,5-Trimethylbenzene	<0.83	ug/L	1.0	0.83	1		02/28/11 15:43	108-67-8	
Vinyl chloride	<0.18	ug/L	1.0	0.18	1		02/28/11 15:43	75-01-4	L3
m&p-Xylene	<1.8	ug/L	2.0	1.8	1		02/28/11 15:43	179601-23-1	
o-Xylene	<0.83	ug/L	1.0	0.83	1		02/28/11 15:43	95-47-6	
4-Bromofluorobenzene (S)	96 %		69-130		1		02/28/11 15:43	460-00-4	
Dibromofluoromethane (S)	103 %		70-134		1		02/28/11 15:43	1868-53-7	
Toluene-d8 (S)	86 %		70-130		1		02/28/11 15:43	2037-26-5	

ANALYTICAL RESULTS

Project: 38077004 GUNDERSON CLEANERS
Pace Project No.: 4042843

Sample: BD-1 Lab ID: 4042843009 Collected: 02/22/11 00:00 Received: 02/25/11 10:00 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV		Analytical Method: EPA 8260							
Benzene	<0.41	ug/L	1.0	0.41	1		02/28/11 16:05	71-43-2	
Bromobenzene	<0.82	ug/L	1.0	0.82	1		02/28/11 16:05	108-86-1	
Bromochloromethane	<0.97	ug/L	1.0	0.97	1		02/28/11 16:05	74-97-5	
Bromodichloromethane	<0.56	ug/L	1.0	0.56	1		02/28/11 16:05	75-27-4	
Bromoform	<0.94	ug/L	1.0	0.94	1		02/28/11 16:05	75-25-2	
Bromomethane	<0.91	ug/L	1.0	0.91	1		02/28/11 16:05	74-83-9	
n-Butylbenzene	<0.93	ug/L	1.0	0.93	1		02/28/11 16:05	104-51-8	
sec-Butylbenzene	<0.89	ug/L	5.0	0.89	1		02/28/11 16:05	135-98-8	
tert-Butylbenzene	<0.97	ug/L	1.0	0.97	1		02/28/11 16:05	98-06-6	
Carbon tetrachloride	<0.49	ug/L	1.0	0.49	1		02/28/11 16:05	56-23-5	
Chlorobenzene	<0.41	ug/L	1.0	0.41	1		02/28/11 16:05	108-90-7	
Chloroethane	<0.97	ug/L	1.0	0.97	1		02/28/11 16:05	75-00-3	
Chloroform	<1.3	ug/L	5.0	1.3	1		02/28/11 16:05	67-66-3	
Chloromethane	0.99J	ug/L	1.0	0.24	1		02/28/11 16:05	74-87-3	
2-Chlorotoluene	<0.85	ug/L	1.0	0.85	1		02/28/11 16:05	95-49-8	
4-Chlorotoluene	<0.74	ug/L	1.0	0.74	1		02/28/11 16:05	106-43-4	
1,2-Dibromo-3-chloropropane	<1.7	ug/L	5.0	1.7	1		02/28/11 16:05	96-12-8	
Dibromochloromethane	<0.81	ug/L	1.0	0.81	1		02/28/11 16:05	124-48-1	
1,2-Dibromoethane (EDB)	<0.56	ug/L	1.0	0.56	1		02/28/11 16:05	106-93-4	
Dibromomethane	<0.60	ug/L	1.0	0.60	1		02/28/11 16:05	74-95-3	
1,2-Dichlorobenzene	<0.83	ug/L	1.0	0.83	1		02/28/11 16:05	95-50-1	
1,3-Dichlorobenzene	<0.87	ug/L	1.0	0.87	1		02/28/11 16:05	541-73-1	
1,4-Dichlorobenzene	<0.95	ug/L	1.0	0.95	1		02/28/11 16:05	106-46-7	
Dichlorodifluoromethane	<0.99	ug/L	1.0	0.99	1		02/28/11 16:05	75-71-8	
1,1-Dichloroethane	<0.75	ug/L	1.0	0.75	1		02/28/11 16:05	75-34-3	
1,2-Dichloroethane	<0.36	ug/L	1.0	0.36	1		02/28/11 16:05	107-06-2	
1,1-Dichloroethene	<0.57	ug/L	1.0	0.57	1		02/28/11 16:05	75-35-4	
cis-1,2-Dichloroethene	191	ug/L	1.0	0.83	1		02/28/11 16:05	156-59-2	
trans-1,2-Dichloroethene	3.5	ug/L	1.0	0.89	1		02/28/11 16:05	156-60-5	
1,2-Dichloropropane	<0.49	ug/L	1.0	0.49	1		02/28/11 16:05	78-87-5	
1,3-Dichloropropane	<0.61	ug/L	1.0	0.61	1		02/28/11 16:05	142-28-9	
2,2-Dichloropropane	<0.62	ug/L	1.0	0.62	1		02/28/11 16:05	594-20-7	
1,1-Dichloropropene	<0.75	ug/L	1.0	0.75	1		02/28/11 16:05	563-58-6	
cis-1,3-Dichloropropene	<0.20	ug/L	1.0	0.20	1		02/28/11 16:05	10061-01-5	
trans-1,3-Dichloropropene	<0.19	ug/L	1.0	0.19	1		02/28/11 16:05	10061-02-6	
Diisopropyl ether	<0.76	ug/L	1.0	0.76	1		02/28/11 16:05	108-20-3	
Ethylbenzene	<0.54	ug/L	1.0	0.54	1		02/28/11 16:05	100-41-4	
Hexachloro-1,3-butadiene	<0.67	ug/L	5.0	0.67	1		02/28/11 16:05	87-68-3	
Isopropylbenzene (Cumene)	<0.59	ug/L	1.0	0.59	1		02/28/11 16:05	98-82-8	
p-Isopropyltoluene	<0.67	ug/L	1.0	0.67	1		02/28/11 16:05	99-87-6	
Methylene Chloride	<0.43	ug/L	1.0	0.43	1		02/28/11 16:05	75-09-2	
Methyl-tert-butyl ether	<0.61	ug/L	1.0	0.61	1		02/28/11 16:05	1634-04-4	
Naphthalene	<0.89	ug/L	5.0	0.89	1		02/28/11 16:05	91-20-3	
n-Propylbenzene	<0.81	ug/L	1.0	0.81	1		02/28/11 16:05	103-65-1	
Styrene	<0.86	ug/L	1.0	0.86	1		02/28/11 16:05	100-42-5	
1,1,1,2-Tetrachloroethane	<0.92	ug/L	1.0	0.92	1		02/28/11 16:05	630-20-6	

Date: 03/02/2011 10:27 AM

REPORT OF LABORATORY ANALYSIS

Page 18 of 25

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..



ANALYTICAL RESULTS

Project: 38077004 GUNDERSON CLEANERS
Pace Project No.: 4042843

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
Sample: BD-1		Lab ID: 4042843009		Collected: 02/22/11 00:00		Received: 02/25/11 10:00		Matrix: Water	
Analytical Method: EPA 8260									
1,1,2,2-Tetrachloroethane	<0.20	ug/L	1.0	0.20	1		02/28/11 16:05	79-34-5	
Tetrachloroethene	16.3	ug/L	1.0	0.45	1		02/28/11 16:05	127-18-4	
Toluene	<0.67	ug/L	1.0	0.67	1		02/28/11 16:05	108-88-3	
1,2,3-Trichlorobenzene	<0.74	ug/L	1.0	0.74	1		02/28/11 16:05	87-61-6	
1,2,4-Trichlorobenzene	<0.97	ug/L	1.0	0.97	1		02/28/11 16:05	120-82-1	
1,1,1-Trichloroethane	1.6	ug/L	1.0	0.90	1		02/28/11 16:05	71-55-6	
1,1,2-Trichloroethane	<0.42	ug/L	1.0	0.42	1		02/28/11 16:05	79-00-5	
Trichloroethene	3.1	ug/L	1.0	0.48	1		02/28/11 16:05	79-01-6	
Trichlorofluoromethane	<0.79	ug/L	1.0	0.79	1		02/28/11 16:05	75-69-4	
1,2,3-Trichloropropane	<0.99	ug/L	1.0	0.99	1		02/28/11 16:05	96-18-4	
1,2,4-Trimethylbenzene	<0.97	ug/L	1.0	0.97	1		02/28/11 16:05	95-63-6	
1,3,5-Trimethylbenzene	<0.83	ug/L	1.0	0.83	1		02/28/11 16:05	108-67-8	
Vinyl chloride	<0.18	ug/L	1.0	0.18	1		02/28/11 16:05	75-01-4	L3
m&p-Xylene	<1.8	ug/L	2.0	1.8	1		02/28/11 16:05	179601-23-1	
o-Xylene	<0.83	ug/L	1.0	0.83	1		02/28/11 16:05	95-47-6	
4-Bromofluorobenzene (S)	95 %		69-130		1		02/28/11 16:05	460-00-4	
Dibromofluoromethane (S)	94 %		70-134		1		02/28/11 16:05	1868-53-7	
Toluene-d8 (S)	84 %		70-130		1		02/28/11 16:05	2037-26-5	

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
Sample: TRIP BLANK		Lab ID: 4042843010		Collected: 02/22/11 00:00		Received: 02/25/11 10:00		Matrix: Water	
Analytical Method: EPA 8260									
Benzene	<0.41	ug/L	1.0	0.41	1		02/28/11 11:33	71-43-2	
Bromobenzene	<0.82	ug/L	1.0	0.82	1		02/28/11 11:33	108-86-1	
Bromochloromethane	<0.97	ug/L	1.0	0.97	1		02/28/11 11:33	74-97-5	
Bromodichloromethane	<0.56	ug/L	1.0	0.56	1		02/28/11 11:33	75-27-4	
Bromoform	<0.94	ug/L	1.0	0.94	1		02/28/11 11:33	75-25-2	
Bromomethane	<0.91	ug/L	1.0	0.91	1		02/28/11 11:33	74-83-9	
n-Butylbenzene	<0.93	ug/L	1.0	0.93	1		02/28/11 11:33	104-51-8	
sec-Butylbenzene	<0.89	ug/L	5.0	0.89	1		02/28/11 11:33	135-98-8	
tert-Butylbenzene	<0.97	ug/L	1.0	0.97	1		02/28/11 11:33	98-06-6	
Carbon tetrachloride	<0.49	ug/L	1.0	0.49	1		02/28/11 11:33	56-23-5	
Chlorobenzene	<0.41	ug/L	1.0	0.41	1		02/28/11 11:33	108-90-7	
Chloroethane	<0.97	ug/L	1.0	0.97	1		02/28/11 11:33	75-00-3	
Chloroform	<1.3	ug/L	5.0	1.3	1		02/28/11 11:33	67-66-3	
Chloromethane	<0.24	ug/L	1.0	0.24	1		02/28/11 11:33	74-87-3	
2-Chlorotoluene	<0.85	ug/L	1.0	0.85	1		02/28/11 11:33	95-49-8	
4-Chlorotoluene	<0.74	ug/L	1.0	0.74	1		02/28/11 11:33	106-43-4	
1,2-Dibromo-3-chloropropane	<1.7	ug/L	5.0	1.7	1		02/28/11 11:33	96-12-8	
Dibromochloromethane	<0.81	ug/L	1.0	0.81	1		02/28/11 11:33	124-48-1	
1,2-Dibromoethane (EDB)	<0.56	ug/L	1.0	0.56	1		02/28/11 11:33	106-93-4	
Dibromomethane	<0.60	ug/L	1.0	0.60	1		02/28/11 11:33	74-95-3	

ANALYTICAL RESULTS

Project: 38077004 GUNDERSON CLEANERS
Pace Project No.: 4042843

Sample: TRIP BLANK Lab ID: 4042843010 Collected: 02/22/11 00:00 Received: 02/25/11 10:00 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV		Analytical Method: EPA 8260							
1,2-Dichlorobenzene	<0.83	ug/L	1.0	0.83	1		02/28/11 11:33	95-50-1	
1,3-Dichlorobenzene	<0.87	ug/L	1.0	0.87	1		02/28/11 11:33	541-73-1	
1,4-Dichlorobenzene	<0.95	ug/L	1.0	0.95	1		02/28/11 11:33	106-46-7	
Dichlorodifluoromethane	<0.99	ug/L	1.0	0.99	1		02/28/11 11:33	75-71-8	
1,1-Dichloroethane	<0.75	ug/L	1.0	0.75	1		02/28/11 11:33	75-34-3	
1,2-Dichloroethane	<0.36	ug/L	1.0	0.36	1		02/28/11 11:33	107-06-2	
1,1-Dichloroethene	<0.57	ug/L	1.0	0.57	1		02/28/11 11:33	75-35-4	
cis-1,2-Dichloroethene	<0.83	ug/L	1.0	0.83	1		02/28/11 11:33	156-59-2	
trans-1,2-Dichloroethene	<0.89	ug/L	1.0	0.89	1		02/28/11 11:33	156-60-5	
1,2-Dichloropropane	<0.49	ug/L	1.0	0.49	1		02/28/11 11:33	78-87-5	
1,3-Dichloropropane	<0.61	ug/L	1.0	0.61	1		02/28/11 11:33	142-28-9	
2,2-Dichloropropane	<0.62	ug/L	1.0	0.62	1		02/28/11 11:33	594-20-7	
1,1-Dichloropropene	<0.75	ug/L	1.0	0.75	1		02/28/11 11:33	563-58-6	
cis-1,3-Dichloropropene	<0.20	ug/L	1.0	0.20	1		02/28/11 11:33	10061-01-5	
trans-1,3-Dichloropropene	<0.19	ug/L	1.0	0.19	1		02/28/11 11:33	10061-02-6	
Diisopropyl ether	<0.76	ug/L	1.0	0.76	1		02/28/11 11:33	108-20-3	
Ethylbenzene	<0.54	ug/L	1.0	0.54	1		02/28/11 11:33	100-41-4	
Hexachloro-1,3-butadiene	<0.67	ug/L	5.0	0.67	1		02/28/11 11:33	87-68-3	
Isopropylbenzene (Cumene)	<0.59	ug/L	1.0	0.59	1		02/28/11 11:33	98-82-8	
p-Isopropyltoluene	<0.67	ug/L	1.0	0.67	1		02/28/11 11:33	99-87-6	
Methylene Chloride	<0.43	ug/L	1.0	0.43	1		02/28/11 11:33	75-09-2	
Methyl-tert-butyl ether	<0.61	ug/L	1.0	0.61	1		02/28/11 11:33	1634-04-4	
Naphthalene	<0.89	ug/L	5.0	0.89	1		02/28/11 11:33	91-20-3	
n-Propylbenzene	<0.81	ug/L	1.0	0.81	1		02/28/11 11:33	103-65-1	
Styrene	<0.86	ug/L	1.0	0.86	1		02/28/11 11:33	100-42-5	
1,1,1,2-Tetrachloroethane	<0.92	ug/L	1.0	0.92	1		02/28/11 11:33	630-20-6	
1,1,2,2-Tetrachloroethane	<0.20	ug/L	1.0	0.20	1		02/28/11 11:33	79-34-5	
Tetrachloroethene	<0.45	ug/L	1.0	0.45	1		02/28/11 11:33	127-18-4	
Toluene	<0.67	ug/L	1.0	0.67	1		02/28/11 11:33	108-88-3	
1,2,3-Trichlorobenzene	<0.74	ug/L	1.0	0.74	1		02/28/11 11:33	87-61-6	
1,2,4-Trichlorobenzene	<0.97	ug/L	1.0	0.97	1		02/28/11 11:33	120-82-1	
1,1,1-Trichloroethane	<0.90	ug/L	1.0	0.90	1		02/28/11 11:33	71-55-6	
1,1,2-Trichloroethane	<0.42	ug/L	1.0	0.42	1		02/28/11 11:33	79-00-5	
Trichloroethene	<0.48	ug/L	1.0	0.48	1		02/28/11 11:33	79-01-6	
Trichlorofluoromethane	<0.79	ug/L	1.0	0.79	1		02/28/11 11:33	75-69-4	
1,2,3-Trichloropropane	<0.99	ug/L	1.0	0.99	1		02/28/11 11:33	96-18-4	
1,2,4-Trimethylbenzene	<0.97	ug/L	1.0	0.97	1		02/28/11 11:33	95-63-6	
1,3,5-Trimethylbenzene	<0.83	ug/L	1.0	0.83	1		02/28/11 11:33	108-67-8	
Vinyl chloride	<0.18	ug/L	1.0	0.18	1		02/28/11 11:33	75-01-4	L3
m&p-Xylene	<1.8	ug/L	2.0	1.8	1		02/28/11 11:33	179601-23-1	
o-Xylene	<0.83	ug/L	1.0	0.83	1		02/28/11 11:33	95-47-6	
4-Bromofluorobenzene (S)	97 %		69-130		1		02/28/11 11:33	460-00-4	
Dibromofluoromethane (S)	101 %		70-134		1		02/28/11 11:33	1868-53-7	
Toluene-d8 (S)	86 %		70-130		1		02/28/11 11:33	2037-26-5	

QUALITY CONTROL DATA

Project: 38077004 GUNDERSON CLEANERS
Pace Project No.: 4042843

QC Batch: MSV/10522 Analysis Method: EPA 8260
QC Batch Method: EPA 8260 Analysis Description: 8260 MSV
Associated Lab Samples: 4042843001, 4042843002, 4042843003, 4042843004, 4042843005, 4042843006, 4042843007, 4042843008, 4042843009, 4042843010

METHOD BLANK: 418598 Matrix: Water
Associated Lab Samples: 4042843001, 4042843002, 4042843003, 4042843004, 4042843005, 4042843006, 4042843007, 4042843008, 4042843009, 4042843010

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
1,1,1,2-Tetrachloroethane	ug/L	<0.92	1.0	02/28/11 08:09	
1,1,1-Trichloroethane	ug/L	<0.90	1.0	02/28/11 08:09	
1,1,2,2-Tetrachloroethane	ug/L	<0.20	1.0	02/28/11 08:09	
1,1,2-Trichloroethane	ug/L	<0.42	1.0	02/28/11 08:09	
1,1-Dichloroethane	ug/L	<0.75	1.0	02/28/11 08:09	
1,1-Dichloroethene	ug/L	<0.57	1.0	02/28/11 08:09	
1,1-Dichloropropene	ug/L	<0.75	1.0	02/28/11 08:09	
1,2,3-Trichlorobenzene	ug/L	<0.74	1.0	02/28/11 08:09	
1,2,3-Trichloropropane	ug/L	<0.99	1.0	02/28/11 08:09	
1,2,4-Trichlorobenzene	ug/L	<0.97	1.0	02/28/11 08:09	
1,2,4-Trimethylbenzene	ug/L	<0.97	1.0	02/28/11 08:09	
1,2-Dibromo-3-chloropropane	ug/L	<1.7	5.0	02/28/11 08:09	
1,2-Dibromoethane (EDB)	ug/L	<0.56	1.0	02/28/11 08:09	
1,2-Dichlorobenzene	ug/L	<0.83	1.0	02/28/11 08:09	
1,2-Dichloroethane	ug/L	<0.36	1.0	02/28/11 08:09	
1,2-Dichloropropane	ug/L	<0.49	1.0	02/28/11 08:09	
1,3,5-Trimethylbenzene	ug/L	<0.83	1.0	02/28/11 08:09	
1,3-Dichlorobenzene	ug/L	<0.87	1.0	02/28/11 08:09	
1,3-Dichloropropane	ug/L	<0.61	1.0	02/28/11 08:09	
1,4-Dichlorobenzene	ug/L	<0.95	1.0	02/28/11 08:09	
2,2-Dichloropropane	ug/L	<0.62	1.0	02/28/11 08:09	
2-Chlorotoluene	ug/L	<0.85	1.0	02/28/11 08:09	
4-Chlorotoluene	ug/L	<0.74	1.0	02/28/11 08:09	
Benzene	ug/L	<0.41	1.0	02/28/11 08:09	
Bromobenzene	ug/L	<0.82	1.0	02/28/11 08:09	
Bromochloromethane	ug/L	<0.97	1.0	02/28/11 08:09	
Bromodichloromethane	ug/L	<0.56	1.0	02/28/11 08:09	
Bromoform	ug/L	<0.94	1.0	02/28/11 08:09	
Bromomethane	ug/L	<0.91	1.0	02/28/11 08:09	
Carbon tetrachloride	ug/L	<0.49	1.0	02/28/11 08:09	
Chlorobenzene	ug/L	<0.41	1.0	02/28/11 08:09	
Chloroethane	ug/L	<0.97	1.0	02/28/11 08:09	
Chloroform	ug/L	<1.3	5.0	02/28/11 08:09	
Chloromethane	ug/L	<0.24	1.0	02/28/11 08:09	
cis-1,2-Dichloroethene	ug/L	<0.83	1.0	02/28/11 08:09	
cis-1,3-Dichloropropene	ug/L	<0.20	1.0	02/28/11 08:09	
Dibromochloromethane	ug/L	<0.81	1.0	02/28/11 08:09	
Dibromomethane	ug/L	<0.60	1.0	02/28/11 08:09	
Dichlorodifluoromethane	ug/L	<0.99	1.0	02/28/11 08:09	
Diisopropyl ether	ug/L	<0.76	1.0	02/28/11 08:09	
Ethylbenzene	ug/L	<0.54	1.0	02/28/11 08:09	

QUALITY CONTROL DATA

Project: 38077004 GUNDERSON CLEANERS
Pace Project No.: 4042843

METHOD BLANK: 418598 Matrix: Water
Associated Lab Samples: 4042843001, 4042843002, 4042843003, 4042843004, 4042843005, 4042843006, 4042843007, 4042843008, 4042843009, 4042843010

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
Hexachloro-1,3-butadiene	ug/L	<0.67	5.0	02/28/11 08:09	
Isopropylbenzene (Cumene)	ug/L	<0.59	1.0	02/28/11 08:09	
m&p-Xylene	ug/L	<1.8	2.0	02/28/11 08:09	
Methyl-tert-butyl ether	ug/L	<0.61	1.0	02/28/11 08:09	
Methylene Chloride	ug/L	<0.43	1.0	02/28/11 08:09	
n-Butylbenzene	ug/L	<0.93	1.0	02/28/11 08:09	
n-Propylbenzene	ug/L	<0.81	1.0	02/28/11 08:09	
Naphthalene	ug/L	<0.89	5.0	02/28/11 08:09	
o-Xylene	ug/L	<0.83	1.0	02/28/11 08:09	
p-Isopropyltoluene	ug/L	<0.67	1.0	02/28/11 08:09	
sec-Butylbenzene	ug/L	<0.89	5.0	02/28/11 08:09	
Styrene	ug/L	<0.86	1.0	02/28/11 08:09	
tert-Butylbenzene	ug/L	<0.97	1.0	02/28/11 08:09	
Tetrachloroethene	ug/L	<0.45	1.0	02/28/11 08:09	
Toluene	ug/L	<0.67	1.0	02/28/11 08:09	
trans-1,2-Dichloroethene	ug/L	<0.89	1.0	02/28/11 08:09	
trans-1,3-Dichloropropene	ug/L	<0.19	1.0	02/28/11 08:09	
Trichloroethene	ug/L	<0.48	1.0	02/28/11 08:09	
Trichlorofluoromethane	ug/L	<0.79	1.0	02/28/11 08:09	
Vinyl chloride	ug/L	<0.18	1.0	02/28/11 08:09	
4-Bromofluorobenzene (S)	%	98	69-130	02/28/11 08:09	
Dibromofluoromethane (S)	%	100	70-134	02/28/11 08:09	
Toluene-d8 (S)	%	87	70-130	02/28/11 08:09	

LABORATORY CONTROL SAMPLE & LCSD: 418599 418600

Parameter	Units	Spike Conc.	LCS Result	LCSD Result	LCS % Rec	LCSD % Rec	% Rec Limits	RPD	Max RPD	Qualifiers
1,1,1-Trichloroethane	ug/L	50	60.5	60.1	121	120	70-132	.6	20	
1,1,2,2-Tetrachloroethane	ug/L	50	48.5	49.7	97	99	63-130	3	20	
1,1,2-Trichloroethane	ug/L	50	52.6	52.2	105	104	70-130	.8	20	
1,1-Dichloroethane	ug/L	50	65.2	65.2	130	130	70-132	.09	20	
1,1-Dichloroethene	ug/L	50	63.8	65.4	128	131	70-137	2	20	
1,2-Dichloroethane	ug/L	50	63.5	64.7	127	129	70-130	2	20	
1,2-Dichloropropane	ug/L	50	53.2	54.0	106	108	70-130	1	20	
Benzene	ug/L	50	57.8	57.8	116	116	70-130	.04	20	
Bromodichloromethane	ug/L	50	55.6	56.5	111	113	70-131	2	20	
Bromoform	ug/L	50	46.9	48.7	94	97	70-130	4	20	
Bromomethane	ug/L	50	45.4	56.5	91	113	53-160	22	20	D6
Carbon tetrachloride	ug/L	50	60.6	60.8	121	122	70-130	.3	20	
Chlorobenzene	ug/L	50	52.1	52.8	104	106	70-130	1	20	
Chloroethane	ug/L	50	72.1	70.7	144	141	70-147	2	20	
Chloroform	ug/L	50	61.3	60.6	123	121	70-130	1	20	
Chloromethane	ug/L	50	58.9	61.1	118	122	41-137	4	20	
cis-1,2-Dichloroethene	ug/L	50	55.8	56.2	112	112	70-130	.8	20	

QUALITY CONTROL DATA

Project: 38077004 GUNDERSON CLEANERS
Pace Project No.: 4042843

LABORATORY CONTROL SAMPLE & LCSD:		418599	418600							
Parameter	Units	Spike Conc.	LCS Result	LCSD Result	LCS % Rec	LCSD % Rec	% Rec Limits	RPD	Max RPD	Qualifiers
cis-1,3-Dichloropropene	ug/L	50	52.6	53.5	105	107	70-130	2	20	
Dibromochloromethane	ug/L	50	50.7	50.9	101	102	70-130	.4	20	
Ethylbenzene	ug/L	50	51.8	51.2	104	102	70-130	1	20	
m&p-Xylene	ug/L	100	103	104	103	104	70-130	.6	20	
Methylene Chloride	ug/L	50	61.6	62.5	123	125	70-130	1	20	
o-Xylene	ug/L	50	50.4	50.9	101	102	70-130	1	20	
Styrene	ug/L	50	49.0	49.5	98	99	70-130	1	20	
Tetrachloroethene	ug/L	50	50.9	51.3	102	103	70-130	.8	20	
Toluene	ug/L	50	51.1	51.4	102	103	70-130	.6	20	
trans-1,2-Dichloroethene	ug/L	50	60.6	61.7	121	123	70-130	2	20	
trans-1,3-Dichloropropene	ug/L	50	49.7	49.3	99	99	70-130	.9	20	
Trichloroethene	ug/L	50	55.7	56.3	111	113	70-130	1	20	
Vinyl chloride	ug/L	50	64.6	66.0	129	132	47-131	2	20	L0
4-Bromofluorobenzene (S)	%				102	99	69-130			
Dibromofluoromethane (S)	%				98	100	70-134			
Toluene-d8 (S)	%				87	88	70-130			

MATRIX SPIKE & MATRIX SPIKE DUPLICATE:		418653	418654									
Parameter	Units	4042813006	MS Spike Conc.	MSD Spike Conc.	MS Result	MSD Result	MS % Rec	MSD % Rec	% Rec Limits	RPD	Max RPD	Qual
		Result	Conc.	Conc.	Result	Result	% Rec	% Rec				
1,1,1-Trichloroethane	ug/L	<0.90	50	50	60.6	60.6	121	121	70-132	.03	20	
1,1,2,2-Tetrachloroethane	ug/L	<0.20	50	50	48.9	47.8	98	96	61-130	2	20	
1,1,2-Trichloroethane	ug/L	<0.42	50	50	51.2	51.4	102	103	70-130	.4	20	
1,1-Dichloroethane	ug/L	<0.75	50	50	64.9	67.3	130	135	70-132	4	20	M1
1,1-Dichloroethene	ug/L	<0.57	50	50	65.1	65.8	130	132	70-137	1	20	
1,2-Dichloroethane	ug/L	<0.36	50	50	64.0	63.4	128	127	70-133	.9	20	
1,2-Dichloropropane	ug/L	<0.49	50	50	53.4	53.4	107	107	70-130	.02	20	
Benzene	ug/L	<0.41	50	50	57.5	57.4	115	115	70-130	.2	20	
Bromodichloromethane	ug/L	<0.56	50	50	56.1	55.7	112	111	70-131	.8	20	
Bromoform	ug/L	<0.94	50	50	47.6	46.3	95	93	68-130	3	20	
Bromomethane	ug/L	<0.91	50	50	58.6	59.2	117	118	47-177	1	20	
Carbon tetrachloride	ug/L	<0.49	50	50	60.1	60.3	120	121	70-149	.2	20	
Chlorobenzene	ug/L	<0.41	50	50	50.7	50.9	101	102	70-130	.4	20	
Chloroethane	ug/L	<0.97	50	50	70.9	71.7	142	143	66-147	1	20	
Chloroform	ug/L	<1.3	50	50	61.2	61.7	122	123	70-130	.8	20	
Chloromethane	ug/L	<0.24	50	50	57.7	59.6	115	119	41-137	3	20	
cis-1,2-Dichloroethene	ug/L	<0.83	50	50	56.0	56.1	112	112	70-130	.2	20	
cis-1,3-Dichloropropene	ug/L	<0.20	50	50	52.6	52.3	105	105	70-130	.4	20	
Dibromochloromethane	ug/L	<0.81	50	50	49.8	49.9	100	100	70-130	.2	20	
Ethylbenzene	ug/L	<0.54	50	50	50.8	49.8	102	100	70-130	2	20	
m&p-Xylene	ug/L	<1.8	100	100	101	100	101	100	70-130	1	20	
Methylene Chloride	ug/L	<0.43	50	50	62.7	64.0	125	128	70-130	2	20	
o-Xylene	ug/L	<0.83	50	50	49.5	49.3	99	99	70-130	.4	20	
Styrene	ug/L	<0.86	50	50	48.0	47.7	96	95	13-149	.5	20	
Tetrachloroethene	ug/L	5.7	50	50	56.5	54.5	102	97	70-130	4	20	
Toluene	ug/L	<0.67	50	50	50.4	49.7	101	99	70-130	1	20	

Date: 03/02/2011 10:27 AM

REPORT OF LABORATORY ANALYSIS

Page 23 of 25

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..



QUALITY CONTROL DATA

Project: 38077004 GUNDERSON CLEANERS
Pace Project No.: 4042843

Parameter	Units	418653		418654		MS Result	MSD Result	MS % Rec	MSD % Rec	% Rec Limits	Max RPD	Qual
		4042813006 Result	MS Spike Conc.	MSD Spike Conc.								
trans-1,2-Dichloroethene	ug/L	<0.89	50	50	61.5	61.6	123	123	70-130	.1	20	
trans-1,3-Dichloropropene	ug/L	<0.19	50	50	48.8	47.9	98	96	70-130	2	20	
Trichloroethene	ug/L	<0.48	50	50	55.0	55.9	110	112	70-130	2	20	
Vinyl chloride	ug/L	<0.18	50	50	64.1	65.3	128	131	46-131	2	20	
4-Bromofluorobenzene (S)	%						97	98	69-130			
Dibromofluoromethane (S)	%						98	97	70-134			
Toluene-d8 (S)	%						87	85	70-130			

QUALIFIERS

Project: 38077004 GUNDERSON CLEANERS
Pace Project No.: 4042843

DEFINITIONS

DF - Dilution Factor, if reported, represents the factor applied to the reported data due to changes in sample preparation, dilution of the sample aliquot, or moisture content.

ND - Not Detected at or above adjusted reporting limit.

J - Estimated concentration above the adjusted method detection limit and below the adjusted reporting limit.

MDL - Adjusted Method Detection Limit.

S - Surrogate

1,2-Diphenylhydrazine (8270 listed analyte) decomposes to Azobenzene.

Consistent with EPA guidelines, unrounded data are displayed and have been used to calculate % recovery and RPD values.

LCS(D) - Laboratory Control Sample (Duplicate)

MS(D) - Matrix Spike (Duplicate)

DUP - Sample Duplicate

RPD - Relative Percent Difference

NC - Not Calculable.

SG - Silica Gel - Clean-Up

U - Indicates the compound was analyzed for, but not detected.

N-Nitrosodiphenylamine decomposes and cannot be separated from Diphenylamine using Method 8270. The result reported for each analyte is a combined concentration.

Pace Analytical is NELAP accredited. Contact your Pace PM for the current list of accredited analytes.

LABORATORIES

PASI-G Pace Analytical Services - Green Bay

ANALYTE QUALIFIERS

- D6 The relative percent difference (RPD) between the sample and sample duplicate exceeded laboratory control limits.
- L0 Analyte recovery in the laboratory control sample (LCS) was outside QC limits.
- L3 Analyte recovery in the laboratory control sample (LCS) exceeded QC limits. Analyte presence below reporting limits in associated samples. Results unaffected by high bias.
- M1 Matrix spike recovery exceeded QC limits. Batch accepted based on laboratory control sample (LCS) recovery.
- Z3 Methylene chloride is a common laboratory contaminant. Results for this analyte should be considered estimated unless the amount found in the sample is 3 to 5 times higher than that found in the method blank.

Sample Condition Upon Receipt



Client Name: Jerridon Project # 40W2843

Courier: Fed Ex UPS USPS Client Commercial Pace Other _____

Tracking #: _____

Custody Seal on Cooler/Box Present: yes no Seals intact: yes no

Custody Seal on Samples Present: yes no Seals intact: yes no

Packing Material: Bubble Wrap Bubble Bags None Other _____

Thermometer Used N/A Type of Ice: Wet Blue Dry None Samples on ice, cooling process has begun

Cooler Temperature 201 Biological Tissue is Frozen: yes no

Temp Blank Present: yes no

Temp should be above freezing to 6°C for all sample except Biota.
 Biota Samples should be received ≤ 0°C.

Optional
 Proj. Due Date:
 Proj. Name:

Person examining contents:

Date: 2/25/11

Initials: AE

Comments:

Chain of Custody Present:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	1.
Chain of Custody Filled Out:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	2.
Chain of Custody Relinquished:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	3.
Sampler Name & Signature on COC:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	4.
Samples Arrived within Hold Time:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	5.
Short Hold Time Analysis (<72hr):	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A	6.
Rush Turn Around Time Requested:	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A	7.
Sufficient Volume:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	8.
Correct Containers Used:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	9.
-Pace Containers Used:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	
Containers Intact:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	10.
Filtered volume received for Dissolved tests	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A	11.
Sample Labels match COC:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	12.
-Includes date/time/ID/Analysis Matrix: <u>N</u>		
All containers needing preservation have been checked.	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	13.
All containers needing preservation are found to be in compliance with EPA recommendation.	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	
exceptions: VOA, coliform, TOC, O&G, WI-DRO (water)	<input type="checkbox"/> Yes <input type="checkbox"/> No	Initial when completed
		Lot # of added preservative
Samples checked for dechlorination:	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	14.
Headspace in VOA Vials (>6mm):	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A	15.
Trip Blank Present:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	16. Rec'd TB in cooler. Added to
Trip Blank Custody Seals Present	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	EOC by lab. AE 2/25/11
Pace Trip Blank Lot # (if purchased):		

Client Notification/ Resolution:

Field Data Required? Y / N

Person Contacted: _____ Date/Time: _____

Comments/ Resolution: _____

Project Manager Review: [Signature]

Date: 2/25/11

Note: Whenever there is a discrepancy affecting North Carolina compliance samples, a copy of this form will be sent to the North Carolina DEHNR Certification Office (i.e. out of hold, incorrect preservative, out of temp, incorrect containers)

TERRACON

GROUND WATER SAMPLING INFORMATION SHEET

PROJECT NAME: <u>Gundersen Cleaners</u>		PROJECT NO. <u>38077004</u>
PROJECT LOCATION: <u>Neenah, WI</u>		
SAMPLE POINT: <u>2"</u>	SAMPLE POINT DESCRIPTION: <u>N. of auto center ~12ft from center of bldg., S of MW-3, ~40ft SE of MW-4</u>	
CASING DIAMETER: <u>MW-8</u>		
WELL DEPTH: <u>12.76</u>		
DATE: <u>11/19/2010</u>	TIME: <u>907</u>	DEPTH TO GROUND WATER (FT): <u>10.49</u>
SAMPLING METHOD: <u>LOW FLOW</u>	FLOW RATE: <u>0.04 gal/min</u>	
SAMPLE TIME: <u>1215</u>	TOTAL PURGED: <u>~1.5 gal</u>	

TIME	WATER LEVEL	TEMP. (°C)	pH	COND. (S/m)	ORP (mV)	DO (mg/L)
1140	10.54	13.0	6.8	0.25	19	8.0
1150	10.54	13.4	6.7	0.25	37	10.0
1155	10.54	13.6	6.7	0.25	46	10.0
1200	10.54	13.6	6.7	0.25	54	10.0
1205	10.54	13.5	6.7	0.25	59	9.4
1210	10.54	13.6	6.7	0.25	63	9.3
1215	10.54	13.5	6.7	0.25	66	9.3

SAMPLE APPEARANCE: VERY TURBID <input type="checkbox"/> TURBID <input type="checkbox"/> SLIGHTLY TURBID <input type="checkbox"/> CLEAR <input checked="" type="checkbox"/>	ODOR: YES <input type="checkbox"/> NO <input checked="" type="checkbox"/> NOT NOTED <input type="checkbox"/>	ANALYSES: <u>VOCS</u>
--	--	-----------------------

CLEANING PERFORMED IN FIELD: Alconox and Distilled Water AND Disposable gloves *INITIAL TO VERIFY OR NOTE OTHER CLEANING METHOD PERFORMED

RNR

COMMENTS:

*BD-1 taken

SAMPLED BY: <u>Ken Nam</u>	DATE: <u>11/19/2010</u>
REVIEWED BY: <u>Scott A. Koderan</u>	DATE: <u>11/23/10</u>

TERRACON

GROUND WATER SAMPLING INFORMATION SHEET

PROJECT NAME: <u>Gundersen Cleaners</u>		PROJECT NO. <u>38077004</u>
PROJECT LOCATION: <u>Nacian, WI</u>		
SAMPLE POINT: <u>2"</u>	SAMPLE POINT DESCRIPTION: <u>E. of SE corner of auto facility; S of mw-15</u>	
CASING DIAMETER: <u>MW-9</u>		
WELL DEPTH: <u>14.40</u>		
DATE: <u>11/19/10</u>	TIME: <u>9:10</u>	DEPTH TO GROUND WATER (FT): <u>10.40</u>
SAMPLING METHOD: <u>LOW FLOW / dedicated tubing</u>		FLOW RATE: <u>0.05 gal/min</u>
SAMPLE TIME: <u>1255</u>		TOTAL PURGED: <u>~1.5 gal</u>

TIME	WATER LEVEL	TEMP. (°C)	pH	COND. (S/M)	ORP (mV)	DO (mg/L)
1225	10.53	13.9	7.0	0.20	59 59	10.2
1230	10.60	14.3	6.9	0.20	34	7.7
1233	10.63	15.2	6.6	0.20	24	4.0
1240	10.63	15.2	6.6	0.20	20	3.9
1245	10.63	15.3	6.6	0.20	17	3.9
1250	10.63	15.2	6.6	0.20	15	4.0
1255	10.63	15.2	6.6	0.20	13	4.0

SAMPLE APPEARANCE: VERY TURBID <input type="checkbox"/> TURBID <input type="checkbox"/> SLIGHTLY TURBID <input type="checkbox"/> CLEAR <input checked="" type="checkbox"/>	ODOR: YES <input type="checkbox"/> NO <input checked="" type="checkbox"/> NOT NOTED <input type="checkbox"/>	ANALYSES: <u>VOG</u>
--	--	----------------------

CLEANING PERFORMED IN FIELD: Alconox and Distilled Water AND Disposable gloves *INITIAL TO VERIFY OR NOTE OTHER CLEANING METHOD PERFORMED
ZNR

COMMENTS:

SAMPLED BY: <u>Kenn Roussem</u>	DATE: <u>11/19/10</u>
REVIEWED BY: <u>Scott A. Halpern</u>	DATE: <u>11/23/10</u>

TERRACON

GROUND WATER SAMPLING INFORMATION SHEET

PROJECT NAME: <u>Gunderson Cleaners</u>		PROJECT NO. <u>38077004</u>
PROJECT LOCATION: <u>Nceanah, WI</u>		
SAMPLE POINT: <u>2"</u>	SAMPLE POINT DESCRIPTION: <u>W. of PZ-3, l. of auto center, N6S ft from sidewalk</u>	
CASING DIAMETER: <u>MW-11</u>		
WELL DEPTH: <u>14.39</u>		
DATE: <u>11/19/10</u>	TIME: <u>9:13</u>	DEPTH TO GROUND WATER (FT): <u>10.09</u>
SAMPLING METHOD: <u>dedicated tubing</u>		FLOW RATE: <u>0.04 gal/min</u>
SAMPLE TIME: <u>2:25</u>		TOTAL PURGED: <u>~2 gal</u>

TIME	WATER LEVEL	TEMP. (°C)	pH	COND. (S/m)	ORP (mV)	DO (mg/L)
1:40	10.10	13.1	6.8	0.18	52	10.3
1:45	10.12	14.7	6.8	0.18	66	9.9
1:50	10.13	14.1	6.7	0.18	63	9.5
1:55	10.13	14.1	6.7	0.18	45	9.6
2:00	10.13	14.1	6.7	0.18	29	9.7
2:05	10.13	14.2	6.7	0.18	24	9.8
2:10	10.13	14.2	6.7	0.18	18	9.8
2:15	10.13	14.1	6.7	0.18	14	9.8
2:20	10.13	14.1	6.7	0.18	13	9.6
2:25	10.13	14.1	6.7	0.18	12	9.5

SAMPLE APPEARANCE: VERY TURBID <input type="checkbox"/> TURBID <input type="checkbox"/> SLIGHTLY TURBID <input type="checkbox"/> CLEAR <input checked="" type="checkbox"/>	ODOR: YES <input type="checkbox"/> NO <input checked="" type="checkbox"/> NOT NOTED <input type="checkbox"/>	ANALYSES: <u>VOCs</u>
--	--	-----------------------

CLEANING PERFORMED IN FIELD: Alconox and Distilled Water AND Disposable gloves *INITIAL TO VERIFY OR NOTE OTHER CLEANING METHOD PERFORMED JK

COMMENTS:

SAMPLED BY: <u>Scott A. Hodgeson</u>	DATE: <u>11/19/10</u>
REVIEWED BY: <u>Scott A. Hodgeson</u>	DATE: <u>11/23/10</u>

TERRACON

GROUND WATER SAMPLING INFORMATION SHEET

PROJECT NAME: <u>Grunderson Cleaners</u>		PROJECT NO. <u>38077004</u>
PROJECT LOCATION: <u>Neenah, WI</u>		
SAMPLE POINT: <u>2" MW-13</u>	SAMPLE POINT DESCRIPTION: <u>w. of auto facility, 15 ft from sidewalk</u>	
CASING DIAMETER: <u>2"</u>		
WELL DEPTH: <u>11.66</u>		
DATE: <u>11/19/10</u>	TIME: <u>9:05</u>	DEPTH TO GROUND WATER (FT): <u>9.65</u>
SAMPLING METHOD: <u>dedicated tubing</u>		FLOW RATE: <u>0.05 gal/min</u>
SAMPLE TIME: <u>3:00</u>		TOTAL PURGED: <u>~1.5 gal</u>

TIME	WATER LEVEL	TEMP. (°C)	pH	COND. (S/m)	ORP (mV)	DO (mg/L)
235	9.65	13.2	7.0	0.11	48	9.7
240	9.65	13.5	6.9	0.13	51	9.3
245	9.65	14.3	6.9	0.17	69	9.0
250	9.65	14.3	6.9	0.18	74	9.2
255	9.66	14.4	6.9	0.18	79	9.3
300	9.66	14.5	6.8	0.18	82	9.3
305	9.66	14.5	6.8	0.18	85	9.4
310	9.66	14.5	6.8	0.18	86	9.3

SAMPLE APPEARANCE: VERY TURBID <input type="checkbox"/> TURBID <input type="checkbox"/> SLIGHTLY TURBID <input checked="" type="checkbox"/> CLEAR <input type="checkbox"/>	ODOR: YES <input type="checkbox"/> NO <input checked="" type="checkbox"/> NOT NOTED <input type="checkbox"/>	ANALYSES: <u>VOCs</u>
--	--	-----------------------

CLEANING PERFORMED IN FIELD: Alconox and Distilled Water AND Disposable gloves INITIAL TO VERIFY OR NOTE OTHER CLEANING METHOD PERFORMED
PNP

COMMENTS:

SAMPLED BY: <u>John P. [Signature]</u>	DATE: <u>11/19/10</u>
REVIEWED BY: <u>Scott A. Hodson</u>	DATE: <u>11/23/10</u>

TERRACON

GROUND WATER SAMPLING INFORMATION SHEET

PROJECT NAME: <u>Grunderson Cleaners</u>		PROJECT NO. <u>38077-004</u>
PROJECT LOCATION: <u>Neenah, WI</u>		
SAMPLE POINT: <u>2ⁿ</u>	SAMPLE POINT DESCRIPTION: <u>E. of P 2-6, ~15 ft NE of NE corner of auto shop</u>	
CASING DIAMETER: <u>MW-15</u>		
WELL DEPTH: <u>13.15</u>		
DATE: <u>11/19/10</u>	TIME: <u>903</u>	DEPTH TO GROUND WATER (FT): <u>10.58</u>
SAMPLING METHOD: <u>low flow</u>		FLOW RATE: <u>0.06 gal/min</u>
SAMPLE TIME: <u>1020</u>		TOTAL PURGED: <u>~3 gal</u>

TIME	WATER LEVEL	TEMP. (°C)	pH	* COND. (mS/m)	ORP (mV)	DO (mg/L)
930	10.80	13.6	6.5	85	67	4.3
935	10.82	14.2	6.7	86	46	3.7
940	10.84	14.3	6.8	88	35	3.6
945	10.86	14.5	6.8	88	21	3.5
950	10.87	14.4	6.8	88	18	3.5
955	10.88	14.4	6.8	89	14	3.5
1000	10.88	14.4	6.8	89	12	3.5
1005	10.89	14.4	6.8	90	10	3.5
1010	10.89	14.4	6.8	91	9	3.6
1015	10.90	14.4	6.8	92	8	3.6
1020	10.90	14.4	6.8	93	7	3.5

SAMPLE APPEARANCE: VERY TURBID <input type="checkbox"/> TURBID <input type="checkbox"/> SLIGHTLY TURBID <input type="checkbox"/> CLEAR <input checked="" type="checkbox"/>	ODOR: YES <input type="checkbox"/> NO <input checked="" type="checkbox"/> NOT NOTED <input type="checkbox"/>	ANALYSES: <u>VOCS</u>
--	--	-----------------------

CLEANING PERFORMED IN FIELD: Alconox and Distilled Water AND Disposable gloves *INITIAL TO VERIFY OR NOTE OTHER CLEANING METHOD PERFORMED
RNZ

COMMENTS:

SAMPLED BY: <u>Jenn Barr</u>	DATE: <u>11/19/10</u>
REVIEWED BY: <u>Scott A. Hodgson</u>	DATE: <u>11/23/10</u>

TERRACON

GROUND WATER SAMPLING INFORMATION SHEET

PROJECT NAME: <u>Grunderson Cleaners</u>		PROJECT NO. <u>38077004</u>
PROJECT LOCATION: <u>Necah, WI</u>		
SAMPLE POINT: <u>P2-3</u>	SAMPLE POINT DESCRIPTION: <u>E. of MW-11, S of auto center, ~70ft from sidewalk, near tree closest to sidewalk</u>	
CASING DIAMETER: <u>2"</u>		
WELL DEPTH: <u>27.30</u>		
DATE: <u>11/19/10</u>	TIME: <u>9:15</u>	DEPTH TO GROUND WATER (FT): <u>10.20</u>
SAMPLING METHOD: <u>dedicated tubing</u>		FLOW RATE: <u>0.06 gal/min</u>
SAMPLE TIME: <u>1:35</u>		TOTAL PURGED: <u>~2 gal</u>

TIME	WATER LEVEL	TEMP. (°C)	pH	COND. (S/m)	ORP (mV)	DO (mg/L)
1:00	10.19	12.5	7.0	0.15	65	11.0
1:07	10.19	13.2	6.9	0.15	73	8.2
1:15	10.20	13.4	6.9	0.14	84	8.8
1:20	10.20	13.4	6.9	0.14	87	8.9
1:25	10.20	13.4	6.9	0.14	90	9.2
1:30	10.20	13.4	6.9	0.14	92	8.8
1:35	10.20	13.4	6.9	0.15	93	8.9

SAMPLE APPEARANCE: VERY TURBID <input type="checkbox"/> TURBID <input type="checkbox"/> SLIGHTLY TURBID <input type="checkbox"/> CLEAR <input checked="" type="checkbox"/>	ODOR: YES <input type="checkbox"/> NO <input checked="" type="checkbox"/> NOT NOTED <input type="checkbox"/>	ANALYSES: <u>VOCs</u>
--	--	-----------------------

CLEANING PERFORMED IN FIELD: Alconox and Distilled Water AND Disposable gloves INITIAL TO VERIFY OR NOTE OTHER CLEANING METHOD PERFORMED

ZMP

COMMENTS:

SAMPLED BY: <u>Jan Rau</u>	DATE: <u>11/19/10</u>
REVIEWED BY: <u>Scott N. Hodgson</u>	DATE: <u>11/23/10</u>

TERRACON

GROUND WATER SAMPLING INFORMATION SHEET

PROJECT NAME: <u>Grunderson Cleaners</u>		PROJECT NO. <u>38077004</u>
PROJECT LOCATION: <u>Neenah, WI</u>		
SAMPLE POINT: <u>P24</u>	SAMPLE POINT DESCRIPTION: <u>In facility parking lot S of auto center, S of MW-14 10ft.</u>	
CASING DIAMETER: <u>2"</u>		
WELL DEPTH: <u>39.60</u>		
DATE: <u>11/19/10</u>	TIME: <u>9:10</u>	DEPTH TO GROUND WATER (FT): <u>9.35</u>
SAMPLING METHOD: <u>dedicated tubing</u>		FLOW RATE: <u>0.05 gal/min</u>
SAMPLE TIME: <u>4:00</u>		TOTAL PURGED: <u>~2 gal</u>

TIME	WATER LEVEL	TEMP. (°C)	pH	COND. (S/M)	ORP (mV)	DO (mg/L)
320	9.45	12.7	7.1	0.14	109	11.0
325	9.45	13.0	6.3	0.14	104	7.8
330	9.50	13.3	6.8	0.14	98	6.9
335	9.50	13.4	6.8	0.14	94	6.6
340	9.50	13.4	6.8	0.14	90	6.3
345	9.50	13.4	6.8	0.14	88	6.7
350	9.50	13.4	6.7	0.14	86	6.4
355	9.50	13.4	6.7	0.14	85	6.2
400	9.50	13.4	6.7	0.14	85	6.2

SAMPLE APPEARANCE: VERY TURBID <input type="checkbox"/> TURBID <input type="checkbox"/> SLIGHTLY TURBID <input type="checkbox"/> CLEAR <input checked="" type="checkbox"/>	ODOR: YES <input type="checkbox"/> NO <input checked="" type="checkbox"/> NOT NOTED <input type="checkbox"/>	ANALYSES: <u>VOCs</u>
--	--	-----------------------

CLEANING PERFORMED IN FIELD: Aicontox and Distilled Water AND Disposable gloves *INITIAL TO VERIFY OR NOTE OTHER CLEANING METHOD PERFORMED
PNP

COMMENTS:

SAMPLED BY: <u>Jan N. Pan</u>	DATE: <u>11/19/10</u>
REVIEWED BY: <u>Scott A. Hodgeson</u>	DATE: <u>11/23/10</u>

TERRACON

GROUND WATER SAMPLING INFORMATION SHEET

PROJECT NAME: <u>Gunderson Cleaners</u>		PROJECT NO. <u>38077004</u>
PROJECT LOCATION: <u>Necrah, WI</u>		
SAMPLE POINT: <u>P26</u>	SAMPLE POINT DESCRIPTION: <u>W. of MW-15, 13 ft NE of the NE corner of the auto shop.</u>	
CASING DIAMETER: <u>2"</u>		
WELL DEPTH: <u>28.80 ft</u>		
DATE: <u>11/19/10</u>	TIME: <u>9:20</u>	DEPTH TO GROUND WATER (FT): <u>10.75</u>
SAMPLING METHOD: <u>low flow</u>		FLOW RATE: <u>0.06 gal/min</u>
SAMPLE TIME: <u>1:35</u>		TOTAL PURGED: <u>24 gal</u>

TIME	WATER LEVEL	TEMP. (°C)	pH	% COND. (µS/cm)	ORP (mV)	DO (mg/L)
10:27	10.94	12.6	7.2	43	-148	7.4
10:35	10.94	13.7	6.8	40	-158	4.5
10:40	10.93	13.6	6.8	74	-179	3.7
10:45	10.93	13.6	6.8	85	-150	3.8
10:50	10.93	13.6	6.8	98	-141	3.9
10:55	10.92	13.6	6.8	0.125/m	-130	3.9
11:00	10.94	13.5	6.8	0.13	-122	3.8
11:05	10.94	13.5	6.8	0.13	-114	3.7
11:10	10.93	13.5	6.7	0.13	-93	3.6
11:15	10.92	13.5	6.7	0.13	-79	3.6
11:25	10.93	13.6	6.8	0.13	-74	3.7
11:35	10.93	13.6	6.8	0.13	-70	3.7
11:40						

SAMPLE APPEARANCE: VERY TURBID <input type="checkbox"/> TURBID <input type="checkbox"/> SLIGHTLY TURBID <input checked="" type="checkbox"/> CLEAR <input type="checkbox"/>	ODOR: YES <input type="checkbox"/> NO <input checked="" type="checkbox"/> NOT NOTED <input type="checkbox"/>	ANALYSES: <u>NOCS</u>
--	--	-----------------------

CLEANING PERFORMED IN FIELD: Alconox and Distilled Water AND Disposable gloves *INITIAL TO VERIFY OR NOTE OTHER CLEANING METHOD PERFORMED

RNR

COMMENTS:

SAMPLED BY: <u>Jon N Pan</u>	DATE: <u>11/19/10</u>
REVIEWED BY: <u>Scott A. Hodapan</u>	DATE: <u>11/23/10</u>

TERRACON

GROUND WATER SAMPLING INFORMATION SHEET

PROJECT NAME: <u>Anderson Cleaners</u>		PROJECT NO. <u>38071004</u>
PROJECT LOCATION: <u>N. Sherman St</u>		
SAMPLE POINT: <u>MW-8</u>	SAMPLE POINT DESCRIPTION: <u>N of auto facility</u>	
CASING DIAMETER: <u>2"</u>	<u>~20ft E of building + 20 feet north of auto facility</u>	
WELL DEPTH: <u>12.76</u>	DEPTH TO GROUND WATER (FT): <u>9.80</u>	
DATE: <u>2/22</u>	TIME: <u>4:40</u>	
SAMPLING METHOD: <u>low flow</u>	FLOW RATE: 0.008 <u>0.008 gal/min</u>	
SAMPLE TIME: <u>5:20</u>	TOTAL PURGED: <u>2.5 gal</u>	

TIME	WATER LEVEL	TEMP. (°C)	pH	COND. (µS/cm)	ORP (mV)	DO (mg/L)
4:50	9.15	12.1	6.8	0.25	20	0.2
4:55	9.16	12.4	6.7	0.25	34	0.8
5:00	9.16	12.5	6.7	0.26	49	0.5
5:05	9.16	12.5	6.7	0.26	54	0.2
5:15	9.16	12.6	6.7	0.26	57	0.3
5:20	9.16	12.7	6.7	0.26	58	0.3

SAMPLE APPEARANCE: VERY TURBID <input type="checkbox"/> TURBID <input type="checkbox"/> SLIGHTLY TURBID <input type="checkbox"/> CLEAR <input checked="" type="checkbox"/>	ODOR: YES <input type="checkbox"/> NO <input checked="" type="checkbox"/> NOT NOTED <input type="checkbox"/>	ANALYSES: <u>VOL</u>
--	--	----------------------

CLEANING PERFORMED IN FIELD: Alconox and Distilled Water AND Disposable gloves INITIAL TO VERIFY OR NOTE OTHER CLEANING METHOD PERFORMED PK

COMMENTS: *duplicate taken here

SAMPLED BY: <u>Ken Kam</u>	DATE: <u>2/22/2011</u>
REVIEWED BY: <u>Scott W. Hodgson</u>	DATE: <u>2/3/2011</u>

TERRACON

GROUND WATER SAMPLING INFORMATION SHEET

PROJECT NAME: <u>Gunderson Cleaners</u>		PROJECT NO. <u>38077004</u>
PROJECT LOCATION: <u>Neenan, WI</u>		
SAMPLE POINT: <u>MW-9</u>	SAMPLE POINT DESCRIPTION: <u>SE corner of auto facility, W of PZ-S</u>	
CASING DIAMETER: <u>2"</u>		
WELL DEPTH: <u>14.42</u>		
DATE: <u>2/22/11</u> TIME: <u>11:30</u>	DEPTH TO GROUND WATER (AM/PM) (FT): <u>9.42</u>	
SAMPLING METHOD: <u>10W flow</u>	FLOW RATE: <u>0.16 gal/min</u>	
SAMPLE TIME: 11:25 <u>11:25</u>	TOTAL PURGED: <u>3 gal</u>	

TIME	WATER LEVEL	TEMP. (°C)	pH	COND. (S/m)	ORP (mV)	DO (mg/L)
10:40	9.20	12.9	6.3	0.19	143	5.3
10:45	9.19	13.1	6.6	86 μmS/m	112	0.0
10:52	9.20	13.2	6.7	59 "	75	0.0
11:02	9.19	13.3	6.7	56 "	62	0.0
11:07	9.19	13.4	6.7	56	55	0
11:15	9.19	13.4	6.8	57	41	0
11:20	9.19	13.4	6.8	57	38	0
11:25	9.19	13.4	6.8	56	37	0
				56 "		

SAMPLE APPEARANCE: VERY TURBID <input type="checkbox"/> TURBID <input type="checkbox"/> SLIGHTLY TURBID <input type="checkbox"/> CLEAR <input checked="" type="checkbox"/>	ODOR: YES <input type="checkbox"/> NO <input checked="" type="checkbox"/> NOT NOTED <input type="checkbox"/>	ANALYSES: <u>VOC</u>
--	--	----------------------

CLEANING PERFORMED IN FIELD: Alconox and Distilled Water AND Disposable gloves *INITIAL TO VERIFY OR NOTE OTHER CLEANING METHOD PERFORMED

RNP

COMMENTS:

SAMPLED BY: <u>Jan N. Fran</u>	DATE: <u>2/22/2011</u>
REVIEWED BY: <u>Scott A. Hodgson</u>	DATE: <u>3/3/11</u>

TERRACON

GROUND WATER SAMPLING INFORMATION SHEET

PROJECT NAME: <u>Gundersen Cleaners</u>		PROJECT NO. <u>38077004</u>
PROJECT LOCATION: <u>Niles, WI</u>		
SAMPLE POINT: <u>MW-11</u>	SAMPLE POINT DESCRIPTION: <u>W. of PZ-3</u>	
CASING DIAMETER: <u>2"</u>		
WELL DEPTH: <u>14.39</u>		
DATE: <u>2/22/11</u>	TIME: <u>11:30</u>	DEPTH TO GROUND WATER (FT): <u>9.10</u>
SAMPLING METHOD: <u>LOW FLOW</u>	FLOW RATE: <u>0.0625 gal/min</u>	
SAMPLE TIME: <u>2:15</u>	TOTAL PURGED: <u>2.5 gal</u>	

TIME	WATER LEVEL	TEMP. (°C)	pH	COND. (µS/cm)	ORP (mV)	DO (mg/L)
11:35	9.20	12.1	6.8	47	113	2.0
11:40	9.21	12.4	6.8	47	114	2.0
11:45	9.21	12.6	6.8	47	116	2.1
11:50	9.21	12.8	6.8	50	117	1.9
11:55	9.21	12.8	6.8	52	119	1.9
12:00	9.21	12.9	6.8	49	120	2.0
12:05	9.21	12.9	6.8	49	123	2.4
12:10	9.21	12.9	6.8	49	124	2.3
12:15	9.21	12.9	6.8	49	125	2.3

SAMPLE APPEARANCE: VERY TURBID <input type="checkbox"/> TURBID <input type="checkbox"/> SLIGHTLY TURBID <input type="checkbox"/> CLEAR <input checked="" type="checkbox"/>	ODOR: YES <input type="checkbox"/> NO <input checked="" type="checkbox"/> NOT NOTED <input type="checkbox"/>	ANALYSES: <u>VOC</u>
---	---	----------------------

CLEANING PERFORMED IN FIELD: Alconox and Distilled Water AND Disposable gloves *INITIAL TO VERIFY OR NOTE OTHER CLEANING METHOD PERFORMED JNR

COMMENTS:

SAMPLED BY: <u>Ken Penn</u>	DATE: <u>2/22/11</u>
REVIEWED BY: <u>Scott A. Hodgson</u>	DATE: <u>3/3/11</u>

TERRACON

GROUND WATER SAMPLING INFORMATION SHEET

PROJECT NAME: <i>Grunderson Cleaners</i>		PROJECT NO. <i>38077004</i>
PROJECT LOCATION: <i>Sheehah, WI</i>		
SAMPLE POINT: <i>MW-13</i>	SAMPLE POINT DESCRIPTION: <i>W. of auto facility</i>	
CASING DIAMETER: <i>2"</i>		
WELL DEPTH: <i>11.66</i>		
DATE: <i>2/22/11</i>	TIME: <i>11:30</i>	DEPTH TO GROUND WATER (AM/UPM) (FT): <i>8.57</i>
SAMPLING METHOD: <i>LOW FLOW</i>	FLOW RATE: <i>0.008 gal/min</i>	
SAMPLE TIME: <i>140</i>	TOTAL PURGED: <i>~2.5 gal</i>	

TIME	WATER LEVEL	TEMP. (°C)	pH	COND. (mS/m)	ORP (mV)	DO (mg/L)
<i>1:05</i>	<i>8.77</i>	<i>12.5</i>	<i>6.8</i>	<i>47</i>	<i>119</i>	<i>2.3</i>
<i>1:10</i>	<i>8.78</i>	<i>12.6</i>	<i>6.8</i>	<i>50</i>	<i>129</i>	<i>2.3</i>
<i>1:18</i>	<i>8.77</i>	<i>12.6</i>	<i>6.8</i>	<i>51</i>	<i>130</i>	<i>2.3</i>
<i>1:25</i>	<i>8.77</i>	<i>12.7</i>	<i>6.8</i>	<i>50</i>	<i>131</i>	<i>2.3</i>
<i>1:30</i>	<i>8.77</i>	<i>12.7</i>	<i>6.8</i>	<i>51</i>	<i>131</i>	<i>2.1</i>
<i>1:35</i>	<i>8.77</i>	<i>12.7</i>	<i>6.8</i>	<i>52</i>	<i>132</i>	<i>2.1</i>
<i>1:40</i>	<i>8.78</i>	<i>12.7</i>	<i>6.7</i>	<i>51</i>	<i>133</i>	<i>2.1</i>

SAMPLE APPEARANCE: VERY TURBID <input type="checkbox"/> TURBID <input type="checkbox"/> SLIGHTLY TURBID <input type="checkbox"/> CLEAR <input checked="" type="checkbox"/>	ODOR: YES <input type="checkbox"/> NO <input checked="" type="checkbox"/> NOT NOTED <input type="checkbox"/>	ANALYSES: <i>VOC</i>
--	--	----------------------

CLEANING PERFORMED IN FIELD: *Alconox and Distilled Water AND Disposable gloves* *INITIAL TO VERIFY OR NOTE OTHER CLEANING METHOD PERFORMED *PNF*

COMMENTS:

SAMPLED BY: <i>John N. Parn</i>	DATE: <i>2/22/2011</i>
REVIEWED BY: <i>Scott A. Hodgson</i>	DATE: <i>3/3/11</i>

TERRACON

GROUND WATER SAMPLING INFORMATION SHEET

PROJECT NAME: <u>Gunderson Cleaners</u>		PROJECT NO. <u>38077004</u>
PROJECT LOCATION: <u>Meridian, WI</u>		
SAMPLE POINT: <u>MW-15</u>	SAMPLE POINT DESCRIPTION: <u>E. of DZ-6</u>	
CASING DIAMETER: <u>2"</u>		
WELL DEPTH: <u>13.15</u>		
DATE: <u>2/22/11</u>	TIME: <u>1131</u>	DEPTH TO GROUND WATER (FT): <u>9.55</u>
SAMPLING METHOD: <u>LOW FLOW</u>	FLOW RATE: <u>6.07 gal/min</u>	
SAMPLE TIME: <u>330</u>	TOTAL PURGED: <u>3.5 gal</u>	

MM

TIME	WATER LEVEL	TEMP. (°C)	pH	COND. (mS/m)	ORP (mV)	DO (mg/L)
240	9.82	12.9	6.8	27	87	0
250	9.83	12.9	6.8	26	62	0
300	9.83	13.2	6.8	20	52	0
305	9.83	13.2	6.8	26	47	0
310	9.83	13.3	6.8	26	44	0
315	9.83	13.3	6.8	26	41	0
320	9.83	13.3	6.8	26	40	0
325	9.83	13.4	6.9	26	38	0
330	9.83	13.4	6.9	26	38	0

E

SAMPLE APPEARANCE: VERY TURBID <input type="checkbox"/> TURBID <input type="checkbox"/> SLIGHTLY TURBID <input type="checkbox"/> CLEAR <input checked="" type="checkbox"/>	ODOR: YES <input type="checkbox"/> NO <input checked="" type="checkbox"/> NOT NOTED <input type="checkbox"/>	ANALYSES: <u>VOC</u>
--	--	----------------------

CLEANING PERFORMED IN FIELD: Alconox and Distilled Water AND Disposable gloves *INITIAL TO VERIFY OR NOTE OTHER CLEANING METHOD PERFORMED

RP

COMMENTS:

SAMPLED BY: <u>Pen Ram</u>	DATE: <u>2/22/2011</u>
REVIEWED BY: <u>Scott A. Hodgson</u>	DATE: <u>3/3/11</u>

TERRACON

GROUND WATER SAMPLING INFORMATION SHEET

PROJECT NAME: <u>Gunderson Cleaners</u>		PROJECT NO. <u>38077004</u>
PROJECT LOCATION: <u>Neenan, WI</u>		
SAMPLE POINT: <u>P2-3</u>	SAMPLE POINT DESCRIPTION: <u>E. of MW-11, south of auto Facility n/ft N of fence line</u>	
CASING DIAMETER: <u>24</u>		
WELL DEPTH: <u>2730</u>		
DATE: <u>2/22/11</u>	TIME: <u>1135</u>	DEPTH TO GROUND WATER (FT): <u>9.12</u>
SAMPLING METHOD: <u>low flow</u>		FLOW RATE: <u>0.085 gal/min</u>
SAMPLE TIME: <u>12:55</u>		TOTAL PURGED: <u>3 gal</u>

Lee

TIME	WATER LEVEL	TEMP. (°C)	pH	COND. (mS/m)	ORP (mV)	DO (mg/L)
12:20	9.25	11.7 11.7	6.8	47	119	2.7
12:25	9.25	11.7 11.7	6.8	48	120	2.9
12:30	9.25	12.3	6.8	49	122	3.1
12:35	9.25	12.4	6.8	50	122	3.0
12:40	9.25	12.4	6.8	50	123	3.0
12:47	9.25	12.4	6.8	50	124	3.1
12:55	9.25	12.4	6.8	50	125	3.1

SAMPLE APPEARANCE: VERY TURBID <input type="checkbox"/> TURBID <input type="checkbox"/> SLIGHTLY TURBID <input type="checkbox"/> CLEAR <input checked="" type="checkbox"/>	ODOR: YES <input type="checkbox"/> NO <input checked="" type="checkbox"/> NOT NOTED <input type="checkbox"/>	ANALYSES: <u>VOC</u>
--	--	----------------------

CLEANING PERFORMED IN FIELD: Alconox and Distilled Water AND Disposable gloves *INITIAL TO VERIFY OR NOTE OTHER CLEANING METHOD PERFORMED

PNR

COMMENTS:

SAMPLED BY: <u>Tom N. Parn</u>	DATE: <u>2/22/2011</u>
REVIEWED BY: <u>Scott H. Hodgeson</u>	DATE: <u>3/3/11</u>

TERRACON

GROUND WATER SAMPLING INFORMATION SHEET

PROJECT NAME: <u>Anderson Cleaners</u>		PROJECT NO. <u>381-7004</u>
PROJECT LOCATION: <u>Neenah WI</u>		
SAMPLE POINT: <u>02-4</u>	SAMPLE POINT DESCRIPTION: <u>W. of coin laundry in landscaped area</u>	
CASING DIAMETER: <u>2"</u>		
WELL DEPTH: <u>39.60</u>		
DATE: <u>2/22/11</u>	TIME: <u>115</u>	DEPTH TO GROUND WATER (FT): <u>8.30</u>
SAMPLING METHOD: <u>LOW FLOW</u>		FLOW RATE: <u>0.06 gal/min</u>
SAMPLE TIME: <u>2:30</u>		TOTAL PURGED: <u>3 gal</u>

TIME	WATER LEVEL	TEMP. (°C)	pH	COND. (µS/cm)	ORP (mV)	DO (mg/L)
1:50	8.47	11.9	6.7	37	132	0
2:00	8.47	12.2	6.8	42	130	0
2:07	8.47	12.2	6.8	42	130	0
2:15	8.47	12.3	6.8	42	129	0
2:20	8.48	12.3	6.8	42	129	0
2:25	8.48	12.4	6.8	42	128	0
2:30	8.48	12.4	6.8	42	128	0

SAMPLE APPEARANCE: VERY TURBID <input type="checkbox"/> TURBID <input type="checkbox"/> SLIGHTLY TURBID <input type="checkbox"/> CLEAR <input checked="" type="checkbox"/>	ODOR: YES <input type="checkbox"/> NO <input checked="" type="checkbox"/> NOT NOTED <input type="checkbox"/>	ANALYSES: <u>VOC</u>
--	--	----------------------

CLEANING PERFORMED IN FIELD: Alconox and Distilled Water AND Disposable gloves *INITIAL TO VERIFY OR NOTE OTHER CLEANING METHOD PERFORMED RNR

COMMENTS:

SAMPLED BY: <u>Kent Ram</u>	DATE: <u>2/22/2011</u>
REVIEWED BY: <u>Scott A. Hodgeson</u>	DATE: <u>3/3/11</u>

TERRACON

GROUND WATER SAMPLING INFORMATION SHEET

PROJECT NAME: <u>Anderson Leathers</u>		PROJECT NO. <u>25077004</u>
PROJECT LOCATION: <u>Nashville</u>		
SAMPLE POINT: <u>PZ-8</u>	SAMPLE POINT DESCRIPTION: <u>W. OF MW-15</u>	
CASING DIAMETER: <u>2"</u>		
WELL DEPTH: <u>28.80</u>		
DATE: <u>2/22</u>	TIME: <u>1145</u>	DEPTH TO GROUND WATER (FT): <u>9.105</u>
SAMPLING METHOD: <u>LOW FLOW</u>		FLOW RATE: <u>0.05 gal/min</u>
SAMPLE TIME: <u>445</u>		TOTAL PURGED: <u>3 gal</u>

TIME	WATER LEVEL	TEMP. (°C)	pH	COND. (µS/cm)	ORP (mV)	DO (mg/L)
3:35	9.81	11.7	6.9	26	-92	0
3:45	9.81	11.9	6.8	34	-95	0
3:35	9.81	11.7	6.9	26	-92	0
3:45	9.81	11.9	6.8	34	-95	0
3:55	9.81	12.1	6.8	51	-98	0
4:05	9.81	12.2	6.8	110	-95	0
4:15	9.81	12.2	6.7	112	-80	0
4:25	9.81	12.2	6.7	113	-82	0
4:35	9.81	12.2	6.7	112	-81	0.0

SAMPLE APPEARANCE: VERY TURBID <input type="checkbox"/> TURBID <input type="checkbox"/> SLIGHTLY TURBID <input type="checkbox"/> CLEAR <input checked="" type="checkbox"/>	ODOR: YES <input type="checkbox"/> NO <input checked="" type="checkbox"/> NOT NOTED <input type="checkbox"/>	ANALYSES: <u>VOL</u>
--	--	----------------------

CLEANING PERFORMED IN FIELD: Alconex and Distilled Water AND Disposable gloves *INITIAL TO VERIFY OR NOTE OTHER CLEANING METHOD PERFORMED PKR

COMMENTS:

SAMPLED BY: <u>Jan Pan</u>	DATE: <u>2/22/2011</u>
REVIEWED BY: <u>Scott A. Hodgeson</u>	DATE: <u>3/3/11</u>