

Excellence through experience™

709 Gillette St., Ste #3 + La Crosse, WI 54603 + 1-800-552-2932 + Fax (608) 781-8893 Email: rona@metcohq.com +www.metcohq.com

January 23, 2019

Lee Delcore Wisconsin Department of Natural Resources 1155 Pilgrim Parkway Plymouth, WI 53073

Subject: Herriges Oil Bulk Plant South – Site Investigation cost cap exceedence request (>\$20K). BRRTS #: 02-67-111819, PECFA #: 53040-9499-15

Dear Mr. Delcore,

A cost estimate (using Usual & Customary schedule of charges) is being submitted for completion of the site investigation at the subject property located at 215 Railroad Street in Kewaskum, Wisconsin. This is required due to COMM 47 rule changes (Comm 47.337(2)) which requires WDNR approval to exceed the cap, meaning any costs incurred above \$20,000 after April 30, 2006, will not be eligible for reimbursement unless previously approved.

The proposed workscope to complete the site investigation includes: [1] Prepare Field Procedures Workplan, [2] Soil Boring/Monitoring Well Permits, [3] Geoprobe/Drilling Project to include up to 15 Geoprobe borings to approximately 20 feet below ground surface (bgs) (estimated depth to groundwater is 10-15 feet bgs) and six additional borings to approximately 21 feet bgs and converted to six monitoring wells to 20 feet bgs with 15-foot screens. We will conduct continuous soil sampling for PID and geologic field description and plan to collect 3 soil samples per boring for VOC/PVOC+Naphthalene, PAH, and/or Lead. One sample will be collected and analyzed for GRO, DRO, and TCLP Lead & Benzene for waste disposal approval. We plan to collect a groundwater sample from each Geoprobe boring for PVOC+Naphthalene analysis. [4] Two quarterly rounds of groundwater monitoring from all eight site wells for laboratory analysis (VOC, PAH, PVOC+Naphthalene, Dissolved Lead, Nitrate/ Nitrite, Sulfate, Dissolved Iron and/or Manganese), [5] Surveying, [6] Waste disposal, [7] Hydraulic Conductivity Testing, [8] Conduct Sub Slab Vapor Sampling in the source property building for TO-15 (PVOC+Naphthalene) analysis, and [9] Completion of the Soil and Groundwater Investigation Report. The cost estimate is as follows:

| Field Procedures Workplan | \$ 1,451.63 |
|--|-------------|
| Access Agreement & Soil Boring/MW Permits | \$ 246.12 |
| Geoprobe/Drilling Project w/installation of MW's | \$19,270.60 |
| Groundwater Monitoring (two events) | \$ 2,448.52 |

| Laboratory Analysis (soil & gw) | \$ 6,491.10 |
|---|----------------------|
| Surveying | \$ 1,288.88 |
| Hydraulic Conductivity Testing | \$ 893.84 |
| Investigative Waste Disposal | \$ 2,051.92 |
| Sub Slab Vapor Sampling (Commodity) | \$ 2,344.73 |
| Sub Slab Vapor Sampling (Consulting) | \$ 376.52 (variance) |
| Soil and Groundwater Investigation Report | \$ 4,965.35 |
| Change Order Request | \$ 381.78 |
| | Total \$42,210.99 |

METCO is requesting a cost cap exceedence in the amount of $\frac{22,210.99}{22,210.99}$ (proposed costs to complete the investigation $\frac{42,210.99}{210.99}$ minus the original 20,000 site investigation cap). This will bring the total site investigation costs to 42,210.99.

The Field Procedures Workplan was just submitted and we are currently working on the Soil Boring/Monitoring Well Permit. Upon state approval of the proposed workscope and budget, METCO will schedule the Geoprobe/Drilling project.

<u>Please note that we would typically just begin with a Geoprobe Project, then based on results</u> <u>continue with a drilling project (installation of monitoring wells)</u>. However, due to the PECFA sunset date we are attempting move through the site investigation as quickly as we can.

Attached is a site layout map with proposed boring/monitoring well locations and draft standardized invoice form for the above workscope as required.

Should you have any questions, comments, or recommendations please contact me at our La Crosse office (608) 781-8879 or email at jasonp@metcohq.com.


Sincerely,

En T. Powell

Jason T. Powell Staff Scientist


Attachments

c: Ann Polzean – Client



Usual and Customary Standardized Invoice #25 January 2019 - June 2019





Variance

Variance

Usual and Customary Standardized Invoice #25 January 2019 - June 2019



| | 11 S.C. | TOTAL LAB CHARGES | \$ 6,491.10 | E | TASK 33 | 184 | \$ | 6,491.10 | TASK 24 | 0 | \$ - |
|----------------|------------|---|------------------|----------|----------------|----------|----------|--------------|----------|-------------|-------|
| MATRIX | REF CODE | REIMBURSABLE ANALYTE | UNITS | | MAX COST | SAMPLES | | TOTAL | MAX COST | SAMPLES | TOTAL |
| AIR | A1 | Benzene | SAMPLE | \$ | 44.94 | | \$ | | | | |
| AIR | A2 | BETX | SAMPLE | \$ | 49.46 | | 5 | | | | |
| AIR | A3 | GRO | SAMPLE | \$ \$ | 46.10 71.93 | | \$ | 1.0 | | | |
| AIR WATER | A4 W1 | VOC's GRO/PVOC | SAMPLE SAMPLE | 5 | 29.19 | | ₽ S | | | | |
| WATER | W2 | PVOC | SAMPLE | \$ | 26.99 | | \$ | | | | |
| WATER | W3 | PVOC + 1,2 DCA | SAMPLE | ş | 43.79 | | \$ | | | | |
| WATER | W4 | PVOC + Naphthalene | SAMPLE | \$ | 30.35 | 23 | | 698,05 | | | |
| WATER | W5 | VOC | SAMPLE | \$ | 71.93 | 7 | | 503,51 | | | |
| WATER | W6 | PAH | SAMPLE | \$ | 72.98 | 6 | | 437.88 | | | |
| WATER | W7 | Lead | SAMPLE | \$ | 12,39 | 12 | \$ | 148.68 | | | |
| WATER | W8 | Cadmium | SAMPLE | \$ | 13.55 | | \$ | S#3 | | | |
| WATER | W9 | Hardness | SAMPLE | \$ | 12.39 | | \$ | ۲ | | | |
| WATER | W10 | BOD, Total | SAMPLE | \$ | 23.63 | | \$ | | | | |
| WATER | W11 | Nitrate | SAMPLE | \$ | 11.24 | 6 | \$ | 67.44 | | | |
| WATER | W12 | Total Kjeldahl | SAMPLE | \$ | 20.27 | | \$ | 523 | | | |
| WATER | W13 | Ammonia | SAMPLE | \$ | 16.91 | | \$ | 120 | | | |
| WATER | W14 | Sulfate | SAMPLE | \$ | 10.19 | 6 | | 61.14 | | | |
| WATER | W15 | iron | SAMPLE | s | 10.19 | 6 | \$ | 61.14 | | | |
| WATER | W16 | Manganese | SAMPLE | \$ \$ | 10.19 | 0 | \$ \$ | 61.14 | | | |
| WATER WATER | W17 W18 | Alkalinity | SAMPLE SAMPLE | \$ | 10.19 46.10 | | \$ \$ | (20) (34) | | | |
| WATER | W19 | methane Phosphorous | SAMPLE | \$ | 18.06 | | \$ | | | | |
| WATER | W20 | VOC Method 524.2 | SAMPLE | \$ | 176.30 | | \$ | | | | |
| WATER | W21 | EDB Method 504 | SAMPLE | \$ | 95.45 | | \$ | | MAX COST | SAMPLES | TOTAL |
| SOILS | S1 | GRO | SAMPLE | \$ | 24.78 | 2 | | 49.56 | \$ 24.78 | 07.000 22.0 | \$ - |
| SOILS | S2 | DRO | SAMPLE | \$ | 30.35 | | \$ | 30.35 | \$ 30.35 | | \$ - |
| SOILS | S3 | GRO/PVOC | SAMPLE | \$ | 28.14 | | \$ | | \$ 28.14 | | \$ - |
| SOILS | S4 | PVOC | SAMPLE | \$ | 25.83 | | \$ | | \$ 25.83 | | \$ - |
| SOILS | S5 | PVOC + 1,2 DCA + Naphthalene | SAMPLE | \$ | 49.46 | | \$ | 19 C | \$ 49.46 | | \$ - |
| SOILS | S6 | PVOC + Naphthalene | SAMPLE | \$ | 36.02 | 63 | \$ | 2,269.26 | \$ 36.02 | | \$ - |
| SOILS | S7 | VOC | SAMPLE | \$ | 71.93 | 2 | | 143.86 | \$ 71.93 | | \$ - |
| SOILS | S8 | SPLP Extraction VOC only | SAMPLE | \$ | 50.61 | | \$ | | \$ 50.61 | | \$ - |
| SOILS | S9 | PAH | SAMPLE | \$ | 72.98 | 21 | | 1,532,58 | \$ 72.98 | | 5 - |
| SOILS | S10 | Lead | SAMPLE | \$ | 12.39 | 21 | | | \$ 12.39 | NO A TOTAL | \$ - |
| SOILS | S11 | Cadmium | SAMPLE | \$ | 14.60 | | \$ | 190 111 | TA | SK 24 TOTAL | ə - |
| SOILS | S12 | Free Liquid | SAMPLE | \$ \$ | 11.24 | | \$ \$ | 141 | | | |
| SOILS SOILS | S13 S14 | Flash Point | SAMPLE SAMPLE | \$ | 25.83 | | \$ | 1.50 | | | |
| SOILS | S14 S15 | Grain Size - dry Grain Size - wet | SAMPLE | .р \$ | 42.74 57.33 | | s | | | | |
| SOILS | S15 S16 | Bulk Density | SAMPLE | \$ | 13.55 | | \$ | | | | |
| SOILS | S17 | Permeability | SAMPLE | \$ | 41.58 | | \$ | | | | |
| SOILS | S18 | Nitrogen as Total Kjeldahl | SAMPLE | \$ | 20.27 | | \$ | | | | |
| SOILS | S19 | Nitrogen as Ammonia | SAMPLE | \$ | 16.91 | | \$ | 1921 | | | |
| SOILS | S20 | % Organic Matter | SAMPLE | \$ | 29.19 | | \$ | =57 | | | |
| SOILS | S21 | TOC as NPOC | SAMPLE | \$ | 57.33 | | \$ | | | | |
| SOILS | S22 | Soil Moisture Content | SAMPLE | \$ | 6.83 | | \$ | 200 | | | |
| SOILS | S23 | Air Filled Porosity | SAMPLE | \$ | 25.83 | | \$ | ۲ | | | |
| SOILS | S24 | % Total Solids | SAMPLE | \$ | 6.83 | | \$ | 1 3 5 | | | |
| SOILS | S25 | Field Capacity | SAMPLE | \$ | 28.14 | | \$ | (B)) | | | |
| SOILS | S26 | TCLP Lead | SAMPLE | \$ | 83.16 | 1 | | 83.16 | | | |
| SOILS | S27 | Cation Exchange (Ca, MG, & K) | SAMPLE | \$ | 26.99 | | \$ | 1 2 0 | | | |
| SOILS | S28 | TCLP Cadmium | SAMPLE | \$ | 83.16 | | \$ | 00.40 | | | |
| SOILS | S29 | TCLP Benzene Viscosily + Density | SAMPLE | \$ | 83.16 | 1 | \$ | 83.16 | | | |
| LNAPL | LFPS01 | Interfacial tension I (LNAPL/water [dyne/cm]) Interfacial tension II (LNAPL/air [dyne/cm]) Interfacial tension III (water/air) [dyne/cm]) | SAMPLE | \$ | 561.33 | | \$ | (B)) | | | |
| | | internetion in (national) [afficient]) | | | TASK | 33 TOTAL | \$ | 6,491.10 | | | |