




HYDROGEOLOGISTS ■ ENGINEERS ■ ENVIRONMENTAL SCIENTISTS



July 25, 2005

Mr. James Kralick
Wisconsin Department of Natural Resources
2514 Morse Street
Janesville, WI 53545

RE: *Progress Report for June 2005 Groundwater Monitoring Event*
Former Mr. Clean, 2653 New Pinery Road, Portage, Wisconsin
BRRTS #02-11-118172

Dear Mr. Kralick:

The fourth quarterly monitoring event for the remedial phase occurred on June 29, 2005. This annual round consisted of sampling twenty-two monitoring wells per the agreed scope of work. For reference, the data is divided into three categories—Horizon A (the shallow, water table monitoring wells screened <25 feet bgs), Horizon B (the intermediate piezometer monitoring wells screened within 30 to 45 feet bgs), and Horizon C (the deeper piezometer monitoring wells screened within 50 to 65 feet bgs).

Field parameters were recorded for each well, including depth to water, color, turbidity, temperature, pH, specific conductivity, dissolved oxygen, and redox potential (see **Table 1A** to **Table 1C**). Water elevation levels were calculated based on elevation survey data gathered in January 2004 and groundwater contour maps were prepared for each horizon (see **Figure 1A** to **Figure 1C**). Groundwater flow continues to be east/southeast. Based on water elevation data from this event, vertical gradients were determined from ten well nests. With respect to Horizon A and Horizon B, there was no vertical gradient between MW-10 and PZ-6, MW-6 and PZ-5, and MW-12 and PZ-8; a slight downward gradient of 0.04 foot between MW-8 and PZ-10; and a slight upward gradient between MW-9/PZ-9 and MW-7/PZ-4 of 0.02 foot and 0.04 foot, respectively. Between Horizon B and Horizon C, a slight upward gradient was shown for PZ-8/PZ-11, PZ-6/PZ-7, PZ-12/PZ-13, and PZ-15/PZ-14 of 0.04 foot, 0.03 foot, 0.01 foot, and 0.01 foot, respectively.

Within Horizon A, nine monitoring wells were sampled, ranging in tetrachloroethene (PCE) concentration from <0.45 µg/l to 1,000 µg/l (see **Table 2A**). The plume extent above the NR 140 enforcement standard (ES) for PCE is estimated to be about 540 feet long by 195 feet wide (see **Figure 2A**).

Nine monitoring wells were sampled within Horizon B. PCE concentrations ranged from <0.45 µg/l to 2,500 µg/l (see **Table 2B**). The plume extent above the ES level is estimated to be about 690 feet long by 190 feet wide (see **Figure 2B**).

For Horizon C, four monitoring wells were sampled, ranging in PCE concentration from <0.45 µg/l

Mr. James Kralick
July 25, 2005
Page 2

to 5.0 µg/l (see **Table 2C**). There currently does not appear to be a plume above the ES level for Horizon C (see **Figure 2C**).


The quarterly monitoring events scheduled for one year after the initiation of remedial action have been completed. The remedial soil vapor extraction (SVE) system has been extremely effective in removing PCE from source area soils, achieving contaminant removal rates ranging from 84% to 100%. Little PCE remains in source area soils. Source area monitoring wells have also seen dramatic PCE declines; concentrations in MW-4 over the last four quarters have plummeted (7,200 µg/l, 1,700 µg/l, 270 µg/l, and 130 µg/l, respectively) as well as in MW-5 (910 µg/l, 440 µg/l, 230 µg/l, and 150 µg/l, respectively). There was a lag time of an additional quarter at MW-3R to see contaminant decline but the last three quarters were 5,900 µg/l, 1,800 µg/l, and 900 µg/l, respectively. The aerial and vertical extent of the plume has been stable. In addition, the furthestmost downgradient monitoring wells of PZ-14 (Horizon C) and PZ-15 (Horizon B) have both displayed stable contaminant trends (see **Appendix B**). Given the successful remediation of the source area and the stable trends and extent discussed above, we are requesting to be able to submit for regulatory closure. If you should have any questions, please call me at (800) 500-8980, extension 21.

Sincerely,

LIESCH ENVIRONMENTAL SERVICES, INC.



David Nemetz, P.G.
Project Manager







Robert Juran, C.H.M.M.
Principal

Attachments: Table 1A, Table 1B, Table 1C (Groundwater Field Data)
Table 2A, Table 2B, Table 2C (Groundwater Laboratory Analytical Results)
Figure 1A, Figure 1B, Figure 1C (Groundwater Contour Map)
Figure 2A, Figure 2B, Figure 2C (Aerial Extent of Groundwater Contamination Map)
Appendix A: Laboratory data report
Appendix B: Mann-Kendall Statistical Analysis


cc: Mr. Richard Lynn, 505 E. Cook Street, Portage, WI 53901

J:\6459005\WDNR-GW-0605.doc



EXPLANATION

- Property line.
- Property line of site (magenta).
- x - Fence.
- SVE-1 Soil vapor extraction (SVE) well with identifier
- MW-3 Monitoring well no longer present
- PZ-6 Monitoring well location with identifier and groundwater elevation in feet above msl.
790.69'
- 790.50'- Groundwater contour line with elevation in feet above msl.
- Groundwater flow direction.



GROUNDWATER CONTOUR MAP (HORIZON B) 2004-2005

FORMER MR. CLEAN
2653 NEW PINERY ROAD
PORTAGE, WISCONSIN


FILE: J:\FIGURES\G4590\SITEPLAN.DWG
Layout: gwcontour-B
DATE: 7/22/2005 DRAWN BY: DAN CHECKED BY: SER
SOURCE:
Base drawing by Grothman & Associates, S.C. (1999) and
Midwest Engineering Services (2003).



6000 Gisholt Drive, Suite 203
Madison, WI 53713
(608) 223-1532


FIGURE

1B



EXPLANATION

- Property line.
- - - Property line of site (magenta).
- x - Fence.
- SVE-1 Soil vapor extraction (SVE) well with identifier
- MW-3 Monitoring well no longer present
- PZ-11 790.18' Monitoring well location with identifier and groundwater elevation in feet above msl.
- 790.50- Groundwater contour line with elevation in feet above msl.
- Groundwater flow direction.




GROUNDWATER CONTOUR MAP
(HORIZON C)
2004-2005

FORMER MR. CLEAN
2653 NEW PINERY ROAD
PORTAGE, WISCONSIN

FILE: J:\FIGURES\64590\SITEPLAN.DWG
Layout: gwcontour-C
DATE: 7/22/2005 DRAWN BY: DAN CHECKED BY: SER
SOURCE:
Base drawing by Grothman & Associates, S.C. (1999) and
Midwest Engineering Services (2003).

LIESCH Hydrogeologists • Engineers • Environmental Scientists
6000 Gisholt Drive, Suite 203
Madison, WI 53713
(608) 223-1532


FIGURE
1C



EXPLANATION

- Property line.
- - - Property line of site (magenta).
- x - Fence.
- SVE-1 Soil vapor extraction (SVE) well with identifier
- MW-3 Monitoring well no longer present

- MW-1 Monitoring well location with identifier and PCE concentration (ug/l)
30 above NR 140 enforcement standard (red)
130 above NR 140 preventive action limit (orange)
<0.45 below preventive action limit (green)
- Estimated extent of groundwater above NR 140 enforcement standard for PCE.




AERIAL EXTENT OF GROUNDWATER
CONTAMINATION MAP
(HORIZON A)
June 29, 2005

FORMER MR. CLEAN
2653 NEW PINERY ROAD
PORTAGE, WISCONSIN

FILE: J:\FIGURES\64590\SITEPLAN.DWG (Layer: Plume0605-A)
Layout: plume0605
DATE: 7/22/2005 DRAWN BY: DAN CHECKED BY: SER
SOURCE:
Base drawing by Grothman & Associates, S.C. (1999) and
Midwest Engineering Services (2003).


LIESCH Hydrogeologists • Engineers • Environmental Scientists
6000 Gisholt Drive, Suite 203
Madison, WI 53713
(608) 223-1532

FIGURE
2A



EXPLANATION

- Property line.
- - - Property line of site (magenta).
- x - Fence.
- SVE-1 Soil vapor extraction (SVE) well with identifier
- MW-3 Monitoring well no longer present
- MW-1 30 Monitoring well location with identifier and PCE concentration (ug/l)
 above NR 140 enforcement standard (red)
 above NR 140 preventive action limit (orange)
 below preventive action limit (green)
- Estimated extent of groundwater above NR 140 enforcement standard for PCE.




AERIAL EXTENT OF GROUNDWATER CONTAMINATION MAP (HORIZON B)
 June 29, 2005

FORMER MR. CLEAN
 2653 NEW PINERY ROAD
 PORTAGE, WISCONSIN

FILE: J:\FIGURES\64590\SITEPLAN.DWG (Layer: Plume0605-B)
 Layout: plume0605
 DATE: 7/22/2005 DRAWN BY: DAN CHECKED BY: SER
 SOURCE:
 Base drawing by Grothman & Associates, S.C. (1999) and Midwest Engineering Services (2003).

LIESCH Hydrogeologists • Engineers • Environmental Scientists
 6000 Gisholt Drive, Suite 203
 Madison, WI 53713
 (608) 223-1532


FIGURE
2B



EXPLANATION

- Property line.
- - - Property line of site (magenta).
- x - Fence.
- SVE-1 Soil vapor extraction (SVE) well with identifier
- MW-3 Monitoring well no longer present

- MW-1 30 Monitoring well location with identifier and PCE concentration (ug/l)
above NR 140 enforcement standard (red)
above NR 140 preventive action limit (orange)
below preventive action limit (green)
- Estimated extent of groundwater above NR 140 enforcement standard for PCE.



AERIAL EXTENT OF GROUNDWATER CONTAMINATION MAP (HORIZON C)
 June 29, 2005

FORMER MR. CLEAN
 2653 NEW PINERY ROAD
 PORTAGE, WISCONSIN

FILE: J:\FIGURES\64590\SITEPLAN.DWG (Layer: Plume0605-C)
 Layout: plume0605
 DATE: 7/22/2005 DRAWN BY: DAN CHECKED BY: SER
 SOURCE:
 Base drawing by Grothman & Associates, S.C. (1999) and Midwest Engineering Services (2003).

LIESCH Hydrogeologists • Engineers • Environmental Scientists
 6000 Gisholt Drive, Suite 203
 Madison, WI 53713
 (608) 223-1532

FIGURE
 2C

Table 1A
Groundwater Field Data
Water Table Monitoring Wells (Horizon A)
June 29, 2005
Former Mr. Clean
Portage, Wisconsin

	Units	MW-4	MW-3R	MW-5	MW-6	MW-7	MW-8	MW-9	MW-10	MW-12
Location==>		source	downgradient	sidegradient	sidegradient	downgradient	downgradient	sidegradient	downgradient	downgradient
WELL PURGING										
Top of Riser Elevation (apx. NGVD)	feet	806.18	805.74	805.50	803.41	803.91	802.57	806.78	805.00	803.93
Depth to Water (from TOR)	feet	17.62	16.89	17.22	15.19	15.92	14.95	19.19	17.22	16.61
Water Table Elevation	feet	788.56	788.85	788.28	788.22	787.99	787.62	787.59	787.78	787.32
Depth to Bottom (from TOR)	feet	20.90	21.42	20.75	15.99	23.77	24.30	23.17	23.82	20.32
Height of Water Column	feet	3.28	4.53	3.53	0.80	7.85	9.35	3.98	6.60	3.71
Four Well Volumes	gallons	2.1	11.8	2.3	0.5	5.1	6.1	2.6	4.3	2.4
Volume Purged	gallons	2.5	3.5 (dry)	2.5	0.2 (dry)	5.5	7	2 (dry)	5	3
FIELD PARAMETERS										
Aromatic Odor		None	None	None	None	None	None	None	None	None
Color		Colorless	Brown	Colorless	Brown	Colorless	Colorless	Colorless	Colorless	Colorless
Turbidity		None	Present	None	Present	None	None	None	None	None
Temperature	°C	12.2	10.7	11.9	12.7	10.9	10.7	10.8	10.6	11.8
pH		6.81	7.09	7.05	7.03	7.17	7.23	7.55	7.46	7.42
Specific Conductivity	µS	1,025	719	635	752	864	640	503	499	625
Dissolved Oxygen	mg/l	3.87	2.28	2.56	3.20	3.74	3.74	0.50	3.70	5.77
percent of saturation	%	35.2	20.1	24.2	30.4	34.0	33.8	4.4	33.5	53.5
Redox Potential (ORP)	mV	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
CONTAMINANT										
Tetrachloroethene (PCE)	µg/l	130	900	150	3.9	170	140	<0.45	240	<0.45

Notes:

N/A = Not available (malfunctioning meter)

NGVD = National Geodetic Vertical Datum of 1929

* = result between limit of detection and limit of quantification

µS = microSiemens (micromhos per cm at 25°C)

mV = millivolts

µg/L = micrograms per liter

Wells surveyed on 1/5/2004, 7/8/2004, and 9/28/2004 (datum set at 805.00 for MW-10).

Blank cell indicates analysis not run.

Table 1B
Groundwater Field Data
Piezometer Monitoring Wells (Horizon B)
June 29, 2005
Former Mr. Clean
Portage, Wisconsin

	Units	PZ-1	PZ-4	PZ-5	PZ-6	PZ-9	PZ-10	PZ-8	PZ-12	PZ-15
Location==>		source	downgradient	sidegradient	downgradient	sidegradient	sidegradient	downgradient	sidegradient	downgradient
WELL PURGING										
Top of Riser Elevation (apx. NGVD)	feet	805.62	803.52	803.52	804.65	806.64	802.54	804.14	803.90	802.02
Depth to Water (from TOR)	feet	17.69	15.49	15.30	16.87	19.03	14.96	16.82	16.79	14.94
Water Table Elevation	feet	787.93	788.03	788.22	787.78	787.61	787.58	787.32	787.11	787.08
Depth to Bottom (from TOR)	feet	44.35	43.08	40.94	38.95	34.15	34.10	39.60	43.86	45.48
Height of Water Column	feet	26.66	27.59	25.64	22.08	15.12	19.14	22.78	27.07	30.54
Four Well Volumes	gallons	17.4	18.0	16.7	14.4	9.9	12.5	14.9	17.6	19.9
Volume Purged	gallons	17	19	18	15	10	13	15	20	21
FIELD PARAMETERS										
Aromatic Odor		None	None	None	None	None	None	None	None	None
Color		Colorless	Colorless	Colorless	Colorless	Colorless	Colorless	Colorless	Colorless	Colorless
Turbidity		None	None	None	None	None	None	None	None	None
Temperature	°C	11.6	10.9	11.9	10.6	10.3	10.3	11.3	13.0	11.9
pH		7.13	6.96	7.22	7.28	7.27	7.33	7.22	7.33	7.62
Specific Conductivity	µS	990	573	220	860	693	680	678	592	692
Dissolved Oxygen	mg/l	3.91	3.24	2.59	4.53	2.95	3.97	4.61	3.10	4.73
percent of saturation	%	34.5	27.9	25.2	40.3	26.5	35.2	42.1	29.6	43.0
Redox Potential (ORP)	mV	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
CONTAMINANT										
Tetrachloroethene (PCE)	µg/l	<0.45	2.2	<0.45	680	3.1	0.81*	2,500	1.3*	290

Notes:

N/A = Not available (malfunctioning meter)

NGVD = National Geodetic Vertical Datum of 1929

* = result between limit of detection and limit of quantification

µS = microSiemens (micromhos per cm at 25°C)

mV = millivolts

µg/L = micrograms per liter

Wells surveyed on 1/5/2004, 7/8/2004, and 9/28/2004 (datum set at 805.00 for MW-10).

Blank cell indicates analysis not run.

Table 1C
Groundwater Field Data
Piezometer Monitoring Wells (Horizon C)
June 29, 2005
Former Mr. Clean
Portage, Wisconsin

	Units	PZ-7	PZ-11	PZ-13	PZ-14
Location==>		downgradient	downgradient	sidegradient	downgradient
WELL PURGING					
Top of Riser Elevation (apx. NGVD)	feet	804.83	803.89	804.24	802.10
Depth to Water (from TOR)	feet	17.02	16.53	17.12	15.01
Water Table Elevation	feet	787.81	787.36	787.12	787.09
Depth to Bottom (from TOR)	feet	57.05	63.41	63.14	65.10
Height of Water Column	feet	40.03	46.88	46.02	50.09
Four Well Volumes	gallons	26.1	30.6	30.0	32.7
Volume Purged	gallons	28	32	32	35
FIELD PARAMETERS					
Aromatic Odor		None	None	None	None
Color		Colorless	Colorless	Colorless	Colorless
Turbidity		None	None	None	None
Temperature	°C	11.4	11.6	12.3	10.9
pH		7.53	7.41	7.63	7.50
Specific Conductivity	µS	514	734	487	602
Dissolved Oxygen	mg/l	1.51	2.90	0.10	0.11
percent of saturation	%	13.9	26.1	1.0	1.0
Redox Potential (ORP)	mV	N/A	N/A	N/A	N/A
CONTAMINANT					
Tetrachloroethene (PCE)	µg/l	<0.45	5.0	<0.45	1.7

Notes:

N/A = Not available (malfunctioning meter)

NGVD = National Geodetic Vertical Datum of 1929

* = result between limit of detection and limit of quantification

µS = microSiemens (micromhos per cm at 25°C)

mV = millivolts

µg/L = micrograms per liter

Wells surveyed on 1/5/2004, 7/8/2004, and 9/28/2004 (datum set at 805.00 for MW-10).

Blank cell indicates analysis not run.

Table 2A
Summary of Groundwater Laboratory Analytical Results
(Water Table Monitoring Wells--Horizon A)

Former Mr. Clean
Portage, Wisconsin

DATE	MW-1	MW-2	MW-3	MW-3R	FD-1	MW-4	MW-5	MW-6	MW-7	MW-8	MW-9	MW-10	MW-11	MW-12	MW-13	Trip	PAL	ES	
																			8'-18'
Chlorinated Volatiles (µg/l)																			
TETRACHLOROETHENE (PCE)	1/21/1997	<0.12	<0.12	6,100		580	170										0.5	5	
	7/30/1997	<0.27	<0.27	3,100		5,300	130										0.5	5	
	10/11/2000							4.2	1,500								0.5	5	
	1/16/2001			11,000		7,300	670	2.9	930								0.5	5	
	7/9/2001									8.1	<0.25	150					0.5	5	
	4/16/2002		1.1*	2,000		3,900	830	4.8	1,400	15	<0.57	120	<0.57	<0.57			0.5	5	
	2/20/2003			10,800		915	377	2.7	2,030	5.5	<0.5	42.3	<0.5	<0.5	0.81		0.5	5	
	5/15/2003			242		878	511		1,660	2.73	<0.5	108	<0.5	<0.5	<0.5		0.5	5	
	1/5/2004#			8,670		6,540	255	76.8	369			36.2		<0.32		<0.32	0.5	5	
	9/28/2004			AB	620	790	7,200	910	79			30				<0.13	0.5	5	
	12/2/2004			AB	5,900	6,700	1,700	440	1.3	200	39	44				<0.13	0.5	5	
	4/4/2005			AB	1,800	1,800	270	230		300		44				<0.45	0.5	5	
	6/29/2005			AB	900	1,000	130	150	3.9	170	140	<0.45	240		<0.45	<0.45	0.5	5	
	TRICHLOROETHENE (TCE)	10/11/2000							<0.32	<3.2								0.5	5
		1/16/2001			<32		<16	<1.6	<0.32	<3.2								0.5	5
7/9/2001										<0.25	<0.25	<0.25					0.5	5	
4/16/2002			<0.89	<18		<44	<8.9	<0.89	<18	<0.89	<0.89	<0.89	<0.89	<0.89	<0.89		0.5	5	
2/20/2003				2.31		<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5		0.5	5	
5/15/2003				<0.5		<0.5	<0.5		<0.5	<0.5	<0.5	<12.5	<0.5	<0.5	<0.5		0.5	5	
1/5/2004				1.29		0.395*	<0.36	<0.36	<0.36		<0.36	<0.36	<0.36	<0.36	<0.36	<0.36	0.5	5	
9/28/2004				AB	<7.6	<7.6	<120	<15	<1.2		<0.60					<0.15	0.5	5	
12/2/2004				AB	<5.9	<5.9	<23	<4.7	<0.12	<0.94	<0.12	<0.47				<0.12	0.5	5	
4/4/2005				AB	<9.6	10*	<2.4	<1.2	<1.2		<0.48					<0.48	0.5	5	
6/29/2005			AB	<2.4	<4.8	<0.48	<0.48	<0.48	<0.48	<0.48	<0.48	<0.96		<0.48	<0.48	0.5	5		

Table 2A
Summary of Groundwater Laboratory Analytical Results
(Water Table Monitoring Wells--Horizon A)

Former Mr. Clean
Portage, Wisconsin

DATE	MW-1	MW-2	MW-3	MW-3R	FD-1	MW-4	MW-5	MW-6	MW-7	MW-8	MW-9	MW-10	MW-11	MW-12	MW-13	Trip	PAL	ES
Depth of Screen Interval =>	8'-18'	11'-21'	8'-18'	11'-21'		12'-22'	11'-21'	6'-16'	14'-24'	14'-24'	13'-23'	14'-24'	10'-20'	10'-20'	13'-23'	Blank		

NOTES:

Only analytes detected in concentrations above method detection limits are listed on this table

except for	chloroethane	MW-7	12/2/2004	5.6* µg/l
	chloromethane	MW-3R	9/28/2004	6.9* µg/l
		FD-1	9/28/2004	13* µg/l
	cis-1,2-dichloroethene	MW-3R	12/2/2004	12* µg/l
		FD-1	12/2/2004	12* µg/l
		MW-3R	4/4/2005	18* µg/l
		FD-1	4/4/2005	17* µg/l
		MW-3R	6/29/2005	38 µg/l
		FD-1	6/29/2005	38 µg/l

Screen depths are rounded to the nearest foot (as measured from the top of riser).

Blank cell indicates sample not collected

FD Field Duplicate (for either MW-3 or MW-3R)

AB Abandoned (MW-3 replaced with MW-3R)

Sample jars for MW-7 and PZ-4 were apparently mislabeled with each other--1/4/05 results assigned based on historical data

* Result between limit of detection and limit of quantification

< Below method detection limit

PAL NR 140 preventive action limit

ES NR 140 enforcement standard

µg/l micrograms per liter (parts per billion)

Results in *italicized* highlight indicate contaminant above the current PAL

Results in **bold** highlight indicate contaminant above the current ES

Table 2B
Summary of Groundwater Laboratory Analytical Results
(Intermediate Piezometer Monitoring Wells--Horizon B)

Former Mr. Clean
Portage, Wisconsin

DATE	PZ-1	PZ-2	PZ-4	PZ-5	PZ-6	PZ-8	PZ-9	PZ-10	PZ-12	PZ-15	Trip Blank	PAL	ES	
Depth of Screen Interval =>	39'-44'	29'-34'	38'-43'	36'-41'	34'-39'	35'-40'	30'-35'	30'-35'	40'-45'	40'-45'				
Chlorinated Volatiles (µg/l)														
TETRACHLOROETHENE (PCE)	7/5/2000	3.5	<0.85									0.5	5	
	1/16/2001	12	6.2									0.5	5	
	5/22/2001			43	0.27							0.5	5	
	7/9/2001					60						0.5	5	
	4/16/2002	<0.57	<0.57	<0.57	<0.57	890	1,300					0.5	5	
	5/8/2002						2,400					0.5	5	
	2/20/2003	6.19	1.26	1.41	<0.5	8.64	2,500	<0.5	<0.5	<0.5		0.5	5	
	5/15/2003	<0.5	<0.5	<0.5	<0.5	12.2	1,440	<0.5	1.84	<0.5		0.5	5	
	1/5/2004#	<0.32	<0.32	<0.32		68.4	1,560	0.503*	1.32	4.34	54.0	<0.32	0.5	5
	9/28/2004					96	2,900			0.18*	370	<0.13	0.5	5
	12/2/2004	4.0				81	3,100	3.7	0.71	<0.13	940	<0.13	0.5	5
	4/4/2005					860	2,900			0.56*	250	<0.45	0.5	5
	6/28/2005	<0.45		2.2	<0.45	680	2,500	3.1	0.81*	1.3*	290	<0.45	0.5	5
TRICHLOROETHENE (TCE)	7/5/2000	<0.32	<0.32									0.5	5	
	1/16/2001	<0.32	<0.32									0.5	5	
	5/22/2001			<0.25	<0.25							0.5	5	
	7/9/2001					<0.25						0.5	5	
	4/16/2002	<0.89	<0.89	<0.89	<0.89	<8.9	<18					0.5	5	
	5/8/2002						<0.89					0.5	5	
	2/20/2003	<0.5	<0.5	<0.5	<0.5	<0.5	1.51	<0.5	<0.5	<0.5		0.5	5	
	5/15/2003	<0.5	<0.5	<0.5	<0.5	<0.5	0.819	<0.5	<0.5	<0.5		0.5	5	
	1/5/2004	<0.36	<0.36	<0.36		<0.36	<1.80	<0.36	<0.36	<0.36	<0.36	<0.36	0.5	5
	9/28/2004					<1.5	<60			<0.15	<3.8	<0.15	0.5	5
	12/2/2004	<0.12				<1.2	<47	<0.12	<0.12	<0.12	<2.9	<0.12	0.5	5
	4/4/2005					<4.8	<12			<0.48	<1.2	<0.48	0.5	5
	6/28/2005	<0.48		<0.48	<0.48	<4.8	<12	<0.48	<0.48	<0.48	<0.96	<0.48	0.5	5

Table 2B
Summary of Groundwater Laboratory Analytical Results
(Intermediate Piezometer Monitoring Wells--Horizon B)

Former Mr. Clean
Portage, Wisconsin

DATE	PZ-1	PZ-2	PZ-4	PZ-5	PZ-6	PZ-8	PZ-9	PZ-10	PZ-12	PZ-15	Trip	PAL	ES
Depth of Screen Interval =>	39'-44'	29'-34'	38'-43'	36'-41'	34'-39'	35'-40'	30'-35'	30'-35'	40'-45'	40'-45'	Blank		

NOTES:

Only analytes detected in concentrations above method detection limits are listed on this table

except for	chloroethane	PZ-9	12/2/2004	0.68* µg/l
	chloromethane	PZ-10	12/2/2004	0.12* µg/l
	dichlorodifluoromethane	PZ-12	9/28/2004	0.22* µg/l
		PZ-12	12/2/2004	0.25* µg/l

Screen depths are rounded to the nearest foot (as measured from the top of riser).

Blank cell indicates sample not collected

Sample jars for MW-7 and PZ-4 were apparently mislabeled with each other--1/5/04 results assigned based on historical data

* Result between limit of detection and limit of quantification

< Below method detection limit

PAL NR 140 preventive action limit

ES NR 140 enforcement standard

µg/l micrograms per liter (parts per billion)

Results in *italicized* highlight indicate contaminant above the current PAL

Results in **bold** highlight indicate contaminant above the current ES

Table 2C
Summary of Groundwater Laboratory Analytical Results
(Deep Piezometer Monitoring Wells--Horizon C)

Former Mr. Clean
Portage, Wisconsin

DATE	PZ-7	PZ-11	PZ-13	PZ-14	Trip	PAL	ES	
Depth of Screen Interval =>	52'-57'	58'-63'	60'-65'	60'-65'	Blank			
Chlorinated Volatiles (µg/l)								
TETRACHLOROETHENE	4/16/2002	13				0.5	5	
(PCE)	2/20/2003	3.16	7.6	<0.5		0.5	5	
	5/15/2003	1.8	15.4	<0.5		0.5	5	
	1/5/2004	<0.32	20.0	3.19	7.75	<0.32	0.5	5
	9/28/2004		2.6	0.57	8.9	<0.13	0.5	5
	12/2/2004	<0.13	3.2	0.26	0.99	<0.13	0.5	5
	4/4/2005		5.3	<0.45	2.0	<0.45	0.5	5
	6/28/2005	<0.45	5.0	<0.45	1.7	<0.45	0.5	5
TRICHLOROETHENE	4/16/2002	<0.89				0.5	5	
(TCE)	2/20/2003	<0.5	<0.5	<0.5		0.5	5	
	5/15/2003	0.795	<0.5	<0.5		0.5	5	
	1/5/2004	<0.36	<0.36	<0.36	<0.36	0.5	5	
	9/28/2004		<0.15	<0.15	0.62	<0.15	0.5	5
	12/2/2004	<0.12	<0.12	<0.12	<0.12	0.5	5	
	4/4/2005		<0.48	<0.48	<0.48	0.5	5	
	6/28/2005	<0.48	<0.48	<0.48	<0.48	0.5	5	

NOTES:

Only analytes detected in concentrations above method detection limits are listed on this table.

except for chloroethane PZ-13 12/2/2004 0.75* µg/l

Screen depths are rounded to the nearest foot (as measured from the top of riser).

Blank cell indicates sample not collected

* Result between limit of detection and limit of quantification

< Below method detection limit

PAL NR 140 preventive action limit

ES NR 140 enforcement standard

µg/l micrograms per liter (parts per billion)

Results in *italicized* highlight indicate contaminant above the current PAL

Results in **bold** highlight indicate contaminant above the current ES

(Please Print Legibly)

Company Name: Liesch Environmental

Branch or Location: Madison

Project Contact: Dave Nemetz

Telephone: 608.223.1532

Project Number: 64590.05

Project Name: MT Clean

Project State: WI

Sampled By (Print): Scott Rickard

PO #: _____



A Division of Pace Analytical Services, Inc.

1241 Bellevue St., Suite 9
Green Bay, WI 54302
920-469-2436
Fax 920-469-8827

CHAIN OF CUSTODY No. 144102

Page 1 of 2

Quote #: _____

Mail Report To: Dave Nemetz

Company: Liesch Environmental

Address: 6000 Gisholt Dr
Madison, WI 53713

Invoice To: Richard Lynn Properties

Company: 11317 Smith Drive

Address: Suite 100

Huntley, IL 60142

Mail Invoice To: _____

*Preservation Codes
 A=None B=HCL C=H2SO4 D=HNO3 E=EnCore F=Methanol G=NaOH
 H=Sodium Bisulfate Solution I=Sodium Thiosulfate J=Other

FILTERED? (YES/NO) /

PRESERVATION (CODE)* B

Data Package Options - (please circle if requested)

Sample Results Only (no QC)

EPA Level II (Subject to Surcharge)

EPA Level III (Subject to Surcharge)

EPA Level IV (Subject to Surcharge)

Regulatory Program
 UST
 RCRA
 SDWA
 NPDES
 CERCLA

Matrix Codes
 GW=Ground Water
 W=Water
 S=Soil
 A=Air
 C=Charcoal
 B=Biota
 SI=Sludge
 WP=Wipe

LABORATORY ID (Lab Use Only)	FIELD ID	COLLECTION		MATRIX	ANALYSES REQUESTED	PRESERVATION (CODE)*	TOTAL # OF BOTTLES SENT	CLIENT COMMENTS	LAB COMMENTS (Lab Use Only)
		DATE	TIME						
001	MW-3R	6/29/05	0910	GW	X		2	40ml B	
002	MW-4		0855		X		2		
003	MW-5		0855		X		2		
004	MW-6		0955		X		2		
005	MW-7		0930		X		2		
006	PZ-1		0900		X		2		
007	PZ-4		0925		X		2		
008	PZ-5		005		X		2		
009	MW-8		7300		X		2		
010	MW-9		225		X		2		
011	MW-10		1105		X		2		
012	PZ-6		1110		X		2		

Rush Turnaround Time Requested (TAT) - Prelim
(Rush TAT subject to approval/surcharge)

Date Needed: _____

Transmit Prelim Rush Results by (circle):
 Phone Fax E-mail

Phone #: _____

Fax #: _____

E-Mail Address: _____

Samples on HOLD are subject to special pricing and release of liability

Relinquished By: Scott Rickard Date/Time: 6/30/05 0840

Relinquished By: Dustin Date/Time: _____

Relinquished By: _____ Date/Time: _____

Relinquished By: _____ Date/Time: _____

Relinquished By: _____ Date/Time: _____

Received By: Kimberly Exp Date/Time: 6/30/05

Received By: Shawn Dattler Date/Time: 7/1/05 0855

Received By: _____ Date/Time: _____

Received By: _____ Date/Time: _____

Received By: _____ Date/Time: _____

En Chem Project No. 861041

Sample Receipt Temp. 0°C

Sample Receipt pH (We/Metals) NA

Cooler Custody Seal

Present / Not Present Present

Intact / Not Intact

Please print legibly

Company Name: _____

Branch or Location: _____

Project Contact: _____

Telephone: _____

Project Number: _____

Project Name: _____

Project State: _____

Sampled By (Print): _____

PO #: _____

Data Package Options - (please circle if requested)

Sample Results Only (no QC)

EPA Level II (Subject to Surcharge)

EPA Level III (Subject to Surcharge)

EPA Level IV (Subject to Surcharge)

Regulatory Program
 UST
 RCRA
 SDWA
 NPDES
 CERCLA

Matrix Codes
 GW=Ground Water
 W=Water
 S=Soil
 A=Air
 C=Charcoal
 B=Biota
 Sl=Sludge
 WP=Wipe

EN CHEM

1241 Bellevue St., Suite 9
 Green Bay, WI 54302
 920-469-2436
 Fax 920-469-8827

A Division of Pace Analytical Services, Inc.

CHAIN OF CUSTODY No. 144103

Page 2 of 2

Quote #: _____

Mail Report To: _____

Company: See

Address: _____

Invoice To: P. I.

Company: _____

Address: _____

Mail Invoice To: _____

*Preservation Codes
 A=None B=HCL C=H2SO4 D=HNO3 E=EnCore F=Methanol G=NaOH
 H=Sodium Bisulfate Solution I=Sodium Thiosulfate J=Other

FILTERED? (YES/NO) -

PRESERVATION (CODE)* B

ANALYSES REQUESTED
VOC

TOTAL # OF BOTTLES SENT

LABORATORY ID (Lab Use Only)	FIELD ID	COLLECTION		MATRIX	ANALYSES REQUESTED											TOTAL # OF BOTTLES SENT	CLIENT COMMENTS	LAB COMMENTS (Lab Use Only)		
		DATE	TIME																	
013	PZ-7	6/29/05	1130	GW	X													2	-45 ml B	
014	PZ-9		1230		X													2		
015	PZ-10		1205		X													2		
016	MW-12		1345		X													2		
017	PZ-8		1250		X													2		
018	PZ-11		1400		X													2		
019	PZ-12		1440		X													2		
020	PZ-13		1450		X													2		
021	PZ-14		1535		X													2		
022	PZ-15		1525		X													2		
023	FD-1		0915		X													2		
024	Trip Blank				X													2	H2O TBLK	

Rush Turnaround Time Requested (TAT) - Prelim
 (Rush TAT subject to approval/surcharge)

Date Needed: _____

Transmit Prelim Rush Results by (circle):
 Phone Fax E-mail

Phone #: _____

Fax #: _____

E-Mail Address: _____

Samples on HOLD are subject to special pricing and release of liability

Relinquished By: Scott Reiford	Date/Time: 6/30/05 0800	Received By: Nathan Express	Date/Time: 7/20/05
Relinquished By: Nathan	Date/Time:	Received By: Anne Dufort	Date/Time: 7/11/05
Relinquished By:	Date/Time:	Received By:	Date/Time:
Relinquished By:	Date/Time:	Received By:	Date/Time:


En Chem Project No. 861041

Sample Receipt Temp. 0°C

Sample Receipt pH (Wet/Metal) NA

Cooler Custody Seal Present / Not Present

Intact / Not intact



1241 Bellevue Street, Suite 9
Green Bay, WI 54302
920-469-2436, Fax: 920-469-8827

Analytical Report Number: 861041

Client: LIESCH ENVIRONMENTAL SERVICES - MAD

Lab Contact: Eric Bullock

Project Name: MR. CLEAN

Project Number: 64590.05

Lab Sample Number	Field ID	Matrix	Collection Date
861041-001	MW-3R	GW	06/29/05
861041-002	MW-4	GW	06/29/05
861041-003	MW-5	GW	06/29/05
861041-004	MW-6	GW	06/29/05
861041-005	MW-7	GW	06/29/05
861041-006	PZ-1	GW	06/29/05
861041-007	PZ-4	GW	06/29/05
861041-008	PZ-5	GW	06/29/05
861041-009	MW-8	GW	06/29/05
861041-010	MW-9	GW	06/29/05
861041-011	MW-10	GW	06/29/05
861041-012	PZ-6	GW	06/29/05
861041-013	PZ-7	GW	06/29/05
861041-014	PZ-9	GW	06/29/05
861041-015	PZ-10	GW	06/29/05
861041-016	MW-12	GW	06/29/05
861041-017	PZ-8	GW	06/29/05
861041-018	PZ-11	GW	06/29/05
861041-019	PZ-12	GW	06/29/05
861041-020	PZ-13	GW	06/29/05
861041-021	PZ-14	GW	06/29/05
861041-022	PZ-15	GW	06/29/05
861041-023	FD-1	GW	06/29/05
861041-024	TRIP BLANK	WATER	06/29/05

I certify that the data contained in this Final Report has been generated and reviewed in accordance with approved methods and Laboratory Standard Operating Procedure. Exceptions, if any, are discussed in the accompanying sample comments. Release of this final report is authorized by Laboratory management, as is verified by the following signature. This report shall not be reproduced, except in full, without the written consent of Pace Analytical Services, Inc. The sample results relate only to the analytes of interest tested.


Approval Signature

7/7/05
Date

Client : LIESCH ENVIRONMENTAL SERVICES - MAD

Matrix Type : GROUNDWATER

Project Name : MR. CLEAN

Collection Date : 06/29/05

Project Number : 64590.05

Report Date : 07/07/05

Field ID : MW-3R

Lab Sample Number : 861041-001

VOLATILES

Prep Date: 07/05/05

Analyte	Result	LOD	LOQ	EQL	Dil.	Units	Code	Anl Date	Prep Method	Anl Method
1,1,1,2-Tetrachloroethane	< 4.6	4.6	15		5	ug/L		07/05/05	SW846 5030B	SW846 8260B
1,1,1-Trichloroethane	< 4.5	4.5	15		5	ug/L		07/05/05	SW846 5030B	SW846 8260B
1,1,2,2-Tetrachloroethane	< 1.0	1.0	3.3		5	ug/L		07/05/05	SW846 5030B	SW846 8260B
1,1,2-Trichloroethane	< 2.1	2.1	7.0		5	ug/L		07/05/05	SW846 5030B	SW846 8260B
1,1-Dichloroethane	< 3.8	3.8	12		5	ug/L		07/05/05	SW846 5030B	SW846 8260B
1,1-Dichloroethene	< 2.8	2.8	9.5		5	ug/L		07/05/05	SW846 5030B	SW846 8260B
1,1-Dichloropropene	< 3.8	3.8	12		5	ug/L		07/05/05	SW846 5030B	SW846 8260B
1,2,3-Trichlorobenzene	< 3.7	3.7	12		5	ug/L		07/05/05	SW846 5030B	SW846 8260B
1,2,3-Trichloropropane	< 5.0	5.0	16		5	ug/L		07/05/05	SW846 5030B	SW846 8260B
1,2,4-Trichlorobenzene	< 4.8	4.8	16		5	ug/L		07/05/05	SW846 5030B	SW846 8260B
1,2,4-Trimethylbenzene	< 4.8	4.8	16		5	ug/L		07/05/05	SW846 5030B	SW846 8260B
1,2-Dibromo-3-chloropropane	< 4.4	4.4	14		5	ug/L		07/05/05	SW846 5030B	SW846 8260B
1,2-Dibromoethane	< 2.8	2.8	9.3		5	ug/L		07/05/05	SW846 5030B	SW846 8260B
1,2-Dichlorobenzene	< 4.1	4.1	14		5	ug/L		07/05/05	SW846 5030B	SW846 8260B
1,2-Dichloroethane	< 1.8	1.8	6.0		5	ug/L		07/05/05	SW846 5030B	SW846 8260B
1,2-Dichloropropane	< 2.3	2.3	7.7		5	ug/L		07/05/05	SW846 5030B	SW846 8260B
1,3,5-Trimethylbenzene	< 4.1	4.1	14		5	ug/L		07/05/05	SW846 5030B	SW846 8260B
1,3-Dichlorobenzene	< 4.4	4.4	14		5	ug/L		07/05/05	SW846 5030B	SW846 8260B
1,3-Dichloropropane	< 3.0	3.0	10		5	ug/L		07/05/05	SW846 5030B	SW846 8260B
1,4-Dichlorobenzene	< 4.8	4.8	16		5	ug/L		07/05/05	SW846 5030B	SW846 8260B
2,2-Dichloropropane	< 3.1	3.1	10		5	ug/L		07/05/05	SW846 5030B	SW846 8260B
2-Chlorotoluene	< 4.2	4.2	14		5	ug/L		07/05/05	SW846 5030B	SW846 8260B
4-Chlorotoluene	< 3.7	3.7	12		5	ug/L		07/05/05	SW846 5030B	SW846 8260B
Benzene	< 2.0	2.0	6.8		5	ug/L		07/05/05	SW846 5030B	SW846 8260B
Bromobenzene	< 4.1	4.1	14		5	ug/L		07/05/05	SW846 5030B	SW846 8260B
Bromochloromethane	< 4.8	4.8	16		5	ug/L		07/05/05	SW846 5030B	SW846 8260B
Bromodichloromethane	< 2.8	2.8	9.3		5	ug/L		07/05/05	SW846 5030B	SW846 8260B
Bromoform	< 4.7	4.7	16		5	ug/L		07/05/05	SW846 5030B	SW846 8260B
Bromomethane	< 4.6	4.6	15		5	ug/L		07/05/05	SW846 5030B	SW846 8260B
Carbon Tetrachloride	< 2.4	2.4	8.2		5	ug/L		07/05/05	SW846 5030B	SW846 8260B
Chlorobenzene	< 2.0	2.0	6.8		5	ug/L		07/05/05	SW846 5030B	SW846 8260B
Chlorodibromomethane	< 4.1	4.1	14		5	ug/L		07/05/05	SW846 5030B	SW846 8260B
Chloroethane	< 4.8	4.8	16		5	ug/L		07/05/05	SW846 5030B	SW846 8260B
Chloroform	< 1.8	1.8	6.2		5	ug/L		07/05/05	SW846 5030B	SW846 8260B
Chloromethane	< 1.2	1.2	4.0		5	ug/L		07/05/05	SW846 5030B	SW846 8260B
cis-1,2-Dichloroethene	38	4.1	14		5	ug/L		07/05/05	SW846 5030B	SW846 8260B
cis-1,3-Dichloropropene	< 0.95	0.95	3.2		5	ug/L		07/05/05	SW846 5030B	SW846 8260B
Dibromomethane	< 3.0	3.0	10		5	ug/L		07/05/05	SW846 5030B	SW846 8260B
Dichlorodifluoromethane	< 5.0	5.0	16		5	ug/L		07/05/05	SW846 5030B	SW846 8260B
Diisopropyl Ether	< 3.8	3.8	13		5	ug/L		07/05/05	SW846 5030B	SW846 8260B
Ethylbenzene	< 2.7	2.7	9.0		5	ug/L		07/05/05	SW846 5030B	SW846 8260B
Fluorotrichloromethane	< 4.0	4.0	13		5	ug/L		07/05/05	SW846 5030B	SW846 8260B
Hexachlorobutadiene	< 3.4	3.4	11		5	ug/L		07/05/05	SW846 5030B	SW846 8260B
Isopropylbenzene	< 2.9	2.9	9.8		5	ug/L		07/05/05	SW846 5030B	SW846 8260B
Methylene Chloride	< 2.2	2.2	7.2		5	ug/L		07/05/05	SW846 5030B	SW846 8260B
Methyl-tert-butyl-ether	< 3.0	3.0	10		5	ug/L		07/05/05	SW846 5030B	SW846 8260B
Naphthalene	< 3.7	3.7	12		5	ug/L		07/05/05	SW846 5030B	SW846 8260B
N-Butylbenzene	< 4.6	4.6	16		5	ug/L		07/05/05	SW846 5030B	SW846 8260B

Client : LIESCH ENVIRONMENTAL SERVICES - MAD

Matrix Type : GROUNDWATER

Project Name : MR. CLEAN

Collection Date : 06/29/05

Project Number : 64590.05

Report Date : 07/07/05

Field ID : MW-3R

Lab Sample Number : 861041-001

VOLATILES

Prep Date: 07/05/05

Analyte	Result	LOD	LOQ	EQL	Dil.	Units	Code	Anl Date	Prep Method	Anl Method
n-Propylbenzene	< 4.1	4.1	14		5	ug/L		07/05/05	SW846 5030B	SW846 8260B
p-Isopropyltoluene	< 3.4	3.4	11		5	ug/L		07/05/05	SW846 5030B	SW846 8260B
sec-Butylbenzene	< 4.4	4.4	15		5	ug/L		07/05/05	SW846 5030B	SW846 8260B
Styrene	< 4.3	4.3	14		5	ug/L		07/05/05	SW846 5030B	SW846 8260B
tert-Butylbenzene	< 4.8	4.8	16		5	ug/L		07/05/05	SW846 5030B	SW846 8260B
Tetrachloroethene	900	2.2	7.5		5	ug/L		07/05/05	SW846 5030B	SW846 8260B
Toluene	< 3.4	3.4	11		5	ug/L		07/05/05	SW846 5030B	SW846 8260B
trans-1,2-Dichloroethene	< 4.4	4.4	15		5	ug/L		07/05/05	SW846 5030B	SW846 8260B
trans-1,3-Dichloropropene	< 0.95	0.95	3.2		5	ug/L		07/05/05	SW846 5030B	SW846 8260B
Trichloroethene	< 2.4	2.4	8.0		5	ug/L		07/05/05	SW846 5030B	SW846 8260B
Vinyl Chloride	< 0.90	0.90	3.0		5	ug/L		07/05/05	SW846 5030B	SW846 8260B
Xylene, o	< 4.1	4.1	14		5	ug/L		07/05/05	SW846 5030B	SW846 8260B
Xylenes, m + p	< 9.0	9.0	30		5	ug/L		07/05/05	SW846 5030B	SW846 8260B
4-Bromofluorobenzene	91				5	%Recov		07/05/05	SW846 5030B	SW846 8260B
Toluene-d8	97				5	%Recov		07/05/05	SW846 5030B	SW846 8260B
Dibromofluoromethane	96				5	%Recov		07/05/05	SW846 5030B	SW846 8260B

Client : LIESCH ENVIRONMENTAL SERVICES - MAD

Matrix Type : GROUNDWATER

Project Name : MR. CLEAN

Collection Date : 06/29/05

Project Number : 64590.05

Report Date : 07/07/05

Field ID : MW-4

Lab Sample Number : 861041-002

VOLATILES

Prep Date: 07/05/05

Analyte	Result	LOD	LOQ	EQL	Dil.	Units	Code	Anl Date	Prep Method	Anl Method
1,1,1,2-Tetrachloroethane	< 0.92	0.92	3.1		1	ug/L		07/05/05	SW846 5030B	SW846 8260B
1,1,1-Trichloroethane	< 0.90	0.90	3.0		1	ug/L		07/05/05	SW846 5030B	SW846 8260B
1,1,2,2-Tetrachloroethane	< 0.20	0.20	0.67		1	ug/L		07/05/05	SW846 5030B	SW846 8260B
1,1,2-Trichloroethane	< 0.42	0.42	1.4		1	ug/L		07/05/05	SW846 5030B	SW846 8260B
1,1-Dichloroethane	< 0.75	0.75	2.5		1	ug/L		07/05/05	SW846 5030B	SW846 8260B
1,1-Dichloroethene	< 0.57	0.57	1.9		1	ug/L		07/05/05	SW846 5030B	SW846 8260B
1,1-Dichloropropene	< 0.75	0.75	2.5		1	ug/L		07/05/05	SW846 5030B	SW846 8260B
1,2,3-Trichlorobenzene	< 0.74	0.74	2.5		1	ug/L		07/05/05	SW846 5030B	SW846 8260B
1,2,3-Trichloropropane	< 0.99	0.99	3.3		1	ug/L		07/05/05	SW846 5030B	SW846 8260B
1,2,4-Trichlorobenzene	< 0.97	0.97	3.2		1	ug/L		07/05/05	SW846 5030B	SW846 8260B
1,2,4-Trimethylbenzene	< 0.97	0.97	3.2		1	ug/L		07/05/05	SW846 5030B	SW846 8260B
1,2-Dibromo-3-chloropropane	< 0.87	0.87	2.9		1	ug/L		07/05/05	SW846 5030B	SW846 8260B
1,2-Dibromoethane	< 0.56	0.56	1.9		1	ug/L		07/05/05	SW846 5030B	SW846 8260B
1,2-Dichlorobenzene	< 0.83	0.83	2.8		1	ug/L		07/05/05	SW846 5030B	SW846 8260B
1,2-Dichloroethane	< 0.36	0.36	1.2		1	ug/L		07/05/05	SW846 5030B	SW846 8260B
1,2-Dichloropropane	< 0.46	0.46	1.5		1	ug/L		07/05/05	SW846 5030B	SW846 8260B
1,3,5-Trimethylbenzene	< 0.83	0.83	2.8		1	ug/L		07/05/05	SW846 5030B	SW846 8260B
1,3-Dichlorobenzene	< 0.87	0.87	2.9		1	ug/L		07/05/05	SW846 5030B	SW846 8260B
1,3-Dichloropropane	< 0.61	0.61	2.0		1	ug/L		07/05/05	SW846 5030B	SW846 8260B
1,4-Dichlorobenzene	< 0.95	0.95	3.2		1	ug/L		07/05/05	SW846 5030B	SW846 8260B
2,2-Dichloropropane	< 0.62	0.62	2.1		1	ug/L		07/05/05	SW846 5030B	SW846 8260B
2-Chlorotoluene	< 0.85	0.85	2.8		1	ug/L		07/05/05	SW846 5030B	SW846 8260B
4-Chlorotoluene	< 0.74	0.74	2.5		1	ug/L		07/05/05	SW846 5030B	SW846 8260B
Benzene	< 0.41	0.41	1.4		1	ug/L		07/05/05	SW846 5030B	SW846 8260B
Bromobenzene	< 0.82	0.82	2.7		1	ug/L		07/05/05	SW846 5030B	SW846 8260B
Bromochloromethane	< 0.97	0.97	3.2		1	ug/L		07/05/05	SW846 5030B	SW846 8260B
Bromodichloromethane	< 0.56	0.56	1.9		1	ug/L		07/05/05	SW846 5030B	SW846 8260B
Bromoform	< 0.94	0.94	3.1		1	ug/L		07/05/05	SW846 5030B	SW846 8260B
Bromomethane	< 0.91	0.91	3.0		1	ug/L		07/05/05	SW846 5030B	SW846 8260B
Carbon Tetrachloride	< 0.49	0.49	1.6		1	ug/L		07/05/05	SW846 5030B	SW846 8260B
Chlorobenzene	< 0.41	0.41	1.4		1	ug/L		07/05/05	SW846 5030B	SW846 8260B
Chlorodibromomethane	< 0.81	0.81	2.7		1	ug/L		07/05/05	SW846 5030B	SW846 8260B
Chloroethane	< 0.97	0.97	3.2		1	ug/L		07/05/05	SW846 5030B	SW846 8260B
Chloroform	< 0.37	0.37	1.2		1	ug/L		07/05/05	SW846 5030B	SW846 8260B
Chloromethane	< 0.24	0.24	0.80		1	ug/L		07/05/05	SW846 5030B	SW846 8260B
cis-1,2-Dichloroethene	< 0.83	0.83	2.8		1	ug/L		07/05/05	SW846 5030B	SW846 8260B
cis-1,3-Dichloropropene	< 0.19	0.19	0.63		1	ug/L		07/05/05	SW846 5030B	SW846 8260B
Dibromomethane	< 0.60	0.60	2.0		1	ug/L		07/05/05	SW846 5030B	SW846 8260B
Dichlorodifluoromethane	< 0.99	0.99	3.3		1	ug/L		07/05/05	SW846 5030B	SW846 8260B
Diisopropyl Ether	< 0.76	0.76	2.5		1	ug/L		07/05/05	SW846 5030B	SW846 8260B
Ethylbenzene	< 0.54	0.54	1.8		1	ug/L		07/05/05	SW846 5030B	SW846 8260B
Fluorotrichloromethane	< 0.79	0.79	2.6		1	ug/L		07/05/05	SW846 5030B	SW846 8260B
Hexachlorobutadiene	< 0.67	0.67	2.2		1	ug/L		07/05/05	SW846 5030B	SW846 8260B
Isopropylbenzene	< 0.59	0.59	2.0		1	ug/L		07/05/05	SW846 5030B	SW846 8260B
Methylene Chloride	< 0.43	0.43	1.4		1	ug/L		07/05/05	SW846 5030B	SW846 8260B
Methyl-tert-butyl-ether	< 0.61	0.61	2.0		1	ug/L		07/05/05	SW846 5030B	SW846 8260B
Naphthalene	< 0.74	0.74	2.5		1	ug/L		07/05/05	SW846 5030B	SW846 8260B
N-Butylbenzene	< 0.93	0.93	3.1		1	ug/L		07/05/05	SW846 5030B	SW846 8260B

**Pace Analytical
Services, Inc.**

Analytical Report Number: 861041

1241 Bellevue Street
Green Bay, WI 54302
920-469-2436

Client : LIESCH ENVIRONMENTAL SERVICES - MAD

Matrix Type : GROUNDWATER

Project Name : MR. CLEAN

Collection Date : 06/29/05

Project Number : 64590.05

Report Date : 07/07/05

Field ID : MW-4

Lab Sample Number : 861041-002

VOLATILES

Prep Date: 07/05/05

Analyte	Result	LOD	LOQ	EQL	Dil.	Units	Code	Anl Date	Prep Method	Anl Method
n-Propylbenzene	< 0.81	0.81	2.7		1	ug/L		07/05/05	SW846 5030B	SW846 8260B
p-Isopropyltoluene	< 0.67	0.67	2.2		1	ug/L		07/05/05	SW846 5030B	SW846 8260B
sec-Butylbenzene	< 0.89	0.89	3.0		1	ug/L		07/05/05	SW846 5030B	SW846 8260B
Styrene	< 0.86	0.86	2.9		1	ug/L		07/05/05	SW846 5030B	SW846 8260B
tert-Butylbenzene	< 0.97	0.97	3.2		1	ug/L		07/05/05	SW846 5030B	SW846 8260B
Tetrachloroethene	130	0.45	1.5		1	ug/L		07/05/05	SW846 5030B	SW846 8260B
Toluene	< 0.67	0.67	2.2		1	ug/L		07/05/05	SW846 5030B	SW846 8260B
trans-1,2-Dichloroethene	< 0.89	0.89	3.0		1	ug/L		07/05/05	SW846 5030B	SW846 8260B
trans-1,3-Dichloropropene	< 0.19	0.19	0.63		1	ug/L		07/05/05	SW846 5030B	SW846 8260B
Trichloroethene	< 0.48	0.48	1.6		1	ug/L		07/05/05	SW846 5030B	SW846 8260B
Vinyl Chloride	< 0.18	0.18	0.60		1	ug/L		07/05/05	SW846 5030B	SW846 8260B
Xylene, o	< 0.83	0.83	2.8		1	ug/L		07/05/05	SW846 5030B	SW846 8260B
Xylenes, m + p	< 1.8	1.8	6.0		1	ug/L		07/05/05	SW846 5030B	SW846 8260B
4-Bromofluorobenzene	90				1	%Recov		07/05/05	SW846 5030B	SW846 8260B
Toluene-d8	97				1	%Recov		07/05/05	SW846 5030B	SW846 8260B
Dibromofluoromethane	95				1	%Recov		07/05/05	SW846 5030B	SW846 8260B

Client : LIESCH ENVIRONMENTAL SERVICES - MAD

Matrix Type : GROUNDWATER

Project Name : MR. CLEAN

Collection Date : 06/29/05

Project Number : 64590.05

Report Date : 07/07/05

Field ID : MW-5

Lab Sample Number : 861041-003

VOLATILES

Prep Date: 07/05/05

Analyte	Result	LOD	LOQ	EQL	Dil.	Units	Code	Anl Date	Prep Method	Anl Method
1,1,1,2-Tetrachloroethane	< 0.92	0.92	3.1		1	ug/L		07/05/05	SW846 5030B	SW846 8260B
1,1,1-Trichloroethane	< 0.90	0.90	3.0		1	ug/L		07/05/05	SW846 5030B	SW846 8260B
1,1,2,2-Tetrachloroethane	< 0.20	0.20	0.67		1	ug/L		07/05/05	SW846 5030B	SW846 8260B
1,1,2-Trichloroethane	< 0.42	0.42	1.4		1	ug/L		07/05/05	SW846 5030B	SW846 8260B
1,1-Dichloroethane	< 0.75	0.75	2.5		1	ug/L		07/05/05	SW846 5030B	SW846 8260B
1,1-Dichloroethene	< 0.57	0.57	1.9		1	ug/L		07/05/05	SW846 5030B	SW846 8260B
1,1-Dichloropropene	< 0.75	0.75	2.5		1	ug/L		07/05/05	SW846 5030B	SW846 8260B
1,2,3-Trichlorobenzene	< 0.74	0.74	2.5		1	ug/L		07/05/05	SW846 5030B	SW846 8260B
1,2,3-Trichloropropane	< 0.99	0.99	3.3		1	ug/L		07/05/05	SW846 5030B	SW846 8260B
1,2,4-Trichlorobenzene	< 0.97	0.97	3.2		1	ug/L		07/05/05	SW846 5030B	SW846 8260B
1,2,4-Trimethylbenzene	< 0.97	0.97	3.2		1	ug/L		07/05/05	SW846 5030B	SW846 8260B
1,2-Dibromo-3-chloropropane	< 0.87	0.87	2.9		1	ug/L		07/05/05	SW846 5030B	SW846 8260B
1,2-Dibromoethane	< 0.56	0.56	1.9		1	ug/L		07/05/05	SW846 5030B	SW846 8260B
1,2-Dichlorobenzene	< 0.83	0.83	2.8		1	ug/L		07/05/05	SW846 5030B	SW846 8260B
1,2-Dichloroethane	< 0.36	0.36	1.2		1	ug/L		07/05/05	SW846 5030B	SW846 8260B
1,2-Dichloropropane	< 0.46	0.46	1.5		1	ug/L		07/05/05	SW846 5030B	SW846 8260B
1,3,5-Trimethylbenzene	< 0.83	0.83	2.8		1	ug/L		07/05/05	SW846 5030B	SW846 8260B
1,3-Dichlorobenzene	< 0.87	0.87	2.9		1	ug/L		07/05/05	SW846 5030B	SW846 8260B
1,3-Dichloropropane	< 0.61	0.61	2.0		1	ug/L		07/05/05	SW846 5030B	SW846 8260B
1,4-Dichlorobenzene	< 0.95	0.95	3.2		1	ug/L		07/05/05	SW846 5030B	SW846 8260B
2,2-Dichloropropane	< 0.62	0.62	2.1		1	ug/L		07/05/05	SW846 5030B	SW846 8260B
2-Chlorotoluene	< 0.85	0.85	2.8		1	ug/L		07/05/05	SW846 5030B	SW846 8260B
4-Chlorotoluene	< 0.74	0.74	2.5		1	ug/L		07/05/05	SW846 5030B	SW846 8260B
Benzene	< 0.41	0.41	1.4		1	ug/L		07/05/05	SW846 5030B	SW846 8260B
Bromobenzene	< 0.82	0.82	2.7		1	ug/L		07/05/05	SW846 5030B	SW846 8260B
Bromochloromethane	< 0.97	0.97	3.2		1	ug/L		07/05/05	SW846 5030B	SW846 8260B
Bromodichloromethane	< 0.56	0.56	1.9		1	ug/L		07/05/05	SW846 5030B	SW846 8260B
Bromoform	< 0.94	0.94	3.1		1	ug/L		07/05/05	SW846 5030B	SW846 8260B
Bromomethane	< 0.91	0.91	3.0		1	ug/L		07/05/05	SW846 5030B	SW846 8260B
Carbon Tetrachloride	< 0.49	0.49	1.6		1	ug/L		07/05/05	SW846 5030B	SW846 8260B
Chlorobenzene	< 0.41	0.41	1.4		1	ug/L		07/05/05	SW846 5030B	SW846 8260B
Chlorodibromomethane	< 0.81	0.81	2.7		1	ug/L		07/05/05	SW846 5030B	SW846 8260B
Chloroethane	< 0.97	0.97	3.2		1	ug/L		07/05/05	SW846 5030B	SW846 8260B
Chloroform	< 0.37	0.37	1.2		1	ug/L		07/05/05	SW846 5030B	SW846 8260B
Chloromethane	< 0.24	0.24	0.80		1	ug/L		07/05/05	SW846 5030B	SW846 8260B
cis-1,2-Dichloroethene	< 0.83	0.83	2.8		1	ug/L		07/05/05	SW846 5030B	SW846 8260B
cis-1,3-Dichloropropene	< 0.19	0.19	0.63		1	ug/L		07/05/05	SW846 5030B	SW846 8260B
Dibromomethane	< 0.60	0.60	2.0		1	ug/L		07/05/05	SW846 5030B	SW846 8260B
Dichlorodifluoromethane	< 0.99	0.99	3.3		1	ug/L		07/05/05	SW846 5030B	SW846 8260B
Diisopropyl Ether	< 0.76	0.76	2.5		1	ug/L		07/05/05	SW846 5030B	SW846 8260B
Ethylbenzene	< 0.54	0.54	1.8		1	ug/L		07/05/05	SW846 5030B	SW846 8260B
Fluorotrichloromethane	< 0.79	0.79	2.6		1	ug/L		07/05/05	SW846 5030B	SW846 8260B
Hexachlorobutadiene	< 0.67	0.67	2.2		1	ug/L		07/05/05	SW846 5030B	SW846 8260B
Isopropylbenzene	< 0.59	0.59	2.0		1	ug/L		07/05/05	SW846 5030B	SW846 8260B
Methylene Chloride	< 0.43	0.43	1.4		1	ug/L		07/05/05	SW846 5030B	SW846 8260B
Methyl-tert-butyl-ether	< 0.61	0.61	2.0		1	ug/L		07/05/05	SW846 5030B	SW846 8260B
Naphthalene	< 0.74	0.74	2.5		1	ug/L		07/05/05	SW846 5030B	SW846 8260B
N-Butylbenzene	< 0.93	0.93	3.1		1	ug/L		07/05/05	SW846 5030B	SW846 8260B

Client : LIESCH ENVIRONMENTAL SERVICES - MAD

Matrix Type : GROUNDWATER

Project Name : MR. CLEAN

Collection Date : 06/29/05

Project Number : 64590.05

Report Date : 07/07/05

Field ID : MW-6

Lab Sample Number : 861041-004

VOLATILES

Prep Date: 07/05/05

Analyte	Result	LOD	LOQ	EQL	Dil.	Units	Code	Anl Date	Prep Method	Anl Method
1,1,1,2-Tetrachloroethane	< 0.92	0.92	3.1		1	ug/L		07/05/05	SW846 5030B	SW846 8260B
1,1,1-Trichloroethane	< 0.90	0.90	3.0		1	ug/L		07/05/05	SW846 5030B	SW846 8260B
1,1,2,2-Tetrachloroethane	< 0.20	0.20	0.67		1	ug/L		07/05/05	SW846 5030B	SW846 8260B
1,1,2-Trichloroethane	< 0.42	0.42	1.4		1	ug/L		07/05/05	SW846 5030B	SW846 8260B
1,1-Dichloroethane	< 0.75	0.75	2.5		1	ug/L		07/05/05	SW846 5030B	SW846 8260B
1,1-Dichloroethene	< 0.57	0.57	1.9		1	ug/L		07/05/05	SW846 5030B	SW846 8260B
1,1-Dichloropropene	< 0.75	0.75	2.5		1	ug/L		07/05/05	SW846 5030B	SW846 8260B
1,2,3-Trichlorobenzene	< 0.74	0.74	2.5		1	ug/L		07/05/05	SW846 5030B	SW846 8260B
1,2,3-Trichloropropane	< 0.99	0.99	3.3		1	ug/L		07/05/05	SW846 5030B	SW846 8260B
1,2,4-Trichlorobenzene	< 0.97	0.97	3.2		1	ug/L		07/05/05	SW846 5030B	SW846 8260B
1,2,4-Trimethylbenzene	< 0.97	0.97	3.2		1	ug/L		07/05/05	SW846 5030B	SW846 8260B
1,2-Dibromo-3-chloropropane	< 0.87	0.87	2.9		1	ug/L		07/05/05	SW846 5030B	SW846 8260B
1,2-Dibromoethane	< 0.56	0.56	1.9		1	ug/L		07/05/05	SW846 5030B	SW846 8260B
1,2-Dichlorobenzene	< 0.83	0.83	2.8		1	ug/L		07/05/05	SW846 5030B	SW846 8260B
1,2-Dichloroethane	< 0.36	0.36	1.2		1	ug/L		07/05/05	SW846 5030B	SW846 8260B
1,2-Dichloropropane	< 0.46	0.46	1.5		1	ug/L		07/05/05	SW846 5030B	SW846 8260B
1,3,5-Trimethylbenzene	< 0.83	0.83	2.8		1	ug/L		07/05/05	SW846 5030B	SW846 8260B
1,3-Dichlorobenzene	< 0.87	0.87	2.9		1	ug/L		07/05/05	SW846 5030B	SW846 8260B
1,3-Dichloropropane	< 0.61	0.61	2.0		1	ug/L		07/05/05	SW846 5030B	SW846 8260B
1,4-Dichlorobenzene	< 0.95	0.95	3.2		1	ug/L		07/05/05	SW846 5030B	SW846 8260B
2,2-Dichloropropane	< 0.62	0.62	2.1		1	ug/L		07/05/05	SW846 5030B	SW846 8260B
2-Chlorotoluene	< 0.85	0.85	2.8		1	ug/L		07/05/05	SW846 5030B	SW846 8260B
4-Chlorotoluene	< 0.74	0.74	2.5		1	ug/L		07/05/05	SW846 5030B	SW846 8260B
Benzene	< 0.41	0.41	1.4		1	ug/L		07/05/05	SW846 5030B	SW846 8260B
Bromobenzene	< 0.82	0.82	2.7		1	ug/L		07/05/05	SW846 5030B	SW846 8260B
Bromochloromethane	< 0.97	0.97	3.2		1	ug/L		07/05/05	SW846 5030B	SW846 8260B
Bromodichloromethane	< 0.56	0.56	1.9		1	ug/L		07/05/05	SW846 5030B	SW846 8260B
Bromoform	< 0.94	0.94	3.1		1	ug/L		07/05/05	SW846 5030B	SW846 8260B
Bromomethane	< 0.91	0.91	3.0		1	ug/L		07/05/05	SW846 5030B	SW846 8260B
Carbon Tetrachloride	< 0.49	0.49	1.6		1	ug/L		07/05/05	SW846 5030B	SW846 8260B
Chlorobenzene	< 0.41	0.41	1.4		1	ug/L		07/05/05	SW846 5030B	SW846 8260B
Chlorodibromomethane	< 0.81	0.81	2.7		1	ug/L		07/05/05	SW846 5030B	SW846 8260B
Chloroethane	< 0.97	0.97	3.2		1	ug/L		07/05/05	SW846 5030B	SW846 8260B
Chloroform	< 0.37	0.37	1.2		1	ug/L		07/05/05	SW846 5030B	SW846 8260B
Chloromethane	< 0.24	0.24	0.80		1	ug/L		07/05/05	SW846 5030B	SW846 8260B
cis-1,2-Dichloroethene	< 0.83	0.83	2.8		1	ug/L		07/05/05	SW846 5030B	SW846 8260B
cis-1,3-Dichloropropene	< 0.19	0.19	0.63		1	ug/L		07/05/05	SW846 5030B	SW846 8260B
Dibromomethane	< 0.60	0.60	2.0		1	ug/L		07/05/05	SW846 5030B	SW846 8260B
Dichlorodifluoromethane	< 0.99	0.99	3.3		1	ug/L		07/05/05	SW846 5030B	SW846 8260B
Diisopropyl Ether	< 0.76	0.76	2.5		1	ug/L		07/05/05	SW846 5030B	SW846 8260B
Ethylbenzene	< 0.54	0.54	1.8		1	ug/L		07/05/05	SW846 5030B	SW846 8260B
Fluorotrichloromethane	< 0.79	0.79	2.6		1	ug/L		07/05/05	SW846 5030B	SW846 8260B
Hexachlorobutadiene	< 0.67	0.67	2.2		1	ug/L		07/05/05	SW846 5030B	SW846 8260B
Isopropylbenzene	< 0.59	0.59	2.0		1	ug/L		07/05/05	SW846 5030B	SW846 8260B
Methylene Chloride	< 0.43	0.43	1.4		1	ug/L		07/05/05	SW846 5030B	SW846 8260B
Methyl-tert-butyl-ether	< 0.61	0.61	2.0		1	ug/L		07/05/05	SW846 5030B	SW846 8260B
Naphthalene	< 0.74	0.74	2.5		1	ug/L		07/05/05	SW846 5030B	SW846 8260B
N-Butylbenzene	< 0.93	0.93	3.1		1	ug/L		07/05/05	SW846 5030B	SW846 8260B

**Pace Analytical
Services, Inc.**

Analytical Report Number: 861041

1241 Bellevue Street
Green Bay, WI 54302
920-469-2436

Client : LIESCH ENVIRONMENTAL SERVICES - MAD

Matrix Type : GROUNDWATER

Project Name : MR. CLEAN

Collection Date : 06/29/05

Project Number : 64590.05

Report Date : 07/07/05

Field ID : MW-6

Lab Sample Number : 861041-004

VOLATILES

Prep Date: 07/05/05

Analyte	Result	LOD	LOQ	EQL	Dil.	Units	Code	Anl Date	Prep Method	Anl Method
n-Propylbenzene	< 0.81	0.81	2.7		1	ug/L		07/05/05	SW846 5030B	SW846 8260B
p-Isopropyltoluene	< 0.67	0.67	2.2		1	ug/L		07/05/05	SW846 5030B	SW846 8260B
sec-Butylbenzene	< 0.89	0.89	3.0		1	ug/L		07/05/05	SW846 5030B	SW846 8260B
Styrene	< 0.86	0.86	2.9		1	ug/L		07/05/05	SW846 5030B	SW846 8260B
tert-Butylbenzene	< 0.97	0.97	3.2		1	ug/L		07/05/05	SW846 5030B	SW846 8260B
Tetrachloroethene	3.9	0.45	1.5		1	ug/L		07/05/05	SW846 5030B	SW846 8260B
Toluene	< 0.67	0.67	2.2		1	ug/L		07/05/05	SW846 5030B	SW846 8260B
trans-1,2-Dichloroethene	< 0.89	0.89	3.0		1	ug/L		07/05/05	SW846 5030B	SW846 8260B
trans-1,3-Dichloropropene	< 0.19	0.19	0.63		1	ug/L		07/05/05	SW846 5030B	SW846 8260B
Trichloroethene	< 0.48	0.48	1.6		1	ug/L		07/05/05	SW846 5030B	SW846 8260B
Vinyl Chloride	< 0.18	0.18	0.60		1	ug/L		07/05/05	SW846 5030B	SW846 8260B
Xylene, o	< 0.83	0.83	2.8		1	ug/L		07/05/05	SW846 5030B	SW846 8260B
Xylenes, m + p	< 1.8	1.8	6.0		1	ug/L		07/05/05	SW846 5030B	SW846 8260B
4-Bromofluorobenzene	91				1	%Recov		07/05/05	SW846 5030B	SW846 8260B
Toluene-d8	96				1	%Recov		07/05/05	SW846 5030B	SW846 8260B
Dibromofluoromethane	96				1	%Recov		07/05/05	SW846 5030B	SW846 8260B

Client : LIESCH ENVIRONMENTAL SERVICES - MAD

Matrix Type : GROUNDWATER

Project Name : MR. CLEAN

Collection Date : 06/29/05

Project Number : 64590.05

Report Date : 07/07/05

Field ID : MW-7

Lab Sample Number : 861041-005

VOLATILES

Prep Date: 07/05/05

Analyte	Result	LOD	LOQ	EQL	Dil.	Units	Code	Anl Date	Prep Method	Anl Method
1,1,1,2-Tetrachloroethane	< 0.92	0.92	3.1		1	ug/L		07/05/05	SW846 5030B	SW846 8260B
1,1,1-Trichloroethane	< 0.90	0.90	3.0		1	ug/L		07/05/05	SW846 5030B	SW846 8260B
1,1,2,2-Tetrachloroethane	< 0.20	0.20	0.67		1	ug/L		07/05/05	SW846 5030B	SW846 8260B
1,1,2-Trichloroethane	< 0.42	0.42	1.4		1	ug/L		07/05/05	SW846 5030B	SW846 8260B
1,1-Dichloroethane	< 0.75	0.75	2.5		1	ug/L		07/05/05	SW846 5030B	SW846 8260B
1,1-Dichloroethene	< 0.57	0.57	1.9		1	ug/L		07/05/05	SW846 5030B	SW846 8260B
1,1-Dichloropropene	< 0.75	0.75	2.5		1	ug/L		07/05/05	SW846 5030B	SW846 8260B
1,2,3-Trichlorobenzene	< 0.74	0.74	2.5		1	ug/L		07/05/05	SW846 5030B	SW846 8260B
1,2,3-Trichloropropane	< 0.99	0.99	3.3		1	ug/L		07/05/05	SW846 5030B	SW846 8260B
1,2,4-Trichlorobenzene	< 0.97	0.97	3.2		1	ug/L		07/05/05	SW846 5030B	SW846 8260B
1,2,4-Trimethylbenzene	< 0.97	0.97	3.2		1	ug/L		07/05/05	SW846 5030B	SW846 8260B
1,2-Dibromo-3-chloropropane	< 0.87	0.87	2.9		1	ug/L		07/05/05	SW846 5030B	SW846 8260B
1,2-Dibromoethane	< 0.56	0.56	1.9		1	ug/L		07/05/05	SW846 5030B	SW846 8260B
1,2-Dichlorobenzene	< 0.83	0.83	2.8		1	ug/L		07/05/05	SW846 5030B	SW846 8260B
1,2-Dichloroethane	< 0.36	0.36	1.2		1	ug/L		07/05/05	SW846 5030B	SW846 8260B
1,2-Dichloropropane	< 0.46	0.46	1.5		1	ug/L		07/05/05	SW846 5030B	SW846 8260B
1,3,5-Trimethylbenzene	< 0.83	0.83	2.8		1	ug/L		07/05/05	SW846 5030B	SW846 8260B
1,3-Dichlorobenzene	< 0.87	0.87	2.9		1	ug/L		07/05/05	SW846 5030B	SW846 8260B
1,3-Dichloropropane	< 0.61	0.61	2.0		1	ug/L		07/05/05	SW846 5030B	SW846 8260B
1,4-Dichlorobenzene	< 0.95	0.95	3.2		1	ug/L		07/05/05	SW846 5030B	SW846 8260B
2,2-Dichloropropane	< 0.62	0.62	2.1		1	ug/L		07/05/05	SW846 5030B	SW846 8260B
2-Chlorotoluene	< 0.85	0.85	2.8		1	ug/L		07/05/05	SW846 5030B	SW846 8260B
4-Chlorotoluene	< 0.74	0.74	2.5		1	ug/L		07/05/05	SW846 5030B	SW846 8260B
Benzene	< 0.41	0.41	1.4		1	ug/L		07/05/05	SW846 5030B	SW846 8260B
Bromobenzene	< 0.82	0.82	2.7		1	ug/L		07/05/05	SW846 5030B	SW846 8260B
Bromochloromethane	< 0.97	0.97	3.2		1	ug/L		07/05/05	SW846 5030B	SW846 8260B
Bromodichloromethane	< 0.56	0.56	1.9		1	ug/L		07/05/05	SW846 5030B	SW846 8260B
Bromoform	< 0.94	0.94	3.1		1	ug/L		07/05/05	SW846 5030B	SW846 8260B
Bromomethane	< 0.91	0.91	3.0		1	ug/L		07/05/05	SW846 5030B	SW846 8260B
Carbon Tetrachloride	< 0.49	0.49	1.6		1	ug/L		07/05/05	SW846 5030B	SW846 8260B
Chlorobenzene	< 0.41	0.41	1.4		1	ug/L		07/05/05	SW846 5030B	SW846 8260B
Chlorodibromomethane	< 0.81	0.81	2.7		1	ug/L		07/05/05	SW846 5030B	SW846 8260B
Chloroethane	< 0.97	0.97	3.2		1	ug/L		07/05/05	SW846 5030B	SW846 8260B
Chloroform	< 0.37	0.37	1.2		1	ug/L		07/05/05	SW846 5030B	SW846 8260B
Chloromethane	< 0.24	0.24	0.80		1	ug/L		07/05/05	SW846 5030B	SW846 8260B
cis-1,2-Dichloroethene	< 0.83	0.83	2.8		1	ug/L		07/05/05	SW846 5030B	SW846 8260B
cis-1,3-Dichloropropene	< 0.19	0.19	0.63		1	ug/L		07/05/05	SW846 5030B	SW846 8260B
Dibromomethane	< 0.60	0.60	2.0		1	ug/L		07/05/05	SW846 5030B	SW846 8260B
Dichlorodifluoromethane	< 0.99	0.99	3.3		1	ug/L		07/05/05	SW846 5030B	SW846 8260B
Diisopropyl Ether	< 0.76	0.76	2.5		1	ug/L		07/05/05	SW846 5030B	SW846 8260B
Ethylbenzene	< 0.54	0.54	1.8		1	ug/L		07/05/05	SW846 5030B	SW846 8260B
Fluorotrichloromethane	< 0.79	0.79	2.6		1	ug/L		07/05/05	SW846 5030B	SW846 8260B
Hexachlorobutadiene	< 0.67	0.67	2.2		1	ug/L		07/05/05	SW846 5030B	SW846 8260B
Isopropylbenzene	< 0.59	0.59	2.0		1	ug/L		07/05/05	SW846 5030B	SW846 8260B
Methylene Chloride	< 0.43	0.43	1.4		1	ug/L		07/05/05	SW846 5030B	SW846 8260B
Methyl-tert-butyl-ether	< 0.61	0.61	2.0		1	ug/L		07/05/05	SW846 5030B	SW846 8260B
Naphthalene	< 0.74	0.74	2.5		1	ug/L		07/05/05	SW846 5030B	SW846 8260B
N-Butylbenzene	< 0.93	0.93	3.1		1	ug/L		07/05/05	SW846 5030B	SW846 8260B

Client : LIESCH ENVIRONMENTAL SERVICES - MAD

Matrix Type : GROUNDWATER

Project Name : MR. CLEAN

Collection Date : 06/29/05

Project Number : 64590.05

Report Date : 07/07/05

Field ID : MW-7

Lab Sample Number : 861041-005

VOLATILES

Prep Date: 07/05/05

Analyte	Result	LOD	LOQ	EQL	Dil.	Units	Code	Anl Date	Prep Method	Anl Method
n-Propylbenzene	< 0.81	0.81	2.7		1	ug/L		07/05/05	SW846 5030B	SW846 8260B
p-Isopropyltoluene	< 0.67	0.67	2.2		1	ug/L		07/05/05	SW846 5030B	SW846 8260B
sec-Butylbenzene	< 0.89	0.89	3.0		1	ug/L		07/05/05	SW846 5030B	SW846 8260B
Styrene	< 0.86	0.86	2.9		1	ug/L		07/05/05	SW846 5030B	SW846 8260B
tert-Butylbenzene	< 0.97	0.97	3.2		1	ug/L		07/05/05	SW846 5030B	SW846 8260B
Tetrachloroethene	170	0.45	1.5		1	ug/L		07/05/05	SW846 5030B	SW846 8260B
Toluene	< 0.67	0.67	2.2		1	ug/L		07/05/05	SW846 5030B	SW846 8260B
trans-1,2-Dichloroethene	< 0.89	0.89	3.0		1	ug/L		07/05/05	SW846 5030B	SW846 8260B
trans-1,3-Dichloropropene	< 0.19	0.19	0.63		1	ug/L		07/05/05	SW846 5030B	SW846 8260B
Trichloroethene	< 0.48	0.48	1.6		1	ug/L		07/05/05	SW846 5030B	SW846 8260B
Vinyl Chloride	< 0.18	0.18	0.60		1	ug/L		07/05/05	SW846 5030B	SW846 8260B
Xylene, o	< 0.83	0.83	2.8		1	ug/L		07/05/05	SW846 5030B	SW846 8260B
Xylenes, m + p	< 1.8	1.8	6.0		1	ug/L		07/05/05	SW846 5030B	SW846 8260B
4-Bromofluorobenzene	92				1	%Recov		07/05/05	SW846 5030B	SW846 8260B
Toluene-d8	96				1	%Recov		07/05/05	SW846 5030B	SW846 8260B
Dibromofluoromethane	96				1	%Recov		07/05/05	SW846 5030B	SW846 8260B

Client : LIESCH ENVIRONMENTAL SERVICES - MAD

Matrix Type : GROUNDWATER

Project Name : MR. CLEAN

Collection Date : 06/29/05

Project Number : 64590.05

Report Date : 07/07/05

Field ID : PZ-1

Lab Sample Number : 861041-006

VOLATILES

Prep Date: 07/05/05

Analyte	Result	LOD	LOQ	EQL	Dil.	Units	Code	Anl Date	Prep Method	Anl Method
1,1,1,2-Tetrachloroethane	< 0.92	0.92	3.1		1	ug/L		07/05/05	SW846 5030B	SW846 8260B
1,1,1-Trichloroethane	< 0.90	0.90	3.0		1	ug/L		07/05/05	SW846 5030B	SW846 8260B
1,1,2,2-Tetrachloroethane	< 0.20	0.20	0.67		1	ug/L		07/05/05	SW846 5030B	SW846 8260B
1,1,2-Trichloroethane	< 0.42	0.42	1.4		1	ug/L		07/05/05	SW846 5030B	SW846 8260B
1,1-Dichloroethane	< 0.75	0.75	2.5		1	ug/L		07/05/05	SW846 5030B	SW846 8260B
1,1-Dichloroethene	< 0.57	0.57	1.9		1	ug/L		07/05/05	SW846 5030B	SW846 8260B
1,1-Dichloropropene	< 0.75	0.75	2.5		1	ug/L		07/05/05	SW846 5030B	SW846 8260B
1,2,3-Trichlorobenzene	< 0.74	0.74	2.5		1	ug/L		07/05/05	SW846 5030B	SW846 8260B
1,2,3-Trichloropropane	< 0.99	0.99	3.3		1	ug/L		07/05/05	SW846 5030B	SW846 8260B
1,2,4-Trichlorobenzene	< 0.97	0.97	3.2		1	ug/L		07/05/05	SW846 5030B	SW846 8260B
1,2,4-Trimethylbenzene	< 0.97	0.97	3.2		1	ug/L		07/05/05	SW846 5030B	SW846 8260B
1,2-Dibromo-3-chloropropane	< 0.87	0.87	2.9		1	ug/L		07/05/05	SW846 5030B	SW846 8260B
1,2-Dibromoethane	< 0.56	0.56	1.9		1	ug/L		07/05/05	SW846 5030B	SW846 8260B
1,2-Dichlorobenzene	< 0.83	0.83	2.8		1	ug/L		07/05/05	SW846 5030B	SW846 8260B
1,2-Dichloroethane	< 0.36	0.36	1.2		1	ug/L		07/05/05	SW846 5030B	SW846 8260B
1,2-Dichloropropane	< 0.46	0.46	1.5		1	ug/L		07/05/05	SW846 5030B	SW846 8260B
1,3,5-Trimethylbenzene	< 0.83	0.83	2.8		1	ug/L		07/05/05	SW846 5030B	SW846 8260B
1,3-Dichlorobenzene	< 0.87	0.87	2.9		1	ug/L		07/05/05	SW846 5030B	SW846 8260B
1,3-Dichloropropane	< 0.61	0.61	2.0		1	ug/L		07/05/05	SW846 5030B	SW846 8260B
1,4-Dichlorobenzene	< 0.95	0.95	3.2		1	ug/L		07/05/05	SW846 5030B	SW846 8260B
2,2-Dichloropropane	< 0.62	0.62	2.1		1	ug/L		07/05/05	SW846 5030B	SW846 8260B
2-Chlorotoluene	< 0.85	0.85	2.8		1	ug/L		07/05/05	SW846 5030B	SW846 8260B
4-Chlorotoluene	< 0.74	0.74	2.5		1	ug/L		07/05/05	SW846 5030B	SW846 8260B
Benzene	< 0.41	0.41	1.4		1	ug/L		07/05/05	SW846 5030B	SW846 8260B
Bromobenzene	< 0.82	0.82	2.7		1	ug/L		07/05/05	SW846 5030B	SW846 8260B
Bromochloromethane	< 0.97	0.97	3.2		1	ug/L		07/05/05	SW846 5030B	SW846 8260B
Bromodichloromethane	< 0.56	0.56	1.9		1	ug/L		07/05/05	SW846 5030B	SW846 8260B
Bromoform	< 0.94	0.94	3.1		1	ug/L		07/05/05	SW846 5030B	SW846 8260B
Bromomethane	< 0.91	0.91	3.0		1	ug/L		07/05/05	SW846 5030B	SW846 8260B
Carbon Tetrachloride	< 0.49	0.49	1.6		1	ug/L		07/05/05	SW846 5030B	SW846 8260B
Chlorobenzene	< 0.41	0.41	1.4		1	ug/L		07/05/05	SW846 5030B	SW846 8260B
Chlorodibromomethane	< 0.81	0.81	2.7		1	ug/L		07/05/05	SW846 5030B	SW846 8260B
Chloroethane	< 0.97	0.97	3.2		1	ug/L		07/05/05	SW846 5030B	SW846 8260B
Chloroform	< 0.37	0.37	1.2		1	ug/L		07/05/05	SW846 5030B	SW846 8260B
Chloromethane	< 0.24	0.24	0.80		1	ug/L		07/05/05	SW846 5030B	SW846 8260B
cis-1,2-Dichloroethene	< 0.83	0.83	2.8		1	ug/L		07/05/05	SW846 5030B	SW846 8260B
cis-1,3-Dichloropropene	< 0.19	0.19	0.63		1	ug/L		07/05/05	SW846 5030B	SW846 8260B
Dibromomethane	< 0.60	0.60	2.0		1	ug/L		07/05/05	SW846 5030B	SW846 8260B
Dichlorodifluoromethane	< 0.99	0.99	3.3		1	ug/L		07/05/05	SW846 5030B	SW846 8260B
Diisopropyl Ether	< 0.76	0.76	2.5		1	ug/L		07/05/05	SW846 5030B	SW846 8260B
Ethylbenzene	< 0.54	0.54	1.8		1	ug/L		07/05/05	SW846 5030B	SW846 8260B
Fluorotrichloromethane	< 0.79	0.79	2.6		1	ug/L		07/05/05	SW846 5030B	SW846 8260B
Hexachlorobutadiene	< 0.67	0.67	2.2		1	ug/L		07/05/05	SW846 5030B	SW846 8260B
Isopropylbenzene	< 0.59	0.59	2.0		1	ug/L		07/05/05	SW846 5030B	SW846 8260B
Methylene Chloride	< 0.43	0.43	1.4		1	ug/L		07/05/05	SW846 5030B	SW846 8260B
Methyl-tert-butyl-ether	< 0.61	0.61	2.0		1	ug/L		07/05/05	SW846 5030B	SW846 8260B
Naphthalene	< 0.74	0.74	2.5		1	ug/L		07/05/05	SW846 5030B	SW846 8260B
N-Butylbenzene	< 0.93	0.93	3.1		1	ug/L		07/05/05	SW846 5030B	SW846 8260B

Client : LIESCH ENVIRONMENTAL SERVICES - MAD

Matrix Type : GROUNDWATER

Project Name : MR. CLEAN

Collection Date : 06/29/05

Project Number : 64590.05

Report Date : 07/07/05

Field ID : PZ-1

Lab Sample Number : 861041-006

VOLATILES

Prep Date: 07/05/05

Analyte	Result	LOD	LOQ	EQL	Dil.	Units	Code	Anl Date	Prep Method	Anl Method
n-Propylbenzene	< 0.81	0.81	2.7		1	ug/L		07/05/05	SW846 5030B	SW846 8260B
p-Isopropyltoluene	< 0.67	0.67	2.2		1	ug/L		07/05/05	SW846 5030B	SW846 8260B
sec-Butylbenzene	< 0.89	0.89	3.0		1	ug/L		07/05/05	SW846 5030B	SW846 8260B
Styrene	< 0.86	0.86	2.9		1	ug/L		07/05/05	SW846 5030B	SW846 8260B
tert-Butylbenzene	< 0.97	0.97	3.2		1	ug/L		07/05/05	SW846 5030B	SW846 8260B
Tetrachloroethene	< 0.45	0.45	1.5		1	ug/L		07/05/05	SW846 5030B	SW846 8260B
Toluene	< 0.67	0.67	2.2		1	ug/L		07/05/05	SW846 5030B	SW846 8260B
trans-1,2-Dichloroethene	< 0.89	0.89	3.0		1	ug/L		07/05/05	SW846 5030B	SW846 8260B
trans-1,3-Dichloropropene	< 0.19	0.19	0.63		1	ug/L		07/05/05	SW846 5030B	SW846 8260B
Trichloroethene	< 0.48	0.48	1.6		1	ug/L		07/05/05	SW846 5030B	SW846 8260B
Vinyl Chloride	< 0.18	0.18	0.60		1	ug/L		07/05/05	SW846 5030B	SW846 8260B
Xylene, o	< 0.83	0.83	2.8		1	ug/L		07/05/05	SW846 5030B	SW846 8260B
Xylenes, m + p	< 1.8	1.8	6.0		1	ug/L		07/05/05	SW846 5030B	SW846 8260B
4-Bromofluorobenzene	106				1	%Recov		07/05/05	SW846 5030B	SW846 8260B
Toluene-d8	116				1	%Recov		07/05/05	SW846 5030B	SW846 8260B
Dibromofluoromethane	109				1	%Recov		07/05/05	SW846 5030B	SW846 8260B

Client : LIESCH ENVIRONMENTAL SERVICES - MAD

Matrix Type : GROUNDWATER

Project Name : MR. CLEAN

Collection Date : 06/29/05

Project Number : 64590.05

Report Date : 07/07/05

Field ID : PZ-4

Lab Sample Number : 861041-007

VOLATILES

Prep Date: 07/05/05

Analyte	Result	LOD	LOQ	EQL	Dil.	Units	Code	Anl Date	Prep Method	Anl Method
1,1,1,2-Tetrachloroethane	< 0.92	0.92	3.1		1	ug/L		07/05/05	SW846 5030B	SW846 8260B
1,1,1-Trichloroethane	< 0.90	0.90	3.0		1	ug/L		07/05/05	SW846 5030B	SW846 8260B
1,1,2,2-Tetrachloroethane	< 0.20	0.20	0.67		1	ug/L		07/05/05	SW846 5030B	SW846 8260B
1,1,2-Trichloroethane	< 0.42	0.42	1.4		1	ug/L		07/05/05	SW846 5030B	SW846 8260B
1,1-Dichloroethane	< 0.75	0.75	2.5		1	ug/L		07/05/05	SW846 5030B	SW846 8260B
1,1-Dichloroethene	< 0.57	0.57	1.9		1	ug/L		07/05/05	SW846 5030B	SW846 8260B
1,1-Dichloropropene	< 0.75	0.75	2.5		1	ug/L		07/05/05	SW846 5030B	SW846 8260B
1,2,3-Trichlorobenzene	< 0.74	0.74	2.5		1	ug/L		07/05/05	SW846 5030B	SW846 8260B
1,2,3-Trichloropropane	< 0.99	0.99	3.3		1	ug/L		07/05/05	SW846 5030B	SW846 8260B
1,2,4-Trichlorobenzene	< 0.97	0.97	3.2		1	ug/L		07/05/05	SW846 5030B	SW846 8260B
1,2,4-Trimethylbenzene	< 0.97	0.97	3.2		1	ug/L		07/05/05	SW846 5030B	SW846 8260B
1,2-Dibromo-3-chloropropane	< 0.87	0.87	2.9		1	ug/L		07/05/05	SW846 5030B	SW846 8260B
1,2-Dibromoethane	< 0.56	0.56	1.9		1	ug/L		07/05/05	SW846 5030B	SW846 8260B
1,2-Dichlorobenzene	< 0.83	0.83	2.8		1	ug/L		07/05/05	SW846 5030B	SW846 8260B
1,2-Dichloroethane	< 0.36	0.36	1.2		1	ug/L		07/05/05	SW846 5030B	SW846 8260B
1,2-Dichloropropane	< 0.46	0.46	1.5		1	ug/L		07/05/05	SW846 5030B	SW846 8260B
1,3,5-Trimethylbenzene	< 0.83	0.83	2.8		1	ug/L		07/05/05	SW846 5030B	SW846 8260B
1,3-Dichlorobenzene	< 0.87	0.87	2.9		1	ug/L		07/05/05	SW846 5030B	SW846 8260B
1,3-Dichloropropane	< 0.61	0.61	2.0		1	ug/L		07/05/05	SW846 5030B	SW846 8260B
1,4-Dichlorobenzene	< 0.95	0.95	3.2		1	ug/L		07/05/05	SW846 5030B	SW846 8260B
2,2-Dichloropropane	< 0.62	0.62	2.1		1	ug/L		07/05/05	SW846 5030B	SW846 8260B
2-Chlorotoluene	< 0.85	0.85	2.8		1	ug/L		07/05/05	SW846 5030B	SW846 8260B
4-Chlorotoluene	< 0.74	0.74	2.5		1	ug/L		07/05/05	SW846 5030B	SW846 8260B
Benzene	< 0.41	0.41	1.4		1	ug/L		07/05/05	SW846 5030B	SW846 8260B
Bromobenzene	< 0.82	0.82	2.7		1	ug/L		07/05/05	SW846 5030B	SW846 8260B
Bromochloromethane	< 0.97	0.97	3.2		1	ug/L		07/05/05	SW846 5030B	SW846 8260B
Bromodichloromethane	< 0.56	0.56	1.9		1	ug/L		07/05/05	SW846 5030B	SW846 8260B
Bromoform	< 0.94	0.94	3.1		1	ug/L		07/05/05	SW846 5030B	SW846 8260B
Bromomethane	< 0.91	0.91	3.0		1	ug/L		07/05/05	SW846 5030B	SW846 8260B
Carbon Tetrachloride	< 0.49	0.49	1.6		1	ug/L		07/05/05	SW846 5030B	SW846 8260B
Chlorobenzene	< 0.41	0.41	1.4		1	ug/L		07/05/05	SW846 5030B	SW846 8260B
Chlorodibromomethane	< 0.81	0.81	2.7		1	ug/L		07/05/05	SW846 5030B	SW846 8260B
Chloroethane	< 0.97	0.97	3.2		1	ug/L		07/05/05	SW846 5030B	SW846 8260B
Chloroform	< 0.37	0.37	1.2		1	ug/L		07/05/05	SW846 5030B	SW846 8260B
Chloromethane	< 0.24	0.24	0.80		1	ug/L		07/05/05	SW846 5030B	SW846 8260B
cis-1,2-Dichloroethene	< 0.83	0.83	2.8		1	ug/L		07/05/05	SW846 5030B	SW846 8260B
cis-1,3-Dichloropropene	< 0.19	0.19	0.63		1	ug/L		07/05/05	SW846 5030B	SW846 8260B
Dibromomethane	< 0.60	0.60	2.0		1	ug/L		07/05/05	SW846 5030B	SW846 8260B
Dichlorodifluoromethane	< 0.99	0.99	3.3		1	ug/L		07/05/05	SW846 5030B	SW846 8260B
Diisopropyl Ether	< 0.76	0.76	2.5		1	ug/L		07/05/05	SW846 5030B	SW846 8260B
Ethylbenzene	< 0.54	0.54	1.8		1	ug/L		07/05/05	SW846 5030B	SW846 8260B
Fluorotrichloromethane	< 0.79	0.79	2.6		1	ug/L		07/05/05	SW846 5030B	SW846 8260B
Hexachlorobutadiene	< 0.67	0.67	2.2		1	ug/L		07/05/05	SW846 5030B	SW846 8260B
Isopropylbenzene	< 0.59	0.59	2.0		1	ug/L		07/05/05	SW846 5030B	SW846 8260B
Methylene Chloride	< 0.43	0.43	1.4		1	ug/L		07/05/05	SW846 5030B	SW846 8260B
Methyl-tert-butyl-ether	< 0.61	0.61	2.0		1	ug/L		07/05/05	SW846 5030B	SW846 8260B
Naphthalene	< 0.74	0.74	2.5		1	ug/L		07/05/05	SW846 5030B	SW846 8260B
N-Butylbenzene	< 0.93	0.93	3.1		1	ug/L		07/05/05	SW846 5030B	SW846 8260B

Client : LIESCH ENVIRONMENTAL SERVICES - MAD

Matrix Type : GROUNDWATER

Project Name : MR. CLEAN

Collection Date : 06/29/05

Project Number : 64590.05

Report Date : 07/07/05

Field ID : PZ-4

Lab Sample Number : 861041-007

VOLATILES

Prep Date: 07/05/05

Analyte	Result	LOD	LOQ	EQL	Dil.	Units	Code	Anl Date	Prep Method	Anl Method
n-Propylbenzene	< 0.81	0.81	2.7		1	ug/L		07/05/05	SW846 5030B	SW846 8260B
p-Isopropyltoluene	< 0.67	0.67	2.2		1	ug/L		07/05/05	SW846 5030B	SW846 8260B
sec-Butylbenzene	< 0.89	0.89	3.0		1	ug/L		07/05/05	SW846 5030B	SW846 8260B
Styrene	< 0.86	0.86	2.9		1	ug/L		07/05/05	SW846 5030B	SW846 8260B
tert-Butylbenzene	< 0.97	0.97	3.2		1	ug/L		07/05/05	SW846 5030B	SW846 8260B
Tetrachloroethene	2.2	0.45	1.5		1	ug/L		07/05/05	SW846 5030B	SW846 8260B
Toluene	< 0.67	0.67	2.2		1	ug/L		07/05/05	SW846 5030B	SW846 8260B
trans-1,2-Dichloroethene	< 0.89	0.89	3.0		1	ug/L		07/05/05	SW846 5030B	SW846 8260B
trans-1,3-Dichloropropene	< 0.19	0.19	0.63		1	ug/L		07/05/05	SW846 5030B	SW846 8260B
Trichloroethene	< 0.48	0.48	1.6		1	ug/L		07/05/05	SW846 5030B	SW846 8260B
Vinyl Chloride	< 0.18	0.18	0.60		1	ug/L		07/05/05	SW846 5030B	SW846 8260B
Xylene, o	< 0.83	0.83	2.8		1	ug/L		07/05/05	SW846 5030B	SW846 8260B
Xylenes, m + p	< 1.8	1.8	6.0		1	ug/L		07/05/05	SW846 5030B	SW846 8260B
4-Bromofluorobenzene	100				1	%Recov		07/05/05	SW846 5030B	SW846 8260B
Toluene-d8	115				1	%Recov		07/05/05	SW846 5030B	SW846 8260B
Dibromofluoromethane	114				1	%Recov		07/05/05	SW846 5030B	SW846 8260B

Client : LIESCH ENVIRONMENTAL SERVICES - MAD

Matrix Type : GROUNDWATER

Project Name : MR. CLEAN

Collection Date : 06/29/05

Project Number : 64590.05

Report Date : 07/07/05

Field ID : PZ-5

Lab Sample Number : 861041-008

VOLATILES

Prep Date: 07/05/05

Analyte	Result	LOD	LOQ	EQL	Dil.	Units	Code	Anl Date	Prep Method	Anl Method
1,1,1,2-Tetrachloroethane	< 0.92	0.92	3.1		1	ug/L		07/05/05	SW846 5030B	SW846 8260B
1,1,1-Trichloroethane	< 0.90	0.90	3.0		1	ug/L		07/05/05	SW846 5030B	SW846 8260B
1,1,2,2-Tetrachloroethane	< 0.20	0.20	0.67		1	ug/L		07/05/05	SW846 5030B	SW846 8260B
1,1,2-Trichloroethane	< 0.42	0.42	1.4		1	ug/L		07/05/05	SW846 5030B	SW846 8260B
1,1-Dichloroethane	< 0.75	0.75	2.5		1	ug/L		07/05/05	SW846 5030B	SW846 8260B
1,1-Dichloroethene	< 0.57	0.57	1.9		1	ug/L		07/05/05	SW846 5030B	SW846 8260B
1,1-Dichloropropene	< 0.75	0.75	2.5		1	ug/L		07/05/05	SW846 5030B	SW846 8260B
1,2,3-Trichlorobenzene	< 0.74	0.74	2.5		1	ug/L		07/05/05	SW846 5030B	SW846 8260B
1,2,3-Trichloropropane	< 0.99	0.99	3.3		1	ug/L		07/05/05	SW846 5030B	SW846 8260B
1,2,4-Trichlorobenzene	< 0.97	0.97	3.2		1	ug/L		07/05/05	SW846 5030B	SW846 8260B
1,2,4-Trimethylbenzene	< 0.97	0.97	3.2		1	ug/L		07/05/05	SW846 5030B	SW846 8260B
1,2-Dibromo-3-chloropropane	< 0.87	0.87	2.9		1	ug/L		07/05/05	SW846 5030B	SW846 8260B
1,2-Dibromoethane	< 0.56	0.56	1.9		1	ug/L		07/05/05	SW846 5030B	SW846 8260B
1,2-Dichlorobenzene	< 0.83	0.83	2.8		1	ug/L		07/05/05	SW846 5030B	SW846 8260B
1,2-Dichloroethane	< 0.36	0.36	1.2		1	ug/L		07/05/05	SW846 5030B	SW846 8260B
1,2-Dichloropropane	< 0.46	0.46	1.5		1	ug/L		07/05/05	SW846 5030B	SW846 8260B
1,3,5-Trimethylbenzene	< 0.83	0.83	2.8		1	ug/L		07/05/05	SW846 5030B	SW846 8260B
1,3-Dichlorobenzene	< 0.87	0.87	2.9		1	ug/L		07/05/05	SW846 5030B	SW846 8260B
1,3-Dichloropropane	< 0.61	0.61	2.0		1	ug/L		07/05/05	SW846 5030B	SW846 8260B
1,4-Dichlorobenzene	< 0.95	0.95	3.2		1	ug/L		07/05/05	SW846 5030B	SW846 8260B
2,2-Dichloropropane	< 0.62	0.62	2.1		1	ug/L		07/05/05	SW846 5030B	SW846 8260B
2-Chlorotoluene	< 0.85	0.85	2.8		1	ug/L		07/05/05	SW846 5030B	SW846 8260B
4-Chlorotoluene	< 0.74	0.74	2.5		1	ug/L		07/05/05	SW846 5030B	SW846 8260B
Benzene	< 0.41	0.41	1.4		1	ug/L		07/05/05	SW846 5030B	SW846 8260B
Bromobenzene	< 0.82	0.82	2.7		1	ug/L		07/05/05	SW846 5030B	SW846 8260B
Bromochloromethane	< 0.97	0.97	3.2		1	ug/L		07/05/05	SW846 5030B	SW846 8260B
Bromodichloromethane	< 0.56	0.56	1.9		1	ug/L		07/05/05	SW846 5030B	SW846 8260B
Bromoform	< 0.94	0.94	3.1		1	ug/L		07/05/05	SW846 5030B	SW846 8260B
Bromomethane	< 0.91	0.91	3.0		1	ug/L		07/05/05	SW846 5030B	SW846 8260B
Carbon Tetrachloride	< 0.49	0.49	1.6		1	ug/L		07/05/05	SW846 5030B	SW846 8260B
Chlorobenzene	< 0.41	0.41	1.4		1	ug/L		07/05/05	SW846 5030B	SW846 8260B
Chlorodibromomethane	< 0.81	0.81	2.7		1	ug/L		07/05/05	SW846 5030B	SW846 8260B
Chloroethane	< 0.97	0.97	3.2		1	ug/L		07/05/05	SW846 5030B	SW846 8260B
Chloroform	< 0.37	0.37	1.2		1	ug/L		07/05/05	SW846 5030B	SW846 8260B
Chloromethane	< 0.24	0.24	0.80		1	ug/L		07/05/05	SW846 5030B	SW846 8260B
cis-1,2-Dichloroethene	< 0.83	0.83	2.8		1	ug/L		07/05/05	SW846 5030B	SW846 8260B
cis-1,3-Dichloropropene	< 0.19	0.19	0.63		1	ug/L		07/05/05	SW846 5030B	SW846 8260B
Dibromomethane	< 0.60	0.60	2.0		1	ug/L		07/05/05	SW846 5030B	SW846 8260B
Dichlorodifluoromethane	< 0.99	0.99	3.3		1	ug/L		07/05/05	SW846 5030B	SW846 8260B
Diisopropyl Ether	< 0.76	0.76	2.5		1	ug/L		07/05/05	SW846 5030B	SW846 8260B
Ethylbenzene	< 0.54	0.54	1.8		1	ug/L		07/05/05	SW846 5030B	SW846 8260B
Fluorotrichloromethane	< 0.79	0.79	2.6		1	ug/L		07/05/05	SW846 5030B	SW846 8260B
Hexachlorobutadiene	< 0.67	0.67	2.2		1	ug/L		07/05/05	SW846 5030B	SW846 8260B
Isopropylbenzene	< 0.59	0.59	2.0		1	ug/L		07/05/05	SW846 5030B	SW846 8260B
Methylene Chloride	< 0.43	0.43	1.4		1	ug/L		07/05/05	SW846 5030B	SW846 8260B
Methyl-tert-butyl-ether	< 0.61	0.61	2.0		1	ug/L		07/05/05	SW846 5030B	SW846 8260B
Naphthalene	< 0.74	0.74	2.5		1	ug/L		07/05/05	SW846 5030B	SW846 8260B
N-Butylbenzene	< 0.93	0.93	3.1		1	ug/L		07/05/05	SW846 5030B	SW846 8260B

Client : LIESCH ENVIRONMENTAL SERVICES - MAD

Matrix Type : GROUNDWATER

Project Name : MR. CLEAN

Collection Date : 06/29/05

Project Number : 64590.05

Report Date : 07/07/05

Field ID : PZ-5

Lab Sample Number : 861041-008

VOLATILES

Prep Date: 07/05/05

Analyte	Result	LOD	LOQ	EQL	Dil.	Units	Code	Anl Date	Prep Method	Anl Method
n-Propylbenzene	< 0.81	0.81	2.7		1	ug/L		07/05/05	SW846 5030B	SW846 8260B
p-Isopropyltoluene	< 0.67	0.67	2.2		1	ug/L		07/05/05	SW846 5030B	SW846 8260B
sec-Butylbenzene	< 0.89	0.89	3.0		1	ug/L		07/05/05	SW846 5030B	SW846 8260B
Styrene	< 0.86	0.86	2.9		1	ug/L		07/05/05	SW846 5030B	SW846 8260B
tert-Butylbenzene	< 0.97	0.97	3.2		1	ug/L		07/05/05	SW846 5030B	SW846 8260B
Tetrachloroethene	< 0.45	0.45	1.5		1	ug/L		07/05/05	SW846 5030B	SW846 8260B
Toluene	< 0.67	0.67	2.2		1	ug/L		07/05/05	SW846 5030B	SW846 8260B
trans-1,2-Dichloroethene	< 0.89	0.89	3.0		1	ug/L		07/05/05	SW846 5030B	SW846 8260B
trans-1,3-Dichloropropene	< 0.19	0.19	0.63		1	ug/L		07/05/05	SW846 5030B	SW846 8260B
Trichloroethene	< 0.48	0.48	1.6		1	ug/L		07/05/05	SW846 5030B	SW846 8260B
Vinyl Chloride	< 0.18	0.18	0.60		1	ug/L		07/05/05	SW846 5030B	SW846 8260B
Xylene, o	< 0.83	0.83	2.8		1	ug/L		07/05/05	SW846 5030B	SW846 8260B
Xylenes, m + p	< 1.8	1.8	6.0		1	ug/L		07/05/05	SW846 5030B	SW846 8260B
4-Bromofluorobenzene	99				1	%Recov		07/05/05	SW846 5030B	SW846 8260B
Toluene-d8	115				1	%Recov		07/05/05	SW846 5030B	SW846 8260B
Dibromofluoromethane	115				1	%Recov		07/05/05	SW846 5030B	SW846 8260B

Client : LIESCH ENVIRONMENTAL SERVICES - MAD

Matrix Type : GROUNDWATER

Project Name : MR. CLEAN

Collection Date : 06/29/05

Project Number : 64590.05

Report Date : 07/07/05

Field ID : MW-8

Lab Sample Number : 861041-009

VOLATILES

Prep Date: 07/05/05

Analyte	Result	LOD	LOQ	EQL	Dil.	Units	Code	Anl Date	Prep Method	Anl Method
1,1,1,2-Tetrachloroethane	< 0.92	0.92	3.1		1	ug/L		07/05/05	SW846 5030B	SW846 8260B
1,1,1-Trichloroethane	< 0.90	0.90	3.0		1	ug/L		07/05/05	SW846 5030B	SW846 8260B
1,1,2,2-Tetrachloroethane	< 0.20	0.20	0.67		1	ug/L		07/05/05	SW846 5030B	SW846 8260B
1,1,2-Trichloroethane	< 0.42	0.42	1.4		1	ug/L		07/05/05	SW846 5030B	SW846 8260B
1,1-Dichloroethane	< 0.75	0.75	2.5		1	ug/L		07/05/05	SW846 5030B	SW846 8260B
1,1-Dichloroethene	< 0.57	0.57	1.9		1	ug/L		07/05/05	SW846 5030B	SW846 8260B
1,1-Dichloropropene	< 0.75	0.75	2.5		1	ug/L		07/05/05	SW846 5030B	SW846 8260B
1,2,3-Trichlorobenzene	< 0.74	0.74	2.5		1	ug/L		07/05/05	SW846 5030B	SW846 8260B
1,2,3-Trichloropropane	< 0.99	0.99	3.3		1	ug/L		07/05/05	SW846 5030B	SW846 8260B
1,2,4-Trichlorobenzene	< 0.97	0.97	3.2		1	ug/L		07/05/05	SW846 5030B	SW846 8260B
1,2,4-Trimethylbenzene	< 0.97	0.97	3.2		1	ug/L		07/05/05	SW846 5030B	SW846 8260B
1,2-Dibromo-3-chloropropane	< 0.87	0.87	2.9		1	ug/L		07/05/05	SW846 5030B	SW846 8260B
1,2-Dibromoethane	< 0.56	0.56	1.9		1	ug/L		07/05/05	SW846 5030B	SW846 8260B
1,2-Dichlorobenzene	< 0.83	0.83	2.8		1	ug/L		07/05/05	SW846 5030B	SW846 8260B
1,2-Dichloroethane	< 0.36	0.36	1.2		1	ug/L		07/05/05	SW846 5030B	SW846 8260B
1,2-Dichloropropane	< 0.46	0.46	1.5		1	ug/L		07/05/05	SW846 5030B	SW846 8260B
1,3,5-Trimethylbenzene	< 0.83	0.83	2.8		1	ug/L		07/05/05	SW846 5030B	SW846 8260B
1,3-Dichlorobenzene	< 0.87	0.87	2.9		1	ug/L		07/05/05	SW846 5030B	SW846 8260B
1,3-Dichloropropane	< 0.61	0.61	2.0		1	ug/L		07/05/05	SW846 5030B	SW846 8260B
1,4-Dichlorobenzene	< 0.95	0.95	3.2		1	ug/L		07/05/05	SW846 5030B	SW846 8260B
2,2-Dichloropropane	< 0.62	0.62	2.1		1	ug/L		07/05/05	SW846 5030B	SW846 8260B
2-Chlorotoluene	< 0.85	0.85	2.8		1	ug/L		07/05/05	SW846 5030B	SW846 8260B
4-Chlorotoluene	< 0.74	0.74	2.5		1	ug/L		07/05/05	SW846 5030B	SW846 8260B
Benzene	< 0.41	0.41	1.4		1	ug/L		07/05/05	SW846 5030B	SW846 8260B
Bromobenzene	< 0.82	0.82	2.7		1	ug/L		07/05/05	SW846 5030B	SW846 8260B
Bromochloromethane	< 0.97	0.97	3.2		1	ug/L		07/05/05	SW846 5030B	SW846 8260B
Bromodichloromethane	< 0.56	0.56	1.9		1	ug/L		07/05/05	SW846 5030B	SW846 8260B
Bromoform	< 0.94	0.94	3.1		1	ug/L		07/05/05	SW846 5030B	SW846 8260B
Bromomethane	< 0.91	0.91	3.0		1	ug/L		07/05/05	SW846 5030B	SW846 8260B
Carbon Tetrachloride	< 0.49	0.49	1.6		1	ug/L		07/05/05	SW846 5030B	SW846 8260B
Chlorobenzene	< 0.41	0.41	1.4		1	ug/L		07/05/05	SW846 5030B	SW846 8260B
Chlorodibromomethane	< 0.81	0.81	2.7		1	ug/L		07/05/05	SW846 5030B	SW846 8260B
Chloroethane	< 0.97	0.97	3.2		1	ug/L		07/05/05	SW846 5030B	SW846 8260B
Chloroform	< 0.37	0.37	1.2		1	ug/L		07/05/05	SW846 5030B	SW846 8260B
Chloromethane	< 0.24	0.24	0.80		1	ug/L		07/05/05	SW846 5030B	SW846 8260B
cis-1,2-Dichloroethene	< 0.83	0.83	2.8		1	ug/L		07/05/05	SW846 5030B	SW846 8260B
cis-1,3-Dichloropropene	< 0.19	0.19	0.63		1	ug/L		07/05/05	SW846 5030B	SW846 8260B
Dibromomethane	< 0.60	0.60	2.0		1	ug/L		07/05/05	SW846 5030B	SW846 8260B
Dichlorodifluoromethane	< 0.99	0.99	3.3		1	ug/L		07/05/05	SW846 5030B	SW846 8260B
Diisopropyl Ether	< 0.76	0.76	2.5		1	ug/L		07/05/05	SW846 5030B	SW846 8260B
Ethylbenzene	< 0.54	0.54	1.8		1	ug/L		07/05/05	SW846 5030B	SW846 8260B
Fluorotrichloromethane	< 0.79	0.79	2.6		1	ug/L		07/05/05	SW846 5030B	SW846 8260B
Hexachlorobutadiene	< 0.67	0.67	2.2		1	ug/L		07/05/05	SW846 5030B	SW846 8260B
Isopropylbenzene	< 0.59	0.59	2.0		1	ug/L		07/05/05	SW846 5030B	SW846 8260B
Methylene Chloride	< 0.43	0.43	1.4		1	ug/L		07/05/05	SW846 5030B	SW846 8260B
Methyl-tert-butyl-ether	< 0.61	0.61	2.0		1	ug/L		07/05/05	SW846 5030B	SW846 8260B
Naphthalene	< 0.74	0.74	2.5		1	ug/L		07/05/05	SW846 5030B	SW846 8260B
N-Butylbenzene	< 0.93	0.93	3.1		1	ug/L		07/05/05	SW846 5030B	SW846 8260B

**Pace Analytical
Services, Inc.**

Analytical Report Number: 861041

1241 Bellevue Street
Green Bay, WI 54302
920-469-2436

Client : LIESCH ENVIRONMENTAL SERVICES - MAD

Matrix Type : GROUNDWATER

Project Name : MR. CLEAN

Collection Date : 06/29/05

Project Number : 64590.05

Report Date : 07/07/05

Field ID : MW-8

Lab Sample Number : 861041-009

VOLATILES

Prep Date: 07/05/05

Analyte	Result	LOD	LOQ	EQL	Dil.	Units	Code	Anl Date	Prep Method	Anl Method
n-Propylbenzene	< 0.81	0.81	2.7		1	ug/L		07/05/05	SW846 5030B	SW846 8260B
p-Isopropyltoluene	< 0.67	0.67	2.2		1	ug/L		07/05/05	SW846 5030B	SW846 8260B
sec-Butylbenzene	< 0.89	0.89	3.0		1	ug/L		07/05/05	SW846 5030B	SW846 8260B
Styrene	< 0.86	0.86	2.9		1	ug/L		07/05/05	SW846 5030B	SW846 8260B
tert-Butylbenzene	< 0.97	0.97	3.2		1	ug/L		07/05/05	SW846 5030B	SW846 8260B
Tetrachloroethene	140	0.45	1.5		1	ug/L		07/05/05	SW846 5030B	SW846 8260B
Toluene	< 0.67	0.67	2.2		1	ug/L		07/05/05	SW846 5030B	SW846 8260B
trans-1,2-Dichloroethene	< 0.89	0.89	3.0		1	ug/L		07/05/05	SW846 5030B	SW846 8260B
trans-1,3-Dichloropropene	< 0.19	0.19	0.63		1	ug/L		07/05/05	SW846 5030B	SW846 8260B
Trichloroethene	< 0.48	0.48	1.6		1	ug/L		07/05/05	SW846 5030B	SW846 8260B
Vinyl Chloride	< 0.18	0.18	0.60		1	ug/L		07/05/05	SW846 5030B	SW846 8260B
Xylene, o	< 0.83	0.83	2.8		1	ug/L		07/05/05	SW846 5030B	SW846 8260B
Xylenes, m + p	< 1.8	1.8	6.0		1	ug/L		07/05/05	SW846 5030B	SW846 8260B
4-Bromofluorobenzene	100				1	%Recov		07/05/05	SW846 5030B	SW846 8260B
Toluene-d8	114				1	%Recov		07/05/05	SW846 5030B	SW846 8260B
Dibromofluoromethane	114				1	%Recov		07/05/05	SW846 5030B	SW846 8260B

Client : LIESCH ENVIRONMENTAL SERVICES - MAD

Matrix Type : GROUNDWATER

Project Name : MR. CLEAN

Collection Date : 06/29/05

Project Number : 64590.05

Report Date : 07/07/05

Field ID : MW-9

Lab Sample Number : 861041-010

VOLATILES

Prep Date: 07/05/05

Analyte	Result	LOD	LOQ	EQL	Dil.	Units	Code	Anl Date	Prep Method	Anl Method
1,1,1,2-Tetrachloroethane	< 0.92	0.92	3.1		1	ug/L		07/05/05	SW846 5030B	SW846 8260B
1,1,1-Trichloroethane	< 0.90	0.90	3.0		1	ug/L		07/05/05	SW846 5030B	SW846 8260B
1,1,2,2-Tetrachloroethane	< 0.20	0.20	0.67		1	ug/L		07/05/05	SW846 5030B	SW846 8260B
1,1,2-Trichloroethane	< 0.42	0.42	1.4		1	ug/L		07/05/05	SW846 5030B	SW846 8260B
1,1-Dichloroethane	< 0.75	0.75	2.5		1	ug/L		07/05/05	SW846 5030B	SW846 8260B
1,1-Dichloroethene	< 0.57	0.57	1.9		1	ug/L		07/05/05	SW846 5030B	SW846 8260B
1,1-Dichloropropene	< 0.75	0.75	2.5		1	ug/L		07/05/05	SW846 5030B	SW846 8260B
1,2,3-Trichlorobenzene	< 0.74	0.74	2.5		1	ug/L		07/05/05	SW846 5030B	SW846 8260B
1,2,3-Trichloropropane	< 0.99	0.99	3.3		1	ug/L		07/05/05	SW846 5030B	SW846 8260B
1,2,4-Trichlorobenzene	< 0.97	0.97	3.2		1	ug/L		07/05/05	SW846 5030B	SW846 8260B
1,2,4-Trimethylbenzene	< 0.97	0.97	3.2		1	ug/L		07/05/05	SW846 5030B	SW846 8260B
1,2-Dibromo-3-chloropropane	< 0.87	0.87	2.9		1	ug/L		07/05/05	SW846 5030B	SW846 8260B
1,2-Dibromoethane	< 0.56	0.56	1.9		1	ug/L		07/05/05	SW846 5030B	SW846 8260B
1,2-Dichlorobenzene	< 0.83	0.83	2.8		1	ug/L		07/05/05	SW846 5030B	SW846 8260B
1,2-Dichloroethane	< 0.36	0.36	1.2		1	ug/L		07/05/05	SW846 5030B	SW846 8260B
1,2-Dichloropropane	< 0.46	0.46	1.5		1	ug/L		07/05/05	SW846 5030B	SW846 8260B
1,3,5-Trimethylbenzene	< 0.83	0.83	2.8		1	ug/L		07/05/05	SW846 5030B	SW846 8260B
1,3-Dichlorobenzene	< 0.87	0.87	2.9		1	ug/L		07/05/05	SW846 5030B	SW846 8260B
1,3-Dichloropropane	< 0.61	0.61	2.0		1	ug/L		07/05/05	SW846 5030B	SW846 8260B
1,4-Dichlorobenzene	< 0.95	0.95	3.2		1	ug/L		07/05/05	SW846 5030B	SW846 8260B
2,2-Dichloropropane	< 0.62	0.62	2.1		1	ug/L		07/05/05	SW846 5030B	SW846 8260B
2-Chlorotoluene	< 0.85	0.85	2.8		1	ug/L		07/05/05	SW846 5030B	SW846 8260B
4-Chlorotoluene	< 0.74	0.74	2.5		1	ug/L		07/05/05	SW846 5030B	SW846 8260B
Benzene	< 0.41	0.41	1.4		1	ug/L		07/05/05	SW846 5030B	SW846 8260B
Bromobenzene	< 0.82	0.82	2.7		1	ug/L		07/05/05	SW846 5030B	SW846 8260B
Bromochloromethane	< 0.97	0.97	3.2		1	ug/L		07/05/05	SW846 5030B	SW846 8260B
Bromodichloromethane	< 0.56	0.56	1.9		1	ug/L		07/05/05	SW846 5030B	SW846 8260B
Bromoform	< 0.94	0.94	3.1		1	ug/L		07/05/05	SW846 5030B	SW846 8260B
Bromomethane	< 0.91	0.91	3.0		1	ug/L		07/05/05	SW846 5030B	SW846 8260B
Carbon Tetrachloride	< 0.49	0.49	1.6		1	ug/L		07/05/05	SW846 5030B	SW846 8260B
Chlorobenzene	< 0.41	0.41	1.4		1	ug/L		07/05/05	SW846 5030B	SW846 8260B
Chlorodibromomethane	< 0.81	0.81	2.7		1	ug/L		07/05/05	SW846 5030B	SW846 8260B
Chloroethane	< 0.97	0.97	3.2		1	ug/L		07/05/05	SW846 5030B	SW846 8260B
Chloroform	< 0.37	0.37	1.2		1	ug/L		07/05/05	SW846 5030B	SW846 8260B
Chloromethane	< 0.24	0.24	0.80		1	ug/L		07/05/05	SW846 5030B	SW846 8260B
cis-1,2-Dichloroethene	< 0.83	0.83	2.8		1	ug/L		07/05/05	SW846 5030B	SW846 8260B
cis-1,3-Dichloropropene	< 0.19	0.19	0.63		1	ug/L		07/05/05	SW846 5030B	SW846 8260B
Dibromomethane	< 0.60	0.60	2.0		1	ug/L		07/05/05	SW846 5030B	SW846 8260B
Dichlorodifluoromethane	< 0.99	0.99	3.3		1	ug/L		07/05/05	SW846 5030B	SW846 8260B
Diisopropyl Ether	< 0.76	0.76	2.5		1	ug/L		07/05/05	SW846 5030B	SW846 8260B
Ethylbenzene	< 0.54	0.54	1.8		1	ug/L		07/05/05	SW846 5030B	SW846 8260B
Fluorotrichloromethane	< 0.79	0.79	2.6		1	ug/L		07/05/05	SW846 5030B	SW846 8260B
Hexachlorobutadiene	< 0.67	0.67	2.2		1	ug/L		07/05/05	SW846 5030B	SW846 8260B
Isopropylbenzene	< 0.59	0.59	2.0		1	ug/L		07/05/05	SW846 5030B	SW846 8260B
Methylene Chloride	< 0.43	0.43	1.4		1	ug/L		07/05/05	SW846 5030B	SW846 8260B
Methyl-tert-butyl-ether	< 0.61	0.61	2.0		1	ug/L		07/05/05	SW846 5030B	SW846 8260B
Naphthalene	< 0.74	0.74	2.5		1	ug/L		07/05/05	SW846 5030B	SW846 8260B
N-Butylbenzene	< 0.93	0.93	3.1		1	ug/L		07/05/05	SW846 5030B	SW846 8260B

Client : LIESCH ENVIRONMENTAL SERVICES - MAD

Matrix Type : GROUNDWATER

Project Name : MR. CLEAN

Collection Date : 06/29/05

Project Number : 64590.05

Report Date : 07/07/05

Field ID : MW-9

Lab Sample Number : 861041-010

VOLATILES

Prep Date: 07/05/05

Analyte	Result	LOD	LOQ	EQL	Dil.	Units	Code	Anl Date	Prep Method	Anl Method
n-Propylbenzene	< 0.81	0.81	2.7		1	ug/L		07/05/05	SW846 5030B	SW846 8260B
p-Isopropyltoluene	< 0.67	0.67	2.2		1	ug/L		07/05/05	SW846 5030B	SW846 8260B
sec-Butylbenzene	< 0.89	0.89	3.0		1	ug/L		07/05/05	SW846 5030B	SW846 8260B
Styrene	< 0.86	0.86	2.9		1	ug/L		07/05/05	SW846 5030B	SW846 8260B
tert-Butylbenzene	< 0.97	0.97	3.2		1	ug/L		07/05/05	SW846 5030B	SW846 8260B
Tetrachloroethene	< 0.45	0.45	1.5		1	ug/L		07/05/05	SW846 5030B	SW846 8260B
Toluene	< 0.67	0.67	2.2		1	ug/L		07/05/05	SW846 5030B	SW846 8260B
trans-1,2-Dichloroethene	< 0.89	0.89	3.0		1	ug/L		07/05/05	SW846 5030B	SW846 8260B
trans-1,3-Dichloropropene	< 0.19	0.19	0.63		1	ug/L		07/05/05	SW846 5030B	SW846 8260B
Trichloroethene	< 0.48	0.48	1.6		1	ug/L		07/05/05	SW846 5030B	SW846 8260B
Vinyl Chloride	< 0.18	0.18	0.60		1	ug/L		07/05/05	SW846 5030B	SW846 8260B
Xylene, o	< 0.83	0.83	2.8		1	ug/L		07/05/05	SW846 5030B	SW846 8260B
Xylenes, m + p	< 1.8	1.8	6.0		1	ug/L		07/05/05	SW846 5030B	SW846 8260B
4-Bromofluorobenzene	100				1	%Recov		07/05/05	SW846 5030B	SW846 8260B
Toluene-d8	113				1	%Recov		07/05/05	SW846 5030B	SW846 8260B
Dibromofluoromethane	116				1	%Recov		07/05/05	SW846 5030B	SW846 8260B

Client : LIESCH ENVIRONMENTAL SERVICES - MAD

Matrix Type : GROUNDWATER

Project Name : MR. CLEAN

Collection Date : 06/29/05

Project Number : 64590.05

Report Date : 07/07/05

Field ID : MW-10

Lab Sample Number : 861041-011

VOLATILES

Prep Date: 07/06/05

Analyte	Result	LOD	LOQ	EQL	Dil.	Units	Code	Anl Date	Prep Method	Anl Method
1,1,1,2-Tetrachloroethane	< 1.8	1.8	6.1		2	ug/L		07/06/05	SW846 5030B	SW846 8260B
1,1,1-Trichloroethane	< 1.8	1.8	6.0		2	ug/L		07/06/05	SW846 5030B	SW846 8260B
1,1,2,2-Tetrachloroethane	< 0.40	0.40	1.3		2	ug/L		07/06/05	SW846 5030B	SW846 8260B
1,1,2-Trichloroethane	< 0.84	0.84	2.8		2	ug/L		07/06/05	SW846 5030B	SW846 8260B
1,1-Dichloroethane	< 1.5	1.5	5.0		2	ug/L		07/06/05	SW846 5030B	SW846 8260B
1,1-Dichloroethene	< 1.1	1.1	3.8		2	ug/L		07/06/05	SW846 5030B	SW846 8260B
1,1-Dichloropropene	< 1.5	1.5	5.0		2	ug/L		07/06/05	SW846 5030B	SW846 8260B
1,2,3-Trichlorobenzene	< 1.5	1.5	4.9		2	ug/L		07/06/05	SW846 5030B	SW846 8260B
1,2,3-Trichloropropane	< 2.0	2.0	6.6		2	ug/L		07/06/05	SW846 5030B	SW846 8260B
1,2,4-Trichlorobenzene	< 1.9	1.9	6.5		2	ug/L		07/06/05	SW846 5030B	SW846 8260B
1,2,4-Trimethylbenzene	< 1.9	1.9	6.5		2	ug/L		07/06/05	SW846 5030B	SW846 8260B
1,2-Dibromo-3-chloropropane	< 1.7	1.7	5.8		2	ug/L		07/06/05	SW846 5030B	SW846 8260B
1,2-Dibromoethane	< 1.1	1.1	3.7		2	ug/L		07/06/05	SW846 5030B	SW846 8260B
1,2-Dichlorobenzene	< 1.7	1.7	5.5		2	ug/L		07/06/05	SW846 5030B	SW846 8260B
1,2-Dichloroethane	< 0.72	0.72	2.4		2	ug/L		07/06/05	SW846 5030B	SW846 8260B
1,2-Dichloropropane	< 0.92	0.92	3.1		2	ug/L		07/06/05	SW846 5030B	SW846 8260B
1,3,5-Trimethylbenzene	< 1.7	1.7	5.5		2	ug/L		07/06/05	SW846 5030B	SW846 8260B
1,3-Dichlorobenzene	< 1.7	1.7	5.8		2	ug/L		07/06/05	SW846 5030B	SW846 8260B
1,3-Dichloropropane	< 1.2	1.2	4.1		2	ug/L		07/06/05	SW846 5030B	SW846 8260B
1,4-Dichlorobenzene	< 1.9	1.9	6.3		2	ug/L		07/06/05	SW846 5030B	SW846 8260B
2,2-Dichloropropane	< 1.2	1.2	4.1		2	ug/L		07/06/05	SW846 5030B	SW846 8260B
2-Chlorotoluene	< 1.7	1.7	5.7		2	ug/L		07/06/05	SW846 5030B	SW846 8260B
4-Chlorotoluene	< 1.5	1.5	4.9		2	ug/L		07/06/05	SW846 5030B	SW846 8260B
Benzene	< 0.82	0.82	2.7		2	ug/L		07/06/05	SW846 5030B	SW846 8260B
Bromobenzene	< 1.6	1.6	5.5		2	ug/L		07/06/05	SW846 5030B	SW846 8260B
Bromochloromethane	< 1.9	1.9	6.5		2	ug/L		07/06/05	SW846 5030B	SW846 8260B
Bromodichloromethane	< 1.1	1.1	3.7		2	ug/L		07/06/05	SW846 5030B	SW846 8260B
Bromoform	< 1.9	1.9	6.3		2	ug/L		07/06/05	SW846 5030B	SW846 8260B
Bromomethane	< 1.8	1.8	6.1		2	ug/L		07/06/05	SW846 5030B	SW846 8260B
Carbon Tetrachloride	< 0.98	0.98	3.3		2	ug/L		07/06/05	SW846 5030B	SW846 8260B
Chlorobenzene	< 0.82	0.82	2.7		2	ug/L		07/06/05	SW846 5030B	SW846 8260B
Chlorodibromomethane	< 1.6	1.6	5.4		2	ug/L		07/06/05	SW846 5030B	SW846 8260B
Chloroethane	< 1.9	1.9	6.5		2	ug/L		07/06/05	SW846 5030B	SW846 8260B
Chloroform	< 0.74	0.74	2.5		2	ug/L		07/06/05	SW846 5030B	SW846 8260B
Chloromethane	< 0.48	0.48	1.6		2	ug/L		07/06/05	SW846 5030B	SW846 8260B
cis-1,2-Dichloroethene	< 1.7	1.7	5.5		2	ug/L		07/06/05	SW846 5030B	SW846 8260B
cis-1,3-Dichloropropene	< 0.38	0.38	1.3		2	ug/L		07/06/05	SW846 5030B	SW846 8260B
Dibromomethane	< 1.2	1.2	4.0		2	ug/L		07/06/05	SW846 5030B	SW846 8260B
Dichlorodifluoromethane	< 2.0	2.0	6.6		2	ug/L		07/06/05	SW846 5030B	SW846 8260B
Diisopropyl Ether	< 1.5	1.5	5.1		2	ug/L		07/06/05	SW846 5030B	SW846 8260B
Ethylbenzene	< 1.1	1.1	3.6		2	ug/L		07/06/05	SW846 5030B	SW846 8260B
Fluorotrichloromethane	< 1.6	1.6	5.3		2	ug/L		07/06/05	SW846 5030B	SW846 8260B
Hexachlorobutadiene	< 1.3	1.3	4.5		2	ug/L		07/06/05	SW846 5030B	SW846 8260B
Isopropylbenzene	< 1.2	1.2	3.9		2	ug/L		07/06/05	SW846 5030B	SW846 8260B
Methylene Chloride	< 0.86	0.86	2.9		2	ug/L		07/06/05	SW846 5030B	SW846 8260B
Methyl-tert-butyl-ether	< 1.2	1.2	4.1		2	ug/L		07/06/05	SW846 5030B	SW846 8260B
Naphthalene	< 1.5	1.5	4.9		2	ug/L		07/06/05	SW846 5030B	SW846 8260B
N-Butylbenzene	< 1.9	1.9	6.2		2	ug/L		07/06/05	SW846 5030B	SW846 8260B

Client : LIESCH ENVIRONMENTAL SERVICES - MAD

Matrix Type : GROUNDWATER

Project Name : MR. CLEAN

Collection Date : 06/29/05

Project Number : 64590.05

Report Date : 07/07/05

Field ID : MW-10

Lab Sample Number : 861041-011

VOLATILES

Prep Date: 07/06/05

Analyte	Result	LOD	LOQ	EQL	Dil.	Units	Code	Anl Date	Prep Method	Anl Method
n-Propylbenzene	< 1.6	1.6	5.4		2	ug/L		07/06/05	SW846 5030B	SW846 8260B
p-Isopropyltoluene	< 1.3	1.3	4.5		2	ug/L		07/06/05	SW846 5030B	SW846 8260B
sec-Butylbenzene	< 1.8	1.8	5.9		2	ug/L		07/06/05	SW846 5030B	SW846 8260B
Styrene	< 1.7	1.7	5.7		2	ug/L		07/06/05	SW846 5030B	SW846 8260B
tert-Butylbenzene	< 1.9	1.9	6.5		2	ug/L		07/06/05	SW846 5030B	SW846 8260B
Tetrachloroethene	240	0.90	3.0		2	ug/L		07/06/05	SW846 5030B	SW846 8260B
Toluene	< 1.3	1.3	4.5		2	ug/L		07/06/05	SW846 5030B	SW846 8260B
trans-1,2-Dichloroethene	< 1.8	1.8	5.9		2	ug/L		07/06/05	SW846 5030B	SW846 8260B
trans-1,3-Dichloropropene	< 0.38	0.38	1.3		2	ug/L		07/06/05	SW846 5030B	SW846 8260B
Trichloroethene	< 0.96	0.96	3.2		2	ug/L		07/06/05	SW846 5030B	SW846 8260B
Vinyl Chloride	< 0.36	0.36	1.2		2	ug/L		07/06/05	SW846 5030B	SW846 8260B
Xylene, o	< 1.7	1.7	5.5		2	ug/L		07/06/05	SW846 5030B	SW846 8260B
Xylenes, m + p	< 3.6	3.6	12		2	ug/L		07/06/05	SW846 5030B	SW846 8260B
4-Bromofluorobenzene	99				2	%Recov		07/06/05	SW846 5030B	SW846 8260B
Toluene-d8	113				2	%Recov		07/06/05	SW846 5030B	SW846 8260B
Dibromofluoromethane	115				2	%Recov		07/06/05	SW846 5030B	SW846 8260B

Client : LIESCH ENVIRONMENTAL SERVICES - MAD

Matrix Type : GROUNDWATER

Project Name : MR. CLEAN

Collection Date : 06/29/05

Project Number : 64590.05

Report Date : 07/07/05

Field ID : PZ-6

Lab Sample Number : 861041-012

VOLATILES

Prep Date: 07/06/05

Analyte	Result	LOD	LOQ	EQL	Dil.	Units	Code	Anl Date	Prep Method	Anl Method
1,1,1,2-Tetrachloroethane	< 9.2	9.2	31		10	ug/L		07/06/05	SW846 5030B	SW846 8260B
1,1,1-Trichloroethane	< 9.0	9.0	30		10	ug/L		07/06/05	SW846 5030B	SW846 8260B
1,1,2,2-Tetrachloroethane	< 2.0	2.0	6.7		10	ug/L		07/06/05	SW846 5030B	SW846 8260B
1,1,2-Trichloroethane	< 4.2	4.2	14		10	ug/L		07/06/05	SW846 5030B	SW846 8260B
1,1-Dichloroethane	< 7.5	7.5	25		10	ug/L		07/06/05	SW846 5030B	SW846 8260B
1,1-Dichloroethene	< 5.7	5.7	19		10	ug/L		07/06/05	SW846 5030B	SW846 8260B
1,1-Dichloropropene	< 7.5	7.5	25		10	ug/L		07/06/05	SW846 5030B	SW846 8260B
1,2,3-Trichlorobenzene	< 7.4	7.4	25		10	ug/L		07/06/05	SW846 5030B	SW846 8260B
1,2,3-Trichloropropane	< 9.9	9.9	33		10	ug/L		07/06/05	SW846 5030B	SW846 8260B
1,2,4-Trichlorobenzene	< 9.7	9.7	32		10	ug/L		07/06/05	SW846 5030B	SW846 8260B
1,2,4-Trimethylbenzene	< 9.7	9.7	32		10	ug/L		07/06/05	SW846 5030B	SW846 8260B
1,2-Dibromo-3-chloropropane	< 8.7	8.7	29		10	ug/L		07/06/05	SW846 5030B	SW846 8260B
1,2-Dibromoethane	< 5.6	5.6	19		10	ug/L		07/06/05	SW846 5030B	SW846 8260B
1,2-Dichlorobenzene	< 8.3	8.3	28		10	ug/L		07/06/05	SW846 5030B	SW846 8260B
1,2-Dichloroethane	< 3.6	3.6	12		10	ug/L		07/06/05	SW846 5030B	SW846 8260B
1,2-Dichloropropane	< 4.6	4.6	15		10	ug/L		07/06/05	SW846 5030B	SW846 8260B
1,3,5-Trimethylbenzene	< 8.3	8.3	28		10	ug/L		07/06/05	SW846 5030B	SW846 8260B
1,3-Dichlorobenzene	< 8.7	8.7	29		10	ug/L		07/06/05	SW846 5030B	SW846 8260B
1,3-Dichloropropane	< 6.1	6.1	20		10	ug/L		07/06/05	SW846 5030B	SW846 8260B
1,4-Dichlorobenzene	< 9.5	9.5	32		10	ug/L		07/06/05	SW846 5030B	SW846 8260B
2,2-Dichloropropane	< 6.2	6.2	21		10	ug/L		07/06/05	SW846 5030B	SW846 8260B
2-Chlorotoluene	< 8.5	8.5	28		10	ug/L		07/06/05	SW846 5030B	SW846 8260B
4-Chlorotoluene	< 7.4	7.4	25		10	ug/L		07/06/05	SW846 5030B	SW846 8260B
Benzene	< 4.1	4.1	14		10	ug/L		07/06/05	SW846 5030B	SW846 8260B
Bromobenzene	< 8.2	8.2	27		10	ug/L		07/06/05	SW846 5030B	SW846 8260B
Bromochloromethane	< 9.7	9.7	32		10	ug/L		07/06/05	SW846 5030B	SW846 8260B
Bromodichloromethane	< 5.6	5.6	19		10	ug/L		07/06/05	SW846 5030B	SW846 8260B
Bromoform	< 9.4	9.4	31		10	ug/L		07/06/05	SW846 5030B	SW846 8260B
Bromomethane	< 9.1	9.1	30		10	ug/L		07/06/05	SW846 5030B	SW846 8260B
Carbon Tetrachloride	< 4.9	4.9	16		10	ug/L		07/06/05	SW846 5030B	SW846 8260B
Chlorobenzene	< 4.1	4.1	14		10	ug/L		07/06/05	SW846 5030B	SW846 8260B
Chlorodibromomethane	< 8.1	8.1	27		10	ug/L		07/06/05	SW846 5030B	SW846 8260B
Chloroethane	< 9.7	9.7	32		10	ug/L		07/06/05	SW846 5030B	SW846 8260B
Chloroform	< 3.7	3.7	12		10	ug/L		07/06/05	SW846 5030B	SW846 8260B
Chloromethane	< 2.4	2.4	8.0		10	ug/L		07/06/05	SW846 5030B	SW846 8260B
cis-1,2-Dichloroethene	< 8.3	8.3	28		10	ug/L		07/06/05	SW846 5030B	SW846 8260B
cis-1,3-Dichloropropene	< 1.9	1.9	6.3		10	ug/L		07/06/05	SW846 5030B	SW846 8260B
Dibromomethane	< 6.0	6.0	20		10	ug/L		07/06/05	SW846 5030B	SW846 8260B
Dichlorodifluoromethane	< 9.9	9.9	33		10	ug/L		07/06/05	SW846 5030B	SW846 8260B
Diisopropyl Ether	< 7.6	7.6	25		10	ug/L		07/06/05	SW846 5030B	SW846 8260B
Ethylbenzene	< 5.4	5.4	18		10	ug/L		07/06/05	SW846 5030B	SW846 8260B
Fluorotrichloromethane	< 7.9	7.9	26		10	ug/L		07/06/05	SW846 5030B	SW846 8260B
Hexachlorobutadiene	< 6.7	6.7	22		10	ug/L		07/06/05	SW846 5030B	SW846 8260B
Isopropylbenzene	< 5.9	5.9	20		10	ug/L		07/06/05	SW846 5030B	SW846 8260B
Methylene Chloride	< 4.3	4.3	14		10	ug/L		07/06/05	SW846 5030B	SW846 8260B
Methyl-tert-butyl-ether	< 6.1	6.1	20		10	ug/L		07/06/05	SW846 5030B	SW846 8260B
Naphthalene	< 7.4	7.4	25		10	ug/L		07/06/05	SW846 5030B	SW846 8260B
N-Butylbenzene	< 9.3	9.3	31		10	ug/L		07/06/05	SW846 5030B	SW846 8260B

Client : LIESCH ENVIRONMENTAL SERVICES - MAD

Matrix Type : GROUNDWATER

Project Name : MR. CLEAN

Collection Date : 06/29/05

Project Number : 64590.05

Report Date : 07/07/05

Field ID : PZ-6

Lab Sample Number : 861041-012

VOLATILES

Prep Date: 07/06/05

Analyte	Result	LOD	LOQ	EQL	Dil.	Units	Code	Anl Date	Prep Method	Anl Method
n-Propylbenzene	< 8.1	8.1	27		10	ug/L		07/06/05	SW846 5030B	SW846 8260B
p-Isopropyltoluene	< 6.7	6.7	22		10	ug/L		07/06/05	SW846 5030B	SW846 8260B
sec-Butylbenzene	< 8.9	8.9	30		10	ug/L		07/06/05	SW846 5030B	SW846 8260B
Styrene	< 8.6	8.6	29		10	ug/L		07/06/05	SW846 5030B	SW846 8260B
tert-Butylbenzene	< 9.7	9.7	32		10	ug/L		07/06/05	SW846 5030B	SW846 8260B
Tetrachloroethene	680	4.5	15		10	ug/L		07/06/05	SW846 5030B	SW846 8260B
Toluene	< 6.7	6.7	22		10	ug/L		07/06/05	SW846 5030B	SW846 8260B
trans-1,2-Dichloroethene	< 8.9	8.9	30		10	ug/L		07/06/05	SW846 5030B	SW846 8260B
trans-1,3-Dichloropropene	< 1.9	1.9	6.3		10	ug/L		07/06/05	SW846 5030B	SW846 8260B
Trichloroethene	< 4.8	4.8	16		10	ug/L		07/06/05	SW846 5030B	SW846 8260B
Vinyl Chloride	< 1.8	1.8	6.0		10	ug/L		07/06/05	SW846 5030B	SW846 8260B
Xylene, o	< 8.3	8.3	28		10	ug/L		07/06/05	SW846 5030B	SW846 8260B
Xylenes, m + p	< 18	18	60		10	ug/L		07/06/05	SW846 5030B	SW846 8260B
4-Bromofluorobenzene	100				10	%Recov		07/06/05	SW846 5030B	SW846 8260B
Toluene-d8	115				10	%Recov		07/06/05	SW846 5030B	SW846 8260B
Dibromofluoromethane	115				10	%Recov		07/06/05	SW846 5030B	SW846 8260B

Client : LIESCH ENVIRONMENTAL SERVICES - MAD

Matrix Type : GROUNDWATER

Project Name : MR. CLEAN

Collection Date : 06/29/05

Project Number : 64590.05

Report Date : 07/07/05

Field ID : PZ-7

Lab Sample Number : 861041-013

VOLATILES

Prep Date: 07/06/05

Analyte	Result	LOD	LOQ	EQL	Dil.	Units	Code	Anl Date	Prep Method	Anl Method
1,1,1,2-Tetrachloroethane	< 0.92	0.92	3.1		1	ug/L		07/06/05	SW846 5030B	SW846 8260B
1,1,1-Trichloroethane	< 0.90	0.90	3.0		1	ug/L		07/06/05	SW846 5030B	SW846 8260B
1,1,2,2-Tetrachloroethane	< 0.20	0.20	0.67		1	ug/L		07/06/05	SW846 5030B	SW846 8260B
1,1,2-Trichloroethane	< 0.42	0.42	1.4		1	ug/L		07/06/05	SW846 5030B	SW846 8260B
1,1-Dichloroethane	< 0.75	0.75	2.5		1	ug/L		07/06/05	SW846 5030B	SW846 8260B
1,1-Dichloroethene	< 0.57	0.57	1.9		1	ug/L		07/06/05	SW846 5030B	SW846 8260B
1,1-Dichloropropene	< 0.75	0.75	2.5		1	ug/L		07/06/05	SW846 5030B	SW846 8260B
1,2,3-Trichlorobenzene	< 0.74	0.74	2.5		1	ug/L		07/06/05	SW846 5030B	SW846 8260B
1,2,3-Trichloropropane	< 0.99	0.99	3.3		1	ug/L		07/06/05	SW846 5030B	SW846 8260B
1,2,4-Trichlorobenzene	< 0.97	0.97	3.2		1	ug/L		07/06/05	SW846 5030B	SW846 8260B
1,2,4-Trimethylbenzene	< 0.97	0.97	3.2		1	ug/L		07/06/05	SW846 5030B	SW846 8260B
1,2-Dibromo-3-chloropropane	< 0.87	0.87	2.9		1	ug/L		07/06/05	SW846 5030B	SW846 8260B
1,2-Dibromoethane	< 0.56	0.56	1.9		1	ug/L		07/06/05	SW846 5030B	SW846 8260B
1,2-Dichlorobenzene	< 0.83	0.83	2.8		1	ug/L		07/06/05	SW846 5030B	SW846 8260B
1,2-Dichloroethane	< 0.36	0.36	1.2		1	ug/L		07/06/05	SW846 5030B	SW846 8260B
1,2-Dichloropropane	< 0.46	0.46	1.5		1	ug/L		07/06/05	SW846 5030B	SW846 8260B
1,3,5-Trimethylbenzene	< 0.83	0.83	2.8		1	ug/L		07/06/05	SW846 5030B	SW846 8260B
1,3-Dichlorobenzene	< 0.87	0.87	2.9		1	ug/L		07/06/05	SW846 5030B	SW846 8260B
1,3-Dichloropropane	< 0.61	0.61	2.0		1	ug/L		07/06/05	SW846 5030B	SW846 8260B
1,4-Dichlorobenzene	< 0.95	0.95	3.2		1	ug/L		07/06/05	SW846 5030B	SW846 8260B
2,2-Dichloropropane	< 0.62	0.62	2.1		1	ug/L		07/06/05	SW846 5030B	SW846 8260B
2-Chlorotoluene	< 0.85	0.85	2.8		1	ug/L		07/06/05	SW846 5030B	SW846 8260B
4-Chlorotoluene	< 0.74	0.74	2.5		1	ug/L		07/06/05	SW846 5030B	SW846 8260B
Benzene	< 0.41	0.41	1.4		1	ug/L		07/06/05	SW846 5030B	SW846 8260B
Bromobenzene	< 0.82	0.82	2.7		1	ug/L		07/06/05	SW846 5030B	SW846 8260B
Bromochloromethane	< 0.97	0.97	3.2		1	ug/L		07/06/05	SW846 5030B	SW846 8260B
Bromodichloromethane	< 0.56	0.56	1.9		1	ug/L		07/06/05	SW846 5030B	SW846 8260B
Bromoform	< 0.94	0.94	3.1		1	ug/L		07/06/05	SW846 5030B	SW846 8260B
Bromomethane	< 0.91	0.91	3.0		1	ug/L		07/06/05	SW846 5030B	SW846 8260B
Carbon Tetrachloride	< 0.49	0.49	1.6		1	ug/L		07/06/05	SW846 5030B	SW846 8260B
Chlorobenzene	< 0.41	0.41	1.4		1	ug/L		07/06/05	SW846 5030B	SW846 8260B
Chlorodibromomethane	< 0.81	0.81	2.7		1	ug/L		07/06/05	SW846 5030B	SW846 8260B
Chloroethane	< 0.97	0.97	3.2		1	ug/L		07/06/05	SW846 5030B	SW846 8260B
Chloroform	< 0.37	0.37	1.2		1	ug/L		07/06/05	SW846 5030B	SW846 8260B
Chloromethane	< 0.24	0.24	0.80		1	ug/L		07/06/05	SW846 5030B	SW846 8260B
cis-1,2-Dichloroethene	< 0.83	0.83	2.8		1	ug/L		07/06/05	SW846 5030B	SW846 8260B
cis-1,3-Dichloropropene	< 0.19	0.19	0.63		1	ug/L		07/06/05	SW846 5030B	SW846 8260B
Dibromomethane	< 0.60	0.60	2.0		1	ug/L		07/06/05	SW846 5030B	SW846 8260B
Dichlorodifluoromethane	< 0.99	0.99	3.3		1	ug/L		07/06/05	SW846 5030B	SW846 8260B
Diisopropyl Ether	< 0.76	0.76	2.5		1	ug/L		07/06/05	SW846 5030B	SW846 8260B
Ethylbenzene	< 0.54	0.54	1.8		1	ug/L		07/06/05	SW846 5030B	SW846 8260B
Fluorotrichloromethane	< 0.79	0.79	2.6		1	ug/L		07/06/05	SW846 5030B	SW846 8260B
Hexachlorobutadiene	< 0.67	0.67	2.2		1	ug/L		07/06/05	SW846 5030B	SW846 8260B
Isopropylbenzene	< 0.59	0.59	2.0		1	ug/L		07/06/05	SW846 5030B	SW846 8260B
Methylene Chloride	< 0.43	0.43	1.4		1	ug/L		07/06/05	SW846 5030B	SW846 8260B
Methyl-tert-butyl-ether	< 0.61	0.61	2.0		1	ug/L		07/06/05	SW846 5030B	SW846 8260B
Naphthalene	< 0.74	0.74	2.5		1	ug/L		07/06/05	SW846 5030B	SW846 8260B
N-Butylbenzene	< 0.93	0.93	3.1		1	ug/L		07/06/05	SW846 5030B	SW846 8260B

Client : LIESCH ENVIRONMENTAL SERVICES - MAD

Matrix Type : GROUNDWATER

Project Name : MR. CLEAN

Collection Date : 06/29/05

Project Number : 64590.05

Report Date : 07/07/05

Field ID : PZ-7

Lab Sample Number : 861041-013

VOLATILES

Prep Date: 07/06/05

Analyte	Result	LOD	LOQ	EQL	Dil.	Units	Code	Anl Date	Prep Method	Anl Method
n-Propylbenzene	< 0.81	0.81	2.7		1	ug/L		07/06/05	SW846 5030B	SW846 8260B
p-Isopropyltoluene	< 0.67	0.67	2.2		1	ug/L		07/06/05	SW846 5030B	SW846 8260B
sec-Butylbenzene	< 0.89	0.89	3.0		1	ug/L		07/06/05	SW846 5030B	SW846 8260B
Styrene	< 0.86	0.86	2.9		1	ug/L		07/06/05	SW846 5030B	SW846 8260B
tert-Butylbenzene	< 0.97	0.97	3.2		1	ug/L		07/06/05	SW846 5030B	SW846 8260B
Tetrachloroethene	< 0.45	0.45	1.5		1	ug/L		07/06/05	SW846 5030B	SW846 8260B
Toluene	< 0.67	0.67	2.2		1	ug/L		07/06/05	SW846 5030B	SW846 8260B
trans-1,2-Dichloroethene	< 0.89	0.89	3.0		1	ug/L		07/06/05	SW846 5030B	SW846 8260B
trans-1,3-Dichloropropene	< 0.19	0.19	0.63		1	ug/L		07/06/05	SW846 5030B	SW846 8260B
Trichloroethene	< 0.48	0.48	1.6		1	ug/L		07/06/05	SW846 5030B	SW846 8260B
Vinyl Chloride	< 0.18	0.18	0.60		1	ug/L		07/06/05	SW846 5030B	SW846 8260B
Xylene, o	< 0.83	0.83	2.8		1	ug/L		07/06/05	SW846 5030B	SW846 8260B
Xylenes, m + p	< 1.8	1.8	6.0		1	ug/L		07/06/05	SW846 5030B	SW846 8260B
4-Bromofluorobenzene	97				1	%Recov		07/06/05	SW846 5030B	SW846 8260B
Toluene-d8	114				1	%Recov		07/06/05	SW846 5030B	SW846 8260B
Dibromofluoromethane	116				1	%Recov		07/06/05	SW846 5030B	SW846 8260B

Client : LIESCH ENVIRONMENTAL SERVICES - MAD

Matrix Type : GROUNDWATER

Project Name : MR. CLEAN

Collection Date : 06/29/05

Project Number : 64590.05

Report Date : 07/07/05

Field ID : PZ-9

Lab Sample Number : 861041-014

VOLATILES

Prep Date: 07/05/05

Analyte	Result	LOD	LOQ	EQL	Dil.	Units	Code	Anl Date	Prep Method	Anl Method
1,1,1,2-Tetrachloroethane	< 0.92	0.92	3.1		1	ug/L		07/05/05	SW846 5030B	SW846 8260B
1,1,1-Trichloroethane	< 0.90	0.90	3.0		1	ug/L		07/05/05	SW846 5030B	SW846 8260B
1,1,2,2-Tetrachloroethane	< 0.20	0.20	0.67		1	ug/L		07/05/05	SW846 5030B	SW846 8260B
1,1,2-Trichloroethane	< 0.42	0.42	1.4		1	ug/L		07/05/05	SW846 5030B	SW846 8260B
1,1-Dichloroethane	< 0.75	0.75	2.5		1	ug/L		07/05/05	SW846 5030B	SW846 8260B
1,1-Dichloroethene	< 0.57	0.57	1.9		1	ug/L		07/05/05	SW846 5030B	SW846 8260B
1,1-Dichloropropene	< 0.75	0.75	2.5		1	ug/L		07/05/05	SW846 5030B	SW846 8260B
1,2,3-Trichlorobenzene	< 0.74	0.74	2.5		1	ug/L		07/05/05	SW846 5030B	SW846 8260B
1,2,3-Trichloropropane	< 0.99	0.99	3.3		1	ug/L		07/05/05	SW846 5030B	SW846 8260B
1,2,4-Trichlorobenzene	< 0.97	0.97	3.2		1	ug/L		07/05/05	SW846 5030B	SW846 8260B
1,2,4-Trimethylbenzene	< 0.97	0.97	3.2		1	ug/L		07/05/05	SW846 5030B	SW846 8260B
1,2-Dibromo-3-chloropropane	< 0.87	0.87	2.9		1	ug/L		07/05/05	SW846 5030B	SW846 8260B
1,2-Dibromoethane	< 0.56	0.56	1.9		1	ug/L		07/05/05	SW846 5030B	SW846 8260B
1,2-Dichlorobenzene	< 0.83	0.83	2.8		1	ug/L		07/05/05	SW846 5030B	SW846 8260B
1,2-Dichloroethane	< 0.36	0.36	1.2		1	ug/L		07/05/05	SW846 5030B	SW846 8260B
1,2-Dichloropropane	< 0.46	0.46	1.5		1	ug/L		07/05/05	SW846 5030B	SW846 8260B
1,3,5-Trimethylbenzene	< 0.83	0.83	2.8		1	ug/L		07/05/05	SW846 5030B	SW846 8260B
1,3-Dichlorobenzene	< 0.87	0.87	2.9		1	ug/L		07/05/05	SW846 5030B	SW846 8260B
1,3-Dichloropropane	< 0.61	0.61	2.0		1	ug/L		07/05/05	SW846 5030B	SW846 8260B
1,4-Dichlorobenzene	< 0.95	0.95	3.2		1	ug/L		07/05/05	SW846 5030B	SW846 8260B
2,2-Dichloropropane	< 0.62	0.62	2.1		1	ug/L		07/05/05	SW846 5030B	SW846 8260B
2-Chlorotoluene	< 0.85	0.85	2.8		1	ug/L		07/05/05	SW846 5030B	SW846 8260B
4-Chlorotoluene	< 0.74	0.74	2.5		1	ug/L		07/05/05	SW846 5030B	SW846 8260B
Benzene	< 0.41	0.41	1.4		1	ug/L		07/05/05	SW846 5030B	SW846 8260B
Bromobenzene	< 0.82	0.82	2.7		1	ug/L		07/05/05	SW846 5030B	SW846 8260B
Bromochloromethane	< 0.97	0.97	3.2		1	ug/L		07/05/05	SW846 5030B	SW846 8260B
Bromodichloromethane	< 0.56	0.56	1.9		1	ug/L		07/05/05	SW846 5030B	SW846 8260B
Bromoform	< 0.94	0.94	3.1		1	ug/L		07/05/05	SW846 5030B	SW846 8260B
Bromomethane	< 0.91	0.91	3.0		1	ug/L		07/05/05	SW846 5030B	SW846 8260B
Carbon Tetrachloride	< 0.49	0.49	1.6		1	ug/L		07/05/05	SW846 5030B	SW846 8260B
Chlorobenzene	< 0.41	0.41	1.4		1	ug/L		07/05/05	SW846 5030B	SW846 8260B
Chlorodibromomethane	< 0.81	0.81	2.7		1	ug/L		07/05/05	SW846 5030B	SW846 8260B
Chloroethane	< 0.97	0.97	3.2		1	ug/L		07/05/05	SW846 5030B	SW846 8260B
Chloroform	< 0.37	0.37	1.2		1	ug/L		07/05/05	SW846 5030B	SW846 8260B
Chloromethane	< 0.24	0.24	0.80		1	ug/L		07/05/05	SW846 5030B	SW846 8260B
cis-1,2-Dichloroethene	< 0.83	0.83	2.8		1	ug/L		07/05/05	SW846 5030B	SW846 8260B
cis-1,3-Dichloropropene	< 0.19	0.19	0.63		1	ug/L		07/05/05	SW846 5030B	SW846 8260B
Dibromomethane	< 0.60	0.60	2.0		1	ug/L		07/05/05	SW846 5030B	SW846 8260B
Dichlorodifluoromethane	< 0.99	0.99	3.3		1	ug/L		07/05/05	SW846 5030B	SW846 8260B
Diisopropyl Ether	< 0.76	0.76	2.5		1	ug/L		07/05/05	SW846 5030B	SW846 8260B
Ethylbenzene	< 0.54	0.54	1.8		1	ug/L		07/05/05	SW846 5030B	SW846 8260B
Fluorotrichloromethane	< 0.79	0.79	2.6		1	ug/L		07/05/05	SW846 5030B	SW846 8260B
Hexachlorobutadiene	< 0.67	0.67	2.2		1	ug/L		07/05/05	SW846 5030B	SW846 8260B
Isopropylbenzene	< 0.59	0.59	2.0		1	ug/L		07/05/05	SW846 5030B	SW846 8260B
Methylene Chloride	< 0.43	0.43	1.4		1	ug/L		07/05/05	SW846 5030B	SW846 8260B
Methyl-tert-butyl-ether	< 0.61	0.61	2.0		1	ug/L		07/05/05	SW846 5030B	SW846 8260B
Naphthalene	< 0.74	0.74	2.5		1	ug/L		07/05/05	SW846 5030B	SW846 8260B
N-Butylbenzene	< 0.93	0.93	3.1		1	ug/L		07/05/05	SW846 5030B	SW846 8260B

Client : LIESCH ENVIRONMENTAL SERVICES - MAD

Matrix Type : GROUNDWATER

Project Name : MR. CLEAN

Collection Date : 06/29/05

Project Number : 64590.05

Report Date : 07/07/05

Field ID : PZ-9

Lab Sample Number : 861041-014

VOLATILES

Prep Date: 07/05/05

Analyte	Result	LOD	LOQ	EQL	Dil.	Units	Code	Anl Date	Prep Method	Anl Method
n-Propylbenzene	< 0.81	0.81	2.7		1	ug/L		07/05/05	SW846 5030B	SW846 8260B
p-Isopropyltoluene	< 0.67	0.67	2.2		1	ug/L		07/05/05	SW846 5030B	SW846 8260B
sec-Butylbenzene	< 0.89	0.89	3.0		1	ug/L		07/05/05	SW846 5030B	SW846 8260B
Styrene	< 0.86	0.86	2.9		1	ug/L		07/05/05	SW846 5030B	SW846 8260B
tert-Butylbenzene	< 0.97	0.97	3.2		1	ug/L		07/05/05	SW846 5030B	SW846 8260B
Tetrachloroethene	3.1	0.45	1.5		1	ug/L		07/05/05	SW846 5030B	SW846 8260B
Toluene	< 0.67	0.67	2.2		1	ug/L		07/05/05	SW846 5030B	SW846 8260B
trans-1,2-Dichloroethene	< 0.89	0.89	3.0		1	ug/L		07/05/05	SW846 5030B	SW846 8260B
trans-1,3-Dichloropropene	< 0.19	0.19	0.63		1	ug/L		07/05/05	SW846 5030B	SW846 8260B
Trichloroethene	< 0.48	0.48	1.6		1	ug/L		07/05/05	SW846 5030B	SW846 8260B
Vinyl Chloride	< 0.18	0.18	0.60		1	ug/L		07/05/05	SW846 5030B	SW846 8260B
Xylene, o	< 0.83	0.83	2.8		1	ug/L		07/05/05	SW846 5030B	SW846 8260B
Xylenes, m + p	< 1.8	1.8	6.0		1	ug/L		07/05/05	SW846 5030B	SW846 8260B
4-Bromofluorobenzene	100				1	%Recov		07/05/05	SW846 5030B	SW846 8260B
Toluene-d8	114				1	%Recov		07/05/05	SW846 5030B	SW846 8260B
Dibromofluoromethane	116				1	%Recov		07/05/05	SW846 5030B	SW846 8260B

Client : LIESCH ENVIRONMENTAL SERVICES - MAD

Matrix Type : GROUNDWATER

Project Name : MR. CLEAN

Collection Date : 06/29/05

Project Number : 64590.05

Report Date : 07/07/05

Field ID : PZ-10

Lab Sample Number : 861041-015

VOLATILES

Prep Date: 07/05/05

Analyte	Result	LOD	LOQ	EQL	Dil.	Units	Code	Anl Date	Prep Method	Anl Method
1,1,1,2-Tetrachloroethane	< 0.92	0.92	3.1		1	ug/L		07/05/05	SW846 5030B	SW846 8260B
1,1,1-Trichloroethane	< 0.90	0.90	3.0		1	ug/L		07/05/05	SW846 5030B	SW846 8260B
1,1,2,2-Tetrachloroethane	< 0.20	0.20	0.67		1	ug/L		07/05/05	SW846 5030B	SW846 8260B
1,1,2-Trichloroethane	< 0.42	0.42	1.4		1	ug/L		07/05/05	SW846 5030B	SW846 8260B
1,1-Dichloroethane	< 0.75	0.75	2.5		1	ug/L		07/05/05	SW846 5030B	SW846 8260B
1,1-Dichloroethene	< 0.57	0.57	1.9		1	ug/L		07/05/05	SW846 5030B	SW846 8260B
1,1-Dichloropropene	< 0.75	0.75	2.5		1	ug/L		07/05/05	SW846 5030B	SW846 8260B
1,2,3-Trichlorobenzene	< 0.74	0.74	2.5		1	ug/L		07/05/05	SW846 5030B	SW846 8260B
1,2,3-Trichloropropane	< 0.99	0.99	3.3		1	ug/L		07/05/05	SW846 5030B	SW846 8260B
1,2,4-Trichlorobenzene	< 0.97	0.97	3.2		1	ug/L		07/05/05	SW846 5030B	SW846 8260B
1,2,4-Trimethylbenzene	< 0.97	0.97	3.2		1	ug/L		07/05/05	SW846 5030B	SW846 8260B
1,2-Dibromo-3-chloropropane	< 0.87	0.87	2.9		1	ug/L		07/05/05	SW846 5030B	SW846 8260B
1,2-Dibromoethane	< 0.56	0.56	1.9		1	ug/L		07/05/05	SW846 5030B	SW846 8260B
1,2-Dichlorobenzene	< 0.83	0.83	2.8		1	ug/L		07/05/05	SW846 5030B	SW846 8260B
1,2-Dichloroethane	< 0.36	0.36	1.2		1	ug/L		07/05/05	SW846 5030B	SW846 8260B
1,2-Dichloropropane	< 0.46	0.46	1.5		1	ug/L		07/05/05	SW846 5030B	SW846 8260B
1,3,5-Trimethylbenzene	< 0.83	0.83	2.8		1	ug/L		07/05/05	SW846 5030B	SW846 8260B
1,3-Dichlorobenzene	< 0.87	0.87	2.9		1	ug/L		07/05/05	SW846 5030B	SW846 8260B
1,3-Dichloropropane	< 0.61	0.61	2.0		1	ug/L		07/05/05	SW846 5030B	SW846 8260B
1,4-Dichlorobenzene	< 0.95	0.95	3.2		1	ug/L		07/05/05	SW846 5030B	SW846 8260B
2,2-Dichloropropane	< 0.62	0.62	2.1		1	ug/L		07/05/05	SW846 5030B	SW846 8260B
2-Chlorotoluene	< 0.85	0.85	2.8		1	ug/L		07/05/05	SW846 5030B	SW846 8260B
4-Chlorotoluene	< 0.74	0.74	2.5		1	ug/L		07/05/05	SW846 5030B	SW846 8260B
Benzene	< 0.41	0.41	1.4		1	ug/L		07/05/05	SW846 5030B	SW846 8260B
Bromobenzene	< 0.82	0.82	2.7		1	ug/L		07/05/05	SW846 5030B	SW846 8260B
Bromochloromethane	< 0.97	0.97	3.2		1	ug/L		07/05/05	SW846 5030B	SW846 8260B
Bromodichloromethane	< 0.56	0.56	1.9		1	ug/L		07/05/05	SW846 5030B	SW846 8260B
Bromoform	< 0.94	0.94	3.1		1	ug/L		07/05/05	SW846 5030B	SW846 8260B
Bromomethane	< 0.91	0.91	3.0		1	ug/L		07/05/05	SW846 5030B	SW846 8260B
Carbon Tetrachloride	< 0.49	0.49	1.6		1	ug/L		07/05/05	SW846 5030B	SW846 8260B
Chlorobenzene	< 0.41	0.41	1.4		1	ug/L		07/05/05	SW846 5030B	SW846 8260B
Chlorodibromomethane	< 0.81	0.81	2.7		1	ug/L		07/05/05	SW846 5030B	SW846 8260B
Chloroethane	< 0.97	0.97	3.2		1	ug/L		07/05/05	SW846 5030B	SW846 8260B
Chloroform	< 0.37	0.37	1.2		1	ug/L		07/05/05	SW846 5030B	SW846 8260B
Chloromethane	< 0.24	0.24	0.80		1	ug/L		07/05/05	SW846 5030B	SW846 8260B
cis-1,2-Dichloroethene	< 0.83	0.83	2.8		1	ug/L		07/05/05	SW846 5030B	SW846 8260B
cis-1,3-Dichloropropene	< 0.19	0.19	0.63		1	ug/L		07/05/05	SW846 5030B	SW846 8260B
Dibromomethane	< 0.60	0.60	2.0		1	ug/L		07/05/05	SW846 5030B	SW846 8260B
Dichlorodifluoromethane	< 0.99	0.99	3.3		1	ug/L		07/05/05	SW846 5030B	SW846 8260B
Diisopropyl Ether	< 0.76	0.76	2.5		1	ug/L		07/05/05	SW846 5030B	SW846 8260B
Ethylbenzene	< 0.54	0.54	1.8		1	ug/L		07/05/05	SW846 5030B	SW846 8260B
Fluorotrichloromethane	< 0.79	0.79	2.6		1	ug/L		07/05/05	SW846 5030B	SW846 8260B
Hexachlorobutadiene	< 0.67	0.67	2.2		1	ug/L		07/05/05	SW846 5030B	SW846 8260B
Isopropylbenzene	< 0.59	0.59	2.0		1	ug/L		07/05/05	SW846 5030B	SW846 8260B
Methylene Chloride	< 0.43	0.43	1.4		1	ug/L		07/05/05	SW846 5030B	SW846 8260B
Methyl-tert-butyl-ether	< 0.61	0.61	2.0		1	ug/L		07/05/05	SW846 5030B	SW846 8260B
Naphthalene	< 0.74	0.74	2.5		1	ug/L		07/05/05	SW846 5030B	SW846 8260B
N-Butylbenzene	< 0.93	0.93	3.1		1	ug/L		07/05/05	SW846 5030B	SW846 8260B

Client : LIESCH ENVIRONMENTAL SERVICES - MAD

Matrix Type : GROUNDWATER

Project Name : MR. CLEAN

Collection Date : 06/29/05

Project Number : 64590.05

Report Date : 07/07/05

Field ID : PZ-10

Lab Sample Number : 861041-015

VOLATILES

Prep Date: 07/05/05

Analyte	Result	LOD	LOQ	EQL	Dil.	Units	Code	Anl Date	Prep Method	Anl Method
n-Propylbenzene	< 0.81	0.81	2.7		1	ug/L		07/05/05	SW846 5030B	SW846 8260B
p-Isopropyltoluene	< 0.67	0.67	2.2		1	ug/L		07/05/05	SW846 5030B	SW846 8260B
sec-Butylbenzene	< 0.89	0.89	3.0		1	ug/L		07/05/05	SW846 5030B	SW846 8260B
Styrene	< 0.86	0.86	2.9		1	ug/L		07/05/05	SW846 5030B	SW846 8260B
tert-Butylbenzene	< 0.97	0.97	3.2		1	ug/L		07/05/05	SW846 5030B	SW846 8260B
Tetrachloroethene	0.81	0.45	1.5		1	ug/L	Q	07/05/05	SW846 5030B	SW846 8260B
Toluene	< 0.67	0.67	2.2		1	ug/L		07/05/05	SW846 5030B	SW846 8260B
trans-1,2-Dichloroethene	< 0.89	0.89	3.0		1	ug/L		07/05/05	SW846 5030B	SW846 8260B
trans-1,3-Dichloropropene	< 0.19	0.19	0.63		1	ug/L		07/05/05	SW846 5030B	SW846 8260B
Trichloroethene	< 0.48	0.48	1.6		1	ug/L		07/05/05	SW846 5030B	SW846 8260B
Vinyl Chloride	< 0.18	0.18	0.60		1	ug/L		07/05/05	SW846 5030B	SW846 8260B
Xylene, o	< 0.83	0.83	2.8		1	ug/L		07/05/05	SW846 5030B	SW846 8260B
Xylenes, m + p	< 1.8	1.8	6.0		1	ug/L		07/05/05	SW846 5030B	SW846 8260B
4-Bromofluorobenzene	101				1	%Recov		07/05/05	SW846 5030B	SW846 8260B
Toluene-d8	116				1	%Recov		07/05/05	SW846 5030B	SW846 8260B
Dibromofluoromethane	114				1	%Recov		07/05/05	SW846 5030B	SW846 8260B

Client : LIESCH ENVIRONMENTAL SERVICES - MAD

Matrix Type : GROUNDWATER

Project Name : MR. CLEAN

Collection Date : 06/29/05

Project Number : 64590.05

Report Date : 07/07/05

Field ID : MW-12

Lab Sample Number : 861041-016

VOLATILES

Prep Date: 07/05/05

Analyte	Result	LOD	LOQ	EQL	Dil.	Units	Code	Anl Date	Prep Method	Anl Method
1,1,1,2-Tetrachloroethane	< 0.92	0.92	3.1		1	ug/L		07/05/05	SW846 5030B	SW846 8260B
1,1,1-Trichloroethane	< 0.90	0.90	3.0		1	ug/L		07/05/05	SW846 5030B	SW846 8260B
1,1,2,2-Tetrachloroethane	< 0.20	0.20	0.67		1	ug/L		07/05/05	SW846 5030B	SW846 8260B
1,1,2-Trichloroethane	< 0.42	0.42	1.4		1	ug/L		07/05/05	SW846 5030B	SW846 8260B
1,1-Dichloroethane	< 0.75	0.75	2.5		1	ug/L		07/05/05	SW846 5030B	SW846 8260B
1,1-Dichloroethene	< 0.57	0.57	1.9		1	ug/L		07/05/05	SW846 5030B	SW846 8260B
1,1-Dichloropropene	< 0.75	0.75	2.5		1	ug/L		07/05/05	SW846 5030B	SW846 8260B
1,2,3-Trichlorobenzene	< 0.74	0.74	2.5		1	ug/L		07/05/05	SW846 5030B	SW846 8260B
1,2,3-Trichloropropane	< 0.99	0.99	3.3		1	ug/L		07/05/05	SW846 5030B	SW846 8260B
1,2,4-Trichlorobenzene	< 0.97	0.97	3.2		1	ug/L		07/05/05	SW846 5030B	SW846 8260B
1,2,4-Trimethylbenzene	< 0.97	0.97	3.2		1	ug/L		07/05/05	SW846 5030B	SW846 8260B
1,2-Dibromo-3-chloropropane	< 0.87	0.87	2.9		1	ug/L		07/05/05	SW846 5030B	SW846 8260B
1,2-Dibromoethane	< 0.56	0.56	1.9		1	ug/L		07/05/05	SW846 5030B	SW846 8260B
1,2-Dichlorobenzene	< 0.83	0.83	2.8		1	ug/L		07/05/05	SW846 5030B	SW846 8260B
1,2-Dichloroethane	< 0.36	0.36	1.2		1	ug/L		07/05/05	SW846 5030B	SW846 8260B
1,2-Dichloropropane	< 0.46	0.46	1.5		1	ug/L		07/05/05	SW846 5030B	SW846 8260B
1,3,5-Trimethylbenzene	< 0.83	0.83	2.8		1	ug/L		07/05/05	SW846 5030B	SW846 8260B
1,3-Dichlorobenzene	< 0.87	0.87	2.9		1	ug/L		07/05/05	SW846 5030B	SW846 8260B
1,3-Dichloropropane	< 0.61	0.61	2.0		1	ug/L		07/05/05	SW846 5030B	SW846 8260B
1,4-Dichlorobenzene	< 0.95	0.95	3.2		1	ug/L		07/05/05	SW846 5030B	SW846 8260B
2,2-Dichloropropane	< 0.62	0.62	2.1		1	ug/L		07/05/05	SW846 5030B	SW846 8260B
2-Chlorotoluene	< 0.85	0.85	2.8		1	ug/L		07/05/05	SW846 5030B	SW846 8260B
4-Chlorotoluene	< 0.74	0.74	2.5		1	ug/L		07/05/05	SW846 5030B	SW846 8260B
Benzene	< 0.41	0.41	1.4		1	ug/L		07/05/05	SW846 5030B	SW846 8260B
Bromobenzene	< 0.82	0.82	2.7		1	ug/L		07/05/05	SW846 5030B	SW846 8260B
Bromochloromethane	< 0.97	0.97	3.2		1	ug/L		07/05/05	SW846 5030B	SW846 8260B
Bromodichloromethane	< 0.56	0.56	1.9		1	ug/L		07/05/05	SW846 5030B	SW846 8260B
Bromoform	< 0.94	0.94	3.1		1	ug/L		07/05/05	SW846 5030B	SW846 8260B
Bromomethane	< 0.91	0.91	3.0		1	ug/L		07/05/05	SW846 5030B	SW846 8260B
Carbon Tetrachloride	< 0.49	0.49	1.6		1	ug/L		07/05/05	SW846 5030B	SW846 8260B
Chlorobenzene	< 0.41	0.41	1.4		1	ug/L		07/05/05	SW846 5030B	SW846 8260B
Chlorodibromomethane	< 0.81	0.81	2.7		1	ug/L		07/05/05	SW846 5030B	SW846 8260B
Chloroethane	< 0.97	0.97	3.2		1	ug/L		07/05/05	SW846 5030B	SW846 8260B
Chloroform	< 0.37	0.37	1.2		1	ug/L		07/05/05	SW846 5030B	SW846 8260B
Chloromethane	< 0.24	0.24	0.80		1	ug/L		07/05/05	SW846 5030B	SW846 8260B
cis-1,2-Dichloroethene	< 0.83	0.83	2.8		1	ug/L		07/05/05	SW846 5030B	SW846 8260B
cis-1,3-Dichloropropene	< 0.19	0.19	0.63		1	ug/L		07/05/05	SW846 5030B	SW846 8260B
Dibromomethane	< 0.60	0.60	2.0		1	ug/L		07/05/05	SW846 5030B	SW846 8260B
Dichlorodifluoromethane	< 0.99	0.99	3.3		1	ug/L		07/05/05	SW846 5030B	SW846 8260B
Diisopropyl Ether	< 0.76	0.76	2.5		1	ug/L		07/05/05	SW846 5030B	SW846 8260B
Ethylbenzene	< 0.54	0.54	1.8		1	ug/L		07/05/05	SW846 5030B	SW846 8260B
Fluorotrichloromethane	< 0.79	0.79	2.6		1	ug/L		07/05/05	SW846 5030B	SW846 8260B
Hexachlorobutadiene	< 0.67	0.67	2.2		1	ug/L		07/05/05	SW846 5030B	SW846 8260B
Isopropylbenzene	< 0.59	0.59	2.0		1	ug/L		07/05/05	SW846 5030B	SW846 8260B
Methylene Chloride	< 0.43	0.43	1.4		1	ug/L		07/05/05	SW846 5030B	SW846 8260B
Methyl-tert-butyl-ether	< 0.61	0.61	2.0		1	ug/L		07/05/05	SW846 5030B	SW846 8260B
Naphthalene	< 0.74	0.74	2.5		1	ug/L		07/05/05	SW846 5030B	SW846 8260B
N-Butylbenzene	< 0.93	0.93	3.1		1	ug/L		07/05/05	SW846 5030B	SW846 8260B

Client : LIESCH ENVIRONMENTAL SERVICES - MAD

Matrix Type : GROUNDWATER

Project Name : MR. CLEAN

Collection Date : 06/29/05

Project Number : 64590.05

Report Date : 07/07/05

Field ID : MW-12

Lab Sample Number : 861041-016

VOLATILES

Prep Date: 07/05/05

Analyte	Result	LOD	LOQ	EQL	Dil.	Units	Code	Anl Date	Prep Method	Anl Method
n-Propylbenzene	< 0.81	0.81	2.7		1	ug/L		07/05/05	SW846 5030B	SW846 8260B
p-Isopropyltoluene	< 0.67	0.67	2.2		1	ug/L		07/05/05	SW846 5030B	SW846 8260B
sec-Butylbenzene	< 0.89	0.89	3.0		1	ug/L		07/05/05	SW846 5030B	SW846 8260B
Styrene	< 0.86	0.86	2.9		1	ug/L		07/05/05	SW846 5030B	SW846 8260B
tert-Butylbenzene	< 0.97	0.97	3.2		1	ug/L		07/05/05	SW846 5030B	SW846 8260B
Tetrachloroethene	< 0.45	0.45	1.5		1	ug/L		07/05/05	SW846 5030B	SW846 8260B
Toluene	< 0.67	0.67	2.2		1	ug/L		07/05/05	SW846 5030B	SW846 8260B
trans-1,2-Dichloroethene	< 0.89	0.89	3.0		1	ug/L		07/05/05	SW846 5030B	SW846 8260B
trans-1,3-Dichloropropene	< 0.19	0.19	0.63		1	ug/L		07/05/05	SW846 5030B	SW846 8260B
Trichloroethene	< 0.48	0.48	1.6		1	ug/L		07/05/05	SW846 5030B	SW846 8260B
Vinyl Chloride	< 0.18	0.18	0.60		1	ug/L		07/05/05	SW846 5030B	SW846 8260B
Xylene, o	< 0.83	0.83	2.8		1	ug/L		07/05/05	SW846 5030B	SW846 8260B
Xylenes, m + p	< 1.8	1.8	6.0		1	ug/L		07/05/05	SW846 5030B	SW846 8260B
4-Bromofluorobenzene	101				1	%Recov		07/05/05	SW846 5030B	SW846 8260B
Toluene-d8	115				1	%Recov		07/05/05	SW846 5030B	SW846 8260B
Dibromofluoromethane	113				1	%Recov		07/05/05	SW846 5030B	SW846 8260B

Client : LIESCH ENVIRONMENTAL SERVICES - MAD

Matrix Type : GROUNDWATER

Project Name : MR. CLEAN

Collection Date : 06/29/05

Project Number : 64590.05

Report Date : 07/07/05

Field ID : PZ-8

Lab Sample Number : 861041-017

VOLATILES

Prep Date: 07/06/05

Analyte	Result	LOD	LOQ	EQL	Dil.	Units	Code	Anl Date	Prep Method	Anl Method
1,1,1,2-Tetrachloroethane	< 23	23	77		25	ug/L		07/06/05	SW846 5030B	SW846 8260B
1,1,1-Trichloroethane	< 22	22	75		25	ug/L		07/06/05	SW846 5030B	SW846 8260B
1,1,2,2-Tetrachloroethane	< 5.0	5.0	17		25	ug/L		07/06/05	SW846 5030B	SW846 8260B
1,1,2-Trichloroethane	< 10	10	35		25	ug/L		07/06/05	SW846 5030B	SW846 8260B
1,1-Dichloroethane	< 19	19	62		25	ug/L		07/06/05	SW846 5030B	SW846 8260B
1,1-Dichloroethene	< 14	14	47		25	ug/L		07/06/05	SW846 5030B	SW846 8260B
1,1-Dichloropropene	< 19	19	62		25	ug/L		07/06/05	SW846 5030B	SW846 8260B
1,2,3-Trichlorobenzene	< 18	18	62		25	ug/L		07/06/05	SW846 5030B	SW846 8260B
1,2,3-Trichloropropane	< 25	25	82		25	ug/L		07/06/05	SW846 5030B	SW846 8260B
1,2,4-Trichlorobenzene	< 24	24	81		25	ug/L		07/06/05	SW846 5030B	SW846 8260B
1,2,4-Trimethylbenzene	< 24	24	81		25	ug/L		07/06/05	SW846 5030B	SW846 8260B
1,2-Dibromo-3-chloropropane	< 22	22	72		25	ug/L		07/06/05	SW846 5030B	SW846 8260B
1,2-Dibromoethane	< 14	14	47		25	ug/L		07/06/05	SW846 5030B	SW846 8260B
1,2-Dichlorobenzene	< 21	21	69		25	ug/L		07/06/05	SW846 5030B	SW846 8260B
1,2-Dichloroethane	< 9.0	9.0	30		25	ug/L		07/06/05	SW846 5030B	SW846 8260B
1,2-Dichloropropane	< 12	12	38		25	ug/L		07/06/05	SW846 5030B	SW846 8260B
1,3,5-Trimethylbenzene	< 21	21	69		25	ug/L		07/06/05	SW846 5030B	SW846 8260B
1,3-Dichlorobenzene	< 22	22	72		25	ug/L		07/06/05	SW846 5030B	SW846 8260B
1,3-Dichloropropane	< 15	15	51		25	ug/L		07/06/05	SW846 5030B	SW846 8260B
1,4-Dichlorobenzene	< 24	24	79		25	ug/L		07/06/05	SW846 5030B	SW846 8260B
2,2-Dichloropropane	< 16	16	52		25	ug/L		07/06/05	SW846 5030B	SW846 8260B
2-Chlorotoluene	< 21	21	71		25	ug/L		07/06/05	SW846 5030B	SW846 8260B
4-Chlorotoluene	< 18	18	62		25	ug/L		07/06/05	SW846 5030B	SW846 8260B
Benzene	< 10	10	34		25	ug/L		07/06/05	SW846 5030B	SW846 8260B
Bromobenzene	< 20	20	68		25	ug/L		07/06/05	SW846 5030B	SW846 8260B
Bromochloromethane	< 24	24	81		25	ug/L		07/06/05	SW846 5030B	SW846 8260B
Bromodichloromethane	< 14	14	47		25	ug/L		07/06/05	SW846 5030B	SW846 8260B
Bromoform	< 24	24	78		25	ug/L		07/06/05	SW846 5030B	SW846 8260B
Bromomethane	< 23	23	76		25	ug/L		07/06/05	SW846 5030B	SW846 8260B
Carbon Tetrachloride	< 12	12	41		25	ug/L		07/06/05	SW846 5030B	SW846 8260B
Chlorobenzene	< 10	10	34		25	ug/L		07/06/05	SW846 5030B	SW846 8260B
Chlorodibromomethane	< 20	20	68		25	ug/L		07/06/05	SW846 5030B	SW846 8260B
Chloroethane	< 24	24	81		25	ug/L		07/06/05	SW846 5030B	SW846 8260B
Chloroform	< 9.2	9.2	31		25	ug/L		07/06/05	SW846 5030B	SW846 8260B
Chloromethane	< 6.0	6.0	20		25	ug/L		07/06/05	SW846 5030B	SW846 8260B
cis-1,2-Dichloroethene	< 21	21	69		25	ug/L		07/06/05	SW846 5030B	SW846 8260B
cis-1,3-Dichloropropene	< 4.8	4.8	16		25	ug/L		07/06/05	SW846 5030B	SW846 8260B
Dibromomethane	< 15	15	50		25	ug/L		07/06/05	SW846 5030B	SW846 8260B
Dichlorodifluoromethane	< 25	25	82		25	ug/L		07/06/05	SW846 5030B	SW846 8260B
Diisopropyl Ether	< 19	19	63		25	ug/L		07/06/05	SW846 5030B	SW846 8260B
Ethylbenzene	< 14	14	45		25	ug/L		07/06/05	SW846 5030B	SW846 8260B
Fluorotrichloromethane	< 20	20	66		25	ug/L		07/06/05	SW846 5030B	SW846 8260B
Hexachlorobutadiene	< 17	17	56		25	ug/L		07/06/05	SW846 5030B	SW846 8260B
Isopropylbenzene	< 15	15	49		25	ug/L		07/06/05	SW846 5030B	SW846 8260B
Methylene Chloride	< 11	11	36		25	ug/L		07/06/05	SW846 5030B	SW846 8260B
Methyl-tert-butyl-ether	< 15	15	51		25	ug/L		07/06/05	SW846 5030B	SW846 8260B
Naphthalene	< 18	18	62		25	ug/L		07/06/05	SW846 5030B	SW846 8260B
N-Butylbenzene	< 23	23	78		25	ug/L		07/06/05	SW846 5030B	SW846 8260B

Client : LIESCH ENVIRONMENTAL SERVICES - MAD

Matrix Type : GROUNDWATER

Project Name : MR. CLEAN

Collection Date : 06/29/05

Project Number : 64590.05

Report Date : 07/07/05

Field ID : PZ-8

Lab Sample Number : 861041-017

VOLATILES

Prep Date: 07/06/05

Analyte	Result	LOD	LOQ	EQL	Dil.	Units	Code	Anl Date	Prep Method	Anl Method
n-Propylbenzene	< 20	20	68		25	ug/L		07/06/05	SW846 5030B	SW846 8260B
p-Isopropyltoluene	< 17	17	56		25	ug/L		07/06/05	SW846 5030B	SW846 8260B
sec-Butylbenzene	< 22	22	74		25	ug/L		07/06/05	SW846 5030B	SW846 8260B
Styrene	< 22	22	72		25	ug/L		07/06/05	SW846 5030B	SW846 8260B
tert-Butylbenzene	< 24	24	81		25	ug/L		07/06/05	SW846 5030B	SW846 8260B
Tetrachloroethene	2500	11	38		25	ug/L		07/06/05	SW846 5030B	SW846 8260B
Toluene	< 17	17	56		25	ug/L		07/06/05	SW846 5030B	SW846 8260B
trans-1,2-Dichloroethene	< 22	22	74		25	ug/L		07/06/05	SW846 5030B	SW846 8260B
trans-1,3-Dichloropropene	< 4.8	4.8	16		25	ug/L		07/06/05	SW846 5030B	SW846 8260B
Trichloroethene	< 12	12	40		25	ug/L		07/06/05	SW846 5030B	SW846 8260B
Vinyl Chloride	< 4.5	4.5	15		25	ug/L		07/06/05	SW846 5030B	SW846 8260B
Xylene, o	< 21	21	69		25	ug/L		07/06/05	SW846 5030B	SW846 8260B
Xylenes, m + p	< 45	45	150		25	ug/L		07/06/05	SW846 5030B	SW846 8260B
4-Bromofluorobenzene	99				25	%Recov		07/06/05	SW846 5030B	SW846 8260B
Toluene-d8	114				25	%Recov		07/06/05	SW846 5030B	SW846 8260B
Dibromofluoromethane	115				25	%Recov		07/06/05	SW846 5030B	SW846 8260B

Client : LIESCH ENVIRONMENTAL SERVICES - MAD

Matrix Type : GROUNDWATER

Project Name : MR. CLEAN

Collection Date : 06/29/05

Project Number : 64590.05

Report Date : 07/07/05

Field ID : PZ-11

Lab Sample Number : 861041-018

VOLATILES

Prep Date: 07/06/05

Analyte	Result	LOD	LOQ	EQL	Dil.	Units	Code	Anl Date	Prep Method	Anl Method
1,1,1,2-Tetrachloroethane	< 0.92	0.92	3.1		1	ug/L		07/06/05	SW846 5030B	SW846 8260B
1,1,1-Trichloroethane	< 0.90	0.90	3.0		1	ug/L		07/06/05	SW846 5030B	SW846 8260B
1,1,2,2-Tetrachloroethane	< 0.20	0.20	0.67		1	ug/L		07/06/05	SW846 5030B	SW846 8260B
1,1,2-Trichloroethane	< 0.42	0.42	1.4		1	ug/L		07/06/05	SW846 5030B	SW846 8260B
1,1-Dichloroethane	< 0.75	0.75	2.5		1	ug/L		07/06/05	SW846 5030B	SW846 8260B
1,1-Dichloroethene	< 0.57	0.57	1.9		1	ug/L		07/06/05	SW846 5030B	SW846 8260B
1,1-Dichloropropene	< 0.75	0.75	2.5		1	ug/L		07/06/05	SW846 5030B	SW846 8260B
1,2,3-Trichlorobenzene	< 0.74	0.74	2.5		1	ug/L		07/06/05	SW846 5030B	SW846 8260B
1,2,3-Trichloropropane	< 0.99	0.99	3.3		1	ug/L		07/06/05	SW846 5030B	SW846 8260B
1,2,4-Trichlorobenzene	< 0.97	0.97	3.2		1	ug/L		07/06/05	SW846 5030B	SW846 8260B
1,2,4-Trimethylbenzene	< 0.97	0.97	3.2		1	ug/L		07/06/05	SW846 5030B	SW846 8260B
1,2-Dibromo-3-chloropropane	< 0.87	0.87	2.9		1	ug/L		07/06/05	SW846 5030B	SW846 8260B
1,2-Dibromoethane	< 0.56	0.56	1.9		1	ug/L		07/06/05	SW846 5030B	SW846 8260B
1,2-Dichlorobenzene	< 0.83	0.83	2.8		1	ug/L		07/06/05	SW846 5030B	SW846 8260B
1,2-Dichloroethane	< 0.36	0.36	1.2		1	ug/L		07/06/05	SW846 5030B	SW846 8260B
1,2-Dichloropropane	< 0.46	0.46	1.5		1	ug/L		07/06/05	SW846 5030B	SW846 8260B
1,3,5-Trimethylbenzene	< 0.83	0.83	2.8		1	ug/L		07/06/05	SW846 5030B	SW846 8260B
1,3-Dichlorobenzene	< 0.87	0.87	2.9		1	ug/L		07/06/05	SW846 5030B	SW846 8260B
1,3-Dichloropropane	< 0.61	0.61	2.0		1	ug/L		07/06/05	SW846 5030B	SW846 8260B
1,4-Dichlorobenzene	< 0.95	0.95	3.2		1	ug/L		07/06/05	SW846 5030B	SW846 8260B
2,2-Dichloropropane	< 0.62	0.62	2.1		1	ug/L		07/06/05	SW846 5030B	SW846 8260B
2-Chlorotoluene	< 0.85	0.85	2.8		1	ug/L		07/06/05	SW846 5030B	SW846 8260B
4-Chlorotoluene	< 0.74	0.74	2.5		1	ug/L		07/06/05	SW846 5030B	SW846 8260B
Benzene	< 0.41	0.41	1.4		1	ug/L		07/06/05	SW846 5030B	SW846 8260B
Bromobenzene	< 0.82	0.82	2.7		1	ug/L		07/06/05	SW846 5030B	SW846 8260B
Bromochloromethane	< 0.97	0.97	3.2		1	ug/L		07/06/05	SW846 5030B	SW846 8260B
Bromodichloromethane	< 0.56	0.56	1.9		1	ug/L		07/06/05	SW846 5030B	SW846 8260B
Bromoform	< 0.94	0.94	3.1		1	ug/L		07/06/05	SW846 5030B	SW846 8260B
Bromomethane	< 0.91	0.91	3.0		1	ug/L		07/06/05	SW846 5030B	SW846 8260B
Carbon Tetrachloride	< 0.49	0.49	1.6		1	ug/L		07/06/05	SW846 5030B	SW846 8260B
Chlorobenzene	< 0.41	0.41	1.4		1	ug/L		07/06/05	SW846 5030B	SW846 8260B
Chlorodibromomethane	< 0.81	0.81	2.7		1	ug/L		07/06/05	SW846 5030B	SW846 8260B
Chloroethane	< 0.97	0.97	3.2		1	ug/L		07/06/05	SW846 5030B	SW846 8260B
Chloroform	< 0.37	0.37	1.2		1	ug/L		07/06/05	SW846 5030B	SW846 8260B
Chloromethane	< 0.24	0.24	0.80		1	ug/L		07/06/05	SW846 5030B	SW846 8260B
cis-1,2-Dichloroethene	< 0.83	0.83	2.8		1	ug/L		07/06/05	SW846 5030B	SW846 8260B
cis-1,3-Dichloropropene	< 0.19	0.19	0.63		1	ug/L		07/06/05	SW846 5030B	SW846 8260B
Dibromomethane	< 0.60	0.60	2.0		1	ug/L		07/06/05	SW846 5030B	SW846 8260B
Dichlorodifluoromethane	< 0.99	0.99	3.3		1	ug/L		07/06/05	SW846 5030B	SW846 8260B
Diisopropyl Ether	< 0.76	0.76	2.5		1	ug/L		07/06/05	SW846 5030B	SW846 8260B
Ethylbenzene	< 0.54	0.54	1.8		1	ug/L		07/06/05	SW846 5030B	SW846 8260B
Fluorotrichloromethane	< 0.79	0.79	2.6		1	ug/L		07/06/05	SW846 5030B	SW846 8260B
Hexachlorobutadiene	< 0.67	0.67	2.2		1	ug/L		07/06/05	SW846 5030B	SW846 8260B
Isopropylbenzene	< 0.59	0.59	2.0		1	ug/L		07/06/05	SW846 5030B	SW846 8260B
Methylene Chloride	< 0.43	0.43	1.4		1	ug/L		07/06/05	SW846 5030B	SW846 8260B
Methyl-tert-butyl-ether	< 0.61	0.61	2.0		1	ug/L		07/06/05	SW846 5030B	SW846 8260B
Naphthalene	< 0.74	0.74	2.5		1	ug/L		07/06/05	SW846 5030B	SW846 8260B
N-Butylbenzene	< 0.93	0.93	3.1		1	ug/L		07/06/05	SW846 5030B	SW846 8260B

Client : LIESCH ENVIRONMENTAL SERVICES - MAD

Matrix Type : GROUNDWATER

Project Name : MR. CLEAN

Collection Date : 06/29/05

Project Number : 64590.05

Report Date : 07/07/05

Field ID : PZ-11

Lab Sample Number : 861041-018

VOLATILES

Prep Date: 07/06/05

Analyte	Result	LOD	LOQ	EQL	Dil.	Units	Code	Anl Date	Prep Method	Anl Method
n-Propylbenzene	< 0.81	0.81	2.7		1	ug/L		07/06/05	SW846 5030B	SW846 8260B
p-Isopropyltoluene	< 0.67	0.67	2.2		1	ug/L		07/06/05	SW846 5030B	SW846 8260B
sec-Butylbenzene	< 0.89	0.89	3.0		1	ug/L		07/06/05	SW846 5030B	SW846 8260B
Styrene	< 0.86	0.86	2.9		1	ug/L		07/06/05	SW846 5030B	SW846 8260B
tert-Butylbenzene	< 0.97	0.97	3.2		1	ug/L		07/06/05	SW846 5030B	SW846 8260B
Tetrachloroethene	5.0	0.45	1.5		1	ug/L		07/06/05	SW846 5030B	SW846 8260B
Toluene	< 0.67	0.67	2.2		1	ug/L		07/06/05	SW846 5030B	SW846 8260B
trans-1,2-Dichloroethene	< 0.89	0.89	3.0		1	ug/L		07/06/05	SW846 5030B	SW846 8260B
trans-1,3-Dichloropropene	< 0.19	0.19	0.63		1	ug/L		07/06/05	SW846 5030B	SW846 8260B
Trichloroethene	< 0.48	0.48	1.6		1	ug/L		07/06/05	SW846 5030B	SW846 8260B
Vinyl Chloride	< 0.18	0.18	0.60		1	ug/L		07/06/05	SW846 5030B	SW846 8260B
Xylene, o	< 0.83	0.83	2.8		1	ug/L		07/06/05	SW846 5030B	SW846 8260B
Xylenes, m + p	< 1.8	1.8	6.0		1	ug/L		07/06/05	SW846 5030B	SW846 8260B
4-Bromofluorobenzene	97				1	%Recov		07/06/05	SW846 5030B	SW846 8260B
Toluene-d8	116				1	%Recov		07/06/05	SW846 5030B	SW846 8260B
Dibromofluoromethane	114				1	%Recov		07/06/05	SW846 5030B	SW846 8260B

Client : LIESCH ENVIRONMENTAL SERVICES - MAD

Matrix Type : GROUNDWATER

Project Name : MR. CLEAN

Collection Date : 06/29/05

Project Number : 64590.05

Report Date : 07/07/05

Field ID : PZ-12

Lab Sample Number : 861041-019

VOLATILES

Prep Date: 07/06/05

Analyte	Result	LOD	LOQ	EQL	Dil.	Units	Code	Anl Date	Prep Method	Anl Method
1,1,1,2-Tetrachloroethane	< 0.92	0.92	3.1		1	ug/L		07/06/05	SW846 5030B	SW846 8260B
1,1,1-Trichloroethane	< 0.90	0.90	3.0		1	ug/L		07/06/05	SW846 5030B	SW846 8260B
1,1,2,2-Tetrachloroethane	< 0.20	0.20	0.67		1	ug/L		07/06/05	SW846 5030B	SW846 8260B
1,1,2-Trichloroethane	< 0.42	0.42	1.4		1	ug/L		07/06/05	SW846 5030B	SW846 8260B
1,1-Dichloroethane	< 0.75	0.75	2.5		1	ug/L		07/06/05	SW846 5030B	SW846 8260B
1,1-Dichloroethene	< 0.57	0.57	1.9		1	ug/L		07/06/05	SW846 5030B	SW846 8260B
1,1-Dichloropropene	< 0.75	0.75	2.5		1	ug/L		07/06/05	SW846 5030B	SW846 8260B
1,2,3-Trichlorobenzene	< 0.74	0.74	2.5		1	ug/L		07/06/05	SW846 5030B	SW846 8260B
1,2,3-Trichloropropane	< 0.99	0.99	3.3		1	ug/L		07/06/05	SW846 5030B	SW846 8260B
1,2,4-Trichlorobenzene	< 0.97	0.97	3.2		1	ug/L		07/06/05	SW846 5030B	SW846 8260B
1,2,4-Trimethylbenzene	< 0.97	0.97	3.2		1	ug/L		07/06/05	SW846 5030B	SW846 8260B
1,2-Dibromo-3-chloropropane	< 0.87	0.87	2.9		1	ug/L		07/06/05	SW846 5030B	SW846 8260B
1,2-Dibromoethane	< 0.56	0.56	1.9		1	ug/L		07/06/05	SW846 5030B	SW846 8260B
1,2-Dichlorobenzene	< 0.83	0.83	2.8		1	ug/L		07/06/05	SW846 5030B	SW846 8260B
1,2-Dichloroethane	< 0.36	0.36	1.2		1	ug/L		07/06/05	SW846 5030B	SW846 8260B
1,2-Dichloropropane	< 0.46	0.46	1.5		1	ug/L		07/06/05	SW846 5030B	SW846 8260B
1,3,5-Trimethylbenzene	< 0.83	0.83	2.8		1	ug/L		07/06/05	SW846 5030B	SW846 8260B
1,3-Dichlorobenzene	< 0.87	0.87	2.9		1	ug/L		07/06/05	SW846 5030B	SW846 8260B
1,3-Dichloropropane	< 0.61	0.61	2.0		1	ug/L		07/06/05	SW846 5030B	SW846 8260B
1,4-Dichlorobenzene	< 0.95	0.95	3.2		1	ug/L		07/06/05	SW846 5030B	SW846 8260B
2,2-Dichloropropane	< 0.62	0.62	2.1		1	ug/L		07/06/05	SW846 5030B	SW846 8260B
2-Chlorotoluene	< 0.85	0.85	2.8		1	ug/L		07/06/05	SW846 5030B	SW846 8260B
4-Chlorotoluene	< 0.74	0.74	2.5		1	ug/L		07/06/05	SW846 5030B	SW846 8260B
Benzene	< 0.41	0.41	1.4		1	ug/L		07/06/05	SW846 5030B	SW846 8260B
Bromobenzene	< 0.82	0.82	2.7		1	ug/L		07/06/05	SW846 5030B	SW846 8260B
Bromochloromethane	< 0.97	0.97	3.2		1	ug/L		07/06/05	SW846 5030B	SW846 8260B
Bromodichloromethane	< 0.56	0.56	1.9		1	ug/L		07/06/05	SW846 5030B	SW846 8260B
Bromoform	< 0.94	0.94	3.1		1	ug/L		07/06/05	SW846 5030B	SW846 8260B
Bromomethane	< 0.91	0.91	3.0		1	ug/L		07/06/05	SW846 5030B	SW846 8260B
Carbon Tetrachloride	< 0.49	0.49	1.6		1	ug/L		07/06/05	SW846 5030B	SW846 8260B
Chlorobenzene	< 0.41	0.41	1.4		1	ug/L		07/06/05	SW846 5030B	SW846 8260B
Chlorodibromomethane	< 0.81	0.81	2.7		1	ug/L		07/06/05	SW846 5030B	SW846 8260B
Chloroethane	< 0.97	0.97	3.2		1	ug/L		07/06/05	SW846 5030B	SW846 8260B
Chloroform	< 0.37	0.37	1.2		1	ug/L		07/06/05	SW846 5030B	SW846 8260B
Chloromethane	< 0.24	0.24	0.80		1	ug/L		07/06/05	SW846 5030B	SW846 8260B
cis-1,2-Dichloroethene	< 0.83	0.83	2.8		1	ug/L		07/06/05	SW846 5030B	SW846 8260B
cis-1,3-Dichloropropene	< 0.19	0.19	0.63		1	ug/L		07/06/05	SW846 5030B	SW846 8260B
Dibromomethane	< 0.60	0.60	2.0		1	ug/L		07/06/05	SW846 5030B	SW846 8260B
Dichlorodifluoromethane	< 0.99	0.99	3.3		1	ug/L		07/06/05	SW846 5030B	SW846 8260B
Diisopropyl Ether	< 0.76	0.76	2.5		1	ug/L		07/06/05	SW846 5030B	SW846 8260B
Ethylbenzene	< 0.54	0.54	1.8		1	ug/L		07/06/05	SW846 5030B	SW846 8260B
Fluorotrichloromethane	< 0.79	0.79	2.6		1	ug/L		07/06/05	SW846 5030B	SW846 8260B
Hexachlorobutadiene	< 0.67	0.67	2.2		1	ug/L		07/06/05	SW846 5030B	SW846 8260B
Isopropylbenzene	< 0.59	0.59	2.0		1	ug/L		07/06/05	SW846 5030B	SW846 8260B
Methylene Chloride	< 0.43	0.43	1.4		1	ug/L		07/06/05	SW846 5030B	SW846 8260B
Methyl-tert-butyl-ether	< 0.61	0.61	2.0		1	ug/L		07/06/05	SW846 5030B	SW846 8260B
Naphthalene	< 0.74	0.74	2.5		1	ug/L		07/06/05	SW846 5030B	SW846 8260B
N-Butylbenzene	< 0.93	0.93	3.1		1	ug/L		07/06/05	SW846 5030B	SW846 8260B

Client : LIESCH ENVIRONMENTAL SERVICES - MAD

Matrix Type : GROUNDWATER

Project Name : MR. CLEAN

Collection Date : 06/29/05

Project Number : 64590.05

Report Date : 07/07/05

Field ID : PZ-12

Lab Sample Number : 861041-019

VOLATILES

Prep Date: 07/06/05

Analyte	Result	LOD	LOQ	EQL	Dil.	Units	Code	Anl Date	Prep Method	Anl Method
n-Propylbenzene	< 0.81	0.81	2.7		1	ug/L		07/06/05	SW846 5030B	SW846 8260B
p-Isopropyltoluene	< 0.67	0.67	2.2		1	ug/L		07/06/05	SW846 5030B	SW846 8260B
sec-Butylbenzene	< 0.89	0.89	3.0		1	ug/L		07/06/05	SW846 5030B	SW846 8260B
Styrene	< 0.86	0.86	2.9		1	ug/L		07/06/05	SW846 5030B	SW846 8260B
tert-Butylbenzene	< 0.97	0.97	3.2		1	ug/L		07/06/05	SW846 5030B	SW846 8260B
Tetrachloroethene	1.3	0.45	1.5		1	ug/L	Q	07/06/05	SW846 5030B	SW846 8260B
Toluene	< 0.67	0.67	2.2		1	ug/L		07/06/05	SW846 5030B	SW846 8260B
trans-1,2-Dichloroethene	< 0.89	0.89	3.0		1	ug/L		07/06/05	SW846 5030B	SW846 8260B
trans-1,3-Dichloropropene	< 0.19	0.19	0.63		1	ug/L		07/06/05	SW846 5030B	SW846 8260B
Trichloroethene	< 0.48	0.48	1.6		1	ug/L		07/06/05	SW846 5030B	SW846 8260B
Vinyl Chloride	< 0.18	0.18	0.60		1	ug/L		07/06/05	SW846 5030B	SW846 8260B
Xylene, o	< 0.83	0.83	2.8		1	ug/L		07/06/05	SW846 5030B	SW846 8260B
Xylenes, m + p	< 1.8	1.8	6.0		1	ug/L		07/06/05	SW846 5030B	SW846 8260B
4-Bromofluorobenzene	101				1	%Recov		07/06/05	SW846 5030B	SW846 8260B
Toluene-d8	117				1	%Recov		07/06/05	SW846 5030B	SW846 8260B
Dibromofluoromethane	114				1	%Recov		07/06/05	SW846 5030B	SW846 8260B

Client : LIESCH ENVIRONMENTAL SERVICES - MAD

Matrix Type : GROUNDWATER

Project Name : MR. CLEAN

Collection Date : 06/29/05

Project Number : 64590.05

Report Date : 07/07/05

Field ID : PZ-13

Lab Sample Number : 861041-020

VOLATILES

Prep Date: 07/05/05

Analyte	Result	LOD	LOQ	EQL	Dil.	Units	Code	Anl Date	Prep Method	Anl Method
1,1,1,2-Tetrachloroethane	< 0.92	0.92	3.1		1	ug/L		07/05/05	SW846 5030B	SW846 8260B
1,1,1-Trichloroethane	< 0.90	0.90	3.0		1	ug/L		07/05/05	SW846 5030B	SW846 8260B
1,1,2,2-Tetrachloroethane	< 0.20	0.20	0.67		1	ug/L		07/05/05	SW846 5030B	SW846 8260B
1,1,2-Trichloroethane	< 0.42	0.42	1.4		1	ug/L		07/05/05	SW846 5030B	SW846 8260B
1,1-Dichloroethane	< 0.75	0.75	2.5		1	ug/L		07/05/05	SW846 5030B	SW846 8260B
1,1-Dichloroethene	< 0.57	0.57	1.9		1	ug/L		07/05/05	SW846 5030B	SW846 8260B
1,1-Dichloropropene	< 0.75	0.75	2.5		1	ug/L		07/05/05	SW846 5030B	SW846 8260B
1,2,3-Trichlorobenzene	< 0.74	0.74	2.5		1	ug/L		07/05/05	SW846 5030B	SW846 8260B
1,2,3-Trichloropropane	< 0.99	0.99	3.3		1	ug/L		07/05/05	SW846 5030B	SW846 8260B
1,2,4-Trichlorobenzene	< 0.97	0.97	3.2		1	ug/L		07/05/05	SW846 5030B	SW846 8260B
1,2,4-Trimethylbenzene	< 0.97	0.97	3.2		1	ug/L		07/05/05	SW846 5030B	SW846 8260B
1,2-Dibromo-3-chloropropane	< 0.87	0.87	2.9		1	ug/L		07/05/05	SW846 5030B	SW846 8260B
1,2-Dibromoethane	< 0.56	0.56	1.9		1	ug/L		07/05/05	SW846 5030B	SW846 8260B
1,2-Dichlorobenzene	< 0.83	0.83	2.8		1	ug/L		07/05/05	SW846 5030B	SW846 8260B
1,2-Dichloroethane	< 0.36	0.36	1.2		1	ug/L		07/05/05	SW846 5030B	SW846 8260B
1,2-Dichloropropane	< 0.46	0.46	1.5		1	ug/L		07/05/05	SW846 5030B	SW846 8260B
1,3,5-Trimethylbenzene	< 0.83	0.83	2.8		1	ug/L		07/05/05	SW846 5030B	SW846 8260B
1,3-Dichlorobenzene	< 0.87	0.87	2.9		1	ug/L		07/05/05	SW846 5030B	SW846 8260B
1,3-Dichloropropane	< 0.61	0.61	2.0		1	ug/L		07/05/05	SW846 5030B	SW846 8260B
1,4-Dichlorobenzene	< 0.95	0.95	3.2		1	ug/L		07/05/05	SW846 5030B	SW846 8260B
2,2-Dichloropropane	< 0.62	0.62	2.1		1	ug/L		07/05/05	SW846 5030B	SW846 8260B
2-Chlorotoluene	< 0.85	0.85	2.8		1	ug/L		07/05/05	SW846 5030B	SW846 8260B
4-Chlorotoluene	< 0.74	0.74	2.5		1	ug/L		07/05/05	SW846 5030B	SW846 8260B
Benzene	< 0.41	0.41	1.4		1	ug/L		07/05/05	SW846 5030B	SW846 8260B
Bromobenzene	< 0.82	0.82	2.7		1	ug/L		07/05/05	SW846 5030B	SW846 8260B
Bromochloromethane	< 0.97	0.97	3.2		1	ug/L		07/05/05	SW846 5030B	SW846 8260B
Bromodichloromethane	< 0.56	0.56	1.9		1	ug/L		07/05/05	SW846 5030B	SW846 8260B
Bromoform	< 0.94	0.94	3.1		1	ug/L		07/05/05	SW846 5030B	SW846 8260B
Bromomethane	< 0.91	0.91	3.0		1	ug/L		07/05/05	SW846 5030B	SW846 8260B
Carbon Tetrachloride	< 0.49	0.49	1.6		1	ug/L		07/05/05	SW846 5030B	SW846 8260B
Chlorobenzene	< 0.41	0.41	1.4		1	ug/L		07/05/05	SW846 5030B	SW846 8260B
Chlorodibromomethane	< 0.81	0.81	2.7		1	ug/L		07/05/05	SW846 5030B	SW846 8260B
Chloroethane	< 0.97	0.97	3.2		1	ug/L		07/05/05	SW846 5030B	SW846 8260B
Chloroform	< 0.37	0.37	1.2		1	ug/L		07/05/05	SW846 5030B	SW846 8260B
Chloromethane	< 0.24	0.24	0.80		1	ug/L		07/05/05	SW846 5030B	SW846 8260B
cis-1,2-Dichloroethene	< 0.83	0.83	2.8		1	ug/L		07/05/05	SW846 5030B	SW846 8260B
cis-1,3-Dichloropropene	< 0.19	0.19	0.63		1	ug/L		07/05/05	SW846 5030B	SW846 8260B
Dibromomethane	< 0.60	0.60	2.0		1	ug/L		07/05/05	SW846 5030B	SW846 8260B
Dichlorodifluoromethane	< 0.99	0.99	3.3		1	ug/L		07/05/05	SW846 5030B	SW846 8260B
Diisopropyl Ether	< 0.76	0.76	2.5		1	ug/L		07/05/05	SW846 5030B	SW846 8260B
Ethylbenzene	< 0.54	0.54	1.8		1	ug/L		07/05/05	SW846 5030B	SW846 8260B
Fluorotrichloromethane	< 0.79	0.79	2.6		1	ug/L		07/05/05	SW846 5030B	SW846 8260B
Hexachlorobutadiene	< 0.67	0.67	2.2		1	ug/L		07/05/05	SW846 5030B	SW846 8260B
Isopropylbenzene	< 0.59	0.59	2.0		1	ug/L		07/05/05	SW846 5030B	SW846 8260B
Methylene Chloride	< 0.43	0.43	1.4		1	ug/L		07/05/05	SW846 5030B	SW846 8260B
Methyl-tert-butyl-ether	< 0.61	0.61	2.0		1	ug/L		07/05/05	SW846 5030B	SW846 8260B
Naphthalene	< 0.74	0.74	2.5		1	ug/L		07/05/05	SW846 5030B	SW846 8260B
N-Butylbenzene	< 0.93	0.93	3.1		1	ug/L		07/05/05	SW846 5030B	SW846 8260B

**Pace Analytical
Services, Inc.**

Analytical Report Number: 861041

1241 Bellevue Street
Green Bay, WI 54302
920-469-2436

Client : LIESCH ENVIRONMENTAL SERVICES - MAD

Matrix Type : GROUNDWATER

Project Name : MR. CLEAN

Collection Date : 06/29/05

Project Number : 64590.05

Report Date : 07/07/05

Field ID : PZ-13

Lab Sample Number : 861041-020

VOLATILES

Prep Date: 07/05/05

Analyte	Result	LOD	LOQ	EQL	Dil.	Units	Code	Anl Date	Prep Method	Anl Method
n-Propylbenzene	< 0.81	0.81	2.7		1	ug/L		07/05/05	SW846 5030B	SW846 8260B
p-Isopropyltoluene	< 0.67	0.67	2.2		1	ug/L		07/05/05	SW846 5030B	SW846 8260B
sec-Butylbenzene	< 0.89	0.89	3.0		1	ug/L		07/05/05	SW846 5030B	SW846 8260B
Styrene	< 0.86	0.86	2.9		1	ug/L		07/05/05	SW846 5030B	SW846 8260B
tert-Butylbenzene	< 0.97	0.97	3.2		1	ug/L		07/05/05	SW846 5030B	SW846 8260B
Tetrachloroethene	< 0.45	0.45	1.5		1	ug/L		07/05/05	SW846 5030B	SW846 8260B
Toluene	< 0.67	0.67	2.2		1	ug/L		07/05/05	SW846 5030B	SW846 8260B
trans-1,2-Dichloroethene	< 0.89	0.89	3.0		1	ug/L		07/05/05	SW846 5030B	SW846 8260B
trans-1,3-Dichloropropene	< 0.19	0.19	0.63		1	ug/L		07/05/05	SW846 5030B	SW846 8260B
Trichloroethene	< 0.48	0.48	1.6		1	ug/L		07/05/05	SW846 5030B	SW846 8260B
Vinyl Chloride	< 0.18	0.18	0.60		1	ug/L		07/05/05	SW846 5030B	SW846 8260B
Xylene, o	< 0.83	0.83	2.8		1	ug/L		07/05/05	SW846 5030B	SW846 8260B
Xylenes, m + p	< 1.8	1.8	6.0		1	ug/L		07/05/05	SW846 5030B	SW846 8260B
4-Bromofluorobenzene	99				1	%Recov		07/05/05	SW846 5030B	SW846 8260B
Toluene-d8	117				1	%Recov		07/05/05	SW846 5030B	SW846 8260B
Dibromofluoromethane	114				1	%Recov		07/05/05	SW846 5030B	SW846 8260B

Client : LIESCH ENVIRONMENTAL SERVICES - MAD

Matrix Type : GROUNDWATER

Project Name : MR. CLEAN

Collection Date : 06/29/05

Project Number : 64590.05

Report Date : 07/07/05

Field ID : PZ-14

Lab Sample Number : 861041-021

VOLATILES

Prep Date: 07/05/05

Analyte	Result	LOD	LOQ	EQL	Dil.	Units	Code	Anl Date	Prep Method	Anl Method
1,1,1,2-Tetrachloroethane	< 0.92	0.92	3.1		1	ug/L		07/05/05	SW846 5030B	SW846 8260B
1,1,1-Trichloroethane	< 0.90	0.90	3.0		1	ug/L		07/05/05	SW846 5030B	SW846 8260B
1,1,2,2-Tetrachloroethane	< 0.20	0.20	0.67		1	ug/L		07/05/05	SW846 5030B	SW846 8260B
1,1,2-Trichloroethane	< 0.42	0.42	1.4		1	ug/L		07/05/05	SW846 5030B	SW846 8260B
1,1-Dichloroethane	< 0.75	0.75	2.5		1	ug/L		07/05/05	SW846 5030B	SW846 8260B
1,1-Dichloroethene	< 0.57	0.57	1.9		1	ug/L		07/05/05	SW846 5030B	SW846 8260B
1,1-Dichloropropene	< 0.75	0.75	2.5		1	ug/L		07/05/05	SW846 5030B	SW846 8260B
1,2,3-Trichlorobenzene	< 0.74	0.74	2.5		1	ug/L		07/05/05	SW846 5030B	SW846 8260B
1,2,3-Trichloropropane	< 0.99	0.99	3.3		1	ug/L		07/05/05	SW846 5030B	SW846 8260B
1,2,4-Trichlorobenzene	< 0.97	0.97	3.2		1	ug/L		07/05/05	SW846 5030B	SW846 8260B
1,2,4-Trimethylbenzene	< 0.97	0.97	3.2		1	ug/L		07/05/05	SW846 5030B	SW846 8260B
1,2-Dibromo-3-chloropropane	< 0.87	0.87	2.9		1	ug/L		07/05/05	SW846 5030B	SW846 8260B
1,2-Dibromoethane	< 0.56	0.56	1.9		1	ug/L		07/05/05	SW846 5030B	SW846 8260B
1,2-Dichlorobenzene	< 0.83	0.83	2.8		1	ug/L		07/05/05	SW846 5030B	SW846 8260B
1,2-Dichloroethane	< 0.36	0.36	1.2		1	ug/L		07/05/05	SW846 5030B	SW846 8260B
1,2-Dichloropropane	< 0.46	0.46	1.5		1	ug/L		07/05/05	SW846 5030B	SW846 8260B
1,3,5-Trimethylbenzene	< 0.83	0.83	2.8		1	ug/L		07/05/05	SW846 5030B	SW846 8260B
1,3-Dichlorobenzene	< 0.87	0.87	2.9		1	ug/L		07/05/05	SW846 5030B	SW846 8260B
1,3-Dichloropropane	< 0.61	0.61	2.0		1	ug/L		07/05/05	SW846 5030B	SW846 8260B
1,4-Dichlorobenzene	< 0.95	0.95	3.2		1	ug/L		07/05/05	SW846 5030B	SW846 8260B
2,2-Dichloropropane	< 0.62	0.62	2.1		1	ug/L		07/05/05	SW846 5030B	SW846 8260B
2-Chlorotoluene	< 0.85	0.85	2.8		1	ug/L		07/05/05	SW846 5030B	SW846 8260B
4-Chlorotoluene	< 0.74	0.74	2.5		1	ug/L		07/05/05	SW846 5030B	SW846 8260B
Benzene	< 0.41	0.41	1.4		1	ug/L		07/05/05	SW846 5030B	SW846 8260B
Bromobenzene	< 0.82	0.82	2.7		1	ug/L		07/05/05	SW846 5030B	SW846 8260B
Bromochloromethane	< 0.97	0.97	3.2		1	ug/L		07/05/05	SW846 5030B	SW846 8260B
Bromodichloromethane	< 0.56	0.56	1.9		1	ug/L		07/05/05	SW846 5030B	SW846 8260B
Bromoform	< 0.94	0.94	3.1		1	ug/L		07/05/05	SW846 5030B	SW846 8260B
Bromomethane	< 0.91	0.91	3.0		1	ug/L		07/05/05	SW846 5030B	SW846 8260B
Carbon Tetrachloride	< 0.49	0.49	1.6		1	ug/L		07/05/05	SW846 5030B	SW846 8260B
Chlorobenzene	< 0.41	0.41	1.4		1	ug/L		07/05/05	SW846 5030B	SW846 8260B
Chlorodibromomethane	< 0.81	0.81	2.7		1	ug/L		07/05/05	SW846 5030B	SW846 8260B
Chloroethane	< 0.97	0.97	3.2		1	ug/L		07/05/05	SW846 5030B	SW846 8260B
Chloroform	< 0.37	0.37	1.2		1	ug/L		07/05/05	SW846 5030B	SW846 8260B
Chloromethane	< 0.24	0.24	0.80		1	ug/L		07/05/05	SW846 5030B	SW846 8260B
cis-1,2-Dichloroethene	< 0.83	0.83	2.8		1	ug/L		07/05/05	SW846 5030B	SW846 8260B
cis-1,3-Dichloropropene	< 0.19	0.19	0.63		1	ug/L		07/05/05	SW846 5030B	SW846 8260B
Dibromomethane	< 0.60	0.60	2.0		1	ug/L		07/05/05	SW846 5030B	SW846 8260B
Dichlorodifluoromethane	< 0.99	0.99	3.3		1	ug/L		07/05/05	SW846 5030B	SW846 8260B
Diisopropyl Ether	< 0.76	0.76	2.5		1	ug/L		07/05/05	SW846 5030B	SW846 8260B
Ethylbenzene	< 0.54	0.54	1.8		1	ug/L		07/05/05	SW846 5030B	SW846 8260B
Fluorotrichloromethane	< 0.79	0.79	2.6		1	ug/L		07/05/05	SW846 5030B	SW846 8260B
Hexachlorobutadiene	< 0.67	0.67	2.2		1	ug/L		07/05/05	SW846 5030B	SW846 8260B
Isopropylbenzene	< 0.59	0.59	2.0		1	ug/L		07/05/05	SW846 5030B	SW846 8260B
Methylene Chloride	< 0.43	0.43	1.4		1	ug/L		07/05/05	SW846 5030B	SW846 8260B
Methyl-tert-butyl-ether	< 0.61	0.61	2.0		1	ug/L		07/05/05	SW846 5030B	SW846 8260B
Naphthalene	< 0.74	0.74	2.5		1	ug/L		07/05/05	SW846 5030B	SW846 8260B
N-Butylbenzene	< 0.93	0.93	3.1		1	ug/L		07/05/05	SW846 5030B	SW846 8260B

**Pace Analytical
Services, Inc.**

Analytical Report Number: 861041

1241 Bellevue Street
Green Bay, WI 54302
920-469-2436

Client : LIESCH ENVIRONMENTAL SERVICES - MAD

Matrix Type : GROUNDWATER

Project Name : MR. CLEAN

Collection Date : 06/29/05

Project Number : 64590.05

Report Date : 07/07/05

Field ID : PZ-14

Lab Sample Number : 861041-021

VOLATILES

Prep Date: 07/05/05

Analyte	Result	LOD	LOQ	EQL	Dil.	Units	Code	Anl Date	Prep Method	Anl Method
n-Propylbenzene	< 0.81	0.81	2.7		1	ug/L		07/05/05	SW846 5030B	SW846 8260B
p-Isopropyltoluene	< 0.67	0.67	2.2		1	ug/L		07/05/05	SW846 5030B	SW846 8260B
sec-Butylbenzene	< 0.89	0.89	3.0		1	ug/L		07/05/05	SW846 5030B	SW846 8260B
Styrene	< 0.86	0.86	2.9		1	ug/L		07/05/05	SW846 5030B	SW846 8260B
tert-Butylbenzene	< 0.97	0.97	3.2		1	ug/L		07/05/05	SW846 5030B	SW846 8260B
Tetrachloroethene	1.7	0.45	1.5		1	ug/L		07/05/05	SW846 5030B	SW846 8260B
Toluene	< 0.67	0.67	2.2		1	ug/L		07/05/05	SW846 5030B	SW846 8260B
trans-1,2-Dichloroethene	< 0.89	0.89	3.0		1	ug/L		07/05/05	SW846 5030B	SW846 8260B
trans-1,3-Dichloropropene	< 0.19	0.19	0.63		1	ug/L		07/05/05	SW846 5030B	SW846 8260B
Trichloroethene	< 0.48	0.48	1.6		1	ug/L		07/05/05	SW846 5030B	SW846 8260B
Vinyl Chloride	< 0.18	0.18	0.60		1	ug/L		07/05/05	SW846 5030B	SW846 8260B
Xylene, o	< 0.83	0.83	2.8		1	ug/L		07/05/05	SW846 5030B	SW846 8260B
Xylenes, m + p	< 1.8	1.8	6.0		1	ug/L		07/05/05	SW846 5030B	SW846 8260B
4-Bromofluorobenzene	97				1	%Recov		07/05/05	SW846 5030B	SW846 8260B
Toluene-d8	113				1	%Recov		07/05/05	SW846 5030B	SW846 8260B
Dibromofluoromethane	116				1	%Recov		07/05/05	SW846 5030B	SW846 8260B

Client : LIESCH ENVIRONMENTAL SERVICES - MAD

Matrix Type : GROUNDWATER

Project Name : MR. CLEAN

Collection Date : 06/29/05

Project Number : 64590.05

Report Date : 07/07/05

Field ID : PZ-15

Lab Sample Number : 861041-022

VOLATILES

Prep Date: 07/06/05

Analyte	Result	LOD	LOQ	EQL	Dil.	Units	Code	Anl Date	Prep Method	Anl Method
1,1,1,2-Tetrachloroethane	< 1.8	1.8	6.1		2	ug/L		07/06/05	SW846 5030B	SW846 8260B
1,1,1-Trichloroethane	< 1.8	1.8	6.0		2	ug/L		07/06/05	SW846 5030B	SW846 8260B
1,1,2,2-Tetrachloroethane	< 0.40	0.40	1.3		2	ug/L		07/06/05	SW846 5030B	SW846 8260B
1,1,2-Trichloroethane	< 0.84	0.84	2.8		2	ug/L		07/06/05	SW846 5030B	SW846 8260B
1,1-Dichloroethane	< 1.5	1.5	5.0		2	ug/L		07/06/05	SW846 5030B	SW846 8260B
1,1-Dichloroethene	< 1.1	1.1	3.8		2	ug/L		07/06/05	SW846 5030B	SW846 8260B
1,1-Dichloropropene	< 1.5	1.5	5.0		2	ug/L		07/06/05	SW846 5030B	SW846 8260B
1,2,3-Trichlorobenzene	< 1.5	1.5	4.9		2	ug/L		07/06/05	SW846 5030B	SW846 8260B
1,2,3-Trichloropropane	< 2.0	2.0	6.6		2	ug/L		07/06/05	SW846 5030B	SW846 8260B
1,2,4-Trichlorobenzene	< 1.9	1.9	6.5		2	ug/L		07/06/05	SW846 5030B	SW846 8260B
1,2,4-Trimethylbenzene	< 1.9	1.9	6.5		2	ug/L		07/06/05	SW846 5030B	SW846 8260B
1,2-Dibromo-3-chloropropane	< 1.7	1.7	5.8		2	ug/L		07/06/05	SW846 5030B	SW846 8260B
1,2-Dibromoethane	< 1.1	1.1	3.7		2	ug/L		07/06/05	SW846 5030B	SW846 8260B
1,2-Dichlorobenzene	< 1.7	1.7	5.5		2	ug/L		07/06/05	SW846 5030B	SW846 8260B
1,2-Dichloroethane	< 0.72	0.72	2.4		2	ug/L		07/06/05	SW846 5030B	SW846 8260B
1,2-Dichloropropane	< 0.92	0.92	3.1		2	ug/L		07/06/05	SW846 5030B	SW846 8260B
1,3,5-Trimethylbenzene	< 1.7	1.7	5.5		2	ug/L		07/06/05	SW846 5030B	SW846 8260B
1,3-Dichlorobenzene	< 1.7	1.7	5.8		2	ug/L		07/06/05	SW846 5030B	SW846 8260B
1,3-Dichloropropane	< 1.2	1.2	4.1		2	ug/L		07/06/05	SW846 5030B	SW846 8260B
1,4-Dichlorobenzene	< 1.9	1.9	6.3		2	ug/L		07/06/05	SW846 5030B	SW846 8260B
2,2-Dichloropropane	< 1.2	1.2	4.1		2	ug/L		07/06/05	SW846 5030B	SW846 8260B
2-Chlorotoluene	< 1.7	1.7	5.7		2	ug/L		07/06/05	SW846 5030B	SW846 8260B
4-Chlorotoluene	< 1.5	1.5	4.9		2	ug/L		07/06/05	SW846 5030B	SW846 8260B
Benzene	< 0.82	0.82	2.7		2	ug/L		07/06/05	SW846 5030B	SW846 8260B
Bromobenzene	< 1.6	1.6	5.5		2	ug/L		07/06/05	SW846 5030B	SW846 8260B
Bromochloromethane	< 1.9	1.9	6.5		2	ug/L		07/06/05	SW846 5030B	SW846 8260B
Bromodichloromethane	< 1.1	1.1	3.7		2	ug/L		07/06/05	SW846 5030B	SW846 8260B
Bromoform	< 1.9	1.9	6.3		2	ug/L		07/06/05	SW846 5030B	SW846 8260B
Bromomethane	< 1.8	1.8	6.1		2	ug/L		07/06/05	SW846 5030B	SW846 8260B
Carbon Tetrachloride	< 0.98	0.98	3.3		2	ug/L		07/06/05	SW846 5030B	SW846 8260B
Chlorobenzene	< 0.82	0.82	2.7		2	ug/L		07/06/05	SW846 5030B	SW846 8260B
Chlorodibromomethane	< 1.6	1.6	5.4		2	ug/L		07/06/05	SW846 5030B	SW846 8260B
Chloroethane	< 1.9	1.9	6.5		2	ug/L		07/06/05	SW846 5030B	SW846 8260B
Chloroform	< 0.74	0.74	2.5		2	ug/L		07/06/05	SW846 5030B	SW846 8260B
Chloromethane	< 0.48	0.48	1.6		2	ug/L		07/06/05	SW846 5030B	SW846 8260B
cis-1,2-Dichloroethene	< 1.7	1.7	5.5		2	ug/L		07/06/05	SW846 5030B	SW846 8260B
cis-1,3-Dichloropropene	< 0.38	0.38	1.3		2	ug/L		07/06/05	SW846 5030B	SW846 8260B
Dibromomethane	< 1.2	1.2	4.0		2	ug/L		07/06/05	SW846 5030B	SW846 8260B
Dichlorodifluoromethane	< 2.0	2.0	6.6		2	ug/L		07/06/05	SW846 5030B	SW846 8260B
Diisopropyl Ether	< 1.5	1.5	5.1		2	ug/L		07/06/05	SW846 5030B	SW846 8260B
Ethylbenzene	< 1.1	1.1	3.6		2	ug/L		07/06/05	SW846 5030B	SW846 8260B
Fluorotrichloromethane	< 1.6	1.6	5.3		2	ug/L		07/06/05	SW846 5030B	SW846 8260B
Hexachlorobutadiene	< 1.3	1.3	4.5		2	ug/L		07/06/05	SW846 5030B	SW846 8260B
Isopropylbenzene	< 1.2	1.2	3.9		2	ug/L		07/06/05	SW846 5030B	SW846 8260B
Methylene Chloride	< 0.86	0.86	2.9		2	ug/L		07/06/05	SW846 5030B	SW846 8260B
Methyl-tert-butyl-ether	< 1.2	1.2	4.1		2	ug/L		07/06/05	SW846 5030B	SW846 8260B
Naphthalene	< 1.5	1.5	4.9		2	ug/L		07/06/05	SW846 5030B	SW846 8260B
N-Butylbenzene	< 1.9	1.9	6.2		2	ug/L		07/06/05	SW846 5030B	SW846 8260B

**Pace Analytical
Services, Inc.**

Analytical Report Number: 861041

1241 Bellevue Street
Green Bay, WI 54302
920-469-2436

Client : LIESCH ENVIRONMENTAL SERVICES - MAD

Matrix Type : GROUNDWATER

Project Name : MR. CLEAN

Collection Date : 06/29/05

Project Number : 64590.05

Report Date : 07/07/05

Field ID : PZ-15

Lab Sample Number : 861041-022

VOLATILES

Prep Date: 07/06/05

Analyte	Result	LOD	LOQ	EQL	Dil.	Units	Code	Anl Date	Prep Method	Anl Method
n-Propylbenzene	< 1.6	1.6	5.4		2	ug/L		07/06/05	SW846 5030B	SW846 8260B
p-Isopropyltoluene	< 1.3	1.3	4.5		2	ug/L		07/06/05	SW846 5030B	SW846 8260B
sec-Butylbenzene	< 1.8	1.8	5.9		2	ug/L		07/06/05	SW846 5030B	SW846 8260B
Styrene	< 1.7	1.7	5.7		2	ug/L		07/06/05	SW846 5030B	SW846 8260B
tert-Butylbenzene	< 1.9	1.9	6.5		2	ug/L		07/06/05	SW846 5030B	SW846 8260B
Tetrachloroethene	290	0.90	3.0		2	ug/L		07/06/05	SW846 5030B	SW846 8260B
Toluene	< 1.3	1.3	4.5		2	ug/L		07/06/05	SW846 5030B	SW846 8260B
trans-1,2-Dichloroethene	< 1.8	1.8	5.9		2	ug/L		07/06/05	SW846 5030B	SW846 8260B
trans-1,3-Dichloropropene	< 0.38	0.38	1.3		2	ug/L		07/06/05	SW846 5030B	SW846 8260B
Trichloroethene	< 0.96	0.96	3.2		2	ug/L		07/06/05	SW846 5030B	SW846 8260B
Vinyl Chloride	< 0.36	0.36	1.2		2	ug/L		07/06/05	SW846 5030B	SW846 8260B
Xylene, o	< 1.7	1.7	5.5		2	ug/L		07/06/05	SW846 5030B	SW846 8260B
Xylenes, m + p	< 3.6	3.6	12		2	ug/L		07/06/05	SW846 5030B	SW846 8260B
4-Bromofluorobenzene	99				2	%Recov		07/06/05	SW846 5030B	SW846 8260B
Toluene-d8	115				2	%Recov		07/06/05	SW846 5030B	SW846 8260B
Dibromofluoromethane	114				2	%Recov		07/06/05	SW846 5030B	SW846 8260B

Client : LIESCH ENVIRONMENTAL SERVICES - MAD

Matrix Type : GROUNDWATER

Project Name : MR. CLEAN

Collection Date : 06/29/05

Project Number : 64590.05

Report Date : 07/07/05

Field ID : FD-1

Lab Sample Number : 861041-023

VOLATILES

Prep Date: 07/06/05

Analyte	Result	LOD	LOQ	EQL	Dil.	Units	Code	Anl Date	Prep Method	Anl Method
1,1,1,2-Tetrachloroethane	< 9.2	9.2	31		10	ug/L		07/06/05	SW846 5030B	SW846 8260B
1,1,1-Trichloroethane	< 9.0	9.0	30		10	ug/L		07/06/05	SW846 5030B	SW846 8260B
1,1,2,2-Tetrachloroethane	< 2.0	2.0	6.7		10	ug/L		07/06/05	SW846 5030B	SW846 8260B
1,1,2-Trichloroethane	< 4.2	4.2	14		10	ug/L		07/06/05	SW846 5030B	SW846 8260B
1,1-Dichloroethane	< 7.5	7.5	25		10	ug/L		07/06/05	SW846 5030B	SW846 8260B
1,1-Dichloroethene	< 5.7	5.7	19		10	ug/L		07/06/05	SW846 5030B	SW846 8260B
1,1-Dichloropropene	< 7.5	7.5	25		10	ug/L		07/06/05	SW846 5030B	SW846 8260B
1,2,3-Trichlorobenzene	< 7.4	7.4	25		10	ug/L		07/06/05	SW846 5030B	SW846 8260B
1,2,3-Trichloropropane	< 9.9	9.9	33		10	ug/L		07/06/05	SW846 5030B	SW846 8260B
1,2,4-Trichlorobenzene	< 9.7	9.7	32		10	ug/L		07/06/05	SW846 5030B	SW846 8260B
1,2,4-Trimethylbenzene	< 9.7	9.7	32		10	ug/L		07/06/05	SW846 5030B	SW846 8260B
1,2-Dibromo-3-chloropropane	< 8.7	8.7	29		10	ug/L		07/06/05	SW846 5030B	SW846 8260B
1,2-Dibromoethane	< 5.6	5.6	19		10	ug/L		07/06/05	SW846 5030B	SW846 8260B
1,2-Dichlorobenzene	< 8.3	8.3	28		10	ug/L		07/06/05	SW846 5030B	SW846 8260B
1,2-Dichloroethane	< 3.6	3.6	12		10	ug/L		07/06/05	SW846 5030B	SW846 8260B
1,2-Dichloropropane	< 4.6	4.6	15		10	ug/L		07/06/05	SW846 5030B	SW846 8260B
1,3,5-Trimethylbenzene	< 8.3	8.3	28		10	ug/L		07/06/05	SW846 5030B	SW846 8260B
1,3-Dichlorobenzene	< 8.7	8.7	29		10	ug/L		07/06/05	SW846 5030B	SW846 8260B
1,3-Dichloropropane	< 6.1	6.1	20		10	ug/L		07/06/05	SW846 5030B	SW846 8260B
1,4-Dichlorobenzene	< 9.5	9.5	32		10	ug/L		07/06/05	SW846 5030B	SW846 8260B
2,2-Dichloropropane	< 6.2	6.2	21		10	ug/L		07/06/05	SW846 5030B	SW846 8260B
2-Chlorotoluene	< 8.5	8.5	28		10	ug/L		07/06/05	SW846 5030B	SW846 8260B
4-Chlorotoluene	< 7.4	7.4	25		10	ug/L		07/06/05	SW846 5030B	SW846 8260B
Benzene	< 4.1	4.1	14		10	ug/L		07/06/05	SW846 5030B	SW846 8260B
Bromobenzene	< 8.2	8.2	27		10	ug/L		07/06/05	SW846 5030B	SW846 8260B
Bromochloromethane	< 9.7	9.7	32		10	ug/L		07/06/05	SW846 5030B	SW846 8260B
Bromodichloromethane	< 5.6	5.6	19		10	ug/L		07/06/05	SW846 5030B	SW846 8260B
Bromoform	< 9.4	9.4	31		10	ug/L		07/06/05	SW846 5030B	SW846 8260B
Bromomethane	< 9.1	9.1	30		10	ug/L		07/06/05	SW846 5030B	SW846 8260B
Carbon Tetrachloride	< 4.9	4.9	16		10	ug/L		07/06/05	SW846 5030B	SW846 8260B
Chlorobenzene	< 4.1	4.1	14		10	ug/L		07/06/05	SW846 5030B	SW846 8260B
Chlorodibromomethane	< 8.1	8.1	27		10	ug/L		07/06/05	SW846 5030B	SW846 8260B
Chloroethane	< 9.7	9.7	32		10	ug/L		07/06/05	SW846 5030B	SW846 8260B
Chloroform	< 3.7	3.7	12		10	ug/L		07/06/05	SW846 5030B	SW846 8260B
Chloromethane	< 2.4	2.4	8.0		10	ug/L		07/06/05	SW846 5030B	SW846 8260B
cis-1,2-Dichloroethene	38	8.3	28		10	ug/L		07/06/05	SW846 5030B	SW846 8260B
cis-1,3-Dichloropropene	< 1.9	1.9	6.3		10	ug/L		07/06/05	SW846 5030B	SW846 8260B
Dibromomethane	< 6.0	6.0	20		10	ug/L		07/06/05	SW846 5030B	SW846 8260B
Dichlorodifluoromethane	< 9.9	9.9	33		10	ug/L		07/06/05	SW846 5030B	SW846 8260B
Diisopropyl Ether	< 7.6	7.6	25		10	ug/L		07/06/05	SW846 5030B	SW846 8260B
Ethylbenzene	< 5.4	5.4	18		10	ug/L		07/06/05	SW846 5030B	SW846 8260B
Fluorotrichloromethane	< 7.9	7.9	26		10	ug/L		07/06/05	SW846 5030B	SW846 8260B
Hexachlorobutadiene	< 6.7	6.7	22		10	ug/L		07/06/05	SW846 5030B	SW846 8260B
Isopropylbenzene	< 5.9	5.9	20		10	ug/L		07/06/05	SW846 5030B	SW846 8260B
Methylene Chloride	< 4.3	4.3	14		10	ug/L		07/06/05	SW846 5030B	SW846 8260B
Methyl-tert-butyl-ether	< 6.1	6.1	20		10	ug/L		07/06/05	SW846 5030B	SW846 8260B
Naphthalene	< 7.4	7.4	25		10	ug/L		07/06/05	SW846 5030B	SW846 8260B
N-Butylbenzene	< 9.3	9.3	31		10	ug/L		07/06/05	SW846 5030B	SW846 8260B

Client : LIESCH ENVIRONMENTAL SERVICES - MAD

Matrix Type : GROUNDWATER

Project Name : MR. CLEAN

Collection Date : 06/29/05

Project Number : 64590.05

Report Date : 07/07/05

Field ID : FD-1

Lab Sample Number : 861041-023

VOLATILES

Prep Date: 07/06/05

Analyte	Result	LOD	LOQ	EQL	Dil.	Units	Code	Anl Date	Prep Method	Anl Method
n-Propylbenzene	< 8.1	8.1	27		10	ug/L		07/06/05	SW846 5030B	SW846 8260B
p-Isopropyltoluene	< 6.7	6.7	22		10	ug/L		07/06/05	SW846 5030B	SW846 8260B
sec-Butylbenzene	< 8.9	8.9	30		10	ug/L		07/06/05	SW846 5030B	SW846 8260B
Styrene	< 8.6	8.6	29		10	ug/L		07/06/05	SW846 5030B	SW846 8260B
tert-Butylbenzene	< 9.7	9.7	32		10	ug/L		07/06/05	SW846 5030B	SW846 8260B
Tetrachloroethene	1000	4.5	15		10	ug/L		07/06/05	SW846 5030B	SW846 8260B
Toluene	< 6.7	6.7	22		10	ug/L		07/06/05	SW846 5030B	SW846 8260B
trans-1,2-Dichloroethene	< 8.9	8.9	30		10	ug/L		07/06/05	SW846 5030B	SW846 8260B
trans-1,3-Dichloropropene	< 1.9	1.9	6.3		10	ug/L		07/06/05	SW846 5030B	SW846 8260B
Trichloroethene	< 4.8	4.8	16		10	ug/L		07/06/05	SW846 5030B	SW846 8260B
Vinyl Chloride	< 1.8	1.8	6.0		10	ug/L		07/06/05	SW846 5030B	SW846 8260B
Xylene, o	< 8.3	8.3	28		10	ug/L		07/06/05	SW846 5030B	SW846 8260B
Xylenes, m + p	< 18	18	60		10	ug/L		07/06/05	SW846 5030B	SW846 8260B
4-Bromofluorobenzene	98				10	%Recov		07/06/05	SW846 5030B	SW846 8260B
Toluene-d8	114				10	%Recov		07/06/05	SW846 5030B	SW846 8260B
Dibromofluoromethane	113				10	%Recov		07/06/05	SW846 5030B	SW846 8260B

Client : LIESCH ENVIRONMENTAL SERVICES - MAD

Matrix Type : WATER

Project Name : MR. CLEAN

Collection Date : 06/29/05

Project Number : 64590.05

Report Date : 07/07/05

Field ID : TRIP BLANK

Lab Sample Number : 861041-024

VOLATILES

Prep Date: 07/05/05

Analyte	Result	LOD	LOQ	EQL	Dil.	Units	Code	Anl Date	Prep Method	Anl Method
1,1,1,2-Tetrachloroethane	< 0.92	0.92	3.1		1	ug/L		07/05/05	SW846 5030B	SW846 8260B
1,1,1-Trichloroethane	< 0.90	0.90	3.0		1	ug/L		07/05/05	SW846 5030B	SW846 8260B
1,1,2,2-Tetrachloroethane	< 0.20	0.20	0.67		1	ug/L		07/05/05	SW846 5030B	SW846 8260B
1,1,2-Trichloroethane	< 0.42	0.42	1.4		1	ug/L		07/05/05	SW846 5030B	SW846 8260B
1,1-Dichloroethane	< 0.75	0.75	2.5		1	ug/L		07/05/05	SW846 5030B	SW846 8260B
1,1-Dichloroethene	< 0.57	0.57	1.9		1	ug/L		07/05/05	SW846 5030B	SW846 8260B
1,1-Dichloropropene	< 0.75	0.75	2.5		1	ug/L		07/05/05	SW846 5030B	SW846 8260B
1,2,3-Trichlorobenzene	< 0.74	0.74	2.5		1	ug/L		07/05/05	SW846 5030B	SW846 8260B
1,2,3-Trichloropropane	< 0.99	0.99	3.3		1	ug/L		07/05/05	SW846 5030B	SW846 8260B
1,2,4-Trichlorobenzene	< 0.97	0.97	3.2		1	ug/L		07/05/05	SW846 5030B	SW846 8260B
1,2,4-Trimethylbenzene	< 0.97	0.97	3.2		1	ug/L		07/05/05	SW846 5030B	SW846 8260B
1,2-Dibromo-3-chloropropane	< 0.87	0.87	2.9		1	ug/L		07/05/05	SW846 5030B	SW846 8260B
1,2-Dibromoethane	< 0.56	0.56	1.9		1	ug/L		07/05/05	SW846 5030B	SW846 8260B
1,2-Dichlorobenzene	< 0.83	0.83	2.8		1	ug/L		07/05/05	SW846 5030B	SW846 8260B
1,2-Dichloroethane	< 0.36	0.36	1.2		1	ug/L		07/05/05	SW846 5030B	SW846 8260B
1,2-Dichloropropane	< 0.46	0.46	1.5		1	ug/L		07/05/05	SW846 5030B	SW846 8260B
1,3,5-Trimethylbenzene	< 0.83	0.83	2.8		1	ug/L		07/05/05	SW846 5030B	SW846 8260B
1,3-Dichlorobenzene	< 0.87	0.87	2.9		1	ug/L		07/05/05	SW846 5030B	SW846 8260B
1,3-Dichloropropane	< 0.61	0.61	2.0		1	ug/L		07/05/05	SW846 5030B	SW846 8260B
1,4-Dichlorobenzene	< 0.95	0.95	3.2		1	ug/L		07/05/05	SW846 5030B	SW846 8260B
2,2-Dichloropropane	< 0.62	0.62	2.1		1	ug/L		07/05/05	SW846 5030B	SW846 8260B
2-Chlorotoluene	< 0.85	0.85	2.8		1	ug/L		07/05/05	SW846 5030B	SW846 8260B
4-Chlorotoluene	< 0.74	0.74	2.5		1	ug/L		07/05/05	SW846 5030B	SW846 8260B
Benzene	< 0.41	0.41	1.4		1	ug/L		07/05/05	SW846 5030B	SW846 8260B
Bromobenzene	< 0.82	0.82	2.7		1	ug/L		07/05/05	SW846 5030B	SW846 8260B
Bromochloromethane	< 0.97	0.97	3.2		1	ug/L		07/05/05	SW846 5030B	SW846 8260B
Bromodichloromethane	< 0.56	0.56	1.9		1	ug/L		07/05/05	SW846 5030B	SW846 8260B
Bromoform	< 0.94	0.94	3.1		1	ug/L		07/05/05	SW846 5030B	SW846 8260B
Bromomethane	< 0.91	0.91	3.0		1	ug/L		07/05/05	SW846 5030B	SW846 8260B
Carbon Tetrachloride	< 0.49	0.49	1.6		1	ug/L		07/05/05	SW846 5030B	SW846 8260B
Chlorobenzene	< 0.41	0.41	1.4		1	ug/L		07/05/05	SW846 5030B	SW846 8260B
Chlorodibromomethane	< 0.81	0.81	2.7		1	ug/L		07/05/05	SW846 5030B	SW846 8260B
Chloroethane	< 0.97	0.97	3.2		1	ug/L		07/05/05	SW846 5030B	SW846 8260B
Chloroform	< 0.37	0.37	1.2		1	ug/L		07/05/05	SW846 5030B	SW846 8260B
Chloromethane	< 0.24	0.24	0.80		1	ug/L		07/05/05	SW846 5030B	SW846 8260B
cis-1,2-Dichloroethene	< 0.83	0.83	2.8		1	ug/L		07/05/05	SW846 5030B	SW846 8260B
cis-1,3-Dichloropropene	< 0.19	0.19	0.63		1	ug/L		07/05/05	SW846 5030B	SW846 8260B
Dibromomethane	< 0.60	0.60	2.0		1	ug/L		07/05/05	SW846 5030B	SW846 8260B
Dichlorodifluoromethane	< 0.99	0.99	3.3		1	ug/L		07/05/05	SW846 5030B	SW846 8260B
Diisopropyl Ether	< 0.76	0.76	2.5		1	ug/L		07/05/05	SW846 5030B	SW846 8260B
Ethylbenzene	< 0.54	0.54	1.8		1	ug/L		07/05/05	SW846 5030B	SW846 8260B
Fluorotrichloromethane	< 0.79	0.79	2.6		1	ug/L		07/05/05	SW846 5030B	SW846 8260B
Hexachlorobutadiene	< 0.67	0.67	2.2		1	ug/L		07/05/05	SW846 5030B	SW846 8260B
Isopropylbenzene	< 0.59	0.59	2.0		1	ug/L		07/05/05	SW846 5030B	SW846 8260B
Methylene Chloride	< 0.43	0.43	1.4		1	ug/L		07/05/05	SW846 5030B	SW846 8260B
Methyl-tert-butyl-ether	< 0.61	0.61	2.0		1	ug/L		07/05/05	SW846 5030B	SW846 8260B
Naphthalene	< 0.74	0.74	2.5		1	ug/L		07/05/05	SW846 5030B	SW846 8260B
N-Butylbenzene	< 0.93	0.93	3.1		1	ug/L		07/05/05	SW846 5030B	SW846 8260B

Client : LIESCH ENVIRONMENTAL SERVICES - MAD

Matrix Type : WATER

Project Name : MR. CLEAN

Collection Date : 06/29/05

Project Number : 64590.05

Report Date : 07/07/05

Field ID : TRIP BLANK

Lab Sample Number : 861041-024

VOLATILES

Prep Date: 07/05/05

Analyte	Result	LOD	LOQ	EQL	Dil.	Units	Code	Anl Date	Prep Method	Anl Method
n-Propylbenzene	< 0.81	0.81	2.7		1	ug/L		07/05/05	SW846 5030B	SW846 8260B
p-Isopropyltoluene	< 0.67	0.67	2.2		1	ug/L		07/05/05	SW846 5030B	SW846 8260B
sec-Butylbenzene	< 0.89	0.89	3.0		1	ug/L		07/05/05	SW846 5030B	SW846 8260B
Styrene	< 0.86	0.86	2.9		1	ug/L		07/05/05	SW846 5030B	SW846 8260B
tert-Butylbenzene	< 0.97	0.97	3.2		1	ug/L		07/05/05	SW846 5030B	SW846 8260B
Tetrachloroethene	< 0.45	0.45	1.5		1	ug/L		07/05/05	SW846 5030B	SW846 8260B
Toluene	< 0.67	0.67	2.2		1	ug/L		07/05/05	SW846 5030B	SW846 8260B
trans-1,2-Dichloroethene	< 0.89	0.89	3.0		1	ug/L		07/05/05	SW846 5030B	SW846 8260B
trans-1,3-Dichloropropene	< 0.19	0.19	0.63		1	ug/L		07/05/05	SW846 5030B	SW846 8260B
Trichloroethene	< 0.48	0.48	1.6		1	ug/L		07/05/05	SW846 5030B	SW846 8260B
Vinyl Chloride	< 0.18	0.18	0.60		1	ug/L		07/05/05	SW846 5030B	SW846 8260B
Xylene, o	< 0.83	0.83	2.8		1	ug/L		07/05/05	SW846 5030B	SW846 8260B
Xylenes, m + p	< 1.8	1.8	6.0		1	ug/L		07/05/05	SW846 5030B	SW846 8260B
4-Bromofluorobenzene	101				1	%Recov		07/05/05	SW846 5030B	SW846 8260B
Toluene-d8	116				1	%Recov		07/05/05	SW846 5030B	SW846 8260B
Dibromofluoromethane	116				1	%Recov		07/05/05	SW846 5030B	SW846 8260B

Qualifier Codes

Flag	Applies To	Explanation
A	Inorganic	Analyte is detected in the method blank. Method blank criteria is evaluated to the laboratory method detection limit. Additionally, method blank acceptance may be based on project specific criteria or determined from analyte concentrations in the sample and are evaluated on a sample by sample basis.
B	Inorganic	The analyte has been detected between the method detection limit and the reporting limit.
B	Organic	Analyte is present in the method blank. Method blank criteria is evaluated to the laboratory method detection limit. Additionally, method blank acceptance may be based on project specific criteria or determined from analyte concentrations in the sample and are evaluated on a sample by sample basis.
C	All	Elevated detection limit.
D	All	Analyte value from diluted analysis or surrogate result not applicable due to sample dilution.
E	Inorganic	Estimated concentration due to matrix interferences. During the metals analysis the serial dilution failed to meet the established control limits of 0-10%. The sample concentration is greater than 50 times the IDL for analysis done on the ICP or 100 times the IDL for analysis done on the ICP-MS. The result was flagged with the E qualifier to indicate that a physical interference was observed.
E	Organic	Analyte concentration exceeds calibration range.
F	Inorganic	Due to potential interferences for this analysis by Inductively Coupled Plasma techniques (SW-846 Method 6010), this analyte has been confirmed by and reported from an alternate method.
F	Organic	Surrogate results outside control criteria.
G	All	The result is estimated because the concentration is less than the lowest calibration standard concentration utilized in the initial calibration. The method detection limit is less than the reporting limit specified for this project.
H	All	Preservation, extraction or analysis performed past holding time.
HF	Inorganic	This test is considered a field parameter, and the recommended holding time is 15 minutes from collection. The analysis was performed in the laboratory beyond the recommended holding time.
J	All	Concentration detected equal to or greater than the method detection limit but less than the reporting limit.
K	Inorganic	Sample received unpreserved. Sample was either preserved at the time of receipt or at the time of sample preparation.
K	Organic	Detection limit may be elevated due to the presence of an unrequested analyte.
L	All	Elevated detection limit due to low sample volume.
M	Organic	Sample pH was greater than 2
N	All	Spiked sample recovery not within control limits.
O	Organic	Sample received overweight.
P	Organic	The relative percent difference between the two columns for detected concentrations was greater than 40%.
Q	All	The analyte has been detected between the limit of detection (LOD) and limit of quantitation (LOQ). The results are qualified due to the uncertainty of analyte concentrations within this range.
S	Organic	The relative percent difference between quantitation and confirmation columns exceeds internal quality control criteria. Because the result is unconfirmed, it has been reported as a non-detect with an elevated detection limit.
U	All	The analyte was not detected at or above the reporting limit.
V	All	Sample received with headspace.
W	All	A second aliquot of sample was analyzed from a container with headspace.
X	All	See Sample Narrative.
&	All	Laboratory Control Spike recovery not within control limits.
*	All	Precision not within control limits.
<	All	The analyte was not detected at or above the reporting limit.
1	Inorganic	Dissolved analyte or filtered analyte greater than total analyte; analyses passed QC based on precision criteria.
2	Inorganic	Dissolved analyte or filtered analyte greater than total analyte; analyses failed QC based on precision criteria.
3	Inorganic	BOD result is estimated due to the BOD blank exceeding the allowable oxygen depletion.
4	Inorganic	BOD duplicate precision not within control limits. Due to the 48 hour holding time for this test, it is not practical to reanalyze and try to correct the deficiency.
5	Inorganic	BOD result is estimated due to insufficient oxygen depletion. Due to the 48 hour holding time for this test, it is not practical to reanalyze and try to correct the deficiency.
6	Inorganic	BOD laboratory control sample not within control limits. Due to the 48 hour holding time for this test, it is not practical to reanalyze and try to correct the deficiency.
7	Inorganic	BOD result is estimated due to complete oxygen depletion. Due to the 48 hour holding time for this test, it is not practical to reanalyze and try to correct the deficiency.

Test Group Name	861041-001	861041-002	861041-003	861041-004	861041-005	861041-006	861041-007	861041-008	861041-009	861041-010	861041-011	861041-012	861041-013	861041-014	861041-015	861041-016	861041-017	861041-018	861041-019	861041-020	861041-021	861041-022	861041-023	861041-024
VOLATILES	G	G	G	G	G	G	G	G	G	G	G	G	G	G	G	G	G	G	G	G	G	G	G	G

Code	Facility	Address	WI Certification
G	Green Bay Lab (Industrial Dr)	1795 Industrial Drive Green Bay, WI 54302	405132750

Sample Condition Upon Receipt



Client Name: LIESCH ENV Project # 861041

Courier: Fed Ex UPS USPS Client Commercial Pace Other _____

Custody Seal on Cooler/Box Present: yes no Seals intact: yes no

Optional
Proj. Due Date:
Proj. Name:

Packing Material: Bubble Wrap Bubble Bags None Other _____

Thermometer Used JB Type of Ice: Wet Blue None Samples on ice, cooling process has begun

Cooler Temperature 0°C Biological Tissue is Frozen: Yes No

Temp should be above freezing to 6°C

Date and Initials of person examining contents:
<u>7-1-05-60</u> <u>YB/1/05</u>

Comments:

Chain of Custody Present:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	1.
Chain of Custody Filled Out:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	2.
Chain of Custody Relinquished:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	3.
Sampler Name & Signature on COC:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	4.
Samples Arrived within Hold Time:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	5.
Short Hold Time Analysis (<72hr):	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	6.
Push Turn Around Time Requested:	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	7.
Sufficient Volume:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	8.
Correct Containers Used:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	9.
-Pace Containers Used:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	
Containers Intact:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	10.
Filtered volume received for Dissolved tests	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	11.
Sample Labels match COC:	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A	12.
-Includes date/time/ID/Analysis Matrix: <u>W</u>		<u>NO DATE/TIME ON LABELS 7/1/0560</u>
All containers needing preservation have been checked.	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	13.
All containers needing preservation are found to be in compliance with EPA recommendation.	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	
Exceptions: VOA, coliform, TOC, O&G, WI-DRO (water)	<input type="checkbox"/> Yes <input type="checkbox"/> No	Initial when completed
Samples checked for dechlorination:	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	14.
Headspace in VOA Vials (>6mm):	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A	15.
Trip Blank Present:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	16.
Trip Blank Custody Seals Present	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	
Pace Trip Blank Lot # (if purchased):		

Client Notification/ Resolution: _____ Field Data Required? Y / N

Person Contacted: _____ Date/Time: _____

Comments/ Resolution: _____

Project Manager Review: YB 7/1/05 Date: _____

Note: Whenever there is a discrepancy affecting North Carolina compliance samples, a copy of this form will be sent to the North Carolina DEHNR Certification Office (i.e. out of hold, incorrect preservative, out of temp, incorrect containers)

Mann-Kendall Statistical Test

Site Name = Former Mr. Clean, Portage, WI			BRRTS No. = 02-11-118172		Well Number = PZ-14		
Compound ->		PCE	0	0	0	0	0
Event Number	Sampling Date (most recent last)	Concentration (leave blank if no data)					
1	5-Jan-04	7.75					
2	28-Sep-04	8.90					
3	2-Dec-04	0.99					
4	4-Apr-05	2.00					
5	29-Jun-05	1.70					
6	#N/A						
7	#N/A						
8	#N/A						
9	#N/A						
10	#N/A						
Mann Kendall Statistic (S) =		-4.0	0.0	0.0	0.0	0.0	0.0
Number of Rounds (n) =		5	0	0	0	0	0
Average =		4.27	#DIV/0!	#DIV/0!	#DIV/0!	#DIV/0!	#DIV/0!
Standard Deviation =		3.744	#DIV/0!	#DIV/0!	#DIV/0!	#DIV/0!	#DIV/0!
Coefficient of Variation(CV)=		0.877	#DIV/0!	#DIV/0!	#DIV/0!	#DIV/0!	#DIV/0!
Error Check, Blank if No Errors Detected			n<4	n<4	n<4	n<4	n<4
Trend ≥ 80% Confidence Level		No Trend	n<4	n<4	n<4	n<4	n<4
Trend ≥ 90% Confidence Level		No Trend	n<4	n<4	n<4	n<4	n<4
Stability Test, If No Trend Exists at 80% Confidence Level		CV ≤ 1 STABLE	n<4	n<4	n<4	n<4	n<4
Data Entry By = DAN			Date = 21-Jul-05		Checked By = GC		

Mann-Kendall Statistical Test

Site Name = Former Mr. Clean, Portage, WI			BRRTS No. = 02-11-118172			Well Number = PZ-15	
Compound ->		PCE	0	0	0	0	0
Event Number	Sampling Date (most recent last)	Concentration (leave blank if no data)					
1	5-Jan-04	54.00					
2	28-Sep-04	370.00					
3	2-Dec-04	940.00					
4	4-Apr-05	250.00					
5	29-Jun-05	290.00					
6	#N/A						
7	#N/A						
8	#N/A						
9	#N/A						
10	#N/A						
Mann Kendall Statistic (S) =		2.0	0.0	0.0	0.0	0.0	0.0
Number of Rounds (n) =		5	0	0	0	0	0
Average =		380.80	#DIV/0!	#DIV/0!	#DIV/0!	#DIV/0!	#DIV/0!
Standard Deviation =		333.531	#DIV/0!	#DIV/0!	#DIV/0!	#DIV/0!	#DIV/0!
Coefficient of Variation(CV)=		0.876	#DIV/0!	#DIV/0!	#DIV/0!	#DIV/0!	#DIV/0!
Error Check, Blank if No Errors Detected			n<4	n<4	n<4	n<4	n<4
Trend ≥ 80% Confidence Level		No Trend	n<4	n<4	n<4	n<4	n<4
Trend ≥ 90% Confidence Level		No Trend	n<4	n<4	n<4	n<4	n<4
Stability Test, If No Trend Exists at 80% Confidence Level		CV ≤ 1 STABLE	n<4	n<4	n<4	n<4	n<4
Data Entry By = DAN			Date = 21-Jul-05		Checked By = GC		