

W66 N215 Commerce Court  
Cedarburg, Wisconsin 53012  
(262) 375-4750  
(800) 645-7365  
Fax (262) 375-9680

December 4, 2002

Mr. Binyoti F. Amungwafor  
Wisconsin Department of Natural Resources  
2300 North Dr. Martin Luther King, Jr. Drive  
Post Office Box 12436  
Milwaukee, Wisconsin 53212-0436



Reference:      *Project Status Update*  
Decorah Shopping Center Annex  
1011-1025 South Main Street  
West Bend, Wisconsin  
WDNR FID #: 267161400  
WDNR BRRTS #: 02-67-151266

KEY ENGINEERING GROUP, LTD.  
File No. 0702007

Dear Mr. Amungwafor:

The purpose of this letter is to provide the Wisconsin Department of Natural Resources (WDNR) with a project status update for the above referenced site. This letter was prepared by Key Engineering Group, Ltd. (KEY) on behalf of Continental VI Fund Limited Partnership (Continental).

#### **ADDITIONAL SITE INVESTIGATION RESULTS**

The following activities have been conducted pursuant to KEY's April 11, 2002 *Project Status Update* and the WDNR's September 23, 2002 approval letter:

- September 11, 2002: Obtained approval from Tsiampas LLC and Auto Zone, Inc. to perform site investigation activities on the property north of the site currently leased by Auto Zone, Inc.
- September 27, 2002: Advanced two soil probes on the subject site (GP-16 and GP-17) and five soil probes on the Auto Zone property (GP-18 through GP-22). Each soil probe was advanced east (down gradient) of the 8-inch diameter sewer pipe, which extends along the subject site east property boundary. One shallow soil sample (0 to 4 feet below ground surface (bgs)) collected from each soil probe was submitted for laboratory analysis of volatile organic compounds (VOCs). A groundwater sample was collected from each soil probe via a 1-inch diameter temporary well using a peristaltic pump and submitted for laboratory analysis of VOCs.

The soil probe locations are depicted on Figure 1. The soil boring logs and abandonment forms are included in Attachment 1. The additional site investigation procedures were conducted in general accordance with KEY's February 3, 1998 *Site Investigation Work Plan*.

The soil sample analytical results are summarized in Table 1 and the laboratory report is included in Attachment 2. The soil sample analytical results indicated that no VOCs were detected with the exception of tetrachlorethene (PCE) at GP-16 (77 micrograms per kilogram ( $\mu\text{g}/\text{kg}$ )) and GP-18 (32  $\mu\text{g}/\text{kg}$ ).

The groundwater sample analytical results are summarized in Table 2 and on Figure 2 and the laboratory report is included in Attachment 3. The groundwater sample analytical results indicated that PCE was detected at each soil probe location. PCE concentrations exceeded the NR 140 enforcement standard (ES) at GP-16 (210 micrograms per liter ( $\mu\text{g}/\text{l}$ )) and GP-18 (1,800  $\mu\text{g}/\text{l}$ ). The remaining PCE concentrations exceeded the NR 140 preventive action limit. A PCE isoconcentration map is included as Figure 3. Trichloroethene (TCE) was detected at a concentration exceeding the NR 140 ES at GP-16 (57  $\mu\text{g}/\text{l}$ ); TCE was also detected at a low concentration at GP-22 (0.39  $\mu\text{g}/\text{l}$ ). Trans-1,2-dichloroethene was detected at a low concentration at GP-16 (3.7  $\mu\text{g}/\text{l}$ ).

Mr. Binyoti F. Amungwafor  
December 4, 2002  
Page 2

### **Conclusions and Projected Additional Site Investigation**

The additional site investigation results indicate that the sewer on the east side of the site has likely served as a contaminant migration pathway from the dry cleaner on the subject site or from the subject site source area (area of elevated PCE concentrations in soil east of the dry cleaner). Relatively low PCE concentrations in shallow soil and high concentrations in groundwater on the northeast portion of the subject site and on the Auto Zone property likely indicate that the sewer is the source of the PCE contamination (rather than a discharge to the ground surface). Based on the groundwater flow direction (see Figure 3), the PCE concentrations detected in groundwater at GP-16 and GP-18 likely correlate to the high PCE concentrations previously detected in groundwater northeast of the site (at monitoring wells MW-13 and MW-14).


Based on these conclusions, additional investigation is proposed to further define the extent of groundwater impacts. The proposed scope of work includes installing, developing and surveying six additional monitoring wells and one piezometer in Lincoln Drive West (two monitoring wells), Terrace Drive (two monitoring wells and one piezometer) and Sunset Drive (two monitoring wells). The approximate proposed monitoring well and piezometer locations are depicted on Figure 3. One soil sample collected from each monitoring well soil boring will be submitted for VOC analysis. One round of groundwater sampling will be conducted; groundwater samples will be analyzed for VOCs.


Continental also intends to proceed with a preliminary risk evaluation associated with the nearby residential properties due to the presence of significant PCE concentrations in groundwater and the relatively shallow groundwater table (approximately 7 to 11 feet bgs). The preliminary risk evaluation will consist of modeling potential vapor intrusion into the basements of select houses using the *Johnson and Ettinger Model for Subsurface Vapor Intrusion into Buildings*. Following completion of the modeling, Continental intends to have the model results reviewed by the Wisconsin Department of Health and Family Services (WDHFS) Bureau of Environmental Health.

Please contact KEY if you have any questions regarding the proposed scope of work. The scope of work will be conducted following WDNR approval. An expedited review would be appreciated as Continental would like to move quickly on implementing the additional investigation and preliminary risk evaluation.

Sincerely,

KEY ENGINEERING GROUP, LTD.

  
Curtis M. Hoffart, CHMM  
Project Scientist

  
Gregory L. Johnson, CHMM, P.H., P.G., P.E.  
Senior Engineer/Scientist

CMH/clh

Attachments:	Table 1      Summary of Soil Sample Analytical Results
	Table 2      Summary of Groundwater Sample Analytical Results
	Figure 1      Site Vicinity Layout
	Figure 2      Summary of Groundwater Sample Analytical Results
	Figure 3      PCE Isoconcentration Map
	Attachment 1    Soil Boring Logs and Abandonment Forms
	Attachment 2    Laboratory Report - Soil Sample Analytical Results
	Attachment 3    Laboratory Report - Groundwater Sample Analytical Results

cc: Ms. Mary Mokwa, Continental Properties Company, Inc.  
Mr. Donald P. Gallo, Reinhart, Boerner & Van Deuren, S.C.

**TABLE 1**  
**SUMMARY OF SOIL SAMPLE ANALYTICAL RESULTS**

**DECORAH SHOPPING CENTER ANNEX**

1011-1025 South Main Street  
 West Bend, Wisconsin

	GP-16	GP-17	GP-18	GP-19	GP-20	GP-21	GP-22	SSRCL
Depth (feet)	0-4	0-4	0-4	0-4	0-4	0-4	0-4	
Date	9/27/02	9/27/02	9/27/02	9/27/02	9/27/02	9/27/02	9/27/02	
PID (i.u.)	<1	<1	2	<1	<1	<1	<1	
Detected VOCs ( $\mu\text{g}/\text{kg}$ )								
Tetrachloroethene	77	<25	32 Q	<25	<25	<25	<25	1,839

Notes:

SSRCL - Site specific residual contaminant level based on the protection of groundwater  
 (Supplemental Site Investigation Report, KEY, January 18, 2000)

i.u. - instrument units

PID - photoionization detector

Q - concentration detected between laboratory limit of quantitation and limit of detection

$\mu\text{g}/\text{kg}$  - micrograms per kilogram

VOCs - volatile organic compounds

**TABLE 2**  
**SUMMARY OF GROUNDWATER SAMPLE ANALYTICAL RESULTS - TEMPORARY WELLS**  
**DECORAH SHOPPING CENTER ANNEX**  
 1011-1025 South Main Street  
 West Bend, Wisconsin

	GP-16	GP-17	GP-18	GP-19	GP-20	GP-21	GP-22	ES	PAL
Date	9/27/02	9/27/02	9/27/02	9/27/02	9/27/02	9/27/02	9/27/02		
Detected VOCs ( $\mu\text{g/l}$ )									
Benzene	<0.50	<0.25	<6.2	0.29 Q	<0.25	<0.25	0.27 Q	5	0.5
Naphthalene	<1.3	<0.63	<16	1.4 Q	<0.63	<0.63	<0.63	40	8
trans-1,2-Dichloroethene	3.7 Q	<0.80	<20	<0.80	<0.80	<0.80	<0.80	100	20
Tetrachloroethene	<b>210</b>	<b>4.0</b>	<b>1,800</b>	<b>3.8</b>	<b>2.4</b>	<b>1.9 Q</b>	<b>0.78 Q</b>	5	0.5
Trichloroethene	<b>57</b>	<0.39	<9.8	<0.39	<0.39	<0.39	0.39 Q	5	0.5

Notes:

Bold concentrations exceed NR 140 PAL

Shaded concentrations exceed NR 140 ES


ES - NR 140 enforcement standard

PAL - NR 140 preventive action limit

Q - concentration detected between laboratory limit of quantitation and limit of detection

$\mu\text{g/l}$  - micrograms per liter

VOCs - volatile organic compounds





DECORAH SHOPPING CENTER ANNEX  
1011-1025 SOUTH MAIN STREET  
WEST BEND, WISCONSIN


## LEGEND

- ◆ MONITORING WELL LOCATION
- ★ PIEZOMETER LOCATION
- ◆ SOIL PROBE/TEMPORARY WELL LOCATION
- ✖ ABANDONED MONITORING WELL LOCATION
- ✳ APPROXIMATE FORMER TEMPORARY WELL LOCATION (FORMER McDONALDS PROPERTY)
- MONITORING WELL LOCATION (MATANAER SITE)
- CONCENTRATION EXCEEDS NR 140 ENFORCEMENT STANDARD
- CONCENTRATION EXCEEDS NR 140 PREVENTIVE ACTION LIMIT

**NOTES**  
 PCE: TETRACHLOROETHENE, µg/l  
 TCE: TRICHLOROETHENE, µg/l  
 µg/l: MICROGRAMS PER LITER  
 < : LESS THAN  
 (Q): CONCENTRATION BETWEEN LIMIT OF DETECTION AND LIMIT OF QUANTIFICATION



SCALE IN FEET




© 2002 Key Engineering Group Ltd.

DESIGNED BY CMH	DATE 10/31/02
DRAWN BY CS	PROJECT 0702007
APPROVED BY GLJ	SHEET NO. 2
CADFILE Q:\ACAD\0702007\0702007.dwg XREF LMAN	

FIGURE 2




SUMMARY OF GROUNDWATER SAMPLE ANALYTICAL RESULTS

DECORAH SHOPPING CENTER ANNEX  
1011-1025 SOUTH MAIN STREET  
WEST BEND, WISCONSIN




Route To: Watershed/Wastewater  Waste Management   
Remediation/Redevelopment  Other

Page 1 of 2

Facility/Project Name <b>Decorah Shopping Center Annex</b>			License/Permit/Monitoring Number -		Boring Number <b>GP-16</b>										
Boring Drilled By: Name of crew chief (first, last) and Firm <b>On-Site Environmental Services, Inc.</b>			Date Drilling Started 9/27/2002	Date Drilling Completed 9/27/2002	Drilling Method Geoprobe										
WI Unique Well No.	DNR Well ID No.	Common Well Name	Final Static Water Level Feet MSL	Surface Elevation Feet MSL	Borehole Diameter inches										
Local Grid Origin <input type="checkbox"/> (estimated: <input checked="" type="checkbox"/> ) or Boring Location <input checked="" type="checkbox"/>			Local Grid Location												
State Plane SW 1/4 of NW 1/4 of Section 24, T 11 N, R 19 E			Lat <input type="text"/> ° <input type="text"/> ' <input type="text"/> "	<input type="checkbox"/> N Feet <input type="checkbox"/> S	<input type="checkbox"/> E Feet <input type="checkbox"/> W										
Facility ID		County Washington	County Code 67	Civil Town/City/ or Village West Bend											
Sample		Blow Counts	Depth In Feet	Soil/Rock Description And Geologic Origin For Each Major Unit			U S C S	Graphic Log	Well Diagram	P/D/FID	Soil Properties				Pocket Pentrometer
Number and Type	Length Att. & Recovered (in)										Standard Penetration	Moisture Content	Liquid Limit	Plasticity Index	
1 SS	48 30		1	ASPHALT and crushed gravel (fill)			FILL			<1*					
			2	Brown, sandy SILT with some gravel, moist			ML								
2 SS	48 40		4	Black, silty SAND with some gravel, moist			SM			<1					
			5	Brown, clayey SAND with some gravel, moist			SC								
3 SS	48 36		6	Brown, poorly graded sand with trace gravel, moist			SP			<1					
			7												
			8	-wet											
			9												
			10												
			11												
			12												

I hereby certify that the information on this form is true and correct to the best of my knowledge.

Signature



Firm KEY ENGINEERING GROUP, LTD.

W66 N215 COMMERCE CT. CEDARBURG, WI 53012

Tel: (262) 375-4750

Fax: (262) 375-9680

This form is authorized by Chapters 281, 283, 289, 291, 292, 293, 295, and 299, Wis. Stats. Completion of this form is mandatory. Failure to file this form may result in forfeiture of between \$10 and \$25,000, or imprisonment for up to one year, depending on the program and conduct involved. Personally identifiable information on this form is not intended to be used for any other purpose. NOTE: See instructions for more information, including where the completed form should be sent.

### Boring Number

GP-16

Use only as an attachment to Form 4400-122.

Page 2 of 2

Route To: Watershed/Wastewater  Waste Management   
Remediation/Redevelopment  Other

Page 1 of 2

Facility/Project Name Decorah Shopping Center Annex			License/Permit/Monitoring Number -		Boring Number GP-17							
Boring Drilled By: Name of crew chief (first, last) and Firm On-Site Environmental Services, Inc.			Date Drilling Started 9/27/2002	Date Drilling Completed 9/27/2002	Drilling Method Geoprobe							
WI Unique Well No.	DNR Well ID No.	Common Well Name	Final Static Water Level Feet MSL	Surface Elevation Feet MSL	Borehole Diameter inches							
Local Grid Origin <input type="checkbox"/> (estimated: <input type="checkbox"/> ) or Boring Location <input checked="" type="checkbox"/>			Local Grid Location									
State Plane SW 1/4 of NW 1/4 of Section 24, T 11 N, R 19 E			Lat <input type="text"/> ° <input type="text"/> ' <input type="text"/> "	<input type="checkbox"/> N Feet <input type="checkbox"/> S	<input type="checkbox"/> E Feet <input type="checkbox"/> W							
Facility ID		County Washington	County Code 67	Civil Town/City/ or Village West Bend								
Sample		Blow Counts	Depth In Feet	Soil/Rock Description And Geologic Origin For Each Major Unit		Soil Properties					Pocket Penrometer	
Number and Type	Length Att. & Recovered (in)			U S C S	Graphic Log	Well Diagram	PID/FID	Standard Penetration	Moisture Content	Liquid Limit		Plasticity Index
1 SS	48 40		1	ASPHALT and crushed gravel (fill)		FILL			≤1*			
			2	Brown, silty SAND with some gravel, moist								
2 SS	48 42		3						≤1			
			4			SM						
			5									
			6									
			7	Brown, poorly graded SAND with trace gravel, moist					≤1			
3 SS	48 30		8									
			9									
			10									
			11	-wet		SP						
			12									

I hereby certify that the information on this form is true and correct to the best of my knowledge.

Signature

Firm KEY ENGINEERING GROUP LTD

KEY ENGINEERING GROUP, LTD.  
W66 N215 COMMERCE CT. CEDARBURG, WI 53012

Tel: (262) 375-4750

Fax: (262) 375-9680

This form is authorized by Chapters 281, 283, 289, 291, 292, 293, 295, and 299, Wis. Stats. Completion of this form is mandatory. Failure to file this form may result in forfeiture of between \$10 and \$25,000, or imprisonment for up to one year, depending on the program and conduct involved. Personally identifiable information on this form is not intended to be used for any other purpose. NOTE: See instructions for more information, including where the completed form should be sent.

Boring Number GP-17

Use only as an attachment to Form 4400-122.

Page 2 of 2

Route To: Watershed/Wastewater  Waste Management   
Remediation/Redevelopment  Other

Page 1 of 2

Facility/Project Name <b>Decorah Shopping Center Annex</b>			License/Permit/Monitoring Number -			Boring Number <b>GP-18</b>					
Boring Drilled By: Name of crew chief (first, last) and Firm <b>On-Site Environmental Services, Inc.</b>			Date Drilling Started <b>9/27/2002</b>		Date Drilling Completed <b>9/27/2002</b>	Drilling Method <b>Geoprobe</b>					
WI Unique Well No.	DNR Well ID No.	Common Well Name	Final Static Water Level Feet MSL	Surface Elevation Feet MSL	Borehole Diameter inches						
Local Grid Origin <input type="checkbox"/> (estimated: <input checked="" type="checkbox"/> ) or Boring Location <input checked="" type="checkbox"/>			Lat <input type="text"/> ° <input type="text"/> ' <input type="text"/> "	Local Grid Location							
State Plane SW 1/2 of Section NW 1/4 of Section 24, T 11 N, R 19 E			Long <input type="text"/> ° <input type="text"/> ' <input type="text"/> "	<input type="checkbox"/> N Feet <input type="checkbox"/> S	<input type="checkbox"/> E Feet <input type="checkbox"/> W						
Facility ID		County <b>Washington</b>	County Code <b>67</b>	Civil Town/City/ or Village <b>West Bend</b>							
Sample		Blow Counts	Depth In Feet	Soil/Rock Description And Geologic Origin For Each Major Unit		Soil Properties				Pocket Penrometer	
Number and Type	Length Alt. & Recovered (in)			USCS	Graphic Log	Well Diagram	PID/FID	Standard Penetration	Moisture Content		Liquid Limit
1 SS	48 40	-	1	TOPSOIL and crushed gravel (fill)		FILL		2*			
2 SS	48 40	-	2	Brown, clayey SAND with some gravel, moist		SC		<1			
3 SS	48 42	-	3	Brown, poorly graded SAND with trace gravel, moist		SP		<1			
		-wet	4								
			5								
			6								
			7								
			8								
			9								
			10								
			11								
			12								

I hereby certify that the information on this form is true and correct to the best of my knowledge.

Signature 	Firm <b>KEY ENGINEERING GROUP, LTD.</b> W66 N215 COMMERCE CT. CEDARBURG, WI 53012	Tel: (262) 375-4750 Fax: (262) 375-9680
--	---	--

This form is authorized by Chapters 281, 283, 289, 291, 292, 293, 295, and 299, Wis. Stats. Completion of this form is mandatory. Failure to file this form may result in forfeiture of between \$10 and \$25,000, or imprisonment for up to one year, depending on the program and conduct involved. Personally identifiable information on this form is not intended to be used for any other purpose. NOTE: See instructions for more information, including where the completed form should be sent.



Boring Number GP-18

Use only as an attachment to Form 4400-122.


Page 2 of 2

Route To: Watershed/Wastewater  Waste Management   
Remediation/Redevelopment  Other

Page 1 of 2

Facility/Project Name <b>Decorah Shopping Center Annex</b>			License/Permit/Monitoring Number -		Boring Number <b>GP-19</b>								
Boring Drilled By: Name of crew chief (first, last) and Firm <b>On-Site Environmental Services, Inc.</b>			Date Drilling Started <b>9/27/2002</b>	Date Drilling Completed <b>9/27/2002</b>	Drilling Method <b>Geoprobe</b>								
WI Unique Well No.	DNR Well ID No.	Common Well Name	Final Static Water Level Feet MSL	Surface Elevation Feet MSL	Borehole Diameter inches								
Local Grid Origin <input type="checkbox"/> (estimated: <input type="checkbox"/> ) or Boring Location <input checked="" type="checkbox"/>			Lat <input type="text"/> ° <input type="text"/> ' <input type="text"/> "	Local Grid Location									
State Plane SW 1/4 of NW 1/4 of Section 24, T 11 N, R 19 E			Long <input type="text"/> ° <input type="text"/> ' <input type="text"/> "	<input type="checkbox"/> N Feet <input type="checkbox"/> S	<input type="checkbox"/> E Feet <input type="checkbox"/> W								
Facility ID		County <b>Washington</b>	County Code <b>67</b>	Civil Town/City/ or Village <b>West Bend</b>									
Sample		Soil/Rock Description And Geologic Origin For Each Major Unit			Soil Properties			Pocket Penetrometer					
Number and Type	Length Att. & Recovered (in)	Blow Counts	Depth In Feet	U S C S	Graphic Log	Well Diagram	PID/FID		Standard Penetration	Moisture Content	Liquid Limit	Plasticity Index	P 200
1 SS	48 24		1	FILL			<1*						
2 SS	48 30		2	SC			<1						
3 SS	48 36		3	SP			<1						
			4										
			5										
			6										
			7										
			8										
			9										
			10	-wet									
			11										
			12										

I hereby certify that the information on this form is true and correct to the best of my knowledge.

Signature 	Firm <b>KEY ENGINEERING GROUP, LTD.</b> W66 N215 COMMERCE CT. CEDARBURG, WI 53012	Tel: (262) 375-4750 Fax: (262) 375-9680
--	---	--

This form is authorized by Chapters 281, 283, 289, 291, 292, 293, 295, and 299, Wis. Stats. Completion of this form is mandatory. Failure to file this form may result in forfeiture of between \$10 and \$25,000, or imprisonment for up to one year, depending on the program and conduct involved. Personally identifiable information on this form is not intended to be used for any other purpose. NOTE: See instructions for more information, including where the completed form should be sent.

Boring Number GP-19

Use only as an attachment to Form 4400-122.

Page 2 of 2

Route To: Watershed/Wastewater  Waste Management   
Remediation/Redevelopment  Other

Page 1 of 2

Facility/Project Name <b>Decorah Shopping Center Annex</b>				License/Permit/Monitoring Number -			Boring Number <b>GP-20</b>						
Boring Drilled By: Name of crew chief (first, last) and Firm <b>On-Site Environmental Services, Inc.</b>				Date Drilling Started 9/27/2002		Date Drilling Completed 9/27/2002		Drilling Method Geoprobe					
WI Unique Well No.		DNR Well ID No.	Common Well Name	Final Static Water Level Feet MSL		Surface Elevation Feet MSL	Borehole Diameter inches						
Local Grid Origin <input type="checkbox"/> (estimated: <input checked="" type="checkbox"/> ) or Boring Location <input checked="" type="checkbox"/>				Lat <input type="checkbox"/> ° <input type="checkbox"/> ' <input type="checkbox"/> "		Local Grid Location							
State Plane SW 1/4 of NW 1/4 of Section 24, T 11 N, R 19 E				Long <input type="checkbox"/> ° <input type="checkbox"/> ' <input type="checkbox"/> "		<input type="checkbox"/> N Feet <input type="checkbox"/> S	<input type="checkbox"/> E Feet <input type="checkbox"/> W						
Facility ID		County Washington	County Code 67	Civil Town/City/ or Village West Bend									
Sample		Blow Counts	Depth In Feet	Soil/Rock Description And Geologic Origin For Each Major Unit		U S C S	Graphic Log	Well Diagram	Soil Properties				P 200 Pocket Penetrometer
Number and Type	Length Att. & Recovered (in)			FILL	SC				PID/FID	Standard Penetration	Moisture Content	Liquid Limit	
1 SS	48 24		1	TOPSOIL, mulch and crushed gravel (fill)				<1*					
			2	Brown, clayey SAND with some gravel, moist									
2 SS	48 32		3										
			4										
			5										
			6	Brown, poorly graded SAND with trace gravel, moist									
3 SS	48 36		7										
			8										
			9										
			10										
			11	-wet									
			12										

I hereby certify that the information on this form is true and correct to the best of my knowledge.

Signature

Firm KEY ENGINEERING GROUP, LTD.

W66 N215 COMMERCE CT. CEDARBURG, WI 53012

Tel: (262) 375-4750

Fax: (262) 375-9680

This form is authorized by Chapters 281, 283, 289, 291, 292, 293, 295, and 299, Wis. Stats. Completion of this form is mandatory. Failure to file this form may result in forfeiture of between \$10 and \$25,000, or imprisonment for up to one year, depending on the program and conduct involved. Personally identifiable information on this form is not intended to be used for any other purpose. NOTE: See instructions for more information, including where the completed form should be sent.

Boring Number GP-20

Use only as an attachment to Form 4400-122.

Page 2 of 2

**Route To:** Watershed/Wastewater  Waste Management   
Remediation/Redevelopment  Other

Page 1 of 2

I hereby certify that the information on this form is true and correct to the best of my knowledge.

Signature

**Firm** KEY ENGINEERING GROUP, LTD.

TECHNICAL ENGINEERING GROUP, LTD.  
W66 N215 COMMERCE CT. CEDARBURG, WI 53012

Tel: (262) 375-4750

Fax: (262) 375-9680

This form is authorized by Chapters 281, 283, 289, 291, 292, 293, 295, and 299, Wis. Stats. Completion of this form is mandatory. Failure to file this form may result in forfeiture of between \$10 and \$25,000, or imprisonment for up to one year, depending on the program and conduct involved. Personally identifiable information on this form is not intended to be used for any other purpose. NOTE: See instructions for more information, including where the completed form should be sent.


Boring Number GP-21

Use only as an attachment to Form 4400-122.

Page 2 of 2


Route To: Watershed/Wastewater  Waste Management   
Remediation/Redevelopment.  Other

Page 1 of 2

Facility/Project Name <b>Decorah Shopping Center Annex</b>				License/Permit/Monitoring Number -			Boring Number <b>GP-22</b>						
Boring Drilled By: Name of crew chief (first, last) and Firm <b>On-Site Environmental Services, Inc.</b>				Date Drilling Started 9/27/2002		Date Drilling Completed 9/27/2002	Drilling Method Geoprobe						
WI Unique Well No.	DNR Well ID No.	Common Well Name	Final Static Water Level Feet MSL		Surface Elevation Feet MSL	Borehole Diameter inches							
Local Grid Origin <input type="checkbox"/> (estimated: <input type="checkbox"/> ) or Boring Location <input checked="" type="checkbox"/> State Plane N, E S/C/N SW 1/2 of Section NW 1/4 of Section 24, T 11 N, R 19 E			Lat °   '   "	Long °   '   "	Local Grid Location <input type="checkbox"/> N Feet <input type="checkbox"/> S <input type="checkbox"/> E Feet <input type="checkbox"/> W								
Facility ID		County Washington	County Code 67	Civil Town/City/ or Village West Bend									
Number and Type	Sample	Soil/Rock Description And Geologic Origin For Each Major Unit			U S C S	Graphic Log	Well Diagram	Soil Properties				P 200	Pocket Penetrometer
	Length Att. & Recovered (in)	Blow Counts	Depth In Feet	PID/FID				Standard Penetration	Moisture Content	Liquid Limit	Plasticity Index		
1 SS	48 36	- 1 2 3 4 5 6 7 8 9 10 11 12	TOPSOIL, mulch and crushed gravel  Brown, clayey SAND with some gravel, moist			FILL		<1*					
2 SS	48 40	- 1 2 3 4 5 6 7 8 9 10 11 12	Brown, poorly graded SAND with trace gravel, moist			SC		<1					
3 SS	48 40	- 1 2 3 4 5 6 7 8 9 10 11 12	-wet			SP		<1					

I hereby certify that the information on this form is true and correct to the best of my knowledge.

Signature



Firm **KEY ENGINEERING GROUP, LTD.**  
W66 N215 COMMERCE CT. CEDARBURG, WI 53012

Tel: (262) 375-4750

Fax: (262) 375-9680

This form is authorized by Chapters 281, 283, 289, 291, 292, 293, 295, and 299, Wis. Stats. Completion of this form is mandatory. Failure to file this form may result in forfeiture of between \$10 and \$25,000, or imprisonment for up to one year, depending on the program and conduct involved. Personally identifiable information on this form is not intended to be used for any other purpose. NOTE: See instructions for more information, including where the completed form should be sent.

Boring Number GP-22

Use only as an attachment to Form 4400-122.

Page 2 of 2

All abandonment work shall be performed in accordance with the provisions of Chapters NR 811, NR 812 or 141, Wis. Admin. Code, whichever is applicable.


(1) GENERAL INFORMATION		(2) FACILITY NAME Decorah Shopping Center Annex	
Well/Drillhole/Borehole Location	County Washington	Original Well Owner (If Known)	
SW 1/4 of NW 1/4 of Sec. 24 ; T. 11 N; R. 19 (If Applicable)		<input checked="" type="checkbox"/> E <input type="checkbox"/> W	Present Well Owner Continental VI Fund Limited Partnership
Grid Location Gov't Lot _____ Grid Number _____		Street or Route 7800 N 113th Street	
ft. <input type="checkbox"/> N. <input type="checkbox"/> S., ft. <input type="checkbox"/> E. <input type="checkbox"/> W.		City, State, Zip Code Milwaukee, WI 53224	
Civil Town Name West Bend		Facility Well No. and/or Name (If Applicable) GP-16	WI Unique Well No.
Street Address of Well 1011-1025 South Main Street		Reason For Abandonment Investigative Boring	
City, Village West Bend		Date of Abandonment 9/27/02	

#### WELL/DRILLHOLE/BOREHOLE INFORMATION

(3) Original Well/Drillhole/Borehole Construction Completed On (Date) 9/27/2002		(4) Depth to Water (Feet)	
<input type="checkbox"/> Monitoring Well <input type="checkbox"/> Water Well <input type="checkbox"/> Drillhole <input checked="" type="checkbox"/> Borehole	Construction Report Available? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	Pump & Piping Removed? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> Not Applicable	Liner(s) Removed? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> Not Applicable
Construction Type: <input type="checkbox"/> Drilled <input type="checkbox"/> Driven (Sandpoint) <input type="checkbox"/> Dug <input checked="" type="checkbox"/> Other (Specify) Soil Probe		Screen Removed? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> Not Applicable	Casing Left in Place? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> Not Applicable
Formation Type: <input checked="" type="checkbox"/> Unconsolidated Formation		If No, Explain NA	Was Casing Cut Off Below Surface? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No
Total Well Depth (ft) (From ground surface) 16.0	Casing Diameter (in.) Casing Depth (ft.)	Did Sealing Material Rise to Surface? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	Did Material Settle After 24 Hours? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No
Lower Drillhole Diameter (in.)		If Yes, Was Hole Retopped? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> Not Applicable	
Was Well Annular Space Grouted? If Yes, To What Depth?		(5) Required Method of Placing Sealing Material <input type="checkbox"/> Conductor Pipe - Gravity <input type="checkbox"/> Conductor Pipe - Pumped <input type="checkbox"/> Dump Bailer <input checked="" type="checkbox"/> Other (Explain) Gravity	
		(6) Sealing Materials <input type="checkbox"/> Neat Cement Grout <input type="checkbox"/> Sand-Cement (Concrete) Grout <input type="checkbox"/> Concrete <input type="checkbox"/> Clay-Sand Slurry <input type="checkbox"/> Bentonite-Sand Slurry <input checked="" type="checkbox"/> Chipped Bentonite	
		For monitoring wells and monitoring well boreholes only <input type="checkbox"/> Bentonite Pellets <input type="checkbox"/> Granular Bentonite <input type="checkbox"/> Bentonite-Cement Grout	

(7) Sealing Material Used		From (Ft.)	To (Ft.)	Mix Ratio or Mud Weight
3/8" Chipped Bentonite		Surface	16.0	

(8) Comments	
--------------	--

(9) Name of Person or Firm Doing Sealing Work Key Engineering Group, Ltd.		(10) FOR DNR OR COUNTY USE ONLY	
Signature of Person Doing Work 	Date Signed 12/4/02	Date Received/Inspected	District/County
Street or Route W66 N215 Commerce Court	Telephone Number (262) 375-4750	Reviewer/Inspector	<input type="checkbox"/> Complying Work <input type="checkbox"/> Noncomplying Work
City, State, Zip Code Cedarburg, WI 53012		Follow-up Necessary	


All abandonment work shall be performed in accordance with the provisions of Chapters NR 811, NR 812 or 141, Wis. Admin. Code, whichever is applicable.

(1) GENERAL INFORMATION		(2) FACILITY NAME Decorah Shopping Center Annex	
Well/Drillhole/Borehole Location	County Washington	Original Well Owner (If Known)	
SW 1/4 of NW 1/4 of Sec. 24 : T. 11 N; R. 19 (If Applicable)		<input checked="" type="checkbox"/> E	Present Well Owner Continental VI Fund Limited Partnership
Grid Location Gov't Lot Grid Number		Street or Route 7800 N 113th Street	
ft. <input type="checkbox"/> N. <input type="checkbox"/> S., ft. <input type="checkbox"/> E. <input type="checkbox"/> W.		City, State, Zip Code Milwaukee, WI 53224	
Civil Town Name West Bend		Facility Well No. and/or Name (If Applicable) GP-17	WI Unique Well No.
Street Address of Well 1011-1025 South Main Street		Reason For Abandonment Investigative Boring	
City, Village West Bend		Date of Abandonment 9/27/02	

#### WELL/DRILLHOLE/BOREHOLE INFORMATION

(3) Original Well/Drillhole/Borehole Construction Completed On (Date) 9/27/2002		(4) Depth to Water (Feet)	
<input type="checkbox"/> Monitoring Well <input type="checkbox"/> Water Well <input type="checkbox"/> Drillhole <input checked="" type="checkbox"/> Borehole	Construction Report Available? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	Pump & Piping Removed? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> Not Applicable	Liner(s) Removed? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> Not Applicable
Construction Type: <input type="checkbox"/> Drilled <input type="checkbox"/> Driven (Sandpoint) <input type="checkbox"/> Dug <input checked="" type="checkbox"/> Other (Specify) Soil Probe		Screen Removed? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> Not Applicable	Casing Left in Place? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> Not Applicable
Formation Type: <input checked="" type="checkbox"/> Unconsolidated Formation	<input type="checkbox"/> Bedrock	If No, Explain NA	Was Casing Cut Off Below Surface? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No
Total Well Depth (ft) (From ground surface) 16.0	Casing Diameter (in.) Casing Depth (ft.)	Did Sealing Material Rise to Surface? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	Did Material Settle After 24 Hours? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No
Lower Drillhole Diameter (in.)		If Yes, Was Hole Retopped? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	
Was Well Annular Space Grouted? If Yes, To What Depth?	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> Unknown Feet	(5) Required Method of Placing Sealing Material <input type="checkbox"/> Conductor Pipe - Gravity <input type="checkbox"/> Conductor Pipe - Pumped <input type="checkbox"/> Dump Bailer <input checked="" type="checkbox"/> Other (Explain) Gravity	
(6) Sealing Materials		For monitoring wells and monitoring well boreholes only	
<input type="checkbox"/> Neat Cement Grout <input type="checkbox"/> Sand-Cement (Concrete) Grout <input type="checkbox"/> Concrete <input type="checkbox"/> Clay-Sand Slurry <input type="checkbox"/> Bentonite-Sand Slurry <input checked="" type="checkbox"/> Chipped Bentonite		<input type="checkbox"/> Bentonite Pellets <input type="checkbox"/> Granular Bentonite <input type="checkbox"/> Bentonite-Cement Grout	

(7) Sealing Material Used		From (Ft.)	To (Ft.)	Mix Ratio or Mud Weight
3/8" Chipped Bentonite		Surface	16.0	

(8) Comments		(10) FOR DNR OR COUNTY USE ONLY	
(9) Name of Person or Firm Doing Sealing Work Key Engineering Group, Ltd.		Date Received/Inspected	District/County
Signature of Person Doing Work 	Date Signed 12/4/02		
Street or Route W66 N215 Commerce Court	Telephone Number (262) 375-4750	Reviewer/Inspector	<input type="checkbox"/> Complying Work <input type="checkbox"/> Noncomplying Work
City, State, Zip Code Cedarburg, WI 53012		Follow-up Necessary	


All abandonment work shall be performed in accordance with the provisions of Chapters NR 811, NR 812 or 141, Wis. Admin. Code, whichever is applicable.

(1) GENERAL INFORMATION		(2) FACILITY NAME Decorah Shopping Center Annex	
Well/Drillhole/Borehole Location (If Applicable)	County Washington	Original Well Owner (If Known)	
SW 1/4 of NW 1/4 of Sec. 24 : T. 11 N; R. 19 <input checked="" type="checkbox"/> E <input type="checkbox"/> W		Present Well Owner Continental VI Fund Limited Partnership	
Grid Location	Gov't Lot	Grid Number	Street or Route 7800 N 113th Street
ft. <input type="checkbox"/> N. <input type="checkbox"/> S.,	ft. <input type="checkbox"/> E. <input type="checkbox"/> W.	City, State, Zip Code Milwaukee, WI 53224	
Civil Town Name West Bend		Facility Well No. and/or Name (If Applicable) GP-18	WI Unique Well No.
Street Address of Well 915 South Main Street		Reason For Abandonment Investigative Boring	
City, Village West Bend		Date of Abandonment 9/27/02	

#### WELL/DRILLHOLE/BOREHOLE INFORMATION

(3) Original Well/Drillhole/Borehole Construction Completed On (Date) 9/27/2002		(4) Depth to Water (Feet)	
<input type="checkbox"/> Monitoring Well <input type="checkbox"/> Water Well <input type="checkbox"/> Drillhole <input checked="" type="checkbox"/> Borehole	Construction Report Available? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	Pump & Piping Removed? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> Not Applicable	Liner(s) Removed? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> Not Applicable
Construction Type: <input type="checkbox"/> Drilled <input checked="" type="checkbox"/> Other (Specify) Soil Probe	<input type="checkbox"/> Driven (Sandpoint) <input type="checkbox"/> Dug	Screen Removed? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> Not Applicable	Casing Left in Place? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> Not Applicable
Formation Type: <input checked="" type="checkbox"/> Unconsolidated Formation	<input type="checkbox"/> Bedrock	If No, Explain NA	Was Casing Cut Off Below Surface? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No
Total Well Depth (ft) (From ground surface) 16.0	Casing Diameter (in.) Casing Depth (ft.)	Did Sealing Material Rise to Surface? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	Did Material Settle After 24 Hours? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No
Lower Drillhole Diameter (in.)		If Yes, Was Hole Retopped? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> Not Applicable	
Was Well Annular Space Grouted? If Yes, To What Depth?	<input type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> Unknown Feet	(5) Required Method of Placing Sealing Material	
		<input type="checkbox"/> Conductor Pipe - Gravity <input type="checkbox"/> Dump Bailer	<input type="checkbox"/> Conductor Pipe - Pumped <input checked="" type="checkbox"/> Other (Explain) Gravity
		(6) Sealing Materials	
		<input type="checkbox"/> Neat Cement Grout <input type="checkbox"/> Sand-Cement (Concrete) Grout <input type="checkbox"/> Concrete <input type="checkbox"/> Clay-Sand Slurry <input type="checkbox"/> Bentonite-Sand Slurry <input checked="" type="checkbox"/> Chipped Bentonite	For monitoring wells and monitoring well boreholes only
		<input type="checkbox"/> Bentonite Pellets <input type="checkbox"/> Granular Bentonite <input type="checkbox"/> Bentonite-Cement Grout	

(7) Sealing Material Used	From (Ft.)	To (Ft.)	Mix Ratio or Mud Weight
3/8" Chipped Bentonite	Surface	16.0	

(8) Comments		(10) FOR DNR OR COUNTY USE ONLY	
(9) Name of Person or Firm Doing Sealing Work Key Engineering Group, Ltd.		Date Received/Inspected	District/County
Signature of Person Doing Work 	Date Signed 12/4/02		
Street or Route W66 N215 Commerce Court	Telephone Number (262) 375-4750	Reviewer/Inspector	<input type="checkbox"/> Complying Work <input type="checkbox"/> Noncomplying Work
City, State, Zip Code Cedarburg, WI 53012		Follow-up Necessary	


All abandonment work shall be performed in accordance with the provisions of Chapters NR 811, NR 812 or 141, Wis. Admin. Code, whichever is applicable.

(1) GENERAL INFORMATION		(2) FACILITY NAME Decorah Shopping Center Annex	
Well/Drillhole/Borehole Location	County Washington	Original Well Owner (If Known)	
SW 1/4 of NW 1/4 of Sec. 24 ; T. 11 N; R. 19 <input checked="" type="checkbox"/> E (If Applicable)		Present Well Owner Continental VI Fund Limited Partnership	
Gov't Lot _____ Grid Number _____		Street or Route 7800 N 113th Street	
Grid Location ft. <input type="checkbox"/> N. <input type="checkbox"/> S., ft. <input type="checkbox"/> E. <input type="checkbox"/> W.		City, State, Zip Code Milwaukee, WI 53224	
Civil Town Name West Bend		Facility Well No. and/or Name (If Applicable) GP-19	WI Unique Well No.
Street Address of Well 915 South Main Street		Reason For Abandonment Investigative Boring	
City, Village West Bend		Date of Abandonment 9/27/02	

#### WELL/DRILLHOLE BOREHOLE INFORMATION

(3) Original Well/Drillhole/Borehole Construction Completed On (Date) 9/27/2002		(4) Depth to Water (Feet)	
<input type="checkbox"/> Monitoring Well <input type="checkbox"/> Water Well <input type="checkbox"/> Drillhole <input checked="" type="checkbox"/> Borehole	Construction Report Available? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	Pump & Piping Removed? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> Not Applicable	Liner(s) Removed? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> Not Applicable
Construction Type: <input type="checkbox"/> Drilled <input type="checkbox"/> Driven (Sandpoint) <input type="checkbox"/> Dug <input checked="" type="checkbox"/> Other (Specify) Soil Probe		Screen Removed? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> Not Applicable	Casing Left in Place? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> Not Applicable
Formation Type: <input checked="" type="checkbox"/> Unconsolidated Formation <input type="checkbox"/> Bedrock		If No, Explain NA	
Total Well Depth (ft) (From ground surface) 16.0	Casing Diameter (in.) Casing Depth (ft.)	Was Casing Cut Off Below Surface? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	Did Sealing Material Rise to Surface? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No
Lower Drillhole Diameter (in.)		Did Material Settle After 24 Hours? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	If Yes, Was Hole Retopped? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No
Was Well Annular Space Grouted? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> Unknown If Yes, To What Depth? Feet		(5) Required Method of Placing Sealing Material <input type="checkbox"/> Conductor Pipe - Gravity <input type="checkbox"/> Conductor Pipe - Pumped <input type="checkbox"/> Dump Bailer <input checked="" type="checkbox"/> Other (Explain) Gravity	
(6) Sealing Materials		For monitoring wells and monitoring well boreholes only <input type="checkbox"/> Neat Cement Grout <input type="checkbox"/> Sand-Cement (Concrete) Grout <input type="checkbox"/> Concrete <input type="checkbox"/> Clay-Sand Slurry <input type="checkbox"/> Bentonite-Sand Slurry <input checked="" type="checkbox"/> Chipped Bentonite <input type="checkbox"/> Bentonite Pellets <input type="checkbox"/> Granular Bentonite <input type="checkbox"/> Bentonite-Cement Grout	

(7) Sealing Material Used		From (Ft.)	To (Ft.)	Mix Ratio or Mud Weight
3/8" Chipped Bentonite		Surface	16.0	

(8) Comments		(10) FOR DNR OR COUNTY USE ONLY	
(9) Name of Person or Firm Doing Sealing Work Key Engineering Group, Ltd.		Date Received/Inspected	District/County
Signature of Person Doing Work 	Date Signed 12/14/02	Reviewer/Inspector	
Street or Route W66 N215 Commerce Court	Telephone Number (262) 375-4750	<input type="checkbox"/> Complying Work <input type="checkbox"/> Noncomplying Work	
City, State, Zip Code Cedarburg, WI 53012		Follow-up Necessary	

All abandonment work shall be performed in accordance with the provisions of Chapters NR 811, NR 812 or 141, Wis. Admin. Code, whichever is applicable.

(1) GENERAL INFORMATION		(2) FACILITY NAME      Decorah Shopping Center Annex	
Well/Drillhole/Borehole Location	County Washington	Original Well Owner (If Known)	
SW 1/4 of NW 1/4 of Sec. 24 ; T. 11 N; R. 19 <input checked="" type="checkbox"/> E (If Applicable)		Present Well Owner Continental VI Fund Limited Partnership	
Grid Location ft. <input type="checkbox"/> N. <input type="checkbox"/> S., ft. <input type="checkbox"/> E. <input type="checkbox"/> W.		Street or Route 7800 N 113th Street	
Civil Town Name West Bend		City, State, Zip Code Milwaukee, WI 53224	
Street Address of Well 915 South Main Street		Facility Well No. and/or Name (If Applicable) GP-20	WI Unique Well No.
City, Village West Bend		Reason For Abandonment Investigative Boring	
		Date of Abandonment 9/27/02	

#### WELL/DRILLHOLE/BOREHOLE INFORMATION

(3) Original Well/Drillhole/Borehole Construction Completed On (Date) 9/27/2002		(4) Depth to Water (Feet) _____	
<input type="checkbox"/> Monitoring Well <input type="checkbox"/> Water Well <input type="checkbox"/> Drillhole <input checked="" type="checkbox"/> Borehole	Construction Report Available? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	Pump & Piping Removed? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> Not Applicable	Liner(s) Removed? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> Not Applicable
Construction Type: <input type="checkbox"/> Drilled <input type="checkbox"/> Driven (Sandpoint) <input type="checkbox"/> Dug <input checked="" type="checkbox"/> Other (Specify) Soil Probe		Screen Removed? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> Not Applicable	Casing Left in Place? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> Not Applicable
Formation Type: <input checked="" type="checkbox"/> Unconsolidated Formation <input type="checkbox"/> Bedrock		If No, Explain NA	
Total Well Depth (ft) (From ground surface) 16.0	Casing Diameter (in.) Casing Depth (ft.)	Was Casing Cut Off Below Surface? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	Did Sealing Material Rise to Surface? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No
Lower Drillhole Diameter (in.)		Did Material Settle After 24 Hours? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	If Yes, Was Hole Retopped? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No
Was Well Annular Space Grouted? If Yes, To What Depth?		(5) Required Method of Placing Sealing Material <input type="checkbox"/> Conductor Pipe - Gravity <input type="checkbox"/> Conductor Pipe - Pumped <input type="checkbox"/> Dump Bailer <input checked="" type="checkbox"/> Other (Explain) Gravity	
		(6) Sealing Materials <input type="checkbox"/> Neat Cement Grout <input type="checkbox"/> Sand-Cement (Concrete) Grout <input type="checkbox"/> Concrete <input type="checkbox"/> Clay-Sand Slurry <input type="checkbox"/> Bentonite-Sand Slurry <input checked="" type="checkbox"/> Chipped Bentonite	
		For monitoring wells and monitoring well boreholes only <input type="checkbox"/> Bentonite Pellets <input type="checkbox"/> Granular Bentonite <input type="checkbox"/> Bentonite-Cement Grout	

(7) Sealing Material Used		From (Ft.)	To (Ft.)	Mix Ratio or Mud Weight
3/8" Chipped Bentonite		Surface	16.0	

(8) Comments		(9) Name of Person or Firm Doing Sealing Work Key Engineering Group, Ltd.		(10) FOR DNR OR COUNTY USE ONLY	
Signature of Person Doing Work 		Date Signed 12/4/02	Date Received/Inspected	District/County	
Street or Route W66 N215 Commerce Court		Telephone Number (262) 375-4750	Reviewer/Inspector	<input type="checkbox"/> Complying Work <input type="checkbox"/> Noncomplying Work	
City, State, Zip Code Cedarburg, WI 53012		Follow-up Necessary			

All abandonment work shall be performed in accordance with the provisions of Chapters NR 811, NR 812 or 141, Wis. Admin. Code, whichever is applicable.

(1) GENERAL INFORMATION		(2) FACILITY NAME     Decorah Shopping Center Annex	
Well/Drillhole/Borehole Location	County Washington	Original Well Owner (If Known)	
<u>SW</u> 1/4 of <u>NW</u> 1/4 of Sec. <u>24</u> ; T. <u>11</u> N; R. <u>19</u> <input checked="" type="checkbox"/> E (If Applicable)		Present Well Owner <u>Continental VI Fund Limited Partnership</u>	
		Street or Route <u>7800 N 113th Street</u>	
Grid Location		City, State, Zip Code <u>Milwaukee, WI 53224</u>	
<u>      </u> ft. <input type="checkbox"/> N. <input type="checkbox"/> S., <u>      </u> ft. <input type="checkbox"/> E. <input type="checkbox"/> W.		Facility Well No. and/or Name (If Applicable) <u>GP-21</u>	WI Unique Well No.
Civil Town Name <u>West Bend</u>		Reason For Abandonment <u>Investigative Boring</u>	
Street Address of Well <u>915 South Main Street</u>		Date of Abandonment <u>9/27/02</u>	
City, Village <u>West Bend</u>			

#### WELL/DRILL HOLE/BOREHOLE INFORMATION

(3) Original Well/Drillhole/Borehole Construction Completed On (Date) <u>9/27/2002</u>		(4) Depth to Water (Feet) _____		
<input type="checkbox"/> Monitoring Well <input type="checkbox"/> Construction Report Available? <input type="checkbox"/> Water Well <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> Drillhole <input checked="" type="checkbox"/> Borehole		Pump & Piping Removed? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> Not Applicable Liner(s) Removed? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> Not Applicable Screen Removed? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> Not Applicable Casing Left in Place? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No If No, Explain <u>NA</u>		
Construction Type: <input type="checkbox"/> Drilled <input type="checkbox"/> Driven (Sandpoint) <input type="checkbox"/> Dug <input checked="" type="checkbox"/> Other (Specify) <u>Soil Probe</u>		Was Casing Cut Off Below Surface? <input type="checkbox"/> Yes <input type="checkbox"/> No Did Sealing Material Rise to Surface? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No Did Material Settle After 24 Hours? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No If Yes, Was Hole Retopped? <input type="checkbox"/> Yes <input type="checkbox"/> No		
Formation Type: <input checked="" type="checkbox"/> Unconsolidated Formation <input type="checkbox"/> Bedrock		(5) Required Method of Placing Sealing Material <input type="checkbox"/> Conductor Pipe - Gravity <input type="checkbox"/> Conductor Pipe - Pumped <input type="checkbox"/> Dump Bailer <input checked="" type="checkbox"/> Other (Explain) <u>Gravity</u>		
Total Well Depth (ft) <u>16.0</u> (From ground surface)		Casing Diameter (in.) _____ Casing Depth (ft.) _____		
Lower Drillhole Diameter (in.) _____				
Was Well Annular Space Grouted? <input type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> Unknown If Yes, To What Depth? _____ Feet		(6) Sealing Materials      For monitoring wells and <input type="checkbox"/> Neat Cement Grout <input type="checkbox"/> Sand-Cement (Concrete) Grout <input type="checkbox"/> Concrete <input type="checkbox"/> Clay-Sand Slurry <input type="checkbox"/> Bentonite-Sand Slurry <input checked="" type="checkbox"/> Chipped Bentonite <input type="checkbox"/> Bentonite Pellets <input type="checkbox"/> Granular Bentonite <input type="checkbox"/> Bentonite-Cement Grout		

(7)	Sealing Material Used	From (Ft.)	To (Ft.)		Mix Ratio or Mud Weight
	3/8" Chipped Bentonite	Surface	16.0		

(8) Comments _____	
(9) Name of Person or Firm Doing Sealing Work <b>Key Engineering Group, Ltd.</b>	
Signature of Person Doing Work <i>Brent L. S.</i>	Date Signed 12/4/02
Street or Route W66 N215 Commerce Court	Telephone Number (262) 375-4750
City, State, Zip Code Cedarburg, WI 53012	
(10) FOR DNR OR COUNTY USE ONLY	
Date Received/Inspected	District/County
Reviewer/Inspector	<input type="checkbox"/> Complying Work <input type="checkbox"/> Noncomplying Work
Follow-up Necessary	

All abandonment work shall be performed in accordance with the provisions of Chapters NR 811, NR 812 or 141, Wis. Admin. Code, whichever is applicable.

(1) GENERAL INFORMATION		(2) FACILITY NAME Decorah Shopping Center Annex	
Well/Drillhole/Borehole Location  (If Applicable)	County  Washington	Original Well Owner (If Known)  Present Well Owner	
SW 1/4 of NW 1/4 of Sec. 24 ; T. 11 N; R. 19	<input checked="" type="checkbox"/> E <input type="checkbox"/> W	Continental VI Fund Limited Partnership	
Grid Location  ft. <input type="checkbox"/> N. <input type="checkbox"/> S., ft. <input type="checkbox"/> E. <input type="checkbox"/> W.	Street or Route 7800 N 113th Street		
Civil Town Name  West Bend	City, State, Zip Code Milwaukee, WI 53224		
Street Address of Well  915 South Main Street	Facility Well No. and/or Name (If Applicable) GP-22		
City, Village  West Bend	WI Unique Well No.		
Reason For Abandonment Investigative Boring			
Date of Abandonment 9/27/02			

#### WELL/DRILLHOLE/BOREHOLE INFORMATION

(3) Original Well/Drillhole/Borehole Construction Completed On (Date) 9/27/2002		(4) Depth to Water (Feet) _____	
<input type="checkbox"/> Monitoring Well <input type="checkbox"/> Water Well <input type="checkbox"/> Drillhole <input checked="" type="checkbox"/> Borehole	Construction Report Available?  <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	Pump & Piping Removed? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> Not Applicable	Liner(s) Removed? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> Not Applicable
Construction Type:  <input type="checkbox"/> Drilled <input type="checkbox"/> Driven (Sandpoint) <input type="checkbox"/> Dug <input checked="" type="checkbox"/> Other (Specify) Soil Probe		Screen Removed? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> Not Applicable	Casing Left in Place? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> Not Applicable
Formation Type:  <input checked="" type="checkbox"/> Unconsolidated Formation <input type="checkbox"/> Bedrock	If No, Explain NA	Was Casing Cut Off Below Surface? <input type="checkbox"/> Yes <input type="checkbox"/> No	Did Sealing Material Rise to Surface? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No
Total Well Depth (ft) 16.0 (From ground surface)	Casing Diameter (in.) Casing Depth (ft.)	Did Material Settle After 24 Hours? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	If Yes, Was Hole Retopped? <input type="checkbox"/> Yes <input type="checkbox"/> No
Lower Drillhole Diameter (in.)			
Was Well Annular Space Grouted? If Yes, To What Depth?	<input type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> Unknown Feet	(5) Required Method of Placing Sealing Material  <input type="checkbox"/> Conductor Pipe - Gravity <input type="checkbox"/> Conductor Pipe - Pumped <input type="checkbox"/> Dump Bailer <input checked="" type="checkbox"/> Other (Explain) Gravity	
(6) Sealing Materials		For monitoring wells and monitoring well boreholes only	
<input type="checkbox"/> Neat Cement Grout <input type="checkbox"/> Sand-Cement (Concrete) Grout <input type="checkbox"/> Concrete <input type="checkbox"/> Clay-Sand Slurry <input type="checkbox"/> Bentonite-Sand Slurry <input checked="" type="checkbox"/> Chipped Bentonite		<input type="checkbox"/> Bentonite Pellets <input type="checkbox"/> Granular Bentonite <input type="checkbox"/> Bentonite-Cement Grout	

(7) Sealing Material Used		From (Ft.)	To (Ft.)	Mix Ratio or Mud Weight
3/8" Chipped Bentonite		Surface	16.0	

(8) Comments	
--------------	--

(9) Name of Person or Firm Doing Sealing Work Key Engineering Group, Ltd.		(10) FOR DNR OR COUNTY USE ONLY	
Signature of Person Doing Work  15/15	Date Signed  12/14/02	Date Received/Inspected	District/County
Street or Route W66 N215 Commerce Court	Telephone Number (262) 375-4750	Reviewer/Inspector	<input type="checkbox"/> Complying Work <input type="checkbox"/> Noncomplying Work
City, State, Zip Code Cedarburg, WI 53012		Follow-up Necessary	





**Corporate Office & Laboratory**  
1241 Bellevue Street, Suite 9 • Green Bay, WI 54302  
920-469-2436 • FAX: 920-469-8827 • 800-7-ENCHEM  
[www.enchem.com](http://www.enchem.com)

**- Analytical Report -**

Project Name : DECORAH SHOPPING CENTER ANNEX

Project Number : 0702007

Client: KEY ENGINEERING GROUP, LTD.

WI DNR LAB ID : 405132750

Sample No.	Field ID	Collection Date	Sample No.	Field ID	Collection Date
826391-001	GP-16	9/27/02			
826391-002	GP-17	9/27/02			
826391-003	GP-18	9/27/02			
826391-004	GP-19	9/27/02			
826391-005	GP-20	9/27/02			
826391-006	GP-21	9/27/02			
826391-007	GP-22	9/27/02			
826391-008	BLANK	9/27/02			

Please visit our Internet homepage at: [www.enchem.com](http://www.enchem.com)

The "Q" flag is present when a parameter has been detected below the LOQ. This indicates the results are qualified due to the uncertainty of the parameter concentration between the LOD and the LOQ.

Soil VOC detects are corrected for the total solids, unless otherwise noted.

I certify that the data contained in this Final Report has been generated and reviewed in accordance with approved methods and Laboratory Standard Operating Procedure. Exceptions, if any, are discussed in the accompanying sample comments. Release of this final report is authorized by Laboratory management, as is verified by the following signature. Reported results shall not be reproduced, except in full, without the written approval of the lab. The sample results relate only to the analytes of interest tested.

  
Approval Signature

10/04/02  
Date

# En Chem, Inc. Cooler Receipt Log

Batch No. 826391

Project Name or ID 0702007

No. of Coolers: 1 Temps: ROI

A. Receipt Phase: Date cooler was opened: 9-30-02 By: JL

- |  |  |                                       |                        |
|--|--|---------------------------------------|------------------------|
| 1: Were samples received on ice? (Must be ≤ 6 C).....                    | <input checked="" type="radio"/> YES   | <input type="radio"/> NO <sup>2</sup> |                        |
| 2. Was there a Temperature Blank?.....                                   | <input type="radio"/> YES              | <input checked="" type="radio"/> NO   |                        |
| 3: Were custody seals present and intact? (Record on COC).....           | <input type="radio"/> YES              | <input checked="" type="radio"/> NO   |                        |
| 4: Are COC documents present?.....                                       | <input checked="" type="radio"/> YES   | <input type="radio"/> NO <sup>2</sup> |                        |
| 5: Does this Project require quick turn around analysis?.....            | <input type="radio"/> YES              | <input checked="" type="radio"/> NO   |                        |
| 6: Is there any sub-work?.....   | <input type="radio"/> YES              | <input checked="" type="radio"/> NO   |                        |
| 7: Are there any short hold time tests?.....                             | <input type="radio"/> YES              | <input checked="" type="radio"/> NO   |                        |
| 8: Are any samples nearing expiration of hold-time? (Within 2 days)..... | <input type="radio"/> YES <sup>1</sup> | <input checked="" type="radio"/> NO   | Contacted by/Who _____ |
| 9: Do any samples need to be Filtered or Preserved in the lab?.....      | <input type="radio"/> YES <sup>1</sup> | <input checked="" type="radio"/> NO   | Contacted by/Who _____ |

B. Check-In Phase: Date samples were Checked-in: 9-30-02 By: JL

- |  |                                      |                                       |                             |
|--|--------------------------------------|---------------------------------------|-----------------------------|
| 1: Were all sample containers listed on the COC received and intact?.....    | <input checked="" type="radio"/> YES | <input type="radio"/> NO <sup>2</sup> | NA                          |
| 2: Sign the COC as received by En Chem. Completed.....                       | <input checked="" type="radio"/> YES | <input type="radio"/> NO              |                             |
| 3: Do sample labels match the COC? .....                                     | <input checked="" type="radio"/> YES | <input type="radio"/> NO <sup>2</sup> |                             |
| 4: Check sample pH of preserved samples. (Not VOCs) Completed.....           | <input type="radio"/> YES            | <input type="radio"/> NO              | NA                          |
| 5: Do samples have correct chemical preservation?.....                       | <input checked="" type="radio"/> YES | <input type="radio"/> NO <sup>2</sup> | NA                          |
| 6: Are dissolved parameters field filtered?.....                             | <input type="radio"/> YES            | <input type="radio"/> NO <sup>2</sup> | NA                          |
| 7: Are sample volumes adequate for tests requested? .....                    | <input checked="" type="radio"/> YES | <input type="radio"/> NO <sup>2</sup> |                             |
| 8: Are VOC samples free of bubbles >6mm .....                                | <input type="radio"/> YES            | <input type="radio"/> NO <sup>2</sup> | NA                          |
| 9: Enter samples into logbook. Completed.....                                | <input checked="" type="radio"/> YES | <input type="radio"/> NO              |                             |
| 10: Place laboratory sample number on all containers and COC. Completed..... | <input checked="" type="radio"/> YES | <input type="radio"/> NO              |                             |
| 11: Complete Laboratory Tracking Sheet (LTS). Completed.....                 | <input type="radio"/> YES            | <input type="radio"/> NO              | NA                          |
| 12: Start Nonconformance form. .....   | <input type="radio"/> YES            | <input type="radio"/> NO              | NA                          |
| 13: Initiate Subcontracting procedure. Completed.....                        | <input type="radio"/> YES            | <input type="radio"/> NO              | NA                          |
| 14: Check laboratory sample number on all containers and COC. ....           | <u>JL</u>                            | <input checked="" type="radio"/> YES  | <input type="radio"/> NO NA |

## Short Hold-time tests:

48 Hours or less	7 days	Footnotes
Coliform (6 hrs)	Flashpoint	1 Notify proper lab group immediately.
Hexavalent Chromium (24 Hrs)	TSS	2 Complete nonconformance memo.
BOD	Total Solids	
Nitrite or Nitrate	TDS	
Low Level Mercury	Sulfide	
Ortho Phosphorus	Free Liquids	
Turbidity	Total Volatile Solids	
Surfactants	Aqueous Extractable Organics- ALL	
Sulfite	Unpreserved VOC's	
En Core Preservation	Ash	
Color		

Rev. 9/5/2001, Attachment to 1-REC-5.  
Subject to QA Audit.

Reviewed by/date CJ 10/1/02

**Organic Data Qualifiers**

- B Analyte is present in the method blank. Method blank criteria is evaluated to the laboratory method detection limit. Additionally, method blank acceptance may be based on project specific criteria or determined from analyte concentrations in the sample and are evaluated on a sample by sample basis.
- C Elevated detection limit.
- D Analyte value from diluted analysis, or surrogate result not applicable due to sample dilution.
- E Analyte concentration exceeds calibration range.
- F Surrogate results outside control criteria.
- H Extraction or analysis performed past holding time.
- J Qualitative evidence of analyte present: concentration detected is greater than the method detection limit but less than the reporting limit.
- K Detection limit may be elevated due to the presence of an unrequested analyte.
- N Spiked sample recovery not within control limits.
- P The relative percent difference between the two columns for detected concentrations was greater than 40%.
- Q The analyte has been detected between the limit of detection (LOD) and limit of quantitation (LOQ). The results are qualified due to the uncertainty of analyte concentrations within this range.
- S The relative percent difference between quantitation and confirmation columns exceeds internal quality control criteria. Because the result is unconfirmed, it has been reported as a non-detect with an elevated detection limit.
- U The analyte was not detected above the reporting limit.
- W Sample received with headspace.
- X See Sample Narrative.
- & Laboratory Control Spike recovery not within control limits.
- \* Duplicate analyses not within control limits.
- SUB1 Assay was subcontracted to an approved lab.
- SUB2 Assay was subcontracted to En Chem Green Bay WI Cert. #405132750.

---

### - Analytical Report -

Project Name : DECORAH SHOPPING CENTER ANNEX

Project Number : 0702007

Client : KEY ENGINEERING GROUP, LTD.

Field ID : GP-16

Report Date : 10/3/02

Lab Sample Number : 826391-001

Collection Date : 9/27/02

WI DNR LAB ID : 405132750

Matrix Type : SOIL

---

### Inorganic Results

Test	Result	LOD	LOQ	EQL	Units	Code	Analysis Date	Prep Method	Analysis Method	Analyst
Solids, percent	88.8				%		9/30/02	SM2540G	SM2540G	KEG

### Organic Results

## EPA 8260 VOLATILE LIST - SOIL/METHANOL

Prep Method: SW846 5030B Prep Date: 10/2/02 Analyst: TLT

Analyte	Result	LOD	LOQ	EQL	Units	Code	Analysis Date	Analysis Method
Benzene	< 25	25	60		ug/kg		10/2/02	SW846 8260B
Bromobenzene	< 25	25	60		ug/kg		10/2/02	SW846 8260B
Bromochloromethane	< 25	25	60		ug/kg		10/2/02	SW846 8260B
Bromodichloromethane	< 25	25	60		ug/kg		10/2/02	SW846 8260B
Bromoform	< 25	25	60		ug/kg		10/2/02	SW846 8260B
Bromomethane	< 25	25	60		ug/kg		10/2/02	SW846 8260B
s-Butylbenzene	< 25	25	60		ug/kg		10/2/02	SW846 8260B
t-Butylbenzene	< 25	25	60		ug/kg		10/2/02	SW846 8260B
n-Butylbenzene	< 25	25	60		ug/kg		10/2/02	SW846 8260B
Carbon tetrachloride	< 25	25	60		ug/kg		10/2/02	SW846 8260B
Chloroform	< 25	25	60		ug/kg		10/2/02	SW846 8260B
Chlorobenzene	< 25	25	60		ug/kg		10/2/02	SW846 8260B
Chlorodibromomethane	< 25	25	60		ug/kg		10/2/02	SW846 8260B
Chloroethane	< 25	25	60		ug/kg		10/2/02	SW846 8260B
Chloromethane	< 25	25	60		ug/kg		10/2/02	SW846 8260B
2-Chlorotoluene	< 25	25	60		ug/kg		10/2/02	SW846 8260B
4-Chlorotoluene	< 25	25	60		ug/kg		10/2/02	SW846 8260B
1,2-Dibromo-3-chloropropane	< 50	50	120		ug/kg		10/2/02	SW846 8260B
1,2-Dibromoethane	< 25	25	60		ug/kg		10/2/02	SW846 8260B
Dibromomethane	< 25	25	60		ug/kg		10/2/02	SW846 8260B
1,3-Dichlorobenzene	< 25	25	60		ug/kg		10/2/02	SW846 8260B
1,4-Dichlorobenzene	< 25	25	60		ug/kg		10/2/02	SW846 8260B
1,2-Dichloroethane	< 25	25	60		ug/kg		10/2/02	SW846 8260B
1,2-Dichlorobenzene	< 25	25	60		ug/kg		10/2/02	SW846 8260B
1,1-Dichloroethene	< 25	25	60		ug/kg		10/2/02	SW846 8260B
cis-1,2-Dichloroethene	< 25	25	60		ug/kg		10/2/02	SW846 8260B
Dichlorodifluoromethane	< 25	25	60		ug/kg		10/2/02	SW846 8260B
trans-1,2-Dichloroethene	< 25	25	60		ug/kg		10/2/02	SW846 8260B

All soil results are reported on a dry weight basis unless otherwise noted.

**- Analytical Report -**

Project Name : DECORAH SHOPPING CENTER ANNEX

Project Number : 0702007

Client : KEY ENGINEERING GROUP, LTD.

Field ID : GP-16

Report Date : 10/3/02

Lab Sample Number : 826391-001

Collection Date : 9/27/02

WI DNR LAB ID : 405132750

Matrix Type : SOIL

1,2-Dichloropropane	< 25	25	60	ug/kg	10/2/02	SW846 8260B
1,1-Dichloroethane	< 25	25	60	ug/kg	10/2/02	SW846 8260B
1,3-Dichloropropane	< 25	25	60	ug/kg	10/2/02	SW846 8260B
2,2-Dichloropropane	< 25	25	60	ug/kg	10/2/02	SW846 8260B
1,1-Dichloropropene	< 25	25	60	ug/kg	10/2/02	SW846 8260B
cis-1,3-Dichloropropene	< 25	25	60	ug/kg	10/2/02	SW846 8260B
trans-1,3-Dichloropropene	< 25	25	60	ug/kg	10/2/02	SW846 8260B
Diisopropyl ether	< 25	25	60	ug/kg	10/2/02	SW846 8260B
Ethylbenzene	< 25	25	60	ug/kg	10/2/02	SW846 8260B
Fluorotrichloromethane	< 25	25	60	ug/kg	10/2/02	SW846 8260B
Hexachlorobutadiene	< 25	25	60	ug/kg	10/2/02	SW846 8260B
Isopropylbenzene	< 25	25	60	ug/kg	10/2/02	SW846 8260B
p-Isopropyltoluene	< 25	25	60	ug/kg	10/2/02	SW846 8260B
Methylene chloride	31	28	67	ug/kg	Q	SW846 8260B
Methyl-tert-butyl-ether	< 25	25	60	ug/kg	10/2/02	SW846 8260B
Naphthalene	< 25	25	60	ug/kg	10/2/02	SW846 8260B
n-Propylbenzene	< 25	25	60	ug/kg	10/2/02	SW846 8260B
Styrene	< 25	25	60	ug/kg	&	SW846 8260B
1,1,2,2-Tetrachloroethane	< 25	25	60	ug/kg	10/2/02	SW846 8260B
1,1,1,2-Tetrachloroethane	< 25	25	60	ug/kg	10/2/02	SW846 8260B
Tetrachloroethene	77	28	67	ug/kg	10/2/02	SW846 8260B
Toluene	< 25	25	60	ug/kg	10/2/02	SW846 8260B
1,2,3-Trichlorobenzene	< 25	25	60	ug/kg	10/2/02	SW846 8260B
1,2,4-Trichlorobenzene	< 25	25	60	ug/kg	10/2/02	SW846 8260B
1,1,1-Trichloroethane	< 25	25	60	ug/kg	10/2/02	SW846 8260B
1,1,2-Trichloroethane	< 25	25	60	ug/kg	10/2/02	SW846 8260B
1,2,4-Trimethylbenzene	< 25	25	60	ug/kg	10/2/02	SW846 8260B
Trichloroethene	< 25	25	60	ug/kg	10/2/02	SW846 8260B
1,2,3-Trichloropropane	< 25	25	60	ug/kg	10/2/02	SW846 8260B
1,3,5-Trimethylbenzene	< 25	25	60	ug/kg	10/2/02	SW846 8260B
Vinyl chloride	< 25	25	60	ug/kg	10/2/02	SW846 8260B
Xylenes, -m, -p	< 25	25	60	ug/kg	10/2/02	SW846 8260B
Xylene, -o	< 25	25	60	ug/kg	10/2/02	SW846 8260B
4-Bromofluorobenzene	103			%Recov	10/2/02	SW846 8260B
Dibromofluoromethane	94			%Recov	10/2/02	SW846 8260B
Toluene-d8	98			%Recov	10/2/02	SW846 8260B

All soil results are reported on a dry weight basis unless otherwise noted.

---

**- Analytical Report -**

Project Name : DECORAH SHOPPING CENTER ANNEX

Project Number : 0702007

Client : KEY ENGINEERING GROUP, LTD.

Field ID : GP-17

Report Date : 10/3/02

Lab Sample Number : 826391-002

Collection Date : 9/27/02

WI DNR LAB ID : 405132750

Matrix Type : SOIL

---

**Inorganic Results**

Test	Result	LOD	LOQ	EQL	Units	Code	Analysis Date	Prep Method	Analysis Method	Analyst
Solids, percent	89.4				%		9/30/02	SM2540G	SM2540G	KEG

**Organic Results**

## EPA 8260 VOLATILE LIST - SOIL/METHANOL

Prep Method: SW846 5030B Prep Date: 10/2/02 Analyst: TLT

Analyte	Result	LOD	LOQ	EQL	Units	Code	Analysis Date	Analysis Method
Benzene	< 25	25	60		ug/kg		10/2/02	SW846 8260B
Bromobenzene	< 25	25	60		ug/kg		10/2/02	SW846 8260B
Bromoform	< 25	25	60		ug/kg		10/2/02	SW846 8260B
Bromomethane	< 25	25	60		ug/kg		10/2/02	SW846 8260B
s-Butylbenzene	< 25	25	60		ug/kg		10/2/02	SW846 8260B
t-Butylbenzene	< 25	25	60		ug/kg		10/2/02	SW846 8260B
n-Butylbenzene	< 25	25	60		ug/kg		10/2/02	SW846 8260B
Carbon tetrachloride	< 25	25	60		ug/kg		10/2/02	SW846 8260B
Chloroform	< 25	25	60		ug/kg		10/2/02	SW846 8260B
Chlorobenzene	< 25	25	60		ug/kg		10/2/02	SW846 8260B
Chlorodibromomethane	< 25	25	60		ug/kg		10/2/02	SW846 8260B
Chloroethane	< 25	25	60		ug/kg		10/2/02	SW846 8260B
Chloromethane	< 25	25	60		ug/kg		10/2/02	SW846 8260B
2-Chlorotoluene	< 25	25	60		ug/kg		10/2/02	SW846 8260B
4-Chlorotoluene	< 25	25	60		ug/kg		10/2/02	SW846 8260B
1,2-Dibromo-3-chloropropane	< 50	50	120		ug/kg		10/2/02	SW846 8260B
1,2-Dibromoethane	< 25	25	60		ug/kg		10/2/02	SW846 8260B
Dibromomethane	< 25	25	60		ug/kg		10/2/02	SW846 8260B
1,3-Dichlorobenzene	< 25	25	60		ug/kg		10/2/02	SW846 8260B
1,4-Dichlorobenzene	< 25	25	60		ug/kg		10/2/02	SW846 8260B
1,2-Dichloroethane	< 25	25	60		ug/kg		10/2/02	SW846 8260B
1,2-Dichlorobenzene	< 25	25	60		ug/kg		10/2/02	SW846 8260B
1,1-Dichloroethene	< 25	25	60		ug/kg		10/2/02	SW846 8260B
cis-1,2-Dichloroethene	< 25	25	60		ug/kg		10/2/02	SW846 8260B
Dichlorodifluoromethane	< 25	25	60		ug/kg		10/2/02	SW846 8260B
trans-1,2-Dichloroethene	< 25	25	60		ug/kg		10/2/02	SW846 8260B

All soil results are reported on a dry weight basis unless otherwise noted.

**- Analytical Report -**

Project Name : DECORAH SHOPPING CENTER ANNEX

Project Number : 0702007

Client : KEY ENGINEERING GROUP, LTD.

Field ID : GP-17

Report Date : 10/3/02

Lab Sample Number : 826391-002

Collection Date : 9/27/02

WI DNR LAB ID : 405132750

Matrix Type : SOIL

1,2-Dichloropropane	< 25	25	60	ug/kg	10/2/02	SW846 8260B
1,1-Dichloroethane	< 25	25	60	ug/kg	10/2/02	SW846 8260B
1,3-Dichloropropane	< 25	25	60	ug/kg	10/2/02	SW846 8260B
2,2-Dichloropropane	< 25	25	60	ug/kg	10/2/02	SW846 8260B
1,1-Dichloropropene	< 25	25	60	ug/kg	10/2/02	SW846 8260B
cis-1,3-Dichloropropene	< 25	25	60	ug/kg	10/2/02	SW846 8260B
trans-1,3-Dichloropropene	< 25	25	60	ug/kg	10/2/02	SW846 8260B
Diisopropyl ether	< 25	25	60	ug/kg	10/2/02	SW846 8260B
Ethylbenzene	< 25	25	60	ug/kg	10/2/02	SW846 8260B
Fluorotrichloromethane	< 25	25	60	ug/kg	10/2/02	SW846 8260B
Hexachlorobutadiene	< 25	25	60	ug/kg	10/2/02	SW846 8260B
Isopropylbenzene	< 25	25	60	ug/kg	10/2/02	SW846 8260B
p-Isopropyltoluene	< 25	25	60	ug/kg	10/2/02	SW846 8260B
Methylene chloride	< 25	25	60	ug/kg	10/2/02	SW846 8260B
Methyl-tert-butyl-ether	< 25	25	60	ug/kg	10/2/02	SW846 8260B
Naphthalene	< 25	25	60	ug/kg	10/2/02	SW846 8260B
n-Propylbenzene	< 25	25	60	ug/kg	10/2/02	SW846 8260B
Styrene	< 25	25	60	ug/kg	&	SW846 8260B
1,1,2,2-Tetrachloroethane	< 25	25	60	ug/kg	10/2/02	SW846 8260B
1,1,1,2-Tetrachloroethane	< 25	25	60	ug/kg	10/2/02	SW846 8260B
Tetrachloroethene	< 25	25	60	ug/kg	10/2/02	SW846 8260B
Toluene	< 25	25	60	ug/kg	10/2/02	SW846 8260B
1,2,3-Trichlorobenzene	< 25	25	60	ug/kg	10/2/02	SW846 8260B
1,2,4-Trichlorobenzene	< 25	25	60	ug/kg	10/2/02	SW846 8260B
1,1,1-Trichloroethane	< 25	25	60	ug/kg	10/2/02	SW846 8260B
1,1,2-Trichloroethane	< 25	25	60	ug/kg	10/2/02	SW846 8260B
1,2,4-Trimethylbenzene	< 25	25	60	ug/kg	10/2/02	SW846 8260B
Trichloroethene	< 25	25	60	ug/kg	10/2/02	SW846 8260B
1,2,3-Trichloropropane	< 25	25	60	ug/kg	10/2/02	SW846 8260B
1,3,5-Trimethylbenzene	< 25	25	60	ug/kg	10/2/02	SW846 8260B
Vinyl chloride	< 25	25	60	ug/kg	10/2/02	SW846 8260B
Xylenes, -m, -p	< 25	25	60	ug/kg	10/2/02	SW846 8260B
Xylene, -o	< 25	25	60	ug/kg	10/2/02	SW846 8260B
4-Bromofluorobenzene	97			%Recov	10/2/02	SW846 8260B
Dibromofluoromethane	96			%Recov	10/2/02	SW846 8260B
Toluene-d8	96			%Recov	10/2/02	SW846 8260B

All soil results are reported on a dry weight basis unless otherwise noted.

---

**- Analytical Report -**

Project Name : DECORAH SHOPPING CENTER ANNEX

Project Number : 0702007

Client : KEY ENGINEERING GROUP, LTD.

Field ID : GP-18

Report Date : 10/3/02

Lab Sample Number : 826391-003

Collection Date : 9/27/02

WI DNR LAB ID : 405132750

Matrix Type : SOIL

---

**Inorganic Results**

Test	Result	LOD	LOQ	EQL	Units	Code	Analysis Date	Prep Method	Analysis Method	Analyst
Solids, percent	90.0				%		10/1/02	SM 2540G M	SM 2540G M	keg

**Organic Results**

EPA 8260 VOLATILE LIST - SOIL/METHANOL

Prep Method: SW846 5030B Prep Date: 10/2/02 Analyst: TLT

Analyte	Result	LOD	LOQ	EQL	Units	Code	Analysis Date	Analysis Method
Benzene	< 25	25	60		ug/kg		10/2/02	SW846 8260B
Bromobenzene	< 25	25	60		ug/kg		10/2/02	SW846 8260B
Bromochloromethane	< 25	25	60		ug/kg		10/2/02	SW846 8260B
Bromodichloromethane	< 25	25	60		ug/kg		10/2/02	SW846 8260B
Bromoform	< 25	25	60		ug/kg		10/2/02	SW846 8260B
Bromomethane	< 25	25	60		ug/kg		10/2/02	SW846 8260B
s-Butylbenzene	< 25	25	60		ug/kg		10/2/02	SW846 8260B
t-Butylbenzene	< 25	25	60		ug/kg		10/2/02	SW846 8260B
n-Butylbenzene	< 25	25	60		ug/kg		10/2/02	SW846 8260B
Carbon tetrachloride	< 25	25	60		ug/kg		10/2/02	SW846 8260B
Chloroform	< 25	25	60		ug/kg		10/2/02	SW846 8260B
Chlorobenzene	< 25	25	60		ug/kg		10/2/02	SW846 8260B
Chlorodibromomethane	< 25	25	60		ug/kg		10/2/02	SW846 8260B
Chloroethane	< 25	25	60		ug/kg		10/2/02	SW846 8260B
Chloromethane	< 25	25	60		ug/kg		10/2/02	SW846 8260B
2-Chlorotoluene	< 25	25	60		ug/kg		10/2/02	SW846 8260B
4-Chlorotoluene	< 25	25	60		ug/kg		10/2/02	SW846 8260B
1,2-Dibromo-3-chloropropane	< 50	50	120		ug/kg		10/2/02	SW846 8260B
1,2-Dibromoethane	< 25	25	60		ug/kg		10/2/02	SW846 8260B
Dibromomethane	< 25	25	60		ug/kg		10/2/02	SW846 8260B
1,3-Dichlorobenzene	< 25	25	60		ug/kg		10/2/02	SW846 8260B
1,4-Dichlorobenzene	< 25	25	60		ug/kg		10/2/02	SW846 8260B
1,2-Dichloroethane	< 25	25	60		ug/kg		10/2/02	SW846 8260B
1,2-Dichlorobenzene	< 25	25	60		ug/kg		10/2/02	SW846 8260B
1,1-Dichloroethene	< 25	25	60		ug/kg		10/2/02	SW846 8260B
cis-1,2-Dichloroethene	< 25	25	60		ug/kg		10/2/02	SW846 8260B
Dichlorodifluoromethane	< 25	25	60		ug/kg		10/2/02	SW846 8260B
trans-1,2-Dichloroethene	< 25	25	60		ug/kg		10/2/02	SW846 8260B

All soil results are reported on a dry weight basis unless otherwise noted.

**- Analytical Report -**

Project Name : DECORAH SHOPPING CENTER ANNEX

Project Number : 0702007

Client : KEY ENGINEERING GROUP, LTD.

Field ID : GP-18

Report Date : 10/3/02

Lab Sample Number : 826391-003

Collection Date : 9/27/02

WI DNR LAB ID : 405132750

Matrix Type : SOIL

1,2-Dichloropropane	< 25	25	60	ug/kg	10/2/02	SW846 8260B
1,1-Dichloroethane	< 25	25	60	ug/kg	10/2/02	SW846 8260B
1,3-Dichloropropane	< 25	25	60	ug/kg	10/2/02	SW846 8260B
2,2-Dichloropropane	< 25	25	60	ug/kg	10/2/02	SW846 8260B
1,1-Dichloropropene	< 25	25	60	ug/kg	10/2/02	SW846 8260B
cis-1,3-Dichloropropene	< 25	25	60	ug/kg	10/2/02	SW846 8260B
trans-1,3-Dichloropropene	< 25	25	60	ug/kg	10/2/02	SW846 8260B
Diisopropyl ether	< 25	25	60	ug/kg	10/2/02	SW846 8260B
Ethylbenzene	< 25	25	60	ug/kg	10/2/02	SW846 8260B
Fluorotrichloromethane	< 25	25	60	ug/kg	10/2/02	SW846 8260B
Hexachlorobutadiene	< 25	25	60	ug/kg	10/2/02	SW846 8260B
Isopropylbenzene	< 25	25	60	ug/kg	10/2/02	SW846 8260B
p-Isopropyltoluene	< 25	25	60	ug/kg	10/2/02	SW846 8260B
Methylene chloride	< 25	25	60	ug/kg	10/2/02	SW846 8260B
Methyl-tert-butyl-ether	< 25	25	60	ug/kg	10/2/02	SW846 8260B
Naphthalene	< 25	25	60	ug/kg	10/2/02	SW846 8260B
n-Propylbenzene	< 25	25	60	ug/kg	10/2/02	SW846 8260B
Styrene	< 25	25	60	ug/kg	&	SW846 8260B
1,1,2,2-Tetrachloroethane	< 25	25	60	ug/kg	10/2/02	SW846 8260B
1,1,1,2-Tetrachloroethane	< 25	25	60	ug/kg	10/2/02	SW846 8260B
Tetrachloroethene	32	28	67	ug/kg	Q	SW846 8260B
Toluene	< 25	25	60	ug/kg	10/2/02	SW846 8260B
1,2,3-Trichlorobenzene	< 25	25	60	ug/kg	10/2/02	SW846 8260B
1,2,4-Trichlorobenzene	< 25	25	60	ug/kg	10/2/02	SW846 8260B
1,1,1-Trichloroethane	< 25	25	60	ug/kg	10/2/02	SW846 8260B
1,1,2-Trichloroethane	< 25	25	60	ug/kg	10/2/02	SW846 8260B
1,2,4-Trimethylbenzene	< 25	25	60	ug/kg	10/2/02	SW846 8260B
Trichloroethene	< 25	25	60	ug/kg	10/2/02	SW846 8260B
1,2,3-Trichloropropane	< 25	25	60	ug/kg	10/2/02	SW846 8260B
1,3,5-Trimethylbenzene	< 25	25	60	ug/kg	10/2/02	SW846 8260B
Vinyl chloride	< 25	25	60	ug/kg	10/2/02	SW846 8260B
Xylenes, -m, -p	< 25	25	60	ug/kg	10/2/02	SW846 8260B
Xylene, -o	< 25	25	60	ug/kg	10/2/02	SW846 8260B
4-Bromofluorobenzene	99			%Recov	10/2/02	SW846 8260B
Dibromofluoromethane	94			%Recov	10/2/02	SW846 8260B
Toluene-d8	98			%Recov	10/2/02	SW846 8260B

All soil results are reported on a dry weight basis unless otherwise noted.

### - Analytical Report -

Project Name : DECORAH SHOPPING CENTER ANNEX

Project Number : 0702007

Client : KEY ENGINEERING GROUP, LTD.

Field ID : GP-19

Report Date : 10/3/02

Lab Sample Number : 826391-004

Collection Date : 9/27/02

WI DNR LAB ID : 405132750

Matrix Type : SOIL

### Inorganic Results

Test	Result	LOD	LOQ	EQL	Units	Code	Analysis Date	Prep Method	Analysis Method	Analyst
Solids, percent	87.9				%		9/30/02	SM2540G	SM2540G	KEG

### Organic Results

**EPA 8260 VOLATILE LIST - SOIL/METHANOL**      Prep Method: SW846 5030B      Prep Date: 10/2/02      Analyst: TLT

Analyte	Result	LOD	LOQ	EQL	Units	Code	Analysis Date	Analysis Method
Benzene	< 25	25	60		ug/kg		10/2/02	SW846 8260B
Bromobenzene	< 25	25	60		ug/kg		10/2/02	SW846 8260B
Bromochloromethane	< 25	25	60		ug/kg		10/2/02	SW846 8260B
Bromodichloromethane	< 25	25	60		ug/kg		10/2/02	SW846 8260B
Bromoform	< 25	25	60		ug/kg		10/2/02	SW846 8260B
Bromomethane	< 25	25	60		ug/kg		10/2/02	SW846 8260B
s-Butylbenzene	< 25	25	60		ug/kg		10/2/02	SW846 8260B
t-Butylbenzene	< 25	25	60		ug/kg		10/2/02	SW846 8260B
n-Butylbenzene	< 25	25	60		ug/kg		10/2/02	SW846 8260B
Carbon tetrachloride	< 25	25	60		ug/kg		10/2/02	SW846 8260B
Chloroform	< 25	25	60		ug/kg		10/2/02	SW846 8260B
Chlorobenzene	< 25	25	60		ug/kg		10/2/02	SW846 8260B
Chlorodibromomethane	< 25	25	60		ug/kg		10/2/02	SW846 8260B
Chloroethane	< 25	25	60		ug/kg		10/2/02	SW846 8260B
Chloromethane	< 25	25	60		ug/kg		10/2/02	SW846 8260B
2-Chlorotoluene	< 25	25	60		ug/kg		10/2/02	SW846 8260B
4-Chlorotoluene	< 25	25	60		ug/kg		10/2/02	SW846 8260B
1,2-Dibromo-3-chloropropane	< 50	50	120		ug/kg		10/2/02	SW846 8260B
1,2-Dibromoethane	< 25	25	60		ug/kg		10/2/02	SW846 8260B
Dibromomethane	< 25	25	60		ug/kg		10/2/02	SW846 8260B
1,3-Dichlorobenzene	< 25	25	60		ug/kg		10/2/02	SW846 8260B
1,4-Dichlorobenzene	< 25	25	60		ug/kg		10/2/02	SW846 8260B
1,2-Dichloroethane	< 25	25	60		ug/kg		10/2/02	SW846 8260B
1,2-Dichlorobenzene	< 25	25	60		ug/kg		10/2/02	SW846 8260B
1,1-Dichloroethene	< 25	25	60		ug/kg		10/2/02	SW846 8260B
cis-1,2-Dichloroethene	< 25	25	60		ug/kg		10/2/02	SW846 8260B
Dichlorodifluoromethane	< 25	25	60		ug/kg		10/2/02	SW846 8260B
trans-1,2-Dichloroethene	< 25	25	60		ug/kg		10/2/02	SW846 8260B

All soil results are reported on a dry weight basis unless otherwise noted.

**- Analytical Report -**

Project Name : DECORAH SHOPPING CENTER ANNEX

Project Number : 0702007

Client : KEY ENGINEERING GROUP, LTD.

Field ID : GP-19

Report Date : 10/3/02

Lab Sample Number : 826391-004

Collection Date : 9/27/02

WI DNR LAB ID : 405132750

Matrix Type : SOIL

1,2-Dichloropropane	< 25	25	60	ug/kg	10/2/02	SW846 8260B
1,1-Dichloroethane	< 25	25	60	ug/kg	10/2/02	SW846 8260B
1,3-Dichloropropane	< 25	25	60	ug/kg	10/2/02	SW846 8260B
2,2-Dichloropropane	< 25	25	60	ug/kg	10/2/02	SW846 8260B
1,1-Dichloropropene	< 25	25	60	ug/kg	10/2/02	SW846 8260B
cis-1,3-Dichloropropene	< 25	25	60	ug/kg	10/2/02	SW846 8260B
trans-1,3-Dichloropropene	< 25	25	60	ug/kg	10/2/02	SW846 8260B
Diisopropyl ether	< 25	25	60	ug/kg	10/2/02	SW846 8260B
Ethylbenzene	< 25	25	60	ug/kg	10/2/02	SW846 8260B
Fluorotrichloromethane	< 25	25	60	ug/kg	10/2/02	SW846 8260B
Hexachlorobutadiene	< 25	25	60	ug/kg	10/2/02	SW846 8260B
Isopropylbenzene	< 25	25	60	ug/kg	10/2/02	SW846 8260B
p-Isopropyltoluene	< 25	25	60	ug/kg	10/2/02	SW846 8260B
Methylene chloride	< 25	25	60	ug/kg	10/2/02	SW846 8260B
Methyl-tert-butyl-ether	< 25	25	60	ug/kg	10/2/02	SW846 8260B
Naphthalene	< 25	25	60	ug/kg	10/2/02	SW846 8260B
n-Propylbenzene	< 25	25	60	ug/kg	10/2/02	SW846 8260B
Styrene	< 25	25	60	ug/kg	&	SW846 8260B
1,1,2,2-Tetrachloroethane	< 25	25	60	ug/kg	10/2/02	SW846 8260B
1,1,1,2-Tetrachloroethane	< 25	25	60	ug/kg	10/2/02	SW846 8260B
Tetrachloroethene	< 25	25	60	ug/kg	10/2/02	SW846 8260B
Toluene	< 25	25	60	ug/kg	10/2/02	SW846 8260B
1,2,3-Trichlorobenzene	< 25	25	60	ug/kg	10/2/02	SW846 8260B
1,2,4-Trichlorobenzene	< 25	25	60	ug/kg	10/2/02	SW846 8260B
1,1,1-Trichloroethane	< 25	25	60	ug/kg	10/2/02	SW846 8260B
1,1,2-Trichloroethane	< 25	25	60	ug/kg	10/2/02	SW846 8260B
1,2,4-Trimethylbenzene	< 25	25	60	ug/kg	10/2/02	SW846 8260B
Trichloroethene	< 25	25	60	ug/kg	10/2/02	SW846 8260B
1,2,3-Trichloropropane	< 25	25	60	ug/kg	10/2/02	SW846 8260B
1,3,5-Trimethylbenzene	< 25	25	60	ug/kg	10/2/02	SW846 8260B
Vinyl chloride	< 25	25	60	ug/kg	10/2/02	SW846 8260B
Xylenes, -m, -p	< 25	25	60	ug/kg	10/2/02	SW846 8260B
Xylene, -o	< 25	25	60	ug/kg	10/2/02	SW846 8260B
4-Bromofluorobenzene	100			%Recov	10/2/02	SW846 8260B
Dibromofluoromethane	91			%Recov	10/2/02	SW846 8260B
Toluene-d8	95			%Recov	10/2/02	SW846 8260B

All soil results are reported on a dry weight basis unless otherwise noted.

**- Analytical Report -**

Project Name : DECORAH SHOPPING CENTER ANNEX

Project Number : 0702007

Client : KEY ENGINEERING GROUP, LTD.

Field ID : GP-20

Report Date : 10/3/02

Lab Sample Number : 826391-005

Collection Date : 9/27/02

WI DNR LAB ID : 405132750

Matrix Type : SOIL

**Inorganic Results**

Test	Result	LOD	LOQ	EQL	Units	Code	Analysis Date	Prep Method	Analysis Method	Analyst
Solids, percent	93.6				%		9/30/02	SM2540G	SM2540G	KEG

**Organic Results****EPA 8260 VOLATILE LIST - SOIL/METHANOL**

Prep Method: SW846 5030B Prep Date: 10/2/02 Analyst: TLT

Analyte	Result	LOD	LOQ	EQL	Units	Code	Analysis Date	Analysis Method
Benzene	< 25	25	60		ug/kg		10/2/02	SW846 8260B
Bromobenzene	< 25	25	60		ug/kg		10/2/02	SW846 8260B
Bromoform	< 25	25	60		ug/kg		10/2/02	SW846 8260B
Bromochloromethane	< 25	25	60		ug/kg		10/2/02	SW846 8260B
Bromodichloromethane	< 25	25	60		ug/kg		10/2/02	SW846 8260B
Bromomethane	< 25	25	60		ug/kg		10/2/02	SW846 8260B
t-Butylbenzene	< 25	25	60		ug/kg		10/2/02	SW846 8260B
s-Butylbenzene	< 25	25	60		ug/kg		10/2/02	SW846 8260B
n-Butylbenzene	< 25	25	60		ug/kg		10/2/02	SW846 8260B
Carbon tetrachloride	< 25	25	60		ug/kg		10/2/02	SW846 8260B
Chloroform	< 25	25	60		ug/kg		10/2/02	SW846 8260B
Chlorobenzene	< 25	25	60		ug/kg		10/2/02	SW846 8260B
Chlorodibromomethane	< 25	25	60		ug/kg		10/2/02	SW846 8260B
Chloroethane	< 25	25	60		ug/kg		10/2/02	SW846 8260B
Chloromethane	< 25	25	60		ug/kg		10/2/02	SW846 8260B
2-Chlorotoluene	< 25	25	60		ug/kg		10/2/02	SW846 8260B
4-Chlorotoluene	< 25	25	60		ug/kg		10/2/02	SW846 8260B
1,2-Dibromo-3-chloropropane	< 50	50	120		ug/kg		10/2/02	SW846 8260B
1,2-Dibromoethane	< 25	25	60		ug/kg		10/2/02	SW846 8260B
Dibromomethane	< 25	25	60		ug/kg		10/2/02	SW846 8260B
1,3-Dichlorobenzene	< 25	25	60		ug/kg		10/2/02	SW846 8260B
1,4-Dichlorobenzene	< 25	25	60		ug/kg		10/2/02	SW846 8260B
1,2-Dichloroethane	< 25	25	60		ug/kg		10/2/02	SW846 8260B
1,2-Dichlorobenzene	< 25	25	60		ug/kg		10/2/02	SW846 8260B
1,1-Dichloroethene	< 25	25	60		ug/kg		10/2/02	SW846 8260B
cis-1,2-Dichloroethene	< 25	25	60		ug/kg		10/2/02	SW846 8260B
Dichlorodifluoromethane	< 25	25	60		ug/kg		10/2/02	SW846 8260B
trans-1,2-Dichloroethene	< 25	25	60		ug/kg		10/2/02	SW846 8260B

All soil results are reported on a dry weight basis unless otherwise noted.

**- Analytical Report -**

Project Name : DECORAH SHOPPING CENTER ANNEX

Project Number : 0702007

Client : KEY ENGINEERING GROUP, LTD.

Field ID : GP-20

Report Date : 10/3/02

Lab Sample Number : 826391-005

Collection Date : 9/27/02

WI DNR LAB ID : 405132750

Matrix Type : SOIL

1,2-Dichloropropane	< 25	25	60	ug/kg	10/2/02	SW846 8260B
1,1-Dichloroethane	< 25	25	60	ug/kg	10/2/02	SW846 8260B
1,3-Dichloropropane	< 25	25	60	ug/kg	10/2/02	SW846 8260B
2,2-Dichloropropane	< 25	25	60	ug/kg	10/2/02	SW846 8260B
1,1-Dichloropropene	< 25	25	60	ug/kg	10/2/02	SW846 8260B
cis-1,3-Dichloropropene	< 25	25	60	ug/kg	10/2/02	SW846 8260B
trans-1,3-Dichloropropene	< 25	25	60	ug/kg	10/2/02	SW846 8260B
Diisopropyl ether	< 25	25	60	ug/kg	10/2/02	SW846 8260B
Ethylbenzene	< 25	25	60	ug/kg	10/2/02	SW846 8260B
Fluorotrichloromethane	< 25	25	60	ug/kg	10/2/02	SW846 8260B
Hexachlorobutadiene	< 25	25	60	ug/kg	10/2/02	SW846 8260B
Isopropylbenzene	< 25	25	60	ug/kg	10/2/02	SW846 8260B
p-Isopropyltoluene	< 25	25	60	ug/kg	10/2/02	SW846 8260B
Methylene chloride	< 25	25	60	ug/kg	10/2/02	SW846 8260B
Methyl-tert-butyl-ether	< 25	25	60	ug/kg	10/2/02	SW846 8260B
Naphthalene	< 25	25	60	ug/kg	10/2/02	SW846 8260B
n-Propylbenzene	< 25	25	60	ug/kg	10/2/02	SW846 8260B
Styrene	< 25	25	60	ug/kg	&	SW846 8260B
1,1,2,2-Tetrachloroethane	< 25	25	60	ug/kg	10/2/02	SW846 8260B
1,1,1,2-Tetrachloroethane	< 25	25	60	ug/kg	10/2/02	SW846 8260B
Tetrachloroethene	< 25	25	60	ug/kg	10/2/02	SW846 8260B
Toluene	< 25	25	60	ug/kg	10/2/02	SW846 8260B
1,2,3-Trichlorobenzene	< 25	25	60	ug/kg	10/2/02	SW846 8260B
1,2,4-Trichlorobenzene	< 25	25	60	ug/kg	10/2/02	SW846 8260B
1,1,1-Trichloroethane	< 25	25	60	ug/kg	10/2/02	SW846 8260B
1,1,2-Trichloroethane	< 25	25	60	ug/kg	10/2/02	SW846 8260B
1,2,4-Trimethylbenzene	< 25	25	60	ug/kg	10/2/02	SW846 8260B
Trichloroethene	< 25	25	60	ug/kg	10/2/02	SW846 8260B
1,2,3-Trichloropropane	< 25	25	60	ug/kg	10/2/02	SW846 8260B
1,3,5-Trimethylbenzene	< 25	25	60	ug/kg	10/2/02	SW846 8260B
Vinyl chloride	< 25	25	60	ug/kg	10/2/02	SW846 8260B
Xylenes, -m, -p	< 25	25	60	ug/kg	10/2/02	SW846 8260B
Xylene, -o	< 25	25	60	ug/kg	10/2/02	SW846 8260B
4-Bromofluorobenzene	100			%Recov	10/2/02	SW846 8260B
Dibromofluoromethane	92			%Recov	10/2/02	SW846 8260B
Toluene-d8	95			%Recov	10/2/02	SW846 8260B

All soil results are reported on a dry weight basis unless otherwise noted.

**- Analytical Report -**

Project Name : DECORAH SHOPPING CENTER ANNEX

Project Number : 0702007

Client : KEY ENGINEERING GROUP, LTD.

Field ID : GP-21

Report Date : 10/3/02

Lab Sample Number : 826391-006

Collection Date : 9/27/02

WI DNR LAB ID : 405132750

Matrix Type : SOIL

**Inorganic Results**

Test	Result	LOD	LOQ	EQL	Units	Code	Analysis Date	Prep Method	Analysis Method	Analyst
Solids, percent	91.2				%		9/30/02	SM2540G	SM2540G	KEG

**Organic Results****EPA 8260 VOLATILE LIST - SOIL/METHANOL**

Prep Method: SW846 5030B Prep Date: 10/2/02 Analyst: TLT

Analyte	Result	LOD	LOQ	EQL	Units	Code	Analysis Date	Analysis Method
Benzene	< 25	25	60		ug/kg		10/2/02	SW846 8260B
Bromobenzene	< 25	25	60		ug/kg		10/2/02	SW846 8260B
Bromochloromethane	< 25	25	60		ug/kg		10/2/02	SW846 8260B
Bromodichloromethane	< 25	25	60		ug/kg		10/2/02	SW846 8260B
Bromoform	< 25	25	60		ug/kg		10/2/02	SW846 8260B
Bromomethane	< 25	25	60		ug/kg		10/2/02	SW846 8260B
s-Butylbenzene	< 25	25	60		ug/kg		10/2/02	SW846 8260B
t-Butylbenzene	< 25	25	60		ug/kg		10/2/02	SW846 8260B
n-Butylbenzene	< 25	25	60		ug/kg		10/2/02	SW846 8260B
Carbon tetrachloride	< 25	25	60		ug/kg		10/2/02	SW846 8260B
Chloroform	< 25	25	60		ug/kg		10/2/02	SW846 8260B
Chlorobenzene	< 25	25	60		ug/kg		10/2/02	SW846 8260B
Chlorodibromomethane	< 25	25	60		ug/kg		10/2/02	SW846 8260B
Chloroethane	< 25	25	60		ug/kg		10/2/02	SW846 8260B
Chloromethane	< 25	25	60		ug/kg		10/2/02	SW846 8260B
2-Chlorotoluene	< 25	25	60		ug/kg		10/2/02	SW846 8260B
4-Chlorotoluene	< 25	25	60		ug/kg		10/2/02	SW846 8260B
1,2-Dibromo-3-chloropropane	< 50	50	120		ug/kg		10/2/02	SW846 8260B
1,2-Dibromoethane	< 25	25	60		ug/kg		10/2/02	SW846 8260B
Dibromomethane	< 25	25	60		ug/kg		10/2/02	SW846 8260B
1,3-Dichlorobenzene	< 25	25	60		ug/kg		10/2/02	SW846 8260B
1,4-Dichlorobenzene	< 25	25	60		ug/kg		10/2/02	SW846 8260B
1,2-Dichloroethane	< 25	25	60		ug/kg		10/2/02	SW846 8260B
1,2-Dichlorobenzene	< 25	25	60		ug/kg		10/2/02	SW846 8260B
1,1-Dichloroethene	< 25	25	60		ug/kg		10/2/02	SW846 8260B
cis-1,2-Dichloroethene	< 25	25	60		ug/kg		10/2/02	SW846 8260B
Dichlorodifluoromethane	< 25	25	60		ug/kg		10/2/02	SW846 8260B
trans-1,2-Dichloroethene	< 25	25	60		ug/kg		10/2/02	SW846 8260B

All soil results are reported on a dry weight basis unless otherwise noted.

### - Analytical Report -

Project Name : DECORAH SHOPPING CENTER ANNEX

Project Number : 0702007

Client : KEY ENGINEERING GROUP, LTD.

Field ID : GP-21

Report Date : 10/3/02

Lab Sample Number : 826391-006

Collection Date : 9/27/02

WI DNR LAB ID : 405132750

Matrix Type : SOIL

1,2-Dichloropropane	< 25	25	60	ug/kg	10/2/02	SW846 8260B
1,1-Dichloroethane	< 25	25	60	ug/kg	10/2/02	SW846 8260B
1,3-Dichloropropane	< 25	25	60	ug/kg	10/2/02	SW846 8260B
2,2-Dichloropropane	< 25	25	60	ug/kg	10/2/02	SW846 8260B
1,1-Dichloropropene	< 25	25	60	ug/kg	10/2/02	SW846 8260B
cis-1,3-Dichloropropene	< 25	25	60	ug/kg	10/2/02	SW846 8260B
trans-1,3-Dichloropropene	< 25	25	60	ug/kg	10/2/02	SW846 8260B
Diisopropyl ether	< 25	25	60	ug/kg	10/2/02	SW846 8260B
Ethylbenzene	< 25	25	60	ug/kg	10/2/02	SW846 8260B
Fluorotrichloromethane	< 25	25	60	ug/kg	10/2/02	SW846 8260B
Hexachlorobutadiene	< 25	25	60	ug/kg	10/2/02	SW846 8260B
Isopropylbenzene	< 25	25	60	ug/kg	10/2/02	SW846 8260B
p-Isopropyltoluene	< 25	25	60	ug/kg	10/2/02	SW846 8260B
Methylene chloride	< 25	25	60	ug/kg	10/2/02	SW846 8260B
Methyl-tert-butyl-ether	< 25	25	60	ug/kg	10/2/02	SW846 8260B
Naphthalene	< 25	25	60	ug/kg	10/2/02	SW846 8260B
n-Propylbenzene	< 25	25	60	ug/kg	10/2/02	SW846 8260B
Styrene	< 25	25	60	ug/kg	&	SW846 8260B
1,1,2,2-Tetrachloroethane	< 25	25	60	ug/kg	10/2/02	SW846 8260B
1,1,1,2-Tetrachloroethane	< 25	25	60	ug/kg	10/2/02	SW846 8260B
Tetrachloroethene	< 25	25	60	ug/kg	10/2/02	SW846 8260B
Toluene	< 25	25	60	ug/kg	10/2/02	SW846 8260B
1,2,3-Trichlorobenzene	< 25	25	60	ug/kg	10/2/02	SW846 8260B
1,2,4-Trichlorobenzene	< 25	25	60	ug/kg	10/2/02	SW846 8260B
1,1,1-Trichloroethane	< 25	25	60	ug/kg	10/2/02	SW846 8260B
1,1,2-Trichloroethane	< 25	25	60	ug/kg	10/2/02	SW846 8260B
1,2,4-Trimethylbenzene	< 25	25	60	ug/kg	10/2/02	SW846 8260B
Trichloroethene	< 25	25	60	ug/kg	10/2/02	SW846 8260B
1,2,3-Trichloropropane	< 25	25	60	ug/kg	10/2/02	SW846 8260B
1,3,5-Trimethylbenzene	< 25	25	60	ug/kg	10/2/02	SW846 8260B
Vinyl chloride	< 25	25	60	ug/kg	10/2/02	SW846 8260B
Xylenes, -m, -p	< 25	25	60	ug/kg	10/2/02	SW846 8260B
Xylene, -o	< 25	25	60	ug/kg	10/2/02	SW846 8260B
4-Bromofluorobenzene	107			%Recov	10/2/02	SW846 8260B
Dibromofluoromethane	98			%Recov	10/2/02	SW846 8260B
Toluene-d8	103			%Recov	10/2/02	SW846 8260B

All soil results are reported on a dry weight basis unless otherwise noted.

**- Analytical Report -**

Project Name : DECORAH SHOPPING CENTER ANNEX

Project Number : 0702007

Client : KEY ENGINEERING GROUP, LTD.

Field ID : GP-22

Report Date : 10/3/02

Lab Sample Number : 826391-007

Collection Date : 9/27/02

WI DNR LAB ID : 405132750

Matrix Type : SOIL

**Inorganic Results**

Test	Result	LOD	LOQ	EQL	Units	Code	Analysis Date	Prep Method	Analysis Method	Analyst
Solids, percent	87.2				%		9/30/02	SM2540G	SM2540G	KEG

**Organic Results****EPA 8260 VOLATILE LIST - SOIL/METHANOL**

Prep Method: SW846 5030B Prep Date: 10/2/02 Analyst: TLT

Analyte	Result	LOD	LOQ	EQL	Units	Code	Analysis Date	Analysis Method
Benzene	< 25	25	60		ug/kg		10/2/02	SW846 8260B
Bromobenzene	< 25	25	60		ug/kg		10/2/02	SW846 8260B
Bromoform	< 25	25	60		ug/kg		10/2/02	SW846 8260B
Bromochloromethane	< 25	25	60		ug/kg		10/2/02	SW846 8260B
Bromodichloromethane	< 25	25	60		ug/kg		10/2/02	SW846 8260B
Bromomethane	< 25	25	60		ug/kg		10/2/02	SW846 8260B
s-Butylbenzene	< 25	25	60		ug/kg		10/2/02	SW846 8260B
t-Butylbenzene	< 25	25	60		ug/kg		10/2/02	SW846 8260B
n-Butylbenzene	< 25	25	60		ug/kg		10/2/02	SW846 8260B
Carbon tetrachloride	< 25	25	60		ug/kg		10/2/02	SW846 8260B
Chloroform	< 25	25	60		ug/kg		10/2/02	SW846 8260B
Chlorobenzene	< 25	25	60		ug/kg		10/2/02	SW846 8260B
Chlorodibromomethane	< 25	25	60		ug/kg		10/2/02	SW846 8260B
Chloroethane	< 25	25	60		ug/kg		10/2/02	SW846 8260B
Chloromethane	< 25	25	60		ug/kg		10/2/02	SW846 8260B
2-Chlorotoluene	< 25	25	60		ug/kg		10/2/02	SW846 8260B
4-Chlorotoluene	< 25	25	60		ug/kg		10/2/02	SW846 8260B
1,2-Dibromo-3-chloropropane	< 50	50	120		ug/kg		10/2/02	SW846 8260B
1,2-Dibromoethane	< 25	25	60		ug/kg		10/2/02	SW846 8260B
Dibromomethane	< 25	25	60		ug/kg		10/2/02	SW846 8260B
1,3-Dichlorobenzene	< 25	25	60		ug/kg		10/2/02	SW846 8260B
1,4-Dichlorobenzene	< 25	25	60		ug/kg		10/2/02	SW846 8260B
1,2-Dichloroethane	< 25	25	60		ug/kg		10/2/02	SW846 8260B
1,2-Dichlorobenzene	< 25	25	60		ug/kg		10/2/02	SW846 8260B
1,1-Dichloroethene	< 25	25	60		ug/kg		10/2/02	SW846 8260B
cis-1,2-Dichloroethene	< 25	25	60		ug/kg		10/2/02	SW846 8260B
Dichlorodifluoromethane	< 25	25	60		ug/kg		10/2/02	SW846 8260B
trans-1,2-Dichloroethene	< 25	25	60		ug/kg		10/2/02	SW846 8260B

All soil results are reported on a dry weight basis unless otherwise noted.

**- Analytical Report -**

Project Name : DECORAH SHOPPING CENTER ANNEX

Project Number : 0702007

Client : KEY ENGINEERING GROUP, LTD.

Field ID : GP-22

Report Date : 10/3/02

Lab Sample Number : 826391-007

Collection Date : 9/27/02

WI DNR LAB ID : 405132750

Matrix Type : SOIL

1,2-Dichloropropane	< 25	25	60	ug/kg	10/2/02	SW846 8260B
1,1-Dichloroethane	< 25	25	60	ug/kg	10/2/02	SW846 8260B
1,3-Dichloropropane	< 25	25	60	ug/kg	10/2/02	SW846 8260B
2,2-Dichloropropane	< 25	25	60	ug/kg	10/2/02	SW846 8260B
1,1-Dichloropropene	< 25	25	60	ug/kg	10/2/02	SW846 8260B
cis-1,3-Dichloropropene	< 25	25	60	ug/kg	10/2/02	SW846 8260B
trans-1,3-Dichloropropene	< 25	25	60	ug/kg	10/2/02	SW846 8260B
Diisopropyl ether	< 25	25	60	ug/kg	10/2/02	SW846 8260B
Ethylbenzene	< 25	25	60	ug/kg	10/2/02	SW846 8260B
Fluorotrichloromethane	< 25	25	60	ug/kg	10/2/02	SW846 8260B
Hexachlorobutadiene	< 25	25	60	ug/kg	10/2/02	SW846 8260B
Isopropylbenzene	< 25	25	60	ug/kg	10/2/02	SW846 8260B
p-Isopropyltoluene	< 25	25	60	ug/kg	10/2/02	SW846 8260B
Methylene chloride	< 25	25	60	ug/kg	10/2/02	SW846 8260B
Methyl-tert-butyl-ether	< 25	25	60	ug/kg	10/2/02	SW846 8260B
Naphthalene	< 25	25	60	ug/kg	10/2/02	SW846 8260B
n-Propylbenzene	< 25	25	60	ug/kg	10/2/02	SW846 8260B
Styrene	< 25	25	60	ug/kg	&	SW846 8260B
1,1,2,2-Tetrachloroethane	< 25	25	60	ug/kg	10/2/02	SW846 8260B
1,1,1,2-Tetrachloroethane	< 25	25	60	ug/kg	10/2/02	SW846 8260B
Tetrachloroethene	< 25	25	60	ug/kg	10/2/02	SW846 8260B
Toluene	< 25	25	60	ug/kg	10/2/02	SW846 8260B
1,2,3-Trichlorobenzene	< 25	25	60	ug/kg	10/2/02	SW846 8260B
1,2,4-Trichlorobenzene	< 25	25	60	ug/kg	10/2/02	SW846 8260B
1,1,1-Trichloroethane	< 25	25	60	ug/kg	10/2/02	SW846 8260B
1,1,2-Trichloroethane	< 25	25	60	ug/kg	10/2/02	SW846 8260B
1,2,4-Trimethylbenzene	< 25	25	60	ug/kg	10/2/02	SW846 8260B
Trichloroethene	< 25	25	60	ug/kg	10/2/02	SW846 8260B
1,2,3-Trichloropropane	< 25	25	60	ug/kg	10/2/02	SW846 8260B
1,3,5-Trimethylbenzene	< 25	25	60	ug/kg	10/2/02	SW846 8260B
Vinyl chloride	< 25	25	60	ug/kg	10/2/02	SW846 8260B
Xlenes, -m, -p	< 25	25	60	ug/kg	10/2/02	SW846 8260B
Xylene, -o	< 25	25	60	ug/kg	10/2/02	SW846 8260B
4-Bromofluorobenzene	94			%Recov	10/2/02	SW846 8260B
Dibromofluoromethane	88			%Recov	10/2/02	SW846 8260B
Toluene-d8	89			%Recov	10/2/02	SW846 8260B

All soil results are reported on a dry weight basis unless otherwise noted.

---

**- Analytical Report -**

Project Name : DECORAH SHOPPING CENTER ANNEX

Project Number : 0702007

Client : KEY ENGINEERING GROUP, LTD.

Field ID : BLANK

Report Date : 10/4/02

Lab Sample Number : 826391-008

Collection Date : 9/27/02

WI DNR LAB ID : 405132750

Matrix Type : METHANOL

---

**Organic Results**

**EPA 8260 VOLATILE LIST - METHANOL**

Analyte	Result	Prep Method: SW846 5030B			Code	Prep Date:	Analyst: TLT	Analysis Date	Analysis Method
		LOD	LOQ	EQL					
Benzene	< 25	25	60		ug/L		10/2/02		SW846 8260B
Bromobenzene	< 25	25	60		ug/L		10/2/02		SW846 8260B
Bromochloromethane	< 25	25	60		ug/L		10/2/02		SW846 8260B
Bromodichloromethane	< 25	25	60		ug/L		10/2/02		SW846 8260B
Bromoform	< 25	25	60		ug/L		10/2/02		SW846 8260B
Bromomethane	< 25	25	60		ug/L		10/2/02		SW846 8260B
s-Butylbenzene	< 25	25	60		ug/L		10/2/02		SW846 8260B
t-Butylbenzene	< 25	25	60		ug/L		10/2/02		SW846 8260B
n-Butylbenzene	< 25	25	60		ug/L		10/2/02		SW846 8260B
Carbon tetrachloride	< 25	25	60		ug/L		10/2/02		SW846 8260B
Chloroform	< 25	25	60		ug/L		10/2/02		SW846 8260B
Chlorobenzene	< 25	25	60		ug/L		10/2/02		SW846 8260B
Chlorodibromomethane	< 25	25	60		ug/L		10/2/02		SW846 8260B
Chloroethane	< 25	25	60		ug/L		10/2/02		SW846 8260B
Chloromethane	< 25	25	60		ug/L		10/2/02		SW846 8260B
2-Chlorotoluene	< 25	25	60		ug/L		10/2/02		SW846 8260B
4-Chlorotoluene	< 25	25	60		ug/L		10/2/02		SW846 8260B
1,2-Dibromo-3-chloropropane	< 50	50	120		ug/L		10/2/02		SW846 8260B
1,2-Dibromoethane	< 25	25	60		ug/L		10/2/02		SW846 8260B
Dibromomethane	< 25	25	60		ug/L		10/2/02		SW846 8260B
1,3-Dichlorobenzene	< 25	25	60		ug/L		10/2/02		SW846 8260B
1,4-Dichlorobenzene	< 25	25	60		ug/L		10/2/02		SW846 8260B
1,2-Dichloroethane	< 25	25	60		ug/L		10/2/02		SW846 8260B
1,2-Dichlorobenzene	< 25	25	60		ug/L		10/2/02		SW846 8260B
1,1-Dichloroethene	< 25	25	60		ug/L		10/2/02		SW846 8260B
cis-1,2-Dichloroethene	< 25	25	60		ug/L		10/2/02		SW846 8260B
Dichlorodifluoromethane	< 25	25	60		ug/L		10/2/02		SW846 8260B
trans-1,2-Dichloroethene	< 25	25	60		ug/L		10/2/02		SW846 8260B
1,2-Dichloropropane	< 25	25	60		ug/L		10/2/02		SW846 8260B
1,1-Dichloroethane	< 25	25	60		ug/L		10/2/02		SW846 8260B
1,3-Dichloropropane	< 25	25	60		ug/L		10/2/02		SW846 8260B
2,2-Dichloropropane	< 25	25	60		ug/L		10/2/02		SW846 8260B

---

**- Analytical Report -**

Project Name : DECORAH SHOPPING CENTER ANNEX

Project Number : 0702007

Client : KEY ENGINEERING GROUP, LTD.

Field ID : BLANK

Report Date : 10/4/02

Lab Sample Number : 826391-008

Collection Date : 9/27/02

WI DNR LAB ID : 405132750

Matrix Type : METHANOL

1,1-Dichloropropene	< 25	25	60	ug/L	10/2/02	SW846 8260B
cis-1,3-Dichloropropene	< 25	25	60	ug/L	10/2/02	SW846 8260B
trans-1,3-Dichloropropene	< 25	25	60	ug/L	10/2/02	SW846 8260B
Diisopropyl ether	< 25	25	60	ug/L	10/2/02	SW846 8260B
Ethylbenzene	< 25	25	60	ug/L	10/2/02	SW846 8260B
Fluorotrichloromethane	< 25	25	60	ug/L	10/2/02	SW846 8260B
Hexachlorobutadiene	< 25	25	60	ug/L	10/2/02	SW846 8260B
Isopropylbenzene	< 25	25	60	ug/L	10/2/02	SW846 8260B
p-Isopropyltoluene	< 25	25	60	ug/L	10/2/02	SW846 8260B
Methylene chloride	34	25	60	ug/L	Q	SW846 8260B
Methyl-tert-butyl-ether	< 25	25	60	ug/L	10/2/02	SW846 8260B
Naphthalene	< 25	25	60	ug/L	10/2/02	SW846 8260B
n-Propylbenzene	< 25	25	60	ug/L	10/2/02	SW846 8260B
Styrene	< 25	25	60	ug/L	&	SW846 8260B
1,1,2,2-Tetrachloroethane	< 25	25	60	ug/L	10/2/02	SW846 8260B
1,1,1,2-Tetrachloroethane	< 25	25	60	ug/L	10/2/02	SW846 8260B
Tetrachloroethene	< 25	25	60	ug/L	10/2/02	SW846 8260B
Toluene	< 25	25	60	ug/L	10/2/02	SW846 8260B
1,2,3-Trichlorobenzene	< 25	25	60	ug/L	10/2/02	SW846 8260B
1,2,4-Trichlorobenzene	< 25	25	60	ug/L	10/2/02	SW846 8260B
1,1,1-Trichloroethane	< 25	25	60	ug/L	10/2/02	SW846 8260B
1,1,2-Trichloroethane	< 25	25	60	ug/L	10/2/02	SW846 8260B
1,2,4-Trimethylbenzene	< 25	25	60	ug/L	10/2/02	SW846 8260B
Trichloroethene	< 25	25	60	ug/L	10/2/02	SW846 8260B
1,2,3-Trichloropropane	< 25	25	60	ug/L	10/2/02	SW846 8260B
1,3,5-Trimethylbenzene	< 25	25	60	ug/L	10/2/02	SW846 8260B
Vinyl chloride	< 25	25	60	ug/L	10/2/02	SW846 8260B
Xylenes, -m, -p	< 25	25	60	ug/L	10/2/02	SW846 8260B
Xylene, -o	< 25	25	60	ug/L	10/2/02	SW846 8260B
4-Bromofluorobenzene	110			%Recov	10/2/02	SW846 8260B
Dibromofluoromethane	99			%Recov	10/2/02	SW846 8260B
Toluene-d8	101			%Recov	10/2/02	SW846 8260B



**- Analytical Report -**

Project Name : DECORAH SHOPPING CENTER ANNEX

Project Number : 0702007

Client: KEY ENGINEERING GROUP, LTD.

WI DNR LAB ID : 405132750


Sample No.	Field ID	Collection Date	Sample No.	Field ID	Collection Date
826377-001	GP-16	9/27/02			
826377-002	GP-17	9/27/02			
826377-003	GP-18	9/27/02			
826377-004	GP-19	9/27/02			
826377-005	GP-20	9/27/02			
826377-006	GP-21	9/27/02			
826377-007	GP-22	9/27/02			
826377-008	BLANK	9/27/02			

Please visit our Internet homepage at: [www.enchem.com](http://www.enchem.com)

The "Q" flag is present when a parameter has been detected below the LOQ. This indicates the results are qualified due to the uncertainty of the parameter concentration between the LOD and the LOQ.

Soil VOC detects are corrected for the total solids, unless otherwise noted.

I certify that the data contained in this Final Report has been generated and reviewed in accordance with approved methods and Laboratory Standard Operating Procedure. Exceptions, if any, are discussed in the accompanying sample comments. Release of this final report is authorized by Laboratory management, as is verified by the following signature. Reported results shall not be reproduced, except in full, without the written approval of the lab. The sample results relate only to the analytes of interest tested.

  
Approval Signature  
Date

# En Chem, Inc. Cooler Receipt Log

Batch No. 826377

Project Name or ID 0702007

No. of Coolers: 1 Temps: ROT

A. Receipt Phase: Date cooler was opened: 9-30-02 By: ds

- |  |  |                                       |                        |
|--|--|---------------------------------------|------------------------|
| 1: Were samples received on ice? (Must be ≤ 6 C).....                    | <input checked="" type="radio"/> YES   | <input type="radio"/> NO <sup>2</sup> |                        |
| 2. Was there a Temperature Blank?.....                                   | <input type="radio"/> YES              | <input checked="" type="radio"/> NO   |                        |
| 3: Were custody seals present and intact? (Record on COC).....           | <input type="radio"/> YES              | <input checked="" type="radio"/> NO   |                        |
| 4: Are COC documents present?.....                                       | <input checked="" type="radio"/> YES   | <input type="radio"/> NO <sup>2</sup> |                        |
| 5: Does this Project require quick turn around analysis?.....            | <input type="radio"/> YES              | <input checked="" type="radio"/> NO   |                        |
| 6: Is there any sub-work?.....   | <input type="radio"/> YES              | <input checked="" type="radio"/> NO   |                        |
| 7: Are there any short hold time tests?.....                             | <input type="radio"/> YES              | <input checked="" type="radio"/> NO   |                        |
| 8: Are any samples nearing expiration of hold-time? (Within 2 days)..... | <input type="radio"/> YES <sup>1</sup> | <input checked="" type="radio"/> NO   | Contacted by/Who _____ |
| 9: Do any samples need to be Filtered or Preserved in the lab?.....      | <input type="radio"/> YES <sup>1</sup> | <input checked="" type="radio"/> NO   | Contacted by/Who _____ |

B. Check-in Phase: Date samples were Checked-in: 9-30-02

By: ds

- |  |                                      |                                       |                                     |    |
|--|--------------------------------------|---------------------------------------|-------------------------------------|----|
| 1: Were all sample containers listed on the COC received and intact?.....    | <input checked="" type="radio"/> YES | <input type="radio"/> NO <sup>2</sup> | NA                                  |    |
| 2: Sign the COC as received by En Chem. Completed.....                       | <input checked="" type="radio"/> YES | <input type="radio"/> NO              |                                     |    |
| 3: Do sample labels match the COC? .....                                     | <input checked="" type="radio"/> YES | <input type="radio"/> NO <sup>2</sup> |                                     |    |
| 4: Check sample pH of preserved samples. (Not VOCs) Completed.....           | <input type="radio"/> YES            | <input type="radio"/> NO              | <input checked="" type="radio"/> NA |    |
| 5: Do samples have correct chemical preservation?.....                       | <input checked="" type="radio"/> YES | <input type="radio"/> NO <sup>2</sup> | NA                                  |    |
| 6: Are dissolved parameters field filtered?.....                             | <input type="radio"/> YES            | <input type="radio"/> NO <sup>2</sup> | <input checked="" type="radio"/> NA |    |
| 7: Are sample volumes adequate for tests requested? .....                    | <input checked="" type="radio"/> YES | <input type="radio"/> NO <sup>2</sup> |                                     |    |
| 8: Are VOC samples free of bubbles >6mm .....                                | <input checked="" type="radio"/> YES | <input type="radio"/> NO <sup>2</sup> | NA                                  |    |
| 9: Enter samples into logbook. Completed.....                                | <input checked="" type="radio"/> YES | <input type="radio"/> NO              |                                     |    |
| 10: Place laboratory sample number on all containers and COC. Completed..... | <input checked="" type="radio"/> YES | <input type="radio"/> NO              |                                     |    |
| 11: Complete Laboratory Tracking Sheet (LTS). Completed.....                 | <input type="radio"/> YES            | <input type="radio"/> NO              | <input checked="" type="radio"/> NA |    |
| 12: Start Nonconformance form. .....   | <input type="radio"/> YES            | <input type="radio"/> NO              | <input checked="" type="radio"/> NA |    |
| 13: Initiate Subcontracting procedure. Completed.....                        | <input type="radio"/> YES            | <input type="radio"/> NO              | <input checked="" type="radio"/> NA |    |
| 14: Check laboratory sample number on all containers and COC. ....           | <u>JR</u>                            | <input checked="" type="radio"/> YES  | <input type="radio"/> NO            | NA |

## Short Hold-time tests:

48 Hours or less	7 days	Footnotes
Coliform (6 hrs)	Flashpoint	1 Notify proper lab group immediately.
Hexavalent Chromium (24 Hrs)	TSS	2 Complete nonconformance memo.
BOD	Total Solids	
Nitrite or Nitrate	TDS	
Low Level Mercury	Sulfide	
Ortho Phosphorus	Free Liquids	
Turbidity	Total Volatile Solids	
Surfactants	Aqueous Extractable Organics- ALL	
Sulfite	Unpreserved VOC's	
En Core Preservation	Ash	
Color		

Rev. 9/5/2001, Attachment to 1-REC-5.  
Subject to QA Audit.

Reviewed by/date ds 10/1/02

**Organic Data Qualifiers**

- B Analyte is present in the method blank. Method blank criteria is evaluated to the laboratory method detection limit. Additionally, method blank acceptance may be based on project specific criteria or determined from analyte concentrations in the sample and are evaluated on a sample by sample basis.
- C Elevated detection limit.
- D Analyte value from diluted analysis, or surrogate result not applicable due to sample dilution.
- E Analyte concentration exceeds calibration range.
- F Surrogate results outside control criteria.
- H Extraction or analysis performed past holding time.
- J Qualitative evidence of analyte present: concentration detected is greater than the method detection limit but less than the reporting limit.
- K Detection limit may be elevated due to the presence of an unrequested analyte.
- N Spiked sample recovery not within control limits.
- P The relative percent difference between the two columns for detected concentrations was greater than 40%.
- Q The analyte has been detected between the limit of detection (LOD) and limit of quantitation (LOQ). The results are qualified due to the uncertainty of analyte concentrations within this range.
- S The relative percent difference between quantitation and confirmation columns exceeds internal quality control criteria. Because the result is unconfirmed, it has been reported as a non-detect with an elevated detection limit.
- U The analyte was not detected above the reporting limit.
- W Sample received with headspace.
- X See Sample Narrative.
- & Laboratory Control Spike recovery not within control limits.
- \*
- Duplicate analyses not within control limits.
- SUB1 Assay was subcontracted to an approved lab.
- SUB2 Assay was subcontracted to En Chem Green Bay WI Cert. #405132750.

**- Analytical Report -**

Project Name : DECORAH SHOPPING CENTER ANNEX

Project Number : 0702007

Client : KEY ENGINEERING GROUP, LTD.

Field ID : GP-16

Report Date : 10/4/02

Lab Sample Number : 826377-001

Collection Date : 9/27/02

WI DNR LAB ID : 405132750

Matrix Type : WATER

**Organic Results**

EPA 8260 VOLATILE LIST- WATER		Prep Method:		SW846 5030B	Prep Date:	10/2/02	Analyst:	JJB
Analyte	Result	LOD	LOQ	EQL	Units	Code	Analysis Date	Analysis Method
Benzene	< 0.50	0.50	1.6		ug/L		10/3/02	SW846 8260B
Bromobenzene	< 1.5	1.5	4.8		ug/L		10/3/02	SW846 8260B
Bromochloromethane	< 1.3	1.3	4.1		ug/L		10/3/02	SW846 8260B
Bromodichloromethane	< 0.46	0.46	1.5		ug/L		10/3/02	SW846 8260B
Bromoform	< 0.90	0.90	2.9		ug/L		10/3/02	SW846 8260B
Bromomethane	< 1.7	1.7	5.4		ug/L		10/3/02	SW846 8260B
s-Butylbenzene	< 1.2	1.2	3.8		ug/L		10/3/02	SW846 8260B
t-Butylbenzene	< 1.9	1.9	6.1		ug/L		10/3/02	SW846 8260B
n-Butylbenzene	< 1.3	1.3	4.1		ug/L		10/3/02	SW846 8260B
Carbon tetrachloride	< 0.94	0.94	3.0		ug/L		10/3/02	SW846 8260B
Chloroform	< 0.90	0.90	2.9		ug/L		10/3/02	SW846 8260B
Chlorobenzene	< 1.2	1.2	3.8		ug/L		10/3/02	SW846 8260B
Chlorodibromomethane	< 1.7	1.7	5.4		ug/L		10/3/02	SW846 8260B
Chloroethane	< 1.7	1.7	5.4		ug/L		10/3/02	SW846 8260B
Chloromethane	< 0.54	0.54	1.7		ug/L		10/3/02	SW846 8260B
2-Chlorotoluene	< 1.3	1.3	4.1		ug/L		10/3/02	SW846 8260B
4-Chlorotoluene	< 1.8	1.8	5.7		ug/L		10/3/02	SW846 8260B
1,2-Dibromo-3-chloropropane	< 1.8	1.8	5.7		ug/L		10/3/02	SW846 8260B
1,2-Dibromoethane	< 1.3	1.3	4.1		ug/L		10/3/02	SW846 8260B
Dibromomethane	< 1.5	1.5	4.8		ug/L		10/3/02	SW846 8260B
1,3-Dichlorobenzene	< 1.2	1.2	3.8		ug/L		10/3/02	SW846 8260B
1,4-Dichlorobenzene	< 1.3	1.3	4.1		ug/L		10/3/02	SW846 8260B
1,2-Dichloroethane	< 1.1	1.1	3.5		ug/L		10/3/02	SW846 8260B
1,2-Dichlorobenzene	< 1.4	1.4	4.5		ug/L		10/3/02	SW846 8260B
1,1-Dichloroethene	< 1.1	1.1	3.5		ug/L		10/3/02	SW846 8260B
cis-1,2-Dichloroethene	< 1.6	1.6	5.1		ug/L		10/3/02	SW846 8260B
Dichlorodifluoromethane	< 1.1	1.1	3.5		ug/L		10/3/02	SW846 8260B
trans-1,2-Dichloroethene	3.7	1.6	5.1		ug/L	Q	10/3/02	SW846 8260B
1,2-Dichloropropane	< 0.78	0.78	2.5		ug/L		10/3/02	SW846 8260B
1,1-Dichloroethane	< 1.7	1.7	5.4		ug/L		10/3/02	SW846 8260B
1,3-Dichloropropane	< 1.2	1.2	3.8		ug/L		10/3/02	SW846 8260B
2,2-Dichloropropane	< 2.0	2.0	6.4		ug/L		10/3/02	SW846 8260B

**- Analytical Report -**

Project Name : DECORAH SHOPPING CENTER ANNEX

Project Number : 0702007

Client : KEY ENGINEERING GROUP, LTD.

Field ID : GP-16

Report Date : 10/4/02

Lab Sample Number : 826377-001

Collection Date : 9/27/02

WI DNR LAB ID : 405132750

Matrix Type : WATER

1,1-Dichloropropene	< 1.6	1.6	5.1	ug/L	10/3/02	SW846 8260B	
cis-1,3-Dichloropropene	< 1.1	1.1	3.5	ug/L	10/3/02	SW846 8260B	
trans-1,3-Dichloropropene	< 1.3	1.3	4.1	ug/L	10/3/02	SW846 8260B	
Diisopropyl ether	< 1.2	1.2	3.8	ug/L	10/3/02	SW846 8260B	
Ethylbenzene	< 1.1	1.1	3.5	ug/L	10/3/02	SW846 8260B	
Fluorotrichloromethane	< 1.7	1.7	5.4	ug/L	10/3/02	SW846 8260B	
Hexachlorobutadiene	< 1.9	1.9	6.1	ug/L	10/3/02	SW846 8260B	
Isopropylbenzene	< 1.3	1.3	4.1	ug/L	10/3/02	SW846 8260B	
p-Isopropyltoluene	< 1.2	1.2	3.8	ug/L	10/3/02	SW846 8260B	
Methylene chloride	< 0.94	0.94	3.0	ug/L	10/3/02	SW846 8260B	
Methyl-tert-butyl-ether	< 1.7	1.7	5.4	ug/L	10/3/02	SW846 8260B	
Naphthalene	< 1.3	1.3	4.1	ug/L	10/3/02	SW846 8260B	
n-Propylbenzene	< 1.9	1.9	6.1	ug/L	10/3/02	SW846 8260B	
Styrene	< 1.2	1.2	3.8	ug/L	&	10/3/02	SW846 8260B
1,1,2,2-Tetrachloroethane	< 1.5	1.5	4.8	ug/L	10/3/02	SW846 8260B	
1,1,1,2-Tetrachloroethane	< 1.9	1.9	6.1	ug/L	10/3/02	SW846 8260B	
Tetrachloroethene	210	1.3	4.1	ug/L	10/3/02	SW846 8260B	
Toluene	< 1.7	1.7	5.4	ug/L	10/3/02	SW846 8260B	
1,2,3-Trichlorobenzene	< 1.5	1.5	4.8	ug/L	10/3/02	SW846 8260B	
1,2,4-Trichlorobenzene	< 1.1	1.1	3.5	ug/L	10/3/02	SW846 8260B	
1,1,1-Trichloroethane	< 1.3	1.3	4.1	ug/L	10/3/02	SW846 8260B	
1,1,2-Trichloroethane	< 1.0	1.0	3.2	ug/L	10/3/02	SW846 8260B	
1,2,4-Trimethylbenzene	< 1.4	1.4	4.5	ug/L	10/3/02	SW846 8260B	
Trichloroethene	57	0.78	2.5	ug/L	10/3/02	SW846 8260B	
1,2,3-Trichloropropane	< 1.8	1.8	5.7	ug/L	10/3/02	SW846 8260B	
1,3,5-Trimethylbenzene	< 1.3	1.3	4.1	ug/L	10/3/02	SW846 8260B	
Vinyl chloride	< 0.22	0.22	0.70	ug/L	10/3/02	SW846 8260B	
Xylenes, -m, -p	< 2.2	2.2	7.0	ug/L	10/3/02	SW846 8260B	
Xylene, -o	< 1.5	1.5	4.8	ug/L	10/3/02	SW846 8260B	
4-Bromofluorobenzene	106			%Recov	10/3/02	SW846 8260B	
Dibromofluoromethane	104			%Recov	10/3/02	SW846 8260B	
Toluene-d8	101			%Recov	10/3/02	SW846 8260B	

---

**- Analytical Report -**

Project Name : DECORAH SHOPPING CENTER ANNEX

Project Number : 0702007

Client : KEY ENGINEERING GROUP, LTD.

Field ID : GP-17

Report Date : 10/4/02

Lab Sample Number : 826377-002

Collection Date : 9/27/02

WI DNR LAB ID : 405132750

Matrix Type : WATER

---

**Organic Results**

EPA 8260 VOLATILE LIST- WATER		Prep Method: SW846 5030B			Prep Date:	10/2/02	Analyst:	JJB
Analyte	Result	LOD	LOQ	EQL	Units	Code	Analysis Date	Analysis Method
Benzene	< 0.25	0.25	0.80		ug/L		10/2/02	SW846 8260B
Bromobenzene	< 0.74	0.74	2.4		ug/L		10/2/02	SW846 8260B
Bromochloromethane	< 0.67	0.67	2.1		ug/L		10/2/02	SW846 8260B
Bromodichloromethane	< 0.23	0.23	0.73		ug/L		10/2/02	SW846 8260B
Bromoform	< 0.45	0.45	1.4		ug/L		10/2/02	SW846 8260B
Bromomethane	< 0.87	0.87	2.8		ug/L		10/2/02	SW846 8260B
s-Butylbenzene	< 0.62	0.62	2.0		ug/L		10/2/02	SW846 8260B
t-Butylbenzene	< 0.96	0.96	3.1		ug/L		10/2/02	SW846 8260B
n-Butylbenzene	< 0.65	0.65	2.1		ug/L		10/2/02	SW846 8260B
Carbon tetrachloride	< 0.47	0.47	1.5		ug/L		10/2/02	SW846 8260B
Chloroform	< 0.45	0.45	1.4		ug/L		10/2/02	SW846 8260B
Chlorobenzene	< 0.58	0.58	1.8		ug/L		10/2/02	SW846 8260B
Chlorodibromomethane	< 0.84	0.84	2.7		ug/L		10/2/02	SW846 8260B
Chloroethane	< 0.84	0.84	2.7		ug/L		10/2/02	SW846 8260B
Chloromethane	< 0.27	0.27	0.86		ug/L		10/2/02	SW846 8260B
2-Chlorotoluene	< 0.66	0.66	2.1		ug/L		10/2/02	SW846 8260B
4-Chlorotoluene	< 0.89	0.89	2.8		ug/L		10/2/02	SW846 8260B
1,2-Dibromo-3-chloropropane	< 0.88	0.88	2.8		ug/L		10/2/02	SW846 8260B
1,2-Dibromoethane	< 0.66	0.66	2.1		ug/L		10/2/02	SW846 8260B
Dibromomethane	< 0.74	0.74	2.4		ug/L		10/2/02	SW846 8260B
1,3-Dichlorobenzene	< 0.58	0.58	1.8		ug/L		10/2/02	SW846 8260B
1,4-Dichlorobenzene	< 0.63	0.63	2.0		ug/L		10/2/02	SW846 8260B
1,2-Dichloroethane	< 0.55	0.55	1.8		ug/L		10/2/02	SW846 8260B
1,2-Dichlorobenzene	< 0.71	0.71	2.3		ug/L		10/2/02	SW846 8260B
1,1-Dichloroethene	< 0.56	0.56	1.8		ug/L		10/2/02	SW846 8260B
cis-1,2-Dichloroethene	< 0.81	0.81	2.6		ug/L		10/2/02	SW846 8260B
Dichlorodifluoromethane	< 0.57	0.57	1.8		ug/L		10/2/02	SW846 8260B
trans-1,2-Dichloroethene	< 0.80	0.80	2.5		ug/L		10/2/02	SW846 8260B
1,2-Dichloropropane	< 0.39	0.39	1.2		ug/L		10/2/02	SW846 8260B
1,1-Dichloroethane	< 0.87	0.87	2.8		ug/L		10/2/02	SW846 8260B
1,3-Dichloropropane	< 0.62	0.62	2.0		ug/L		10/2/02	SW846 8260B
2,2-Dichloropropane	< 0.99	0.99	3.2		ug/L		10/2/02	SW846 8260B

**- Analytical Report -**

Project Name : DECORAH SHOPPING CENTER ANNEX

Project Number : 0702007

Client : KEY ENGINEERING GROUP, LTD.

Field ID : GP-17

Report Date : 10/4/02

Lab Sample Number : 826377-002

Collection Date : 9/27/02

WI DNR LAB ID : 405132750

Matrix Type : WATER

1,1-Dichloropropene	< 0.79	0.79	2.5	ug/L	10/2/02	SW846 8260B
cis-1,3-Dichloropropene	< 0.57	0.57	1.8	ug/L	10/2/02	SW846 8260B
trans-1,3-Dichloropropene	< 0.64	0.64	2.0	ug/L	10/2/02	SW846 8260B
Diisopropyl ether	< 0.60	0.60	1.9	ug/L	10/2/02	SW846 8260B
Ethylbenzene	< 0.53	0.53	1.7	ug/L	10/2/02	SW846 8260B
Fluorotrichloromethane	< 0.85	0.85	2.7	ug/L	10/2/02	SW846 8260B
Hexachlorobutadiene	< 0.95	0.95	3.0	ug/L	10/2/02	SW846 8260B
Isopropylbenzene	< 0.66	0.66	2.1	ug/L	10/2/02	SW846 8260B
p-Isopropyltoluene	< 0.58	0.58	1.8	ug/L	10/2/02	SW846 8260B
Methylene chloride	< 0.47	0.47	1.5	ug/L	10/2/02	SW846 8260B
Methyl-tert-butyl-ether	< 0.87	0.87	2.8	ug/L	10/2/02	SW846 8260B
Naphthalene	< 0.63	0.63	2.0	ug/L	10/2/02	SW846 8260B
n-Propylbenzene	< 0.95	0.95	3.0	ug/L	10/2/02	SW846 8260B
Styrene	< 0.62	0.62	2.0	ug/L	10/2/02	SW846 8260B
1,1,2,2-Tetrachloroethane	< 0.77	0.77	2.5	ug/L	10/2/02	SW846 8260B
1,1,1,2-Tetrachloroethane	< 0.95	0.95	3.0	ug/L	10/2/02	SW846 8260B
Tetrachloroethene	4.0	0.63	2.0	ug/L	10/2/02	SW846 8260B
Toluene	< 0.84	0.84	2.7	ug/L	10/2/02	SW846 8260B
1,2,3-Trichlorobenzene	< 0.77	0.77	2.5	ug/L	10/2/02	SW846 8260B
1,2,4-Trichlorobenzene	< 0.57	0.57	1.8	ug/L	10/2/02	SW846 8260B
1,1,1-Trichloroethane	< 0.65	0.65	2.1	ug/L	10/2/02	SW846 8260B
1,1,2-Trichloroethane	< 0.50	0.50	1.6	ug/L	10/2/02	SW846 8260B
1,2,4-Trimethylbenzene	< 0.69	0.69	2.2	ug/L	10/2/02	SW846 8260B
Trichloroethene	< 0.39	0.39	1.2	ug/L	10/2/02	SW846 8260B
1,2,3-Trichloropropane	< 0.92	0.92	2.9	ug/L	10/2/02	SW846 8260B
1,3,5-Trimethylbenzene	< 0.64	0.64	2.0	ug/L	10/2/02	SW846 8260B
Vinyl chloride	< 0.11	0.11	0.35	ug/L	10/2/02	SW846 8260B
Xylenes, -m, -p	< 1.1	1.1	3.5	ug/L	10/2/02	SW846 8260B
Xylene, -o	< 0.73	0.73	2.3	ug/L	10/2/02	SW846 8260B
4-Bromofluorobenzene	106			%Recov	10/2/02	SW846 8260B
Dibromofluoromethane	104			%Recov	10/2/02	SW846 8260B
Toluene-d8	102			%Recov	10/2/02	SW846 8260B

**- Analytical Report -**

Project Name : DECORAH SHOPPING CENTER ANNEX

Project Number : 0702007

Client : KEY ENGINEERING GROUP, LTD.

Field ID : GP-18

Report Date : 10/4/02

Lab Sample Number : 826377-003

Collection Date : 9/27/02

WI DNR LAB ID : 405132750

Matrix Type : WATER

**Organic Results**

EPA 8260 VOLATILE LIST- WATER			Prep Method: SW846 5030B		Prep Date:	10/2/02	Analyst:	JJB
Analyte	Result	LOD	. LOQ	EQL	Units	Code	Analysis Date	Analysis Method
Benzene	< 6.2	6.2	20		ug/L		10/3/02	SW846 8260B
Bromobenzene	< 18	18	57		ug/L		10/3/02	SW846 8260B
Bromoform	< 11	11	35		ug/L		10/3/02	SW846 8260B
Bromochloromethane	< 17	17	54		ug/L		10/3/02	SW846 8260B
Bromodichloromethane	< 5.8	5.8	18		ug/L		10/3/02	SW846 8260B
Bromomethane	< 22	22	70		ug/L		10/3/02	SW846 8260B
s-Butylbenzene	< 16	16	51		ug/L		10/3/02	SW846 8260B
t-Butylbenzene	< 24	24	76		ug/L		10/3/02	SW846 8260B
n-Butylbenzene	< 16	16	51		ug/L		10/3/02	SW846 8260B
Carbon tetrachloride	< 12	12	38		ug/L		10/3/02	SW846 8260B
Chloroform	< 11	11	35		ug/L		10/3/02	SW846 8260B
Chlorobenzene	< 14	14	45		ug/L		10/3/02	SW846 8260B
Chlorodibromomethane	< 21	21	67		ug/L		10/3/02	SW846 8260B
Chloroethane	< 21	21	67		ug/L		10/3/02	SW846 8260B
Chloromethane	< 6.8	6.8	22		ug/L		10/3/02	SW846 8260B
2-Chlorotoluene	< 16	16	51		ug/L		10/3/02	SW846 8260B
4-Chlorotoluene	< 22	22	70		ug/L		10/3/02	SW846 8260B
1,2-Dibromo-3-chloropropane	< 22	22	70		ug/L		10/3/02	SW846 8260B
1,2-Dibromoethane	< 16	16	51		ug/L		10/3/02	SW846 8260B
Dibromomethane	< 18	18	57		ug/L		10/3/02	SW846 8260B
1,3-Dichlorobenzene	< 14	14	45		ug/L		10/3/02	SW846 8260B
1,4-Dichlorobenzene	< 16	16	51		ug/L		10/3/02	SW846 8260B
1,2-Dichloroethane	< 14	14	45		ug/L		10/3/02	SW846 8260B
1,2-Dichlorobenzene	< 18	18	57		ug/L		10/3/02	SW846 8260B
1,1-Dichloroethene	< 14	14	45		ug/L		10/3/02	SW846 8260B
cis-1,2-Dichloroethene	< 20	20	64		ug/L		10/3/02	SW846 8260B
Dichlorodifluoromethane	< 14	14	45		ug/L		10/3/02	SW846 8260B
trans-1,2-Dichloroethene	< 20	20	64		ug/L		10/3/02	SW846 8260B
1,2-Dichloropropane	< 9.8	9.8	31		ug/L		10/3/02	SW846 8260B
1,1-Dichloroethane	< 22	22	70		ug/L		10/3/02	SW846 8260B
1,3-Dichloropropane	< 16	16	51		ug/L		10/3/02	SW846 8260B
2,2-Dichloropropane	< 25	25	80		ug/L		10/3/02	SW846 8260B

**- Analytical Report -**

Project Name : DECORAH SHOPPING CENTER ANNEX

Project Number : 0702007

Client : KEY ENGINEERING GROUP, LTD.

Field ID : GP-18

Report Date : 10/4/02

Lab Sample Number : 826377-003

Collection Date : 9/27/02

WI DNR LAB ID : 405132750

Matrix Type : WATER

1,1-Dichloropropene	< 20	20	64	ug/L	10/3/02	SW846 8260B
cis-1,3-Dichloropropene	< 14	14	45	ug/L	10/3/02	SW846 8260B
trans-1,3-Dichloropropene	< 16	16	51	ug/L	10/3/02	SW846 8260B
Diisopropyl ether	< 15	15	48	ug/L	10/3/02	SW846 8260B
Ethylbenzene	< 13	13	41	ug/L	10/3/02	SW846 8260B
Fluorotrichloromethane	< 21	21	67	ug/L	10/3/02	SW846 8260B
Hexachlorobutadiene	< 24	24	76	ug/L	10/3/02	SW846 8260B
Isopropylbenzene	< 16	16	51	ug/L	10/3/02	SW846 8260B
p-Isopropyltoluene	< 14	14	45	ug/L	10/3/02	SW846 8260B
Methylene chloride	< 12	12	38	ug/L	10/3/02	SW846 8260B
Methyl-tert-butyl-ether	< 22	22	70	ug/L	10/3/02	SW846 8260B
Naphthalene	< 16	16	51	ug/L	10/3/02	SW846 8260B
n-Propylbenzene	< 24	24	76	ug/L	10/3/02	SW846 8260B
Styrene	< 16	16	51	ug/L	&	SW846 8260B
1,1,2,2-Tetrachloroethane	< 19	19	61	ug/L	10/3/02	SW846 8260B
1,1,1,2-Tetrachloroethane	< 24	24	76	ug/L	10/3/02	SW846 8260B
Tetrachloroethene	1800	16	51	ug/L	10/3/02	SW846 8260B
Toluene	< 21	21	67	ug/L	10/3/02	SW846 8260B
1,2,3-Trichlorobenzene	< 19	19	61	ug/L	10/3/02	SW846 8260B
1,2,4-Trichlorobenzene	< 14	14	45	ug/L	10/3/02	SW846 8260B
1,1,1-Trichloroethane	< 16	16	51	ug/L	10/3/02	SW846 8260B
1,1,2-Trichloroethane	< 12	12	38	ug/L	10/3/02	SW846 8260B
1,2,4-Trimethylbenzene	< 17	17	54	ug/L	10/3/02	SW846 8260B
Trichloroethene	< 9.8	9.8	31	ug/L	10/3/02	SW846 8260B
1,2,3-Trichloropropane	< 23	23	73	ug/L	10/3/02	SW846 8260B
1,3,5-Trimethylbenzene	< 16	16	51	ug/L	10/3/02	SW846 8260B
Vinyl chloride	< 2.8	2.8	8.9	ug/L	10/3/02	SW846 8260B
Xylenes, -m, -p	< 28	28	89	ug/L	10/3/02	SW846 8260B
Xylene, -o	< 18	18	57	ug/L	10/3/02	SW846 8260B
4-Bromofluorobenzene	103			%Recov	10/3/02	SW846 8260B
Dibromofluoromethane	104			%Recov	10/3/02	SW846 8260B
Toluene-d8	101			%Recov	10/3/02	SW846 8260B

---

**- Analytical Report -**

Project Name : DECORAH SHOPPING CENTER ANNEX

Project Number : 0702007

Client : KEY ENGINEERING GROUP, LTD.

Field ID : GP-19

Report Date : 10/4/02

Lab Sample Number : 826377-004

Collection Date : 9/27/02

WI DNR LAB ID : 405132750

Matrix Type : WATER

---

**Organic Results**

EPA 8260 VOLATILE LIST- WATER		Prep Method: SW846 5030B			Prep Date:	10/2/02	Analyst:	JJB
Analyte	Result	LOD	LOQ	EQL	Units	Code	Analysis Date	Analysis Method
Benzene	0.29	0.25	0.80		ug/L	Q	10/3/02	SW846 8260B
Bromobenzene	< 0.74	0.74	2.4		ug/L		10/3/02	SW846 8260B
Bromochloromethane	< 0.67	0.67	2.1		ug/L		10/3/02	SW846 8260B
Bromodichloromethane	< 0.23	0.23	0.73		ug/L		10/3/02	SW846 8260B
Bromoform	< 0.45	0.45	1.4		ug/L		10/3/02	SW846 8260B
Bromomethane	< 0.87	0.87	2.8		ug/L		10/3/02	SW846 8260B
s-Butylbenzene	< 0.62	0.62	2.0		ug/L		10/3/02	SW846 8260B
t-Butylbenzene	< 0.96	0.96	3.1		ug/L		10/3/02	SW846 8260B
n-Butylbenzene	< 0.65	0.65	2.1		ug/L		10/3/02	SW846 8260B
Carbon tetrachloride	< 0.47	0.47	1.5		ug/L		10/3/02	SW846 8260B
Chloroform	< 0.45	0.45	1.4		ug/L		10/3/02	SW846 8260B
Chlorobenzene	< 0.58	0.58	1.8		ug/L		10/3/02	SW846 8260B
Chlorodibromomethane	< 0.84	0.84	2.7		ug/L		10/3/02	SW846 8260B
Chloroethane	< 0.84	0.84	2.7		ug/L		10/3/02	SW846 8260B
Chloromethane	< 0.27	0.27	0.86		ug/L		10/3/02	SW846 8260B
2-Chlorotoluene	< 0.66	0.66	2.1		ug/L		10/3/02	SW846 8260B
4-Chlorotoluene	< 0.89	0.89	2.8		ug/L		10/3/02	SW846 8260B
1,2-Dibromo-3-chloropropane	< 0.88	0.88	2.8		ug/L		10/3/02	SW846 8260B
1,2-Dibromoethane	< 0.66	0.66	2.1		ug/L		10/3/02	SW846 8260B
Dibromomethane	< 0.74	0.74	2.4		ug/L		10/3/02	SW846 8260B
1,3-Dichlorobenzene	< 0.58	0.58	1.8		ug/L		10/3/02	SW846 8260B
1,4-Dichlorobenzene	< 0.63	0.63	2.0		ug/L		10/3/02	SW846 8260B
1,2-Dichloroethane	< 0.55	0.55	1.8		ug/L		10/3/02	SW846 8260B
1,2-Dichlorobenzene	< 0.71	0.71	2.3		ug/L		10/3/02	SW846 8260B
1,1-Dichloroethene	< 0.56	0.56	1.8		ug/L		10/3/02	SW846 8260B
cis-1,2-Dichloroethene	< 0.81	0.81	2.6		ug/L		10/3/02	SW846 8260B
Dichlorodifluoromethane	< 0.57	0.57	1.8		ug/L		10/3/02	SW846 8260B
trans-1,2-Dichloroethene	< 0.80	0.80	2.5		ug/L		10/3/02	SW846 8260B
1,2-Dichloropropane	< 0.39	0.39	1.2		ug/L		10/3/02	SW846 8260B
1,1-Dichloroethane	< 0.87	0.87	2.8		ug/L		10/3/02	SW846 8260B
1,3-Dichloropropane	< 0.62	0.62	2.0		ug/L		10/3/02	SW846 8260B
2,2-Dichloropropane	< 0.99	0.99	3.2		ug/L		10/3/02	SW846 8260B

**- Analytical Report -**

**Project Name : DECORAH SHOPPING CENTER ANNEX**

**Project Number : 0702007**

**Client : KEY ENGINEERING GROUP, LTD.**

**Field ID : GP-19**

**Report Date : 10/4/02**

**Lab Sample Number : 826377-004**

**Collection Date : 9/27/02**

**WI DNR LAB ID : 405132750**

**Matrix Type : WATER**

1,1-Dichloropropene	< 0.79	0.79	2.5	ug/L	10/3/02	SW846 8260B
cis-1,3-Dichloropropene	< 0.57	0.57	1.8	ug/L	10/3/02	SW846 8260B
trans-1,3-Dichloropropene	< 0.64	0.64	2.0	ug/L	10/3/02	SW846 8260B
Diisopropyl ether	< 0.60	0.60	1.9	ug/L	10/3/02	SW846 8260B
Ethylbenzene	< 0.53	0.53	1.7	ug/L	10/3/02	SW846 8260B
Fluorotrichloromethane	< 0.85	0.85	2.7	ug/L	10/3/02	SW846 8260B
Hexachlorobutadiene	< 0.95	0.95	3.0	ug/L	10/3/02	SW846 8260B
Isopropylbenzene	< 0.66	0.66	2.1	ug/L	10/3/02	SW846 8260B
p-Isopropyltoluene	< 0.58	0.58	1.8	ug/L	10/3/02	SW846 8260B
Methylene chloride	< 0.47	0.47	1.5	ug/L	10/3/02	SW846 8260B
Methyl-tert-butyl-ether	< 0.87	0.87	2.8	ug/L	10/3/02	SW846 8260B
Naphthalene	1.4	0.63	2.0	ug/L	Q	SW846 8260B
n-Propylbenzene	< 0.95	0.95	3.0	ug/L	10/3/02	SW846 8260B
Styrene	< 0.62	0.62	2.0	ug/L	&	SW846 8260B
1,1,2,2-Tetrachloroethane	< 0.77	0.77	2.5	ug/L	10/3/02	SW846 8260B
1,1,1,2-Tetrachloroethane	< 0.95	0.95	3.0	ug/L	10/3/02	SW846 8260B
Tetrachloroethene	3.8	0.63	2.0	ug/L	10/3/02	SW846 8260B
Toluene	< 0.84	0.84	2.7	ug/L	10/3/02	SW846 8260B
1,2,3-Trichlorobenzene	< 0.77	0.77	2.5	ug/L	10/3/02	SW846 8260B
1,2,4-Trichlorobenzene	< 0.57	0.57	1.8	ug/L	10/3/02	SW846 8260B
1,1,1-Trichloroethane	< 0.65	0.65	2.1	ug/L	10/3/02	SW846 8260B
1,1,2-Trichloroethane	< 0.50	0.50	1.6	ug/L	10/3/02	SW846 8260B
1,2,4-Trimethylbenzene	< 0.69	0.69	2.2	ug/L	10/3/02	SW846 8260B
Trichloroethene	< 0.39	0.39	1.2	ug/L	10/3/02	SW846 8260B
1,2,3-Trichloropropane	< 0.92	0.92	2.9	ug/L	10/3/02	SW846 8260B
1,3,5-Trimethylbenzene	< 0.64	0.64	2.0	ug/L	10/3/02	SW846 8260B
Vinyl chloride	< 0.11	0.11	0.35	ug/L	10/3/02	SW846 8260B
Xylenes, -m, -p	< 1.1	1.1	3.5	ug/L	10/3/02	SW846 8260B
Xylene, -o	< 0.73	0.73	2.3	ug/L	10/3/02	SW846 8260B
4-Bromofluorobenzene	105			%Recov	10/3/02	SW846 8260B
Dibromofluoromethane	103			%Recov	10/3/02	SW846 8260B
Toluene-d8	101			%Recov	10/3/02	SW846 8260B

**- Analytical Report -**

Project Name : DECORAH SHOPPING CENTER ANNEX

Project Number : 0702007

Client : KEY ENGINEERING GROUP, LTD.

Field ID : GP-20

Report Date : 10/4/02

Lab Sample Number : 826377-005

Collection Date : 9/27/02

WI DNR LAB ID : 405132750

Matrix Type : WATER

**Organic Results**

EPA 8260 VOLATILE LIST- WATER		Prep Method:		SW846 5030B	Prep Date:	10/2/02	Analyst:	JJB
Analyte	Result	LOD	LOQ	EQL	Units	Code	Analysis Date	Analysis Method
Benzene	< 0.25	0.25	0.80		ug/L		10/3/02	SW846 8260B
Bromobenzene	< 0.74	0.74	2.4		ug/L		10/3/02	SW846 8260B
Bromoform	< 0.67	0.67	2.1		ug/L		10/3/02	SW846 8260B
Bromochloromethane	< 0.23	0.23	0.73		ug/L		10/3/02	SW846 8260B
Bromodichloromethane	< 0.45	0.45	1.4		ug/L		10/3/02	SW846 8260B
Bromomethane	< 0.87	0.87	2.8		ug/L		10/3/02	SW846 8260B
s-Butylbenzene	< 0.62	0.62	2.0		ug/L		10/3/02	SW846 8260B
t-Butylbenzene	< 0.96	0.96	3.1		ug/L		10/3/02	SW846 8260B
n-Butylbenzene	< 0.65	0.65	2.1		ug/L		10/3/02	SW846 8260B
Carbon tetrachloride	< 0.47	0.47	1.5		ug/L		10/3/02	SW846 8260B
Chloroform	< 0.45	0.45	1.4		ug/L		10/3/02	SW846 8260B
Chlorobenzene	< 0.58	0.58	1.8		ug/L		10/3/02	SW846 8260B
Chlorodibromomethane	< 0.84	0.84	2.7		ug/L		10/3/02	SW846 8260B
Chloroethane	< 0.84	0.84	2.7		ug/L		10/3/02	SW846 8260B
Chloromethane	< 0.27	0.27	0.86		ug/L		10/3/02	SW846 8260B
2-Chlorotoluene	< 0.66	0.66	2.1		ug/L		10/3/02	SW846 8260B
4-Chlorotoluene	< 0.89	0.89	2.8		ug/L		10/3/02	SW846 8260B
1,2-Dibromo-3-chloropropane	< 0.88	0.88	2.8		ug/L		10/3/02	SW846 8260B
1,2-Dibromoethane	< 0.66	0.66	2.1		ug/L		10/3/02	SW846 8260B
Dibromomethane	< 0.74	0.74	2.4		ug/L		10/3/02	SW846 8260B
1,3-Dichlorobenzene	< 0.58	0.58	1.8		ug/L		10/3/02	SW846 8260B
1,4-Dichlorobenzene	< 0.63	0.63	2.0		ug/L		10/3/02	SW846 8260B
1,2-Dichloroethane	< 0.55	0.55	1.8		ug/L		10/3/02	SW846 8260B
1,2-Dichlorobenzene	< 0.71	0.71	2.3		ug/L		10/3/02	SW846 8260B
1,1-Dichloroethene	< 0.56	0.56	1.8		ug/L		10/3/02	SW846 8260B
cis-1,2-Dichloroethene	< 0.81	0.81	2.6		ug/L		10/3/02	SW846 8260B
Dichlorodifluoromethane	< 0.57	0.57	1.8		ug/L		10/3/02	SW846 8260B
trans-1,2-Dichloroethene	< 0.80	0.80	2.5		ug/L		10/3/02	SW846 8260B
1,2-Dichloropropane	< 0.39	0.39	1.2		ug/L		10/3/02	SW846 8260B
1,1-Dichloroethane	< 0.87	0.87	2.8		ug/L		10/3/02	SW846 8260B
1,3-Dichloropropane	< 0.62	0.62	2.0		ug/L		10/3/02	SW846 8260B
2,2-Dichloropropane	< 0.99	0.99	3.2		ug/L		10/3/02	SW846 8260B

**- Analytical Report -**

Project Name : DECORAH SHOPPING CENTER ANNEX

Project Number : 0702007

Client : KEY ENGINEERING GROUP, LTD.

Field ID : GP-20

Report Date : 10/4/02

Lab Sample Number : 826377-005

Collection Date : 9/27/02

WI DNR LAB ID : 405132750

Matrix Type : WATER

1,1-Dichloropropene	< 0.79	0.79	2.5	ug/L	10/3/02	SW846 8260B	
cis-1,3-Dichloropropene	< 0.57	0.57	1.8	ug/L	10/3/02	SW846 8260B	
trans-1,3-Dichloropropene	< 0.64	0.64	2.0	ug/L	10/3/02	SW846 8260B	
Diisopropyl ether	< 0.60	0.60	1.9	ug/L	10/3/02	SW846 8260B	
Ethylbenzene	< 0.53	0.53	1.7	ug/L	10/3/02	SW846 8260B	
Fluorotrichloromethane	< 0.85	0.85	2.7	ug/L	10/3/02	SW846 8260B	
Hexachlorobutadiene	< 0.95	0.95	3.0	ug/L	10/3/02	SW846 8260B	
Isopropylbenzene	< 0.66	0.66	2.1	ug/L	10/3/02	SW846 8260B	
p-Isopropyltoluene	< 0.58	0.58	1.8	ug/L	10/3/02	SW846 8260B	
Methylene chloride	< 0.47	0.47	1.5	ug/L	10/3/02	SW846 8260B	
Methyl-tert-butyl-ether	< 0.87	0.87	2.8	ug/L	10/3/02	SW846 8260B	
Naphthalene	< 0.63	0.63	2.0	ug/L	10/3/02	SW846 8260B	
n-Propylbenzene	< 0.95	0.95	3.0	ug/L	10/3/02	SW846 8260B	
Styrene	< 0.62	0.62	2.0	ug/L	&	10/3/02	SW846 8260B
1,1,2,2-Tetrachloroethane	< 0.77	0.77	2.5	ug/L	10/3/02	SW846 8260B	
1,1,1,2-Tetrachloroethane	< 0.95	0.95	3.0	ug/L	10/3/02	SW846 8260B	
Tetrachloroethene	2.4	0.63	2.0	ug/L	10/3/02	SW846 8260B	
Toluene	< 0.84	0.84	2.7	ug/L	10/3/02	SW846 8260B	
1,2,3-Trichlorobenzene	< 0.77	0.77	2.5	ug/L	10/3/02	SW846 8260B	
1,2,4-Trichlorobenzene	< 0.57	0.57	1.8	ug/L	10/3/02	SW846 8260B	
1,1,1-Trichloroethane	< 0.65	0.65	2.1	ug/L	10/3/02	SW846 8260B	
1,1,2-Trichloroethane	< 0.50	0.50	1.6	ug/L	10/3/02	SW846 8260B	
1,2,4-Trimethylbenzene	< 0.69	0.69	2.2	ug/L	10/3/02	SW846 8260B	
Trichloroethene	< 0.39	0.39	1.2	ug/L	10/3/02	SW846 8260B	
1,2,3-Trichloropropane	< 0.92	0.92	2.9	ug/L	10/3/02	SW846 8260B	
1,3,5-Trimethylbenzene	< 0.64	0.64	2.0	ug/L	10/3/02	SW846 8260B	
Vinyl chloride	< 0.11	0.11	0.35	ug/L	10/3/02	SW846 8260B	
Xylenes, -m, -p	< 1.1	1.1	3.5	ug/L	10/3/02	SW846 8260B	
Xylene, -o	< 0.73	0.73	2.3	ug/L	10/3/02	SW846 8260B	
4-Bromofluorobenzene	104			%Recov	10/3/02	SW846 8260B	
Dibromofluoromethane	102			%Recov	10/3/02	SW846 8260B	
Toluene-d8	102			%Recov	10/3/02	SW846 8260B	

---

**- Analytical Report -**

Project Name : DECORAH SHOPPING CENTER ANNEX

Project Number : 0702007

Client : KEY ENGINEERING GROUP, LTD.

Field ID : GP-21

Report Date : 10/4/02

Lab Sample Number : 826377-006

Collection Date : 9/27/02

WI DNR LAB ID : 405132750

Matrix Type : WATER

---

**Organic Results**

EPA 8260 VOLATILE LIST- WATER		Prep Method: SW846 5030B			Prep Date:	10/2/02	Analyst:	JJB
Analyte	Result	LOD	LOQ	EQL	Units	Code	Analysis Date	Analysis Method
Benzene	< 0.25	0.25	0.80		ug/L		10/3/02	SW846 8260B
Bromobenzene	< 0.74	0.74	2.4		ug/L		10/3/02	SW846 8260B
Bromochloromethane	< 0.67	0.67	2.1		ug/L		10/3/02	SW846 8260B
Bromodichloromethane	< 0.23	0.23	0.73		ug/L		10/3/02	SW846 8260B
Bromoform	< 0.45	0.45	1.4		ug/L		10/3/02	SW846 8260B
Bromomethane	< 0.87	0.87	2.8		ug/L		10/3/02	SW846 8260B
s-Butylbenzene	< 0.62	0.62	2.0		ug/L		10/3/02	SW846 8260B
t-Butylbenzene	< 0.96	0.96	3.1		ug/L		10/3/02	SW846 8260B
n-Butylbenzene	< 0.65	0.65	2.1		ug/L		10/3/02	SW846 8260B
Carbon tetrachloride	< 0.47	0.47	1.5		ug/L		10/3/02	SW846 8260B
Chloroform	< 0.45	0.45	1.4		ug/L		10/3/02	SW846 8260B
Chlorobenzene	< 0.58	0.58	1.8		ug/L		10/3/02	SW846 8260B
Chlorodibromomethane	< 0.84	0.84	2.7		ug/L		10/3/02	SW846 8260B
Chloroethane	< 0.84	0.84	2.7		ug/L		10/3/02	SW846 8260B
Chloromethane	< 0.27	0.27	0.86		ug/L		10/3/02	SW846 8260B
2-Chlorotoluene	< 0.66	0.66	2.1		ug/L		10/3/02	SW846 8260B
4-Chlorotoluene	< 0.89	0.89	2.8		ug/L		10/3/02	SW846 8260B
1,2-Dibromo-3-chloropropane	< 0.88	0.88	2.8		ug/L		10/3/02	SW846 8260B
1,2-Dibromoethane	< 0.66	0.66	2.1		ug/L		10/3/02	SW846 8260B
Dibromomethane	< 0.74	0.74	2.4		ug/L		10/3/02	SW846 8260B
1,3-Dichlorobenzene	< 0.58	0.58	1.8		ug/L		10/3/02	SW846 8260B
1,4-Dichlorobenzene	< 0.63	0.63	2.0		ug/L		10/3/02	SW846 8260B
1,2-Dichloroethane	< 0.55	0.55	1.8		ug/L		10/3/02	SW846 8260B
1,2-Dichlorobenzene	< 0.71	0.71	2.3		ug/L		10/3/02	SW846 8260B
1,1-Dichloroethene	< 0.56	0.56	1.8		ug/L		10/3/02	SW846 8260B
cis-1,2-Dichloroethene	< 0.81	0.81	2.6		ug/L		10/3/02	SW846 8260B
Dichlorodifluoromethane	< 0.57	0.57	1.8		ug/L		10/3/02	SW846 8260B
trans-1,2-Dichloroethene	< 0.80	0.80	2.5		ug/L		10/3/02	SW846 8260B
1,2-Dichloropropane	< 0.39	0.39	1.2		ug/L		10/3/02	SW846 8260B
1,1-Dichloroethane	< 0.87	0.87	2.8		ug/L		10/3/02	SW846 8260B
1,3-Dichloropropane	< 0.62	0.62	2.0		ug/L		10/3/02	SW846 8260B
2,2-Dichloropropane	< 0.99	0.99	3.2		ug/L		10/3/02	SW846 8260B

**- Analytical Report -**

Project Name : DECORAH SHOPPING CENTER ANNEX

Project Number : 0702007

Client : KEY ENGINEERING GROUP, LTD.

Field ID : GP-21

Report Date : 10/4/02

Lab Sample Number : 826377-006

Collection Date : 9/27/02

WI DNR LAB ID : 405132750

Matrix Type : WATER

1,1-Dichloropropene	< 0.79	0.79	2.5	ug/L	10/3/02	SW846 8260B
cis-1,3-Dichloropropene	< 0.57	0.57	1.8	ug/L	10/3/02	SW846 8260B
trans-1,3-Dichloropropene	< 0.64	0.64	2.0	ug/L	10/3/02	SW846 8260B
Diisopropyl ether	< 0.60	0.60	1.9	ug/L	10/3/02	SW846 8260B
Ethylbenzene	< 0.53	0.53	1.7	ug/L	10/3/02	SW846 8260B
Fluorotrichloromethane	< 0.85	0.85	2.7	ug/L	10/3/02	SW846 8260B
Hexachlorobutadiene	< 0.95	0.95	3.0	ug/L	10/3/02	SW846 8260B
Isopropylbenzene	< 0.66	0.66	2.1	ug/L	10/3/02	SW846 8260B
p-Isopropyltoluene	< 0.58	0.58	1.8	ug/L	10/3/02	SW846 8260B
Methylene chloride	< 0.47	0.47	1.5	ug/L	10/3/02	SW846 8260B
Methyl-tert-butyl-ether	< 0.87	0.87	2.8	ug/L	10/3/02	SW846 8260B
Naphthalene	< 0.63	0.63	2.0	ug/L	10/3/02	SW846 8260B
n-Propylbenzene	< 0.95	0.95	3.0	ug/L	10/3/02	SW846 8260B
Styrene	< 0.62	0.62	2.0	ug/L	&	SW846 8260B
1,1,2,2-Tetrachloroethane	< 0.77	0.77	2.5	ug/L	10/3/02	SW846 8260B
1,1,1,2-Tetrachloroethane	< 0.95	0.95	3.0	ug/L	10/3/02	SW846 8260B
Tetrachloroethene	1.9	0.63	2.0	ug/L	Q	SW846 8260B
Toluene	< 0.84	0.84	2.7	ug/L	10/3/02	SW846 8260B
1,2,3-Trichlorobenzene	< 0.77	0.77	2.5	ug/L	10/3/02	SW846 8260B
1,2,4-Trichlorobenzene	< 0.57	0.57	1.8	ug/L	10/3/02	SW846 8260B
1,1,1-Trichloroethane	< 0.65	0.65	2.1	ug/L	10/3/02	SW846 8260B
1,1,2-Trichloroethane	< 0.50	0.50	1.6	ug/L	10/3/02	SW846 8260B
1,2,4-Trimethylbenzene	< 0.69	0.69	2.2	ug/L	10/3/02	SW846 8260B
Trichloroethene	< 0.39	0.39	1.2	ug/L	10/3/02	SW846 8260B
1,2,3-Trichloropropane	< 0.92	0.92	2.9	ug/L	10/3/02	SW846 8260B
1,3,5-Trimethylbenzene	< 0.64	0.64	2.0	ug/L	10/3/02	SW846 8260B
Vinyl chloride	< 0.11	0.11	0.35	ug/L	10/3/02	SW846 8260B
Xylenes, -m, -p	< 1.1	1.1	3.5	ug/L	10/3/02	SW846 8260B
Xylene, -o	< 0.73	0.73	2.3	ug/L	10/3/02	SW846 8260B
4-Bromofluorobenzene	106			%Recov	10/3/02	SW846 8260B
Dibromofluoromethane	101			%Recov	10/3/02	SW846 8260B
Toluene-d8	103			%Recov	10/3/02	SW846 8260B

**- Analytical Report -**

Project Name : DECORAH SHOPPING CENTER ANNEX

Project Number : 0702007

Client : KEY ENGINEERING GROUP, LTD.

Field ID : GP-22

Report Date : 10/4/02

Lab Sample Number : 826377-007

Collection Date : 9/27/02

WI DNR LAB ID : 405132750

Matrix Type : WATER

**Organic Results**

EPA 8260 VOLATILE LIST- WATER		Prep Method:		SW846 5030B	Prep Date:	10/2/02	Analyst:	JJB
Analyte	Result	LOD	LOQ	EQL	Units	Code	Analysis Date	Analysis Method
Benzene	0.27	0.25	0.80		ug/L	Q	10/3/02	SW846 8260B
Bromobenzene	< 0.74	0.74	2.4		ug/L		10/3/02	SW846 8260B
Bromochloromethane	< 0.67	0.67	2.1		ug/L		10/3/02	SW846 8260B
Bromodichloromethane	< 0.23	0.23	0.73		ug/L		10/3/02	SW846 8260B
Bromoform	< 0.45	0.45	1.4		ug/L		10/3/02	SW846 8260B
Bromomethane	< 0.87	0.87	2.8		ug/L		10/3/02	SW846 8260B
s-Butylbenzene	< 0.62	0.62	2.0		ug/L		10/3/02	SW846 8260B
t-Butylbenzene	< 0.96	0.96	3.1		ug/L		10/3/02	SW846 8260B
n-Butylbenzene	< 0.65	0.65	2.1		ug/L		10/3/02	SW846 8260B
Carbon tetrachloride	< 0.47	0.47	1.5		ug/L		10/3/02	SW846 8260B
Chloroform	< 0.45	0.45	1.4		ug/L		10/3/02	SW846 8260B
Chlorobenzene	< 0.58	0.58	1.8		ug/L		10/3/02	SW846 8260B
Chlorodibromomethane	< 0.84	0.84	2.7		ug/L		10/3/02	SW846 8260B
Chloroethane	< 0.84	0.84	2.7		ug/L		10/3/02	SW846 8260B
Chloromethane	< 0.27	0.27	0.86		ug/L		10/3/02	SW846 8260B
2-Chlorotoluene	< 0.66	0.66	2.1		ug/L		10/3/02	SW846 8260B
4-Chlorotoluene	< 0.89	0.89	2.8		ug/L		10/3/02	SW846 8260B
1,2-Dibromo-3-chloropropane	< 0.88	0.88	2.8		ug/L		10/3/02	SW846 8260B
1,2-Dibromoethane	< 0.66	0.66	2.1		ug/L		10/3/02	SW846 8260B
Dibromomethane	< 0.74	0.74	2.4		ug/L		10/3/02	SW846 8260B
1,3-Dichlorobenzene	< 0.58	0.58	1.8		ug/L		10/3/02	SW846 8260B
1,4-Dichlorobenzene	< 0.63	0.63	2.0		ug/L		10/3/02	SW846 8260B
1,2-Dichloroethane	< 0.55	0.55	1.8		ug/L		10/3/02	SW846 8260B
1,2-Dichlorobenzene	< 0.71	0.71	2.3		ug/L		10/3/02	SW846 8260B
1,1-Dichloroethene	< 0.56	0.56	1.8		ug/L		10/3/02	SW846 8260B
cis-1,2-Dichloroethene	< 0.81	0.81	2.6		ug/L		10/3/02	SW846 8260B
Dichlorodifluoromethane	< 0.57	0.57	1.8		ug/L		10/3/02	SW846 8260B
trans-1,2-Dichloroethene	< 0.80	0.80	2.5		ug/L		10/3/02	SW846 8260B
1,2-Dichloropropane	< 0.39	0.39	1.2		ug/L		10/3/02	SW846 8260B
1,1-Dichloroethane	< 0.87	0.87	2.8		ug/L		10/3/02	SW846 8260B
1,3-Dichloropropane	< 0.62	0.62	2.0		ug/L		10/3/02	SW846 8260B
2,2-Dichloropropane	< 0.99	0.99	3.2		ug/L		10/3/02	SW846 8260B

**- Analytical Report -**

Project Name : DECORAH SHOPPING CENTER ANNEX

Project Number : 0702007

Client : KEY ENGINEERING GROUP, LTD.

Field ID : GP-22

Report Date : 10/4/02

Lab Sample Number : 826377-007

Collection Date : 9/27/02

WI DNR LAB ID : 405132750

Matrix Type : WATER

1,1-Dichloropropene	< 0.79	0.79	2.5	ug/L	10/3/02	SW846 8260B	
cis-1,3-Dichloropropene	< 0.57	0.57	1.8	ug/L	10/3/02	SW846 8260B	
trans-1,3-Dichloropropene	< 0.64	0.64	2.0	ug/L	10/3/02	SW846 8260B	
Diisopropyl ether	< 0.60	0.60	1.9	ug/L	10/3/02	SW846 8260B	
Ethylbenzene	< 0.53	0.53	1.7	ug/L	10/3/02	SW846 8260B	
Fluorotrichloromethane	< 0.85	0.85	2.7	ug/L	10/3/02	SW846 8260B	
Hexachlorobutadiene	< 0.95	0.95	3.0	ug/L	10/3/02	SW846 8260B	
Isopropylbenzene	< 0.66	0.66	2.1	ug/L	10/3/02	SW846 8260B	
p-Isopropyltoluene	< 0.58	0.58	1.8	ug/L	10/3/02	SW846 8260B	
Methylene chloride	< 0.47	0.47	1.5	ug/L	10/3/02	SW846 8260B	
Methyl-tert-butyl-ether	< 0.87	0.87	2.8	ug/L	10/3/02	SW846 8260B	
Naphthalene	< 0.63	0.63	2.0	ug/L	10/3/02	SW846 8260B	
n-Propylbenzene	< 0.95	0.95	3.0	ug/L	10/3/02	SW846 8260B	
Styrene	< 0.62	0.62	2.0	ug/L	&	10/3/02	SW846 8260B
1,1,2,2-Tetrachloroethane	< 0.77	0.77	2.5	ug/L	10/3/02	SW846 8260B	
1,1,1,2-Tetrachloroethane	< 0.95	0.95	3.0	ug/L	10/3/02	SW846 8260B	
Tetrachloroethene	0.78	0.63	2.0	ug/L	Q	10/3/02	SW846 8260B
Toluene	< 0.84	0.84	2.7	ug/L	10/3/02	SW846 8260B	
1,2,3-Trichlorobenzene	< 0.77	0.77	2.5	ug/L	10/3/02	SW846 8260B	
1,2,4-Trichlorobenzene	< 0.57	0.57	1.8	ug/L	10/3/02	SW846 8260B	
1,1,1-Trichloroethane	< 0.65	0.65	2.1	ug/L	10/3/02	SW846 8260B	
1,1,2-Trichloroethane	< 0.50	0.50	1.6	ug/L	10/3/02	SW846 8260B	
1,2,4-Trimethylbenzene	< 0.69	0.69	2.2	ug/L	10/3/02	SW846 8260B	
Trichloroethene	0.39	0.39	1.2	ug/L	Q	10/3/02	SW846 8260B
1,2,3-Trichloropropane	< 0.92	0.92	2.9	ug/L	10/3/02	SW846 8260B	
1,3,5-Trimethylbenzene	< 0.64	0.64	2.0	ug/L	10/3/02	SW846 8260B	
Vinyl chloride	< 0.11	0.11	0.35	ug/L	10/3/02	SW846 8260B	
Xylenes, -m, -p	< 1.1	1.1	3.5	ug/L	10/3/02	SW846 8260B	
Xylene, -o	< 0.73	0.73	2.3	ug/L	10/3/02	SW846 8260B	
4-Bromofluorobenzene	105			%Recov	10/3/02	SW846 8260B	
Dibromofluoromethane	101			%Recov	10/3/02	SW846 8260B	
Toluene-d8	102			%Recov	10/3/02	SW846 8260B	

**- Analytical Report -**

Project Name : DECORAH SHOPPING CENTER ANNEX

Project Number : 0702007

Client : KEY ENGINEERING GROUP, LTD.

Field ID : BLANK

Report Date : 10/4/02

Lab Sample Number : 826377-008

Collection Date : 9/27/02

WI DNR LAB ID : 405132750

Matrix Type : WATER

**Organic Results**

EPA 8260 VOLATILE LIST- WATER		Prep Method: SW846 5030B			Prep Date:	10/2/02	Analyst:	JJB
Analyte	Result	LOD	LOQ	EQL	Units	Code	Analysis Date	Analysis Method
Benzene	< 0.25	0.25	0.80		ug/L		10/2/02	SW846 8260B
Bromobenzene	< 0.74	0.74	2.4		ug/L		10/2/02	SW846 8260B
Bromochloromethane	< 0.67	0.67	2.1		ug/L		10/2/02	SW846 8260B
Bromodichloromethane	< 0.23	0.23	0.73		ug/L		10/2/02	SW846 8260B
Bromoform	< 0.45	0.45	1.4		ug/L		10/2/02	SW846 8260B
Bromomethane	< 0.87	0.87	2.8		ug/L		10/2/02	SW846 8260B
s-Butylbenzene	< 0.62	0.62	2.0		ug/L		10/2/02	SW846 8260B
t-Butylbenzene	< 0.96	0.96	3.1		ug/L		10/2/02	SW846 8260B
n-Butylbenzene	< 0.65	0.65	2.1		ug/L		10/2/02	SW846 8260B
Carbon tetrachloride	< 0.47	0.47	1.5		ug/L		10/2/02	SW846 8260B
Chloroform	< 0.45	0.45	1.4		ug/L		10/2/02	SW846 8260B
Chlorobenzene	< 0.58	0.58	1.8		ug/L		10/2/02	SW846 8260B
Chlorodibromomethane	< 0.84	0.84	2.7		ug/L		10/2/02	SW846 8260B
Chloroethane	< 0.84	0.84	2.7		ug/L		10/2/02	SW846 8260B
Chloromethane	< 0.27	0.27	0.86		ug/L		10/2/02	SW846 8260B
2-Chlorotoluene	< 0.66	0.66	2.1		ug/L		10/2/02	SW846 8260B
4-Chlorotoluene	< 0.89	0.89	2.8		ug/L		10/2/02	SW846 8260B
1,2-Dibromo-3-chloropropane	< 0.88	0.88	2.8		ug/L		10/2/02	SW846 8260B
1,2-Dibromoethane	< 0.66	0.66	2.1		ug/L		10/2/02	SW846 8260B
Dibromomethane	< 0.74	0.74	2.4		ug/L		10/2/02	SW846 8260B
1,3-Dichlorobenzene	< 0.58	0.58	1.8		ug/L		10/2/02	SW846 8260B
1,4-Dichlorobenzene	< 0.63	0.63	2.0		ug/L		10/2/02	SW846 8260B
1,2-Dichloroethane	< 0.55	0.55	1.8		ug/L		10/2/02	SW846 8260B
1,2-Dichlorobenzene	< 0.71	0.71	2.3		ug/L		10/2/02	SW846 8260B
1,1-Dichloroethene	< 0.56	0.56	1.8		ug/L		10/2/02	SW846 8260B
cis-1,2-Dichloroethene	< 0.81	0.81	2.6		ug/L		10/2/02	SW846 8260B
Dichlorodifluoromethane	< 0.57	0.57	1.8		ug/L		10/2/02	SW846 8260B
trans-1,2-Dichloroethene	< 0.80	0.80	2.5		ug/L		10/2/02	SW846 8260B
1,2-Dichloropropane	< 0.39	0.39	1.2		ug/L		10/2/02	SW846 8260B
1,1-Dichloroethane	< 0.87	0.87	2.8		ug/L		10/2/02	SW846 8260B
1,3-Dichloropropane	< 0.62	0.62	2.0		ug/L		10/2/02	SW846 8260B
2,2-Dichloropropane	< 0.99	0.99	3.2		ug/L		10/2/02	SW846 8260B

**- Analytical Report -**

Project Name : DECORAH SHOPPING CENTER ANNEX

Project Number : 0702007

Client : KEY ENGINEERING GROUP, LTD.

Field ID : BLANK

Report Date : 10/4/02

Lab Sample Number : 826377-008

Collection Date : 9/27/02

WI DNR LAB ID : 405132750

Matrix Type : WATER

1,1-Dichloropropene	< 0.79	0.79	2.5	ug/L	10/2/02	SW846 8260B
cis-1,3-Dichloropropene	< 0.57	0.57	1.8	ug/L	10/2/02	SW846 8260B
trans-1,3-Dichloropropene	< 0.64	0.64	2.0	ug/L	10/2/02	SW846 8260B
Diisopropyl ether	< 0.60	0.60	1.9	ug/L	10/2/02	SW846 8260B
Ethylbenzene	< 0.53	0.53	1.7	ug/L	10/2/02	SW846 8260B
Fluorotrichloromethane	< 0.85	0.85	2.7	ug/L	10/2/02	SW846 8260B
Hexachlorobutadiene	< 0.95	0.95	3.0	ug/L	10/2/02	SW846 8260B
Isopropylbenzene	< 0.66	0.66	2.1	ug/L	10/2/02	SW846 8260B
p-Isopropyltoluene	< 0.58	0.58	1.8	ug/L	10/2/02	SW846 8260B
Methylene chloride	0.86	0.47	1.5	ug/L	Q	SW846 8260B
Methyl-tert-butyl-ether	< 0.87	0.87	2.8	ug/L	10/2/02	SW846 8260B
Naphthalene	< 0.63	0.63	2.0	ug/L	10/2/02	SW846 8260B
n-Propylbenzene	< 0.95	0.95	3.0	ug/L	10/2/02	SW846 8260B
Styrene	< 0.62	0.62	2.0	ug/L	&	SW846 8260B
1,1,2,2-Tetrachloroethane	< 0.77	0.77	2.5	ug/L	10/2/02	SW846 8260B
1,1,1,2-Tetrachloroethane	< 0.95	0.95	3.0	ug/L	10/2/02	SW846 8260B
Tetrachloroethene	< 0.63	0.63	2.0	ug/L	10/2/02	SW846 8260B
Toluene	< 0.84	0.84	2.7	ug/L	10/2/02	SW846 8260B
1,2,3-Trichlorobenzene	< 0.77	0.77	2.5	ug/L	10/2/02	SW846 8260B
1,2,4-Trichlorobenzene	< 0.57	0.57	1.8	ug/L	10/2/02	SW846 8260B
1,1,1-Trichloroethane	< 0.65	0.65	2.1	ug/L	10/2/02	SW846 8260B
1,1,2-Trichloroethane	< 0.50	0.50	1.6	ug/L	10/2/02	SW846 8260B
1,2,4-Trimethylbenzene	< 0.69	0.69	2.2	ug/L	10/2/02	SW846 8260B
Trichloroethene	< 0.39	0.39	1.2	ug/L	10/2/02	SW846 8260B
1,2,3-Trichloropropane	< 0.92	0.92	2.9	ug/L	10/2/02	SW846 8260B
1,3,5-Trimethylbenzene	< 0.64	0.64	2.0	ug/L	10/2/02	SW846 8260B
Vinyl chloride	< 0.11	0.11	0.35	ug/L	10/2/02	SW846 8260B
Xylenes, -m, -p	< 1.1	1.1	3.5	ug/L	10/2/02	SW846 8260B
Xylene, -o	< 0.73	0.73	2.3	ug/L	10/2/02	SW846 8260B
4-Bromofluorobenzene	104			%Recov	10/2/02	SW846 8260B
Dibromofluoromethane	101			%Recov	10/2/02	SW846 8260B
Toluene-d8	102			%Recov	10/2/02	SW846 8260B