



W66 N215 Commerce Court
Cedarburg, Wisconsin 53012
(262) 375-4750
(800) 645-7365
Fax (262) 375-9680

April 15, 2003

Mr. Binyoti F. Amungwafor
Wisconsin Department of Natural Resources
2300 North Dr. Martin Luther King, Jr. Drive
Post Office Box 12436
Milwaukee, Wisconsin 53212-0436



Reference: *Project Status Update*
Decorah Shopping Center Annex
1011-1025 South Main Street
West Bend, Wisconsin
WDNR FID #: 267161400
WDNR BRRTS #: 02-67-151266

KEY ENGINEERING GROUP, LTD.
File No. 0702007

Dear Mr. Amungwafor:

The purpose of this letter is to provide the Wisconsin Department of Natural Resources (WDNR) with a project status update for the above referenced site. This letter was prepared by Key Engineering Group, Ltd. (KEY) on behalf of Continental VI Fund Limited Partnership (Continental).

ADDITIONAL SITE INVESTIGATION RESULTS

The following activities have been conducted pursuant to KEY's December 4, 2002 *Project Status Update* and the WDNR's January 10, 2003 approval letter:

- March 11 and 12, 2003: Six groundwater monitoring wells and one piezometer were installed in Lincoln Drive West (two monitoring wells), Terrace Drive (two monitoring wells and one piezometer) and Sunset Drive (two monitoring wells). One to two soil samples were collected during the installation of each monitoring well and piezometer and submitted for laboratory analysis of volatile organic compounds (VOCs).
- March 19, 2003: The newly installed and seventeen existing monitoring wells/piezometers were sampled; the groundwater samples were submitted for analysis of VOCs.

The monitoring well and piezometer locations are depicted on Figure 1. The soil boring logs, monitoring well construction forms and well development forms are included in Attachment 1. The additional site investigation procedures were conducted in general accordance with KEY's February 3, 1998 *Site Investigation Work Plan*.

The soil sample analytical results are summarized in Table 1 and the laboratory report is included in Attachment 2. The soil sample analytical results indicated that toluene and tetrachloroethene (PCE) were detected in soil borings B-20, B-21, B-22, B-23, B-24 and B-25 at concentrations below respective generic and specific residual contaminant levels.

The depth to groundwater ranged from approximately 7 to 25 feet below ground surface (bgs). Groundwater elevation data is summarized on Table 2 and a groundwater elevation contour map from the March 2003 groundwater sampling event is depicted on Figure 2. Based on the groundwater elevation contour map, the site-specific groundwater flow direction is toward the north-northeast with an average gradient of approximately 0.009 feet per foot.

Mr. Binyoti F. Amungwafor

April 15, 2003

Page 2

The groundwater sample analytical results are summarized in Table 3 and on Figure 3 and the laboratory report is included in Attachment 3. The groundwater sample analytical results are summarized in Table 2 and on Figure 2 and the laboratory report is included in Attachment 3. The groundwater sample analytical results indicated that detected PCE concentrations were generally consistent or decreased with those previously detected at the previously sampled monitoring well locations. PCE was detected at concentrations above the NR 140 enforcement standard in newly installed monitoring wells MW-19, MW-20, MW-21 and P-4. PCE was not detected at the northernmost recently installed monitoring well (MW-18).

Conclusions and Projected Additional Site Investigation


The additional site investigation results indicate that the extent of PCE contamination in groundwater has not been defined down-gradient of the site. Based on this conclusion, additional investigation is proposed to further define the extent of groundwater impacts. The proposed scope of work includes installing, developing and surveying seven additional monitoring wells and one piezometer in Sunset Drive (one monitoring well), Lincoln Drive East (three monitoring wells) and Birchwood Drive (three monitoring wells and one piezometer). The approximate proposed monitoring well and piezometer locations are depicted on Figure 5. One soil sample collected from each monitoring well soil boring will be submitted for VOC analysis. One round of groundwater sampling will be conducted; groundwater samples will be analyzed for VOCs.

Continental is proceeding with a preliminary risk evaluation associated with the nearby residential properties due to the presence of significant PCE concentrations in groundwater and the relatively shallow groundwater table (approximately 7 to 11 feet bgs). This scope of work has already been approved by WDNR and Continental.


Please contact KEY if you have any questions regarding the proposed scope of work. The scope of work will be conducted following WDNR approval. An expedited review would be appreciated as Continental would like to move quickly on implementing the additional investigation.

Sincerely,

KEY ENGINEERING GROUP, LTD.



Kristopher T. King
Staff Scientist



D'Arcy J. Gravelle
Senior Project Hydrogeologist

KTK/clh

Attachments:	Table 1	Summary of Soil Sample Analytical Results
	Table 2	Summary of Groundwater Elevation Data
	Table 3	Summary of Groundwater Sample Analytical Results
	Figure 1	Site Vicinity Layout
	Figure 2	Groundwater Elevation Contour Map (March 19, 2003)
	Figure 3	Summary of Groundwater Sample Analytical Results
	Figure 4	PCE Isoconcentration Map
	Figure 5	Site Vicinity Layout with Proposed Monitoring Well Locations
	Attachment 1	Wisconsin Department of Natural Resources Forms
	Attachment 2	Soil Sample Laboratory Analytical Report
	Attachment 3	Groundwater Sample Laboratory Analytical Report

cc: Ms. Mary Mokwa, Continental IV Fund Limited Partnership
Mr. Donald P. Gallo, Reinhart, Boerner & Van Deuren, S.C.

TABLE 1
SUMMARY OF SOIL SAMPLE ANALYTICAL RESULTS

DECORAH SHOPPING CENTER ANNEX
1011-1025 South Main Street
West Bend, Wisconsin

	B-1		B-2		B-3		B-4		B-5		GP-7		GP-8		GP-9		GP-10		GP-11		GP-12		GP-13		GRCL
Depth (feet)	1-3	6-8	3.5-5.5	1-3	1-3	6-8	1-3	6-8	2-4	8-10	2-4	8-10	2-4	8-10	4-6	2-4	8-10	5-7	7-9	7-9	7-9	7-9	7-9	7-9	
Date	4/1/98	4/1/98	4/1/98	4/1/98	4/1/98	4/1/98	4/1/98	4/1/98	10/23/98	10/23/98	9/3/99	9/3/99	9/3/99	9/3/99	9/3/99	9/3/99	9/3/99	9/3/99	9/3/99	9/3/99	9/3/99	9/3/99	9/3/99		
PID (i.u.)	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	
Detected VOCs ($\mu\text{g}/\text{kg}$)																									
1,2,3-Trichlorobenzene	30	34	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25	NE
Trimethylbenzenes	99	<50	<50	<50	<50	<50	<50	<50	<50	<50	<50	<50	<50	<50	<50	<50	<50	<50	<50	<50	<50	<50	<50	<50	NE
Naphthalene	51	36 (Q)	50	38 (Q)	42	<25	42	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25	400 ¹
Xylenes	<50	35	<50	<50	<50	<50	<50	<50	<50	<50	<50	<50	<50	<75	<75	<75	<75	<75	<75	<75	<75	<75	<75	4,100	
MTBE	<25	43	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25	NE	
Tetrachloroethene	<25	<25	<25	<25	79	212	31	<25	<25	107	240	120	<25	87	1,400	340	620	60	1839 ²						
Benzene	<25	<25	<25	<25	<25	<25	<25	<25	<25	28	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25	5.5	
Toluene	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25	1,500	

Notes:

¹ - WDNR interim guidance

² - Site specific residual contaminant level based on the protection of groundwater (*Supplemental Site Investigation Report, KEY, January 18, 2000*)

Bold concentrations exceed NR 720 GRCL

GRCL - NR 720 generic residual contaminant level based on the protection of groundwater

i.u. - instrument units

MTBE - methyl tert-butyl ether

NE - not established

PID - photoionization detector

Q - concentration detected between laboratory limit of quantitation and limit of detection

$\mu\text{g}/\text{kg}$ - micrograms per kilogram

VOCs - volatile organic compounds

TABLE 1 (CONTINUED)
SUMMARY OF SOIL SAMPLE ANALYTICAL RESULTS

DECORAH SHOPPING CENTER ANNEX
1011-1025 South Main Street
West Bend, Wisconsin

	B-10	GP-14	GP-15	P-3	B-15	B-16	B-17	B-18	B-19	GP-16	GP-17	GP-18	GP-19	GP-20	GP-21	GP-22	GRCL
Depth (feet)	6-7.5	6-8	6-8	3.5-5	6-7.5	3.5-5.5	3.5-5.5	3.5-5.5	3.5-5.5	0-4	0-4	0-4	0-4	0-4	0-4	0-4	
Date	8/18/00	11/3/00	11/3/00	4/11/01	9/12/01	10/31/01	10/31/01	10/31/01	10/31/01	9/27/02	9/27/02	9/27/02	9/27/02	9/27/02	9/27/02	9/27/02	
PID (i.u.)	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	2	<1	<1	<1	<1	
Detected VOCs ($\mu\text{g}/\text{kg}$)																	
1,2,3-Trichlorobenzene	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25	NE
Trimethylbenzenes	<50	<50	<50	<50	<50	<50	<50	<50	<50	<50	<50	<50	<50	<50	<50	<50	NE
Naphthalene	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25	400 ¹
Xylenes	<75	<75	<75	<75	<75	<75	<75	<75	<75	<50	<50	<50	<50	<50	<50	<50	4,100
MTBE	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25	NE
Tetrachloroethene	<25	<25	<25	<25	<25	<25	<25	<25	<25	77	<25	32 Q	<25	<25	<25	<25	1839 ²
Benzene	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25	5.5
Toluene	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25	1,500

Notes:

¹ - WDNR interim guidance

² - Site specific residual contaminant level based on the protection of groundwater
(Supplemental Site Investigation Report, KEY, January 18, 2000)

Bold concentrations exceed NR 720 GRCL

GRCL - NR 720 generic residual contaminant level based on the protection of groundwater

i.u. - instrument units

MTBE - methyl tert-butyl ether

NE - not established

PID - photoionization detector

Q - concentration detected between laboratory limit of quantitation and limit of detection

$\mu\text{g}/\text{kg}$ - micrograms per kilogram

VOCs - volatile organic compounds

TABLE 1 (CONTINUED)

SUMMARY OF SOIL SAMPLE ANALYTICAL RESULTS

DECORAH SHOPPING CENTER ANNEX

1011-1025 South Main Street
West Bend, Wisconsin

	B-20	B-21		B-22		B-23		B-24	B-25		B-26		GRCL
Depth (feet)	8.5-10.5	8.5-10.5	13.5-15.5	11-13	16-18	8.5-10.5	16-18	28-30	18.5-20.5	23.5-25.5	21-23	26-28	
Date	3/11/03	3/11/03	3/11/03	3/11/03	3/11/03	3/11/03	3/11/03	3/11/03	3/12/03	3/12/03	3/12/03	3/12/03	
PID (i.u.)	4	4	<1	5	3	<1	4	<1	<1	<1	<1	<1	
Detected VOCs ($\mu\text{g}/\text{kg}$)													
1,2,3-Trichlorobenzene	<27	<26	<30	<30	<32	<29	<30	<31	<27	<32	<26	<32	NE
Trimethylbenzenes	<54	<52	<60	<60	<64	<58	<60	<62	<54	<64	<52	<64	NE
Naphthalene	<27	<26	<30	<30	<32	<29	<30	<31	<27	<32	<26	<32	400 ¹
Xylenes	<38	<37	<42	<42	<44	<40	<41	<43	<38	<45	<37	<44	4,100
MTBE	<27	<26	<30	<30	<32	<29	<30	<31	<27	<32	<26	<32	NE
Tetrachloroethene	<27	<26	94	<30	<32	<29	86	<31	<27	69	<26	<32	1839 ²
Benzene	<27	<26	<30	<30	<32	<29	<30	<31	<27	<32	<26	<32	5.5
Toluene	67	52	<30	36	<32	<29	<30	74	<27	<32	<26	<32	1,500

Notes:

¹ - WDNR interim guidance

² - Site specific residual contaminant level based on the protection of groundwater
(Supplemental Site Investigation Report, KEY, January 18, 2000)

Bold concentrations exceed NR 720 GRCL

GRCL - NR 720 generic residual contaminant level based on the protection of groundwater

i.u. - instrument units

MTBE - methyl tert-butyl ether

NE - not established

PID - photoionization detector

Q - concentration detected between laboratory limit of quantitation and limit of detection

$\mu\text{g}/\text{kg}$ - micrograms per kilogram

VOCs - volatile organic compounds

TABLE 2
SUMMARY OF GROUNDWATER ELEVATION DATA

DECORAH SHOPPING CENTER ANNEX
 1011-1025 South Main Street
 West Bend, Wisconsin

WELL NO.	TOP OF PVC ELEVATION (feet MSL)	DATE	DEPTH TO GROUNDWATER (feet)	GROUNDWATER ELEVATION (feet MSL)
MW-1	936.97	11/5/01	8.00	928.97
		11/15/01	8.27	928.70
		1/22/02	8.81	928.16
		3/19/03	9.29	927.68
MW-2	936.23	11/5/01	6.64	929.59
		11/15/01	6.82	929.41
		1/22/02	7.19	929.04
		3/19/03	7.50	928.73
MW-3	935.80	11/5/01	9.61	926.19
		11/15/01	9.76	926.04
		1/22/02	—	—
		3/19/03	10.39	925.41
MW-4	935.66	11/5/01	9.88	925.78
		11/15/01	10.03	925.63
		1/22/02	10.35	925.31
		3/19/03	11.04	924.62
MW-5	933.23	11/5/01	7.50	925.73
		11/15/01	7.65	925.58
		1/22/02	8.01	925.22
		3/19/03	8.63	924.60
MW-6	935.83	11/5/01	9.24	926.59
		11/15/01	9.44	926.39
		1/22/02	9.77	926.06
		3/19/03	10.08	925.75
MW-7	933.16	11/5/01	7.54	925.62
		11/15/01	7.68	925.48
		1/22/02	7.99	925.17
MW-8	932.27	11/5/01	7.07	925.20
		11/15/01	7.90	924.37
		1/22/02	7.58	924.69
		3/19/03	8.31	923.96
MW-9	933.07	11/5/01	7.72	925.35
		11/15/01	7.88	925.19
		1/22/02	8.18	924.89
		3/19/03	8.93	924.14
MW-10	932.84	11/5/01	7.47	925.37
		11/15/01	7.62	925.22
		1/22/02	7.96	924.88
		3/19/03	8.89	923.95

Notes:

* - Monitoring well installed in connection with Matanaer Auto Service property
 Benchmark: hydrant rim nut at 851 South Main Street (937.34)
 MSL - mean sea level

TABLE 2 (CONTINUED)
SUMMARY OF GROUNDWATER ELEVATION DATA

DECORAH SHOPPING CENTER ANNEX

1011-1025 South Main Street
 West Bend, Wisconsin

WELL NO.	TOP OF PVC ELEVATION (feet MSL)	DATE	DEPTH TO GROUNDWATER (feet)	GROUNDWATER ELEVATION (feet MSL)
MW-11	933.69	11/5/01	8.87	924.82
		11/15/01	---	---
		1/22/02	9.38	924.31
		3/19/03	10.38	923.31
MW-12	932.27	11/5/01	7.02	925.25
		11/15/01	7.15	925.12
		1/22/02	7.46	924.81
		3/19/03	8.14	924.13
MW-13	932.57	11/5/01	8.18	924.39
		11/15/01	8.00	924.57
		1/22/02	8.44	924.13
		3/19/03	9.50	923.07
MW-14	932.75	11/5/01	11.15	921.60
		11/15/01	11.11	921.64
		1/22/02	11.44	921.31
		3/19/03	12.35	920.40
MW-15	931.59	11/5/01	9.89	921.70
		11/15/01	9.94	921.65
		1/22/02	10.22	921.37
		3/19/03	11.06	920.53
MW-16	933.20	3/19/03	10.53	922.67
MW-17	933.87	3/19/03	11.33	922.54
MW-18	935.10	3/19/03	14.83	920.27
MW-19	934.28	3/19/03	13.60	920.68
MW-20	939.35	3/19/03	20.92	918.43
MW-21	943.45	3/19/03	24.95	918.50
P-1	935.56	11/5/01	9.70	925.86
		11/15/01	9.84	925.72
		1/22/02	10.18	925.38
		3/19/03	10.93	924.63
P-2	935.66	11/5/01	8.60	927.06
		11/15/01	9.23	926.43
		1/22/02	9.53	926.13
		3/19/03	9.84	925.82
P-3	931.82	11/5/01	6.45	925.37
		11/15/01	6.55	925.27
		1/22/02	6.60	925.22
		3/19/03	7.44	924.38
P-4	933.76	3/19/03	13.53	920.23
MW-4 *	932.89	1/22/02	8.01	924.88
MW-7*	933.92	1/22/02	8.80	925.12

Notes:

* - Monitoring well installed in connection with Matanaer Auto Service property
 Benchmark: hydrant rim nut at 851 South Main Street (937.34)
 MSL - mean sea level

TABLE 3

SUMMARY OF GROUNDWATER SAMPLE ANALYTICAL RESULTS

DECORAH SHOPPING CENTER ANNEX
1011-1025 South Main Street
West Bend, Wisconsin

Date	MW-1				MW-2				MW-3				MW-4				ES	PAL									
	4/7/98	7/31/98	10/8/99	3/19/03	4/7/98	7/31/98	10/8/99	3/19/03	4/7/98	7/31/98	10/8/99	3/31/00	8/31/00	12/4/00	4/12/01	11/5/01	3/19/03	4/7/98	7/31/98	10/8/99	3/31/00	8/31/00	12/4/00	4/12/01	3/19/03		
Detected VOCs (µg/l)																											
Trimethylbenzenes	<0.5	<0.5	<0.70	<0.50	0.3 (Q)	<0.5	<0.70	<0.50	0.2	<0.5	<0.70	<0.50	<0.50	<0.50	<0.50	<0.5	<0.5	<0.70	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	480	96	
Benzene	<0.2	<0.2	<0.25	<0.25	0.3 (Q)	0.2 (Q)	<0.25	<0.25	<0.2	<0.2	<0.25	<0.25	<0.25	<0.25	<0.25	<0.25	<0.2	<0.2	<0.25	<0.25	<0.25	<0.25	<0.25	<0.25	5	0.5	
Toluene	<0.3	<0.3	<0.38	<0.25	<0.3	<0.3	<0.38	<0.25	<0.3	<0.3	<0.38	<0.22	<0.22	<0.22	<0.25	<0.3	<0.3	<0.38	<0.22	<0.22	<0.22	<0.25	1,000	200			
Ethylbenzene	<0.2	<0.2	<0.32	<0.50	0.3 (Q)	<0.2	<0.32	<0.50	<0.2	<0.2	<0.32	<0.12	<0.12	<0.12	<0.50	<0.2	<0.2	<0.32	<0.12	<0.12	<0.12	<0.50	700	140			
Xylenes	<0.6	<0.6	<1.04	<0.50	1.0 (Q)	<0.6	<1.04	<0.50	0.5 (Q)	<0.6	<1.04	<0.74	<0.74	<0.74	<0.50	<0.6	<1.04	<0.74	<0.74	<0.74	<0.50	10,000	1,000				
MTBE	0.5 (Q)	<0.2	<0.21	<0.50	<0.2	<0.2	<0.21	<0.50	<0.2	<0.2	<0.21	<0.53	<0.53	<0.53	<0.53	<0.53	<0.53	<0.53	<0.53	<0.53	<0.53	<0.53	<0.50	60	12		
Isopropylbenzene	<0.2	<0.2	<0.33	<0.25	0.4 (Q)	<0.2	<0.33	<0.25	<0.2	<0.2	<0.33	<0.15	<0.15	<0.15	<0.15	<0.25	<0.2	<0.2	<0.33	<0.15	<0.15	<0.15	<0.25	NE	NE		
n-Butylbenzene	<0.2	<0.2	<0.43	<0.25	0.4 (Q)	<0.2	<0.43	<0.25	<0.2	<0.2	<0.43	<0.29	<0.29	<0.29	<0.29	<0.25	<0.2	<0.2	<0.43	<0.29	<0.29	<0.29	<0.29	<0.25	NE	NE	
n-Propylbenzene	<0.3	<0.3	<0.36	<0.50	0.3 (Q)	<0.3	<0.36	<0.50	<0.3	<0.3	<0.36	<0.18	<0.18	<0.18	<0.18	<0.50	<0.3	<0.36	<0.18	<0.18	<0.18	<0.50	NE	NE			
Naphthalene	<0.5	<0.5	<0.73	<0.25	0.7 (Q)	<0.5	<0.73	<0.25	0.7 (Q)	<0.5	<0.73	<0.68	<0.68	<0.68	<0.68	<0.25	<0.5	<0.73	<0.68	<0.68	<0.68	<0.68	<0.25	40	8		
Chloroform	<0.30	<0.30	<0.26	<0.25	<0.30	<0.26	<0.25	<0.30	<0.30	<0.26	<0.32	<0.32	<0.32	<0.32	<0.25	<0.30	<0.26	<0.32	<0.32	<0.32	<0.32	<0.32	<0.25	6	0.6		
Chloromethane	<0.8	<0.8	<0.29	<0.25	<0.8	<0.8	<0.29	<0.25	<0.8	<0.29	<0.24	0.72 (Q)	<0.24	<0.24	<0.24	<0.25	<0.8	<0.8	<0.29	<0.24	0.8	0.49 (Q)	<0.24	<0.25	3	0.3	
cis-1,2-Dichloroethene	<0.2	<0.2	<0.34	<0.50	<0.2	<0.2	<0.34	<0.50	<0.2	<0.2	<0.34	<1	<1	<1	<1	<0.50	<0.2	<0.2	<0.34	<1	<1	<1	<0.50	70	7		
trans-1,2-Dichloroethene	<0.20	<0.20	<0.46	<0.50	<0.20	<0.20	<0.46	<0.50	<0.20	<0.20	<0.46	<0.23	<0.23	<0.23	<0.23	<0.50	<0.20	<0.20	<0.46	<0.23	<0.23	<0.23	<0.50	100	20		
Tetrachloroethene	<0.3	<0.3	<0.56	<0.50	<0.3	<0.3	<0.56	<0.50	<0.3	<0.3	<0.56	1.6	1.3 (Q)	0.43 (Q)	1.1	0.33 (Q)	0.33 (Q)	<0.25	<0.50	1.9	0.6 (Q)	<0.56	<0.25	<0.25	<0.50	5	0.5
Trichloroethene	<0.2	<0.2	<0.39	<0.25	<0.2	<0.2	<0.39	<0.25	<0.2	<0.2	<0.39	<0.36	<0.36	<0.36	<0.36	<0.25	<0.2	<0.2	<0.39	<0.36	<0.36	<0.36	<0.25	5	0.5		

Notes:

Bold concentrations exceed NR 140 PAL

Shaded concentrations exceed NR 140 ES

ES - NR 140 enforcement standard

MTBE - methyl tert-butyl ether

NE - not established

PAL - NR 140 preventive action limit

µg/l - micrograms per liter

VOCs - volatile organic compounds

TABLE 3 (CONTINUED)

SUMMARY OF GROUNDWATER SAMPLE ANALYTICAL RESULTS

DECORAH SHOPPING CENTER ANNEX

1011-1025 South Main Street

West Bend, Wisconsin

Date	MW-5										MW-6										MW-7				ES	PAL		
	2/9/99	10/8/99	12/3/99	3/31/00	6/31/00	12/4/00	4/12/01	11/5/01	3/19/03	10/8/99	3/31/00	8/31/00	12/4/00	4/12/01	11/5/01	3/19/03	9/20/00	12/4/00	4/12/01	11/5/01								
Detected VOCs ($\mu\text{g/l}$)																												
Trimethylbenzenes	<0.5	<0.70	<0.70	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	6.5	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	480	96						
Benzene	<0.2	<0.25	<0.25	<0.25	<0.25	<0.25	<0.25	<0.25	<0.25	0.52 (Q)	<0.25	<0.25	<0.25	<0.25	<0.25	<0.25	<0.25	<0.25	<0.25	<0.25	5	0.5						
Toluene	<0.3	<0.38	<0.38	<0.22	<0.22	<0.22	<0.22	<0.22	<0.25	1.2 (Q)	<0.22	<0.22	<0.22	<0.22	<0.22	<0.22	<0.22	<0.22	<0.22	<0.22	1,000	200						
Ethylbenzene	<0.2	<0.32	<0.32	<0.12	<0.12	<0.12	<0.12	<0.12	<0.50	1.9	<0.12	<0.12	<0.12	<0.12	<0.12	<0.12	<0.12	<0.12	<0.12	<0.12	700	140						
Xylenes	<0.6	<1.04	<1.04	<0.74	<0.74	<0.74	<0.74	<0.74	<0.50	7.2	<0.74	<0.74	<0.74	<0.74	<0.74	<0.74	<0.74	<0.74	<0.74	<0.74	10,000	1,000						
MTBE	<0.2	<0.21	<0.21	<0.53	<0.53	<0.53	<0.53	<0.53	<0.50	<0.21	<0.53	<0.53	<0.53	<0.53	<0.53	<0.53	<0.50	<0.53	<0.53	<0.53	60	12						
Isopropylbenzene	<0.2	<0.33	<0.33	<0.15	<0.15	<0.15	<0.15	<0.15	<0.25	<0.33	<0.15	<0.15	<0.15	<0.15	<0.15	<0.15	<0.25	<0.15	<0.15	<0.15	NE	NE						
n-Butylbenzene	<0.2	<0.43	<0.43	<0.29	<0.29	<0.29	<0.29	<0.29	<0.25	0.49 (Q)	<0.29	<0.29	<0.29	<0.29	<0.29	<0.29	<0.29	<0.29	<0.29	<0.29	NE	NE						
n-Propylbenzene	<0.3	<0.36	<0.36	<0.18	<0.18	<0.18	<0.18	<0.18	<0.50	0.82 (Q)	<0.18	<0.18	<0.18	<0.18	<0.18	<0.18	<0.18	<0.18	<0.18	<0.18	NE	NE						
Naphthalene	<0.5	<0.73	<0.73	<0.68	<0.68	<0.68	<0.68	<0.68	<0.25	1.1 (Q)	<0.68	<0.68	<0.68	<0.68	<0.68	<0.68	<0.68	<0.68	<0.68	<0.68	40	8						
Chloroform	<0.30	<0.26	<0.26	<0.32	<0.32	<0.32	<0.32	<0.32	<0.25	<0.26	<0.32	<0.32	<0.32	<0.32	<0.32	<0.32	<0.32	<0.32	<0.32	<0.32	6	0.6						
Chloromethane	<0.8	<0.29	<0.29	<0.24	<0.24	11	<0.24	<0.24	<0.25	<0.25	<0.29	<0.24	0.48 (Q)	17	<0.24	<0.24	<0.24	<0.25	<0.24	0.55 (Q)	<0.24	<0.24	3	0.3				
cis-1,2-Dichloroethene	<0.2	<0.34	<0.34	<1	<1	<1	<1	<1	<0.50	0.38 (Q)	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	70	7						
trans-1,2-Dichloroethene	<0.20	<0.46	<0.46	<0.23	<0.23	<0.23	<0.23	<0.23	<0.50	<0.46	<0.23	<0.23	<0.23	<0.23	<0.23	<0.23	<0.50	<0.23	<0.23	<0.23	100	20						
Tetrachloroethylene	2.5	13	4	12	12	18	6.6	14	1.4	4.1	3.4	2.5	3.2	3.8	1.8	1.7	4.7	3.3	3.4	4.4	5	0.5						
Trichloroethylene	0.6	0.5 (Q)	0.9 (Q)	0.81 (Q)	1 (Q)	0.9 (Q)	0.46 (Q)	0.48 (Q)	0.53	<0.39	<0.36	<0.36	<0.36	<0.36	<0.36	<0.36	<0.25	2.4	2.3	2.2	3.2	5	0.5					

Notes:

Bold concentrations exceed NR 140 PAL

Shaded concentrations exceed NR 140 ES

ES - NR 140 enforcement standard

MTBE - methyl tert-butyl ether

NE - not established

PAL - NR 140 preventive action limit

Q - concentration detected between laboratory limit of quantitation and limit of detection

 $\mu\text{g/l}$ - micrograms per liter

VOCs - volatile organic compounds

TABLE 3 (CONTINUED)

SUMMARY OF GROUNDWATER SAMPLE ANALYTICAL RESULTS

DECORAH SHOPPING CENTER ANNEX
1011-1025 South Main Street
West Bend, Wisconsin

	MW-8			MW-9			MW-10			MW-11			MW-12			MW-13			MW-14			MW-15			MW-16			MW-17			MW-18			MW-19			MW-20			ES	PAL
Date	4/12/01	4/30/01	11/5/01	3/19/03	4/12/01	4/30/01	11/5/01	3/19/03	4/12/01	4/30/01	11/5/01	3/19/03	9/14/01	11/5/01	3/19/03	11/5/01	3/19/03	11/5/01	3/19/03	11/5/01	3/19/03	3/19/03	3/19/03	3/19/03	3/19/03	3/19/03	3/19/03	3/19/03	3/19/03	3/19/03	3/19/03	3/19/03	3/19/03	3/19/03	3/19/03	3/19/03					
Detected VOCs ($\mu\text{g/l}$)																																									
Trimethylbenzenes	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	480	96								
Benzene	<0.25	<0.25	<0.25	<0.25	<0.25	<0.25	<0.25	<0.25	<0.25	<0.25	<0.25	<0.25	<0.25	<0.25	<0.25	<0.25	<0.25	<0.25	<0.25	<0.25	<0.25	<0.25	<0.25	<0.25	<0.25	<0.25	<0.25	<0.25	<0.25	<0.25	5	0.5									
Toluene	<0.22	<0.22	<0.22	<0.22	<0.22	<0.22	<0.22	<0.22	<0.22	<0.22	<0.22	<0.22	<0.22	<0.22	<0.22	<0.22	<0.22	<0.22	<0.22	<0.22	<0.22	<0.22	<0.22	<0.22	<0.22	<0.22	<0.22	<0.22	<0.22	1000	200										
Ethylbenzene	<0.12	<0.12	<0.12	<0.50	<0.12	<0.12	<0.12	<0.50	<0.12	<0.12	<0.12	<0.12	<0.12	<0.12	<0.12	<0.12	<0.12	<0.12	<0.12	<0.12	<0.12	<0.12	<0.12	<0.12	<0.12	<0.12	<0.12	<0.12	<0.12	700	140										
Xylenes	<0.74	<0.74	<0.74	<0.50	<0.74	<0.74	<0.50	<0.74	<0.74	<0.50	<0.74	<0.50	<0.74	<0.50	<0.74	<0.50	<0.74	<0.50	<0.74	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	10,000	1,000										
MTBE	<0.53	<0.53	<0.53	<0.50	<0.53	<0.53	<0.50	<0.53	<0.53	<0.53	<0.53	<0.53	<0.53	<0.53	<0.53	<0.53	<0.53	<0.53	<0.53	<0.53	<0.53	<0.53	<0.53	<0.53	<0.53	<0.53	<0.53	<0.53	<0.53	60	12										
Isopropylbenzene	<0.15	<0.15	<0.15	<0.25	<0.15	<0.15	<0.15	<0.25	<0.15	<0.15	<0.15	<0.15	<0.15	<0.15	<0.15	<0.15	<0.15	<0.15	<0.15	<0.15	<0.15	<0.15	<0.15	<0.15	<0.15	<0.15	<0.15	<0.15	<0.15	NE	NE										
n-Butylbenzene	<0.29	<0.29	<0.29	<0.25	<0.29	<0.29	<0.25	<0.29	<0.29	<0.29	<0.29	<0.29	<0.29	<0.29	<0.29	<0.29	<0.29	<0.29	<0.29	<0.29	<0.29	<0.29	<0.29	<0.29	<0.29	<0.29	<0.29	<0.29	<0.29	NE	NE										
n-Propylbenzene	<0.18	<0.18	<0.18	<0.50	<0.18	<0.18	<0.18	<0.50	<0.18	<0.18	<0.18	<0.18	<0.18	<0.18	<0.18	<0.18	<0.18	<0.18	<0.18	<0.18	<0.18	<0.18	<0.18	<0.18	<0.18	<0.18	<0.18	<0.18	<0.18	NE	NE										
Naphthalene	<0.68	<0.68	<0.68	<0.25	<0.68	<0.68	<0.68	<0.68	<0.68	<0.68	<0.68	<0.68	<0.68	<0.68	<0.68	<0.68	<0.68	<0.68	<0.68	<0.68	<0.68	<0.68	<0.68	<0.68	<0.68	<0.68	<0.68	<0.68	40	8											
Chloroform	<0.32	<0.32	<0.32	<0.25	<0.32	<0.32	<0.32	<0.25	<0.32	<0.32	<0.32	<0.32	<0.32	<0.32	<0.32	<0.32	<0.32	<0.32	<0.32	<0.32	<0.32	<0.32	<0.32	<0.32	<0.32	<0.32	<0.32	<0.32	7.0	6											
Chloroethane	<0.24	<0.24	<0.24	<0.25	<0.24	<0.24	<0.24	<0.25	<0.24	<0.24	<0.24	<0.24	<0.24	<0.24	<0.24	<0.24	<0.24	<0.24	<0.24	<0.24	<0.24	<0.24	<0.24	<0.24	<0.24	<0.24	<0.24	<0.24	2.1	0.6											
cis-1,2-Dichloroethene	1	1	1	<0.50	<1	<1	0.50	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	3	0.3											
trans-1,2-Dichloroethene	<0.23	<0.23	<0.23	<0.50	<0.23	<0.25	(Q)	<0.50	<0.23	<0.23	<0.23	<0.23	<0.23	<0.23	<0.23	<0.23	<0.23	<0.23	<0.23	<0.23	<0.23	<0.23	<0.23	<0.23	<0.23	<0.23	<0.23	<0.23	70	7											
Tetrachloroethene	3.5	4.3	6.6	4.3	3.1	3.8	4.2	0.84	8.2	4	6.4	4.1	3.7	0	6.3	0.25	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	3.0	0.5										
Trichloroethene	1.9 (G)	1.2 (G)	2.3	1.2	3	1.6	3.9	11	1.9	0.76 (G)	0.61 (G)	0.63	2.8	1.9	1.3	<0.36	<0.25	12	8.3	<0.36	0.45	<0.36	<0.25	17	<0.25	27	0.81	<0.50	69	0.5	3.0	0.5									

Notes:

Bold concentrations exceed NR 140 PAL

Shaded concentrations exceed NR 140 ES

ES - NR 140 enforcement standard

MTBE - methyl tert-butyl ether

NE - not established

PAL - NR 140 preventive action limit

Q - concentration detected between laboratory limit of quantitation and limit of detection

 $\mu\text{g/l}$ - micrograms per liter

VOCs - volatile organic compounds

TABLE 3 (CONTINUED)
SUMMARY OF GROUNDWATER SAMPLE ANALYTICAL RESULTS

DECORAH SHOPPING CENTER ANNEX
1011-1025 South Main Street
West Bend, Wisconsin

Date	P-1							P-2							P-3			P-4	ES	PAL	
	4/7/98	7/31/98	10/8/99	3/31/00	8/31/00	12/4/00	4/12/01	3/19/03	10/8/99	3/31/00	8/31/00	12/4/00	4/12/01	3/19/03	4/12/01	11/5/01	3/19/03	3/19/03			
Detected VOCs ($\mu\text{g/l}$)																					
Trimethylbenzenes	<0.5	<0.5	<0.70	<0.50	<0.50	<0.50	<0.50	<0.50	8.0	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	480	96	
Benzene	<0.2	<0.2	<0.25	<0.25	<0.25	<0.25	<0.25	<0.25	0.58 (Q)	<0.25	<0.25	<0.25	<0.25	<0.25	<0.25	<0.25	<0.25	<0.25	5	0.5	
Toluene	<0.3	<0.3	<0.38	<0.22	<0.22	<0.22	<0.22	<0.25	1.5	<0.22	<0.22	<0.22	<0.22	<0.25	0.31 (Q)	<0.22	<0.25	<0.25	1,000	200	
Ethylbenzene	<0.2	<0.2	<0.32	<0.12	<0.12	<0.12	<0.12	<0.50	2.2	<0.12	<0.12	<0.12	<0.12	<0.50	<0.12	<0.12	<0.50	<0.50	700	140	
Xylenes	<0.6	<0.6	<1.04	<0.74	<0.74	<0.74	<0.74	<0.50	8.7	<0.74	<0.74	<0.74	<0.74	<0.50	<0.74	<0.74	<0.50	<0.50	10,000	1,000	
MTBE	<0.2	<0.2	<0.21	<0.53	<0.53	<0.53	<0.53	<0.50	<0.21	<0.53	<0.53	<0.53	<0.53	<0.50	<0.53	<0.53	<0.50	<0.50	60	12	
Isopropylbenzene	<0.2	<0.2	<0.33	<0.15	<0.15	<0.15	<0.15	<0.25	0.35 (Q)	<0.15	<0.15	<0.15	<0.15	<0.25	<0.15	<0.15	<0.25	<0.25	NE	NE	
n-Butylbenzene	<0.2	<0.2	<0.43	<0.29	<0.29	<0.29	<0.29	<0.25	<0.43	<0.29	<0.29	<0.29	<0.29	<0.25	<0.29	<0.29	<0.25	<0.25	NE	NE	
n-Propylbenzene	<0.3	<0.3	<0.36	<0.18	<0.18	<0.18	<0.18	<0.50	0.88 (Q)	<0.18	<0.18	<0.18	<0.18	<0.50	<0.18	<0.18	<0.50	<0.50	NE	NE	
Naphthalene	<0.5	<0.5	<0.73	<0.68	<0.68	<0.68	<0.68	<0.25	0.86 (Q)	<0.68	<0.68	<0.68	<0.68	<0.25	<0.68	<0.68	<0.25	<0.25	40	8	
Chloroform	<0.30	<0.30	<0.26	<0.32	<0.32	<0.32	<0.32	<0.25	<0.26	<0.32	<0.32	<0.32	<0.32	<0.25	<0.32	<0.32	<0.25	<0.25	6	0.6	
Chloromethane	<0.8	<0.8	<0.29	<0.24	<0.24	<0.24	<0.24	<0.25	<0.29	<0.24	0.56 (Q)	<0.24	<0.24	<0.25	<0.24	<0.24	<0.25	<0.25	3	0.3	
cis-1,2-Dichloroethene	<0.2	<0.2	<0.34	<1	<1	<1	<1	<0.50	<0.34	<1	<1	<1	<1	<0.50	<1	<1	<0.50	<0.50	70	7	
trans-1,2-Dichloroethene	<0.20	<0.20	<0.46	<0.23	<0.23	<0.23	<0.23	<0.50	<0.46	<0.23	<0.23	<0.23	<0.23	<0.50	<0.23	<0.23	<0.50	<0.50	100	20	
Tetrachloroethene	<0.3	<0.3	<0.56	<0.25	<0.25	<0.25	<0.25	<0.50	<0.56	<0.25	<0.25	<0.25	<0.25	<0.50	<0.25	<0.50	<0.50	12	5	0.5	
Trichloroethene	<0.2	<0.2	<0.39	<0.36	<0.36	<0.36	<0.36	<0.25	<0.39	<0.36	<0.36	<0.36	<0.36	<0.25	<0.36	<0.36	<0.25	<0.25	2.4	5	0.5

Notes:

Bold concentrations exceed NR 140 PAL

Shaded concentrations exceed NR 140 ES

ES - NR 140 enforcement standard

MTBE - methyl tert-butyl ether


NE - not established


PAL - NR 140 preventive action limit

Q - concentration detected between laboratory limit of quantitation and limit of detection

$\mu\text{g/l}$ - micrograms per liter

VOCs - volatile organic compounds





LEGEND

- ◆ MONITORING WELL LOCATION
- ◆ PIEZOMETER LOCATION
- ◆ SOIL PROBE/TEMPORARY WELL LOCATION
- ◆ ABANDONED MONITORING WELL LOCATION
- ◆ APPROXIMATE FORMER TEMPORARY WELL LOCATION (FORMER McDONALDS PROPERTY)
- MONITORING WELL LOCATION (MATANAER SITE)
- CONCENTRATION EXCEEDS NR 140 ENFORCEMENT STANDARD
- CONCENTRATION EXCEEDS NR 140 PREVENTIVE ACTION LIMIT

NOTES
 dL-1,2: dL-1,2-DICHLOROETHENE, µg/L
 PCE: TETRACHLOROETHENE, µg/L
 TCE: TRICHLOROETHENE, µg/L
 µg/L: MICROGRAMS PER LITER
 <: LESS THAN
 (Q): CONCENTRATION BETWEEN LIMIT OF DETECTION AND LIMIT OF QUANTIFICATION




FIGURE 3
SUMMARY OF GROUNDWATER SAMPLE ANALYTICAL RESULTS

DECORAH SHOPPING CENTER ANNEX
1011-1025 SOUTH MAIN STREET
WEST BEND, WISCONSIN

DESIGNED BY CMH	DATE 04/10/03
DRAWN BY CTM	PROJECT 0702007
APPROVED BY GLJ	SHEET NO. 3
CADDLE & VACAD\0702007\07020074.dwg XREF LMAN	





FIGURE 4
PCE ISOCONCENTRATION CONTOUR MAP

DECORAH SHOPPING CENTER ANNEX
1011-1025 SOUTH MAIN STREET
WEST BEND, WISCONSIN


DESIGNED BY KTK	DATE 04/10/03
DRAWN BY CTM	PROJECT 0702007
APPROVED BY DJG	SHEET NO. 4
CADFILE G:\ACAD\0702007\7020074.dwg XREF LMAN	



LEGEND

- MONITORING WELL LOCATION
 - ▲ PIEZOMETER LOCATION
 - PROPOSED MONITORING WELL LOCATIONS
 - PROPOSED PIEZOMETER LOCATION
 - ◆ SOIL PROBE/TEMPORARY WELL LOCATION
 - ✖ ABANDONED MONITORING WELL LOCATION
 - ✖ APPROXIMATE FORMER TEMPORARY WELL LOCATION (FORMER McDONALDS PROPERTY)
 - MONITORING WELL LOCATION (MATANAER SITE)

REVISION NO.	DESCRIPTION	DATE	BY	DESIGNED BY KTK
				DRAWN BY CTM
				APPROVED BY DJG
				CADFILE XREF G:\ACAD\070200 LMAN .lry



DATE	04/15/03
DATE	04/15/03
DATE	04/15/03
\\07020074.dwg	

FE
SITE VICINITY LAYOUT WITH PRO
DECORAH SHOP
WEST






FIGURE 5
PROPOSED MONITORING WELL LOCATIONS
SHOPPING CENTER ANNEX
E BEND, WI



003 Key Engineering Group Ltd.



KEY
ENGINEERING
GROUP LTD.
ENVIRONMENTAL • CIVIL • RAILROAD

KEY PROJECT NUMBER

0702007

PROJECT SCALE

1" = 80'

SHEET NUMBER

5


Apr 16, 2003 - 10:17am G:\ACAD\0702007\7020074.dwg





FIGURE 5



**SITE VICINITY LAYOUT WITH PROPOSED MONITORING WELL LOCATIONS
DECORAH SHOPPING CENTER ANNEX
WEST BEND, WI**


BY KTK	DATE 04/15/03
CTM	DATE 04/15/03
BY DJG	DATE 04/15/03
\ACAD\0702007\07020074.dwg	












HAWTHORN DRIVE





Route To: Watershed/Wastewater Waste Management
Remediation/Redevelopment Other

Page 1 of 2

Facility/Project Name Decorah Shopping Center Annex			License/Permit/Monitoring Number -		Boring Number B-20						
Boring Drilled By: Name of crew chief (first, last) and Firm Chuck Wisconsin Soil Testing			Date Drilling Started 3/11/2003	Date Drilling Completed 3/11/2003	Drilling Method HSA						
WI Unique Well No. PK-922	DNR Well ID No. MW-17	Common Well Name	Final Static Water Level Feet MSL	Surface Elevation Feet MSL	Borehole Diameter 8.3 inches						
Local Grid Origin <input type="checkbox"/> (estimated: <input type="checkbox"/>) or Boring Location <input checked="" type="checkbox"/>			Local Grid Location								
State Plane SW 1/4 of SW 1/4 of Section 24, NW 1/4 of Section 24, T 11 N, R 19 E			Lat ____ ° ____ ' ____ "	Long ____ ° ____ ' ____ "	□ N Feet □ S Feet □ W						
Facility ID		County Washington	County Code 67	Civil Town/City/ or Village West Bend							
Sample		Blow Counts	Depth In Feet	Soil/Rock Description And Geologic Origin For Each Major Unit		Soil Properties				Pocket Penetrometer	
Number and Type	Length Att. & Recovered (in)			U S S	Graphic Log	Well Diagram	PID/FID	Standard Penetration	Moisture Content		Liquid Limit
AUGER 1 SS	12										
AUGER 2 SS	24	6 5 4 3 2 1	6 5 4 3 2 1	ASPHALT Light brown, loose, fine to medium SAND with trace gravel	SP	6	9				
AUGER 3 SS	24	6 5 5 5 4 3 2 1	6 5 5 5 4 3 2 1			10	9				
AUGER 4 SS	24	6 5 4 4 3 2 1	6 5 4 4 3 2 1			4*	10				
AUGER 5 SS	24	6 5 6 5 4 3 2 1	6 5 6 5 4 3 2 1	-moist to wet		19	10				

I hereby certify that the information on this form is true and correct to the best of my knowledge.

Signature

Firm **KEY ENGINEERING GROUP, LTD.**

W66 N215 COMMERCE CT. CEDARBURG, WI 53012

Tel: (262) 375-4750

Fax: (262) 375-9680

Boring Number B-20

Use only as an attachment to Form 4400-122.

Page 2 of 2

Route To: Watershed/Wastewater Waste Management
Remediation/Redevelopment Other

Page 1 of 2

Facility/Project Name Decorah Shopping Center Annex			License/Permit/Monitoring Number -		Boring Number B-21									
Boring Drilled By: Name of crew chief (first, last) and Firm Chuck Wisconsin Soil Testing			Date Drilling Started 3/11/2003	Date Drilling Completed 3/11/2003	Drilling Method HSA									
WI Unique Well No. PK-921	DNR Well ID No. MW-16	Common Well Name	Final Static Water Level Feet MSL	Surface Elevation Feet MSL	Borehole Diameter 8.3 inches									
Local Grid Origin <input type="checkbox"/> (estimated: <input type="checkbox"/>) or Boring Location <input checked="" type="checkbox"/>			Local Grid Location											
State Plane SW 1/4 of	N, E NW	S/C/N 1/4 of Section 24, T 11 N, R 19 E	Lat 0° 0' 0"	Long 0° 0' 0"	<input type="checkbox"/> N Feet <input type="checkbox"/> S Feet <input type="checkbox"/> W									
Facility ID		County Washington	County Code 67	Civil Town/City/ or Village West Bend										
Sample		Blow Counts	Depth In Feet	Soil/Rock Description And Geologic Origin For Each Major Unit		U S C S	Graphic Log	Well Diagram	PID/FID	Soil Properties				Pocket Penetrometer
Number and Type	Length Att. & Recovered (in)									Standard Penetration	Moisture Content	Liquid Limit	Plasticity Index	
AUGER 1 SS	12	ASPHALT												
	24	5	1	Light brown, loose, fine to medium SAND with trace gravel		SP			7	8				
AUGER 2 SS	22	4	2						5	5				
	6	5	3						4*	11				
AUGER 3 SS	24	4	4						4*	10				
	20	3	2						5	10				
AUGER 4 SS	6	5	5											
	24	6	6											
AUGER 5 SS	22	5	5											
	6	6	7											
	24	6	8											
	20	4	9											
	6	5	10											
AUGER 6 SS	15	4	11	Grayish brown, loose, fine to coarse SAND and gravel, wet		SP								
	6	5	12											

I hereby certify that the information on this form is true and correct to the best of my knowledge.

Signature

Firm **KEY ENGINEERING GROUP, LTD.**

W66 N215 COMMERCE CT. CEDARBURG, WI 53012

Tel: (262) 375-4750

Fax: (262) 375-9680

This form is authorized by Chapters 281, 283, 289, 291, 292, 293, 295, and 299, Wis. Stats. Completion of this form is mandatory. Failure to file this form may result in forfeiture of between \$10 and \$25,000, or imprisonment for up to one year, depending on the program and conduct involved. Personally identifiable information on this form is not intended to be used for any other purpose. NOTE: See instructions for more information, including where the completed form should be sent.

Boring Number B-21

Use only as an attachment to Form 4400-122.

Page 2 of 2

Sample		Soil/Rock Description And Geologic Origin For Each Major Unit			Soil Properties									
Number and Type	Length Att. & Recovered (in)	Blow Counts	Depth In Feet		U S C S	Graphic Log	Well Diagram	PID/FID	Standard Penetration	Moisture Content	Liquid Limit	Plasticity Index	P 200	Pocket Penetrometer
6 SS	30 20	6 4 4 4 4	13 14 15	Grayish brown, loose, fine to coarse SAND and gravel, wet	SP									
				Light brown, loose, fine to medium SAND with trace gravel	SP									
				Gray, medium stiff, sandy CLAY	CL									
				End of soil boring at 15.5' *Sample submitted for laboratory analysis				<1*	8					


Route To: Watershed/Wastewater Waste Management
Remediation/Redevelopment Other

Page 1 of 2

Facility/Project Name Decorah Shopping Center Annex			License/Permit/Monitoring Number -	Boring Number B-22	
Boring Drilled By: Name of crew chief (first, last) and Firm Chuck Wisconsin Soil Testing			Date Drilling Started 3/11/2003	Date Drilling Completed 3/11/2003	Drilling Method HSA
WI Unique Well No. PK923	DNR Well ID No. MW-18	Common Well Name	Final Static Water Level Feet MSL	Surface Elevation Feet MSL	Borehole Diameter 8.3 inches
Local Grid Origin <input type="checkbox"/> (estimated: <input type="checkbox"/>) or Boring Location <input checked="" type="checkbox"/> State Plane SW 1/4 of N, E S/C/N NW 1/4 of Section 24, T 11 N, R 19 E			Lat _____ ° _____ ' _____ "	Long _____ ° _____ ' _____ "	Local Grid Location Feet <input type="checkbox"/> N <input type="checkbox"/> E Feet <input type="checkbox"/> S <input type="checkbox"/> W
Facility ID		County Washington	County Code 67	Civil Town/City/ or Village West Bend	

Sample Number and Type	Length Att. & Recovered (in)	Blow Counts	Depth In Feet	Soil/Rock Description And Geologic Origin For Each Major Unit	U S C S	Graphic Log	Well Diagram	PID/FID	Soil Properties					Pocket Penetrometer
									Standard Penetration	Moisture Content	Liquid Limit	Plasticity Index	P 200	
AUGER 1 SS	12			ASPHALT				<1	9					
	24	3	1	Brown, loose, fine to medium SAND with trace gravel				4	6					
AUGER 2 SS	18	4	2											
	24	3	3											
AUGER 3 SS	22	4	4											
	24	5	5											
	24	6	6											
AUGER 4 SS	24	6	7											
	24	6	8											
AUGER 5 SS	24	5	9											
	24	5	10											
	24	6	11											
	24	6	12											

I hereby certify that the information on this form is true and correct to the best of my knowledge.

Signature 	Firm KEY ENGINEERING GROUP, LTD. W66 N215 COMMERCE CT. CEDARBURG, WI 53012	Tel: (262) 375-4750 Fax: (262) 375-9680
--	---	--

This form is authorized by Chapters 281, 283, 289, 291, 292, 293, 295, and 299, Wis. Stats. Completion of this form is mandatory. Failure to file this form may result in forfeiture of between \$10 and \$25,000, or imprisonment for up to one year, depending on the program and conduct involved. Personally identifiable information on this form is not intended to be used for any other purpose. NOTE: See instructions for more information, including where the completed form should be sent.

Boring Number B-22

Use only as an attachment to Form 4400-122.

Page 2 of 2

Route To: Watershed/Wastewater Waste Management
Remediation/Redevelopment Other

Page 1 of 2

Facility/Project Name Decorah Shopping Center Annex			License/Permit/Monitoring Number -	Boring Number B-23
Boring Drilled By: Name of crew chief (first, last) and Firm Chuck Wisconsin Soil Testing			Date Drilling Started 3/11/2003	Date Drilling Completed 3/11/2003
WI Unique Well No. PK-924	DNR Well ID No. MW-19	Common Well Name	Final Static Water Level Feet MSL	Surface Elevation Feet MSL
			Borehole Diameter 8.3 inches	
Local Grid Origin <input type="checkbox"/> (estimated: <input type="checkbox"/>) or Boring Location <input checked="" type="checkbox"/>			Local Grid Location	
State Plane SW 1/4 of	N, E NW	S/C/N 1/4 of Section 24,	Lat Long ° ' "	<input type="checkbox"/> N Feet <input type="checkbox"/> S Feet <input type="checkbox"/> W
Facility ID		County Washington	County Code 67	Civil Town/City or Village West Bend

Sample	Number and Type	Length Att. & Recovered (in)	Blow Counts	Depth In Feet	Soil/Rock Description And Geologic Origin For Each Major Unit	U S C S	Graphic Log	Well Diagram	PID/FID	Soil Properties					Pocket Penetrometer
										Standard Penetration	Moisture Content	Liquid Limit	Plasticity Index	P 200	
AUGER		12			ASPHALT				<1	50					
	1 SS	24 10	50/6	1	Dark brown, fine to medium, SAND and gravel	SP									
				2	-Hit a rock										
AUGER		6													
	2 SS	24 20	6	7	Light brown, loose, fine to medium SAND with trace gravel	SP			<1	8					
			5	4											
			3	3											
AUGER		6													
	3 SS	24 22	4	6	Brown, medium dense, fine to medium, silty SAND	SM			<1	15					
			7	7											
			8	8											
AUGER		6													
	4 SS	24 24	6	5					<1*	13					
			7	6											
			8	10											
AUGER		6													
	5 SS	24 20	10	9	-moist to wet				<1	16					
			7	11											
			12												

I hereby certify that the information on this form is true and correct to the best of my knowledge.

Signature

Firm **KEY ENGINEERING GROUP, LTD.**

W66 N215 COMMERCE CT. CEDARBURG, WI 53012

Tel: (262) 375-4750

Fax: (262) 375-9680

This form is authorized by Chapters 281, 283, 289, 291, 292, 293, 295, and 299, Wis. Stats. Completion of this form is mandatory. Failure to file this form may result in forfeiture of between \$10 and \$25,000, or imprisonment for up to one year, depending on the program and conduct involved. Personally identifiable information on this form is not intended to be used for any other purpose. NOTE: See instructions for more information, including where the completed form should be sent.

Boring Number B-23

Use only as an attachment to Form 4400-122.

Page 2 of 2

Route To: Watershed/Wastewater Waste Management
Remediation/Redevelopment Other

Page 1 of 2

Facility/Project Name Decorah Shopping Center Annex			License/Permit/Monitoring Number -			Boring Number B-24								
Boring Drilled By: Name of crew chief (first, last) and Firm Chuck Wisconsin Soil Testing			Date Drilling Started 3/11/2003		Date Drilling Completed 3/11/2003		Drilling Method HSA							
WI Unique Well No. PK-925	DNR Well ID No. PZ-4	Common Well Name	Final Static Water Level Feet MSL		Surface Elevation Feet MSL		Borehole Diameter 8.3 inches							
Local Grid Origin <input type="checkbox"/> (estimated: <input type="checkbox"/>) or Boring Location <input checked="" type="checkbox"/>			Lat _____° _____' _____"		Local Grid Location									
State Plane SW 1/4 of NW 1/4 of Section 24, T 11 N, R 19 E			Long _____° _____' _____"		<input type="checkbox"/> N <input type="checkbox"/> S									
Facility ID		County Washington	County Code 67	Civil Town/City/ or Village West Bend										
Sample		Blow Counts	Depth In Feet	Soil/Rock Description And Geologic Origin For Each Major Unit		U S C S	Graphic Log	Well Diagram	PID/FID	Soil Properties				Pocket Penetrometer
Number and Type	Length Att. & Recovered (in)									Standard Penetration	Moisture Content	Liquid Limit	Plasticity Index	
AUGER	216			Blind Drilled to 18' See Boring Log B-23										
				1										
				2										
				3										
				4										
				5										
				6										
				7										
				8										
				9										
				10										
				11										
				12										

I hereby certify that the information on this form is true and correct to the best of my knowledge.

Signature

Firm **KEY ENGINEERING GROUP, LTD.**

W66 N215 COMMERCE CT. CEDARBURG, WI 53012

Tel: (262) 375-4750

Fax: (262) 375-9680

This form is authorized by Chapters 281, 283, 289, 291, 292, 293, 295, and 299, Wis. Stats. Completion of this form is mandatory. Failure to file this form may result in forfeiture of between \$10 and \$25,000, or imprisonment for up to one year, depending on the program and conduct involved. Personally identifiable information on this form is not intended to be used for any other purpose. NOTE: See instructions for more information, including where the completed form should be sent.

Boring Number B-24

Use only as an attachment to Form 4400-122.

Page 2 of 2

Route To: Watershed/Wastewater Waste Management
Remediation/Redevelopment Other

Page 1 of 2

Facility/Project Name Decorah Shopping Center Annex			License/Permit/Monitoring Number -		Boring Number B-25							
Boring Drilled By: Name of crew chief (first, last) and Firm Chuck Wisconsin Soil Testing			Date Drilling Started 3/12/2003	Date Drilling Completed 3/12/2003	Drilling Method HSA							
WI Unique Well No. PK926	DNR Well ID No. MW-20	Common Well Name	Final Static Water Level Feet MSL	Surface Elevation Feet MSL	Borehole Diameter 8.3 inches							
Local Grid Origin <input type="checkbox"/> (estimated: <input type="checkbox"/>) or State Plane SW 1/4 of	Boring Location <input checked="" type="checkbox"/> N, E S/C/N NW 1/4 of Section 24, T 11 N, R 19 E	Lat <input type="checkbox"/> ° <input type="checkbox"/> ' <input type="checkbox"/> '' Long <input type="checkbox"/> ° <input type="checkbox"/> ' <input type="checkbox"/> ''	Local Grid Location □ N <input type="checkbox"/> E Feet <input type="checkbox"/> S <input type="checkbox"/> W Feet <input type="checkbox"/> W									
Facility ID		County Washington	County Code 67	Civil Town/City/ or Village West Bend								
Sample		Blow Counts	Depth In Feet	Soil/Rock Description And Geologic Origin For Each Major Unit		Soil Properties						Pocket Penetrometer
Number and Type	Length Att. & Recovered (in)			U S C S	Graphic Log	Well Diagram	PID/FID	Standard Penetration	Moisture Content	Liquid Limit	Plasticity Index	
AUGER 1 SS	12			ASPHALT								
	24			Brown to dark brown, SAND and gravel (fill)		GW		<1	21			
AUGER 2 SS	6							<1	16			
	24							<1	10			
AUGER 3 SS	6			Light brown, loose, fine to medium SAND with trace gravel		SP		<1	11			
	24							<1	15			
AUGER 4 SS	6											
	24											
AUGER 5 SS	6											
	24											
	18											
	10											
	9											
	8											
	12											

I hereby certify that the information on this form is true and correct to the best of my knowledge.

Signature

Firm

KEY ENGINEERING GROUP, LTD.

W66 N215 COMMERCE CT. CEDARBURG, WI 53012

Tel: (262) 375-4750

Fax: (262) 375-9680

This form is authorized by Chapters 281, 283, 289, 291, 292, 293, 295, and 299, Wis. Stats. Completion of this form is mandatory. Failure to file this form may result in forfeiture of between \$10 and \$25,000, or imprisonment for up to one year, depending on the program and conduct involved. Personally identifiable information on this form is not intended to be used for any other purpose. NOTE: See instructions for more information, including where the completed form should be sent.

Boring Number B-25

Use only as an attachment to Form 4400-122.


Page 2 of 2

Route To: Watershed/Wastewater Waste Management
Remediation/Redevelopment Other

Page 1 of 2

Facility/Project Name Decorah Shopping Center Annex			License/Permit/Monitoring Number -		Boring Number B-26							
Boring Drilled By: Name of crew chief (first, last) and Firm Chuck Wisconsin Soil Testing			Date Drilling Started 3/12/2003	Date Drilling Completed 3/12/2003	Drilling Method HSA							
WI Unique Well No. PK927	DNR Well ID No. MW-21	Common Well Name	Final Static Water Level Feet MSL	Surface Elevation Feet MSL	Borehole Diameter 8.3 inches							
Local Grid Origin <input type="checkbox"/> (estimated: <input type="checkbox"/>) or Boring Location <input checked="" type="checkbox"/> State Plane SW 1/4 of NW 1/4 of Section 24, T 11 N, R 19 E			Lat ____ ° ____ ' ____ "	Long ____ ° ____ ' ____ "	Local Grid Location <input type="checkbox"/> N <input type="checkbox"/> S <input type="checkbox"/> E <input type="checkbox"/> W Feet							
Facility ID		County Washington	County Code 67	Civil Town/City/ or Village West Bend								
Sample Number and Type	Length Att. & Recovered (in)	Blow Counts Depth In Feet	Soil/Rock Description And Geologic Origin For Each Major Unit	U S C S	Graphic Log	Well Diagram	PID/FID	Soil Properties				Pocket Penetrometer P 200
								Standard Penetration	Moisture Content	Liquid Limit	Plasticity Index	
AUGER 1 SS	12		ASPHALT				<1	11				
	24	10	Brown, sand, GRAVEL and cobbles (fill)	GW			<1	19				
AUGER 2 SS	6	7					<1					
	24	9					<1					
	18	8					<1					
	6	9					<1					
AUGER 3 SS	6	10	Light brown, medium dense, fine to medium, SAND with trace gravel				<1	15				
	24	7					<1					
	14	6					<1					
	6	9	-cobbles	SP			<1	16				
AUGER 4 SS	6	8					<1					
	24	9					<1					
	8	7					<1					
	6	10					<1					
AUGER 5 SS	6	5					<1	11				
	24	5					<1					
	18	5					<1					
	6	11					<1					
	24	5					<1					
	18	5					<1					
	6	12					<1					

I hereby certify that the information on this form is true and correct to the best of my knowledge.

Signature 

Firm KEY ENGINEERING GROUP, LTD.
W66 N215 COMMERCE CT. CEDARBURG, WI 53012

Tel: (262) 375-4750
Fax: (262) 375-9680

This form is authorized by Chapters 281, 283, 289, 291, 292, 293, 295, and 299, Wis. Stats. Completion of this form is mandatory. Failure to file this form may result in forfeiture of between \$10 and \$25,000, or imprisonment for up to one year, depending on the program and conduct involved. Personally identifiable information on this form is not intended to be used for any other purpose. NOTE: See instructions for more information, including where the completed form should be sent.

Boring Number B-26

Use only as an attachment to Form 4400-122.

Page 2 of 2

Route To:

Watershed/Wastewater
Remediation/Redevelopment

Waste Management
Other

MONITORING WELL CONSTRUCTION
Form 4400-113A Rev. 7-98

Facility/Project Name Decorah Shopping Center Annex		Local Grid Location of Well ft. <input type="checkbox"/> N. <input type="checkbox"/> S. ft. <input type="checkbox"/> E. <input type="checkbox"/> W.	Well Name MW-16
Facility License, Permit or Monitoring No. -		Local Grid Origin <input type="checkbox"/> (estimated: <input type="checkbox"/>) or Well Location <input checked="" type="checkbox"/> Lat. _____ ° _____ ' _____ " Long. _____ ° _____ ' _____ " or St. Plane _____ ft. N, _____ ft. E. S/C/N	Wis. Unique Well No. DNR Well Number PK-921 Date Well Installed 03/11/2003
Facility ID		Section Location of Waste/Source SW 1/4 of NW 1/4 of Sec. 24, T. 11 N, R. 19 <input checked="" type="checkbox"/> E <input type="checkbox"/> W	Well Installed By: (Person's Name and Firm) Michael Mantz
Type of Well Well Code 11/mw		Location of Well Relative to Waste/Source u <input type="checkbox"/> Upgradient s <input type="checkbox"/> Sidegradient Gov. Lot Number d <input type="checkbox"/> Downgradient n <input type="checkbox"/> Not Known	Key Engineering Group, Ltd.
Distance from Waste/ Source ft.	Enf. Stds. Apply <input type="checkbox"/>		

A. Protective pipe, top elevation	ft. MSL	1. Cap and lock? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No
B. Well casing, top elevation	ft. MSL	2. Protective cover pipe: a. Inside diameter: 10.0 in. b. Length: 1.0 ft. c. Material: Steel <input checked="" type="checkbox"/> 0.4 Other <input type="checkbox"/>
C. Land surface elevation	ft. MSL	d. Additional protection? If yes, describe: _____ Steel <input type="checkbox"/> 3.0 Concrete <input checked="" type="checkbox"/> 0.1 Other <input type="checkbox"/>
D. Surface seal, bottom	ft. MSL or ft.	3. Surface seal: Bentonite <input type="checkbox"/> 3.0 Concrete <input checked="" type="checkbox"/> 0.1 Other <input type="checkbox"/>
12. USCS classification of soil near screen:		4. Material between well casing and protective pipe: Bentonite <input checked="" type="checkbox"/> 3.0 Other <input type="checkbox"/>
GP <input type="checkbox"/> GM <input type="checkbox"/> GC <input type="checkbox"/> GW <input type="checkbox"/> SW <input type="checkbox"/> SP <input checked="" type="checkbox"/> SM <input type="checkbox"/> SC <input type="checkbox"/> ML <input type="checkbox"/> MH <input type="checkbox"/> CL <input type="checkbox"/> CH <input type="checkbox"/> Bedrock <input type="checkbox"/>		5. Annular space seal: a. Granular/Chipped Bentonite <input checked="" type="checkbox"/> 3.3 b. _____ Lbs/gal mud weight ... Bentonite-sand slurry <input type="checkbox"/> 3.5 c. _____ Lbs/gal mud weight ... Bentonite slurry <input type="checkbox"/> 3.1 d. _____ % Bentonite ... Bentonite-cement grout <input type="checkbox"/> 5.0 e. _____ Ft ³ volume added for any of the above f. How installed: Tremie <input type="checkbox"/> 0.1 Tremie pumped <input type="checkbox"/> 0.2 Gravity <input checked="" type="checkbox"/> 0.8
13. Sieve analysis attached? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No		6. Bentonite seal: a. Bentonite granules <input type="checkbox"/> 3.3 b. <input type="checkbox"/> 1/4 in. <input type="checkbox"/> 3/8 in. <input type="checkbox"/> 1/2 in. Bentonite chips <input type="checkbox"/> 3.2 c. _____ Cetco Crumbles 1 bag Other <input type="checkbox"/>
14. Drilling method used: Rotary <input type="checkbox"/> 5.0 Hollow Stem Auger <input checked="" type="checkbox"/> 4.1 Other <input type="checkbox"/>		7. Fine sand material: Manufacturer, product name & mesh size a. _____ Red Flint 1 bag b. Volume added 0.5 ft³
15. Drilling fluid used: Water <input type="checkbox"/> 0.2 Air <input type="checkbox"/> 0.1 Drilling Mud <input type="checkbox"/> 0.3 None <input checked="" type="checkbox"/> 9.9		8. Filter pack material: Manufacturer, product name & mesh size a. _____ Red Flint 7 bags b. Volume added 3.5 ft³
16. Drilling additives used? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No		9. Well casing: Flush threaded PVC schedule 40 <input checked="" type="checkbox"/> 2.3 Flush threaded PVC schedule 80 <input type="checkbox"/> 2.4 Other <input type="checkbox"/>
Describe _____		10. Screen material: PVC a. Screen Type: Factory cut <input checked="" type="checkbox"/> 1.1 Continuous slot <input type="checkbox"/> 0.1 Other <input type="checkbox"/>
17. Source of water (attach analysis, if required): _____		b. Manufacturer Environmental Manufacturing c. Slot size: d. Slotted length: 0.010 in. 10.0 ft.
E. Bentonite seal, top	ft. MSL or 1.0 ft.	11. Backfill material (below filter pack): None <input type="checkbox"/> 1.4 Other <input type="checkbox"/>
F. Fine sand, top	ft. MSL or 3.0 ft.	
G. Filter pack, top	ft. MSL or 4.0 ft.	
H. Screen joint, top	ft. MSL or 5.0 ft.	
I. Well bottom	ft. MSL or 15.0 ft.	
J. Filter pack, bottom	ft. MSL or 15.5 ft.	
K. Borehole, bottom	ft. MSL or 15.5 ft.	
L. Borehole, diameter	8.3 in.	
M. O.D. well casing	2.38 in.	
N. I.D. well casing	2.00 in.	

I hereby certify that the information on this form is true and correct to the best of my knowledge.

Signature

Firm

KEY ENGINEERING GROUP, LTD.

W66 N215 COMMERCE CT. CEDARBURG, WI 53012

Tel: (262) 375-4750

Fax: (262) 375-9680

Please complete both Forms 4400-113A and 4400-113B and return them to the appropriate DNR office and bureau. Completion of these reports is required by chs. 160, 281, 283, 289, 291, 292, 293, 295, and 299, Wis. Stats., and ch. NR 141, Wis. Adm. Code. In accordance with chs. 281, 289, 291, 292, 293, 295, and 299, Wis. Stats., failure to file these forms may result in a forfeiture of between \$10 and \$25,000, or imprisonment for up to one year, depending on the program and conduct involved. Personally identifiable information on these forms is not intended to be used for any other purpose. NOTE: See the instructions for more information, including where the completed forms should be sent.

Route To:

Watershed/Wastewater
Remediation/Redevelopment

Waste Management
Other

MONITORING WELL CONSTRUCTION
Form 4400-113A Rev. 7-98

Facility/Project Name Decorah Shopping Center Annex		Local Grid Location of Well ft. <input type="checkbox"/> N. <input type="checkbox"/> S. ft. <input type="checkbox"/> E. <input type="checkbox"/> W.	Well Name MW-17
Facility License, Permit or Monitoring No. -		Local Grid Origin <input type="checkbox"/> (estimated: <input type="checkbox"/>) or Well Location <input checked="" type="checkbox"/> Lat. _____ ° _____ ' " Long. _____ ° _____ ' " or St. Plane _____ ft. N. _____ ft. E. S/C/N	Wis. Unique Well No. PK-922 DNR Well Number
Facility ID		Date Well Installed 03/11/2003	
Type of Well Well Code 11/mw		Well Installed By: (Person's Name and Firm) Michael Mantz	
Distance from Waste/ Source ft.	Enf. Stds. Apply <input type="checkbox"/>	Location of Well Relative to Waste/Source u <input type="checkbox"/> Upgradient s <input type="checkbox"/> Sidegradient d <input type="checkbox"/> Downgradient n <input type="checkbox"/> Not Known	Gov. Lot Number
Key Engineering Group, Ltd.			

A. Protective pipe, top elevation	ft. MSL	1. Cap and lock? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No
B. Well casing, top elevation	ft. MSL	2. Protective cover pipe: a. Inside diameter: 10.0 in. b. Length: 1.0 ft. c. Material: Steel <input checked="" type="checkbox"/> 0.4 Other <input type="checkbox"/>
C. Land surface elevation	ft. MSL	d. Additional protection? If yes, describe: Bentonite <input type="checkbox"/> 3.0 Concrete <input checked="" type="checkbox"/> 0.1 Other <input type="checkbox"/>
D. Surface seal, bottom	ft. MSL or ft.	3. Surface seal: Bentonite <input type="checkbox"/> 3.0 Concrete <input checked="" type="checkbox"/> 0.1 Other <input type="checkbox"/>
12. USCS classification of soil near screen:		4. Material between well casing and protective pipe: Bentonite <input checked="" type="checkbox"/> 3.0 Other <input type="checkbox"/>
GP <input type="checkbox"/> GM <input type="checkbox"/> GC <input type="checkbox"/> GW <input type="checkbox"/> SW <input type="checkbox"/> SP <input checked="" type="checkbox"/> SM <input type="checkbox"/> SC <input type="checkbox"/> ML <input type="checkbox"/> MH <input type="checkbox"/> CL <input type="checkbox"/> CH <input type="checkbox"/> Bedrock <input type="checkbox"/>		5. Annular space seal: a. Granular/Chipped Bentonite <input checked="" type="checkbox"/> 3.3 b. _____ Lbs/gal mud weight ... Bentonite-sand slurry <input type="checkbox"/> 3.5 c. _____ Lbs/gal mud weight ... Bentonite slurry <input type="checkbox"/> 3.1 d. _____ % Bentonite ... Bentonite-cement grout <input type="checkbox"/> 5.0 e. _____ Ft ³ volume added for any of the above f. How installed: Tremie <input type="checkbox"/> 0.1 Tremie pumped <input type="checkbox"/> 0.2 Gravity <input checked="" type="checkbox"/> 0.8
13. Sieve analysis attached? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No		6. Bentonite seal: a. Bentonite granules <input type="checkbox"/> 3.3 b. <input type="checkbox"/> 1/4 in. <input type="checkbox"/> 3/8 in. <input type="checkbox"/> 1/2 in. Bentonite chips <input type="checkbox"/> 3.2 c. Cetco Crumbles 1/2 bag Other <input checked="" type="checkbox"/>
14. Drilling method used: Rotary <input type="checkbox"/> 5.0 Hollow Stem Auger <input checked="" type="checkbox"/> 4.1 Other <input type="checkbox"/>		7. Fine sand material: Manufacturer, product name & mesh size Red Flint 1 bag
15. Drilling fluid used: Water <input type="checkbox"/> 0.2 Air <input type="checkbox"/> 0.1 Drilling Mud <input type="checkbox"/> 0.3 None <input checked="" type="checkbox"/> 9.9		8. Filter pack material: Manufacturer, product name & mesh size Red Flint 7 bags
16. Drilling additives used? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No		9. Well casing: Flush threaded PVC schedule 40 <input checked="" type="checkbox"/> 2.3 Flush threaded PVC schedule 80 <input type="checkbox"/> 2.4 Other <input type="checkbox"/>
Describe _____		10. Screen material: PVC a. Screen Type: Factory cut <input checked="" type="checkbox"/> 1.1 Continuous slot <input type="checkbox"/> 0.1 Other <input type="checkbox"/>
17. Source of water (attach analysis, if required):		b. Manufacturer Environmental Manufacturing c. Slot size: 0.010 in. d. Slotted length: 10.0 ft.
E. Bentonite seal, top	ft. MSL or 1.0 ft.	11. Backfill material (below filter pack): None <input type="checkbox"/> 1.4 Other <input checked="" type="checkbox"/>
F. Fine sand, top	ft. MSL or 3.0 ft.	
G. Filter pack, top	ft. MSL or 4.0 ft.	
H. Screen joint, top	ft. MSL or 5.0 ft.	
I. Well bottom	ft. MSL or 15.0 ft.	
J. Filter pack, bottom	ft. MSL or 15.5 ft.	
K. Borehole, bottom	ft. MSL or 15.5 ft.	
L. Borehole, diameter	8.3 in.	
M. O.D. well casing	2.38 in.	
N. I.D. well casing	2.00 in.	

I hereby certify that the information on this form is true and correct to the best of my knowledge.

Signature

Firm

KEY ENGINEERING GROUP, LTD.
W66 N215 COMMERCE CT. CEDARBURG, WI 53012

Tel: (262) 375-4750
Fax: (262) 375-9680

Please complete both Forms 4400-113A and 4400-113B and return them to the appropriate DNR office and bureau. Completion of these reports is required by chs. 160, 281, 283, 289, 291, 292, 293, 295, and 299, Wis. Stats., and ch. NR 141, Wis. Adm. Code. In accordance with chs. 281, 289, 291, 292, 293, 295, and 299, Wis. Stats., failure to file these forms may result in a forfeiture of between \$10 and \$25,000, or imprisonment for up to one year, depending on the program and conduct involved. Personally identifiable information on these forms is not intended to be used for any other purpose. NOTE: See the instructions for more information, including where the completed forms should be sent.


Route To:

Watershed/Wastewater
Remediation/Redevelopment


Waste Management
Other

MONITORING WELL CONSTRUCTION
Form 4400-113A Rev. 7-98

Facility/Project Name Decorah Shopping Center Annex		Local Grid Location of Well ft. <input type="checkbox"/> N. <input type="checkbox"/> S. ft. <input type="checkbox"/> E. <input type="checkbox"/> W.	Well Name MW-18
Facility License, Permit or Monitoring No. -		Local Grid Origin <input type="checkbox"/> (estimated: <input type="checkbox"/>) or Well Location <input checked="" type="checkbox"/> Lat. _____ ° _____ ' " Long. _____ ° _____ ' " or St. Plane _____ ft. N, _____ ft. E. S/C/N	Wis. Unique Well No. PK923 DNR Well Number _____
Facility ID		Section Location of Waste/Source SW 1/4 of NW 1/4 of Sec. 24 T. 11 N, R. 19 E	Date Well Installed 03/11/2003
Type of Well Well Code 11/mw		Location of Well Relative to Waste/Source u <input type="checkbox"/> Upgradient s <input type="checkbox"/> Sidegradient d <input type="checkbox"/> Downgradient n <input type="checkbox"/> Not Known	Well Installed By: (Person's Name and Firm) Michael Mantz
Distance from Waste/ Source ft.	Enf. Stds. Apply <input type="checkbox"/>	Gov. Lot Number	Key Engineering Group, Ltd.

A. Protective pipe, top elevation	ft. MSL	1. Cap and lock? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No
B. Well casing, top elevation	ft. MSL	2. Protective cover pipe: a. Inside diameter: 10.0 in. b. Length: 1.0 ft. c. Material: Steel <input checked="" type="checkbox"/> 0.4 Other <input type="checkbox"/>
C. Land surface elevation	ft. MSL	d. Additional protection? If yes, describe: _____
D. Surface seal, bottom	ft. MSL or ft.	3. Surface seal: Bentonite <input type="checkbox"/> 3.0 Concrete <input checked="" type="checkbox"/> 0.1 Other <input type="checkbox"/>
12. USCS classification of soil near screen: GP <input type="checkbox"/> GM <input type="checkbox"/> GC <input type="checkbox"/> GW <input type="checkbox"/> SW <input type="checkbox"/> SP <input checked="" type="checkbox"/> SM <input type="checkbox"/> SC <input type="checkbox"/> ML <input type="checkbox"/> MH <input type="checkbox"/> CL <input type="checkbox"/> CH <input type="checkbox"/> Bedrock <input type="checkbox"/>		4. Material between well casing and protective pipe: Bentonite <input checked="" type="checkbox"/> 3.0 Other <input type="checkbox"/>
13. Sieve analysis attached? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No		5. Annular space seal: a. Granular/Chipped Bentonite <input checked="" type="checkbox"/> 3.3 b. _____ Lbs/gal mud weight ... Bentonite-sand slurry <input type="checkbox"/> 3.5 c. _____ Lbs/gal mud weight ... Bentonite slurry <input type="checkbox"/> 3.1 d. _____ % Bentonite ... Bentonite-cement grout <input type="checkbox"/> 5.0 e. _____ Ft ³ volume added for any of the above f. How installed: Tremie <input type="checkbox"/> 0.1 Tremie pumped <input type="checkbox"/> 0.2 Gravity <input checked="" type="checkbox"/> 0.8
14. Drilling method used: Rotary <input type="checkbox"/> 5.0 Hollow Stem Auger <input checked="" type="checkbox"/> 4.1 Other <input type="checkbox"/>		6. Bentonite seal: a. Bentonite granules <input type="checkbox"/> 3.3 b. <input type="checkbox"/> 1/4 in. <input type="checkbox"/> 3/8 in. <input type="checkbox"/> 1/2 in. Bentonite chips <input type="checkbox"/> 3.2 c. _____ Cetco Crumbles <input type="checkbox"/> Other <input checked="" type="checkbox"/> 7. Fine sand material: Manufacturer, product name & mesh size a. _____ Red Flint 1 bag b. Volume added 0.5 ft ³
15. Drilling fluid used: Water <input type="checkbox"/> 0.2 Air <input type="checkbox"/> 0.1 Drilling Mud <input type="checkbox"/> 0.3 None <input checked="" type="checkbox"/> 9.9		8. Filter pack material: Manufacturer, product name & mesh size a. _____ Red Flint 7 bags b. Volume added 3.5 ft ³
16. Drilling additives used? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No Describe _____		9. Well casing: Flush threaded PVC schedule 40 <input checked="" type="checkbox"/> 2.3 Flush threaded PVC schedule 80 <input type="checkbox"/> 2.4 Other <input type="checkbox"/>
17. Source of water (attach analysis, if required):		10. Screen material: PVC a. Screen Type: Factory cut <input checked="" type="checkbox"/> 1.1 Continuous slot <input type="checkbox"/> 0.1 Other <input type="checkbox"/> b. Manufacturer Environmental Manufacturing c. Slot size: 0.010 in. d. Slotted length: 10.0 ft.
E. Bentonite seal, top	ft. MSL or 1.0 ft.	11. Backfill material (below filter pack): n None <input type="checkbox"/> 1.4 Other <input checked="" type="checkbox"/> 
F. Fine sand, top	ft. MSL or 6.0 ft.	
G. Filter pack, top	ft. MSL or 7.0 ft.	
H. Screen joint, top	ft. MSL or 8.0 ft.	
I. Well bottom	ft. MSL or 18.0 ft.	
J. Filter pack, bottom	ft. MSL or 18.5 ft.	
K. Borehole, bottom	ft. MSL or 18.5 ft.	
L. Borehole, diameter	in. 8.3	
M. O.D. well casing	in. 2.38	
N. I.D. well casing	in. 2.00	

I hereby certify that the information on this form is true and correct to the best of my knowledge.

Signature 

Firm

KEY ENGINEERING GROUP, LTD.
W66 N215 COMMERCE CT. CEDARBURG, WI 53012

Tel: (262) 375-4750
Fax: (262) 375-9680

Please complete both Forms 4400-113A and 4400-113B and return them to the appropriate DNR office and bureau. Completion of these reports is required by chs. 160, 281, 283, 289, 291, 292, 293, 295, and 299, Wis. Stats., and ch. NR 141, Wis. Adm. Code. In accordance with chs. 281, 289, 291, 292, 293, 295, and 299, Wis. Stats., failure to file these forms may result in a forfeiture of between \$10 and \$25,000, or imprisonment for up to one year, depending on the program and conduct involved. Personally identifiable information on these forms is not intended to be used for any other purpose. NOTE: See the instructions for more information, including where the completed forms should be sent.

Route To:

Watershed/Wastewater
Remediation/Redevelopment

Waste Management
Other

MONITORING WELL CONSTRUCTION
Form 4400-113A Rev. 7-98

Facility/Project Name Decorah Shopping Center Annex		Local Grid Location of Well ft. <input type="checkbox"/> N. _____ ft. <input type="checkbox"/> E. ft. <input type="checkbox"/> S. _____ ft. <input type="checkbox"/> W.	Well Name MW-19
Facility License, Permit or Monitoring No.		Local Grid Origin <input type="checkbox"/> (estimated: <input type="checkbox"/>) or Well Location <input checked="" type="checkbox"/> Lat. _____ ° _____ ' _____ " Long. _____ ° _____ ' _____ " or St. Plane _____ ft. N, _____ ft. E. S/C/N	Wis. Unique Well No. PK-924 DNR Well Number
Facility ID		Section Location of Waste/Source SW 1/4 of NW 1/4 of Sec. 24 T. 11 N. R. 19 <input checked="" type="checkbox"/> E	Date Well Installed 03/11/2003
Type of Well Well Code 11/mw		Location of Well Relative to Waste/Source u <input type="checkbox"/> Upgradient s <input type="checkbox"/> Sidegradient Gov. Lot Number d <input type="checkbox"/> Downgradient n <input type="checkbox"/> Not Known	Well Installed By: (Person's Name and Firm) Michael Mantz
Distance from Waste/ Source ft.	Enf. Stds. Apply <input type="checkbox"/>		Key Engineering Group, Ltd.
<p>A. Protective pipe, top elevation _____ ft. MSL <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No</p> <p>B. Well casing, top elevation _____ ft. MSL</p> <p>C. Land surface elevation _____ ft. MSL</p> <p>D. Surface seal, bottom _____ ft. MSL or _____ ft.</p> <p>12. USCS classification of soil near screen: <input type="checkbox"/> GP <input type="checkbox"/> GM <input type="checkbox"/> GC <input type="checkbox"/> GW <input type="checkbox"/> SW <input type="checkbox"/> SP <input checked="" type="checkbox"/> SM <input type="checkbox"/> SC <input type="checkbox"/> ML <input type="checkbox"/> MH <input type="checkbox"/> CL <input type="checkbox"/> CH <input type="checkbox"/> Bedrock <input type="checkbox"/></p> <p>13. Sieve analysis attached? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No</p> <p>14. Drilling method used: <input type="checkbox"/> Rotary <input type="checkbox"/> 50 <input checked="" type="checkbox"/> Hollow Stem Auger <input checked="" type="checkbox"/> 41 <input type="checkbox"/> Other <input type="checkbox"/></p> <p>15. Drilling fluid used: Water <input type="checkbox"/> 02 Air <input type="checkbox"/> 01 <input type="checkbox"/> Drilling Mud <input type="checkbox"/> 03 None <input checked="" type="checkbox"/> 99</p> <p>16. Drilling additives used? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No Describe _____</p> <p>17. Source of water (attach analysis, if required): _____</p> <p>E. Bentonite seal, top _____ ft. MSL or 1.0 ft.</p> <p>F. Fine sand, top _____ ft. MSL or 6.0 ft.</p> <p>G. Filter pack, top _____ ft. MSL or 7.0 ft.</p> <p>H. Screen joint, top _____ ft. MSL or 8.0 ft.</p> <p>I. Well bottom _____ ft. MSL or 18.0 ft.</p> <p>J. Filter pack, bottom _____ ft. MSL or 18.5 ft.</p> <p>K. Borehole, bottom _____ ft. MSL or 18.5 ft.</p> <p>L. Borehole, diameter 8.3 in.</p> <p>M. O.D. well casing 2.38 in.</p> <p>N. I.D. well casing 2.00 in.</p> <p>1. Cap and lock? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No</p> <p>2. Protective cover pipe: a. Inside diameter: 10.0 in. b. Length: 1.0 ft. c. Material: <input checked="" type="checkbox"/> Steel 0.4 <input type="checkbox"/> Other <input type="checkbox"/> <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No</p> <p>3. Surface seal: <input type="checkbox"/> Bentonite 3.0 <input checked="" type="checkbox"/> Concrete 0.1 <input type="checkbox"/> Other <input type="checkbox"/></p> <p>4. Material between well casing and protective pipe: <input checked="" type="checkbox"/> Bentonite 3.0 <input type="checkbox"/> Other <input type="checkbox"/></p> <p>5. Annular space seal: a. Granular/Chipped Bentonite <input checked="" type="checkbox"/> 3.3 b. _____ Lbs/gal mud weight ... Bentonite-sand slurry <input type="checkbox"/> 3.5 c. _____ Lbs/gal mud weight ... Bentonite slurry <input type="checkbox"/> 3.1 d. _____ % Bentonite ... Bentonite-cement grout <input type="checkbox"/> 5.0 e. _____ Ft³ volume added for any of the above f. How installed: <input type="checkbox"/> Tremie 0.1 <input type="checkbox"/> Tremie pumped 0.2 <input checked="" type="checkbox"/> Gravity 0.8</p> <p>6. Bentonite seal: a. Bentonite granules <input type="checkbox"/> 3.3 b. <input type="checkbox"/> 1/4 in. <input type="checkbox"/> 3/8 in. <input type="checkbox"/> 1/2 in. Bentonite chips <input type="checkbox"/> 3.2 c. _____ Cetco Crumbles <input type="checkbox"/> Other <input checked="" type="checkbox"/></p> <p>7. Fine sand material: Manufacturer, product name & mesh size a. Red Flint b. Volume added 0.5 ft³</p> <p>8. Filter pack material: Manufacturer, product name & mesh size a. Red Flint 7 bags b. Volume added 3.5 ft³</p> <p>9. Well casing: Flush threaded PVC schedule 40 <input checked="" type="checkbox"/> 2.3 Flush threaded PVC schedule 80 <input type="checkbox"/> 2.4 <input type="checkbox"/> Other <input type="checkbox"/></p> <p>10. Screen material: PVC a. Screen Type: <input checked="" type="checkbox"/> Factory cut 1.1 <input type="checkbox"/> Continuous slot 0.1 <input type="checkbox"/> Other <input type="checkbox"/> b. Manufacturer Environmental Manufacturing c. Slot size: 0.010 in. d. Slotted length: 10.0 ft.</p> <p>11. Backfill material (below filter pack): None <input type="checkbox"/> 1.4 in. <input type="checkbox"/> Other <input checked="" type="checkbox"/></p>			

I hereby certify that the information on this form is true and correct to the best of my knowledge.

Signature

Firm **KEY ENGINEERING GROUP, LTD.**
W66 N215 COMMERCE CT. CEDARBURG, WI 53012

Tel: (262) 375-4750
Fax: (262) 375-9680

Please complete both Forms 4400-113A and 4400-113B and return them to the appropriate DNR office and bureau. Completion of these reports is required by chs. 160, 281, 283, 289, 291, 292, 293, 295, and 299, Wis. Stats., and ch. NR 141, Wis. Adm. Code. In accordance with chs. 281, 289, 291, 292, 293, 295, and 299, Wis. Stats., failure to file these forms may result in a forfeiture of between \$10 and \$25,000, or imprisonment for up to one year, depending on the program and conduct involved. Personally identifiable information on these forms is not intended to be used for any other purpose. NOTE: See the instructions for more information, including where the completed forms should be sent.

Route To:

Watershed/Wastewater
Remediation/Redevelopment

Waste Management
Other

MONITORING WELL CONSTRUCTION
Form 4400-113A Rev. 7-98

Facility/Project Name Decorah Shopping Center Annex		Local Grid Location of Well ft. <input type="checkbox"/> N. <input type="checkbox"/> S. ft. <input type="checkbox"/> E. <input type="checkbox"/> W.	Well Name MW-20
Facility License, Permit or Monitoring No.		Local Grid Origin <input type="checkbox"/> (estimated: <input type="checkbox"/>) or Well Location <input checked="" type="checkbox"/> Lat. _____ ° _____ ' _____ " Long. _____ ° _____ ' _____ " or St. Plane _____ ft. N, _____ ft. E. S/C/N	Wis. Unique Well No. PK926 DNR Well Number
Facility ID		Section Location of Waste/Source SW 1/4 of NW 1/4 of Sec. 24, T. 11 N, R. 19 <input checked="" type="checkbox"/> E	Date Well Installed 03/11/2003
Type of Well Well Code 11/mw		Location of Well Relative to Waste/Source u <input type="checkbox"/> Upgradient s <input type="checkbox"/> Sidegradient d <input type="checkbox"/> Downgradient n <input type="checkbox"/> Not Known	Well Installed By: (Person's Name and Firm) Michael Mantz
Distance from Waste/ Source ft.	Enf. Stds. Apply <input type="checkbox"/>	Gov. Lot Number	Key Engineering Group, Ltd.

A. Protective pipe, top elevation	ft. MSL	1. Cap and lock? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No
B. Well casing, top elevation	ft. MSL	2. Protective cover pipe: a. Inside diameter: 10.0 in. b. Length: 1.0 ft. c. Material: Steel <input checked="" type="checkbox"/> 0.4 Other <input type="checkbox"/>
C. Land surface elevation	ft. MSL	d. Additional protection? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No If yes, describe: Bentonite <input type="checkbox"/> 3.0 Concrete <input checked="" type="checkbox"/> 0.1 Other <input type="checkbox"/>
D. Surface seal, bottom	ft. MSL or _____ ft.	3. Surface seal: Bentonite <input type="checkbox"/> 3.0 Concrete <input checked="" type="checkbox"/> 0.1 Other <input type="checkbox"/>
12. USCS classification of soil near screen:		
GP <input type="checkbox"/> GM <input type="checkbox"/> GC <input type="checkbox"/> GW <input type="checkbox"/> SW <input type="checkbox"/> SP <input checked="" type="checkbox"/> SM <input type="checkbox"/> SC <input type="checkbox"/> ML <input type="checkbox"/> MH <input type="checkbox"/> CL <input type="checkbox"/> CH <input type="checkbox"/> Bedrock <input type="checkbox"/>	4. Material between well casing and protective pipe: Bentonite <input checked="" type="checkbox"/> 3.0 Other <input type="checkbox"/>	
13. Sieve analysis attached? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	5. Annular space seal: a. Granular/Chipped Bentonite <input checked="" type="checkbox"/> 3.3 b. _____ Lbs/gal mud weight ... Bentonite-sand slurry <input type="checkbox"/> 3.5 c. _____ Lbs/gal mud weight ... Bentonite slurry <input type="checkbox"/> 3.1 d. _____ % Bentonite ... Bentonite-cement grout <input type="checkbox"/> 5.0 e. _____ Ft ³ volume added for any of the above f. How installed: Tremie <input type="checkbox"/> 0.1 Tremie pumped <input type="checkbox"/> 0.2 Gravity <input checked="" type="checkbox"/> 0.8	
14. Drilling method used: Rotary <input type="checkbox"/> 5.0 Hollow Stem Auger <input checked="" type="checkbox"/> 4.1 Other <input type="checkbox"/>	6. Bentonite seal: a. Bentonite granules <input type="checkbox"/> 3.3 b. <input type="checkbox"/> 1/4 in. <input type="checkbox"/> 3/8 in. <input type="checkbox"/> 1/2 in. Bentonite chips <input type="checkbox"/> 3.2 c. _____ Cetco Crumbles 1 bag Other <input type="checkbox"/>	
15. Drilling fluid used: Water <input type="checkbox"/> 0.2 Air <input type="checkbox"/> 0.1 Drilling Mud <input type="checkbox"/> 0.3 None <input checked="" type="checkbox"/> 9.9	7. Fine sand material: Manufacturer, product name & mesh size a. _____ Red Flint 1 bag b. Volume added 0.5 ft³	
16. Drilling additives used? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No Describe _____	8. Filter pack material: Manufacturer, product name & mesh size a. _____ Red Flint 10 bags b. Volume added 3.5 ft³	
17. Source of water (attach analysis, if required):	9. Well casing: Flush threaded PVC schedule 40 <input checked="" type="checkbox"/> 2.3 Flush threaded PVC schedule 80 <input type="checkbox"/> 2.4 Other <input type="checkbox"/>	
E. Bentonite seal, top	ft. MSL or 1.0 ft.	10. Screen material: PVC a. Screen Type: Factory cut <input checked="" type="checkbox"/> 1.1 Continuous slot <input type="checkbox"/> 0.1 Other <input type="checkbox"/>
F. Fine sand, top	ft. MSL or 13.5 ft.	b. Manufacturer Environmental Manufacturing c. Slot size: 0.010 in. d. Slotted length: 10.0 ft.
G. Filter pack, top	ft. MSL or 14.5 ft.	
H. Screen joint, top	ft. MSL or 15.5 ft.	
I. Well bottom	ft. MSL or 25.5 ft.	
J. Filter pack, bottom	ft. MSL or 26.0 ft.	
K. Borehole, bottom	ft. MSL or 26.0 ft.	
L. Borehole, diameter	8.3 in.	
M. O.D. well casing	2.38 in.	
N. I.D. well casing	2.00 in.	

I hereby certify that the information on this form is true and correct to the best of my knowledge.

Signature

Firm

KEY ENGINEERING GROUP, LTD.

W66 N215 COMMERCE CT. CEDARBURG, WI 53012

Tel: (262) 375-4750

Fax: (262) 375-9680

Please complete both Forms 4400-113A and 4400-113B and return them to the appropriate DNR office and bureau. Completion of these reports is required by chs. 160, 281, 283, 289, 291, 292, 293, 295, and 299, Wis. Stats., and ch. NR 141, Wis. Adm. Code. In accordance with chs. 281, 289, 291, 292, 293, 295, and 299, Wis. Stats., failure to file these forms may result in a forfeiture of between \$10 and \$25,000, or imprisonment for up to one year, depending on the program and conduct involved. Personally identifiable information on these forms is not intended to be used for any other purpose. NOTE: See the instructions for more information, including where the completed forms should be sent.

Route To:

Watershed/Wastewater
Remediation/Redevelopment

Waste Management
Other

MONITORING WELL CONSTRUCTION
Form 4400-113A Rev. 7-98

Facility/Project Name Decorah Shopping Center Annex	Local Grid Location of Well ft. N. <input type="checkbox"/> ft. E. <input type="checkbox"/> ft. S. <input type="checkbox"/> ft. W. <input type="checkbox"/>	Well Name MW-21
Facility License, Permit or Monitoring No.	Local Grid Origin <input type="checkbox"/> (estimated: <input type="checkbox"/>) or Well Location <input checked="" type="checkbox"/> Lat. <input type="checkbox"/> ° <input type="checkbox"/> ' Long. <input type="checkbox"/> ° <input type="checkbox"/> ' " or	Wis. Unique Well No. PK927 DNR Well Number <input type="checkbox"/>
Facility ID	St. Plane <input type="checkbox"/> ft. N. <input type="checkbox"/> ft. E. S/C/N	Date Well Installed 03/11/2003
Type of Well Well Code 11/mw	Section Location of Waste/Source SW 1/4 of NW 1/4 of Sec. 24 , T. 11 N, R. 19 <input checked="" type="checkbox"/> E u <input type="checkbox"/> Upgradient s <input type="checkbox"/> Sidegradient d <input type="checkbox"/> Downgradient n <input type="checkbox"/> Not Known	Well Installed By: (Person's Name and Firm) Michael Mantz Key Engineering Group, Ltd.
Distance from Waste/ Source ft. Apply	Enf. Stds. <input type="checkbox"/>	

A. Protective pipe, top elevation	ft. MSL	1. Cap and lock? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No
B. Well casing, top elevation	ft. MSL	2. Protective cover pipe: a. Inside diameter: 10.0 in. b. Length: 1.0 ft.
C. Land surface elevation	ft. MSL	c. Material: Steel <input checked="" type="checkbox"/> 0.4 Other <input type="checkbox"/>
D. Surface seal, bottom	ft. MSL or ft.	d. Additional protection? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No If yes, describe: _____
12. USCS classification of soil near screen: GP <input type="checkbox"/> GM <input type="checkbox"/> GC <input type="checkbox"/> GW <input type="checkbox"/> SW <input type="checkbox"/> SP <input checked="" type="checkbox"/> SM <input type="checkbox"/> SC <input type="checkbox"/> ML <input type="checkbox"/> MH <input type="checkbox"/> CL <input type="checkbox"/> CH <input type="checkbox"/> Bedrock <input type="checkbox"/>		3. Surface seal: Bentonite <input type="checkbox"/> 3.0 Concrete <input checked="" type="checkbox"/> 0.1 Other <input type="checkbox"/>
13. Sieve analysis attached? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No		4. Material between well casing and protective pipe: Bentonite <input checked="" type="checkbox"/> 3.0 Other <input type="checkbox"/>
14. Drilling method used: Rotary <input type="checkbox"/> 5.0 Hollow Stem Auger <input checked="" type="checkbox"/> 4.1 Other <input type="checkbox"/>		5. Annular space seal: a. Granular/Chipped Bentonite <input checked="" type="checkbox"/> 3.3 b. _____ Lbs/gal mud weight ... Bentonite-sand slurry <input type="checkbox"/> 3.5 c. _____ Lbs/gal mud weight ... Bentonite slurry <input type="checkbox"/> 3.1 d. _____ % Bentonite ... Bentonite-cement grout <input type="checkbox"/> 5.0 e. _____ Ft ³ volume added for any of the above f. How installed: Tremie <input type="checkbox"/> 0.1 Tremie pumped <input type="checkbox"/> 0.2 Gravity <input checked="" type="checkbox"/> 0.8
15. Drilling fluid used: Water <input type="checkbox"/> 0.2 Air <input type="checkbox"/> 0.1 Drilling Mud <input type="checkbox"/> 0.3 None <input checked="" type="checkbox"/> 9.9		6. Bentonite seal: a. Bentonite granules <input type="checkbox"/> 3.3 b. <input type="checkbox"/> 1/4 in. <input type="checkbox"/> 3/8 in. <input type="checkbox"/> 1/2 in. Bentonite chips <input type="checkbox"/> 3.2 Cetco Crumbles <input type="checkbox"/> Other <input checked="" type="checkbox"/>
16. Drilling additives used? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No Describe _____		7. Fine sand material: Manufacturer, product name & mesh size a. Red Flint 1 bag
17. Source of water (attach analysis, if required): _____		b. Volume added 0.5 ft ³
E. Bentonite seal, top	ft. MSL or 1.0 ft.	8. Filter pack material: Manufacturer, product name & mesh size a. Red Flint 10 bags
F. Fine sand, top	ft. MSL or 16.5 ft.	b. Volume added 5 ft ³
G. Filter pack, top	ft. MSL or 17.5 ft.	9. Well casing: Flush threaded PVC schedule 40 <input checked="" type="checkbox"/> 2.3 Flush threaded PVC schedule 80 <input type="checkbox"/> 2.4 Other <input type="checkbox"/>
H. Screen joint, top	ft. MSL or 18.5 ft.	10. Screen material: PVC a. Screen Type: Factory cut <input checked="" type="checkbox"/> 1.1 Continuous slot <input type="checkbox"/> 0.1 Other <input type="checkbox"/>
I. Well bottom	ft. MSL or 28.5 ft.	b. Manufacturer Environmental Manufacturing c. Slot size: d. Slotted length: 0.010 in. 10.0 ft.
J. Filter pack, bottom	ft. MSL or 28.5 ft.	11. Backfill material (below filter pack): None <input type="checkbox"/> 1.4 n Other <input checked="" type="checkbox"/>
K. Borehole, bottom	ft. MSL or 29.0 ft.	
L. Borehole, diameter	8.3 in.	
M. O.D. well casing	2.38 in.	
N. I.D. well casing	2.00 in.	

The diagram illustrates a cross-section of a monitoring well. It shows a vertical borehole with several concentric casings. From the outside in, the layers are: a thick outer wall (labeled K), followed by a thin inner wall (labeled L), then a filter pack (labeled J), then a screen joint (labeled H), then a fine sand layer (labeled F), then a bentonite seal (labeled E), then a protective pipe (labeled D), then a well casing (labeled M), and finally a protective cover pipe (labeled A). The borehole itself is labeled N at the bottom. Arrows point from each label to its corresponding feature in the diagram.

I hereby certify that the information on this form is true and correct to the best of my knowledge.

Signature	Firm KEY ENGINEERING GROUP, LTD. W66 N215 COMMERCE CT. CEDARBURG, WI 53012	Tel: (262) 375-4750 Fax: (262) 375-9680
-----------	--	--

Please complete both Forms 4400-113A and 4400-113B and return them to the appropriate DNR office and bureau. Completion of these reports is required by chs. 160, 281, 283, 289, 291, 292, 293, 295, and 299, Wis. Stats., and ch. NR 141, Wis. Adm. Code. In accordance with chs. 281, 289, 291, 292, 293, 295, and 299, Wis. Stats., failure to file these forms may result in a forfeiture of between \$10 and \$25,000, or imprisonment for up to one year, depending on the program and conduct involved. Personally identifiable information on these forms is not intended to be used for any other purpose. NOTE: See the instructions for more information, including where the completed forms should be sent.

Route To: Watershed/Wastewater Remediation/Redevelopment Other

MONITORING WELL CONSTRUCTION
Form 4400-113A Rev. 7-98

Facility/Project Name Decorah Shopping Center Annex		Local Grid Location of Well ft. N. <input type="checkbox"/> S. <input type="checkbox"/> ft. E. <input type="checkbox"/> W. <input type="checkbox"/>	Well Name PZ-4
Facility License, Permit or Monitoring No.		Local Grid Origin <input type="checkbox"/> (estimated: <input type="checkbox"/>) or Well Location <input checked="" type="checkbox"/> Lat. <input type="checkbox"/> Long. <input type="checkbox"/>	Wis. Unique Well No. PK-925 DNR Well Number
Facility ID		St. Plane <input type="checkbox"/> ft. N. <input type="checkbox"/> ft. E. <input type="checkbox"/> S/C/N	Date Well Installed 03/11/2003
Type of Well Well Code 11/mw		Section Location of Waste/Source SW 1/4 of NW 1/4 of Sec. 24 T. 11 N, R. 19 <input checked="" type="checkbox"/> E	Well Installed By: (Person's Name and Firm) Michael Mantz
Distance from Waste/ Source ft.	Enf. Stds. Apply <input type="checkbox"/>	Location of Well Relative to Waste/Source u <input type="checkbox"/> Upgradient s <input type="checkbox"/> Sidegradient d <input type="checkbox"/> Downgradient n <input type="checkbox"/> Not Known	Gov. Lot Number
Key Engineering Group, Ltd.			

A. Protective pipe, top elevation	ft. MSL	1. Cap and lock? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No
B. Well casing, top elevation	ft. MSL	2. Protective cover pipe: a. Inside diameter: 10.0 in. b. Length: 1.0 ft. c. Material: Steel <input checked="" type="checkbox"/> 0.4 Other <input type="checkbox"/>
C. Land surface elevation	ft. MSL	d. Additional protection? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No If yes, describe: _____
D. Surface seal, bottom	ft. MSL or ft.	3. Surface seal: Bentonite <input type="checkbox"/> 3.0 Concrete <input checked="" type="checkbox"/> 0.1 Other <input type="checkbox"/>
12. USCS classification of soil near screen:		4. Material between well casing and protective pipe: Bentonite <input checked="" type="checkbox"/> 3.0 Other <input type="checkbox"/>
GP <input type="checkbox"/> GM <input type="checkbox"/> GC <input type="checkbox"/> GW <input type="checkbox"/> SW <input type="checkbox"/> SP <input type="checkbox"/> SM <input type="checkbox"/> SC <input type="checkbox"/> ML <input type="checkbox"/> MH <input type="checkbox"/> CL <input type="checkbox"/> CH <input type="checkbox"/> Bedrock <input type="checkbox"/>		5. Annular space seal: a. Granular/Chipped Bentonite <input checked="" type="checkbox"/> 3.3 b. _____ Lbs/gal mud weight ... Bentonite-sand slurry <input type="checkbox"/> 3.5 c. _____ Lbs/gal mud weight ... Bentonite slurry <input type="checkbox"/> 3.1 d. _____ % Bentonite ... Bentonite-cement grout <input type="checkbox"/> 5.0 e. _____ Ft ³ volume added for any of the above f. How installed: Tremie <input type="checkbox"/> 0.1 Tremie pumped <input type="checkbox"/> 0.2 Gravity <input type="checkbox"/> 0.8
13. Sieve analysis attached? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No		6. Bentonite seal: a. Bentonite granules <input type="checkbox"/> 3.3 b. <input type="checkbox"/> 1/4 in. <input type="checkbox"/> 3/8 in. <input type="checkbox"/> 1/2 in. Bentonite chips <input type="checkbox"/> 3.2 Cetco Crumbles Other <input type="checkbox"/>
14. Drilling method used: Rotary <input type="checkbox"/> 5.0 Hollow Stem Auger <input checked="" type="checkbox"/> 4.1 Other <input type="checkbox"/>		7. Fine sand material: Manufacturer, product name & mesh size a. Red Flint
15. Drilling fluid used: Water <input type="checkbox"/> 0.2 Air <input type="checkbox"/> 0.1 Drilling Mud <input type="checkbox"/> 0.3 None <input checked="" type="checkbox"/> 9.9		8. Filter pack material: Manufacturer, product name & mesh size a. Red Flint 7 bags
16. Drilling additives used? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No Describe _____		9. Well casing: Flush threaded PVC schedule 40 <input checked="" type="checkbox"/> 2.3 Flush threaded PVC schedule 80 <input type="checkbox"/> 2.4 Other <input type="checkbox"/>
17. Source of water (attach analysis, if required): _____		10. Screen material: PVC a. Screen Type: Factory cut <input checked="" type="checkbox"/> 1.1 Continuous slot <input type="checkbox"/> 0.1 Other <input type="checkbox"/>
E. Bentonite seal, top	ft. MSL or 1.0 ft.	b. Manufacturer Environmental Manufacturing 0.010 in.
F. Fine sand, top	ft. MSL or 22.5 ft.	c. Slot size: 10.0 ft.
G. Filter pack, top	ft. MSL or 23.5 ft.	d. Slotted length: n
H. Screen joint, top	ft. MSL or 24.5 ft.	
I. Well bottom	ft. MSL or 29.5 ft.	
J. Filter pack, bottom	ft. MSL or 30.0 ft.	
K. Borehole, bottom	ft. MSL or 30.0 ft.	
L. Borehole, diameter	8.3 in.	
M. O.D. well casing	2.38 in.	
N. I.D. well casing	2.00 in.	

I hereby certify that the information on this form is true and correct to the best of my knowledge.

Signature

Firm **KEY ENGINEERING GROUP, LTD.**
W66 N215 COMMERCE CT. CEDARBURG, WI 53012

Tel: (262) 375-4750
Fax: (262) 375-9680

Please complete both Forms 4400-113A and 4400-113B and return them to the appropriate DNR office and bureau. Completion of these reports is required by chs. 160, 281, 283, 289, 291, 292, 293, 295, and 299, Wis. Stats., and ch. NR 141, Wis. Adm. Code. In accordance with chs. 281, 289, 291, 292, 293, 295, and 299, Wis. Stats., failure to file these forms may result in a forfeiture of between \$10 and \$25,000, or imprisonment for up to one year, depending on the program and conduct involved. Personally identifiable information on these forms is not intended to be used for any other purpose. NOTE: See the instructions for more information, including where the completed forms should be sent.

Route To:	Watershed/Wastewater <input type="checkbox"/>	Waste Management <input type="checkbox"/>
	Remediation/Redevelopment <input type="checkbox"/>	Other <input type="checkbox"/>
Facility/Project Name Decorah Shopping Center Annex	County Washington	Well Name MW-16
Facility License, Permit or Monitoring Number -	County Code 67	Wis. Unique Well Number PK921
1. Can this well be purged dry? 2. Well development method: surged with bailer and bailed surged with bailer and pumped surged with block and bailed surged with block and pumped surged with block, bailed, and pumped compressed air bailed only pumped only pumped slowly other _____	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> 41 <input type="checkbox"/> 61 <input type="checkbox"/> 42 <input type="checkbox"/> 62 <input type="checkbox"/> 70 <input type="checkbox"/> 20 <input type="checkbox"/> 10 <input checked="" type="checkbox"/> 51 <input type="checkbox"/> 50 <input type="checkbox"/> 70	Before Development After Development 11. Depth to Water (from top of well casing) Date a. 10.53 ft. 10.95 ft. Time b. 3/19/2003 3/19/2003 c. <input checked="" type="checkbox"/> a.m. <input checked="" type="checkbox"/> a.m. 09:40 <input type="checkbox"/> p.m. 10:00 <input type="checkbox"/> p.m.
3. Time spent developing well	20 min.	12. Sediment in well bottom
4. Depth of well (from top of well casing)	15.1 ft.	13. Water clarity
5. Inside diameter of well	2.00 in.	Clear <input type="checkbox"/> 10 Clear <input checked="" type="checkbox"/> 20 Turbid <input checked="" type="checkbox"/> 15 Turbid <input type="checkbox"/> 25 (Describe) (Describe)
6. Volume of water in filter pack and well casing	4.2 gal.	Fill in if drilling fluids were used and well is at solid waste facility:
7. Volume of water removed from well	8.0 gal.	14. Total suspended solids mg/l mg/l
8. Volume of water added (if any)	0.0 gal.	15. COD mg/l mg/l
9. Source of water added <u>NA</u>		16. Well developed by: Person's Name and Firm Todd E. McQuistion Key Engineering Group, Ltd.
10. Analysis performed on water added? (If yes, attach results)	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	17. Additional comments on development:

Facility Address or Owner/Responsible Party Address Name: <u>Thomas Keenen</u>	I hereby certify that the above information is true and correct to the best of my knowledge.
Firm: <u>Continental Properties Company, Inc.</u>	Signature: <u>Todd E. McQuistion</u>
Street: <u>7800 North 113th Street</u>	Print Name: <u>Todd E. McQuistion</u>
City/State/Zip: <u>Milwaukee, Wisconsin</u>	Firm: <u>KEY ENGINEERING GROUP, LTD.</u>

NOTE: See instructions for more information including a list of county codes and well type codes.

Route To: Watershed/Wastewater
Remediation/Redevelopment

Waste Management
Other

Facility/Project Name Decorah Shopping Center Annex	County Washington	Well Name MW-17
Facility License, Permit or Monitoring Number -	County Code 67	Wis. Unique Well Number PK-922
1. Can this well be purged dry? 2. Well development method: surged with bailer and bailed surged with bailer and pumped surged with block and bailed surged with block and pumped surged with block, bailed, and pumped compressed air bailed only pumped only pumped slowly other _____	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> 41 <input type="checkbox"/> 61 <input type="checkbox"/> 42 <input type="checkbox"/> 62 <input type="checkbox"/> 70 <input type="checkbox"/> 20 <input type="checkbox"/> 10 <input checked="" type="checkbox"/> 51 <input type="checkbox"/> 50 <input type="checkbox"/> 52	Before Development After Development 11. Depth to Water (from top of well casing) a. 11.33 ft. 12.45 ft. Date b. 3/19/2003 3/19/2003 Time c. <input checked="" type="checkbox"/> a.m. <input type="checkbox"/> p.m. <input checked="" type="checkbox"/> a.m. 10:05 <input type="checkbox"/> p.m.
3. Time spent developing well	25 min.	12. Sediment in well bottom inches inches
4. Depth of well (from top of well casing)	15.2 ft.	13. Water clarity Clear <input type="checkbox"/> 10 Clear <input checked="" type="checkbox"/> 20 Turbid <input checked="" type="checkbox"/> 15 Turbid <input type="checkbox"/> 25 (Describe) (Describe)
5. Inside diameter of well	2.00 in.	14. Total suspended solids mg/l mg/l
6. Volume of water in filter pack and well casing	3.6 gal.	15. COD mg/l mg/l
7. Volume of water removed from well	8.0 gal.	16. Well developed by: Person's Name and Firm Michael R. Mantz Key Engineering Group, Ltd.
8. Volume of water added (if any)	0.0 gal.	
9. Source of water added <u>NA</u>		
10. Analysis performed on water added? (If yes, attach results)	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	
17. Additional comments on development: Purged dry three times		

Facility Address or Owner/Responsible Party Address	I hereby certify that the above information is true and correct to the best of my knowledge.
Name: <u>Thomas Keenen</u>	
Firm: <u>Continental Properties Company, Inc.</u>	Signature: <u>m. m.</u>
Street: <u>7800 North 113th Street</u>	Print Name: <u>Michael R. Mantz</u>
City/State/Zip: <u>Milwaukee, Wisconsin</u>	Firm: <u>KEY ENGINEERING GROUP, LTD.</u>

Route To:	Watershed/Wastewater <input type="checkbox"/>	Waste Management <input type="checkbox"/>
	Remediation/Redevelopment <input type="checkbox"/>	Other <input type="checkbox"/>
Facility/Project Name Decorah Shopping Center Annex	County Washington	Well Name MW-18
Facility License, Permit or Monitoring Number -	County Code 67	Wis. Unique Well Number PK923
DNR Well Number		

1. Can this well be purged dry?	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	Before Development	After Development
2. Well development method: surged with bailer and bailed surged with bailer and pumped surged with block and bailed surged with block and pumped surged with block, bailed, and pumped compressed air bailed only pumped only pumped slowly other _____	<input type="checkbox"/> 4 1 <input type="checkbox"/> 6 1 <input type="checkbox"/> 4 2 <input type="checkbox"/> 6 2 <input type="checkbox"/> 7 0 <input type="checkbox"/> 2 0 <input type="checkbox"/> 1 0 <input checked="" type="checkbox"/> 5 1 <input type="checkbox"/> 5 0 <input type="checkbox"/> 7 0	11. Depth to Water (from top of well casing) Date Time	a. 14.83 ft. 15.05 ft. b. 3/19/2003 3/19/2003 c. 10:20 <input type="checkbox"/> a.m. <input checked="" type="checkbox"/> p.m. 10:40 <input checked="" type="checkbox"/> a.m. <input type="checkbox"/> p.m.
3. Time spent developing well	20 min.	12. Sediment in well bottom	1.7 inches 0.0 inches
4. Depth of well (from top of well casing)	17.9 ft.	13. Water clarity (Describe)	Clear <input type="checkbox"/> 1 0 <input checked="" type="checkbox"/> 2 0 Turbid <input checked="" type="checkbox"/> 1 5 <input type="checkbox"/> 2 5 (Describe)
5. Inside diameter of well	2.00 in.	14. Total suspended solids	mg/l mg/l
6. Volume of water in filter pack and well casing	2.8 gal.	15. COD	mg/l mg/l
7. Volume of water removed from well	10.0 gal.	16. Well developed by: Person's Name and Firm Todd E. McQuistion Key Engineering Group, Ltd.	
8. Volume of water added (if any)	0.0 gal.		
9. Source of water added	_____		
10. Analysis performed on water added? (If yes, attach results)	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No		
17. Additional comments on development:			

Facility Address or Owner/Responsible Party Address Name: <u>Thomas Keenen</u>	I hereby certify that the above information is true and correct to the best of my knowledge.
Firm: <u>Continental Properties Company, Inc.</u>	Signature: <u>Todd E. McQuistion</u>
Street: <u>7800 North 113th Street</u>	Print Name: <u>Todd E. McQuistion</u>
City/State/Zip: <u>Milwaukee, Wisconsin</u>	Firm: <u>KEY ENGINEERING GROUP, LTD.</u>

NOTE: See instructions for more information including a list of county codes and well type codes.

Route To: Watershed/Wastewater
Remediation/Redevelopment

Waste Management
Other

Facility/Project Name Decorah Shopping Center Annex	County Washington	Well Name MW-19																																			
Facility License, Permit or Monitoring Number -	County Code 67	Wis. Unique Well Number PK-924	DNR Well Number																																		
1. Can this well be purged dry? 2. Well development method: surged with bailer and bailed surged with bailer and pumped surged with block and bailed surged with block and pumped surged with block, bailed, and pumped compressed air bailed only pumped only pumped slowly other _____	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> 41 <input type="checkbox"/> 61 <input type="checkbox"/> 42 <input type="checkbox"/> 62 <input type="checkbox"/> 70 <input type="checkbox"/> 20 <input type="checkbox"/> 10 <input checked="" type="checkbox"/> 51 <input type="checkbox"/> 50 <input type="checkbox"/> 52	<table border="1"> <thead> <tr> <th colspan="2"></th> <th><u>Before Development</u></th> <th><u>After Development</u></th> </tr> </thead> <tbody> <tr> <td>11. Depth to Water (from top of well casing)</td> <td>a.</td> <td>13.60 ft.</td> <td>13.61 ft.</td> </tr> <tr> <td>Date</td> <td>b.</td> <td>3/19/2003</td> <td>3/19/2003</td> </tr> <tr> <td>Time</td> <td>c.</td> <td>10:20 <input type="checkbox"/> a.m. <input checked="" type="checkbox"/> p.m.</td> <td>11:05 <input type="checkbox"/> a.m. <input type="checkbox"/> p.m.</td> </tr> <tr> <td>12. Sediment in well bottom</td> <td colspan="2">inches</td> <td>inches</td> </tr> <tr> <td>13. Water clarity</td> <td>Clear <input type="checkbox"/></td> <td>10</td> <td>Clear <input checked="" type="checkbox"/></td> <td>20</td> </tr> <tr> <td></td> <td>Turbid <input checked="" type="checkbox"/></td> <td>15</td> <td>Turbid <input type="checkbox"/></td> <td>25</td> </tr> <tr> <td>(Describe)</td> <td colspan="3">(Describe)</td> </tr> </tbody> </table>				<u>Before Development</u>	<u>After Development</u>	11. Depth to Water (from top of well casing)	a.	13.60 ft.	13.61 ft.	Date	b.	3/19/2003	3/19/2003	Time	c.	10:20 <input type="checkbox"/> a.m. <input checked="" type="checkbox"/> p.m.	11:05 <input type="checkbox"/> a.m. <input type="checkbox"/> p.m.	12. Sediment in well bottom	inches		inches	13. Water clarity	Clear <input type="checkbox"/>	10	Clear <input checked="" type="checkbox"/>	20		Turbid <input checked="" type="checkbox"/>	15	Turbid <input type="checkbox"/>	25	(Describe)	(Describe)		
		<u>Before Development</u>	<u>After Development</u>																																		
11. Depth to Water (from top of well casing)	a.	13.60 ft.	13.61 ft.																																		
Date	b.	3/19/2003	3/19/2003																																		
Time	c.	10:20 <input type="checkbox"/> a.m. <input checked="" type="checkbox"/> p.m.	11:05 <input type="checkbox"/> a.m. <input type="checkbox"/> p.m.																																		
12. Sediment in well bottom	inches		inches																																		
13. Water clarity	Clear <input type="checkbox"/>	10	Clear <input checked="" type="checkbox"/>	20																																	
	Turbid <input checked="" type="checkbox"/>	15	Turbid <input type="checkbox"/>	25																																	
(Describe)	(Describe)																																				
3. Time spent developing well	45 min.																																				
4. Depth of well (from top of well casing)	17.5 ft.																																				
5. Inside diameter of well	2.00 in.																																				
6. Volume of water in filter pack and well casing	3.6 gal.																																				
7. Volume of water removed from well	7.0 gal.	Fill in if drilling fluids were used and well is at solid waste facility:																																			
8. Volume of water added (if any)	0.0 gal.	14. Total suspended solids	mg/l																																		
9. Source of water added	_____	15. COD	mg/l																																		
10. Analysis performed on water added? (If yes, attach results)	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	16. Well developed by: Person's Name and Firm Michael R. Mantz Key Engineering Group, Ltd.																																			

17. Additional comments on development:

Purged dry three times


Facility Address or Owner/Responsible Party Address	I hereby certify that the above information is true and correct to the best of my knowledge.
Name: <u>Thomas Keenen</u>	
Firm: <u>Continental Properties Company, Inc.</u>	Signature: <u>MRM</u>
Street: <u>7800 North 113th Street</u>	Print Name: <u>Michael R. Mantz</u>
City/State/Zip: <u>Milwaukee, Wisconsin</u>	Firm: <u>KEY ENGINEERING GROUP, LTD.</u>

Route To:	Watershed/Wastewater <input type="checkbox"/>	Waste Management <input type="checkbox"/>	
	Remediation/Redevelopment <input type="checkbox"/>	Other <input type="checkbox"/>	
Facility/Project Name Decorah Shopping Center Annex	County Washington	Well Name MW-20	
Facility License, Permit or Monitoring Number -	County Code 67	Wis. Unique Well Number PK926	
1. Can this well be purged dry?	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	Before Development After Development	
2. Well development method: surged with bailer and bailed surged with bailer and pumped surged with block and bailed surged with block and pumped surged with block, bailed, and pumped compressed air bailed only pumped only pumped slowly other _____	<input type="checkbox"/> 4 1 <input type="checkbox"/> 6 1 <input type="checkbox"/> 4 2 <input type="checkbox"/> 6 2 <input type="checkbox"/> 7 0 <input type="checkbox"/> 2 0 <input type="checkbox"/> 1 0 <input checked="" type="checkbox"/> 5 1 <input type="checkbox"/> 5 0 <input type="checkbox"/> _____	11. Depth to Water (from top of well casing) Date Time	a. 20.92 ft. 21.02 ft. b. 3/19/2003 3/19/2003 c. 02:00 <input type="checkbox"/> a.m. <input checked="" type="checkbox"/> p.m. 02:30 <input type="checkbox"/> a.m. <input checked="" type="checkbox"/> p.m.
3. Time spent developing well	30 min.	12. Sediment in well bottom	3.4 inches 0.0 inches
4. Depth of well (from top of well casing)	24.9 ft.	13. Water clarity (Describe)	Clear <input type="checkbox"/> 1 0 Clear <input checked="" type="checkbox"/> 2 0 Turbid <input checked="" type="checkbox"/> 1 5 Turbid <input type="checkbox"/> 2 5 (Describe) (Describe)
5. Inside diameter of well	2.00 in.	_____ _____ _____	
6. Volume of water in filter pack and well casing	3.7 gal.	_____ _____ _____	
7. Volume of water removed from well	10.0 gal.	Fill in if drilling fluids were used and well is at solid waste facility:	
8. Volume of water added (if any)	0.0 gal.	14. Total suspended solids	mg/l mg/l
9. Source of water added _____		15. COD	mg/l mg/l
10. Analysis performed on water added? (If yes, attach results)	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	16. Well developed by: Person's Name and Firm Todd E. McQuistion Key Engineering Group, Ltd.	
17. Additional comments on development:			

Facility Address or Owner/Responsible Party Address Name: <u>Thomas Keenen</u>	I hereby certify that the above information is true and correct to the best of my knowledge.
Firm: <u>Continental Properties Company, Inc.</u>	Signature: <u>Todd E. McQuistion</u>
Street: <u>7800 North 113th Street</u>	Print Name: <u>Todd E. McQuistion</u>
City/State/Zip: <u>Milwaukee, Wisconsin</u>	Firm: <u>KEY ENGINEERING GROUP, LTD.</u>

NOTE: See instructions for more information including a list of county codes and well type codes.

Route To:	Watershed/Wastewater <input type="checkbox"/>	Remediation/Redevelopment <input type="checkbox"/>	Waste Management <input type="checkbox"/>	Other <input type="checkbox"/>
Facility/Project Name	County	Well Name		
Decorah Shopping Center Annex	Washington	MW-21		
Facility License, Permit or Monitoring Number	County Code	Wis. Unique Well Number	DNR Well Number	
	67	PK927		
1. Can this well be purged dry?	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No		Before Development After Development	
2. Well development method:			11. Depth to Water (from top of well casing)	a. 24.95 ft. 24.95 ft.
surged with bailer and bailed	<input type="checkbox"/> 4 1		Date	b. 3/19/2003 3/19/2003
surged with bailer and pumped	<input type="checkbox"/> 6 1		Time	c. <input checked="" type="checkbox"/> a.m. 11:00 <input type="checkbox"/> p.m. 11:25 <input checked="" type="checkbox"/> p.m.
surged with block and bailed	<input type="checkbox"/> 4 2		12. Sediment in well bottom	5.2 inches 0.0 inches
surged with block and pumped	<input type="checkbox"/> 6 2		13. Water clarity	Clear <input type="checkbox"/> 1 0 Clear <input checked="" type="checkbox"/> 2 0
surged with block, bailed, and pumped	<input type="checkbox"/> 7 0		Turbid <input checked="" type="checkbox"/> 1 5 Turbid <input type="checkbox"/> 2 5	
compressed air	<input type="checkbox"/> 2 0		(Describe)	(Describe)
bailed only	<input type="checkbox"/> 1 0			
pumped only	<input checked="" type="checkbox"/> 5 1			
pumped slowly	<input type="checkbox"/> 5 0			
other _____	<input type="checkbox"/> _____			
3. Time spent developing well	25 min.			
4. Depth of well (from top of well casing)	28.0 ft.			
5. Inside diameter of well	2.00 in.			
6. Volume of water in filter pack and well casing	2.8 gal.			
7. Volume of water removed from well	10.0 gal.		Fill in if drilling fluids were used and well is at solid waste facility:	
8. Volume of water added (if any)	0.0 gal.		14. Total suspended solids	mg/l mg/l
9. Source of water added _____			15. COD	mg/l mg/l
10. Analysis performed on water added? (If yes, attach results)	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No		16. Well developed by: Person's Name and Firm	
17. Additional comments on development:			Todd E. McQuistion Key Engineering Group, Ltd.	

Facility Address or Owner/Responsible Party Address	I hereby certify that the above information is true and correct to the best of my knowledge.
Name: Thomas Keenen	
Firm: Continental Properties Company, Inc.	Signature: 
Street: 7800 North 113th Street	Print Name: Todd E. McQuistion
City/State/Zip: Milwaukee, Wisconsin	Firm: KEY ENGINEERING GROUP, LTD.

NOTE: See instructions for more information including a list of county codes and well type codes.

Route To: Watershed/Wastewater
Remediation/Redevelopment

Waste Management
Other

Facility/Project Name Decorah Shopping Center Annex	County Washington	Well Name PZ-4
Facility License, Permit or Monitoring Number -	County Code 67	Wis. Unique Well Number PK-925
1. Can this well be purged dry? 2. Well development method: surged with bailer and bailed surged with bailer and pumped surged with block and bailed surged with block and pumped surged with block, bailed, and pumped compressed air bailed only pumped only pumped slowly other _____	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> 41 <input type="checkbox"/> 61 <input type="checkbox"/> 42 <input type="checkbox"/> 62 <input type="checkbox"/> 70 <input type="checkbox"/> 20 <input type="checkbox"/> 10 <input checked="" type="checkbox"/> 51 <input type="checkbox"/> 50 <input type="checkbox"/> _____	Before Development After Development 11. Depth to Water (from top of well casing) a. 13.53 ft. 14.51 ft. Date b. 3/19/2003 3/19/2003 Time c. <input checked="" type="checkbox"/> a.m. <input type="checkbox"/> a.m. 10:20 <input type="checkbox"/> p.m. 10:45 <input type="checkbox"/> p.m. 12. Sediment in well bottom inches 13. Water clarity Clear <input type="checkbox"/> 10 Clear <input checked="" type="checkbox"/> 20 Turbid <input checked="" type="checkbox"/> 15 Turbid <input type="checkbox"/> 25 (Describe) (Describe) Fill in if drilling fluids were used and well is at solid waste facility: 14. Total suspended solids mg/l mg/l 15. COD mg/l mg/l 16. Well developed by: Person's Name and Firm Michael R. Mantz Key Engineering Group, Ltd.
3. Time spent developing well	25 min.	
4. Depth of well (from top of well casing)	29.6 ft.	
5. Inside diameter of well	2.00 in.	
6. Volume of water in filter pack and well casing	14.8 gal.	
7. Volume of water removed from well	14.0 gal.	
8. Volume of water added (if any)	0.0 gal.	
9. Source of water added	_____	
10. Analysis performed on water added? (If yes, attach results)	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	
17. Additional comments on development:		

Facility Address or Owner/Responsible Party Address
Name: <u>Thomas Keenen</u>
Firm: <u>Continental Properties Company, Inc.</u>
Street: <u>7800 North 113th Street</u>
City/State/Zip: <u>Milwaukee, Wisconsin</u>

I hereby certify that the above information is true and correct to the best of my knowledge.
Signature: <u>Michael R. Mantz</u>
Print Name: <u>Michael R. Mantz</u>
Firm: <u>KEY ENGINEERING GROUP, LTD.</u>

ANALYTICAL REPORT

Mr. D'Arcy Gravelle
KEY ENGINEERING GROUP LTD
W66 N215 Commerce Court
Cedarburg, WI 53012

03/20/2003

Job No: 03.02012


Page 1 of 20

The following samples were received by TestAmerica for analysis:

0702007 Decorah Annex

Sample Number	Sample Description	Date Taken	Date Received
516447	B-20 8.5-10.5'	03/11/2003	03/12/2003
516448	B-21 8.5-10.5'	03/11/2003	03/12/2003
516449	B-21 13.5-15.5'	03/11/2003	03/12/2003
516450	B-22 11-13'	03/11/2003	03/12/2003
516451	B-22 16-18'	03/11/2003	03/12/2003
516452	B-23 8.5-10.5'	03/11/2003	03/12/2003
516453	B-23 16-18'	03/11/2003	03/12/2003
516454	B-24 28-30'	03/11/2003	03/12/2003
516455	MeOH Blank	03/11/2003	03/12/2003

Soil results reported
on a dry weight basis.



Brian D. DeJong
Organic Operations Manager

KEY ENGINEERING GROUP LTD
Job No: 03.02012

03/20/2003
Page 2 of 20

KEY TO DATA FLAGS

The attached sample(s) may have a result flag shown on the report. The following are the result flag definitions:

A = Analyzed/extracted past hold time
B = Blank is contaminated
C = Standard outside of control limits
D = Diluted for analysis
E = TCLP extraction outside of method required temperature range
F = Sample filtered in lab
G = Received past hold time
H = Late eluting hydrocarbons present
I = Improperly handled sample
J = Estimated concentration
L = Common lab solvent and contaminant
M = Matrix interference
P = Improperly preserved sample
Q = Result confirmed via re-analysis
S = Sediment present
T = Does not match typical pattern
W = BOD re-set due to missed dilution
X = Unidentified compound(s) present
Z = Internal standard outside limits
* = See Case Narrative

KEY TO ANALYST INITIALS

The attached sample(s) may have been analyzed by another certified laboratory. If a number appears in the Analyst Initials field, the following are the appropriate certifications (if the lab code does not appear below, that means that WDNR certification is not required for the work performed):

Lab Code	Certification Number
008	WDNR - 999766900
009	WDNR - 241293690
020	WDNR - 999447680
030	ILNELAC - 100230; WDNR - 998294430
060	ILNELAC - 100221; WDNR - 999447130
070	IA - 007; ILNELAC - 000668; MDH - 019-999-319; WDNR - 999917270
130	WDNR - 632021390
147	WDNR - 721026460
300	FLNELAC - 87358; IA - 131; MDH - 047-999-345; WDNR - 998020430
400	WDNR - 113133790
510	WDNR - 241249360
520	WDNR - 999518190; ILNELAC - 100439
700	WDNR - 113289110

TestAmerica Watertown WDNR - 128053530; IDNR - 294; MDH - 055-999-366; ND - R-046

For questions regarding this report, please contact Dan Milewsky or Warren Topel.

ANALYTICAL REPORT

Mr. D'Arcy Gravelle
 KEY ENGINEERING GROUP LTD
 W66 N215 Commerce Court
 Cedarburg, WI 53012

03/20/2003
 Job No: 03.02012
 Sample No: 516447
 Account No: 45150
 Page 3 of 20

JOB DESCRIPTION: 0702007 Decorah Annex

PROJECT DESCRIPTION: Soil Analysis

SAMPLE DESCRIPTION: B-20 8.5-10.5'
 West Bend, WI
 Rec'd at 4 degrees C

Date/Time Taken: 03/11/2003 09:45

Date Received: 03/12/2003

Parameter	Results	Units	Reporting Limit	Method	Date Analyzed	Analyst	Prep/Run Batch
Solids, Total	91.2	%	n/a	SW 5035	03/18/2003	tag	4794
VOC - METHANOL - 8260B							
Benzene	<27	ug/kg	25	SW 8260B	03/17/2003	aba	2242
Bromobenzene	<27	ug/kg	25	SW 8260B	03/17/2003	aba	2242
Bromochloromethane	<38	ug/kg	35	SW 8260B	03/17/2003	aba	2242
Bromodichloromethane	<27	ug/kg	25	SW 8260B	03/17/2003	aba	2242
Bromoform	<27	ug/kg	25	SW 8260B	03/17/2003	aba	2242
Bromomethane	<110	ug/kg	100	SW 8260B	03/17/2003	aba	2242
n-Butylbenzene	<27	ug/kg	25	SW 8260B	03/17/2003	aba	2242
sec-Butylbenzene	<27	ug/kg	25	SW 8260B	03/17/2003	aba	2242
tert-Butylbenzene	<27	ug/kg	25	SW 8260B	03/17/2003	aba	2242
Carbon Tetrachloride	<27	ug/kg	25	SW 8260B	03/17/2003	aba	2242
Chlorobenzene	<27	ug/kg	25	SW 8260B	03/17/2003	aba	2242
Chlorodibromomethane	<27	ug/kg	25	SW 8260B	03/17/2003	aba	2242
Chloroethane	<55	ug/kg	50	SW 8260B	03/17/2003	aba	2242
Chloroform	<27	ug/kg	25	SW 8260B	03/17/2003	aba	2242
Chloromethane	<55	ug/kg	50	SW 8260B	03/18/2003	aba	2245
2-Chlorotoluene	<55	ug/kg	50	SW 8260B	03/17/2003	aba	2242
4-Chlorotoluene	<27	ug/kg	25	SW 8260B	03/17/2003	aba	2242
1,2-Dibromo-3-Chloropropane	<55	ug/kg	50	SW 8260B	03/17/2003	aba	2242
1,2-Dibromoethane (EDB)	<27	ug/kg	25	SW 8260B	03/17/2003	aba	2242
Dibromomethane	<27	ug/kg	25	SW 8260B	03/17/2003	aba	2242
1,2-Dichlorobenzene	<27	ug/kg	25	SW 8260B	03/17/2003	aba	2242
1,3-Dichlorobenzene	<27	ug/kg	25	SW 8260B	03/17/2003	aba	2242
1,4-Dichlorobenzene	<27	ug/kg	25	SW 8260B	03/17/2003	aba	2242
Dichlorodifluoromethane	<27	ug/kg	25	SW 8260B	03/17/2003	aba	2242
1,1-Dichloroethane	<27	ug/kg	25	SW 8260B	03/17/2003	aba	2242
1,2-Dichloroethane	<27	ug/kg	25	SW 8260B	03/17/2003	aba	2242
1,1-Dichloroethene	<27	ug/kg	25	SW 8260B	03/17/2003	aba	2242
cis-1,2-Dichloroethene	<27	ug/kg	25	SW 8260B	03/17/2003	aba	2242
trans-1,2-Dichloroethene	<27	ug/kg	25	SW 8260B	03/17/2003	aba	2242
1,2-Dichloropropane	<27	ug/kg	25	SW 8260B	03/17/2003	aba	2242
1,3-Dichloropropane	<27	ug/kg	25	SW 8260B	03/17/2003	aba	2242
2,2-Dichloropropane	<27	ug/kg	25	SW 8260B	03/17/2003	aba	2242
1,1-Dichloropropene	<27	ug/kg	25	SW 8260B	03/17/2003	aba	2242
cis-1,3-Dichloropropene	<27	ug/kg	25	SW 8260B	03/17/2003	aba	2242
trans-1,3-Dichloropropene	<27	ug/kg	25	SW 8260B	03/17/2003	aba	2242
Di-isopropyl ether	<27	ug/kg	25	SW 8260B	03/17/2003	aba	2242
Ethylbenzene	<27	ug/kg	25	SW 8260B	03/17/2003	aba	2242

TestAmerica

INCORPORATED

ANALYTICAL REPORT

Mr. D'Arcy Gravelle
 KEY ENGINEERING GROUP LTD
 W66 N215 Commerce Court
 Cedarburg, WI 53012

03/20/2003
 Job No: 03.02012
 Sample No: 516447
 Account No: 45150
 Page 4 of 20

JOB DESCRIPTION: 0702007 Decorah Annex

PROJECT DESCRIPTION: Soil Analysis

SAMPLE DESCRIPTION: B-20 8.5-10.5'
 West Bend, WI
 Rec'd at 4 degrees C

Date/Time Taken: 03/11/2003 09:45

Date Received: 03/12/2003

Parameter	Results	Units	Reporting Limit	Method	Date Analyzed	Analyst	Prep/Run Batch
Hexachlorobutadiene	<38	ug/kg	35	SW 8260B	03/17/2003	aba	2242
Isopropylbenzene	<27	ug/kg	25	SW 8260B	03/17/2003	aba	2242
p-Isopropyltoluene	<27	ug/kg	25	SW 8260B	03/17/2003	aba	2242
Methylene Chloride	<55	ug/kg	50	SW 8260B	03/17/2003	aba	2242
Methyl-t-butyl ether	<27	ug/kg	25	SW 8260B	03/17/2003	aba	2242
Naphthalene	<27	ug/kg	25	SW 8260B	03/17/2003	aba	2242
n-Propylbenzene	<27	ug/kg	25	SW 8260B	03/17/2003	aba	2242
Styrene	<27	ug/kg	25	SW 8260B	03/17/2003	aba	2242
1,1,1,2-Tetrachloroethane	<27	ug/kg	25	SW 8260B	03/17/2003	aba	2242
1,1,2,2-Tetrachloroethane	<27	ug/kg	25	SW 8260B	03/17/2003	aba	2242
Tetrachloroethene	<27	ug/kg	25	SW 8260B	03/17/2003	aba	2242
Toluene	67	ug/kg	25	SW 8260B	03/17/2003	aba	2242
1,2,3-Trichlorobenzene	<27	ug/kg	25	SW 8260B	03/17/2003	aba	2242
1,2,4-Trichlorobenzene	<27	ug/kg	25	SW 8260B	03/17/2003	aba	2242
1,1,1-Trichloroethane	<27	ug/kg	25	SW 8260B	03/17/2003	aba	2242
1,1,2-Trichloroethane	<38	ug/kg	35	SW 8260B	03/17/2003	aba	2242
Trichloroethene	<27	ug/kg	25	SW 8260B	03/17/2003	aba	2242
Trichlorofluoromethane	<27	ug/kg	25	SW 8260B	03/17/2003	aba	2242
1,2,3-Trichloropropane	<110	ug/kg	100	SW 8260B	03/17/2003	aba	2242
1,2,4-Trimethylbenzene	<27	ug/kg	25	SW 8260B	03/17/2003	aba	2242
1,3,5-Trimethylbenzene	<27	ug/kg	25	SW 8260B	03/17/2003	aba	2242
Vinyl Chloride	<38	ug/kg	35	SW 8260B	03/17/2003	aba	2242
Xylenes, Total	<38	ug/kg	35	SW 8260B	03/17/2003	aba	2242
Surr: Dibromofluoromethane	97	%	87-111	SW 8260B	03/17/2003	aba	2242
Surr: Toluene-d8	102	%	88-110	SW 8260B	03/17/2003	aba	2242
Surr: Bromofluorobenzene	102	%	90-108	SW 8260B	03/17/2003	aba	2242

ANALYTICAL REPORT

Mr. D'Arcy Gravelle
 KEY ENGINEERING GROUP LTD
 W66 N215 Commerce Court
 Cedarburg, WI 53012

03/20/2003
 Job No: 03.02012
 Sample No: 516448
 Account No: 45150
 Page 5 of 20

JOB DESCRIPTION: 0702007 Decorah Annex

PROJECT DESCRIPTION: Soil Analysis

SAMPLE DESCRIPTION: B-21 8.5-10.5'
 West Bend, WI
 Rec'd at 4 degrees C

Date/Time Taken: 03/11/2003 10:25

Date Received: 03/12/2003

Parameter	Results	Units	Reporting Limit	Method	Date Analyzed	Analyst	Prep/Run Batch
Solids, Total	94.7	%	n/a	SW 5035	03/18/2003	tag	4794
VOC - METHANOL - 8260B							
Benzene	<26	ug/kg	25	SW 8260B	03/17/2003	aba	2242
Bromobenzene	<26	ug/kg	25	SW 8260B	03/17/2003	aba	2242
Bromochloromethane	<37	ug/kg	35	SW 8260B	03/17/2003	aba	2242
Bromodichloromethane	<26	ug/kg	25	SW 8260B	03/17/2003	aba	2242
Bromoform	<26	ug/kg	25	SW 8260B	03/17/2003	aba	2242
Bromomethane	<106	ug/kg	100	SW 8260B	03/17/2003	aba	2242
n-Butylbenzene	<26	ug/kg	25	SW 8260B	03/17/2003	aba	2242
sec-Butylbenzene	<26	ug/kg	25	SW 8260B	03/17/2003	aba	2242
tert-Butylbenzene	<26	ug/kg	25	SW 8260B	03/17/2003	aba	2242
Carbon Tetrachloride	<26	ug/kg	25	SW 8260B	03/17/2003	aba	2242
Chlorobenzene	<26	ug/kg	25	SW 8260B	03/17/2003	aba	2242
Chlorodibromomethane	<26	ug/kg	25	SW 8260B	03/17/2003	aba	2242
Chloroethane	<53	ug/kg	50	SW 8260B	03/17/2003	aba	2242
Chloroform	<26	ug/kg	25	SW 8260B	03/17/2003	aba	2242
Chloromethane	<53	ug/kg	50	SW 8260B	03/17/2003	aba	2242
2-Chlorotoluene	<53	ug/kg	50	SW 8260B	03/17/2003	aba	2242
4-Chlorotoluene	<26	ug/kg	25	SW 8260B	03/17/2003	aba	2242
1,2-Dibromo-3-Chloropropane	<53	ug/kg	50	SW 8260B	03/17/2003	aba	2242
1,2-Dibromoethane (EDB)	<26	ug/kg	25	SW 8260B	03/17/2003	aba	2242
Dibromomethane	<26	ug/kg	25	SW 8260B	03/17/2003	aba	2242
1,2-Dichlorobenzene	<26	ug/kg	25	SW 8260B	03/17/2003	aba	2242
1,3-Dichlorobenzene	<26	ug/kg	25	SW 8260B	03/17/2003	aba	2242
1,4-Dichlorobenzene	<26	ug/kg	25	SW 8260B	03/17/2003	aba	2242
Dichlorodifluoromethane	<26	ug/kg	25	SW 8260B	03/17/2003	aba	2242
1,1-Dichloroethane	<26	ug/kg	25	SW 8260B	03/17/2003	aba	2242
1,2-Dichloroethane	<26	ug/kg	25	SW 8260B	03/17/2003	aba	2242
1,1-Dichloroethene	<26	ug/kg	25	SW 8260B	03/17/2003	aba	2242
cis-1,2-Dichloroethene	<26	ug/kg	25	SW 8260B	03/17/2003	aba	2242
trans-1,2-Dichloroethene	<26	ug/kg	25	SW 8260B	03/17/2003	aba	2242
1,2-Dichloropropane	<26	ug/kg	25	SW 8260B	03/17/2003	aba	2242
1,3-Dichloropropane	<26	ug/kg	25	SW 8260B	03/17/2003	aba	2242
2,2-Dichloropropane	<26	ug/kg	25	SW 8260B	03/17/2003	aba	2242
1,1-Dichloropropene	<26	ug/kg	25	SW 8260B	03/17/2003	aba	2242
cis-1,3-Dichloropropene	<26	ug/kg	25	SW 8260B	03/17/2003	aba	2242
trans-1,3-Dichloropropene	<26	ug/kg	25	SW 8260B	03/17/2003	aba	2242
Di-isopropyl ether	<26	ug/kg	25	SW 8260B	03/17/2003	aba	2242
Ethylbenzene	<26	ug/kg	25	SW 8260B	03/17/2003	aba	2242

TestAmerica

INCORPORATED

ANALYTICAL REPORT

Mr. D'Arcy Gravelle
 KEY ENGINEERING GROUP LTD
 W66 N215 Commerce Court
 Cedarburg, WI 53012

03/20/2003
 Job No: 03.02012
 Sample No: 516448
 Account No: 45150
 Page 6 of 20

JOB DESCRIPTION: 0702007 Decorah Annex
 PROJECT DESCRIPTION: Soil Analysis
 SAMPLE DESCRIPTION: B-21 8.5-10.5'
 West Bend, WI
 Rec'd at 4 degrees C

Date/Time Taken: 03/11/2003 10:25 Date Received: 03/12/2003

Parameter	Results	Units	Reporting Limit	Method	Date Analyzed	Analyst	Prep/Run Batch
Hexachlorobutadiene	<37	ug/kg	35	SW 8260B	03/17/2003	aba	2242
Isopropylbenzene	<26	ug/kg	25	SW 8260B	03/17/2003	aba	2242
p-Isopropyltoluene	<26	ug/kg	25	SW 8260B	03/17/2003	aba	2242
Methylene Chloride	<53	ug/kg	50	SW 8260B	03/17/2003	aba	2242
Methyl-t-butyl ether	<26	ug/kg	25	SW 8260B	03/17/2003	aba	2242
Naphthalene	<26	ug/kg	25	SW 8260B	03/17/2003	aba	2242
n-Propylbenzene	<26	ug/kg	25	SW 8260B	03/17/2003	aba	2242
Styrene	<26	ug/kg	25	SW 8260B	03/17/2003	aba	2242
1,1,1,2-Tetrachloroethane	<26	ug/kg	25	SW 8260B	03/17/2003	aba	2242
1,1,2,2-Tetrachloroethane	<26	ug/kg	25	SW 8260B	03/17/2003	aba	2242
Tetrachloroethene	<26	ug/kg	25	SW 8260B	03/17/2003	aba	2242
Toluene	52	ug/kg	25	SW 8260B	03/17/2003	aba	2242
1,2,3-Trichlorobenzene	<26	ug/kg	25	SW 8260B	03/17/2003	aba	2242
1,2,4-Trichlorobenzene	<26	ug/kg	25	SW 8260B	03/17/2003	aba	2242
1,1,1-Trichloroethane	<26	ug/kg	25	SW 8260B	03/17/2003	aba	2242
1,1,2-Trichloroethane	<37	ug/kg	35	SW 8260B	03/17/2003	aba	2242
Trichloroethene	<26	ug/kg	25	SW 8260B	03/17/2003	aba	2242
Trichlorofluoromethane	<26	ug/kg	25	SW 8260B	03/17/2003	aba	2242
1,2,3-Trichloropropane	<106	ug/kg	100	SW 8260B	03/17/2003	aba	2242
1,2,4-Trimethylbenzene	<26	ug/kg	25	SW 8260B	03/17/2003	aba	2242
1,3,5-Trimethylbenzene	<26	ug/kg	25	SW 8260B	03/17/2003	aba	2242
Vinyl Chloride	<37	ug/kg	35	SW 8260B	03/17/2003	aba	2242
Xylenes, Total	<37	ug/kg	35	SW 8260B	03/17/2003	aba	2242
Surr: Dibromofluoromethane	97	¶	87-111	SW 8260B	03/17/2003	aba	2242
Surr: Toluene-d8	103	¶	88-110	SW 8260B	03/17/2003	aba	2242
Surr: Bromofluorobenzene	103	¶	90-108	SW 8260B	03/17/2003	aba	2242

ANALYTICAL REPORT

Mr. D'Arcy Gravelle
 KEY ENGINEERING GROUP LTD
 W66 N215 Commerce Court
 Cedarburg, WI 53012

03/20/2003
 Job No: 03.02012
 Sample No: 516449
 Account No: 45150
 Page 7 of 20

JOB DESCRIPTION: 0702007 Decorah Annex

PROJECT DESCRIPTION: Soil Analysis

SAMPLE DESCRIPTION: B-21 13.5-15.5'

West Bend, WI

Rec'd at 4 degrees C

Date/Time Taken: 03/11/2003 10:35

Date Received: 03/12/2003

Parameter	Results	Units	Reporting Limit	Method	Date Analyzed	Analyst	Prep/Run Batch
Solids, Total	83.8	%	n/a	SW 5035	03/18/2003	tag	4795
VOC - METHANOL - 8260B							
Benzene	<30	ug/kg	25	SW 8260B	03/17/2003	aba	2242
Bromobenzene	<30	ug/kg	25	SW 8260B	03/17/2003	aba	2242
Bromochloromethane	<42	ug/kg	35	SW 8260B	03/17/2003	aba	2242
Bromodichloromethane	<30	ug/kg	25	SW 8260B	03/17/2003	aba	2242
Bromoform	<30	ug/kg	25	SW 8260B	03/17/2003	aba	2242
Bromomethane	<119	ug/kg	100	SW 8260B	03/17/2003	aba	2242
n-Butylbenzene	<30	ug/kg	25	SW 8260B	03/17/2003	aba	2242
sec-Butylbenzene	<30	ug/kg	25	SW 8260B	03/17/2003	aba	2242
tert-Butylbenzene	<30	ug/kg	25	SW 8260B	03/17/2003	aba	2242
Carbon Tetrachloride	<30	ug/kg	25	SW 8260B	03/17/2003	aba	2242
Chlorobenzene	<30	ug/kg	25	SW 8260B	03/17/2003	aba	2242
Chlorodibromomethane	<30	ug/kg	25	SW 8260B	03/17/2003	aba	2242
Chloroethane	<60	ug/kg	50	SW 8260B	03/17/2003	aba	2242
Chloroform	<30	ug/kg	25	SW 8260B	03/17/2003	aba	2242
Chloromethane	<60	ug/kg	50	SW 8260B	03/17/2003	aba	2242
2-Chlorotoluene	<60	ug/kg	50	SW 8260B	03/17/2003	aba	2242
4-Chlorotoluene	<30	ug/kg	25	SW 8260B	03/17/2003	aba	2242
1,2-Dibromo-3-Chloropropane	<60	ug/kg	50	SW 8260B	03/17/2003	aba	2242
1,2-Dibromoethane (EDB)	<30	ug/kg	25	SW 8260B	03/17/2003	aba	2242
Dibromomethane	<30	ug/kg	25	SW 8260B	03/17/2003	aba	2242
1,2-Dichlorobenzene	<30	ug/kg	25	SW 8260B	03/17/2003	aba	2242
1,3-Dichlorobenzene	<30	ug/kg	25	SW 8260B	03/17/2003	aba	2242
1,4-Dichlorobenzene	<30	ug/kg	25	SW 8260B	03/17/2003	aba	2242
Dichlorodifluoromethane	<30	ug/kg	25	SW 8260B	03/17/2003	aba	2242
1,1-Dichloroethane	<30	ug/kg	25	SW 8260B	03/17/2003	aba	2242
1,2-Dichloroethane	<30	ug/kg	25	SW 8260B	03/17/2003	aba	2242
1,1-Dichloroethene	<30	ug/kg	25	SW 8260B	03/17/2003	aba	2242
cis-1,2-Dichloroethene	<30	ug/kg	25	SW 8260B	03/17/2003	aba	2242
trans-1,2-Dichloroethene	<30	ug/kg	25	SW 8260B	03/17/2003	aba	2242
1,2-Dichloropropane	<30	ug/kg	25	SW 8260B	03/17/2003	aba	2242
1,3-Dichloropropane	<30	ug/kg	25	SW 8260B	03/17/2003	aba	2242
2,2-Dichloropropane	<30	ug/kg	25	SW 8260B	03/17/2003	aba	2242
1,1-Dichloropropene	<30	ug/kg	25	SW 8260B	03/17/2003	aba	2242
cis-1,3-Dichloropropene	<30	ug/kg	25	SW 8260B	03/17/2003	aba	2242
trans-1,3-Dichloropropene	<30	ug/kg	25	SW 8260B	03/17/2003	aba	2242
Di-isopropyl ether	<30	ug/kg	25	SW 8260B	03/17/2003	aba	2242
Ethylbenzene	<30	ug/kg	25	SW 8260B	03/17/2003	aba	2242

ANALYTICAL REPORT

Mr. D'Arcy Gravelle
 KEY ENGINEERING GROUP LTD
 W66 N215 Commerce Court
 Cedarburg, WI 53012

03/20/2003
 Job No: 03.02012
 Sample No: 516449
 Account No: 45150
 Page 8 of 20

JOB DESCRIPTION: 0702007 Decorah Annex

PROJECT DESCRIPTION: Soil Analysis

SAMPLE DESCRIPTION: B-21 13.5-15.5'

West Bend, WI

Rec'd at 4 degrees C

Date/Time Taken: 03/11/2003 10:35

Date Received: 03/12/2003

Parameter	Results	Units	Reporting Limit	Method	Date Analyzed	Analyst	Prep/Run Batch
Hexachlorobutadiene	<42	ug/kg	35	SW 8260B	03/17/2003	aba	2242
Isopropylbenzene	<30	ug/kg	25	SW 8260B	03/17/2003	aba	2242
p-Isopropyltoluene	<30	ug/kg	25	SW 8260B	03/17/2003	aba	2242
Methylene Chloride	<60	ug/kg	50	SW 8260B	03/17/2003	aba	2242
Methyl-t-butyl ether	<30	ug/kg	25	SW 8260B	03/17/2003	aba	2242
Naphthalene	<30	ug/kg	25	SW 8260B	03/17/2003	aba	2242
n-Propylbenzene	<30	ug/kg	25	SW 8260B	03/17/2003	aba	2242
Styrene	<30	ug/kg	25	SW 8260B	03/17/2003	aba	2242
1,1,1,2-Tetrachloroethane	<30	ug/kg	25	SW 8260B	03/17/2003	aba	2242
1,1,2,2-Tetrachloroethane	<30	ug/kg	25	SW 8260B	03/17/2003	aba	2242
Tetrachloroethene	94	ug/kg	25	SW 8260B	03/17/2003	aba	2242
Toluene	<30	ug/kg	25	SW 8260B	03/17/2003	aba	2242
1,2,3-Trichlorobenzene	<30	ug/kg	25	SW 8260B	03/17/2003	aba	2242
1,2,4-Trichlorobenzene	<30	ug/kg	25	SW 8260B	03/17/2003	aba	2242
1,1,1-Trichloroethane	<30	ug/kg	25	SW 8260B	03/17/2003	aba	2242
1,1,2-Trichloroethane	<42	ug/kg	35	SW 8260B	03/17/2003	aba	2242
Trichloroethene	<30	ug/kg	25	SW 8260B	03/17/2003	aba	2242
Trichlorofluoromethane	<30	ug/kg	25	SW 8260B	03/17/2003	aba	2242
1,2,3-Trichloropropane	<119	ug/kg	100	SW 8260B	03/17/2003	aba	2242
1,2,4-Trimethylbenzene	<30	ug/kg	25	SW 8260B	03/17/2003	aba	2242
1,3,5-Trimethylbenzene	<30	ug/kg	25	SW 8260B	03/17/2003	aba	2242
Vinyl Chloride	<42	ug/kg	35	SW 8260B	03/17/2003	aba	2242
Xylenes, Total	<42	ug/kg	35	SW 8260B	03/17/2003	aba	2242
Surr: Dibromofluoromethane	96	%	87-111	SW 8260B	03/17/2003	aba	2242
Surr: Toluene-d8	98	%	88-110	SW 8260B	03/17/2003	aba	2242
Surr: Bromofluorobenzene	105	%	90-108	SW 8260B	03/17/2003	aba	2242

ANALYTICAL REPORT

Mr. D'Arcy Gravelle
 KEY ENGINEERING GROUP LTD
 W66 N215 Commerce Court
 Cedarburg, WI 53012

03/20/2003
 Job No: 03.02012
 Sample No: 516450
 Account No: 45150
 Page 9 of 20

JOB DESCRIPTION: 0702007 Decorah Annex

PROJECT DESCRIPTION: Soil Analysis

SAMPLE DESCRIPTION: B-22 11-13'

West Bend, WI

Rec'd at 4 degrees C

Date/Time Taken: 03/11/2003 12:25

Date Received: 03/12/2003

Parameter	Results	Units	Reporting Limit	Method	Date Analyzed	Analyst	Prep/Run Batch
Solids, Total	84.0	%	n/a	SW 5035	03/18/2003	tag	4795
VOC - METHANOL - 8260B							
Benzene	<30	ug/kg	25	SW 8260B	03/17/2003	aba	2242
Bromobenzene	<30	ug/kg	25	SW 8260B	03/17/2003	aba	2242
Bromochloromethane	<42	ug/kg	35	SW 8260B	03/17/2003	aba	2242
Bromodichloromethane	<30	ug/kg	25	SW 8260B	03/17/2003	aba	2242
Bromoform	<30	ug/kg	25	SW 8260B	03/17/2003	aba	2242
Bromomethane	<119	ug/kg	100	SW 8260B	03/17/2003	aba	2242
n-Butylbenzene	<30	ug/kg	25	SW 8260B	03/17/2003	aba	2242
sec-Butylbenzene	<30	ug/kg	25	SW 8260B	03/17/2003	aba	2242
tert-Butylbenzene	<30	ug/kg	25	SW 8260B	03/17/2003	aba	2242
Carbon Tetrachloride	<30	ug/kg	25	SW 8260B	03/17/2003	aba	2242
Chlorobenzene	<30	ug/kg	25	SW 8260B	03/17/2003	aba	2242
Chlorodibromomethane	<30	ug/kg	25	SW 8260B	03/17/2003	aba	2242
Chloroethane	<60	ug/kg	50	SW 8260B	03/17/2003	aba	2242
Chloroform	<30	ug/kg	25	SW 8260B	03/17/2003	aba	2242
Chloromethane	<60	ug/kg	50	SW 8260B	03/17/2003	aba	2242
2-Chlorotoluene	<60	ug/kg	50	SW 8260B	03/17/2003	aba	2242
4-Chlorotoluene	<30	ug/kg	25.	SW 8260B	03/17/2003	aba	2242
1,2-Dibromo-3-Chloropropane	<60	ug/kg	50	SW 8260B	03/17/2003	aba	2242
1,2-Dibromoethane (EDB)	<30	ug/kg	25	SW 8260B	03/17/2003	aba	2242
Dibromomethane	<30	ug/kg	25	SW 8260B	03/17/2003	aba	2242
1,2-Dichlorobenzene	<30	ug/kg	25	SW 8260B	03/17/2003	aba	2242
1,3-Dichlorobenzene	<30	ug/kg	25	SW 8260B	03/17/2003	aba	2242
1,4-Dichlorobenzene	<30	ug/kg	25	SW 8260B	03/17/2003	aba	2242
Dichlorodifluoromethane	<30	ug/kg	25	SW 8260B	03/17/2003	aba	2242
1,1-Dichloroethane	<30	ug/kg	25	SW 8260B	03/17/2003	aba	2242
1,2-Dichloroethane	<30	ug/kg	25	SW 8260B	03/17/2003	aba	2242
1,1-Dichloroethene	<30	ug/kg	25	SW 8260B	03/17/2003	aba	2242
cis-1,2-Dichloroethene	<30	ug/kg	25	SW 8260B	03/17/2003	aba	2242
trans-1,2-Dichloroethene	<30	ug/kg	25	SW 8260B	03/17/2003	aba	2242
1,2-Dichloropropane	<30	ug/kg	25	SW 8260B	03/17/2003	aba	2242
1,3-Dichloropropane	<30	ug/kg	25	SW 8260B	03/17/2003	aba	2242
2,2-Dichloropropane	<30	ug/kg	25	SW 8260B	03/17/2003	aba	2242
1,1-Dichloropropene	<30	ug/kg	25	SW 8260B	03/17/2003	aba	2242
cis-1,3-Dichloropropene	<30	ug/kg	25	SW 8260B	03/17/2003	aba	2242
trans-1,3-Dichloropropene	<30	ug/kg	25	SW 8260B	03/17/2003	aba	2242
Di-isopropyl ether	<30	ug/kg	25	SW 8260B	03/17/2003	aba	2242
Ethylbenzene	<30	ug/kg	25	SW 8260B	03/17/2003	aba	2242

TestAmerica

INCORPORATED

ANALYTICAL REPORT

Mr. D'Arcy Gravelle
 KEY ENGINEERING GROUP LTD
 W66 N215 Commerce Court
 Cedarburg, WI 53012

03/20/2003
 Job No: 03.02012
 Sample No: 516450
 Account No: 45150
 Page 10 of 20

JOB DESCRIPTION: 0702007 Decorah Annex

PROJECT DESCRIPTION: Soil Analysis

SAMPLE DESCRIPTION: B-22 11-13'
 West Bend, WI
 Rec'd at 4 degrees C

Date/Time Taken: 03/11/2003 12:25

Date Received: 03/12/2003

Parameter	Results	Units	Reporting Limit	Method	Date Analyzed	Analyst	Prep/Run Batch
Hexachlorobutadiene	<42	ug/kg	35	SW 8260B	03/17/2003	aba	2242
Isopropylbenzene	<30	ug/kg	25	SW 8260B	03/17/2003	aba	2242
p-Isopropyltoluene	<30	ug/kg	25	SW 8260B	03/17/2003	aba	2242
Methylene Chloride	<60	ug/kg	50	SW 8260B	03/17/2003	aba	2242
Methyl-t-butyl ether	<30	ug/kg	25	SW 8260B	03/17/2003	aba	2242
Naphthalene	<30	ug/kg	25	SW 8260B	03/17/2003	aba	2242
n-Propylbenzene	<30	ug/kg	25	SW 8260B	03/17/2003	aba	2242
Styrene	<30	ug/kg	25	SW 8260B	03/17/2003	aba	2242
1,1,1,2-Tetrachloroethane	<30	ug/kg	25	SW 8260B	03/17/2003	aba	2242
1,1,2,2-Tetrachloroethane	<30	ug/kg	25	SW 8260B	03/17/2003	aba	2242
Tetrachloroethene	<30	ug/kg	25	SW 8260B	03/17/2003	aba	2242
Toluene	36	ug/kg	25	SW 8260B	03/17/2003	aba	2242
1,2,3-Trichlorobenzene	<30	ug/kg	25	SW 8260B	03/17/2003	aba	2242
1,2,4-Trichlorobenzene	<30	ug/kg	25	SW 8260B	03/17/2003	aba	2242
1,1,1-Trichloroethane	<30	ug/kg	25	SW 8260B	03/17/2003	aba	2242
1,1,2-Trichloroethane	<42	ug/kg	35	SW 8260B	03/17/2003	aba	2242
Trichloroethene	<30	ug/kg	25	SW 8260B	03/17/2003	aba	2242
Trichlorofluoromethane	<30	ug/kg	25	SW 8260B	03/17/2003	aba	2242
1,2,3-Trichloropropane	<119	ug/kg	100	SW 8260B	03/17/2003	aba	2242
1,2,4-Trimethylbenzene	<30	ug/kg	25	SW 8260B	03/17/2003	aba	2242
1,3,5-Trimethylbenzene	<30	ug/kg	25	SW 8260B	03/17/2003	aba	2242
Vinyl Chloride	<42	ug/kg	35	SW 8260B	03/17/2003	aba	2242
Xylenes, Total	<42	ug/kg	35	SW 8260B	03/17/2003	aba	2242
Surr: Dibromofluoromethane	98	%	87-111	SW 8260B	03/17/2003	aba	2242
Surr: Toluene-d8	100	%	88-110	SW 8260B	03/17/2003	aba	2242
Surr: Bromofluorobenzene	104	%	90-108	SW 8260B	03/17/2003	aba	2242

ANALYTICAL REPORT

Mr. D'Arcy Gravelle
 KEY ENGINEERING GROUP LTD
 W66 N215 Commerce Court
 Cedarburg, WI 53012

03/20/2003
 Job No: 03.02012
 Sample No: 516451
 Account No: 45150
 Page 11 of 20

JOB DESCRIPTION: 0702007 Decorah Annex

PROJECT DESCRIPTION: Soil Analysis

SAMPLE DESCRIPTION: B-22 16-18'

West Bend, WI

Rec'd at 4 degrees C

Date/Time Taken: 03/11/2003 12:35

Date Received: 03/12/2003

Parameter	Results	Units	Reporting Limit	Method	Date Analyzed	Analyst	Prep/Run Batch
Solids, Total	78.8	%	n/a	SW 5035	03/18/2003	tag	4795
VOC - METHANOL - 8260B							
Benzene	<32	ug/kg	25	SW 8260B	03/17/2003	aba	2242
Bromobenzene	<32	ug/kg	25	SW 8260B	03/17/2003	aba	2242
Bromochloromethane	<44	ug/kg	35	SW 8260B	03/17/2003	aba	2242
Bromodichloromethane	<32	ug/kg	25	SW 8260B	03/17/2003	aba	2242
Bromoform	<32	ug/kg	25	SW 8260B	03/17/2003	aba	2242
Bromomethane	<127	ug/kg	100	SW 8260B	03/17/2003	aba	2242
n-Butylbenzene	<32	ug/kg	25	SW 8260B	03/17/2003	aba	2242
sec-Butylbenzene	<32	ug/kg	25	SW 8260B	03/17/2003	aba	2242
tert-Butylbenzene	<32	ug/kg	25	SW 8260B	03/17/2003	aba	2242
Carbon Tetrachloride	<32	ug/kg	25	SW 8260B	03/17/2003	aba	2242
Chlorobenzene	<32	ug/kg	25	SW 8260B	03/17/2003	aba	2242
Chlorodibromomethane	<32	ug/kg	25	SW 8260B	03/17/2003	aba	2242
Chloroethane	<63	ug/kg	50	SW 8260B	03/17/2003	aba	2242
Chloroform	<32	ug/kg	25	SW 8260B	03/17/2003	aba	2242
Chloromethane	<63	ug/kg	50	SW 8260B	03/17/2003	aba	2242
2-Chlorotoluene	<63	ug/kg	50	SW 8260B	03/17/2003	aba	2242
4-Chlorotoluene	<32	ug/kg	25	SW 8260B	03/17/2003	aba	2242
1,2-Dibromo-3-Chloropropane	<63	ug/kg	50	SW 8260B	03/17/2003	aba	2242
1,2-Dibromoethane (EDB)	<32	ug/kg	25	SW 8260B	03/17/2003	aba	2242
Dibromomethane	<32	ug/kg	25	SW 8260B	03/17/2003	aba	2242
1,2-Dichlorobenzene	<32	ug/kg	25	SW 8260B	03/17/2003	aba	2242
1,3-Dichlorobenzene	<32	ug/kg	25	SW 8260B	03/17/2003	aba	2242
1,4-Dichlorobenzene	<32	ug/kg	25	SW 8260B	03/17/2003	aba	2242
Dichlorodifluoromethane	<32	ug/kg	25	SW 8260B	03/17/2003	aba	2242
1,1-Dichloroethane	<32	ug/kg	25	SW 8260B	03/17/2003	aba	2242
1,2-Dichloroethane	<32	ug/kg	25	SW 8260B	03/17/2003	aba	2242
1,1-Dichloroethene	<32	ug/kg	25	SW 8260B	03/17/2003	aba	2242
cis-1,2-Dichloroethene	<32	ug/kg	25	SW 8260B	03/17/2003	aba	2242
trans-1,2-Dichloroethene	<32	ug/kg	25	SW 8260B	03/17/2003	aba	2242
1,2-Dichloropropane	<32	ug/kg	25	SW 8260B	03/17/2003	aba	2242
1,3-Dichloropropane	<32	ug/kg	25	SW 8260B	03/17/2003	aba	2242
2,2-Dichloropropane	<32	ug/kg	25	SW 8260B	03/17/2003	aba	2242
1,1-Dichloropropene	<32	ug/kg	25	SW 8260B	03/17/2003	aba	2242
cis-1,3-Dichloropropene	<32	ug/kg	25	SW 8260B	03/17/2003	aba	2242
trans-1,3-Dichloropropene	<32	ug/kg	25	SW 8260B	03/17/2003	aba	2242
Di-isopropyl ether	<32	ug/kg	25	SW 8260B	03/17/2003	aba	2242
Ethylbenzene	<32	ug/kg	25	SW 8260B	03/17/2003	aba	2242

ANALYTICAL REPORT

Mr. D'Arcy Gravelle
 KEY ENGINEERING GROUP LTD
 W66 N215 Commerce Court
 Cedarburg, WI 53012

03/20/2003
 Job No: 03.02012
 Sample No: 516451
 Account No: 45150
 Page 12 of 20

JOB DESCRIPTION: 0702007 Decorah Annex

PROJECT DESCRIPTION: Soil Analysis

SAMPLE DESCRIPTION: B-22 16-18'
 West Bend, WI
 Rec'd at 4 degrees C

Date/Time Taken: 03/11/2003 12:35

Date Received: 03/12/2003

Parameter	Results	Units	Reporting Limit	Method	Date Analyzed	Analyst	Prep/Run Batch
Hexachlorobutadiene	<44	ug/kg	35	SW 8260B	03/17/2003	aba	2242
Isopropylbenzene	<32	ug/kg	25	SW 8260B	03/17/2003	aba	2242
p-Isopropyltoluene	<32	ug/kg	25	SW 8260B	03/17/2003	aba	2242
Methylene Chloride	<63	ug/kg	50	SW 8260B	03/17/2003	aba	2242
Methyl-t-butyl ether	<32	ug/kg	25	SW 8260B	03/17/2003	aba	2242
Naphthalene	<32	ug/kg	25	SW 8260B	03/17/2003	aba	2242
n-Propylbenzene	<32	ug/kg	25	SW 8260B	03/17/2003	aba	2242
Styrene	<32	ug/kg	25	SW 8260B	03/17/2003	aba	2242
1,1,1,2-Tetrachloroethane	<32	ug/kg	25	SW 8260B	03/17/2003	aba	2242
1,1,2,2-Tetrachloroethane	<32	ug/kg	25	SW 8260B	03/17/2003	aba	2242
Tetrachloroethene	<32	ug/kg	25	SW 8260B	03/17/2003	aba	2242
Toluene	<32	ug/kg	25	SW 8260B	03/17/2003	aba	2242
1,2,3-Trichlorobenzene	<32	ug/kg	25	SW 8260B	03/17/2003	aba	2242
1,2,4-Trichlorobenzene	<32	ug/kg	25	SW 8260B	03/17/2003	aba	2242
1,1,1-Trichloroethane	<32	ug/kg	25	SW 8260B	03/17/2003	aba	2242
1,1,2-Trichloroethane	<44	ug/kg	35	SW 8260B	03/17/2003	aba	2242
Trichloroethene	<32	ug/kg	25	SW 8260B	03/17/2003	aba	2242
Trichlorofluoromethane	<32	ug/kg	25	SW 8260B	03/17/2003	aba	2242
1,2,3-Trichloropropane	<127	ug/kg	100	SW 8260B	03/17/2003	aba	2242
1,2,4-Trimethylbenzene	<32	ug/kg	25	SW 8260B	03/17/2003	aba	2242
1,3,5-Trimethylbenzene	<32	ug/kg	25	SW 8260B	03/17/2003	aba	2242
Vinyl Chloride	<44	ug/kg	35	SW 8260B	03/17/2003	aba	2242
Xylenes, Total	<44	ug/kg	35	SW 8260B	03/17/2003	aba	2242
Surr: Dibromofluoromethane	96	%	87-111	SW 8260B	03/17/2003	aba	2242
Surr: Toluene-d8	101	%	88-110	SW 8260B	03/17/2003	aba	2242
Surr: Bromofluorobenzene	103	%	90-108	SW 8260B	03/17/2003	aba	2242

ANALYTICAL REPORT

Mr. D'Arcy Gravelle
 KEY ENGINEERING GROUP LTD
 W66 N215 Commerce Court
 Cedarburg, WI 53012

03/20/2003
 Job No: 03.02012
 Sample No: 516452
 Account No: 45150
 Page 13 of 20

JOB DESCRIPTION: 0702007 Decorah Annex

PROJECT DESCRIPTION: Soil Analysis

SAMPLE DESCRIPTION: B-23 8.5-10.5'

West Bend, WI

Rec'd at 4 degrees C

Date/Time Taken: 03/11/2003 13:15

Date Received: 03/12/2003

Parameter	Results	Units	Reporting Limit	Method	Date Analyzed	Analyst	Prep/Run Batch
Solids, Total	87.0	%	n/a	SW 5035	03/18/2003	tag	4795
VOC - METHANOL - 8260B							
Benzene	<29	ug/kg	25	SW 8260B	03/17/2003	aba	2242
Bromobenzene	<29	ug/kg	25	SW 8260B	03/17/2003	aba	2242
Bromochloromethane	<40	ug/kg	35	SW 8260B	03/17/2003	aba	2242
Bromodichloromethane	<29	ug/kg	25	SW 8260B	03/17/2003	aba	2242
Bromoform	<29	ug/kg	25	SW 8260B	03/17/2003	aba	2242
Bromomethane	<115	ug/kg	100	SW 8260B	03/17/2003	aba	2242
n-Butylbenzene	<29	ug/kg	25	SW 8260B	03/17/2003	aba	2242
sec-Butylbenzene	<29	ug/kg	25	SW 8260B	03/17/2003	aba	2242
tert-Butylbenzene	<29	ug/kg	25	SW 8260B	03/17/2003	aba	2242
Carbon Tetrachloride	<29	ug/kg	25	SW 8260B	03/17/2003	aba	2242
Chlorobenzene	<29	ug/kg	25	SW 8260B	03/17/2003	aba	2242
Chlorodibromomethane	<29	ug/kg	25	SW 8260B	03/17/2003	aba	2242
Chloroethane	<57	ug/kg	50	SW 8260B	03/17/2003	aba	2242
Chloroform	<29	ug/kg	25	SW 8260B	03/17/2003	aba	2242
Chloromethane	<57	ug/kg	50	SW 8260B	03/17/2003	aba	2242
2-Chlorotoluene	<57	ug/kg	50	SW 8260B	03/17/2003	aba	2242
4-Chlorotoluene	<29	ug/kg	25	SW 8260B	03/17/2003	aba	2242
1,2-Dibromo-3-Chloropropane	<57	ug/kg	50	SW 8260B	03/17/2003	aba	2242
1,2-Dibromoethane (EDB)	<29	ug/kg	25	SW 8260B	03/17/2003	aba	2242
Dibromomethane	<29	ug/kg	25	SW 8260B	03/17/2003	aba	2242
1,2-Dichlorobenzene	<29	ug/kg	25	SW 8260B	03/17/2003	aba	2242
1,3-Dichlorobenzene	<29	ug/kg	25	SW 8260B	03/17/2003	aba	2242
1,4-Dichlorobenzene	<29	ug/kg	25	SW 8260B	03/17/2003	aba	2242
Dichlorodifluoromethane	<29	ug/kg	25	SW 8260B	03/17/2003	aba	2242
1,1-Dichloroethane	<29	ug/kg	25	SW 8260B	03/17/2003	aba	2242
1,2-Dichloroethane	<29	ug/kg	25	SW 8260B	03/17/2003	aba	2242
1,1-Dichloroethene	<29	ug/kg	25	SW 8260B	03/17/2003	aba	2242
cis-1,2-Dichloroethene	<29	ug/kg	25	SW 8260B	03/17/2003	aba	2242
trans-1,2-Dichloroethene	<29	ug/kg	25	SW 8260B	03/17/2003	aba	2242
1,2-Dichloropropane	<29	ug/kg	25	SW 8260B	03/17/2003	aba	2242
1,3-Dichloropropane	<29	ug/kg	25	SW 8260B	03/17/2003	aba	2242
2,2-Dichloropropane	<29	ug/kg	25	SW 8260B	03/17/2003	aba	2242
1,1-Dichloropropene	<29	ug/kg	25	SW 8260B	03/17/2003	aba	2242
cis-1,3-Dichloropropene	<29	ug/kg	25	SW 8260B	03/17/2003	aba	2242
trans-1,3-Dichloropropene	<29	ug/kg	25	SW 8260B	03/17/2003	aba	2242
Di-isopropyl ether	<29	ug/kg	25	SW 8260B	03/17/2003	aba	2242
Ethylbenzene	<29	ug/kg	25	SW 8260B	03/17/2003	aba	2242

TestAmerica

INCORPORATED

ANALYTICAL REPORT

Mr. D'Arcy Gravelle
 KEY ENGINEERING GROUP LTD
 W66 N215 Commerce Court
 Cedarburg, WI 53012

03/20/2003
 Job No: 03.02012
 Sample No: 516452
 Account No: 45150
 Page 14 of 20

JOB DESCRIPTION: 0702007 Decorah Annex

PROJECT DESCRIPTION: Soil Analysis

SAMPLE DESCRIPTION: B-23 8.5-10.5'
 West Bend, WI
 Rec'd at 4 degrees C

Date/Time Taken: 03/11/2003 13:15

Date Received: 03/12/2003

Parameter	Results	Units	Reporting Limit	Method	Date Analyzed	Prep/Run Analyst	Batch
Hexachlorobutadiene	<40	ug/kg	35	SW 8260B	03/17/2003	aba	2242
Isopropylbenzene	<29	ug/kg	25	SW 8260B	03/17/2003	aba	2242
p-Isopropyltoluene	<29	ug/kg	25	SW 8260B	03/17/2003	aba	2242
Methylene Chloride	<57	ug/kg	50	SW 8260B	03/17/2003	aba	2242
Methyl-t-butyl ether	<29	ug/kg	25	SW 8260B	03/17/2003	aba	2242
Naphthalene	<29	ug/kg	25	SW 8260B	03/17/2003	aba	2242
n-Propylbenzene	<29	ug/kg	25	SW 8260B	03/17/2003	aba	2242
Styrene	<29	ug/kg	25	SW 8260B	03/17/2003	aba	2242
1,1,1,2-Tetrachloroethane	<29	ug/kg	25	SW 8260B	03/17/2003	aba	2242
1,1,2,2-Tetrachloroethane	<29	ug/kg	25	SW 8260B	03/17/2003	aba	2242
Tetrachloroethene	<29	ug/kg	25	SW 8260B	03/17/2003	aba	2242
Toluene	<29	ug/kg	25	SW 8260B	03/17/2003	aba	2242
1,2,3-Trichlorobenzene	<29	ug/kg	25	SW 8260B	03/17/2003	aba	2242
1,2,4-Trichlorobenzene	<29	ug/kg	25	SW 8260B	03/17/2003	aba	2242
1,1,1-Trichloroethane	<29	ug/kg	25	SW 8260B	03/17/2003	aba	2242
1,1,2-Trichloroethane	<40	ug/kg	35	SW 8260B	03/17/2003	aba	2242
Trichloroethene	<29	ug/kg	25	SW 8260B	03/17/2003	aba	2242
Trichlorofluoromethane	<29	ug/kg	25	SW 8260B	03/17/2003	aba	2242
1,2,3-Trichloropropane	<115	ug/kg	100	SW 8260B	03/17/2003	aba	2242
1,2,4-Trimethylbenzene	<29	ug/kg	25	SW 8260B	03/17/2003	aba	2242
1,3,5-Trimethylbenzene	<29	ug/kg	25	SW 8260B	03/17/2003	aba	2242
Vinyl Chloride	<40	ug/kg	35	SW 8260B	03/17/2003	aba	2242
Xylenes, Total	<40	ug/kg	35	SW 8260B	03/17/2003	aba	2242
Surr: Dibromofluoromethane	98	¶	87-111	SW 8260B	03/17/2003	aba	2242
Surr: Toluene-d8	102	¶	88-110	SW 8260B	03/17/2003	aba	2242
Surr: Bromofluorobenzene	103	¶	90-108	SW 8260B	03/17/2003	aba	2242

TestAmerica

INCORPORATED

ANALYTICAL REPORT

Mr. D'Arcy Gravelle
 KEY ENGINEERING GROUP LTD
 W66 N215 Commerce Court
 Cedarburg, WI 53012

03/20/2003
 Job No: 03.02012
 Sample No: 516453
 Account No: 45150
 Page 15 of 20

JOB DESCRIPTION: 0702007 Decorah Annex

PROJECT DESCRIPTION: Soil Analysis

SAMPLE DESCRIPTION: B-23 16-18'
 West Bend, WI
 Rec'd at 4 degrees C

Date/Time Taken: 03/11/2003 13:25

Date Received: 03/12/2003

Parameter	Results	Units	Reporting Limit	Method	Date Analyzed	Analyst	Prep/Run Batch
Solids, Total	84.5	#	n/a	SW 5035	03/18/2003	tag	4795
VOC - METHANOL - 8260B							
Benzene	<30	ug/kg	25	SW 8260B	03/17/2003	aba	2242
Bromobenzene	<30	ug/kg	25	SW 8260B	03/17/2003	aba	2242
Bromochloromethane	<41	ug/kg	35	SW 8260B	03/17/2003	aba	2242
Bromodichloromethane	<30	ug/kg	25	SW 8260B	03/17/2003	aba	2242
Bromoform	<30	ug/kg	25	SW 8260B	03/17/2003	aba	2242
Bromomethane	<118	ug/kg	100	SW 8260B	03/17/2003	aba	2242
n-Butylbenzene	<30	ug/kg	25	SW 8260B	03/17/2003	aba	2242
sec-Butylbenzene	<30	ug/kg	25	SW 8260B	03/17/2003	aba	2242
tert-Butylbenzene	<30	ug/kg	25	SW 8260B	03/17/2003	aba	2242
Carbon Tetrachloride	<30	ug/kg	25	SW 8260B	03/17/2003	aba	2242
Chlorobenzene	<30	ug/kg	25	SW 8260B	03/17/2003	aba	2242
Chlorodibromomethane	<30	ug/kg	25	SW 8260B	03/17/2003	aba	2242
Chlороethane	<59	ug/kg	50	SW 8260B	03/17/2003	aba	2242
Chloroform	<30	ug/kg	25	SW 8260B	03/17/2003	aba	2242
Chloromethane	<59	ug/kg	50	SW 8260B	03/17/2003	aba	2242
2-Chlorotoluene	<59	ug/kg	50	SW 8260B	03/17/2003	aba	2242
4-Chlorotoluene	<30	ug/kg	25	SW 8260B	03/17/2003	aba	2242
1,2-Dibromo-3-Chloropropane	<59	ug/kg	50	SW 8260B	03/17/2003	aba	2242
1,2-Dibromoethane (EDB)	<30	ug/kg	25	SW 8260B	03/17/2003	aba	2242
Dibromomethane	<30	ug/kg	25	SW 8260B	03/17/2003	aba	2242
1,2-Dichlorobenzene	<30	ug/kg	25	SW 8260B	03/17/2003	aba	2242
1,3-Dichlorobenzene	<30	ug/kg	25	SW 8260B	03/17/2003	aba	2242
1,4-Dichlorobenzene	<30	ug/kg	25	SW 8260B	03/17/2003	aba	2242
Dichlorodifluoromethane	<30	ug/kg	25	SW 8260B	03/17/2003	aba	2242
1,1-Dichloroethane	<30	ug/kg	25	SW 8260B	03/17/2003	aba	2242
1,2-Dichloroethane	<30	ug/kg	25	SW 8260B	03/17/2003	aba	2242
1,1-Dichloroethene	<30	ug/kg	25	SW 8260B	03/17/2003	aba	2242
cis-1,2-Dichloroethene	<30	ug/kg	25	SW 8260B	03/17/2003	aba	2242
trans-1,2-Dichloroethene	<30	ug/kg	25	SW 8260B	03/17/2003	aba	2242
1,2-Dichloropropane	<30	ug/kg	25	SW 8260B	03/17/2003	aba	2242
1,3-Dichloropropane	<30	ug/kg	25	SW 8260B	03/17/2003	aba	2242
2,2-Dichloropropane	<30	ug/kg	25	SW 8260B	03/17/2003	aba	2242
1,1-Dichloropropene	<30	ug/kg	25	SW 8260B	03/17/2003	aba	2242
cis-1,3-Dichloropropene	<30	ug/kg	25	SW 8260B	03/17/2003	aba	2242
trans-1,3-Dichloropropene	<30	ug/kg	25	SW 8260B	03/17/2003	aba	2242
Di-isopropyl ether	<30	ug/kg	25	SW 8260B	03/17/2003	aba	2242
Ethylbenzene	<30	ug/kg	25	SW 8260B	03/17/2003	aba	2242

ANALYTICAL REPORT

Mr. D'Arcy Gravelle
 KEY ENGINEERING GROUP LTD
 W66 N215 Commerce Court
 Cedarburg, WI 53012

03/20/2003
 Job No: 03.02012
 Sample No: 516453
 Account No: 45150
 Page 16 of 20

JOB DESCRIPTION: 0702007 Decorah Annex

PROJECT DESCRIPTION: Soil Analysis

SAMPLE DESCRIPTION: B-23 16-18'
 West Bend, WI
 Rec'd at 4 degrees C

Date/Time Taken: 03/11/2003 13:25

Date Received: 03/12/2003

Parameter	Results	Units	Reporting Limit	Method	Date Analyzed	Analyst	Prep/Run Batch
Hexachlorobutadiene	<41	ug/kg	35	SW 8260B	03/17/2003	aba	2242
Isopropylbenzene	<30	ug/kg	25	SW 8260B	03/17/2003	aba	2242
p-Isopropyltoluene	<30	ug/kg	25	SW 8260B	03/17/2003	aba	2242
Methylene Chloride	<59	ug/kg	50	SW 8260B	03/17/2003	aba	2242
Methyl-t-butyl ether	<30	ug/kg	25	SW 8260B	03/17/2003	aba	2242
Naphthalene	<30	ug/kg	25	SW 8260B	03/17/2003	aba	2242
n-Propylbenzene	<30	ug/kg	25	SW 8260B	03/17/2003	aba	2242
Styrene	<30	ug/kg	25	SW 8260B	03/17/2003	aba	2242
1,1,1,2-Tetrachloroethane	<30	ug/kg	25	SW 8260B	03/17/2003	aba	2242
1,1,2,2-Tetrachloroethane	<30	ug/kg	25	SW 8260B	03/17/2003	aba	2242
Tetrachloroethene	86	ug/kg	25	SW 8260B	03/17/2003	aba	2242
Toluene	<30	ug/kg	25	SW 8260B	03/17/2003	aba	2242
1,2,3-Trichlorobenzene	<30	ug/kg	25	SW 8260B	03/17/2003	aba	2242
1,2,4-Trichlorobenzene	<30	ug/kg	25	SW 8260B	03/17/2003	aba	2242
1,1,1-Trichloroethane	<30	ug/kg	25	SW 8260B	03/17/2003	aba	2242
1,1,2-Trichloroethane	<41	ug/kg	35	SW 8260B	03/17/2003	aba	2242
Trichloroethene	<30	ug/kg	25	SW 8260B	03/17/2003	aba	2242
Trichlorofluoromethane	<30	ug/kg	25	SW 8260B	03/17/2003	aba	2242
1,2,3-Trichloropropane	<118	ug/kg	100	SW 8260B	03/17/2003	aba	2242
1,2,4-Trimethylbenzene	<30	ug/kg	25	SW 8260B	03/17/2003	aba	2242
1,3,5-Trimethylbenzene	<30	ug/kg	25	SW 8260B	03/17/2003	aba	2242
Vinyl Chloride	<41	ug/kg	35	SW 8260B	03/17/2003	aba	2242
Xylenes, Total	<41	ug/kg	35	SW 8260B	03/17/2003	aba	2242
Surr: Dibromofluoromethane	100	‡	87-111	SW 8260B	03/17/2003	aba	2242
Surr: Toluene-d8	101	‡	88-110	SW 8260B	03/17/2003	aba	2242
Surr: Bromofluorobenzene	103	‡	90-108	SW 8260B	03/17/2003	aba	2242

ANALYTICAL REPORT

Mr. D'Arcy Gravelle
 KEY ENGINEERING GROUP LTD
 W66 N215 Commerce Court
 Cedarburg, WI 53012

03/20/2003
 Job No: 03.02012
 Sample No: 516454
 Account No: 45150
 Page 17 of 20

JOB DESCRIPTION: 0702007 Decorah Annex
 PROJECT DESCRIPTION: Soil Analysis
 SAMPLE DESCRIPTION: B-24 28-30'
 West Bend, WI
 Rec'd at 4 degrees C

Date/Time Taken: 03/11/2003 15:30

Date Received: 03/12/2003

Parameter	Results	Units	Reporting Limit	Method	Date Analyzed	Analyst	Prep/Run Batch
Solids, Total	81.0	%	n/a	SW 5035	03/18/2003	tag	4795
VOC - METHANOL - 8260B							
Benzene	<31	ug/kg	25	SW 8260B	03/17/2003	aba	2242
Bromobenzene	<31	ug/kg	25	SW 8260B	03/17/2003	aba	2242
Bromochloromethane	<43	ug/kg	35	SW 8260B	03/17/2003	aba	2242
Bromodichloromethane	<31	ug/kg	25	SW 8260B	03/17/2003	aba	2242
Bromoform	<31	ug/kg	25	SW 8260B	03/17/2003	aba	2242
Bromomethane	<123	ug/kg	100	SW 8260B	03/17/2003	aba	2242
n-Butylbenzene	<31	ug/kg	25	SW 8260B	03/17/2003	aba	2242
sec-Butylbenzene	<31	ug/kg	25	SW 8260B	03/17/2003	aba	2242
tert-Butylbenzene	<31	ug/kg	25	SW 8260B	03/17/2003	aba	2242
Carbon Tetrachloride	<31	ug/kg	25	SW 8260B	03/17/2003	aba	2242
Chlorobenzene	<31	ug/kg	25	SW 8260B	03/17/2003	aba	2242
Chlorodibromomethane	<31	ug/kg	25	SW 8260B	03/17/2003	aba	2242
Chloroethane	<62	ug/kg	50	SW 8260B	03/17/2003	aba	2242
Chloroform	<31	ug/kg	25	SW 8260B	03/17/2003	aba	2242
Chloromethane	<62	ug/kg	50	SW 8260B	03/17/2003	aba	2242
2-Chlorotoluene	<62	ug/kg	50	SW 8260B	03/17/2003	aba	2242
4-Chlorotoluene	<31	ug/kg	25	SW 8260B	03/17/2003	aba	2242
1,2-Dibromo-3-Chloropropane	<62	ug/kg	50	SW 8260B	03/17/2003	aba	2242
1,2-Dibromoethane (EDB)	<31	ug/kg	25	SW 8260B	03/17/2003	aba	2242
Dibromomethane	<31	ug/kg	25	SW 8260B	03/17/2003	aba	2242
1,2-Dichlorobenzene	<31	ug/kg	25	SW 8260B	03/17/2003	aba	2242
1,3-Dichlorobenzene	<31	ug/kg	25	SW 8260B	03/17/2003	aba	2242
1,4-Dichlorobenzene	<31	ug/kg	25	SW 8260B	03/17/2003	aba	2242
Dichlorodifluoromethane	<31	ug/kg	25	SW 8260B	03/17/2003	aba	2242
1,1-Dichloroethane	<31	ug/kg	25	SW 8260B	03/17/2003	aba	2242
1,2-Dichloroethane	<31	ug/kg	25	SW 8260B	03/17/2003	aba	2242
1,1-Dichloroethene	<31	ug/kg	25	SW 8260B	03/17/2003	aba	2242
cis-1,2-Dichloroethene	<31	ug/kg	25	SW 8260B	03/17/2003	aba	2242
trans-1,2-Dichloroethene	<31	ug/kg	25	SW 8260B	03/17/2003	aba	2242
1,2-Dichloropropane	<31	ug/kg	25	SW 8260B	03/17/2003	aba	2242
1,3-Dichloropropane	<31	ug/kg	25	SW 8260B	03/17/2003	aba	2242
2,2-Dichloropropane	<31	ug/kg	25	SW 8260B	03/17/2003	aba	2242
1,1-Dichloropropene	<31	ug/kg	25	SW 8260B	03/17/2003	aba	2242
cis-1,3-Dichloropropene	<31	ug/kg	25	SW 8260B	03/17/2003	aba	2242
trans-1,3-Dichloropropene	<31	ug/kg	25	SW 8260B	03/17/2003	aba	2242
Di-isopropyl ether	<31	ug/kg	25	SW 8260B	03/17/2003	aba	2242
Ethylbenzene	<31	ug/kg	25	SW 8260B	03/17/2003	aba	2242

ANALYTICAL REPORT

Mr. D'Arcy Gravelle
 KEY ENGINEERING GROUP LTD
 W66 N215 Commerce Court
 Cedarburg, WI 53012

03/20/2003
 Job No: 03.02012
 Sample No: 516454
 Account No: 45150
 Page 18 of 20

JOB DESCRIPTION: 0702007 Decorah Annex

PROJECT DESCRIPTION: Soil Analysis

SAMPLE DESCRIPTION: B-24 28-30'
 West Bend, WI
 Rec'd at 4 degrees C

Date/Time Taken: 03/11/2003 15:30

Date Received: 03/12/2003

Parameter	Results	Units	Reporting Limit	Method	Date Analyzed	Analyst	Prep/Run Batch
Hexachlorobutadiene	<43	ug/kg	35	SW 8260B	03/17/2003	aba	2242
Isopropylbenzene	<31	ug/kg	25	SW 8260B	03/17/2003	aba	2242
p-Isopropyltoluene	<31	ug/kg	25	SW 8260B	03/17/2003	aba	2242
Methylene Chloride	<62	ug/kg	50	SW 8260B	03/17/2003	aba	2242
Methyl-t-butyl ether	<31	ug/kg	25	SW 8260B	03/17/2003	aba	2242
Naphthalene	<31	ug/kg	25	SW 8260B	03/17/2003	aba	2242
n-Propylbenzene	<31	ug/kg	25	SW 8260B	03/17/2003	aba	2242
Styrene	<31	ug/kg	25	SW 8260B	03/17/2003	aba	2242
1,1,1,2-Tetrachloroethane	<31	ug/kg	25	SW 8260B	03/17/2003	aba	2242
1,1,2,2-Tetrachloroethane	<31	ug/kg	25	SW 8260B	03/17/2003	aba	2242
Tetrachloroethene	<31	ug/kg	25	SW 8260B	03/17/2003	aba	2242
Toluene	74	ug/kg	25	SW 8260B	03/17/2003	aba	2242
1,2,3-Trichlorobenzene	<31	ug/kg	25	SW 8260B	03/17/2003	aba	2242
1,2,4-Trichlorobenzene	<31	ug/kg	25	SW 8260B	03/17/2003	aba	2242
1,1,1-Trichloroethane	<31	ug/kg	25	SW 8260B	03/17/2003	aba	2242
1,1,2-Trichloroethane	<43	ug/kg	35	SW 8260B	03/17/2003	aba	2242
Trichloroethene	<31	ug/kg	25	SW 8260B	03/17/2003	aba	2242
Trichlorofluoromethane	<31	ug/kg	25	SW 8260B	03/17/2003	aba	2242
1,2,3-Trichloropropane	<123	ug/kg	100	SW 8260B	03/17/2003	aba	2242
1,2,4-Trimethylbenzene	<31	ug/kg	25	SW 8260B	03/17/2003	aba	2242
1,3,5-Trimethylbenzene	<31	ug/kg	25	SW 8260B	03/17/2003	aba	2242
Vinyl Chloride	<43	ug/kg	35	SW 8260B	03/17/2003	aba	2242
Xylenes, Total	<43	ug/kg	35	SW 8260B	03/17/2003	aba	2242
Surr: Dibromofluoromethane	101	%	87-111	SW 8260B	03/17/2003	aba	2242
Surr: Toluene-d8	101	%	88-110	SW 8260B	03/17/2003	aba	2242
Surr: Bromofluorobenzene	102	%	90-108	SW 8260B	03/17/2003	aba	2242

ANALYTICAL REPORT

Mr. D'Arcy Gravelle
 KEY ENGINEERING GROUP LTD
 W66 N215 Commerce Court
 Cedarburg, WI 53012

03/20/2003
 Job No: 03.02012
 Sample No: 516455
 Account No: 45150
 Page 19 of 20

JOB DESCRIPTION: 0702007 Decorah Annex

PROJECT DESCRIPTION: Soil Analysis

SAMPLE DESCRIPTION: MeOH Blank
 West Bend, WI
 Rec'd at 4 degrees C

Date/Time Taken: 03/11/2003 UNKNOWN

Date Received: 03/12/2003

Parameter	Results	Units	Reporting Limit	Method	Date Analyzed	Analyst	Prep/Run Batch
VOC - METHANOL - 8260B							
Benzene	<25	ug/kg	25	SW 8260B	03/17/2003	aba	2242
Bromobenzene	<25	ug/kg	25	SW 8260B	03/17/2003	aba	2242
Bromochloromethane	<35	ug/kg	35	SW 8260B	03/17/2003	aba	2242
Bromodichloromethane	<25	ug/kg	25	SW 8260B	03/17/2003	aba	2242
Bromoform	<25	ug/kg	25	SW 8260B	03/17/2003	aba	2242
Bromomethane	<100	ug/kg	100	SW 8260B	03/17/2003	aba	2242
n-Butylbenzene	<25	ug/kg	25	SW 8260B	03/17/2003	aba	2242
sec-Butylbenzene	<25	ug/kg	25	SW 8260B	03/17/2003	aba	2242
tert-Butylbenzene	<25	ug/kg	25	SW 8260B	03/17/2003	aba	2242
Carbon Tetrachloride	<25	ug/kg	25	SW 8260B	03/17/2003	aba	2242
Chlorobenzene	<25	ug/kg	25	SW 8260B	03/17/2003	aba	2242
Chlorodibromomethane	<25	ug/kg	25	SW 8260B	03/17/2003	aba	2242
Chloroethane	<50	ug/kg	50	SW 8260B	03/17/2003	aba	2242
Chloroform	<25	ug/kg	25	SW 8260B	03/17/2003	aba	2242
Chloromethane	<50	ug/kg	50	SW 8260B	03/17/2003	aba	2242
2-Chlorotoluene	<50	ug/kg	50	SW 8260B	03/17/2003	aba	2242
4-Chlorotoluene	<25	ug/kg	25	SW 8260B	03/17/2003	aba	2242
1,2-Dibromo-3-Chloropropane	<50	ug/kg	50	SW 8260B	03/17/2003	aba	2242
1,2-Dibromoethane (EDB)	<25	ug/kg	25	SW 8260B	03/17/2003	aba	2242
Dibromomethane	<25	ug/kg	25	SW 8260B	03/17/2003	aba	2242
1,2-Dichlorobenzene	<25	ug/kg	25	SW 8260B	03/17/2003	aba	2242
1,3-Dichlorobenzene	<25	ug/kg	25	SW 8260B	03/17/2003	aba	2242
1,4-Dichlorobenzene	<25	ug/kg	25	SW 8260B	03/17/2003	aba	2242
Dichlorodifluoromethane	<25	ug/kg	25	SW 8260B	03/17/2003	aba	2242
1,1-Dichloroethane	<25	ug/kg	25	SW 8260B	03/17/2003	aba	2242
1,2-Dichloroethane	<25	ug/kg	25	SW 8260B	03/17/2003	aba	2242
1,1-Dichloroethene	<25	ug/kg	25	SW 8260B	03/17/2003	aba	2242
cis-1,2-Dichloroethene	<25	ug/kg	25	SW 8260B	03/17/2003	aba	2242
trans-1,2-Dichloroethene	<25	ug/kg	25	SW 8260B	03/17/2003	aba	2242
1,2-Dichloropropane	<25	ug/kg	25	SW 8260B	03/17/2003	aba	2242
1,3-Dichloropropane	<25	ug/kg	25	SW 8260B	03/17/2003	aba	2242
2,2-Dichloropropane	<25	ug/kg	25	SW 8260B	03/17/2003	aba	2242
1,1-Dichloropropene	<25	ug/kg	25	SW 8260B	03/17/2003	aba	2242
cis-1,3-Dichloropropene	<25	ug/kg	25	SW 8260B	03/17/2003	aba	2242
trans-1,3-Dichloropropene	<25	ug/kg	25	SW 8260B	03/17/2003	aba	2242
Di-isopropyl ether	<25	ug/kg	25	SW 8260B	03/17/2003	aba	2242
Ethylbenzene	<25	ug/kg	25	SW 8260B	03/17/2003	aba	2242
Hexachlorobutadiene	<35	ug/kg	35	SW 8260B	03/17/2003	aba	2242

ANALYTICAL REPORT

Mr. D'Arcy Gravelle
 KEY ENGINEERING GROUP LTD
 W66 N215 Commerce Court
 Cedarburg, WI 53012

03/20/2003
 Job No: 03.02012
 Sample No: 516455
 Account No: 45150
 Page 20 of 20

JOB DESCRIPTION: 0702007 Decorah Annex

PROJECT DESCRIPTION: Soil Analysis

SAMPLE DESCRIPTION: MeOH Blank
 West Bend, WI
 Rec'd at 4 degrees C

Date/Time Taken: 03/11/2003 UNKNOWN

Date Received: 03/12/2003

Parameter	Results	Units	Reporting Limit	Method	Date Analyzed	Analyst	Prep/Run Batch
Isopropylbenzene	<25	ug/kg	25	SW 8260B	03/17/2003	aba	2242
p-Isopropyltoluene	<25	ug/kg	25	SW 8260B	03/17/2003	aba	2242
Methylene Chloride	<50	ug/kg	50	SW 8260B	03/17/2003	aba	2242
Methyl-t-butyl ether	<25	ug/kg	25	SW 8260B	03/17/2003	aba	2242
Naphthalene	<25	ug/kg	25	SW 8260B	03/17/2003	aba	2242
n-Propylbenzene	<25	ug/kg	25	SW 8260B	03/17/2003	aba	2242
Styrene	<25	ug/kg	25	SW 8260B	03/17/2003	aba	2242
1,1,1,2-Tetrachloroethane	<25	ug/kg	25	SW 8260B	03/17/2003	aba	2242
1,1,2,2-Tetrachloroethane	<25	ug/kg	25	SW 8260B	03/17/2003	aba	2242
Tetrachloroethene	<25	ug/kg	25	SW 8260B	03/17/2003	aba	2242
Toluene	<25	ug/kg	25	SW 8260B	03/17/2003	aba	2242
1,2,3-Trichlorobenzene	<25	ug/kg	25	SW 8260B	03/17/2003	aba	2242
1,2,4-Trichlorobenzene	<25	ug/kg	25	SW 8260B	03/17/2003	aba	2242
1,1,1-Trichloroethane	<25	ug/kg	25	SW 8260B	03/17/2003	aba	2242
1,1,2-Trichloroethane	<35	ug/kg	35	SW 8260B	03/17/2003	aba	2242
Trichloroethene	<25	ug/kg	25	SW 8260B	03/17/2003	aba	2242
Trichlorofluoromethane	<25	ug/kg	25	SW 8260B	03/17/2003	aba	2242
1,2,3-Trichloropropane	<100	ug/kg	100	SW 8260B	03/17/2003	aba	2242
1,2,4-Trimethylbenzene	<25	ug/kg	25	SW 8260B	03/17/2003	aba	2242
1,3,5-Trimethylbenzene	<25	ug/kg	25	SW 8260B	03/17/2003	aba	2242
Vinyl Chloride	<35	ug/kg	35	SW 8260B	03/17/2003	aba	2242
Xylenes, Total	<35	ug/kg	35	SW 8260B	03/17/2003	aba	2242
Surr: Dibromofluoromethane	98	%	87-111	SW 8260B	03/17/2003	aba	2242
Surr: Toluene-d8	100	%	88-110	SW 8260B	03/17/2003	aba	2242
Surr: Bromofluorobenzene	104	%	90-108	SW 8260B	03/17/2003	aba	2242

TestAmerica
INCORPORATED

Watertown Division
602 Commerce Drive
Watertown, WI 53094

Phone 920-261-1660 or 800-833-7036
Fax 920-261-8120

03.02.12
To assist us in using the proper analytical methods,
is this work being conducted for regulatory purposes?
Compliance Monitoring

Client Name KEY ENGINEERING Client #: WT 45150

Address: W66 N215 COMMERCE CT.

City/State/Zip Code: CEDARBURG, WI 53012

Project Manager: D'ARCY GRAVELLE

Telephone Number: (262) 375 - 4750 Fax: 375 - 9680

Sampler Name: (Print Name) MIKE MANTZ

Sampler Signature: M. MANTZ

Project Name: DECORAH ANNEX

Project #: 0702007

Site/Location ID: WEST BEND State: WI

Report To: D'ARCY

Invoice To: KEY

Quote #: 03050

PO#:

TAT	X Standard ____ Rush (surcharges may apply)	Date Sampled	Time Sampled	G = Grab, C = Composite	Field Filtered	Matrix	Preservation & # of Containers			Analyze For:										QC Deliverables		
							SL - Sludge	DW - Drinking Water	GW - Groundwater	S - Soil/Solid	WW - Wastewater	Specify Other	HNO ₃	HCl	NaOH	H ₂ SO ₄	MeOH	None	Other (Specify)	Voc	% SOLID	
SAMPLE ID																						
B-20 (8.5 - 10.5')		3/11/03	4:45	G N	SOIL								1	1			X	X				
B-21 (8.5 - 10.5')			10:25										1	1			X	X				
B-21 (13.5 - 15.5')			10:35										1	1			X	X				
B-22 (11-13')			12:25										1	1			X	X				
B-22 (16-18')			12:35										1	1			X	X				
B-23 (8.5 - 10.5')			1:15										1	1			X	X				
B-23 (16 - 18')			1:25										1	1			X	X				
B-24 (28 - 30')			3:30		V								1	1			X	X				
MeOH BLANK				Y	V	MeOH							2				X					

Special Instructions:

LABORATORY COMMENTS:

Init Lab Temp: 44

Rec Lab Temp:

Relinquished By: M. MANTZ

Date: 3/11/03

Time: 14:00

Received By: MM

Date: 3/12

Time: 16:00

Relinquished By: MM

Date: 3/12

Time: 14:00

Received By: MM

Date: 3/12

Time: 14:00

Relinquished By: MM

Date: 3/12

Time: 14:00

Received By: MM

Date: 3/12

Time: 14:00

Custody Seals: Y N N/A
Bottles Supplied by Test America: Y N

Method of Shipment: 1

m. 3/13/03

TestAmerica

INCORPORATED

ANALYTICAL REPORT

Mr. D'Arcy Gravelle
KEY ENGINEERING GROUP LTD
W66 N215 Commerce Court
Cedarburg, WI 53012

03/24/2003

Job No: 03.02078


Page 1 of 12

The following samples were received by TestAmerica for analysis:

0702007 Decorah Annex

Sample Number	Sample Description	Date Taken	Date Received
516726	B-25 18.5-20.5'	03/12/2003	03/13/2003
516727	B-25 23.5-25.5'	03/12/2003	03/13/2003
516728	B-26 21-23'	03/12/2003	03/13/2003
516729	B-26 26-28'	03/12/2003	03/13/2003
516730	MeOH Blank	03/12/2003	03/13/2003

Soil results reported
on a dry weight basis.


Brian D. DeJong
Organic Operations Manager

KEY ENGINEERING GROUP LTD
Job No: 03.02078

03/24/2003
Page 2 of 12

KEY TO DATA FLAGS

The attached sample(s) may have a result flag shown on the report. The following are the result flag definitions:

A = Analyzed/extracted past hold time
B = Blank is contaminated
C = Standard outside of control limits
D = Diluted for analysis
E = TCLP extraction outside of method required temperature range
F = Sample filtered in lab
G = Received past hold time
H = Late eluting hydrocarbons present
I = Improperly handled sample
J = Estimated concentration
L = Common lab solvent and contaminant
M = Matrix interference
P = Improperly preserved sample
Q = Result confirmed via re-analysis
S = Sediment present
T = Does not match typical pattern
W = BOD re-set due to missed dilution
X = Unidentified compound(s) present
Z = Internal standard outside limits
* = See Case Narrative

KEY TO ANALYST INITIALS

The attached sample(s) may have been analyzed by another certified laboratory. If a number appears in the Analyst Initials field, the following are the appropriate certifications (if the lab code does not appear below, that means that WDNR certification is not required for the work performed):

Lab Code	Certification Number
008	WDNR - 999766900
009	WDNR - 241293690
020	WDNR - 999447680
030	ILNELAC - 100230; WDNR - 998294430
060	ILNELAC - 100221; WDNR - 999447130
070	IA - 007; ILNELAC - 000668; MDH - 019-999-319; WDNR - 999917270
130	WDNR - 632021390
147	WDNR - 721026460
300	FLNELAC - 87358; IA - 131; MDH - 047-999-345; WDNR - 998020430
400	WDNR - 113133790
510	WDNR - 241249360
520	WDNR - 999518190; ILNELAC - 100439
700	WDNR - 113289110

TestAmerica Watertown WDNR - 128053530; IDNR - 294; MDH - 055-999-366; ND - R-046

For questions regarding this report, please contact Dan Milewsky or Warren Topel.

ANALYTICAL REPORT

Mr. D'Arcy Gravelle
 KEY ENGINEERING GROUP LTD
 W66 N215 Commerce Court
 Cedarburg, WI 53012

03/24/2003
 Job No: 03.02078
 Sample No: 516726
 Account No: 45150
 Page 3 of 12

JOB DESCRIPTION: 0702007 Decorah Annex

PROJECT DESCRIPTION: Soil Analysis

SAMPLE DESCRIPTION: B-25 18.5-20.5'

West Bend, WI

Rec'd at 6 degrees C

Date/Time Taken: 03/12/2003 09:50

Date Received: 03/13/2003

Parameter	Results	Units	Reporting Limit	Method	Date Analyzed	Analyst	Prep/Run Batch
Solids, Total	92.2	%	n/a	SW 5035	03/18/2003	tag	4795
VOC - METHANOL - 8260B							
Benzene	<27	ug/kg	25	SW 8260B	03/18/2003	aba	2245
Bromobenzene	<27	ug/kg	25	SW 8260B	03/18/2003	aba	2245
Bromochloromethane	<38	ug/kg	35	SW 8260B	03/18/2003	aba	2245
Bromodichloromethane	<27	ug/kg	25	SW 8260B	03/18/2003	aba	2245
Bromoform	<27	ug/kg	25	SW 8260B	03/18/2003	aba	2245
Bromomethane	<108	ug/kg	100	SW 8260B	03/18/2003	aba	2245
n-Butylbenzene	<27	ug/kg	25	SW 8260B	03/18/2003	aba	2245
sec-Butylbenzene	<27	ug/kg	25	SW 8260B	03/18/2003	aba	2245
tert-Butylbenzene	<27	ug/kg	25	SW 8260B	03/18/2003	aba	2245
Carbon Tetrachloride	<27	ug/kg	25	SW 8260B	03/18/2003	aba	2245
Chlorobenzene	<27	ug/kg	25	SW 8260B	03/18/2003	aba	2245
Chlorodibromomethane	<27	ug/kg	25	SW 8260B	03/18/2003	aba	2245
Chloroethane	<54	ug/kg	50	SW 8260B	03/18/2003	aba	2245
Chloroform	<27	ug/kg	25	SW 8260B	03/18/2003	aba	2245
Chloromethane	<54	ug/kg	50	SW 8260B	03/18/2003	aba	2245
2-Chlorotoluene	<54	ug/kg	50	SW 8260B	03/18/2003	aba	2245
4-Chlorotoluene	<27	ug/kg	25	SW 8260B	03/18/2003	aba	2245
1,2-Dibromo-3-Chloropropane	<54	ug/kg	50	SW 8260B	03/18/2003	aba	2245
1,2-Dibromoethane (EDB)	<27	ug/kg	25	SW 8260B	03/18/2003	aba	2245
Dibromomethane	<27	ug/kg	25	SW 8260B	03/18/2003	aba	2245
1,2-Dichlorobenzene	<27	ug/kg	25	SW 8260B	03/18/2003	aba	2245
1,3-Dichlorobenzene	<27	ug/kg	25	SW 8260B	03/18/2003	aba	2245
1,4-Dichlorobenzene	<27	ug/kg	25	SW 8260B	03/18/2003	aba	2245
Dichlorodifluoromethane	<27	ug/kg	25	SW 8260B	03/18/2003	aba	2245
1,1-Dichloroethane	<27	ug/kg	25	SW 8260B	03/18/2003	aba	2245
1,2-Dichloroethane	<27	ug/kg	25	SW 8260B	03/18/2003	aba	2245
1,1-Dichloroethene	<27	ug/kg	25	SW 8260B	03/18/2003	aba	2245
cis-1,2-Dichloroethene	<27	ug/kg	25	SW 8260B	03/18/2003	aba	2245
trans-1,2-Dichloroethene	<27	ug/kg	25	SW 8260B	03/18/2003	aba	2245
1,2-Dichloropropane	<27	ug/kg	25	SW 8260B	03/18/2003	aba	2245
1,3-Dichloropropane	<27	ug/kg	25	SW 8260B	03/18/2003	aba	2245
2,2-Dichloropropane	<27	ug/kg	25	SW 8260B	03/18/2003	aba	2245
1,1-Dichloropropene	<27	ug/kg	25	SW 8260B	03/18/2003	aba	2245
cis-1,3-Dichloropropene	<27	ug/kg	25	SW 8260B	03/18/2003	aba	2245
trans-1,3-Dichloropropene	<27	ug/kg	25	SW 8260B	03/18/2003	aba	2245
Di-isopropyl ether	<27	ug/kg	25	SW 8260B	03/18/2003	aba	2245
Ethylbenzene	<27	ug/kg	25	SW 8260B	03/18/2003	aba	2245

TestAmerica

INCORPORATED

ANALYTICAL REPORT

Mr. D'Arcy Gravelle
 KEY ENGINEERING GROUP LTD
 W66 N215 Commerce Court
 Cedarburg, WI 53012

03/24/2003
 Job No: 03.02078
 Sample No: 516726
 Account No: 45150
 Page 4 of 12

JOB DESCRIPTION: 0702007 Decorah Annex
 PROJECT DESCRIPTION: Soil Analysis
 SAMPLE DESCRIPTION: B-25 18.5-20.5'
 West Bend, WI
 Rec'd at 6 degrees C

Date/Time Taken: 03/12/2003 09:50

Date Received: 03/13/2003

Parameter	Results	Units	Reporting Limit	Method	Date Analyzed	Date Analyst	Prep/Run Batch
Hexachlorobutadiene	<38	ug/kg	35	SW 8260B	03/18/2003	aba	2245
Isopropylbenzene	<27	ug/kg	25	SW 8260B	03/18/2003	aba	2245
p-Isopropyltoluene	<27	ug/kg	25	SW 8260B	03/18/2003	aba	2245
Methylene Chloride	<54	ug/kg	50	SW 8260B	03/18/2003	aba	2245
Methyl-t-butyl ether	<27	ug/kg	25	SW 8260B	03/18/2003	aba	2245
Naphthalene	<27	ug/kg	25	SW 8260B	03/18/2003	aba	2245
n-Propylbenzene	<27	ug/kg	25	SW 8260B	03/18/2003	aba	2245
Styrene	<27	ug/kg	25	SW 8260B	03/18/2003	aba	2245
1,1,1,2-Tetrachloroethane	<27	ug/kg	25	SW 8260B	03/18/2003	aba	2245
1,1,2,2-Tetrachloroethane	<27	ug/kg	25	SW 8260B	03/18/2003	aba	2245
Tetrachloroethene	<27	ug/kg	25	SW 8260B	03/18/2003	aba	2245
Toluene	<27	ug/kg	25	SW 8260B	03/18/2003	aba	2245
1,2,3-Trichlorobenzene	<27	ug/kg	25	SW 8260B	03/18/2003	aba	2245
1,2,4-Trichlorobenzene	<27	ug/kg	25	SW 8260B	03/18/2003	aba	2245
1,1,1-Trichloroethane	<27	ug/kg	25	SW 8260B	03/18/2003	aba	2245
1,1,2-Trichloroethane	<38	ug/kg	35	SW 8260B	03/18/2003	aba	2245
Trichloroethene	<27	ug/kg	25	SW 8260B	03/18/2003	aba	2245
Trichlorofluoromethane	<27	ug/kg	25	SW 8260B	03/18/2003	aba	2245
1,2,3-Trichloropropane	<108	ug/kg	100	SW 8260B	03/18/2003	aba	2245
1,2,4-Trimethylbenzene	<27	ug/kg	25	SW 8260B	03/18/2003	aba	2245
1,3,5-Trimethylbenzene	<27	ug/kg	25	SW 8260B	03/18/2003	aba	2245
Vinyl Chloride	<38	ug/kg	35	SW 8260B	03/18/2003	aba	2245
Xylenes, Total	<38	ug/kg	35	SW 8260B	03/18/2003	aba	2245
Surr: Dibromofluoromethane	101	%	87-111	SW 8260B	03/18/2003	aba	2245
Surr: Toluene-d8	102	%	88-110	SW 8260B	03/18/2003	aba	2245
Surr: Bromofluorobenzene	104	%	90-108	SW 8260B	03/18/2003	aba	2245

TestAmerica

INCORPORATED

ANALYTICAL REPORT

Mr. D'Arcy Gravelle
 KEY ENGINEERING GROUP LTD
 W66 N215 Commerce Court
 Cedarburg, WI 53012

03/24/2003
 Job No: 03.02078
 Sample No: 516727
 Account No: 45150
 Page 5 of 12

JOB DESCRIPTION: 0702007 Decorah Annex

PROJECT DESCRIPTION: Soil Analysis

SAMPLE DESCRIPTION: B-25 23.5-25.5'

West Bend, WI

Rec'd at 6 degrees C

Date/Time Taken: 03/12/2003 10:05

Date Received: 03/13/2003

Parameter	Results	Units	Reporting Limit	Method	Date Analyzed	Analyst	Prep/Run Batch
Solids, Total	78.4	%	n/a	SW 5035	03/18/2003	tag	4795
VOC - METHANOL - 8260B							
Benzene	<32	ug/kg	25	SW 8260B	03/18/2003	aba	2245
Bromobenzene	<32	ug/kg	25	SW 8260B	03/18/2003	aba	2245
Bromochloromethane	<45	ug/kg	35	SW 8260B	03/18/2003	aba	2245
Bromodichloromethane	<32	ug/kg	25	SW 8260B	03/18/2003	aba	2245
Bromoform	<32	ug/kg	25	SW 8260B	03/18/2003	aba	2245
Bromomethane	<128	ug/kg	100	SW 8260B	03/18/2003	aba	2245
n-Butylbenzene	<32	ug/kg	25	SW 8260B	03/18/2003	aba	2245
sec-Butylbenzene	<32	ug/kg	25	SW 8260B	03/18/2003	aba	2245
tert-Butylbenzene	<32	ug/kg	25	SW 8260B	03/18/2003	aba	2245
Carbon Tetrachloride	<32	ug/kg	25	SW 8260B	03/18/2003	aba	2245
Chlorobenzene	<32	ug/kg	25	SW 8260B	03/18/2003	aba	2245
Chlorodibromomethane	<32	ug/kg	25	SW 8260B	03/18/2003	aba	2245
Chloroethane	<64	ug/kg	50	SW 8260B	03/18/2003	aba	2245
Chloroform	<32	ug/kg	25	SW 8260B	03/18/2003	aba	2245
Chloromethane	<64	ug/kg	50	SW 8260B	03/18/2003	aba	2245
2-Chlorotoluene	<64	ug/kg	50	SW 8260B	03/18/2003	aba	2245
4-Chlorotoluene	<32	ug/kg	25	SW 8260B	03/18/2003	aba	2245
1,2-Dibromo-3-Chloropropane	<64	ug/kg	50	SW 8260B	03/18/2003	aba	2245
1,2-Dibromoethane (EDB)	<32	ug/kg	25	SW 8260B	03/18/2003	aba	2245
Dibromomethane	<32	ug/kg	25	SW 8260B	03/18/2003	aba	2245
1,2-Dichlorobenzene	<32	ug/kg	25	SW 8260B	03/18/2003	aba	2245
1,3-Dichlorobenzene	<32	ug/kg	25	SW 8260B	03/18/2003	aba	2245
1,4-Dichlorobenzene	<32	ug/kg	25	SW 8260B	03/18/2003	aba	2245
Dichlorodifluoromethane	<32	ug/kg	25	SW 8260B	03/18/2003	aba	2245
1,1-Dichloroethane	<32	ug/kg	25	SW 8260B	03/18/2003	aba	2245
1,2-Dichloroethane	<32	ug/kg	25	SW 8260B	03/18/2003	aba	2245
1,1-Dichloroethene	<32	ug/kg	25	SW 8260B	03/18/2003	aba	2245
cis-1,2-Dichloroethene	<32	ug/kg	25	SW 8260B	03/18/2003	aba	2245
trans-1,2-Dichloroethene	<32	ug/kg	25	SW 8260B	03/18/2003	aba	2245
1,2-Dichloropropane	<32	ug/kg	25	SW 8260B	03/18/2003	aba	2245
1,3-Dichloropropane	<32	ug/kg	25	SW 8260B	03/18/2003	aba	2245
2,2-Dichloropropane	<32	ug/kg	25	SW 8260B	03/18/2003	aba	2245
1,1-Dichloropropene	<32	ug/kg	25	SW 8260B	03/18/2003	aba	2245
cis-1,3-Dichloropropene	<32	ug/kg	25	SW 8260B	03/18/2003	aba	2245
trans-1,3-Dichloropropene	<32	ug/kg	25	SW 8260B	03/18/2003	aba	2245
Di-isopropyl ether	<32	ug/kg	25	SW 8260B	03/18/2003	aba	2245
Ethylbenzene	<32	ug/kg	25	SW 8260B	03/18/2003	aba	2245

TestAmerica

INCORPORATED

ANALYTICAL REPORT

Mr. D'Arcy Gravelle
 KEY ENGINEERING GROUP LTD
 W66 N215 Commerce Court
 Cedarburg, WI 53012

03/24/2003
 Job No: 03.02078
 Sample No: 516727
 Account No: 45150
 Page 6 of 12

JOB DESCRIPTION: 0702007 Decorah Annex

PROJECT DESCRIPTION: Soil Analysis

SAMPLE DESCRIPTION: B-25 23.5-25.5'
 West Bend, WI
 Rec'd at 6 degrees C

Date/Time Taken: 03/12/2003 10:05

Date Received: 03/13/2003

Parameter	Results	Units	Reporting Limit	Method	Date Analyzed	Analyst	Prep/Run Batch
Hexachlorobutadiene	<45	ug/kg	35	SW 8260B	03/18/2003	aba	2245
Isopropylbenzene	<32	ug/kg	25	SW 8260B	03/18/2003	aba	2245
p-Isopropyltoluene	<32	ug/kg	25	SW 8260B	03/18/2003	aba	2245
Methylene Chloride	<64	ug/kg	50	SW 8260B	03/18/2003	aba	2245
Methyl-t-butyl ether	<32	ug/kg	25	SW 8260B	03/18/2003	aba	2245
Naphthalene	<32	ug/kg	25	SW 8260B	03/18/2003	aba	2245
n-Propylbenzene	<32	ug/kg	25	SW 8260B	03/18/2003	aba	2245
Styrene	<32	ug/kg	25	SW 8260B	03/18/2003	aba	2245
1,1,1,2-Tetrachloroethane	<32	ug/kg	25	SW 8260B	03/18/2003	aba	2245
1,1,2,2-Tetrachloroethane	<32	ug/kg	25	SW 8260B	03/18/2003	aba	2245
Tetrachloroethene	69	ug/kg	25	SW 8260B	03/18/2003	aba	2245
Toluene	<32	ug/kg	25	SW 8260B	03/18/2003	aba	2245
1,2,3-Trichlorobenzene	<32	ug/kg	25	SW 8260B	03/18/2003	aba	2245
1,2,4-Trichlorobenzene	<32	ug/kg	25	SW 8260B	03/18/2003	aba	2245
1,1,1-Trichloroethane	<32	ug/kg	25	SW 8260B	03/18/2003	aba	2245
1,1,2-Trichloroethane	<45	ug/kg	35	SW 8260B	03/18/2003	aba	2245
Trichloroethene	<32	ug/kg	25	SW 8260B	03/18/2003	aba	2245
Trichlorofluoromethane	<32	ug/kg	25	SW 8260B	03/18/2003	aba	2245
1,2,3-Trichloropropane	<128	ug/kg	100	SW 8260B	03/18/2003	aba	2245
1,2,4-Trimethylbenzene	<32	ug/kg	25	SW 8260B	03/18/2003	aba	2245
1,3,5-Trimethylbenzene	<32	ug/kg	25	SW 8260B	03/18/2003	aba	2245
Vinyl Chloride	<45	ug/kg	35	SW 8260B	03/18/2003	aba	2245
Xylenes, Total	<45	ug/kg	35	SW 8260B	03/18/2003	aba	2245
Surr: Dibromofluoromethane	98	t	87-111	SW 8260B	03/18/2003	aba	2245
Surr: Toluene-d8	101	t	88-110	SW 8260B	03/18/2003	aba	2245
Surr: Bromofluorobenzene	105	t	90-108	SW 8260B	03/18/2003	aba	2245

ANALYTICAL REPORT

Mr. D'Arcy Gravelle
 KEY ENGINEERING GROUP LTD
 W66 N215 Commerce Court
 Cedarburg, WI 53012

03/24/2003
 Job No: 03.02078
 Sample No: 516728
 Account No: 45150
 Page 7 of 12

JOB DESCRIPTION: 0702007 Decorah Annex
 PROJECT DESCRIPTION: Soil Analysis
 SAMPLE DESCRIPTION: B-26 21-23'
 West Bend, WI
 Rec'd at 6 degrees C

Date/Time Taken: 03/12/2003 11:50

Date Received: 03/13/2003

Parameter	Results	Units	Reporting Limit	Method	Date Analyzed	Analyst	Prep/Run Batch
Solids, Total	94.8	%	n/a	SW 5035	03/18/2003	tag	4795
VOC - METHANOL - 8260B							
Benzene	<26	ug/kg	25	SW 8260B	03/18/2003	aba	2245
Bromobenzene	<26	ug/kg	25	SW 8260B	03/18/2003	aba	2245
Bromochloromethane	<37	ug/kg	35	SW 8260B	03/18/2003	aba	2245
Bromodichloromethane	<26	ug/kg	25	SW 8260B	03/18/2003	aba	2245
Bromoform	<26	ug/kg	25	SW 8260B	03/18/2003	aba	2245
Bromomethane	<105	ug/kg	100	SW 8260B	03/18/2003	aba	2245
n-Butylbenzene	<26	ug/kg	25	SW 8260B	03/18/2003	aba	2245
sec-Butylbenzene	<26	ug/kg	25	SW 8260B	03/18/2003	aba	2245
tert-Butylbenzene	<26	ug/kg	25	SW 8260B	03/18/2003	aba	2245
Carbon Tetrachloride	<26	ug/kg	25	SW 8260B	03/18/2003	aba	2245
Chlorobenzene	<26	ug/kg	25	SW 8260B	03/18/2003	aba	2245
Chlorodibromomethane	<26	ug/kg	25	SW 8260B	03/18/2003	aba	2245
Chloroethane	<53	ug/kg	50	SW 8260B	03/18/2003	aba	2245
Chloroform	<26	ug/kg	25	SW 8260B	03/18/2003	aba	2245
Chloromethane	<53	ug/kg	50	SW 8260B	03/18/2003	aba	2245
2-Chlorotoluene	<53	ug/kg	50	SW 8260B	03/18/2003	aba	2245
4-Chlorotoluene	<26	ug/kg	25	SW 8260B	03/18/2003	aba	2245
1,2-Dibromo-3-Chloropropane	<53	ug/kg	50	SW 8260B	03/18/2003	aba	2245
1,2-Dibromoethane (EDB)	<26	ug/kg	25	SW 8260B	03/18/2003	aba	2245
Dibromomethane	<26	ug/kg	25	SW 8260B	03/18/2003	aba	2245
1,2-Dichlorobenzene	<26	ug/kg	25	SW 8260B	03/18/2003	aba	2245
1,3-Dichlorobenzene	<26	ug/kg	25	SW 8260B	03/18/2003	aba	2245
1,4-Dichlorobenzene	<26	ug/kg	25	SW 8260B	03/18/2003	aba	2245
Dichlorodifluoromethane	<26	ug/kg	25	SW 8260B	03/18/2003	aba	2245
1,1-Dichloroethane	<26	ug/kg	25	SW 8260B	03/18/2003	aba	2245
1,2-Dichloroethane	<26	ug/kg	25	SW 8260B	03/18/2003	aba	2245
1,1-Dichloroethene	<26	ug/kg	25	SW 8260B	03/18/2003	aba	2245
cis-1,2-Dichloroethene	<26	ug/kg	25	SW 8260B	03/18/2003	aba	2245
trans-1,2-Dichloroethene	<26	ug/kg	25	SW 8260B	03/18/2003	aba	2245
1,2-Dichloropropane	<26	ug/kg	25	SW 8260B	03/18/2003	aba	2245
1,3-Dichloropropane	<26	ug/kg	25	SW 8260B	03/18/2003	aba	2245
2,2-Dichloropropane	<26	ug/kg	25	SW 8260B	03/18/2003	aba	2245
1,1-Dichloropropene	<26	ug/kg	25	SW 8260B	03/18/2003	aba	2245
cis-1,3-Dichloropropene	<26	ug/kg	25	SW 8260B	03/18/2003	aba	2245
trans-1,3-Dichloropropene	<26	ug/kg	25	SW 8260B	03/18/2003	aba	2245
Di-isopropyl ether	<26	ug/kg	25	SW 8260B	03/18/2003	aba	2245
Ethylbenzene	<26	ug/kg	25	SW 8260B	03/18/2003	aba	2245

ANALYTICAL REPORT

Mr. D'Arcy Gravelle
 KEY ENGINEERING GROUP LTD
 W66 N215 Commerce Court
 Cedarburg, WI 53012

03/24/2003
 Job No: 03.02078
 Sample No: 516728
 Account No: 45150
 Page 8 of 12

JOB DESCRIPTION: 0702007 Decorah Annex

PROJECT DESCRIPTION: Soil Analysis

SAMPLE DESCRIPTION: B-26 21-23'
 West Bend, WI
 Rec'd at 6 degrees C

Date/Time Taken: 03/12/2003 11:50

Date Received: 03/13/2003

Parameter	Results	Units	Reporting Limit	Method	Date Analyzed	Analyst	Prep/Run Batch
Hexachlorobutadiene	<37	ug/kg	35	SW 8260B	03/18/2003	aba	2245
Isopropylbenzene	<26	ug/kg	25	SW 8260B	03/18/2003	aba	2245
p-Isopropyltoluene	<26	ug/kg	25	SW 8260B	03/18/2003	aba	2245
Methylene Chloride	<53	ug/kg	50	SW 8260B	03/18/2003	aba	2245
Methyl-t-butyl ether	<26	ug/kg	25	SW 8260B	03/18/2003	aba	2245
Naphthalene	<26	ug/kg	25	SW 8260B	03/18/2003	aba	2245
n-Propylbenzene	<26	ug/kg	25	SW 8260B	03/18/2003	aba	2245
Styrene	<26	ug/kg	25	SW 8260B	03/18/2003	aba	2245
1,1,1,2-Tetrachloroethane	<26	ug/kg	25	SW 8260B	03/18/2003	aba	2245
1,1,2,2-Tetrachloroethane	<26	ug/kg	25	SW 8260B	03/18/2003	aba	2245
Tetrachloroethene	<26	ug/kg	25	SW 8260B	03/18/2003	aba	2245
Toluene	<26	ug/kg	25	SW 8260B	03/18/2003	aba	2245
1,2,3-Trichlorobenzene	<26	ug/kg	25	SW 8260B	03/18/2003	aba	2245
1,2,4-Trichlorobenzene	<26	ug/kg	25	SW 8260B	03/18/2003	aba	2245
1,1,1-Trichloroethane	<26	ug/kg	25	SW 8260B	03/18/2003	aba	2245
1,1,2-Trichloroethane	<37	ug/kg	35	SW 8260B	03/18/2003	aba	2245
Trichloroethene	<26	ug/kg	25	SW 8260B	03/18/2003	aba	2245
Trichlorofluoromethane	<26	ug/kg	25	SW 8260B	03/18/2003	aba	2245
1,2,3-Trichloropropane	<105	ug/kg	100	SW 8260B	03/18/2003	aba	2245
1,2,4-Trimethylbenzene	<26	ug/kg	25	SW 8260B	03/18/2003	aba	2245
1,3,5-Trimethylbenzene	<26	ug/kg	25	SW 8260B	03/18/2003	aba	2245
Vinyl Chloride	<37	ug/kg	35	SW 8260B	03/18/2003	aba	2245
Xylenes, Total	<37	ug/kg	35	SW 8260B	03/18/2003	aba	2245
Surr: Dibromofluoromethane	101	%	87-111	SW 8260B	03/18/2003	aba	2245
Surr: Toluene-d8	101	%	88-110	SW 8260B	03/18/2003	aba	2245
Surr: Bromofluorobenzene	104	%	90-108	SW 8260B	03/18/2003	aba	2245

ANALYTICAL REPORT

Mr. D'Arcy Gravelle
 KEY ENGINEERING GROUP LTD
 W66 N215 Commerce Court
 Cedarburg, WI 53012

03/24/2003
 Job No: 03.02078
 Sample No: 516729
 Account No: 45150
 Page 9 of 12

JOB DESCRIPTION: 0702007 Decorah Annex

PROJECT DESCRIPTION: Soil Analysis

SAMPLE DESCRIPTION: B-26 26-28'
 West Bend, WI
 Rec'd at 6 degrees C

Date/Time Taken: 03/12/2003 12:00

Date Received: 03/13/2003

Parameter	Results	Units	Reporting Limit	Method	Date Analyzed	Analyst	Prep/Run Batch
Solids, Total	79.3	%	n/a	SW 5035	03/18/2003	tag	4795
VOC - METHANOL - 8260B							
Benzene	<32	ug/kg	25	SW 8260B	03/18/2003	aba	2245
Bromobenzene	<32	ug/kg	25	SW 8260B	03/18/2003	aba	2245
Bromochloromethane	<44	ug/kg	35	SW 8260B	03/18/2003	aba	2245
Bromodichloromethane	<32	ug/kg	25	SW 8260B	03/18/2003	aba	2245
Bromoform	<32	ug/kg	25	SW 8260B	03/18/2003	aba	2245
Bromomethane	<126	ug/kg	100	SW 8260B	03/18/2003	aba	2245
n-Butylbenzene	<32	ug/kg	25	SW 8260B	03/18/2003	aba	2245
sec-Butylbenzene	<32	ug/kg	25	SW 8260B	03/18/2003	aba	2245
tert-Butylbenzene	<32	ug/kg	25	SW 8260B	03/18/2003	aba	2245
Carbon Tetrachloride	<32	ug/kg	25	SW 8260B	03/18/2003	aba	2245
Chlorobenzene	<32	ug/kg	25	SW 8260B	03/18/2003	aba	2245
Chlorodibromomethane	<32	ug/kg	25	SW 8260B	03/18/2003	aba	2245
Chloroethane	<63	ug/kg	50	SW 8260B	03/18/2003	aba	2245
Chloroform	<32	ug/kg	25	SW 8260B	03/18/2003	aba	2245
Chloromethane	<63	ug/kg	50	SW 8260B	03/18/2003	aba	2245
2-Chlorotoluene	<63	ug/kg	50	SW 8260B	03/18/2003	aba	2245
4-Chlorotoluene	<32	ug/kg	25	SW 8260B	03/18/2003	aba	2245
1,2-Dibromo-3-Chloropropane	<63	ug/kg	50	SW 8260B	03/18/2003	aba	2245
1,2-Dibromoethane (EDB)	<32	ug/kg	25	SW 8260B	03/18/2003	aba	2245
Dibromomethane	<32	ug/kg	25	SW 8260B	03/18/2003	aba	2245
1,2-Dichlorobenzene	<32	ug/kg	25	SW 8260B	03/18/2003	aba	2245
1,3-Dichlorobenzene	<32	ug/kg	25	SW 8260B	03/18/2003	aba	2245
1,4-Dichlorobenzene	<32	ug/kg	25	SW 8260B	03/18/2003	aba	2245
Dichlorodifluoromethane	<32	ug/kg	25	SW 8260B	03/18/2003	aba	2245
1,1-Dichloroethane	<32	ug/kg	25	SW 8260B	03/18/2003	aba	2245
1,2-Dichloroethane	<32	ug/kg	25	SW 8260B	03/18/2003	aba	2245
1,1-Dichloroethene	<32	ug/kg	25	SW 8260B	03/18/2003	aba	2245
cis-1,2-Dichloroethene	<32	ug/kg	25	SW 8260B	03/18/2003	aba	2245
trans-1,2-Dichloroethene	<32	ug/kg	25	SW 8260B	03/18/2003	aba	2245
1,2-Dichloropropane	<32	ug/kg	25	SW 8260B	03/18/2003	aba	2245
1,3-Dichloropropane	<32	ug/kg	25	SW 8260B	03/18/2003	aba	2245
2,2-Dichloropropane	<32	ug/kg	25	SW 8260B	03/18/2003	aba	2245
1,1-Dichloropropene	<32	ug/kg	25	SW 8260B	03/18/2003	aba	2245
cis-1,3-Dichloropropene	<32	ug/kg	25	SW 8260B	03/18/2003	aba	2245
trans-1,3-Dichloropropene	<32	ug/kg	25	SW 8260B	03/18/2003	aba	2245
Di-isopropyl ether	<32	ug/kg	25	SW 8260B	03/18/2003	aba	2245
Ethylbenzene	<32	ug/kg	25	SW 8260B	03/18/2003	aba	2245

ANALYTICAL REPORT

Mr. D'Arcy Gravelle
 KEY ENGINEERING GROUP LTD
 W66 N215 Commerce Court
 Cedarburg, WI 53012

03/24/2003
 Job No: 03.02078
 Sample No: 516729
 Account No: 45150
 Page 10 of 12

JOB DESCRIPTION: 0702007 Decorah Annex

PROJECT DESCRIPTION: Soil Analysis

SAMPLE DESCRIPTION: B-26 26-28'

West Bend, WI

Rec'd at 6 degrees C

Date/Time Taken: 03/12/2003 12:00

Date Received: 03/13/2003

Parameter	Results	Units	Reporting Limit	Method	Date Analyzed	Analyst	Prep/Run Batch
Hexachlorobutadiene	<44	ug/kg	35	SW 8260B	03/18/2003	aba	2245
Isopropylbenzene	<32	ug/kg	25	SW 8260B	03/18/2003	aba	2245
p-Isopropyltoluene	<32	ug/kg	25	SW 8260B	03/18/2003	aba	2245
Methylene Chloride	<63	ug/kg	50	SW 8260B	03/18/2003	aba	2245
Methyl-t-butyl ether	<32	ug/kg	25	SW 8260B	03/18/2003	aba	2245
Naphthalene	<32	ug/kg	25	SW 8260B	03/18/2003	aba	2245
n-Propylbenzene	<32	ug/kg	25	SW 8260B	03/18/2003	aba	2245
Styrene	<32	ug/kg	25	SW 8260B	03/18/2003	aba	2245
1,1,1,2-Tetrachloroethane	<32	ug/kg	25	SW 8260B	03/18/2003	aba	2245
1,1,2,2-Tetrachloroethane	<32	ug/kg	25	SW 8260B	03/18/2003	aba	2245
Tetrachloroethene	<32	ug/kg	25	SW 8260B	03/18/2003	aba	2245
Toluene	<32	ug/kg	25	SW 8260B	03/18/2003	aba	2245
1,2,3-Trichlorobenzene	<32	ug/kg	25	SW 8260B	03/18/2003	aba	2245
1,2,4-Trichlorobenzene	<32	ug/kg	25	SW 8260B	03/18/2003	aba	2245
1,1,1-Trichloroethane	<32	ug/kg	25	SW 8260B	03/18/2003	aba	2245
1,1,2-Trichloroethane	<44	ug/kg	35	SW 8260B	03/18/2003	aba	2245
Trichloroethene	<32	ug/kg	25	SW 8260B	03/18/2003	aba	2245
Trichlorofluoromethane	<32	ug/kg	25	SW 8260B	03/18/2003	aba	2245
1,2,3-Trichloropropane	<126	ug/kg	100	SW 8260B	03/18/2003	aba	2245
1,2,4-Trimethylbenzene	<32	ug/kg	25	SW 8260B	03/18/2003	aba	2245
1,3,5-Trimethylbenzene	<32	ug/kg	25	SW 8260B	03/18/2003	aba	2245
Vinyl Chloride	<44	ug/kg	35	SW 8260B	03/18/2003	aba	2245
Xylenes, Total	<44	ug/kg	35	SW 8260B	03/18/2003	aba	2245
Surr: Dibromofluoromethane	102	¶	87-111	SW 8260B	03/18/2003	aba	2245
Surr: Toluene-d8	102	¶	88-110	SW 8260B	03/18/2003	aba	2245
Surr: Bromofluorobenzene	104	¶	90-108	SW 8260B	03/18/2003	aba	2245

ANALYTICAL REPORT

Mr. D'Arcy Gravelle
 KEY ENGINEERING GROUP LTD
 W66 N215 Commerce Court
 Cedarburg, WI 53012

03/24/2003
 Job No: 03.02078
 Sample No: 516730
 Account No: 45150
 Page 11 of 12

JOB DESCRIPTION: 0702007 Decorah Annex

PROJECT DESCRIPTION: Soil Analysis

SAMPLE DESCRIPTION: MeOH Blank
 West Bend, WI
 Rec'd at 6 degrees C

Date/Time Taken: 03/12/2003 UNKNOWN

Date Received: 03/13/2003

Parameter	Results	Units	Reporting Limit	Method	Date Analyzed	Analyst	Prep/Run Batch
VOC - METHANOL - 8260B							
Benzene	<25	ug/kg	25	SW 8260B	03/19/2003	aba	2246
Bromobenzene	<25	ug/kg	25	SW 8260B	03/19/2003	aba	2246
Bromochloromethane	<35	ug/kg	35	SW 8260B	03/19/2003	aba	2246
Bromodichloromethane	<25	ug/kg	25	SW 8260B	03/19/2003	aba	2246
Bromoform	<25	ug/kg	25	SW 8260B	03/19/2003	aba	2246
Bromomethane	<100	ug/kg	100	SW 8260B	03/19/2003	aba	2246
n-Butylbenzene	<25	ug/kg	25	SW 8260B	03/19/2003	aba	2246
sec-Butylbenzene	<25	ug/kg	25	SW 8260B	03/19/2003	aba	2246
tert-Butylbenzene	<25	ug/kg	25	SW 8260B	03/19/2003	aba	2246
Carbon Tetrachloride	<25	ug/kg	25	SW 8260B	03/19/2003	aba	2246
Chlorobenzene	<25	ug/kg	25	SW 8260B	03/19/2003	aba	2246
Chlorodibromomethane	<25	ug/kg	25	SW 8260B	03/19/2003	aba	2246
Chloroethane	<50	ug/kg	50	SW 8260B	03/19/2003	aba	2246
Chloroform	<25	ug/kg	25	SW 8260B	03/19/2003	aba	2246
Chloromethane	<50	ug/kg	50	SW 8260B	03/19/2003	aba	2246
2-Chlorotoluene	<50	ug/kg	50	SW 8260B	03/19/2003	aba	2246
4-Chlorotoluene	<25	ug/kg	25	SW 8260B	03/19/2003	aba	2246
1,2-Dibromo-3-Chloropropane	<50	ug/kg	50	SW 8260B	03/19/2003	aba	2246
1,2-Dibromoethane (EDB)	<25	ug/kg	25	SW 8260B	03/19/2003	aba	2246
Dibromomethane	<25	ug/kg	25	SW 8260B	03/19/2003	aba	2246
1,2-Dichlorobenzene	<25	ug/kg	25	SW 8260B	03/19/2003	aba	2246
1,3-Dichlorobenzene	<25	ug/kg	25	SW 8260B	03/19/2003	aba	2246
1,4-Dichlorobenzene	<25	ug/kg	25	SW 8260B	03/19/2003	aba	2246
Dichlorodifluoromethane	<25	ug/kg	25	SW 8260B	03/19/2003	aba	2246
1,1-Dichloroethane	<25	ug/kg	25	SW 8260B	03/19/2003	aba	2246
1,2-Dichloroethane	<25	ug/kg	25	SW 8260B	03/19/2003	aba	2246
1,1-Dichloroethene	<25	ug/kg	25	SW 8260B	03/19/2003	aba	2246
cis-1,2-Dichloroethene	<25	ug/kg	25	SW 8260B	03/19/2003	aba	2246
trans-1,2-Dichloroethene	<25	ug/kg	25	SW 8260B	03/19/2003	aba	2246
1,2-Dichloropropane	<25	ug/kg	25	SW 8260B	03/19/2003	aba	2246
1,3-Dichloropropane	<25	ug/kg	25	SW 8260B	03/19/2003	aba	2246
2,2-Dichloropropane	<25	ug/kg	25	SW 8260B	03/19/2003	aba	2246
1,1-Dichloropropene	<25	ug/kg	25	SW 8260B	03/19/2003	aba	2246
cis-1,3-Dichloropropene	<25	ug/kg	25	SW 8260B	03/19/2003	aba	2246
trans-1,3-Dichloropropene	<25	ug/kg	25	SW 8260B	03/19/2003	aba	2246
Di-isopropyl ether	<25	ug/kg	25	SW 8260B	03/19/2003	aba	2246
Ethylbenzene	<25	ug/kg	25	SW 8260B	03/19/2003	aba	2246
Hexachlorobutadiene	<35	ug/kg	35	SW 8260B	03/19/2003	aba	2246

TestAmerica

INCORPORATED

ANALYTICAL REPORT

Mr. D'Arcy Gravelle
 KEY ENGINEERING GROUP LTD
 W66 N215 Commerce Court
 Cedarburg, WI 53012

03/24/2003
 Job No: 03.02078
 Sample No: 516730
 Account No: 45150
 Page 12 of 12

JOB DESCRIPTION: 0702007 Decorah Annex
 PROJECT DESCRIPTION: Soil Analysis
 SAMPLE DESCRIPTION: MeOH Blank
 West Bend, WI
 Rec'd at 6 degrees C

Date/Time Taken: 03/12/2003 UNKNOWN Date Received: 03/13/2003

Parameter	Results	Units	Reporting Limit	Method	Date Analyzed	Analyst	Prep/Run Batch
Isopropylbenzene	<25	ug/kg	25	SW 8260B	03/19/2003	aba	2246
p-Isopropyltoluene	<25	ug/kg	25	SW 8260B	03/19/2003	aba	2246
Methylene Chloride	<50	ug/kg	50	SW 8260B	03/19/2003	aba	2246
Methyl-t-butyl ether	<25	ug/kg	25	SW 8260B	03/19/2003	aba	2246
Naphthalene	<25	ug/kg	25	SW 8260B	03/21/2003	aba	2249
n-Propylbenzene	<25	ug/kg	25	SW 8260B	03/19/2003	aba	2246
Styrene	<25	ug/kg	25	SW 8260B	03/19/2003	aba	2246
1,1,1,2-Tetrachloroethane	<25	ug/kg	25	SW 8260B	03/19/2003	aba	2246
1,1,2,2-Tetrachloroethane	<25	ug/kg	25	SW 8260B	03/19/2003	aba	2246
Tetrachloroethene	<25	ug/kg	25	SW 8260B	03/19/2003	aba	2246
Toluene	<25	ug/kg	25	SW 8260B	03/19/2003	aba	2246
1,2,3-Trichlorobenzene	<25	ug/kg	25	SW 8260B	03/19/2003	aba	2246
1,2,4-Trichlorobenzene	<25	ug/kg	25	SW 8260B	03/19/2003	aba	2246
1,1,1-Trichloroethane	<25	ug/kg	25	SW 8260B	03/19/2003	aba	2246
1,1,2-Trichloroethane	<35	ug/kg	35	SW 8260B	03/19/2003	aba	2246
Trichloroethene	<25	ug/kg	25	SW 8260B	03/19/2003	aba	2246
Trichlorofluoromethane	<25	ug/kg	25	SW 8260B	03/19/2003	aba	2246
1,2,3-Trichloropropane	<100	ug/kg	100	SW 8260B	03/19/2003	aba	2246
1,2,4-Trimethylbenzene	<25	ug/kg	25	SW 8260B	03/19/2003	aba	2246
1,3,5-Trimethylbenzene	<25	ug/kg	25	SW 8260B	03/19/2003	aba	2246
Vinyl Chloride	<35	ug/kg	35	SW 8260B	03/19/2003	aba	2246
Xylenes, Total	<35	ug/kg	35	SW 8260B	03/19/2003	aba	2246
Surr: Dibromofluoromethane	101	¶	87-111	SW 8260B	03/19/2003	aba	2246
Surr: Toluene-d8	103	¶	88-110	SW 8260B	03/19/2003	aba	2246
Surr: Bromofluorobenzene	103	¶	90-108	SW 8260B	03/19/2003	aba	2246

TestAmerica
INCORPORATED

Watertown Division
602 Commerce Drive
Watertown, WI 53094

Phone 920-261-1660 or 800-833-7036
Fax 920-261-8120

03.02078

To assist us in using the proper analytical methods,
is this work being conducted for regulatory purposes?
Compliance Monitoring _____

Client Name KEY ENGINEERING

Client #: WT 45150

Address: W66 N215 COMMERCE CT.

City/State/Zip Code: CEDARBURG, WI 53012

Project Manager: D'ARCY GRAVELLE

Telephone Number: (262) 375-4750

Fax: _____

Sampler Name. (Print Name) MIKE MANTZ

Sampler Signature: M. Mantz

Project Name: DECORAH ANNEX

Project #: 0702007

Site/Location ID: WEST BEND State: WI

Report To: D'ARCY

Invoice To: KEY

Quote #: 03050 PO#:

TAT X Standard Rush (surcharges may apply)	Date Needed:	Fax Results: (Y) N	SAMPLE ID	Date Sampled	Time Sampled	G = Grab, C = Composite	Field Filtered	Matrix	Preservation & # of Containers						Analyze For:										QC Deliverables None Level 2 (Batch QC) Level 3 Level 4 Other: _____	REMARKS
									SL - Sludge	DW - Drinking Water	S - Soil/Solid	Specify Other	HNO ₃	HCl	NaOH	H ₂ SO ₄	Methanol	None	Other (Specify)	VOC	% SOLID					
B-25 (18.5 - 20.5')	3/12/03	9:50	G	N		SOIL											X	X								
B-25 (23.5 - 25.5')		10:05														X	X									
B-26 (21 - 23)		11:50														X	X									
B-26 (26 - 28')		12:00														X	X									
MeOH BLINK	↓	---	V	V		MeOH										2	X									

Special Instructions:

Relinquished By: MM Date: 3/13 Time: 1445

Received By: Laura Olsen

Date: 3-13-03 Time: 1110

Relinquished By: J. Mullinix Date: 3-13 Time: 1445

Received By:

Date: Time:

Relinquished By: Date: Time:

Received By: X

Date: 3/13 Time: 1515

LABORATORY COMMENTS:

Init Lab Temp: 60°

Rec Lab Temp:

Custody Seals: Y N N/A
Bottles Supplied by Test America: Y N

Method of Shipment: 1

RA 3/14/03

TestAmerica

INCORPORATED

ANALYTICAL REPORT

Mr. D'Arcy Gravelle
KEY ENGINEERING GROUP LTD
W66 N215 Commerce Court
Cedarburg, WI 53012

03/31/2003

Job No: 03.02303

Page 1 of 63

The following samples were received by TestAmerica for analysis:

0702007 Decorah Annex

Sample Number	Sample Description	Date Taken	Date Received
517532	MW-1	03/19/2003	03/20/2003
517533	MW-2	03/19/2003	03/20/2003
517534	MW-3	03/19/2003	03/20/2003
517535	MW-4	03/19/2003	03/20/2003
517536	MW-5	03/19/2003	03/20/2003
517537	MW-6	03/19/2003	03/20/2003
517538	MW-8	03/19/2003	03/20/2003
517539	MW-9	03/19/2003	03/20/2003
517540	MW-10	03/19/2003	03/20/2003
517541	MW-11	03/19/2003	03/20/2003
517542	MW-12	03/19/2003	03/20/2003
517543	MW-13	03/19/2003	03/20/2003
517544	MW-14	03/19/2003	03/20/2003
517545	MW-15	03/19/2003	03/20/2003
517546	MW-16	03/19/2003	03/20/2003
517547	MW-17	03/19/2003	03/20/2003
517548	MW-18	03/19/2003	03/20/2003
517549	MW-19	03/19/2003	03/20/2003
517550	MW-20	03/19/2003	03/20/2003
517551	MW-21	03/19/2003	03/20/2003



Brian D. DeJong
Organic Operations Manager

TestAmerica

INCORPORATED

ANALYTICAL REPORT

Mr. D'Arcy Gravelle
KEY ENGINEERING GROUP LTD
W66 N215 Commerce Court
Cedarburg, WI 53012

03/31/2003

Job No: 03.02303

Page 2 of 63

The following samples were received by TestAmerica for analysis:

0702007 Decorah Annex

Sample Number	Sample Description	Date Taken	Date Received
517552	P-1	03/19/2003	03/20/2003
517553	P-2	03/19/2003	03/20/2003
517554	P-3	03/19/2003	03/20/2003
517555	P-4	03/19/2003	03/20/2003
517556	Duplicate	03/19/2003	03/20/2003
517557	Duplicate 2	03/19/2003	03/20/2003
517558	Trip Blank	03/19/2003	03/20/2003



Brian D. DeJong
Organic Operations Manager

KEY ENGINEERING GROUP LTD
Job No: 03.02303

03/31/2003
Page 3 of 63

KEY TO DATA FLAGS

The attached sample(s) may have a result flag shown on the report. The following are the result flag definitions:

A = Analyzed/extracted past hold time
B = Blank is contaminated
C = Standard outside of control limits
D = Diluted for analysis
E = TCLP extraction outside of method required temperature range
F = Sample filtered in lab
G = Received past hold time
H = Late eluting hydrocarbons present
I = Improperly handled sample
J = Estimated concentration
L = Common lab solvent and contaminant
M = Matrix interference
P = Improperly preserved sample
Q = Result confirmed via re-analysis
S = Sediment present
T = Does not match typical pattern
W = BOD re-set due to missed dilution
X = Unidentified compound(s) present
Z = Internal standard outside limits
* = See Case Narrative

KEY TO ANALYST INITIALS

The attached sample(s) may have been analyzed by another certified laboratory. If a number appears in the Analyst Initials field, the following are the appropriate certifications (if the lab code does not appear below, that means that WDNR certification is not required for the work performed):

Lab Code	Certification Number
008	WDNR - 999766900
009	WDNR - 241293690
020	WDNR - 999447680
030	ILNELAC - 100230; WDNR - 998294430
060	ILNELAC - 100221; WDNR - 999447130
070	IA - 007; ILNELAC - 000668; MDH - 019-999-319; WDNR - 999917270
130	WDNR - 632021390
147	WDNR - 721026460
300	FLNELAC - 87358; IA - 131; MDH - 047-999-345; WDNR - 998020430
400	WDNR - 113133790
510	WDNR - 241249360
520	WDNR - 999518190; ILNELAC - 100439
700	WDNR - 113289110

TestAmerica Watertown WDNR - 128053530; IDNR - 294; MDH - 055-999-366; ND - R-046

For questions regarding this report, please contact Dan Milewsky or Warren Topel.

TestAmerica

INCORPORATED

ANALYTICAL REPORT

Mr. D'Arcy Gravelle
 KEY ENGINEERING GROUP LTD
 W66 N215 Commerce Court
 Cedarburg, WI 53012

03/31/2003
 Job No: 03.02303
 Sample No: 517532
 Account No: 45150
 Page 4 of 63

JOB DESCRIPTION: 0702007 Decorah Annex
 PROJECT DESCRIPTION: Groundwater Analysis
 SAMPLE DESCRIPTION: MW-1
 West Bend, WI
 Rec'd at 4 degrees C

Date/Time Taken: 03/19/2003 11:15

Date Received: 03/20/2003

Parameter	Results	Units	MDL	LOQ	Method	Date Analyzed	Analyst	Prep/Run Batch
VOC - AQUEOUS - EPA 8260B								
Benzene	<0.25	ug/L	0.25	0.83	SW 8260B	03/27/2003	mae	4749
Bromo benzene	<0.25	ug/L	0.25	0.83	SW 8260B	03/27/2003	mae	4749
Bromo chloromethane	<0.50	ug/L	0.50	1.7	SW 8260B	03/27/2003	mae	4749
Bromo dichloromethane	<0.25	ug/L	0.25	0.83	SW 8260B	03/27/2003	mae	4749
Bromoform	<0.25	ug/L	0.25	0.83	SW 8260B	03/27/2003	mae	4749
Bromo methane	<0.25	ug/L	0.25	0.83	SW 8260B	03/27/2003	mae	4749
n-Butylbenzene	<0.25	ug/L	0.25	0.83	SW 8260B	03/27/2003	mae	4749
sec-Butylbenzene	<0.25	ug/L	0.25	0.83	SW 8260B	03/27/2003	mae	4749
tert-Butylbenzene	<0.25	ug/L	0.25	0.83	SW 8260B	03/27/2003	mae	4749
Carbon Tetrachloride	<0.50	ug/L	0.50	1.7	SW 8260B	03/27/2003	mae	4749
Chlorobenzene	<0.25	ug/L	0.25	0.83	SW 8260B	03/27/2003	mae	4749
Chlorodibromomethane	<0.25	ug/L	0.25	0.83	SW 8260B	03/27/2003	mae	4749
Chloroethane	<1.0	ug/L	1.0	3.3	SW 8260B	03/27/2003	mae	4749
Chloroform	<0.25	ug/L	0.25	0.83	SW 8260B	03/27/2003	mae	4749
Chloromethane	<0.25	ug/L	0.25	0.83	SW 8260B	03/27/2003	mae	4749
2-Chlorotoluene	<0.50	ug/L	0.50	1.7	SW 8260B	03/27/2003	mae	4749
4-Chlorotoluene	<0.25	ug/L	0.25	0.83	SW 8260B	03/27/2003	mae	4749
1,2-Dibromo-3-Chloropropane	<0.50	ug/L	0.50	1.7	SW 8260B	03/27/2003	mae	4749
1,2-Dibromoethane (EDB)	<0.25	ug/L	0.25	0.83	SW 8260B	03/27/2003	mae	4749
Dibromomethane	<0.25	ug/L	0.25	0.83	SW 8260B	03/27/2003	mae	4749
1,2-Dichlorobenzene	<0.25	ug/L	0.25	0.83	SW 8260B	03/27/2003	mae	4749
1,3-Dichlorobenzene	<0.25	ug/L	0.25	0.83	SW 8260B	03/27/2003	mae	4749
1,4-Dichlorobenzene	<0.25	ug/L	0.25	0.83	SW 8260B	03/27/2003	mae	4749
Dichlorodifluoromethane	<0.50	ug/L	0.50	1.7	SW 8260B	03/27/2003	mae	4749
1,1-Dichloroethane	<0.50	ug/L	0.50	1.7	SW 8260B	03/27/2003	mae	4749
1,2-Dichloroethane	<0.50	ug/L	0.50	1.7	SW 8260B	03/27/2003	mae	4749
1,1-Dichloroethene	<0.50	ug/L	0.50	1.7	SW 8260B	03/27/2003	mae	4749
cis-1,2-Dichloroethene	<0.50	ug/L	0.50	1.7	SW 8260B	03/27/2003	mae	4749
trans-1,2-Dichloroethene	<0.50	ug/L	0.50	1.7	SW 8260B	03/27/2003	mae	4749
1,2-Dichloropropane	<0.50	ug/L	0.50	1.7	SW 8260B	03/27/2003	mae	4749
1,3-Dichloropropane	<0.25	ug/L	0.25	0.83	SW 8260B	03/27/2003	mae	4749
2,2-Dichloropropane	<0.50	ug/L	0.50	1.7	SW 8260B	03/27/2003	mae	4749
1,1-Dichloropropene	<0.50	ug/L	0.50	1.7	SW 8260B	03/27/2003	mae	4749
cis-1,3-Dichloropropene	<0.25	ug/L	0.25	0.83	SW 8260B	03/27/2003	mae	4749
trans-1,3-Dichloropropene	<0.25	ug/L	0.25	0.83	SW 8260B	03/27/2003	mae	4749
Di-isopropyl ether	<0.50	ug/L	0.50	1.7	SW 8260B	03/27/2003	mae	4749
Ethylbenzene	<0.50	ug/L	0.50	1.7	SW 8260B	03/27/2003	mae	4749
Hexachlorobutadiene	<0.50	ug/L	0.50	1.7	SW 8260B	03/27/2003	mae	4749

ANALYTICAL REPORT

Mr. D'Arcy Gravelle
 KEY ENGINEERING GROUP LTD
 W66 N215 Commerce Court
 Cedarburg, WI 53012

03/31/2003
 Job No: 03.02303
 Sample No: 517532
 Account No: 45150
 Page 5 of 63

JOB DESCRIPTION: 0702007 Decorah Annex
 PROJECT DESCRIPTION: Groundwater Analysis
 SAMPLE DESCRIPTION: MW-1
 West Bend, WI
 Rec'd at 4 degrees C

Date/Time Taken: 03/19/2003 11:15 Date Received: 03/20/2003

Parameter	Results	Units	MDL	LOQ	Method	Date Analyzed	Analyst	Prep/Run Batch
Isopropylbenzene	<0.25	ug/L	0.25	0.83	SW 8260B	03/27/2003	mae	4749
p-Isopropyltoluene	<0.25	ug/L	0.25	0.83	SW 8260B	03/27/2003	mae	4749
Methylene Chloride	<1.0	ug/L	1.0	3.3	SW 8260B	03/27/2003	mae	4749
Methyl-t-butyl ether	<0.50	ug/L	0.50	1.7	SW 8260B	03/27/2003	mae	4749
Naphthalene	<0.25	ug/L	0.25	0.83	SW 8260B	03/27/2003	mae	4749
n-Propylbenzene	<0.50	ug/L	0.50	1.7	SW 8260B	03/27/2003	mae	4749
Styrene	<0.25	ug/L	0.25	0.83	SW 8260B	03/27/2003	mae	4749
1,1,1,2-Tetrachloroethane	<0.25	ug/L	0.25	0.83	SW 8260B	03/27/2003	mae	4749
1,1,2,2-Tetrachloroethane	<0.25	ug/L	0.25	0.83	SW 8260B	03/27/2003	mae	4749
Tetrachloroethene	<0.50	ug/L	0.50	1.7	SW 8260B	03/27/2003	mae	4749
Toluene	<0.25	ug/L	0.25	0.83	SW 8260B	03/27/2003	mae	4749
1,2,3-Trichlorobenzene	<0.25	ug/L	0.25	0.83	SW 8260B	03/27/2003	mae	4749
1,2,4-Trichlorobenzene	<0.25	ug/L	0.25	0.83	SW 8260B	03/27/2003	mae	4749
1,1,1-Trichloroethane	<0.50	ug/L	0.50	1.7	SW 8260B	03/27/2003	mae	4749
1,1,2-Trichloroethane	<0.25	ug/L	0.25	0.83	SW 8260B	03/27/2003	mae	4749
Trichloroethene	<0.25	ug/L	0.25	0.83	SW 8260B	03/27/2003	mae	4749
Trichlorofluoromethane	<0.50	ug/L	0.50	1.7	SW 8260B	03/27/2003	mae	4749
1,2,3-Trichloropropane	<0.50	ug/L	0.50	1.7	SW 8260B	03/27/2003	mae	4749
1,2,4-Trimethylbenzene	<0.25	ug/L	0.25	0.83	SW 8260B	03/27/2003	mae	4749
1,3,5-Trimethylbenzene	<0.25	ug/L	0.25	0.83	SW 8260B	03/27/2003	mae	4749
Vinyl Chloride	<0.50	ug/L	0.50	1.7	SW 8260B	03/27/2003	mae	4749
Xylenes, Total	<0.50	ug/L	0.50	1.7	SW 8260B	03/27/2003	mae	4749
Surr: Dibromofluoromethane	100	%		88-112	SW 8260B	03/27/2003	mae	4749
Surr: Toluene-d8	97	%		89-112	SW 8260B	03/27/2003	mae	4749
Surr: Bromofluorobenzene	98	%		90-114	SW 8260B	03/27/2003	mae	4749

ANALYTICAL REPORT

Mr. D'Arcy Gravelle
 KEY ENGINEERING GROUP LTD
 W66 N215 Commerce Court
 Cedarburg, WI 53012

03/31/2003
 Job No: 03.02303
 Sample No: 517533
 Account No: 45150
 Page 6 of 63

JOB DESCRIPTION: 0702007 Decorah Annex
 PROJECT DESCRIPTION: Groundwater Analysis
 SAMPLE DESCRIPTION: MW-2
 West Bend, WI
 Rec'd at 4 degrees C

Date/Time Taken: 03/19/2003 11:20

Date Received: 03/20/2003

Parameter	Results	Units	MDL	LOQ	Method	Date Analyzed	Analyst	Prep/Run Batch
VOC - AQUEOUS - EPA 8260B								
Benzene	<0.25	ug/L	0.25	0.83	SW 8260B	03/27/2003	mae	4749
Bromobenzene	<0.25	ug/L	0.25	0.83	SW 8260B	03/27/2003	mae	4749
Bromochloromethane	<0.50	ug/L	0.50	1.7	SW 8260B	03/27/2003	mae	4749
Bromodichloromethane	<0.25	ug/L	0.25	0.83	SW 8260B	03/27/2003	mae	4749
Bromoform	<0.25	ug/L	0.25	0.83	SW 8260B	03/27/2003	mae	4749
Bromomethane	<0.25	ug/L	0.25	0.83	SW 8260B	03/27/2003	mae	4749
n-Butylbenzene	<0.25	ug/L	0.25	0.83	SW 8260B	03/27/2003	mae	4749
sec-Butylbenzene	<0.25	ug/L	0.25	0.83	SW 8260B	03/27/2003	mae	4749
tert-Butylbenzene	<0.25	ug/L	0.25	0.83	SW 8260B	03/27/2003	mae	4749
Carbon Tetrachloride	<0.50	ug/L	0.50	1.7	SW 8260B	03/27/2003	mae	4749
Chlorobenzene	<0.25	ug/L	0.25	0.83	SW 8260B	03/27/2003	mae	4749
Chlorodibromomethane	<0.25	ug/L	0.25	0.83	SW 8260B	03/27/2003	mae	4749
Chloroethane	<1.0	ug/L	1.0	3.3	SW 8260B	03/27/2003	mae	4749
Chloroform	<0.25	ug/L	0.25	0.83	SW 8260B	03/27/2003	mae	4749
Chloromethane	<0.25	ug/L	0.25	0.83	SW 8260B	03/27/2003	mae	4749
2-Chlorotoluene	<0.50	ug/L	0.50	1.7	SW 8260B	03/27/2003	mae	4749
4-Chlorotoluene	<0.25	ug/L	0.25	0.83	SW 8260B	03/27/2003	mae	4749
1,2-Dibromo-3-Chloropropane	<0.50	ug/L	0.50	1.7	SW 8260B	03/27/2003	mae	4749
1,2-Dibromoethane (EDB)	<0.25	ug/L	0.25	0.83	SW 8260B	03/27/2003	mae	4749
Dibromomethane	<0.25	ug/L	0.25	0.83	SW 8260B	03/27/2003	mae	4749
1,2-Dichlorobenzene	<0.25	ug/L	0.25	0.83	SW 8260B	03/27/2003	mae	4749
1,3-Dichlorobenzene	<0.25	ug/L	0.25	0.83	SW 8260B	03/27/2003	mae	4749
1,4-Dichlorobenzene	<0.25	ug/L	0.25	0.83	SW 8260B	03/27/2003	mae	4749
Dichlorodifluoromethane	<0.50	ug/L	0.50	1.7	SW 8260B	03/27/2003	mae	4749
1,1-Dichloroethane	<0.50	ug/L	0.50	1.7	SW 8260B	03/27/2003	mae	4749
1,2-Dichloroethane	<0.50	ug/L	0.50	1.7	SW 8260B	03/27/2003	mae	4749
1,1-Dichloroethene	<0.50	ug/L	0.50	1.7	SW 8260B	03/27/2003	mae	4749
cis-1,2-Dichloroethene	<0.50	ug/L	0.50	1.7	SW 8260B	03/27/2003	mae	4749
trans-1,2-Dichloroethene	<0.50	ug/L	0.50	1.7	SW 8260B	03/27/2003	mae	4749
1,2-Dichloropropane	<0.50	ug/L	0.50	1.7	SW 8260B	03/27/2003	mae	4749
1,3-Dichloropropane	<0.25	ug/L	0.25	0.83	SW 8260B	03/27/2003	mae	4749
2,2-Dichloropropane	<0.50	ug/L	0.50	1.7	SW 8260B	03/27/2003	mae	4749
1,1-Dichloropropene	<0.50	ug/L	0.50	1.7	SW 8260B	03/27/2003	mae	4749
cis-1,3-Dichloropropene	<0.25	ug/L	0.25	0.83	SW 8260B	03/27/2003	mae	4749
trans-1,3-Dichloropropene	<0.25	ug/L	0.25	0.83	SW 8260B	03/27/2003	mae	4749
Di-isopropyl ether	<0.50	ug/L	0.50	1.7	SW 8260B	03/27/2003	mae	4749
Ethylbenzene	<0.50	ug/L	0.50	1.7	SW 8260B	03/27/2003	mae	4749
Hexachlorobutadiene	<0.50	ug/L	0.50	1.7	SW 8260B	03/27/2003	mae	4749

TestAmerica

INCORPORATED

ANALYTICAL REPORT

Mr. D'Arcy Gravelle
 KEY ENGINEERING GROUP LTD
 W66 N215 Commerce Court
 Cedarburg, WI 53012

03/31/2003
 Job No: 03.02303
 Sample No: 517533
 Account No: 45150
 Page 7 of 63

JOB DESCRIPTION: 0702007 Decorah Annex
 PROJECT DESCRIPTION: Groundwater Analysis
 SAMPLE DESCRIPTION: MW-2
 West Bend, WI
 Rec'd at 4 degrees C

Date/Time Taken: 03/19/2003 11:20

Date Received: 03/20/2003

Parameter	Results	Units	MDL	LOQ	Method	Date Analyzed	Analyst	Prep/Run Batch
Isopropylbenzene	<0.25	ug/L	0.25	0.83	SW 8260B	03/27/2003	mae	4749
p-Isopropyltoluene	<0.25	ug/L	0.25	0.83	SW 8260B	03/27/2003	mae	4749
Methylene Chloride	<1.0	ug/L	1.0	3.3	SW 8260B	03/27/2003	mae	4749
Methyl-t-butyl ether	<0.50	ug/L	0.50	1.7	SW 8260B	03/27/2003	mae	4749
Naphthalene	<0.25	ug/L	0.25	0.83	SW 8260B	03/27/2003	mae	4749
n-Propylbenzene	<0.50	ug/L	0.50	1.7	SW 8260B	03/27/2003	mae	4749
Styrene	<0.25	ug/L	0.25	0.83	SW 8260B	03/27/2003	mae	4749
1,1,1,2-Tetrachloroethane	<0.25	ug/L	0.25	0.83	SW 8260B	03/27/2003	mae	4749
1,1,2,2-Tetrachloroethane	<0.25	ug/L	0.25	0.83	SW 8260B	03/27/2003	mae	4749
Tetrachloroethene	<0.50	ug/L	0.50	1.7	SW 8260B	03/27/2003	mae	4749
Toluene	<0.25	ug/L	0.25	0.83	SW 8260B	03/27/2003	mae	4749
1,2,3-Trichlorobenzene	<0.25	ug/L	0.25	0.83	SW 8260B	03/27/2003	mae	4749
1,2,4-Trichlorobenzene	<0.25	ug/L	0.25	0.83	SW 8260B	03/27/2003	mae	4749
1,1,1-Trichloroethane	<0.50	ug/L	0.50	1.7	SW 8260B	03/27/2003	mae	4749
1,1,2-Trichloroethane	<0.25	ug/L	0.25	0.83	SW 8260B	03/27/2003	mae	4749
Trichloroethene	<0.25	ug/L	0.25	0.83	SW 8260B	03/27/2003	mae	4749
Trichlorofluoromethane	<0.50	ug/L	0.50	1.7	SW 8260B	03/27/2003	mae	4749
1,2,3-Trichloropropane	<0.50	ug/L	0.50	1.7	SW 8260B	03/27/2003	mae	4749
1,2,4-Trimethylbenzene	<0.25	ug/L	0.25	0.83	SW 8260B	03/27/2003	mae	4749
1,3,5-Trimethylbenzene	<0.25	ug/L	0.25	0.83	SW 8260B	03/27/2003	mae	4749
Vinyl Chloride	<0.50	ug/L	0.50	1.7	SW 8260B	03/27/2003	mae	4749
Xylenes, Total	<0.50	ug/L	0.50	1.7	SW 8260B	03/27/2003	mae	4749
Surr: Dibromofluoromethane	99	%		88-112	SW 8260B	03/27/2003	mae	4749
Surr: Toluene-d8	97	%		89-112	SW 8260B	03/27/2003	mae	4749
Surr: Bromofluorobenzene	97	%		90-114	SW 8260B	03/27/2003	mae	4749

TestAmerica

INCORPORATED

ANALYTICAL REPORT

Mr. D'Arcy Gravelle
 KEY ENGINEERING GROUP LTD
 W66 N215 Commerce Court
 Cedarburg, WI 53012

03/31/2003
 Job No: 03.02303
 Sample No: 517534
 Account No: 45150
 Page 8 of 63

JOB DESCRIPTION: 0702007 Decorah Annex
 PROJECT DESCRIPTION: Groundwater Analysis
 SAMPLE DESCRIPTION: MW-3
 West Bend, WI
 Rec'd at 4 degrees C

Date/Time Taken: 03/19/2003 12:00

Date Received: 03/20/2003

Parameter	Results	Units	MDL	LOQ	Method	Date Analyzed	Analyst	Prep/Run Batch
VOC - AQUEOUS - EPA 8260B								
Benzene	<0.25	ug/L	0.25	0.83	SW 8260B	03/27/2003	mae	4749
Bromobenzene	<0.25	ug/L	0.25	0.83	SW 8260B	03/27/2003	mae	4749
Bromochloromethane	<0.50	ug/L	0.50	1.7	SW 8260B	03/27/2003	mae	4749
Bromodichloromethane	<0.25	ug/L	0.25	0.83	SW 8260B	03/27/2003	mae	4749
Bromoform	<0.25	ug/L	0.25	0.83	SW 8260B	03/27/2003	mae	4749
Bromomethane	<0.25	ug/L	0.25	0.83	SW 8260B	03/27/2003	mae	4749
n-Butylbenzene	<0.25	ug/L	0.25	0.83	SW 8260B	03/27/2003	mae	4749
sec-Butylbenzene	<0.25	ug/L	0.25	0.83	SW 8260B	03/27/2003	mae	4749
tert-Butylbenzene	<0.25	ug/L	0.25	0.83	SW 8260B	03/27/2003	mae	4749
Carbon Tetrachloride	<0.50	ug/L	0.50	1.7	SW 8260B	03/27/2003	mae	4749
Chlorobenzene	<0.25	ug/L	0.25	0.83	SW 8260B	03/27/2003	mae	4749
Chlorodibromomethane	<0.25	ug/L	0.25	0.83	SW 8260B	03/27/2003	mae	4749
Chloroethane	<1.0	ug/L	1.0	3.3	SW 8260B	03/27/2003	mae	4749
Chloroform	<0.25	ug/L	0.25	0.83	SW 8260B	03/27/2003	mae	4749
Chloromethane	<0.25	ug/L	0.25	0.83	SW 8260B	03/27/2003	mae	4749
2-Chlorotoluene	<0.50	ug/L	0.50	1.7	SW 8260B	03/27/2003	mae	4749
4-Chlorotoluene	<0.25	ug/L	0.25	0.83	SW 8260B	03/27/2003	mae	4749
1,2-Dibromo-3-Chloropropane	<0.50	ug/L	0.50	1.7	SW 8260B	03/27/2003	mae	4749
1,2-Dibromoethane (EDB)	<0.25	ug/L	0.25	0.83	SW 8260B	03/27/2003	mae	4749
Dibromomethane	<0.25	ug/L	0.25	0.83	SW 8260B	03/27/2003	mae	4749
1,2-Dichlorobenzene	<0.25	ug/L	0.25	0.83	SW 8260B	03/27/2003	mae	4749
1,3-Dichlorobenzene	<0.25	ug/L	0.25	0.83	SW 8260B	03/27/2003	mae	4749
1,4-Dichlorobenzene	<0.25	ug/L	0.25	0.83	SW 8260B	03/27/2003	mae	4749
Dichlorodifluoromethane	<0.50	ug/L	0.50	1.7	SW 8260B	03/27/2003	mae	4749
1,1-Dichloroethane	<0.50	ug/L	0.50	1.7	SW 8260B	03/27/2003	mae	4749
1,2-Dichloroethane	<0.50	ug/L	0.50	1.7	SW 8260B	03/27/2003	mae	4749
1,1-Dichloroethene	<0.50	ug/L	0.50	1.7	SW 8260B	03/27/2003	mae	4749
cis-1,2-Dichloroethene	<0.50	ug/L	0.50	1.7	SW 8260B	03/27/2003	mae	4749
trans-1,2-Dichloroethene	<0.50	ug/L	0.50	1.7	SW 8260B	03/27/2003	mae	4749
1,2-Dichloropropane	<0.50	ug/L	0.50	1.7	SW 8260B	03/27/2003	mae	4749
1,3-Dichloropropane	<0.25	ug/L	0.25	0.83	SW 8260B	03/27/2003	mae	4749
2,2-Dichloropropane	<0.50	ug/L	0.50	1.7	SW 8260B	03/27/2003	mae	4749
1,1-Dichloropropene	<0.50	ug/L	0.50	1.7	SW 8260B	03/27/2003	mae	4749
cis-1,3-Dichloropropene	<0.25	ug/L	0.25	0.83	SW 8260B	03/27/2003	mae	4749
trans-1,3-Dichloropropene	<0.25	ug/L	0.25	0.83	SW 8260B	03/27/2003	mae	4749
Di-isopropyl ether	<0.50	ug/L	0.50	1.7	SW 8260B	03/27/2003	mae	4749
Ethylbenzene	<0.50	ug/L	0.50	1.7	SW 8260B	03/27/2003	mae	4749
Hexachlorobutadiene	<0.50	ug/L	0.50	1.7	SW 8260B	03/27/2003	mae	4749

TestAmerica

INCORPORATED

ANALYTICAL REPORT

Mr. D'Arcy Gravelle
 KEY ENGINEERING GROUP LTD
 W66 N215 Commerce Court
 Cedarburg, WI 53012

03/31/2003
 Job No: 03.02303
 Sample No: 517534
 Account No: 45150
 Page 9 of 63

JOB DESCRIPTION: 0702007 Decorah Annex
 PROJECT DESCRIPTION: Groundwater Analysis
 SAMPLE DESCRIPTION: MW-3
 West Bend, WI
 Rec'd at 4 degrees C

Date/Time Taken: 03/19/2003 12:00

Date Received: 03/20/2003

Parameter	Results	Units	MDL	LOQ	Method	Date Analyzed	Analyst	Prep/Run Batch
Isopropylbenzene	<0.25	ug/L	0.25	0.83	SW 8260B	03/27/2003	mae	4749
p-Isopropyltoluene	<0.25	ug/L	0.25	0.83	SW 8260B	03/27/2003	mae	4749
m-nene Chloride	<1.0	ug/L	1.0	3.3	SW 8260B	03/27/2003	mae	4749
Methyl-t-butyl ether	<0.50	ug/L	0.50	1.7	SW 8260B	03/27/2003	mae	4749
Naphthalene	<0.25	ug/L	0.25	0.83	SW 8260B	03/27/2003	mae	4749
n-Propylbenzene	<0.50	ug/L	0.50	1.7	SW 8260B	03/27/2003	mae	4749
Styrene	<0.25	ug/L	0.25	0.83	SW 8260B	03/27/2003	mae	4749
1,1,1,2-Tetrachloroethane	<0.25	ug/L	0.25	0.83	SW 8260B	03/27/2003	mae	4749
1,1,2,2-Tetrachloroethane	<0.25	ug/L	0.25	0.83	SW 8260B	03/27/2003	mae	4749
Tetrachloroethene	<0.50	ug/L	0.50	1.7	SW 8260B	03/27/2003	mae	4749
Toluene	<0.25	ug/L	0.25	0.83	SW 8260B	03/27/2003	mae	4749
1,2,3-Trichlorobenzene	<0.25	ug/L	0.25	0.83	SW 8260B	03/27/2003	mae	4749
1,2,4-Trichlorobenzene	<0.25	ug/L	0.25	0.83	SW 8260B	03/27/2003	mae	4749
1,1,1-Trichloroethane	<0.50	ug/L	0.50	1.7	SW 8260B	03/27/2003	mae	4749
1,1,2-Trichloroethane	<0.25	ug/L	0.25	0.83	SW 8260B	03/27/2003	mae	4749
Trichloroethene	<0.25	ug/L	0.25	0.83	SW 8260B	03/27/2003	mae	4749
Trichlorofluoromethane	<0.50	ug/L	0.50	1.7	SW 8260B	03/27/2003	mae	4749
1,2,3-Trichloropropane	<0.50	ug/L	0.50	1.7	SW 8260B	03/27/2003	mae	4749
1,2,4-Trimethylbenzene	<0.25	ug/L	0.25	0.83	SW 8260B	03/27/2003	mae	4749
1,3,5-Trimethylbenzene	<0.25	ug/L	0.25	0.83	SW 8260B	03/27/2003	mae	4749
Vinyl Chloride	<0.50	ug/L	0.50	1.7	SW 8260B	03/27/2003	mae	4749
Xylenes, Total	<0.50	ug/L	0.50	1.7	SW 8260B	03/27/2003	mae	4749
Surr: Dibromofluoromethane	100	%		88-112	SW 8260B	03/27/2003	mae	4749
Surr: Toluene-d8	98	%		89-112	SW 8260B	03/27/2003	mae	4749
Surr: Bromofluorobenzene	98	%		90-114	SW 8260B	03/27/2003	mae	4749

ANALYTICAL REPORT

Mr. D'Arcy Gravelle
 KEY ENGINEERING GROUP LTD
 W66 N215 Commerce Court
 Cedarburg, WI 53012

03/31/2003
 Job No: 03.02303
 Sample No: 517535
 Account No: 45150
 Page 10 of 63

JOB DESCRIPTION: 0702007 Decorah Annex
 PROJECT DESCRIPTION: Groundwater Analysis
 SAMPLE DESCRIPTION: MW-4
 West Bend, WI
 Rec'd at 4 degrees C

Date/Time Taken: 03/19/2003 12:05

Date Received: 03/20/2003

Parameter	Results	Units	MDL	LOQ	Method	Date Analyzed	Analyst	Prep/Run Batch
VOC - AQUEOUS - EPA 9260B								
Benzene	<0.25	ug/L	0.25	0.83	SW 8260B	03/27/2003	mae	4749
Bromobenzene	<0.25	ug/L	0.25	0.83	SW 8260B	03/27/2003	mae	4749
Bromochloromethane	<0.50	ug/L	0.50	1.7	SW 8260B	03/27/2003	mae	4749
Bromodichloromethane	<0.25	ug/L	0.25	0.83	SW 8260B	03/27/2003	mae	4749
Bromoform	<0.25	ug/L	0.25	0.83	SW 8260B	03/27/2003	mae	4749
Bromomethane	<0.25	ug/L	0.25	0.83	SW 8260B	03/27/2003	mae	4749
n-Butylbenzene	<0.25	ug/L	0.25	0.83	SW 8260B	03/27/2003	mae	4749
sec-Butylbenzene	<0.25	ug/L	0.25	0.83	SW 8260B	03/27/2003	mae	4749
tert-Butylbenzene	<0.25	ug/L	0.25	0.83	SW 8260B	03/27/2003	mae	4749
Carbon Tetrachloride	<0.50	ug/L	0.50	1.7	SW 8260B	03/27/2003	mae	4749
Chlorobenzene	<0.25	ug/L	0.25	0.83	SW 8260B	03/27/2003	mae	4749
Chlorodibromomethane	<0.25	ug/L	0.25	0.83	SW 8260B	03/27/2003	mae	4749
Chloroethane	<1.0	ug/L	1.0	3.3	SW 8260B	03/27/2003	mae	4749
Chloroform	<0.25	ug/L	0.25	0.83	SW 8260B	03/27/2003	mae	4749
Chloromethane	<0.25	ug/L	0.25	0.83	SW 8260B	03/27/2003	mae	4749
2-Chlorotoluene	<0.50	ug/L	0.50	1.7	SW 8260B	03/27/2003	mae	4749
4-Chlorotoluene	<0.25	ug/L	0.25	0.83	SW 8260B	03/27/2003	mae	4749
1,2-Dibromo-3-Chloropropane	<0.50	ug/L	0.50	1.7	SW 8260B	03/27/2003	mae	4749
1,2-Dibromoethane (EDB)	<0.25	ug/L	0.25	0.83	SW 8260B	03/27/2003	mae	4749
Dibromomethane	<0.25	ug/L	0.25	0.83	SW 8260B	03/27/2003	mae	4749
1,2-Dichlorobenzene	<0.25	ug/L	0.25	0.83	SW 8260B	03/27/2003	mae	4749
1,3-Dichlorobenzene	<0.25	ug/L	0.25	0.83	SW 8260B	03/27/2003	mae	4749
1,4-Dichlorobenzene	<0.25	ug/L	0.25	0.83	SW 8260B	03/27/2003	mae	4749
Dichlorodifluoromethane	<0.50	ug/L	0.50	1.7	SW 8260B	03/27/2003	mae	4749
1,1-Dichloroethane	<0.50	ug/L	0.50	1.7	SW 8260B	03/27/2003	mae	4749
1,2-Dichloroethane	<0.50	ug/L	0.50	1.7	SW 8260B	03/27/2003	mae	4749
1,1-Dichloroethene	<0.50	ug/L	0.50	1.7	SW 8260B	03/27/2003	mae	4749
cis-1,2-Dichloroethene	<0.50	ug/L	0.50	1.7	SW 8260B	03/27/2003	mae	4749
trans-1,2-Dichloroethene	<0.50	ug/L	0.50	1.7	SW 8260B	03/27/2003	mae	4749
1,2-Dichloropropane	<0.50	ug/L	0.50	1.7	SW 8260B	03/27/2003	mae	4749
1,3-Dichloropropane	<0.25	ug/L	0.25	0.83	SW 8260B	03/27/2003	mae	4749
2,2-Dichloropropane	<0.50	ug/L	0.50	1.7	SW 8260B	03/27/2003	mae	4749
1,1-Dichloropropene	<0.50	ug/L	0.50	1.7	SW 8260B	03/27/2003	mae	4749
cis-1,3-Dichloropropene	<0.25	ug/L	0.25	0.83	SW 8260B	03/27/2003	mae	4749
trans-1,3-Dichloropropene	<0.25	ug/L	0.25	0.83	SW 8260B	03/27/2003	mae	4749
Di-isopropyl ether	<0.50	ug/L	0.50	1.7	SW 8260B	03/27/2003	mae	4749
Ethylbenzene	<0.50	ug/L	0.50	1.7	SW 8260B	03/27/2003	mae	4749
Hexachlorobutadiene	<0.50	ug/L	0.50	1.7	SW 8260B	03/27/2003	mae	4749

TestAmerica

INCORPORATED

ANALYTICAL REPORT

Mr. D'Arcy Gravelle
 KEY ENGINEERING GROUP LTD
 W66 N215 Commerce Court
 Cedarburg, WI 53012

03/31/2003
 Job No: 03.02303
 Sample No: 517535
 Account No: 45150
 Page 11 of 63

JOB DESCRIPTION: 0702007 Decorah Annex
 PROJECT DESCRIPTION: Groundwater Analysis
 SAMPLE DESCRIPTION: MW-4
 West Bend, WI
 Rec'd at 4 degrees C

Date/Time Taken: 03/19/2003 12:05

Date Received: 03/20/2003

Parameter	Results	Units	MDL	LOQ	Method	Date Analyzed	Analyst	Prep/Run Batch
Isopropylbenzene	<0.25	ug/L	0.25	0.83	SW 8260B	03/27/2003	mae	4749
p-Isopropyltoluene	<0.25	ug/L	0.25	0.83	SW 8260B	03/27/2003	mae	4749
Methylene Chloride	<1.0	ug/L	1.0	3.3	SW 8260B	03/27/2003	mae	4749
Methyl-t-butyl ether	<0.50	ug/L	0.50	1.7	SW 8260B	03/27/2003	mae	4749
Naphthalene	<0.25	ug/L	0.25	0.83	SW 8260B	03/27/2003	mae	4749
n-Propylbenzene	<0.50	ug/L	0.50	1.7	SW 8260B	03/27/2003	mae	4749
Styrene	<0.25	ug/L	0.25	0.83	SW 8260B	03/27/2003	mae	4749
1,1,1,2-Tetrachloroethane	<0.25	ug/L	0.25	0.83	SW 8260B	03/27/2003	mae	4749
1,1,2,2-Tetrachloroethane	<0.25	ug/L	0.25	0.83	SW 8260B	03/27/2003	mae	4749
Tetrachloroethene	<0.50	ug/L	0.50	1.7	SW 8260B	03/27/2003	mae	4749
Toluene	<0.25	ug/L	0.25	0.83	SW 8260B	03/27/2003	mae	4749
1,2,3-Trichlorobenzene	<0.25	ug/L	0.25	0.83	SW 8260B	03/27/2003	mae	4749
1,2,4-Trichlorobenzene	<0.25	ug/L	0.25	0.83	SW 8260B	03/27/2003	mae	4749
1,1,1-Trichloroethane	<0.50	ug/L	0.50	1.7	SW 8260B	03/27/2003	mae	4749
1,1,2-Trichloroethane	<0.25	ug/L	0.25	0.83	SW 8260B	03/27/2003	mae	4749
Trichloroethene	<0.25	ug/L	0.25	0.83	SW 8260B	03/27/2003	mae	4749
Trichlorofluoromethane	<0.50	ug/L	0.50	1.7	SW 8260B	03/27/2003	mae	4749
1,2,3-Trichloropropane	<0.50	ug/L	0.50	1.7	SW 8260B	03/27/2003	mae	4749
1,2,4-Trimethylbenzene	<0.25	ug/L	0.25	0.83	SW 8260B	03/27/2003	mae	4749
1,3,5-Trimethylbenzene	<0.25	ug/L	0.25	0.83	SW 8260B	03/27/2003	mae	4749
Vinyl Chloride	<0.50	ug/L	0.50	1.7	SW 8260B	03/27/2003	mae	4749
Xylenes, Total	<0.50	ug/L	0.50	1.7	SW 8260B	03/27/2003	mae	4749
Surr: Dibromofluoromethane	99	%		88-112	SW 8260B	03/27/2003	mae	4749
Surr: Toluene-d8	98	%		89-112	SW 8260B	03/27/2003	mae	4749
Surr: Bromofluorobenzene	98	%		90-114	SW 8260B	03/27/2003	mae	4749

ANALYTICAL REPORT

Mr. D'Arcy Gravelle
 KEY ENGINEERING GROUP LTD
 W66 N215 Commerce Court
 Cedarburg, WI 53012

03/31/2003
 Job No: 03.02303
 Sample No: 517536
 Account No: 45150
 Page 12 of 63

JOB DESCRIPTION: 0702007 Decorah Annex
 PROJECT DESCRIPTION: Groundwater Analysis
 SAMPLE DESCRIPTION: MW-5
 West Bend, WI
 Rec'd at 4 degrees C

Date/Time Taken: 03/19/2003 13:00

Date Received: 03/20/2003

Parameter	Results	Units	MDL	LOQ	Method	Date Analyzed	Analyst	Prep/Run Batch
VOC - AQUEOUS - EPA 8260B								
Benzene	<0.25	ug/L	0.25	0.83	SW 8260B	03/27/2003	mae	4749
Bromobenzene	<0.25	ug/L	0.25	0.83	SW 8260B	03/27/2003	mae	4749
Bromochloromethane	<0.50	ug/L	0.50	1.7	SW 8260B	03/27/2003	mae	4749
Bromodichloromethane	<0.25	ug/L	0.25	0.83	SW 8260B	03/27/2003	mae	4749
Bromoform	<0.25	ug/L	0.25	0.83	SW 8260B	03/27/2003	mae	4749
Bromomethane	<0.25	ug/L	0.25	0.83	SW 8260B	03/27/2003	mae	4749
n-Butylbenzene	<0.25	ug/L	0.25	0.83	SW 8260B	03/27/2003	mae	4749
sec-Butylbenzene	<0.25	ug/L	0.25	0.83	SW 8260B	03/27/2003	mae	4749
tert-Butylbenzene	<0.25	ug/L	0.25	0.83	SW 8260B	03/27/2003	mae	4749
Carbon Tetrachloride	<0.50	ug/L	0.50	1.7	SW 8260B	03/27/2003	mae	4749
Chlorobenzene	<0.25	ug/L	0.25	0.83	SW 8260B	03/27/2003	mae	4749
Chlorodibromomethane	<0.25	ug/L	0.25	0.83	SW 8260B	03/27/2003	mae	4749
Chloroethane	<1.0	ug/L	1.0	3.3	SW 8260B	03/27/2003	mae	4749
Chloroform	<0.25	ug/L	0.25	0.83	SW 8260B	03/27/2003	mae	4749
Chloromethane	<0.25	ug/L	0.25	0.83	SW 8260B	03/27/2003	mae	4749
2-Chlorotoluene	<0.50	ug/L	0.50	1.7	SW 8260B	03/27/2003	mae	4749
4-Chlorotoluene	<0.25	ug/L	0.25	0.83	SW 8260B	03/27/2003	mae	4749
1,2-Dibromo-3-Chloropropane	<0.50	ug/L	0.50	1.7	SW 8260B	03/27/2003	mae	4749
1,2-Dibromoethane (EDB)	<0.25	ug/L	0.25	0.83	SW 8260B	03/27/2003	mae	4749
Dibromomethane	<0.25	ug/L	0.25	0.83	SW 8260B	03/27/2003	mae	4749
1,2-Dichlorobenzene	<0.25	ug/L	0.25	0.83	SW 8260B	03/27/2003	mae	4749
1,3-Dichlorobenzene	<0.25	ug/L	0.25	0.83	SW 8260B	03/27/2003	mae	4749
1,4-Dichlorobenzene	<0.25	ug/L	0.25	0.83	SW 8260B	03/27/2003	mae	4749
Dichlorodifluoromethane	<0.50	ug/L	0.50	1.7	SW 8260B	03/27/2003	mae	4749
1,1-Dichloroethane	<0.50	ug/L	0.50	1.7	SW 8260B	03/27/2003	mae	4749
1,2-Dichloroethane	<0.50	ug/L	0.50	1.7	SW 8260B	03/27/2003	mae	4749
1,1-Dichloroethene	<0.50	ug/L	0.50	1.7	SW 8260B	03/27/2003	mae	4749
cis-1,2-Dichloroethene	<0.50	ug/L	0.50	1.7	SW 8260B	03/27/2003	mae	4749
trans-1,2-Dichloroethene	<0.50	ug/L	0.50	1.7	SW 8260B	03/27/2003	mae	4749
1,2-Dichloropropane	<0.50	ug/L	0.50	1.7	SW 8260B	03/27/2003	mae	4749
1,3-Dichloropropane	<0.25	ug/L	0.25	0.83	SW 8260B	03/27/2003	mae	4749
2,2-Dichloropropane	<0.50	ug/L	0.50	1.7	SW 8260B	03/27/2003	mae	4749
1,1-Dichloropropene	<0.50	ug/L	0.50	1.7	SW 8260B	03/27/2003	mae	4749
cis-1,3-Dichloropropene	<0.25	ug/L	0.25	0.83	SW 8260B	03/27/2003	mae	4749
trans-1,3-Dichloropropene	<0.25	ug/L	0.25	0.83	SW 8260B	03/27/2003	mae	4749
Di-isopropyl ether	<0.50	ug/L	0.50	1.7	SW 8260B	03/27/2003	mae	4749
Ethylbenzene	<0.50	ug/L	0.50	1.7	SW 8260B	03/27/2003	mae	4749
Hexachlorobutadiene	<0.50	ug/L	0.50	1.7	SW 8260B	03/27/2003	mae	4749

TestAmerica

INCORPORATED

ANALYTICAL REPORT

Mr. D'Arcy Gravelle
 KEY ENGINEERING GROUP LTD
 W66 N215 Commerce Court
 Cedarburg, WI 53012

03/31/2003
 Job No: 03.02303
 Sample No: 517536
 Account No: 45150
 Page 13 of 63

JOB DESCRIPTION: 0702007 Decorah Annex
 PROJECT DESCRIPTION: Groundwater Analysis
 SAMPLE DESCRIPTION: MW-5
 West Bend, WI
 Rec'd at 4 degrees C

Date/Time Taken: 03/19/2003 13:00

Date Received: 03/20/2003

Parameter	Results	Units	MDL	LOQ	Method	Date Analyzed	Analyst	Prep/Run Batch
Isopropylbenzene	<0.25	ug/L	0.25	0.83	SW 3260B	03/27/2003	mae	4749
p-Isopropyltoluene	<0.25	ug/L	0.25	0.83	SW 3260B	03/27/2003	mae	4749
Methylene Chloride	<1.0	ug/L	1.0	3.3	SW 3260B	03/27/2003	mae	4749
Methyl-t-butyl ether	<0.50	ug/L	0.50	1.7	SW 3260B	03/27/2003	mae	4749
Naphthalene	<0.25	ug/L	0.25	0.83	SW 3260B	03/27/2003	mae	4749
n-Propylbenzene	<0.50	ug/L	0.50	1.7	SW 3260B	03/27/2003	mae	4749
Styrene	<0.25	ug/L	0.25	0.83	SW 3260B	03/27/2003	mae	4749
1,1,1,2-Tetrachloroethane	<0.25	ug/L	0.25	0.83	SW 3260B	03/27/2003	mae	4749
1,1,2,2-Tetrachloroethane	<0.25	ug/L	0.25	0.83	SW 3260B	03/27/2003	mae	4749
Tetrachloroethene	1.4	ug/L	0.50	1.7	SW 3260B	03/27/2003	mae	4749
Toluene	<0.25	ug/L	0.25	0.83	SW 3260B	03/27/2003	mae	4749
1,2,3-Trichlorobenzene	<0.25	ug/L	0.25	0.83	SW 3260B	03/27/2003	mae	4749
1,2,4-Trichlorobenzene	<0.25	ug/L	0.25	0.83	SW 3260B	03/27/2003	mae	4749
1,1,1-Trichloroethane	<0.50	ug/L	0.50	1.7	SW 3260B	03/27/2003	mae	4749
1,1,2-Trichloroethane	<0.25	ug/L	0.25	0.83	SW 3260B	03/27/2003	mae	4749
Trichloroethene	0.53	ug/L	0.25	0.83	SW 3260B	03/27/2003	mae	4749
Trichlorofluoromethane	<0.50	ug/L	0.50	1.7	SW 3260B	03/27/2003	mae	4749
1,2,3-Trichloropropane	<0.50	ug/L	0.50	1.7	SW 3260B	03/27/2003	mae	4749
1,2,4-Trimethylbenzene	<0.25	ug/L	0.25	0.83	SW 3260B	03/27/2003	mae	4749
1,3,5-Trimethylbenzene	<0.25	ug/L	0.25	0.83	SW 3260B	03/27/2003	mae	4749
Vinyl Chloride	<0.50	ug/L	0.50	1.7	SW 3260B	03/27/2003	mae	4749
Xylenes, Total	<0.50	ug/L	0.50	1.7	SW 3260B	03/27/2003	mae	4749
Surr: Dibromofluoromethane	98	%		88-112	SW 3260B	03/27/2003	mae	4749
Surr: Toluene-d8	98	%		89-112	SW 3260B	03/27/2003	mae	4749
Surr: Bromofluorobenzene	98	%		90-114	SW 3260B	03/27/2003	mae	4749

ANALYTICAL REPORT

Mr. D'Arcy Gravelle
 KEY ENGINEERING GROUP LTD
 W66 N215 Commerce Court
 Cedarburg, WI 53012

03/31/2003
 Job No: 03.02303
 Sample No: 517537
 Account No: 45150
 Page 14 of 63

JOB DESCRIPTION: 0702007 Decorah Annex
 PROJECT DESCRIPTION: Groundwater Analysis
 SAMPLE DESCRIPTION: MW-6
 West Bend, WI
 Rec'd at 4 degrees C

Date/Time Taken: 03/19/2003 11:25

Date Received: 03/20/2003

Parameter	Results	Units	MDL	LOC	Method	Date Analyzed	Analyst	Prep/Run Batch
VOC - AQUEOUS - EPA 8260B								
Benzene	<0.25	ug/L	0.25	0.83	SW 8260B	03/27/2003	mae	4749
Bromobenzene	<0.25	ug/L	0.25	0.83	SW 8260B	03/27/2003	mae	4749
Bromochloromethane	<0.50	ug/L	0.50	1.7	SW 8260B	03/27/2003	mae	4749
Bromodichloromethane	<0.25	ug/L	0.25	0.83	SW 8260B	03/27/2003	mae	4749
Bromoform	<0.25	ug/L	0.25	0.83	SW 8260B	03/27/2003	mae	4749
Bromomethane	<0.25	ug/L	0.25	0.83	SW 8260B	03/27/2003	mae	4749
n-Butylbenzene	<0.25	ug/L	0.25	0.83	SW 8260B	03/27/2003	mae	4749
sec-Butylbenzene	<0.25	ug/L	0.25	0.83	SW 8260B	03/27/2003	mae	4749
tert-Butylbenzene	<0.25	ug/L	0.25	0.83	SW 8260B	03/27/2003	mae	4749
Carbon Tetrachloride	<0.50	ug/L	0.50	1.7	SW 8260B	03/27/2003	mae	4749
Chlorobenzene	<0.25	ug/L	0.25	0.83	SW 8260B	03/27/2003	mae	4749
Chlorodibromomethane	<0.25	ug/L	0.25	0.83	SW 8260B	03/27/2003	mae	4749
Chloroethane	<1.0	ug/L	1.0	3.3	SW 8260B	03/27/2003	mae	4749
Chloroform	<0.25	ug/L	0.25	0.83	SW 8260B	03/27/2003	mae	4749
Chloromethane	<0.25	ug/L	0.25	0.83	SW 8260B	03/27/2003	mae	4749
2-Chlorotoluene	<0.50	ug/L	0.50	1.7	SW 8260B	03/27/2003	mae	4749
4-Chlorotoluene	<0.25	ug/L	0.25	0.83	SW 8260B	03/27/2003	mae	4749
1,2-Dibromo-3-Chloropropane	<0.50	ug/L	0.50	1.7	SW 8260B	03/27/2003	mae	4749
1,2-Dibromoethane (EDB)	<0.25	ug/L	0.25	0.83	SW 8260B	03/27/2003	mae	4749
Dibromomethane	<0.25	ug/L	0.25	0.83	SW 8260B	03/27/2003	mae	4749
1,2-Dichlorobenzene	<0.25	ug/L	0.25	0.83	SW 8260B	03/27/2003	mae	4749
1,3-Dichlorobenzene	<0.25	ug/L	0.25	0.83	SW 8260B	03/27/2003	mae	4749
1,4-Dichlorobenzene	<0.25	ug/L	0.25	0.83	SW 8260B	03/27/2003	mae	4749
Dichlorodifluoromethane	<0.50	ug/L	0.50	1.7	SW 8260B	03/27/2003	mae	4749
1,1-Dichloroethane	<0.50	ug/L	0.50	1.7	SW 8260B	03/27/2003	mae	4749
1,2-Dichloroethane	<0.50	ug/L	0.50	1.7	SW 8260B	03/27/2003	mae	4749
1,1-Dichloroethene	<0.50	ug/L	0.50	1.7	SW 8260B	03/27/2003	mae	4749
cis-1,2-Dichloroethene	<0.50	ug/L	0.50	1.7	SW 8260B	03/27/2003	mae	4749
trans-1,2-Dichloroethene	<0.50	ug/L	0.50	1.7	SW 8260B	03/27/2003	mae	4749
1,2-Dichloropropane	<0.50	ug/L	0.50	1.7	SW 8260B	03/27/2003	mae	4749
1,3-Dichloropropane	<0.25	ug/L	0.25	0.83	SW 8260B	03/27/2003	mae	4749
2,2-Dichloropropane	<0.50	ug/L	0.50	1.7	SW 8260B	03/27/2003	mae	4749
1,1-Dichloropropene	<0.50	ug/L	0.50	1.7	SW 8260B	03/27/2003	mae	4749
cis-1,3-Dichloropropene	<0.25	ug/L	0.25	0.83	SW 8260B	03/27/2003	mae	4749
trans-1,3-Dichloropropene	<0.25	ug/L	0.25	0.83	SW 8260B	03/27/2003	mae	4749
Di-isopropyl ether	<0.50	ug/L	0.50	1.7	SW 8260B	03/27/2003	mae	4749
Ethylbenzene	<0.50	ug/L	0.50	1.7	SW 8260B	03/27/2003	mae	4749
Hexachlorobutadiene	<0.50	ug/L	0.50	1.7	SW 8260B	03/27/2003	mae	4749

ANALYTICAL REPORT

Mr. D'Arcy Gravelle
 KEY ENGINEERING GROUP LTD
 W66 N215 Commerce Court
 Cedarburg, WI 53012

03/31/2003
 Job No: 03.02303
 Sample No: 517537
 Account No: 45150
 Page 15 of 63

JOB DESCRIPTION: 0702007 Decorah Annex
 PROJECT DESCRIPTION: Groundwater Analysis
 SAMPLE DESCRIPTION: MW-6
 West Bend, WI
 Rec'd at 4 degrees C

Date/Time Taken: 03/19/2003 11:25

Date Received: 03/20/2003

Parameter	Results	Units	MDL	LOQ	Method	Date Analyzed	Analyst	Prep/Run Batch
Isopropylbenzene	<0.25	ug/L	0.25	0.83	SW 8260B	03/27/2003	mae	4749
p-Isopropyltoluene	<0.25	ug/L	0.25	0.83	SW 8260B	03/27/2003	mae	4749
Methylene Chloride	<1.0	ug/L	1.0	3.3	SW 8260B	03/27/2003	mae	4749
Methyl-t-butyl ether	<0.50	ug/L	0.50	1.7	SW 8260B	03/27/2003	mae	4749
Naphthalene	<0.25	ug/L	0.25	0.83	SW 8260B	03/27/2003	mae	4749
n-Propylbenzene	<0.50	ug/L	0.50	1.7	SW 8260B	03/27/2003	mae	4749
Styrene	<0.25	ug/L	0.25	0.83	SW 8260B	03/27/2003	mae	4749
1,1,1,2-Tetrachloroethane	<0.25	ug/L	0.25	0.83	SW 8260B	03/27/2003	mae	4749
1,1,2,2-Tetrachloroethane	<0.25	ug/L	0.25	0.83	SW 8260B	03/27/2003	mae	4749
Tetrachloroethene	1.7	ug/L	0.50	1.7	SW 8260B	03/27/2003	mae	4749
Toluene	<0.25	ug/L	0.25	0.83	SW 8260B	03/27/2003	mae	4749
1,2,3-Trichlorobenzene	<0.25	ug/L	0.25	0.83	SW 8260B	03/27/2003	mae	4749
1,2,4-Trichlorobenzene	<0.25	ug/L	0.25	0.83	SW 8260B	03/27/2003	mae	4749
1,1,1-Trichloroethane	<0.50	ug/L	0.50	1.7	SW 8260B	03/27/2003	mae	4749
1,1,2-Trichloroethane	<0.25	ug/L	0.25	0.83	SW 8260B	03/27/2003	mae	4749
Trichloroethene	<0.25	ug/L	0.25	0.83	SW 8260B	03/27/2003	mae	4749
Trichlorofluoromethane	<0.50	ug/L	0.50	1.7	SW 8260B	03/27/2003	mae	4749
1,2,3-Trichloropropane	<0.50	ug/L	0.50	1.7	SW 8260B	03/27/2003	mae	4749
1,2,4-Trimethylbenzene	<0.25	ug/L	0.25	0.83	SW 8260B	03/27/2003	mae	4749
1,3,5-Trimethylbenzene	<0.25	ug/L	0.25	0.83	SW 8260B	03/27/2003	mae	4749
Vinyl Chloride	<0.50	ug/L	0.50	1.7	SW 8260B	03/27/2003	mae	4749
Xylenes, Total	<0.50	ug/L	0.50	1.7	SW 8260B	03/27/2003	mae	4749
Surr: Dibromofluoromethane	96	%		88-112	SW 8260B	03/27/2003	mae	4749
Surr: Toluene-d8	98	%		89-112	SW 8260B	03/27/2003	mae	4749
Surr: Bromofluorobenzene	98	%		90-114	SW 8260B	03/27/2003	mae	4749

TestAmerica

INCORPORATED

ANALYTICAL REPORT

Mr. D'Arcy Gravelle
 KEY ENGINEERING GROUP LTD
 W66 N215 Commerce Court
 Cedarburg, WI 53012

03/31/2003
 Job No: 03.02303
 Sample No: 517538
 Account No: 45150
 Page 16 of 63

JOB DESCRIPTION: 0702007 Decorah Annex
 PROJECT DESCRIPTION: Groundwater Analysis
 SAMPLE DESCRIPTION: MW-8
 West Bend, WI
 Rec'd at 4 degrees C

Date/Time Taken: 03/19/2003 14:00

Date Received: 03/20/2003

Parameter	Results	Units	MDL	LOQ	Method	Date Analyzed	Analyst	Prep/Run Batch
VOC - AQUEOUS - EPA 8260B								
Benzene	<0.25	ug/L	0.25	0.83	SW 8260B	03/27/2003	mae	4749
Bromobenzene	<0.25	ug/L	0.25	0.83	SW 8260B	03/27/2003	mae	4749
Bromochloromethane	<0.50	ug/L	0.50	1.7	SW 8260B	03/27/2003	mae	4749
Bromodichloromethane	<0.25	ug/L	0.25	0.83	SW 8260B	03/27/2003	mae	4749
Bromoform	<0.25	ug/L	0.25	0.83	SW 8260B	03/27/2003	mae	4749
Bromomethane	<0.25	ug/L	0.25	0.83	SW 8260B	03/27/2003	mae	4749
n-Butylbenzene	<0.25	ug/L	0.25	0.83	SW 8260B	03/27/2003	mae	4749
sec-Butylbenzene	<0.25	ug/L	0.25	0.83	SW 8260B	03/27/2003	mae	4749
tert-Butylbenzene	<0.25	ug/L	0.25	0.83	SW 8260B	03/27/2003	mae	4749
Carbon Tetrachloride	<0.50	ug/L	0.50	1.7	SW 8260B	03/27/2003	mae	4749
Chlorobenzene	<0.25	ug/L	0.25	0.83	SW 8260B	03/27/2003	mae	4749
Chlorodibromomethane	<0.25	ug/L	0.25	0.83	SW 8260B	03/27/2003	mae	4749
Chloroethane	<1.0	ug/L	1.0	3.3	SW 8260B	03/27/2003	mae	4749
Chloroform	<0.25	ug/L	0.25	0.83	SW 8260B	03/27/2003	mae	4749
Chloromethane	<0.25	ug/L	0.25	0.83	SW 8260B	03/27/2003	mae	4749
2-Chlorotoluene	<0.50	ug/L	0.50	1.7	SW 8260B	03/27/2003	mae	4749
4-Chlorotoluene	<0.25	ug/L	0.25	0.83	SW 8260B	03/27/2003	mae	4749
1,2-Dibromo-3-Chloropropane	<0.50	ug/L	0.50	1.7	SW 8260B	03/27/2003	mae	4749
1,2-Dibromoethane (EDB)	<0.25	ug/L	0.25	0.83	SW 8260B	03/27/2003	mae	4749
Dibromomethane	<0.25	ug/L	0.25	0.83	SW 8260B	03/27/2003	mae	4749
1,2-Dichlorobenzene	<0.25	ug/L	0.25	0.83	SW 8260B	03/27/2003	mae	4749
1,3-Dichlorobenzene	<0.25	ug/L	0.25	0.83	SW 8260B	03/27/2003	mae	4749
1,4-Dichlorobenzene	<0.25	ug/L	0.25	0.83	SW 8260B	03/27/2003	mae	4749
Dichlorodifluoromethane	<0.50	ug/L	0.50	1.7	SW 8260B	03/27/2003	mae	4749
1,1-Dichloroethane	<0.50	ug/L	0.50	1.7	SW 8260B	03/27/2003	mae	4749
1,2-Dichloroethane	<0.50	ug/L	0.50	1.7	SW 8260B	03/27/2003	mae	4749
1,1-Dichloroethene	<0.50	ug/L	0.50	1.7	SW 8260B	03/27/2003	mae	4749
cis-1,2-Dichloroethene	<0.50	ug/L	0.50	1.7	SW 8260B	03/27/2003	mae	4749
trans-1,2-Dichloroethene	<0.50	ug/L	0.50	1.7	SW 8260B	03/27/2003	mae	4749
1,2-Dichloropropane	<0.50	ug/L	0.50	1.7	SW 8260B	03/27/2003	mae	4749
1,3-Dichloropropane	<0.25	ug/L	0.25	0.83	SW 8260B	03/27/2003	mae	4749
2,2-Dichloropropane	<0.50	ug/L	0.50	1.7	SW 8260B	03/27/2003	mae	4749
1,1-Dichloropropene	<0.50	ug/L	0.50	1.7	SW 8260B	03/27/2003	mae	4749
cis-1,3-Dichloropropene	<0.25	ug/L	0.25	0.83	SW 8260B	03/27/2003	mae	4749
trans-1,3-Dichloropropene	<0.25	ug/L	0.25	0.83	SW 8260B	03/27/2003	mae	4749
Di-isopropyl ether	<0.50	ug/L	0.50	1.7	SW 8260B	03/27/2003	mae	4749
Ethylbenzene	<0.50	ug/L	0.50	1.7	SW 8260B	03/27/2003	mae	4749
Hexachlorobutadiene	<0.50	ug/L	0.50	1.7	SW 8260B	03/27/2003	mae	4749

ANALYTICAL REPORT

Mr. D'Arcy Gravelle
 KEY ENGINEERING GROUP LTD
 W66 N215 Commerce Court
 Cedarburg, WI 53012

03/31/2003
 Job No: 03.02303
 Sample No: 517538
 Account No: 45150
 Page 17 of 63

JOB DESCRIPTION: 0702007 Decorah Annex
 PROJECT DESCRIPTION: Groundwater Analysis
 SAMPLE DESCRIPTION: MW-8
 West Bend, WI
 Rec'd at 4 degrees C

Date/Time Taken: 03/19/2003 14:00 Date Received: 03/20/2003

Parameter	Results	Units	MDL	LOQ	Method	Date Analyzed	Analyst	Prep/Run Batch
Isopropylbenzene	<0.25	ug/L	0.25	0.83	SW 8260B	03/27/2003	mae	4749
p-Isopropyltoluene	<0.25	ug/L	0.25	0.83	SW 8260B	03/27/2003	mae	4749
Methylene Chloride	<1.0	ug/L	1.0	3.3	SW 8260B	03/27/2003	mae	4749
Methyl-t-butyl ether	<0.50	ug/L	0.50	1.7	SW 8260B	03/27/2003	mae	4749
Naphthalene	<0.25	ug/L	0.25	0.83	SW 8260B	03/27/2003	mae	4749
n-Propylbenzene	<0.50	ug/L	0.50	1.7	SW 8260B	03/27/2003	mae	4749
Styrene	<0.25	ug/L	0.25	0.83	SW 8260B	03/27/2003	mae	4749
1,1,1,2-Tetrachloroethane	<0.25	ug/L	0.25	0.83	SW 8260B	03/27/2003	mae	4749
1,1,2,2-Tetrachloroethane	<0.25	ug/L	0.25	0.83	SW 8260B	03/27/2003	mae	4749
Tetrachloroethene	4.2	ug/L	0.50	1.7	SW 8260B	03/27/2003	mae	4749
Toluene	<0.25	ug/L	0.25	0.83	SW 8260B	03/27/2003	mae	4749
1,2,3-Trichlorobenzene	<0.25	ug/L	0.25	0.83	SW 8260B	03/27/2003	mae	4749
1,2,4-Trichlorobenzene	<0.25	ug/L	0.25	0.83	SW 8260B	03/27/2003	mae	4749
1,1,1-Trichloroethane	<0.50	ug/L	0.50	1.7	SW 8260B	03/27/2003	mae	4749
1,1,2-Trichloroethane	<0.25	ug/L	0.25	0.83	SW 8260B	03/27/2003	mae	4749
Trichloroethene	1.2	ug/L	0.25	0.83	SW 8260B	03/27/2003	mae	4749
Trichlorofluoromethane	<0.50	ug/L	0.50	1.7	SW 8260B	03/27/2003	mae	4749
1,2,3-Trichloropropane	<0.50	ug/L	0.50	1.7	SW 8260B	03/27/2003	mae	4749
1,2,4-Trimethylbenzene	<0.25	ug/L	0.25	0.83	SW 8260B	03/27/2003	mae	4749
1,3,5-Trimethylbenzene	<0.25	ug/L	0.25	0.83	SW 8260B	03/27/2003	mae	4749
Vinyl Chloride	<0.50	ug/L	0.50	1.7	SW 8260B	03/27/2003	mae	4749
Xylenes, Total	<0.50	ug/L	0.50	1.7	SW 8260B	03/27/2003	mae	4749
Surr: Dibromofluoromethane	99	%		88-112	SW 8260B	03/27/2003	mae	4749
Surr: Toluene-d8	98	%		89-112	SW 8260B	03/27/2003	mae	4749
Surr: Bromofluorobenzene	98	%		90-114	SW 8260B	03/27/2003	mae	4749

ANALYTICAL REPORT

Mr. D'Arcy Gravelle
 KEY ENGINEERING GROUP LTD
 W66 N215 Commerce Court
 Cedarburg, WI 53012

03/31/2003
 Job No: 03.02303
 Sample No: 517539
 Account No: 45150
 Page 18 of 63

JOB DESCRIPTION: 0702007 Decorah Annex
 PROJECT DESCRIPTION: Groundwater Analysis
 SAMPLE DESCRIPTION: MW-9
 West Bend, WI
 Rec'd at 4 degrees C

Date/Time Taken: 03/19/2003 13:50

Date Received: 03/20/2003

Parameter	Results	Units	MDL	LOQ	Method	Date Analyzed	Analyst	Prep/Run Batch
VOC - AQUEOUS - EPA 8260B								
Benzene	<0.25	ug/L	0.25	0.83	SW 8260B	03/27/2003	mae	4749
Bromobenzene	<0.25	ug/L	0.25	0.83	SW 8260B	03/27/2003	mae	4749
Bromochloromethane	<0.50	ug/L	0.50	1.7	SW 8260B	03/27/2003	mae	4749
Bromodichloromethane	<0.25	ug/L	0.25	0.83	SW 8260B	03/27/2003	mae	4749
Bromoform	<0.25	ug/L	0.25	0.83	SW 8260B	03/27/2003	mae	4749
Bromomethane	<0.25	ug/L	0.25	0.83	SW 8260B	03/27/2003	mae	4749
n-Butylbenzene	<0.25	ug/L	0.25	0.83	SW 8260B	03/27/2003	mae	4749
sec-Butylbenzene	<0.25	ug/L	0.25	0.83	SW 8260B	03/27/2003	mae	4749
tert-Butylbenzene	<0.25	ug/L	0.25	0.83	SW 8260B	03/27/2003	mae	4749
Carbon Tetrachloride	<0.50	ug/L	0.50	1.7	SW 8260B	03/27/2003	mae	4749
Chlorobenzene	<0.25	ug/L	0.25	0.83	SW 8260B	03/27/2003	mae	4749
Chlorodibromomethane	<0.25	ug/L	0.25	0.83	SW 8260B	03/27/2003	mae	4749
Chloroethane	<1.0	ug/L	1.0	3.3	SW 8260B	03/27/2003	mae	4749
Chloroform	<0.25	ug/L	0.25	0.83	SW 8260B	03/27/2003	mae	4749
Chloromethane	<0.25	ug/L	0.25	0.83	SW 8260B	03/27/2003	mae	4749
2-Chlorotoluene	<0.50	ug/L	0.50	1.7	SW 8260B	03/27/2003	mae	4749
4-Chlorotoluene	<0.25	ug/L	0.25	0.83	SW 8260B	03/27/2003	mae	4749
1,2-Dibromo-3-Chloropropane	<0.50	ug/L	0.50	1.7	SW 8260B	03/27/2003	mae	4749
1,2-Dibromoethane (EDB)	<0.25	ug/L	0.25	0.83	SW 8260B	03/27/2003	mae	4749
Dibromomethane	<0.25	ug/L	0.25	0.83	SW 8260B	03/27/2003	mae	4749
1,2-Dichlorobenzene	<0.25	ug/L	0.25	0.83	SW 8260B	03/27/2003	mae	4749
1,3-Dichlorobenzene	<0.25	ug/L	0.25	0.83	SW 8260B	03/27/2003	mae	4749
1,4-Dichlorobenzene	<0.25	ug/L	0.25	0.83	SW 8260B	03/27/2003	mae	4749
Dichlorodifluoromethane	<0.50	ug/L	0.50	1.7	SW 8260B	03/27/2003	mae	4749
1,1-Dichloroethane	<0.50	ug/L	0.50	1.7	SW 8260B	03/27/2003	mae	4749
1,2-Dichloroethane	<0.50	ug/L	0.50	1.7	SW 8260B	03/27/2003	mae	4749
1,1-Dichloroethene	<0.50	ug/L	0.50	1.7	SW 8260B	03/27/2003	mae	4749
cis-1,2-Dichloroethene	0.67	ug/L	0.50	1.7	SW 8260B	03/27/2003	mae	4749
trans-1,2-Dichloroethene	<0.50	ug/L	0.50	1.7	SW 8260B	03/27/2003	mae	4749
1,2-Dichloropropane	<0.50	ug/L	0.50	1.7	SW 8260B	03/27/2003	mae	4749
1,3-Dichloropropane	<0.25	ug/L	0.25	0.83	SW 8260B	03/27/2003	mae	4749
2,2-Dichloropropane	<0.50	ug/L	0.50	1.7	SW 8260B	03/27/2003	mae	4749
1,1-Dichloropropene	<0.50	ug/L	0.50	1.7	SW 8260B	03/27/2003	mae	4749
cis-1,3-Dichloropropene	<0.25	ug/L	0.25	0.83	SW 8260B	03/27/2003	mae	4749
trans-1,3-Dichloropropene	<0.25	ug/L	0.25	0.83	SW 8260B	03/27/2003	mae	4749
Di-isopropyl ether	<0.50	ug/L	0.50	1.7	SW 8260B	03/27/2003	mae	4749
Ethylbenzene	<0.50	ug/L	0.50	1.7	SW 8260B	03/27/2003	mae	4749
Hexachlorobutadiene	<0.50	ug/L	0.50	1.7	SW 8260B	03/27/2003	mae	4749

ANALYTICAL REPORT

Mr. D'Arcy Gravelle
 KEY ENGINEERING GROUP LTD
 W66 N215 Commerce Court
 Cedarburg, WI 53012

03/31/2003
 Job No: 03.02303
 Sample No: 517539
 Account No: 45150
 Page 19 of 63

JOB DESCRIPTION: 0702007 Decorah Annex
 PROJECT DESCRIPTION: Groundwater Analysis
 SAMPLE DESCRIPTION: MW-9
 West Bend, WI
 Rec'd at 4 degrees C

Date/Time Taken: 03/19/2003 13:50

Date Received: 03/20/2003

Parameter	Results	Units	MDL	LCQ	Method	Date Analyzed	Analyst	Prep/Run Batch
Isopropylbenzene	<0.25	ug/L	0.25	0.83	SW 8260B	03/27/2003	mae	4749
p-Isopropyltoluene	<0.25	ug/L	0.25	0.83	SW 8260B	03/27/2003	mae	4749
Methylene Chloride	<1.0	ug/L	1.0	3.3	SW 8260B	03/27/2003	mae	4749
Methyl-t-butyl ether	<0.50	ug/L	0.50	1.7	SW 8260B	03/27/2003	mae	4749
Naphthalene	<0.25	ug/L	0.25	0.83	SW 8260B	03/27/2003	mae	4749
n-Propylbenzene	<0.50	ug/L	0.50	1.7	SW 8260B	03/27/2003	mae	4749
Styrene	<0.25	ug/L	0.25	0.83	SW 8260B	03/27/2003	mae	4749
1,1,1,2-Tetrachloroethane	<0.25	ug/L	0.25	0.83	SW 8260B	03/27/2003	mae	4749
1,1,2,2-Tetrachloroethane	<0.25	ug/L	0.25	0.83	SW 8260B	03/27/2003	mae	4749
Tetrachloroethene	0.84	ug/L	0.50	1.7	SW 8260B	03/27/2003	mae	4749
Toluene	<0.25	ug/L	0.25	0.83	SW 8260B	03/27/2003	mae	4749
1,2,3-Trichlorobenzene	<0.25	ug/L	0.25	0.83	SW 8260B	03/27/2003	mae	4749
1,2,4-Trichlorobenzene	<0.25	ug/L	0.25	0.83	SW 8260B	03/27/2003	mae	4749
1,1,1-Trichloroethane	<0.50	ug/L	0.50	1.7	SW 8260B	03/27/2003	mae	4749
1,1,2-Trichloroethane	<0.25	ug/L	0.25	0.83	SW 8260B	03/27/2003	mae	4749
Trichloroethene	11	ug/L	0.25	0.83	SW 8260B	03/27/2003	mae	4749
Trichlorofluoromethane	<0.50	ug/L	0.50	1.7	SW 8260B	03/27/2003	mae	4749
1,2,3-Trichloropropane	<0.50	ug/L	0.50	1.7	SW 8260B	03/27/2003	mae	4749
1,2,4-Trimethylbenzene	<0.25	ug/L	0.25	0.83	SW 8260B	03/27/2003	mae	4749
1,3,5-Trimethylbenzene	<0.25	ug/L	0.25	0.83	SW 8260B	03/27/2003	mae	4749
Vinyl Chloride	<0.50	ug/L	0.50	1.7	SW 8260B	03/27/2003	mae	4749
Xylenes, Total	<0.50	ug/L	0.50	1.7	SW 8260B	03/27/2003	mae	4749
Surr: Dibromofluoromethane	99	%		88-112	SW 8260B	03/27/2003	mae	4749
Surr: Toluene-d8	98	%		89-112	SW 8260B	03/27/2003	mae	4749
Surr: Bromofluorobenzene	98	%		90-114	SW 8260B	03/27/2003	mae	4749

ANALYTICAL REPORT

Mr. D'Arcy Gravelle
 KEY ENGINEERING GROUP LTD
 W66 N215 Commerce Court
 Cedarburg, WI 53012

03/31/2003
 Job No: 03.02303
 Sample No: 517540
 Account No: 45150
 Page 20 of 63

JOB DESCRIPTION: 0702007 Decorah Annex
 PROJECT DESCRIPTION: Groundwater Analysis
 SAMPLE DESCRIPTION: MW-10
 West Bend, WI
 Rec'd at 4 degrees C

Date/Time Taken: 03/19/2003 13:40

Date Received: 03/20/2003

Parameter	Results	Units	MDL	LOQ	Method	Date Analyzed	Analyst	Prep/Run Batch
VOC - AQUEOUS - EPA 8260B								
Benzene	<0.25	ug/L	0.25	0.83	SW 8260B	03/28/2003	mae	4751
Bromobenzene	<0.25	ug/L	0.25	0.83	SW 8260B	03/28/2003	mae	4751
Bromoform	<0.25	ug/L	0.25	0.83	SW 8260B	03/28/2003	mae	4751
Bromochloromethane	<0.25	ug/L	0.25	0.83	SW 8260B	03/28/2003	mae	4751
Bromodichloromethane	<0.25	ug/L	0.25	0.83	SW 8260B	03/28/2003	mae	4751
Bromomethane	<0.25	ug/L	0.25	0.83	SW 8260B	03/28/2003	mae	4751
n-Butylbenzene	<0.25	ug/L	0.25	0.83	SW 8260B	03/28/2003	mae	4751
sec-Butylbenzene	<0.25	ug/L	0.25	0.83	SW 8260B	03/28/2003	mae	4751
tert-Butylbenzene	<0.25	ug/L	0.25	0.83	SW 8260B	03/28/2003	mae	4751
Carbon Tetrachloride	<0.25	ug/L	0.25	0.83	SW 8260B	03/28/2003	mae	4751
Chlorobenzene	<0.25	ug/L	0.25	0.83	SW 8260B	03/28/2003	mae	4751
Chlorodibromomethane	<0.25	ug/L	0.25	0.83	SW 8260B	03/28/2003	mae	4751
Chloroethane	<1.0	ug/L	1.0	3.3	SW 8260B	03/28/2003	mae	4751
Chloroform	<0.25	ug/L	0.25	0.83	SW 8260B	03/28/2003	mae	4751
Chloromethane	<0.25	ug/L	0.25	0.83	SW 8260B	03/28/2003	mae	4751
2-Chlorotoluene	<0.50	ug/L	0.50	1.7	SW 8260B	03/28/2003	mae	4751
4-Chlorotoluene	<0.25	ug/L	0.25	0.83	SW 8260B	03/28/2003	mae	4751
1,2-Dibromo-3-Chloropropane	<0.50	ug/L	0.50	1.7	SW 8260B	03/28/2003	mae	4751
1,2-Dibromoethane (EDB)	<0.25	ug/L	0.25	0.83	SW 8260B	03/28/2003	mae	4751
Dibromomethane	<0.25	ug/L	0.25	0.83	SW 8260B	03/28/2003	mae	4751
1,2-Dichlorobenzene	<0.25	ug/L	0.25	0.83	SW 8260B	03/28/2003	mae	4751
1,3-Dichlorobenzene	<0.25	ug/L	0.25	0.83	SW 8260B	03/28/2003	mae	4751
1,4-Dichlorobenzene	<0.25	ug/L	0.25	0.83	SW 8260B	03/28/2003	mae	4751
Dichlorodifluoromethane	<0.50	ug/L	0.50	1.7	SW 8260B	03/28/2003	mae	4751
1,1-Dichloroethane	<0.50	ug/L	0.50	1.7	SW 8260B	03/28/2003	mae	4751
1,2-Dichloroethane	<0.50	ug/L	0.50	1.7	SW 8260B	03/28/2003	mae	4751
1,1-Dichloroethene	<0.50	ug/L	0.50	1.7	SW 8260B	03/28/2003	mae	4751
cis-1,2-Dichloroethene	<0.50	ug/L	0.50	1.7	SW 8260B	03/28/2003	mae	4751
trans-1,2-Dichloroethene	<0.50	ug/L	0.50	1.7	SW 8260B	03/28/2003	mae	4751
1,2-Dichloropropane	<0.50	ug/L	0.50	1.7	SW 8260B	03/28/2003	mae	4751
1,3-Dichloropropane	<0.25	ug/L	0.25	0.83	SW 8260B	03/28/2003	mae	4751
2,2-Dichloropropane	<0.50	ug/L	0.50	1.7	SW 8260B	03/28/2003	mae	4751
1,1-Dichloropropene	<0.50	ug/L	0.50	1.7	SW 8260B	03/28/2003	mae	4751
cis-1,3-Dichloropropene	<0.25	ug/L	0.25	0.83	SW 8260B	03/28/2003	mae	4751
trans-1,3-Dichloropropene	<0.25	ug/L	0.25	0.83	SW 8260B	03/28/2003	mae	4751
Di-isopropyl ether	<0.50	ug/L	0.50	1.7	SW 8260B	03/28/2003	mae	4751
Ethylbenzene	<0.50	ug/L	0.50	1.7	SW 8260B	03/28/2003	mae	4751
Hexachlorobutadiene	<0.50	ug/L	0.50	1.7	SW 8260B	03/28/2003	mae	4751

TestAmerica

INCORPORATED

ANALYTICAL REPORT

Mr. D'Arcy Gravelle
 KEY ENGINEERING GROUP LTD
 W66 N215 Commerce Court
 Cedarburg, WI 53012

03/31/2003
 Job No: 03.02303
 Sample No: 517540
 Account No: 45150
 Page 21 of 63

JOB DESCRIPTION: 0702007 Decorah Annex
 PROJECT DESCRIPTION: Groundwater Analysis
 SAMPLE DESCRIPTION: MW-10
 West Bend, WI
 Rec'd at 4 degrees C

Date/Time Taken: 03/19/2003 13:40

Date Received: 03/20/2003

Parameter	Results	Units	MDL	LOQ	Method	Date Analyzed	Analyst	Prep/Run Batch
Isopropylbenzene	<0.25	ug/L	0.25	0.83	SW 8260B	03/28/2003	mae	4751
p-Isopropyltoluene	<0.25	ug/L	0.25	0.83	SW 8260B	03/28/2003	mae	4751
Methylene Chloride	<1.0	ug/L	1.0	3.3	SW 8260B	03/28/2003	mae	4751
Methyl-t-butyl ether	<0.50	ug/L	0.50	1.7	SW 8260B	03/28/2003	mae	4751
Naphthalene	<0.25	ug/L	0.25	0.83	SW 8260B	03/28/2003	mae	4751
n-Propylbenzene	<0.50	ug/L	0.50	1.7	SW 8260B	03/28/2003	mae	4751
Styrene	<0.25	ug/L	0.25	0.83	SW 8260B	03/28/2003	mae	4751
1,1,1,2-Tetrachloroethane	<0.25	ug/L	0.25	0.83	SW 8260B	03/28/2003	mae	4751
1,1,2,2-Tetrachloroethane	<0.25	ug/L	0.25	0.83	SW 8260B	03/28/2003	mae	4751
Tetrachloroethene	4.1	ug/L	0.50	1.7	SW 8260B	03/28/2003	mae	4751
Toluene	<0.25	ug/L	0.25	0.83	SW 8260B	03/28/2003	mae	4751
1,2,3-Trichlorobenzene	<0.25	ug/L	0.25	0.83	SW 8260B	03/28/2003	mae	4751
1,2,4-Trichlorobenzene	<0.25	ug/L	0.25	0.83	SW 8260B	03/28/2003	mae	4751
1,1,1-Trichloroethane	<0.50	ug/L	0.50	1.7	SW 8260B	03/28/2003	mae	4751
1,1,2-Trichloroethane	<0.25	ug/L	0.25	0.83	SW 8260B	03/23/2003	mae	4751
Trichloroethene	0.53	ug/L	0.25	0.83	SW 8260B	03/28/2003	mae	4751
Trichlorofluoromethane	<0.50	ug/L	0.50	1.7	SW 8260B	03/28/2003	mae	4751
1,2,3-Trichloropropane	<0.50	ug/L	0.50	1.7	SW 8260B	03/28/2003	mae	4751
1,2,4-Trimethylbenzene	<0.25	ug/L	0.25	0.83	SW 8260B	03/28/2003	mae	4751
1,3,5-Trimethylbenzene	<0.25	ug/L	0.25	0.83	SW 8260B	03/28/2003	mae	4751
Vinyl Chloride	<0.50	ug/L	0.50	1.7	SW 8260B	03/28/2003	mae	4751
Xylenes, Total	<0.50	ug/L	0.50	1.7	SW 8260B	03/28/2003	mae	4751
Surr: Dibromofluoromethane	100	%		88-112	SW 8260B	03/28/2003	mae	4751
Surr: Toluene-d8	98	%		89-112	SW 8260B	03/28/2003	mae	4751
Surr: Bromofluorobenzene	98	%		90-114	SW 8260B	03/28/2003	mae	4751

ANALYTICAL REPORT

Mr. D'Arcy Gravelle
 KEY ENGINEERING GROUP LTD
 W66 N215 Commerce Court
 Cedarburg, WI 53012

03/31/2003
 Job No: 03.02303
 Sample No: 517541
 Account No: 45150
 Page 22 of 63

JOB DESCRIPTION: 0702007 Decorah Annex
 PROJECT DESCRIPTION: Groundwater Analysis
 SAMPLE DESCRIPTION: MW-11
 West Bend, WI
 Rec'd at 4 degrees C

Date/Time Taken: 03/19/2003 14:10

Date Received: 03/20/2003

Parameter	Results	Units	MDL	LOQ	Method	Date Analyzed	Analyst	Prep/Run Batch
VOC - AQUEOUS - EPA 8260B								
Benzene	<0.25	ug/L	0.25	0.83	SW 8260B	03/28/2003	mae	4751
Bromobenzene	<0.25	ug/L	0.25	0.83	SW 8260B	03/28/2003	mae	4751
Bromochloromethane	<0.50	ug/L	0.50	1.7	SW 8260B	03/28/2003	mae	4751
Bromodichloromethane	<0.25	ug/L	0.25	0.83	SW 8260B	03/28/2003	mae	4751
Bromoform	<0.25	ug/L	0.25	0.83	SW 8260B	03/28/2003	mae	4751
Bromomethane	<0.25	ug/L	0.25	0.83	SW 8260B	03/28/2003	mae	4751
n-Butylbenzene	<0.25	ug/L	0.25	0.83	SW 8260B	03/28/2003	mae	4751
sec-Butylbenzene	<0.25	ug/L	0.25	0.83	SW 8260B	03/28/2003	mae	4751
tert-Butylbenzene	<0.25	ug/L	0.25	0.83	SW 8260B	03/28/2003	mae	4751
Carbon Tetrachloride	<0.50	ug/L	0.50	1.7	SW 8260B	03/28/2003	mae	4751
Chlorobenzene	<0.25	ug/L	0.25	0.83	SW 8260B	03/28/2003	mae	4751
Chlorodibromomethane	<0.25	ug/L	0.25	0.83	SW 8260B	03/28/2003	mae	4751
Chloroethane	<1.0	ug/L	1.0	3.3	SW 8260B	03/28/2003	mae	4751
Chloroform	<0.25	ug/L	0.25	0.83	SW 8260B	03/28/2003	mae	4751
Chloromethane	<0.25	ug/L	0.25	0.83	SW 8260B	03/28/2003	mae	4751
2-Chlorotoluene	<0.50	ug/L	0.50	1.7	SW 8260B	03/28/2003	mae	4751
4-Chlorotoluene	<0.25	ug/L	0.25	0.83	SW 8260B	03/28/2003	mae	4751
1,2-Dibromo-3-Chloropropane	<0.50	ug/L	0.50	1.7	SW 8260B	03/28/2003	mae	4751
1,2-Dibromoethane (EDB)	<0.25	ug/L	0.25	0.83	SW 8260B	03/28/2003	mae	4751
Dibromomethane	<0.25	ug/L	0.25	0.83	SW 8260B	03/28/2003	mae	4751
1,2-Dichlorobenzene	<0.25	ug/L	0.25	0.83	SW 8260B	03/28/2003	mae	4751
1,3-Dichlorobenzene	<0.25	ug/L	0.25	0.83	SW 8260B	03/28/2003	mae	4751
1,4-Dichlorobenzene	<0.25	ug/L	0.25	0.83	SW 8260B	03/28/2003	mae	4751
Dichlorodifluoromethane	<0.50	ug/L	0.50	1.7	SW 8260B	03/28/2003	mae	4751
1,1-Dichloroethane	<0.50	ug/L	0.50	1.7	SW 8260B	03/28/2003	mae	4751
1,2-Dichloroethane	<0.50	ug/L	0.50	1.7	SW 8260B	03/28/2003	mae	4751
1,1-Dichloroethene	<0.50	ug/L	0.50	1.7	SW 8260B	03/28/2003	mae	4751
cis-1,2-Dichloroethene	<0.50	ug/L	0.50	1.7	SW 8260B	03/28/2003	mae	4751
trans-1,2-Dichloroethene	<0.50	ug/L	0.50	1.7	SW 8260B	03/28/2003	mae	4751
1,2-Dichloropropane	<0.50	ug/L	0.50	1.7	SW 8260B	03/28/2003	mae	4751
1,3-Dichloropropane	<0.25	ug/L	0.25	0.83	SW 8260B	03/28/2003	mae	4751
2,2-Dichloropropane	<0.50	ug/L	0.50	1.7	SW 8260B	03/28/2003	mae	4751
1,1-Dichloropropene	<0.50	ug/L	0.50	1.7	SW 8260B	03/28/2003	mae	4751
cis-1,3-Dichloropropene	<0.25	ug/L	0.25	0.83	SW 8260B	03/28/2003	mae	4751
trans-1,3-Dichloropropene	<0.25	ug/L	0.25	0.83	SW 8260B	03/28/2003	mae	4751
Di-isopropyl ether	<0.50	ug/L	0.50	1.7	SW 8260B	03/28/2003	mae	4751
Ethylbenzene	<0.50	ug/L	0.50	1.7	SW 8260B	03/28/2003	mae	4751
Hexachlorobutadiene	<0.50	ug/L	0.50	1.7	SW 8260B	03/28/2003	mae	4751

TestAmerica

INCORPORATED

ANALYTICAL REPORT

Mr. D'Arcy Gravelle
 KEY ENGINEERING GROUP LTD
 W66 N215 Commerce Court
 Cedarburg, WI 53012

03/31/2003
 Job No: 03.02303
 Sample No: 517541
 Account No: 45150
 Page 23 of 63

JOB DESCRIPTION: 0702007 Decorah Annex
 PROJECT DESCRIPTION: Groundwater Analysis
 SAMPLE DESCRIPTION: MW-11
 West Bend, WI
 Rec'd at 4 degrees C

Date/Time Taken: 03/19/2003 14:10

Date Received: 03/20/2003

Parameter	Results	Units	MDL	LOQ	Method	Date Analyzed	Analyst	Prep/Run Batch
Isopropylbenzene	<0.25	ug/L	0.25	0.83	SW 8260B	03/28/2003	mae	4751
p-Isopropyltoluene	<0.25	ug/L	0.25	0.83	SW 8260B	03/28/2003	mae	4751
Methylene Chloride	<1.0	ug/L	1.0	3.3	SW 8260B	03/28/2003	mae	4751
Methyl-t-butyl ether	<0.50	ug/L	0.50	1.7	SW 8260B	03/28/2003	mae	4751
Naphthalene	<0.25	ug/L	0.25	0.83	SW 8260B	03/28/2003	mae	4751
n-Propylbenzene	<0.50	ug/L	0.50	1.7	SW 8260B	03/28/2003	mae	4751
Styrene	<0.25	ug/L	0.25	0.83	SW 8260B	03/28/2003	mae	4751
1,1,1,2-Tetrachloroethane	<0.25	ug/L	0.25	0.83	SW 8260B	03/28/2003	mae	4751
1,1,2,2-Tetrachloroethane	<0.25	ug/L	0.25	0.83	SW 8260B	03/28/2003	mae	4751
Tetrachloroethene	5.3	ug/L	0.50	1.7	SW 8260B	03/28/2003	mae	4751
Toluene	<0.25	ug/L	0.25	0.83	SW 8260B	03/28/2003	mae	4751
1,2,3-Trichlorobenzene	<0.25	ug/L	0.25	0.83	SW 8260B	03/28/2003	mae	4751
1,2,4-Trichlorobenzene	<0.25	ug/L	0.25	0.83	SW 8260B	03/28/2003	mae	4751
1,1,1-Trichloroethane	<0.50	ug/L	0.50	1.7	SW 8260B	03/28/2003	mae	4751
1,1,2-Trichloroethane	<0.25	ug/L	0.25	0.83	SW 8260B	03/28/2003	mae	4751
Trichloroethene	1.3	ug/L	0.25	0.83	SW 8260B	03/28/2003	mae	4751
Trichlorofluoromethane	<0.50	ug/L	0.50	1.7	SW 8260B	03/28/2003	mae	4751
1,2,3-Trichloropropane	<0.50	ug/L	0.50	1.7	SW 8260B	03/28/2003	mae	4751
1,2,4-Trimethylbenzene	<0.25	ug/L	0.25	0.83	SW 8260B	03/28/2003	mae	4751
1,3,5-Trimethylbenzene	<0.25	ug/L	0.25	0.83	SW 8260B	03/28/2003	mae	4751
Vinyl Chloride	<0.50	ug/L	0.50	1.7	SW 8260B	03/28/2003	mae	4751
Xylenes, Total	<0.50	ug/L	0.50	1.7	SW 8260B	03/28/2003	mae	4751
Surr: Dibromofluoromethane	99	%		88-112	SW 8260B	03/28/2003	mae	4751
Surr: Toluene-d8	98	%		89-112	SW 8260B	03/28/2003	mae	4751
Surr: Bromofluorobenzene	98	%		90-114	SW 8260B	03/28/2003	mae	4751

TestAmerica

INCORPORATED

ANALYTICAL REPORT

Mr. D'Arcy Gravelle
 KEY ENGINEERING GROUP LTD
 W66 N215 Commerce Court
 Cedarburg, WI 53012

03/31/2003
 Job No: 03.02303
 Sample No: 517542
 Account No: 45150
 Page 24 of 63

JOB DESCRIPTION: 0702007 Decorah Annex
 PROJECT DESCRIPTION: Groundwater Analysis
 SAMPLE DESCRIPTION: MW-12
 West Bend, WI
 Rec'd at 4 degrees C

Date/Time Taken: 03/19/2003 14:25

Date Received: 03/20/2003

Parameter	Results	Units	MDL	LOQ	Method	Date Analyzed	Analyst	Prep/Run Batch
VOC - AQUEOUS - EPA 8260B								
Benzene	<0.25	ug/L	0.25	0.83	SW 8260B	03/28/2003	mae	4751
Bromobenzene	<0.25	ug/L	0.25	0.83	SW 8260B	03/28/2003	mae	4751
Bromochloromethane	<0.50	ug/L	0.50	1.7	SW 8260B	03/28/2003	mae	4751
Bromodichloromethane	<0.25	ug/L	0.25	0.83	SW 8260B	03/28/2003	mae	4751
Bromoform	<0.25	ug/L	0.25	0.83	SW 8260B	03/28/2003	mae	4751
Bromomethane	<0.25	ug/L	0.25	0.83	SW 8260B	03/28/2003	mae	4751
n-Butylbenzene	<0.25	ug/L	0.25	0.83	SW 8260B	03/28/2003	mae	4751
sec-Butylbenzene	<0.25	ug/L	0.25	0.83	SW 8260B	03/28/2003	mae	4751
tert-Butylbenzene	<0.25	ug/L	0.25	0.83	SW 8260B	03/28/2003	mae	4751
Carbon Tetrachloride	<0.50	ug/L	0.50	1.7	SW 8260B	03/28/2003	mae	4751
Chlorobenzene	<0.25	ug/L	0.25	0.83	SW 8260B	03/28/2003	mae	4751
Chlorodibromomethane	<0.25	ug/L	0.25	0.83	SW 8260B	03/28/2003	mae	4751
Chloroethane	<1.0	ug/L	1.0	3.3	SW 8260B	03/28/2003	mae	4751
Chloroform	<0.25	ug/L	0.25	0.83	SW 8260B	03/28/2003	mae	4751
Chloromethane	<0.25	ug/L	0.25	0.83	SW 8260B	03/28/2003	mae	4751
2-Chlorotoluene	<0.50	ug/L	0.50	1.7	SW 8260B	03/28/2003	mae	4751
4-Chlorotoluene	<0.25	ug/L	0.25	0.83	SW 8260B	03/28/2003	mae	4751
1,2-Dibromo-3-Chloropropane	<0.50	ug/L	0.50	1.7	SW 8260B	03/28/2003	mae	4751
1,2-Dibromoethane (EDB)	<0.25	ug/L	0.25	0.83	SW 8260B	03/28/2003	mae	4751
Dibromomethane	<0.25	ug/L	0.25	0.83	SW 8260B	03/28/2003	mae	4751
1,2-Dichlorobenzene	<0.25	ug/L	0.25	0.83	SW 8260B	03/28/2003	mae	4751
1,3-Dichlorobenzene	<0.25	ug/L	0.25	0.83	SW 8260B	03/28/2003	mae	4751
1,4-Dichlorobenzene	<0.25	ug/L	0.25	0.83	SW 8260B	03/28/2003	mae	4751
Dichlorodifluoromethane	<0.50	ug/L	0.50	1.7	SW 8260B	03/28/2003	mae	4751
1,1-Dichloroethane	<0.50	ug/L	0.50	1.7	SW 8260B	03/28/2003	mae	4751
1,2-Dichloroethane	<0.50	ug/L	0.50	1.7	SW 8260B	03/28/2003	mae	4751
1,1-Dichloroethene	<0.50	ug/L	0.50	1.7	SW 8260B	03/28/2003	mae	4751
cis-1,2-Dichloroethene	<0.50	ug/L	0.50	1.7	SW 8260B	03/28/2003	mae	4751
trans-1,2-Dichloroethene	<0.50	ug/L	0.50	1.7	SW 8260B	03/28/2003	mae	4751
1,2-Dichloropropane	<0.50	ug/L	0.50	1.7	SW 8260B	03/28/2003	mae	4751
1,3-Dichloropropane	<0.25	ug/L	0.25	0.83	SW 8260B	03/28/2003	mae	4751
2,2-Dichloropropane	<0.50	ug/L	0.50	1.7	SW 8260B	03/28/2003	mae	4751
1,1-Dichloropropene	<0.50	ug/L	0.50	1.7	SW 8260B	03/28/2003	mae	4751
cis-1,3-Dichloropropene	<0.25	ug/L	0.25	0.83	SW 8260B	03/28/2003	mae	4751
trans-1,3-Dichloropropene	<0.25	ug/L	0.25	0.83	SW 8260B	03/28/2003	mae	4751
Di-isopropyl ether	<0.50	ug/L	0.50	1.7	SW 8260B	03/28/2003	mae	4751
Ethylbenzene	<0.50	ug/L	0.50	1.7	SW 8260B	03/28/2003	mae	4751
Hexachlorobutadiene	<0.50	ug/L	0.50	1.7	SW 8260B	03/28/2003	mae	4751

TestAmerica

INCORPORATED

ANALYTICAL REPORT

Mr. D'Arcy Gravelle
 KEY ENGINEERING GROUP LTD
 W66 N215 Commerce Court
 Cedarburg, WI 53012

03/31/2003
 Job No: 03.02303
 Sample No: 517542
 Account No: 45150
 Page 25 of 63

JOB DESCRIPTION: 0702007 Decorah Annex
 PROJECT DESCRIPTION: Groundwater Analysis
 SAMPLE DESCRIPTION: MW-12
 West Bend, WI
 Rec'd at 4 degrees C

Date/Time Taken: 03/19/2003 14:25

Date Received: 03/20/2003

Parameter	Results	Units	MDL	LOQ	Method	Date Analyzed	Analyst	Prep/Run Batch
Isopropylbenzene	<0.25	ug/L	0.25	0.83	SW 8260B	03/28/2003	mae	4751
p-Isopropyltoluene	<0.25	ug/L	0.25	0.83	SW 8260B	03/28/2003	mae	4751
Methylene Chloride	<1.0	ug/L	1.0	3.3	SW 8260B	03/28/2003	mae	4751
Methyl-t-butyl ether	<0.50	ug/L	0.50	1.7	SW 8260B	03/28/2003	mae	4751
Naphthalene	<0.25	ug/L	0.25	0.83	SW 8260B	03/28/2003	mae	4751
n-Propylbenzene	<0.50	ug/L	0.50	1.7	SW 8260B	03/28/2003	mae	4751
Styrene	<0.25	ug/L	0.25	0.83	SW 8260B	03/28/2003	mae	4751
1,1,1,2-Tetrachloroethane	<0.25	ug/L	0.25	0.83	SW 8260B	03/28/2003	mae	4751
1,1,2,2-Tetrachloroethane	<0.25	ug/L	0.25	0.83	SW 8260B	03/28/2003	mae	4751
Tetrachloroethene	<0.50	ug/L	0.50	1.7	SW 8260B	03/28/2003	mae	4751
Toluene	<0.25	ug/L	0.25	0.83	SW 8260B	03/28/2003	mae	4751
1,2,3-Trichlorobenzene	<0.25	ug/L	0.25	0.83	SW 8260B	03/28/2003	mae	4751
1,2,4-Trichlorobenzene	<0.25	ug/L	0.25	0.83	SW 8260B	03/28/2003	mae	4751
1,1,1-Trichloroethane	<0.50	ug/L	0.50	1.7	SW 8260B	03/28/2003	mae	4751
1,1,2-Trichloroethane	<0.25	ug/L	0.25	0.83	SW 8260B	03/28/2003	mae	4751
Trichloroethene	<0.25	ug/L	0.25	0.83	SW 8260B	03/28/2003	mae	4751
Trichlorofluoromethane	<0.50	ug/L	0.50	1.7	SW 8260B	03/28/2003	mae	4751
1,2,3-Trichloropropane	<0.50	ug/L	0.50	1.7	SW 8260B	03/28/2003	mae	4751
1,2,4-Trimethylbenzene	<0.25	ug/L	0.25	0.83	SW 8260B	03/28/2003	mae	4751
1,3,5-Trimethylbenzene	<0.25	ug/L	0.25	0.83	SW 8260B	03/28/2003	mae	4751
Vinyl Chloride	<0.50	ug/L	0.50	1.7	SW 8260B	03/28/2003	mae	4751
Xylenes, Total	<0.50	ug/L	0.50	1.7	SW 8260B	03/28/2003	mae	4751
Surr: Dibromofluoromethane	100	%		88-112	SW 8260B	03/28/2003	mae	4751
Surr: Toluene-d8	98	%		89-112	SW 8260B	03/28/2003	mae	4751
Surr: Bromofluorobenzene	97	%		90-114	SW 8260B	03/28/2003	mae	4751

TestAmerica

INCORPORATED

ANALYTICAL REPORT

Mr. D'Arcy Gravelle
 KEY ENGINEERING GROUP LTD
 W66 N215 Commerce Court
 Cedarburg, WI 53012

03/31/2003
 Job No: 03.02303
 Sample No: 517543
 Account No: 45150
 Page 26 of 63

JOB DESCRIPTION: 0702007 Decorah Annex
 PROJECT DESCRIPTION: Groundwater Analysis
 SAMPLE DESCRIPTION: MW-13
 West Bend, WI
 Rec'd at 4 degrees C

Date/Time Taken: 03/19/2003 14:15

Date Received: 03/20/2003

Parameter	Results	Units	MDL	LOQ	Method	Date Analyzed	Analyst	Prep/Run Batch
VOC - AQUEOUS - EPA 8260B								
Benzene	<0.25	ug/L	0.25	0.83	SW 8260B	03/28/2003	mae	4751
Bromobenzene	<0.25	ug/L	0.25	0.83	SW 8260B	03/28/2003	mae	4751
Bromochloromethane	<0.50	ug/L	0.50	1.7	SW 8260B	03/28/2003	mae	4751
Bromodichloromethane	<0.25	ug/L	0.25	0.83	SW 8260B	03/28/2003	mae	4751
Bromoform	<0.25	ug/L	0.25	0.83	SW 8260B	03/28/2003	mae	4751
Bromomethane	<0.25	ug/L	0.25	0.83	SW 8260B	03/28/2003	mae	4751
n-Butylbenzene	<0.25	ug/L	0.25	0.83	SW 8260B	03/28/2003	mae	4751
sec-Butylbenzene	<0.25	ug/L	0.25	0.83	SW 8260B	03/28/2003	mae	4751
tert-Butylbenzene	<0.25	ug/L	0.25	0.83	SW 8260B	03/28/2003	mae	4751
Carbon Tetrachloride	<0.50	ug/L	0.50	1.7	SW 8260B	03/28/2003	mae	4751
Chlorobenzene	<0.25	ug/L	0.25	0.83	SW 8260B	03/28/2003	mae	4751
Chlorodibromomethane	<0.25	ug/L	0.25	0.83	SW 8260B	03/28/2003	mae	4751
Chloroethane	<1.0	ug/L	1.0	3.3	SW 8260B	03/28/2003	mae	4751
Chloroform	<0.25	ug/L	0.25	0.83	SW 8260B	03/28/2003	mae	4751
Chloromethane	<0.25	ug/L	0.25	0.83	SW 8260B	03/28/2003	mae	4751
2-Chlorotoluene	<0.50	ug/L	0.50	1.7	SW 8260B	03/28/2003	mae	4751
4-Chlorotoluene	<0.25	ug/L	0.25	0.83	SW 8260B	03/28/2003	mae	4751
1,2-Dibromo-3-Chloropropane	<0.50	ug/L	0.50	1.7	SW 8260B	03/28/2003	mae	4751
1,2-Dibromoethane (EDB)	<0.25	ug/L	0.25	0.83	SW 8260B	03/28/2003	mae	4751
Dibromomethane	<0.25	ug/L	0.25	0.83	SW 8260B	03/28/2003	mae	4751
1,2-Dichlorobenzene	<0.25	ug/L	0.25	0.83	SW 8260B	03/28/2003	mae	4751
1,3-Dichlorobenzene	<0.25	ug/L	0.25	0.83	SW 8260B	03/28/2003	mae	4751
1,4-Dichlorobenzene	<0.25	ug/L	0.25	0.83	SW 8260B	03/28/2003	mae	4751
Dichlorodifluoromethane	<0.50	ug/L	0.50	1.7	SW 8260B	03/28/2003	mae	4751
1,1-Dichloroethane	<0.50	ug/L	0.50	1.7	SW 8260B	03/28/2003	mae	4751
1,2-Dichloroethane	<0.50	ug/L	0.50	1.7	SW 8260B	03/28/2003	mae	4751
1,1-Dichloroethene	<0.50	ug/L	0.50	1.7	SW 8260B	03/28/2003	mae	4751
cis-1,2-Dichloroethene	<0.50	ug/L	0.50	1.7	SW 8260B	03/28/2003	mae	4751
trans-1,2-Dichloroethene	<0.50	ug/L	0.50	1.7	SW 8260B	03/28/2003	mae	4751
1,2-Dichloropropane	<0.50	ug/L	0.50	1.7	SW 8260B	03/28/2003	mae	4751
1,3-Dichloropropane	<0.25	ug/L	0.25	0.83	SW 8260B	03/28/2003	mae	4751
2,2-Dichloropropane	<0.50	ug/L	0.50	1.7	SW 8260B	03/28/2003	mae	4751
1,1-Dichloropropene	<0.50	ug/L	0.50	1.7	SW 8260B	03/28/2003	mae	4751
cis-1,3-Dichloropropene	<0.25	ug/L	0.25	0.83	SW 8260B	03/28/2003	mae	4751
trans-1,3-Dichloropropene	<0.25	ug/L	0.25	0.83	SW 8260B	03/28/2003	mae	4751
Di-isopropyl ether	<0.50	ug/L	0.50	1.7	SW 8260B	03/28/2003	mae	4751
Ethylbenzene	<0.50	ug/L	0.50	1.7	SW 8260B	03/28/2003	mae	4751
Hexachlorobutadiene	<0.50	ug/L	0.50	1.7	SW 8260B	03/28/2003	mae	4751

TestAmerica

INCORPORATED

ANALYTICAL REPORT

Mr. D'Arcy Gravelle
 KEY ENGINEERING GROUP LTD
 W66 N215 Commerce Court
 Cedarburg, WI 53012

03/31/2003
 Job No: 03.02303
 Sample No: 517543
 Account No: 45150
 Page 27 of 63

JOB DESCRIPTION: 0702007 Decorah Annex
 PROJECT DESCRIPTION: Groundwater Analysis
 SAMPLE DESCRIPTION: MW-13
 West Bend, WI
 Rec'd at 4 degrees C

Date/Time Taken: 03/19/2003 14:15 Date Received: 03/20/2003

Parameter	Results	Units	MDL	LOQ	Method	Date Analyzed	Analyst	Prep/Run Batch
Isopropylbenzene	<0.25	ug/L	0.25	0.83	SW 8260B	03/28/2003	mae	4751
p-Isopropyltoluene	<0.25	ug/L	0.25	0.83	SW 8260B	03/28/2003	mae	4751
Methylene Chloride	<1.0	ug/L	1.0	3.3	SW 8260B	03/28/2003	mae	4751
Methyl-t-butyl ether	<0.50	ug/L	0.50	1.7	SW 8260B	03/28/2003	mae	4751
Naphthalene	<0.25	ug/L	0.25	0.83	SW 8260B	03/28/2003	mae	4751
n-Propylbenzene	<0.50	ug/L	0.50	1.7	SW 8260B	03/28/2003	mae	4751
Styrene	<0.25	ug/L	0.25	0.83	SW 8260B	03/28/2003	mae	4751
1,1,1,2-Tetrachloroethane	<0.25	ug/L	0.25	0.83	SW 8260B	03/28/2003	mae	4751
1,1,2,2-Tetrachloroethane	<0.25	ug/L	0.25	0.83	SW 8260B	03/28/2003	mae	4751
Tetrachloroethene	530	ug/L	0.50	1.7	SW 8260B	03/28/2003	mae	4757
Toluene	<0.25	ug/L	0.25	0.83	SW 8260B	03/28/2003	mae	4751
1,2,3-Trichlorobenzene	<0.25	ug/L	0.25	0.83	SW 8260B	03/28/2003	mae	4751
1,2,4-Trichlorobenzene	<0.25	ug/L	0.25	0.83	SW 8260B	03/28/2003	mae	4751
1,1,1-Trichloroethane	<0.50	ug/L	0.50	1.7	SW 8260B	03/28/2003	mae	4751
1,1,2-Trichloroethane	<0.25	ug/L	0.25	0.83	SW 8260B	03/28/2003	mae	4751
Trichloroethene	8.9	ug/L	0.25	0.83	SW 8260B	03/28/2003	mae	4751
Trichlorofluoromethane	<0.50	ug/L	0.50	1.7	SW 8260B	03/29/2003	mae	4751
1,2,3-Trichloropropane	<0.50	ug/L	0.50	1.7	SW 8260B	03/28/2003	mae	4751
1,2,4-Trimethylbenzene	<0.25	ug/L	0.25	0.83	SW 8260B	03/28/2003	mae	4751
1,3,5-Trimethylbenzene	<0.25	ug/L	0.25	0.83	SW 8260B	03/28/2003	mae	4751
Vinyl Chloride	<0.50	ug/L	0.50	1.7	SW 8260B	03/28/2003	mae	4751
Xylenes, Total	<0.50	ug/L	0.50	1.7	SW 8260B	03/28/2003	mae	4751
Surr: Dibromofluoromethane	99	%		88-112	SW 8260B	03/28/2003	mae	4751
Surr: Toluene-d8	98	%		89-112	SW 8260B	03/28/2003	mae	4751
Surr: Bromofluorobenzene	98	%		90-114	SW 8260B	03/28/2003	mae	4751

TestAmerica

INCORPORATED

ANALYTICAL REPORT

Mr. D'Arcy Gravelle
 KEY ENGINEERING GROUP LTD
 W66 N215 Commerce Court
 Cedarburg, WI 53012

03/31/2003
 Job No: 03.02303
 Sample No: 517544
 Account No: 45150
 Page 28 of 63

JOB DESCRIPTION: 0702007 Decorah Annex
 PROJECT DESCRIPTION: Groundwater Analysis
 SAMPLE DESCRIPTION: MW-14
 West Bend, WI
 Rec'd at 4 degrees C

Date/Time Taken: 03/19/2003 13:15

Date Received: 03/20/2003

Parameter	Results	Units	MDL	LOQ	Method	Date Analyzed	Analyst	Prep/Run Batch
VOC - AQUEOUS - EPA 8260B								
Benzene	<0.25	ug/L	0.25	0.83	SW 8260B	03/28/2003	mae	4751
Bromobenzene	<0.25	ug/L	0.25	0.83	SW 8260B	03/28/2003	mae	4751
Bromochloromethane	<0.50	ug/L	0.50	1.7	SW 8260B	03/28/2003	mae	4751
Bromodichloromethane	<0.25	ug/L	0.25	0.83	SW 8260B	03/28/2003	mae	4751
Bromoform	<0.25	ug/L	0.25	0.83	SW 8260B	03/28/2003	mae	4751
Bromomethane	<0.25	ug/L	0.25	0.83	SW 8260B	03/28/2003	mae	4751
n-Butylbenzene	<0.25	ug/L	0.25	0.83	SW 8260B	03/28/2003	mae	4751
sec-Butylbenzene	<0.25	ug/L	0.25	0.83	SW 8260B	03/28/2003	mae	4751
tert-Butylbenzene	<0.25	ug/L	0.25	0.83	SW 8260B	03/28/2003	mae	4751
Carbon Tetrachloride	<0.50	ug/L	0.50	1.7	SW 8260B	03/28/2003	mae	4751
Chlorobenzene	<0.25	ug/L	0.25	0.83	SW 8260B	03/28/2003	mae	4751
Chlorodibromomethane	<0.25	ug/L	0.25	0.83	SW 8260B	03/28/2003	mae	4751
Chloroethane	<1.0	ug/L	1.0	3.3	SW 8260B	03/28/2003	mae	4751
Chloroform	<0.25	ug/L	0.25	0.83	SW 8260B	03/28/2003	mae	4751
Chloromethane	<0.25	ug/L	0.25	0.83	SW 8260B	03/28/2003	mae	4751
2-Chlorotoluene	<0.50	ug/L	0.50	1.7	SW 8260B	03/28/2003	mae	4751
4-Chlorotoluene	<0.25	ug/L	0.25	0.83	SW 8260B	03/28/2003	mae	4751
1,2-Dibromo-3-Chloropropane	<0.50	ug/L	0.50	1.7	SW 8260B	03/28/2003	mae	4751
1,2-Dibromoethane (EDB)	<0.25	ug/L	0.25	0.83	SW 8260B	03/28/2003	mae	4751
Dibromomethane	<0.25	ug/L	0.25	0.83	SW 8260B	03/28/2003	mae	4751
1,2-Dichlorobenzene	<0.25	ug/L	0.25	0.83	SW 8260B	03/28/2003	mae	4751
1,3-Dichlorobenzene	<0.25	ug/L	0.25	0.83	SW 8260B	03/28/2003	mae	4751
1,4-Dichlorobenzene	<0.25	ug/L	0.25	0.83	SW 8260B	03/28/2003	mae	4751
Dichlorodifluoromethane	<0.50	ug/L	0.50	1.7	SW 8260B	03/28/2003	mae	4751
1,1-Dichloroethane	<0.50	ug/L	0.50	1.7	SW 8260B	03/28/2003	mae	4751
1,2-Dichloroethane	<0.50	ug/L	0.50	1.7	SW 8260B	03/28/2003	mae	4751
1,1-Dichloroethene	<0.50	ug/L	0.50	1.7	SW 8260B	03/28/2003	mae	4751
cis-1,2-Dichloroethene	0.68	ug/L	0.50	1.7	SW 8260B	03/28/2003	mae	4751
trans-1,2-Dichloroethene	<0.50	ug/L	0.50	1.7	SW 8260B	03/28/2003	mae	4751
1,2-Dichloropropane	<0.50	ug/L	0.50	1.7	SW 8260B	03/28/2003	mae	4751
1,3-Dichloropropane	<0.25	ug/L	0.25	0.83	SW 8260B	03/28/2003	mae	4751
2,2-Dichloropropane	<0.50	ug/L	0.50	1.7	SW 8260B	03/28/2003	mae	4751
1,1-Dichloropropene	<0.50	ug/L	0.50	1.7	SW 8260B	03/28/2003	mae	4751
cis-1,3-Dichloropropene	<0.25	ug/L	0.25	0.83	SW 8260B	03/28/2003	mae	4751
trans-1,3-Dichloropropene	<0.25	ug/L	0.25	0.83	SW 8260B	03/28/2003	mae	4751
Di-isopropyl ether	<0.50	ug/L	0.50	1.7	SW 8260B	03/28/2003	mae	4751
Ethylbenzene	<0.50	ug/L	0.50	1.7	SW 8260B	03/28/2003	mae	4751
Hexachlorobutadiene	<0.50	ug/L	0.50	1.7	SW 8260B	03/28/2003	mae	4751

TestAmerica

INCORPORATED

ANALYTICAL REPORT

Mr. D'Arcy Gravelle
 KEY ENGINEERING GROUP LTD
 W66 N215 Commerce Court
 Cedarburg, WI 53012

03/31/2003
 Job No: 03.02303
 Sample No: 517544
 Account No: 45150
 Page 29 of 63

JOB DESCRIPTION: 0702007 Decorah Annex
 PROJECT DESCRIPTION: Groundwater Analysis
 SAMPLE DESCRIPTION: MW-14
 West Bend, WI
 Rec'd at 4 degrees C

Date/Time Taken: 03/19/2003 13:15

Date Received: 03/20/2003

Parameter	Results	Units	MDL	LCQ	Method	Date Analyzed	Analyst	Prep/Run Batch
Isopropylbenzene	<0.25	ug/L	0.25	0.83	SW 8260B	03/28/2003	mae	4751
p-Isopropyltoluene	<0.25	ug/L	0.25	0.83	SW 8260B	03/28/2003	mae	4751
Methylene Chloride	<1.0	ug/L	1.0	3.3	SW 8260B	03/28/2003	mae	4751
Methyl-t-butyl ether	<0.50	ug/L	0.50	1.7	SW 8260B	03/28/2003	mae	4751
Naphthalene	<0.25	ug/L	0.25	0.83	SW 8260B	03/28/2003	mae	4751
n-Propylbenzene	<0.50	ug/L	0.50	1.7	SW 8260B	03/28/2003	mae	4751
Styrene	<0.25	ug/L	0.25	0.83	SW 8260B	03/28/2003	mae	4751
1,1,1,2-Tetrachloroethane	<0.25	ug/L	0.25	0.83	SW 8260B	03/28/2003	mae	4751
1,1,2,2-Tetrachloroethane	<0.25	ug/L	0.25	0.83	SW 8260B	03/28/2003	mae	4751
Tetrachloroethene	14	ug/L	0.50	1.7	SW 8260B	03/28/2003	mae	4757
Toluene	<0.25	ug/L	0.25	0.83	SW 8260B	03/28/2003	mae	4751
1,2,3-Trichlorobenzene	<0.25	ug/L	0.25	0.83	SW 8260B	03/28/2003	mae	4751
1,2,4-Trichlorobenzene	<0.25	ug/L	0.25	0.83	SW 8260B	03/28/2003	mae	4751
1,1,1-Trichloroethane	<0.50	ug/L	0.50	1.7	SW 8260B	03/28/2003	mae	4751
1,1,2-Trichloroethane	<0.25	ug/L	0.25	0.83	SW 8260B	03/28/2003	mae	4751
Trichloroethene	0.45	ug/L	0.25	0.83	SW 8260B	03/28/2003	mae	4751
Trichlorofluoromethane	<0.50	ug/L	0.50	1.7	SW 8260B	03/28/2003	mae	4751
1,2,3-Trichloropropane	<0.50	ug/L	0.50	1.7	SW 8260B	03/28/2003	mae	4751
1,2,4-Trimethylbenzene	<0.25	ug/L	0.25	0.83	SW 8260B	03/28/2003	mae	4751
1,3,5-Trimethylbenzene	<0.25	ug/L	0.25	0.83	SW 8260B	03/28/2003	mae	4751
Vinyl Chloride	<0.50	ug/L	0.50	1.7	SW 8260B	03/28/2003	mae	4751
Xylenes, Total	<0.50	ug/L	0.50	1.7	SW 8260B	03/28/2003	mae	4751
Surr: Dibromofluoromethane	101	t		88-112	SW 8260B	03/28/2003	mae	4751
Surr: Toluene-d8	97	t		89-112	SW 8260B	03/28/2003	mae	4751
Surr: Bromofluorobenzene	98	t		90-114	SW 8260B	03/28/2003	mae	4751

TestAmerica

INCORPORATED

ANALYTICAL REPORT

Mr. D'Arcy Gravelle
 KEY ENGINEERING GROUP LTD
 W66 N215 Commerce Court
 Cedarburg, WI 53012

03/31/2003
 Job No: 03.02303
 Sample No: 517545
 Account No: 45150
 Page 30 of 63

JOB DESCRIPTION: 0702007 Decorah Annex
 PROJECT DESCRIPTION: Groundwater Analysis
 SAMPLE DESCRIPTION: MW-15
 West Bend, WI
 Rec'd at 4 degrees C

Date/Time Taken: 03/19/2003 14:20

Date Received: 03/20/2003

Parameter	Results	Units	MDL	LOQ	Method	Date Analyzed	Analyst	Prep/Run Batch
VOC - AQUEOUS - EPA 8260B								
Benzene	<0.25	ug/L	0.25	0.83	SW 8260B	03/28/2003	mae	4751
Bromobenzene	<0.25	ug/L	0.25	0.83	SW 8260B	03/28/2003	mae	4751
Bromochloromethane	<0.50	ug/L	0.50	1.7	SW 8260B	03/28/2003	mae	4751
Bromodichloromethane	<0.25	ug/L	0.25	0.83	SW 8260B	03/28/2003	mae	4751
Bromoform	<0.25	ug/L	0.25	0.83	SW 8260B	03/28/2003	mae	4751
Bromomethane	<0.25	ug/L	0.25	0.83	SW 8260B	03/28/2003	mae	4751
n-Butylbenzene	<0.25	ug/L	0.25	0.83	SW 8260B	03/28/2003	mae	4751
sec-Butylbenzene	<0.25	ug/L	0.25	0.83	SW 8260B	03/28/2003	mae	4751
tert-Butylbenzene	<0.25	ug/L	0.25	0.83	SW 8260B	03/28/2003	mae	4751
Carbon Tetrachloride	<0.50	ug/L	0.50	1.7	SW 8260B	03/28/2003	mae	4751
Chlorobenzene	<0.25	ug/L	0.25	0.83	SW 8260B	03/28/2003	mae	4751
Chlorodibromomethane	<0.25	ug/L	0.25	0.83	SW 8260B	03/28/2003	mae	4751
Chloroethane	<1.0	ug/L	1.0	3.3	SW 8260B	03/28/2003	mae	4751
Chloroform	<0.25	ug/L	0.25	0.83	SW 8260B	03/28/2003	mae	4751
Chloromethane	<0.25	ug/L	0.25	0.83	SW 8260B	03/28/2003	mae	4751
2-Chlorotoluene	<0.50	ug/L	0.50	1.7	SW 8260B	03/28/2003	mae	4751
4-Chlorotoluene	<0.25	ug/L	0.25	0.83	SW 8260B	03/28/2003	mae	4751
1,2-Dibromo-3-Chloropropane	<0.50	ug/L	0.50	1.7	SW 8260B	03/28/2003	mae	4751
1,2-Dibromoethane (EDB)	<0.25	ug/L	0.25	0.83	SW 8260B	03/28/2003	mae	4751
Dibromomethane	<0.25	ug/L	0.25	0.83	SW 8260B	03/28/2003	mae	4751
1,2-Dichlorobenzene	<0.25	ug/L	0.25	0.83	SW 8260B	03/28/2003	mae	4751
1,3-Dichlorobenzene	<0.25	ug/L	0.25	0.83	SW 8260B	03/28/2003	mae	4751
1,4-Dichlorobenzene	<0.25	ug/L	0.25	0.83	SW 8260B	03/28/2003	mae	4751
Dichlorodifluoromethane	<0.50	ug/L	0.50	1.7	SW 8260B	03/28/2003	mae	4751
1,1-Dichloroethane	<0.50	ug/L	0.50	1.7	SW 8260B	03/28/2003	mae	4751
1,2-Dichloroethane	<0.50	ug/L	0.50	1.7	SW 8260B	03/28/2003	mae	4751
1,1-Dichloroethene	<0.50	ug/L	0.50	1.7	SW 8260B	03/28/2003	mae	4751
cis-1,2-Dichloroethene	<0.50	ug/L	0.50	1.7	SW 8260B	03/28/2003	mae	4751
trans-1,2-Dichloroethene	<0.50	ug/L	0.50	1.7	SW 8260B	03/28/2003	mae	4751
1,2-Dichloropropane	<0.50	ug/L	0.50	1.7	SW 8260B	03/28/2003	mae	4751
1,3-Dichloropropane	<0.25	ug/L	0.25	0.83	SW 8260B	03/28/2003	mae	4751
2,2-Dichloropropane	<0.50	ug/L	0.50	1.7	SW 8260B	03/28/2003	mae	4751
1,1-Dichloropropene	<0.50	ug/L	0.50	1.7	SW 8260B	03/28/2003	mae	4751
cis-1,3-Dichloropropene	<0.25	ug/L	0.25	0.83	SW 8260B	03/28/2003	mae	4751
trans-1,3-Dichloropropene	<0.25	ug/L	0.25	0.83	SW 8260B	03/28/2003	mae	4751
Di-isopropyl ether	<0.50	ug/L	0.50	1.7	SW 8260B	03/28/2003	mae	4751
Ethylbenzene	<0.50	ug/L	0.50	1.7	SW 8260B	03/28/2003	mae	4751
Hexachlorobutadiene	<0.50	ug/L	0.50	1.7	SW 8260B	03/28/2003	mae	4751

TestAmerica

INCORPORATED

ANALYTICAL REPORT

Mr. D'Arcy Gravelle
 KEY ENGINEERING GROUP LTD
 W66 N215 Commerce Court
 Cedarburg, WI 53012

03/31/2003
 Job No: 03.02303
 Sample No: 517545
 Account No: 45150
 Page 31 of 63

JOB DESCRIPTION: 0702007 Decorah Annex
 PROJECT DESCRIPTION: Groundwater Analysis
 SAMPLE DESCRIPTION: MW-15
 West Bend, WI
 Rec'd at 4 degrees C

Date/Time Taken: 03/19/2003 14:20

Date Received: 03/20/2003

Parameter	Results	Units	MDL	LOQ	Method	Date Analyzed	Analyst	Prep/Run Batch
Isopropylbenzene	<0.25	ug/L	0.25	0.83	SW 8260B	03/28/2003	mae	4751
p-Isopropyltoluene	<0.25	ug/L	0.25	0.83	SW 8260B	03/28/2003	mae	4751
Methylene Chloride	<1.0	ug/L	1.0	3.3	SW 8260B	03/28/2003	mae	4751
Methyl-t-butyl ether	<0.50	ug/L	0.50	1.7	SW 8260B	03/28/2003	mae	4751
Naphthalene	<0.25	ug/L	0.25	0.83	SW 8260B	03/28/2003	mae	4751
n-Propylbenzene	<0.50	ug/L	0.50	1.7	SW 8260B	03/28/2003	mae	4751
Styrene	<0.25	ug/L	0.25	0.83	SW 8260B	03/28/2003	mae	4751
1,1,1,2-Tetrachloroethane	<0.25	ug/L	0.25	0.83	SW 8260B	03/28/2003	mae	4751
1,1,2,2-Tetrachloroethane	<0.25	ug/L	0.25	0.83	SW 8260B	03/28/2003	mae	4751
Tetrachloroethene	<0.50	ug/L	0.50	1.7	SW 8260B	03/28/2003	mae	4757
Toluene	<0.25	ug/L	0.25	0.83	SW 8260B	03/28/2003	mae	4751
1,2,3-Trichlorobenzene	<0.25	ug/L	0.25	0.83	SW 8260B	03/28/2003	mae	4751
1,2,4-Trichlorobenzene	<0.25	ug/L	0.25	0.83	SW 8260B	03/28/2003	mae	4751
1,1,1-Trichloroethane	<0.50	ug/L	0.50	1.7	SW 8260B	03/28/2003	mae	4751
1,1,2-Trichloroethane	<0.25	ug/L	0.25	0.83	SW 8260B	03/28/2003	mae	4751
Trichloroethene	<0.25	ug/L	0.25	0.83	SW 8260B	03/28/2003	mae	4751
Trichlorofluoromethane	<0.50	ug/L	0.50	1.7	SW 8260B	03/28/2003	mae	4751
1,2,3-Trichloropropane	<0.50	ug/L	0.50	1.7	SW 8260B	03/28/2003	mae	4751
1,2,4-Trimethylbenzene	<0.25	ug/L	0.25	0.83	SW 8260B	03/28/2003	mae	4751
1,3,5-Trimethylbenzene	<0.25	ug/L	0.25	0.83	SW 8260B	03/28/2003	mae	4751
Vinyl Chloride	<0.50	ug/L	0.50	1.7	SW 8260B	03/28/2003	mae	4751
Xylenes, Total	<0.50	ug/L	0.50	1.7	SW 8260B	03/28/2003	mae	4751
Surr: Dibromofluoromethane	100	%		88-112	SW 8260B	03/28/2003	mae	4751
Surr: Toluene-d8	98	%		89-112	SW 8260B	03/28/2003	mae	4751
Surr: Bromofluorobenzene	96	%		90-114	SW 8260B	03/28/2003	mae	4751

ANALYTICAL REPORT

Mr. D'Arcy Gravelle
 KEY ENGINEERING GROUP LTD
 W66 N215 Commerce Court
 Cedarburg, WI 53012

03/31/2003
 Job No: 03.02303
 Sample No: 517546
 Account No: 45150
 Page 32 of 63

JOB DESCRIPTION: 0702007 Decorah Annex
 PROJECT DESCRIPTION: Groundwater Analysis
 SAMPLE DESCRIPTION: MW-16
 West Bend, WI
 Rec'd at 4 degrees C

Date/Time Taken: 03/19/2003 10:05

Date Received: 03/20/2003

Parameter	Results	Units	MDL	LOQ	Method	Date Analyzed	Analyst	Prep/Run Batch
VOC - AQUEOUS - EPA 8260B								
Acene	<0.25	ug/L	0.25	0.83	SW 8260B	03/28/2003	mae	4751
Bromobenzene	<0.25	ug/L	0.25	0.83	SW 8260B	03/28/2003	mae	4751
Bromochloromethane	<0.50	ug/L	0.50	1.7	SW 8260B	03/28/2003	mae	4751
Bromodichloromethane	<0.25	ug/L	0.25	0.83	SW 8260B	03/28/2003	mae	4751
Bromoform	<0.25	ug/L	0.25	0.83	SW 8260B	03/28/2003	mae	4751
Bromomethane	<0.25	ug/L	0.25	0.83	SW 8260B	03/28/2003	mae	4751
n-Butylbenzene	<0.25	ug/L	0.25	0.83	SW 8260B	03/28/2003	mae	4751
sec-Butylbenzene	<0.25	ug/L	0.25	0.83	SW 8260B	03/28/2003	mae	4751
tert-Butylbenzene	<0.25	ug/L	0.25	0.83	SW 8260B	03/28/2003	mae	4751
Carbon Tetrachloride	<0.50	ug/L	0.50	1.7	SW 8260B	03/28/2003	mae	4751
Chlorobenzene	<0.25	ug/L	0.25	0.83	SW 8260B	03/28/2003	mae	4751
Chlorodibromomethane	<0.25	ug/L	0.25	0.83	SW 8260B	03/28/2003	mae	4751
Chloroethane	<1.0	ug/L	1.0	3.3	SW 8260B	03/28/2003	mae	4751
Chloroform	<0.25	ug/L	0.25	0.83	SW 8260B	03/28/2003	mae	4751
Chloromethane	<0.25	ug/L	0.25	0.83	SW 8260B	03/28/2003	mae	4751
2-Chlorotoluene	<0.50	ug/L	0.50	1.7	SW 8260B	03/28/2003	mae	4751
4-Chlorotoluene	<0.25	ug/L	0.25	0.83	SW 8260B	03/28/2003	mae	4751
1,2-Dibromo-3-Chloropropane	<0.50	ug/L	0.50	1.7	SW 8260B	03/28/2003	mae	4751
1,2-Dibromoethane (EDB)	<0.25	ug/L	0.25	0.83	SW 8260B	03/28/2003	mae	4751
Dibromomethane	<0.25	ug/L	0.25	0.83	SW 8260B	03/28/2003	mae	4751
1,2-Dichlorobenzene	<0.25	ug/L	0.25	0.83	SW 8260B	03/28/2003	mae	4751
1,3-Dichlorobenzene	<0.25	ug/L	0.25	0.83	SW 8260B	03/28/2003	mae	4751
1,4-Dichlorobenzene	<0.25	ug/L	0.25	0.83	SW 8260B	03/28/2003	mae	4751
Dichlorodifluoromethane	<0.50	ug/L	0.50	1.7	SW 8260B	03/28/2003	mae	4751
1,1-Dichloroethane	<0.50	ug/L	0.50	1.7	SW 8260B	03/28/2003	mae	4751
1,2-Dichloroethane	<0.50	ug/L	0.50	1.7	SW 8260B	03/28/2003	mae	4751
1,1-Dichloroethene	<0.50	ug/L	0.50	1.7	SW 8260B	03/28/2003	mae	4751
cis-1,2-Dichloroethene	0.58	ug/L	0.50	1.7	SW 8260B	03/28/2003	mae	4751
trans-1,2-Dichloroethene	<0.50	ug/L	0.50	1.7	SW 8260B	03/28/2003	mae	4751
1,2-Dichloropropane	<0.50	ug/L	0.50	1.7	SW 8260B	03/28/2003	mae	4751
1,3-Dichloropropane	<0.25	ug/L	0.25	0.83	SW 8260B	03/28/2003	mae	4751
2,2-Dichloropropane	<0.50	ug/L	0.50	1.7	SW 8260B	03/28/2003	mae	4751
1,1-Dichloropropene	<0.50	ug/L	0.50	1.7	SW 8260B	03/28/2003	mae	4751
cis-1,3-Dichloropropene	<0.25	ug/L	0.25	0.83	SW 8260B	03/28/2003	mae	4751
trans-1,3-Dichloropropene	<0.25	ug/L	0.25	0.83	SW 8260B	03/28/2003	mae	4751
Di-isopropyl ether	<0.50	ug/L	0.50	1.7	SW 8260B	03/28/2003	mae	4751
Ethylbenzene	<0.50	ug/L	0.50	1.7	SW 8260B	03/28/2003	mae	4751
Hexachlorobutadiene	<0.50	ug/L	0.50	1.7	SW 8260B	03/28/2003	mae	4751

ANALYTICAL REPORT

Mr. D'Arcy Gravelle
 KEY ENGINEERING GROUP LTD
 W66 N215 Commerce Court
 Cedarburg, WI 53012

03/31/2003
 Job No: 03.02303
 Sample No: 517546
 Account No: 45150
 Page 33 of 63

JOB DESCRIPTION: 0702007 Decorah Annex
 PROJECT DESCRIPTION: Groundwater Analysis
 SAMPLE DESCRIPTION: MW-16
 West Bend, WI
 Rec'd at 4 degrees C

Date/Time Taken: 03/19/2003 10:05

Date Received: 03/20/2003

Parameter	Results	Units	MDL	LOQ	Method	Date Analyzed	Analyst	Prep/Run Batch
Isopropylbenzene	<0.25	ug/L	0.25	0.83	SW 8260B	03/28/2003	mae	4751
p-Isopropyltoluene	<0.25	ug/L	0.25	0.83	SW 8260B	03/28/2003	mae	4751
Methylene Chloride	<1.0	ug/L	1.0	3.3	SW 8260B	03/28/2003	mae	4751
Methyl-t-butyl ether	<0.50	ug/L	0.50	1.7	SW 8260B	03/28/2003	mae	4751
Naphthalene	<0.25	ug/L	0.25	0.83	SW 8260B	03/28/2003	mae	4751
n-Propylbenzene	<0.50	ug/L	0.50	1.7	SW 8260B	03/28/2003	mae	4751
Styrene	<0.25	ug/L	0.25	0.83	SW 8260B	03/28/2003	mae	4751
1,1,1,2-Tetrachloroethane	<0.25	ug/L	0.25	0.83	SW 8260B	03/28/2003	mae	4751
1,1,2,2-Tetrachloroethane	<0.25	ug/L	0.25	0.83	SW 8260B	03/28/2003	mae	4751
Tetrachloroethene	27	ug/L	0.50	1.7	SW 8260B	03/28/2003	mae	4751
Toluene	<0.25	ug/L	0.25	0.83	SW 8260B	03/28/2003	mae	4751
1,2,3-Trichlorobenzene	<0.25	ug/L	0.25	0.83	SW 8260B	03/28/2003	mae	4751
1,2,4-Trichlorobenzene	<0.25	ug/L	0.25	0.83	SW 8260B	03/28/2003	mae	4751
1,1,1-Trichloroethane	<0.50	ug/L	0.50	1.7	SW 8260B	03/28/2003	mae	4751
1,1,2-Trichloroethane	<0.25	ug/L	0.25	0.83	SW 8260B	03/28/2003	mae	4751
Trichloroethene	6.7	ug/L	0.25	0.83	SW 8260B	03/28/2003	mae	4751
Trichlorofluoromethane	<0.50	ug/L	0.50	1.7	SW 8260B	03/28/2003	mae	4751
1,2,3-Trichloropropane	<0.50	ug/L	0.50	1.7	SW 8260B	03/28/2003	mae	4751
1,2,4-Trimethylbenzene	<0.25	ug/L	0.25	0.83	SW 8260B	03/28/2003	mae	4751
1,3,5-Trimethylbenzene	<0.25	ug/L	0.25	0.83	SW 8260B	03/28/2003	mae	4751
Vinyl Chloride	<0.50	ug/L	0.50	1.7	SW 8260B	03/28/2003	mae	4751
Xylenes, Total	<0.50	ug/L	0.50	1.7	SW 8260B	03/28/2003	mae	4751
Surr: Dibromofluoromethane	100	%		88-112	SW 8260B	03/28/2003	mae	4751
Surr: Toluene-d8	98	%		89-112	SW 8260B	03/28/2003	mae	4751
Surr: Bromofluorobenzene	95	%		90-114	SW 8260B	03/28/2003	mae	4751

ANALYTICAL REPORT

Mr. D'Arcy Gravelle
 KEY ENGINEERING GROUP LTD
 W66 N215 Commerce Court
 Cedarburg, WI 53012

03/31/2003
 Job No: 03.02303
 Sample No: 517547
 Account No: 45150
 Page 34 of 63

JOB DESCRIPTION: 0702007 Decorah Annex
 PROJECT DESCRIPTION: Groundwater Analysis
 SAMPLE DESCRIPTION: MW-17
 West Bend, WI
 Rec'd at 4 degrees C

Date/Time Taken: 03/19/2003 10:00

Date Received: 03/20/2003

Parameter	Results	Units	MDL	LOQ	Method	Date Analyzed	Analyst	Prep/Run Batch
VOC - AQUEOUS - EPA 8260B								
Benzene	<0.25	ug/L	0.25	0.83	SW 8260B	03/28/2003	mae	4751
Bromobenzene	<0.25	ug/L	0.25	0.83	SW 8260B	03/28/2003	mae	4751
Bromochloromethane	<0.50	ug/L	0.50	1.7	SW 8260B	03/28/2003	mae	4751
Bromodichloromethane	<0.25	ug/L	0.25	0.83	SW 8260B	03/28/2003	mae	4751
Bromoform	<0.25	ug/L	0.25	0.83	SW 8260B	03/28/2003	mae	4751
Bromomethane	<0.25	ug/L	0.25	0.83	SW 8260B	03/28/2003	mae	4751
n-Butylbenzene	<0.25	ug/L	0.25	0.83	SW 8260B	03/28/2003	mae	4751
sec-Butylbenzene	<0.25	ug/L	0.25	0.83	SW 8260B	03/28/2003	mae	4751
tert-Butylbenzene	<0.25	ug/L	0.25	0.83	SW 8260B	03/28/2003	mae	4751
Carbon Tetrachloride	<0.50	ug/L	0.50	1.7	SW 8260B	03/28/2003	mae	4751
Chlorobenzene	<0.25	ug/L	0.25	0.83	SW 8260B	03/28/2003	mae	4751
Chlorodibromomethane	<0.25	ug/L	0.25	0.83	SW 8260B	03/28/2003	mae	4751
Chloroethane	<1.0	ug/L	1.0	3.3	SW 8260B	03/28/2003	mae	4751
Chloroform	7.9	ug/L	0.25	0.83	SW 8260B	03/28/2003	mae	4751
Chloromethane	<0.25	ug/L	0.25	0.83	SW 8260B	03/28/2003	mae	4751
2-Chlorotoluene	<0.50	ug/L	0.50	1.7	SW 8260B	03/28/2003	mae	4751
4-Chlorotoluene	<0.25	ug/L	0.25	0.83	SW 8260B	03/28/2003	mae	4751
1,2-Dibromo-3-Chloropropane	<0.50	ug/L	0.50	1.7	SW 8260B	03/28/2003	mae	4751
1,2-Dibromoethane (EDB)	<0.25	ug/L	0.25	0.83	SW 8260B	03/28/2003	mae	4751
Dibromomethane	<0.25	ug/L	0.25	0.83	SW 8260B	03/28/2003	mae	4751
1,2-Dichlorobenzene	<0.25	ug/L	0.25	0.83	SW 8260B	03/28/2003	mae	4751
1,3-Dichlorobenzene	<0.25	ug/L	0.25	0.83	SW 8260B	03/28/2003	mae	4751
1,4-Dichlorobenzene	<0.25	ug/L	0.25	0.83	SW 8260B	03/28/2003	mae	4751
Dichlorodifluoromethane	<0.50	ug/L	0.50	1.7	SW 8260B	03/28/2003	mae	4751
1,1-Dichloroethane	<0.50	ug/L	0.50	1.7	SW 8260B	03/28/2003	mae	4751
1,2-Dichloroethane	<0.50	ug/L	0.50	1.7	SW 8260B	03/28/2003	mae	4751
1,1-Dichloroethene	<0.50	ug/L	0.50	1.7	SW 8260B	03/28/2003	mae	4751
cis-1,2-Dichloroethene	<0.50	ug/L	0.50	1.7	SW 8260B	03/28/2003	mae	4751
trans-1,2-Dichloroethene	<0.50	ug/L	0.50	1.7	SW 8260B	03/28/2003	mae	4751
1,2-Dichloropropane	<0.50	ug/L	0.50	1.7	SW 8260B	03/28/2003	mae	4751
1,3-Dichloropropane	<0.25	ug/L	0.25	0.83	SW 8260B	03/28/2003	mae	4751
2,2-Dichloropropane	<0.50	ug/L	0.50	1.7	SW 8260B	03/28/2003	mae	4751
1,1-Dichloropropene	<0.50	ug/L	0.50	1.7	SW 8260B	03/28/2003	mae	4751
cis-1,3-Dichloropropene	<0.25	ug/L	0.25	0.83	SW 8260B	03/28/2003	mae	4751
trans-1,3-Dichloropropene	<0.25	ug/L	0.25	0.83	SW 8260B	03/28/2003	mae	4751
Di-isopropyl ether	<0.50	ug/L	0.50	1.7	SW 8260B	03/28/2003	mae	4751
Ethylbenzene	<0.50	ug/L	0.50	1.7	SW 8260B	03/28/2003	mae	4751
Hexachlorobutadiene	<0.50	ug/L	0.50	1.7	SW 8260B	03/28/2003	mae	4751

TestAmerica

INCORPORATED

ANALYTICAL REPORT

Mr. D'Arcy Gravelle
 KEY ENGINEERING GROUP LTD
 W66 N215 Commerce Court
 Cedarburg, WI 53012

03/31/2003
 Job No: 03.02303
 Sample No: 517547
 Account No: 45150
 Page 35 of 63

JOB DESCRIPTION: 0702007 Decorah Annex
 PROJECT DESCRIPTION: Groundwater Analysis
 SAMPLE DESCRIPTION: MW-17
 West Bend, WI
 Rec'd at 4 degrees C

Date/Time Taken: 03/19/2003 10:00

Date Received: 03/20/2003

Parameter	Results	Units	MDL	LOQ	Method	Date Analyzed	Analyst	Prep/Run Batch
Isopropylbenzene	<0.25	ug/L	0.25	0.83	SW 8260B	03/28/2003	mae	4751
p-Isopropyltoluene	<0.25	ug/L	0.25	0.83	SW 8260B	03/28/2003	mae	4751
Methylene Chloride	<1.0	ug/L	1.0	3.3	SW 8260B	03/28/2003	mae	4751
Methyl-t-butyl ether	<0.50	ug/L	0.50	1.7	SW 8260B	03/28/2003	mae	4751
Naphthalene	<0.25	ug/L	0.25	0.83	SW 8260B	03/28/2003	mae	4751
n-Propylbenzene	<0.50	ug/L	0.50	1.7	SW 8260B	03/28/2003	mae	4751
Styrene	<0.25	ug/L	0.25	0.83	SW 8260B	03/28/2003	mae	4751
1,1,1,2-Tetrachloroethane	<0.25	ug/L	0.25	0.83	SW 8260B	03/28/2003	mae	4751
1,1,2,2-Tetrachloroethane	<0.25	ug/L	0.25	0.83	SW 8260B	03/28/2003	mae	4751
Tetrachloroethene	0.66	ug/L	0.50	1.7	SW 8260B	03/28/2003	mae	4751
Toluene	<0.25	ug/L	0.25	0.83	SW 8260B	03/28/2003	mae	4751
1,2,3-Trichlorobenzene	<0.25	ug/L	0.25	0.83	SW 8260B	03/28/2003	mae	4751
1,2,4-Trichlorobenzene	<0.25	ug/L	0.25	0.83	SW 8260B	03/28/2003	mae	4751
1,1,1-Trichloroethane	<0.50	ug/L	0.50	1.7	SW 8260B	03/28/2003	mae	4751
1,1,2-Trichloroethane	<0.25	ug/L	0.25	0.83	SW 8260B	03/28/2003	mae	4751
Trichloroethene	<0.25	ug/L	0.25	0.83	SW 8260B	03/28/2003	mae	4751
Trichlorofluoromethane	<0.50	ug/L	0.50	1.7	SW 8260B	03/28/2003	mae	4751
1,2,3-Trichloropropane	<0.50	ug/L	0.50	1.7	SW 8260B	03/28/2003	mae	4751
1,2,4-Trimethylbenzene	<0.25	ug/L	0.25	0.83	SW 8260B	03/28/2003	mae	4751
1,3,5-Trimethylbenzene	<0.25	ug/L	0.25	0.83	SW 8260B	03/28/2003	mae	4751
Vinyl Chloride	<0.50	ug/L	0.50	1.7	SW 8260B	03/28/2003	mae	4751
Xylenes, Total	<0.50	ug/L	0.50	1.7	SW 8260B	03/28/2003	mae	4751
Surr: Dibromofluoromethane	100	%		88-112	SW 8260B	03/28/2003	mae	4751
Surr: Toluene-d8	97	%		89-112	SW 8260B	03/28/2003	mae	4751
Surr: Bromofluorobenzene	98	%		90-114	SW 8260B	03/28/2003	mae	4751

ANALYTICAL REPORT

Mr. D'Arcy Gravelle
 KEY ENGINEERING GROUP LTD
 W66 N215 Commerce Court
 Cedarburg, WI 53012

03/31/2003
 Job No: 03.02303
 Sample No: 517548
 Account No: 45150
 Page 36 of 63

JOB DESCRIPTION: 0702007 Decorah Annex
 PROJECT DESCRIPTION: Groundwater Analysis
 SAMPLE DESCRIPTION: MW-18
 West Bend, WI
 Rec'd at 4 degrees C

Date/Time Taken: 03/19/2003 10:40

Date Received: 03/20/2003

Parameter	Results	Units	MDL	LOQ	Method	Date Analyzed	Prep/Run Analyst	Batch
VOC - AQUEOUS - EPA 8260B								
Benzene	<0.25	ug/L	0.25	0.83	SW 8260B	03/28/2003	mae	4751
Bromobenzene	<0.25	ug/L	0.25	0.83	SW 8260B	03/28/2003	mae	4751
Bromochloromethane	<0.50	ug/L	0.50	1.7	SW 8260B	03/28/2003	mae	4751
Bromodichloromethane	<0.25	ug/L	0.25	0.83	SW 8260B	03/28/2003	mae	4751
Bromoform	<0.25	ug/L	0.25	0.83	SW 8260B	03/28/2003	mae	4751
Bromomethane	<0.25	ug/L	0.25	0.83	SW 8260B	03/28/2003	mae	4751
n-Butylbenzene	<0.25	ug/L	0.25	0.83	SW 8260B	03/28/2003	mae	4751
sec-Butylbenzene	<0.25	ug/L	0.25	0.83	SW 8260B	03/28/2003	mae	4751
tert-Butylbenzene	<0.25	ug/L	0.25	0.83	SW 8260B	03/28/2003	mae	4751
Carbon Tetrachloride	<0.50	ug/L	0.50	1.7	SW 8260B	03/28/2003	mae	4751
Chlorobenzene	<0.25	ug/L	0.25	0.83	SW 8260B	03/28/2003	mae	4751
Chlorodibromomethane	<0.25	ug/L	0.25	0.83	SW 8260B	03/28/2003	mae	4751
Chloroethane	<1.0	ug/L	1.0	3.3	SW 8260B	03/28/2003	mae	4751
Chloroform	5.8	ug/L	0.25	0.83	SW 8260B	03/28/2003	mae	4751
Chloromethane	<0.25	ug/L	0.25	0.83	SW 8260B	03/28/2003	mae	4751
2-Chlorotoluene	<0.50	ug/L	0.50	1.7	SW 8260B	03/28/2003	mae	4751
4-Chlorotoluene	<0.25	ug/L	0.25	0.83	SW 8260B	03/28/2003	mae	4751
1,2-Dibromo-3-Chloropropane	<0.50	ug/L	0.50	1.7	SW 8260B	03/28/2003	mae	4751
1,2-Dibromoethane (EDB)	<0.25	ug/L	0.25	0.83	SW 8260B	03/28/2003	mae	4751
Dibromomethane	<0.25	ug/L	0.25	0.83	SW 8260B	03/28/2003	mae	4751
1,2-Dichlorobenzene	<0.25	ug/L	0.25	0.83	SW 8260B	03/28/2003	mae	4751
1,3-Dichlorobenzene	<0.25	ug/L	0.25	0.83	SW 8260B	03/28/2003	mae	4751
1,4-Dichlorobenzene	<0.25	ug/L	0.25	0.83	SW 8260B	03/28/2003	mae	4751
Dichlorodifluoromethane	<0.50	ug/L	0.50	1.7	SW 8260B	03/28/2003	mae	4751
1,1-Dichloroethane	<0.50	ug/L	0.50	1.7	SW 8260B	03/28/2003	mae	4751
1,2-Dichloroethane	<0.50	ug/L	0.50	1.7	SW 8260B	03/28/2003	mae	4751
1,1-Dichloroethene	<0.50	ug/L	0.50	1.7	SW 8260B	03/28/2003	mae	4751
cis-1,2-Dichloroethene	<0.50	ug/L	0.50	1.7	SW 8260B	03/28/2003	mae	4751
trans-1,2-Dichloroethene	<0.50	ug/L	0.50	1.7	SW 8260B	03/28/2003	mae	4751
1,2-Dichloropropane	<0.50	ug/L	0.50	1.7	SW 8260B	03/28/2003	mae	4751
1,3-Dichloropropane	<0.25	ug/L	0.25	0.83	SW 8260B	03/28/2003	mae	4751
2,2-Dichloropropane	<0.50	ug/L	0.50	1.7	SW 8260B	03/28/2003	mae	4751
1,1-Dichloropropene	<0.50	ug/L	0.50	1.7	SW 8260B	03/28/2003	mae	4751
cis-1,3-Dichloropropene	<0.25	ug/L	0.25	0.83	SW 8260B	03/28/2003	mae	4751
trans-1,3-Dichloropropene	<0.25	ug/L	0.25	0.83	SW 8260B	03/28/2003	mae	4751
Di-isopropyl ether	<0.50	ug/L	0.50	1.7	SW 8260B	03/28/2003	mae	4751
Ethylbenzene	<0.50	ug/L	0.50	1.7	SW 8260B	03/28/2003	mae	4751
Hexachlorobutadiene	<0.50	ug/L	0.50	1.7	SW 8260B	03/28/2003	mae	4751

ANALYTICAL REPORT

Mr. D'Arcy Gravelle
 KEY ENGINEERING GROUP LTD
 W66 N215 Commerce Court
 Cedarburg, WI 53012

03/31/2003
 Job No: 03.02303
 Sample No: 517548
 Account No: 45150
 Page 37 of 63

JOB DESCRIPTION: 0702007 Decorah Annex
 PROJECT DESCRIPTION: Groundwater Analysis
 SAMPLE DESCRIPTION: MW-18
 West Bend, WI
 Rec'd at 4 degrees C

Date/Time Taken: 03/19/2003 10:40

Date Received: 03/20/2003

Parameter	Results	Units	MDL	LOQ	Method	Date Analyzed	Analyst	Prep/Run Batch
Isopropylbenzene	<0.25	ug/L	0.25	0.83	SW 8260B	03/28/2003	mae	4751
p-Isopropyltoluene	<0.25	ug/L	0.25	0.83	SW 8260B	03/28/2003	mae	4751
Methylene Chloride	<1.0	ug/L	1.0	3.3	SW 8260B	03/28/2003	mae	4751
Methyl-t-butyl ether	<0.50	ug/L	0.50	1.7	SW 8260B	03/28/2003	mae	4751
Naphthalene	<0.25	ug/L	0.25	0.83	SW 8260B	03/28/2003	mae	4751
n-Propylbenzene	<0.50	ug/L	0.50	1.7	SW 8260B	03/28/2003	mae	4751
Styrene	<0.25	ug/L	0.25	0.83	SW 8260B	03/28/2003	mae	4751
1,1,1,2-Tetrachloroethane	<0.25	ug/L	0.25	0.83	SW 8260B	03/28/2003	mae	4751
1,1,2,2-Tetrachloroethane	<0.25	ug/L	0.25	0.83	SW 8260B	03/28/2003	mae	4751
Tetrachloroethene	<0.50	ug/L	0.50	1.7	SW 8260B	03/28/2003	mae	4751
Toluene	<0.25	ug/L	0.25	0.83	SW 8260B	03/28/2003	mae	4751
1,2,3-Trichlorobenzene	<0.25	ug/L	0.25	0.83	SW 8260B	03/28/2003	mae	4751
1,2,4-Trichlorobenzene	<0.25	ug/L	0.25	0.83	SW 8260B	03/28/2003	mae	4751
1,1,1-Trichloroethane	<0.50	ug/L	0.50	1.7	SW 8260B	03/28/2003	mae	4751
1,1,2-Trichloroethane	<0.25	ug/L	0.25	0.83	SW 8260B	03/28/2003	mae	4751
Trichloroethene	<0.25	ug/L	0.25	0.83	SW 8260B	03/28/2003	mae	4751
Trichlorofluoromethane	<0.50	ug/L	0.50	1.7	SW 8260B	03/28/2003	mae	4751
1,2,3-Trichloropropane	<0.50	ug/L	0.50	1.7	SW 8260B	03/28/2003	mae	4751
1,2,4-Trimethylbenzene	<0.25	ug/L	0.25	0.83	SW 8260B	03/28/2003	mae	4751
1,3,5-Trimethylbenzene	<0.25	ug/L	0.25	0.83	SW 8260B	03/28/2003	mae	4751
Vinyl Chloride	<0.50	ug/L	0.50	1.7	SW 8260B	03/28/2003	mae	4751
Xylenes, Total	<0.50	ug/L	0.50	1.7	SW 8260B	03/28/2003	mae	4751
Surr: Dibromofluoromethane	101	%		88-112	SW 8260B	03/28/2003	mae	4751
Surr: Toluene-d8	99	%		89-112	SW 8260B	03/28/2003	mae	4751
Surr: Bromofluorobenzene	99	%		90-114	SW 8260B	03/28/2003	mae	4751

ANALYTICAL REPORT

Mr. D'Arcy Gravelle
 KEY ENGINEERING GROUP LTD
 W66 N215 Commerce Court
 Cedarburg, WI 53012

03/31/2003
 Job No: 03.02303
 Sample No: 517549
 Account No: 45150
 Page 38 of 63

JOB DESCRIPTION: 0702007 Decorah Annex
 PROJECT DESCRIPTION: Groundwater Analysis
 SAMPLE DESCRIPTION: MW-19
 West Bend, WI
 Rec'd at 4 degrees C

Date/Time Taken: 03/19/2003 11:10

Date Received: 03/20/2003

Parameter	Results	Units	MDL	LOQ	Method	Date Analyzed	Analyst	Prep/Run Batch
VOC - AQUEOUS - EPA 8260B								
Benzene	<0.25	ug/L	0.25	0.83	SW 8260B	03/28/2003	mae	4751
Bromobenzene	<0.25	ug/L	0.25	0.83	SW 8260B	03/28/2003	mae	4751
Bromochloromethane	<0.50	ug/L	0.50	1.7	SW 8260B	03/28/2003	mae	4751
Bromodichloromethane	<0.25	ug/L	0.25	0.83	SW 8260B	03/28/2003	mae	4751
Bromoform	<0.25	ug/L	0.25	0.83	SW 8260B	03/28/2003	mae	4751
Bromomethane	<0.25	ug/L	0.25	0.83	SW 8260B	03/28/2003	mae	4751
n-Butylbenzene	<0.25	ug/L	0.25	0.83	SW 8260B	03/28/2003	mae	4751
sec-Butylbenzene	<0.25	ug/L	0.25	0.83	SW 8260B	03/28/2003	mae	4751
tert-Butylbenzene	<0.25	ug/L	0.25	0.83	SW 8260B	03/28/2003	mae	4751
Carbon Tetrachloride	<0.50	ug/L	0.50	1.7	SW 8260B	03/28/2003	mae	4751
Chlorobenzene	<0.25	ug/L	0.25	0.83	SW 8260B	03/28/2003	mae	4751
Chlorodibromomethane	<0.25	ug/L	0.25	0.83	SW 8260B	03/28/2003	mae	4751
Chloroethane	<1.0	ug/L	1.0	3.3	SW 8260B	03/28/2003	mae	4751
Chloroform	<0.25	ug/L	0.25	0.83	SW 8260B	03/28/2003	mae	4751
Chloromethane	<0.25	ug/L	0.25	0.83	SW 8260B	03/28/2003	mae	4751
2-Chlorotoluene	<0.50	ug/L	0.50	1.7	SW 8260B	03/28/2003	mae	4751
4-Chlorotoluene	<0.25	ug/L	0.25	0.83	SW 8260B	03/28/2003	mae	4751
1,2-Dibromo-3-Chloropropane	<0.50	ug/L	0.50	1.7	SW 8260B	03/28/2003	mae	4751
1,2-Dibromoethane (EDB)	<0.25	ug/L	0.25	0.83	SW 8260B	03/28/2003	mae	4751
Dibromomethane	<0.25	ug/L	0.25	0.83	SW 8260B	03/28/2003	mae	4751
1,2-Dichlorobenzene	<0.25	ug/L	0.25	0.83	SW 8260B	03/28/2003	mae	4751
1,3-Dichlorobenzene	<0.25	ug/L	0.25	0.83	SW 8260B	03/28/2003	mae	4751
1,4-Dichlorobenzene	<0.25	ug/L	0.25	0.83	SW 8260B	03/28/2003	mae	4751
Dichlorodifluoromethane	<0.50	ug/L	0.50	1.7	SW 8260B	03/28/2003	mae	4751
1,1-Dichloroethane	<0.50	ug/L	0.50	1.7	SW 8260B	03/28/2003	mae	4751
1,2-Dichloroethane	<0.50	ug/L	0.50	1.7	SW 8260B	03/28/2003	mae	4751
1,1-Dichloroethene	<0.50	ug/L	0.50	1.7	SW 8260B	03/28/2003	mae	4751
cis-1,2-Dichloroethene	1.4	ug/L	0.50	1.7	SW 8260B	03/28/2003	mae	4751
trans-1,2-Dichloroethene	<0.50	ug/L	0.50	1.7	SW 8260B	03/28/2003	mae	4751
1,2-Dichloropropane	<0.50	ug/L	0.50	1.7	SW 8260B	03/28/2003	mae	4751
1,3-Dichloropropane	<0.25	ug/L	0.25	0.83	SW 8260B	03/28/2003	mae	4751
2,2-Dichloropropane	<0.50	ug/L	0.50	1.7	SW 8260B	03/28/2003	mae	4751
1,1-Dichloropropene	<0.50	ug/L	0.50	1.7	SW 8260B	03/28/2003	mae	4751
cis-1,3-Dichloropropene	<0.25	ug/L	0.25	0.83	SW 8260B	03/28/2003	mae	4751
trans-1,3-Dichloropropene	<0.25	ug/L	0.25	0.83	SW 8260B	03/28/2003	mae	4751
Di-isopropyl ether	<0.50	ug/L	0.50	1.7	SW 8260B	03/28/2003	mae	4751
Ethylbenzene	<0.50	ug/L	0.50	1.7	SW 8260B	03/28/2003	mae	4751
Hexachlorobutadiene	<0.50	ug/L	0.50	1.7	SW 8260B	03/28/2003	mae	4751

ANALYTICAL REPORT

Mr. D'Arcy Gravelle
 KEY ENGINEERING GROUP LTD
 W66 N215 Commerce Court
 Cedarburg, WI 53012

03/31/2003
 Job No: 03.02303
 Sample No: 517549
 Account No: 45150
 Page 39 of 63

JOB DESCRIPTION: 0702007 Decorah Annex
 PROJECT DESCRIPTION: Groundwater Analysis
 SAMPLE DESCRIPTION: MW-19
 West Bend, WI
 Rec'd at 4 degrees C

Date/Time Taken: 03/19/2003 11:10

Date Received: 03/20/2003

Parameter	Results	Units	MDL	LOQ	Method	Date Analyzed	Analyst	Prep/Run Batch
Isopropylbenzene	<0.25	ug/L	0.25	0.83	SW 8260B	03/28/2003	mae	4751
p-Isopropyltoluene	<0.25	ug/L	0.25	0.83	SW 8260B	03/28/2003	mae	4751
Methylene Chloride	<1.0	ug/L	1.0	3.3	SW 8260B	03/28/2003	mae	4751
Methyl-t-butyl ether	<0.50	ug/L	0.50	1.7	SW 8260B	03/28/2003	mae	4751
Naphthalene	<0.25	ug/L	0.25	0.83	SW 8260B	03/28/2003	mae	4751
n-Propylbenzene	<0.50	ug/L	0.50	1.7	SW 8260B	03/28/2003	mae	4751
Styrene	<0.25	ug/L	0.25	0.83	SW 8260B	03/28/2003	mae	4751
1,1,1,2-Tetrachloroethane	<0.25	ug/L	0.25	0.83	SW 8260B	03/28/2003	mae	4751
1,1,2,2-Tetrachloroethane	<0.25	ug/L	0.25	0.83	SW 8260B	03/28/2003	mae	4751
Tetrachloroethene	59	ug/L	0.50	1.7	SW 8260B	03/28/2003	mae	4751
Toluene	<0.25	ug/L	0.25	0.83	SW 8260B	03/28/2003	mae	4751
1,2,3-Trichlorobenzene	<0.25	ug/L	0.25	0.83	SW 8260B	03/28/2003	mae	4751
1,2,4-Trichlorobenzene	<0.25	ug/L	0.25	0.83	SW 8260B	03/28/2003	mae	4751
1,1,1-Trichloroethane	<0.50	ug/L	0.50	1.7	SW 8260B	03/28/2003	mae	4751
1,1,2-Trichloroethane	<0.25	ug/L	0.25	0.83	SW 8260B	03/28/2003	mae	4751
Trichloroethene	2.0	ug/L	0.25	0.83	SW 8260B	03/28/2003	mae	4751
Trichlorofluoromethane	<0.50	ug/L	0.50	1.7	SW 8260B	03/28/2003	mae	4751
1,2,3-Trichloropropane	<0.50	ug/L	0.50	1.7	SW 8260B	03/28/2003	mae	4751
1,2,4-Trimethylbenzene	<0.25	ug/L	0.25	0.83	SW 8260B	03/28/2003	mae	4751
1,3,5-Trimethylbenzene	<0.25	ug/L	0.25	0.83	SW 8260B	03/28/2003	mae	4751
Vinyl Chloride	<0.50	ug/L	0.50	1.7	SW 8260B	03/28/2003	mae	4751
Xylenes, Total	<0.50	ug/L	0.50	1.7	SW 8260B	03/28/2003	mae	4751
Surr: Dibromofluoromethane	100	t		88-112	SW 8260B	03/28/2003	mae	4751
Surr: Toluene-d8	98	t		89-112	SW 8260B	03/29/2003	mae	4751
Surr: Bromofluorobenzene	98	t		90-114	SW 8260B	03/29/2003	mae	4751

ANALYTICAL REPORT

Mr. D'Arcy Gravelle
 KEY ENGINEERING GROUP LTD
 W66 N215 Commerce Court
 Cedarburg, WI 53012

03/31/2003
 Job No: 03.02303
 Sample No: 517550
 Account No: 45150
 Page 40 of 63

JOB DESCRIPTION: 0702007 Decorah Annex
 PROJECT DESCRIPTION: Groundwater Analysis
 SAMPLE DESCRIPTION: MW-20
 West Bend, WI
 Rec'd at 4 degrees C

Date/Time Taken: 03/19/2003 14:30

Date Received: 03/20/2003

Parameter	Results	Units	MDL	LOQ	Method	Date Analyzed	Analyst	Prep/Run Batch
VOC - AQUEOUS - EPA 8260B								
Benzene	<0.25	ug/L	0.25	0.83	SW 8260B	03/28/2003	mae	4751
Bromobenzene	<0.25	ug/L	0.25	0.83	SW 8260B	03/28/2003	mae	4751
Bromochloromethane	<0.50	ug/L	0.50	1.7	SW 8260B	03/28/2003	mae	4751
Bromodichloromethane	<0.25	ug/L	0.25	0.83	SW 8260B	03/28/2003	mae	4751
Bromoform	<0.25	ug/L	0.25	0.83	SW 8260B	03/28/2003	mae	4751
Bromomethane	<0.25	ug/L	0.25	0.83	SW 8260B	03/28/2003	mae	4751
n-Butylbenzene	<0.25	ug/L	0.25	0.83	SW 8260B	03/28/2003	mae	4751
sec-Butylbenzene	<0.25	ug/L	0.25	0.83	SW 8260B	03/28/2003	mae	4751
tert-Butylbenzene	<0.25	ug/L	0.25	0.83	SW 8260B	03/28/2003	mae	4751
Carbon Tetrachloride	<0.50	ug/L	0.50	1.7	SW 8260B	03/28/2003	mae	4751
Chlorobenzene	<0.25	ug/L	0.25	0.83	SW 8260B	03/28/2003	mae	4751
Chlorodibromomethane	<0.25	ug/L	0.25	0.83	SW 8260B	03/28/2003	mae	4751
Chloroethane	<1.0	ug/L	1.0	3.3	SW 8260B	03/28/2003	mae	4751
Chloroform	2.1	ug/L	0.25	0.83	SW 8260B	03/28/2003	mae	4751
Chloromethane	<0.25	ug/L	0.25	0.83	SW 8260B	03/28/2003	mae	4751
2-Chlorotoluene	<0.50	ug/L	0.50	1.7	SW 8260B	03/28/2003	mae	4751
4-Chlorotoluene	<0.25	ug/L	0.25	0.83	SW 8260B	03/28/2003	mae	4751
1,2-Dibromo-3-Chloropropane	<0.50	ug/L	0.50	1.7	SW 8260B	03/28/2003	mae	4751
1,2-Dibromoethane (EDB)	<0.25	ug/L	0.25	0.83	SW 8260B	03/28/2003	mae	4751
Dibromomethane	<0.25	ug/L	0.25	0.83	SW 8260B	03/28/2003	mae	4751
1,2-Dichlorobenzene	<0.25	ug/L	0.25	0.83	SW 8260B	03/28/2003	mae	4751
1,3-Dichlorobenzene	<0.25	ug/L	0.25	0.83	SW 8260B	03/28/2003	mae	4751
1,4-Dichlorobenzene	<0.25	ug/L	0.25	0.83	SW 8260B	03/28/2003	mae	4751
Dichlorodifluoromethane	<0.50	ug/L	0.50	1.7	SW 8260B	03/28/2003	mae	4751
1,1-Dichloroethane	<0.50	ug/L	0.50	1.7	SW 8260B	03/28/2003	mae	4751
1,2-Dichloroethane	<0.50	ug/L	0.50	1.7	SW 8260B	03/28/2003	mae	4751
1,1-Dichloroethene	<0.50	ug/L	0.50	1.7	SW 8260B	03/28/2003	mae	4751
cis-1,2-Dichloroethene	<0.50	ug/L	0.50	1.7	SW 8260B	03/28/2003	mae	4751
trans-1,2-Dichloroethene	<0.50	ug/L	0.50	1.7	SW 8260B	03/28/2003	mae	4751
1,2-Dichloropropane	<0.50	ug/L	0.50	1.7	SW 8260B	03/28/2003	mae	4751
1,3-Dichloropropane	<0.25	ug/L	0.25	0.83	SW 8260B	03/28/2003	mae	4751
2,2-Dichloropropane	<0.50	ug/L	0.50	1.7	SW 8260B	03/28/2003	mae	4751
1,1-Dichloropropene	<0.50	ug/L	0.50	1.7	SW 8260B	03/28/2003	mae	4751
cis-1,3-Dichloropropene	<0.25	ug/L	0.25	0.83	SW 8260B	03/28/2003	mae	4751
trans-1,3-Dichloropropene	<0.25	ug/L	0.25	0.83	SW 8260B	03/28/2003	mae	4751
Di-isopropyl ether	<0.50	ug/L	0.50	1.7	SW 8260B	03/28/2003	mae	4751
Ethylbenzene	<0.50	ug/L	0.50	1.7	SW 8260B	03/28/2003	mae	4751
Hexachlorobutadiene	<0.50	ug/L	0.50	1.7	SW 8260B	03/28/2003	mae	4751

ANALYTICAL REPORT

Mr. D'Arcy Gravelle
 KEY ENGINEERING GROUP LTD
 W66 N215 Commerce Court
 Cedarburg, WI 53012

03/31/2003
 Job No: 03.02303
 Sample No: 517550
 Account No: 45150
 Page 41 of 63

JOB DESCRIPTION: 0702007 Decorah Annex

PROJECT DESCRIPTION: Groundwater Analysis

SAMPLE DESCRIPTION: MW-20

West Bend, WI

Rec'd at 4 degrees C

Date/Time Taken: 03/19/2003 14:30

Date Received: 03/20/2003

Parameter	Results	Units	MDL	LOQ	Method	Date Analyzed	Analyst	Prep/Run Batch
Isopropylbenzene	<0.25	ug/L	0.25	0.83	SW 8260B	03/23/2003	mae	4751
p-Isopropyltoluene	<0.25	ug/L	0.25	0.83	SW 8260B	03/23/2003	mae	4751
Methylene Chloride	<1.0	ug/L	1.0	3.3	SW 8260B	03/23/2003	mae	4751
Methyl-t-butyl ether	<0.50	ug/L	0.50	1.7	SW 8260B	03/28/2003	mae	4751
Naphthalene	<0.25	ug/L	0.25	0.83	SW 8260B	03/28/2003	mae	4751
n-Propylbenzene	<0.50	ug/L	0.50	1.7	SW 8260B	03/28/2003	mae	4751
Styrene	<0.25	ug/L	0.25	0.83	SW 8260B	03/28/2003	mae	4751
1,1,1,2-Tetrachloroethane	<0.25	ug/L	0.25	0.83	SW 8260B	03/28/2003	mae	4751
1,1,2,2-Tetrachloroethane	<0.25	ug/L	0.25	0.83	SW 8260B	03/28/2003	mae	4751
Tetrachloroethene	50	ug/L	0.50	1.7	SW 8260B	03/28/2003	mae	4751
Toluene	<0.25	ug/L	0.25	0.83	SW 8260B	03/28/2003	mae	4751
1,2,3-Trichlorobenzene	<0.25	ug/L	0.25	0.83	SW 8260B	03/28/2003	mae	4751
1,2,4-Trichlorobenzene	<0.25	ug/L	0.25	0.83	SW 8260B	03/23/2003	mae	4751
1,1,1-Trichloroethane	<0.50	ug/L	0.50	1.7	SW 8260B	03/23/2003	mae	4751
1,1,2-Trichloroethane	<0.25	ug/L	0.25	0.83	SW 8260B	03/28/2003	mae	4751
Trichloroethene	<0.25	ug/L	0.25	0.83	SW 8260B	03/28/2003	mae	4751
Trichlorofluoromethane	<0.50	ug/L	0.50	1.7	SW 8260B	03/29/2003	mae	4751
1,2,3-Trichloropropane	<0.50	ug/L	0.50	1.7	SW 8260B	03/28/2003	mae	4751
1,2,4-Trimethylbenzene	<0.25	ug/L	0.25	0.83	SW 8260B	03/28/2003	mae	4751
1,3,5-Trimethylbenzene	<0.25	ug/L	0.25	0.83	SW 8260B	03/28/2003	mae	4751
Vinyl Chloride	<0.50	ug/L	0.50	1.7	SW 8260B	03/28/2003	mae	4751
Xylenes, Total	<0.50	ug/L	0.50	1.7	SW 8260B	03/28/2003	mae	4751
Surr: Dibromofluoromethane	100	%		88-112	SW 8260B	03/28/2003	mae	4751
Surr: Toluene-d8	99	%		89-112	SW 8260B	03/28/2003	mae	4751
Surr: Bromofluorobenzene	98	%		90-114	SW 8260B	03/28/2003	mae	4751

ANALYTICAL REPORT

Mr. D'Arcy Gravelle
 KEY ENGINEERING GROUP LTD
 W66 N215 Commerce Court
 Cedarburg, WI 53012

03/31/2003
 Job No: 03.02303
 Sample No: 517551
 Account No: 45150
 Page 42 of 63

JOB DESCRIPTION: 0702007 Decorah Annex

PROJECT DESCRIPTION: Groundwater Analysis

SAMPLE DESCRIPTION: MW-21
 West Bend, WI
 Rec'd at 4 degrees C

Date/Time Taken: 03/19/2003 11:25

Date Received: 03/20/2003

Parameter	Results	Units	MDL	LOQ	Method	Date Analyzed	Analyst	Prep/Run Batch
VOC - AQUEOUS - EPA 8260B								
Benzene	<0.25	ug/L	0.25	0.83	SW 8260B	03/28/2003	mae	4751
Bromobenzene	<0.25	ug/L	0.25	0.83	SW 8260B	03/28/2003	mae	4751
Bromochloromethane	<0.50	ug/L	0.50	1.7	SW 8260B	03/28/2003	mae	4751
Bromodichloromethane	<0.25	ug/L	0.25	0.83	SW 8260B	03/28/2003	mae	4751
Bromoform	<0.25	ug/L	0.25	0.83	SW 8260B	03/28/2003	mae	4751
Bromomethane	<0.25	ug/L	0.25	0.83	SW 8260B	03/28/2003	mae	4751
n-Butylbenzene	<0.25	ug/L	0.25	0.83	SW 8260B	03/28/2003	mae	4751
sec-Butylbenzene	<0.25	ug/L	0.25	0.83	SW 8260B	03/28/2003	mae	4751
tert-Butylbenzene	<0.25	ug/L	0.25	0.83	SW 8260B	03/28/2003	mae	4751
Carbon Tetrachloride	<0.50	ug/L	0.50	1.7	SW 8260B	03/28/2003	mae	4751
Chlorobenzene	<0.25	ug/L	0.25	0.83	SW 8260B	03/28/2003	mae	4751
Chlorodibromomethane	<0.25	ug/L	0.25	0.83	SW 8260B	03/28/2003	mae	4751
Chloroethane	<1.0	ug/L	1.0	3.3	SW 8260B	03/28/2003	mae	4751
Chloroform	<0.25	ug/L	0.25	0.83	SW 8260B	03/28/2003	mae	4751
Chloromethane	<0.25	ug/L	0.25	0.83	SW 8260B	03/28/2003	mae	4751
2-Chlorotoluene	<0.50	ug/L	0.50	1.7	SW 8260B	03/28/2003	mae	4751
4-Chlorotoluene	<0.25	ug/L	0.25	0.83	SW 8260B	03/28/2003	mae	4751
1,2-Dibromo-3-Chloropropane	<0.50	ug/L	0.50	1.7	SW 8260B	03/28/2003	mae	4751
1,2-Dibromoethane (EDB)	<0.25	ug/L	0.25	0.83	SW 8260B	03/28/2003	mae	4751
Dibromomethane	<0.25	ug/L	0.25	0.83	SW 8260B	03/28/2003	mae	4751
1,2-Dichlorobenzene	<0.25	ug/L	0.25	0.83	SW 8260B	03/28/2003	mae	4751
1,3-Dichlorobenzene	<0.25	ug/L	0.25	0.83	SW 8260B	03/28/2003	mae	4751
1,4-Dichlorobenzene	<0.25	ug/L	0.25	0.83	SW 8260B	03/28/2003	mae	4751
Dichlorodifluoromethane	<0.50	ug/L	0.50	1.7	SW 8260B	03/28/2003	mae	4751
1,1-Dichloroethane	<0.50	ug/L	0.50	1.7	SW 8260B	03/28/2003	mae	4751
1,2-Dichloroethane	<0.50	ug/L	0.50	1.7	SW 8260B	03/28/2003	mae	4751
1,1-Dichloroethene	<0.50	ug/L	0.50	1.7	SW 8260B	03/28/2003	mae	4751
cis-1,2-Dichloroethene	<0.50	ug/L	0.50	1.7	SW 8260B	03/28/2003	mae	4751
trans-1,2-Dichloroethene	<0.50	ug/L	0.50	1.7	SW 8260B	03/28/2003	mae	4751
1,2-Dichloropropane	<0.50	ug/L	0.50	1.7	SW 8260B	03/28/2003	mae	4751
1,3-Dichloropropane	<0.25	ug/L	0.25	0.83	SW 8260B	03/28/2003	mae	4751
2,2-Dichloropropane	<0.50	ug/L	0.50	1.7	SW 8260B	03/28/2003	mae	4751
1,1-Dichloropropene	<0.50	ug/L	0.50	1.7	SW 8260B	03/28/2003	mae	4751
cis-1,3-Dichloropropene	<0.25	ug/L	0.25	0.83	SW 8260B	03/28/2003	mae	4751
trans-1,3-Dichloropropene	<0.25	ug/L	0.25	0.83	SW 8260B	03/28/2003	mae	4751
Di-isopropyl ether	<0.50	ug/L	0.50	1.7	SW 8260B	03/28/2003	mae	4751
Ethylbenzene	<0.50	ug/L	0.50	1.7	SW 8260B	03/28/2003	mae	4751
Hexachlorobutadiene	<0.50	ug/L	0.50	1.7	SW 8260B	03/28/2003	mae	4751

ANALYTICAL REPORT

Mr. D'Arcy Gravelle
 KEY ENGINEERING GROUP LTD
 W66 N215 Commerce Court
 Cedarburg, WI 53012

03/31/2003
 Job No: 03.02303
 Sample No: 517551
 Account No: 45150
 Page 43 of 63

JOB DESCRIPTION: 0702007 Decorah Annex

PROJECT DESCRIPTION: Groundwater Analysis

SAMPLE DESCRIPTION: MW-21
 West Bend, WI
 Rec'd at 4 degrees C

Date/Time Taken: 03/19/2003 11:25

Date Received: 03/20/2003

Parameter	Results	Units	MDL	LOQ	Method	Date Analyzed	Analyst	Prep/Run Batch
Isopropylbenzene	<0.25	ug/L	0.25	0.83	SW 8260B	03/28/2003	mae	4751
p-Isopropyltoluene	<0.25	ug/L	0.25	0.83	SW 8260B	03/28/2003	mae	4751
Methylene Chloride	<1.0	ug/L	1.0	3.3	SW 8260B	03/28/2003	mae	4751
Methyl-t-butyl ether	<0.50	ug/L	0.50	1.7	SW 8260B	03/28/2003	mae	4751
Naphthalene	<0.25	ug/L	0.25	0.83	SW 8260B	03/28/2003	mae	4751
n-Propylbenzene	<0.50	ug/L	0.50	1.7	SW 8260B	03/28/2003	mae	4751
Styrene	<0.25	ug/L	0.25	0.83	SW 8260B	03/28/2003	mae	4751
1,1,1,2-Tetrachloroethane	<0.25	ug/L	0.25	0.83	SW 8260B	03/28/2003	mae	4751
1,1,2,2-Tetrachloroethane	<0.25	ug/L	0.25	0.83	SW 8260B	03/28/2003	mae	4751
Tetrachloroethene	3.0	ug/L	0.50	1.7	SW 8260B	03/28/2003	mae	4751
Toluene	<0.25	ug/L	0.25	0.83	SW 8260B	03/28/2003	mae	4751
1,2,3-Trichlorobenzene	<0.25	ug/L	0.25	0.83	SW 8260B	03/28/2003	mae	4751
1,2,4-Trichlorobenzene	<0.25	ug/L	0.25	0.83	SW 8260B	03/28/2003	mae	4751
1,1,1-Trichloroethane	<0.50	ug/L	0.50	1.7	SW 8260B	03/28/2003	mae	4751
1,1,2-Trichloroethane	<0.25	ug/L	0.25	0.83	SW 8260B	03/28/2003	mae	4751
Trichloroethene	<0.25	ug/L	0.25	0.83	SW 8260B	03/28/2003	mae	4751
Trichlorofluoromethane	<0.50	ug/L	0.50	1.7	SW 8260B	03/28/2003	mae	4751
1,2,3-Trichloropropane	<0.50	ug/L	0.50	1.7	SW 8260B	03/28/2003	mae	4751
1,2,4-Trimethylbenzene	<0.25	ug/L	0.25	0.83	SW 8260B	03/28/2003	mae	4751
1,3,5-Trimethylbenzene	<0.25	ug/L	0.25	0.83	SW 8260B	03/28/2003	mae	4751
Vinyl Chloride	<0.50	ug/L	0.50	1.7	SW 8260B	03/28/2003	mae	4751
Xylenes, Total	<0.50	ug/L	0.50	1.7	SW 8260B	03/28/2003	mae	4751
Surr: Dibromofluoromethane	101	t		88-112	SW 8260B	03/28/2003	mae	4751
Surr: Toluene-d8	97	t		89-112	SW 8260B	03/28/2003	mae	4751
Surr: Bromofluorobenzene	97	t		90-114	SW 8260B	03/28/2003	mae	4751

ANALYTICAL REPORT

Mr. D'Arcy Gravelle
 KEY ENGINEERING GROUP LTD
 W66 N215 Commerce Court
 Cedarburg, WI 53012

03/31/2003
 Job No: 03.02303
 Sample No: 517552
 Account No: 45150
 Page 44 of 63

JOB DESCRIPTION: 0702007 Decorah Annex
 PROJECT DESCRIPTION: Groundwater Analysis
 SAMPLE DESCRIPTION: P-1
 West Bend, WI
 Rec'd at 4 degrees C

Date/Time Taken: 03/19/2003 12:10

Date Received: 03/20/2003

Parameter	Results	Units	MDL	LOQ	Method	Date Analyzed	Analyst	Prep/Run Batch
VOC - AQUEOUS - EPA 8260B								
Benzene	<0.25	ug/L	0.25	0.83	SW 8260B	03/28/2003	mae	4751
Bromobenzene	<0.25	ug/L	0.25	0.83	SW 8260B	03/28/2003	mae	4751
Bromochloromethane	<0.50	ug/L	0.50	1.7	SW 8260B	03/28/2003	mae	4751
Bromodichloromethane	<0.25	ug/L	0.25	0.83	SW 8260B	03/28/2003	mae	4751
Bromoform	<0.25	ug/L	0.25	0.83	SW 8260B	03/28/2003	mae	4751
Bromomethane	<0.25	ug/L	0.25	0.83	SW 8260B	03/28/2003	mae	4751
n-Butylbenzene	<0.25	ug/L	0.25	0.83	SW 8260B	03/28/2003	mae	4751
sec-Butylbenzene	<0.25	ug/L	0.25	0.83	SW 8260B	03/28/2003	mae	4751
tert-Butylbenzene	<0.25	ug/L	0.25	0.83	SW 8260B	03/28/2003	mae	4751
Carbon Tetrachloride	<0.50	ug/L	0.50	1.7	SW 8260B	03/28/2003	mae	4751
Chlorobenzene	<0.25	ug/L	0.25	0.83	SW 8260B	03/28/2003	mae	4751
Chlorodibromomethane	<0.25	ug/L	0.25	0.83	SW 8260B	03/28/2003	mae	4751
Chloroethane	<1.0	ug/L	1.0	3.3	SW 8260B	03/28/2003	mae	4751
Chloroform	<0.25	ug/L	0.25	0.83	SW 8260B	03/28/2003	mae	4751
Chloromethane	<0.25	ug/L	0.25	0.83	SW 8260B	03/28/2003	mae	4751
2-Chlorotoluene	<0.50	ug/L	0.50	1.7	SW 8260B	03/28/2003	mae	4751
4-Chlorotoluene	<0.25	ug/L	0.25	0.83	SW 8260B	03/28/2003	mae	4751
1,2-Dibromo-3-Chloropropane	<0.50	ug/L	0.50	1.7	SW 8260B	03/28/2003	mae	4751
1,2-Dibromoethane (EDB)	<0.25	ug/L	0.25	0.83	SW 8260B	03/28/2003	mae	4751
Dibromomethane	<0.25	ug/L	0.25	0.83	SW 8260B	03/28/2003	mae	4751
1,2-Dichlorobenzene	<0.25	ug/L	0.25	0.83	SW 8260B	03/28/2003	mae	4751
1,3-Dichlorobenzene	<0.25	ug/L	0.25	0.83	SW 8260B	03/28/2003	mae	4751
1,4-Dichlorobenzene	<0.25	ug/L	0.25	0.83	SW 8260B	03/28/2003	mae	4751
Dichlorodifluoromethane	<0.50	ug/L	0.50	1.7	SW 8260B	03/28/2003	mae	4751
1,1-Dichloroethane	<0.50	ug/L	0.50	1.7	SW 8260B	03/28/2003	mae	4751
1,2-Dichloroethane	<0.50	ug/L	0.50	1.7	SW 8260B	03/28/2003	mae	4751
1,1-Dichloroethene	<0.50	ug/L	0.50	1.7	SW 8260B	03/28/2003	mae	4751
cis-1,2-Dichloroethene	<0.50	ug/L	0.50	1.7	SW 8260B	03/28/2003	mae	4751
trans-1,2-Dichloroethene	<0.50	ug/L	0.50	1.7	SW 8260B	03/28/2003	mae	4751
1,2-Dichloropropane	<0.50	ug/L	0.50	1.7	SW 8260B	03/28/2003	mae	4751
1,3-Dichloropropane	<0.25	ug/L	0.25	0.83	SW 8260B	03/28/2003	mae	4751
2,2-Dichloropropane	<0.50	ug/L	0.50	1.7	SW 8260B	03/28/2003	mae	4751
1,1-Dichloropropene	<0.50	ug/L	0.50	1.7	SW 8260B	03/28/2003	mae	4751
cis-1,3-Dichloropropene	<0.25	ug/L	0.25	0.83	SW 8260B	03/28/2003	mae	4751
trans-1,3-Dichloropropene	<0.25	ug/L	0.25	0.83	SW 8260B	03/28/2003	mae	4751
Di-isopropyl ether	<0.50	ug/L	0.50	1.7	SW 8260B	03/28/2003	mae	4751
Ethylbenzene	<0.50	ug/L	0.50	1.7	SW 8260B	03/28/2003	mae	4751
Hexachlorobutadiene	<0.50	ug/L	0.50	1.7	SW 8260B	03/28/2003	mae	4751

ANALYTICAL REPORT

Mr. D'Arcy Gravelle
 KEY ENGINEERING GROUP LTD
 W66 N215 Commerce Court
 Cedarburg, WI 53012

03/31/2003
 Job No: 03.02303
 Sample No: 517552
 Account No: 45150
 Page 45 of 63

JOB DESCRIPTION: 0702007 Decorah Annex
 PROJECT DESCRIPTION: Groundwater Analysis
 SAMPLE DESCRIPTION: P-1
 West Bend, WI
 Rec'd at 4 degrees C

Date/Time Taken: 03/19/2003 12:10

Date Received: 03/20/2003

Parameter	Results	Units	MDL	LOQ	Method	Date Analyzed	Analyst	Prep/Run Batch
Isopropylbenzene	<0.25	ug/L	0.25	0.83	SW 8260B	03/28/2003	mae	4751
p-Isopropyltoluene	<0.25	ug/L	0.25	0.83	SW 8260B	03/28/2003	mae	4751
Methylene Chloride	<1.0	ug/L	1.0	3.3	SW 8260B	03/28/2003	mae	4751
Methyl-t-butyl ether	<0.50	ug/L	0.50	1.7	SW 8260B	03/28/2003	mae	4751
Naphthalene	<0.25	ug/L	0.25	0.83	SW 8260B	03/28/2003	mae	4751
n-Propylbenzene	<0.50	ug/L	0.50	1.7	SW 8260B	03/28/2003	mae	4751
Styrene	<0.25	ug/L	0.25	0.83	SW 8260B	03/28/2003	mae	4751
1,1,1,2-Tetrachloroethane	<0.25	ug/L	0.25	0.83	SW 8260B	03/28/2003	mae	4751
1,1,2,2-Tetrachloroethane	<0.25	ug/L	0.25	0.83	SW 8260B	03/28/2003	mae	4751
Tetrachloroethene	<0.50	ug/L	0.50	1.7	SW 8260B	03/28/2003	mae	4751
Toluene	<0.25	ug/L	0.25	0.83	SW 8260B	03/28/2003	mae	4751
1,2,3-Trichlorobenzene	<0.25	ug/L	0.25	0.83	SW 8260B	03/28/2003	mae	4751
1,2,4-Trichlorobenzene	<0.25	ug/L	0.25	0.83	SW 8260B	03/28/2003	mae	4751
1,1,1-Trichloroethane	<0.50	ug/L	0.50	1.7	SW 8260B	03/28/2003	mae	4751
1,1,2-Trichloroethane	<0.25	ug/L	0.25	0.83	SW 8260B	03/28/2003	mae	4751
Trichloroethene	<0.25	ug/L	0.25	0.83	SW 8260B	03/28/2003	mae	4751
Trichlorofluoromethane	<0.50	ug/L	0.50	1.7	SW 8260B	03/28/2003	mae	4751
1,2,3-Trichloropropane	<0.50	ug/L	0.50	1.7	SW 8260B	03/28/2003	mae	4751
1,2,4-Trimethylbenzene	<0.25	ug/L	0.25	0.83	SW 8260B	03/28/2003	mae	4751
1,3,5-Trimethylbenzene	<0.25	ug/L	0.25	0.83	SW 8260B	03/28/2003	mae	4751
Vinyl Chloride	<0.50	ug/L	0.50	1.7	SW 8260B	03/28/2003	mae	4751
Xylenes, Total	<0.50	ug/L	0.50	1.7	SW 8260B	03/28/2003	mae	4751
Surr: Dibromofluoromethane	100	t		88-112	SW 8260B	03/28/2003	mae	4751
Surr: Toluene-d8	98	t		89-112	SW 8260B	03/28/2003	mae	4751
Surr: Bromofluorobenzene	98	t		90-114	SW 8260B	03/28/2003	mae	4751

ANALYTICAL REPORT

Mr. D'Arcy Gravelle
 KEY ENGINEERING GROUP LTD
 W66 N215 Commerce Court
 Cedarburg, WI 53012

03/31/2003
 Job No: 03.02303
 Sample No: 517553
 Account No: 45150
 Page 46 of 63

JOB DESCRIPTION: 0702007 Decorah Annex
 PROJECT DESCRIPTION: Groundwater Analysis
 SAMPLE DESCRIPTION: P-2
 West Bend, WI
 Rec'd at 4 degrees C

Date/Time Taken: 03/19/2003 11:30

Date Received: 03/20/2003

Parameter	Results	Units	MDL	LOQ	Method	Date Analyzed	Analyst	Prep/Run Batch
VOC - AQUEOUS - EPA 8260B								
Benzene	<0.25	ug/L	0.25	0.83	SW 8260B	03/28/2003	mae	4751
Bromobenzene	<0.25	ug/L	0.25	0.83	SW 8260B	03/28/2003	mae	4751
Bromochloromethane	<0.50	ug/L	0.50	1.7	SW 8260B	03/28/2003	mae	4751
Bromodichloromethane	<0.25	ug/L	0.25	0.83	SW 8260B	03/28/2003	mae	4751
Bromoform	<0.25	ug/L	0.25	0.83	SW 8260B	03/28/2003	mae	4751
Bromomethane	<0.25	ug/L	0.25	0.83	SW 8260B	03/28/2003	mae	4751
n-Butylbenzene	<0.25	ug/L	0.25	0.83	SW 8260B	03/28/2003	mae	4751
sec-Butylbenzene	<0.25	ug/L	0.25	0.83	SW 8260B	03/28/2003	mae	4751
tert-Butylbenzene	<0.25	ug/L	0.25	0.83	SW 8260B	03/28/2003	mae	4751
Carbon Tetrachloride	<0.50	ug/L	0.50	1.7	SW 8260B	03/28/2003	mae	4751
Chlorobenzene	<0.25	ug/L	0.25	0.83	SW 8260B	03/28/2003	mae	4751
Chlorodibromomethane	<0.25	ug/L	0.25	0.83	SW 8260B	03/28/2003	mae	4751
Chloroethane	<1.0	ug/L	1.0	3.3	SW 8260B	03/28/2003	mae	4751
Chloroform	<0.25	ug/L	0.25	0.83	SW 8260B	03/28/2003	mae	4751
Chloromethane	<0.25	ug/L	0.25	0.83	SW 8260B	03/28/2003	mae	4751
2-Chlorotoluene	<0.50	ug/L	0.50	1.7	SW 8260B	03/28/2003	mae	4751
4-Chlorotoluene	<0.25	ug/L	0.25	0.83	SW 8260B	03/28/2003	mae	4751
1,2-Dibromo-3-Chloropropane	<0.50	ug/L	0.50	1.7	SW 8260B	03/28/2003	mae	4751
1,2-Dibromoethane (EDB)	<0.25	ug/L	0.25	0.83	SW 8260B	03/28/2003	mae	4751
Dibromomethane	<0.25	ug/L	0.25	0.83	SW 8260B	03/28/2003	mae	4751
1,2-Dichlorobenzene	<0.25	ug/L	0.25	0.83	SW 8260B	03/28/2003	mae	4751
1,3-Dichlorobenzene	<0.25	ug/L	0.25	0.83	SW 8260B	03/28/2003	mae	4751
1,4-Dichlorobenzene	<0.25	ug/L	0.25	0.83	SW 8260B	03/28/2003	mae	4751
Dichlorodifluoromethane	<0.50	ug/L	0.50	1.7	SW 8260B	03/28/2003	mae	4751
1,1-Dichloroethane	<0.50	ug/L	0.50	1.7	SW 8260B	03/28/2003	mae	4751
1,2-Dichloroethane	<0.50	ug/L	0.50	1.7	SW 8260B	03/28/2003	mae	4751
1,1-Dichloroethene	<0.50	ug/L	0.50	1.7	SW 8260B	03/28/2003	mae	4751
cis-1,2-Dichloroethene	<0.50	ug/L	0.50	1.7	SW 8260B	03/28/2003	mae	4751
trans-1,2-Dichloroethene	<0.50	ug/L	0.50	1.7	SW 8260B	03/28/2003	mae	4751
1,2-Dichloropropane	<0.50	ug/L	0.50	1.7	SW 8260B	03/28/2003	mae	4751
1,3-Dichloropropane	<0.25	ug/L	0.25	0.83	SW 8260B	03/28/2003	mae	4751
2,2-Dichloropropane	<0.50	ug/L	0.50	1.7	SW 8260B	03/28/2003	mae	4751
1,1-Dichloropropene	<0.50	ug/L	0.50	1.7	SW 8260B	03/28/2003	mae	4751
cis-1,3-Dichloropropene	<0.25	ug/L	0.25	0.83	SW 8260B	03/28/2003	mae	4751
trans-1,3-Dichloropropene	<0.25	ug/L	0.25	0.83	SW 8260B	03/28/2003	mae	4751
Di-isopropyl ether	<0.50	ug/L	0.50	1.7	SW 8260B	03/28/2003	mae	4751
Ethylbenzene	<0.50	ug/L	0.50	1.7	SW 8260B	03/28/2003	mae	4751
Hexachlorobutadiene	<0.50	ug/L	0.50	1.7	SW 8260B	03/28/2003	mae	4751

ANALYTICAL REPORT

Mr. D'Arcy Gravelle
 KEY ENGINEERING GROUP LTD
 W66 N215 Commerce Court
 Cedarburg, WI 53012

03/31/2003
 Job No: 03.02303
 Sample No: 517553
 Account No: 45150
 Page 47 of 63

JOB DESCRIPTION: 0702007 Decorah Annex
 PROJECT DESCRIPTION: Groundwater Analysis
 SAMPLE DESCRIPTION: P-2
 West Bend, WI
 Rec'd at 4 degrees C

Date/Time Taken: 03/19/2003 11:30

Date Received: 03/20/2003

Parameter	Results	Units	MDL	LOQ	Method	Date Analyzed	Analyst	Prep/Run Batch
Isopropylbenzene	<0.25	ug/L	0.25	0.83	SW 82603	03/28/2003	mae	4751
p-Isopropyltoluene	<0.25	ug/L	0.25	0.83	SW 82603	03/28/2003	mae	4751
Methylene Chloride	<1.0	ug/L	1.0	3.3	SW 82603	03/28/2003	mae	4751
Methyl-t-butyl ether	<0.50	ug/L	0.50	1.7	SW 82603	03/28/2003	mae	4751
Naphthalene	<0.25	ug/L	0.25	0.83	SW 82603	03/28/2003	mae	4751
n-Propylbenzene	<0.50	ug/L	0.50	1.7	SW 82603	03/28/2003	mae	4751
Styrene	<0.25	ug/L	0.25	0.83	SW 82603	03/28/2003	mae	4751
1,1,1,2-Tetrachloroethane	<0.25	ug/L	0.25	0.83	SW 82603	03/28/2003	mae	4751
1,1,2,2-Tetrachloroethane	<0.25	ug/L	0.25	0.83	SW 82603	03/28/2003	mae	4751
Tetrachloroethene	<0.50	ug/L	0.50	1.7	SW 82603	03/28/2003	mae	4751
Toluene	<0.25	ug/L	0.25	0.83	SW 82603	03/28/2003	mae	4751
1,2,3-Trichlorobenzene	<0.25	ug/L	0.25	0.83	SW 82603	03/28/2003	mae	4751
1,2,4-Trichlorobenzene	<0.25	ug/L	0.25	0.83	SW 82603	03/28/2003	mae	4751
1,1,1-Trichloroethane	<0.50	ug/L	0.50	1.7	SW 82603	03/28/2003	mae	4751
1,1,2-Trichloroethane	<0.25	ug/L	0.25	0.83	SW 82603	03/28/2003	mae	4751
Trichloroethene	<0.25	ug/L	0.25	0.83	SW 82603	03/28/2003	mae	4751
Trichlorofluoromethane	<0.50	ug/L	0.50	1.7	SW 82603	03/28/2003	mae	4751
1,2,3-Trichloropropane	<0.50	ug/L	0.50	1.7	SW 82603	03/28/2003	mae	4751
1,2,4-Trimethylbenzene	<0.25	ug/L	0.25	0.83	SW 82603	03/28/2003	mae	4751
1,3,5-Trimethylbenzene	<0.25	ug/L	0.25	0.83	SW 82603	03/28/2003	mae	4751
Vinyl Chloride	<0.50	ug/L	0.50	1.7	SW 82603	03/28/2003	mae	4751
Xylenes, Total	<0.50	ug/L	0.50	1.7	SW 82603	03/28/2003	mae	4751
Surr: Dibromofluoromethane	100	‡		88-112	SW 82603	03/28/2003	mae	4751
Surr: Toluene-d8	99	‡		89-112	SW 82603	03/28/2003	mae	4751
Surr: Bromofluorobenzene	98	‡		90-114	SW 82603	03/28/2003	mae	4751

ANALYTICAL REPORT

Mr. D'Arcy Gravelle
 KEY ENGINEERING GROUP LTD
 W66 N215 Commerce Court
 Cedarburg, WI 53012

03/31/2003
 Job No: 03.02303
 Sample No: 517554
 Account No: 45150
 Page 48 of 63

JOB DESCRIPTION: 0702007 Decorah Annex
 PROJECT DESCRIPTION: Groundwater Analysis
 SAMPLE DESCRIPTION: P-3
 West Bend, WI
 Rec'd at 4 degrees C

Date/Time Taken: 03/19/2003 14:20

Date Received: 03/20/2003

Parameter	Results	Units	MDL	LOQ	Method	Date Analyzed	Analyst	Prep/Run Batch
VOC - AQUEOUS - EPA 8260B								
Benzene	<0.25	ug/L	0.25	0.83	SW 8260B	03/27/2003	mae	4750
Bromobenzene	<0.25	ug/L	0.25	0.83	SW 8260B	03/27/2003	mae	4750
Bromochloromethane	<0.50	ug/L	0.50	1.7	SW 8260B	03/27/2003	mae	4750
Bromodichloromethane	<0.25	ug/L	0.25	0.83	SW 8260B	03/27/2003	mae	4750
Bromoform	<0.25	ug/L	0.25	0.83	SW 8260B	03/27/2003	mae	4750
Bromomethane	<0.25	ug/L	0.25	0.83	SW 8260B	03/27/2003	mae	4750
n-Butylbenzene	<0.25	ug/L	0.25	0.83	SW 8260B	03/27/2003	mae	4750
sec-Butylbenzene	<0.25	ug/L	0.25	0.83	SW 8260B	03/27/2003	mae	4750
tert-Butylbenzene	<0.25	ug/L	0.25	0.83	SW 8260B	03/27/2003	mae	4750
Carbon Tetrachloride	<0.50	ug/L	0.50	1.7	SW 8260B	03/27/2003	mae	4750
Chlorobenzene	<0.25	ug/L	0.25	0.83	SW 8260B	03/27/2003	mae	4750
Chlorodibromomethane	<0.25	ug/L	0.25	0.83	SW 8260B	03/27/2003	mae	4750
Chloroethane	<1.0	ug/L	1.0	3.3	SW 8260B	03/27/2003	mae	4750
Chloroform	<0.25	ug/L	0.25	0.83	SW 8260B	03/27/2003	mae	4750
Chloromethane	<0.25	ug/L	0.25	0.83	SW 8260B	03/27/2003	mae	4750
2-Chlorotoluene	<0.50	ug/L	0.50	1.7	SW 8260B	03/27/2003	mae	4750
4-Chlorotoluene	<0.25	ug/L	0.25	0.83	SW 8260B	03/27/2003	mae	4750
1,2-Dibromo-3-Chloropropane	<0.50	ug/L	0.50	1.7	SW 8260B	03/27/2003	mae	4750
1,2-Dibromoethane (EDB)	<0.25	ug/L	0.25	0.83	SW 8260B	03/27/2003	mae	4750
Dibromomethane	<0.25	ug/L	0.25	0.83	SW 8260B	03/27/2003	mae	4750
1,2-Dichlorobenzene	<0.25	ug/L	0.25	0.83	SW 8260B	03/27/2003	mae	4750
1,3-Dichlorobenzene	<0.25	ug/L	0.25	0.83	SW 8260B	03/27/2003	mae	4750
1,4-Dichlorobenzene	<0.25	ug/L	0.25	0.83	SW 8260B	03/27/2003	mae	4750
Dichlorodifluoromethane	<0.50	ug/L	0.50	1.7	SW 8260B	03/27/2003	mae	4750
1,1-Dichloroethane	<0.50	ug/L	0.50	1.7	SW 8260B	03/27/2003	mae	4750
1,2-Dichloroethane	<0.50	ug/L	0.50	1.7	SW 8260B	03/27/2003	mae	4750
1,1-Dichloroethene	<0.50	ug/L	0.50	1.7	SW 8260B	03/27/2003	mae	4750
cis-1,2-Dichloroethene	<0.50	ug/L	0.50	1.7	SW 8260B	03/27/2003	mae	4750
trans-1,2-Dichloroethene	<0.50	ug/L	0.50	1.7	SW 8260B	03/27/2003	mae	4750
1,2-Dichloropropane	<0.50	ug/L	0.50	1.7	SW 8260B	03/27/2003	mae	4750
1,3-Dichloropropane	<0.25	ug/L	0.25	0.83	SW 8260B	03/27/2003	mae	4750
2,2-Dichloropropane	<0.50	ug/L	0.50	1.7	SW 8260B	03/27/2003	mae	4750
1,1-Dichloropropene	<0.50	ug/L	0.50	1.7	SW 8260B	03/27/2003	mae	4750
cis-1,3-Dichloropropene	<0.25	ug/L	0.25	0.83	SW 8260B	03/27/2003	mae	4750
trans-1,3-Dichloropropene	<0.25	ug/L	0.25	0.83	SW 8260B	03/27/2003	mae	4750
Di-isopropyl ether	<0.50	ug/L	0.50	1.7	SW 8260B	03/27/2003	mae	4750
Ethylbenzene	<0.50	ug/L	0.50	1.7	SW 8260B	03/27/2003	mae	4750
Hexachlorobutadiene	<0.50	ug/L	0.50	1.7	SW 8260B	03/27/2003	mae	4750

TestAmerica

INCORPORATED

ANALYTICAL REPORT

Mr. D'Arcy Gravelle
 KEY ENGINEERING GROUP LTD
 W66 N215 Commerce Court
 Cedarburg, WI 53012

03/31/2003
 Job No: 03.02303
 Sample No: 517554
 Account No: 45150
 Page 49 of 63

JOB DESCRIPTION: 0702007 Decorah Annex
 PROJECT DESCRIPTION: Groundwater Analysis
 SAMPLE DESCRIPTION: P-3
 West Bend, WI
 Rec'd at 4 degrees C

Date/Time Taken: 03/19/2003 14:20

Date Received: 03/20/2003

Parameter	Results	Units	MDL	LOQ	Method	Date Analyzed	Analyst	Prep/Run Batch
Isopropylbenzene	<0.25	ug/L	0.25	0.83	SW 8260B	03/27/2003	mae	4750
p-Isopropyltoluene	<0.25	ug/L	0.25	0.83	SW 8260B	03/27/2003	mae	4750
Methylene Chloride	<1.0	ug/L	1.0	3.3	SW 8260B	03/27/2003	mae	4750
Methyl-t-butyl ether	<0.50	ug/L	0.50	1.7	SW 8260B	03/27/2003	mae	4750
Naphthalene	<0.25	ug/L	0.25	0.83	SW 8260B	03/27/2003	mae	4750
n-Propylbenzene	<0.50	ug/L	0.50	1.7	SW 8260B	03/27/2003	mae	4750
Styrene	<0.25	ug/L	0.25	0.83	SW 8260B	03/27/2003	mae	4750
1,1,1,2-Tetrachloroethane	<0.25	ug/L	0.25	0.83	SW 8260B	03/27/2003	mae	4750
1,1,2,2-Tetrachloroethane	<0.25	ug/L	0.25	0.83	SW 8260B	03/27/2003	mae	4750
Tetrachloroethene	<0.50	ug/L	0.50	1.7	SW 8260B	03/27/2003	mae	4750
Toluene	<0.25	ug/L	0.25	0.83	SW 8260B	03/27/2003	mae	4750
1,2,3-Trichlorobenzene	<0.25	ug/L	0.25	0.83	SW 8260B	03/27/2003	mae	4750
1,2,4-Trichlorobenzene	<0.25	ug/L	0.25	0.83	SW 8260B	03/27/2003	mae	4750
1,1,1-Trichloroethane	<0.50	ug/L	0.50	1.7	SW 8260B	03/27/2003	mae	4750
1,1,2-Trichloroethane	<0.25	ug/L	0.25	0.83	SW 8260B	03/27/2003	mae	4750
Trichloroethene	<0.25	ug/L	0.25	0.83	SW 8260B	03/27/2003	mae	4750
Trichlorofluoromethane	<0.50	ug/L	0.50	1.7	SW 8260B	03/27/2003	mae	4750
1,2,3-Trichloropropane	<0.50	ug/L	0.50	1.7	SW 8260B	03/27/2003	mae	4750
1,2,4-Trimethylbenzene	<0.25	ug/L	0.25	0.83	SW 8260B	03/27/2003	mae	4750
1,3,5-Trimethylbenzene	<0.25	ug/L	0.25	0.83	SW 8260B	03/27/2003	mae	4750
Vinyl Chloride	<0.50	ug/L	0.50	1.7	SW 8260B	03/27/2003	mae	4750
Xylenes, Total	<0.50	ug/L	0.50	1.7	SW 8260B	03/27/2003	mae	4750
Surr: Dibromofluoromethane	94	%		88-112	SW 8260B	03/27/2003	mae	4750
Surr: Toluene-d8	101	%		89-112	SW 8260B	03/27/2003	mae	4750
Surr: Bromofluorobenzene	103	%		90-114	SW 8260B	03/27/2003	mae	4750

ANALYTICAL REPORT

Mr. D'Arcy Gravelle
 KEY ENGINEERING GROUP LTD
 W66 N215 Commerce Court
 Cedarburg, WI 53012

03/31/2003
 Job No: 03.02303
 Sample No: 517555
 Account No: 45150
 Page 50 of 63

JOB DESCRIPTION: 0702007 Decorah Annex
 PROJECT DESCRIPTION: Groundwater Analysis
 SAMPLE DESCRIPTION: P-4
 West Bend, WI
 Rec'd at 4 degrees C

Date/Time Taken: 03/19/2003 10:45

Date Received: 03/20/2003

Parameter	Results	Units	MDL	LOQ	Method	Date Analyzed	Analyst	Prep/Run Batch
VOC - AQUEOUS - EPA 8260B								
Benzene	<0.25	ug/L	0.25	0.83	SW 8260B	03/27/2003	mae	4750
Bromobenzene	<0.25	ug/L	0.25	0.83	SW 8260B	03/27/2003	mae	4750
Bromochloromethane	<0.50	ug/L	0.50	1.7	SW 8260B	03/27/2003	mae	4750
Bromodichloromethane	<0.25	ug/L	0.25	0.83	SW 8260B	03/27/2003	mae	4750
Bromoform	<0.25	ug/L	0.25	0.83	SW 8260B	03/27/2003	mae	4750
Bromomethane	<0.25	ug/L	0.25	0.83	SW 8260B	03/27/2003	mae	4750
n-Butylbenzene	<0.25	ug/L	0.25	0.83	SW 8260B	03/27/2003	mae	4750
sec-Butylbenzene	<0.25	ug/L	0.25	0.83	SW 8260B	03/27/2003	mae	4750
tert-Butylbenzene	<0.25	ug/L	0.25	0.83	SW 8260B	03/27/2003	mae	4750
Carbon Tetrachloride	<0.50	ug/L	0.50	1.7	SW 8260B	03/27/2003	mae	4750
Chlorobenzene	<0.25	ug/L	0.25	0.83	SW 8260B	03/27/2003	mae	4750
Chlorodibromomethane	<0.25	ug/L	0.25	0.83	SW 8260B	03/27/2003	mae	4750
Chloroethane	<1.0	ug/L	1.0	3.3	SW 8260B	03/27/2003	mae	4750
Chloroform	<0.25	ug/L	0.25	0.83	SW 8260B	03/27/2003	mae	4750
Chloromethane	<0.25	ug/L	0.25	0.83	SW 8260B	03/27/2003	mae	4750
2-Chlorotoluene	<0.50	ug/L	0.50	1.7	SW 8260B	03/27/2003	mae	4750
4-Chlorotoluene	<0.25	ug/L	0.25	0.83	SW 8260B	03/27/2003	mae	4750
1,2-Dibromo-3-Chloropropane	<0.50	ug/L	0.50	1.7	SW 8260B	03/27/2003	mae	4750
1,2-Dibromoethane (EDB)	<0.25	ug/L	0.25	0.83	SW 8260B	03/27/2003	mae	4750
Dibromomethane	<0.25	ug/L	0.25	0.83	SW 8260B	03/27/2003	mae	4750
1,2-Dichlorobenzene	<0.25	ug/L	0.25	0.83	SW 8260B	03/27/2003	mae	4750
1,3-Dichlorobenzene	<0.25	ug/L	0.25	0.83	SW 8260B	03/27/2003	mae	4750
1,4-Dichlorobenzene	<0.25	ug/L	0.25	0.83	SW 8260B	03/27/2003	mae	4750
Dichlorodifluoromethane	<0.50	ug/L	0.50	1.7	SW 8260B	03/27/2003	mae	4750
1,1-Dichloroethane	<0.50	ug/L	0.50	1.7	SW 8260B	03/27/2003	mae	4750
1,2-Dichloroethane	<0.50	ug/L	0.50	1.7	SW 8260B	03/27/2003	mae	4750
1,1-Dichloroethene	<0.50	ug/L	0.50	1.7	SW 8260B	03/27/2003	mae	4750
cis-1,2-Dichloroethene	<0.50	ug/L	0.50	1.7	SW 8260B	03/27/2003	mae	4750
trans-1,2-Dichloroethene	<0.50	ug/L	0.50	1.7	SW 8260B	03/27/2003	mae	4750
1,2-Dichloropropane	<0.50	ug/L	0.50	1.7	SW 8260B	03/27/2003	mae	4750
1,3-Dichloropropane	<0.25	ug/L	0.25	0.83	SW 8260B	03/27/2003	mae	4750
2,2-Dichloropropane	<0.50	ug/L	0.50	1.7	SW 8260B	03/27/2003	mae	4750
1,1-Dichloropropene	<0.50	ug/L	0.50	1.7	SW 8260B	03/27/2003	mae	4750
cis-1,3-Dichloropropene	<0.25	ug/L	0.25	0.83	SW 8260B	03/27/2003	mae	4750
trans-1,3-Dichloropropene	<0.25	ug/L	0.25	0.83	SW 8260B	03/27/2003	mae	4750
Di-isopropyl ether	<0.50	ug/L	0.50	1.7	SW 8260B	03/27/2003	mae	4750
Ethylbenzene	<0.50	ug/L	0.50	1.7	SW 8260B	03/27/2003	mae	4750
Hexachlorobutadiene	<0.50	ug/L	0.50	1.7	SW 8260B	03/27/2003	mae	4750

TestAmerica

INCORPORATED

ANALYTICAL REPORT

Mr. D'Arcy Gravelle
 KEY ENGINEERING GROUP LTD
 W66 N215 Commerce Court
 Cedarburg, WI 53012

03/31/2003
 Job No: 03.02303
 Sample No: 517555
 Account No: 45150
 Page 51 of 63

JOB DESCRIPTION: 0702007 Decorah Annex
 PROJECT DESCRIPTION: Groundwater Analysis
 SAMPLE DESCRIPTION: P-4
 West Bend, WI
 Rec'd at 4 degrees C

Date/Time Taken: 03/19/2003 10:45

Date Received: 03/20/2003

Parameter	Results	Units	MDL	LOQ	Method	Date Analyzed	Analyst	Prep/Run Batch
Isopropylbenzene	<0.25	ug/L	0.25	0.83	SW 8260B	03/27/2003	mae	4750
p-Isopropyltoluene	<0.25	ug/L	0.25	0.83	SW 8260B	03/27/2003	mae	4750
Methylene Chloride	<1.0	ug/L	1.0	3.3	SW 8260B	03/27/2003	mae	4750
Methyl-t-butyl ether	<0.50	ug/L	0.50	1.7	SW 8260B	03/27/2003	mae	4750
Naphthalene	<0.25	ug/L	0.25	0.83	SW 8260B	03/27/2003	mae	4750
n-Propylbenzene	<0.50	ug/L	0.50	1.7	SW 8260B	03/27/2003	mae	4750
Styrene	<0.25	ug/L	0.25	0.83	SW 8260B	03/27/2003	mae	4750
1,1,1,2-Tetrachloroethane	<0.25	ug/L	0.25	0.83	SW 8260B	03/27/2003	mae	4750
1,1,2,2-Tetrachloroethane	<0.25	ug/L	0.25	0.83	SW 8260B	03/27/2003	mae	4750
Tetrachloroethene	12	ug/L	0.50	1.7	SW 8260B	03/27/2003	mae	4750
Toluene	<0.25	ug/L	0.25	0.83	SW 8260B	03/27/2003	mae	4750
1,2,3-Trichlorobenzene	<0.25	ug/L	0.25	0.83	SW 8260B	03/27/2003	mae	4750
1,2,4-Trichlorobenzene	<0.25	ug/L	0.25	0.83	SW 8260B	03/27/2003	mae	4750
1,1,1-Trichloroethane	<0.50	ug/L	0.50	1.7	SW 8260B	03/27/2003	mae	4750
1,1,2-Trichloroethane	<0.25	ug/L	0.25	0.83	SW 8260B	03/27/2003	mae	4750
Trichloroethene	2.4	ug/L	0.25	0.83	SW 8260B	03/27/2003	mae	4750
Trichlorofluoromethane	<0.50	ug/L	0.50	1.7	SW 8260B	03/27/2003	mae	4750
1,2,3-Trichloropropane	<0.50	ug/L	0.50	1.7	SW 8260B	03/27/2003	mae	4750
1,2,4-Trimethylbenzene	<0.25	ug/L	0.25	0.83	SW 8260B	03/27/2003	mae	4750
1,3,5-Trimethylbenzene	<0.25	ug/L	0.25	0.83	SW 8260B	03/27/2003	mae	4750
Vinyl Chloride	<0.50	ug/L	0.50	1.7	SW 8260B	03/27/2003	mae	4750
Xylenes, Total	<0.50	ug/L	0.50	1.7	SW 8260B	03/27/2003	mae	4750
Surr: Dibromofluoromethane	94	%		88-112	SW 8260B	03/27/2003	mae	4750
Surr: Toluene-d8	101	%		89-112	SW 8260B	03/27/2003	mae	4750
Surr: Bromofluorobenzene	103	%		90-114	SW 8260B	03/27/2003	mae	4750

ANALYTICAL REPORT

Mr. D'Arcy Gravelle
 KEY ENGINEERING GROUP LTD
 W66 N215 Commerce Court
 Cedarburg, WI 53012

03/31/2003
 Job No: 03.02303
 Sample No: 517556
 Account No: 45150
 Page 52 of 63

JOB DESCRIPTION: 0702007 Decorah Annex
 PROJECT DESCRIPTION: Groundwater Analysis
 SAMPLE DESCRIPTION: Duplicate
 West Bend, WI
 Rec'd at 4 degrees C

Date/Time Taken: 03/19/2003 UNKNOWN Date Received: 03/20/2003

Parameter	Results	Units	MDL	LOQ	Method	Date Analyzed	Analyst	Prep/Run Batch
VOC - AQUEOUS - EPA 8260B								
Benzene	<0.25	ug/L	0.25	0.83	SW 8260B	03/27/2003	mae	4750
Bromobenzene	<0.25	ug/L	0.25	0.83	SW 8260B	03/27/2003	mae	4750
Bromochloromethane	<0.50	ug/L	0.50	1.7	SW 8260B	03/27/2003	mae	4750
Bromodichloromethane	<0.25	ug/L	0.25	0.83	SW 8260B	03/27/2003	mae	4750
Bromoform	<0.25	ug/L	0.25	0.83	SW 8260B	03/27/2003	mae	4750
Bromomethane	<0.25	ug/L	0.25	0.83	SW 8260B	03/27/2003	mae	4750
n-Butylbenzene	<0.25	ug/L	0.25	0.83	SW 8260B	03/27/2003	mae	4750
sec-Butylbenzene	<0.25	ug/L	0.25	0.83	SW 8260B	03/27/2003	mae	4750
tert-Butylbenzene	<0.25	ug/L	0.25	0.83	SW 8260B	03/27/2003	mae	4750
Carbon Tetrachloride	<0.50	ug/L	0.50	1.7	SW 8260B	03/27/2003	mae	4750
Chlorobenzene	<0.25	ug/L	0.25	0.83	SW 8260B	03/27/2003	mae	4750
Chlorodibromomethane	<0.25	ug/L	0.25	0.83	SW 8260B	03/27/2003	mae	4750
Chloroethane	<1.0	ug/L	1.0	3.3	SW 8260B	03/27/2003	mae	4750
Chloroform	<0.25	ug/L	0.25	0.83	SW 8260B	03/27/2003	mae	4750
Chloromethane	<0.25	ug/L	0.25	0.83	SW 8260B	03/27/2003	mae	4750
2-Chlorotoluene	<0.50	ug/L	0.50	1.7	SW 8260B	03/27/2003	mae	4750
4-Chlorotoluene	<0.25	ug/L	0.25	0.83	SW 8260B	03/27/2003	mae	4750
1,2-Dibromo-3-Chloropropane	<0.50	ug/L	0.50	1.7	SW 8260B	03/27/2003	mae	4750
1,2-Dibromoethane (EB)	<0.25	ug/L	0.25	0.83	SW 8260B	03/27/2003	mae	4750
Dibromomethane	<0.25	ug/L	0.25	0.83	SW 8260B	03/27/2003	mae	4750
1,2-Dichlorobenzene	<0.25	ug/L	0.25	0.83	SW 8260B	03/27/2003	mae	4750
1,3-Dichlorobenzene	<0.25	ug/L	0.25	0.83	SW 8260B	03/27/2003	mae	4750
1,4-Dichlorobenzene	<0.25	ug/L	0.25	0.83	SW 8260B	03/27/2003	mae	4750
Dichlorodifluoromethane	<0.50	ug/L	0.50	1.7	SW 8260B	03/27/2003	mae	4750
1,1-Dichloroethane	<0.50	ug/L	0.50	1.7	SW 8260B	03/27/2003	mae	4750
1,2-Dichloroethane	<0.50	ug/L	0.50	1.7	SW 8260B	03/27/2003	mae	4750
1,1-Dichloroethene	<0.50	ug/L	0.50	1.7	SW 8260B	03/27/2003	mae	4750
cis-1,2-Dichloroethene	<0.50	ug/L	0.50	1.7	SW 8260B	03/27/2003	mae	4750
trans-1,2-Dichloroethene	<0.50	ug/L	0.50	1.7	SW 8260B	03/27/2003	mae	4750
1,2-Dichloropropane	<0.50	ug/L	0.50	1.7	SW 8260B	03/27/2003	mae	4750
1,3-Dichloropropane	<0.25	ug/L	0.25	0.83	SW 8260B	03/27/2003	mae	4750
2,2-Dichloropropane	<0.50	ug/L	0.50	1.7	SW 8260B	03/27/2003	mae	4750
1,1-Dichloropropene	<0.50	ug/L	0.50	1.7	SW 8260B	03/27/2003	mae	4750
cis-1,3-Dichloropropene	<0.25	ug/L	0.25	0.83	SW 8260B	03/27/2003	mae	4750
trans-1,3-Dichloropropene	<0.25	ug/L	0.25	0.83	SW 8260B	03/27/2003	mae	4750
Di-isopropyl ether	<0.50	ug/L	0.50	1.7	SW 8260B	03/27/2003	mae	4750
Ethylbenzene	<0.50	ug/L	0.50	1.7	SW 8260B	03/27/2003	mae	4750
Hexachlorobutadiene	<0.50	ug/L	0.50	1.7	SW 8260B	03/27/2003	mae	4750

TestAmerica

INCORPORATED

ANALYTICAL REPORT

Mr. D'Arcy Gravelle
 KEY ENGINEERING GROUP LTD
 W66 N215 Commerce Court
 Cedarburg, WI 53012

03/31/2003
 Job No: 03.02303
 Sample No: 517556
 Account No: 45150
 Page 53 of 63

JOB DESCRIPTION: 0702007 Decorah Annex
 PROJECT DESCRIPTION: Groundwater Analysis
 SAMPLE DESCRIPTION: Duplicate
 West Bend, WI
 Rec'd at 4 degrees C

Date/Time Taken: 03/19/2003 UNKNOWN Date Received: 03/20/2003

Parameter	Results	Units	MDL	LOQ	Method	Date Analyzed	Analyst	Prep/Run Batch
Isopropylbenzene	<0.25	ug/L	0.25	0.83	SW 8260B	03/27/2003	mae	4750
p-Isopropyltoluene	<0.25	ug/L	0.25	0.83	SW 8260B	03/27/2003	mae	4750
Methylene Chloride	<1.0	ug/L	1.0	3.3	SW 8260B	03/27/2003	mae	4750
Methyl-t-butyl ether	<0.50	ug/L	0.50	1.7	SW 8260B	03/27/2003	mae	4750
Naphthalene	<0.25	ug/L	0.25	0.83	SW 8260B	03/27/2003	mae	4750
n-Propylbenzene	<0.50	ug/L	0.50	1.7	SW 8260B	03/27/2003	mae	4750
Styrene	<0.25	ug/L	0.25	0.83	SW 8260B	03/27/2003	mae	4750
1,1,1,2-Tetrachloroethane	<0.25	ug/L	0.25	0.83	SW 8260B	03/27/2003	mae	4750
1,1,2,2-Tetrachloroethane	<0.25	ug/L	0.25	0.83	SW 8260B	03/27/2003	mae	4750
Tetrachloroethene	1.4	ug/L	0.50	1.7	SW 8260B	03/27/2003	mae	4750
Toluene	<0.25	ug/L	0.25	0.83	SW 8260B	03/27/2003	mae	4750
1,2,3-Trichlorobenzene	<0.25	ug/L	0.25	0.83	SW 8260B	03/27/2003	mae	4750
1,2,4-Trichlorobenzene	<0.25	ug/L	0.25	0.83	SW 8260B	03/27/2003	mae	4750
1,1,1-Trichloroethane	<0.50	ug/L	0.50	1.7	SW 8260B	03/27/2003	mae	4750
1,1,2-Trichloroethane	<0.25	ug/L	0.25	0.83	SW 8260B	03/27/2003	mae	4750
Trichloroethene	0.76	ug/L	0.25	0.83	SW 8260B	03/27/2003	mae	4750
Trichlorofluoromethane	<0.50	ug/L	0.50	1.7	SW 8260B	03/27/2003	mae	4750
1,2,3-Trichloropropane	<0.50	ug/L	0.50	1.7	SW 8260B	03/27/2003	mae	4750
1,2,4-Trimethylbenzene	<0.25	ug/L	0.25	0.83	SW 8260B	03/27/2003	mae	4750
1,3,5-Trimethylbenzene	<0.25	ug/L	0.25	0.83	SW 8260B	03/27/2003	mae	4750
Vinyl Chloride	<0.50	ug/L	0.50	1.7	SW 8260B	03/27/2003	mae	4750
Xylenes, Total	<0.50	ug/L	0.50	1.7	SW 8260B	03/27/2003	mae	4750
Surr: Dibromofluoromethane	95	¶		88-112	SW 8260B	03/27/2003	mae	4750
Surr: Toluene-d8	100	¶		89-112	SW 8260B	03/27/2003	mae	4750
Surr: Bromofluorobenzene	103	¶		90-114	SW 8260B	03/27/2003	mae	4750

ANALYTICAL REPORT

Mr. D'Arcy Gravelle
 KEY ENGINEERING GROUP LTD
 W66 N215 Commerce Court
 Cedarburg, WI 53012

03/31/2003
 Job No: 03.02303
 Sample No: 517557
 Account No: 45150
 Page 54 of 63

JOB DESCRIPTION: 0702007 Decorah Annex
 PROJECT DESCRIPTION: Groundwater Analysis
 SAMPLE DESCRIPTION: Duplicate 2
 West Bend, WI
 Rec'd at 4 degrees C

Date/Time Taken: 03/19/2003 UNKNOWN

Date Received: 03/20/2003

Parameter	Results	Units	MDL	LOQ	Method	Date Analyzed	Analyst	Prep/Run Batch
VOC - AQUEOUS - EPA 8260B								
Benzene	<0.25	ug/L	0.25	0.83	SW 8260B	03/27/2003	mae	4750
Bromobenzene	<0.25	ug/L	0.25	0.83	SW 8260B	03/27/2003	mae	4750
Bromochloromethane	<0.50	ug/L	0.50	1.7	SW 8260B	03/27/2003	mae	4750
Bromodichloromethane	<0.25	ug/L	0.25	0.83	SW 8260B	03/27/2003	mae	4750
Bromoform	<0.25	ug/L	0.25	0.83	SW 8260B	03/27/2003	mae	4750
Bromomethane	<0.25	ug/L	0.25	0.83	SW 8260B	03/27/2003	mae	4750
n-Butylbenzene	<0.25	ug/L	0.25	0.83	SW 8260B	03/27/2003	mae	4750
sec-Butylbenzene	<0.25	ug/L	0.25	0.83	SW 8260B	03/27/2003	mae	4750
tert-Butylbenzene	<0.25	ug/L	0.25	0.83	SW 8260B	03/27/2003	mae	4750
Carbon Tetrachloride	<0.50	ug/L	0.50	1.7	SW 8260B	03/27/2003	mae	4750
Chlorobenzene	<0.25	ug/L	0.25	0.83	SW 8260B	03/27/2003	mae	4750
Chlorodibromomethane	<0.25	ug/L	0.25	0.83	SW 8260B	03/27/2003	mae	4750
Chloroethane	<1.0	ug/L	1.0	3.3	SW 8260B	03/27/2003	mae	4750
Chloroform	<0.25	ug/L	0.25	0.83	SW 8260B	03/27/2003	mae	4750
Chloromethane	<0.25	ug/L	0.25	0.83	SW 8260B	03/27/2003	mae	4750
2-Chlorotoluene	<0.50	ug/L	0.50	1.7	SW 8260B	03/27/2003	mae	4750
4-Chlorotoluene	<0.25	ug/L	0.25	0.83	SW 8260B	03/27/2003	mae	4750
1,2-Dibromo-3-Chloropropane	<0.50	ug/L	0.50	1.7	SW 8260B	03/27/2003	mae	4750
1,2-Dibromoethane (EDB)	<0.25	ug/L	0.25	0.83	SW 8260B	03/27/2003	mae	4750
Dibromomethane	<0.25	ug/L	0.25	0.83	SW 8260B	03/27/2003	mae	4750
1,2-Dichlorobenzene	<0.25	ug/L	0.25	0.83	SW 8260B	03/27/2003	mae	4750
1,3-Dichlorobenzene	<0.25	ug/L	0.25	0.83	SW 8260B	03/27/2003	mae	4750
1,4-Dichlorobenzene	<0.25	ug/L	0.25	0.83	SW 8260B	03/27/2003	mae	4750
Dichlorodifluoromethane	<0.50	ug/L	0.50	1.7	SW 8260B	03/27/2003	mae	4750
1,1-Dichloroethane	<0.50	ug/L	0.50	1.7	SW 8260B	03/27/2003	mae	4750
1,2-Dichloroethane	<0.50	ug/L	0.50	1.7	SW 8260B	03/27/2003	mae	4750
1,1-Dichloroethene	<0.50	ug/L	0.50	1.7	SW 8260B	03/27/2003	mae	4750
cis-1,2-Dichloroethene	<0.50	ug/L	0.50	1.7	SW 8260B	03/27/2003	mae	4750
trans-1,2-Dichloroethene	<0.50	ug/L	0.50	1.7	SW 8260B	03/27/2003	mae	4750
1,2-Dichloropropane	<0.50	ug/L	0.50	1.7	SW 8260B	03/27/2003	mae	4750
1,3-Dichloropropane	<0.25	ug/L	0.25	0.83	SW 8260B	03/27/2003	mae	4750
2,2-Dichloropropane	<0.50	ug/L	0.50	1.7	SW 8260B	03/27/2003	mae	4750
1,1-Dichloropropene	<0.50	ug/L	0.50	1.7	SW 8260B	03/27/2003	mae	4750
cis-1,3-Dichloropropene	<0.25	ug/L	0.25	0.83	SW 8260B	03/27/2003	mae	4750
trans-1,3-Dichloropropene	<0.25	ug/L	0.25	0.83	SW 8260B	03/27/2003	mae	4750
Di-isopropyl ether	<0.50	ug/L	0.50	1.7	SW 8260B	03/27/2003	mae	4750
Ethylbenzene	<0.50	ug/L	0.50	1.7	SW 8260B	03/27/2003	mae	4750
Hexachlorobutadiene	<0.50	ug/L	0.50	1.7	SW 8260B	03/27/2003	mae	4750

ANALYTICAL REPORT

Mr. D'Arcy Gravelle
 KEY ENGINEERING GROUP LTD
 W66 N215 Commerce Court
 Cedarburg, WI 53012

03/31/2003
 Job No: 03.02303
 Sample No: 517557
 Account No: 45150
 Page 55 of 63

JOB DESCRIPTION: 0702007 Decorah Annex
 PROJECT DESCRIPTION: Groundwater Analysis
 SAMPLE DESCRIPTION: Duplicate 2
 West Bend, WI
 Rec'd at 4 degrees C

Date/Time Taken: 03/19/2003 UNKNOWN

Date Received: 03/20/2003

Parameter	Results	Units	MDL	LOQ	Method	Date Analyzed	Analyst	Prep/Run Batch
Isopropylbenzene	<0.25	ug/L	0.25	0.83	SW 8260B	03/27/2003	mae	4750
p-Isopropyltoluene	<0.25	ug/L	0.25	0.83	SW 8260B	03/27/2003	mae	4750
Methylene Chloride	<1.0	ug/L	1.0	3.3	SW 8260B	03/27/2003	mae	4750
Methyl-t-butyl ether	<0.50	ug/L	0.50	1.7	SW 8260B	03/27/2003	mae	4750
Naphthalene	<0.25	ug/L	0.25	0.83	SW 8260B	03/27/2003	mae	4750
n-Propylbenzene	<0.50	ug/L	0.50	1.7	SW 8260B	03/27/2003	mae	4750
Styrene	<0.25	ug/L	0.25	0.83	SW 8260B	03/27/2003	mae	4750
1,1,1,2-Tetrachloroethane	<0.25	ug/L	0.25	0.83	SW 8260B	03/27/2003	mae	4750
1,1,2,2-Tetrachloroethane	<0.25	ug/L	0.25	0.83	SW 8260B	03/27/2003	mae	4750
Tetrachloroethene	<0.50	ug/L	0.50	1.7	SW 8260B	03/27/2003	mae	4750
Toluene	<0.25	ug/L	0.25	0.83	SW 8260B	03/27/2003	mae	4750
1,2,3-Trichlorobenzene	<0.25	ug/L	0.25	0.83	SW 8260B	03/27/2003	mae	4750
1,2,4-Trichlorobenzene	<0.25	ug/L	0.25	0.83	SW 8260B	03/27/2003	mae	4750
1,1,1-Trichloroethane	<0.50	ug/L	0.50	1.7	SW 8260B	03/27/2003	mae	4750
1,1,2-Trichloroethane	<0.25	ug/L	0.25	0.83	SW 8260B	03/27/2003	mae	4750
Trichloroethene	0.25	ug/L	0.25	0.83	SW 8260B	03/27/2003	mae	4750
Trichlorofluoromethane	<0.50	ug/L	0.50	1.7	SW 8260B	03/27/2003	mae	4750
1,2,3-Trichloropropane	<0.50	ug/L	0.50	1.7	SW 8260B	03/27/2003	mae	4750
1,2,4-Trimethylbenzene	<0.25	ug/L	0.25	0.83	SW 8260B	03/27/2003	mae	4750
1,3,5-Trimethylbenzene	<0.25	ug/L	0.25	0.83	SW 8260B	03/27/2003	mae	4750
Vinyl Chloride	<0.50	ug/L	0.50	1.7	SW 8260B	03/27/2003	mae	4750
Xylenes, Total	<0.50	ug/L	0.50	1.7	SW 8260B	03/27/2003	mae	4750
Surr: Dibromofluoromethane	95	%		88-112	SW 8260B	03/27/2003	mae	4750
Surr: Toluene-d8	100	%		89-112	SW 8260B	03/27/2003	mae	4750
Surr: Bromofluorobenzene	103	%		90-114	SW 8260B	03/27/2003	mae	4750

ANALYTICAL REPORT

Mr. D'Arcy Gravelle
 KEY ENGINEERING GROUP LTD
 W66 N215 Commerce Court
 Cedarburg, WI 53012

03/31/2003
 Job No: 03.02303
 Sample No: 517558
 Account No: 45150
 Page 56 of 63

JOB DESCRIPTION: 0702007 Decorah Annex
 PROJECT DESCRIPTION: Groundwater Analysis
 SAMPLE DESCRIPTION: Trip Blank
 West Bend, WI
 Rec'd at 4 degrees C

Date/Time Taken: 03/19/2003 UNKNOWN

Date Received: 03/20/2003

Parameter	Results	Units	MDL	LOQ	Method	Date Analyzed	Analyst	Prep/Run Batch
VOC - AQUEOUS - EPA 8260B								
Benzene	<0.25	ug/L	0.25	0.83	SW 8260B	03/27/2003	mae	4750
Bromobenzene	<0.25	ug/L	0.25	0.83	SW 8260B	03/27/2003	mae	4750
Bromochloromethane	<0.50	ug/L	0.50	1.7	SW 8260B	03/27/2003	mae	4750
Bromodichloromethane	<0.25	ug/L	0.25	0.83	SW 8260B	03/27/2003	mae	4750
Bromoform	<0.25	ug/L	0.25	0.83	SW 8260B	03/27/2003	mae	4750
Bromomethane	<0.25	ug/L	0.25	0.83	SW 8260B	03/27/2003	mae	4750
n-Butylbenzene	<0.25	ug/L	0.25	0.83	SW 8260B	03/27/2003	mae	4750
sec-Butylbenzene	<0.25	ug/L	0.25	0.83	SW 8260B	03/27/2003	mae	4750
tert-Butylbenzene	<0.25	ug/L	0.25	0.83	SW 8260B	03/27/2003	mae	4750
Carbon Tetrachloride	<0.50	ug/L	0.50	1.7	SW 8260B	03/27/2003	mae	4750
Chlorobenzene	<0.25	ug/L	0.25	0.83	SW 8260B	03/27/2003	mae	4750
Chlorodibromomethane	<0.25	ug/L	0.25	0.83	SW 8260B	03/27/2003	mae	4750
Chloroethane	<1.0	ug/L	1.0	3.3	SW 8260B	03/27/2003	mae	4750
Chloroform	<0.25	ug/L	0.25	0.83	SW 8260B	03/27/2003	mae	4750
Chloromethane	<0.25	ug/L	0.25	0.83	SW 8260B	03/27/2003	mae	4750
2-Chlorotoluene	<0.50	ug/L	0.50	1.7	SW 8260B	03/27/2003	mae	4750
4-Chlorotoluene	<0.25	ug/L	0.25	0.83	SW 8260B	03/27/2003	mae	4750
1,2-Dibromo-3-Chloropropane	<0.50	ug/L	0.50	1.7	SW 8260B	03/27/2003	mae	4750
1,2-Dibromoethane (EDB)	<0.25	ug/L	0.25	0.83	SW 8260B	03/27/2003	mae	4750
Dibromomethane	<0.25	ug/L	0.25	0.83	SW 8260B	03/27/2003	mae	4750
1,2-Dichlorobenzene	<0.25	ug/L	0.25	0.83	SW 8260B	03/27/2003	mae	4750
1,3-Dichlorobenzene	<0.25	ug/L	0.25	0.83	SW 8260B	03/27/2003	mae	4750
1,4-Dichlorobenzene	<0.25	ug/L	0.25	0.83	SW 8260B	03/27/2003	mae	4750
Dichlorodifluoromethane	<0.50	ug/L	0.50	1.7	SW 8260B	03/27/2003	mae	4750
1,1-Dichloroethane	<0.50	ug/L	0.50	1.7	SW 8260B	03/27/2003	mae	4750
1,2-Dichloroethane	<0.50	ug/L	0.50	1.7	SW 8260B	03/27/2003	mae	4750
1,1-Dichloroethene	<0.50	ug/L	0.50	1.7	SW 8260B	03/27/2003	mae	4750
cis-1,2-Dichloroethene	<0.50	ug/L	0.50	1.7	SW 8260B	03/27/2003	mae	4750
trans-1,2-Dichloroethene	<0.50	ug/L	0.50	1.7	SW 8260B	03/27/2003	mae	4750
1,2-Dichloropropane	<0.50	ug/L	0.50	1.7	SW 8260B	03/27/2003	mae	4750
1,3-Dichloropropane	<0.25	ug/L	0.25	0.83	SW 8260B	03/27/2003	mae	4750
2,2-Dichloropropane	<0.50	ug/L	0.50	1.7	SW 8260B	03/27/2003	mae	4750
1,1-Dichloropropene	<0.50	ug/L	0.50	1.7	SW 8260B	03/27/2003	mae	4750
cis-1,3-Dichloropropene	<0.25	ug/L	0.25	0.83	SW 8260B	03/27/2003	mae	4750
trans-1,3-Dichloropropene	<0.25	ug/L	0.25	0.83	SW 8260B	03/27/2003	mae	4750
Di-isopropyl ether	<0.50	ug/L	0.50	1.7	SW 8260B	03/27/2003	mae	4750
Ethylbenzene	<0.50	ug/L	0.50	1.7	SW 8260B	03/27/2003	mae	4750
Hexachlorobutadiene	<0.50	ug/L	0.50	1.7	SW 8260B	03/27/2003	mae	4750

ANALYTICAL REPORT

Mr. D'Arcy Gravelle
 KEY ENGINEERING GROUP LTD
 W66 N215 Commerce Court
 Cedarburg, WI 53012

03/31/2003
 Job No: 03.02303
 Sample No: 517558
 Account No: 45150
 Page 57 of 63

JOB DESCRIPTION: 0702007 Decorah Annex
 PROJECT DESCRIPTION: Groundwater Analysis
 SAMPLE DESCRIPTION: Trip Blank
 West Bend, WI
 Rec'd at 4 degrees C

Date/Time Taken: 03/19/2003 UNKNOWN

Date Received: 03/20/2003

Parameter	Results	Units	MDL	LOQ	Method	Date Analyzed	Analyst	Prep/Run Batch
Isopropylbenzene	<0.25	ug/L	0.25	0.83	SW 8260B	03/27/2003	mae	4750
p-Isopropyltoluene	<0.25	ug/L	0.25	0.83	SW 8260B	03/27/2003	mae	4750
Methylene Chloride	<1.0	ug/L	1.0	3.3	SW 8260B	03/27/2003	mae	4750
Methyl-t-butyl ether	<0.50	ug/L	0.50	1.7	SW 8260B	03/27/2003	mae	4750
Naphthalene	<0.25	ug/L	0.25	0.83	SW 8260B	03/27/2003	mae	4750
n-Propylbenzene	<0.50	ug/L	0.50	1.7	SW 8260B	03/27/2003	mae	4750
Styrene	<0.25	ug/L	0.25	0.83	SW 8260B	03/27/2003	mae	4750
1,1,1,2-Tetrachloroethane	<0.25	ug/L	0.25	0.83	SW 8260B	03/27/2003	mae	4750
1,1,2,2-Tetrachloroethane	<0.25	ug/L	0.25	0.83	SW 8260B	03/27/2003	mae	4750
Tetrachloroethene	<0.50	ug/L	0.50	1.7	SW 8260B	03/27/2003	mae	4750
Toluene	<0.25	ug/L	0.25	0.83	SW 8260B	03/27/2003	mae	4750
1,2,3-Trichlorobenzene	<0.25	ug/L	0.25	0.83	SW 8260B	03/27/2003	mae	4750
1,2,4-Trichlorobenzene	<0.25	ug/L	0.25	0.83	SW 8260B	03/27/2003	mae	4750
1,1,1-Trichloroethane	<0.50	ug/L	0.50	1.7	SW 8260B	03/27/2003	mae	4750
1,1,2-Trichloroethane	<0.25	ug/L	0.25	0.83	SW 8260B	03/27/2003	mae	4750
Trichloroethene	<0.25	ug/L	0.25	0.83	SW 8260B	03/27/2003	mae	4750
Trichlorofluoromethane	<0.50	ug/L	0.50	1.7	SW 8260B	03/27/2003	mae	4750
1,2,3-Trichloropropane	<0.50	ug/L	0.50	1.7	SW 8260B	03/27/2003	mae	4750
1,2,4-Trimethylbenzene	<0.25	ug/L	0.25	0.83	SW 8260B	03/27/2003	mae	4750
1,3,5-Trimethylbenzene	<0.25	ug/L	0.25	0.83	SW 8260B	03/27/2003	mae	4750
Vinyl Chloride	<0.50	ug/L	0.50	1.7	SW 8260B	03/27/2003	mae	4750
Xylenes, Total	<0.50	ug/L	0.50	1.7	SW 8260B	03/27/2003	mae	4750
Surr: Dibromofluoromethane	94	%		88-112	SW 8260B	03/27/2003	mae	4750
Surr: Toluene-d8	99	%		89-112	SW 8260B	03/27/2003	mae	4750
Surr: Bromofluorobenzene	102	%		90-114	SW 8260B	03/27/2003	mae	4750

QUALITY CONTROL REPORT BLANKS

03/31/2003

Mr. D'Arcy Gravelle
 KEY ENGINEERING GROUP LTD
 W66 N215 Commerce Court
 Cedarburg, WI 53012

Job No: 03.02303
 Account No: 45150

Page 58 of 63

Job Description: 0702007 Decorah Annex

Parameter	Prep Batch	Run Batch	Blank Result	MDL	LOQ	Units
VOC - AQUEOUS - EPA 8260B						
Benzene	4749	<0.25	0.25	0.83	ug/L	
Bromobenzene	4749	<0.25	0.25	0.83	ug/L	
Bromochloromethane	4749	<0.50	0.50	1.7	ug/L	
Bromodichloromethane	4749	<0.25	0.25	0.83	ug/L	
Bromoform	4749	<0.25	0.25	0.83	ug/L	
Bromomethane	4749	<0.25	0.25	0.83	ug/L	
n-Butylbenzene	4749	<0.25	0.25	0.83	ug/L	
sec-Butylbenzene	4749	<0.25	0.25	0.83	ug/L	
tert-Butylbenzene	4749	<0.25	0.25	0.83	ug/L	
Carbon Tetrachloride	4749	<0.50	0.50	1.7	ug/L	
Chlorobenzene	4749	<0.25	0.25	0.83	ug/L	
Chlorodibromomethane	4749	<0.25	0.25	0.83	ug/L	
Chloroethane	4749	<1.0	1.0	3.3	ug/L	
Chloroform	4749	<0.25	0.25	0.83	ug/L	
Chloromethane	4749	<0.25	0.25	0.83	ug/L	
2-Chlorotoluene	4749	<0.50	0.50	1.7	ug/L	
4-Chlorotoluene	4749	<0.25	0.25	0.83	ug/L	
1,2-Dibromo-3-Chloropropane	4749	<0.50	0.50	1.7	ug/L	
1,2-Dibromoethane (EDB)	4749	<0.25	0.25	0.83	ug/L	
Dibromomethane	4749	<0.25	0.25	0.83	ug/L	
1,2-Dichlorobenzene	4749	<0.25	0.25	0.83	ug/L	
1,3-Dichlorobenzene	4749	<0.25	0.25	0.83	ug/L	
1,4-Dichlorobenzene	4749	<0.25	0.25	0.83	ug/L	
Dichlorodifluoromethane	4749	<0.50	0.50	1.7	ug/L	
1,1-Dichloroethane	4749	<0.50	0.50	1.7	ug/L	
1,2-Dichloroethane	4749	<0.50	0.50	1.7	ug/L	
1,1-Dichloroethene	4749	<0.50	0.50	1.7	ug/L	
cis-1,2-Dichloroethene	4749	<0.50	0.50	1.7	ug/L	
trans-1,2-Dichloroethene	4749	<0.50	0.50	1.7	ug/L	
1,2-Dichloropropane	4749	<0.50	0.50	1.7	ug/L	
1,3-Dichloropropane	4749	<0.25	0.25	0.83	ug/L	
2,2-Dichloropropane	4749	<0.50	0.50	1.7	ug/L	
1,1-Dichloropropene	4749	<0.50	0.50	1.7	ug/L	
cis-1,3-Dichloropropene	4749	<0.25	0.25	0.83	ug/L	
trans-1,3-Dichloropropene	4749	<0.25	0.25	0.83	ug/L	
Di-isopropyl ether	4749	<0.50	0.50	1.7	ug/L	

Method blank results exceed control limits when results are higher than the highest of any of the following: 1 - The limit of detection; 2 - Five percent of the regulatory limit for that analyte; 3 - Five percent of the measured concentration in the sample. NR149.14 (3)d

QUALITY CONTROL REPORT

BLANKS

03/31/2003

Mr. D'Arcy Gravelle
 KEY ENGINEERING GROUP LTD
 W66 N215 Commerce Court
 Cedarburg, WI 53012

Job No: 03.02303
 Account No: 45150

Page 59 of 63

Job Description: 0702007 Decorah Annex

Parameter	Prep Batch	Run Batch	Blank Result	MDL	LOQ	Units
Ethylbenzene	4749	<0.50	0.50	1.7	ug/L	
Hexachlorobutadiene	4749	<0.50	0.50	1.7	ug/L	
Isopropylbenzene	4749	<0.25	0.25	0.83	ug/L	
p-Isopropyltoluene	4749	<0.25	0.25	0.83	ug/L	
Methylene Chloride	4749	<1.0	1.0	3.3	ug/L	
Methyl-t-butyl ether	4749	<0.50	0.50	1.7	ug/L	
Naphthalene	4749	<0.25	0.25	0.83	ug/L	
n-Propylbenzene	4749	<0.50	0.50	1.7	ug/L	
Styrene	4749	<0.25	0.25	0.83	ug/L	
1,1,1,2-Tetrachloroethane	4749	<0.25	0.25	0.83	ug/L	
1,1,2,2-Tetrachloroethane	4749	<0.25	0.25	0.83	ug/L	
Tetrachloroethene	4749	<0.50	0.50	1.7	ug/L	
Toluene	4749	<0.25	0.25	0.83	ug/L	
1,2,3-Trichlorobenzene	4749	<0.25	0.25	0.83	ug/L	
1,2,4-Trichlorobenzene	4749	<0.25	0.25	0.83	ug/L	
1,1,1-Trichloroethane	4749	<0.50	0.50	1.7	ug/L	
1,1,2-Trichloroethane	4749	<0.25	0.25	0.83	ug/L	
Trichloroethene	4749	<0.25	0.25	0.83	ug/L	
Trichlorofluoromethane	4749	<0.50	0.50	1.7	ug/L	
1,2,3-Trichloropropane	4749	<0.50	0.50	1.7	ug/L	
1,2,4-Trimethylbenzene	4749	<0.25	0.25	0.83	ug/L	
1,3,5-Trimethylbenzene	4749	<0.25	0.25	0.83	ug/L	
Vinyl Chloride	4749	<0.50	0.50	1.7	ug/L	
Xylenes, Total	4749	<0.50	0.50	1.7	ug/L	
Surr: Dibromofluoromethane	4749	97.6		88-112	%	
Surr: Toluene-d8	4749	96.2		89-112	%	
Surr: Bromofluorobenzene	4749	97.0		90-114	%	
VOC - AQUEOUS - EPA 8260B						
Benzene	4750	<0.25	0.25	0.83	ug/L	
Bromobenzene	4750	<0.25	0.25	0.83	ug/L	
Bromoform	4750	<0.50	0.50	1.7	ug/L	
Bromochloromethane	4750	<0.25	0.25	0.83	ug/L	
Bromodichloromethane	4750	<0.25	0.25	0.83	ug/L	
Bromoform	4750	<0.25	0.25	0.83	ug/L	
Bromomethane	4750	<0.25	0.25	0.83	ug/L	
n-Butylbenzene	4750	<0.25	0.25	0.83	ug/L	
sec-Butylbenzene	4750	<0.25	0.25	0.83	ug/L	
tert-Butylbenzene	4750	<0.25	0.25	0.83	ug/L	

Method blank results exceed control limits when results are higher than the highest of any of the following: 1 - The limit of detection; 2 - Five percent of the regulatory limit for that analyte; 3 - Five percent of the measured concentration in the sample. NR149.14 (3)d

QUALITY CONTROL REPORT BLANKS

03/31/2003

Mr. D'Arcy Gravelle
KEY ENGINEERING GROUP LTD
W66 N215 Commerce Court
Cedarburg, WI 53012

Job No: 03.02303
Account No: 45150

Page 60 of 63

Job Description: 0702007 Decorah Annex

Parameter	Prep Batch	Run Batch	Blank Result	MDL	LOQ	Units
Carbon Tetrachloride	4750	<0.50	0.50	1.7	ug/L	
Chlorobenzene	4750	<0.25	0.25	0.83	ug/L	
Chlorodibromomethane	4750	<0.25	0.25	0.83	ug/L	
Chloroethane	4750	<1.0	1.0	3.3	ug/L	
Chloroform	4750	<0.25	0.25	0.83	ug/L	
Chloromethane	4750	<0.25	0.25	0.83	ug/L	
2-Chlorotoluene	4750	<0.50	0.50	1.7	ug/L	
4-Chlorotoluene	4750	<0.25	0.25	0.83	ug/L	
1,2-Dibromo-3-Chloropropane	4750	<0.50	0.50	1.7	ug/L	
1,2-Dibromoethane (EDB)	4750	<0.25	0.25	0.83	ug/L	
Dibromomethane	4750	<0.25	0.25	0.83	ug/L	
1,2-Dichlorobenzene	4750	<0.25	0.25	0.83	ug/L	
1,3-Dichlorobenzene	4750	<0.25	0.25	0.83	ug/L	
1,4-Dichlorobenzene	4750	<0.25	0.25	0.83	ug/L	
Dichlorodifluoromethane	4750	<0.50	0.50	1.7	ug/L	
1,1-Dichloroethane	4750	<0.50	0.50	1.7	ug/L	
1,2-Dichloroethane	4750	<0.50	0.50	1.7	ug/L	
1,1-Dichloroethene	4750	<0.50	0.50	1.7	ug/L	
cis-1,2-Dichloroethene	4750	<0.50	0.50	1.7	ug/L	
trans-1,2-Dichloroethene	4750	<0.50	0.50	1.7	ug/L	
1,2-Dichloropropane	4750	<0.50	0.50	1.7	ug/L	
1,3-Dichloropropane	4750	<0.25	0.25	0.83	ug/L	
2,2-Dichloropropane	4750	<0.50	0.50	1.7	ug/L	
1,1-Dichloropropene	4750	<0.50	0.50	1.7	ug/L	
cis-1,3-Dichloropropene	4750	<0.25	0.25	0.83	ug/L	
trans-1,3-Dichloropropene	4750	<0.25	0.25	0.83	ug/L	
Di-isopropyl ether	4750	<0.50	0.50	1.7	ug/L	
Ethylbenzene	4750	<0.50	0.50	1.7	ug/L	
Hexachlorobutadiene	4750	<0.50	0.50	1.7	ug/L	
Isopropylbenzene	4750	<0.25	0.25	0.83	ug/L	
p-Isopropyltoluene	4750	<0.25	0.25	0.83	ug/L	
Methylene Chloride	4750	<1.0	1.0	3.3	ug/L	
Methyl-t-butyl ether	4750	<0.50	0.50	1.7	ug/L	
Naphthalene	4750	<0.25	0.25	0.83	ug/L	
n-Propylbenzene	4750	<0.50	0.50	1.7	ug/L	
Styrene	4750	<0.25	0.25	0.83	ug/L	
1,1,1,2-Tetrachloroethane	4750	<0.25	0.25	0.83	ug/L	

Method blank results exceed control limits when results are higher than the highest of any of the following: 1 - The limit of detection; 2 - Five percent of the regulatory limit for that analyte; 3 - Five percent of the measured concentration in the sample. NR149.14 (3)d

QUALITY CONTROL REPORT BLANKS

03/31/2003

Mr. D'Arcy Gravelle
 KEY ENGINEERING GROUP LTD
 W66 N215 Commerce Court
 Cedarburg, WI 53012

Job No: 03.02303
 Account No: 45150

Page 61 of 63

Job Description: 0702007 Decorah Annex

Parameter	Prep Batch	Run Batch	Blank Result	MDL	LOQ	Units
1,1,2,2-Tetrachloroethane	4750	<0.25	0.25	0.83	ug/L	
Tetrachloroethene	4750	<0.50	0.50	1.7	ug/L	
Toluene	4750	<0.25	0.25	0.83	ug/L	
1,2,3-Trichlorobenzene	4750	<0.25	0.25	0.83	ug/L	
1,2,4-Trichlorobenzene	4750	<0.25	0.25	0.83	ug/L	
1,1,1-Trichloroethane	4750	<0.50	0.50	1.7	ug/L	
1,1,2-Trichloroethane	4750	<0.25	0.25	0.83	ug/L	
Trichloroethene	4750	<0.25	0.25	0.83	ug/L	
Trichlorofluoromethane	4750	<0.50	0.50	1.7	ug/L	
1,2,3-Trichloropropane	4750	<0.50	0.50	1.7	ug/L	
1,2,4-Trimethylbenzene	4750	<0.25	0.25	0.83	ug/L	
1,3,5-Trimethylbenzene	4750	<0.25	0.25	0.83	ug/L	
Vinyl Chloride	4750	<0.50	0.50	1.7	ug/L	
Xylenes, Total	4750	<0.50	0.50	1.7	ug/L	
Surr: Dibromofluoromethane	4750	93.2		88-112	%	
Surr: Toluene-d8	4750	98.8		89-112	%	
Surr: Bromofluorobenzene	4750	100.4		90-114	%	
VOC - AQUEOUS - EPA 8260B						
Benzene	4751	<0.25	0.25	0.83	ug/L	
Bromobenzene	4751	<0.25	0.25	0.83	ug/L	
Bromochloromethane	4751	<0.50	0.50	1.7	ug/L	
Bromodichloromethane	4751	<0.25	0.25	0.83	ug/L	
Bromoform	4751	<0.25	0.25	0.83	ug/L	
Bromomethane	4751	<0.25	0.25	0.83	ug/L	
n-Butylbenzene	4751	<0.25	0.25	0.83	ug/L	
sec-Butylbenzene	4751	<0.25	0.25	0.83	ug/L	
tert-Butylbenzene	4751	<0.25	0.25	0.83	ug/L	
Carbon Tetrachloride	4751	<0.50	0.50	1.7	ug/L	
Chlorobenzene	4751	<0.25	0.25	0.83	ug/L	
Chlorodibromomethane	4751	<0.25	0.25	0.83	ug/L	
Chloroethane	4751	<1.0	1.0	3.3	ug/L	
Chloroform	4751	<0.25	0.25	0.83	ug/L	
Chloromethane	4751	<0.25	0.25	0.83	ug/L	
2-Chlorotoluene	4751	<0.50	0.50	1.7	ug/L	
4-Chlorotoluene	4751	<0.25	0.25	0.83	ug/L	
1,2-Dibromo-3-Chloropropane	4751	<0.50	0.50	1.7	ug/L	
1,2-Dibromoethane (EDB)	4751	<0.25	0.25	0.83	ug/L	

Method blank results exceed control limits when results are higher than the highest of any of the following: 1 - The limit of detection; 2 - Five percent of the regulatory limit for that analyte; 3 - Five percent of the measured concentration in the sample. NR149.14 (3)d

QUALITY CONTROL REPORT BLANKS

03/31/2003

Mr. D'Arcy Gravelle
 KEY ENGINEERING GROUP LTD
 W66 N215 Commerce Court
 Cedarburg, WI 53012

Job No: 03.02303
 Account No: 45150

Page 62 of 63

Job Description: 0702007 Decorah Annex

Parameter	Prep Batch	Run Batch	Blank Result	MDL	LOQ	Units
Dibromomethane	4751	<0.25	0.25	0.83	ug/L	
1,2-Dichlorobenzene	4751	<0.25	0.25	0.83	ug/L	
1,3-Dichlorobenzene	4751	<0.25	0.25	0.83	ug/L	
1,4-Dichlorobenzene	4751	<0.25	0.25	0.83	ug/L	
Dichlorodifluoromethane	4751	<0.50	0.50	1.7	ug/L	
1,1-Dichloroethane	4751	<0.50	0.50	1.7	ug/L	
1,2-Dichloroethane	4751	<0.50	0.50	1.7	ug/L	
1,1-Dichloroethene	4751	<0.50	0.50	1.7	ug/L	
cis-1,2-Dichloroethene	4751	<0.50	0.50	1.7	ug/L	
trans-1,2-Dichloroethene	4751	<0.50	0.50	1.7	ug/L	
1,2-Dichloropropane	4751	<0.50	0.50	1.7	ug/L	
1,3-Dichloropropane	4751	<0.25	0.25	0.83	ug/L	
2,2-Dichloropropane	4751	<0.50	0.50	1.7	ug/L	
1,1-Dichloropropene	4751	<0.50	0.50	1.7	ug/L	
cis-1,3-Dichloropropene	4751	<0.25	0.25	0.83	ug/L	
trans-1,3-Dichloropropene	4751	<0.25	0.25	0.83	ug/L	
Di-isopropyl ether	4751	<0.50	0.50	1.7	ug/L	
Ethylbenzene	4751	<0.50	0.50	1.7	ug/L	
Hexachlorobutadiene	4751	<0.50	0.50	1.7	ug/L	
Isopropylbenzene	4751	<0.25	0.25	0.83	ug/L	
p-Isopropyltoluene	4751	<0.25	0.25	0.83	ug/L	
Methylene Chloride	4751	<1.0	1.0	3.3	ug/L	
Methyl-t-butyl ether	4751	<0.50	0.50	1.7	ug/L	
Naphthalene	4751	<0.25	0.25	0.83	ug/L	
n-Propylbenzene	4751	<0.50	0.50	1.7	ug/L	
Styrene	4751	<0.25	0.25	0.83	ug/L	
1,1,1,2-Tetrachloroethane	4751	<0.25	0.25	0.83	ug/L	
1,1,2,2-Tetrachloroethane	4751	<0.25	0.25	0.83	ug/L	
Tetrachloroethene	4751	<0.50	0.50	1.7	ug/L	
Toluene	4751	<0.25	0.25	0.83	ug/L	
1,2,3-Trichlorobenzene	4751	<0.25	0.25	0.83	ug/L	
1,2,4-Trichlorobenzene	4751	<0.25	0.25	0.83	ug/L	
1,1,1-Trichloroethane	4751	<0.50	0.50	1.7	ug/L	
1,1,2-Trichloroethane	4751	<0.25	0.25	0.83	ug/L	
Trichloroethene	4751	<0.25	0.25	0.83	ug/L	
Trichlorofluoromethane	4751	<0.50	0.50	1.7	ug/L	
1,2,3-Trichloropropane	4751	<0.50	0.50	1.7	ug/L	

Method blank results exceed control limits when results are higher than the highest of any of the following: 1 - The limit of detection; 2 - Five percent of the regulatory limit for that analyte; 3 - Five percent of the measured concentration in the sample. NR149.14 (3)d

QUALITY CONTROL REPORT BLANKS

03/31/2003

Mr. D'Arcy Gravelle
KEY ENGINEERING GROUP LTD
W66 N215 Commerce Court
Cedarburg, WI 53012

Job No: 03.02303
Account No: 45150

Page 63 of 63

Job Description: 0702007 Decorah Annex

Parameter	Prep Batch	Run Batch	Blank Result	MDL	LOQ	Units
1,2,4-Trimethylbenzene		4751	<0.25	0.25	0.83	ug/L
1,3,5-Trimethylbenzene		4751	<0.25	0.25	0.83	ug/L
Vinyl Chloride		4751	<0.50	0.50	1.7	ug/L
Xylenes, Total		4751	<0.50	0.50	1.7	ug/L
Surr: Dibromofluoromethane		4751	100.0		88-112	%
Surr: Toluene-d8		4751	96.4		89-112	%
Surr: Bromofluorobenzene		4751	96.6		90-114	%
VOC - AQUEOUS - EPA 8260B						
Tetrachloroethene		4757	<0.50	0.50	1.7	ug/L

Method blank results exceed control limits when results are higher than the highest of any of the following: 1 - The limit of detection; 2 - Five percent of the regulatory limit for that analyte; 3 - Five percent of the measured concentration in the sample. NR149.14 (3)d

TestAmerica

INCORPORATED

Watertown Division
602 Commerce Drive
Watertown, WI 53094

Phone 920-261-1660 or 800-833-7036
Fax 920-261-8120

To assist us in using the proper analytical methods,
is this work being conducted for regulatory purposes?
Compliance Monitoring

Client Name KEY ENGINEERING

Client #: WT45150

Address: W66 N215 COMMERCE CT.

City/State/Zip Code: CEDARBURG, WI 53012

Project Manager: D'ARCY GRAVELLE

Telephone Number: (262) 375 - 4750 Fax: 375 - 9680

Sampler Name: (Print Name) MIKE MANTZ

Sampler Signature: M. Mantz

Project Name: DECORAH ANNEX

Project #: 0702007

Site/Location ID: WEST BEND State: WI

Report To: D'ARCY

Invoice To: KEY

Quote #: 03050 PO#:

TAT <input checked="" type="checkbox"/> Standard <input type="checkbox"/> Rush (surcharges may apply)	Date Sampled	Time Sampled	G = Grab, C = Composite	Field Filtered	Matrix	Preservation & # of Containers						Analyze For:										QC Deliverables None Level 2 (Batch QC) Level 3 Level 4 Other: _____				
						SL - Sludge	DW - Drinking Water	GW - Groundwater	S - Soil/Solid	WW - Wastewater	Specify Other	HNO ₃	HCl	NaOH	H ₂ SO ₄	Methanol	None	Other (Specify)	VOC							
SAMPLE ID																										REMARKS
MW-1	3/19/03	11:15	G N	GW														X								
MW-2		11:20																	X							
MW-3		12:00																	X							
MW-4		12:05																	X							
MW-5		1:00																	X							
MW-6		11:25																	X							
MW-8		2:00																	X							
MW-9		1:50																	X							
MW-10	↓	1:40	↓	↓	↓														X							
MW-11		2:10																	X							

Special Instructions:

LABORATORY COMMENTS:

Init Lab Temp: 4

Rec Lab Temp:

Relinquished By: M. Mantz

Date: 3/19

Time: 1400

Received By: MM

Date: 3/20

Time: 1100

Relinquished By: M. Mantz

Date: 3/19

Time: 1400

Received By: MM

Date: 3/20

Time: 1100

Relinquished By: M. Mantz

Date: 3/19

Time: 1400

Received By: MM

Date: 3/20

Time: 1100

Method of Shipment: TA

Custody Seals: Y N N/A

Bottles Supplied by Test America: Y N

M 3/21/03

TestAmerica

INCORPORATED

Watertown Division
602 Commerce Drive
Watertown, WI 53094

Phone 920-261-1660 or 800-833-7036
Fax 920-261-8120

To assist us in using the proper analytical methods,
is this work being conducted for regulatory purposes?
Compliance Monitoring

Client Name KEY ENGINEERING

Client #: WT45150

Address: W66 N215 COMMERCE CT

City/State/Zip Code: CEDARBURG, WI 53012

Project Manager: D'ARCY GRAVELLE

Telephone Number: (262) 375 - 4750 Fax: 375 - 9680

Sampler Name: (Print Name) MIKE MANTZ

Sampler Signature: M. Mantz

Project Name: DECORAH ANNEX

Project #: 0702007

Site/Location ID: WEST BEND State: WI

Report To: D'ARCY

Invoice To: KEY

Quote #: 03050 PO#:

TAT <input checked="" type="checkbox"/> Standard <input type="checkbox"/> Rush (surcharges may apply)	Date Sampled	Time Sampled	G = Grab, C = Composite	Field Filtered	Matrix	Preservation & # of Containers		Other (Specify)	Analyze For:												QC Deliverables None Level 2 (Batch QC) Level 3 Level 4 Other: _____	REMARKS			
						SL - Sludge	DW - Drinking Water		S - Soil/Solid	WW - Wastewater	Specify Other	HNO ₃	HCl	NaOH	H ₂ SO ₄	Methanol	None	VOC							
MW-12	3/19/03	2:25	G N	GW	3													X							
MW-13		2:15																X							
MW-14		1:15																X							
MW-15		2:20																X							
MW-16		10:05																X							
MW-17		10:00																X							
MW-18		10:40																X							
MW-19		11:10																X							
MW-20		2:30																X							
MW-21	▼	11:25	▼	▼	▼	N	▼	▼										X							

Special Instructions:

LABORATORY COMMENTS:

Init Lab Temp: 74

Rec Lab Temp:

Relinquished By: M. Mantz

Date:

Time:

Received By: M. Mantz

Date: 3/20

Time: 1:00

Relinquished By: M. Mantz

Date: 3/20

Time: 1400

Received By: M. Mantz

Date:

Time:

Relinquished By: M. Mantz

Date:

Time:

Received By: M. Mantz

Date: 3/20/03

Time: 1355

Custody Seals: N N/A

Bottles Supplied by Test America: N

Method of Shipment: 74

3/21/03

TestAmerica

INCORPORATED

Watertown Division
602 Commerce Drive
Watertown, WI 53094

Phone 920-261-1660 or 800-833-7036
Fax 920-261-8120

To assist us in using the proper analytical methods,
is this work being conducted for regulatory purposes?
Compliance Monitoring

Client Name KEY ENGINEERING Client #: WT 4S150

Address: W66 N215 COMMERCE CT.

City/State/Zip Code: CEDARBURG, WI 53012

Project Manager: D'ARCY GRAVELLE

Telephone Number: (262) 375 - 4750 Fax: 375 - 9680

Sampler Name: (Print Name) MIKE MANTZ

Sampler Signature: Mike Mantz

Project Name: DECORAH ANNEX

Project #: 0702007

Site/Location ID: WEST BEND State: WI

Report To: D'ARCY

Invoice To: KEY

Quote #: 07050 PO#:

TAT <input checked="" type="checkbox"/> Standard	Date Sampled	Time Sampled	G = Grab, C = Composite	Field Filtered	Matrix	Preservation & # of Containers					Analyze For:	QC Deliverables	
						Sl - Sludge	DW - Drinking Water	GW - Groundwater	S - Soil/Solid	WW - Wastewater	Specify Other		
SAMPLE ID													
P-1	3/19/03	12:10	G	N	GW	3	HNO ₃	HCl	NaOH	H ₂ SO ₄	Methanol	None (Specify)	VOC
P-2		11:30											X
P-3		2:20											X
P-4		10:45											X
DUPLICATE		—											X
DUPLICATE 2		—					↓						X
TRIP BLANK	↓	—	↓	↓	↓	2							X
Special Instructions:													

Relinquished By: <u>Mike Mantz</u>	Date: <u>3/20</u>	Time: <u>11:00</u>	Received By: <u>TA</u>	Date: <u>3/20</u>	Time: <u>11:00</u>
Relinquished By: <u>TA</u>	Date: <u>3/20</u>	Time: <u>11:00</u>	Received By: <u>TA</u>	Date: <u>3/20</u>	Time: <u>11:00</u>
Relinquished By: <u>TA</u>	Date: <u>3/20</u>	Time: <u>11:00</u>	Received By: <u>TA</u>	Date: <u>3/20</u>	Time: <u>11:00</u>

LABORATORY COMMENTS:
Init Lab Temp:
Rec Lab Temp:
Custody Seals: Y N N/A
Bottles Supplied by Test America: Y N
Method of Shipment: TA

3/21/03