

Table 1
Summary of Site-Wide Groundwater VOC Analytical Results
Decorah Shopping Center
West Bend, Wisconsin

| Well Name | Sample Date | PCE | TCE | cis-1,2-DCE | trans-1,2-DCE |
|-----------|-------------|-------|--------|-------------|---------------|
| | NR 140 ES | 5 | 5 | 70 | 100 |
| | NR 140 PAL | 0.5 | 0.5 | 7 | 20 |
| MW-1 | 8/26/04 | <0.45 | <0.48 | <0.83 | <0.89 |
| MW-2 | 8/23/04 | <0.45 | <0.48 | <0.83 | <0.89 |
| | 8/24/04 | 1.4 Q | <0.48 | <0.83 | <0.89 |
| MW-3 | 4/17/07 | <0.45 | <0.48 | <0.83 | <0.89 |
| | 6/17/08 | 1.4 | <0.48 | <0.83 | <0.89 |
| | 7/9/13 | <0.47 | <0.43 | <0.42 | <0.37 |
| MW-4 | 8/24/04 | <0.45 | <0.48 | <0.83 | <0.89 |
| | 7/9/13 | <0.47 | <0.43 | <0.42 | <0.37 |
| MW-5 | 8/25/04 | 4.8 | <0.48 | <0.83 | <0.89 |
| | 4/19/07 | 3.1 | <0.48 | <0.83 | <0.89 |
| | 6/20/08 | <0.45 | <0.48 | <0.83 | <0.89 |
| MW-6 | 8/26/04 | 1.1 Q | <0.48 | <0.83 | <0.89 |
| | 4/18/07 | 1.5 | <0.48 | <0.83 | <0.89 |
| | 6/19/08 | 11.9 | <0.48 | <0.83 | <0.89 |
| | 1/23/09 | <0.45 | <0.48 | <0.83 | <0.89 |
| | 7/9/13 | <0.47 | <0.43 | <0.42 | <0.37 |
| MW-8 | 8/25/04 | 5.2 | 3.1 | <0.83 | <0.89 |
| | 4/19/07 | 2.4 | 0.86 Q | <0.83 | <0.89 |
| | 6/20/08 | 1.1 | 1.2 | <0.83 | <0.89 |
| | 1/26/09 | 3.1 | 1.3 | <0.83 | <0.89 |
| | 7/10/13 | 4.1 | 2.7 | <0.42 | <0.37 |
| MW-9 | 8/25/04 | 2.2 | 8.1 | <0.83 | <0.89 |
| | 4/20/07 | 1.4 Q | 5 | <0.83 | <0.89 |
| | 6/24/08 | <0.45 | 0.9 | <0.83 | <0.89 |
| | 7/10/13 | 1.5 | 6.9 | <0.42 | <0.37 |
| MW-10 | 8/26/04 | 2.7 | <0.48 | <0.83 | <0.89 |
| | 4/19/07 | 1.1 Q | <0.48 | <0.83 | <0.89 |
| | 6/19/08 | <0.45 | <0.48 | <0.83 | <0.89 |
| | 7/9/13 | <0.47 | <0.43 | <0.42 | <0.37 |
| MW-11 | 8/25/04 | 3 | 1.8 | <0.83 | <0.89 |
| | 4/19/07 | 2.3 | 2.2 | <0.83 | <0.89 |
| | 6/20/08 | 0.96 | <0.48 | <0.83 | <0.89 |
| | 7/10/13 | 3.4 | 1.3 | <0.42 | <0.37 |
| MW-12 | 8/20/04 | <0.45 | <0.48 | <0.83 | <0.89 |
| | 4/17/07 | <0.45 | <0.48 | <0.83 | <0.89 |
| | 6/18/08 | <0.45 | <0.48 | <0.83 | <0.89 |
| MW-13 | 8/27/04 | 1,100 | 7.9 Q | <8.3 | <8.9 |
| | 9/19/05 | 480 | 22 | <4.1 | <4.4 |
| | 2/16/07 | 300 | 18 | <0.83 | <0.89 |
| | 6/22/07 | <1 | <0.4 | <1 | <1 |
| | 9/27/07 | 170 | 2.3 | <0.83 | <0.89 |

Notes on Page 4.

Table 1
Summary of Site-Wide Groundwater VOC Analytical Results
Decorah Shopping Center
West Bend, Wisconsin

| Well Name | Sample Date | PCE | TCE | cis-1,2-DCE | trans-1,2-DCE |
|----------------------|-------------|--------|--------|-------------|---------------|
| | NR 140 ES | 5 | 5 | 70 | 100 |
| | NR 140 PAL | 0.5 | 0.5 | 7 | 20 |
| MW-13 (continued) | 6/24/08 | 119 | 3.6 | <0.83 | <0.89 |
| | 1/27/09 | 993 | 63.3 | <4.2 | <4.4 |
| | 6/17/09 | 426 | 28 | <1.7 | <1.8 |
| | 8/23/10 | 344 | 52 | <4.2 | 5.8 |
| | 5/10/12 | 182 | 50.1 | 3.3 | 2.8 |
| | 7/10/13 | 350 | 29.8 | <2.1 | <1.9 |
| | 4/21/15 | 257 | 83 | 3.8 | 7 |
| | 12/12/18 | 51 | 68 | 5.2 | 13 |
| | 8/27/04 | 220 | <0.96 | <1.7 | <1.8 |
| MW-14 | 4/20/07 | 280 | 0.51 Q | <0.83 | <0.89 |
| | 4/20/07 | 280 | <0.48 | <0.83 | <0.89 |
| | 6/24/08 | 3.2 | <0.48 | <0.83 | <0.89 |
| | 1/26/09 | 6.6 | <0.48 | <0.83 | <0.89 |
| | 6/17/09 | 2.5 | <0.48 | <0.83 | <0.89 |
| | 8/23/10 | 3.5 | <0.48 | <0.83 | <0.89 |
| | 7/10/13 | 1.3 | <0.43 | <0.42 | <0.37 |
| | 4/21/15 | 1.2 | <0.33 | <0.26 | <0.26 |
| | 12/12/18 | 2 | <0.16 | <0.41 | <0.35 |
| MW-15 | 8/20/04 | <0.45 | <0.48 | <0.83 | <0.89 |
| | 4/17/07 | <0.45 | <0.48 | <0.83 | <0.89 |
| | 6/18/08 | <0.45 | <0.48 | <0.83 | <0.89 |
| | 1/22/09 | <0.45 | <0.48 | <0.83 | <0.89 |
| | 7/8/13 | <0.47 | <0.43 | <0.42 | <0.37 |
| MW-16 | 8/26/04 | 1.1 Q | <0.48 | <0.83 | <0.89 |
| | 4/19/07 | <0.45 | <0.48 | <0.83 | <0.89 |
| | 6/19/08 | <0.45 | <0.48 | <0.83 | <0.89 |
| | 1/22/09 | 1.3 | <0.48 | <0.83 | <0.89 |
| | 7/9/13 | <0.47 | <0.43 | <0.42 | <0.37 |
| MW-17 | 8/24/04 | <0.45 | <0.48 | <0.83 | <0.89 |
| | 4/19/07 | <0.45 | <0.48 | <0.83 | <0.89 |
| | 6/18/08 | <0.45 | <0.48 | <0.83 | <0.89 |
| | 1/22/09 | <0.45 | <0.48 | <0.83 | <0.89 |
| MW-18 | 8/20/04 | <0.45 | <0.48 | <0.83 | <0.89 |
| | 4/17/07 | 0.69 Q | <0.48 | <0.83 | <0.89 |
| | 6/19/08 | 21.3 | <0.48 | <0.83 | <0.89 |
| | 1/26/09 | 2.9 | <0.48 | <0.83 | <0.89 |
| | 1/26/09 | 2.7 | <0.48 | <0.83 | <0.89 |
| MW-19 | 7/8/13 | 2.3 | <0.43 | <0.42 | <0.37 |
| | 8/26/04 | 27 | <0.48 | <0.83 | <0.89 |
| | 4/20/07 | 7.2 | <0.48 | <0.83 | <0.89 |
| | 6/23/08 | 5.7 | <0.48 | <0.83 | <0.89 |

Notes on Page 4.

Table 1
Summary of Site-Wide Groundwater VOC Analytical Results
Decorah Shopping Center
West Bend, Wisconsin

| Well Name | Sample Date | PCE | TCE | cis-1,2-DCE | trans-1,2-DCE |
|----------------------|-------------|--------|-------|-------------|---------------|
| | NR 140 ES | 5 | 5 | 70 | 100 |
| | NR 140 PAL | 0.5 | 0.5 | 7 | 20 |
| MW-19 (continued) | 1/26/09 | 13.9 | <0.48 | <0.83 | <0.89 |
| | 6/17/09 | 15 | <0.48 | <0.83 | <0.89 |
| | 8/23/10 | 8.2 | <0.48 | <0.83 | <0.89 |
| | 7/10/13 | 3.9 | <0.43 | <0.42 | <0.37 |
| | 4/21/15 | 4.9 | <0.33 | <0.26 | <0.26 |
| | 12/12/18 | 7.8 | <0.16 | <0.41 | <0.35 |
| MW-20 | 8/27/04 | 4.9 | <0.48 | <0.83 | <0.89 |
| | 4/18/07 | 2.8 | <0.48 | <0.83 | <0.89 |
| | 6/23/08 | <0.45 | <0.48 | <0.83 | <0.89 |
| | 1/22/09 | 2.8 | <0.48 | <0.83 | <0.89 |
| | 7/9/13 | 5.4 | <0.43 | <0.42 | <0.37 |
| | 4/21/15 | 12 | <0.33 | <0.26 | <0.26 |
| MW-21 | 8/23/04 | 2.8 | <0.48 | <0.83 | <0.89 |
| | 4/18/07 | 4.1 | <0.48 | <0.83 | <0.89 |
| | 6/23/08 | 1 | <0.48 | <0.83 | <0.89 |
| | 7/9/13 | 1 | <0.43 | <0.42 | <0.37 |
| MW-22 | 8/19/04 | <0.45 | <0.48 | <0.83 | <0.89 |
| | 4/16/07 | <0.45 | <0.48 | <0.83 | <0.89 |
| | 6/19/08 | <0.45 | <0.48 | <0.83 | <0.89 |
| | 1/23/09 | <0.45 | <0.48 | <0.83 | <0.89 |
| | 7/10/13 | <0.47 | <0.43 | <0.42 | <0.37 |
| MW-23 | 8/19/04 | <0.45 | <0.48 | <0.83 | <0.89 |
| | 2/16/07 | 32 | 18 | <0.83 | <0.89 |
| | 9/27/07 | 28 | 20 | <0.83 | <0.89 |
| MW-29 | 6/23/08 | 3.6 | 2.9 | 2.7 | <0.89 |
| | 1/23/09 | 1.7 | 8.9 | 39.3 | 2 |
| | 6/17/09 | 1.2 | 5 | 25.8 | 4.1 |
| | 8/23/10 | <0.45 | <0.48 | 65.8 | 42.4 |
| | 7/9/13 | <0.47 | <0.43 | <0.42 | <0.37 |
| | 12/12/18 | <0.37 | <0.16 | 1.2 | <0.35 |
| MW-30 | 2/16/07 | 23,000 | <96 | <170 | <180 |
| | 6/22/07 | <1 | <0.4 | <1 | <1 |
| | 6/18/08 | 5.3 | <0.2 | <0.5 | <0.5 |
| | 1/26/09 | 1,460 | 62.2 | 22 | <8.9 |
| | 6/17/09 | 2,610 | 41.7 | <33.2 | <35.6 |
| | 8/23/10 | 4,330 | 72.7 | <20.8 | <22.2 |
| | 5/10/12 | 427 | 21.8 | <2.1 | <2.2 |
| | 7/10/13 | <0.85 | <0.95 | <0.60 | <1.3 |
| | 4/21/15 | 742 | 194 | 23.7 | 21.8 |
| | 12/12/18 | 4,000 | 410 | 35 | 56 |

Notes on Page 4.

Table 1
Summary of Site-Wide Groundwater VOC Analytical Results
Decorah Shopping Center
West Bend, Wisconsin

| Well Name | Sample Date | PCE | TCE | cis-1,2-DCE | trans-1,2-DCE |
|-----------|-------------|--------|--------|-------------|---------------|
| | NR 140 ES | 5 | 5 | 70 | 100 |
| | NR 140 PAL | 0.5 | 0.5 | 7 | 20 |
| P-1 | 8/24/04 | <0.45 | <0.48 | <0.83 | <0.89 |
| P-2 | 8/24/04 | <0.45 | <0.48 | <0.83 | <0.89 |
| | 6/18/08 | <0.45 | <0.48 | <0.83 | <0.89 |
| | 8/23/04 | <0.45 | <0.48 | <0.83 | <0.89 |
| P-3 | 4/17/07 | <0.45 | <0.48 | <0.83 | <0.89 |
| | 6/18/08 | <0.45 | <0.48 | <0.83 | <0.89 |
| | 7/9/13 | <0.47 | <0.43 | <0.42 | <0.37 |
| | 8/26/04 | 40 | 3.6 | <0.83 | <0.89 |
| | 4/20/07 | 50 | 3.9 | <0.83 | <0.89 |
| | 6/24/08 | 28.6 | 5.2 | <0.83 | <0.89 |
| P-4 | 1/27/09 | 43.7 | 5.2 | <0.83 | <0.89 |
| | 5/10/12 | 37.7 | 6.3 | <0.83 | <0.89 |
| | 7/10/13 | 85.9 | 4.2 | <0.42 | <0.37 |
| | 4/21/15 | 79 | 5.5 | 0.29 | <0.26 |
| | 12/12/18 | 39 | 21 | 14 | 3.8 |
| | 8/19/04 | <0.45 | <0.48 | <0.83 | <0.89 |
| | 4/16/07 | 0.64 Q | <0.48 | <0.83 | <0.89 |
| | 6/19/08 | 2.1 | <0.48 | <0.83 | <0.89 |
| P-5 | 1/23/09 | 2.9 | <0.48 | <0.83 | <0.89 |
| | 7/10/13 | 14.5 | <0.43 | <0.42 | <0.37 |
| | 1/16/14 | 13.9 | <0.36 | <0.42 | <0.37 |
| | 4/21/15 | 21.2 | 0.59 | <0.26 | <0.26 |
| | 12/12/18 | 23 | 0.28 J | <0.41 | <0.35 |

Notes:

Full-scale injections conducted in May 2007 and May 2012.

All units in micrograms per liter.

 = Concentration exceeds NR 140 Enforcement Standard (ES).

100 = Concentration exceeds NR 140 Preventive Action Limit (PAL).

 Denotes keys wells that were recently sampled in December 2018.

DCE = Dichloroethene

PCE = Tetrachloroethene

TCE = Trichloroethene