



Known for excellence.
Built on trust.

GEOTECHNICAL
ENVIRONMENTAL
ECOLOGICAL
WATER
CONSTRUCTION
MANAGEMENT

17975 West Sarah Lane
Suite 100
Brookfield, WI 53045
T: 262.754.2560
F: 262.923.7758
www.gza.com

February 9, 2022

Ms. Karen McElroy
1006 Lincoln Drive West
West Bend, Wisconsin 53095-4727

Re: Results of Sub-Slab and Indoor Air Testing
1006 Lincoln Drive West
West Bend, Wisconsin

Dear Ms. McElroy:

On behalf of Continental VI Fund Limited Partnership (Continental), GZA GeoEnvironmental, Inc. (GZA) thanks you for allowing us access to conduct air testing in your residence in January 2022. The air testing was conducted for chemicals that could be associated with the former Mr. Bob's One Hour Dry Cleaning that once operated at 1025 South Main Street (former Decorah Shopping Center). Note that Continental neither owned nor operated the dry cleaner that may be the source of these chemicals. Continental is conducting this testing at the request of the Wisconsin Department of Natural Resources (WDNR) as a former owner of the strip mall where the dry cleaner used to operate. This letter follows up on our February 2, 2022 telephone conversation, during which GZA provided you the results of the testing and recommended follow-up actions.

Sub-Slab Vapor and Indoor Air Sampling and Analyses

GZA collected three indoor air samples from the basement, first floor, and second floor levels of your home at 1006 Lincoln Drive West and an outside air background sample over a 24-hour period from January 5 to 6, 2022. The indoor air and outdoor air background samples were collected in 6-liter evacuated SUMMA[®] vacuum canisters over a 24-hour sampling period.

GZA also collected two air samples from beneath the slab (referred to as sub-slab vapor samples) of the home on January 6, 2022, after completion of the indoor air sampling. The sub-slab vapor samples were collected in 1-liter evacuated SUMMA[®] vacuum canisters through sampling ports GZA installed through the concrete floor slab.

The samples were submitted under chain-of-custody to Pace Analytical Services, LLC of Minneapolis, Minnesota for analysis. The indoor and background air samples and sub-slab vapor samples were analyzed for tetrachloroethene (PCE), the historical cleaning agent that may be associated with operations at the former Mr. Bob's One Hour Dry Cleaning, and related chemicals to which PCE degrades in the environment consisting of trichloroethene (TCE), cis- and trans-1,2-dichloroethene (cis- and trans-1,2-DCE), and vinyl chloride (VC). The analyses were conducted in accordance with United States Environmental Protection Agency (USEPA) Method TO-15. The analytical report for the sub-slab and indoor air samples is attached.

Sub-Slab Sample Results

Of the five chemicals included for analysis, only the dry-cleaning agent PCE was detected in the sub-slab vapor samples. PCE was detected in the two sub-slab samples at concentrations of 26.7 micrograms per cubic meter ($\mu\text{g}/\text{m}^3$) and 13.3 $\mu\text{g}/\text{m}^3$ in the two sub-slab samples. The higher of the two reported concentrations is less than 2% of the WDNR allowable residential sub-slab screening level of 1,400 $\mu\text{g}/\text{m}^3$. The WDNR's sub-slab screening level is established at a concentration below which indoor air quality in a residential dwelling where human health is not expected to be adversely affected.



Other analyzed chemicals, consisting of TCE, cis- and trans-1,2-DCE, and VC, were not detected in the two sub-slab vapor samples collected from beneath your basement.

Indoor Air Sample Results

Of the five chemicals included for analysis, three chemicals (PCE, TCE, and cis-1,2-DCE) were reported for the Basement indoor air sample and one chemical (trans-1,2-DCE) was reported for the 2nd Floor sample. PCE was reported at 1.9 $\mu\text{g}/\text{m}^3$, less than 5% the WDNR's 42 $\mu\text{g}/\text{m}^3$ residential vapor action level ([VAL] a level above which human health could be adversely affected). TCE was reported at 2.3 $\mu\text{g}/\text{m}^3$, slightly higher than the WDNR's 2.1 $\mu\text{g}/\text{m}^3$ residential VAL. Cis-1,2-DCE was reported at 1.9 $\mu\text{g}/\text{m}^3$. The WDNR has not established a residential VAL for 1,2-cis-DCE. Trans-1,2-DCE was reported for the 2nd Floor indoor air sample at 4.2 $\mu\text{g}/\text{m}^3$, just 10% the WDNR's 42 $\mu\text{g}/\text{m}^3$ residential VAL.

Because TCE and cis- and trans-1,2-DCE were not detected in either of the sub-slab samples, the chemicals detected in the basement air and second floor air do not appear to be coming from beneath the basement floor slab or be associated with the former Mr. Bob's One Hour Dry Cleaning operation. Rather, we believe these chemicals are likely coming from a source other than the one we are investigating at the request of the WDNR. However, as we describe below, additional follow-up testing will be conducted to confirm this conclusion.

Future Sampling

As we discussed during our telephone conversation on February 2, 2022, GZA is scheduled to visit with you on Thursday, February 10, 2022, to evaluate whether the chemicals detected in the basement may originate from materials you have stored in the basement. If suspect chemicals are found, they will be moved to your garage. GZA will also confirm that water is present in the trap of the basement floor drain and, with your permission, fill the trap with water if it is dry. If the trap was dry at the time of GZA's indoor air sampling, chemicals detected in basement air may have come through the floor drain. We will then schedule a separate time to collect a follow-up indoor air sample from the basement.

Questions

If you have questions, please call Bernie at (262) 424-2045 or John at (262) 424-2042 at GZA. You may also contact Mr. John Feeney of the WDNR (920-893-8523), if you have any questions related to the work conducted; or Mr. Curtis Hedman of the Wisconsin Department of Health Services (WDHS) (608-266-6677), if you have any health-related questions or concerns associated with the results.

On behalf of Continental, GZA thanks you for your cooperation.

Very truly yours,

GZA GeoEnvironmental, Inc.

Bernard G. Fenelon, P.G.
Senior Consultant/Hydrogeologist

John C. Osborne, P.G.
Senior Principal/Hydrogeologist

J:\156300to156399\156364 Continental WB\01 Source Area Vapor Int Eval\Correspondence\Results Letters\
2022 02 09 FINAL 156364.01 1006 Lincoln Dr W McElroy First Round SS and IAQ Results Letter.docx

Attachment: Laboratory Analytical Report

c: Mr. Eric E. Thom, Continental VI Fund Limited Partnership
Mr. John Feeney, WDNR
Mr. Curtis Hedman, WDHS

January 26, 2022

Bernard Fenelon
GZA GeoEnvironmental
20900 Swenson Drive
Suite 150
Waukesha, WI 53186

RE: Project: 20.0156364.01 CONTINENTAL-WEST
Pace Project No.: 10594165

Dear Bernard Fenelon:

Enclosed are the analytical results for sample(s) received by the laboratory on January 12, 2022. The results relate only to the samples included in this report. Results reported herein conform to the applicable TNI/NELAC Standards and the laboratory's Quality Manual, where applicable, unless otherwise noted in the body of the report.

The test results provided in this final report were generated by each of the following laboratories within the Pace Network:

- Pace Analytical Services - Minneapolis

If you have any questions concerning this report, please feel free to contact me.

Sincerely,



Matt Ray
matt.ray@pacelabs.com
(612)607-1700
Project Manager

Enclosures



REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

CERTIFICATIONS

Project: 20.0156364.01 CONTINENTAL-WEST

Pace Project No.: 10594165

Pace Analytical Services, LLC - Minneapolis MN

1700 Elm Street SE, Minneapolis, MN 55414

1800 Elm Street SE, Minneapolis, MN 55414--Satellite Air Lab

A2LA Certification #: 2926.01*

Alabama Certification #: 40770

Alaska Contaminated Sites Certification #: 17-009*

Alaska DW Certification #: MN00064

Arizona Certification #: AZ0014*

Arkansas DW Certification #: MN00064

Arkansas WW Certification #: 88-0680

California Certification #: 2929

Colorado Certification #: MN00064

Connecticut Certification #: PH-0256

EPA Region 8 Tribal Water Systems+Wyoming DW Certification #: via MN 027-053-137

Florida Certification #: E87605*

Georgia Certification #: 959

Hawaii Certification #: MN00064

Idaho Certification #: MN00064

Illinois Certification #: 200011

Indiana Certification #: C-MN-01

Iowa Certification #: 368

Kansas Certification #: E-10167

Kentucky DW Certification #: 90062

Kentucky WW Certification #: 90062

Louisiana DEQ Certification #: AI-03086*

Louisiana DW Certification #: MN00064

Maine Certification #: MN00064*

Maryland Certification #: 322

Michigan Certification #: 9909

Minnesota Certification #: 027-053-137*

Minnesota Dept of Ag Approval: via MN 027-053-137

Minnesota Petrofund Registration #: 1240*

Mississippi Certification #: MN00064

Missouri Certification #: 10100

Montana Certification #: CERT0092

Nebraska Certification #: NE-OS-18-06

Nevada Certification #: MN00064

New Hampshire Certification #: 2081*

New Jersey Certification #: MN002

New York Certification #: 11647*

North Carolina DW Certification #: 27700

North Carolina WW Certification #: 530

North Dakota Certification #: R-036

Ohio DW Certification #: 41244

Ohio VAP Certification (1700) #: CL101

Ohio VAP Certification (1800) #: CL110*

Oklahoma Certification #: 9507*

Oregon Primary Certification #: MN300001

Oregon Secondary Certification #: MN200001*

Pennsylvania Certification #: 68-00563*

Puerto Rico Certification #: MN00064

South Carolina Certification #:74003001

Tennessee Certification #: TN02818

Texas Certification #: T104704192*

Utah Certification #: MN00064*

Vermont Certification #: VT-027053137

Virginia Certification #: 460163*

Washington Certification #: C486*

West Virginia DEP Certification #: 382

West Virginia DW Certification #: 9952 C

Wisconsin Certification #: 999407970

Wyoming UST Certification #: via A2LA 2926.01

USDA Permit #: P330-19-00208

Please Note: Applicable air certifications are denoted with an asterisk ().

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

SAMPLE SUMMARY

Project: 20.0156364.01 CONTINENTAL-WEST

Pace Project No.: 10594165

Lab ID	Sample ID	Matrix	Date Collected	Date Received
10594165001	1006 LINCOLN DRIVE WEST-BASEME	Air	01/06/22 16:42	01/12/22 10:46
10594165002	1006 LINCOLN DRIVE WEST-1st FL	Air	01/06/22 16:44	01/12/22 10:46
10594165003	1006 LINCOLN DRIVE WEST-2nd FL	Air	01/06/22 16:45	01/12/22 10:46
10594165004	1006 LINCOLN DRIVE WEST-BACKGR	Air	01/06/22 16:48	01/12/22 10:46
10594165005	1006 LINCOLN DRIVE WEST-EAST S	Air	01/06/22 17:22	01/12/22 10:46
10594165006	1006 LINCOLN DRIVE WEST-WEST S	Air	01/06/22 17:39	01/12/22 10:46

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

SAMPLE ANALYTE COUNT

Project: 20.0156364.01 CONTINENTAL-WEST

Pace Project No.: 10594165

Lab ID	Sample ID	Method	Analysts	Analytes Reported	Laboratory
10594165001	1006 LINCOLN DRIVE WEST-BASEME	TO-15	MJL	5	PASI-M
10594165002	1006 LINCOLN DRIVE WEST-1st FL	TO-15	MJL	5	PASI-M
10594165003	1006 LINCOLN DRIVE WEST-2nd FL	TO-15	MJL	5	PASI-M
10594165004	1006 LINCOLN DRIVE WEST-BACKGR	TO-15	MJL	5	PASI-M
10594165005	1006 LINCOLN DRIVE WEST-EAST S	TO-15	MJL	5	PASI-M
10594165006	1006 LINCOLN DRIVE WEST-WEST S	TO-15	MJL	5	PASI-M

PASI-M = Pace Analytical Services - Minneapolis

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

SUMMARY OF DETECTION

Project: 20.0156364.01 CONTINENTAL-WEST

Pace Project No.: 10594165

Lab Sample ID Method	Client Sample ID Parameters	Result	Units	Report Limit	Analyzed	Qualifiers
10594165001	1006 LINCOLN DRIVE WEST-BASEME					
TO-15	cis-1,2-Dichloroethene	1.9	ug/m3	1.2	01/18/22 15:42	
TO-15	Trichloroethene	2.3	ug/m3	0.83	01/18/22 15:42	
TO-15	Tetrachloroethene	1.9	ug/m3	1.0	01/18/22 15:42	
10594165003	1006 LINCOLN DRIVE WEST-2nd FL					
TO-15	trans-1,2-Dichloroethene	4.2	ug/m3	1.2	01/18/22 17:24	
10594165005	1006 LINCOLN DRIVE WEST-EAST S					
TO-15	Tetrachloroethene	26.7	ug/m3	1.2	01/18/22 18:32	
10594165006	1006 LINCOLN DRIVE WEST-WEST S					
TO-15	Tetrachloroethene	13.3	ug/m3	1.2	01/18/22 19:06	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

PROJECT NARRATIVE

Project: 20.0156364.01 CONTINENTAL-WEST

Pace Project No.: 10594165

Method: TO-15

Description: TO15 MSV AIR

Client: GZA GeoEnvironmental

Date: January 26, 2022

General Information:

6 samples were analyzed for TO-15 by Pace Analytical Services Minneapolis. All samples were received in acceptable condition with any exceptions noted below or on the chain-of custody and/or the sample condition upon receipt form (SCUR) attached at the end of this report.

Hold Time:

The samples were analyzed within the method required hold times with any exceptions noted below.

Initial Calibrations (including MS Tune as applicable):

All criteria were within method requirements with any exceptions noted below.

Continuing Calibration:

All criteria were within method requirements with any exceptions noted below.

Internal Standards:

All internal standards were within QC limits with any exceptions noted below.

Method Blank:

All analytes were below the report limit in the method blank, where applicable, with any exceptions noted below.

Laboratory Control Spike:

All laboratory control spike compounds were within QC limits with any exceptions noted below.

Duplicate Sample:

All duplicate sample results were within method acceptance criteria with any exceptions noted below.

Additional Comments:

This data package has been reviewed for quality and completeness and is approved for release.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 20.0156364.01 CONTINENTAL-WEST

Pace Project No.: 10594165

Sample: 1006 LINCOLN DRIVE **Lab ID:** 10594165001 Collected: 01/06/22 16:42 Received: 01/12/22 10:46 Matrix: Air
WEST-BASEME

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
TO15 MSV AIR		Analytical Method: TO-15 Pace Analytical Services - Minneapolis							
Vinyl chloride	ND	ug/m3	0.79	0.13	1.52		01/18/22 15:42	75-01-4	
cis-1,2-Dichloroethene	1.9	ug/m3	1.2	0.30	1.52		01/18/22 15:42	156-59-2	
Trichloroethene	2.3	ug/m3	0.83	0.30	1.52		01/18/22 15:42	79-01-6	
Tetrachloroethene	1.9	ug/m3	1.0	0.44	1.52		01/18/22 15:42	127-18-4	
trans-1,2-Dichloroethene	ND	ug/m3	1.2	0.26	1.52		01/18/22 15:42	156-60-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 20.0156364.01 CONTINENTAL-WEST

Pace Project No.: 10594165

Sample: 1006 LINCOLN DRIVE WEST-1st FL **Lab ID: 10594165002** Collected: 01/06/22 16:44 Received: 01/12/22 10:46 Matrix: Air

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
TO15 MSV AIR		Analytical Method: TO-15 Pace Analytical Services - Minneapolis							
cis-1,2-Dichloroethene	ND	ug/m3	1.2	0.30	1.55		01/18/22 16:50	156-59-2	
trans-1,2-Dichloroethene	ND	ug/m3	1.2	0.26	1.55		01/18/22 16:50	156-60-5	
Tetrachloroethene	ND	ug/m3	1.1	0.45	1.55		01/18/22 16:50	127-18-4	
Trichloroethene	ND	ug/m3	0.85	0.30	1.55		01/18/22 16:50	79-01-6	
Vinyl chloride	ND	ug/m3	0.81	0.13	1.55		01/18/22 16:50	75-01-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 20.0156364.01 CONTINENTAL-WEST

Pace Project No.: 10594165

Sample: 1006 LINCOLN DRIVE **Lab ID:** 10594165003 Collected: 01/06/22 16:45 Received: 01/12/22 10:46 Matrix: Air
WEST-2nd FL

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
TO15 MSV AIR									
Analytical Method: TO-15									
Pace Analytical Services - Minneapolis									
cis-1,2-Dichloroethene	ND	ug/m3	1.2	0.30	1.55		01/18/22 17:24	156-59-2	
trans-1,2-Dichloroethene	4.2	ug/m3	1.2	0.26	1.55		01/18/22 17:24	156-60-5	
Tetrachloroethene	ND	ug/m3	1.1	0.45	1.55		01/18/22 17:24	127-18-4	
Trichloroethene	ND	ug/m3	0.85	0.30	1.55		01/18/22 17:24	79-01-6	
Vinyl chloride	ND	ug/m3	0.81	0.13	1.55		01/18/22 17:24	75-01-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 20.0156364.01 CONTINENTAL-WEST

Pace Project No.: 10594165

Sample: 1006 LINCOLN DRIVE WEST-BACKGR **Lab ID: 10594165004** Collected: 01/06/22 16:48 Received: 01/12/22 10:46 Matrix: Air

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
TO15 MSV AIR									
Analytical Method: TO-15									
Pace Analytical Services - Minneapolis									
cis-1,2-Dichloroethene	ND	ug/m3	1.1	0.26	1.34		01/18/22 17:58	156-59-2	
trans-1,2-Dichloroethene	ND	ug/m3	1.1	0.23	1.34		01/18/22 17:58	156-60-5	
Tetrachloroethene	ND	ug/m3	0.92	0.39	1.34		01/18/22 17:58	127-18-4	
Trichloroethene	ND	ug/m3	0.73	0.26	1.34		01/18/22 17:58	79-01-6	
Vinyl chloride	ND	ug/m3	0.70	0.12	1.34		01/18/22 17:58	75-01-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 20.0156364.01 CONTINENTAL-WEST

Pace Project No.: 10594165

Sample: 1006 LINCOLN DRIVE WEST-EAST S **Lab ID: 10594165005** Collected: 01/06/22 17:22 Received: 01/12/22 10:46 Matrix: Air

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
TO15 MSV AIR									
Analytical Method: TO-15									
Pace Analytical Services - Minneapolis									
cis-1,2-Dichloroethene	ND	ug/m3	1.4	0.33	1.71		01/18/22 18:32	156-59-2	
trans-1,2-Dichloroethene	ND	ug/m3	1.4	0.29	1.71		01/18/22 18:32	156-60-5	
Tetrachloroethene	26.7	ug/m3	1.2	0.50	1.71		01/18/22 18:32	127-18-4	
Trichloroethene	ND	ug/m3	0.93	0.34	1.71		01/18/22 18:32	79-01-6	
Vinyl chloride	ND	ug/m3	0.89	0.15	1.71		01/18/22 18:32	75-01-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 20.0156364.01 CONTINENTAL-WEST

Pace Project No.: 10594165

Sample: 1006 LINCOLN DRIVE WEST-WEST S **Lab ID: 10594165006** Collected: 01/06/22 17:39 Received: 01/12/22 10:46 Matrix: Air

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
TO15 MSV AIR									
Analytical Method: TO-15									
Pace Analytical Services - Minneapolis									
cis-1,2-Dichloroethene	ND	ug/m3	1.4	0.33	1.71		01/18/22 19:06	156-59-2	
trans-1,2-Dichloroethene	ND	ug/m3	1.4	0.29	1.71		01/18/22 19:06	156-60-5	
Tetrachloroethene	13.3	ug/m3	1.2	0.50	1.71		01/18/22 19:06	127-18-4	
Trichloroethene	ND	ug/m3	0.93	0.34	1.71		01/18/22 19:06	79-01-6	
Vinyl chloride	ND	ug/m3	0.89	0.15	1.71		01/18/22 19:06	75-01-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: 20.0156364.01 CONTINENTAL-WEST

Pace Project No.: 10594165

QC Batch:	794121	Analysis Method:	TO-15
QC Batch Method:	TO-15	Analysis Description:	TO15 MSV AIR Low Level
		Laboratory:	Pace Analytical Services - Minneapolis

Associated Lab Samples: 10594165001, 10594165002, 10594165003, 10594165004, 10594165005, 10594165006

METHOD BLANK: 4223767 Matrix: Air
Associated Lab Samples: 10594165001, 10594165002, 10594165003, 10594165004, 10594165005, 10594165006

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
cis-1,2-Dichloroethene	ug/m3	ND	0.81	01/18/22 08:28	
Tetrachloroethene	ug/m3	ND	0.69	01/18/22 08:28	
trans-1,2-Dichloroethene	ug/m3	ND	0.81	01/18/22 08:28	
Trichloroethene	ug/m3	ND	0.55	01/18/22 08:28	
Vinyl chloride	ug/m3	ND	0.52	01/18/22 08:28	

LABORATORY CONTROL SAMPLE: 4223768

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
cis-1,2-Dichloroethene	ug/m3	43.4	43.9	101	70-136	
Tetrachloroethene	ug/m3	73.4	68.7	94	70-134	
trans-1,2-Dichloroethene	ug/m3	43.6	43.5	100	70-134	
Trichloroethene	ug/m3	58.4	54.1	93	70-134	
Vinyl chloride	ug/m3	28	23.8	85	70-132	

SAMPLE DUPLICATE: 4224740

Parameter	Units	10593780002 Result	Dup Result	RPD	Max RPD	Qualifiers
cis-1,2-Dichloroethene	ug/m3	<0.30	ND		25	
Tetrachloroethene	ug/m3	4910	5140	5	25	
trans-1,2-Dichloroethene	ug/m3	<0.26	ND		25	
Trichloroethene	ug/m3	<0.30	ND		25	
Vinyl chloride	ug/m3	<0.13	ND		25	

SAMPLE DUPLICATE: 4224741

Parameter	Units	10594165001 Result	Dup Result	RPD	Max RPD	Qualifiers
cis-1,2-Dichloroethene	ug/m3	1.9	2.0	5	25	
Tetrachloroethene	ug/m3	1.9	1.9	2	25	
trans-1,2-Dichloroethene	ug/m3	ND	ND		25	
Trichloroethene	ug/m3	2.3	2.4	4	25	
Vinyl chloride	ug/m3	ND	ND		25	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALIFIERS

Project: 20.0156364.01 CONTINENTAL-WEST

Pace Project No.: 10594165

DEFINITIONS

DF - Dilution Factor, if reported, represents the factor applied to the reported data due to dilution of the sample aliquot.

ND - Not Detected at or above LOD.

J - Estimated concentration at or above the LOD and below the LOQ.

LOD - Limit of Detection adjusted for dilution factor, percent moisture, initial weight and final volume.

LOQ - Limit of Quantitation adjusted for dilution factor, percent moisture, initial weight and final volume.

S - Surrogate

1,2-Diphenylhydrazine decomposes to and cannot be separated from Azobenzene using Method 8270. The result for each analyte is a combined concentration.

Consistent with EPA guidelines, unrounded data are displayed and have been used to calculate % recovery and RPD values.

LCS(D) - Laboratory Control Sample (Duplicate)

MS(D) - Matrix Spike (Duplicate)

DUP - Sample Duplicate

RPD - Relative Percent Difference

NC - Not Calculable.

SG - Silica Gel - Clean-Up

U - Indicates the compound was analyzed for, but not detected at or above the adjusted LOD.

N-Nitrosodiphenylamine decomposes and cannot be separated from Diphenylamine using Method 8270. The result reported for each analyte is a combined concentration.

Pace Analytical is TNI accredited. Contact your Pace PM for the current list of accredited analytes.

TNI - The NELAC Institute.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA CROSS REFERENCE TABLE

Project: 20.0156364.01 CONTINENTAL-WEST

Pace Project No.: 10594165

Lab ID	Sample ID	QC Batch Method	QC Batch	Analytical Method	Analytical Batch
10594165001	1006 LINCOLN DRIVE WEST-BASEME	TO-15	794121		
10594165002	1006 LINCOLN DRIVE WEST-1st FL	TO-15	794121		
10594165003	1006 LINCOLN DRIVE WEST-2nd FL	TO-15	794121		
10594165004	1006 LINCOLN DRIVE WEST-BACKGR	TO-15	794121		
10594165005	1006 LINCOLN DRIVE WEST-EAST S	TO-15	794121		
10594165006	1006 LINCOLN DRIVE WEST-WEST S	TO-15	794121		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



AIR: CHAIN-OF-CUSTODY / Analytical Request Document

The Chain-of-Custody is a LEGAL DOCUMENT. All relevant fields must be completed accurately.

55657

Page: 1 of 1

Section A Required Client Information: Company: G2A Geoenvironmental Inc Address: 17475 W. SARAH LANE STE 200 BROOKFIELD, WI 53045 Email To: Bernard.Fewell@G2A.com Phone: 262-754-2560 Fax: Requested Due Date/TAT:	Section B Required Project Information: Report To: G2A - BERNARD FEWELL Copy To: Purchase Order No.: Project Name: CONTINENTAL - West Bend Project Number: 20.0156364.01	Section C Invoice Information: Attention: G2A - BERNARD FEWELL Company Name: Address: Pace Quote Reference: Pace Project Manager/Sales Rep. Pace Profile #: 39827	Program <input type="checkbox"/> UST <input type="checkbox"/> Superfund <input type="checkbox"/> Emissions <input type="checkbox"/> Clean Air Act <input type="checkbox"/> Voluntary Clean Up <input type="checkbox"/> Dry Clean <input type="checkbox"/> RCRA <input type="checkbox"/> Other Location of Sampling by State: WI Reporting Units ug/m ³ _____ mg/m ³ _____ PPBV _____ PPMV _____ Other _____ Report Level II. ___ III. ___ IV. ___ Other ___
---	--	---	--

ITEM #	'Section D Required Client Information AIR SAMPLE ID Sample IDs MUST BE UNIQUE	Valid Media Codes MEDIA CODE Tedlar Bag TB 1 Liter Summa Can 1LC 6 Liter Summa Can 6LC Low Volume Puff LVP High Volume Puff HVP Other PM10	MEDIA CODE	PID Reading (Client only)	COLLECTED				Canister Pressure (Initial Field - in Hg)	Canister Pressure (Final Field - in Hg)	Summa Can Number	Flow Control Number	Method: PM10 3C - Fixed Gas (%) TO-3 BTEX TO-3M (Methane) TO-14 TO-15 Full List VOCs TO-15 Short List BTEX TO-15 Short List Chlorinated	Pace Lab ID
					COMPOSITE START		COMPOSITE - END/GRAB							
					DATE	TIME	DATE	TIME						
1	1006 LINCOLN DRIVE WEST - BASEMENT IA	6LC	6LC		1/6/22	1648	1/6/22	1642	-25	-4	1228	0137	X	001
2	1006 LINCOLN DRIVE WEST - 1 st FLOOR IA	6LC	6LC			1654		1644	-29	-4.5	0514	0865	X	002
3	1006 LINCOLN DRIVE WEST - 2 nd FLOOR IA	6LC	6LC			1702		1645	28	-35	0833	1382	X	003
4	1006 LINCOLN DRIVE WEST - BACKGARD IA	6LC	6LC			1709		1648	-30	-25	1758	0140	X	004
5	1006 LINCOLN DRIVE WEST - EAST SS	1LC	1LC		1/6/22	1707		1722	-29	-1	0919	3192	X	005
6	1006 LINCOLN DRIVE WEST - WEST SS	1LC	1LC			1723		1739	-25	-1	3828	3151	X	006

Comments: **PLEASE ANALYZE: PCE; TCE; VC; CIS AND TRANS 1,2 DCE**

RELINQUISHED BY / AFFILIATION	DATE	TIME	ACCEPTED BY / AFFILIATION	DATE	TIME	SAMPLE CONDITIONS							
<i>[Signature]</i>	1/12/22	1000	PER FEWELL <i>[Signature]</i>	1-12-22	10:46	Temp in °C	Received on Ice	Custody Sealed Cooler	Samples Intact	Y/N	Y/N	Y/N	Y/N
										Y/N	Y/N	Y/N	Y/N

SAMPLER NAME AND SIGNATURE		Temp in °C	Received on Ice	Custody Sealed Cooler	Samples Intact
PRINT Name of SAMPLER: <i>[Signature]</i>	DATE Signed (MM / DD / YY) 1/6/2022				

WO#: 10594165

Air Sample Condition Upon Receipt **Client Name:** GZA Env. **Project #:** **WO#: 10594165**

Courier: FedEx UPS USPS Client
 Pace SpeeDee Commercial

Tracking Number: 9753 8448 3755, 3766 See Exception

Custody Seal on Cooler/Box Present? Yes No

Seals Intact? Yes No

Packing Material: Bubble Wrap Bubble Bags Foam
 None Tin Can Other: _____

Date & Initials of Person Examining Contents: 1-12-22 MJ

					Comments:
Chain of Custody Present?	<input checked="" type="checkbox"/> Yes	<input type="checkbox"/> No			1.
Chain of Custody Filled Out?	<input checked="" type="checkbox"/> Yes	<input type="checkbox"/> No			2.
Chain of Custody Relinquished?	<input checked="" type="checkbox"/> Yes	<input type="checkbox"/> No			3.
Sampler Name and/or Signature on COC?	<input checked="" type="checkbox"/> Yes	<input type="checkbox"/> No	<input type="checkbox"/> N/A		4.
Samples Arrived within Hold Time?	<input checked="" type="checkbox"/> Yes	<input type="checkbox"/> No			5.
Short Hold Time Analysis (<72 hr)?	<input type="checkbox"/> Yes	<input checked="" type="checkbox"/> No			6.
Rush Turn Around Time Requested?	<input type="checkbox"/> Yes	<input checked="" type="checkbox"/> No			7.
Sufficient Volume?	<input checked="" type="checkbox"/> Yes	<input type="checkbox"/> No			8.
Correct Containers Used? (Tedlar bags not acceptable container for TO-15 or APH)	<input checked="" type="checkbox"/> Yes	<input type="checkbox"/> No			9. Background FC is 1417, not 140.
-Pace Containers Used?	<input checked="" type="checkbox"/> Yes	<input type="checkbox"/> No			
Containers Intact? (visual inspection/no leaks when pressurized)	<input checked="" type="checkbox"/> Yes	<input type="checkbox"/> No			10.
Media: <u>Air Can</u> Airbag					11. Individually Certified Cans? Y <u>N</u> (list which samples)
Is sufficient information available to reconcile samples to the COC?	<input checked="" type="checkbox"/> Yes	<input type="checkbox"/> No			12.
Do cans need to be pressurized? (DO NOT PRESSURIZE 3C or ASTM 1946!!!)	<input checked="" type="checkbox"/> Yes	<input type="checkbox"/> No			13.

Gauge #: <input type="checkbox"/> 10AIR26 <input type="checkbox"/> 10AIR34 <input checked="" type="checkbox"/> 10AIR35 <input type="checkbox"/> 10AIR17 <input type="checkbox"/> 10AIR47 <input type="checkbox"/> 10AIR48									
Canisters					Canisters				
Sample Number	Can ID	Flow Controller	Initial Pressure	Final Pressure	Sample Number	Can ID	Flow Controller	Initial Pressure	Final Pressure
Basement	1228	137	-3.5	+5					
1 st Floor	514	865	-4	↓					
2 nd Floor	833	1382	-4						
Background	1758	1417	0						
East	919	3190	-0.5		+10				
West	3828	3151	-0.5		+10				

CLIENT NOTIFICATION/RESOLUTION **Field Data Required?** Yes No

Person Contacted: _____ Date/Time: _____

Comments/Resolution: _____

Project Manager Review: Carolynne Thack **Date:** 1/13/22

Note: Whenever there is a discrepancy affecting North Carolina compliance samples, a copy of this form will be sent to the North Carolina DEHNR Certification Office (i.e., out of hold, incorrect preservative, out of temp, incorrect containers).