

Mr. Issac Ross
Wisconsin Department of Natural Resources
2300 North Dr. Martin Luther King, Jr. Drive
Milwaukee, Wisconsin 53212

**NR 716.14 DATA TRANSMITTAL – MARCH 2020 SAMPLES
FORMER ONE-HOUR VALET DRY CLEANER PROPERTY
1214 WEST WELLS STREET, MILWAUKEE, WISCONSIN
BRRTS NO. 02-41-152248, FID NO. 241086120**

Dear Mr. Ross:

On behalf of Marquette University (Marquette), Ramboll US Corporation (Ramboll) is providing the Wisconsin Department of Natural Resources (WDNR) with the attached laboratory analytical results associated with post-remedial action soil sampling and groundwater monitoring performed at the referenced site in March 2020. This transmittal is provided in accordance with the sample result notification requirements identified in Wisconsin Administrative Code (WAC) NR 716.14(2).

April 17, 2020

Ramboll
175 North Corporate Drive
Suite 160
Brookfield, WI 53045
USA

T +1 262 901 0099
F +1 262 901 0079
www.ramboll.com

Soil Confirmation Sampling Analytical Results

A total of 10 soil samples were collected from five locations throughout the soil treatment area to assess soil remediation progress 20 months after completion of the soil blending. The soil sample locations are shown on Figure 1 as soil borings C-1 through C-5. Tabulated soil sample analytical results are presented in Table 1.

Ref. 1690005819

While the results document a notable reduction when comparing the maximum pre-remediation tetrachloroethene (PCE) concentration to the maximum PCE concentration 20 months after in-situ chemical reduction via soil blending was conducted in July 2018, there are several locations (in particular C-1, and to a lesser extent C-2 and C-4) where the PCE concentrations remain elevated. As a result, supplemental treatment is recommended to further reduce contaminant mass even though reductive dechlorination of the PCE impacts is taking place and is expected to continue.

Ramboll is currently working with the remediation contractor (Redox Tech) to develop a scope of work to introduce additional treatment amendments into the subsurface while also minimizing disturbance to the recently constructed parking lot. The plan will likely include a series of borings to be completed as temporary injection wells. Additional details will be provided to the WDNR as these plans are formalized.

Groundwater Monitoring Analytical Results

Groundwater samples were collected from six groundwater monitoring wells (MW-4, MW-5, MW-6, PZ-1R, PZ-2R, and PZ-4) in March, consistent with the current WDNR approved groundwater monitoring program for this site. The monitoring well locations are shown on Figure 1, and the field and laboratory analytical results are summarized in Table 2 and Table 3.

The March 2020 groundwater sample analytical results from well PZ-1R, located and screened within the treatment zone, show a significant reduction in PCE concentrations when compared with the prior two sampling events conducted after the July 2018 soil blending event. In addition, we continue to see the generation of PCE breakdown products (including non-toxic end product ethene) which confirm that reductive dechlorination is taking place and is expected to continue to do so based on the results of the accompanying geochemical data. The planned introduction of additional treatment amendments to address the saturated soil impacts will be designed to further improve groundwater conditions at the site.

A detailed discussion of the March 2020 post-remedial activities, along with additional monitoring activities conducted since submittal of the March 2019 Ramboll Remedial Action Documentation Report, will be presented in a forthcoming Post-Remediation Monitoring Report. This report will include a recommended scope of work for the additional remedial actions noted above.

Should you have any questions or comments in the interim, please do not hesitate to contact us.

Yours sincerely



Susan Petrofske
Managing Consultant
D 262-901-3501
spetrofske@ramboll.com



Jeanne Tarvin, PG, CPG
Managing Principal
D 262-901-0085
jtarvin@ramboll.com

cc: Joel Smullen, Marquette

Attachments

TABLES

Table 1: Soil Analytical Results
Former One-Hour Valet Dry Cleaners
1214 West Wells Street, Milwaukee, Wisconsin
Ramboll Project No. 1690005819

Parameters	Soil RCLs			BTV	C1 (20-21)	C1 (26-28)	C2 (17-18)	C2 (29-30)	C3 (15-16)
	Non-Industrial Direct Contact	Industrial Direct Contact	Groundwater Pathway		3/9/2020	3/9/2020	3/9/2020	3/9/2020	3/9/2020
VOCs (µg/kg)									
Benzene	1,600	7,070	5.1	--	<5000	<5000	63.5 J C	<200	<25.0
cis-1,2-Dichloroethene	156,000	2,340,000	41.2	--	12000 J C	31300 C	1100 C	2200 C	<25.0
Ethylbenzene	8,020	35,400	1,570	--	<5000	<5000	59.7 J	<200	<25.0
Tetrachloroethene	33,000	145,000	4.54	--	1940000 C	3000000 C	10100 C	59500 C	668 C
Toluene	818,000	818,000	1,107.2	--	<5000	<5000	81.2	<200	<25.0
Trichloroethene	1,300	8,410	3.6	--	104000 C	24700 C	713 C	6900 C	40.3 J C
o-Xylene	434,000	434,000	--	--	<5000	<5000	34.1 J	<200	<25.0
m-&p-Xylene ²	388,000	388,000	--	--	<10000	<10000	138 J	<400	<50.0
Xylenes, total	260,000	260,000	3,960	--	<15000	<15000	172 J	<600	<75.0

Notes:

VOCs = Volatile Organic Compounds

BTV = Background Threshold Value

µg/kg = micrograms per kilogram

² Direct Contact RCL listed is for the more stringent m-Xylene.

C Parameter exceeds NR 720 RCL for Groundwater Pathway.

J Estimated concentration at or above the LOD and below the LOQ.

-- No RCL or Surficial BTV established.

#N/A = Not analyzed

Direct contact RCL exceedances apply to soil from 0 to 4 feet below ground surface.

Soil RCLs and surficial BTVs established by the WDNR RR program using the EPA's RSL web-calculator with WAC NR 720 default parameters (WDNR PUB-RR-890, June 2014 - updated RCL spreadsheet, December 2018).

Table 1: Soil Analytical Results
Former One-Hour Valet Dry Cleaners
1214 West Wells Street, Milwaukee, Wisconsin
Ramboll Project No. 1690005819

Parameters	Soil RCLs			BTV	C3 (18-19)	C4 (14-15)	C4 (18-19)	C5 (12-13)	C5 (14-15)
	Non-Industrial Direct Contact	Industrial Direct Contact	Groundwater Pathway		3/9/2020	3/9/2020	3/9/2020	3/9/2020	3/9/2020
VOCs (µg/kg)									
Benzene	1,600	7,070	5.1	--	<50.0	<100	<25.0	51.9 J C	<125
cis-1,2-Dichloroethene	156,000	2,340,000	41.2	--	1950 C	4720 C	394 C	<25.0	264 J C
Ethylbenzene	8,020	35,400	1,570	--	<50.0	<100	<25.0	43.3 J	<125
Tetrachloroethene	33,000	145,000	4.54	--	9500 C	23500 C	6320 C	599 C	42300 C
Toluene	818,000	818,000	1,107.2	--	<50.0	<100	<25.0	74.0	<125
Trichloroethene	1,300	8,410	3.6	--	1160 C	1450 C	51.4 J C	<25.0	3390 C
o-Xylene	434,000	434,000	--	--	<50.0	<100	<25.0	<25.0	<125
m-&p-Xylene ²	388,000	388,000	--	--	<100	<200	<50.0	62.8 J	<250
Xylenes, total	260,000	260,000	3,960	--	<150	<300	<75.0	<75.0	<375

Notes:

VOCs = Volatile Organic Compounds

BTV = Background Threshold Value

µg/kg = micrograms per kilogram

² Direct Contact RCL listed is for the more stringent m-Xylene.

C Parameter exceeds NR 720 RCL for Groundwater Pathway.

J Estimated concentration at or above the LOD and below the LOQ.

-- No RCL or Surficial BTV established.

#N/A = Not analyzed

Direct contact RCL exceedances apply to soil from 0 to 4 feet below ground surface.

Soil RCLs and surficial BTVs established by the WDNR RR program using the EPA's RSL web-calculator with WAC NR 720 default parameters (WDNR PUB-RR-890, June 2014 - updated RCL spreadsheet, December 2018).

Table 2
MNA Parameter Groundwater Sampling Results
Former One-Hour Valet Dry Cleaners
1214 West Wells Street, Milwaukee, Wisconsin
Ramboll Project No. 1690005819

Well ID	Sample Date	Dissolved Oxygen (mg/L)	Ethane (µg/L)	Ethene (µg/L)	Iron, Dissolved (mg/L)	Iron, Ferric (mg/L)	Iron, Ferrous (mg/L)	Methane (µg/L)	Nitrogen, NO ₂ plus NO ₃ (mg/L)	ORP (mV)	Sulfate (mg/L)	Total Organic Carbon (mg/L)
MW-1	1/14/2002	10.39	NA	NA	NA	NA	NA	NA	NA	-37.0	NA	NA
	5/8/2002	3.57	NA	NA	NA	NA	NA	NA	NA	287.1	NA	NA
	8/7/2003	0.22	NA	NA	NA	NA	NA	NA	NA	161.3	NA	NA
	10/7/2003	1.05	0.028	0.049	NA	NA	NA	14	NA	396.8	NA	NA
	8/25/2009	0.69	<10	<10	NA	NA	NA	<10	NA	95.0	NA	1.26
	11/1/2017	1.69	<0.58	<0.52	0.0126 J	0.00 J	<0.017	<1.4	<0.095	57.7	<100	<0.25
MW-2	1/14/2002	6.42	NA	NA	NA	NA	NA	NA	NA	168.4	NA	NA
	5/8/2002	1.07	NA	NA	NA	NA	NA	NA	NA	256.9	NA	NA
	8/7/2003	0.10	NA	NA	NA	NA	NA	NA	NA	2.3	NA	NA
	10/7/2003	4.43	0.018	0.021	NA	NA	NA	22	NA	364.0	NA	NA
	8/27/2009	0.98	NA	NA	NA	NA	NA	NA	NA	86.0	NA	NA
	11/1/2017	1.71	<0.58	<0.52	1.77	0.54	1.2 H3	<1.4	<0.095	-74.3	93.5	<0.25
MW-3	8/7/2003	0.15	NA	NA	NA	NA	NA	NA	NA	68.0	NA	NA
	10/7/2003	5.74	0.16	0.056	NA	NA	NA	45	NA	327.8	NA	NA
	8/27/2009	1.01	NA	NA	NA	NA	NA	NA	NA	16.0	NA	NA
	11/1/2017 ¹	0.73	NA	NA	NA	NA	NA	NA	NA	-125.6	NA	NA
MW-4	8/7/2003	5.83	NA	NA	NA	NA	NA	NA	NA	139.0	NA	NA
	10/7/2003	3.44	0.021	0.033	NA	NA	NA	22	NA	383.4	NA	NA
	8/25/2009	2.55	NA	NA	NA	NA	NA	NA	NA	77.0	NA	NA
	11/2/2017	0.88	NA	NA	NA	NA	NA	NA	NA	-19.8	NA	NA
	5/2/2019	8.40	NA	NA	NA	NA	NA	NA	NA	140.7	NA	NA
	8/14/2019	1.82	NA	NA	NA	NA	NA	NA	NA	79.4	NA	NA
	3/10/2020	8.53	NA	NA	NA	NA	NA	NA	NA	81.6	NA	NA
MW-5	8/7/2003	0.86	NA	NA	NA	NA	NA	NA	NA	190.5	NA	NA
	10/7/2003	1.05	0.041	0.0097	NA	NA	NA	0.99	NA	396.8	NA	NA
	8/27/2009	0.99	<10	<10	NA	NA	NA	136	NA	98.0	NA	1.82
	11/2/2017	2.04	NA	NA	NA	NA	NA	NA	NA	18.6	NA	NA
	5/2/2019	2.01	NA	NA	NA	NA	NA	NA	NA	159.1	NA	NA
	8/14/2019	0.18	NA	NA	NA	NA	NA	NA	NA	63.4	NA	NA
MW-6	3/10/2020	0.00	NA	NA	NA	NA	NA	NA	NA	21.1	NA	NA
	8/25/2009	1.0	NA	NA	NA	NA	NA	NA	NA	-50.0	NA	NA
	11/9/2017 ¹	0.62	<0.58	<0.52	13.6	8.3	5.2 H3	<1.4	<0.095	-112.7	82.4	<0.25
	5/2/2019	11.38	<0.58	<0.52	103	1030	<0.20	<1.4	0.25 J	94.8	41.8	6.0
	8/14/2019	0.83	<0.58	<0.52	1.7	<0.20	2.1 H3	<1.4	<0.0	3.1	95.6	0.57 J
MW-7	3/10/2020	0.01	<1.2	<1.2	6.68	<0.20	7.4 H3	75.2	<0.059	-154.3	87.0 J	1.8
	8/26/2009	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
MW-8	11/9/2017 ²	7.49	NA	NA	NA	NA	NA	NA	NA	-50.7	NA	NA
	8/26/2009	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
MW-9	11/9/2017 ³	4.03	NA	NA	NA	NA	NA	NA	NA	-28.7	NA	NA
	8/27/2009	NA	<10	<10	NA	NA	NA	<10	NA	NA	NA	1.27
	11/9/2017	6.40	NA	NA	NA	NA	NA	NA	NA	-42.6	NA	NA

Table 2
MNA Parameter Groundwater Sampling Results
Former One-Hour Valet Dry Cleaners
1214 West Wells Street, Milwaukee, Wisconsin
Ramboll Project No. 1690005819

Well ID	Sample Date	Dissolved Oxygen (mg/L)	Ethane (µg/L)	Ethene (µg/L)	Iron, Dissolved (mg/L)	Iron, Ferric (mg/L)	Iron, Ferrous (mg/L)	Methane (µg/L)	Nitrogen, NO ₂ plus NO ₃ (mg/L)	ORP (mV)	Sulfate (mg/L)	Total Organic Carbon (mg/L)
PZ-1	1/15/2002	0.66	NA	NA	NA	NA	NA	NA	NA	-65.3	NA	NA
	5/8/2003	1.31	NA	NA	NA	NA	NA	NA	NA	-18.3	NA	NA
	8/8/2003	0.12	NA	NA	NA	NA	NA	NA	NA	-93.7	NA	NA
	10/7/2003	0.09	1.7	0.48	NA	NA	NA	7	NA	-97.1	NA	NA
	8/25/2009	0.83	<10	<10	NA	NA	NA	<10	NA	-73.0	NA	2.04
	11/2/2017	0.64	<0.58	<0.52	2.29	2.2	0.060 H3	<1.4	0.33	38.5	155	0.50 J
PZ-1 abandoned on 1/11/2018. PZ-1R installed on 4/18/2019.												
PZ-1R	5/2/2019	1.01	337	32.4	5.88	<0.20	5.8 H3	23.1	<0.095	-102.6	101	124 J
	8/14/2019	0.21	3060	87.2	5.70	<0.20	6.5 H3	129	<0.095	-138.4	93.1	184
	3/10/2020	0.00	2130	974	4.60	<0.20	5.1 H3	162	<0.059	-270.1	85.9	115
PZ-2	8/8/2003	0.19	NA	NA	NA	NA	NA	NA	NA	-41.3	NA	NA
	10/6/2003	0.15	1.3	0.79	NA	NA	NA	60	NA	-35.1	NA	NA
	8/27/2009	0.78	NA	NA	NA	NA	NA	NA	NA	-16.0	NA	NA
	11/1/2017 ¹	2.67	<0.58	<0.52	8.82	5.7	3.1	23.1	<0.095	-100.3	178	<0.25
	5/2/2019 ⁴	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
PZ-2 abandoned on 7/19/2019. PZ-2R installed on 7/19/2019.												
PZ-2R	8/14/2019	0.13	0.82 J	<0.52	3.20	<0.20	3.6 H3	22.0	<0.095	-36.8	164	0.40 J
	3/10/2020	0.10	<1.2	<1.2	2.80	<0.20	2.9 H3, M1	10.3	<0.059	-68.3	140	0.36 J M0
PZ-3	8/25/2009	0.72	NA	NA	NA	NA	NA	NA	NA	-53.0	NA	NA
	11/2/2017	1.34	NA	NA	NA	NA	NA	NA	NA	-103.8	NA	NA
PZ-3 abandoned on 1/11/2018												
PZ-4	8/25/2009	0.72	NA	NA	NA	NA	NA	NA	NA	-55.0	NA	NA
	11/2/2017	1.47	NA	NA	NA	NA	NA	NA	NA	-111.8	NA	NA
	5/2/2019	2.99	NA	NA	NA	NA	NA	NA	NA	48.2	NA	NA
	8/14/2019	0.24	NA	NA	NA	NA	NA	NA	NA	-40.0	NA	NA
	3/10/2020	0.24	NA	NA	NA	NA	NA	NA	NA	-61.7	NA	NA

Notes:

J = Estimated concentration at or above the level of detection and below the level of quantification.

mg/L = milligrams per liter

mV = millivolts

NA = Data was not collected or not able to be collected.

NS = Not sampled.

ORP = Oxidation-reduction potential; measured in the field.

ug/L = micrograms per liter

All sampling results prior to 2017 obtained from a Site Investigation Report prepared by GZA GeoEnvironmental, Inc. dated February 24, 2012.

(1) Well cap either missing or not plugged at time of inspection; potential for water and other constituents to have entered the well.

(2) Monitoring well purged dry after first stabilization parameter reading. Well sampled later in day without collecting new stabilization parameters.

(3) Monitoring well purged dry before water passed completely through flow-through cell. Stabilization parameters collected from flow-through cell approximately 4/5 of the way full.

(4) Monitoring well was damaged during site redevelopment activities and was not sampled.

H3 = Sample was received or analysis requested beyond the recognized method holding time.

M0 = Matrix spike recovery and/or matrix spike duplicate recovery was outside laboratory control limits.

M1 = Matrix spike recovery exceeded QC limits. Batch accepted based on laboratory control sample (LCS) recovery.

Table 3
Groundwater Analytical Results - Summary of Detected Constituents
Former One-Hour Valet Dry Cleaners
1214 West Wells Street, Milwaukee, Wisconsin
Ramboll Project No. 1690005819

CAS	Analyte ^{1,2}	Benzene	Chloroform	1,1-Dichloroethene	cis-1,2-Dichloroethene	trans-1,2-Dichloroethene	Ethylbenzene	Methylene chloride	Tetrachloroethene	Toluene	Trichloroethene	1,2,4-Trimethylbenzene ³	Vinyl chloride	Xylenes, total ⁴
		ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L
71-43-2	Benzene	0.5	0.6	0.7	7	20	140	5	5	800	5	480	0.2	2000
67-66-3	Chloroform	0.5	0.6	0.7	7	20	140	5	5	800	5	480	0.2	2000
75-35-4	1,1-Dichloroethene	0.5	0.6	0.7	7	20	140	5	5	800	5	480	0.2	2000
156-59-2	cis-1,2-Dichloroethene	0.5	0.6	0.7	7	20	140	5	5	800	5	480	0.2	2000
156-60-5	trans-1,2-Dichloroethene	0.5	0.6	0.7	7	20	140	5	5	800	5	480	0.2	2000
100-41-4	Ethylbenzene	0.5	0.6	0.7	7	20	140	5	5	800	5	480	0.2	2000
75-09-2	Methylene chloride	0.5	0.6	0.7	7	20	140	5	5	800	5	480	0.2	2000
127-18-4	Tetrachloroethene	0.5	0.6	0.7	7	20	140	5	5	800	5	480	0.2	2000
108-88-3	Toluene	0.5	0.6	0.7	7	20	140	5	5	800	5	480	0.2	2000
79-01-6	Trichloroethene	0.5	0.6	0.7	7	20	140	5	5	800	5	480	0.2	2000
95-63-6	1,2,4-Trimethylbenzene ³	0.5	0.6	0.7	7	20	140	5	5	800	5	480	0.2	2000
75-01-4	Vinyl chloride	0.5	0.6	0.7	7	20	140	5	5	800	5	480	0.2	2000
1330-20-7	Xylenes, total ⁴	0.5	0.6	0.7	7	20	140	5	5	800	5	480	0.2	2000
NR 140 ES	NR 140 PAL	0.5	0.6	0.7	7	20	140	5	5	800	5	480	0.2	2000
MW-1	1/14/2002	ND	<0.23	<0.27	<0.21	<0.25	<0.22	<0.24	<0.22	<0.41	0.46 J	<0.15	44	#N/A
MW-1	5/8/2002	ND	<0.1	<0.11	<0.11	<0.11	<0.08	<0.24	<0.15	<0.08	<0.13	<0.11	<0.16	#N/A
MW-1	8/7/2003	ND	<0.25	<0.5	<0.5	<0.5	<0.5	<1	<0.5	<0.08	0.9 J	<0.25	<0.25	<0.5
MW-1	10/7/2003	ND	<0.25	<0.5	<0.5	<0.5	<0.5	<1	<0.5	<0.25	<0.25	<0.25	<0.25	<0.5
MW-1	8/25/2009	<0.2	<0.2	<0.5	<0.5	<0.5	<0.5	<1	<0.5	<0.5	<0.2	<0.2	<0.2	<0.5
MW-1	11/1/2017	<0.50	<2.5	<0.41	<0.26	<0.26	<0.50	<0.23	<0.50	<0.33	<0.50	<0.33	<0.50	<1.5
MW-2	1/14/2002	ND	<0.23	<0.21	<0.21	<0.25	<0.22	<0.22	<0.22	<0.41	<0.24	<0.26	<0.25	#N/A
MW-2	5/8/2002	ND	<0.1	<0.11	<0.11	<0.11	<0.08	<0.24	<0.15	<0.08	<0.13	<0.11	<0.16	#N/A
MW-2	8/7/2003	ND	<0.25	<0.5	<0.5	<0.5	<0.5	<1	<0.5	0.32 J	<0.25	<0.25	<0.25	<0.5
MW-2	10/7/2003	ND	<0.25	<0.5	<0.5	<0.5	<0.5	<1	<0.5	<0.25	<0.25	<0.25	<0.25	<0.5
MW-2	8/27/2009	<0.2	<0.2	<0.5	<0.5	<0.5	<0.5	<1	<0.5	<0.25	<0.25	<0.25	<0.25	<0.5
MW-2	11/1/2017	<0.50	<2.5	<0.41	<0.26	<0.26	<0.50	<0.23	<0.50	<0.33	<0.50	<0.33	<0.50	<1.5
MW-3	1/15/2002	ND	<0.23	<0.27	<0.21	<0.25	<0.22	<0.22	<0.22	<0.41	<0.24	<0.26	<0.25	#N/A
MW-3	5/8/2002	ND	<0.1	<0.11	<0.11	<0.11	<0.08	<0.24	<0.15	0.32 J	0.34 J	<0.11	<0.16	#N/A
MW-3	8/7/2003	ND	<0.25	<0.5	<0.5	<0.5	<0.5	<1	<0.5	0.88 J	0.42 J	<0.25	<0.25	<0.5
MW-3	10/7/2003	ND	<0.25	<0.5	<0.5	<0.5	<0.5	<1	<0.5	<0.25	<0.25	<0.25	<0.25	<0.5
MW-3	8/27/2009	<0.2	<0.2	<0.5	<0.5	<0.5	<0.5	<1	<0.5	<0.2	<0.2	<0.2	<0.2	<0.5
MW-3	11/1/2017	<0.50	<2.5	<0.41	<0.26	<0.26	<0.50	<0.23	<0.50	<0.33	<0.50	<0.33	<0.50	<1.5
MW-4	8/7/2003	ND	<0.25	<0.5	<0.5	<0.5	<0.5	<1	0.88 J	0.9 J	0.71 J	0.34 J	<0.25	<0.5
MW-4	10/7/2003	ND	<0.25	<0.5	<0.5	<0.5	<0.5	<1	0.57 J	<0.25	<0.25	<0.25	<0.25	<0.5
MW-4	8/25/2009	<0.2	<0.2	<0.5	<0.5	<0.5	<0.5	<1	7	<0.5	<0.2	<0.2	<0.2	<0.5
MW-4	11/2/2017	<0.50	<2.5	<0.41	<0.26	<0.26	<0.50	<0.23	7.8	<0.50	<0.33	<0.50	<0.18	<1.5
MW-4	5/2/2019	<0.49	<2.5	<0.49	23.0	<2.2	<0.44	<1.2	850	<0.34	5.0	<1.7	<0.35	<3.0
MW-4	8/14/2019	<0.25	<1.3	<0.24	0.4 J	<1.1	<0.22	<0.58	79.1	<0.17	1.0 J	<0.84	<0.17	<1.5
MW-4	3/10/2020	<0.25	<1.3	<0.24	<0.27	<1.1	<0.32	<0.58	57.0	<0.27	0.47 J	<0.84	<0.17	<1.5
MW-5	8/7/2003	ND	<0.25	<0.5	11	<0.5	<0.5	<1	80	0.9	7.9	0.34 J	<0.25	<0.5
MW-5	10/7/2003	ND	<0.25	<0.5	150	1.2	<0.5	<1	93	<0.25	6.4	<0.25	<0.25	<0.5
MW-5	8/27/2009	<0.2	<0.2	<0.5	110	1.2	<0.5	<1	140	<0.5	<0.2	32	22	<0.5
MW-5	11/2/2017	<0.50	<2.5	<0.41	73.6	1.5	<0.50	<0.23	30.3	<0.50	3.2	<0.50	0.45 J	<1.5
MW-5	5/2/2019	<0.25	<1.3	<0.24	11.2	<1.1	<0.22	<0.58	20.5	<0.17	2.8	<0.84	2.1	<1.5
MW-5	8/14/2019	<0.25	<1.3	<0.24	31.2	<1.1	<0.22	<0.58	29.1	<0.17	5.9	<0.84	0.73 J	<1.5
MW-5	3/10/2020	<0.25	<1.3	<0.24	14.1	<1.1	<0.32	<0.58	23.8	<0.27	5.0	<0.84	2.2	<1.5
MW-6	8/25/2009	<0.2	<2	<5	980	<5	<5	<10	<5	<5	18	<2	57	<5
MW-6	11/9/2017	<0.50	<2.5	<0.41	4.5	<0.26	<0.50	<0.23	<0.50	<0.33	<0.50	<0.33	1.0	<1.5
MW-6	5/2/2019	<0.25	<1.3	<0.24	<0.27	<1.1	<0.22	<0.58	<0.33	<0.17	<0.26	<0.84	<0.17	<1.5
MW-6	8/14/2019	<0.25	<1.3	<0.24	14.7 M1	<1.1	<0.22	<0.58	1.3	<0.17	0.37 J	<0.84	1.6	<1.5
MW-6	3/10/2020	<0.25	<1.3	<0.24	239	6.8	<0.32	<0.58	<0.33	<0.27	13.5	<0.84	11.5	<1.5
MW-7	8/26/2009	<0.2	<0.2	<0.5	<0.5	<0.5	<0.5	<1	<0.5	<0.5	<0.2	<0.2	<0.2	<0.5
MW-7	11/9/2017	<0.50	<2.5	<0.41	<0.26	<0.26	<0.50	<0.23	<0.50	<0.33	<0.50	<0.33	<0.50	<1.5
MW-8	8/26/2009	<0.2	<0.2	<0.5	<0.5	<0.5	<0.5	<1	<0.5	<0.5	<0.2	<0.2	<0.2	<0.5
MW-8	11/9/2017 ⁵	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
MW-9	8/27/2009	0.28	<0.2	<0.5	<0.5	<0.5	<0.5	<1	<0.5	0.64	<0.2	<0.2	<0.2	<0.5
MW-9	11/9/2017	<0.50	<2.5	<0.41	<0.26	<0.26	<0.50	<0.23	<0.50	0.59 J	<0.33	<0.50	<0.18	<1.5

Table 3
Groundwater Analytical Results - Summary of Detected Constituents
Former One-Hour Valet Dry Cleaners
1214 West Wells Street, Milwaukee, Wisconsin
Ramboll Project No. 1690005819

CAS	Analyte ^{1,2}													
	Benzene	Chloroform	1,1-Dichloroethene	cis-1,2-Dichloroethene	trans-1,2-Dichloroethene	Ethylbenzene	Methylene chloride	Tetrachloroethene	Toluene	Trichloroethene	1,2,4-Trimethylbenzene ³	Vinyl chloride	Xylenes, total ⁴	
Units	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	
NR 140 ES	5	6	7	70	100	700	5	5	800	5	480	0.2	2000	
NR 140 PAL	0.5	0.6	0.7	7	20	140	0.5	0.5	160	0.5	96	0.02	400	
PZ-1	1/15/2002	ND	<1.2	<1.4	400	4 J	<1.1	<1.1	<1.1	<1.2	<0.75	<1.3	#N/A	
	5/8/2003	ND	<5	<5.5	3000	22	<4	23 J	8500	<4	2800	<5.5	22 J	#N/A
	8/8/2003	ND	0.3 J	8.4	2600	18.0	1.8	<1	27000	4.8	2500	<0.25	11	1.2
	10/7/2003	ND	<120	<250	2600	<250	<250	<500	36000	<120	2600	<120	<120	<250
	8/25/2009	<32	<32	<80	2000	<80	<80	<160	61000	<80	1600	<32	<32	<80
11/2/2017	<125	<625	<103	414	<64.1	<125	<58.1	16200	<125	435	<125	<43.9	<375	
PZ-1 abandoned on 1/11/2018. PZ-1R was installed on 4/18/2019.														
PZ-1R	5/2/2019	<123	<637	<122	30000	<545	<109	<290	60300	<86.1	3310	<420	<87.3	<750
	8/14/2019	<123	<637	140 J	108000	<545	<109	<290	83700	<86.1	5450	<420	1110	<750
	3/10/2020	<123	<637	<122	36400	<545	<159	<290	23200	<135	9060	<420	2630	<750
PZ-2	8/8/2003	ND	<0.25	<0.5	<0.5	<0.5	<0.5	<1	<0.5	0.43 J	<0.25	<0.25	5.8	<0.5
	10/6/2003	ND	<0.25	<0.5	<0.5	<0.5	<0.5	<1	<0.5	<0.25	<0.25	<0.25	8.9	<0.5
	8/27/2009	<0.2	<0.2	<0.5	<0.5	<0.5	<0.5	<1	<0.5	<0.5	<0.2	<0.2	14	<0.5
	11/1/2017	<0.50	<2.5	<0.41	4.1	<0.26	<0.50	<0.23	<0.50	<0.33	<0.50	<0.50	11.0	<1.5
	5/2/2019 ⁶	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
PZ-2 abandoned on 7/19/2019. PZ-2R was installed on 7/19/2019.														
PZ-2R	8/14/2019	<0.25	<1.3	<0.24	26.9	<1.1	<0.22	<0.58	12.7	<0.17	0.39 J	<0.84	15.5	<1.5
	3/10/2020	<0.25	<1.3	<0.24	33.9	<1.1	<0.32	<0.58	<0.33	<0.27	<0.26	<0.84	11.3	<1.5
PZ-3	8/26/2004	ND	<2	<5	440	<5	<5	<10	56	<2	<2	<2	<5	
	10/7/2004	ND	<1	<2.5	300	<2.5	<2.5	<5	73	<1	<1	<1	<2.5	
	8/25/2009	<2	<2	<5	1100	11.0	<5	<10	5.6	<5	7.1	<2	3.9	<5
	11/2/2017	<25.0	<125	<20.5	2060	22.4 J	<25.0	<11.6	<25.0	<25.0	144	<25.0	<8.8	<75.0
PZ-3 abandoned on 1/11/2018.														
PZ-4	8/25/2009	<0.20	<0.2	<0.5	4.4	<0.5	<0.5	<1	0.84	<0.5	0.56	<0.2	<0.2	<0.5
	11/2/2017	<0.50	<2.5	<0.41	<0.26	<0.26	<0.50	<0.23	<0.50	<0.33	<0.50	<0.50	1.3	<1.5
	5/2/2019	<0.49	<2.5	<0.49	20.8	<2.2	<0.44	<1.2	351	<0.34	3	<1.7	1	<3.0
	8/14/2019	<0.25	<1.3	<0.24	<0.27	<1.1	<0.22	<0.58	15.8	<0.17	<0.26	<0.84	1.8	<1.5
	3/10/2020	<0.25	<1.3	<0.24	1.4	<1.1	<0.32	<0.58	16.0	<0.27	<0.26	<0.84	1.7	<1.5

Notes:
All results reported in micrograms per Liter (ug/L)
ES = Enforcement Standard
PAL = Preventive Action Limit
Bold value = NR 140 ES Exceedance
Italic Value = NR 140 PAL Exceedance
-- = No NR 140 ES or PAL established.
#N/A = Not analyzed
NS = Not sampled
J = Estimated concentration. Laboratory results reported between the limit of detection and limit of quantification.
¹ Analytical results are displayed for detected parameters only.
² All sampling results prior to 2017 obtained from a Site Investigation Report prepared by GZA GeoEnvironmental, Inc. on February 24, 2012.
³ Standards are for 1,2,4- and 1,3,5-Trimethylbenzene
⁴ Standards are for Total Xylenes (-m, -p, and -o).
⁵ MW-8 not sampled during the November 2017 groundwater sampling event because well did not recharge sufficiently.
⁶ PZ-2 was not sampled during the May 2019 groundwater sampling event because well was damaged during site redevelopment activities.
ND = Not detected at or above limit of detection.
M1 = Matrix spike recovery exceeded QC limits. Batch accepted based on laboratory control sample (LCS) recovery.

FIGURE

L:\Loop Project Files\CAD\1690005819_Former 1hr Dry Cleaners\2020-03\01_Site Layout.dwg

HOSPITAL PARKING STRUCTURE



- LEGEND**
- PROPERTY BOUNDARY
 - ▨ BUILDING FOOTPRINT
 - ▨ ASPHALT
 - ▨ CONCRETE
 - FENCE LINE
 - 75 — 1-FT ELEVATION CONTOUR
 - E — UNDERGROUND ELECTRIC
 - OHE — OVERHEAD ELECTRIC
 - T — TELEPHONE
 - W — WATER LINE
 - G — GAS
 - TV — CABLE TV
 - FO — FIBER OPTIC
 - STM — STORMWATER SEWER
 - SAN — SANITARY SEWER
 - STEAM — STEAM
 - ☐ CATCH BASIN
 - MANHOLE
 - ⊗ VALVE
 - ⬆ TRAFFIC LIGHT
 - ⊠ TRANSFORMER
 - ⊗ METER
 - ⊗ LIGHT POLE
 - ⊠ GUY UTILITY POLE / GUY
 - 🌳 TREE
 - 🔥 FIRE HYDRANT
 - ⊠ TELEPHONE PEDESTAL
 - ⊠ CONTROL BOX
 - ⊕ MONITORING WELL
 - ▲ SOIL GAS SAMPLE
 - CONFIRMATION SAMPLE

NOTE: CONCEPTUAL REDEVELOPMENT PLAN MAY BE A PARKING LOT AS SHOWN, OR THE SITE MAY REMAIN A VACANT LOT FOR A PERIOD OF TIME FOLLOWING COMPLETION OF ACTIVE REMEDIAL SITE WORK.

REFERENCE: THE SITE LAYOUT, SITE FEATURES, ELEVATIONS, UTILITIES, AND OTHER FEATURES NEAR THE PROPERTY WERE OBTAINED FROM GRAEF-USA IN DECEMBER 2017. MONITORING WELLS WERE SURVEYED IN OCTOBER 2019.



SITE LAYOUT
FORMER ONE-HOUR VALET DRY CLEANERS
1214 WEST WELLS STREET
MILWAUKEE, WISCONSIN




FIGURE
1

DRAFTED BY: HJW

DATE: 3/17/2020

1690005819



ATTACHMENT A
LABORATORY ANALYTICAL RESULTS

March 16, 2020

Susan Petrofske
Ramboll Environ
175 North Corporate Drive
Suite 160
Brookfield, WI 53045

RE: Project: 1690005819 FORMER 1-HOUR VALET
Pace Project No.: 40204537

Dear Susan Petrofske:

Enclosed are the analytical results for sample(s) received by the laboratory on March 11, 2020. The results relate only to the samples included in this report. Results reported herein conform to the most current, applicable TNI/NELAC standards and the laboratory's Quality Assurance Manual, where applicable, unless otherwise noted in the body of the report.

If you have any questions concerning this report, please feel free to contact me.

Sincerely,



Steven Mieczko
steve.mieczko@pacelabs.com
(920)469-2436
Project Manager

Enclosures



REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

CERTIFICATIONS

Project: 1690005819 FORMER 1-HOUR VALET

Pace Project No.: 40204537

Pace Analytical Services Green Bay

1241 Bellevue Street, Green Bay, WI 54302

Florida/NELAP Certification #: E87948

Illinois Certification #: 200050

Kentucky UST Certification #: 82

Louisiana Certification #: 04168

Minnesota Certification #: 055-999-334

New York Certification #: 12064

North Dakota Certification #: R-150

Virginia VELAP ID: 460263

South Carolina Certification #: 83006001

Texas Certification #: T104704529-14-1

Wisconsin Certification #: 405132750

Wisconsin DATCP Certification #: 105-444

USDA Soil Permit #: P330-16-00157

Federal Fish & Wildlife Permit #: LE51774A-0

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

SAMPLE SUMMARY

Project: 1690005819 FORMER 1-HOUR VALET
Pace Project No.: 40204537

Lab ID	Sample ID	Matrix	Date Collected	Date Received
40204537001	C1 (20-21)	Solid	03/09/20 10:05	03/11/20 09:15
40204537002	C1 (26-28)	Solid	03/09/20 10:10	03/11/20 09:15
40204537003	C2 (17-18)	Solid	03/09/20 10:53	03/11/20 09:15
40204537004	C2 (29-30)	Solid	03/09/20 10:55	03/11/20 09:15
40204537005	C3 (15-16)	Solid	03/09/20 11:20	03/11/20 09:15
40204537006	C3 (18-19)	Solid	03/09/20 11:25	03/11/20 09:15
40204537007	C4 (14-15)	Solid	03/09/20 11:50	03/11/20 09:15
40204537008	C4 (18-19)	Solid	03/09/20 11:55	03/11/20 09:15
40204537009	C5 (14-15)	Solid	03/09/20 12:25	03/11/20 09:15
40204537010	C5 (12-13)	Solid	03/09/20 13:30	03/11/20 09:15

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

SAMPLE ANALYTE COUNT

Project: 1690005819 FORMER 1-HOUR VALET

Pace Project No.: 40204537

Lab ID	Sample ID	Method	Analysts	Analytes Reported
40204537001	C1 (20-21)	EPA 8260	MDS	65
		ASTM D2974-87	MLR	1
40204537002	C1 (26-28)	EPA 8260	MDS	65
		ASTM D2974-87	MLR	1
40204537003	C2 (17-18)	EPA 8260	MDS	65
		ASTM D2974-87	MLR	1
40204537004	C2 (29-30)	EPA 8260	MDS	65
		ASTM D2974-87	MLR	1
40204537005	C3 (15-16)	EPA 8260	MDS	65
		ASTM D2974-87	MLR	1
40204537006	C3 (18-19)	EPA 8260	MDS	65
		ASTM D2974-87	MMX	1
40204537007	C4 (14-15)	EPA 8260	MDS	65
		ASTM D2974-87	MMX	1
40204537008	C4 (18-19)	EPA 8260	MDS	65
		ASTM D2974-87	MMX	1
40204537009	C5 (14-15)	EPA 8260	MDS	65
		ASTM D2974-87	MMX	1
40204537010	C5 (12-13)	EPA 8260	MDS	65
		ASTM D2974-87	MMX	1

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

SUMMARY OF DETECTION

Project: 1690005819 FORMER 1-HOUR VALET
Pace Project No.: 40204537

Lab Sample ID Method	Client Sample ID Parameters	Result	Units	Report Limit	Analyzed	Qualifiers
40204537001	C1 (20-21)					
EPA 8260	Tetrachloroethene	1940000	ug/kg	31800	03/13/20 16:16	
EPA 8260	Trichloroethene	104000	ug/kg	14800	03/13/20 16:16	
EPA 8260	cis-1,2-Dichloroethene	12000J	ug/kg	14800	03/13/20 16:16	
ASTM D2974-87	Percent Moisture	18.9	%	0.10	03/13/20 15:53	
40204537002	C1 (26-28)					
EPA 8260	Tetrachloroethene	3000000	ug/kg	63900	03/16/20 10:52	
EPA 8260	Trichloroethene	24700	ug/kg	14900	03/13/20 16:33	
EPA 8260	cis-1,2-Dichloroethene	31300	ug/kg	14900	03/13/20 16:33	
ASTM D2974-87	Percent Moisture	19.2	%	0.10	03/13/20 15:53	
40204537003	C2 (17-18)					
EPA 8260	Benzene	63.5J	ug/kg	74.1	03/13/20 15:59	
EPA 8260	Ethylbenzene	59.7J	ug/kg	74.1	03/13/20 15:59	
EPA 8260	Tetrachloroethene	10100	ug/kg	159	03/13/20 15:59	
EPA 8260	Toluene	81.2	ug/kg	74.1	03/13/20 15:59	
EPA 8260	Trichloroethene	713	ug/kg	74.1	03/13/20 15:59	
EPA 8260	Xylene (Total)	172J	ug/kg	222	03/13/20 15:59	
EPA 8260	cis-1,2-Dichloroethene	1100	ug/kg	74.1	03/13/20 15:59	
EPA 8260	m&p-Xylene	138J	ug/kg	148	03/13/20 15:59	
EPA 8260	o-Xylene	34.1J	ug/kg	74.1	03/13/20 15:59	
ASTM D2974-87	Percent Moisture	19.0	%	0.10	03/13/20 15:53	
40204537004	C2 (29-30)					
EPA 8260	Tetrachloroethene	59500	ug/kg	1260	03/13/20 16:50	
EPA 8260	Trichloroethene	6900	ug/kg	586	03/13/20 16:50	
EPA 8260	cis-1,2-Dichloroethene	2200	ug/kg	586	03/13/20 16:50	
ASTM D2974-87	Percent Moisture	18.0	%	0.10	03/13/20 15:53	
40204537005	C3 (15-16)					
EPA 8260	Tetrachloroethene	668	ug/kg	152	03/13/20 12:16	
EPA 8260	Trichloroethene	40.3J	ug/kg	70.8	03/13/20 12:16	
ASTM D2974-87	Percent Moisture	15.3	%	0.10	03/13/20 15:53	
40204537006	C3 (18-19)					
EPA 8260	Tetrachloroethene	9500	ug/kg	298	03/13/20 17:41	
EPA 8260	Trichloroethene	1160	ug/kg	139	03/13/20 17:41	
EPA 8260	cis-1,2-Dichloroethene	1950	ug/kg	139	03/13/20 17:41	
ASTM D2974-87	Percent Moisture	13.5	%	0.10	03/13/20 17:32	
40204537007	C4 (14-15)					
EPA 8260	Tetrachloroethene	23500	ug/kg	659	03/13/20 17:24	
EPA 8260	Trichloroethene	1450	ug/kg	307	03/13/20 17:24	
EPA 8260	cis-1,2-Dichloroethene	4720	ug/kg	307	03/13/20 17:24	
ASTM D2974-87	Percent Moisture	21.7	%	0.10	03/13/20 17:32	
40204537008	C4 (18-19)					
EPA 8260	Tetrachloroethene	6320	ug/kg	156	03/13/20 15:41	
EPA 8260	Trichloroethene	51.4J	ug/kg	72.5	03/13/20 15:41	
EPA 8260	cis-1,2-Dichloroethene	394	ug/kg	72.5	03/13/20 15:41	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

SUMMARY OF DETECTION

Project: 1690005819 FORMER 1-HOUR VALET
Pace Project No.: 40204537

Lab Sample ID Method	Client Sample ID Parameters	Result	Units	Report Limit	Analyzed	Qualifiers
40204537008	C4 (18-19)					
ASTM D2974-87	Percent Moisture	17.3	%	0.10	03/13/20 17:32	
40204537009	C5 (14-15)					
EPA 8260	Tetrachloroethene	42300	ug/kg	779	03/13/20 17:07	
EPA 8260	Trichloroethene	3390	ug/kg	362	03/13/20 17:07	
EPA 8260	cis-1,2-Dichloroethene	264J	ug/kg	362	03/13/20 17:07	
ASTM D2974-87	Percent Moisture	17.2	%	0.10	03/13/20 17:32	
40204537010	C5 (12-13)					
EPA 8260	Benzene	51.9J	ug/kg	70.6	03/13/20 13:07	
EPA 8260	Ethylbenzene	43.3J	ug/kg	70.6	03/13/20 13:07	
EPA 8260	Tetrachloroethene	599	ug/kg	152	03/13/20 13:07	
EPA 8260	Toluene	74.0	ug/kg	70.6	03/13/20 13:07	
EPA 8260	m&p-Xylene	62.8J	ug/kg	141	03/13/20 13:07	
ASTM D2974-87	Percent Moisture	15.1	%	0.10	03/13/20 17:33	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 1690005819 FORMER 1-HOUR VALET

Pace Project No.: 40204537

Sample: C1 (20-21) **Lab ID: 40204537001** Collected: 03/09/20 10:05 Received: 03/11/20 09:15 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Med Level Normal List									
Analytical Method: EPA 8260 Preparation Method: EPA 5035/5030B									
1,1,1,2-Tetrachloroethane	<5000	ug/kg	12000	5000	200	03/13/20 08:15	03/13/20 16:16	630-20-6	W
1,1,1-Trichloroethane	<5000	ug/kg	12000	5000	200	03/13/20 08:15	03/13/20 16:16	71-55-6	W
1,1,2,2-Tetrachloroethane	<5000	ug/kg	12000	5000	200	03/13/20 08:15	03/13/20 16:16	79-34-5	W
1,1,2-Trichloroethane	<5000	ug/kg	12000	5000	200	03/13/20 08:15	03/13/20 16:16	79-00-5	W
1,1-Dichloroethane	<5000	ug/kg	12000	5000	200	03/13/20 08:15	03/13/20 16:16	75-34-3	W
1,1-Dichloroethene	<5000	ug/kg	12000	5000	200	03/13/20 08:15	03/13/20 16:16	75-35-4	W
1,1-Dichloropropene	<5000	ug/kg	12000	5000	200	03/13/20 08:15	03/13/20 16:16	563-58-6	W
1,2,3-Trichlorobenzene	<9460	ug/kg	31600	9460	200	03/13/20 08:15	03/13/20 16:16	87-61-6	W
1,2,3-Trichloropropane	<7490	ug/kg	25000	7490	200	03/13/20 08:15	03/13/20 16:16	96-18-4	W
1,2,4-Trichlorobenzene	<8330	ug/kg	50000	8330	200	03/13/20 08:15	03/13/20 16:16	120-82-1	W
1,2,4-Trimethylbenzene	<5000	ug/kg	12000	5000	200	03/13/20 08:15	03/13/20 16:16	95-63-6	W
1,2-Dibromo-3-chloropropane	<47300	ug/kg	158000	47300	200	03/13/20 08:15	03/13/20 16:16	96-12-8	W
1,2-Dibromoethane (EDB)	<5000	ug/kg	12000	5000	200	03/13/20 08:15	03/13/20 16:16	106-93-4	W
1,2-Dichlorobenzene	<5000	ug/kg	12000	5000	200	03/13/20 08:15	03/13/20 16:16	95-50-1	W
1,2-Dichloroethane	<5000	ug/kg	12000	5000	200	03/13/20 08:15	03/13/20 16:16	107-06-2	W
1,2-Dichloropropane	<5000	ug/kg	12000	5000	200	03/13/20 08:15	03/13/20 16:16	78-87-5	W
1,3,5-Trimethylbenzene	<5000	ug/kg	12000	5000	200	03/13/20 08:15	03/13/20 16:16	108-67-8	W
1,3-Dichlorobenzene	<5000	ug/kg	12000	5000	200	03/13/20 08:15	03/13/20 16:16	541-73-1	W
1,3-Dichloropropane	<5000	ug/kg	12000	5000	200	03/13/20 08:15	03/13/20 16:16	142-28-9	W
1,4-Dichlorobenzene	<5000	ug/kg	12000	5000	200	03/13/20 08:15	03/13/20 16:16	106-46-7	W
2,2-Dichloropropane	<5000	ug/kg	12000	5000	200	03/13/20 08:15	03/13/20 16:16	594-20-7	W
2-Chlorotoluene	<5000	ug/kg	12800	5000	200	03/13/20 08:15	03/13/20 16:16	95-49-8	W
4-Chlorotoluene	<5000	ug/kg	12800	5000	200	03/13/20 08:15	03/13/20 16:16	106-43-4	W
Benzene	<5000	ug/kg	12000	5000	200	03/13/20 08:15	03/13/20 16:16	71-43-2	W
Bromobenzene	<5000	ug/kg	12400	5000	200	03/13/20 08:15	03/13/20 16:16	108-86-1	W
Bromochloromethane	<5000	ug/kg	14000	5000	200	03/13/20 08:15	03/13/20 16:16	74-97-5	W
Bromodichloromethane	<5000	ug/kg	12000	5000	200	03/13/20 08:15	03/13/20 16:16	75-27-4	W
Bromoform	<5000	ug/kg	14400	5000	200	03/13/20 08:15	03/13/20 16:16	75-25-2	W
Bromomethane	<12800	ug/kg	50000	12800	200	03/13/20 08:15	03/13/20 16:16	74-83-9	W
Carbon tetrachloride	<5000	ug/kg	12000	5000	200	03/13/20 08:15	03/13/20 16:16	56-23-5	W
Chlorobenzene	<5000	ug/kg	12000	5000	200	03/13/20 08:15	03/13/20 16:16	108-90-7	W
Chloroethane	<9280	ug/kg	50000	9280	200	03/13/20 08:15	03/13/20 16:16	75-00-3	W
Chloroform	<9500	ug/kg	50000	9500	200	03/13/20 08:15	03/13/20 16:16	67-66-3	W
Chloromethane	<5000	ug/kg	16000	5000	200	03/13/20 08:15	03/13/20 16:16	74-87-3	W
Dibromochloromethane	<45800	ug/kg	153000	45800	200	03/13/20 08:15	03/13/20 16:16	124-48-1	W
Dibromomethane	<5000	ug/kg	12000	5000	200	03/13/20 08:15	03/13/20 16:16	74-95-3	W
Dichlorodifluoromethane	<5000	ug/kg	14400	5000	200	03/13/20 08:15	03/13/20 16:16	75-71-8	W
Diisopropyl ether	<5000	ug/kg	12000	5000	200	03/13/20 08:15	03/13/20 16:16	108-20-3	W
Ethylbenzene	<5000	ug/kg	12000	5000	200	03/13/20 08:15	03/13/20 16:16	100-41-4	W
Hexachloro-1,3-butadiene	<13700	ug/kg	45800	13700	200	03/13/20 08:15	03/13/20 16:16	87-68-3	W
Isopropylbenzene (Cumene)	<5000	ug/kg	12000	5000	200	03/13/20 08:15	03/13/20 16:16	98-82-8	W
Methyl-tert-butyl ether	<5000	ug/kg	12000	5000	200	03/13/20 08:15	03/13/20 16:16	1634-04-4	W
Methylene Chloride	<5250	ug/kg	17600	5250	200	03/13/20 08:15	03/13/20 16:16	75-09-2	W
Naphthalene	<5460	ug/kg	18200	5460	200	03/13/20 08:15	03/13/20 16:16	91-20-3	W
Styrene	<5000	ug/kg	12000	5000	200	03/13/20 08:15	03/13/20 16:16	100-42-5	W

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 1690005819 FORMER 1-HOUR VALET
Pace Project No.: 40204537

Sample: C1 (20-21) **Lab ID: 40204537001** Collected: 03/09/20 10:05 Received: 03/11/20 09:15 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Med Level Normal List		Analytical Method: EPA 8260 Preparation Method: EPA 5035/5030B							
Tetrachloroethene	1940000	ug/kg	31800	9540	200	03/13/20 08:15	03/13/20 16:16	127-18-4	
Toluene	<5000	ug/kg	12000	5000	200	03/13/20 08:15	03/13/20 16:16	108-88-3	W
Trichloroethene	104000	ug/kg	14800	6170	200	03/13/20 08:15	03/13/20 16:16	79-01-6	
Trichlorofluoromethane	<5000	ug/kg	13000	5000	200	03/13/20 08:15	03/13/20 16:16	75-69-4	W
Vinyl chloride	<5000	ug/kg	12000	5000	200	03/13/20 08:15	03/13/20 16:16	75-01-4	W
Xylene (Total)	<15000	ug/kg	36000	15000	200	03/13/20 08:15	03/13/20 16:16	1330-20-7	W
cis-1,2-Dichloroethene	12000J	ug/kg	14800	6170	200	03/13/20 08:15	03/13/20 16:16	156-59-2	
cis-1,3-Dichloropropene	<8450	ug/kg	28200	8450	200	03/13/20 08:15	03/13/20 16:16	10061-01-5	W
m&p-Xylene	<10000	ug/kg	24000	10000	200	03/13/20 08:15	03/13/20 16:16	179601-23-1	W
n-Butylbenzene	<6010	ug/kg	20000	6010	200	03/13/20 08:15	03/13/20 16:16	104-51-8	W
n-Propylbenzene	<5000	ug/kg	12000	5000	200	03/13/20 08:15	03/13/20 16:16	103-65-1	W
o-Xylene	<5000	ug/kg	12000	5000	200	03/13/20 08:15	03/13/20 16:16	95-47-6	W
p-Isopropyltoluene	<5000	ug/kg	14400	5000	200	03/13/20 08:15	03/13/20 16:16	99-87-6	W
sec-Butylbenzene	<5000	ug/kg	14400	5000	200	03/13/20 08:15	03/13/20 16:16	135-98-8	W
tert-Butylbenzene	<5000	ug/kg	12400	5000	200	03/13/20 08:15	03/13/20 16:16	98-06-6	W
trans-1,2-Dichloroethene	<5000	ug/kg	13400	5000	200	03/13/20 08:15	03/13/20 16:16	156-60-5	W
trans-1,3-Dichloropropene	<5000	ug/kg	14800	5000	200	03/13/20 08:15	03/13/20 16:16	10061-02-6	W
Surrogates									
Dibromofluoromethane (S)	0	%	57-146		200	03/13/20 08:15	03/13/20 16:16	1868-53-7	S4
Toluene-d8 (S)	0	%	64-134		200	03/13/20 08:15	03/13/20 16:16	2037-26-5	S4
4-Bromofluorobenzene (S)	0	%	54-126		200	03/13/20 08:15	03/13/20 16:16	460-00-4	S4
Percent Moisture		Analytical Method: ASTM D2974-87							
Percent Moisture	18.9	%	0.10	0.10	1		03/13/20 15:53		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 1690005819 FORMER 1-HOUR VALET

Pace Project No.: 40204537

Sample: C1 (26-28) **Lab ID: 40204537002** Collected: 03/09/20 10:10 Received: 03/11/20 09:15 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Med Level Normal List									
Analytical Method: EPA 8260 Preparation Method: EPA 5035/5030B									
1,1,1,2-Tetrachloroethane	<5000	ug/kg	12000	5000	200	03/13/20 08:15	03/13/20 16:33	630-20-6	W
1,1,1-Trichloroethane	<5000	ug/kg	12000	5000	200	03/13/20 08:15	03/13/20 16:33	71-55-6	W
1,1,2,2-Tetrachloroethane	<5000	ug/kg	12000	5000	200	03/13/20 08:15	03/13/20 16:33	79-34-5	W
1,1,2-Trichloroethane	<5000	ug/kg	12000	5000	200	03/13/20 08:15	03/13/20 16:33	79-00-5	W
1,1-Dichloroethane	<5000	ug/kg	12000	5000	200	03/13/20 08:15	03/13/20 16:33	75-34-3	W
1,1-Dichloroethene	<5000	ug/kg	12000	5000	200	03/13/20 08:15	03/13/20 16:33	75-35-4	W
1,1-Dichloropropene	<5000	ug/kg	12000	5000	200	03/13/20 08:15	03/13/20 16:33	563-58-6	W
1,2,3-Trichlorobenzene	<9460	ug/kg	31600	9460	200	03/13/20 08:15	03/13/20 16:33	87-61-6	W
1,2,3-Trichloropropane	<7490	ug/kg	25000	7490	200	03/13/20 08:15	03/13/20 16:33	96-18-4	W
1,2,4-Trichlorobenzene	<8330	ug/kg	50000	8330	200	03/13/20 08:15	03/13/20 16:33	120-82-1	W
1,2,4-Trimethylbenzene	<5000	ug/kg	12000	5000	200	03/13/20 08:15	03/13/20 16:33	95-63-6	W
1,2-Dibromo-3-chloropropane	<47300	ug/kg	158000	47300	200	03/13/20 08:15	03/13/20 16:33	96-12-8	W
1,2-Dibromoethane (EDB)	<5000	ug/kg	12000	5000	200	03/13/20 08:15	03/13/20 16:33	106-93-4	W
1,2-Dichlorobenzene	<5000	ug/kg	12000	5000	200	03/13/20 08:15	03/13/20 16:33	95-50-1	W
1,2-Dichloroethane	<5000	ug/kg	12000	5000	200	03/13/20 08:15	03/13/20 16:33	107-06-2	W
1,2-Dichloropropane	<5000	ug/kg	12000	5000	200	03/13/20 08:15	03/13/20 16:33	78-87-5	W
1,3,5-Trimethylbenzene	<5000	ug/kg	12000	5000	200	03/13/20 08:15	03/13/20 16:33	108-67-8	W
1,3-Dichlorobenzene	<5000	ug/kg	12000	5000	200	03/13/20 08:15	03/13/20 16:33	541-73-1	W
1,3-Dichloropropane	<5000	ug/kg	12000	5000	200	03/13/20 08:15	03/13/20 16:33	142-28-9	W
1,4-Dichlorobenzene	<5000	ug/kg	12000	5000	200	03/13/20 08:15	03/13/20 16:33	106-46-7	W
2,2-Dichloropropane	<5000	ug/kg	12000	5000	200	03/13/20 08:15	03/13/20 16:33	594-20-7	W
2-Chlorotoluene	<5000	ug/kg	12800	5000	200	03/13/20 08:15	03/13/20 16:33	95-49-8	W
4-Chlorotoluene	<5000	ug/kg	12800	5000	200	03/13/20 08:15	03/13/20 16:33	106-43-4	W
Benzene	<5000	ug/kg	12000	5000	200	03/13/20 08:15	03/13/20 16:33	71-43-2	W
Bromobenzene	<5000	ug/kg	12400	5000	200	03/13/20 08:15	03/13/20 16:33	108-86-1	W
Bromochloromethane	<5000	ug/kg	14000	5000	200	03/13/20 08:15	03/13/20 16:33	74-97-5	W
Bromodichloromethane	<5000	ug/kg	12000	5000	200	03/13/20 08:15	03/13/20 16:33	75-27-4	W
Bromoform	<5000	ug/kg	14400	5000	200	03/13/20 08:15	03/13/20 16:33	75-25-2	W
Bromomethane	<12800	ug/kg	50000	12800	200	03/13/20 08:15	03/13/20 16:33	74-83-9	W
Carbon tetrachloride	<5000	ug/kg	12000	5000	200	03/13/20 08:15	03/13/20 16:33	56-23-5	W
Chlorobenzene	<5000	ug/kg	12000	5000	200	03/13/20 08:15	03/13/20 16:33	108-90-7	W
Chloroethane	<9280	ug/kg	50000	9280	200	03/13/20 08:15	03/13/20 16:33	75-00-3	W
Chloroform	<9500	ug/kg	50000	9500	200	03/13/20 08:15	03/13/20 16:33	67-66-3	W
Chloromethane	<5000	ug/kg	16000	5000	200	03/13/20 08:15	03/13/20 16:33	74-87-3	W
Dibromochloromethane	<45800	ug/kg	153000	45800	200	03/13/20 08:15	03/13/20 16:33	124-48-1	W
Dibromomethane	<5000	ug/kg	12000	5000	200	03/13/20 08:15	03/13/20 16:33	74-95-3	W
Dichlorodifluoromethane	<5000	ug/kg	14400	5000	200	03/13/20 08:15	03/13/20 16:33	75-71-8	W
Diisopropyl ether	<5000	ug/kg	12000	5000	200	03/13/20 08:15	03/13/20 16:33	108-20-3	W
Ethylbenzene	<5000	ug/kg	12000	5000	200	03/13/20 08:15	03/13/20 16:33	100-41-4	W
Hexachloro-1,3-butadiene	<13700	ug/kg	45800	13700	200	03/13/20 08:15	03/13/20 16:33	87-68-3	W
Isopropylbenzene (Cumene)	<5000	ug/kg	12000	5000	200	03/13/20 08:15	03/13/20 16:33	98-82-8	W
Methyl-tert-butyl ether	<5000	ug/kg	12000	5000	200	03/13/20 08:15	03/13/20 16:33	1634-04-4	W
Methylene Chloride	<5250	ug/kg	17600	5250	200	03/13/20 08:15	03/13/20 16:33	75-09-2	W
Naphthalene	<5460	ug/kg	18200	5460	200	03/13/20 08:15	03/13/20 16:33	91-20-3	W
Styrene	<5000	ug/kg	12000	5000	200	03/13/20 08:15	03/13/20 16:33	100-42-5	W

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 1690005819 FORMER 1-HOUR VALET

Project No.: 40204537

Sample: C1 (26-28) Lab ID: 40204537002 Collected: 03/09/20 10:10 Received: 03/11/20 09:15 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Med Level Normal List		Analytical Method: EPA 8260 Preparation Method: EPA 5035/5030B							
Tetrachloroethene	3000000	ug/kg	63900	19200	400	03/13/20 08:15	03/16/20 10:52	127-18-4	
Toluene	<5000	ug/kg	12000	5000	200	03/13/20 08:15	03/13/20 16:33	108-88-3	W
Trichloroethene	24700	ug/kg	14900	6190	200	03/13/20 08:15	03/13/20 16:33	79-01-6	
Trichlorofluoromethane	<5000	ug/kg	13000	5000	200	03/13/20 08:15	03/13/20 16:33	75-69-4	W
Vinyl chloride	<5000	ug/kg	12000	5000	200	03/13/20 08:15	03/13/20 16:33	75-01-4	W
Xylene (Total)	<15000	ug/kg	36000	15000	200	03/13/20 08:15	03/13/20 16:33	1330-20-7	W
cis-1,2-Dichloroethene	31300	ug/kg	14900	6190	200	03/13/20 08:15	03/13/20 16:33	156-59-2	
cis-1,3-Dichloropropene	<8450	ug/kg	28200	8450	200	03/13/20 08:15	03/13/20 16:33	10061-01-5	W
m&p-Xylene	<10000	ug/kg	24000	10000	200	03/13/20 08:15	03/13/20 16:33	179601-23-1	W
n-Butylbenzene	<6010	ug/kg	20000	6010	200	03/13/20 08:15	03/13/20 16:33	104-51-8	W
n-Propylbenzene	<5000	ug/kg	12000	5000	200	03/13/20 08:15	03/13/20 16:33	103-65-1	W
o-Xylene	<5000	ug/kg	12000	5000	200	03/13/20 08:15	03/13/20 16:33	95-47-6	W
p-Isopropyltoluene	<5000	ug/kg	14400	5000	200	03/13/20 08:15	03/13/20 16:33	99-87-6	W
sec-Butylbenzene	<5000	ug/kg	14400	5000	200	03/13/20 08:15	03/13/20 16:33	135-98-8	W
tert-Butylbenzene	<5000	ug/kg	12400	5000	200	03/13/20 08:15	03/13/20 16:33	98-06-6	W
trans-1,2-Dichloroethene	<5000	ug/kg	13400	5000	200	03/13/20 08:15	03/13/20 16:33	156-60-5	W
trans-1,3-Dichloropropene	<5000	ug/kg	14800	5000	200	03/13/20 08:15	03/13/20 16:33	10061-02-6	W
Surrogates									
Dibromofluoromethane (S)	0	%	57-146		200	03/13/20 08:15	03/13/20 16:33	1868-53-7	S4
Toluene-d8 (S)	0	%	64-134		200	03/13/20 08:15	03/13/20 16:33	2037-26-5	S4
4-Bromofluorobenzene (S)	0	%	54-126		200	03/13/20 08:15	03/13/20 16:33	460-00-4	S4
Percent Moisture		Analytical Method: ASTM D2974-87							
Percent Moisture	19.2	%	0.10	0.10	1		03/13/20 15:53		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 1690005819 FORMER 1-HOUR VALET
Pace Project No.: 40204537

Sample: C2 (17-18) **Lab ID: 40204537003** Collected: 03/09/20 10:53 Received: 03/11/20 09:15 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Med Level Normal List Analytical Method: EPA 8260 Preparation Method: EPA 5035/5030B									
1,1,1,2-Tetrachloroethane	<25.0	ug/kg	60.0	25.0	1	03/13/20 08:15	03/13/20 15:59	630-20-6	W
1,1,1-Trichloroethane	<25.0	ug/kg	60.0	25.0	1	03/13/20 08:15	03/13/20 15:59	71-55-6	W
1,1,2,2-Tetrachloroethane	<25.0	ug/kg	60.0	25.0	1	03/13/20 08:15	03/13/20 15:59	79-34-5	W
1,1,2-Trichloroethane	<25.0	ug/kg	60.0	25.0	1	03/13/20 08:15	03/13/20 15:59	79-00-5	W
1,1-Dichloroethane	<25.0	ug/kg	60.0	25.0	1	03/13/20 08:15	03/13/20 15:59	75-34-3	W
1,1-Dichloroethene	<25.0	ug/kg	60.0	25.0	1	03/13/20 08:15	03/13/20 15:59	75-35-4	W
1,1-Dichloropropene	<25.0	ug/kg	60.0	25.0	1	03/13/20 08:15	03/13/20 15:59	563-58-6	W
1,2,3-Trichlorobenzene	<47.3	ug/kg	158	47.3	1	03/13/20 08:15	03/13/20 15:59	87-61-6	W
1,2,3-Trichloropropane	<37.4	ug/kg	125	37.4	1	03/13/20 08:15	03/13/20 15:59	96-18-4	W
1,2,4-Trichlorobenzene	<41.7	ug/kg	250	41.7	1	03/13/20 08:15	03/13/20 15:59	120-82-1	W
1,2,4-Trimethylbenzene	<25.0	ug/kg	60.0	25.0	1	03/13/20 08:15	03/13/20 15:59	95-63-6	W
1,2-Dibromo-3-chloropropane	<237	ug/kg	789	237	1	03/13/20 08:15	03/13/20 15:59	96-12-8	W
1,2-Dibromoethane (EDB)	<25.0	ug/kg	60.0	25.0	1	03/13/20 08:15	03/13/20 15:59	106-93-4	W
1,2-Dichlorobenzene	<25.0	ug/kg	60.0	25.0	1	03/13/20 08:15	03/13/20 15:59	95-50-1	W
1,2-Dichloroethane	<25.0	ug/kg	60.0	25.0	1	03/13/20 08:15	03/13/20 15:59	107-06-2	W
1,2-Dichloropropane	<25.0	ug/kg	60.0	25.0	1	03/13/20 08:15	03/13/20 15:59	78-87-5	W
1,3,5-Trimethylbenzene	<25.0	ug/kg	60.0	25.0	1	03/13/20 08:15	03/13/20 15:59	108-67-8	W
1,3-Dichlorobenzene	<25.0	ug/kg	60.0	25.0	1	03/13/20 08:15	03/13/20 15:59	541-73-1	W
1,3-Dichloropropane	<25.0	ug/kg	60.0	25.0	1	03/13/20 08:15	03/13/20 15:59	142-28-9	W
1,4-Dichlorobenzene	<25.0	ug/kg	60.0	25.0	1	03/13/20 08:15	03/13/20 15:59	106-46-7	W
2,2-Dichloropropane	<25.0	ug/kg	60.0	25.0	1	03/13/20 08:15	03/13/20 15:59	594-20-7	W
2-Chlorotoluene	<25.0	ug/kg	64.0	25.0	1	03/13/20 08:15	03/13/20 15:59	95-49-8	W
4-Chlorotoluene	<25.0	ug/kg	64.0	25.0	1	03/13/20 08:15	03/13/20 15:59	106-43-4	W
Benzene	63.5J	ug/kg	74.1	30.9	1	03/13/20 08:15	03/13/20 15:59	71-43-2	
Bromobenzene	<25.0	ug/kg	62.0	25.0	1	03/13/20 08:15	03/13/20 15:59	108-86-1	W
Bromochloromethane	<25.0	ug/kg	70.0	25.0	1	03/13/20 08:15	03/13/20 15:59	74-97-5	W
Bromodichloromethane	<25.0	ug/kg	60.0	25.0	1	03/13/20 08:15	03/13/20 15:59	75-27-4	W
Bromoform	<25.0	ug/kg	72.0	25.0	1	03/13/20 08:15	03/13/20 15:59	75-25-2	W
Bromomethane	<63.8	ug/kg	250	63.8	1	03/13/20 08:15	03/13/20 15:59	74-83-9	W
Carbon tetrachloride	<25.0	ug/kg	60.0	25.0	1	03/13/20 08:15	03/13/20 15:59	56-23-5	W
Chlorobenzene	<25.0	ug/kg	60.0	25.0	1	03/13/20 08:15	03/13/20 15:59	108-90-7	W
Chloroethane	<46.4	ug/kg	250	46.4	1	03/13/20 08:15	03/13/20 15:59	75-00-3	W
Chloroform	<47.5	ug/kg	250	47.5	1	03/13/20 08:15	03/13/20 15:59	67-66-3	W
Chloromethane	<25.0	ug/kg	80.0	25.0	1	03/13/20 08:15	03/13/20 15:59	74-87-3	W
Dibromochloromethane	<229	ug/kg	763	229	1	03/13/20 08:15	03/13/20 15:59	124-48-1	W
Dibromomethane	<25.0	ug/kg	60.0	25.0	1	03/13/20 08:15	03/13/20 15:59	74-95-3	W
Dichlorodifluoromethane	<25.0	ug/kg	72.0	25.0	1	03/13/20 08:15	03/13/20 15:59	75-71-8	W
Diisopropyl ether	<25.0	ug/kg	60.0	25.0	1	03/13/20 08:15	03/13/20 15:59	108-20-3	W
Ethylbenzene	59.7J	ug/kg	74.1	30.9	1	03/13/20 08:15	03/13/20 15:59	100-41-4	
Hexachloro-1,3-butadiene	<68.7	ug/kg	229	68.7	1	03/13/20 08:15	03/13/20 15:59	87-68-3	W
Isopropylbenzene (Cumene)	<25.0	ug/kg	60.0	25.0	1	03/13/20 08:15	03/13/20 15:59	98-82-8	W
Methyl-tert-butyl ether	<25.0	ug/kg	60.0	25.0	1	03/13/20 08:15	03/13/20 15:59	1634-04-4	W
Methylene Chloride	<26.3	ug/kg	88.0	26.3	1	03/13/20 08:15	03/13/20 15:59	75-09-2	W
Naphthalene	<27.3	ug/kg	91.0	27.3	1	03/13/20 08:15	03/13/20 15:59	91-20-3	W
Styrene	<25.0	ug/kg	60.0	25.0	1	03/13/20 08:15	03/13/20 15:59	100-42-5	W

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 1690005819 FORMER 1-HOUR VALET
Pace Project No.: 40204537

Sample: C2 (17-18) **Lab ID: 40204537003** Collected: 03/09/20 10:53 Received: 03/11/20 09:15 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Med Level Normal List		Analytical Method: EPA 8260 Preparation Method: EPA 5035/5030B							
Tetrachloroethene	10100	ug/kg	159	47.8	1	03/13/20 08:15	03/13/20 15:59	127-18-4	
Toluene	81.2	ug/kg	74.1	30.9	1	03/13/20 08:15	03/13/20 15:59	108-88-3	
Trichloroethene	713	ug/kg	74.1	30.9	1	03/13/20 08:15	03/13/20 15:59	79-01-6	
Trichlorofluoromethane	<25.0	ug/kg	65.0	25.0	1	03/13/20 08:15	03/13/20 15:59	75-69-4	W
Vinyl chloride	<25.0	ug/kg	60.0	25.0	1	03/13/20 08:15	03/13/20 15:59	75-01-4	W
Xylene (Total)	172J	ug/kg	222	92.6	1	03/13/20 08:15	03/13/20 15:59	1330-20-7	
cis-1,2-Dichloroethene	1100	ug/kg	74.1	30.9	1	03/13/20 08:15	03/13/20 15:59	156-59-2	
cis-1,3-Dichloropropene	<42.3	ug/kg	141	42.3	1	03/13/20 08:15	03/13/20 15:59	10061-01-5	W
m&p-Xylene	138J	ug/kg	148	61.7	1	03/13/20 08:15	03/13/20 15:59	179601-23-1	
n-Butylbenzene	<30.0	ug/kg	100	30.0	1	03/13/20 08:15	03/13/20 15:59	104-51-8	W
n-Propylbenzene	<25.0	ug/kg	60.0	25.0	1	03/13/20 08:15	03/13/20 15:59	103-65-1	W
o-Xylene	34.1J	ug/kg	74.1	30.9	1	03/13/20 08:15	03/13/20 15:59	95-47-6	
p-Isopropyltoluene	<25.0	ug/kg	72.0	25.0	1	03/13/20 08:15	03/13/20 15:59	99-87-6	W
sec-Butylbenzene	<25.0	ug/kg	72.0	25.0	1	03/13/20 08:15	03/13/20 15:59	135-98-8	W
tert-Butylbenzene	<25.0	ug/kg	62.0	25.0	1	03/13/20 08:15	03/13/20 15:59	98-06-6	W
trans-1,2-Dichloroethene	<25.0	ug/kg	67.0	25.0	1	03/13/20 08:15	03/13/20 15:59	156-60-5	W
trans-1,3-Dichloropropene	<25.0	ug/kg	74.0	25.0	1	03/13/20 08:15	03/13/20 15:59	10061-02-6	W
Surrogates									
Dibromofluoromethane (S)	108	%	57-146		1	03/13/20 08:15	03/13/20 15:59	1868-53-7	
Toluene-d8 (S)	116	%	64-134		1	03/13/20 08:15	03/13/20 15:59	2037-26-5	
4-Bromofluorobenzene (S)	103	%	54-126		1	03/13/20 08:15	03/13/20 15:59	460-00-4	
Percent Moisture		Analytical Method: ASTM D2974-87							
Percent Moisture	19.0	%	0.10	0.10	1		03/13/20 15:53		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 1690005819 FORMER 1-HOUR VALET

Pace Project No.: 40204537

Sample: C2 (29-30) **Lab ID: 40204537004** Collected: 03/09/20 10:55 Received: 03/11/20 09:15 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Med Level Normal List									
Analytical Method: EPA 8260 Preparation Method: EPA 5035/5030B									
1,1,1,2-Tetrachloroethane	<200	ug/kg	480	200	8	03/13/20 08:15	03/13/20 16:50	630-20-6	W
1,1,1-Trichloroethane	<200	ug/kg	480	200	8	03/13/20 08:15	03/13/20 16:50	71-55-6	W
1,1,2,2-Tetrachloroethane	<200	ug/kg	480	200	8	03/13/20 08:15	03/13/20 16:50	79-34-5	W
1,1,2-Trichloroethane	<200	ug/kg	480	200	8	03/13/20 08:15	03/13/20 16:50	79-00-5	W
1,1-Dichloroethane	<200	ug/kg	480	200	8	03/13/20 08:15	03/13/20 16:50	75-34-3	W
1,1-Dichloroethene	<200	ug/kg	480	200	8	03/13/20 08:15	03/13/20 16:50	75-35-4	W
1,1-Dichloropropene	<200	ug/kg	480	200	8	03/13/20 08:15	03/13/20 16:50	563-58-6	W
1,2,3-Trichlorobenzene	<379	ug/kg	1260	379	8	03/13/20 08:15	03/13/20 16:50	87-61-6	W
1,2,3-Trichloropropane	<299	ug/kg	1000	299	8	03/13/20 08:15	03/13/20 16:50	96-18-4	W
1,2,4-Trichlorobenzene	<333	ug/kg	2000	333	8	03/13/20 08:15	03/13/20 16:50	120-82-1	W
1,2,4-Trimethylbenzene	<200	ug/kg	480	200	8	03/13/20 08:15	03/13/20 16:50	95-63-6	W
1,2-Dibromo-3-chloropropane	<1890	ug/kg	6310	1890	8	03/13/20 08:15	03/13/20 16:50	96-12-8	W
1,2-Dibromoethane (EDB)	<200	ug/kg	480	200	8	03/13/20 08:15	03/13/20 16:50	106-93-4	W
1,2-Dichlorobenzene	<200	ug/kg	480	200	8	03/13/20 08:15	03/13/20 16:50	95-50-1	W
1,2-Dichloroethane	<200	ug/kg	480	200	8	03/13/20 08:15	03/13/20 16:50	107-06-2	W
1,2-Dichloropropane	<200	ug/kg	480	200	8	03/13/20 08:15	03/13/20 16:50	78-87-5	W
1,3,5-Trimethylbenzene	<200	ug/kg	480	200	8	03/13/20 08:15	03/13/20 16:50	108-67-8	W
1,3-Dichlorobenzene	<200	ug/kg	480	200	8	03/13/20 08:15	03/13/20 16:50	541-73-1	W
1,3-Dichloropropane	<200	ug/kg	480	200	8	03/13/20 08:15	03/13/20 16:50	142-28-9	W
1,4-Dichlorobenzene	<200	ug/kg	480	200	8	03/13/20 08:15	03/13/20 16:50	106-46-7	W
2,2-Dichloropropane	<200	ug/kg	480	200	8	03/13/20 08:15	03/13/20 16:50	594-20-7	W
2-Chlorotoluene	<200	ug/kg	512	200	8	03/13/20 08:15	03/13/20 16:50	95-49-8	W
4-Chlorotoluene	<200	ug/kg	512	200	8	03/13/20 08:15	03/13/20 16:50	106-43-4	W
Benzene	<200	ug/kg	480	200	8	03/13/20 08:15	03/13/20 16:50	71-43-2	W
Bromobenzene	<200	ug/kg	496	200	8	03/13/20 08:15	03/13/20 16:50	108-86-1	W
Bromochloromethane	<200	ug/kg	560	200	8	03/13/20 08:15	03/13/20 16:50	74-97-5	W
Bromodichloromethane	<200	ug/kg	480	200	8	03/13/20 08:15	03/13/20 16:50	75-27-4	W
Bromoform	<200	ug/kg	576	200	8	03/13/20 08:15	03/13/20 16:50	75-25-2	W
Bromomethane	<510	ug/kg	2000	510	8	03/13/20 08:15	03/13/20 16:50	74-83-9	W
Carbon tetrachloride	<200	ug/kg	480	200	8	03/13/20 08:15	03/13/20 16:50	56-23-5	W
Chlorobenzene	<200	ug/kg	480	200	8	03/13/20 08:15	03/13/20 16:50	108-90-7	W
Chloroethane	<371	ug/kg	2000	371	8	03/13/20 08:15	03/13/20 16:50	75-00-3	W
Chloroform	<380	ug/kg	2000	380	8	03/13/20 08:15	03/13/20 16:50	67-66-3	W
Chloromethane	<200	ug/kg	640	200	8	03/13/20 08:15	03/13/20 16:50	74-87-3	W
Dibromochloromethane	<1830	ug/kg	6100	1830	8	03/13/20 08:15	03/13/20 16:50	124-48-1	W
Dibromomethane	<200	ug/kg	480	200	8	03/13/20 08:15	03/13/20 16:50	74-95-3	W
Dichlorodifluoromethane	<200	ug/kg	576	200	8	03/13/20 08:15	03/13/20 16:50	75-71-8	W
Diisopropyl ether	<200	ug/kg	480	200	8	03/13/20 08:15	03/13/20 16:50	108-20-3	W
Ethylbenzene	<200	ug/kg	480	200	8	03/13/20 08:15	03/13/20 16:50	100-41-4	W
Hexachloro-1,3-butadiene	<550	ug/kg	1830	550	8	03/13/20 08:15	03/13/20 16:50	87-68-3	W
Isopropylbenzene (Cumene)	<200	ug/kg	480	200	8	03/13/20 08:15	03/13/20 16:50	98-82-8	W
Methyl-tert-butyl ether	<200	ug/kg	480	200	8	03/13/20 08:15	03/13/20 16:50	1634-04-4	W
Methylene Chloride	<210	ug/kg	704	210	8	03/13/20 08:15	03/13/20 16:50	75-09-2	W
Naphthalene	<218	ug/kg	728	218	8	03/13/20 08:15	03/13/20 16:50	91-20-3	W
Styrene	<200	ug/kg	480	200	8	03/13/20 08:15	03/13/20 16:50	100-42-5	W

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 1690005819 FORMER 1-HOUR VALET
Pace Project No.: 40204537

Sample: C2 (29-30) **Lab ID: 40204537004** Collected: 03/09/20 10:55 Received: 03/11/20 09:15 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Med Level Normal List		Analytical Method: EPA 8260 Preparation Method: EPA 5035/5030B							
Tetrachloroethene	59500	ug/kg	1260	378	8	03/13/20 08:15	03/13/20 16:50	127-18-4	
Toluene	<200	ug/kg	480	200	8	03/13/20 08:15	03/13/20 16:50	108-88-3	W
Trichloroethene	6900	ug/kg	586	244	8	03/13/20 08:15	03/13/20 16:50	79-01-6	
Trichlorofluoromethane	<200	ug/kg	520	200	8	03/13/20 08:15	03/13/20 16:50	75-69-4	W
Vinyl chloride	<200	ug/kg	480	200	8	03/13/20 08:15	03/13/20 16:50	75-01-4	W
Xylene (Total)	<600	ug/kg	1440	600	8	03/13/20 08:15	03/13/20 16:50	1330-20-7	W
cis-1,2-Dichloroethene	2200	ug/kg	586	244	8	03/13/20 08:15	03/13/20 16:50	156-59-2	
cis-1,3-Dichloropropene	<338	ug/kg	1130	338	8	03/13/20 08:15	03/13/20 16:50	10061-01-5	W
m&p-Xylene	<400	ug/kg	960	400	8	03/13/20 08:15	03/13/20 16:50	179601-23-1	W
n-Butylbenzene	<240	ug/kg	800	240	8	03/13/20 08:15	03/13/20 16:50	104-51-8	W
n-Propylbenzene	<200	ug/kg	480	200	8	03/13/20 08:15	03/13/20 16:50	103-65-1	W
o-Xylene	<200	ug/kg	480	200	8	03/13/20 08:15	03/13/20 16:50	95-47-6	W
p-Isopropyltoluene	<200	ug/kg	576	200	8	03/13/20 08:15	03/13/20 16:50	99-87-6	W
sec-Butylbenzene	<200	ug/kg	576	200	8	03/13/20 08:15	03/13/20 16:50	135-98-8	W
tert-Butylbenzene	<200	ug/kg	496	200	8	03/13/20 08:15	03/13/20 16:50	98-06-6	W
trans-1,2-Dichloroethene	<200	ug/kg	536	200	8	03/13/20 08:15	03/13/20 16:50	156-60-5	W
trans-1,3-Dichloropropene	<200	ug/kg	592	200	8	03/13/20 08:15	03/13/20 16:50	10061-02-6	W
Surrogates									
Dibromofluoromethane (S)	103	%	57-146		8	03/13/20 08:15	03/13/20 16:50	1868-53-7	
Toluene-d8 (S)	111	%	64-134		8	03/13/20 08:15	03/13/20 16:50	2037-26-5	
4-Bromofluorobenzene (S)	95	%	54-126		8	03/13/20 08:15	03/13/20 16:50	460-00-4	
Percent Moisture		Analytical Method: ASTM D2974-87							
Percent Moisture	18.0	%	0.10	0.10	1		03/13/20 15:53		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 1690005819 FORMER 1-HOUR VALET

Pace Project No.: 40204537

Sample: C3 (15-16) **Lab ID: 40204537005** Collected: 03/09/20 11:20 Received: 03/11/20 09:15 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Med Level Normal List									
Analytical Method: EPA 8260 Preparation Method: EPA 5035/5030B									
1,1,1,2-Tetrachloroethane	<25.0	ug/kg	60.0	25.0	1	03/13/20 08:15	03/13/20 12:16	630-20-6	W
1,1,1-Trichloroethane	<25.0	ug/kg	60.0	25.0	1	03/13/20 08:15	03/13/20 12:16	71-55-6	W
1,1,2,2-Tetrachloroethane	<25.0	ug/kg	60.0	25.0	1	03/13/20 08:15	03/13/20 12:16	79-34-5	W
1,1,2-Trichloroethane	<25.0	ug/kg	60.0	25.0	1	03/13/20 08:15	03/13/20 12:16	79-00-5	W
1,1-Dichloroethane	<25.0	ug/kg	60.0	25.0	1	03/13/20 08:15	03/13/20 12:16	75-34-3	W
1,1-Dichloroethene	<25.0	ug/kg	60.0	25.0	1	03/13/20 08:15	03/13/20 12:16	75-35-4	W
1,1-Dichloropropene	<25.0	ug/kg	60.0	25.0	1	03/13/20 08:15	03/13/20 12:16	563-58-6	W
1,2,3-Trichlorobenzene	<47.3	ug/kg	158	47.3	1	03/13/20 08:15	03/13/20 12:16	87-61-6	W
1,2,3-Trichloropropane	<37.4	ug/kg	125	37.4	1	03/13/20 08:15	03/13/20 12:16	96-18-4	W
1,2,4-Trichlorobenzene	<41.7	ug/kg	250	41.7	1	03/13/20 08:15	03/13/20 12:16	120-82-1	W
1,2,4-Trimethylbenzene	<25.0	ug/kg	60.0	25.0	1	03/13/20 08:15	03/13/20 12:16	95-63-6	W
1,2-Dibromo-3-chloropropane	<237	ug/kg	789	237	1	03/13/20 08:15	03/13/20 12:16	96-12-8	W
1,2-Dibromoethane (EDB)	<25.0	ug/kg	60.0	25.0	1	03/13/20 08:15	03/13/20 12:16	106-93-4	W
1,2-Dichlorobenzene	<25.0	ug/kg	60.0	25.0	1	03/13/20 08:15	03/13/20 12:16	95-50-1	W
1,2-Dichloroethane	<25.0	ug/kg	60.0	25.0	1	03/13/20 08:15	03/13/20 12:16	107-06-2	W
1,2-Dichloropropane	<25.0	ug/kg	60.0	25.0	1	03/13/20 08:15	03/13/20 12:16	78-87-5	W
1,3,5-Trimethylbenzene	<25.0	ug/kg	60.0	25.0	1	03/13/20 08:15	03/13/20 12:16	108-67-8	W
1,3-Dichlorobenzene	<25.0	ug/kg	60.0	25.0	1	03/13/20 08:15	03/13/20 12:16	541-73-1	W
1,3-Dichloropropane	<25.0	ug/kg	60.0	25.0	1	03/13/20 08:15	03/13/20 12:16	142-28-9	W
1,4-Dichlorobenzene	<25.0	ug/kg	60.0	25.0	1	03/13/20 08:15	03/13/20 12:16	106-46-7	W
2,2-Dichloropropane	<25.0	ug/kg	60.0	25.0	1	03/13/20 08:15	03/13/20 12:16	594-20-7	W
2-Chlorotoluene	<25.0	ug/kg	64.0	25.0	1	03/13/20 08:15	03/13/20 12:16	95-49-8	W
4-Chlorotoluene	<25.0	ug/kg	64.0	25.0	1	03/13/20 08:15	03/13/20 12:16	106-43-4	W
Benzene	<25.0	ug/kg	60.0	25.0	1	03/13/20 08:15	03/13/20 12:16	71-43-2	W
Bromobenzene	<25.0	ug/kg	62.0	25.0	1	03/13/20 08:15	03/13/20 12:16	108-86-1	W
Bromochloromethane	<25.0	ug/kg	70.0	25.0	1	03/13/20 08:15	03/13/20 12:16	74-97-5	W
Bromodichloromethane	<25.0	ug/kg	60.0	25.0	1	03/13/20 08:15	03/13/20 12:16	75-27-4	W
Bromoform	<25.0	ug/kg	72.0	25.0	1	03/13/20 08:15	03/13/20 12:16	75-25-2	W
Bromomethane	<63.8	ug/kg	250	63.8	1	03/13/20 08:15	03/13/20 12:16	74-83-9	W
Carbon tetrachloride	<25.0	ug/kg	60.0	25.0	1	03/13/20 08:15	03/13/20 12:16	56-23-5	W
Chlorobenzene	<25.0	ug/kg	60.0	25.0	1	03/13/20 08:15	03/13/20 12:16	108-90-7	W
Chloroethane	<46.4	ug/kg	250	46.4	1	03/13/20 08:15	03/13/20 12:16	75-00-3	W
Chloroform	<47.5	ug/kg	250	47.5	1	03/13/20 08:15	03/13/20 12:16	67-66-3	W
Chloromethane	<25.0	ug/kg	80.0	25.0	1	03/13/20 08:15	03/13/20 12:16	74-87-3	W
Dibromochloromethane	<229	ug/kg	763	229	1	03/13/20 08:15	03/13/20 12:16	124-48-1	W
Dibromomethane	<25.0	ug/kg	60.0	25.0	1	03/13/20 08:15	03/13/20 12:16	74-95-3	W
Dichlorodifluoromethane	<25.0	ug/kg	72.0	25.0	1	03/13/20 08:15	03/13/20 12:16	75-71-8	W
Diisopropyl ether	<25.0	ug/kg	60.0	25.0	1	03/13/20 08:15	03/13/20 12:16	108-20-3	W
Ethylbenzene	<25.0	ug/kg	60.0	25.0	1	03/13/20 08:15	03/13/20 12:16	100-41-4	W
Hexachloro-1,3-butadiene	<68.7	ug/kg	229	68.7	1	03/13/20 08:15	03/13/20 12:16	87-68-3	W
Isopropylbenzene (Cumene)	<25.0	ug/kg	60.0	25.0	1	03/13/20 08:15	03/13/20 12:16	98-82-8	W
Methyl-tert-butyl ether	<25.0	ug/kg	60.0	25.0	1	03/13/20 08:15	03/13/20 12:16	1634-04-4	W
Methylene Chloride	<26.3	ug/kg	88.0	26.3	1	03/13/20 08:15	03/13/20 12:16	75-09-2	W
Naphthalene	<27.3	ug/kg	91.0	27.3	1	03/13/20 08:15	03/13/20 12:16	91-20-3	W
Styrene	<25.0	ug/kg	60.0	25.0	1	03/13/20 08:15	03/13/20 12:16	100-42-5	W

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 1690005819 FORMER 1-HOUR VALET

Pace Project No.: 40204537

Sample: C3 (15-16) **Lab ID: 40204537005** Collected: 03/09/20 11:20 Received: 03/11/20 09:15 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Med Level Normal List		Analytical Method: EPA 8260 Preparation Method: EPA 5035/5030B							
Tetrachloroethene	668	ug/kg	152	45.7	1	03/13/20 08:15	03/13/20 12:16	127-18-4	
Toluene	<25.0	ug/kg	60.0	25.0	1	03/13/20 08:15	03/13/20 12:16	108-88-3	W
Trichloroethene	40.3J	ug/kg	70.8	29.5	1	03/13/20 08:15	03/13/20 12:16	79-01-6	
Trichlorofluoromethane	<25.0	ug/kg	65.0	25.0	1	03/13/20 08:15	03/13/20 12:16	75-69-4	W
Vinyl chloride	<25.0	ug/kg	60.0	25.0	1	03/13/20 08:15	03/13/20 12:16	75-01-4	W
Xylene (Total)	<75.0	ug/kg	180	75.0	1	03/13/20 08:15	03/13/20 12:16	1330-20-7	W
cis-1,2-Dichloroethene	<25.0	ug/kg	60.0	25.0	1	03/13/20 08:15	03/13/20 12:16	156-59-2	W
cis-1,3-Dichloropropene	<42.3	ug/kg	141	42.3	1	03/13/20 08:15	03/13/20 12:16	10061-01-5	W
m&p-Xylene	<50.0	ug/kg	120	50.0	1	03/13/20 08:15	03/13/20 12:16	179601-23-1	W
n-Butylbenzene	<30.0	ug/kg	100	30.0	1	03/13/20 08:15	03/13/20 12:16	104-51-8	W
n-Propylbenzene	<25.0	ug/kg	60.0	25.0	1	03/13/20 08:15	03/13/20 12:16	103-65-1	W
o-Xylene	<25.0	ug/kg	60.0	25.0	1	03/13/20 08:15	03/13/20 12:16	95-47-6	W
p-Isopropyltoluene	<25.0	ug/kg	72.0	25.0	1	03/13/20 08:15	03/13/20 12:16	99-87-6	W
sec-Butylbenzene	<25.0	ug/kg	72.0	25.0	1	03/13/20 08:15	03/13/20 12:16	135-98-8	W
tert-Butylbenzene	<25.0	ug/kg	62.0	25.0	1	03/13/20 08:15	03/13/20 12:16	98-06-6	W
trans-1,2-Dichloroethene	<25.0	ug/kg	67.0	25.0	1	03/13/20 08:15	03/13/20 12:16	156-60-5	W
trans-1,3-Dichloropropene	<25.0	ug/kg	74.0	25.0	1	03/13/20 08:15	03/13/20 12:16	10061-02-6	W
Surrogates									
Dibromofluoromethane (S)	108	%	57-146		1	03/13/20 08:15	03/13/20 12:16	1868-53-7	
Toluene-d8 (S)	115	%	64-134		1	03/13/20 08:15	03/13/20 12:16	2037-26-5	
4-Bromofluorobenzene (S)	104	%	54-126		1	03/13/20 08:15	03/13/20 12:16	460-00-4	
Percent Moisture		Analytical Method: ASTM D2974-87							
Percent Moisture	15.3	%	0.10	0.10	1		03/13/20 15:53		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 1690005819 FORMER 1-HOUR VALET

Pace Project No.: 40204537

Sample: C3 (18-19) **Lab ID: 40204537006** Collected: 03/09/20 11:25 Received: 03/11/20 09:15 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Med Level Normal List									
Analytical Method: EPA 8260 Preparation Method: EPA 5035/5030B									
1,1,1,2-Tetrachloroethane	<50.0	ug/kg	120	50.0	2	03/13/20 08:15	03/13/20 17:41	630-20-6	W
1,1,1-Trichloroethane	<50.0	ug/kg	120	50.0	2	03/13/20 08:15	03/13/20 17:41	71-55-6	W
1,1,2,2-Tetrachloroethane	<50.0	ug/kg	120	50.0	2	03/13/20 08:15	03/13/20 17:41	79-34-5	W
1,1,2-Trichloroethane	<50.0	ug/kg	120	50.0	2	03/13/20 08:15	03/13/20 17:41	79-00-5	W
1,1-Dichloroethane	<50.0	ug/kg	120	50.0	2	03/13/20 08:15	03/13/20 17:41	75-34-3	W
1,1-Dichloroethene	<50.0	ug/kg	120	50.0	2	03/13/20 08:15	03/13/20 17:41	75-35-4	W
1,1-Dichloropropene	<50.0	ug/kg	120	50.0	2	03/13/20 08:15	03/13/20 17:41	563-58-6	W
1,2,3-Trichlorobenzene	<94.6	ug/kg	316	94.6	2	03/13/20 08:15	03/13/20 17:41	87-61-6	W
1,2,3-Trichloropropane	<74.9	ug/kg	250	74.9	2	03/13/20 08:15	03/13/20 17:41	96-18-4	W
1,2,4-Trichlorobenzene	<83.3	ug/kg	500	83.3	2	03/13/20 08:15	03/13/20 17:41	120-82-1	W
1,2,4-Trimethylbenzene	<50.0	ug/kg	120	50.0	2	03/13/20 08:15	03/13/20 17:41	95-63-6	W
1,2-Dibromo-3-chloropropane	<473	ug/kg	1580	473	2	03/13/20 08:15	03/13/20 17:41	96-12-8	W
1,2-Dibromoethane (EDB)	<50.0	ug/kg	120	50.0	2	03/13/20 08:15	03/13/20 17:41	106-93-4	W
1,2-Dichlorobenzene	<50.0	ug/kg	120	50.0	2	03/13/20 08:15	03/13/20 17:41	95-50-1	W
1,2-Dichloroethane	<50.0	ug/kg	120	50.0	2	03/13/20 08:15	03/13/20 17:41	107-06-2	W
1,2-Dichloropropane	<50.0	ug/kg	120	50.0	2	03/13/20 08:15	03/13/20 17:41	78-87-5	W
1,3,5-Trimethylbenzene	<50.0	ug/kg	120	50.0	2	03/13/20 08:15	03/13/20 17:41	108-67-8	W
1,3-Dichlorobenzene	<50.0	ug/kg	120	50.0	2	03/13/20 08:15	03/13/20 17:41	541-73-1	W
1,3-Dichloropropane	<50.0	ug/kg	120	50.0	2	03/13/20 08:15	03/13/20 17:41	142-28-9	W
1,4-Dichlorobenzene	<50.0	ug/kg	120	50.0	2	03/13/20 08:15	03/13/20 17:41	106-46-7	W
2,2-Dichloropropane	<50.0	ug/kg	120	50.0	2	03/13/20 08:15	03/13/20 17:41	594-20-7	W
2-Chlorotoluene	<50.0	ug/kg	128	50.0	2	03/13/20 08:15	03/13/20 17:41	95-49-8	W
4-Chlorotoluene	<50.0	ug/kg	128	50.0	2	03/13/20 08:15	03/13/20 17:41	106-43-4	W
Benzene	<50.0	ug/kg	120	50.0	2	03/13/20 08:15	03/13/20 17:41	71-43-2	W
Bromobenzene	<50.0	ug/kg	124	50.0	2	03/13/20 08:15	03/13/20 17:41	108-86-1	W
Bromochloromethane	<50.0	ug/kg	140	50.0	2	03/13/20 08:15	03/13/20 17:41	74-97-5	W
Bromodichloromethane	<50.0	ug/kg	120	50.0	2	03/13/20 08:15	03/13/20 17:41	75-27-4	W
Bromoform	<50.0	ug/kg	144	50.0	2	03/13/20 08:15	03/13/20 17:41	75-25-2	W
Bromomethane	<128	ug/kg	500	128	2	03/13/20 08:15	03/13/20 17:41	74-83-9	W
Carbon tetrachloride	<50.0	ug/kg	120	50.0	2	03/13/20 08:15	03/13/20 17:41	56-23-5	W
Chlorobenzene	<50.0	ug/kg	120	50.0	2	03/13/20 08:15	03/13/20 17:41	108-90-7	W
Chloroethane	<92.8	ug/kg	500	92.8	2	03/13/20 08:15	03/13/20 17:41	75-00-3	W
Chloroform	<95.0	ug/kg	500	95.0	2	03/13/20 08:15	03/13/20 17:41	67-66-3	W
Chloromethane	<50.0	ug/kg	160	50.0	2	03/13/20 08:15	03/13/20 17:41	74-87-3	W
Dibromochloromethane	<458	ug/kg	1530	458	2	03/13/20 08:15	03/13/20 17:41	124-48-1	W
Dibromomethane	<50.0	ug/kg	120	50.0	2	03/13/20 08:15	03/13/20 17:41	74-95-3	W
Dichlorodifluoromethane	<50.0	ug/kg	144	50.0	2	03/13/20 08:15	03/13/20 17:41	75-71-8	W
Diisopropyl ether	<50.0	ug/kg	120	50.0	2	03/13/20 08:15	03/13/20 17:41	108-20-3	W
Ethylbenzene	<50.0	ug/kg	120	50.0	2	03/13/20 08:15	03/13/20 17:41	100-41-4	W
Hexachloro-1,3-butadiene	<137	ug/kg	458	137	2	03/13/20 08:15	03/13/20 17:41	87-68-3	W
Isopropylbenzene (Cumene)	<50.0	ug/kg	120	50.0	2	03/13/20 08:15	03/13/20 17:41	98-82-8	W
Methyl-tert-butyl ether	<50.0	ug/kg	120	50.0	2	03/13/20 08:15	03/13/20 17:41	1634-04-4	W
Methylene Chloride	<52.5	ug/kg	176	52.5	2	03/13/20 08:15	03/13/20 17:41	75-09-2	W
Naphthalene	<54.6	ug/kg	182	54.6	2	03/13/20 08:15	03/13/20 17:41	91-20-3	W
Styrene	<50.0	ug/kg	120	50.0	2	03/13/20 08:15	03/13/20 17:41	100-42-5	W

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 1690005819 FORMER 1-HOUR VALET
Pace Project No.: 40204537

Sample: C3 (18-19) **Lab ID: 40204537006** Collected: 03/09/20 11:25 Received: 03/11/20 09:15 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Med Level Normal List		Analytical Method: EPA 8260 Preparation Method: EPA 5035/5030B							
Tetrachloroethene	9500	ug/kg	298	89.4	2	03/13/20 08:15	03/13/20 17:41	127-18-4	
Toluene	<50.0	ug/kg	120	50.0	2	03/13/20 08:15	03/13/20 17:41	108-88-3	W
Trichloroethene	1160	ug/kg	139	57.8	2	03/13/20 08:15	03/13/20 17:41	79-01-6	
Trichlorofluoromethane	<50.0	ug/kg	130	50.0	2	03/13/20 08:15	03/13/20 17:41	75-69-4	W
Vinyl chloride	<50.0	ug/kg	120	50.0	2	03/13/20 08:15	03/13/20 17:41	75-01-4	W
Xylene (Total)	<150	ug/kg	360	150	2	03/13/20 08:15	03/13/20 17:41	1330-20-7	W
cis-1,2-Dichloroethene	1950	ug/kg	139	57.8	2	03/13/20 08:15	03/13/20 17:41	156-59-2	
cis-1,3-Dichloropropene	<84.5	ug/kg	282	84.5	2	03/13/20 08:15	03/13/20 17:41	10061-01-5	W
m&p-Xylene	<100	ug/kg	240	100	2	03/13/20 08:15	03/13/20 17:41	179601-23-1	W
n-Butylbenzene	<60.1	ug/kg	200	60.1	2	03/13/20 08:15	03/13/20 17:41	104-51-8	W
n-Propylbenzene	<50.0	ug/kg	120	50.0	2	03/13/20 08:15	03/13/20 17:41	103-65-1	W
o-Xylene	<50.0	ug/kg	120	50.0	2	03/13/20 08:15	03/13/20 17:41	95-47-6	W
p-Isopropyltoluene	<50.0	ug/kg	144	50.0	2	03/13/20 08:15	03/13/20 17:41	99-87-6	W
sec-Butylbenzene	<50.0	ug/kg	144	50.0	2	03/13/20 08:15	03/13/20 17:41	135-98-8	W
tert-Butylbenzene	<50.0	ug/kg	124	50.0	2	03/13/20 08:15	03/13/20 17:41	98-06-6	W
trans-1,2-Dichloroethene	<50.0	ug/kg	134	50.0	2	03/13/20 08:15	03/13/20 17:41	156-60-5	W
trans-1,3-Dichloropropene	<50.0	ug/kg	148	50.0	2	03/13/20 08:15	03/13/20 17:41	10061-02-6	W
Surrogates									
Dibromofluoromethane (S)	100	%	57-146		2	03/13/20 08:15	03/13/20 17:41	1868-53-7	
Toluene-d8 (S)	105	%	64-134		2	03/13/20 08:15	03/13/20 17:41	2037-26-5	
4-Bromofluorobenzene (S)	92	%	54-126		2	03/13/20 08:15	03/13/20 17:41	460-00-4	
Percent Moisture		Analytical Method: ASTM D2974-87							
Percent Moisture	13.5	%	0.10	0.10	1		03/13/20 17:32		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 1690005819 FORMER 1-HOUR VALET

Pace Project No.: 40204537

Sample: C4 (14-15) **Lab ID: 40204537007** Collected: 03/09/20 11:50 Received: 03/11/20 09:15 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Med Level Normal List									
Analytical Method: EPA 8260 Preparation Method: EPA 5035/5030B									
1,1,1,2-Tetrachloroethane	<100	ug/kg	240	100	4	03/13/20 08:15	03/13/20 17:24	630-20-6	W
1,1,1-Trichloroethane	<100	ug/kg	240	100	4	03/13/20 08:15	03/13/20 17:24	71-55-6	W
1,1,2,2-Tetrachloroethane	<100	ug/kg	240	100	4	03/13/20 08:15	03/13/20 17:24	79-34-5	W
1,1,2-Trichloroethane	<100	ug/kg	240	100	4	03/13/20 08:15	03/13/20 17:24	79-00-5	W
1,1-Dichloroethane	<100	ug/kg	240	100	4	03/13/20 08:15	03/13/20 17:24	75-34-3	W
1,1-Dichloroethene	<100	ug/kg	240	100	4	03/13/20 08:15	03/13/20 17:24	75-35-4	W
1,1-Dichloropropene	<100	ug/kg	240	100	4	03/13/20 08:15	03/13/20 17:24	563-58-6	W
1,2,3-Trichlorobenzene	<189	ug/kg	632	189	4	03/13/20 08:15	03/13/20 17:24	87-61-6	W
1,2,3-Trichloropropane	<150	ug/kg	500	150	4	03/13/20 08:15	03/13/20 17:24	96-18-4	W
1,2,4-Trichlorobenzene	<167	ug/kg	1000	167	4	03/13/20 08:15	03/13/20 17:24	120-82-1	W
1,2,4-Trimethylbenzene	<100	ug/kg	240	100	4	03/13/20 08:15	03/13/20 17:24	95-63-6	W
1,2-Dibromo-3-chloropropane	<947	ug/kg	3160	947	4	03/13/20 08:15	03/13/20 17:24	96-12-8	W
1,2-Dibromoethane (EDB)	<100	ug/kg	240	100	4	03/13/20 08:15	03/13/20 17:24	106-93-4	W
1,2-Dichlorobenzene	<100	ug/kg	240	100	4	03/13/20 08:15	03/13/20 17:24	95-50-1	W
1,2-Dichloroethane	<100	ug/kg	240	100	4	03/13/20 08:15	03/13/20 17:24	107-06-2	W
1,2-Dichloropropane	<100	ug/kg	240	100	4	03/13/20 08:15	03/13/20 17:24	78-87-5	W
1,3,5-Trimethylbenzene	<100	ug/kg	240	100	4	03/13/20 08:15	03/13/20 17:24	108-67-8	W
1,3-Dichlorobenzene	<100	ug/kg	240	100	4	03/13/20 08:15	03/13/20 17:24	541-73-1	W
1,3-Dichloropropane	<100	ug/kg	240	100	4	03/13/20 08:15	03/13/20 17:24	142-28-9	W
1,4-Dichlorobenzene	<100	ug/kg	240	100	4	03/13/20 08:15	03/13/20 17:24	106-46-7	W
2,2-Dichloropropane	<100	ug/kg	240	100	4	03/13/20 08:15	03/13/20 17:24	594-20-7	W
2-Chlorotoluene	<100	ug/kg	256	100	4	03/13/20 08:15	03/13/20 17:24	95-49-8	W
4-Chlorotoluene	<100	ug/kg	256	100	4	03/13/20 08:15	03/13/20 17:24	106-43-4	W
Benzene	<100	ug/kg	240	100	4	03/13/20 08:15	03/13/20 17:24	71-43-2	W
Bromobenzene	<100	ug/kg	248	100	4	03/13/20 08:15	03/13/20 17:24	108-86-1	W
Bromochloromethane	<100	ug/kg	280	100	4	03/13/20 08:15	03/13/20 17:24	74-97-5	W
Bromodichloromethane	<100	ug/kg	240	100	4	03/13/20 08:15	03/13/20 17:24	75-27-4	W
Bromoform	<100	ug/kg	288	100	4	03/13/20 08:15	03/13/20 17:24	75-25-2	W
Bromomethane	<255	ug/kg	1000	255	4	03/13/20 08:15	03/13/20 17:24	74-83-9	W
Carbon tetrachloride	<100	ug/kg	240	100	4	03/13/20 08:15	03/13/20 17:24	56-23-5	W
Chlorobenzene	<100	ug/kg	240	100	4	03/13/20 08:15	03/13/20 17:24	108-90-7	W
Chloroethane	<186	ug/kg	1000	186	4	03/13/20 08:15	03/13/20 17:24	75-00-3	W
Chloroform	<190	ug/kg	1000	190	4	03/13/20 08:15	03/13/20 17:24	67-66-3	W
Chloromethane	<100	ug/kg	320	100	4	03/13/20 08:15	03/13/20 17:24	74-87-3	W
Dibromochloromethane	<916	ug/kg	3050	916	4	03/13/20 08:15	03/13/20 17:24	124-48-1	W
Dibromomethane	<100	ug/kg	240	100	4	03/13/20 08:15	03/13/20 17:24	74-95-3	W
Dichlorodifluoromethane	<100	ug/kg	288	100	4	03/13/20 08:15	03/13/20 17:24	75-71-8	W
Diisopropyl ether	<100	ug/kg	240	100	4	03/13/20 08:15	03/13/20 17:24	108-20-3	W
Ethylbenzene	<100	ug/kg	240	100	4	03/13/20 08:15	03/13/20 17:24	100-41-4	W
Hexachloro-1,3-butadiene	<275	ug/kg	916	275	4	03/13/20 08:15	03/13/20 17:24	87-68-3	W
Isopropylbenzene (Cumene)	<100	ug/kg	240	100	4	03/13/20 08:15	03/13/20 17:24	98-82-8	W
Methyl-tert-butyl ether	<100	ug/kg	240	100	4	03/13/20 08:15	03/13/20 17:24	1634-04-4	W
Methylene Chloride	<105	ug/kg	352	105	4	03/13/20 08:15	03/13/20 17:24	75-09-2	W
Naphthalene	<109	ug/kg	364	109	4	03/13/20 08:15	03/13/20 17:24	91-20-3	W
Styrene	<100	ug/kg	240	100	4	03/13/20 08:15	03/13/20 17:24	100-42-5	W

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 1690005819 FORMER 1-HOUR VALET
Pace Project No.: 40204537

Sample: C4 (14-15) **Lab ID: 40204537007** Collected: 03/09/20 11:50 Received: 03/11/20 09:15 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Med Level Normal List									
Analytical Method: EPA 8260 Preparation Method: EPA 5035/5030B									
Tetrachloroethene	23500	ug/kg	659	198	4	03/13/20 08:15	03/13/20 17:24	127-18-4	
Toluene	<100	ug/kg	240	100	4	03/13/20 08:15	03/13/20 17:24	108-88-3	W
Trichloroethene	1450	ug/kg	307	128	4	03/13/20 08:15	03/13/20 17:24	79-01-6	
Trichlorofluoromethane	<100	ug/kg	260	100	4	03/13/20 08:15	03/13/20 17:24	75-69-4	W
Vinyl chloride	<100	ug/kg	240	100	4	03/13/20 08:15	03/13/20 17:24	75-01-4	W
Xylene (Total)	<300	ug/kg	720	300	4	03/13/20 08:15	03/13/20 17:24	1330-20-7	W
cis-1,2-Dichloroethene	4720	ug/kg	307	128	4	03/13/20 08:15	03/13/20 17:24	156-59-2	
cis-1,3-Dichloropropene	<169	ug/kg	564	169	4	03/13/20 08:15	03/13/20 17:24	10061-01-5	W
m&p-Xylene	<200	ug/kg	480	200	4	03/13/20 08:15	03/13/20 17:24	179601-23-1	W
n-Butylbenzene	<120	ug/kg	400	120	4	03/13/20 08:15	03/13/20 17:24	104-51-8	W
n-Propylbenzene	<100	ug/kg	240	100	4	03/13/20 08:15	03/13/20 17:24	103-65-1	W
o-Xylene	<100	ug/kg	240	100	4	03/13/20 08:15	03/13/20 17:24	95-47-6	W
p-Isopropyltoluene	<100	ug/kg	288	100	4	03/13/20 08:15	03/13/20 17:24	99-87-6	W
sec-Butylbenzene	<100	ug/kg	288	100	4	03/13/20 08:15	03/13/20 17:24	135-98-8	W
tert-Butylbenzene	<100	ug/kg	248	100	4	03/13/20 08:15	03/13/20 17:24	98-06-6	W
trans-1,2-Dichloroethene	<100	ug/kg	268	100	4	03/13/20 08:15	03/13/20 17:24	156-60-5	W
trans-1,3-Dichloropropene	<100	ug/kg	296	100	4	03/13/20 08:15	03/13/20 17:24	10061-02-6	W
Surrogates									
Dibromofluoromethane (S)	104	%	57-146		4	03/13/20 08:15	03/13/20 17:24	1868-53-7	
Toluene-d8 (S)	113	%	64-134		4	03/13/20 08:15	03/13/20 17:24	2037-26-5	
4-Bromofluorobenzene (S)	98	%	54-126		4	03/13/20 08:15	03/13/20 17:24	460-00-4	
Percent Moisture									
Analytical Method: ASTM D2974-87									
Percent Moisture	21.7	%	0.10	0.10	1		03/13/20 17:32		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 1690005819 FORMER 1-HOUR VALET

Pace Project No.: 40204537

Sample: C4 (18-19) **Lab ID: 40204537008** Collected: 03/09/20 11:55 Received: 03/11/20 09:15 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Med Level Normal List Analytical Method: EPA 8260 Preparation Method: EPA 5035/5030B									
1,1,1,2-Tetrachloroethane	<25.0	ug/kg	60.0	25.0	1	03/13/20 08:15	03/13/20 15:41	630-20-6	W
1,1,1-Trichloroethane	<25.0	ug/kg	60.0	25.0	1	03/13/20 08:15	03/13/20 15:41	71-55-6	W
1,1,2,2-Tetrachloroethane	<25.0	ug/kg	60.0	25.0	1	03/13/20 08:15	03/13/20 15:41	79-34-5	W
1,1,2-Trichloroethane	<25.0	ug/kg	60.0	25.0	1	03/13/20 08:15	03/13/20 15:41	79-00-5	W
1,1-Dichloroethane	<25.0	ug/kg	60.0	25.0	1	03/13/20 08:15	03/13/20 15:41	75-34-3	W
1,1-Dichloroethene	<25.0	ug/kg	60.0	25.0	1	03/13/20 08:15	03/13/20 15:41	75-35-4	W
1,1-Dichloropropene	<25.0	ug/kg	60.0	25.0	1	03/13/20 08:15	03/13/20 15:41	563-58-6	W
1,2,3-Trichlorobenzene	<47.3	ug/kg	158	47.3	1	03/13/20 08:15	03/13/20 15:41	87-61-6	W
1,2,3-Trichloropropane	<37.4	ug/kg	125	37.4	1	03/13/20 08:15	03/13/20 15:41	96-18-4	W
1,2,4-Trichlorobenzene	<41.7	ug/kg	250	41.7	1	03/13/20 08:15	03/13/20 15:41	120-82-1	W
1,2,4-Trimethylbenzene	<25.0	ug/kg	60.0	25.0	1	03/13/20 08:15	03/13/20 15:41	95-63-6	W
1,2-Dibromo-3-chloropropane	<237	ug/kg	789	237	1	03/13/20 08:15	03/13/20 15:41	96-12-8	W
1,2-Dibromoethane (EDB)	<25.0	ug/kg	60.0	25.0	1	03/13/20 08:15	03/13/20 15:41	106-93-4	W
1,2-Dichlorobenzene	<25.0	ug/kg	60.0	25.0	1	03/13/20 08:15	03/13/20 15:41	95-50-1	W
1,2-Dichloroethane	<25.0	ug/kg	60.0	25.0	1	03/13/20 08:15	03/13/20 15:41	107-06-2	W
1,2-Dichloropropane	<25.0	ug/kg	60.0	25.0	1	03/13/20 08:15	03/13/20 15:41	78-87-5	W
1,3,5-Trimethylbenzene	<25.0	ug/kg	60.0	25.0	1	03/13/20 08:15	03/13/20 15:41	108-67-8	W
1,3-Dichlorobenzene	<25.0	ug/kg	60.0	25.0	1	03/13/20 08:15	03/13/20 15:41	541-73-1	W
1,3-Dichloropropane	<25.0	ug/kg	60.0	25.0	1	03/13/20 08:15	03/13/20 15:41	142-28-9	W
1,4-Dichlorobenzene	<25.0	ug/kg	60.0	25.0	1	03/13/20 08:15	03/13/20 15:41	106-46-7	W
2,2-Dichloropropane	<25.0	ug/kg	60.0	25.0	1	03/13/20 08:15	03/13/20 15:41	594-20-7	W
2-Chlorotoluene	<25.0	ug/kg	64.0	25.0	1	03/13/20 08:15	03/13/20 15:41	95-49-8	W
4-Chlorotoluene	<25.0	ug/kg	64.0	25.0	1	03/13/20 08:15	03/13/20 15:41	106-43-4	W
Benzene	<25.0	ug/kg	60.0	25.0	1	03/13/20 08:15	03/13/20 15:41	71-43-2	W
Bromobenzene	<25.0	ug/kg	62.0	25.0	1	03/13/20 08:15	03/13/20 15:41	108-86-1	W
Bromochloromethane	<25.0	ug/kg	70.0	25.0	1	03/13/20 08:15	03/13/20 15:41	74-97-5	W
Bromodichloromethane	<25.0	ug/kg	60.0	25.0	1	03/13/20 08:15	03/13/20 15:41	75-27-4	W
Bromoform	<25.0	ug/kg	72.0	25.0	1	03/13/20 08:15	03/13/20 15:41	75-25-2	W
Bromomethane	<63.8	ug/kg	250	63.8	1	03/13/20 08:15	03/13/20 15:41	74-83-9	W
Carbon tetrachloride	<25.0	ug/kg	60.0	25.0	1	03/13/20 08:15	03/13/20 15:41	56-23-5	W
Chlorobenzene	<25.0	ug/kg	60.0	25.0	1	03/13/20 08:15	03/13/20 15:41	108-90-7	W
Chloroethane	<46.4	ug/kg	250	46.4	1	03/13/20 08:15	03/13/20 15:41	75-00-3	W
Chloroform	<47.5	ug/kg	250	47.5	1	03/13/20 08:15	03/13/20 15:41	67-66-3	W
Chloromethane	<25.0	ug/kg	80.0	25.0	1	03/13/20 08:15	03/13/20 15:41	74-87-3	W
Dibromochloromethane	<229	ug/kg	763	229	1	03/13/20 08:15	03/13/20 15:41	124-48-1	W
Dibromomethane	<25.0	ug/kg	60.0	25.0	1	03/13/20 08:15	03/13/20 15:41	74-95-3	W
Dichlorodifluoromethane	<25.0	ug/kg	72.0	25.0	1	03/13/20 08:15	03/13/20 15:41	75-71-8	W
Diisopropyl ether	<25.0	ug/kg	60.0	25.0	1	03/13/20 08:15	03/13/20 15:41	108-20-3	W
Ethylbenzene	<25.0	ug/kg	60.0	25.0	1	03/13/20 08:15	03/13/20 15:41	100-41-4	W
Hexachloro-1,3-butadiene	<68.7	ug/kg	229	68.7	1	03/13/20 08:15	03/13/20 15:41	87-68-3	W
Isopropylbenzene (Cumene)	<25.0	ug/kg	60.0	25.0	1	03/13/20 08:15	03/13/20 15:41	98-82-8	W
Methyl-tert-butyl ether	<25.0	ug/kg	60.0	25.0	1	03/13/20 08:15	03/13/20 15:41	1634-04-4	W
Methylene Chloride	<26.3	ug/kg	88.0	26.3	1	03/13/20 08:15	03/13/20 15:41	75-09-2	W
Naphthalene	<27.3	ug/kg	91.0	27.3	1	03/13/20 08:15	03/13/20 15:41	91-20-3	W
Styrene	<25.0	ug/kg	60.0	25.0	1	03/13/20 08:15	03/13/20 15:41	100-42-5	W

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 1690005819 FORMER 1-HOUR VALET

Project No.: 40204537

Sample: C4 (18-19) **Lab ID: 40204537008** Collected: 03/09/20 11:55 Received: 03/11/20 09:15 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Med Level Normal List		Analytical Method: EPA 8260 Preparation Method: EPA 5035/5030B							
Tetrachloroethene	6320	ug/kg	156	46.8	1	03/13/20 08:15	03/13/20 15:41	127-18-4	
Toluene	<25.0	ug/kg	60.0	25.0	1	03/13/20 08:15	03/13/20 15:41	108-88-3	W
Trichloroethene	51.4J	ug/kg	72.5	30.2	1	03/13/20 08:15	03/13/20 15:41	79-01-6	
Trichlorofluoromethane	<25.0	ug/kg	65.0	25.0	1	03/13/20 08:15	03/13/20 15:41	75-69-4	W
Vinyl chloride	<25.0	ug/kg	60.0	25.0	1	03/13/20 08:15	03/13/20 15:41	75-01-4	W
Xylene (Total)	<75.0	ug/kg	180	75.0	1	03/13/20 08:15	03/13/20 15:41	1330-20-7	W
cis-1,2-Dichloroethene	394	ug/kg	72.5	30.2	1	03/13/20 08:15	03/13/20 15:41	156-59-2	
cis-1,3-Dichloropropene	<42.3	ug/kg	141	42.3	1	03/13/20 08:15	03/13/20 15:41	10061-01-5	W
m&p-Xylene	<50.0	ug/kg	120	50.0	1	03/13/20 08:15	03/13/20 15:41	179601-23-1	W
n-Butylbenzene	<30.0	ug/kg	100	30.0	1	03/13/20 08:15	03/13/20 15:41	104-51-8	W
n-Propylbenzene	<25.0	ug/kg	60.0	25.0	1	03/13/20 08:15	03/13/20 15:41	103-65-1	W
o-Xylene	<25.0	ug/kg	60.0	25.0	1	03/13/20 08:15	03/13/20 15:41	95-47-6	W
p-Isopropyltoluene	<25.0	ug/kg	72.0	25.0	1	03/13/20 08:15	03/13/20 15:41	99-87-6	W
sec-Butylbenzene	<25.0	ug/kg	72.0	25.0	1	03/13/20 08:15	03/13/20 15:41	135-98-8	W
tert-Butylbenzene	<25.0	ug/kg	62.0	25.0	1	03/13/20 08:15	03/13/20 15:41	98-06-6	W
trans-1,2-Dichloroethene	<25.0	ug/kg	67.0	25.0	1	03/13/20 08:15	03/13/20 15:41	156-60-5	W
trans-1,3-Dichloropropene	<25.0	ug/kg	74.0	25.0	1	03/13/20 08:15	03/13/20 15:41	10061-02-6	W
Surrogates									
Dibromofluoromethane (S)	108	%	57-146		1	03/13/20 08:15	03/13/20 15:41	1868-53-7	
Toluene-d8 (S)	118	%	64-134		1	03/13/20 08:15	03/13/20 15:41	2037-26-5	
4-Bromofluorobenzene (S)	104	%	54-126		1	03/13/20 08:15	03/13/20 15:41	460-00-4	
Percent Moisture		Analytical Method: ASTM D2974-87							
Percent Moisture	17.3	%	0.10	0.10	1		03/13/20 17:32		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 1690005819 FORMER 1-HOUR VALET

Pace Project No.: 40204537

Sample: C5 (14-15) **Lab ID: 40204537009** Collected: 03/09/20 12:25 Received: 03/11/20 09:15 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Med Level Normal List									
Analytical Method: EPA 8260 Preparation Method: EPA 5035/5030B									
1,1,1,2-Tetrachloroethane	<125	ug/kg	300	125	5	03/13/20 08:15	03/13/20 17:07	630-20-6	W
1,1,1-Trichloroethane	<125	ug/kg	300	125	5	03/13/20 08:15	03/13/20 17:07	71-55-6	W
1,1,2,2-Tetrachloroethane	<125	ug/kg	300	125	5	03/13/20 08:15	03/13/20 17:07	79-34-5	W
1,1,2-Trichloroethane	<125	ug/kg	300	125	5	03/13/20 08:15	03/13/20 17:07	79-00-5	W
1,1-Dichloroethane	<125	ug/kg	300	125	5	03/13/20 08:15	03/13/20 17:07	75-34-3	W
1,1-Dichloroethene	<125	ug/kg	300	125	5	03/13/20 08:15	03/13/20 17:07	75-35-4	W
1,1-Dichloropropene	<125	ug/kg	300	125	5	03/13/20 08:15	03/13/20 17:07	563-58-6	W
1,2,3-Trichlorobenzene	<237	ug/kg	790	237	5	03/13/20 08:15	03/13/20 17:07	87-61-6	W
1,2,3-Trichloropropane	<187	ug/kg	625	187	5	03/13/20 08:15	03/13/20 17:07	96-18-4	W
1,2,4-Trichlorobenzene	<208	ug/kg	1250	208	5	03/13/20 08:15	03/13/20 17:07	120-82-1	W
1,2,4-Trimethylbenzene	<125	ug/kg	300	125	5	03/13/20 08:15	03/13/20 17:07	95-63-6	W
1,2-Dibromo-3-chloropropane	<1180	ug/kg	3940	1180	5	03/13/20 08:15	03/13/20 17:07	96-12-8	W
1,2-Dibromoethane (EDB)	<125	ug/kg	300	125	5	03/13/20 08:15	03/13/20 17:07	106-93-4	W
1,2-Dichlorobenzene	<125	ug/kg	300	125	5	03/13/20 08:15	03/13/20 17:07	95-50-1	W
1,2-Dichloroethane	<125	ug/kg	300	125	5	03/13/20 08:15	03/13/20 17:07	107-06-2	W
1,2-Dichloropropane	<125	ug/kg	300	125	5	03/13/20 08:15	03/13/20 17:07	78-87-5	W
1,3,5-Trimethylbenzene	<125	ug/kg	300	125	5	03/13/20 08:15	03/13/20 17:07	108-67-8	W
1,3-Dichlorobenzene	<125	ug/kg	300	125	5	03/13/20 08:15	03/13/20 17:07	541-73-1	W
1,3-Dichloropropane	<125	ug/kg	300	125	5	03/13/20 08:15	03/13/20 17:07	142-28-9	W
1,4-Dichlorobenzene	<125	ug/kg	300	125	5	03/13/20 08:15	03/13/20 17:07	106-46-7	W
2,2-Dichloropropane	<125	ug/kg	300	125	5	03/13/20 08:15	03/13/20 17:07	594-20-7	W
2-Chlorotoluene	<125	ug/kg	320	125	5	03/13/20 08:15	03/13/20 17:07	95-49-8	W
4-Chlorotoluene	<125	ug/kg	320	125	5	03/13/20 08:15	03/13/20 17:07	106-43-4	W
Benzene	<125	ug/kg	300	125	5	03/13/20 08:15	03/13/20 17:07	71-43-2	W
Bromobenzene	<125	ug/kg	310	125	5	03/13/20 08:15	03/13/20 17:07	108-86-1	W
Bromochloromethane	<125	ug/kg	350	125	5	03/13/20 08:15	03/13/20 17:07	74-97-5	W
Bromodichloromethane	<125	ug/kg	300	125	5	03/13/20 08:15	03/13/20 17:07	75-27-4	W
Bromoform	<125	ug/kg	360	125	5	03/13/20 08:15	03/13/20 17:07	75-25-2	W
Bromomethane	<319	ug/kg	1250	319	5	03/13/20 08:15	03/13/20 17:07	74-83-9	W
Carbon tetrachloride	<125	ug/kg	300	125	5	03/13/20 08:15	03/13/20 17:07	56-23-5	W
Chlorobenzene	<125	ug/kg	300	125	5	03/13/20 08:15	03/13/20 17:07	108-90-7	W
Chloroethane	<232	ug/kg	1250	232	5	03/13/20 08:15	03/13/20 17:07	75-00-3	W
Chloroform	<238	ug/kg	1250	238	5	03/13/20 08:15	03/13/20 17:07	67-66-3	W
Chloromethane	<125	ug/kg	400	125	5	03/13/20 08:15	03/13/20 17:07	74-87-3	W
Dibromochloromethane	<1140	ug/kg	3820	1140	5	03/13/20 08:15	03/13/20 17:07	124-48-1	W
Dibromomethane	<125	ug/kg	300	125	5	03/13/20 08:15	03/13/20 17:07	74-95-3	W
Dichlorodifluoromethane	<125	ug/kg	360	125	5	03/13/20 08:15	03/13/20 17:07	75-71-8	W
Diisopropyl ether	<125	ug/kg	300	125	5	03/13/20 08:15	03/13/20 17:07	108-20-3	W
Ethylbenzene	<125	ug/kg	300	125	5	03/13/20 08:15	03/13/20 17:07	100-41-4	W
Hexachloro-1,3-butadiene	<344	ug/kg	1140	344	5	03/13/20 08:15	03/13/20 17:07	87-68-3	W
Isopropylbenzene (Cumene)	<125	ug/kg	300	125	5	03/13/20 08:15	03/13/20 17:07	98-82-8	W
Methyl-tert-butyl ether	<125	ug/kg	300	125	5	03/13/20 08:15	03/13/20 17:07	1634-04-4	W
Methylene Chloride	<131	ug/kg	440	131	5	03/13/20 08:15	03/13/20 17:07	75-09-2	W
Naphthalene	<136	ug/kg	455	136	5	03/13/20 08:15	03/13/20 17:07	91-20-3	W
Styrene	<125	ug/kg	300	125	5	03/13/20 08:15	03/13/20 17:07	100-42-5	W

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 1690005819 FORMER 1-HOUR VALET

Sample Project No.: 40204537

Sample: C5 (14-15) **Lab ID: 40204537009** Collected: 03/09/20 12:25 Received: 03/11/20 09:15 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Med Level Normal List		Analytical Method: EPA 8260 Preparation Method: EPA 5035/5030B							
Tetrachloroethene	42300	ug/kg	779	234	5	03/13/20 08:15	03/13/20 17:07	127-18-4	
Toluene	<125	ug/kg	300	125	5	03/13/20 08:15	03/13/20 17:07	108-88-3	W
Trichloroethene	3390	ug/kg	362	151	5	03/13/20 08:15	03/13/20 17:07	79-01-6	
Trichlorofluoromethane	<125	ug/kg	325	125	5	03/13/20 08:15	03/13/20 17:07	75-69-4	W
Vinyl chloride	<125	ug/kg	300	125	5	03/13/20 08:15	03/13/20 17:07	75-01-4	W
Xylene (Total)	<375	ug/kg	900	375	5	03/13/20 08:15	03/13/20 17:07	1330-20-7	W
cis-1,2-Dichloroethene	264J	ug/kg	362	151	5	03/13/20 08:15	03/13/20 17:07	156-59-2	
cis-1,3-Dichloropropene	<211	ug/kg	705	211	5	03/13/20 08:15	03/13/20 17:07	10061-01-5	W
m&p-Xylene	<250	ug/kg	600	250	5	03/13/20 08:15	03/13/20 17:07	179601-23-1	W
n-Butylbenzene	<150	ug/kg	500	150	5	03/13/20 08:15	03/13/20 17:07	104-51-8	W
n-Propylbenzene	<125	ug/kg	300	125	5	03/13/20 08:15	03/13/20 17:07	103-65-1	W
o-Xylene	<125	ug/kg	300	125	5	03/13/20 08:15	03/13/20 17:07	95-47-6	W
p-Isopropyltoluene	<125	ug/kg	360	125	5	03/13/20 08:15	03/13/20 17:07	99-87-6	W
sec-Butylbenzene	<125	ug/kg	360	125	5	03/13/20 08:15	03/13/20 17:07	135-98-8	W
tert-Butylbenzene	<125	ug/kg	310	125	5	03/13/20 08:15	03/13/20 17:07	98-06-6	W
trans-1,2-Dichloroethene	<125	ug/kg	335	125	5	03/13/20 08:15	03/13/20 17:07	156-60-5	W
trans-1,3-Dichloropropene	<125	ug/kg	370	125	5	03/13/20 08:15	03/13/20 17:07	10061-02-6	W
Surrogates									
Dibromofluoromethane (S)	104	%	57-146		5	03/13/20 08:15	03/13/20 17:07	1868-53-7	
Toluene-d8 (S)	111	%	64-134		5	03/13/20 08:15	03/13/20 17:07	2037-26-5	
4-Bromofluorobenzene (S)	98	%	54-126		5	03/13/20 08:15	03/13/20 17:07	460-00-4	
Percent Moisture		Analytical Method: ASTM D2974-87							
Percent Moisture	17.2	%	0.10	0.10	1		03/13/20 17:32		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 1690005819 FORMER 1-HOUR VALET

Pace Project No.: 40204537

Sample: C5 (12-13) **Lab ID: 40204537010** Collected: 03/09/20 13:30 Received: 03/11/20 09:15 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Med Level Normal List									
Analytical Method: EPA 8260 Preparation Method: EPA 5035/5030B									
1,1,1,2-Tetrachloroethane	<25.0	ug/kg	60.0	25.0	1	03/13/20 08:15	03/13/20 13:07	630-20-6	W
1,1,1-Trichloroethane	<25.0	ug/kg	60.0	25.0	1	03/13/20 08:15	03/13/20 13:07	71-55-6	W
1,1,2,2-Tetrachloroethane	<25.0	ug/kg	60.0	25.0	1	03/13/20 08:15	03/13/20 13:07	79-34-5	W
1,1,2-Trichloroethane	<25.0	ug/kg	60.0	25.0	1	03/13/20 08:15	03/13/20 13:07	79-00-5	W
1,1-Dichloroethane	<25.0	ug/kg	60.0	25.0	1	03/13/20 08:15	03/13/20 13:07	75-34-3	W
1,1-Dichloroethene	<25.0	ug/kg	60.0	25.0	1	03/13/20 08:15	03/13/20 13:07	75-35-4	W
1,1-Dichloropropene	<25.0	ug/kg	60.0	25.0	1	03/13/20 08:15	03/13/20 13:07	563-58-6	W
1,2,3-Trichlorobenzene	<47.3	ug/kg	158	47.3	1	03/13/20 08:15	03/13/20 13:07	87-61-6	W
1,2,3-Trichloropropane	<37.4	ug/kg	125	37.4	1	03/13/20 08:15	03/13/20 13:07	96-18-4	W
1,2,4-Trichlorobenzene	<41.7	ug/kg	250	41.7	1	03/13/20 08:15	03/13/20 13:07	120-82-1	W
1,2,4-Trimethylbenzene	<25.0	ug/kg	60.0	25.0	1	03/13/20 08:15	03/13/20 13:07	95-63-6	W
1,2-Dibromo-3-chloropropane	<237	ug/kg	789	237	1	03/13/20 08:15	03/13/20 13:07	96-12-8	W
1,2-Dibromoethane (EDB)	<25.0	ug/kg	60.0	25.0	1	03/13/20 08:15	03/13/20 13:07	106-93-4	W
1,2-Dichlorobenzene	<25.0	ug/kg	60.0	25.0	1	03/13/20 08:15	03/13/20 13:07	95-50-1	W
1,2-Dichloroethane	<25.0	ug/kg	60.0	25.0	1	03/13/20 08:15	03/13/20 13:07	107-06-2	W
1,2-Dichloropropane	<25.0	ug/kg	60.0	25.0	1	03/13/20 08:15	03/13/20 13:07	78-87-5	W
1,3,5-Trimethylbenzene	<25.0	ug/kg	60.0	25.0	1	03/13/20 08:15	03/13/20 13:07	108-67-8	W
1,3-Dichlorobenzene	<25.0	ug/kg	60.0	25.0	1	03/13/20 08:15	03/13/20 13:07	541-73-1	W
1,3-Dichloropropane	<25.0	ug/kg	60.0	25.0	1	03/13/20 08:15	03/13/20 13:07	142-28-9	W
1,4-Dichlorobenzene	<25.0	ug/kg	60.0	25.0	1	03/13/20 08:15	03/13/20 13:07	106-46-7	W
2,2-Dichloropropane	<25.0	ug/kg	60.0	25.0	1	03/13/20 08:15	03/13/20 13:07	594-20-7	W
2-Chlorotoluene	<25.0	ug/kg	64.0	25.0	1	03/13/20 08:15	03/13/20 13:07	95-49-8	W
4-Chlorotoluene	<25.0	ug/kg	64.0	25.0	1	03/13/20 08:15	03/13/20 13:07	106-43-4	W
Benzene	51.9J	ug/kg	70.6	29.4	1	03/13/20 08:15	03/13/20 13:07	71-43-2	
Bromobenzene	<25.0	ug/kg	62.0	25.0	1	03/13/20 08:15	03/13/20 13:07	108-86-1	W
Bromochloromethane	<25.0	ug/kg	70.0	25.0	1	03/13/20 08:15	03/13/20 13:07	74-97-5	W
Bromodichloromethane	<25.0	ug/kg	60.0	25.0	1	03/13/20 08:15	03/13/20 13:07	75-27-4	W
Bromoform	<25.0	ug/kg	72.0	25.0	1	03/13/20 08:15	03/13/20 13:07	75-25-2	W
Bromomethane	<63.8	ug/kg	250	63.8	1	03/13/20 08:15	03/13/20 13:07	74-83-9	W
Carbon tetrachloride	<25.0	ug/kg	60.0	25.0	1	03/13/20 08:15	03/13/20 13:07	56-23-5	W
Chlorobenzene	<25.0	ug/kg	60.0	25.0	1	03/13/20 08:15	03/13/20 13:07	108-90-7	W
Chloroethane	<46.4	ug/kg	250	46.4	1	03/13/20 08:15	03/13/20 13:07	75-00-3	W
Chloroform	<47.5	ug/kg	250	47.5	1	03/13/20 08:15	03/13/20 13:07	67-66-3	W
Chloromethane	<25.0	ug/kg	80.0	25.0	1	03/13/20 08:15	03/13/20 13:07	74-87-3	W
Dibromochloromethane	<229	ug/kg	763	229	1	03/13/20 08:15	03/13/20 13:07	124-48-1	W
Dibromomethane	<25.0	ug/kg	60.0	25.0	1	03/13/20 08:15	03/13/20 13:07	74-95-3	W
Dichlorodifluoromethane	<25.0	ug/kg	72.0	25.0	1	03/13/20 08:15	03/13/20 13:07	75-71-8	W
Diisopropyl ether	<25.0	ug/kg	60.0	25.0	1	03/13/20 08:15	03/13/20 13:07	108-20-3	W
Ethylbenzene	43.3J	ug/kg	70.6	29.4	1	03/13/20 08:15	03/13/20 13:07	100-41-4	
Hexachloro-1,3-butadiene	<68.7	ug/kg	229	68.7	1	03/13/20 08:15	03/13/20 13:07	87-68-3	W
Isopropylbenzene (Cumene)	<25.0	ug/kg	60.0	25.0	1	03/13/20 08:15	03/13/20 13:07	98-82-8	W
Methyl-tert-butyl ether	<25.0	ug/kg	60.0	25.0	1	03/13/20 08:15	03/13/20 13:07	1634-04-4	W
Methylene Chloride	<26.3	ug/kg	88.0	26.3	1	03/13/20 08:15	03/13/20 13:07	75-09-2	W
Naphthalene	<27.3	ug/kg	91.0	27.3	1	03/13/20 08:15	03/13/20 13:07	91-20-3	W
Styrene	<25.0	ug/kg	60.0	25.0	1	03/13/20 08:15	03/13/20 13:07	100-42-5	W

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 1690005819 FORMER 1-HOUR VALET

Pace Project No.: 40204537

Sample: C5 (12-13) **Lab ID: 40204537010** Collected: 03/09/20 13:30 Received: 03/11/20 09:15 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Med Level Normal List		Analytical Method: EPA 8260 Preparation Method: EPA 5035/5030B							
Tetrachloroethene	599	ug/kg	152	45.6	1	03/13/20 08:15	03/13/20 13:07	127-18-4	
Toluene	74.0	ug/kg	70.6	29.4	1	03/13/20 08:15	03/13/20 13:07	108-88-3	
Trichloroethene	<25.0	ug/kg	60.0	25.0	1	03/13/20 08:15	03/13/20 13:07	79-01-6	W
Trichlorofluoromethane	<25.0	ug/kg	65.0	25.0	1	03/13/20 08:15	03/13/20 13:07	75-69-4	W
Vinyl chloride	<25.0	ug/kg	60.0	25.0	1	03/13/20 08:15	03/13/20 13:07	75-01-4	W
Xylene (Total)	<75.0	ug/kg	180	75.0	1	03/13/20 08:15	03/13/20 13:07	1330-20-7	W
cis-1,2-Dichloroethene	<25.0	ug/kg	60.0	25.0	1	03/13/20 08:15	03/13/20 13:07	156-59-2	W
cis-1,3-Dichloropropene	<42.3	ug/kg	141	42.3	1	03/13/20 08:15	03/13/20 13:07	10061-01-5	W
m&p-Xylene	62.8J	ug/kg	141	58.9	1	03/13/20 08:15	03/13/20 13:07	179601-23-1	
n-Butylbenzene	<30.0	ug/kg	100	30.0	1	03/13/20 08:15	03/13/20 13:07	104-51-8	W
n-Propylbenzene	<25.0	ug/kg	60.0	25.0	1	03/13/20 08:15	03/13/20 13:07	103-65-1	W
o-Xylene	<25.0	ug/kg	60.0	25.0	1	03/13/20 08:15	03/13/20 13:07	95-47-6	W
p-Isopropyltoluene	<25.0	ug/kg	72.0	25.0	1	03/13/20 08:15	03/13/20 13:07	99-87-6	W
sec-Butylbenzene	<25.0	ug/kg	72.0	25.0	1	03/13/20 08:15	03/13/20 13:07	135-98-8	W
tert-Butylbenzene	<25.0	ug/kg	62.0	25.0	1	03/13/20 08:15	03/13/20 13:07	98-06-6	W
trans-1,2-Dichloroethene	<25.0	ug/kg	67.0	25.0	1	03/13/20 08:15	03/13/20 13:07	156-60-5	W
trans-1,3-Dichloropropene	<25.0	ug/kg	74.0	25.0	1	03/13/20 08:15	03/13/20 13:07	10061-02-6	W
Surrogates									
Dibromofluoromethane (S)	107	%	57-146		1	03/13/20 08:15	03/13/20 13:07	1868-53-7	
Toluene-d8 (S)	115	%	64-134		1	03/13/20 08:15	03/13/20 13:07	2037-26-5	
4-Bromofluorobenzene (S)	103	%	54-126		1	03/13/20 08:15	03/13/20 13:07	460-00-4	
Percent Moisture		Analytical Method: ASTM D2974-87							
Percent Moisture	15.1	%	0.10	0.10	1		03/13/20 17:33		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: 1690005819 FORMER 1-HOUR VALET
Pace Project No.: 40204537

QC Batch: 349932 Analysis Method: EPA 8260
QC Batch Method: EPA 5035/5030B Analysis Description: 8260 MSV Med Level Normal List
Associated Lab Samples: 40204537001, 40204537002, 40204537003, 40204537004, 40204537005, 40204537006, 40204537007, 40204537008, 40204537009, 40204537010

METHOD BLANK: 2027268 Matrix: Solid
Associated Lab Samples: 40204537001, 40204537002, 40204537003, 40204537004, 40204537005, 40204537006, 40204537007, 40204537008, 40204537009, 40204537010

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
1,1,1,2-Tetrachloroethane	ug/kg	<7.8	50.0	03/13/20 10:51	
1,1,1-Trichloroethane	ug/kg	<13.5	50.0	03/13/20 10:51	
1,1,2,2-Tetrachloroethane	ug/kg	<15.7	52.0	03/13/20 10:51	
1,1,2-Trichloroethane	ug/kg	<15.7	52.0	03/13/20 10:51	
1,1-Dichloroethane	ug/kg	<13.5	50.0	03/13/20 10:51	
1,1-Dichloroethene	ug/kg	<11.8	50.0	03/13/20 10:51	
1,1-Dichloropropene	ug/kg	<10.7	50.0	03/13/20 10:51	
1,2,3-Trichlorobenzene	ug/kg	<47.3	158	03/13/20 10:51	
1,2,3-Trichloropropane	ug/kg	<37.4	125	03/13/20 10:51	
1,2,4-Trichlorobenzene	ug/kg	<41.7	250	03/13/20 10:51	
1,2,4-Trimethylbenzene	ug/kg	<18.1	60.0	03/13/20 10:51	
1,2-Dibromo-3-chloropropane	ug/kg	<237	789	03/13/20 10:51	
1,2-Dibromoethane (EDB)	ug/kg	<17.0	57.0	03/13/20 10:51	
1,2-Dichlorobenzene	ug/kg	<13.1	50.0	03/13/20 10:51	
1,2-Dichloroethane	ug/kg	<13.8	50.0	03/13/20 10:51	
1,2-Dichloropropane	ug/kg	<13.5	50.0	03/13/20 10:51	
1,3,5-Trimethylbenzene	ug/kg	<16.0	53.0	03/13/20 10:51	
1,3-Dichlorobenzene	ug/kg	<13.0	50.0	03/13/20 10:51	
1,3-Dichloropropane	ug/kg	<11.0	50.0	03/13/20 10:51	
1,4-Dichlorobenzene	ug/kg	<12.0	50.0	03/13/20 10:51	
2,2-Dichloropropane	ug/kg	<15.7	52.0	03/13/20 10:51	
2-Chlorotoluene	ug/kg	<19.3	64.0	03/13/20 10:51	
4-Chlorotoluene	ug/kg	<19.3	64.0	03/13/20 10:51	
Benzene	ug/kg	<12.5	42.0	03/13/20 10:51	
Bromobenzene	ug/kg	<18.5	62.0	03/13/20 10:51	
Bromochloromethane	ug/kg	<20.9	70.0	03/13/20 10:51	
Bromodichloromethane	ug/kg	<10.0	50.0	03/13/20 10:51	
Bromoform	ug/kg	<21.6	72.0	03/13/20 10:51	
Bromomethane	ug/kg	<63.8	250	03/13/20 10:51	
Carbon tetrachloride	ug/kg	<7.5	50.0	03/13/20 10:51	
Chlorobenzene	ug/kg	<16.8	56.0	03/13/20 10:51	
Chloroethane	ug/kg	<46.4	250	03/13/20 10:51	
Chloroform	ug/kg	<47.5	250	03/13/20 10:51	
Chloromethane	ug/kg	<24.0	80.0	03/13/20 10:51	
cis-1,2-Dichloroethene	ug/kg	<14.8	50.0	03/13/20 10:51	
cis-1,3-Dichloropropene	ug/kg	<42.3	141	03/13/20 10:51	
Dibromochloromethane	ug/kg	<229	763	03/13/20 10:51	
Dibromomethane	ug/kg	<17.7	59.0	03/13/20 10:51	
Dichlorodifluoromethane	ug/kg	<21.7	72.0	03/13/20 10:51	
Diisopropyl ether	ug/kg	<14.0	50.0	03/13/20 10:51	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: 1690005819 FORMER 1-HOUR VALET

Pace Project No.: 40204537

METHOD BLANK: 2027268

Matrix: Solid

Associated Lab Samples: 40204537001, 40204537002, 40204537003, 40204537004, 40204537005, 40204537006, 40204537007, 40204537008, 40204537009, 40204537010

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
Ethylbenzene	ug/kg	<14.5	50.0	03/13/20 10:51	
Hexachloro-1,3-butadiene	ug/kg	<68.7	229	03/13/20 10:51	
Isopropylbenzene (Cumene)	ug/kg	<17.7	59.0	03/13/20 10:51	
m&p-Xylene	ug/kg	<32.4	108	03/13/20 10:51	
Methyl-tert-butyl ether	ug/kg	<16.2	54.0	03/13/20 10:51	
Methylene Chloride	ug/kg	<26.3	88.0	03/13/20 10:51	
n-Butylbenzene	ug/kg	<30.0	100	03/13/20 10:51	
n-Propylbenzene	ug/kg	<17.8	59.0	03/13/20 10:51	
Naphthalene	ug/kg	<27.3	91.0	03/13/20 10:51	
o-Xylene	ug/kg	<18.1	60.0	03/13/20 10:51	
p-Isopropyltoluene	ug/kg	<21.7	72.0	03/13/20 10:51	
sec-Butylbenzene	ug/kg	<21.5	72.0	03/13/20 10:51	
Styrene	ug/kg	<12.3	50.0	03/13/20 10:51	
tert-Butylbenzene	ug/kg	<18.7	62.0	03/13/20 10:51	
Tetrachloroethene	ug/kg	<38.7	129	03/13/20 10:51	
Toluene	ug/kg	<13.1	50.0	03/13/20 10:51	
trans-1,2-Dichloroethene	ug/kg	<20.2	67.0	03/13/20 10:51	
trans-1,3-Dichloropropene	ug/kg	<22.2	74.0	03/13/20 10:51	
Trichloroethene	ug/kg	<12.8	50.0	03/13/20 10:51	
Trichlorofluoromethane	ug/kg	<19.6	65.0	03/13/20 10:51	
Vinyl chloride	ug/kg	<14.5	50.0	03/13/20 10:51	
Xylene (Total)	ug/kg	<50.5	168	03/13/20 10:51	
4-Bromofluorobenzene (S)	%	93	54-126	03/13/20 10:51	
Dibromofluoromethane (S)	%	99	57-146	03/13/20 10:51	
Toluene-d8 (S)	%	106	64-134	03/13/20 10:51	

LABORATORY CONTROL SAMPLE: 2027269

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
1,1,1-Trichloroethane	ug/kg	2500	2500	100	70-132	
1,1,1,2-Tetrachloroethane	ug/kg	2500	2790	111	70-130	
1,1,2-Trichloroethane	ug/kg	2500	2770	111	70-130	
1,1-Dichloroethane	ug/kg	2500	2450	98	70-130	
1,1-Dichloroethene	ug/kg	2500	2660	106	77-126	
1,2,4-Trichlorobenzene	ug/kg	2500	2340	94	66-130	
1,2-Dibromo-3-chloropropane	ug/kg	2500	2190	88	54-129	
1,2-Dibromoethane (EDB)	ug/kg	2500	2740	110	70-130	
1,2-Dichlorobenzene	ug/kg	2500	2590	104	70-130	
1,2-Dichloroethane	ug/kg	2500	2900	116	70-134	
1,2-Dichloropropane	ug/kg	2500	2740	110	74-124	
1,3-Dichlorobenzene	ug/kg	2500	2580	103	70-130	
1,4-Dichlorobenzene	ug/kg	2500	2600	104	70-130	
Benzene	ug/kg	2500	2860	115	70-130	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: 1690005819 FORMER 1-HOUR VALET
Pace Project No.: 40204537

LABORATORY CONTROL SAMPLE: 2027269

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Bromodichloromethane	ug/kg	2500	2460	98	70-130	
Bromoform	ug/kg	2500	1890	76	47-115	
Bromomethane	ug/kg	2500	2670	107	64-165	
Carbon tetrachloride	ug/kg	2500	2330	93	70-131	
Chlorobenzene	ug/kg	2500	2650	106	70-130	
Chloroethane	ug/kg	2500	3650	146	28-197	
Chloroform	ug/kg	2500	2740	110	80-131	
Chloromethane	ug/kg	2500	2590	103	45-118	
cis-1,2-Dichloroethene	ug/kg	2500	2680	107	70-130	
cis-1,3-Dichloropropene	ug/kg	2500	2480	99	70-130	
Dibromochloromethane	ug/kg	2500	2180	87	70-130	
Dichlorodifluoromethane	ug/kg	2500	1880	75	38-108	
Ethylbenzene	ug/kg	2500	2690	108	82-122	
Isopropylbenzene (Cumene)	ug/kg	2500	2630	105	70-130	
m&p-Xylene	ug/kg	5000	5390	108	70-130	
Methyl-tert-butyl ether	ug/kg	2500	1980	79	70-130	
Methylene Chloride	ug/kg	2500	3080	123	70-130	
o-Xylene	ug/kg	2500	2680	107	70-130	
Styrene	ug/kg	2500	2750	110	70-130	
Tetrachloroethene	ug/kg	2500	2420	97	70-130	
Toluene	ug/kg	2500	2700	108	80-121	
trans-1,2-Dichloroethene	ug/kg	2500	2340	93	70-130	
trans-1,3-Dichloropropene	ug/kg	2500	2150	86	70-130	
Trichloroethene	ug/kg	2500	2700	108	70-130	
Trichlorofluoromethane	ug/kg	2500	2830	113	81-141	
Vinyl chloride	ug/kg	2500	2490	100	68-121	
Xylene (Total)	ug/kg	7500	8070	108	70-130	
4-Bromofluorobenzene (S)	%			103	54-126	
Dibromofluoromethane (S)	%			110	57-146	
Toluene-d8 (S)	%			109	64-134	

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 2027270 2027271

Parameter	Units	MS		MSD		MS Result	MSD Result	MS % Rec	MSD % Rec	% Rec Limits	RPD	Max RPD	Qual
		40204537005 Result	Spike Conc.	Spike Conc.	MS Result								
1,1,1-Trichloroethane	ug/kg	<25.0	1480	1480	1270	1330	86	90	64-132	4	20		
1,1,2,2-Tetrachloroethane	ug/kg	<25.0	1480	1480	1610	1680	109	113	70-132	4	20		
1,1,2-Trichloroethane	ug/kg	<25.0	1480	1480	1570	1630	106	111	70-130	4	20		
1,1-Dichloroethane	ug/kg	<25.0	1480	1480	1360	1420	92	96	70-130	4	20		
1,1-Dichloroethene	ug/kg	<25.0	1480	1480	1350	1400	91	95	65-126	3	21		
1,2,4-Trichlorobenzene	ug/kg	<41.7	1480	1480	1460	1460	99	99	66-139	0	20		
1,2-Dibromo-3-chloropropane	ug/kg	<237	1480	1480	1140	1290	77	87	47-146	12	23		
1,2-Dibromoethane (EDB)	ug/kg	<25.0	1480	1480	1520	1610	103	109	70-130	6	20		
1,2-Dichlorobenzene	ug/kg	<25.0	1480	1480	1540	1570	104	106	70-130	2	20		

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: 1690005819 FORMER 1-HOUR VALET

Pace Project No.: 40204537

Parameter	Units	MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 2027270		2027271		MS Result	MSD Result	MS % Rec	MSD % Rec	% Rec Limits	Max RPD	RPD	Qual
		40204537005 Result	MS Spike Conc.	MSD Spike Conc.	MS Result								
1,2-Dichloroethane	ug/kg	<25.0	1480	1480	1640	1710	111	116	70-136	4	20		
1,2-Dichloropropane	ug/kg	<25.0	1480	1480	1560	1590	105	108	74-124	2	20		
1,3-Dichlorobenzene	ug/kg	<25.0	1480	1480	1510	1520	102	103	70-130	1	20		
1,4-Dichlorobenzene	ug/kg	<25.0	1480	1480	1540	1510	104	102	70-130	2	20		
Benzene	ug/kg	<25.0	1480	1480	1610	1670	108	112	70-130	3	20		
Bromodichloromethane	ug/kg	<25.0	1480	1480	1320	1340	89	91	70-130	2	20		
Bromoform	ug/kg	<25.0	1480	1480	1120	1170	76	79	47-129	4	20		
Bromomethane	ug/kg	<63.8	1480	1480	1440	1630	97	111	41-180	13	20		
Carbon tetrachloride	ug/kg	<25.0	1480	1480	1250	1260	85	85	58-133	1	20		
Chlorobenzene	ug/kg	<25.0	1480	1480	1500	1560	102	106	70-130	4	20		
Chloroethane	ug/kg	<46.4	1480	1480	1950	1990	132	135	28-197	2	20		
Chloroform	ug/kg	<47.5	1480	1480	1550	1590	105	107	80-131	3	20		
Chloromethane	ug/kg	<25.0	1480	1480	1110	1180	75	80	26-118	7	20		
cis-1,2-Dichloroethene	ug/kg	<25.0	1480	1480	1510	1560	101	105	70-130	4	20		
cis-1,3-Dichloropropene	ug/kg	<42.3	1480	1480	1290	1360	87	92	70-130	6	20		
Dibromochloromethane	ug/kg	<229	1480	1480	1270	1300	86	88	67-130	2	20		
Dichlorodifluoromethane	ug/kg	<25.0	1480	1480	533	544	36	37	12-108	2	29		
Ethylbenzene	ug/kg	<25.0	1480	1480	1520	1570	102	105	80-122	3	20		
Isopropylbenzene (Cumene)	ug/kg	<25.0	1480	1480	1460	1500	99	102	70-130	2	20		
m&p-Xylene	ug/kg	<50.0	2950	2950	3080	3130	103	105	70-130	2	20		
Methyl-tert-butyl ether	ug/kg	<25.0	1480	1480	1110	1270	75	86	70-130	13	20		
Methylene Chloride	ug/kg	<26.3	1480	1480	1700	1760	115	119	70-130	3	20		
o-Xylene	ug/kg	<25.0	1480	1480	1510	1540	102	104	70-130	2	20		
Styrene	ug/kg	<25.0	1480	1480	1550	1570	105	106	70-130	1	20		
Tetrachloroethene	ug/kg	668	1480	1480	1990	2090	89	96	70-130	5	20		
Toluene	ug/kg	<25.0	1480	1480	1550	1590	103	106	80-121	3	20		
trans-1,2-Dichloroethene	ug/kg	<25.0	1480	1480	1320	1550	90	105	70-130	16	20		
trans-1,3-Dichloropropene	ug/kg	<25.0	1480	1480	1180	1230	80	84	70-130	5	20		
Trichloroethene	ug/kg	40.3J	1480	1480	1520	1550	100	102	70-130	2	20		
Trichlorofluoromethane	ug/kg	<25.0	1480	1480	1420	1450	96	98	60-141	2	26		
Vinyl chloride	ug/kg	<25.0	1480	1480	1140	1150	77	78	46-121	1	20		
Xylene (Total)	ug/kg	<75.0	4430	4430	4590	4670	103	105	70-130	2	20		
4-Bromofluorobenzene (S)	%						109	108	54-126				
Dibromofluoromethane (S)	%						117	118	57-146				
Toluene-d8 (S)	%						117	117	64-134				

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: 1690005819 FORMER 1-HOUR VALET

Pace Project No.: 40204537

QC Batch: 349987 Analysis Method: ASTM D2974-87

QC Batch Method: ASTM D2974-87 Analysis Description: Dry Weight/Percent Moisture

Associated Lab Samples: 40204537006, 40204537007, 40204537008, 40204537009, 40204537010

SAMPLE DUPLICATE: 2027810

Parameter	Units	40204539007 Result	Dup Result	RPD	Max RPD	Qualifiers
Percent Moisture	%	22.0	21.9	0	10	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALIFIERS

Project: 1690005819 FORMER 1-HOUR VALET

Pace Project No.: 40204537

DEFINITIONS

DF - Dilution Factor, if reported, represents the factor applied to the reported data due to dilution of the sample aliquot.

ND - Not Detected at or above LOD.

J - Estimated concentration at or above the LOD and below the LOQ.

LOD - Limit of Detection adjusted for dilution factor, percent moisture, initial weight and final volume.

LOQ - Limit of Quantitation adjusted for dilution factor, percent moisture, initial weight and final volume.

S - Surrogate

1,2-Diphenylhydrazine decomposes to and cannot be separated from Azobenzene using Method 8270. The result for each analyte is a combined concentration.

Consistent with EPA guidelines, unrounded data are displayed and have been used to calculate % recovery and RPD values.

LCS(D) - Laboratory Control Sample (Duplicate)

MS(D) - Matrix Spike (Duplicate)

DUP - Sample Duplicate

RPD - Relative Percent Difference

NC - Not Calculable.

SG - Silica Gel - Clean-Up

U - Indicates the compound was analyzed for, but not detected at or above the adjusted LOD.

N-Nitrosodiphenylamine decomposes and cannot be separated from Diphenylamine using Method 8270. The result reported for each analyte is a combined concentration.

Pace Analytical is TNI accredited. Contact your Pace PM for the current list of accredited analytes.

TNI - The NELAC Institute.

ANALYTE QUALIFIERS

S4 Surrogate recovery not evaluated against control limits due to sample dilution.

W Non-detect results are reported on a wet weight basis.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA CROSS REFERENCE TABLE

Project: 1690005819 FORMER 1-HOUR VALET

Pace Project No.: 40204537

Lab ID	Sample ID	QC Batch Method	QC Batch	Analytical Method	Analytical Batch
40204537001	C1 (20-21)	EPA 5035/5030B	349932	EPA 8260	349934
40204537002	C1 (26-28)	EPA 5035/5030B	349932	EPA 8260	349934
40204537003	C2 (17-18)	EPA 5035/5030B	349932	EPA 8260	349934
40204537004	C2 (29-30)	EPA 5035/5030B	349932	EPA 8260	349934
40204537005	C3 (15-16)	EPA 5035/5030B	349932	EPA 8260	349934
40204537006	C3 (18-19)	EPA 5035/5030B	349932	EPA 8260	349934
40204537007	C4 (14-15)	EPA 5035/5030B	349932	EPA 8260	349934
40204537008	C4 (18-19)	EPA 5035/5030B	349932	EPA 8260	349934
40204537009	C5 (14-15)	EPA 5035/5030B	349932	EPA 8260	349934
40204537010	C5 (12-13)	EPA 5035/5030B	349932	EPA 8260	349934
40204537001	C1 (20-21)	ASTM D2974-87	349984		
40204537002	C1 (26-28)	ASTM D2974-87	349984		
40204537003	C2 (17-18)	ASTM D2974-87	349984		
40204537004	C2 (29-30)	ASTM D2974-87	349984		
40204537005	C3 (15-16)	ASTM D2974-87	349984		
40204537006	C3 (18-19)	ASTM D2974-87	349987		
40204537007	C4 (14-15)	ASTM D2974-87	349987		
40204537008	C4 (18-19)	ASTM D2974-87	349987		
40204537009	C5 (14-15)	ASTM D2974-87	349987		
40204537010	C5 (12-13)	ASTM D2974-87	349987		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

41004537

(Please Print Clearly)

Company Name: **RAMBOLL**

Branch/Location: **BROOKFIELD**

Project Contact: **SUSAN PETROFSKE**

Phone: **762-901-3501**

Project Number: **1690005819**

Project Name: **FORMER 1-Hour Valet**

Project State: **WISCONSIN**

Sampled By (Print): **DUNXAN GLAGFORD**

Sampled By (Sign): *Dun Gld*

PO #:

Regulatory Program:



CHAIN OF CUSTODY

***Preservation Codes**
 A=None B=HCL C=H2SO4 D=HNO3 E=DI Water F=Methanol G=NaOH
 H=Sodium Bisulfate Solution I=Sodium Thiosulfate J=Other

FILTERED?
(YES/NO)
 PRESERVATION
(CODE)*

Y/N	Pick Letter	Analyses Requested	COLLECTION			
			DATE	TIME	MATRIX	
N	F	VOC	3-9-20	1005	S	X
				1010		X
				1053		X
				1055		X
				1120		X
				1125		X
				1150		X
				1155		X
				1225		X
				1330		X

Quote #:

Mail To Contact:

Mail To Company:

Mail To Address:

Invoice To Contact: **SUSAN PETROFSKE**

Invoice To Company: **RAMBOLL**

Invoice To Address: **175 N CORPORATE DR
BROOKFIELD, WI 53045**

Invoice To Phone: **262-901-3501**

CLIENT COMMENTS

LAB COMMENTS (Lab Use Only)

Profile #

Data Package Options (billable)

EPA Level III

EPA Level IV

MS/MSD

On your sample (billable)

NOT needed on your sample

Matrix Codes

A = Air W = Water
 B = Biota DW = Drinking Water
 C = Charcoal GW = Ground Water
 O = Oil SW = Surface Water
 S = Soil WW = Waste Water
 SI = Sludge WP = Wipe

PACE LAB #	CLIENT FIELD ID	COLLECTION		MATRIX
		DATE	TIME	
001	C1 (20-21)	3-9-20	1005	S
002	C1 (26-28)		1010	
003	C2 (17-18)		1053	
004	C2 (29-30)		1055	
005	C3 (15-16)		1120	
006	C3 (18-19)		1125	
007	C4 (14-15)		1150	
008	C4 (18-19)		1155	
009	C5 (14-15)		1225	
010	C5 (12-13)		1330	

Rush Turnaround Time Requested - Prelims (Rush TAT subject to approval/surcharge) Date Needed:	Relinquished By: <i>Dun Gld</i> Date/Time: 3-9-2020	Received By: <i>Mary Fanni</i> Date/Time: 3/10/20 1:00	PACE Project No. 41004537
	Transmit Prelim Rush Results by (complete what you want):	Relinquished By: <i>Mary Fanni</i> Date/Time: 3/10/20 1300	
Email #1:	Relinquished By: <i>CS Logistics</i> Date/Time: 3/11/20 0915	Received By: <i>Brenda Rattner</i> Date/Time: 3/11/20 0915	Receipt Temp = <i>RA</i> °C
Email #2:	Relinquished By:	Received By:	Sample Receipt pH OK / Adjusted
Telephone:	Relinquished By:	Received By:	Cooler Custody Seal Present / Not Present
Fax:	Relinquished By:	Received By:	Intact / Not Intact

Sample Preservation Receipt Form

Client Name: Ramboll

Project # 41004537

All containers needing preservation have been checked and noted below: Yes No N/A

Initial when completed:

Date/Time:

Lab Lot# of pH paper:


Lab Std #ID of preservation (if pH adjusted):

Pace Lab #	Glass							Plastic					Vials					Jars				General			VOA Vials (>6mm) *	H2SO4 pH ≤2	NaOH+Zn Act pH ≥9	NaOH pH ≥12	HNO3 pH ≤2	pH after adjusted	Volume (mL)				
	AG1U	BG1U	AG1H	AG4S	AG4U	AG5U	AG2S	BP1U	BP3U	BP3B	BP3N	BP3S	VG9A	DG9T	VG9U	VG9H	VG9M	VG9D	JGFU	JG9U	WGFU	WPFU	SP5T	ZPLC								GN			
001																																			2.5 / 5 / 10
002																																			2.5 / 5 / 10
003																																			2.5 / 5 / 10
004																																			2.5 / 5 / 10
005																																			2.5 / 5 / 10
006																																			2.5 / 5 / 10
007																																			2.5 / 5 / 10
008																																			2.5 / 5 / 10
009																																			2.5 / 5 / 10
010																																			2.5 / 5 / 10
011																																			2.5 / 5 / 10
012																																			2.5 / 5 / 10
013																																			2.5 / 5 / 10
014																																			2.5 / 5 / 10
015																																			2.5 / 5 / 10
016																																			2.5 / 5 / 10
017																																			2.5 / 5 / 10
018																																			2.5 / 5 / 10
019																																			2.5 / 5 / 10
020																																			2.5 / 5 / 10

3-11-20 *[Signature]*

Exceptions to preservation check: VOA, Coliform, TOC, TOX, TOH, O&G, WI DRO, Phenolics, Other: _____ Headspace in VOA Vials (>6mm) : Yes No N/A *If yes look in headspace column

AG1U	1 liter amber glass	BP1U	1 liter plastic unpres	VG9A	40 mL clear ascorbic	JGFU	4 oz amber jar unpres
BG1U	1 liter clear glass	BP3U	250 mL plastic unpres	DG9T	40 mL amber Na Thio	JG9U	9 oz amber jar unpres
AG1H	1 liter amber glass HCL	BP3B	250 mL plastic NaOH	VG9U	40 mL clear vial unpres	WGFU	4 oz clear jar unpres
AG4S	125 mL amber glass H2SO4	BP3N	250 mL plastic HNO3	VG9H	40 mL clear vial HCL	WPFU	4 oz plastic jar unpres
AG4U	120 mL amber glass unpres	BP3S	250 mL plastic H2SO4	VG9M	40 mL clear vial MeOH	SP5T	120 mL plastic Na Thiosulfate
AG5U	100 mL amber glass unpres			VG9D	40 mL clear vial DI	ZPLC	ziploc bag
AG2S	500 mL amber glass H2SO4					GN	
BG3U	250 mL clear glass unpres						

 1241 Bellevue Street, Green Bay, WI 54302	Document Name: Sample Condition Upon Receipt (SCUR)	Document Revised: 25Apr2018
	Document No.: F-GB-C-031-Rev.07	Issuing Authority: Pace Green Bay Quality Office

Sample Condition Upon Receipt Form (SCUR)

Project #: _____

Client Name: Ramboll

WO#: 40204537

Courier: CS Logistics Fed Ex Speedee UPS Walco
 Client Pace Other: _____



Tracking #: _____

Custody Seal on Cooler/Box Present: yes no Seals intact: yes no

Custody Seal on Samples Present: yes no Seals intact: yes no

Packing Material: Bubble Wrap Bubble Bags None Other

Thermometer Used SR - 9 Type of Ice: Wet Blue Dry None Samples on ice, cooling process has begun

Cooler Temperature Uncorr: DOT / Corr: DOT

Temp Blank Present: yes no Biological Tissue is Frozen: yes no

Person examining contents:
 Date: 3-11-20
 Initials: BTC

Temp should be above freezing to 6°C.
 Biota Samples may be received at ≤ 0°C.

Chain of Custody Present:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	1. <u>3-11-20 BR</u>
Chain of Custody Filled Out:	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A	2. <u>No Page Number, mail information</u>
Chain of Custody Relinquished:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	3.
Sampler Name & Signature on COC:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	4.
Samples Arrived within Hold Time:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	5.
- VOA Samples frozen upon receipt	<input type="checkbox"/> Yes <input type="checkbox"/> No	Date/Time:
Short Hold Time Analysis (<72hr):	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	6.
Rush Turn Around Time Requested:	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	7.
Sufficient Volume:		8.
For Analysis: <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No MS/MSD: <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A		
Correct Containers Used:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	9.
-Pace Containers Used:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	
-Pace IR Containers Used:	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	
Containers Intact:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	10.
Filtered volume received for Dissolved tests	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	11.
Sample Labels match COC:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	12.
-Includes date/time/ID/Analysis Matrix: <u>S</u>		
Trip Blank Present:	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	13.
Trip Blank Custody Seals Present	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	
Pace Trip Blank Lot # (if purchased):		

If checked, see attached form for additional comments

Client Notification/ Resolution:

Person Contacted: _____ Date/Time: _____
 Comments/ Resolution: _____

Project Manager Review: _____

Date: 3/11/2020

March 19, 2020

Susan Petrofske
Ramboll Environ
175 North Corporate Drive
Suite 160
Brookfield, WI 53045

RE: Project: 1690005819 FORMER 1-HOUR VALET
Pace Project No.: 40204544

Dear Susan Petrofske:

Enclosed are the analytical results for sample(s) received by the laboratory on March 11, 2020. The results relate only to the samples included in this report. Results reported herein conform to the most current, applicable TNI/NELAC standards and the laboratory's Quality Assurance Manual, where applicable, unless otherwise noted in the body of the report.

If you have any questions concerning this report, please feel free to contact me.

Sincerely,



Steven Mieczko
steve.mieczko@pacelabs.com
(920)469-2436
Project Manager

Enclosures



REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

CERTIFICATIONS

Project: 1690005819 FORMER 1-HOUR VALET
Pace Project No.: 40204544

Pace Analytical Services Atlanta

110 Technology Parkway Peachtree Corners, GA 30092
Florida DOH Certification #: E87315
Georgia DW Inorganics Certification #: 812
Georgia DW Microbiology Certification #: 812

North Carolina Certification #: 381
South Carolina Certification #: 98011001
Virginia Certification #: 460204

Pace Analytical Services Green Bay

1241 Bellevue Street, Green Bay, WI 54302
Florida/NELAP Certification #: E87948
Illinois Certification #: 200050
Kentucky UST Certification #: 82
Louisiana Certification #: 04168
Minnesota Certification #: 055-999-334
New York Certification #: 12064
North Dakota Certification #: R-150

Virginia VELAP ID: 460263
South Carolina Certification #: 83006001
Texas Certification #: T104704529-14-1
Wisconsin Certification #: 405132750
Wisconsin DATCP Certification #: 105-444
USDA Soil Permit #: P330-16-00157
Federal Fish & Wildlife Permit #: LE51774A-0

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

SAMPLE SUMMARY

Project: 1690005819 FORMER 1-HOUR VALET
Pace Project No.: 40204544

Lab ID	Sample ID	Matrix	Date Collected	Date Received
40204544001	PZ-2R	Water	03/10/20 09:28	03/11/20 09:15
40204544002	MW-6	Water	03/10/20 11:05	03/11/20 09:15
40204544003	MW-6 DUP	Water	03/10/20 11:10	03/11/20 09:15
40204544004	PZ-4	Water	03/10/20 12:33	03/11/20 09:15
40204544005	MW-5	Water	03/10/20 13:20	03/11/20 09:15
40204544006	MW-4	Water	03/10/20 14:08	03/11/20 09:15
40204544007	PZ-1R	Water	03/10/20 15:00	03/11/20 09:15
40204544008	TRIP BLANK	Water	03/10/20 15:00	03/11/20 09:15

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

SAMPLE ANALYTE COUNT

Project: 1690005819 FORMER 1-HOUR VALET
Pace Project No.: 40204544

Lab ID	Sample ID	Method	Analysts	Analytes Reported	Laboratory
40204544001	PZ-2R	EPA 8015B Modified	ALD	3	PASI-G
		EPA 6020	KXS	1	PASI-G
		EPA 8260	HNW	65	PASI-G
		SM 3500 Fe -Fe2	LPH	1	PASI-GA
		SM 3500-Fe B	KN	1	PASI-GA
		EPA 300.0	HMB	1	PASI-G
		EPA 353.2	DAW	1	PASI-G
		SM 5310C	TJJ	1	PASI-G
40204544002	MW-6	EPA 8015B Modified	ALD	3	PASI-G
		EPA 6020	KXS	1	PASI-G
		EPA 8260	HNW	65	PASI-G
		SM 3500 Fe -Fe2	LPH	1	PASI-GA
		SM 3500-Fe B	KN	1	PASI-GA
		EPA 300.0	HMB	1	PASI-G
		EPA 353.2	DAW	1	PASI-G
		SM 5310C	TJJ	1	PASI-G
40204544003	MW-6 DUP	EPA 8015B Modified	ALD	3	PASI-G
		EPA 6020	KXS	1	PASI-G
		EPA 8260	HNW	65	PASI-G
		SM 3500 Fe -Fe2	LPH	1	PASI-GA
		SM 3500-Fe B	KN	1	PASI-GA
		EPA 300.0	HMB	1	PASI-G
		EPA 353.2	DAW	1	PASI-G
		SM 5310C	TJJ	1	PASI-G
40204544004	PZ-4	EPA 8260	HNW	65	PASI-G
40204544005	MW-5	EPA 8260	HNW	65	PASI-G
40204544006	MW-4	EPA 8260	HNW	65	PASI-G
40204544007	PZ-1R	EPA 8015B Modified	ALD	3	PASI-G
		EPA 6020	KXS	1	PASI-G
		EPA 8260	HNW	65	PASI-G
		SM 3500 Fe -Fe2	LPH	1	PASI-GA
		SM 3500-Fe B	KN	1	PASI-GA
		EPA 300.0	HMB	1	PASI-G
		EPA 353.2	DAW	1	PASI-G
		SM 5310C	TJJ	1	PASI-G
40204544008	TRIP BLANK	EPA 8260	HNW	65	PASI-G

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

SUMMARY OF DETECTION

Project: 1690005819 FORMER 1-HOUR VALET

Pace Project No.: 40204544

Lab Sample ID Method	Client Sample ID Parameters	Result	Units	Report Limit	Analyzed	Qualifiers
40204544001	PZ-2R					
EPA 8015B Modified	Methane	10.3	ug/L	2.8	03/18/20 09:35	
EPA 6020	Iron	2800	ug/L	250	03/14/20 04:55	
EPA 8260	cis-1,2-Dichloroethene	33.9	ug/L	1.0	03/12/20 11:13	
EPA 8260	Vinyl chloride	11.3	ug/L	1.0	03/12/20 11:13	
SM 3500-Fe B	Iron, Ferrous	2.9	mg/L	0.80	03/17/20 15:47	H3,M1
EPA 300.0	Sulfate	140	mg/L	20.0	03/12/20 14:16	
SM 5310C	Total Organic Carbon	0.36J	mg/L	0.50	03/13/20 09:32	M0
40204544002	MW-6					
EPA 8015B Modified	Methane	75.2	ug/L	2.8	03/18/20 09:42	
EPA 6020	Iron	6680	ug/L	5000	03/17/20 14:44	
EPA 8260	cis-1,2-Dichloroethene	239	ug/L	1.0	03/12/20 14:12	
EPA 8260	trans-1,2-Dichloroethene	6.8	ug/L	3.6	03/12/20 14:12	
EPA 8260	Trichloroethene	13.5	ug/L	1.0	03/12/20 14:12	
EPA 8260	Vinyl chloride	11.5	ug/L	1.0	03/12/20 14:12	
SM 3500-Fe B	Iron, Ferrous	7.4	mg/L	2.0	03/17/20 15:51	H3
EPA 300.0	Sulfate	87.0J	mg/L	100	03/12/20 20:20	D3
SM 5310C	Total Organic Carbon	1.8J	mg/L	5.0	03/16/20 06:39	D3
40204544003	MW-6 DUP					
EPA 8015B Modified	Methane	104	ug/L	2.8	03/18/20 09:49	
EPA 6020	Iron	6710	ug/L	5000	03/17/20 14:51	
EPA 8260	cis-1,2-Dichloroethene	221	ug/L	1.0	03/12/20 11:36	
EPA 8260	trans-1,2-Dichloroethene	8.0	ug/L	3.6	03/12/20 11:36	
EPA 8260	Trichloroethene	12.4	ug/L	1.0	03/12/20 11:36	
EPA 8260	Vinyl chloride	10.2	ug/L	1.0	03/12/20 11:36	
SM 3500-Fe B	Iron, Ferrous	7.6	mg/L	2.0	03/17/20 15:54	H3
EPA 300.0	Sulfate	88.7	mg/L	10.0	03/12/20 14:43	
SM 5310C	Total Organic Carbon	0.65	mg/L	0.50	03/13/20 11:00	
40204544004	PZ-4					
EPA 8260	cis-1,2-Dichloroethene	1.4	ug/L	1.0	03/13/20 07:39	
EPA 8260	Tetrachloroethene	16.0	ug/L	1.1	03/13/20 07:39	
EPA 8260	Vinyl chloride	1.7	ug/L	1.0	03/13/20 07:39	
40204544005	MW-5					
EPA 8260	cis-1,2-Dichloroethene	14.1	ug/L	1.0	03/12/20 14:34	
EPA 8260	Tetrachloroethene	23.8	ug/L	1.1	03/12/20 14:34	
EPA 8260	Trichloroethene	5.0	ug/L	1.0	03/12/20 14:34	
EPA 8260	Vinyl chloride	2.2	ug/L	1.0	03/12/20 14:34	
40204544006	MW-4					
EPA 8260	Tetrachloroethene	57.0	ug/L	1.1	03/13/20 08:01	
EPA 8260	Trichloroethene	0.47J	ug/L	1.0	03/13/20 08:01	
40204544007	PZ-1R					
EPA 8015B Modified	Ethane	2130	ug/L	28.0	03/18/20 10:37	
EPA 8015B Modified	Ethene	974	ug/L	25.0	03/18/20 10:37	
EPA 8015B Modified	Methane	162	ug/L	2.8	03/18/20 09:56	
EPA 6020	Iron	4600	ug/L	250	03/14/20 05:15	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

SUMMARY OF DETECTION

Project: 1690005819 FORMER 1-HOUR VALET

Pace Project No.: 40204544

Lab Sample ID Method	Client Sample ID Parameters	Result	Units	Report Limit	Analyzed	Qualifiers
40204544007	PZ-1R					
EPA 8260	cis-1,2-Dichloroethene	36400	ug/L	500	03/12/20 13:26	
EPA 8260	Tetrachloroethene	23200	ug/L	544	03/12/20 13:26	
EPA 8260	Trichloroethene	9060	ug/L	500	03/12/20 13:26	
EPA 8260	Vinyl chloride	2630	ug/L	500	03/12/20 13:26	
SM 3500-Fe B	Iron, Ferrous	5.1	mg/L	1.6	03/17/20 15:56	H3
EPA 300.0	Sulfate	85.9	mg/L	10.0	03/12/20 14:56	
SM 5310C	Total Organic Carbon	115	mg/L	30.0	03/13/20 11:21	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 1690005819 FORMER 1-HOUR VALET
Pace Project No.: 40204544

Sample: PZ-2R **Lab ID: 40204544001** Collected: 03/10/20 09:28 Received: 03/11/20 09:15 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
Methane, Ethane, Ethene GCV		Analytical Method: EPA 8015B Modified							
Ethane	<1.2	ug/L	5.6	1.2	1		03/18/20 09:35	74-84-0	
Ethene	<1.2	ug/L	5.0	1.2	1		03/18/20 09:35	74-85-1	
Methane	10.3	ug/L	2.8	0.66	1		03/18/20 09:35	74-82-8	
6020 MET ICPMS		Analytical Method: EPA 6020 Preparation Method: EPA 3010							
Iron	2800	ug/L	250	58.0	1	03/13/20 06:23	03/14/20 04:55	7439-89-6	
8260 MSV		Analytical Method: EPA 8260							
Benzene	<0.25	ug/L	1.0	0.25	1		03/12/20 11:13	71-43-2	
Bromobenzene	<0.24	ug/L	1.0	0.24	1		03/12/20 11:13	108-86-1	
Bromochloromethane	<0.36	ug/L	5.0	0.36	1		03/12/20 11:13	74-97-5	
Bromodichloromethane	<0.36	ug/L	1.2	0.36	1		03/12/20 11:13	75-27-4	
Bromoform	<4.0	ug/L	13.2	4.0	1		03/12/20 11:13	75-25-2	
Bromomethane	<0.97	ug/L	5.0	0.97	1		03/12/20 11:13	74-83-9	
n-Butylbenzene	<0.71	ug/L	2.4	0.71	1		03/12/20 11:13	104-51-8	
sec-Butylbenzene	<0.85	ug/L	5.0	0.85	1		03/12/20 11:13	135-98-8	
tert-Butylbenzene	<0.30	ug/L	1.0	0.30	1		03/12/20 11:13	98-06-6	
Carbon tetrachloride	<1.6	ug/L	5.5	1.6	1		03/12/20 11:13	56-23-5	
Chlorobenzene	<0.71	ug/L	2.4	0.71	1		03/12/20 11:13	108-90-7	
Chloroethane	<1.3	ug/L	5.0	1.3	1		03/12/20 11:13	75-00-3	
Chloroform	<1.3	ug/L	5.0	1.3	1		03/12/20 11:13	67-66-3	
Chloromethane	<2.2	ug/L	7.3	2.2	1		03/12/20 11:13	74-87-3	
2-Chlorotoluene	<0.93	ug/L	5.0	0.93	1		03/12/20 11:13	95-49-8	
4-Chlorotoluene	<0.76	ug/L	2.5	0.76	1		03/12/20 11:13	106-43-4	
1,2-Dibromo-3-chloropropane	<1.8	ug/L	5.9	1.8	1		03/12/20 11:13	96-12-8	
Dibromochloromethane	<2.6	ug/L	8.7	2.6	1		03/12/20 11:13	124-48-1	
1,2-Dibromoethane (EDB)	<0.83	ug/L	2.8	0.83	1		03/12/20 11:13	106-93-4	
Dibromomethane	<0.94	ug/L	3.1	0.94	1		03/12/20 11:13	74-95-3	
1,2-Dichlorobenzene	<0.71	ug/L	2.4	0.71	1		03/12/20 11:13	95-50-1	
1,3-Dichlorobenzene	<0.63	ug/L	2.1	0.63	1		03/12/20 11:13	541-73-1	
1,4-Dichlorobenzene	<0.94	ug/L	3.1	0.94	1		03/12/20 11:13	106-46-7	
Dichlorodifluoromethane	<0.50	ug/L	5.0	0.50	1		03/12/20 11:13	75-71-8	
1,1-Dichloroethane	<0.27	ug/L	1.0	0.27	1		03/12/20 11:13	75-34-3	
1,2-Dichloroethane	<0.28	ug/L	1.0	0.28	1		03/12/20 11:13	107-06-2	
1,1-Dichloroethene	<0.24	ug/L	1.0	0.24	1		03/12/20 11:13	75-35-4	
cis-1,2-Dichloroethene	33.9	ug/L	1.0	0.27	1		03/12/20 11:13	156-59-2	
trans-1,2-Dichloroethene	<1.1	ug/L	3.6	1.1	1		03/12/20 11:13	156-60-5	
1,2-Dichloropropane	<0.28	ug/L	1.0	0.28	1		03/12/20 11:13	78-87-5	
1,3-Dichloropropane	<0.83	ug/L	2.8	0.83	1		03/12/20 11:13	142-28-9	
2,2-Dichloropropane	<2.3	ug/L	7.6	2.3	1		03/12/20 11:13	594-20-7	
1,1-Dichloropropene	<0.54	ug/L	1.8	0.54	1		03/12/20 11:13	563-58-6	
cis-1,3-Dichloropropene	<3.6	ug/L	12.1	3.6	1		03/12/20 11:13	10061-01-5	
trans-1,3-Dichloropropene	<4.4	ug/L	14.6	4.4	1		03/12/20 11:13	10061-02-6	
Diisopropyl ether	<1.9	ug/L	6.3	1.9	1		03/12/20 11:13	108-20-3	
Ethylbenzene	<0.32	ug/L	1.1	0.32	1		03/12/20 11:13	100-41-4	
Hexachloro-1,3-butadiene	<1.5	ug/L	4.9	1.5	1		03/12/20 11:13	87-68-3	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 1690005819 FORMER 1-HOUR VALET

Pace Project No.: 40204544

Sample: PZ-2R **Lab ID: 40204544001** Collected: 03/10/20 09:28 Received: 03/11/20 09:15 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV		Analytical Method: EPA 8260							
Isopropylbenzene (Cumene)	<1.7	ug/L	5.6	1.7	1		03/12/20 11:13	98-82-8	
p-Isopropyltoluene	<0.80	ug/L	2.7	0.80	1		03/12/20 11:13	99-87-6	
Methylene Chloride	<0.58	ug/L	5.0	0.58	1		03/12/20 11:13	75-09-2	
Methyl-tert-butyl ether	<1.2	ug/L	4.2	1.2	1		03/12/20 11:13	1634-04-4	
Naphthalene	<1.2	ug/L	5.0	1.2	1		03/12/20 11:13	91-20-3	
n-Propylbenzene	<0.81	ug/L	5.0	0.81	1		03/12/20 11:13	103-65-1	
Styrene	<3.0	ug/L	10.0	3.0	1		03/12/20 11:13	100-42-5	
1,1,1,2-Tetrachloroethane	<0.27	ug/L	1.0	0.27	1		03/12/20 11:13	630-20-6	
1,1,2,2-Tetrachloroethane	<0.28	ug/L	1.0	0.28	1		03/12/20 11:13	79-34-5	
Tetrachloroethene	<0.33	ug/L	1.1	0.33	1		03/12/20 11:13	127-18-4	
Toluene	<0.27	ug/L	0.90	0.27	1		03/12/20 11:13	108-88-3	
1,2,3-Trichlorobenzene	<2.2	ug/L	7.4	2.2	1		03/12/20 11:13	87-61-6	
1,2,4-Trichlorobenzene	<0.95	ug/L	5.0	0.95	1		03/12/20 11:13	120-82-1	
1,1,1-Trichloroethane	<0.24	ug/L	1.0	0.24	1		03/12/20 11:13	71-55-6	
1,1,2-Trichloroethane	<0.55	ug/L	5.0	0.55	1		03/12/20 11:13	79-00-5	
Trichloroethene	<0.26	ug/L	1.0	0.26	1		03/12/20 11:13	79-01-6	
Trichlorofluoromethane	<0.21	ug/L	1.0	0.21	1		03/12/20 11:13	75-69-4	
1,2,3-Trichloropropane	<0.59	ug/L	5.0	0.59	1		03/12/20 11:13	96-18-4	
1,2,4-Trimethylbenzene	<0.84	ug/L	2.8	0.84	1		03/12/20 11:13	95-63-6	
1,3,5-Trimethylbenzene	<0.87	ug/L	2.9	0.87	1		03/12/20 11:13	108-67-8	
Vinyl chloride	11.3	ug/L	1.0	0.17	1		03/12/20 11:13	75-01-4	
Xylene (Total)	<1.5	ug/L	3.0	1.5	1		03/12/20 11:13	1330-20-7	
m&p-Xylene	<0.47	ug/L	2.0	0.47	1		03/12/20 11:13	179601-23-1	
o-Xylene	<0.26	ug/L	1.0	0.26	1		03/12/20 11:13	95-47-6	
Surrogates									
4-Bromofluorobenzene (S)	94	%	70-130		1		03/12/20 11:13	460-00-4	
Dibromofluoromethane (S)	110	%	70-130		1		03/12/20 11:13	1868-53-7	
Toluene-d8 (S)	102	%	70-130		1		03/12/20 11:13	2037-26-5	
Iron, Ferric (Calculation)		Analytical Method: SM 3500 Fe -Fe2							
Iron, Ferric	<0.20	mg/L	0.20	0.20	1		03/19/20 12:37	7439-89-6	
Iron, Ferrous		Analytical Method: SM 3500-Fe B							
Iron, Ferrous	2.9	mg/L	0.80	0.80	4		03/17/20 15:47		H3,M1
300.0 IC Anions		Analytical Method: EPA 300.0							
Sulfate	140	mg/L	20.0	4.4	10		03/12/20 14:16	14808-79-8	
353.2 Nitrogen, NO2/NO3 pres.		Analytical Method: EPA 353.2							
Nitrogen, NO2 plus NO3	<0.059	mg/L	0.25	0.059	1		03/13/20 10:00		
5310C TOC		Analytical Method: SM 5310C							
Total Organic Carbon	0.36J	mg/L	0.50	0.15	1		03/13/20 09:32	7440-44-0	M0

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 1690005819 FORMER 1-HOUR VALET
Pace Project No.: 40204544

Sample: MW-6 **Lab ID: 40204544002** Collected: 03/10/20 11:05 Received: 03/11/20 09:15 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
Methane, Ethane, Ethene GCV		Analytical Method: EPA 8015B Modified							
Ethane	<1.2	ug/L	5.6	1.2	1		03/18/20 09:42	74-84-0	
Ethene	<1.2	ug/L	5.0	1.2	1		03/18/20 09:42	74-85-1	
Methane	75.2	ug/L	2.8	0.66	1		03/18/20 09:42	74-82-8	
6020 MET ICPMS		Analytical Method: EPA 6020 Preparation Method: EPA 3010							
Iron	6680	ug/L	5000	1160	20	03/13/20 06:23	03/17/20 14:44	7439-89-6	
8260 MSV		Analytical Method: EPA 8260							
Benzene	<0.25	ug/L	1.0	0.25	1		03/12/20 14:12	71-43-2	
Bromobenzene	<0.24	ug/L	1.0	0.24	1		03/12/20 14:12	108-86-1	
Bromochloromethane	<0.36	ug/L	5.0	0.36	1		03/12/20 14:12	74-97-5	
Bromodichloromethane	<0.36	ug/L	1.2	0.36	1		03/12/20 14:12	75-27-4	
Bromoform	<4.0	ug/L	13.2	4.0	1		03/12/20 14:12	75-25-2	
Bromomethane	<0.97	ug/L	5.0	0.97	1		03/12/20 14:12	74-83-9	
n-Butylbenzene	<0.71	ug/L	2.4	0.71	1		03/12/20 14:12	104-51-8	
sec-Butylbenzene	<0.85	ug/L	5.0	0.85	1		03/12/20 14:12	135-98-8	
tert-Butylbenzene	<0.30	ug/L	1.0	0.30	1		03/12/20 14:12	98-06-6	
Carbon tetrachloride	<1.6	ug/L	5.5	1.6	1		03/12/20 14:12	56-23-5	
Chlorobenzene	<0.71	ug/L	2.4	0.71	1		03/12/20 14:12	108-90-7	
Chloroethane	<1.3	ug/L	5.0	1.3	1		03/12/20 14:12	75-00-3	
Chloroform	<1.3	ug/L	5.0	1.3	1		03/12/20 14:12	67-66-3	
Chloromethane	<2.2	ug/L	7.3	2.2	1		03/12/20 14:12	74-87-3	
2-Chlorotoluene	<0.93	ug/L	5.0	0.93	1		03/12/20 14:12	95-49-8	
4-Chlorotoluene	<0.76	ug/L	2.5	0.76	1		03/12/20 14:12	106-43-4	
1,2-Dibromo-3-chloropropane	<1.8	ug/L	5.9	1.8	1		03/12/20 14:12	96-12-8	
Dibromochloromethane	<2.6	ug/L	8.7	2.6	1		03/12/20 14:12	124-48-1	
1,2-Dibromoethane (EDB)	<0.83	ug/L	2.8	0.83	1		03/12/20 14:12	106-93-4	
Dibromomethane	<0.94	ug/L	3.1	0.94	1		03/12/20 14:12	74-95-3	
1,2-Dichlorobenzene	<0.71	ug/L	2.4	0.71	1		03/12/20 14:12	95-50-1	
1,3-Dichlorobenzene	<0.63	ug/L	2.1	0.63	1		03/12/20 14:12	541-73-1	
1,4-Dichlorobenzene	<0.94	ug/L	3.1	0.94	1		03/12/20 14:12	106-46-7	
Dichlorodifluoromethane	<0.50	ug/L	5.0	0.50	1		03/12/20 14:12	75-71-8	
1,1-Dichloroethane	<0.27	ug/L	1.0	0.27	1		03/12/20 14:12	75-34-3	
1,2-Dichloroethane	<0.28	ug/L	1.0	0.28	1		03/12/20 14:12	107-06-2	
1,1-Dichloroethene	<0.24	ug/L	1.0	0.24	1		03/12/20 14:12	75-35-4	
cis-1,2-Dichloroethene	239	ug/L	1.0	0.27	1		03/12/20 14:12	156-59-2	
trans-1,2-Dichloroethene	6.8	ug/L	3.6	1.1	1		03/12/20 14:12	156-60-5	
1,2-Dichloropropane	<0.28	ug/L	1.0	0.28	1		03/12/20 14:12	78-87-5	
1,3-Dichloropropane	<0.83	ug/L	2.8	0.83	1		03/12/20 14:12	142-28-9	
2,2-Dichloropropane	<2.3	ug/L	7.6	2.3	1		03/12/20 14:12	594-20-7	
1,1-Dichloropropene	<0.54	ug/L	1.8	0.54	1		03/12/20 14:12	563-58-6	
cis-1,3-Dichloropropene	<3.6	ug/L	12.1	3.6	1		03/12/20 14:12	10061-01-5	
trans-1,3-Dichloropropene	<4.4	ug/L	14.6	4.4	1		03/12/20 14:12	10061-02-6	
Diisopropyl ether	<1.9	ug/L	6.3	1.9	1		03/12/20 14:12	108-20-3	
Ethylbenzene	<0.32	ug/L	1.1	0.32	1		03/12/20 14:12	100-41-4	
Hexachloro-1,3-butadiene	<1.5	ug/L	4.9	1.5	1		03/12/20 14:12	87-68-3	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 1690005819 FORMER 1-HOUR VALET

Pace Project No.: 40204544

Sample: MW-6 **Lab ID: 40204544002** Collected: 03/10/20 11:05 Received: 03/11/20 09:15 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV		Analytical Method: EPA 8260							
Isopropylbenzene (Cumene)	<1.7	ug/L	5.6	1.7	1		03/12/20 14:12	98-82-8	
p-Isopropyltoluene	<0.80	ug/L	2.7	0.80	1		03/12/20 14:12	99-87-6	
Methylene Chloride	<0.58	ug/L	5.0	0.58	1		03/12/20 14:12	75-09-2	
Methyl-tert-butyl ether	<1.2	ug/L	4.2	1.2	1		03/12/20 14:12	1634-04-4	
Naphthalene	<1.2	ug/L	5.0	1.2	1		03/12/20 14:12	91-20-3	
n-Propylbenzene	<0.81	ug/L	5.0	0.81	1		03/12/20 14:12	103-65-1	
Styrene	<3.0	ug/L	10.0	3.0	1		03/12/20 14:12	100-42-5	
1,1,1,2-Tetrachloroethane	<0.27	ug/L	1.0	0.27	1		03/12/20 14:12	630-20-6	
1,1,2,2-Tetrachloroethane	<0.28	ug/L	1.0	0.28	1		03/12/20 14:12	79-34-5	
Tetrachloroethene	<0.33	ug/L	1.1	0.33	1		03/12/20 14:12	127-18-4	
Toluene	<0.27	ug/L	0.90	0.27	1		03/12/20 14:12	108-88-3	
1,2,3-Trichlorobenzene	<2.2	ug/L	7.4	2.2	1		03/12/20 14:12	87-61-6	
1,2,4-Trichlorobenzene	<0.95	ug/L	5.0	0.95	1		03/12/20 14:12	120-82-1	
1,1,1-Trichloroethane	<0.24	ug/L	1.0	0.24	1		03/12/20 14:12	71-55-6	
1,1,2-Trichloroethane	<0.55	ug/L	5.0	0.55	1		03/12/20 14:12	79-00-5	
Trichloroethene	13.5	ug/L	1.0	0.26	1		03/12/20 14:12	79-01-6	
Trichlorofluoromethane	<0.21	ug/L	1.0	0.21	1		03/12/20 14:12	75-69-4	
1,2,3-Trichloropropane	<0.59	ug/L	5.0	0.59	1		03/12/20 14:12	96-18-4	
1,2,4-Trimethylbenzene	<0.84	ug/L	2.8	0.84	1		03/12/20 14:12	95-63-6	
1,3,5-Trimethylbenzene	<0.87	ug/L	2.9	0.87	1		03/12/20 14:12	108-67-8	
Vinyl chloride	11.5	ug/L	1.0	0.17	1		03/12/20 14:12	75-01-4	
Xylene (Total)	<1.5	ug/L	3.0	1.5	1		03/12/20 14:12	1330-20-7	
m&p-Xylene	<0.47	ug/L	2.0	0.47	1		03/12/20 14:12	179601-23-1	
o-Xylene	<0.26	ug/L	1.0	0.26	1		03/12/20 14:12	95-47-6	
Surrogates									
4-Bromofluorobenzene (S)	95	%	70-130		1		03/12/20 14:12	460-00-4	
Dibromofluoromethane (S)	109	%	70-130		1		03/12/20 14:12	1868-53-7	
Toluene-d8 (S)	103	%	70-130		1		03/12/20 14:12	2037-26-5	
Iron, Ferric (Calculation)		Analytical Method: SM 3500 Fe -Fe2							
Iron, Ferric	<0.20	mg/L	0.20	0.20	1		03/19/20 12:37	7439-89-6	
Iron, Ferrous		Analytical Method: SM 3500-Fe B							
Iron, Ferrous	7.4	mg/L	2.0	2.0	10		03/17/20 15:51		H3
300.0 IC Anions		Analytical Method: EPA 300.0							
Sulfate	87.0J	mg/L	100	22.2	50		03/12/20 20:20	14808-79-8	D3
353.2 Nitrogen, NO2/NO3 pres.		Analytical Method: EPA 353.2							
Nitrogen, NO2 plus NO3	<0.059	mg/L	0.25	0.059	1		03/13/20 10:00		
5310C TOC		Analytical Method: SM 5310C							
Total Organic Carbon	1.8J	mg/L	5.0	1.5	10		03/16/20 06:39	7440-44-0	D3

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 1690005819 FORMER 1-HOUR VALET

Pace Project No.: 40204544

Sample: MW-6 DUP **Lab ID: 40204544003** Collected: 03/10/20 11:10 Received: 03/11/20 09:15 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
Methane, Ethane, Ethene GCV		Analytical Method: EPA 8015B Modified							
Ethane	<1.2	ug/L	5.6	1.2	1		03/18/20 09:49	74-84-0	
Ethene	<1.2	ug/L	5.0	1.2	1		03/18/20 09:49	74-85-1	
Methane	104	ug/L	2.8	0.66	1		03/18/20 09:49	74-82-8	
6020 MET ICPMS		Analytical Method: EPA 6020 Preparation Method: EPA 3010							
Iron	6710	ug/L	5000	1160	20	03/13/20 06:23	03/17/20 14:51	7439-89-6	
8260 MSV		Analytical Method: EPA 8260							
Benzene	<0.25	ug/L	1.0	0.25	1		03/12/20 11:36	71-43-2	
Bromobenzene	<0.24	ug/L	1.0	0.24	1		03/12/20 11:36	108-86-1	
Bromochloromethane	<0.36	ug/L	5.0	0.36	1		03/12/20 11:36	74-97-5	
Bromodichloromethane	<0.36	ug/L	1.2	0.36	1		03/12/20 11:36	75-27-4	
Bromoform	<4.0	ug/L	13.2	4.0	1		03/12/20 11:36	75-25-2	
Bromomethane	<0.97	ug/L	5.0	0.97	1		03/12/20 11:36	74-83-9	
n-Butylbenzene	<0.71	ug/L	2.4	0.71	1		03/12/20 11:36	104-51-8	
sec-Butylbenzene	<0.85	ug/L	5.0	0.85	1		03/12/20 11:36	135-98-8	
tert-Butylbenzene	<0.30	ug/L	1.0	0.30	1		03/12/20 11:36	98-06-6	
Carbon tetrachloride	<1.6	ug/L	5.5	1.6	1		03/12/20 11:36	56-23-5	
Chlorobenzene	<0.71	ug/L	2.4	0.71	1		03/12/20 11:36	108-90-7	
Chloroethane	<1.3	ug/L	5.0	1.3	1		03/12/20 11:36	75-00-3	
Chloroform	<1.3	ug/L	5.0	1.3	1		03/12/20 11:36	67-66-3	
Chloromethane	<2.2	ug/L	7.3	2.2	1		03/12/20 11:36	74-87-3	
2-Chlorotoluene	<0.93	ug/L	5.0	0.93	1		03/12/20 11:36	95-49-8	
4-Chlorotoluene	<0.76	ug/L	2.5	0.76	1		03/12/20 11:36	106-43-4	
1,2-Dibromo-3-chloropropane	<1.8	ug/L	5.9	1.8	1		03/12/20 11:36	96-12-8	
Dibromochloromethane	<2.6	ug/L	8.7	2.6	1		03/12/20 11:36	124-48-1	
1,2-Dibromoethane (EDB)	<0.83	ug/L	2.8	0.83	1		03/12/20 11:36	106-93-4	
Dibromomethane	<0.94	ug/L	3.1	0.94	1		03/12/20 11:36	74-95-3	
1,2-Dichlorobenzene	<0.71	ug/L	2.4	0.71	1		03/12/20 11:36	95-50-1	
1,3-Dichlorobenzene	<0.63	ug/L	2.1	0.63	1		03/12/20 11:36	541-73-1	
1,4-Dichlorobenzene	<0.94	ug/L	3.1	0.94	1		03/12/20 11:36	106-46-7	
Dichlorodifluoromethane	<0.50	ug/L	5.0	0.50	1		03/12/20 11:36	75-71-8	
1,1-Dichloroethane	<0.27	ug/L	1.0	0.27	1		03/12/20 11:36	75-34-3	
1,2-Dichloroethane	<0.28	ug/L	1.0	0.28	1		03/12/20 11:36	107-06-2	
1,1-Dichloroethene	<0.24	ug/L	1.0	0.24	1		03/12/20 11:36	75-35-4	
cis-1,2-Dichloroethene	221	ug/L	1.0	0.27	1		03/12/20 11:36	156-59-2	
trans-1,2-Dichloroethene	8.0	ug/L	3.6	1.1	1		03/12/20 11:36	156-60-5	
1,2-Dichloropropane	<0.28	ug/L	1.0	0.28	1		03/12/20 11:36	78-87-5	
1,3-Dichloropropane	<0.83	ug/L	2.8	0.83	1		03/12/20 11:36	142-28-9	
2,2-Dichloropropane	<2.3	ug/L	7.6	2.3	1		03/12/20 11:36	594-20-7	
1,1-Dichloropropene	<0.54	ug/L	1.8	0.54	1		03/12/20 11:36	563-58-6	
cis-1,3-Dichloropropene	<3.6	ug/L	12.1	3.6	1		03/12/20 11:36	10061-01-5	
trans-1,3-Dichloropropene	<4.4	ug/L	14.6	4.4	1		03/12/20 11:36	10061-02-6	
Diisopropyl ether	<1.9	ug/L	6.3	1.9	1		03/12/20 11:36	108-20-3	
Ethylbenzene	<0.32	ug/L	1.1	0.32	1		03/12/20 11:36	100-41-4	
Hexachloro-1,3-butadiene	<1.5	ug/L	4.9	1.5	1		03/12/20 11:36	87-68-3	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 1690005819 FORMER 1-HOUR VALET
Pace Project No.: 40204544

Sample: MW-6 DUP **Lab ID: 40204544003** Collected: 03/10/20 11:10 Received: 03/11/20 09:15 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV		Analytical Method: EPA 8260							
Isopropylbenzene (Cumene)	<1.7	ug/L	5.6	1.7	1		03/12/20 11:36	98-82-8	
p-Isopropyltoluene	<0.80	ug/L	2.7	0.80	1		03/12/20 11:36	99-87-6	
Methylene Chloride	<0.58	ug/L	5.0	0.58	1		03/12/20 11:36	75-09-2	
Methyl-tert-butyl ether	<1.2	ug/L	4.2	1.2	1		03/12/20 11:36	1634-04-4	
Naphthalene	<1.2	ug/L	5.0	1.2	1		03/12/20 11:36	91-20-3	
n-Propylbenzene	<0.81	ug/L	5.0	0.81	1		03/12/20 11:36	103-65-1	
Styrene	<3.0	ug/L	10.0	3.0	1		03/12/20 11:36	100-42-5	
1,1,1,2-Tetrachloroethane	<0.27	ug/L	1.0	0.27	1		03/12/20 11:36	630-20-6	
1,1,2,2-Tetrachloroethane	<0.28	ug/L	1.0	0.28	1		03/12/20 11:36	79-34-5	
Tetrachloroethene	<0.33	ug/L	1.1	0.33	1		03/12/20 11:36	127-18-4	
Toluene	<0.27	ug/L	0.90	0.27	1		03/12/20 11:36	108-88-3	
1,2,3-Trichlorobenzene	<2.2	ug/L	7.4	2.2	1		03/12/20 11:36	87-61-6	
1,2,4-Trichlorobenzene	<0.95	ug/L	5.0	0.95	1		03/12/20 11:36	120-82-1	
1,1,1-Trichloroethane	<0.24	ug/L	1.0	0.24	1		03/12/20 11:36	71-55-6	
1,1,2-Trichloroethane	<0.55	ug/L	5.0	0.55	1		03/12/20 11:36	79-00-5	
Trichloroethene	12.4	ug/L	1.0	0.26	1		03/12/20 11:36	79-01-6	
Trichlorofluoromethane	<0.21	ug/L	1.0	0.21	1		03/12/20 11:36	75-69-4	
1,2,3-Trichloropropane	<0.59	ug/L	5.0	0.59	1		03/12/20 11:36	96-18-4	
1,2,4-Trimethylbenzene	<0.84	ug/L	2.8	0.84	1		03/12/20 11:36	95-63-6	
1,3,5-Trimethylbenzene	<0.87	ug/L	2.9	0.87	1		03/12/20 11:36	108-67-8	
Vinyl chloride	10.2	ug/L	1.0	0.17	1		03/12/20 11:36	75-01-4	
Xylene (Total)	<1.5	ug/L	3.0	1.5	1		03/12/20 11:36	1330-20-7	
m&p-Xylene	<0.47	ug/L	2.0	0.47	1		03/12/20 11:36	179601-23-1	
o-Xylene	<0.26	ug/L	1.0	0.26	1		03/12/20 11:36	95-47-6	
Surrogates									
4-Bromofluorobenzene (S)	95	%	70-130		1		03/12/20 11:36	460-00-4	
Dibromofluoromethane (S)	109	%	70-130		1		03/12/20 11:36	1868-53-7	
Toluene-d8 (S)	103	%	70-130		1		03/12/20 11:36	2037-26-5	
Iron, Ferric (Calculation)		Analytical Method: SM 3500 Fe -Fe2							
Iron, Ferric	<0.20	mg/L	0.20	0.20	1		03/19/20 12:37	7439-89-6	
Iron, Ferrous		Analytical Method: SM 3500-Fe B							
Iron, Ferrous	7.6	mg/L	2.0	2.0	10		03/17/20 15:54		H3
300.0 IC Anions		Analytical Method: EPA 300.0							
Sulfate	88.7	mg/L	10.0	2.2	5		03/12/20 14:43	14808-79-8	
353.2 Nitrogen, NO2/NO3 pres.		Analytical Method: EPA 353.2							
Nitrogen, NO2 plus NO3	<0.059	mg/L	0.25	0.059	1		03/13/20 10:04		
5310C TOC		Analytical Method: SM 5310C							
Total Organic Carbon	0.65	mg/L	0.50	0.15	1		03/13/20 11:00	7440-44-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 1690005819 FORMER 1-HOUR VALET

Pace Project No.: 40204544

Sample: PZ-4 **Lab ID: 40204544004** Collected: 03/10/20 12:33 Received: 03/11/20 09:15 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Analytical Method: EPA 8260									
Benzene	<0.25	ug/L	1.0	0.25	1		03/13/20 07:39	71-43-2	
Bromobenzene	<0.24	ug/L	1.0	0.24	1		03/13/20 07:39	108-86-1	
Bromochloromethane	<0.36	ug/L	5.0	0.36	1		03/13/20 07:39	74-97-5	
Bromodichloromethane	<0.36	ug/L	1.2	0.36	1		03/13/20 07:39	75-27-4	
Bromoform	<4.0	ug/L	13.2	4.0	1		03/13/20 07:39	75-25-2	
Bromomethane	<0.97	ug/L	5.0	0.97	1		03/13/20 07:39	74-83-9	
n-Butylbenzene	<0.71	ug/L	2.4	0.71	1		03/13/20 07:39	104-51-8	
sec-Butylbenzene	<0.85	ug/L	5.0	0.85	1		03/13/20 07:39	135-98-8	
tert-Butylbenzene	<0.30	ug/L	1.0	0.30	1		03/13/20 07:39	98-06-6	
Carbon tetrachloride	<1.6	ug/L	5.5	1.6	1		03/13/20 07:39	56-23-5	
Chlorobenzene	<0.71	ug/L	2.4	0.71	1		03/13/20 07:39	108-90-7	
Chloroethane	<1.3	ug/L	5.0	1.3	1		03/13/20 07:39	75-00-3	
Chloroform	<1.3	ug/L	5.0	1.3	1		03/13/20 07:39	67-66-3	
Chloromethane	<2.2	ug/L	7.3	2.2	1		03/13/20 07:39	74-87-3	
2-Chlorotoluene	<0.93	ug/L	5.0	0.93	1		03/13/20 07:39	95-49-8	
4-Chlorotoluene	<0.76	ug/L	2.5	0.76	1		03/13/20 07:39	106-43-4	
1,2-Dibromo-3-chloropropane	<1.8	ug/L	5.9	1.8	1		03/13/20 07:39	96-12-8	
Dibromochloromethane	<2.6	ug/L	8.7	2.6	1		03/13/20 07:39	124-48-1	
1,2-Dibromoethane (EDB)	<0.83	ug/L	2.8	0.83	1		03/13/20 07:39	106-93-4	
Dibromomethane	<0.94	ug/L	3.1	0.94	1		03/13/20 07:39	74-95-3	
1,2-Dichlorobenzene	<0.71	ug/L	2.4	0.71	1		03/13/20 07:39	95-50-1	
1,3-Dichlorobenzene	<0.63	ug/L	2.1	0.63	1		03/13/20 07:39	541-73-1	
1,4-Dichlorobenzene	<0.94	ug/L	3.1	0.94	1		03/13/20 07:39	106-46-7	
Dichlorodifluoromethane	<0.50	ug/L	5.0	0.50	1		03/13/20 07:39	75-71-8	
1,1-Dichloroethane	<0.27	ug/L	1.0	0.27	1		03/13/20 07:39	75-34-3	
1,2-Dichloroethane	<0.28	ug/L	1.0	0.28	1		03/13/20 07:39	107-06-2	
1,1-Dichloroethene	<0.24	ug/L	1.0	0.24	1		03/13/20 07:39	75-35-4	
cis-1,2-Dichloroethene	1.4	ug/L	1.0	0.27	1		03/13/20 07:39	156-59-2	
trans-1,2-Dichloroethene	<1.1	ug/L	3.6	1.1	1		03/13/20 07:39	156-60-5	
1,2-Dichloropropane	<0.28	ug/L	1.0	0.28	1		03/13/20 07:39	78-87-5	
1,3-Dichloropropane	<0.83	ug/L	2.8	0.83	1		03/13/20 07:39	142-28-9	
2,2-Dichloropropane	<2.3	ug/L	7.6	2.3	1		03/13/20 07:39	594-20-7	
1,1-Dichloropropene	<0.54	ug/L	1.8	0.54	1		03/13/20 07:39	563-58-6	
cis-1,3-Dichloropropene	<3.6	ug/L	12.1	3.6	1		03/13/20 07:39	10061-01-5	
trans-1,3-Dichloropropene	<4.4	ug/L	14.6	4.4	1		03/13/20 07:39	10061-02-6	
Diisopropyl ether	<1.9	ug/L	6.3	1.9	1		03/13/20 07:39	108-20-3	
Ethylbenzene	<0.32	ug/L	1.1	0.32	1		03/13/20 07:39	100-41-4	
Hexachloro-1,3-butadiene	<1.5	ug/L	4.9	1.5	1		03/13/20 07:39	87-68-3	
Isopropylbenzene (Cumene)	<1.7	ug/L	5.6	1.7	1		03/13/20 07:39	98-82-8	
p-Isopropyltoluene	<0.80	ug/L	2.7	0.80	1		03/13/20 07:39	99-87-6	
Methylene Chloride	<0.58	ug/L	5.0	0.58	1		03/13/20 07:39	75-09-2	
Methyl-tert-butyl ether	<1.2	ug/L	4.2	1.2	1		03/13/20 07:39	1634-04-4	
Naphthalene	<1.2	ug/L	5.0	1.2	1		03/13/20 07:39	91-20-3	
n-Propylbenzene	<0.81	ug/L	5.0	0.81	1		03/13/20 07:39	103-65-1	
Styrene	<3.0	ug/L	10.0	3.0	1		03/13/20 07:39	100-42-5	
1,1,1,2-Tetrachloroethane	<0.27	ug/L	1.0	0.27	1		03/13/20 07:39	630-20-6	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 1690005819 FORMER 1-HOUR VALET

Pace Project No.: 40204544

Sample: PZ-4 **Lab ID: 40204544004** Collected: 03/10/20 12:33 Received: 03/11/20 09:15 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV		Analytical Method: EPA 8260							
1,1,2,2-Tetrachloroethane	<0.28	ug/L	1.0	0.28	1		03/13/20 07:39	79-34-5	
Tetrachloroethene	16.0	ug/L	1.1	0.33	1		03/13/20 07:39	127-18-4	
Toluene	<0.27	ug/L	0.90	0.27	1		03/13/20 07:39	108-88-3	
1,2,3-Trichlorobenzene	<2.2	ug/L	7.4	2.2	1		03/13/20 07:39	87-61-6	
1,2,4-Trichlorobenzene	<0.95	ug/L	5.0	0.95	1		03/13/20 07:39	120-82-1	
1,1,1-Trichloroethane	<0.24	ug/L	1.0	0.24	1		03/13/20 07:39	71-55-6	
1,1,2-Trichloroethane	<0.55	ug/L	5.0	0.55	1		03/13/20 07:39	79-00-5	
Trichloroethene	<0.26	ug/L	1.0	0.26	1		03/13/20 07:39	79-01-6	
Trichlorofluoromethane	<0.21	ug/L	1.0	0.21	1		03/13/20 07:39	75-69-4	
1,2,3-Trichloropropane	<0.59	ug/L	5.0	0.59	1		03/13/20 07:39	96-18-4	
1,2,4-Trimethylbenzene	<0.84	ug/L	2.8	0.84	1		03/13/20 07:39	95-63-6	
1,3,5-Trimethylbenzene	<0.87	ug/L	2.9	0.87	1		03/13/20 07:39	108-67-8	
Vinyl chloride	1.7	ug/L	1.0	0.17	1		03/13/20 07:39	75-01-4	
Xylene (Total)	<1.5	ug/L	3.0	1.5	1		03/13/20 07:39	1330-20-7	
m&p-Xylene	<0.47	ug/L	2.0	0.47	1		03/13/20 07:39	179601-23-1	
o-Xylene	<0.26	ug/L	1.0	0.26	1		03/13/20 07:39	95-47-6	
Surrogates									
4-Bromofluorobenzene (S)	93	%	70-130		1		03/13/20 07:39	460-00-4	
Dibromofluoromethane (S)	107	%	70-130		1		03/13/20 07:39	1868-53-7	
Toluene-d8 (S)	102	%	70-130		1		03/13/20 07:39	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 1690005819 FORMER 1-HOUR VALET

Pace Project No.: 40204544

Sample: MW-5 **Lab ID: 40204544005** Collected: 03/10/20 13:20 Received: 03/11/20 09:15 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Analytical Method: EPA 8260									
Benzene	<0.25	ug/L	1.0	0.25	1		03/12/20 14:34	71-43-2	
Bromobenzene	<0.24	ug/L	1.0	0.24	1		03/12/20 14:34	108-86-1	
Bromochloromethane	<0.36	ug/L	5.0	0.36	1		03/12/20 14:34	74-97-5	
Bromodichloromethane	<0.36	ug/L	1.2	0.36	1		03/12/20 14:34	75-27-4	
Bromoform	<4.0	ug/L	13.2	4.0	1		03/12/20 14:34	75-25-2	
Bromomethane	<0.97	ug/L	5.0	0.97	1		03/12/20 14:34	74-83-9	
n-Butylbenzene	<0.71	ug/L	2.4	0.71	1		03/12/20 14:34	104-51-8	
sec-Butylbenzene	<0.85	ug/L	5.0	0.85	1		03/12/20 14:34	135-98-8	
tert-Butylbenzene	<0.30	ug/L	1.0	0.30	1		03/12/20 14:34	98-06-6	
Carbon tetrachloride	<1.6	ug/L	5.5	1.6	1		03/12/20 14:34	56-23-5	
Chlorobenzene	<0.71	ug/L	2.4	0.71	1		03/12/20 14:34	108-90-7	
Chloroethane	<1.3	ug/L	5.0	1.3	1		03/12/20 14:34	75-00-3	
Chloroform	<1.3	ug/L	5.0	1.3	1		03/12/20 14:34	67-66-3	
Chloromethane	<2.2	ug/L	7.3	2.2	1		03/12/20 14:34	74-87-3	
2-Chlorotoluene	<0.93	ug/L	5.0	0.93	1		03/12/20 14:34	95-49-8	
4-Chlorotoluene	<0.76	ug/L	2.5	0.76	1		03/12/20 14:34	106-43-4	
1,2-Dibromo-3-chloropropane	<1.8	ug/L	5.9	1.8	1		03/12/20 14:34	96-12-8	
Dibromochloromethane	<2.6	ug/L	8.7	2.6	1		03/12/20 14:34	124-48-1	
1,2-Dibromoethane (EDB)	<0.83	ug/L	2.8	0.83	1		03/12/20 14:34	106-93-4	
Dibromomethane	<0.94	ug/L	3.1	0.94	1		03/12/20 14:34	74-95-3	
1,2-Dichlorobenzene	<0.71	ug/L	2.4	0.71	1		03/12/20 14:34	95-50-1	
1,3-Dichlorobenzene	<0.63	ug/L	2.1	0.63	1		03/12/20 14:34	541-73-1	
1,4-Dichlorobenzene	<0.94	ug/L	3.1	0.94	1		03/12/20 14:34	106-46-7	
Dichlorodifluoromethane	<0.50	ug/L	5.0	0.50	1		03/12/20 14:34	75-71-8	
1,1-Dichloroethane	<0.27	ug/L	1.0	0.27	1		03/12/20 14:34	75-34-3	
1,2-Dichloroethane	<0.28	ug/L	1.0	0.28	1		03/12/20 14:34	107-06-2	
1,1-Dichloroethene	<0.24	ug/L	1.0	0.24	1		03/12/20 14:34	75-35-4	
cis-1,2-Dichloroethene	14.1	ug/L	1.0	0.27	1		03/12/20 14:34	156-59-2	
trans-1,2-Dichloroethene	<1.1	ug/L	3.6	1.1	1		03/12/20 14:34	156-60-5	
1,2-Dichloropropane	<0.28	ug/L	1.0	0.28	1		03/12/20 14:34	78-87-5	
1,3-Dichloropropane	<0.83	ug/L	2.8	0.83	1		03/12/20 14:34	142-28-9	
2,2-Dichloropropane	<2.3	ug/L	7.6	2.3	1		03/12/20 14:34	594-20-7	
1,1-Dichloropropene	<0.54	ug/L	1.8	0.54	1		03/12/20 14:34	563-58-6	
cis-1,3-Dichloropropene	<3.6	ug/L	12.1	3.6	1		03/12/20 14:34	10061-01-5	
trans-1,3-Dichloropropene	<4.4	ug/L	14.6	4.4	1		03/12/20 14:34	10061-02-6	
Diisopropyl ether	<1.9	ug/L	6.3	1.9	1		03/12/20 14:34	108-20-3	
Ethylbenzene	<0.32	ug/L	1.1	0.32	1		03/12/20 14:34	100-41-4	
Hexachloro-1,3-butadiene	<1.5	ug/L	4.9	1.5	1		03/12/20 14:34	87-68-3	
Isopropylbenzene (Cumene)	<1.7	ug/L	5.6	1.7	1		03/12/20 14:34	98-82-8	
p-Isopropyltoluene	<0.80	ug/L	2.7	0.80	1		03/12/20 14:34	99-87-6	
Methylene Chloride	<0.58	ug/L	5.0	0.58	1		03/12/20 14:34	75-09-2	
Methyl-tert-butyl ether	<1.2	ug/L	4.2	1.2	1		03/12/20 14:34	1634-04-4	
Naphthalene	<1.2	ug/L	5.0	1.2	1		03/12/20 14:34	91-20-3	
n-Propylbenzene	<0.81	ug/L	5.0	0.81	1		03/12/20 14:34	103-65-1	
Styrene	<3.0	ug/L	10.0	3.0	1		03/12/20 14:34	100-42-5	
1,1,1,2-Tetrachloroethane	<0.27	ug/L	1.0	0.27	1		03/12/20 14:34	630-20-6	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 1690005819 FORMER 1-HOUR VALET

Pace Project No.: 40204544

Sample: MW-5 **Lab ID: 40204544005** Collected: 03/10/20 13:20 Received: 03/11/20 09:15 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV		Analytical Method: EPA 8260							
1,1,2,2-Tetrachloroethane	<0.28	ug/L	1.0	0.28	1		03/12/20 14:34	79-34-5	
Tetrachloroethene	23.8	ug/L	1.1	0.33	1		03/12/20 14:34	127-18-4	
Toluene	<0.27	ug/L	0.90	0.27	1		03/12/20 14:34	108-88-3	
1,2,3-Trichlorobenzene	<2.2	ug/L	7.4	2.2	1		03/12/20 14:34	87-61-6	
1,2,4-Trichlorobenzene	<0.95	ug/L	5.0	0.95	1		03/12/20 14:34	120-82-1	
1,1,1-Trichloroethane	<0.24	ug/L	1.0	0.24	1		03/12/20 14:34	71-55-6	
1,1,2-Trichloroethane	<0.55	ug/L	5.0	0.55	1		03/12/20 14:34	79-00-5	
Trichloroethene	5.0	ug/L	1.0	0.26	1		03/12/20 14:34	79-01-6	
Trichlorofluoromethane	<0.21	ug/L	1.0	0.21	1		03/12/20 14:34	75-69-4	
1,2,3-Trichloropropane	<0.59	ug/L	5.0	0.59	1		03/12/20 14:34	96-18-4	
1,2,4-Trimethylbenzene	<0.84	ug/L	2.8	0.84	1		03/12/20 14:34	95-63-6	
1,3,5-Trimethylbenzene	<0.87	ug/L	2.9	0.87	1		03/12/20 14:34	108-67-8	
Vinyl chloride	2.2	ug/L	1.0	0.17	1		03/12/20 14:34	75-01-4	
Xylene (Total)	<1.5	ug/L	3.0	1.5	1		03/12/20 14:34	1330-20-7	
m&p-Xylene	<0.47	ug/L	2.0	0.47	1		03/12/20 14:34	179601-23-1	
o-Xylene	<0.26	ug/L	1.0	0.26	1		03/12/20 14:34	95-47-6	
Surrogates									
4-Bromofluorobenzene (S)	92	%	70-130		1		03/12/20 14:34	460-00-4	
Dibromofluoromethane (S)	108	%	70-130		1		03/12/20 14:34	1868-53-7	
Toluene-d8 (S)	102	%	70-130		1		03/12/20 14:34	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 1690005819 FORMER 1-HOUR VALET

Pace Project No.: 40204544

Sample: MW-4 **Lab ID: 40204544006** Collected: 03/10/20 14:08 Received: 03/11/20 09:15 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV		Analytical Method: EPA 8260							
Benzene	<0.25	ug/L	1.0	0.25	1		03/13/20 08:01	71-43-2	
Bromobenzene	<0.24	ug/L	1.0	0.24	1		03/13/20 08:01	108-86-1	
Bromochloromethane	<0.36	ug/L	5.0	0.36	1		03/13/20 08:01	74-97-5	
Bromodichloromethane	<0.36	ug/L	1.2	0.36	1		03/13/20 08:01	75-27-4	
Bromoform	<4.0	ug/L	13.2	4.0	1		03/13/20 08:01	75-25-2	
Bromomethane	<0.97	ug/L	5.0	0.97	1		03/13/20 08:01	74-83-9	
n-Butylbenzene	<0.71	ug/L	2.4	0.71	1		03/13/20 08:01	104-51-8	
sec-Butylbenzene	<0.85	ug/L	5.0	0.85	1		03/13/20 08:01	135-98-8	
tert-Butylbenzene	<0.30	ug/L	1.0	0.30	1		03/13/20 08:01	98-06-6	
Carbon tetrachloride	<1.6	ug/L	5.5	1.6	1		03/13/20 08:01	56-23-5	
Chlorobenzene	<0.71	ug/L	2.4	0.71	1		03/13/20 08:01	108-90-7	
Chloroethane	<1.3	ug/L	5.0	1.3	1		03/13/20 08:01	75-00-3	
Chloroform	<1.3	ug/L	5.0	1.3	1		03/13/20 08:01	67-66-3	
Chloromethane	<2.2	ug/L	7.3	2.2	1		03/13/20 08:01	74-87-3	
2-Chlorotoluene	<0.93	ug/L	5.0	0.93	1		03/13/20 08:01	95-49-8	
4-Chlorotoluene	<0.76	ug/L	2.5	0.76	1		03/13/20 08:01	106-43-4	
1,2-Dibromo-3-chloropropane	<1.8	ug/L	5.9	1.8	1		03/13/20 08:01	96-12-8	
Dibromochloromethane	<2.6	ug/L	8.7	2.6	1		03/13/20 08:01	124-48-1	
1,2-Dibromoethane (EDB)	<0.83	ug/L	2.8	0.83	1		03/13/20 08:01	106-93-4	
Dibromomethane	<0.94	ug/L	3.1	0.94	1		03/13/20 08:01	74-95-3	
1,2-Dichlorobenzene	<0.71	ug/L	2.4	0.71	1		03/13/20 08:01	95-50-1	
1,3-Dichlorobenzene	<0.63	ug/L	2.1	0.63	1		03/13/20 08:01	541-73-1	
1,4-Dichlorobenzene	<0.94	ug/L	3.1	0.94	1		03/13/20 08:01	106-46-7	
Dichlorodifluoromethane	<0.50	ug/L	5.0	0.50	1		03/13/20 08:01	75-71-8	
1,1-Dichloroethane	<0.27	ug/L	1.0	0.27	1		03/13/20 08:01	75-34-3	
1,2-Dichloroethane	<0.28	ug/L	1.0	0.28	1		03/13/20 08:01	107-06-2	
1,1-Dichloroethene	<0.24	ug/L	1.0	0.24	1		03/13/20 08:01	75-35-4	
cis-1,2-Dichloroethene	<0.27	ug/L	1.0	0.27	1		03/13/20 08:01	156-59-2	
trans-1,2-Dichloroethene	<1.1	ug/L	3.6	1.1	1		03/13/20 08:01	156-60-5	
1,2-Dichloropropane	<0.28	ug/L	1.0	0.28	1		03/13/20 08:01	78-87-5	
1,3-Dichloropropane	<0.83	ug/L	2.8	0.83	1		03/13/20 08:01	142-28-9	
2,2-Dichloropropane	<2.3	ug/L	7.6	2.3	1		03/13/20 08:01	594-20-7	
1,1-Dichloropropene	<0.54	ug/L	1.8	0.54	1		03/13/20 08:01	563-58-6	
cis-1,3-Dichloropropene	<3.6	ug/L	12.1	3.6	1		03/13/20 08:01	10061-01-5	
trans-1,3-Dichloropropene	<4.4	ug/L	14.6	4.4	1		03/13/20 08:01	10061-02-6	
Diisopropyl ether	<1.9	ug/L	6.3	1.9	1		03/13/20 08:01	108-20-3	
Ethylbenzene	<0.32	ug/L	1.1	0.32	1		03/13/20 08:01	100-41-4	
Hexachloro-1,3-butadiene	<1.5	ug/L	4.9	1.5	1		03/13/20 08:01	87-68-3	
Isopropylbenzene (Cumene)	<1.7	ug/L	5.6	1.7	1		03/13/20 08:01	98-82-8	
p-Isopropyltoluene	<0.80	ug/L	2.7	0.80	1		03/13/20 08:01	99-87-6	
Methylene Chloride	<0.58	ug/L	5.0	0.58	1		03/13/20 08:01	75-09-2	
Methyl-tert-butyl ether	<1.2	ug/L	4.2	1.2	1		03/13/20 08:01	1634-04-4	
Naphthalene	<1.2	ug/L	5.0	1.2	1		03/13/20 08:01	91-20-3	
n-Propylbenzene	<0.81	ug/L	5.0	0.81	1		03/13/20 08:01	103-65-1	
Styrene	<3.0	ug/L	10.0	3.0	1		03/13/20 08:01	100-42-5	
1,1,1,2-Tetrachloroethane	<0.27	ug/L	1.0	0.27	1		03/13/20 08:01	630-20-6	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 1690005819 FORMER 1-HOUR VALET

Pace Project No.: 40204544

Sample: MW-4 **Lab ID: 40204544006** Collected: 03/10/20 14:08 Received: 03/11/20 09:15 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV		Analytical Method: EPA 8260							
1,1,2,2-Tetrachloroethane	<0.28	ug/L	1.0	0.28	1		03/13/20 08:01	79-34-5	
Tetrachloroethene	57.0	ug/L	1.1	0.33	1		03/13/20 08:01	127-18-4	
Toluene	<0.27	ug/L	0.90	0.27	1		03/13/20 08:01	108-88-3	
1,2,3-Trichlorobenzene	<2.2	ug/L	7.4	2.2	1		03/13/20 08:01	87-61-6	
1,2,4-Trichlorobenzene	<0.95	ug/L	5.0	0.95	1		03/13/20 08:01	120-82-1	
1,1,1-Trichloroethane	<0.24	ug/L	1.0	0.24	1		03/13/20 08:01	71-55-6	
1,1,2-Trichloroethane	<0.55	ug/L	5.0	0.55	1		03/13/20 08:01	79-00-5	
Trichloroethene	0.47J	ug/L	1.0	0.26	1		03/13/20 08:01	79-01-6	
Trichlorofluoromethane	<0.21	ug/L	1.0	0.21	1		03/13/20 08:01	75-69-4	
1,2,3-Trichloropropane	<0.59	ug/L	5.0	0.59	1		03/13/20 08:01	96-18-4	
1,2,4-Trimethylbenzene	<0.84	ug/L	2.8	0.84	1		03/13/20 08:01	95-63-6	
1,3,5-Trimethylbenzene	<0.87	ug/L	2.9	0.87	1		03/13/20 08:01	108-67-8	
Vinyl chloride	<0.17	ug/L	1.0	0.17	1		03/13/20 08:01	75-01-4	
Xylene (Total)	<1.5	ug/L	3.0	1.5	1		03/13/20 08:01	1330-20-7	
m&p-Xylene	<0.47	ug/L	2.0	0.47	1		03/13/20 08:01	179601-23-1	
o-Xylene	<0.26	ug/L	1.0	0.26	1		03/13/20 08:01	95-47-6	
Surrogates									
4-Bromofluorobenzene (S)	93	%	70-130		1		03/13/20 08:01	460-00-4	
Dibromofluoromethane (S)	108	%	70-130		1		03/13/20 08:01	1868-53-7	
Toluene-d8 (S)	101	%	70-130		1		03/13/20 08:01	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 1690005819 FORMER 1-HOUR VALET

Pace Project No.: 40204544

Sample: PZ-1R **Lab ID: 40204544007** Collected: 03/10/20 15:00 Received: 03/11/20 09:15 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
Methane, Ethane, Ethene GCV		Analytical Method: EPA 8015B Modified							
Ethane	2130	ug/L	28.0	6.1	5		03/18/20 10:37	74-84-0	
Ethene	974	ug/L	25.0	6.0	5		03/18/20 10:37	74-85-1	
Methane	162	ug/L	2.8	0.66	1		03/18/20 09:56	74-82-8	
6020 MET ICPMS		Analytical Method: EPA 6020 Preparation Method: EPA 3010							
Iron	4600	ug/L	250	58.0	1	03/13/20 06:23	03/14/20 05:15	7439-89-6	
8260 MSV		Analytical Method: EPA 8260							
Benzene	<123	ug/L	500	123	500		03/12/20 13:26	71-43-2	
Bromobenzene	<121	ug/L	500	121	500		03/12/20 13:26	108-86-1	
Bromochloromethane	<181	ug/L	2500	181	500		03/12/20 13:26	74-97-5	
Bromodichloromethane	<182	ug/L	606	182	500		03/12/20 13:26	75-27-4	
Bromoform	<1990	ug/L	6620	1990	500		03/12/20 13:26	75-25-2	
Bromomethane	<486	ug/L	2500	486	500		03/12/20 13:26	74-83-9	
n-Butylbenzene	<354	ug/L	1180	354	500		03/12/20 13:26	104-51-8	
sec-Butylbenzene	<424	ug/L	2500	424	500		03/12/20 13:26	135-98-8	
tert-Butylbenzene	<152	ug/L	506	152	500		03/12/20 13:26	98-06-6	
Carbon tetrachloride	<818	ug/L	2730	818	500		03/12/20 13:26	56-23-5	
Chlorobenzene	<355	ug/L	1180	355	500		03/12/20 13:26	108-90-7	
Chloroethane	<671	ug/L	2500	671	500		03/12/20 13:26	75-00-3	
Chloroform	<637	ug/L	2500	637	500		03/12/20 13:26	67-66-3	
Chloromethane	<1090	ug/L	3650	1090	500		03/12/20 13:26	74-87-3	
2-Chlorotoluene	<463	ug/L	2500	463	500		03/12/20 13:26	95-49-8	
4-Chlorotoluene	<378	ug/L	1260	378	500		03/12/20 13:26	106-43-4	
1,2-Dibromo-3-chloropropane	<882	ug/L	2940	882	500		03/12/20 13:26	96-12-8	
Dibromochloromethane	<1300	ug/L	4340	1300	500		03/12/20 13:26	124-48-1	
1,2-Dibromoethane (EDB)	<415	ug/L	1380	415	500		03/12/20 13:26	106-93-4	
Dibromomethane	<468	ug/L	1560	468	500		03/12/20 13:26	74-95-3	
1,2-Dichlorobenzene	<353	ug/L	1180	353	500		03/12/20 13:26	95-50-1	
1,3-Dichlorobenzene	<314	ug/L	1050	314	500		03/12/20 13:26	541-73-1	
1,4-Dichlorobenzene	<472	ug/L	1570	472	500		03/12/20 13:26	106-46-7	
Dichlorodifluoromethane	<250	ug/L	2500	250	500		03/12/20 13:26	75-71-8	
1,1-Dichloroethane	<136	ug/L	500	136	500		03/12/20 13:26	75-34-3	
1,2-Dichloroethane	<140	ug/L	500	140	500		03/12/20 13:26	107-06-2	
1,1-Dichloroethene	<122	ug/L	500	122	500		03/12/20 13:26	75-35-4	
cis-1,2-Dichloroethene	36400	ug/L	500	136	500		03/12/20 13:26	156-59-2	
trans-1,2-Dichloroethene	<545	ug/L	1820	545	500		03/12/20 13:26	156-60-5	
1,2-Dichloropropane	<141	ug/L	500	141	500		03/12/20 13:26	78-87-5	
1,3-Dichloropropane	<413	ug/L	1380	413	500		03/12/20 13:26	142-28-9	
2,2-Dichloropropane	<1130	ug/L	3780	1130	500		03/12/20 13:26	594-20-7	
1,1-Dichloropropene	<270	ug/L	900	270	500		03/12/20 13:26	563-58-6	
cis-1,3-Dichloropropene	<1810	ug/L	6050	1810	500		03/12/20 13:26	10061-01-5	
trans-1,3-Dichloropropene	<2190	ug/L	7280	2190	500		03/12/20 13:26	10061-02-6	
Diisopropyl ether	<944	ug/L	3150	944	500		03/12/20 13:26	108-20-3	
Ethylbenzene	<159	ug/L	531	159	500		03/12/20 13:26	100-41-4	
Hexachloro-1,3-butadiene	<731	ug/L	2440	731	500		03/12/20 13:26	87-68-3	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 1690005819 FORMER 1-HOUR VALET
Pace Project No.: 40204544

Sample: PZ-1R **Lab ID: 40204544007** Collected: 03/10/20 15:00 Received: 03/11/20 09:15 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Analytical Method: EPA 8260									
Isopropylbenzene (Cumene)	<843	ug/L	2810	843	500		03/12/20 13:26	98-82-8	
p-Isopropyltoluene	<400	ug/L	1330	400	500		03/12/20 13:26	99-87-6	
Methylene Chloride	<290	ug/L	2500	290	500		03/12/20 13:26	75-09-2	
Methyl-tert-butyl ether	<623	ug/L	2080	623	500		03/12/20 13:26	1634-04-4	
Naphthalene	<588	ug/L	2500	588	500		03/12/20 13:26	91-20-3	
n-Propylbenzene	<405	ug/L	2500	405	500		03/12/20 13:26	103-65-1	
Styrene	<1500	ug/L	5020	1500	500		03/12/20 13:26	100-42-5	
1,1,1,2-Tetrachloroethane	<135	ug/L	500	135	500		03/12/20 13:26	630-20-6	
1,1,2,2-Tetrachloroethane	<138	ug/L	500	138	500		03/12/20 13:26	79-34-5	
Tetrachloroethene	23200	ug/L	544	163	500		03/12/20 13:26	127-18-4	
Toluene	<135	ug/L	449	135	500		03/12/20 13:26	108-88-3	
1,2,3-Trichlorobenzene	<1110	ug/L	3680	1110	500		03/12/20 13:26	87-61-6	
1,2,4-Trichlorobenzene	<476	ug/L	2500	476	500		03/12/20 13:26	120-82-1	
1,1,1-Trichloroethane	<122	ug/L	500	122	500		03/12/20 13:26	71-55-6	
1,1,2-Trichloroethane	<276	ug/L	2500	276	500		03/12/20 13:26	79-00-5	
Trichloroethene	9060	ug/L	500	128	500		03/12/20 13:26	79-01-6	
Trichlorofluoromethane	<107	ug/L	500	107	500		03/12/20 13:26	75-69-4	
1,2,3-Trichloropropane	<295	ug/L	2500	295	500		03/12/20 13:26	96-18-4	
1,2,4-Trimethylbenzene	<420	ug/L	1400	420	500		03/12/20 13:26	95-63-6	
1,3,5-Trimethylbenzene	<437	ug/L	1460	437	500		03/12/20 13:26	108-67-8	
Vinyl chloride	2630	ug/L	500	87.3	500		03/12/20 13:26	75-01-4	
Xylene (Total)	<750	ug/L	1500	750	500		03/12/20 13:26	1330-20-7	
m&p-Xylene	<233	ug/L	1000	233	500		03/12/20 13:26	179601-23-1	
o-Xylene	<131	ug/L	500	131	500		03/12/20 13:26	95-47-6	
Surrogates									
4-Bromofluorobenzene (S)	93	%	70-130		500		03/12/20 13:26	460-00-4	
Dibromofluoromethane (S)	110	%	70-130		500		03/12/20 13:26	1868-53-7	
Toluene-d8 (S)	103	%	70-130		500		03/12/20 13:26	2037-26-5	
Iron, Ferric (Calculation) Analytical Method: SM 3500 Fe -Fe2									
Iron, Ferric	<0.20	mg/L	0.20	0.20	1		03/19/20 12:37	7439-89-6	
Iron, Ferrous Analytical Method: SM 3500-Fe B									
Iron, Ferrous	5.1	mg/L	1.6	1.6	8		03/17/20 15:56		H3
300.0 IC Anions Analytical Method: EPA 300.0									
Sulfate	85.9	mg/L	10.0	2.2	5		03/12/20 14:56	14808-79-8	
353.2 Nitrogen, NO2/NO3 pres. Analytical Method: EPA 353.2									
Nitrogen, NO2 plus NO3	<0.059	mg/L	0.25	0.059	1		03/13/20 10:05		
5310C TOC Analytical Method: SM 5310C									
Total Organic Carbon	115	mg/L	30.0	8.9	60		03/13/20 11:21	7440-44-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 1690005819 FORMER 1-HOUR VALET

Pace Project No.: 40204544

Sample: TRIP BLANK **Lab ID: 40204544008** Collected: 03/10/20 15:00 Received: 03/11/20 09:15 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Analytical Method: EPA 8260									
Benzene	<0.25	ug/L	1.0	0.25	1		03/12/20 10:51	71-43-2	
Bromobenzene	<0.24	ug/L	1.0	0.24	1		03/12/20 10:51	108-86-1	
Bromochloromethane	<0.36	ug/L	5.0	0.36	1		03/12/20 10:51	74-97-5	
Bromodichloromethane	<0.36	ug/L	1.2	0.36	1		03/12/20 10:51	75-27-4	
Bromoform	<4.0	ug/L	13.2	4.0	1		03/12/20 10:51	75-25-2	
Bromomethane	<0.97	ug/L	5.0	0.97	1		03/12/20 10:51	74-83-9	
n-Butylbenzene	<0.71	ug/L	2.4	0.71	1		03/12/20 10:51	104-51-8	
sec-Butylbenzene	<0.85	ug/L	5.0	0.85	1		03/12/20 10:51	135-98-8	
tert-Butylbenzene	<0.30	ug/L	1.0	0.30	1		03/12/20 10:51	98-06-6	
Carbon tetrachloride	<1.6	ug/L	5.5	1.6	1		03/12/20 10:51	56-23-5	
Chlorobenzene	<0.71	ug/L	2.4	0.71	1		03/12/20 10:51	108-90-7	
Chloroethane	<1.3	ug/L	5.0	1.3	1		03/12/20 10:51	75-00-3	
Chloroform	<1.3	ug/L	5.0	1.3	1		03/12/20 10:51	67-66-3	
Chloromethane	<2.2	ug/L	7.3	2.2	1		03/12/20 10:51	74-87-3	
2-Chlorotoluene	<0.93	ug/L	5.0	0.93	1		03/12/20 10:51	95-49-8	
4-Chlorotoluene	<0.76	ug/L	2.5	0.76	1		03/12/20 10:51	106-43-4	
1,2-Dibromo-3-chloropropane	<1.8	ug/L	5.9	1.8	1		03/12/20 10:51	96-12-8	
Dibromochloromethane	<2.6	ug/L	8.7	2.6	1		03/12/20 10:51	124-48-1	
1,2-Dibromoethane (EDB)	<0.83	ug/L	2.8	0.83	1		03/12/20 10:51	106-93-4	
Dibromomethane	<0.94	ug/L	3.1	0.94	1		03/12/20 10:51	74-95-3	
1,2-Dichlorobenzene	<0.71	ug/L	2.4	0.71	1		03/12/20 10:51	95-50-1	
1,3-Dichlorobenzene	<0.63	ug/L	2.1	0.63	1		03/12/20 10:51	541-73-1	
1,4-Dichlorobenzene	<0.94	ug/L	3.1	0.94	1		03/12/20 10:51	106-46-7	
Dichlorodifluoromethane	<0.50	ug/L	5.0	0.50	1		03/12/20 10:51	75-71-8	
1,1-Dichloroethane	<0.27	ug/L	1.0	0.27	1		03/12/20 10:51	75-34-3	
1,2-Dichloroethane	<0.28	ug/L	1.0	0.28	1		03/12/20 10:51	107-06-2	
1,1-Dichloroethene	<0.24	ug/L	1.0	0.24	1		03/12/20 10:51	75-35-4	
cis-1,2-Dichloroethene	<0.27	ug/L	1.0	0.27	1		03/12/20 10:51	156-59-2	
trans-1,2-Dichloroethene	<1.1	ug/L	3.6	1.1	1		03/12/20 10:51	156-60-5	
1,2-Dichloropropane	<0.28	ug/L	1.0	0.28	1		03/12/20 10:51	78-87-5	
1,3-Dichloropropane	<0.83	ug/L	2.8	0.83	1		03/12/20 10:51	142-28-9	
2,2-Dichloropropane	<2.3	ug/L	7.6	2.3	1		03/12/20 10:51	594-20-7	
1,1-Dichloropropene	<0.54	ug/L	1.8	0.54	1		03/12/20 10:51	563-58-6	
cis-1,3-Dichloropropene	<3.6	ug/L	12.1	3.6	1		03/12/20 10:51	10061-01-5	
trans-1,3-Dichloropropene	<4.4	ug/L	14.6	4.4	1		03/12/20 10:51	10061-02-6	
Diisopropyl ether	<1.9	ug/L	6.3	1.9	1		03/12/20 10:51	108-20-3	
Ethylbenzene	<0.32	ug/L	1.1	0.32	1		03/12/20 10:51	100-41-4	
Hexachloro-1,3-butadiene	<1.5	ug/L	4.9	1.5	1		03/12/20 10:51	87-68-3	
Isopropylbenzene (Cumene)	<1.7	ug/L	5.6	1.7	1		03/12/20 10:51	98-82-8	
p-Isopropyltoluene	<0.80	ug/L	2.7	0.80	1		03/12/20 10:51	99-87-6	
Methylene Chloride	<0.58	ug/L	5.0	0.58	1		03/12/20 10:51	75-09-2	
Methyl-tert-butyl ether	<1.2	ug/L	4.2	1.2	1		03/12/20 10:51	1634-04-4	
Naphthalene	<1.2	ug/L	5.0	1.2	1		03/12/20 10:51	91-20-3	
n-Propylbenzene	<0.81	ug/L	5.0	0.81	1		03/12/20 10:51	103-65-1	
Styrene	<3.0	ug/L	10.0	3.0	1		03/12/20 10:51	100-42-5	
1,1,1,2-Tetrachloroethane	<0.27	ug/L	1.0	0.27	1		03/12/20 10:51	630-20-6	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 1690005819 FORMER 1-HOUR VALET
Pace Project No.: 40204544

Sample: TRIP BLANK **Lab ID: 40204544008** Collected: 03/10/20 15:00 Received: 03/11/20 09:15 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV		Analytical Method: EPA 8260							
1,1,2,2-Tetrachloroethane	<0.28	ug/L	1.0	0.28	1		03/12/20 10:51	79-34-5	
Tetrachloroethene	<0.33	ug/L	1.1	0.33	1		03/12/20 10:51	127-18-4	
Toluene	<0.27	ug/L	0.90	0.27	1		03/12/20 10:51	108-88-3	
1,2,3-Trichlorobenzene	<2.2	ug/L	7.4	2.2	1		03/12/20 10:51	87-61-6	
1,2,4-Trichlorobenzene	<0.95	ug/L	5.0	0.95	1		03/12/20 10:51	120-82-1	
1,1,1-Trichloroethane	<0.24	ug/L	1.0	0.24	1		03/12/20 10:51	71-55-6	
1,1,2-Trichloroethane	<0.55	ug/L	5.0	0.55	1		03/12/20 10:51	79-00-5	
Trichloroethene	<0.26	ug/L	1.0	0.26	1		03/12/20 10:51	79-01-6	
Trichlorofluoromethane	<0.21	ug/L	1.0	0.21	1		03/12/20 10:51	75-69-4	
1,2,3-Trichloropropane	<0.59	ug/L	5.0	0.59	1		03/12/20 10:51	96-18-4	
1,2,4-Trimethylbenzene	<0.84	ug/L	2.8	0.84	1		03/12/20 10:51	95-63-6	
1,3,5-Trimethylbenzene	<0.87	ug/L	2.9	0.87	1		03/12/20 10:51	108-67-8	
Vinyl chloride	<0.17	ug/L	1.0	0.17	1		03/12/20 10:51	75-01-4	
Xylene (Total)	<1.5	ug/L	3.0	1.5	1		03/12/20 10:51	1330-20-7	
m&p-Xylene	<0.47	ug/L	2.0	0.47	1		03/12/20 10:51	179601-23-1	
o-Xylene	<0.26	ug/L	1.0	0.26	1		03/12/20 10:51	95-47-6	
Surrogates									
4-Bromofluorobenzene (S)	93	%	70-130		1		03/12/20 10:51	460-00-4	
Dibromofluoromethane (S)	108	%	70-130		1		03/12/20 10:51	1868-53-7	
Toluene-d8 (S)	101	%	70-130		1		03/12/20 10:51	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: 1690005819 FORMER 1-HOUR VALET
Pace Project No.: 40204544

QC Batch: 350272 Analysis Method: EPA 8015B Modified
QC Batch Method: EPA 8015B Modified Analysis Description: Methane, Ethane, Ethene GCV
Associated Lab Samples: 40204544001, 40204544002, 40204544003, 40204544007

METHOD BLANK: 2029071 Matrix: Water
Associated Lab Samples: 40204544001, 40204544002, 40204544003, 40204544007

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
Ethane	ug/L	<1.2	5.6	03/18/20 09:02	
Ethene	ug/L	<1.2	5.0	03/18/20 09:02	
Methane	ug/L	<0.66	2.8	03/18/20 09:02	

LABORATORY CONTROL SAMPLE & LCSD: 2029072

Parameter	Units	2029073									
		Spike Conc.	LCS Result	LCSD Result	LCS % Rec	LCSD % Rec	% Rec Limits	RPD	Max RPD	Qualifiers	
Ethane	ug/L	53.6	56.4	56.2	105	105	80-120	0	20		
Ethene	ug/L	50	52.3	52.0	105	104	80-120	1	20		
Methane	ug/L	28.6	28.8	28.9	101	101	80-120	0	20		

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 2029188

Parameter	Units	2029189										
		40204853001 Result	MS Spike Conc.	MSD Spike Conc.	MS Result	MSD Result	MS % Rec	MSD % Rec	% Rec Limits	RPD	Max RPD	Qual
Ethane	ug/L	<1.2	53.6	53.6	55.1	57.5	103	107	80-120	4	20	
Ethene	ug/L	<1.2	50	50	50.8	52.7	102	105	80-120	4	20	
Methane	ug/L	<0.66	28.6	28.6	30.1	31.5	105	110	77-122	5	20	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: 1690005819 FORMER 1-HOUR VALET
Pace Project No.: 40204544

QC Batch: 349902 Analysis Method: EPA 6020
QC Batch Method: EPA 3010 Analysis Description: 6020 MET
Associated Lab Samples: 40204544001, 40204544002, 40204544003, 40204544007

METHOD BLANK: 2027123 Matrix: Water
Associated Lab Samples: 40204544001, 40204544002, 40204544003, 40204544007

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
Iron	ug/L	<58.0	250	03/14/20 03:26	

LABORATORY CONTROL SAMPLE: 2027124

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Iron	ug/L	5000	5030	101	80-120	

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 2027127 2027128

Parameter	Units	2027127		2027128		MS % Rec	MSD % Rec	% Rec Limits	RPD	Max RPD	Qual
		40204623017 Result	MS Spike Conc.	MSD Spike Conc.	MS Result						
Iron	ug/L	1540	5000	5000	6260	6230	94	94	75-125	0	20

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: 1690005819 FORMER 1-HOUR VALET
Pace Project No.: 40204544

QC Batch: 349776 Analysis Method: EPA 8260
QC Batch Method: EPA 8260 Analysis Description: 8260 MSV
Associated Lab Samples: 40204544001, 40204544002, 40204544003, 40204544004, 40204544005, 40204544006, 40204544007, 40204544008

METHOD BLANK: 2026401 Matrix: Water
Associated Lab Samples: 40204544001, 40204544002, 40204544003, 40204544004, 40204544005, 40204544006, 40204544007, 40204544008

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
1,1,1,2-Tetrachloroethane	ug/L	<0.27	1.0	03/12/20 07:46	
1,1,1-Trichloroethane	ug/L	<0.24	1.0	03/12/20 07:46	
1,1,2,2-Tetrachloroethane	ug/L	<0.28	1.0	03/12/20 07:46	
1,1,2-Trichloroethane	ug/L	<0.55	5.0	03/12/20 07:46	
1,1-Dichloroethane	ug/L	<0.27	1.0	03/12/20 07:46	
1,1-Dichloroethene	ug/L	<0.24	1.0	03/12/20 07:46	
1,1-Dichloropropene	ug/L	<0.54	1.8	03/12/20 07:46	
1,2,3-Trichlorobenzene	ug/L	<2.2	7.4	03/12/20 07:46	
1,2,3-Trichloropropane	ug/L	<0.59	5.0	03/12/20 07:46	
1,2,4-Trichlorobenzene	ug/L	<0.95	5.0	03/12/20 07:46	
1,2,4-Trimethylbenzene	ug/L	<0.84	2.8	03/12/20 07:46	
1,2-Dibromo-3-chloropropane	ug/L	<1.8	5.9	03/12/20 07:46	
1,2-Dibromoethane (EDB)	ug/L	<0.83	2.8	03/12/20 07:46	
1,2-Dichlorobenzene	ug/L	<0.71	2.4	03/12/20 07:46	
1,2-Dichloroethane	ug/L	<0.28	1.0	03/12/20 07:46	
1,2-Dichloropropane	ug/L	<0.28	1.0	03/12/20 07:46	
1,3,5-Trimethylbenzene	ug/L	<0.87	2.9	03/12/20 07:46	
1,3-Dichlorobenzene	ug/L	<0.63	2.1	03/12/20 07:46	
1,3-Dichloropropane	ug/L	<0.83	2.8	03/12/20 07:46	
1,4-Dichlorobenzene	ug/L	<0.94	3.1	03/12/20 07:46	
2,2-Dichloropropane	ug/L	<2.3	7.6	03/12/20 07:46	
2-Chlorotoluene	ug/L	<0.93	5.0	03/12/20 07:46	
4-Chlorotoluene	ug/L	<0.76	2.5	03/12/20 07:46	
Benzene	ug/L	<0.25	1.0	03/12/20 07:46	
Bromobenzene	ug/L	<0.24	1.0	03/12/20 07:46	
Bromochloromethane	ug/L	<0.36	5.0	03/12/20 07:46	
Bromodichloromethane	ug/L	<0.36	1.2	03/12/20 07:46	
Bromoform	ug/L	<4.0	13.2	03/12/20 07:46	
Bromomethane	ug/L	<0.97	5.0	03/12/20 07:46	
Carbon tetrachloride	ug/L	<1.6	5.5	03/12/20 07:46	
Chlorobenzene	ug/L	<0.71	2.4	03/12/20 07:46	
Chloroethane	ug/L	<1.3	5.0	03/12/20 07:46	
Chloroform	ug/L	<1.3	5.0	03/12/20 07:46	
Chloromethane	ug/L	<2.2	7.3	03/12/20 07:46	
cis-1,2-Dichloroethene	ug/L	<0.27	1.0	03/12/20 07:46	
cis-1,3-Dichloropropene	ug/L	<3.6	12.1	03/12/20 07:46	
Dibromochloromethane	ug/L	<2.6	8.7	03/12/20 07:46	
Dibromomethane	ug/L	<0.94	3.1	03/12/20 07:46	
Dichlorodifluoromethane	ug/L	<0.50	5.0	03/12/20 07:46	
Diisopropyl ether	ug/L	<1.9	6.3	03/12/20 07:46	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: 1690005819 FORMER 1-HOUR VALET

Pace Project No.: 40204544

METHOD BLANK: 2026401

Matrix: Water

Associated Lab Samples: 40204544001, 40204544002, 40204544003, 40204544004, 40204544005, 40204544006, 40204544007, 40204544008

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
Ethylbenzene	ug/L	<0.32	1.1	03/12/20 07:46	
Hexachloro-1,3-butadiene	ug/L	<1.5	4.9	03/12/20 07:46	
Isopropylbenzene (Cumene)	ug/L	<1.7	5.6	03/12/20 07:46	
m&p-Xylene	ug/L	<0.47	2.0	03/12/20 07:46	
Methyl-tert-butyl ether	ug/L	<1.2	4.2	03/12/20 07:46	
Methylene Chloride	ug/L	<0.58	5.0	03/12/20 07:46	
n-Butylbenzene	ug/L	<0.71	2.4	03/12/20 07:46	
n-Propylbenzene	ug/L	<0.81	5.0	03/12/20 07:46	
Naphthalene	ug/L	<1.2	5.0	03/12/20 07:46	
o-Xylene	ug/L	<0.26	1.0	03/12/20 07:46	
p-Isopropyltoluene	ug/L	<0.80	2.7	03/12/20 07:46	
sec-Butylbenzene	ug/L	<0.85	5.0	03/12/20 07:46	
Styrene	ug/L	<3.0	10.0	03/12/20 07:46	
tert-Butylbenzene	ug/L	<0.30	1.0	03/12/20 07:46	
Tetrachloroethene	ug/L	<0.33	1.1	03/12/20 07:46	
Toluene	ug/L	<0.27	0.90	03/12/20 07:46	
trans-1,2-Dichloroethene	ug/L	<1.1	3.6	03/12/20 07:46	
trans-1,3-Dichloropropene	ug/L	<4.4	14.6	03/12/20 07:46	
Trichloroethene	ug/L	<0.26	1.0	03/12/20 07:46	
Trichlorofluoromethane	ug/L	<0.21	1.0	03/12/20 07:46	
Vinyl chloride	ug/L	<0.17	1.0	03/12/20 07:46	
Xylene (Total)	ug/L	<1.5	3.0	03/12/20 07:46	
4-Bromofluorobenzene (S)	%	94	70-130	03/12/20 07:46	
Dibromofluoromethane (S)	%	108	70-130	03/12/20 07:46	
Toluene-d8 (S)	%	104	70-130	03/12/20 07:46	

LABORATORY CONTROL SAMPLE: 2026402

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
1,1,1-Trichloroethane	ug/L	50	52.1	104	70-130	
1,1,1,2-Tetrachloroethane	ug/L	50	49.8	100	70-130	
1,1,2-Trichloroethane	ug/L	50	52.6	105	70-130	
1,1-Dichloroethane	ug/L	50	52.3	105	73-150	
1,1-Dichloroethene	ug/L	50	48.2	96	73-138	
1,2,4-Trichlorobenzene	ug/L	50	46.5	93	70-130	
1,2-Dibromo-3-chloropropane	ug/L	50	40.0	80	64-129	
1,2-Dibromoethane (EDB)	ug/L	50	49.1	98	70-130	
1,2-Dichlorobenzene	ug/L	50	50.6	101	70-130	
1,2-Dichloroethane	ug/L	50	55.0	110	75-140	
1,2-Dichloropropane	ug/L	50	55.7	111	73-135	
1,3-Dichlorobenzene	ug/L	50	49.8	100	70-130	
1,4-Dichlorobenzene	ug/L	50	51.6	103	70-130	
Benzene	ug/L	50	53.0	106	70-130	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: 1690005819 FORMER 1-HOUR VALET
Pace Project No.: 40204544

LABORATORY CONTROL SAMPLE: 2026402

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Bromodichloromethane	ug/L	50	55.3	111	70-130	
Bromoform	ug/L	50	49.0	98	68-129	
Bromomethane	ug/L	50	46.4	93	18-159	
Carbon tetrachloride	ug/L	50	58.3	117	70-130	
Chlorobenzene	ug/L	50	51.7	103	70-130	
Chloroethane	ug/L	50	45.0	90	53-147	
Chloroform	ug/L	50	52.7	105	74-136	
Chloromethane	ug/L	50	37.6	75	29-115	
cis-1,2-Dichloroethene	ug/L	50	50.4	101	70-130	
cis-1,3-Dichloropropene	ug/L	50	46.7	93	70-130	
Dibromochloromethane	ug/L	50	52.8	106	70-130	
Dichlorodifluoromethane	ug/L	50	44.5	89	10-130	
Ethylbenzene	ug/L	50	52.8	106	80-124	
Isopropylbenzene (Cumene)	ug/L	50	51.2	102	70-130	
m&p-Xylene	ug/L	100	103	103	70-130	
Methyl-tert-butyl ether	ug/L	50	40.9	82	54-137	
Methylene Chloride	ug/L	50	47.5	95	73-138	
o-Xylene	ug/L	50	50.1	100	70-130	
Styrene	ug/L	50	52.1	104	70-130	
Tetrachloroethene	ug/L	50	52.8	106	70-130	
Toluene	ug/L	50	52.3	105	80-126	
trans-1,2-Dichloroethene	ug/L	50	48.2	96	73-145	
trans-1,3-Dichloropropene	ug/L	50	43.3	87	70-130	
Trichloroethene	ug/L	50	55.7	111	70-130	
Trichlorofluoromethane	ug/L	50	60.5	121	76-147	
Vinyl chloride	ug/L	50	44.8	90	51-120	
Xylene (Total)	ug/L	150	153	102	70-130	
4-Bromofluorobenzene (S)	%			100	70-130	
Dibromofluoromethane (S)	%			107	70-130	
Toluene-d8 (S)	%			102	70-130	

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 2026463 2026464

Parameter	Units	MS		MSD		MS Result	MSD Result	MS % Rec	MSD % Rec	% Rec Limits	RPD	Max RPD	Qual
		40204544001 Result	Spike Conc.	Spike Conc.	Conc.								
1,1,1-Trichloroethane	ug/L	<0.24	50	50	50.6	49.8	101	100	70-130	2	20		
1,1,2,2-Tetrachloroethane	ug/L	<0.28	50	50	50.3	49.6	101	99	70-130	1	20		
1,1,2-Trichloroethane	ug/L	<0.55	50	50	52.5	51.4	105	103	70-137	2	20		
1,1-Dichloroethane	ug/L	<0.27	50	50	51.1	50.0	102	100	73-153	2	20		
1,1-Dichloroethene	ug/L	<0.24	50	50	47.4	46.6	95	93	73-138	2	20		
1,2,4-Trichlorobenzene	ug/L	<0.95	50	50	48.0	46.4	96	93	70-130	3	20		
1,2-Dibromo-3-chloropropane	ug/L	<1.8	50	50	42.8	41.0	86	82	58-129	4	20		
1,2-Dibromoethane (EDB)	ug/L	<0.83	50	50	48.6	48.4	97	97	70-130	0	20		
1,2-Dichlorobenzene	ug/L	<0.71	50	50	50.1	48.7	100	97	70-130	3	20		

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: 1690005819 FORMER 1-HOUR VALET

Pace Project No.: 40204544

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 2026463												2026464											
Parameter	Units	40204544001		MS	MSD	MS		MSD		% Rec Limits	RPD	Max RPD	Qual										
		Result	Conc.	Spike Conc.	Spike Conc.	Result	Result	% Rec	% Rec														
1,2-Dichloroethane	ug/L	<0.28	50	50	50	50	52.4	53.1	105	106	75-140	1	20										
1,2-Dichloropropane	ug/L	<0.28	50	50	50	50	53.6	53.5	107	107	71-138	0	20										
1,3-Dichlorobenzene	ug/L	<0.63	50	50	50	50	49.7	48.0	99	96	70-130	3	20										
1,4-Dichlorobenzene	ug/L	<0.94	50	50	50	50	51.2	49.6	102	99	70-130	3	20										
Benzene	ug/L	<0.25	50	50	50	50	51.9	50.5	104	101	70-130	3	20										
Bromodichloromethane	ug/L	<0.36	50	50	50	50	53.6	53.2	107	106	70-130	1	20										
Bromoform	ug/L	<4.0	50	50	50	50	49.2	48.2	98	96	68-129	2	20										
Bromomethane	ug/L	<0.97	50	50	50	50	55.1	49.5	110	99	15-170	11	20										
Carbon tetrachloride	ug/L	<1.6	50	50	50	50	56.6	55.4	113	111	70-130	2	20										
Chlorobenzene	ug/L	<0.71	50	50	50	50	52.3	50.5	105	101	70-130	3	20										
Chloroethane	ug/L	<1.3	50	50	50	50	44.2	42.3	88	85	51-148	5	20										
Chloroform	ug/L	<1.3	50	50	50	50	51.3	50.2	103	100	74-136	2	20										
Chloromethane	ug/L	<2.2	50	50	50	50	36.6	36.8	73	74	23-115	1	20										
cis-1,2-Dichloroethene	ug/L	33.9	50	50	50	50	83.5	83.1	99	99	70-131	0	20										
cis-1,3-Dichloropropene	ug/L	<3.6	50	50	50	50	46.0	46.1	92	92	70-130	0	20										
Dibromochloromethane	ug/L	<2.6	50	50	50	50	52.7	51.3	105	103	70-130	3	20										
Dichlorodifluoromethane	ug/L	<0.50	50	50	50	50	43.3	42.7	87	85	10-132	1	20										
Ethylbenzene	ug/L	<0.32	50	50	50	50	52.3	50.7	105	101	80-125	3	20										
Isopropylbenzene (Cumene)	ug/L	<1.7	50	50	50	50	51.0	49.4	102	99	70-130	3	20										
m&p-Xylene	ug/L	<0.47	100	100	100	100	103	99.1	103	99	70-130	3	20										
Methyl-tert-butyl ether	ug/L	<1.2	50	50	50	50	40.7	40.6	81	81	51-145	0	20										
Methylene Chloride	ug/L	<0.58	50	50	50	50	46.3	45.6	93	91	73-140	2	20										
o-Xylene	ug/L	<0.26	50	50	50	50	49.7	47.9	99	96	70-130	4	20										
Styrene	ug/L	<3.0	50	50	50	50	51.8	50.0	104	100	70-130	3	20										
Tetrachloroethene	ug/L	<0.33	50	50	50	50	52.4	50.6	105	101	70-130	3	20										
Toluene	ug/L	<0.27	50	50	50	50	51.8	50.5	104	101	80-131	3	20										
trans-1,2-Dichloroethene	ug/L	<1.1	50	50	50	50	47.7	47.1	95	94	73-148	1	20										
trans-1,3-Dichloropropene	ug/L	<4.4	50	50	50	50	44.0	43.3	88	87	70-130	2	20										
Trichloroethene	ug/L	<0.26	50	50	50	50	54.3	53.5	109	107	70-130	2	20										
Trichlorofluoromethane	ug/L	<0.21	50	50	50	50	59.8	58.2	120	116	74-147	3	20										
Vinyl chloride	ug/L	11.3	50	50	50	50	54.8	54.8	87	87	41-129	0	20										
Xylene (Total)	ug/L	<1.5	150	150	150	150	152	147	101	98	70-130	3	20										
4-Bromofluorobenzene (S)	%								102	101	70-130												
Dibromofluoromethane (S)	%								105	105	70-130												
Toluene-d8 (S)	%								103	102	70-130												

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: 1690005819 FORMER 1-HOUR VALET

Pace Project No.: 40204544

QC Batch: 44642 Analysis Method: SM 3500-Fe B

QC Batch Method: SM 3500-Fe B Analysis Description: Iron, Ferrous

Associated Lab Samples: 40204544001, 40204544002, 40204544003, 40204544007

METHOD BLANK: 205126 Matrix: Water

Associated Lab Samples: 40204544001, 40204544002, 40204544003, 40204544007

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
Iron, Ferrous	mg/L	<0.20	0.20	03/17/20 15:45	

LABORATORY CONTROL SAMPLE: 205127

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Iron, Ferrous	mg/L	0.4	0.40	99	80-120	

MATRIX SPIKE SAMPLE: 205128

Parameter	Units	40204544001 Result	Spike Conc.	MS Result	MS % Rec	% Rec Limits	Qualifiers
Iron, Ferrous	mg/L	2.9	1.6	2.2	-44	80-120	H3,M1

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: 1690005819 FORMER 1-HOUR VALET

Pace Project No.: 40204544

QC Batch: 349745 Analysis Method: EPA 300.0
 QC Batch Method: EPA 300.0 Analysis Description: 300.0 IC Anions
 Associated Lab Samples: 40204544001, 40204544002, 40204544003, 40204544007

METHOD BLANK: 2026179 Matrix: Water
 Associated Lab Samples: 40204544001, 40204544002, 40204544003, 40204544007

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
Sulfate	mg/L	<0.44	2.0	03/12/20 11:11	

LABORATORY CONTROL SAMPLE: 2026180

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Sulfate	mg/L	20	19.3	96	90-110	

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 2026181 2026182

Parameter	Units	2026181		2026182		MS % Rec	MSD % Rec	% Rec Limits	RPD	Max RPD	Qual
		40204524003 Result	MS Spike Conc.	MSD Spike Conc.	MS Result						
Sulfate	mg/L	39.8J	400	400	455	453	104	103	90-110	0	15

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 2026183 2026184

Parameter	Units	2026183		2026184		MS % Rec	MSD % Rec	% Rec Limits	RPD	Max RPD	Qual
		40204515001 Result	MS Spike Conc.	MSD Spike Conc.	MS Result						
Sulfate	mg/L	167	400	400	588	591	105	106	90-110	0	15

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: 1690005819 FORMER 1-HOUR VALET
Pace Project No.: 40204544

QC Batch: 349919 Analysis Method: EPA 353.2
QC Batch Method: EPA 353.2 Analysis Description: 353.2 Nitrate + Nitrite, preserved
Associated Lab Samples: 40204544001, 40204544002, 40204544003, 40204544007

METHOD BLANK: 2027219 Matrix: Water
Associated Lab Samples: 40204544001, 40204544002, 40204544003, 40204544007

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
Nitrogen, NO2 plus NO3	mg/L	<0.059	0.25	03/13/20 09:56	

LABORATORY CONTROL SAMPLE: 2027220

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Nitrogen, NO2 plus NO3	mg/L	2.5	2.5	102	90-110	

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 2027221 2027222

Parameter	Units	2027221		2027222		MS % Rec	MSD % Rec	% Rec Limits	RPD	Max RPD	Qual	
		40204544002 Result	MS Spike Conc.	MSD Spike Conc.	MS Result							MSD Result
Nitrogen, NO2 plus NO3	mg/L	<0.059	2.5	2.5	2.3	2.4	93	95	90-110	1	20	

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 2027223 2027224

Parameter	Units	2027223		2027224		MS % Rec	MSD % Rec	% Rec Limits	RPD	Max RPD	Qual	
		40204592001 Result	MS Spike Conc.	MSD Spike Conc.	MS Result							MSD Result
Nitrogen, NO2 plus NO3	mg/L	0.58J	12.5	12.5	13.2	13.4	101	102	90-110	1	20	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: 1690005819 FORMER 1-HOUR VALET
Pace Project No.: 40204544

QC Batch: 349893 Analysis Method: SM 5310C
QC Batch Method: SM 5310C Analysis Description: 5310C Total Organic Carbon
Associated Lab Samples: 40204544001, 40204544002, 40204544003, 40204544007

METHOD BLANK: 2027102 Matrix: Water
Associated Lab Samples: 40204544001, 40204544002, 40204544003, 40204544007

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
Total Organic Carbon	mg/L	<0.15	0.50	03/13/20 08:50	

LABORATORY CONTROL SAMPLE: 2027103

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Total Organic Carbon	mg/L	2.5	2.4	98	80-120	

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 2027104 2027105

Parameter	Units	2027104		2027105		MS % Rec	MSD % Rec	% Rec Limits	RPD	Max RPD	Qual
		40204544001 Result	MS Spike Conc.	MSD Spike Conc.	MS Result						
Total Organic Carbon	mg/L	0.36J	1	1	0.65	0.63	29	28	80-120	2	10 M0

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALIFIERS

Project: 1690005819 FORMER 1-HOUR VALET

Pace Project No.: 40204544

DEFINITIONS

DF - Dilution Factor, if reported, represents the factor applied to the reported data due to dilution of the sample aliquot.

ND - Not Detected at or above LOD.

J - Estimated concentration at or above the LOD and below the LOQ.

LOD - Limit of Detection adjusted for dilution factor, percent moisture, initial weight and final volume.

LOQ - Limit of Quantitation adjusted for dilution factor, percent moisture, initial weight and final volume.

S - Surrogate

1,2-Diphenylhydrazine decomposes to and cannot be separated from Azobenzene using Method 8270. The result for each analyte is a combined concentration.

Consistent with EPA guidelines, unrounded data are displayed and have been used to calculate % recovery and RPD values.

LCS(D) - Laboratory Control Sample (Duplicate)

MS(D) - Matrix Spike (Duplicate)

DUP - Sample Duplicate

RPD - Relative Percent Difference

NC - Not Calculable.

SG - Silica Gel - Clean-Up

U - Indicates the compound was analyzed for, but not detected at or above the adjusted LOD.

N-Nitrosodiphenylamine decomposes and cannot be separated from Diphenylamine using Method 8270. The result reported for each analyte is a combined concentration.

Pace Analytical is TNI accredited. Contact your Pace PM for the current list of accredited analytes.

TNI - The NELAC Institute.

LABORATORIES

PASI-G Pace Analytical Services - Green Bay

PASI-GA Pace Analytical Services - Atlanta, GA

ANALYTE QUALIFIERS

D3 Sample was diluted due to the presence of high levels of non-target analytes or other matrix interference.

H3 Sample was received or analysis requested beyond the recognized method holding time.

M0 Matrix spike recovery and/or matrix spike duplicate recovery was outside laboratory control limits.

M1 Matrix spike recovery exceeded QC limits. Batch accepted based on laboratory control sample (LCS) recovery.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA CROSS REFERENCE TABLE

Project: 1690005819 FORMER 1-HOUR VALET
Pace Project No.: 40204544

Lab ID	Sample ID	QC Batch Method	QC Batch	Analytical Method	Analytical Batch
40204544001	PZ-2R	EPA 8015B Modified	350272		
40204544002	MW-6	EPA 8015B Modified	350272		
40204544003	MW-6 DUP	EPA 8015B Modified	350272		
40204544007	PZ-1R	EPA 8015B Modified	350272		
40204544001	PZ-2R	EPA 3010	349902	EPA 6020	349970
40204544002	MW-6	EPA 3010	349902	EPA 6020	349970
40204544003	MW-6 DUP	EPA 3010	349902	EPA 6020	349970
40204544007	PZ-1R	EPA 3010	349902	EPA 6020	349970
40204544001	PZ-2R	EPA 8260	349776		
40204544002	MW-6	EPA 8260	349776		
40204544003	MW-6 DUP	EPA 8260	349776		
40204544004	PZ-4	EPA 8260	349776		
40204544005	MW-5	EPA 8260	349776		
40204544006	MW-4	EPA 8260	349776		
40204544007	PZ-1R	EPA 8260	349776		
40204544008	TRIP BLANK	EPA 8260	349776		
40204544001	PZ-2R	SM 3500 Fe -Fe2	44748		
40204544002	MW-6	SM 3500 Fe -Fe2	44748		
40204544003	MW-6 DUP	SM 3500 Fe -Fe2	44748		
40204544007	PZ-1R	SM 3500 Fe -Fe2	44748		
40204544001	PZ-2R	SM 3500-Fe B	44642		
40204544002	MW-6	SM 3500-Fe B	44642		
40204544003	MW-6 DUP	SM 3500-Fe B	44642		
40204544007	PZ-1R	SM 3500-Fe B	44642		
40204544001	PZ-2R	EPA 300.0	349745		
40204544002	MW-6	EPA 300.0	349745		
40204544003	MW-6 DUP	EPA 300.0	349745		
40204544007	PZ-1R	EPA 300.0	349745		
40204544001	PZ-2R	EPA 353.2	349919		
40204544002	MW-6	EPA 353.2	349919		
40204544003	MW-6 DUP	EPA 353.2	349919		
40204544007	PZ-1R	EPA 353.2	349919		
40204544001	PZ-2R	SM 5310C	349893		
40204544002	MW-6	SM 5310C	349893		
40204544003	MW-6 DUP	SM 5310C	349893		
40204544007	PZ-1R	SM 5310C	349893		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

(Please Print Clearly)

Company Name: **RAMBOLI**
 Branch/Location: **BROOKFIELD**
 Project Contact: **SUSAN PETROFSKE**
 Phone: **262 901 3501**
 Project Number: **169 000 5819**
 Project Name: **FORMER IHR VALET**
 Project State: **WISCONSIN**
 Sampled By (Print): **DUNKAN GLASFORD**
 Sampled By (Sign): *[Signature]*
 PO #:



UPPER MIDWEST REGION
 MN: 612-607-1700 WI: 920-469-2436

40204544

CHAIN OF CUSTODY

***Preservation Codes**
 A=None B=HCL C=H2SO4 D=HNO3 E=DI Water F=Methanol G=NaOH
 H=Sodium Bisulfate Solution I=Sodium Thiosulfate J=Other

FILTERED?
(YES/NO)
 PRESERVATION
(CODE)*

Y/N	N	N	N	N	N	N	Y
Pick Letter	B	B	B	C	C	A	D
Analyses Requested	VOL 8260	MEG	Fe 2+/3+	TOL 5310	NITRATE NITRITE 3532	SULFATE	METALS
	X	X	X	X	X	X	X
	X	X	X	X	X	X	X
	X						
	X	X					
	X	X	X	X	X	X	X
	X	X	X	X	X	X	X
	X						

Quote #:
 Mail To Contact:
 Mail To Company:
 Mail To Address:
 Invoice To Contact: **SUSAN PETROFSKE**
 Invoice To Company: **RAMBOLI**
 Invoice To Address:
 Invoice To Phone:

Data Package Options (billable)
 EPA Level III
 EPA Level IV

MS/MSD
 On your sample (billable)
 NOT needed on your sample

Matrix Codes
 A = Air W = Water
 B = Biota DW = Drinking Water
 C = Charcoal GW = Ground Water
 O = Oil SW = Surface Water
 S = Soil WW = Waste Water
 SI = Sludge WP = Wipe

PACE LAB #	CLIENT FIELD ID	COLLECTION		MATRIX
		DATE	TIME	
001	PZ-2R	3/10/20	928	GW
002	MW-6		1105	
003	MW-6 DUP		1110	
004	PZ-4		1233	
005	MW-5		1320	
006	MW-4		1408	
007	PZ-1R		1500	
008	TRIP BLANK			

CLIENT COMMENTS	LAB COMMENTS (Lab Use Only)	Profile #

Rush Turnaround Time Requested - Prelims (Rush TAT subject to approval/surcharge)
 Date Needed: *[Signature]* Date/Time: **1700 3/10/2020** Received By: *[Signature]* Date/Time: **3/10/2020 0815**

Transmit Prelim Rush Results by (complete what you want):
 Email #1: Relinquished By: Date/Time: Received By: Date/Time:
 Email #2: Relinquished By: Date/Time: Received By: Date/Time:
 Telephones: Relinquished By: Date/Time: Received By: Date/Time:
 Fax: Relinquished By: Date/Time: Received By: Date/Time:

Samples on HOLD are subject to special pricing and release of liability

PACE Project No. **40204544**
 Receipt Temp = **65** °C
 Sample Receipt pH **(P)/ Adjusted**
 Cooler Custody Seal
 Present / Not Present
 Intact / Not Intact

Sample Preservation Receipt Form

Client Name: Ramboll

Project # 40204544

All containers needing preservation have been checked and noted below: Yes No N/A

Initial when completed: MP Date/Time:

Lab Lot# of pH paper: 1052791 Lab Std #ID of preservation (if pH adjusted):

Pace Lab #	Glass							Plastic					Vials					Jars				General			VOA Vials (>6mm) *	H2SO4 pH ≤2	NaOH+Zn Act pH ≥9	NaOH pH ≥12	HNO3 pH ≤2	pH after adjusted	Volume (mL)													
	AG1U	BG1U	AG1H	AG4S	AG4U	AG5U	AG2S	BG3U	BP1U	BP3U	BP3B	BP3N	BP3S	VG9A	DG9T	VG9U	VG9H	VG9M	VG9D	JGFU	JG9U	WGFU	WPFU	SP5T								ZPLC	GN											
001			-						-		-	-				8																		X									2.5 / 5 / 10	
002			-						-		-	-				8																		X									2.5 / 5 / 10	
003			-						-		-	-				8																		X									2.5 / 5 / 10	
004																3																											2.5 / 5 / 10	
005																3																												2.5 / 5 / 10
006																3																												2.5 / 5 / 10
007			-						-		-	-				8																												2.5 / 5 / 10
008																2																			X								2.5 / 5 / 10	
009																																											2.5 / 5 / 10	
010																																												2.5 / 5 / 10
011																																												2.5 / 5 / 10
012																																												2.5 / 5 / 10
013																																												2.5 / 5 / 10
014																																												2.5 / 5 / 10
015																																												2.5 / 5 / 10
016																																												2.5 / 5 / 10
017																																												2.5 / 5 / 10
018																																												2.5 / 5 / 10
019																																												2.5 / 5 / 10
020																																												2.5 / 5 / 10

Handwritten note: 5/11/20
MP

Exceptions to preservation check: VOA, Coliform, TOC, TOX, TOH, O&G, WI DRO, Phenolics, Other: _____ Headspace in VOA Vials (>6mm) : Yes No N/A *If yes look in headspace column

AG1U 1 liter amber glass	BP1U 1 liter plastic unpres	VG9A 40 mL clear ascorbic	JGFU 4 oz amber jar unpres
BG1U 1 liter clear glass	BP3U 250 mL plastic unpres	DG9T 40 mL amber Na Thio	JG9U 9 oz amber jar unpres
AG1H 1 liter amber glass HCL	BP3B 250 mL plastic NaOH	VG9U 40 mL clear vial unpres	WGFU 4 oz clear jar unpres
AG4S 125 mL amber glass H2SO4	BP3N 250 mL plastic HNO3	VG9H 40 mL clear vial HCL	WPFU 4 oz plastic jar unpres
AG4U 120 mL amber glass unpres	BP3S 250 mL plastic H2SO4	VG9M 40 mL clear vial MeOH	SP5T 120 mL plastic Na Thiosulfate
AG5U 100 mL amber glass unpres		VG9D 40 mL clear vial DI	ZPLC ziploc bag
AG2S 500 mL amber glass H2SO4			GN
BG3U 250 mL clear glass unpres			



Document Name:
Sample Condition Upon Receipt (SCUR)
 Document No.:
F-GB-C-031-Rev.07

Document Revised: 25Apr2018
 Issuing Authority:
 Pace Green Bay Quality Office

Sample Condition Upon Receipt Form (SCUR)

Client Name: Ramboll

Project #: _____

WO#: 40204544

Courier: CS Logistics Fed Ex Speedee UPS Waltco
 Client Pace Other: _____



Tracking #: 2170 031020

Custody Seal on Cooler/Box Present: yes no Seals intact: yes no

Custody Seal on Samples Present: yes no Seals intact: yes no

Packing Material: Bubble Wrap Bubble Bags None Other _____

Thermometer Used SR - NA Type of Ice: Wet Blue Dry None Samples on ice, cooling process has begun

Cooler Temperature Uncorr: ROT / Corr: _____

Temp Blank Present: yes no Biological Tissue is Frozen: yes no

Person examining contents:
 Date: 3/11/20
 Initials: MP

Temp should be above freezing to 6°C.
 Biota Samples may be received at ≤ 0°C.

Chain of Custody Present:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	1.
Chain of Custody Filled Out:	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A	2. <u>NO MAIL TO, P97</u> <u>3/11/20 MP</u>
Chain of Custody Relinquished:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	3.
Sampler Name & Signature on COC:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	4.
Samples Arrived within Hold Time:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	5.
- VOA Samples frozen upon receipt	<input type="checkbox"/> Yes <input type="checkbox"/> No	Date/Time: _____
Short Hold Time Analysis (<72hr):	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	6.
Rush Turn Around Time Requested:	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	7.
Sufficient Volume:		8.
For Analysis: <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No MS/MSD: <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A		
Correct Containers Used:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	9.
-Pace Containers Used:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	
-Pace IR Containers Used:	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	
Containers Intact:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	10.
Filtered volume received for Dissolved tests	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	11. <u>3/11/20 MP</u>
Sample Labels match COC:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	12.
-Includes date/time/ID/Analysis Matrix: <u>W</u>		
Trip Blank Present:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	13.
Trip Blank Custody Seals Present	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	
Pace Trip Blank Lot # (if purchased): <u>438</u>		

Client Notification/ Resolution: _____ If checked, see attached form for additional comments
 Person Contacted: _____ Date/Time: _____
 Comments/ Resolution: _____

Project Manager Review: _____

Date: 3/11/2020
 Page 2 of 2
 Page 37 of 37