

Paul Lindquist

From: Paul Lindquist
Sent: Wednesday, May 11, 2022 3:01 PM
To: greg.michael@wisconsin.gov
Cc: Smullen, Joel; Jeanne Tarvin; Mark Mejac; Susan Petrofske
Subject: April 2022 Groundwater Data Transmittal E-mail - Former One-Hour Valet (TAXMAN Investment)
Attachments: 01_Site Layout.pdf; Groundwater Analytical Results.pdf; MNA Analytical Results and Data.pdf; April 2022 GW Lab Report (40243415).pdf

Good afternoon Greg,

We have received the analytical results of the April 2022 groundwater sampling event of six groundwater monitoring wells (MW-4, MW-5, MW-6, PZ-1R, PZ-2R, and PZ-4) from the former One-Hour Valet Drycleaners (TAXMAN Investment) facility located at 1214 Wells Street in Milwaukee, WI (lab report attached). The monitoring well locations are shown on Figure 1 and the field and laboratory analytical results are summarized in the attached tables. This is the second groundwater sampling event (approximately nine months) after the second injection of additional organic carbon amendments was conducted on July 14, 2021. As previously communicated in our April 13, 2022 e-mail, the PFAS analysis tentatively scheduled as part of the April 2022 sampling event was postponed.

A semi-annual 2022 progress report documenting the April 2022 sampling event will be submitted to the WDNR in Summer 2022 and the next groundwater sampling event is scheduled for October 2022.

Please let us know if you have any questions or comments in the interim.

Paul Lindquist

Managing Consultant
1692722 - Great Lakes

D 262-901-3510
M 612-209-8676
plindquist@ramboll.com

Connect with us  

































Ramboll
234 W. Florida Street
Fifth Floor
Milwaukee, WI 53204
USA
<https://ramboll.com>

L:\Loop Project Files\CAD\1690005819_Former 1hr Dry Cleaners\2021-01\02_Site Layout.dwg

HOSPITAL PARKING STRUCTURE



LEGEND

-  PROPERTY BOUNDARY
-  BUILDING FOOTPRINT
-  ASPHALT
-  CONCRETE
-  FENCE LINE
-  75 1-FT ELEVATION CONTOUR
-  UNDERGROUND ELECTRIC
-  OVERHEAD ELECTRIC
-  TELEPHONE
-  WATER LINE
-  GAS
-  CABLE TV
-  FIBER OPTIC
-  STORMWATER SEWER
-  SANITARY SEWER
-  STEAM
-  CATCH BASIN
-  MANHOLE
-  VALVE
-  TRAFFIC LIGHT
-  TRANSFORMER
-  METER
-  LIGHT POLE
-  GUY UTILITY POLE / GUY
-  TREE
-  FIRE HYDRANT
-  TELEPHONE PEDESTAL
-  CONTROL BOX
-  MONITORING WELL
-  SOIL GAS SAMPLE
-  INJECTION WELL (APPROXIMATE LOCATION)
-  INJECTION POINT (APPROXIMATE LOCATION)

REFERENCE: THE SITE LAYOUT, SITE FEATURES, ELEVATIONS, UTILITIES, AND OTHER FEATURES NEAR THE PROPERTY WERE OBTAINED FROM GRAEF-USA IN DECEMBER 2017. MONITORING WELLS WERE SURVEYED IN OCTOBER 2019.



SITE LAYOUT
 FORMER ONE-HOUR VALET DRY CLEANERS
 1214 WEST WELLS STREET
 MILWAUKEE, WISCONSIN




FIGURE 1

DRAFTED BY: HJW/PDL

DATE: 1/20/2021

1690005819



Groundwater Analytical Results - Summary of Detected Constituents

Former One-Hour Valet Dry Cleaners
1214 West Wells Street, Milwaukee, Wisconsin
Ramboll Project No. 1690005819

DRAFT

Analyte ^{1,2}		Benzene	Chloroform	1,1-Dichloroethene	cis-1,2-Dichloroethene	trans-1,2-Dichloroethene	Ethylbenzene	Methylene chloride	Tetrachloroethene	Toluene	Trichloroethene	1,2,4-Trimethylbenzene ³	Vinyl chloride	Xylenes, total ⁴
CAS		71-43-2	67-66-3	75-35-4	156-59-2	156-60-5	100-41-4	75-09-2	127-18-4	108-88-3	79-01-6	95-63-6	75-01-4	1330-20-7
Units		ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L
NR 140 ES		5	6	7	70	100	700	5	5	800	5	480	0.2	2000
NR 140 PAL		0.5	0.6	0.7	7	20	140	0.5	0.5	160	0.5	96	0.02	400
MW-1	1/14/2002	ND	<0.23	<0.27	<0.21	<0.25	<0.22	<0.24	<0.22	<0.41	0.46 J	<0.15	44	#N/A
	5/8/2002	ND	<0.1	<0.11	<0.11	<0.11	<0.08	<0.24	<0.15	<0.08	<0.13	<0.11	<0.16	#N/A
	8/7/2003	ND	<0.25	<0.5	<0.5	<0.5	<0.5	<1	<0.5	0.9	0.3 J	<0.25	<0.25	<0.5
	10/7/2003	ND	<0.25	<0.5	<0.5	<0.5	<0.5	<1	<0.5	<0.25	<0.25	<0.25	<0.25	<0.5
	8/25/2009	<0.2	<0.2	<0.5	<0.5	<0.5	<0.5	<1	<0.5	<0.5	<0.2	<0.2	<0.2	<0.5
MW-2	11/1/2017	<0.50	<2.5	<0.41	<0.26	<0.26	<0.50	<0.23	<0.50	<0.50	<0.33	<0.50	<0.18	<1.5
	1/14/2002	ND	<0.23	<0.21	<0.21	<0.25	<0.22	<0.22	<0.22	<0.41	<0.24	<0.26	<0.25	#N/A
	5/8/2002	ND	<0.1	<0.11	<0.11	<0.11	<0.08	<0.24	<0.15	<0.08	<0.13	<0.11	<0.16	#N/A
	8/7/2003	ND	<0.25	<0.5	<0.5	<0.5	<0.5	<1	<0.5	0.32 J	<0.25	<0.25	<0.25	<0.5
	10/7/2003	ND	<0.25	<0.5	<0.5	<0.5	<0.5	<1	<0.5	<0.25	<0.25	<0.25	<0.25	<0.5
MW-3	8/27/2009	<0.2	<0.2	<0.5	<0.5	<0.5	<0.5	<1	<0.5	<0.5	<0.2	<0.2	<0.2	<0.5
	11/1/2017	<0.50	<2.5	<0.41	<0.26	<0.26	<0.50	<0.23	<0.50	<0.50	<0.33	<0.50	<0.18	<1.5
	1/15/2002	ND	<0.23	<0.27	<0.21	<0.25	<0.22	<0.22	<0.22	<0.41	<0.24	<0.26	<0.25	#N/A
	5/8/2002	ND	<0.1	<0.11	<0.11	<0.11	<0.08	<0.24	<0.15	0.32	0.34 J	<0.11	<0.16	#N/A
	8/7/2003	ND	<0.25	<0.5	<0.5	<0.5	<0.5	<1	<0.5	0.88	0.42 J	<0.25	<0.25	<0.5
MW-4	10/7/2003	ND	<0.25	<0.5	<0.5	<0.5	<0.5	<1	<0.5	<0.25	<0.25	<0.25	<0.25	<0.5
	8/27/2009	<0.2	<0.2	<0.5	<0.5	<0.5	<0.5	<1	<0.5	<0.5	<0.2	<0.2	<0.2	<0.5
	11/2/2017	<0.50	<2.5	<0.41	<0.26	<0.26	<0.50	<0.23	<0.50	<0.50	<0.33	<0.50	<0.18	<1.5
	5/2/2019	<0.49	<2.5	<0.49	23.0	<2.2	<0.44	<1.2	850	<0.34	5.0	<1.7	<0.35	<3.0
	8/14/2019	<0.25	<1.3	<0.24	0.43 J	<1.1	<0.22	<0.58	79.1	<0.17	0.99 J	<0.84	<0.17	<1.5
	3/10/2020	<0.25	<1.3	<0.24	<0.27	<1.1	<0.32	<0.58	57	<0.27	0.47 J	<0.84	<0.17	<1.5
	10/28/2020	<0.25	<1.3	<0.24	<0.27	<0.46	<0.32	<0.58	24.0	<0.27	0.26 J	<0.84	<0.17	<1.5
	4/21/2021	<0.30	<1.2	<0.58	<0.47	<0.53	<0.33	<0.32	31.8	<0.29	<0.32	<0.45	<0.17	<1.0
	10/27/2021	<0.30	<1.2	<0.58	<0.47	<0.53	<0.33	<0.32	26.8	<0.29	<0.32	<0.45	<0.17	<1.0
	4/13/2022	<0.30	<1.2	<0.58	<0.47	<0.53	<0.33	<0.32	13.7	<0.29	<0.32	<0.45	<0.17	<1.0
MW-5	8/7/2003	ND	<0.25	<0.5	11	<0.5	<0.5	<1	80	0.9	7.9	0.34 J	<0.25	<0.5
	10/7/2003	ND	<0.25	<0.5	150	1.2	<0.5	<1	93	<0.25	6.4	<0.25	<0.25	<0.5
	8/27/2009	<0.2	<0.2	<0.5	110	1.2	<0.5	<1	140	<0.5	<0.2	32	22	<0.5
	11/2/2017	<0.50	<2.5	<0.41	73.6	1.5	<0.50	<0.23	30.3	<0.50	3.2	<0.50	0.45 J	<1.5
	5/2/2019	<0.25	<1.3	<0.24	11.3	<1.1	<0.22	<0.58	20.5	<0.17	3.8	<0.84	2.1	<1.5
	8/14/2019	<0.25	<1.3	<0.24	31.2	<1.1	<0.22	<0.58	29.1	<0.17	5.9	<0.84	0.73 J	<1.5
	3/10/2020	<0.25	<1.3	<0.24	14.1	<1.1	<0.32	<0.58	23.8	<0.27	5.0	<0.84	2.2	<1.5
	10/28/2020	<0.25	<1.3	<0.24	11.3	0.72 J	<0.32	<0.58	21.7	<0.27	5.2	<0.84	1.5	<1.5
	4/21/2021	<0.30	<1.2	<0.58	7.6	0.59 J	<0.33	<0.32	20.9	<0.29	4.2	<0.45	1.5	<1.0
	10/27/2021	<0.30	<1.2	<0.58	12.3	1.7	<0.33	<0.32	24.0	<0.29	5.6	<0.45	1.1	<1.0
MW-6	4/13/2022	<0.30	<1.2	<0.58	47.8	0.93 J	<0.33	<0.32	18.0	<0.29	3.7	<0.45	<0.17	<1.0
	8/25/2009	<0.2	<2	<5	980	<5	<5	<10	<5	<5	18	<2	57	<1.5
	11/9/2017	<0.50	<2.5	<0.41	4.5	<0.26	<0.50	<0.23	<0.50	<0.50	<0.33	<0.50	1.0	<1.5
	5/2/2019	<0.25	<1.3	<0.24	<0.27	<1.1	<0.22	<0.58	<0.33	<0.17	<0.26	<0.84	<0.17	<1.5
	8/14/2019	<0.25	<1.3	<0.24	14.7 MI	<1.1	<0.22	<0.58	1.3	<0.17	0.37 J	<0.84	1.6	<1.5
	3/10/2020	<0.25	<1.3	<0.24	239	6.8	<0.32	<0.58	<0.33	<0.27	13.5	<0.84	11.5	<1.5
	10/28/2020	<0.25	<1.3	<0.24	172	5.4	<0.32	<0.58	<0.33	<0.27	15.6	<0.84	8.4	<1.5
MW-7	4/21/2021	<0.30	<1.2	<0.58	1.9	<0.53	<0.33	<0.32	<0.41	<0.29	<0.32	<0.45	0.32 J	<1.0
	10/27/2021	<0.30	<1.2	<0.58	1.3	<0.53	<0.33	<0.32	<0.41	<0.29	<0.32	<0.45	0.19 J	<1.0
	4/13/2022	<0.30	<1.2	<0.58	1.5	<0.53	<0.33	<0.32	<0.41	<0.29	<0.32	<0.45	0.36 J	<1.0
	8/26/2009	<0.2	<0.2	<0.5	<0.5	<0.5	<0.5	<1	<0.5	<0.5	<0.2	<0.2	<0.2	<0.5
MW-8	11/9/2017	<0.50	<2.5	<0.41	<0.26	<0.26	<0.50	<0.23	<0.50	<0.50	<0.33	<0.50	<0.18	<1.5
	8/26/2009	<0.2	<0.2	<0.5	<0.5	<0.5	<0.5	<1	<0.5	<0.5	<0.2	<0.2	<0.2	<0.5
MW-9	11/9/2017 ⁵	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
	8/27/2009	0.28	<0.2	<0.5	<0.5	<0.5	<0.5	<1	<0.5	0.64	<0.2	<0.2	<0.2	<0.5
	11/9/2017	<0.50	<2.5	<0.41	<0.26	<0.26	<0.50	<0.23	<0.50	0.59 J	<0.33	<0.50	<0.18	<1.5

Groundwater Analytical Results - Summary of Detected Constituents

DRAFT

Former One-Hour Valet Dry Cleaners
1214 West Wells Street, Milwaukee, Wisconsin
Ramboll Project No. 1690005819

Analyte ^{1,2}		Benzene	Chloroform	1,1-Dichloroethene	cis-1,2-Dichloroethene	trans-1,2-Dichloroethene	Ethylbenzene	Methylene chloride	Tetrachloroethene	Toluene	Trichloroethene	1,2,4-Trimethylbenzene ³	Vinyl chloride	Xylenes, total ⁴
CAS		71-43-2	67-66-3	75-35-4	156-59-2	156-60-5	100-41-4	75-09-2	127-18-4	108-88-3	79-01-6	95-63-6	75-01-4	1330-20-7
Units		ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L
NR 140 ES		5	6	7	70	100	700	5	5	800	5	480	0.2	2000
NR 140 PAL		0.5	0.6	0.7	7	20	140	0.5	0.5	160	0.5	96	0.02	400
PZ-1	1/15/2002	ND	<1.2	<1.4	400	4	<1.1	<1.1	<1.1	<2.1	<0.75	<1.3	#N/A	
	5/8/2003	ND	<5	<5.5	3,000	22	<4	23	8,500	<4	2,800	<5.5	22	
	8/8/2003	ND	0.3	8.4	2,600	18.0	1.8	<1	27,000	4.8	2,500	<0.25	11	
	10/7/2003	ND	<120	<250	2,600	<250	<250	<500	36,000	<120	2,600	<120	<250	
	8/25/2009	<32	<32	<80	2,000	<80	<80	<160	61,000	<80	1,600	<32	<80	
	11/2/2017	<125	<625	<103	414	<64.1	<125	<58.1	16,200	<125	435	<125	<43.9	<375
PZ-1 abandoned on 1/11/2018. PZ-1R was installed on 4/18/2019.														
PZ-1R	5/2/2019	<123	<637	<122	30,000	<545	<109	<290	60,300	<86.1	3,310	<420	<87.3	<750
	8/14/2019	<123	<637	140	108,000	<545	<109	<290	83,700	<86.1	5,450	<420	1,110	<750
	3/10/2020	<123	<637	<122	36,400	<545	<159	<290	23,200	<135	9,060	<420	2,630	<750
	10/28/2020	<123	<637	<122	6,500	<232	<159	<290	28,800	<135	2,280	<420	822	<750
	4/21/2021	<148	<591	<291	98,200	<264	<163	<160	64,500	<144	26,000	<224	10,800	<524
	10/27/2021	<148	<591	<291	69,500	<264	<163	<160	21,800	<144	10,800	<224	14,200	<524
4/13/2022	<148	<591	<291	47,800	<264	<163	<160	64,600	<144	11,800	<224	12,300	<524	
PZ-2	8/8/2003	ND	<0.25	<0.5	<0.5	<0.5	<0.5	<1	<0.5	0.43	<0.25	<0.25	5.8	<0.5
	10/6/2003	ND	<0.25	<0.5	<0.5	<0.5	<0.5	<1	<0.5	<0.25	<0.25	<0.25	8.9	<0.5
	8/27/2009	<0.2	<0.2	<0.5	<0.5	<0.5	<0.5	<1	<0.5	<0.5	<0.2	<0.2	14	<0.5
	11/1/2017	<0.50	<2.5	<0.41	4.1	<0.26	<0.50	<0.23	<0.50	<0.33	<0.50	<0.50	11.0	<1.5
	5/2/2019 ⁵	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
PZ-2 abandoned on 7/19/2019. PZ-2R was installed on 7/19/2019.														
PZ-2R	8/14/2019	<0.25	<1.3	<0.24	26.9	<1.1	<0.22	<0.58	12.7	<0.17	0.39	<0.84	15.5	<1.5
	3/10/2020	<0.25	<1.3	<0.24	33.9	<1.1	<0.32	<0.58	<0.33	<0.27	<0.26	<0.84	11.3	<1.5
	10/28/2020	<0.25	<1.3	<0.24	90.2	1.1	<0.32	<0.58	<0.33	<0.27	<0.26	<0.84	10.8	<1.5
	4/21/2021	<0.30	<1.2	<0.58	109	1.5	<0.33	<0.32	<0.41	<0.29	<0.32	<0.45	14.1	<1.0
	10/27/2021	<0.30	<1.2	<0.58	104	1.3	<0.33	<0.32	<0.41	<0.29	<0.32	<0.45	12.6	<1.0
	4/13/2022	<0.30	<1.2	<0.58	91.5	1.4	<0.33	<0.32	<0.41	<0.29	<0.32	<0.45	11.1	<1.0
PZ-3	8/26/2004	ND	<2	<5	440	<5	<5	<10	56	<2	<2	<2	<2	<5
	10/7/2004	ND	<1	<2.5	300	<2.5	<2.5	<5	73	<1	<1	<1	<1	<2.5
	8/25/2009	<2	<2	<5	1,100	11.0	<5	<10	5.6	<5	7.1	<2	3.9	<5
	11/2/2017	<25.0	<125	<20.5	2,060	22.4	<25.0	<11.6	<25.0	<25.0	144	<25.0	<8.8	<75.0
PZ-3 abandoned on 1/11/2018.														
PZ-4	8/25/2009	<0.20	<0.2	<0.5	4.4	<0.5	<0.5	<1	<0.5	0.84	<0.2	<0.2	<0.5	
	11/2/2017	<0.50	<2.5	<0.41	<0.26	<0.26	<0.50	<0.23	<0.50	<0.33	<0.50	<0.50	1.3	<1.5
	5/2/2019	<0.49	<2.5	<0.49	20.8	<1.1	<0.44	<1.2	351	<0.34	3	<1.7	1	<3.0
	8/14/2019	<0.25	<1.3	<0.24	<0.27	<1.1	<0.22	<0.58	15.8	<0.17	<0.26	<0.84	1.8	<1.5
	3/10/2020	<0.25	<1.3	<0.24	1.4	<1.1	<0.32	<0.58	16	<0.27	<0.26	<0.84	1.7	<1.5
	10/28/2020	<0.25	<1.3	<0.24	0.42	<0.46	<0.32	<0.58	23.5	<0.27	0.37	<0.84	<0.17	<1.5
	4/21/2021	<0.30	<1.2	<0.58	<0.47	<0.53	<0.33	<0.32	0.94	<0.29	<0.32	<0.45	3.1	<1.0
	10/27/2021	<0.30	<1.2	<0.58	<0.47	<0.53	<0.33	<0.32	<0.41	<0.29	<0.32	<0.45	3.2	<1.0
4/13/2022	<0.30	<1.2	<0.58	<0.47	<0.53	<0.33	<0.32	0.45	<0.29	<0.32	<0.45	3.3	<1.0	

Notes:

All results reported in micrograms per Liter (ug/L)

ES = Enforcement Standard

PAL = Preventive Action Limit

Bold value = NR 140 ES Exceedance

Italic Value = NR 140 PAL Exceedance

#N/A = Not analyzed

NS = Not sampled

J = Estimated concentration. Laboratory results reported between the limit of detection and limit of quantification.

¹ Analytical results are displayed for detected parameters only.

² All sampling results prior to 2017 obtained from a Site Investigation Report prepared by GZA GeoEnvironmental, Inc. on February 24, 2012.

³ Standards are for 1,2,4- and 1,3,5-Trimethylbenzene

⁴ Standards are for Total Xylenes (-m, -p, and -o).

⁵ MW-8 not sampled during the November 2017 groundwater sampling event because well did not recharge sufficiently.

⁶ PZ-2 was not sampled during the May 2019 groundwater sampling event because well was damaged during site redevelopment activities.

ND = Not detected at or above limit of detection.

M1 = Matrix spike recovery exceeded QC limits. Batch accepted based on laboratory control sample (LCS) recovery.

C4 = Sample container did not meet EPA or method requirements.

D3 = Sample was diluted due to the presence of high levels of non-target analytes or other matrix interference.

MNA Parameter Groundwater Sampling Results

Former One-Hour Valet Dry Cleaners
1214 West Wells Street, Milwaukee, Wisconsin
Ramboll Project No. 1690005819

DRAFT

Well ID	Sample Date	Dissolved Oxygen (mg/L)	Ethane (µg/L)	Ethene (µg/L)	Iron, Dissolved (mg/L)	Iron, Ferric (mg/L)	Iron, Ferrous (mg/L)	Methane (µg/L)	Nitrogen, NO ₂ plus NO ₃ (mg/L)	ORP (mV)	Sulfate (mg/L)	Total Organic Carbon (mg/L)
MW-1	1/14/2002	10.39	NA	NA	NA	NA	NA	NA	NA	-37.0	NA	NA
	5/8/2002	3.57	NA	NA	NA	NA	NA	NA	NA	287.1	NA	NA
	8/7/2003	0.22	NA	NA	NA	NA	NA	NA	NA	161.3	NA	NA
	10/7/2003	1.05	0.028	0.049	NA	NA	NA	14	NA	396.8	NA	NA
	8/25/2009	0.69	<10	<10	NA	NA	NA	<10	NA	95.0	NA	1.26
	11/1/2017	1.69	<0.58	<0.52	0.0126 J	0.00 J	<0.017	<1.4	<0.095	57.7	<100	<0.25
MW-2	1/14/2002	6.42	NA	NA	NA	NA	NA	NA	NA	168.4	NA	NA
	5/8/2002	1.07	NA	NA	NA	NA	NA	NA	NA	256.9	NA	NA
	8/7/2003	0.10	NA	NA	NA	NA	NA	NA	NA	2.3	NA	NA
	10/7/2003	4.43	0.018	0.021	NA	NA	NA	22	NA	364.0	NA	NA
	8/27/2009	0.98	NA	NA	NA	NA	NA	NA	NA	86.0	NA	NA
	11/1/2017	1.71	<0.58	<0.52	1.77	0.54	1.2 H3	<1.4	<0.095	-74.3	93.5	<0.25
MW-3	8/7/2003	0.15	NA	NA	NA	NA	NA	NA	NA	68.0	NA	NA
	10/7/2003	5.74	0.16	0.056	NA	NA	NA	45	NA	327.8	NA	NA
	8/27/2009	1.01	NA	NA	NA	NA	NA	NA	NA	16.0	NA	NA
	11/1/2017 ¹	0.73	NA	NA	NA	NA	NA	NA	NA	-125.6	NA	NA
MW-4	8/7/2003	5.83	NA	NA	NA	NA	NA	NA	NA	139.0	NA	NA
	10/7/2003	3.44	0.021	0.033	NA	NA	NA	22	NA	383.4	NA	NA
	8/25/2009	2.55	NA	NA	NA	NA	NA	NA	NA	77.0	NA	NA
	11/2/2017	0.88	NA	NA	NA	NA	NA	NA	NA	-19.8	NA	NA
	5/2/2019	8.40	NA	NA	NA	NA	NA	NA	NA	140.7	NA	NA
	8/14/2019	1.82	NA	NA	NA	NA	NA	NA	NA	79.4	NA	NA
	3/10/2020	8.53	NA	NA	NA	NA	NA	NA	NA	81.6	NA	NA
	10/28/2020	1.45	NA	NA	NA	NA	NA	NA	NA	116.0	NA	NA
	4/21/2021	5.40	NA	NA	NA	NA	NA	NA	NA	53.9	NA	NA
	10/27/2021	2.13	NA	NA	NA	NA	NA	NA	NA	64.6	NA	NA
MW-5	8/7/2003	0.86	NA	NA	NA	NA	NA	NA	NA	190.5	NA	NA
	10/7/2003	1.05	0.041	0.0097	NA	NA	NA	0.99	NA	396.8	NA	NA
	8/27/2009	0.99	<10	<10	NA	NA	NA	136	NA	98.0	NA	1.82
	11/2/2017	2.04	NA	NA	NA	NA	NA	NA	NA	18.6	NA	NA
	5/2/2019	2.01	NA	NA	NA	NA	NA	NA	NA	159.1	NA	NA
	8/14/2019	0.18	NA	NA	NA	NA	NA	NA	NA	63.4	NA	NA
	3/10/2020	0.00	NA	NA	NA	NA	NA	NA	NA	21.1	NA	NA
	10/28/2020	0.29	NA	NA	NA	NA	NA	NA	NA	47.2	NA	NA
	4/21/2021	0.19	NA	NA	NA	NA	NA	NA	NA	-18.0	NA	NA
	10/27/2021	0.52	NA	NA	NA	NA	NA	NA	NA	15.4	NA	NA
MW-6	8/25/2009	1.0	NA	NA	NA	NA	NA	NA	NA	-50.0	NA	NA
	11/9/2017 ¹	0.62	<0.58	<0.52	13.6	8.3	5.2 H3	<1.4	<0.095	-112.7	82.4	<0.25
	5/2/2019	11.38	<0.58	<0.52	103	1,030	<0.20	<1.4	0.25 J	94.8	41.8	6.0
	8/14/2019	0.83	<0.58	<0.52	1.7	<0.20	2.1 H3	<1.4	<0.0	3.1	95.6	0.57 J
	3/10/2020	0.01	<1.2	<1.2	6.68	<0.20	7.4 H3	75.2	<0.059	-154.3	87 J	1.8
	10/28/2020	0.26	NA	NA	NA	NA	NA	NA	NA	-137.5	NA	NA
	4/21/2021	0.41	NA	NA	NA	NA	NA	NA	NA	-98.1	NA	NA
	10/27/2021	0.44	NA	NA	NA	NA	NA	NA	NA	-50.4	NA	NA
MW-7	8/26/2009	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
	11/9/2017 ²	7.49	NA	NA	NA	NA	NA	NA	NA	-50.7	NA	NA
MW-8	8/26/2009	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
	11/9/2017 ³	4.03	NA	NA	NA	NA	NA	NA	NA	-28.7	NA	NA
MW-9	8/27/2009	NA	<10	<10	NA	NA	NA	<10	NA	NA	NA	1.27
	11/9/2017	6.40	NA	NA	NA	NA	NA	NA	NA	-42.6	NA	NA

MNA Parameter Groundwater Sampling Results

Former One-Hour Valet Dry Cleaners
1214 West Wells Street, Milwaukee, Wisconsin
Ramboll Project No. 1690005819

DRAFT

Well ID	Sample Date	Dissolved Oxygen (mg/L)	Ethane (µg/L)	Ethene (µg/L)	Iron, Dissolved (mg/L)	Iron, Ferric (mg/L)	Iron, Ferrous (mg/L)	Methane (µg/L)	Nitrogen, NO ₂ plus NO ₃ (mg/L)	ORP (mV)	Sulfate (mg/L)	Total Organic Carbon (mg/L)			
PZ-1	1/15/2002	0.66	NA	NA	NA	NA	NA	NA	NA	-65.3	NA	NA			
	5/8/2003	1.31	NA	NA	NA	NA	NA	NA	NA	-18.3	NA	NA			
	8/8/2003	0.12	NA	NA	NA	NA	NA	NA	NA	-93.7	NA	NA			
	10/7/2003	0.09	1.7	0.48	NA	NA	NA	7	NA	-97.1	NA	NA			
	8/25/2009	0.83	<10	<10	NA	NA	NA	<10	NA	-73.0	NA	2.04			
	11/2/2017	0.64	<0.58	<0.52	2.29	2.2	0.060	H3	<1.4	0.33	38.5	155	0.50 J		
PZ-1R	5/2/2019	1.01	337	32.4	5.88	<0.20	5.8	H3	23.1	<0.095	-102.6	101	124 J		
	8/14/2019	0.21	3,060	87.2	5.70	<0.20	6.5	H3	129	<0.095	-138.4	93.1	184		
	3/10/2020	0.00	2,130	974	4.60	<0.20	5.1	H3	162	<0.059	-270.1	85.9	115		
	10/28/2020	0.21	1,560	1,320	NA	NA	168	C4, H3	1510	NA	-126.9	4.9	J, D3	2,440	
	4/21/2021	0.19	1,540	1,090	NA	NA	19.7	H3	2,680	NA	-487.7	<2.2	D3	499	
	10/27/2021	0.18	2.7	J	21.9	17.1	<0.0281	H3	19.0	H3	1,820	NA	<2.2	D3	959
	4/13/2022	0.36	683	3,570	3.74	<0.058	3.9	H3	5,650	NA	-244.8	66.2	240		
PZ-2	8/8/2003	0.19	NA	NA	NA	NA	NA	NA	NA	NA	-41.3	NA	NA		
	10/6/2003	0.15	1.3	0.79	NA	NA	NA	60	NA	-35.1	NA	NA			
	8/27/2009	0.78	NA	NA	NA	NA	NA	NA	NA	-16.0	NA	NA			
	11/1/2017 ¹	2.67	<0.58	<0.52	8.82	5.7	3.1	23.1	<0.095	-100.3	178	<0.25			
PZ-2R	8/14/2019	0.13	0.82	J	<0.52	3.20	<0.20	3.6	H3	22	<0.095	-36.8	164	0.40 J	
	3/10/2020	0.10	<1.2	<1.2	2.80	<0.20	2.9	H3, M1	10.3	<0.059	-68.3	140	0.36 M0		
	10/28/2020	0.35	NA	NA	NA	NA	NA	NA	NA	-80.6	NA	NA			
	4/21/2021	0.47	NA	NA	NA	NA	NA	NA	NA	-81.7	NA	NA			
	10/27/2021	0.38	NA	NA	NA	NA	NA	NA	NA	-45.8	NA	NA			
PZ-3	8/25/2009	0.72	NA	NA	NA	NA	NA	NA	NA	-53.0	NA	NA			
	11/2/2017	1.34	NA	NA	NA	NA	NA	NA	NA	-103.8	NA	NA			
PZ-4	8/25/2009	0.72	NA	NA	NA	NA	NA	NA	NA	-55.0	NA	NA			
	11/2/2017	1.47	NA	NA	NA	NA	NA	NA	NA	-111.8	NA	NA			
	5/2/2019	2.99	NA	NA	NA	NA	NA	NA	NA	48.2	NA	NA			
	8/14/2019	0.24	NA	NA	NA	NA	NA	NA	NA	-40.0	NA	NA			
	3/10/2020	0.24	NA	NA	NA	NA	NA	NA	NA	-61.7	NA	NA			
	10/28/2020	7.72	NA	NA	NA	NA	NA	NA	NA	12.4	NA	NA			
	4/21/2021	0.54	NA	NA	NA	NA	NA	NA	NA	-88.1	NA	NA			
	10/27/2021	0.31	NA	NA	NA	NA	NA	NA	NA	-36.9	NA	NA			

Notes:

J = Estimated concentration at or above the level of detection and below the level of quantification.

mg/L = milligrams per liter

mV = millivolts

NA = Data was not collected or not able to be collected.

NS = Not sampled.

ORP = Oxidation-reduction potential; measured in the field.

ug/L = micrograms per liter

All sampling results prior to 2017 obtained from a Site Investigation Report prepared by GZA GeoEnvironmental, Inc. dated February 24, 2012.

(1) Well cap either missing or not plugged at time of inspection; potential for water and other constituents to have entered the well.

(2) Monitoring well purged dry after first stabilization parameter reading. Well sampled later in day without collecting new stabilization parameters.

(3) Monitoring well purged dry before water passed completely through flow-through cell. Stabilization parameters collected from flow-through cell approximately 4/5 of the way full.

(4) Monitoring well was damaged during site redevelopment activities and was not sampled.

C4 = Sample container did not meet EPA or method requirements

D3 = Sample was diluted due to the presence of high levels of non-target analytes or other matrix interference.

H3 = Sample was received or analysis requested beyond the recognized method holding time.

M0 = Matrix spike recovery and/or matrix spike duplicate recovery was outside laboratory control limits.

M1 = Matrix spike recovery exceeded QC limits. Batch accepted based on laboratory control sample (LCS) recovery.

April 26, 2022

Susan Petrofske
Ramboll US Consulting, Inc.
234 W. Florida Street
Fifth Floor
Milwaukee, WI 53204

RE: Project: 1690005819 ONE-HOUR VALET
Pace Project No.: 40243415

Dear Susan Petrofske:

Enclosed are the analytical results for sample(s) received by the laboratory on April 14, 2022. The results relate only to the samples included in this report. Results reported herein conform to the applicable TNI/NELAC Standards and the laboratory's Quality Manual, where applicable, unless otherwise noted in the body of the report.

The test results provided in this final report were generated by each of the following laboratories within the Pace Network:

- Pace Analytical Services - Green Bay

If you have any questions concerning this report, please feel free to contact me.

Sincerely,



Steven Mleczko
steve.mleczko@pacelabs.com
(920)469-2436
Project Manager

Enclosures

cc: Kyle Heimstead, Ramboll US Consulting, Inc.
Michele Peters, Ramboll



REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

CERTIFICATIONS

Project: 1690005819 ONE-HOUR VALET

Pace Project No.: 40243415

Pace Analytical Services Green Bay

1241 Bellevue Street, Green Bay, WI 54302

Florida/NELAP Certification #: E87948

Illinois Certification #: 200050

Kentucky UST Certification #: 82

Louisiana Certification #: 04168

Minnesota Certification #: 055-999-334

New York Certification #: 12064

North Dakota Certification #: R-150

Virginia VELAP ID: 460263

South Carolina Certification #: 83006001

Texas Certification #: T104704529-14-1

Wisconsin Certification #: 405132750

Wisconsin DATCP Certification #: 105-444

USDA Soil Permit #: P330-16-00157

Federal Fish & Wildlife Permit #: LE51774A-0

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

SAMPLE SUMMARY

Project: 1690005819 ONE-HOUR VALET

Pace Project No.: 40243415

Lab ID	Sample ID	Matrix	Date Collected	Date Received
40243415001	PZ-2R	Water	04/13/22 07:50	04/14/22 07:50
40243415002	MW-6	Water	04/13/22 08:35	04/14/22 07:50
40243415003	MW-6 DUP	Water	04/13/22 08:35	04/14/22 07:50
40243415004	PZ-4	Water	04/13/22 09:50	04/14/22 07:50
40243415005	MW-5	Water	04/13/22 10:25	04/14/22 07:50
40243415006	MW-4	Water	04/13/22 11:15	04/14/22 07:50
40243415007	PZ-1R	Water	04/13/22 12:45	04/14/22 07:50
40243415008	TRIP BLANK	Water	04/13/22 00:00	04/14/22 07:50

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

SAMPLE ANALYTE COUNT

Project: 1690005819 ONE-HOUR VALET

Pace Project No.: 40243415

Lab ID	Sample ID	Method	Analysts	Analytes Reported
40243415001	PZ-2R	EPA 8260	JAV	65
40243415002	MW-6	EPA 8260	JAV	65
40243415003	MW-6 DUP	EPA 8260	JAV	65
40243415004	PZ-4	EPA 8260	JAV	65
40243415005	MW-5	EPA 8260	JAV	65
40243415006	MW-4	EPA 8260	JAV	65
40243415007	PZ-1R	EPA 8015B Modified	ALD	3
		EPA 6020B	KXS	1
		EPA 8260	JAV	65
		HACH 8146	BAF	1
		EPA 300.0	HMB	1
		SM 5310C	TJJ	1
		EPA 8260	JAV	65
40243415008	TRIP BLANK	EPA 8260	JAV	65

PASI-G = Pace Analytical Services - Green Bay

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

SUMMARY OF DETECTION

Project: 1690005819 ONE-HOUR VALET
Pace Project No.: 40243415

Lab Sample ID Method	Client Sample ID Parameters	Result	Units	Report Limit	Analyzed	Qualifiers
40243415001	PZ-2R					
EPA 8260	cis-1,2-Dichloroethene	91.5	ug/L	1.0	04/18/22 17:39	
EPA 8260	trans-1,2-Dichloroethene	1.4	ug/L	1.0	04/18/22 17:39	
EPA 8260	Vinyl chloride	11.1	ug/L	1.0	04/18/22 17:39	
40243415002	MW-6					
EPA 8260	cis-1,2-Dichloroethene	1.5	ug/L	1.0	04/18/22 18:18	
EPA 8260	Vinyl chloride	0.36J	ug/L	1.0	04/18/22 18:18	
40243415003	MW-6 DUP					
EPA 8260	cis-1,2-Dichloroethene	1.0J	ug/L	1.0	04/18/22 18:37	
EPA 8260	Vinyl chloride	0.24J	ug/L	1.0	04/18/22 18:37	
40243415004	PZ-4					
EPA 8260	Tetrachloroethene	0.45J	ug/L	1.0	04/18/22 18:56	
EPA 8260	Vinyl chloride	3.3	ug/L	1.0	04/18/22 18:56	
40243415005	MW-5					
EPA 8260	cis-1,2-Dichloroethene	47.8	ug/L	1.0	04/18/22 19:16	
EPA 8260	trans-1,2-Dichloroethene	0.93J	ug/L	1.0	04/18/22 19:16	
EPA 8260	Tetrachloroethene	18.0	ug/L	1.0	04/18/22 19:16	
EPA 8260	Trichloroethene	3.7	ug/L	1.0	04/18/22 19:16	
40243415006	MW-4					
EPA 8260	Tetrachloroethene	13.7	ug/L	1.0	04/18/22 19:35	
40243415007	PZ-1R					
EPA 8015B Modified	Ethane	683	ug/L	224	04/22/22 11:28	
EPA 8015B Modified	Ethene	3570	ug/L	200	04/22/22 11:28	
EPA 8015B Modified	Methane	5650	ug/L	112	04/22/22 11:28	
EPA 6020B	Iron	3740	ug/L	250	04/23/22 10:09	
EPA 8260	cis-1,2-Dichloroethene	47800	ug/L	500	04/18/22 23:27	
EPA 8260	Tetrachloroethene	64600	ug/L	500	04/18/22 23:27	
EPA 8260	Trichloroethene	11800	ug/L	500	04/18/22 23:27	
EPA 8260	Vinyl chloride	12300	ug/L	500	04/18/22 23:27	
EPA 300.0	Sulfate	66.2	mg/L	10.0	04/21/22 14:10	
SM 5310C	Total Organic Carbon	240	mg/L	15.0	04/20/22 10:55	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 1690005819 ONE-HOUR VALET

Pace Project No.: 40243415

Sample: PZ-2R Lab ID: 40243415001 Collected: 04/13/22 07:50 Received: 04/14/22 07:50 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV									
Analytical Method: EPA 8260									
Pace Analytical Services - Green Bay									
Benzene	<0.30	ug/L	1.0	0.30	1		04/18/22 17:39	71-43-2	
Bromobenzene	<0.36	ug/L	1.0	0.36	1		04/18/22 17:39	108-86-1	
Bromochloromethane	<0.36	ug/L	5.0	0.36	1		04/18/22 17:39	74-97-5	
Bromodichloromethane	<0.42	ug/L	1.0	0.42	1		04/18/22 17:39	75-27-4	
Bromoform	<3.8	ug/L	5.0	3.8	1		04/18/22 17:39	75-25-2	
Bromomethane	<1.2	ug/L	5.0	1.2	1		04/18/22 17:39	74-83-9	
n-Butylbenzene	<0.86	ug/L	1.0	0.86	1		04/18/22 17:39	104-51-8	
sec-Butylbenzene	<0.42	ug/L	1.0	0.42	1		04/18/22 17:39	135-98-8	
tert-Butylbenzene	<0.59	ug/L	1.0	0.59	1		04/18/22 17:39	98-06-6	
Carbon tetrachloride	<0.37	ug/L	1.0	0.37	1		04/18/22 17:39	56-23-5	
Chlorobenzene	<0.86	ug/L	1.0	0.86	1		04/18/22 17:39	108-90-7	
Chloroethane	<1.4	ug/L	5.0	1.4	1		04/18/22 17:39	75-00-3	
Chloroform	<1.2	ug/L	5.0	1.2	1		04/18/22 17:39	67-66-3	
Chloromethane	<1.6	ug/L	5.0	1.6	1		04/18/22 17:39	74-87-3	
2-Chlorotoluene	<0.89	ug/L	5.0	0.89	1		04/18/22 17:39	95-49-8	
4-Chlorotoluene	<0.89	ug/L	5.0	0.89	1		04/18/22 17:39	106-43-4	
1,2-Dibromo-3-chloropropane	<2.4	ug/L	5.0	2.4	1		04/18/22 17:39	96-12-8	
Dibromochloromethane	<2.6	ug/L	5.0	2.6	1		04/18/22 17:39	124-48-1	
1,2-Dibromoethane (EDB)	<0.31	ug/L	1.0	0.31	1		04/18/22 17:39	106-93-4	
Dibromomethane	<0.99	ug/L	5.0	0.99	1		04/18/22 17:39	74-95-3	
1,2-Dichlorobenzene	<0.33	ug/L	1.0	0.33	1		04/18/22 17:39	95-50-1	
1,3-Dichlorobenzene	<0.35	ug/L	1.0	0.35	1		04/18/22 17:39	541-73-1	
1,4-Dichlorobenzene	<0.89	ug/L	1.0	0.89	1		04/18/22 17:39	106-46-7	
Dichlorodifluoromethane	<0.46	ug/L	5.0	0.46	1		04/18/22 17:39	75-71-8	M1
1,1-Dichloroethane	<0.30	ug/L	1.0	0.30	1		04/18/22 17:39	75-34-3	
1,2-Dichloroethane	<0.29	ug/L	1.0	0.29	1		04/18/22 17:39	107-06-2	
1,1-Dichloroethene	<0.58	ug/L	1.0	0.58	1		04/18/22 17:39	75-35-4	
cis-1,2-Dichloroethene	91.5	ug/L	1.0	0.47	1		04/18/22 17:39	156-59-2	
trans-1,2-Dichloroethene	1.4	ug/L	1.0	0.53	1		04/18/22 17:39	156-60-5	
1,2-Dichloropropane	<0.45	ug/L	1.0	0.45	1		04/18/22 17:39	78-87-5	
1,3-Dichloropropane	<0.30	ug/L	1.0	0.30	1		04/18/22 17:39	142-28-9	
2,2-Dichloropropane	<4.2	ug/L	5.0	4.2	1		04/18/22 17:39	594-20-7	
1,1-Dichloropropene	<0.41	ug/L	1.0	0.41	1		04/18/22 17:39	563-58-6	
cis-1,3-Dichloropropene	<0.36	ug/L	1.0	0.36	1		04/18/22 17:39	10061-01-5	
trans-1,3-Dichloropropene	<3.5	ug/L	5.0	3.5	1		04/18/22 17:39	10061-02-6	
Diisopropyl ether	<1.1	ug/L	5.0	1.1	1		04/18/22 17:39	108-20-3	
Ethylbenzene	<0.33	ug/L	1.0	0.33	1		04/18/22 17:39	100-41-4	
Hexachloro-1,3-butadiene	<2.7	ug/L	5.0	2.7	1		04/18/22 17:39	87-68-3	
Isopropylbenzene (Cumene)	<1.0	ug/L	5.0	1.0	1		04/18/22 17:39	98-82-8	
p-Isopropyltoluene	<1.0	ug/L	5.0	1.0	1		04/18/22 17:39	99-87-6	
Methylene Chloride	<0.32	ug/L	5.0	0.32	1		04/18/22 17:39	75-09-2	
Methyl-tert-butyl ether	<1.1	ug/L	5.0	1.1	1		04/18/22 17:39	1634-04-4	
Naphthalene	<1.1	ug/L	5.0	1.1	1		04/18/22 17:39	91-20-3	
n-Propylbenzene	<0.35	ug/L	1.0	0.35	1		04/18/22 17:39	103-65-1	
Styrene	<0.36	ug/L	1.0	0.36	1		04/18/22 17:39	100-42-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 1690005819 ONE-HOUR VALET
Pace Project No.: 40243415

Sample: PZ-2R **Lab ID: 40243415001** Collected: 04/13/22 07:50 Received: 04/14/22 07:50 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV									
Analytical Method: EPA 8260									
Pace Analytical Services - Green Bay									
1,1,1,2-Tetrachloroethane	<0.36	ug/L	1.0	0.36	1		04/18/22 17:39	630-20-6	
1,1,1,2-Tetrachloroethane	<0.38	ug/L	1.0	0.38	1		04/18/22 17:39	79-34-5	
Tetrachloroethene	<0.41	ug/L	1.0	0.41	1		04/18/22 17:39	127-18-4	
Toluene	<0.29	ug/L	1.0	0.29	1		04/18/22 17:39	108-88-3	
1,2,3-Trichlorobenzene	<1.0	ug/L	5.0	1.0	1		04/18/22 17:39	87-61-6	
1,2,4-Trichlorobenzene	<0.95	ug/L	5.0	0.95	1		04/18/22 17:39	120-82-1	
1,1,1-Trichloroethane	<0.30	ug/L	1.0	0.30	1		04/18/22 17:39	71-55-6	
1,1,2-Trichloroethane	<0.34	ug/L	5.0	0.34	1		04/18/22 17:39	79-00-5	
Trichloroethene	<0.32	ug/L	1.0	0.32	1		04/18/22 17:39	79-01-6	
Trichlorofluoromethane	<0.42	ug/L	1.0	0.42	1		04/18/22 17:39	75-69-4	M1
1,2,3-Trichloropropane	<0.56	ug/L	5.0	0.56	1		04/18/22 17:39	96-18-4	
1,2,4-Trimethylbenzene	<0.45	ug/L	1.0	0.45	1		04/18/22 17:39	95-63-6	
1,3,5-Trimethylbenzene	<0.36	ug/L	1.0	0.36	1		04/18/22 17:39	108-67-8	
Vinyl chloride	11.1	ug/L	1.0	0.17	1		04/18/22 17:39	75-01-4	
Xylene (Total)	<1.0	ug/L	3.0	1.0	1		04/18/22 17:39	1330-20-7	
m&p-Xylene	<0.70	ug/L	2.0	0.70	1		04/18/22 17:39	179601-23-1	
o-Xylene	<0.35	ug/L	1.0	0.35	1		04/18/22 17:39	95-47-6	
Surrogates									
4-Bromofluorobenzene (S)	100	%	70-130		1		04/18/22 17:39	460-00-4	
1,2-Dichlorobenzene-d4 (S)	96	%	70-130		1		04/18/22 17:39	2199-69-1	
Toluene-d8 (S)	101	%	70-130		1		04/18/22 17:39	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 1690005819 ONE-HOUR VALET

Pace Project No.: 40243415

Sample: MW-6 **Lab ID: 40243415002** Collected: 04/13/22 08:35 Received: 04/14/22 07:50 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV									
Analytical Method: EPA 8260									
Pace Analytical Services - Green Bay									
Benzene	<0.30	ug/L	1.0	0.30	1		04/18/22 18:18	71-43-2	
Bromobenzene	<0.36	ug/L	1.0	0.36	1		04/18/22 18:18	108-86-1	
Bromochloromethane	<0.36	ug/L	5.0	0.36	1		04/18/22 18:18	74-97-5	
Bromodichloromethane	<0.42	ug/L	1.0	0.42	1		04/18/22 18:18	75-27-4	
Bromoform	<3.8	ug/L	5.0	3.8	1		04/18/22 18:18	75-25-2	
Bromomethane	<1.2	ug/L	5.0	1.2	1		04/18/22 18:18	74-83-9	
n-Butylbenzene	<0.86	ug/L	1.0	0.86	1		04/18/22 18:18	104-51-8	
sec-Butylbenzene	<0.42	ug/L	1.0	0.42	1		04/18/22 18:18	135-98-8	
tert-Butylbenzene	<0.59	ug/L	1.0	0.59	1		04/18/22 18:18	98-06-6	
Carbon tetrachloride	<0.37	ug/L	1.0	0.37	1		04/18/22 18:18	56-23-5	
Chlorobenzene	<0.86	ug/L	1.0	0.86	1		04/18/22 18:18	108-90-7	
Chloroethane	<1.4	ug/L	5.0	1.4	1		04/18/22 18:18	75-00-3	
Chloroform	<1.2	ug/L	5.0	1.2	1		04/18/22 18:18	67-66-3	
Chloromethane	<1.6	ug/L	5.0	1.6	1		04/18/22 18:18	74-87-3	
2-Chlorotoluene	<0.89	ug/L	5.0	0.89	1		04/18/22 18:18	95-49-8	
4-Chlorotoluene	<0.89	ug/L	5.0	0.89	1		04/18/22 18:18	106-43-4	
1,2-Dibromo-3-chloropropane	<2.4	ug/L	5.0	2.4	1		04/18/22 18:18	96-12-8	
Dibromochloromethane	<2.6	ug/L	5.0	2.6	1		04/18/22 18:18	124-48-1	
1,2-Dibromoethane (EDB)	<0.31	ug/L	1.0	0.31	1		04/18/22 18:18	106-93-4	
Dibromomethane	<0.99	ug/L	5.0	0.99	1		04/18/22 18:18	74-95-3	
1,2-Dichlorobenzene	<0.33	ug/L	1.0	0.33	1		04/18/22 18:18	95-50-1	
1,3-Dichlorobenzene	<0.35	ug/L	1.0	0.35	1		04/18/22 18:18	541-73-1	
1,4-Dichlorobenzene	<0.89	ug/L	1.0	0.89	1		04/18/22 18:18	106-46-7	
Dichlorodifluoromethane	<0.46	ug/L	5.0	0.46	1		04/18/22 18:18	75-71-8	
1,1-Dichloroethane	<0.30	ug/L	1.0	0.30	1		04/18/22 18:18	75-34-3	
1,2-Dichloroethane	<0.29	ug/L	1.0	0.29	1		04/18/22 18:18	107-06-2	
1,1-Dichloroethene	<0.58	ug/L	1.0	0.58	1		04/18/22 18:18	75-35-4	
cis-1,2-Dichloroethene	1.5	ug/L	1.0	0.47	1		04/18/22 18:18	156-59-2	
trans-1,2-Dichloroethene	<0.53	ug/L	1.0	0.53	1		04/18/22 18:18	156-60-5	
1,2-Dichloropropane	<0.45	ug/L	1.0	0.45	1		04/18/22 18:18	78-87-5	
1,3-Dichloropropane	<0.30	ug/L	1.0	0.30	1		04/18/22 18:18	142-28-9	
2,2-Dichloropropane	<4.2	ug/L	5.0	4.2	1		04/18/22 18:18	594-20-7	
1,1-Dichloropropene	<0.41	ug/L	1.0	0.41	1		04/18/22 18:18	563-58-6	
cis-1,3-Dichloropropene	<0.36	ug/L	1.0	0.36	1		04/18/22 18:18	10061-01-5	
trans-1,3-Dichloropropene	<3.5	ug/L	5.0	3.5	1		04/18/22 18:18	10061-02-6	
Diisopropyl ether	<1.1	ug/L	5.0	1.1	1		04/18/22 18:18	108-20-3	
Ethylbenzene	<0.33	ug/L	1.0	0.33	1		04/18/22 18:18	100-41-4	
Hexachloro-1,3-butadiene	<2.7	ug/L	5.0	2.7	1		04/18/22 18:18	87-68-3	
Isopropylbenzene (Cumene)	<1.0	ug/L	5.0	1.0	1		04/18/22 18:18	98-82-8	
p-Isopropyltoluene	<1.0	ug/L	5.0	1.0	1		04/18/22 18:18	99-87-6	
Methylene Chloride	<0.32	ug/L	5.0	0.32	1		04/18/22 18:18	75-09-2	
Methyl-tert-butyl ether	<1.1	ug/L	5.0	1.1	1		04/18/22 18:18	1634-04-4	
Naphthalene	<1.1	ug/L	5.0	1.1	1		04/18/22 18:18	91-20-3	
n-Propylbenzene	<0.35	ug/L	1.0	0.35	1		04/18/22 18:18	103-65-1	
Styrene	<0.36	ug/L	1.0	0.36	1		04/18/22 18:18	100-42-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 1690005819 ONE-HOUR VALET

Pace Project No.: 40243415

Sample: MW-6 **Lab ID: 40243415002** Collected: 04/13/22 08:35 Received: 04/14/22 07:50 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV									
Analytical Method: EPA 8260									
Pace Analytical Services - Green Bay									
1,1,1,2-Tetrachloroethane	<0.36	ug/L	1.0	0.36	1		04/18/22 18:18	630-20-6	
1,1,1,2-Tetrachloroethane	<0.38	ug/L	1.0	0.38	1		04/18/22 18:18	79-34-5	
Tetrachloroethene	<0.41	ug/L	1.0	0.41	1		04/18/22 18:18	127-18-4	
Toluene	<0.29	ug/L	1.0	0.29	1		04/18/22 18:18	108-88-3	
1,2,3-Trichlorobenzene	<1.0	ug/L	5.0	1.0	1		04/18/22 18:18	87-61-6	
1,2,4-Trichlorobenzene	<0.95	ug/L	5.0	0.95	1		04/18/22 18:18	120-82-1	
1,1,1-Trichloroethane	<0.30	ug/L	1.0	0.30	1		04/18/22 18:18	71-55-6	
1,1,2-Trichloroethane	<0.34	ug/L	5.0	0.34	1		04/18/22 18:18	79-00-5	
Trichloroethene	<0.32	ug/L	1.0	0.32	1		04/18/22 18:18	79-01-6	
Trichlorofluoromethane	<0.42	ug/L	1.0	0.42	1		04/18/22 18:18	75-69-4	
1,2,3-Trichloropropane	<0.56	ug/L	5.0	0.56	1		04/18/22 18:18	96-18-4	
1,2,4-Trimethylbenzene	<0.45	ug/L	1.0	0.45	1		04/18/22 18:18	95-63-6	
1,3,5-Trimethylbenzene	<0.36	ug/L	1.0	0.36	1		04/18/22 18:18	108-67-8	
Vinyl chloride	0.36J	ug/L	1.0	0.17	1		04/18/22 18:18	75-01-4	
Xylene (Total)	<1.0	ug/L	3.0	1.0	1		04/18/22 18:18	1330-20-7	
m&p-Xylene	<0.70	ug/L	2.0	0.70	1		04/18/22 18:18	179601-23-1	
o-Xylene	<0.35	ug/L	1.0	0.35	1		04/18/22 18:18	95-47-6	
Surrogates									
4-Bromofluorobenzene (S)	100	%	70-130		1		04/18/22 18:18	460-00-4	
1,2-Dichlorobenzene-d4 (S)	98	%	70-130		1		04/18/22 18:18	2199-69-1	
Toluene-d8 (S)	104	%	70-130		1		04/18/22 18:18	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 1690005819 ONE-HOUR VALET

Pace Project No.: 40243415

Sample: **MW-6 DUP** Lab ID: **40243415003** Collected: 04/13/22 08:35 Received: 04/14/22 07:50 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV									
Analytical Method: EPA 8260									
Pace Analytical Services - Green Bay									
Benzene	<0.30	ug/L	1.0	0.30	1		04/18/22 18:37	71-43-2	
Bromobenzene	<0.36	ug/L	1.0	0.36	1		04/18/22 18:37	108-86-1	
Bromochloromethane	<0.36	ug/L	5.0	0.36	1		04/18/22 18:37	74-97-5	
Bromodichloromethane	<0.42	ug/L	1.0	0.42	1		04/18/22 18:37	75-27-4	
Bromoform	<3.8	ug/L	5.0	3.8	1		04/18/22 18:37	75-25-2	
Bromomethane	<1.2	ug/L	5.0	1.2	1		04/18/22 18:37	74-83-9	
n-Butylbenzene	<0.86	ug/L	1.0	0.86	1		04/18/22 18:37	104-51-8	
sec-Butylbenzene	<0.42	ug/L	1.0	0.42	1		04/18/22 18:37	135-98-8	
tert-Butylbenzene	<0.59	ug/L	1.0	0.59	1		04/18/22 18:37	98-06-6	
Carbon tetrachloride	<0.37	ug/L	1.0	0.37	1		04/18/22 18:37	56-23-5	
Chlorobenzene	<0.86	ug/L	1.0	0.86	1		04/18/22 18:37	108-90-7	
Chloroethane	<1.4	ug/L	5.0	1.4	1		04/18/22 18:37	75-00-3	
Chloroform	<1.2	ug/L	5.0	1.2	1		04/18/22 18:37	67-66-3	
Chloromethane	<1.6	ug/L	5.0	1.6	1		04/18/22 18:37	74-87-3	
2-Chlorotoluene	<0.89	ug/L	5.0	0.89	1		04/18/22 18:37	95-49-8	
4-Chlorotoluene	<0.89	ug/L	5.0	0.89	1		04/18/22 18:37	106-43-4	
1,2-Dibromo-3-chloropropane	<2.4	ug/L	5.0	2.4	1		04/18/22 18:37	96-12-8	
Dibromochloromethane	<2.6	ug/L	5.0	2.6	1		04/18/22 18:37	124-48-1	
1,2-Dibromoethane (EDB)	<0.31	ug/L	1.0	0.31	1		04/18/22 18:37	106-93-4	
Dibromomethane	<0.99	ug/L	5.0	0.99	1		04/18/22 18:37	74-95-3	
1,2-Dichlorobenzene	<0.33	ug/L	1.0	0.33	1		04/18/22 18:37	95-50-1	
1,3-Dichlorobenzene	<0.35	ug/L	1.0	0.35	1		04/18/22 18:37	541-73-1	
1,4-Dichlorobenzene	<0.89	ug/L	1.0	0.89	1		04/18/22 18:37	106-46-7	
Dichlorodifluoromethane	<0.46	ug/L	5.0	0.46	1		04/18/22 18:37	75-71-8	
1,1-Dichloroethane	<0.30	ug/L	1.0	0.30	1		04/18/22 18:37	75-34-3	
1,2-Dichloroethane	<0.29	ug/L	1.0	0.29	1		04/18/22 18:37	107-06-2	
1,1-Dichloroethene	<0.58	ug/L	1.0	0.58	1		04/18/22 18:37	75-35-4	
cis-1,2-Dichloroethene	1.0J	ug/L	1.0	0.47	1		04/18/22 18:37	156-59-2	
trans-1,2-Dichloroethene	<0.53	ug/L	1.0	0.53	1		04/18/22 18:37	156-60-5	
1,2-Dichloropropane	<0.45	ug/L	1.0	0.45	1		04/18/22 18:37	78-87-5	
1,3-Dichloropropane	<0.30	ug/L	1.0	0.30	1		04/18/22 18:37	142-28-9	
2,2-Dichloropropane	<4.2	ug/L	5.0	4.2	1		04/18/22 18:37	594-20-7	
1,1-Dichloropropene	<0.41	ug/L	1.0	0.41	1		04/18/22 18:37	563-58-6	
cis-1,3-Dichloropropene	<0.36	ug/L	1.0	0.36	1		04/18/22 18:37	10061-01-5	
trans-1,3-Dichloropropene	<3.5	ug/L	5.0	3.5	1		04/18/22 18:37	10061-02-6	
Diisopropyl ether	<1.1	ug/L	5.0	1.1	1		04/18/22 18:37	108-20-3	
Ethylbenzene	<0.33	ug/L	1.0	0.33	1		04/18/22 18:37	100-41-4	
Hexachloro-1,3-butadiene	<2.7	ug/L	5.0	2.7	1		04/18/22 18:37	87-68-3	
Isopropylbenzene (Cumene)	<1.0	ug/L	5.0	1.0	1		04/18/22 18:37	98-82-8	
p-Isopropyltoluene	<1.0	ug/L	5.0	1.0	1		04/18/22 18:37	99-87-6	
Methylene Chloride	<0.32	ug/L	5.0	0.32	1		04/18/22 18:37	75-09-2	
Methyl-tert-butyl ether	<1.1	ug/L	5.0	1.1	1		04/18/22 18:37	1634-04-4	
Naphthalene	<1.1	ug/L	5.0	1.1	1		04/18/22 18:37	91-20-3	
n-Propylbenzene	<0.35	ug/L	1.0	0.35	1		04/18/22 18:37	103-65-1	
Styrene	<0.36	ug/L	1.0	0.36	1		04/18/22 18:37	100-42-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 1690005819 ONE-HOUR VALET

Pace Project No.: 40243415

Sample: MW-6 DUP **Lab ID: 40243415003** Collected: 04/13/22 08:35 Received: 04/14/22 07:50 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV									
Analytical Method: EPA 8260									
Pace Analytical Services - Green Bay									
1,1,1,2-Tetrachloroethane	<0.36	ug/L	1.0	0.36	1		04/18/22 18:37	630-20-6	
1,1,1,2-Tetrachloroethane	<0.38	ug/L	1.0	0.38	1		04/18/22 18:37	79-34-5	
Tetrachloroethene	<0.41	ug/L	1.0	0.41	1		04/18/22 18:37	127-18-4	
Toluene	<0.29	ug/L	1.0	0.29	1		04/18/22 18:37	108-88-3	
1,2,3-Trichlorobenzene	<1.0	ug/L	5.0	1.0	1		04/18/22 18:37	87-61-6	
1,2,4-Trichlorobenzene	<0.95	ug/L	5.0	0.95	1		04/18/22 18:37	120-82-1	
1,1,1-Trichloroethane	<0.30	ug/L	1.0	0.30	1		04/18/22 18:37	71-55-6	
1,1,2-Trichloroethane	<0.34	ug/L	5.0	0.34	1		04/18/22 18:37	79-00-5	
Trichloroethene	<0.32	ug/L	1.0	0.32	1		04/18/22 18:37	79-01-6	
Trichlorofluoromethane	<0.42	ug/L	1.0	0.42	1		04/18/22 18:37	75-69-4	
1,2,3-Trichloropropane	<0.56	ug/L	5.0	0.56	1		04/18/22 18:37	96-18-4	
1,2,4-Trimethylbenzene	<0.45	ug/L	1.0	0.45	1		04/18/22 18:37	95-63-6	
1,3,5-Trimethylbenzene	<0.36	ug/L	1.0	0.36	1		04/18/22 18:37	108-67-8	
Vinyl chloride	0.24J	ug/L	1.0	0.17	1		04/18/22 18:37	75-01-4	
Xylene (Total)	<1.0	ug/L	3.0	1.0	1		04/18/22 18:37	1330-20-7	
m&p-Xylene	<0.70	ug/L	2.0	0.70	1		04/18/22 18:37	179601-23-1	
o-Xylene	<0.35	ug/L	1.0	0.35	1		04/18/22 18:37	95-47-6	
Surrogates									
4-Bromofluorobenzene (S)	101	%	70-130		1		04/18/22 18:37	460-00-4	
1,2-Dichlorobenzene-d4 (S)	100	%	70-130		1		04/18/22 18:37	2199-69-1	
Toluene-d8 (S)	102	%	70-130		1		04/18/22 18:37	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 1690005819 ONE-HOUR VALET
Pace Project No.: 40243415

Sample: PZ-4 **Lab ID: 40243415004** Collected: 04/13/22 09:50 Received: 04/14/22 07:50 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV									
Analytical Method: EPA 8260									
Pace Analytical Services - Green Bay									
Benzene	<0.30	ug/L	1.0	0.30	1		04/18/22 18:56	71-43-2	
Bromobenzene	<0.36	ug/L	1.0	0.36	1		04/18/22 18:56	108-86-1	
Bromochloromethane	<0.36	ug/L	5.0	0.36	1		04/18/22 18:56	74-97-5	
Bromodichloromethane	<0.42	ug/L	1.0	0.42	1		04/18/22 18:56	75-27-4	
Bromoform	<3.8	ug/L	5.0	3.8	1		04/18/22 18:56	75-25-2	
Bromomethane	<1.2	ug/L	5.0	1.2	1		04/18/22 18:56	74-83-9	
n-Butylbenzene	<0.86	ug/L	1.0	0.86	1		04/18/22 18:56	104-51-8	
sec-Butylbenzene	<0.42	ug/L	1.0	0.42	1		04/18/22 18:56	135-98-8	
tert-Butylbenzene	<0.59	ug/L	1.0	0.59	1		04/18/22 18:56	98-06-6	
Carbon tetrachloride	<0.37	ug/L	1.0	0.37	1		04/18/22 18:56	56-23-5	
Chlorobenzene	<0.86	ug/L	1.0	0.86	1		04/18/22 18:56	108-90-7	
Chloroethane	<1.4	ug/L	5.0	1.4	1		04/18/22 18:56	75-00-3	
Chloroform	<1.2	ug/L	5.0	1.2	1		04/18/22 18:56	67-66-3	
Chloromethane	<1.6	ug/L	5.0	1.6	1		04/18/22 18:56	74-87-3	
2-Chlorotoluene	<0.89	ug/L	5.0	0.89	1		04/18/22 18:56	95-49-8	
4-Chlorotoluene	<0.89	ug/L	5.0	0.89	1		04/18/22 18:56	106-43-4	
1,2-Dibromo-3-chloropropane	<2.4	ug/L	5.0	2.4	1		04/18/22 18:56	96-12-8	
Dibromochloromethane	<2.6	ug/L	5.0	2.6	1		04/18/22 18:56	124-48-1	
1,2-Dibromoethane (EDB)	<0.31	ug/L	1.0	0.31	1		04/18/22 18:56	106-93-4	
Dibromomethane	<0.99	ug/L	5.0	0.99	1		04/18/22 18:56	74-95-3	
1,2-Dichlorobenzene	<0.33	ug/L	1.0	0.33	1		04/18/22 18:56	95-50-1	
1,3-Dichlorobenzene	<0.35	ug/L	1.0	0.35	1		04/18/22 18:56	541-73-1	
1,4-Dichlorobenzene	<0.89	ug/L	1.0	0.89	1		04/18/22 18:56	106-46-7	
Dichlorodifluoromethane	<0.46	ug/L	5.0	0.46	1		04/18/22 18:56	75-71-8	
1,1-Dichloroethane	<0.30	ug/L	1.0	0.30	1		04/18/22 18:56	75-34-3	
1,2-Dichloroethane	<0.29	ug/L	1.0	0.29	1		04/18/22 18:56	107-06-2	
1,1-Dichloroethene	<0.58	ug/L	1.0	0.58	1		04/18/22 18:56	75-35-4	
cis-1,2-Dichloroethene	<0.47	ug/L	1.0	0.47	1		04/18/22 18:56	156-59-2	
trans-1,2-Dichloroethene	<0.53	ug/L	1.0	0.53	1		04/18/22 18:56	156-60-5	
1,2-Dichloropropane	<0.45	ug/L	1.0	0.45	1		04/18/22 18:56	78-87-5	
1,3-Dichloropropane	<0.30	ug/L	1.0	0.30	1		04/18/22 18:56	142-28-9	
2,2-Dichloropropane	<4.2	ug/L	5.0	4.2	1		04/18/22 18:56	594-20-7	
1,1-Dichloropropene	<0.41	ug/L	1.0	0.41	1		04/18/22 18:56	563-58-6	
cis-1,3-Dichloropropene	<0.36	ug/L	1.0	0.36	1		04/18/22 18:56	10061-01-5	
trans-1,3-Dichloropropene	<3.5	ug/L	5.0	3.5	1		04/18/22 18:56	10061-02-6	
Diisopropyl ether	<1.1	ug/L	5.0	1.1	1		04/18/22 18:56	108-20-3	
Ethylbenzene	<0.33	ug/L	1.0	0.33	1		04/18/22 18:56	100-41-4	
Hexachloro-1,3-butadiene	<2.7	ug/L	5.0	2.7	1		04/18/22 18:56	87-68-3	
Isopropylbenzene (Cumene)	<1.0	ug/L	5.0	1.0	1		04/18/22 18:56	98-82-8	
p-Isopropyltoluene	<1.0	ug/L	5.0	1.0	1		04/18/22 18:56	99-87-6	
Methylene Chloride	<0.32	ug/L	5.0	0.32	1		04/18/22 18:56	75-09-2	
Methyl-tert-butyl ether	<1.1	ug/L	5.0	1.1	1		04/18/22 18:56	1634-04-4	
Naphthalene	<1.1	ug/L	5.0	1.1	1		04/18/22 18:56	91-20-3	
n-Propylbenzene	<0.35	ug/L	1.0	0.35	1		04/18/22 18:56	103-65-1	
Styrene	<0.36	ug/L	1.0	0.36	1		04/18/22 18:56	100-42-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 1690005819 ONE-HOUR VALET
Pace Project No.: 40243415

Sample: PZ-4 **Lab ID: 40243415004** Collected: 04/13/22 09:50 Received: 04/14/22 07:50 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV									
Analytical Method: EPA 8260									
Pace Analytical Services - Green Bay									
1,1,1,2-Tetrachloroethane	<0.36	ug/L	1.0	0.36	1		04/18/22 18:56	630-20-6	
1,1,2,2-Tetrachloroethane	<0.38	ug/L	1.0	0.38	1		04/18/22 18:56	79-34-5	
Tetrachloroethene	0.45J	ug/L	1.0	0.41	1		04/18/22 18:56	127-18-4	
Toluene	<0.29	ug/L	1.0	0.29	1		04/18/22 18:56	108-88-3	
1,2,3-Trichlorobenzene	<1.0	ug/L	5.0	1.0	1		04/18/22 18:56	87-61-6	
1,2,4-Trichlorobenzene	<0.95	ug/L	5.0	0.95	1		04/18/22 18:56	120-82-1	
1,1,1-Trichloroethane	<0.30	ug/L	1.0	0.30	1		04/18/22 18:56	71-55-6	
1,1,2-Trichloroethane	<0.34	ug/L	5.0	0.34	1		04/18/22 18:56	79-00-5	
Trichloroethene	<0.32	ug/L	1.0	0.32	1		04/18/22 18:56	79-01-6	
Trichlorofluoromethane	<0.42	ug/L	1.0	0.42	1		04/18/22 18:56	75-69-4	
1,2,3-Trichloropropane	<0.56	ug/L	5.0	0.56	1		04/18/22 18:56	96-18-4	
1,2,4-Trimethylbenzene	<0.45	ug/L	1.0	0.45	1		04/18/22 18:56	95-63-6	
1,3,5-Trimethylbenzene	<0.36	ug/L	1.0	0.36	1		04/18/22 18:56	108-67-8	
Vinyl chloride	3.3	ug/L	1.0	0.17	1		04/18/22 18:56	75-01-4	
Xylene (Total)	<1.0	ug/L	3.0	1.0	1		04/18/22 18:56	1330-20-7	
m&p-Xylene	<0.70	ug/L	2.0	0.70	1		04/18/22 18:56	179601-23-1	
o-Xylene	<0.35	ug/L	1.0	0.35	1		04/18/22 18:56	95-47-6	
Surrogates									
4-Bromofluorobenzene (S)	102	%	70-130		1		04/18/22 18:56	460-00-4	
1,2-Dichlorobenzene-d4 (S)	101	%	70-130		1		04/18/22 18:56	2199-69-1	
Toluene-d8 (S)	104	%	70-130		1		04/18/22 18:56	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 1690005819 ONE-HOUR VALET

Pace Project No.: 40243415

Sample: MW-5 **Lab ID: 40243415005** Collected: 04/13/22 10:25 Received: 04/14/22 07:50 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV									
Analytical Method: EPA 8260									
Pace Analytical Services - Green Bay									
Benzene	<0.30	ug/L	1.0	0.30	1		04/18/22 19:16	71-43-2	
Bromobenzene	<0.36	ug/L	1.0	0.36	1		04/18/22 19:16	108-86-1	
Bromochloromethane	<0.36	ug/L	5.0	0.36	1		04/18/22 19:16	74-97-5	
Bromodichloromethane	<0.42	ug/L	1.0	0.42	1		04/18/22 19:16	75-27-4	
Bromoform	<3.8	ug/L	5.0	3.8	1		04/18/22 19:16	75-25-2	
Bromomethane	<1.2	ug/L	5.0	1.2	1		04/18/22 19:16	74-83-9	
n-Butylbenzene	<0.86	ug/L	1.0	0.86	1		04/18/22 19:16	104-51-8	
sec-Butylbenzene	<0.42	ug/L	1.0	0.42	1		04/18/22 19:16	135-98-8	
tert-Butylbenzene	<0.59	ug/L	1.0	0.59	1		04/18/22 19:16	98-06-6	
Carbon tetrachloride	<0.37	ug/L	1.0	0.37	1		04/18/22 19:16	56-23-5	
Chlorobenzene	<0.86	ug/L	1.0	0.86	1		04/18/22 19:16	108-90-7	
Chloroethane	<1.4	ug/L	5.0	1.4	1		04/18/22 19:16	75-00-3	
Chloroform	<1.2	ug/L	5.0	1.2	1		04/18/22 19:16	67-66-3	
Chloromethane	<1.6	ug/L	5.0	1.6	1		04/18/22 19:16	74-87-3	
2-Chlorotoluene	<0.89	ug/L	5.0	0.89	1		04/18/22 19:16	95-49-8	
4-Chlorotoluene	<0.89	ug/L	5.0	0.89	1		04/18/22 19:16	106-43-4	
1,2-Dibromo-3-chloropropane	<2.4	ug/L	5.0	2.4	1		04/18/22 19:16	96-12-8	
Dibromochloromethane	<2.6	ug/L	5.0	2.6	1		04/18/22 19:16	124-48-1	
1,2-Dibromoethane (EDB)	<0.31	ug/L	1.0	0.31	1		04/18/22 19:16	106-93-4	
Dibromomethane	<0.99	ug/L	5.0	0.99	1		04/18/22 19:16	74-95-3	
1,2-Dichlorobenzene	<0.33	ug/L	1.0	0.33	1		04/18/22 19:16	95-50-1	
1,3-Dichlorobenzene	<0.35	ug/L	1.0	0.35	1		04/18/22 19:16	541-73-1	
1,4-Dichlorobenzene	<0.89	ug/L	1.0	0.89	1		04/18/22 19:16	106-46-7	
Dichlorodifluoromethane	<0.46	ug/L	5.0	0.46	1		04/18/22 19:16	75-71-8	
1,1-Dichloroethane	<0.30	ug/L	1.0	0.30	1		04/18/22 19:16	75-34-3	
1,2-Dichloroethane	<0.29	ug/L	1.0	0.29	1		04/18/22 19:16	107-06-2	
1,1-Dichloroethene	<0.58	ug/L	1.0	0.58	1		04/18/22 19:16	75-35-4	
cis-1,2-Dichloroethene	47.8	ug/L	1.0	0.47	1		04/18/22 19:16	156-59-2	
trans-1,2-Dichloroethene	0.93J	ug/L	1.0	0.53	1		04/18/22 19:16	156-60-5	
1,2-Dichloropropane	<0.45	ug/L	1.0	0.45	1		04/18/22 19:16	78-87-5	
1,3-Dichloropropane	<0.30	ug/L	1.0	0.30	1		04/18/22 19:16	142-28-9	
2,2-Dichloropropane	<4.2	ug/L	5.0	4.2	1		04/18/22 19:16	594-20-7	
1,1-Dichloropropene	<0.41	ug/L	1.0	0.41	1		04/18/22 19:16	563-58-6	
cis-1,3-Dichloropropene	<0.36	ug/L	1.0	0.36	1		04/18/22 19:16	10061-01-5	
trans-1,3-Dichloropropene	<3.5	ug/L	5.0	3.5	1		04/18/22 19:16	10061-02-6	
Diisopropyl ether	<1.1	ug/L	5.0	1.1	1		04/18/22 19:16	108-20-3	
Ethylbenzene	<0.33	ug/L	1.0	0.33	1		04/18/22 19:16	100-41-4	
Hexachloro-1,3-butadiene	<2.7	ug/L	5.0	2.7	1		04/18/22 19:16	87-68-3	
Isopropylbenzene (Cumene)	<1.0	ug/L	5.0	1.0	1		04/18/22 19:16	98-82-8	
p-Isopropyltoluene	<1.0	ug/L	5.0	1.0	1		04/18/22 19:16	99-87-6	
Methylene Chloride	<0.32	ug/L	5.0	0.32	1		04/18/22 19:16	75-09-2	
Methyl-tert-butyl ether	<1.1	ug/L	5.0	1.1	1		04/18/22 19:16	1634-04-4	
Naphthalene	<1.1	ug/L	5.0	1.1	1		04/18/22 19:16	91-20-3	
n-Propylbenzene	<0.35	ug/L	1.0	0.35	1		04/18/22 19:16	103-65-1	
Styrene	<0.36	ug/L	1.0	0.36	1		04/18/22 19:16	100-42-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 1690005819 ONE-HOUR VALET
Pace Project No.: 40243415

Sample: MW-5 **Lab ID: 40243415005** Collected: 04/13/22 10:25 Received: 04/14/22 07:50 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV									
Analytical Method: EPA 8260									
Pace Analytical Services - Green Bay									
1,1,1,2-Tetrachloroethane	<0.36	ug/L	1.0	0.36	1		04/18/22 19:16	630-20-6	
1,1,2,2-Tetrachloroethane	<0.38	ug/L	1.0	0.38	1		04/18/22 19:16	79-34-5	
Tetrachloroethene	18.0	ug/L	1.0	0.41	1		04/18/22 19:16	127-18-4	
Toluene	<0.29	ug/L	1.0	0.29	1		04/18/22 19:16	108-88-3	
1,2,3-Trichlorobenzene	<1.0	ug/L	5.0	1.0	1		04/18/22 19:16	87-61-6	
1,2,4-Trichlorobenzene	<0.95	ug/L	5.0	0.95	1		04/18/22 19:16	120-82-1	
1,1,1-Trichloroethane	<0.30	ug/L	1.0	0.30	1		04/18/22 19:16	71-55-6	
1,1,2-Trichloroethane	<0.34	ug/L	5.0	0.34	1		04/18/22 19:16	79-00-5	
Trichloroethene	3.7	ug/L	1.0	0.32	1		04/18/22 19:16	79-01-6	
Trichlorofluoromethane	<0.42	ug/L	1.0	0.42	1		04/18/22 19:16	75-69-4	
1,2,3-Trichloropropane	<0.56	ug/L	5.0	0.56	1		04/18/22 19:16	96-18-4	
1,2,4-Trimethylbenzene	<0.45	ug/L	1.0	0.45	1		04/18/22 19:16	95-63-6	
1,3,5-Trimethylbenzene	<0.36	ug/L	1.0	0.36	1		04/18/22 19:16	108-67-8	
Vinyl chloride	<0.17	ug/L	1.0	0.17	1		04/18/22 19:16	75-01-4	
Xylene (Total)	<1.0	ug/L	3.0	1.0	1		04/18/22 19:16	1330-20-7	
m&p-Xylene	<0.70	ug/L	2.0	0.70	1		04/18/22 19:16	179601-23-1	
o-Xylene	<0.35	ug/L	1.0	0.35	1		04/18/22 19:16	95-47-6	
Surrogates									
4-Bromofluorobenzene (S)	100	%	70-130		1		04/18/22 19:16	460-00-4	
1,2-Dichlorobenzene-d4 (S)	98	%	70-130		1		04/18/22 19:16	2199-69-1	
Toluene-d8 (S)	103	%	70-130		1		04/18/22 19:16	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 1690005819 ONE-HOUR VALET

Pace Project No.: 40243415

Sample: MW-4 **Lab ID: 40243415006** Collected: 04/13/22 11:15 Received: 04/14/22 07:50 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV									
Analytical Method: EPA 8260									
Pace Analytical Services - Green Bay									
Benzene	<0.30	ug/L	1.0	0.30	1		04/18/22 19:35	71-43-2	
Bromobenzene	<0.36	ug/L	1.0	0.36	1		04/18/22 19:35	108-86-1	
Bromochloromethane	<0.36	ug/L	5.0	0.36	1		04/18/22 19:35	74-97-5	
Bromodichloromethane	<0.42	ug/L	1.0	0.42	1		04/18/22 19:35	75-27-4	
Bromoform	<3.8	ug/L	5.0	3.8	1		04/18/22 19:35	75-25-2	
Bromomethane	<1.2	ug/L	5.0	1.2	1		04/18/22 19:35	74-83-9	
n-Butylbenzene	<0.86	ug/L	1.0	0.86	1		04/18/22 19:35	104-51-8	
sec-Butylbenzene	<0.42	ug/L	1.0	0.42	1		04/18/22 19:35	135-98-8	
tert-Butylbenzene	<0.59	ug/L	1.0	0.59	1		04/18/22 19:35	98-06-6	
Carbon tetrachloride	<0.37	ug/L	1.0	0.37	1		04/18/22 19:35	56-23-5	
Chlorobenzene	<0.86	ug/L	1.0	0.86	1		04/18/22 19:35	108-90-7	
Chloroethane	<1.4	ug/L	5.0	1.4	1		04/18/22 19:35	75-00-3	
Chloroform	<1.2	ug/L	5.0	1.2	1		04/18/22 19:35	67-66-3	
Chloromethane	<1.6	ug/L	5.0	1.6	1		04/18/22 19:35	74-87-3	
2-Chlorotoluene	<0.89	ug/L	5.0	0.89	1		04/18/22 19:35	95-49-8	
4-Chlorotoluene	<0.89	ug/L	5.0	0.89	1		04/18/22 19:35	106-43-4	
1,2-Dibromo-3-chloropropane	<2.4	ug/L	5.0	2.4	1		04/18/22 19:35	96-12-8	
Dibromochloromethane	<2.6	ug/L	5.0	2.6	1		04/18/22 19:35	124-48-1	
1,2-Dibromoethane (EDB)	<0.31	ug/L	1.0	0.31	1		04/18/22 19:35	106-93-4	
Dibromomethane	<0.99	ug/L	5.0	0.99	1		04/18/22 19:35	74-95-3	
1,2-Dichlorobenzene	<0.33	ug/L	1.0	0.33	1		04/18/22 19:35	95-50-1	
1,3-Dichlorobenzene	<0.35	ug/L	1.0	0.35	1		04/18/22 19:35	541-73-1	
1,4-Dichlorobenzene	<0.89	ug/L	1.0	0.89	1		04/18/22 19:35	106-46-7	
Dichlorodifluoromethane	<0.46	ug/L	5.0	0.46	1		04/18/22 19:35	75-71-8	
1,1-Dichloroethane	<0.30	ug/L	1.0	0.30	1		04/18/22 19:35	75-34-3	
1,2-Dichloroethane	<0.29	ug/L	1.0	0.29	1		04/18/22 19:35	107-06-2	
1,1-Dichloroethene	<0.58	ug/L	1.0	0.58	1		04/18/22 19:35	75-35-4	
cis-1,2-Dichloroethene	<0.47	ug/L	1.0	0.47	1		04/18/22 19:35	156-59-2	
trans-1,2-Dichloroethene	<0.53	ug/L	1.0	0.53	1		04/18/22 19:35	156-60-5	
1,2-Dichloropropane	<0.45	ug/L	1.0	0.45	1		04/18/22 19:35	78-87-5	
1,3-Dichloropropane	<0.30	ug/L	1.0	0.30	1		04/18/22 19:35	142-28-9	
2,2-Dichloropropane	<4.2	ug/L	5.0	4.2	1		04/18/22 19:35	594-20-7	
1,1-Dichloropropene	<0.41	ug/L	1.0	0.41	1		04/18/22 19:35	563-58-6	
cis-1,3-Dichloropropene	<0.36	ug/L	1.0	0.36	1		04/18/22 19:35	10061-01-5	
trans-1,3-Dichloropropene	<3.5	ug/L	5.0	3.5	1		04/18/22 19:35	10061-02-6	
Diisopropyl ether	<1.1	ug/L	5.0	1.1	1		04/18/22 19:35	108-20-3	
Ethylbenzene	<0.33	ug/L	1.0	0.33	1		04/18/22 19:35	100-41-4	
Hexachloro-1,3-butadiene	<2.7	ug/L	5.0	2.7	1		04/18/22 19:35	87-68-3	
Isopropylbenzene (Cumene)	<1.0	ug/L	5.0	1.0	1		04/18/22 19:35	98-82-8	
p-Isopropyltoluene	<1.0	ug/L	5.0	1.0	1		04/18/22 19:35	99-87-6	
Methylene Chloride	<0.32	ug/L	5.0	0.32	1		04/18/22 19:35	75-09-2	
Methyl-tert-butyl ether	<1.1	ug/L	5.0	1.1	1		04/18/22 19:35	1634-04-4	
Naphthalene	<1.1	ug/L	5.0	1.1	1		04/18/22 19:35	91-20-3	
n-Propylbenzene	<0.35	ug/L	1.0	0.35	1		04/18/22 19:35	103-65-1	
Styrene	<0.36	ug/L	1.0	0.36	1		04/18/22 19:35	100-42-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 1690005819 ONE-HOUR VALET

Pace Project No.: 40243415

Sample: MW-4 **Lab ID: 40243415006** Collected: 04/13/22 11:15 Received: 04/14/22 07:50 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV									
Analytical Method: EPA 8260									
Pace Analytical Services - Green Bay									
1,1,1,2-Tetrachloroethane	<0.36	ug/L	1.0	0.36	1		04/18/22 19:35	630-20-6	
1,1,2,2-Tetrachloroethane	<0.38	ug/L	1.0	0.38	1		04/18/22 19:35	79-34-5	
Tetrachloroethene	13.7	ug/L	1.0	0.41	1		04/18/22 19:35	127-18-4	
Toluene	<0.29	ug/L	1.0	0.29	1		04/18/22 19:35	108-88-3	
1,2,3-Trichlorobenzene	<1.0	ug/L	5.0	1.0	1		04/18/22 19:35	87-61-6	
1,2,4-Trichlorobenzene	<0.95	ug/L	5.0	0.95	1		04/18/22 19:35	120-82-1	
1,1,1-Trichloroethane	<0.30	ug/L	1.0	0.30	1		04/18/22 19:35	71-55-6	
1,1,2-Trichloroethane	<0.34	ug/L	5.0	0.34	1		04/18/22 19:35	79-00-5	
Trichloroethene	<0.32	ug/L	1.0	0.32	1		04/18/22 19:35	79-01-6	
Trichlorofluoromethane	<0.42	ug/L	1.0	0.42	1		04/18/22 19:35	75-69-4	
1,2,3-Trichloropropane	<0.56	ug/L	5.0	0.56	1		04/18/22 19:35	96-18-4	
1,2,4-Trimethylbenzene	<0.45	ug/L	1.0	0.45	1		04/18/22 19:35	95-63-6	
1,3,5-Trimethylbenzene	<0.36	ug/L	1.0	0.36	1		04/18/22 19:35	108-67-8	
Vinyl chloride	<0.17	ug/L	1.0	0.17	1		04/18/22 19:35	75-01-4	
Xylene (Total)	<1.0	ug/L	3.0	1.0	1		04/18/22 19:35	1330-20-7	
m&p-Xylene	<0.70	ug/L	2.0	0.70	1		04/18/22 19:35	179601-23-1	
o-Xylene	<0.35	ug/L	1.0	0.35	1		04/18/22 19:35	95-47-6	
Surrogates									
4-Bromofluorobenzene (S)	103	%	70-130		1		04/18/22 19:35	460-00-4	
1,2-Dichlorobenzene-d4 (S)	100	%	70-130		1		04/18/22 19:35	2199-69-1	
Toluene-d8 (S)	103	%	70-130		1		04/18/22 19:35	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 1690005819 ONE-HOUR VALET
Pace Project No.: 40243415

Sample: PZ-1R **Lab ID: 40243415007** Collected: 04/13/22 12:45 Received: 04/14/22 07:50 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
Methane, Ethane, Ethene GCV									
Analytical Method: EPA 8015B Modified Pace Analytical Services - Green Bay									
Ethane	683	ug/L	224	15.7	40		04/22/22 11:28	74-84-0	
Ethene	3570	ug/L	200	10.1	40		04/22/22 11:28	74-85-1	
Methane	5650	ug/L	112	23.0	40		04/22/22 11:28	74-82-8	
6020B MET ICPMS									
Analytical Method: EPA 6020B Preparation Method: EPA 3010A Pace Analytical Services - Green Bay									
Iron	3740	ug/L	250	58.0	1	04/22/22 06:16	04/23/22 10:09	7439-89-6	
8260 MSV									
Analytical Method: EPA 8260 Pace Analytical Services - Green Bay									
Benzene	<148	ug/L	500	148	500		04/18/22 23:27	71-43-2	
Bromobenzene	<180	ug/L	500	180	500		04/18/22 23:27	108-86-1	
Bromochloromethane	<179	ug/L	2500	179	500		04/18/22 23:27	74-97-5	
Bromodichloromethane	<208	ug/L	500	208	500		04/18/22 23:27	75-27-4	
Bromoform	<1900	ug/L	2500	1900	500		04/18/22 23:27	75-25-2	
Bromomethane	<596	ug/L	2500	596	500		04/18/22 23:27	74-83-9	
n-Butylbenzene	<429	ug/L	500	429	500		04/18/22 23:27	104-51-8	
sec-Butylbenzene	<212	ug/L	500	212	500		04/18/22 23:27	135-98-8	
tert-Butylbenzene	<293	ug/L	500	293	500		04/18/22 23:27	98-06-6	
Carbon tetrachloride	<185	ug/L	500	185	500		04/18/22 23:27	56-23-5	
Chlorobenzene	<428	ug/L	500	428	500		04/18/22 23:27	108-90-7	
Chloroethane	<690	ug/L	2500	690	500		04/18/22 23:27	75-00-3	
Chloroform	<591	ug/L	2500	591	500		04/18/22 23:27	67-66-3	
Chloromethane	<818	ug/L	2500	818	500		04/18/22 23:27	74-87-3	
2-Chlorotoluene	<445	ug/L	2500	445	500		04/18/22 23:27	95-49-8	
4-Chlorotoluene	<447	ug/L	2500	447	500		04/18/22 23:27	106-43-4	
1,2-Dibromo-3-chloropropane	<1180	ug/L	2500	1180	500		04/18/22 23:27	96-12-8	
Dibromochloromethane	<1320	ug/L	2500	1320	500		04/18/22 23:27	124-48-1	
1,2-Dibromoethane (EDB)	<155	ug/L	500	155	500		04/18/22 23:27	106-93-4	
Dibromomethane	<495	ug/L	2500	495	500		04/18/22 23:27	74-95-3	
1,2-Dichlorobenzene	<163	ug/L	500	163	500		04/18/22 23:27	95-50-1	
1,3-Dichlorobenzene	<176	ug/L	500	176	500		04/18/22 23:27	541-73-1	
1,4-Dichlorobenzene	<446	ug/L	500	446	500		04/18/22 23:27	106-46-7	
Dichlorodifluoromethane	<228	ug/L	2500	228	500		04/18/22 23:27	75-71-8	
1,1-Dichloroethane	<148	ug/L	500	148	500		04/18/22 23:27	75-34-3	
1,2-Dichloroethane	<146	ug/L	500	146	500		04/18/22 23:27	107-06-2	
1,1-Dichloroethene	<291	ug/L	500	291	500		04/18/22 23:27	75-35-4	
cis-1,2-Dichloroethene	47800	ug/L	500	236	500		04/18/22 23:27	156-59-2	
trans-1,2-Dichloroethene	<264	ug/L	500	264	500		04/18/22 23:27	156-60-5	
1,2-Dichloropropane	<224	ug/L	500	224	500		04/18/22 23:27	78-87-5	
1,3-Dichloropropane	<152	ug/L	500	152	500		04/18/22 23:27	142-28-9	
2,2-Dichloropropane	<2090	ug/L	2500	2090	500		04/18/22 23:27	594-20-7	
1,1-Dichloropropene	<205	ug/L	500	205	500		04/18/22 23:27	563-58-6	
cis-1,3-Dichloropropene	<179	ug/L	500	179	500		04/18/22 23:27	10061-01-5	
trans-1,3-Dichloropropene	<1730	ug/L	2500	1730	500		04/18/22 23:27	10061-02-6	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 1690005819 ONE-HOUR VALET
Pace Project No.: 40243415

Sample: PZ-1R **Lab ID: 40243415007** Collected: 04/13/22 12:45 Received: 04/14/22 07:50 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV									
Analytical Method: EPA 8260									
Pace Analytical Services - Green Bay									
Diisopropyl ether	<550	ug/L	2500	550	500		04/18/22 23:27	108-20-3	
Ethylbenzene	<163	ug/L	500	163	500		04/18/22 23:27	100-41-4	
Hexachloro-1,3-butadiene	<1370	ug/L	2500	1370	500		04/18/22 23:27	87-68-3	
Isopropylbenzene (Cumene)	<500	ug/L	2500	500	500		04/18/22 23:27	98-82-8	
p-Isopropyltoluene	<522	ug/L	2500	522	500		04/18/22 23:27	99-87-6	
Methylene Chloride	<160	ug/L	2500	160	500		04/18/22 23:27	75-09-2	
Methyl-tert-butyl ether	<565	ug/L	2500	565	500		04/18/22 23:27	1634-04-4	
Naphthalene	<565	ug/L	2500	565	500		04/18/22 23:27	91-20-3	
n-Propylbenzene	<173	ug/L	500	173	500		04/18/22 23:27	103-65-1	
Styrene	<178	ug/L	500	178	500		04/18/22 23:27	100-42-5	
1,1,1,2-Tetrachloroethane	<178	ug/L	500	178	500		04/18/22 23:27	630-20-6	
1,1,2,2-Tetrachloroethane	<189	ug/L	500	189	500		04/18/22 23:27	79-34-5	
Tetrachloroethene	64600	ug/L	500	204	500		04/18/22 23:27	127-18-4	
Toluene	<144	ug/L	500	144	500		04/18/22 23:27	108-88-3	
1,2,3-Trichlorobenzene	<509	ug/L	2500	509	500		04/18/22 23:27	87-61-6	
1,2,4-Trichlorobenzene	<475	ug/L	2500	475	500		04/18/22 23:27	120-82-1	
1,1,1-Trichloroethane	<151	ug/L	500	151	500		04/18/22 23:27	71-55-6	
1,1,2-Trichloroethane	<172	ug/L	2500	172	500		04/18/22 23:27	79-00-5	
Trichloroethene	11800	ug/L	500	160	500		04/18/22 23:27	79-01-6	
Trichlorofluoromethane	<209	ug/L	500	209	500		04/18/22 23:27	75-69-4	
1,2,3-Trichloropropane	<278	ug/L	2500	278	500		04/18/22 23:27	96-18-4	
1,2,4-Trimethylbenzene	<224	ug/L	500	224	500		04/18/22 23:27	95-63-6	
1,3,5-Trimethylbenzene	<179	ug/L	500	179	500		04/18/22 23:27	108-67-8	
Vinyl chloride	12300	ug/L	500	87.2	500		04/18/22 23:27	75-01-4	
Xylene (Total)	<524	ug/L	1500	524	500		04/18/22 23:27	1330-20-7	
m&p-Xylene	<350	ug/L	1000	350	500		04/18/22 23:27	179601-23-1	
o-Xylene	<174	ug/L	500	174	500		04/18/22 23:27	95-47-6	
Surrogates									
4-Bromofluorobenzene (S)	101	%	70-130		500		04/18/22 23:27	460-00-4	pH
1,2-Dichlorobenzene-d4 (S)	99	%	70-130		500		04/18/22 23:27	2199-69-1	
Toluene-d8 (S)	104	%	70-130		500		04/18/22 23:27	2037-26-5	
Iron, Ferric Calculation									
Analytical Method: HACH 8146									
Pace Analytical Services - Green Bay									
Iron, Ferric	<58.0	ug/L	250	58.0	1		04/26/22 10:06	20074-52-6	
300.0 IC Anions									
Analytical Method: EPA 300.0									
Pace Analytical Services - Green Bay									
Sulfate	66.2	mg/L	10.0	2.2	5		04/21/22 14:10	14808-79-8	
5310C TOC									
Analytical Method: SM 5310C									
Pace Analytical Services - Green Bay									
Total Organic Carbon	240	mg/L	15.0	4.2	30		04/20/22 10:55	7440-44-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 1690005819 ONE-HOUR VALET
Pace Project No.: 40243415

Sample: TRIP BLANK **Lab ID: 40243415008** Collected: 04/13/22 00:00 Received: 04/14/22 07:50 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV									
Analytical Method: EPA 8260									
Pace Analytical Services - Green Bay									
Benzene	<0.30	ug/L	1.0	0.30	1		04/18/22 17:20	71-43-2	
Bromobenzene	<0.36	ug/L	1.0	0.36	1		04/18/22 17:20	108-86-1	
Bromochloromethane	<0.36	ug/L	5.0	0.36	1		04/18/22 17:20	74-97-5	
Bromodichloromethane	<0.42	ug/L	1.0	0.42	1		04/18/22 17:20	75-27-4	
Bromoform	<3.8	ug/L	5.0	3.8	1		04/18/22 17:20	75-25-2	
Bromomethane	<1.2	ug/L	5.0	1.2	1		04/18/22 17:20	74-83-9	
n-Butylbenzene	<0.86	ug/L	1.0	0.86	1		04/18/22 17:20	104-51-8	
sec-Butylbenzene	<0.42	ug/L	1.0	0.42	1		04/18/22 17:20	135-98-8	
tert-Butylbenzene	<0.59	ug/L	1.0	0.59	1		04/18/22 17:20	98-06-6	
Carbon tetrachloride	<0.37	ug/L	1.0	0.37	1		04/18/22 17:20	56-23-5	
Chlorobenzene	<0.86	ug/L	1.0	0.86	1		04/18/22 17:20	108-90-7	
Chloroethane	<1.4	ug/L	5.0	1.4	1		04/18/22 17:20	75-00-3	
Chloroform	<1.2	ug/L	5.0	1.2	1		04/18/22 17:20	67-66-3	
Chloromethane	<1.6	ug/L	5.0	1.6	1		04/18/22 17:20	74-87-3	
2-Chlorotoluene	<0.89	ug/L	5.0	0.89	1		04/18/22 17:20	95-49-8	
4-Chlorotoluene	<0.89	ug/L	5.0	0.89	1		04/18/22 17:20	106-43-4	
1,2-Dibromo-3-chloropropane	<2.4	ug/L	5.0	2.4	1		04/18/22 17:20	96-12-8	
Dibromochloromethane	<2.6	ug/L	5.0	2.6	1		04/18/22 17:20	124-48-1	
1,2-Dibromoethane (EDB)	<0.31	ug/L	1.0	0.31	1		04/18/22 17:20	106-93-4	
Dibromomethane	<0.99	ug/L	5.0	0.99	1		04/18/22 17:20	74-95-3	
1,2-Dichlorobenzene	<0.33	ug/L	1.0	0.33	1		04/18/22 17:20	95-50-1	
1,3-Dichlorobenzene	<0.35	ug/L	1.0	0.35	1		04/18/22 17:20	541-73-1	
1,4-Dichlorobenzene	<0.89	ug/L	1.0	0.89	1		04/18/22 17:20	106-46-7	
Dichlorodifluoromethane	<0.46	ug/L	5.0	0.46	1		04/18/22 17:20	75-71-8	
1,1-Dichloroethane	<0.30	ug/L	1.0	0.30	1		04/18/22 17:20	75-34-3	
1,2-Dichloroethane	<0.29	ug/L	1.0	0.29	1		04/18/22 17:20	107-06-2	
1,1-Dichloroethene	<0.58	ug/L	1.0	0.58	1		04/18/22 17:20	75-35-4	
cis-1,2-Dichloroethene	<0.47	ug/L	1.0	0.47	1		04/18/22 17:20	156-59-2	
trans-1,2-Dichloroethene	<0.53	ug/L	1.0	0.53	1		04/18/22 17:20	156-60-5	
1,2-Dichloropropane	<0.45	ug/L	1.0	0.45	1		04/18/22 17:20	78-87-5	
1,3-Dichloropropane	<0.30	ug/L	1.0	0.30	1		04/18/22 17:20	142-28-9	
2,2-Dichloropropane	<4.2	ug/L	5.0	4.2	1		04/18/22 17:20	594-20-7	
1,1-Dichloropropene	<0.41	ug/L	1.0	0.41	1		04/18/22 17:20	563-58-6	
cis-1,3-Dichloropropene	<0.36	ug/L	1.0	0.36	1		04/18/22 17:20	10061-01-5	
trans-1,3-Dichloropropene	<3.5	ug/L	5.0	3.5	1		04/18/22 17:20	10061-02-6	
Diisopropyl ether	<1.1	ug/L	5.0	1.1	1		04/18/22 17:20	108-20-3	
Ethylbenzene	<0.33	ug/L	1.0	0.33	1		04/18/22 17:20	100-41-4	
Hexachloro-1,3-butadiene	<2.7	ug/L	5.0	2.7	1		04/18/22 17:20	87-68-3	
Isopropylbenzene (Cumene)	<1.0	ug/L	5.0	1.0	1		04/18/22 17:20	98-82-8	
p-Isopropyltoluene	<1.0	ug/L	5.0	1.0	1		04/18/22 17:20	99-87-6	
Methylene Chloride	<0.32	ug/L	5.0	0.32	1		04/18/22 17:20	75-09-2	
Methyl-tert-butyl ether	<1.1	ug/L	5.0	1.1	1		04/18/22 17:20	1634-04-4	
Naphthalene	<1.1	ug/L	5.0	1.1	1		04/18/22 17:20	91-20-3	
n-Propylbenzene	<0.35	ug/L	1.0	0.35	1		04/18/22 17:20	103-65-1	
Styrene	<0.36	ug/L	1.0	0.36	1		04/18/22 17:20	100-42-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 1690005819 ONE-HOUR VALET
Pace Project No.: 40243415

Sample: TRIP BLANK **Lab ID: 40243415008** Collected: 04/13/22 00:00 Received: 04/14/22 07:50 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV									
Analytical Method: EPA 8260									
Pace Analytical Services - Green Bay									
1,1,1,2-Tetrachloroethane	<0.36	ug/L	1.0	0.36	1		04/18/22 17:20	630-20-6	
1,1,2,2-Tetrachloroethane	<0.38	ug/L	1.0	0.38	1		04/18/22 17:20	79-34-5	
Tetrachloroethene	<0.41	ug/L	1.0	0.41	1		04/18/22 17:20	127-18-4	
Toluene	<0.29	ug/L	1.0	0.29	1		04/18/22 17:20	108-88-3	
1,2,3-Trichlorobenzene	<1.0	ug/L	5.0	1.0	1		04/18/22 17:20	87-61-6	
1,2,4-Trichlorobenzene	<0.95	ug/L	5.0	0.95	1		04/18/22 17:20	120-82-1	
1,1,1-Trichloroethane	<0.30	ug/L	1.0	0.30	1		04/18/22 17:20	71-55-6	
1,1,2-Trichloroethane	<0.34	ug/L	5.0	0.34	1		04/18/22 17:20	79-00-5	
Trichloroethene	<0.32	ug/L	1.0	0.32	1		04/18/22 17:20	79-01-6	
Trichlorofluoromethane	<0.42	ug/L	1.0	0.42	1		04/18/22 17:20	75-69-4	
1,2,3-Trichloropropane	<0.56	ug/L	5.0	0.56	1		04/18/22 17:20	96-18-4	
1,2,4-Trimethylbenzene	<0.45	ug/L	1.0	0.45	1		04/18/22 17:20	95-63-6	
1,3,5-Trimethylbenzene	<0.36	ug/L	1.0	0.36	1		04/18/22 17:20	108-67-8	
Vinyl chloride	<0.17	ug/L	1.0	0.17	1		04/18/22 17:20	75-01-4	
Xylene (Total)	<1.0	ug/L	3.0	1.0	1		04/18/22 17:20	1330-20-7	
m&p-Xylene	<0.70	ug/L	2.0	0.70	1		04/18/22 17:20	179601-23-1	
o-Xylene	<0.35	ug/L	1.0	0.35	1		04/18/22 17:20	95-47-6	
Surrogates									
4-Bromofluorobenzene (S)	100	%	70-130		1		04/18/22 17:20	460-00-4	
1,2-Dichlorobenzene-d4 (S)	96	%	70-130		1		04/18/22 17:20	2199-69-1	
Toluene-d8 (S)	107	%	70-130		1		04/18/22 17:20	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: 1690005819 ONE-HOUR VALET

Pace Project No.: 40243415

QC Batch: 413855	Analysis Method: EPA 8015B Modified
QC Batch Method: EPA 8015B Modified	Analysis Description: Methane, Ethane, Ethene GCV
	Laboratory: Pace Analytical Services - Green Bay

Associated Lab Samples: 40243415007

METHOD BLANK: 2382919 Matrix: Water

Associated Lab Samples: 40243415007

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
Ethane	ug/L	<0.39	5.6	04/22/22 07:50	
Ethene	ug/L	<0.25	5.0	04/22/22 07:50	
Methane	ug/L	<0.58	2.8	04/22/22 07:50	

LABORATORY CONTROL SAMPLE & LCSD: 2382920 2382921

Parameter	Units	Spike Conc.	LCS Result	LCSD Result	LCS % Rec	LCSD % Rec	% Rec Limits	RPD	Max RPD	Qualifiers
Ethane	ug/L	53.6	55.7	55.4	104	103	74-120	1	20	
Ethene	ug/L	50	52.2	52.0	104	104	71-122	0	20	
Methane	ug/L	28.6	30.1	30.1	105	105	73-120	0	20	

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 2383154 2383155

Parameter	Units	40243383004 Result	MS Spike Conc.	MSD Spike Conc.	MS Result	MSD Result	MS % Rec	MSD % Rec	% Rec Limits	RPD	Max RPD	Qual
Ethane	ug/L	<0.39	53.6	53.6	54.7	54.5	102	102	70-120	0	20	
Ethene	ug/L	<0.25	50	50	51.8	51.5	104	103	68-122	1	20	
Methane	ug/L	<0.58	28.6	28.6	29.4	28.9	103	101	10-200	2	20	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: 1690005819 ONE-HOUR VALET

Pace Project No.: 40243415

QC Batch: 413844

Analysis Method: EPA 6020B

QC Batch Method: EPA 3010A

Analysis Description: 6020B MET

Laboratory: Pace Analytical Services - Green Bay

Associated Lab Samples: 40243415007

METHOD BLANK: 2382890

Matrix: Water

Associated Lab Samples: 40243415007

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
Iron	ug/L	<58.0	250	04/23/22 09:47	

LABORATORY CONTROL SAMPLE: 2382891

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Iron	ug/L	10000	10300	103	80-120	

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 2382892 2382893

Parameter	Units	2382892		2382893		MS % Rec	MSD % Rec	% Rec Limits	RPD	Max RPD	Qual
		40243415007 Result	MS Spike Conc.	MSD Spike Conc.	MS Result						
Iron	ug/L	3740	10000	10000	13500	13800	97	101	75-125	2	20

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: 1690005819 ONE-HOUR VALET
Pace Project No.: 40243415

QC Batch: 413258 Analysis Method: EPA 8260
QC Batch Method: EPA 8260 Analysis Description: 8260 MSV
Laboratory: Pace Analytical Services - Green Bay
Associated Lab Samples: 40243415001, 40243415002, 40243415003, 40243415004, 40243415005, 40243415006, 40243415007, 40243415008

METHOD BLANK: 2379634 Matrix: Water
Associated Lab Samples: 40243415001, 40243415002, 40243415003, 40243415004, 40243415005, 40243415006, 40243415007, 40243415008

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
1,1,1,2-Tetrachloroethane	ug/L	<0.36	1.0	04/18/22 15:43	
1,1,1-Trichloroethane	ug/L	<0.30	1.0	04/18/22 15:43	
1,1,2,2-Tetrachloroethane	ug/L	<0.38	1.0	04/18/22 15:43	
1,1,2-Trichloroethane	ug/L	<0.34	5.0	04/18/22 15:43	
1,1-Dichloroethane	ug/L	<0.30	1.0	04/18/22 15:43	
1,1-Dichloroethene	ug/L	<0.58	1.0	04/18/22 15:43	
1,1-Dichloropropene	ug/L	<0.41	1.0	04/18/22 15:43	
1,2,3-Trichlorobenzene	ug/L	<1.0	5.0	04/18/22 15:43	
1,2,3-Trichloropropane	ug/L	<0.56	5.0	04/18/22 15:43	
1,2,4-Trichlorobenzene	ug/L	<0.95	5.0	04/18/22 15:43	
1,2,4-Trimethylbenzene	ug/L	<0.45	1.0	04/18/22 15:43	
1,2-Dibromo-3-chloropropane	ug/L	<2.4	5.0	04/18/22 15:43	
1,2-Dibromoethane (EDB)	ug/L	<0.31	1.0	04/18/22 15:43	
1,2-Dichlorobenzene	ug/L	<0.33	1.0	04/18/22 15:43	
1,2-Dichloroethane	ug/L	<0.29	1.0	04/18/22 15:43	
1,2-Dichloropropane	ug/L	<0.45	1.0	04/18/22 15:43	
1,3,5-Trimethylbenzene	ug/L	<0.36	1.0	04/18/22 15:43	
1,3-Dichlorobenzene	ug/L	<0.35	1.0	04/18/22 15:43	
1,3-Dichloropropane	ug/L	<0.30	1.0	04/18/22 15:43	
1,4-Dichlorobenzene	ug/L	<0.89	1.0	04/18/22 15:43	
2,2-Dichloropropane	ug/L	<4.2	5.0	04/18/22 15:43	
2-Chlorotoluene	ug/L	<0.89	5.0	04/18/22 15:43	
4-Chlorotoluene	ug/L	<0.89	5.0	04/18/22 15:43	
Benzene	ug/L	<0.30	1.0	04/18/22 15:43	
Bromobenzene	ug/L	<0.36	1.0	04/18/22 15:43	
Bromochloromethane	ug/L	<0.36	5.0	04/18/22 15:43	
Bromodichloromethane	ug/L	<0.42	1.0	04/18/22 15:43	
Bromoform	ug/L	<3.8	5.0	04/18/22 15:43	
Bromomethane	ug/L	<1.2	5.0	04/18/22 15:43	
Carbon tetrachloride	ug/L	<0.37	1.0	04/18/22 15:43	
Chlorobenzene	ug/L	<0.86	1.0	04/18/22 15:43	
Chloroethane	ug/L	<1.4	5.0	04/18/22 15:43	
Chloroform	ug/L	<1.2	5.0	04/18/22 15:43	
Chloromethane	ug/L	<1.6	5.0	04/18/22 15:43	
cis-1,2-Dichloroethene	ug/L	<0.47	1.0	04/18/22 15:43	
cis-1,3-Dichloropropene	ug/L	<0.36	1.0	04/18/22 15:43	
Dibromochloromethane	ug/L	<2.6	5.0	04/18/22 15:43	
Dibromomethane	ug/L	<0.99	5.0	04/18/22 15:43	
Dichlorodifluoromethane	ug/L	<0.46	5.0	04/18/22 15:43	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: 1690005819 ONE-HOUR VALET

Pace Project No.: 40243415

METHOD BLANK: 2379634

Matrix: Water

Associated Lab Samples: 40243415001, 40243415002, 40243415003, 40243415004, 40243415005, 40243415006, 40243415007, 40243415008

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
Diisopropyl ether	ug/L	<1.1	5.0	04/18/22 15:43	
Ethylbenzene	ug/L	<0.33	1.0	04/18/22 15:43	
Hexachloro-1,3-butadiene	ug/L	<2.7	5.0	04/18/22 15:43	
Isopropylbenzene (Cumene)	ug/L	<1.0	5.0	04/18/22 15:43	
m&p-Xylene	ug/L	<0.70	2.0	04/18/22 15:43	
Methyl-tert-butyl ether	ug/L	<1.1	5.0	04/18/22 15:43	
Methylene Chloride	ug/L	<0.32	5.0	04/18/22 15:43	
n-Butylbenzene	ug/L	<0.86	1.0	04/18/22 15:43	
n-Propylbenzene	ug/L	<0.35	1.0	04/18/22 15:43	
Naphthalene	ug/L	<1.1	5.0	04/18/22 15:43	
o-Xylene	ug/L	<0.35	1.0	04/18/22 15:43	
p-Isopropyltoluene	ug/L	<1.0	5.0	04/18/22 15:43	
sec-Butylbenzene	ug/L	<0.42	1.0	04/18/22 15:43	
Styrene	ug/L	<0.36	1.0	04/18/22 15:43	
tert-Butylbenzene	ug/L	<0.59	1.0	04/18/22 15:43	
Tetrachloroethene	ug/L	<0.41	1.0	04/18/22 15:43	
Toluene	ug/L	<0.29	1.0	04/18/22 15:43	
trans-1,2-Dichloroethene	ug/L	<0.53	1.0	04/18/22 15:43	
trans-1,3-Dichloropropene	ug/L	<3.5	5.0	04/18/22 15:43	
Trichloroethene	ug/L	<0.32	1.0	04/18/22 15:43	
Trichlorofluoromethane	ug/L	<0.42	1.0	04/18/22 15:43	
Vinyl chloride	ug/L	<0.17	1.0	04/18/22 15:43	
Xylene (Total)	ug/L	<1.0	3.0	04/18/22 15:43	
1,2-Dichlorobenzene-d4 (S)	%	96	70-130	04/18/22 15:43	
4-Bromofluorobenzene (S)	%	101	70-130	04/18/22 15:43	
Toluene-d8 (S)	%	104	70-130	04/18/22 15:43	

LABORATORY CONTROL SAMPLE: 2379635

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
1,1,1-Trichloroethane	ug/L	50	50.9	102	70-130	
1,1,2,2-Tetrachloroethane	ug/L	50	46.3	93	66-130	
1,1,2-Trichloroethane	ug/L	50	49.0	98	70-130	
1,1-Dichloroethane	ug/L	50	48.1	96	68-132	
1,1-Dichloroethene	ug/L	50	47.8	96	85-126	
1,2,4-Trichlorobenzene	ug/L	50	45.3	91	70-130	
1,2-Dibromo-3-chloropropane	ug/L	50	42.5	85	51-126	
1,2-Dibromoethane (EDB)	ug/L	50	45.0	90	70-130	
1,2-Dichlorobenzene	ug/L	50	45.2	90	70-130	
1,2-Dichloroethane	ug/L	50	48.6	97	70-130	
1,2-Dichloropropane	ug/L	50	47.3	95	78-125	
1,3-Dichlorobenzene	ug/L	50	49.2	98	70-130	
1,4-Dichlorobenzene	ug/L	50	47.4	95	70-130	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: 1690005819 ONE-HOUR VALET

Pace Project No.: 40243415

LABORATORY CONTROL SAMPLE: 2379635

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Benzene	ug/L	50	47.1	94	70-132	
Bromodichloromethane	ug/L	50	48.4	97	70-130	
Bromoform	ug/L	50	47.1	94	65-130	
Bromomethane	ug/L	50	38.0	76	44-128	
Carbon tetrachloride	ug/L	50	52.4	105	70-130	
Chlorobenzene	ug/L	50	49.3	99	70-130	
Chloroethane	ug/L	50	50.1	100	73-137	
Chloroform	ug/L	50	50.1	100	80-122	
Chloromethane	ug/L	50	53.4	107	27-148	
cis-1,2-Dichloroethene	ug/L	50	47.7	95	70-130	
cis-1,3-Dichloropropene	ug/L	50	46.9	94	70-130	
Dibromochloromethane	ug/L	50	48.3	97	70-130	
Dichlorodifluoromethane	ug/L	50	49.2	98	22-151	
Ethylbenzene	ug/L	50	49.0	98	80-123	
Isopropylbenzene (Cumene)	ug/L	50	49.4	99	70-130	
m&p-Xylene	ug/L	100	96.3	96	70-130	
Methyl-tert-butyl ether	ug/L	50	44.3	89	66-130	
Methylene Chloride	ug/L	50	52.2	104	70-130	
o-Xylene	ug/L	50	47.8	96	70-130	
Styrene	ug/L	50	50.1	100	70-130	
Tetrachloroethene	ug/L	50	48.4	97	70-130	
Toluene	ug/L	50	46.9	94	80-121	
trans-1,2-Dichloroethene	ug/L	50	47.2	94	70-130	
trans-1,3-Dichloropropene	ug/L	50	46.1	92	58-125	
Trichloroethene	ug/L	50	50.2	100	70-130	
Trichlorofluoromethane	ug/L	50	48.6	97	84-148	
Vinyl chloride	ug/L	50	50.8	102	63-142	
Xylene (Total)	ug/L	150	144	96	70-130	
1,2-Dichlorobenzene-d4 (S)	%			95	70-130	
4-Bromofluorobenzene (S)	%			100	70-130	
Toluene-d8 (S)	%			104	70-130	

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 2380864 2380865

Parameter	Units	MS		MSD		MS Result	MSD Result	MS % Rec	MSD % Rec	% Rec Limits	RPD	Max RPD	Qual
		40243415001 Result	Spike Conc.	Spike Conc.	Conc.								
1,1,1-Trichloroethane	ug/L	<0.30	50	50	51.2	52.6	102	105	70-130	3	20		
1,1,2,2-Tetrachloroethane	ug/L	<0.38	50	50	52.2	52.3	104	105	66-130	0	20		
1,1,2-Trichloroethane	ug/L	<0.34	50	50	53.6	51.5	107	103	70-130	4	20		
1,1-Dichloroethane	ug/L	<0.30	50	50	51.3	51.1	103	102	68-132	0	20		
1,1-Dichloroethene	ug/L	<0.58	50	50	43.4	44.1	87	88	76-132	2	20		
1,2,4-Trichlorobenzene	ug/L	<0.95	50	50	52.0	50.0	104	100	70-130	4	20		
1,2-Dibromo-3-chloropropane	ug/L	<2.4	50	50	47.6	46.0	95	92	51-126	4	20		
1,2-Dibromoethane (EDB)	ug/L	<0.31	50	50	51.5	52.7	103	105	70-130	2	20		

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: 1690005819 ONE-HOUR VALET

Pace Project No.: 40243415

Parameter	Units	2380864		2380865		MS Result	MSD Result	MS % Rec	MSD % Rec	% Rec Limits	Max RPD	RPD	Qual
		40243415001 Result	MS Spike Conc.	MSD Spike Conc.	MS Result								
1,2-Dichlorobenzene	ug/L	<0.33	50	50	51.3	50.3	103	101	70-130	2	20		
1,2-Dichloroethane	ug/L	<0.29	50	50	50.6	51.5	101	103	70-130	2	20		
1,2-Dichloropropane	ug/L	<0.45	50	50	50.8	51.6	102	103	77-125	1	20		
1,3-Dichlorobenzene	ug/L	<0.35	50	50	55.6	55.2	111	110	70-130	1	20		
1,4-Dichlorobenzene	ug/L	<0.89	50	50	51.5	52.5	103	105	70-130	2	20		
Benzene	ug/L	<0.30	50	50	50.5	51.0	101	102	70-132	1	20		
Bromodichloromethane	ug/L	<0.42	50	50	52.5	51.1	105	102	70-130	3	20		
Bromoform	ug/L	<3.8	50	50	51.4	50.7	103	101	65-130	1	20		
Bromomethane	ug/L	<1.2	50	50	28.1	29.2	56	58	44-128	4	21		
Carbon tetrachloride	ug/L	<0.37	50	50	53.6	52.9	107	106	70-132	1	20		
Chlorobenzene	ug/L	<0.86	50	50	53.3	53.6	107	107	70-130	1	20		
Chloroethane	ug/L	<1.4	50	50	40.7	41.1	81	82	70-137	1	20		
Chloroform	ug/L	<1.2	50	50	53.1	53.0	106	106	80-122	0	20		
Chloromethane	ug/L	<1.6	50	50	25.0	26.1	50	52	17-149	4	20		
cis-1,2-Dichloroethene	ug/L	91.5	50	50	147	144	111	104	70-130	2	20		
cis-1,3-Dichloropropene	ug/L	<0.36	50	50	52.5	52.1	105	104	70-130	1	20		
Dibromochloromethane	ug/L	<2.6	50	50	52.7	51.0	105	102	70-130	3	20		
Dichlorodifluoromethane	ug/L	<0.46	50	50	10.3	10.5	21	21	22-158	2	20	M1	
Ethylbenzene	ug/L	<0.33	50	50	52.9	53.2	106	106	80-123	0	20		
Isopropylbenzene (Cumene)	ug/L	<1.0	50	50	52.8	53.0	106	106	70-130	0	20		
m&p-Xylene	ug/L	<0.70	100	100	103	102	103	102	70-130	1	20		
Methyl-tert-butyl ether	ug/L	<1.1	50	50	49.3	50.5	99	101	66-130	2	20		
Methylene Chloride	ug/L	<0.32	50	50	51.7	51.8	103	104	70-130	0	20		
o-Xylene	ug/L	<0.35	50	50	52.2	51.9	104	104	70-130	0	20		
Styrene	ug/L	<0.36	50	50	53.2	53.6	106	107	70-130	1	20		
Tetrachloroethene	ug/L	<0.41	50	50	51.6	50.8	103	102	70-130	2	20		
Toluene	ug/L	<0.29	50	50	52.2	52.3	104	104	80-121	0	20		
trans-1,2-Dichloroethene	ug/L	1.4	50	50	50.2	49.9	98	97	70-134	1	20		
trans-1,3-Dichloropropene	ug/L	<3.5	50	50	51.3	51.9	103	104	58-130	1	20		
Trichloroethene	ug/L	<0.32	50	50	52.6	52.8	105	106	70-130	0	20		
Trichlorofluoromethane	ug/L	<0.42	50	50	38.6	38.4	77	77	82-151	0	20	M1	
Vinyl chloride	ug/L	11.1	50	50	41.5	41.5	61	61	61-143	0	20		
Xylene (Total)	ug/L	<1.0	150	150	155	154	103	103	70-130	1	20		
1,2-Dichlorobenzene-d4 (S)	%						101	98	70-130				
4-Bromofluorobenzene (S)	%						99	100	70-130				
Toluene-d8 (S)	%						103	103	70-130				

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: 1690005819 ONE-HOUR VALET
Pace Project No.: 40243415

QC Batch: 413688 Analysis Method: EPA 300.0
QC Batch Method: EPA 300.0 Analysis Description: 300.0 IC Anions
Laboratory: Pace Analytical Services - Green Bay

Associated Lab Samples: 40243415007

METHOD BLANK: 2381912 Matrix: Water
Associated Lab Samples: 40243415007

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
Sulfate	mg/L	<0.44	2.0	04/21/22 12:11	

LABORATORY CONTROL SAMPLE: 2381913

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Sulfate	mg/L	20	20.8	104	90-110	

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 2381914 2381915

Parameter	Units	40243255001		2381914		2381915		% Rec Limits	RPD	Max RPD	Qual	
		MS Result	MSD Result	MS Spike Conc.	MSD Spike Conc.	MS Result	MSD Result					MS % Rec
Sulfate	mg/L	21.7	20	20	20	43.8	43.8	110	111	90-110	0	15 M0

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 2381916 2381917

Parameter	Units	40243262003		2381916		2381917		% Rec Limits	RPD	Max RPD	Qual	
		MS Result	MSD Result	MS Spike Conc.	MSD Spike Conc.	MS Result	MSD Result					MS % Rec
Sulfate	mg/L	<222	10000	10000	10000	10600	10600	105	105	90-110	0	15

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: 1690005819 ONE-HOUR VALET

Pace Project No.: 40243415

QC Batch: 413616

Analysis Method: SM 5310C

QC Batch Method: SM 5310C

Analysis Description: 5310C Total Organic Carbon

Laboratory: Pace Analytical Services - Green Bay

Associated Lab Samples: 40243415007

METHOD BLANK: 2381519

Matrix: Water

Associated Lab Samples: 40243415007

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
Total Organic Carbon	mg/L	<0.14	0.50	04/20/22 08:36	

LABORATORY CONTROL SAMPLE: 2381520

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Total Organic Carbon	mg/L	12.5	13.2	106	80-120	

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 2381521 2381522

Parameter	Units	2381521		2381522		MS % Rec	MSD % Rec	% Rec Limits	RPD	Max RPD	Qual	
		40243407001 Result	MS Spike Conc.	MSD Spike Conc.	MS Result							MSD Result
Total Organic Carbon	mg/L	11.4	18	18	28.6	28.8	96	97	80-120	1	10	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALIFIERS

Project: 1690005819 ONE-HOUR VALET

Pace Project No.: 40243415

DEFINITIONS

DF - Dilution Factor, if reported, represents the factor applied to the reported data due to dilution of the sample aliquot.

ND - Not Detected at or above LOD.

J - Estimated concentration at or above the LOD and below the LOQ.

LOD - Limit of Detection adjusted for dilution factor, percent moisture, initial weight and final volume.

LOQ - Limit of Quantitation adjusted for dilution factor, percent moisture, initial weight and final volume.

S - Surrogate

1,2-Diphenylhydrazine decomposes to and cannot be separated from Azobenzene using Method 8270. The result for each analyte is a combined concentration.

Consistent with EPA guidelines, unrounded data are displayed and have been used to calculate % recovery and RPD values.

LCS(D) - Laboratory Control Sample (Duplicate)

MS(D) - Matrix Spike (Duplicate)

DUP - Sample Duplicate

RPD - Relative Percent Difference

NC - Not Calculable.

SG - Silica Gel - Clean-Up

U - Indicates the compound was analyzed for, but not detected at or above the adjusted LOD.

N-Nitrosodiphenylamine decomposes and cannot be separated from Diphenylamine using Method 8270. The result reported for each analyte is a combined concentration.

Pace Analytical is TNI accredited. Contact your Pace PM for the current list of accredited analytes.

TNI - The NELAC Institute.

ANALYTE QUALIFIERS

M0 Matrix spike recovery and/or matrix spike duplicate recovery was outside laboratory control limits.

M1 Matrix spike recovery exceeded QC limits. Batch accepted based on laboratory control sample (LCS) recovery.

pH Post-analysis pH measurement indicates insufficient VOA sample preservation.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA CROSS REFERENCE TABLE

Project: 1690005819 ONE-HOUR VALET

Pace Project No.: 40243415

Lab ID	Sample ID	QC Batch Method	QC Batch	Analytical Method	Analytical Batch
40243415007	PZ-1R	EPA 8015B Modified	413855		
40243415007	PZ-1R	EPA 3010A	413844	EPA 6020B	413902
40243415001	PZ-2R	EPA 8260	413258		
40243415002	MW-6	EPA 8260	413258		
40243415003	MW-6 DUP	EPA 8260	413258		
40243415004	PZ-4	EPA 8260	413258		
40243415005	MW-5	EPA 8260	413258		
40243415006	MW-4	EPA 8260	413258		
40243415007	PZ-1R	EPA 8260	413258		
40243415008	TRIP BLANK	EPA 8260	413258		
40243415007	PZ-1R	HACH 8146	414104		
40243415007	PZ-1R	EPA 300.0	413688		
40243415007	PZ-1R	SM 5310C	413616		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



CHAIN-OF-CUSTODY Analytical Request Document

Chain-of-Custody is a LEGAL DOCUMENT - Complete all relevant fields

LAB USE ONLY - Affix Workorder/Login Label Here or List Pace Workorder Number or MTJL Log-in Number Here

40243415

ALL SHADED AREAS are for LAB USE ONLY

Company: **RAMBOLL**

Address: **234 W FLORIDA ST 5TH FLOOR**

Report To: **SPETROFSKE@RAMBOLL.COM**

Copy To: **PLINDQUIST@RAMBOLL.COM**

Billing Information:

Email To:

Site Collection Info/Address:

Customer Project Name/Number: **1690005819**

State: **WI** / County/City: **MILWAUKEE** [] PT [] MT [] CT [] ET

Phone: _____ Site/Facility ID #: _____ Compliance Monitoring? [] Yes [] No

Collected By (print): **DUNCAUGLASFORD** Purchase Order #: _____ DW PWS ID #: _____

Collected By (signature): *[Signature]* Turnaround Date Required: _____ DW Location Code: _____

Sample Disposal: [] Dispose as appropriate [] Return [] Archive: _____ [] Hold: _____ Rush: [] Same Day [] Next Day [] 2 Day [] 3 Day [] 4 Day [] 5 Day (Expedite Charges Apply) Field Filtered (if applicable): [] Yes [] No Analysis: _____

* Matrix Codes (Insert in Matrix box below): Drinking Water (DW), Ground Water (GW), Wastewater (WW), Product (P), Soil/Solid (SL), Oil (OL), Wipe (WP), Air (AR), Tissue (TS), Bioassay (B), Vapor (V), Other (OT)

Customer Sample ID	Matrix *	Comp / Grab	Collected (or Composite Start)		Composite End		Res Cl	# of Ctns
			Date	Time	Date	Time		
PZ-2R	GW	G	4-13-22	750				X
MW-6				835				X
MW-6DUP				835				X
PZ-4				950				X
MW-5				1025				X
MW-4				1115				X
PZ-1R				1245				X
TRIP BLANK	-	-	-	-				X

Container Preservative Type **

3 3 3/4 2 U

Lab Project Manager:

** Preservative Types: (1) nitric acid, (2) sulfuric acid, (3) hydrochloric acid, (4) sodium hydroxide, (5) zinc acetate, (6) methanol, (7) sodium bisulfate, (8) sodium thiosulfate, (9) hexane, (A) ascorbic acid, (B) ammonium sulfate, (C) ammonium hydroxide, (D) TSP, (U) Unpreserved, (O) Other

Analyses

VOC 0260B

MEG 8015 B MOA

FERROUS IRON 3500+6020

TOL 5310X

SULFATE 300.0

Lab Profile/Line:

Lab Sample Receipt Checklist:

Custody Seals Present/Intact Y N NA

Custody Signatures Present Y N NA

Collector Signatures Present Y N NA

Bottles Intact Y N NA

Correct Bottles Y N NA

Sufficient Volume Y N NA

Samples Received on Ice Y N NA

VOA - Headspace acceptable Y N NA

USDA Regulated Soils Y N NA

Samples in Holding Time Y N NA

Residual Chlorine Present Y N NA

Cl Strips: _____

Sample pH Acceptable Y N NA

pH Strips: _____

Sulfide Present Y N NA

Lead Acetate Strips: _____

LAB USE ONLY:

Lab Sample # / Comments:

001

002

003

004

005

006

007

008

Customer Remarks / Special Conditions / Possible Hazards:

Type of Ice Used: Wet Blue Dry None

Packing Material Used:

Radchem sample(s) screened (<500 cpm): Y N NA

SHORT HOLDS PRESENT (<72 hours): Y N N/A

Lab Tracking #: **2764037**

Samples received via: FEDEX UPS Client Courier Pace Courier

Lab Sample Temperature Info:

Temp Blank Received: Y N NA

Therm ID#: _____

Cooler 1 Temp Upon Receipt: _____ oC

Cooler 1 Therm Corr. Factor: _____ oC

Cooler 1 Corrected Temp: _____ oC

Comments:

Relinquished by/Company: (Signature) *[Signature]*

Date/Time: **4-13-22 1430**

Received by/Company: (Signature) **CS LOGISTICS**

Date/Time: **4/13-22 1430**

Relinquished by/Company: (Signature) **CS LOGISTICS**

Date/Time: **4/14/22 0750**

Received by/Company: (Signature) *[Signature]*

Date/Time: **4/14/22 0750**

Table #: _____

Acctnum: _____

Template: _____

Prelogin: _____

PM: _____

PB: _____

Trip Blank Received: Y N NA

HCL MeOH TSP Other

Non Conformance(s): YES / NO

Page: **Page 32 of 51**

of: **1**

Client Name: Ramboll Sample Preservation Receipt Form
Project # W0243415

All containers needing preservation have been checked and noted below: Yes No N/A

Initial when completed SKW Date/Time:

Lab Lot# of pH paper: 1003112 Lab Std #ID of preservation (if pH adjusted):

Pace Lab #	Glass						Plastic					Vials				Jars				General			VOA Vials (>6mm) *	H2SO4 pH ≤2	NaOH+Zn Act pH ≥9	NaOH pH ≥12	HNO3 pH ≤2	pH after adjusted	Volume (mL)				
	AG1U	BG1U	AG1H	AG4S	AG4U	AG5U	AG2S	BG3U	BP1U	BP3U	BP3B	BP3N	BP3S	VG9A	DG9T	VG9U	VG9H	VG9M	VG9D	JGFU	JG9U	WGFU								WPFU	SP5T	ZPLC	GN
001																																	2.5 / 5 / 10
002																																	2.5 / 5 / 10
003																																	2.5 / 5 / 10
004																																	2.5 / 5 / 10
005																																	2.5 / 5 / 10
006																																	2.5 / 5 / 10
007				1					1	1						2																	2.5 / 5 / 10
008																																	2.5 / 5 / 10
009																																	2.5 / 5 / 10
010																																	2.5 / 5 / 10
011																																	2.5 / 5 / 10
012																																	2.5 / 5 / 10
013																																	2.5 / 5 / 10
014																																	2.5 / 5 / 10
015																																	2.5 / 5 / 10
016																																	2.5 / 5 / 10
017																																	2.5 / 5 / 10
018																																	2.5 / 5 / 10
019																																	2.5 / 5 / 10
020																																	2.5 / 5 / 10

Exceptions to preservation check VOA Coliform TOC TOX, TOH, O&G, WI DRO, Phenolics, Other: _____ Headspace in VOA Vials (>6mm) : Yes No N/A *If yes look in headspace column

AG1U	1 liter amber glass	BP1U	1 liter plastic unpres	VG9A	40 mL clear ascorbic	JGFU	4 oz amber jar unpres
BG1U	1 liter clear glass	BP3U	250 mL plastic unpres	DG9T	40 mL amber Na Thio	JG9U	9 oz amber jar unpres
AG1H	1 liter amber glass HCL	BP3B	250 mL plastic NaOH	VG9U	40 mL clear vial unpres	WGFU	4 oz clear jar unpres
AG4S	125 mL amber glass H2SO4	BP3N	250 mL plastic HNO3	VG9H	40 mL clear vial HCL	WPFU	4 oz plastic jar unpres
AG4U	120 mL amber glass unpres	BP3S	250 mL plastic H2SO4	VG9M	40 mL clear vial MeOH	SP5T	120 mL plastic Na Thiosulfate
AG5U	100 mL amber glass unpres			VG9D	40 mL clear vial DI	ZPLC	ziploc bag
AG2S	500 mL amber glass H2SO4					GN	
BG3U	250 mL clear glass unpres						


Sample Condition Upon Receipt Form (SCUR)

Client Name: Ramboll

Project #: _____

WO#: 40243415

Courier: CS Logistics Fed Ex Speedee UPS Waltco
 Client Pace Other: _____



Tracking #: _____

Custody Seal on Cooler/Box Present: yes no Seals intact: yes no

Custody Seal on Samples Present: yes no Seals intact: yes no

Packing Material: Bubble Wrap Bubble Bags None Other

Thermometer Used SR - 105 Type of Ice: Wet Blue Dry None Samples on ice, cooling process has begun

Cooler Temperature Uncorr: 0 / Corr: 0

Temp Blank Present: Yes no

Biological Tissue is Frozen: yes no

Person examining contents:
 Date: 4/14/22 / Initials: SKW
 Labeled By Initials: AKS

Temp should be above freezing to 6°C.
 Biota Samples may be received at ≤ 0°C if shipped on Dry Ice.

Chain of Custody Present:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	1. <u>CC</u>	<u>4/14/22</u>
Chain of Custody Filled Out:	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A	2. <u>Filled, Billing info</u>	<u>4/14/22</u>
Chain of Custody Relinquished:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	3.	
Sampler Name & Signature on COC:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	4.	
Samples Arrived within Hold Time:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	5.	
- VOA Samples frozen upon receipt	<input type="checkbox"/> Yes <input type="checkbox"/> No	Date/Time:	
Short Hold Time Analysis (<72hr):	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	6.	
Rush Turn Around Time Requested:	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	7.	
Sufficient Volume:		8.	
For Analysis: <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No MS/MSD: <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A			
Correct Containers Used:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	9.	
-Pace Containers Used:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A		
-Pace IR Containers Used:	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A		
Containers Intact:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	10.	
Filtered volume received for Dissolved tests	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	11.	
Sample Labels match COC:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	12.	
-Includes date/time/ID/Analysis Matrix: <u>W</u>			
Trip Blank Present:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	13.	
Trip Blank Custody Seals Present	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A		
Pace Trip Blank Lot # (if purchased): <u>477</u>			

Client Notification/ Resolution: _____ If checked, see attached form for additional comments

Person Contacted: _____ Date/Time: _____

Comments/ Resolution: _____

PM Review is documented electronically in LIMs. By releasing the project, the PM acknowledges they have reviewed the sample login



Report of Analysis

Pace Analytical Services, LLC
1241 Bellevue Street
Suite 9
Green Bay, WI 54302
Attention: Steven Mleczo

Project Name: 1690005819 ONE-HOUR VALET

Project Number: 40243415

Lot Number: **XD15004**

Date Completed: 04/18/2022

04/19/2022 7:08 AM

Approved and released by:
Project Manager II: **Edward Barnett**



The electronic signature above is the equivalent of a handwritten signature.
This report shall not be reproduced, except in its entirety, without the written approval of Pace Analytical Services, LLC.

PACE ANALYTICAL SERVICES, LLC

SC DHEC No: 32010001

NELAC No: E87653

NC DENR No: 329

NC Field Parameters No: 5639

Case Narrative Pace Analytical Services, LLC Lot Number: XD15004

This Report of Analysis contains the analytical result(s) for the sample(s) listed on the Sample Summary following this Case Narrative. The sample receiving date is documented in the header information associated with each sample.

All results listed in this report relate only to the samples that are contained within this report. Where sampling is conducted by the client, results relate to the accuracy of the information provided, and as the samples are received.

Sample receipt, sample analysis, and data review have been performed in accordance with the most current approved The NELAC Institute (TNI) standards, the Pace Analytical Services, LLC ("Pace") Laboratory Quality Manual, standard operating procedures (SOPs), and Pace policies. Any exceptions to the TNI standards, the Laboratory Quality Manual, SOPs or policies are qualified on the results page or discussed below.

Pace is a TNI accredited laboratory; however, the following analyses are currently not listed on our TNI scope of accreditation: Drinking Water: VOC (excluding BTEX, MTBE, Naphthalene, & 1,2-dichloroethane) EPA 524.2, E. coli and Total coliforms SM 9223 B-2004, Solid Chemical Material: TOC Walkley-Black, Biological Tissue: All, Non-Potable Water: SGT-HEM EPA 1664B, Silica EPA 200.7, Boron, Calcium, Silicon, Strontium EPA 200.8, Bicarbonate, Carbonate, and Hydroxide Alkalinity SM 2320 B-2011, SM 9221 C E-2006 & SM 9222D-2006, Strontium SW-846 6010D, VOC SM 6200 B-2011, Fecal Coliform Colilert-18.

If you have any questions regarding this report, please contact the Pace Project Manager listed on the cover page.

Ferrous Iron

The Matrix Spike and Matrix Spike dup did not recover within the acceptable range for the following sample, XD15004-001. The LCS and LCSD recovery were within limits. Both the MS and MSD were prepared in similar ways and the RPD was acceptable.

XD15004-001 (PZ-1R) (Run 1) (Analysis Batch 38411) Ferrous Iron

The following sample was received outside of the method defined holding time: XD15004-001.

XD15004-001 (PZ-1R) (Run 1) (Analysis Batch 38411) Ferrous Iron

PACE ANALYTICAL SERVICES, LLC

Sample Summary

Pace Analytical Services, LLC

Lot Number: XD15004

Project Name: 1690005819 ONE-HOUR VALET

Project Number: 40243415

Sample Number	Sample ID	Matrix	Date Sampled	Date Received
001	PZ-1R	Aqueous	04/13/2022 1245	04/15/2022

(1 sample)

PACE ANALYTICAL SERVICES, LLC

Detection Summary
Pace Analytical Services, LLC
Lot Number: XD15004
Project Name: 1690005819 ONE-HOUR VALET
Project Number: 40243415

Sample	Sample ID	Matrix	Parameter	Method	Result	Q	Units	Page
001	PZ-1R	Aqueous	Ferrous Iron	SM 3500-Fe B-	3.9	HS	mg/L	5

(1 detection)

Inorganic non-metals

Client: Pace Analytical Services, LLC	Laboratory ID: XD15004-001
Description: PZ-1R	Matrix: Aqueous
Date Sampled: 04/13/2022 1245	Project Name: 1690005819 ONE-HOUR VALET
Date Received: 04/15/2022	Project Number: 40243415

Run	Prep Method	Analytical Method	Dilution	Analysis Date	Analyst	Prep Date	Batch
1	(Ferrous Iron)	SM 3500-Fe B-2011	3	04/17/2022 1849	TAD		38411

Parameter	CAS Number	Analytical Method	Result	Q	LOQ	Units	Run
Ferrous Iron		SM 3500-Fe B-2	3.9	HS	0.15	mg/L	1

LOQ = Limit of Quantitation B = Detected in the method blank E = Quantitation of compound exceeded the calibration range Q = Surrogate failure
 ND = Not detected at or above the LOQ N = Recovery is out of criteria P = The RPD between two GC columns exceeds 40% L = LCS/LCSD failure
 H = Out of holding time W = Reported on wet weight basis S = MS/MSD failure

Pace Analytical Services, LLC (formerly Shealy Environmental Services, Inc.)
 106 Vantage Point Drive West Columbia, SC 29172 (803) 791-9700 Fax (803) 791-9111 www.pacelabs.com

QC Summary

Inorganic non-metals - MB

Sample ID: XQ38411-001

Matrix: Aqueous

Batch: 38411

Analytical Method: SM 3500-Fe B-2011

Parameter	Result	Q	Dil	LOQ	Units	Analysis Date
Ferrous Iron	ND		1	0.050	mg/L	04/17/2022 1838

LOQ = Limit of Quantitation

ND = Not detected at or above the LOQ

N = Recovery is out of criteria

P = The RPD between two GC columns exceeds 40%

* = RSD is out of criteria

+ = RPD is out of criteria

Note: Calculations are performed before rounding to avoid round-off errors in calculated results

Inorganic non-metals - LCS

Sample ID: XQ38411-002

Matrix: Aqueous

Batch: 38411

Analytical Method: SM 3500-Fe B-2011

Parameter	Spike Amount (mg/L)	Result (mg/L)	Q	Dil	% Rec	%Rec Limit	Analysis Date
Ferrous Iron	1.0	0.97		1	97	90-110	04/17/2022 1838

LOQ = Limit of Quantitation

ND = Not detected at or above the LOQ

N = Recovery is out of criteria

P = The RPD between two GC columns exceeds 40%

* = RSD is out of criteria

+ = RPD is out of criteria

Note: Calculations are performed before rounding to avoid round-off errors in calculated results

Pace Analytical Services, LLC (formerly Shealy Environmental Services, Inc.)
106 Vantage Point Drive West Columbia, SC 29172 (803) 791-9700 Fax (803) 791-9111 www.pacelabs.com

QC Data for Lot Number: XD15004

Inorganic non-metals - LCSD

Sample ID: XQ38411-003

Matrix: Aqueous

Batch: 38411

Analytical Method: SM 3500-Fe B-2011

Parameter	Spike Amount (mg/L)	Result (mg/L)	Q	Dil	% Rec	% RPD	%Rec Limit	% RPD Limit	Analysis Date
Ferrous Iron	1.0	0.98		1	98	1.3	90-110	20	04/17/2022 1839

LOQ = Limit of Quantitation

ND = Not detected at or above the LOQ

N = Recovery is out of criteria

P = The RPD between two GC columns exceeds 40%

* = RSD is out of criteria

+ = RPD is out of criteria

Note: Calculations are performed before rounding to avoid round-off errors in calculated results

Inorganic non-metals - MS

Sample ID: XD15004-001MS

Matrix: Aqueous

Batch: 38411

Analytical Method: SM 3500-Fe B-2011

Parameter	Sample Amount (mg/L)	Spike Amount (mg/L)	Result (mg/L)	Q	Dil	% Rec	%Rec Limit	Analysis Date
Ferrous Iron	3.9	1.0	14	N	10	999	70-130	04/17/2022 1909

LOQ = Limit of Quantitation

ND = Not detected at or above the LOQ

N = Recovery is out of criteria

P = The RPD between two GC columns exceeds 40%

* = RSD is out of criteria

+ = RPD is out of criteria

Note: Calculations are performed before rounding to avoid round-off errors in calculated results

Inorganic non-metals - MSD

Sample ID: XD15004-001MD

Matrix: Aqueous

Batch: 38411

Analytical Method: SM 3500-Fe B-2011

Parameter	Sample Amount (mg/L)	Spike Amount (mg/L)	Result (mg/L)	Q	Dil	% Rec	% RPD	%Rec Limit	% RPD Limit	Analysis Date
Ferrous Iron	3.9	1.0	14	N	10	967	2.3	70-130	20	04/17/2022 1910

LOQ = Limit of Quantitation

ND = Not detected at or above the LOQ

N = Recovery is out of criteria

P = The RPD between two GC columns exceeds 40%

* = RSD is out of criteria

+ = RPD is out of criteria

Note: Calculations are performed before rounding to avoid round-off errors in calculated results

**Chain of Custody
and
Miscellaneous Documents**

Internal Transfer Chain of Custody



Samples Pre-Logged into eCOC.

State Of Origin: WI
 Cert. Needed: Yes No

Owner Received Date: 4/14/2022 Results Requested By: 4/26/2022



Workorder Name: 1580005819 ONE-HOUR VALET

Subcontract To

Even Mieczko
 Pace Analytical Green Bay
 41 Bellevue Street
 Suite 9
 Green Bay, WI 54302
 Phone (920)459-2436

Pace Analytical West Columbia
 106 Vantage Point Drive
 West Columbia, SC 29172
 Phone (803)791-9700

Requested Analysis

XD15004		FTB2	
LAB USE ONLY			

Sample ID	Sample Type	Collect Date/Time	Lab ID	Matrix	Preserved Containers
PS-1R	PS	4/13/2022 12:45	40243415007	Water	1

Released By	Date/Time	Received By	Date/Time
<i>M. S. [Signature]</i>	4/14/2022 10:00		
<i>FRD ex</i>	4/15/2022 09:40	<i>Howdy N. [Signature]</i>	4/15/2022 09:40

Cooler Temperature on Receipt 11 °C Custody Seal Y or N Received on Ice Y or N Samples Intact Y or N

*In order to maintain client confidentiality, location/name of the sampling site, sampler's name and signature may not be provided on this COC document.

This chain of custody is considered complete as is since this information is available in the owner laboratory.

CHAIN-OF-CUSTODY Analytical Request Document

Chain-of-Custody is a LEGAL DOCUMENT - Complete all relevant fields

Billing Information:

Company: **PACELABS**

Address: **234 W FLORIDA ST 5TH FLOOR**

Report To: **SPOTROSKY@RAMBOLL.COM**

Copy To: **PLINDAUST@RAMBOLL.COM**

Customer Project Name/Number: **1691000 5819**

Phone: **803 791 9111**

Collected by (Print): **DMASGALAFORN**

Collected by (Signature): *[Signature]*

Sample ID: **001**

Analysis: **001**

Matrix: **001**

Container Sample ID: **001**

Matrix: **001**

Container Sample ID: **001**

Matrix: **001**

Container Sample ID: **001**

Matrix: **001**

Container Sample ID: **001**

Matrix: **001**

Container Sample ID: **001**

Matrix: **001**

Container Sample ID: **001**

Matrix: **001**

Container Sample ID: **001**

Matrix: **001**

LAB USE ONLY - Attach Workorder/Login Label Here or List Pace Workorder Number or MTL Log in Number Here **00243015**

Lab Project Manager: **00243015**

Lab Sample Receipt Checklist:

Quantity: **3**

Preservative Type: **2**

Analysis: **001**

Lab Sample Receipt Checklist:

Quantity: **3**

Preservative Type: **2**

Analysis: **001**

Lab Sample Receipt Checklist:

Quantity: **3**

Preservative Type: **2**

Analysis: **001**

Lab Sample Receipt Checklist:

Quantity: **3**

Preservative Type: **2**

Analysis: **001**

Lab Sample Receipt Checklist:

Quantity: **3**

Preservative Type: **2**

Analysis: **001**

Lab Sample Receipt Checklist:

Quantity: **3**

Preservative Type: **2**

Analysis: **001**

Site Name: **W1 / MILWAUKEE**

Site Address: **W1 / MILWAUKEE**

Site Contact: **W1 / MILWAUKEE**

Site Phone: **W1 / MILWAUKEE**

Site Email: **W1 / MILWAUKEE**

Site Manager: **W1 / MILWAUKEE**

Site Operator: **W1 / MILWAUKEE**

Site Analyst: **W1 / MILWAUKEE**

Site Technician: **W1 / MILWAUKEE**

Site Collector: **W1 / MILWAUKEE**

Site Sampler: **W1 / MILWAUKEE**

Site Recorder: **W1 / MILWAUKEE**

Site Observer: **W1 / MILWAUKEE**

Site Reporter: **W1 / MILWAUKEE**

Site Approver: **W1 / MILWAUKEE**

Site Signer: **W1 / MILWAUKEE**

Site Witness: **W1 / MILWAUKEE**

Site Notary: **W1 / MILWAUKEE**

Site Auditor: **W1 / MILWAUKEE**

Site Reviewer: **W1 / MILWAUKEE**

Site Approver: **W1 / MILWAUKEE**

Site Signer: **W1 / MILWAUKEE**

Site Witness: **W1 / MILWAUKEE**

Site Notary: **W1 / MILWAUKEE**

Site Auditor: **W1 / MILWAUKEE**

Site Reviewer: **W1 / MILWAUKEE**

Doc# Title: ENV-FRM-GBAY-U035 V01_Sample Preservation Receipt Form
 Revision: 3 | Effective Date: | Issued by: Green Bay

Client Name: Bambell Project # 102312 Date/Time: 5/10
 Project # 102312 Date/Time: 5/10

As containers receiving preservation have been checked and noted below: Yes No DNA
 Lab. Lots of pH paper: 102312 Sum of preservation (pH adjust): 2

Pace Lab #	Glass			Plastic			Vials			Jars			General			VOA Vials (6-9mm)	Date/Time	Initials	Date/Time
	AG1U	AG1U	AG1U	AG1U	AG1U	AG1U	AG1U	AG1U	AG1U	AG1U	AG1U	AG1U	AG1U	AG1U	AG1U				
001																			
002																			
003																			
004																			
005																			
006																			
007																			
008																			
009																			
010																			
011																			
012																			
013																			
014																			
015																			
016																			
017																			
018																			
019																			
020																			


Exceptions to preservation uses:	VOA	Collom	TOX	10PH	OWG	WI DRO	Prematics	Other:	Headspace in VOA Vials (6-9mm):	Yes	No	DNA	*if yes lock in headspace estian
AG1U 1 liter amber glass													
BG1U 1 liter clear glass													
AG1U 1 liter amber glass HCL													
AG4S 125 mL amber glass H2SO4													
AG4U 120 mL amber glass unpres													
AG5U 100 mL amber glass unpres													
AG2S 500 mL amber glass H2SO4													
BG3U 250 mL clear glass unpres													
BP1U 1 liter plastic unpres													
BP3U 250 mL plastic unpres													
BP3B 250 mL plastic NaOH													
BP3N 250 mL plastic HNC3													
BP3S 250 mL plastic H2SO4													
VG9A 40 mL clear aseptic													
DG9T 40 mL amber Na Tho													
VG9U 40 mL clear vial unpres													
VG9H 40 mL clear vial HCL													
VG9M 40 mL clear vial MeOH													
VG9D 40 mL clear vial DI													
JG9U 4 oz amber jar unpres													
WG9U 8 oz amber jar unpres													
WP9U 4 oz clear jar unpres													
SP9T 4 oz plastic jar unpres													
ZPLC 120 mL plastic Na Th osulate													
GN 7PLC ziploc bag													

PACE ANALYTICAL SERVICES, LLC

DC# Title: ENV-FRM-GRAY-0014 v02_SCUR
 Revision: 3 | Effective Date: | Issued by: Green Bay

Sample Condition Upon Receipt Form (SCUR)

Client Name: Ramboll
Courier: CS Logistics Fed Ex Speedee UPS Watco
 Client Pace Other: _____

Project #: _____
WO#: **40243415**

 40243415

Tracking #: _____
Custody Seal on Cooler/Box Present: yes no **Seals intact:** yes no
Custody Seal on Samples Present: yes no **Seals intact:** yes no
Packing Material: Bubble Wrap Bubble Bags None Other
Thermometer Used: SR - 105 **Type of Ice:** Dry Blue Dry None
Cooler Temperature: Uncorr: 0 Corr: 0 Samples on ice, cooling process has begun
Temp Blank Present: yes no **Biological Tissue Is Frozen:** yes no

Person examining contents:
 Date: 4/14/22 Initials: SCW
 Labeled By Initials: _____

Chain of Custody Present:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	1. <u>CC</u>	
Chain of Custody Filled Out	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A	2.	<u>Folder, Pulling info</u>
Chain of Custody Relinquished:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	3.	
Sampler Name & Signature on COC:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	4.	
Samples Arrived within Hold Time:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	5.	
- VOA Samples frozen upon receipt	<input type="checkbox"/> Yes <input type="checkbox"/> No	Date/Time:	
Short Hold Time Analysis (<72hr):	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	6.	
Rush Turn Around Time Requested:	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	7.	
Sufficient Volume:		8.	
For Analysis: <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	MS/MSD: <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A		
Correct Containers Used:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	9.	
- Pace Containers Used:	<input type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A		
- Pace IR Containers Used:	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A		
Containers Intact:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	10.	
Filtered volume received for Dissolved tests	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	11.	
Sample Labels match COC:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	12.	
- Includes date/time/ID/Analysis Matrix	<u>W</u>		
Trip Blank Present:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	13.	
Trip Blank Custody Seals Present	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A		
Pace Trip Blank Lot # (if purchased):	<u>4777</u>		

Client Notification/ Resolution: _____
 Person Contacted: _____ Date/Time: _____ If checked, see attached form for additional comments
 Comments/ Resolution: _____

PM Review is documented electronically in LIMs. By releasing the project, the PM acknowledges they have reviewed the sample login
 Page 2 of 2

PACE ANALYTICAL SERVICES, LLC



Samples Receipt Checklist (SRC) (ME0018C-15)

Issuing Authority: Pace ENV - WCOL

Revised: 9/29/2020

Page 1 of 1

Sample Receipt Checklist (SRC)

Client: Pace

Cooler Inspected by/date: KNR / 04/15/2022

Lot #: XD15004

Means of receipt: <input type="checkbox"/> Pace <input type="checkbox"/> Client <input checked="" type="checkbox"/> UPS <input checked="" type="checkbox"/> FedEx <input type="checkbox"/> Other:	
<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	1. Were custody seals present on the cooler?
<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> NA	2. If custody seals were present, were they intact and unbroken?
pH Strip ID: <u>NA</u>	Chlorine Strip ID: <u>NA</u> Tested by: <u>NA</u>
Original temperature upon receipt / Derived (Corrected) temperature upon receipt %Solid Snap-Cup ID: <u>NA</u>	
2.1 / 2.1 °C <u>NA</u> / <u>NA</u> °C <u>NA</u> / <u>NA</u> °C <u>NA</u> / <u>NA</u> °C	
Method: <input checked="" type="checkbox"/> Temperature Blank <input type="checkbox"/> Against Bottles IR Gun ID: <u>5</u> IR Gun Correction Factor: <u>0</u> °C	
Method of coolant: <input checked="" type="checkbox"/> Wet Ice <input type="checkbox"/> Ice Packs <input type="checkbox"/> Dry Ice <input type="checkbox"/> None	
<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> NA	3. If temperature of any cooler exceeded 6.0°C, was Project Manager Notified? PM was Notified by: phone / email / face-to-face (circle one).
<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> NA	4. Is the commercial courier's packing slip attached to this form?
<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	5. Were proper custody procedures (relinquished/received) followed?
<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	6. Were sample IDs listed on the COC?
<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	7. Were sample IDs listed on all sample containers?
<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	8. Was collection date & time listed on the COC?
<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	9. Was collection date & time listed on all sample containers?
<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	10. Did all container label information (ID, date, time) agree with the COC?
<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	11. Were tests to be performed listed on the COC?
<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	12. Did all samples arrive in the proper containers for each test and/or in good condition (unbroken, lids on, etc.)?
<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	13. Was adequate sample volume available?
<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	14. Were all samples received within 1/2 the holding time or 48 hours, whichever comes first?
<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	15. Were any samples containers missing/excess (circle one) samples Not listed on COC?
<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> NA	16. For VOA and RSK-175 samples, were bubbles present >"pea-size" (1/4" or 6mm in diameter) in any of the VOA vials?
<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> NA	17. Were all DRO/metals/nutrient samples received at a pH of < 2?
<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> NA	18. Were all cyanide samples received at a pH > 12 and sulfide samples received at a pH > 9?
<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> NA	19. Were all applicable NH ₃ /TKN/cyanide/phenol/625.1/608.3 (< 0.5mg/L) samples free of residual chlorine?
<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> NA	20. Were client remarks/requests (i.e. requested dilutions, MS/MSD designations, etc...) correctly transcribed from the COC into the comment section in LIMS?
<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	21. Was the quote number listed on the container label? If yes, Quote #
Sample Preservation (Must be completed for any sample(s) incorrectly preserved or with headspace.)	
Sample(s) <u>NA</u> were received incorrectly preserved and were adjusted accordingly in sample receiving with <u>NA</u> mL of circle one: H ₂ SO ₄ , HNO ₃ , HCl, NaOH using SR # <u>NA</u>	
Time of preservation <u>NA</u> . If more than one preservative is needed, please note in the comments below.	
Sample(s) <u>NA</u> were received with bubbles >6 mm in diameter.	
Sample(s) <u>NA</u> were received with TRC > 0.5 mg/L (If #19 is <i>no</i>) and were adjusted accordingly in sample receiving with sodium thiosulfate (Na ₂ S ₂ O ₃) with Shealy ID: <u>NA</u>	
SR barcode labels applied by: <u>TEC</u> Date: <u>04/15/2022</u>	

Comments: