

Via WDNR Submittal Portal

Ms. Linda Stanek
Wisconsin Department of Natural Resources
1027 W. St. Paul Avenue
Milwaukee, WI 53233

**NR 716.14 DATA TRANSMITTAL
OCTOBER 2023 GROUNDWATER ANALYTICAL RESULTS
FORMER ONE-HOUR VALET DRY CLEANERS (TAXMAN)
1214 WEST WELLS STREET, MILWAUKEE, WISCONSIN
BRRTS NO. 02-41-152248**

Dear Ms. Stanek:


Ramboll Americas Engineering Solutions, Inc. (Ramboll), on behalf of Marquette University (Marquette), is providing the Wisconsin Department of Natural Resources (WDNR) with the attached analytical results for the October 2023 groundwater sampling event completed at the former Taxman/One-Hour Valet Dry Cleaner site located at 1214 West Wells Street in Milwaukee, Wisconsin (the "site"). The groundwater samples were collected from the eight existing groundwater monitoring wells (MW-3, MW-4, MW-5, MW-6, MW-7, PZ-1R, PZ-2R, and PZ-4) on October 31, 2023. A figure showing the monitoring well locations is attached along with draft cumulative results tables (Attachment A) and the laboratory analytical report (Attachment B).

All groundwater samples were submitted for analysis of volatile organic compounds (VOCs). Monitoring well PZ-1R was also sampled for monitored natural attenuation geochemical parameters (ethane, ethene, methane, dissolved iron, total organic carbon, and sulfate). The analytical results continue to document stable to decreasing groundwater conditions. Additionally, the geochemical data continue to indicate strongly reducing conditions which are promoting the dechlorination of PCE.

A semi-annual progress report documenting the October 2023 sampling event and providing responses to several of the items outlined in your September 26, 2023, letter will be submitted to the WDNR during the first quarter of 2024.


If you have any questions, please feel free to contact us at the numbers listed below.

Yours sincerely,



Susan Petrofske
Senior Managing Consultant

D +1 262 901 3501
spetrofske@ramboll.com



Jeanne M. Tarvin, PG, CPG
E&H Americas Country Market Director

D +1 262 901 0085
jtarkin@ramboll.com

November 29, 2023

Ramboll
234 W. Florida Street
Fifth Floor
Milwaukee, WI 53204
USA

T +1 414 837 3607
F +1 414 837 3608
www.ramboll.com

Ref. 1690005819

cc: Joel Smullen, Marquette

ATTACHMENT A

FIGURE AND TABLES

Figure 1: Site Layout

Table 1: Groundwater Analytical Results

Table 2: MNA Parameter Groundwater Sampling Results

L:\Loop Project Files\CAD\1690005819_Former 1hr Dry Cleaners\2021-01\02_Site Layout.dwg

HOSPITAL PARKING STRUCTURE



LEGEND

- PROPERTY BOUNDARY
- BUILDING FOOTPRINT
- ASPHALT
- CONCRETE
- FENCE LINE
- 1-FT ELEVATION CONTOUR
- UNDERGROUND ELECTRIC
- OVERHEAD ELECTRIC
- TELEPHONE
- WATER LINE
- GAS
- CABLE TV
- FIBER OPTIC
- STORMWATER SEWER
- SANITARY SEWER
- STEAM
- CATCH BASIN
- MANHOLE
- VALVE
- TRAFFIC LIGHT
- TRANSFORMER
- METER
- LIGHT POLE
- UTILITY POLE / GUY
- TREE
- FIRE HYDRANT
- TELEPHONE PEDESTAL
- CONTROL BOX
- MONITORING WELL
- SOIL GAS SAMPLE
- INJECTION WELL (APPROXIMATE LOCATION)
- INJECTION POINT (APPROXIMATE LOCATION)

REFERENCE: THE SITE LAYOUT, SITE FEATURES, ELEVATIONS, UTILITIES, AND OTHER FEATURES NEAR THE PROPERTY WERE OBTAINED FROM GRAEF-USA IN DECEMBER 2017. MONITORING WELLS WERE SURVEYED IN OCTOBER 2019.



SITE LAYOUT
 FORMER ONE-HOUR VALET DRY CLEANERS
 1214 WEST WELLS STREET
 MILWAUKEE, WISCONSIN



FIGURE
1

DRAFTED BY: HJW/PDL

DATE: 1/20/2021

1690005819




TABLE 1
Groundwater Analytical Results - Summary of Detected Constituents
Former One-Hour Valet Dry Cleaners
1214 West Wells Street, Milwaukee, Wisconsin
Ramboll Project No. 1690005819

Analyte ^{1,2}		Benzene	Chloroform	1,1-Dichloroethene	cis-1,2-Dichloroethene	trans-1,2-Dichloroethene	Ethylbenzene	Methylene chloride	Tetrachloroethene	Toluene	Trichloroethene	1,2,4-Trimethylbenzene ³	Vinyl chloride	Xylenes, total ⁴
CAS		71-43-2	67-66-3	75-35-4	156-59-2	156-60-5	100-41-4	75-09-2	127-18-4	108-88-3	79-01-6	95-63-6	75-01-4	1330-20-7
Units		ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L
NR 140 ES		5	6	7	70	100	700	5	5	800	5	480	0.2	2000
NR 140 PAL		0.5	0.6	0.7	7	20	140	0.5	0.5	160	0.5	96	0.02	400
MW-1	1/14/2002	ND	<0.23	<0.27	<0.21	<0.25	<0.22	<0.24	<0.22	<0.41	0.46 J	<0.15	44	#N/A
	5/8/2002	ND	<0.1	<0.11	<0.11	<0.11	<0.08	<0.24	<0.15	<0.08	<0.13	<0.11	<0.16	#N/A
	8/7/2003	ND	<0.25	<0.5	<0.5	<0.5	<0.5	<1	<0.5	0.9	0.3 J	<0.25	<0.25	<0.5
	10/7/2003	ND	<0.25	<0.5	<0.5	<0.5	<0.5	<1	<0.5	<0.25	<0.25	<0.25	<0.25	<0.5
	8/25/2009	<0.2	<0.2	<0.5	<0.5	<0.5	<0.5	<1	<0.5	<0.5	<0.2	<0.2	<0.2	<0.5
11/1/2017	<0.50	<2.5	<0.41	<0.26	<0.26	<0.50	<0.23	<0.50	<0.50	<0.33	<0.50	<0.18	<1.5	
MW-2	1/14/2002	ND	<0.23	<0.21	<0.21	<0.25	<0.22	<0.22	<0.22	<0.41	<0.24	<0.26	<0.25	#N/A
	5/8/2002	ND	<0.1	<0.11	<0.11	<0.11	<0.08	<0.24	<0.15	<0.08	<0.13	<0.11	<0.16	#N/A
	8/7/2003	ND	<0.25	<0.5	<0.5	<0.5	<0.5	<1	<0.5	0.32 J	<0.25	<0.25	<0.25	<0.5
	10/7/2003	ND	<0.25	<0.5	<0.5	<0.5	<0.5	<1	<0.5	<0.25	<0.25	<0.25	<0.25	<0.5
	8/27/2009	<0.2	<0.2	<0.5	<0.5	<0.5	<0.5	<1	<0.5	<0.5	<0.2	<0.2	<0.2	<0.5
11/1/2017	<0.50	<2.5	<0.41	<0.26	<0.26	<0.50	<0.23	<0.50	<0.50	<0.33	<0.50	<0.18	<1.5	
MW-3	1/15/2002	ND	<0.23	<0.27	<0.21	<0.25	<0.22	<0.22	<0.22	<0.41	<0.24	<0.26	<0.25	#N/A
	5/8/2002	ND	<0.1	<0.11	<0.11	<0.11	<0.08	<0.24	<0.15	0.32	0.34 J	<0.11	<0.16	#N/A
	8/7/2003	ND	<0.25	<0.5	<0.5	<0.5	<0.5	<1	<0.5	0.88	0.42 J	<0.25	<0.25	<0.5
	10/7/2003	ND	<0.25	<0.5	<0.5	<0.5	<0.5	<1	<0.5	<0.25	<0.25	<0.25	<0.25	<0.5
	8/27/2009	<0.2	<0.2	<0.5	<0.5	<0.5	<0.5	<1	<0.5	<0.5	<0.2	<0.2	<0.2	<0.5
11/1/2017	<0.50	<2.5	<0.41	<0.26	<0.26	<0.50	<0.23	<0.50	<0.50	<0.33	<0.50	<0.18	<1.5	
10/31/2023	<0.30	<0.50	<0.58	<0.47	<0.53	<0.33	<0.32	<0.41	<0.29	<0.32	<0.45	<0.17	<1.0	
MW-4	8/7/2003	ND	<0.25	<0.5	<0.5	<0.5	<0.5	<1	0.88 J	0.9	0.71 J	0.34 J	<0.25	<0.5
	10/7/2003	ND	<0.25	<0.5	<0.5	<0.5	<0.5	<1	0.57 J	<0.25	<0.25	<0.25	<0.25	<0.5
	8/25/2009	<0.2	<0.2	<0.5	<0.5	<0.5	<0.5	<1	7	<0.5	<0.2	<0.2	<0.2	<0.5
	11/2/2017	<0.50	<2.5	<0.41	<0.26	<0.26	<0.50	<0.23	<0.50	<0.33	<0.50	<0.18	<1.5	
	5/2/2019	<0.49	<2.5	<0.49	23.0	<2.2	<0.44	<1.2	850	<0.34	5.0	<1.7	<0.35	<3.0
	8/14/2019	<0.25	<1.3	<0.24	0.43 J	<1.1	<0.22	<0.58	79.1	<0.17	0.99 J	<0.84	<0.17	<1.5
	3/10/2020	<0.25	<1.3	<0.24	<0.27	<1.1	<0.32	<0.58	57	<0.27	0.47 J	<0.84	<0.17	<1.5
	10/28/2020	<0.25	<1.3	<0.24	<0.27	<0.46	<0.32	<0.58	24.0	<0.27	0.26 J	<0.84	<0.17	<1.5
	4/21/2021	<0.30	<1.2	<0.58	<0.47	<0.53	<0.33	<0.32	31.8	<0.29	<0.32	<0.45	<0.17	<1.0
	10/27/2021	<0.30	<1.2	<0.58	<0.47	<0.53	<0.33	<0.32	26.8	<0.29	<0.32	<0.45	<0.17	<1.0
	4/13/2022	<0.30	<1.2	<0.58	<0.47	<0.53	<0.33	<0.32	13.7	<0.29	<0.32	<0.45	<0.17	<1.0
	10/12/2022	<0.30	<1.2	<0.58	<0.47	<0.53	<0.33	<0.32	26.8	<0.29	<0.32	<0.45	<0.17	<1.0
	4/12/2023	<0.30	<0.50	<0.58	<0.47	<0.53	<0.33	<0.32	44.5	<0.29	0.40 J	<0.45	<0.17	<1.0
10/31/2023	<0.30	<0.50	<0.58	<0.47	<0.53	<0.33	<0.32	23.1	<0.29	<0.32	<0.45	<0.17	<1.0	
MW-5	8/7/2003	ND	<0.25	<0.5	11	<0.5	<0.5	<1	80	0.9	7.9	0.34 J	<0.25	<0.5
	10/7/2003	ND	<0.25	<0.5	150	1.2	<0.5	<1	93	<0.25	6.4	<0.25	<0.25	<0.5
	8/27/2009	<0.2	<0.2	<0.5	110	1.2	<0.5	<1	140	<0.5	<0.2	32	22	<0.5
	11/2/2017	<0.50	<2.5	<0.41	73.6	1.5	<0.50	<0.23	30.3	<0.50	3.2	<0.50	0.45 J	<1.5
	5/2/2019	<0.25	<1.3	<0.24	11.3	<1.1	<0.22	<0.58	20.5	<0.17	3.8	<0.84	2.1	<1.5
	8/14/2019	<0.25	<1.3	<0.24	31.2	<1.1	<0.22	<0.58	29.1	<0.17	5.9	<0.84	0.73 J	<1.5
	3/10/2020	<0.25	<1.3	<0.24	14.1	<1.1	<0.32	<0.58	23.8	<0.27	5.0	<0.84	2.2	<1.5
	10/28/2020	<0.25	<1.3	<0.24	11.3	0.72 J	<0.32	<0.58	21.7	<0.27	5.2	<0.84	1.5	<1.5
	4/21/2021	<0.30	<1.2	<0.58	7.6	0.59 J	<0.33	<0.32	20.9	<0.29	4.2	<0.45	1.5	<1.0
	10/27/2021	<0.30	<1.2	<0.58	12.3	1.7	<0.33	<0.32	24.0	<0.29	5.6	<0.45	1.1	<1.0
	4/13/2022	<0.30	<1.2	<0.58	47.8	0.93 J	<0.33	<0.32	18.0	<0.29	3.7	<0.45	<0.17	<1.0
	10/12/2022	<0.30	<1.2	<0.58	10.6	<0.53	<0.33	<0.32	18.6	<0.29	3.6	<0.45	0.26 J	<1.0
	4/12/2023	<0.30	<0.50	<0.58	4.4	<0.53	<0.33	<0.32	10.5	<0.29	1.5	<0.45	<0.17	<1.0
	10/31/2023	<0.30	<0.50	<0.58	3.3	<0.53	<0.33	<0.32	20.4	<0.29	3.1	<0.45	<0.17	<1.0

TABLE 1
Groundwater Analytical Results - Summary of Detected Constituents
Former One-Hour Valet Dry Cleaners
1214 West Wells Street, Milwaukee, Wisconsin
Ramboll Project No. 1690005819

Analyte ^{1,2}		Benzene	Chloroform	1,1-Dichloroethene	cis-1,2-Dichloroethene	trans-1,2-Dichloroethene	Ethylbenzene	Methylene chloride	Tetrachloroethene	Toluene	Trichloroethene	1,2,4-Trimethylbenzene ³	Vinyl chloride	Xylenes, total ⁴
CAS		71-43-2	67-66-3	75-35-4	156-59-2	156-60-5	100-41-4	75-09-2	127-18-4	108-88-3	79-01-6	95-63-6	75-01-4	1330-20-7
Units		ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L
NR 140 ES		5	6	7	70	100	700	5	5	800	5	480	0.2	2000
NR 140 PAL		0.5	0.6	0.7	7	20	140	0.5	0.5	160	0.5	96	0.02	400
MW-6	8/25/2009	<0.2	<2	<5	980	<5	<5	<10	<5	<5	18	<2	57	<5
	11/9/2017	<0.50	<2.5	<0.41	4.5	<0.26	<0.50	<0.23	<0.50	<0.50	<0.33	<0.50	1.0	<1.5
	5/2/2019	<0.25	<1.3	<0.24	<0.27	<1.1	<0.22	<0.58	<0.33	<0.17	<0.26	<0.84	<0.17	<1.5
	8/14/2019	<0.25	<1.3	<0.24	14.7 M1	<1.1	<0.22	<0.58	1.3	<0.17	0.37 J	<0.84	1.6	<1.5
	3/10/2020	<0.25	<1.3	<0.24	239	6.8	<0.32	<0.58	<0.33	<0.27	13.5	<0.84	11.5	<1.5
	10/28/2020	<0.25	<1.3	<0.24	172	5.4	<0.32	<0.58	<0.33	<0.27	15.6	<0.84	8.4	<1.5
	4/21/2021	<0.30	<1.2	<0.58	1.9	<0.53	<0.33	<0.32	<0.41	<0.29	<0.32	<0.45	0.32 J	<1.0
	10/27/2021	<0.30	<1.2	<0.58	1.3	<0.53	<0.33	<0.32	<0.41	<0.29	<0.32	<0.45	0.19 J	<1.0
	4/13/2022	<0.30	<1.2	<0.58	1.5	<0.53	<0.33	<0.32	<0.41	<0.29	<0.32	<0.45	0.36 J	<1.0
	10/12/2022	<0.30	<1.2	<0.58	1.3	<0.53	<0.33	<0.32	<0.41	<0.29	<0.32	<0.45	0.42 J	<1.0
4/12/2023	<0.30	<0.50	<0.58	9.1	<0.53	<0.33	<0.32	<0.41	<0.29	<0.32	<0.45	1.8	<1.0	
10/31/2023	<0.30	<0.50	<0.58	2.7	<0.53	<0.33	<0.32	<0.41	<0.29	<0.32	<0.45	1.1	<1.0	
MW-7	8/26/2009	<0.2	<2	<0.5	<0.5	<0.5	<0.5	<1	<0.5	<0.5	<0.2	<0.2	<0.2	<0.5
	11/9/2017	<0.50	<2.5	<0.41	<0.26	<0.26	<0.50	<0.23	<0.50	<0.50	<0.33	<0.50	<0.18	<1.5
	10/31/2023	<0.30	<0.50	<0.58	<0.47	<0.53	<0.33	<0.32	<0.41	<0.29	<0.32	<0.45	<0.17	<1.0
MW-8	8/26/2009	<0.2	<0.2	<0.5	<0.5	<0.5	<0.5	<1	<0.5	<0.5	<0.2	<0.2	<0.2	<0.5
	11/9/2017 ^b	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
MW-9	8/27/2009	0.28	<0.2	<0.5	<0.5	<0.5	<0.5	<1	<0.5	0.64	<0.2	<0.2	<0.2	<0.5
	11/9/2017	<0.50	<2.5	<0.41	<0.26	<0.26	<0.50	<0.23	<0.50	0.59 J	<0.33	<0.50	<0.18	<1.5
PZ-1	1/15/2002	ND	<1.2	<1.4	400	4	J	<1.1	<1.1	<2.1	<1.2	<0.75	<1.3	#N/A
	5/8/2003	ND	<5	<5.5	3,000	22	<4	23 J	8,500	<4	2,800	<5.5	22 J	#N/A
	8/8/2003	ND	0.3	J	8.4	2,600	18.0	1.8	<1	27,000	4.8	2,500	<0.25	11
	10/7/2003	ND	<120	<250	2,600	<250	<250	<500	36,000	<120	2,600	<120	<120	<250
	8/25/2009	<32	<32	<80	2,000	<80	<80	<160	61,000	<80	1,600	<32	<32	<80
	11/2/2017	<125	<625	<103	414	<64.1	<125	<58.1	16,200	<125	435	<125	<43.9	<375
PZ-1 abandoned on 1/11/2018. PZ-1R was installed on 4/18/2019.														
PZ-1R	5/2/2019	<123	<637	<122	30,000	<545	<109	<290	60,300 M1	<86.1	3,310	<420	<87.3	<750
	8/14/2019	<123	<637	140 J	108,000	<545	<109	<290	83,700	<86.1	5,450	<420	1,110	<750
	3/10/2020	<123	<637	<122	36,400	<545	<159	<290	23,200	<135	9,060	<420	2,630	<750
	10/28/2020	<123	<637	<122	6,500	<232	<159	<290	28,800	<135	2,280	<420	822	<750
	4/21/2021	<148	<591	<291	98,200	<264	<163	<160	64,500	<144	26,000	<224	10,800	<524
	10/27/2021	<148	<591	<291	69,500	<264	<163	<160	21,800	<144	10,800	<224	14,200	<524
	4/13/2022	<148	<591	<291	47,800	<264	<163	<160	64,600	<144	11,800	<224	12,300	<524
	10/12/2022	<148	<591	<291	92,600	<264	<163	<160	20,200	<144	3,350	<224	21,900	<524
	4/12/2023	<148	<252	<291	72,100	<264	<163	<160	1,890	<144	240 J	<224	17,200	<524
	10/31/2023	<148	<252	<291	66,100	<264	<163	<160	1,660	<144	289 J	<224	16,500	<524
PZ-2	8/8/2003	ND	<0.25	<0.5	<0.5	<0.5	<0.5	<1	<0.5	0.43 J	<0.25	<0.25	5.8	<0.5
	10/6/2003	ND	<0.25	<0.5	<0.5	<0.5	<0.5	<1	<0.5	<0.25	<0.25	<0.25	8.9	<0.5
	8/27/2009	<0.2	<0.2	<0.5	<0.5	<0.5	<0.5	<1	<0.5	<0.5	<0.2	<0.2	14	<0.5
	11/1/2017	<0.50	<2.5	<0.41	4.1	<0.26	<0.50	<0.23	<0.50	<0.50	<0.33	<0.50	11.0	<1.5
	5/2/2019 ^b	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
PZ-2 abandoned on 7/19/2019. PZ-2R was installed on 7/19/2019.														

TABLE 1
Groundwater Analytical Results - Summary of Detected Constituents
Former One-Hour Valet Dry Cleaners
1214 West Wells Street, Milwaukee, Wisconsin
Ramboll Project No. 1690005819

Analyte ^{1,2}		Benzene	Chloroform	1,1-Dichloroethene	cis-1,2-Dichloroethene	trans-1,2-Dichloroethene	Ethylbenzene	Methylene chloride	Tetrachloroethene	Toluene	Trichloroethene	1,2,4-Trimethylbenzene ³	Vinyl chloride	Xylenes, total ⁴
CAS		71-43-2	67-66-3	75-35-4	156-59-2	156-60-5	100-41-4	75-09-2	127-18-4	108-88-3	79-01-6	95-63-6	75-01-4	1330-20-7
Units		ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L
NR 140 ES		5	6	7	70	100	700	5	5	800	5	480	0.2	2000
NR 140 PAL		0.5	0.6	0.7	7	20	140	0.5	0.5	160	0.5	96	0.02	400
PZ-2R	8/14/2019	<0.25	<1.3	<0.24	26.9	<1.1	<0.22	<0.58	12.7	<0.17	0.39 J	<0.84	15.5	<1.5
	3/10/2020	<0.25	<1.3	<0.24	33.9	<1.1	<0.32	<0.58	<0.33	<0.27	<0.26	<0.84	11.3	<1.5
	10/28/2020	<0.25	<1.3	<0.24	90.2	1.1 J	<0.32	<0.58	<0.33	<0.27	<0.26	<0.84	10.8	<1.5
	4/21/2021	<0.30	<1.2	<0.58	109	1.5	<0.33	<0.32	<0.41	<0.29	<0.32	<0.45	14.1	<1.0
	10/27/2021	<0.30	<1.2	<0.58	104	1.3	<0.33	<0.32	<0.41	<0.29	<0.32	<0.45	12.6	<1.0
	4/13/2022	<0.30	<1.2	<0.58	91.5	1.4	<0.33	<0.32	<0.41	<0.29	<0.32	<0.45	11.1	<1.0
	10/12/2022	<0.30	<1.2	<0.58	121	1.7	<0.33	<0.32	<0.41	<0.29	<0.32	<0.45	11.1	<1.0
	4/12/2023	<0.30	<0.50	<0.58	89.9	1.5	<0.33	<0.32	<0.41	<0.29	<0.32	<0.45	11.8	<1.0
10/31/2023	<0.30	<0.50	<0.58	113	1.7	<0.33	<0.32	<0.41	<0.29	<0.32	<0.45	11.6	<1.0	
PZ-3	8/26/2004	ND	<2	<5	440	<5	<5	<10	56	<2	<2	<2	<2	<5
	10/7/2004	ND	<1	<2.5	300	<2.5	<2.5	<5	73	<1	<1	<1	<1	<2.5
	8/25/2009	<2	<2	<5	1,100	11.0	<5	<10	5.6	<5	7.1	<2	3.9	<5
	11/2/2017	<25.0	<125	<20.5	2,060	22.4 J	<25.0	<11.6	<25.0	<25.0	144	<25.0	<8.8	<75.0
PZ-3 abandoned on 1/11/2018.														
PZ-4	8/25/2009	<0.20	<0.2	<0.5	4.4	<0.5	<0.5	<1	<i>0.84</i>	<0.5	<i>0.56</i>	<0.2	<0.2	<0.5
	11/2/2017	<0.50	<2.5	<0.41	<0.26	<0.26	<0.50	<0.23	<0.50	<0.50	<0.33	<0.50	1.3	<1.5
	5/2/2019	<0.49	<2.5	<0.49	20.8	<2.2	<0.44	<1.2	351	<0.34	3	<1.7	1 J	<3.0
	8/14/2019	<0.25	<1.3	<0.24	<0.27	<1.1	<0.22	<0.58	15.8	<0.17	<0.26	<0.84	1.8	<1.5
	3/10/2020	<0.25	<1.3	<0.24	1.4	<1.1	<0.32	<0.58	16	<0.27	<0.26	<0.84	1.7	<1.5
	10/28/2020	<0.25	<1.3	<0.24	0.42 J	<0.46	<0.32	<0.58	23.5	<0.27	0.37 J	<0.84	<0.17	<1.5
	4/21/2021	<0.30	<1.2	<0.58	<0.47	<0.53	<0.33	<0.32	<i>0.94 J</i>	<0.29	<0.32	<0.45	3.1	<1.0
	10/27/2021	<0.30	<1.2	<0.58	<0.47	<0.53	<0.33	<0.32	<0.41	<0.29	<0.32	<0.45	3.2	<1.0
	4/13/2022	<0.30	<1.2	<0.58	<0.47	<0.53	<0.33	<0.32	0.45 J	<0.29	<0.32	<0.45	3.3	<1.0
	10/12/2022	<0.30	<1.2	<0.58	<0.47	<0.53	<0.33	<0.32	<0.41	<0.29	<0.32	<0.45	1.4	<1.0
4/12/2023	<0.30	<0.50	<0.58	<0.47	<0.53	<0.33	<0.32	<0.41	<0.29	<0.32	<0.45	3.7	<1.0	
10/31/2023	<0.30	<0.50	<0.58	<0.47	<0.53	<0.33	<0.32	<0.41	<0.29	<0.32	<0.45	4.1	<1.0	

Notes:

All results reported in micrograms per Liter (ug/L)

ES = Enforcement Standard

PAL = Preventive Action Limit

Bold value = NR 140 ES Exceedance

Italic Value = NR 140 PAL Exceedance

#N/A = Not analyzed

NS = Not sampled

J = Estimated concentration. Laboratory results reported between the limit of detection and limit of quantification.

¹ Analytical results are displayed for detected parameters only.

² All sampling results prior to 2017 obtained from a Site Investigation Report prepared by GZA GeoEnvironmental, Inc. on February 24, 2012.

³ Standards are for 1,2,4- and 1,3,5-Trimethylbenzene

⁴ Standards are for Total Xylenes (-m, -p, and -o).

⁵ MW-8 not sampled during the November 2017 groundwater sampling event because well did not recharge sufficiently.

⁶ PZ-2 was not sampled during the May 2019 groundwater sampling event because well was damaged during site redevelopment activities.

ND = Not detected at or above limit of detection.

M1 = Matrix spike recovery exceeded QC limits. Batch accepted based on laboratory control sample (LCS) recovery.

TABLE 2
MNA Parameter Groundwater Sampling Results
Former One-Hour Valet Dry Cleaners
1214 West Wells Street, Milwaukee, Wisconsin
Ramboll Project No. 1690005819

Well ID	Sample Date	Dissolved Oxygen (mg/L)	Ethane (µg/L)	Ethene (µg/L)	pH	Iron, Dissolved (mg/L)	Methane (µg/L)	Nitrogen, NO ₂ plus NO ₃ (mg/L)	ORP (mV)	Sulfate (mg/L)	Total Organic Carbon (mg/L)
MW-1	1/14/2002	10.39	NA	NA	NR	NA	NA	NA	-37.0	NA	NA
	5/8/2002	3.57	NA	NA	NR	NA	NA	NA	287.1	NA	NA
	8/7/2003	0.22	NA	NA	NR	NA	NA	NA	161.3	NA	NA
	10/7/2003	1.05	0.028	0.049	NR	NA	14	NA	396.8	NA	NA
	8/25/2009	0.69	<10	<10	NR	NA	<10	NA	95.0	NA	1.26
	11/1/2017	1.69	<0.58	<0.52	7.31	0.0126 J	<1.4	<0.095	57.7	<100	<0.25
MW-2	1/14/2002	6.42	NA	NA	NR	NA	NA	NA	168.4	NA	NA
	5/8/2002	1.07	NA	NA	NR	NA	NA	NA	256.9	NA	NA
	8/7/2003	0.10	NA	NA	NR	NA	NA	NA	2.3	NA	NA
	10/7/2003	4.43	0.018	0.021	NR	NA	22	NA	364.0	NA	NA
	8/27/2009	0.98	NA	NA	NR	NA	NA	NA	86.0	NA	NA
	11/1/2017	1.71	<0.58	<0.52	7.70	1.77	<1.4	<0.095	-74.3	93.5	<0.25
MW-3	8/7/2003	0.15	NA	NA	NR	NA	NA	NA	68.0	NA	NA
	10/7/2003	5.74	0.16	0.056	NR	NA	45	NA	327.8	NA	NA
	8/27/2009	1.01	NA	NA	NR	NA	NA	NA	16.0	NA	NA
	11/1/2017 ¹	0.73	NA	NA	7.56	NA	NA	NA	-125.6	NA	NA
	10/31/2023	5.18	NA	NA	7.13	NA	NA	NA	37.2	NA	NA
MW-4	8/7/2003	5.83	NA	NA	NR	NA	NA	NA	139.0	NA	NA
	10/7/2003	3.44	0.021	0.033	NR	NA	22	NA	383.4	NA	NA
	8/25/2009	2.55	NA	NA	NR	NA	NA	NA	77.0	NA	NA
	11/2/2017	0.88	NA	NA	7.80	NA	NA	NA	-19.8	NA	NA
	5/2/2019	8.40	NA	NA	7.34	NA	NA	NA	140.7	NA	NA
	8/14/2019	1.82	NA	NA	7.11	NA	NA	NA	79.4	NA	NA
	3/10/2020	8.53	NA	NA	7.15	NA	NA	NA	81.6	NA	NA
	10/28/2020	1.45	NA	NA	6.65	NA	NA	NA	116.0	NA	NA
	4/21/2021	5.40	NA	NA	7.88	NA	NA	NA	53.9	NA	NA
	10/27/2021	2.13	NA	NA	6.82	NA	NA	NA	64.6	NA	NA
	4/13/2022	0.85	NA	NA	7.14	NA	NA	NA	72.6	NA	NA
	10/12/2022	0.96	NA	NA	7.30	NA	NA	NA	74.4	NA	NA
	4/12/2023	3.61	NA	NA	7.44	NA	NA	NA	-68.1	NA	NA
	10/31/2023	2.58	NA	NA	7.16	NA	NA	NA	26.4	NA	NA
	MW-5	8/7/2003	0.86	NA	NA	NR	NA	NA	NA	190.5	NA
10/7/2003		1.05	0.041	0.0097	NR	NA	0.99	NA	396.8	NA	NA
8/27/2009		0.99	<10	<10	NR	NA	136	NA	98.0	NA	1.82
11/2/2017		2.04	NA	NA	8.10	NA	NA	NA	18.6	NA	NA
5/2/2019		2.01	NA	NA	7.49	NA	NA	NA	159.1	NA	NA
8/14/2019		0.18	NA	NA	7.53	NA	NA	NA	63.4	NA	NA
3/10/2020		0.00	NA	NA	7.80	NA	NA	NA	21.1	NA	NA
10/28/2020		0.29	NA	NA	7.31	NA	NA	NA	47.2	NA	NA
4/21/2021		0.19	NA	NA	7.85	NA	NA	NA	-18.0	NA	NA
10/27/2021		0.52	NA	NA	7.40	NA	NA	NA	15.4	NA	NA
4/13/2022		5.55	NA	NA	7.22	NA	NA	NA	63.1	NA	NA
10/12/2022		0.70	NA	NA	7.54	NA	NA	NA	-27.2	NA	NA
4/12/2023		0.82	NA	NA	7.25	NA	NA	NA	-88.2	NA	NA
10/31/2023		0.42	NA	NA	7.36	NA	NA	NA	-0.4	NA	NA
MW-6	8/25/2009	1.0	NA	NA	NR	NA	NA	NA	-50.0	NA	NA
	11/9/2017 ¹	0.62	<0.58	<0.52	7.39	13.6	<1.4	<0.095	-112.7	82.4	<0.25
	5/2/2019	11.38	<0.58	<0.52	9.31	103	<1.4	0.25 J	94.8	41.8	6.0
	8/14/2019	0.83	<0.58	<0.52	6.82	1.7	<1.4	<0.0	3.1	95.6	0.57 J
	3/10/2020	0.01	<1.2	<1.2	7.62	6.68	75.2	<0.059	-154.3	87 J D3	1.8 J D3
	10/28/2020	0.26	NA	NA	7.08	NA	NA	NA	-137.5	NA	NA
	4/21/2021	0.41	NA	NA	7.36	NA	NA	NA	-98.1	NA	NA
	10/27/2021	0.44	NA	NA	6.97	NA	NA	NA	-50.4	NA	NA
	4/13/2022	0.41	NA	NA	6.89	NA	NA	NA	-65.1	NA	NA
	10/12/2022	0.59	NA	NA	5.71	NA	NA	NA	-52.3	NA	NA
	4/12/2023	0.24	NA	NA	6.82	NA	NA	NA	-193.4	NA	NA
	10/31/2023	0.31	NA	NA	6.85	NA	NA	NA	-244.8	NA	NA
	MW-7	8/26/2009	NA	NA	NA	NR	NA	NA	NA	NA	NA
11/9/2017 ²		7.49	NA	NA	7.72	NA	NA	NA	-50.7	NA	NA
10/31/2023		NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
MW-8	8/26/2009	NA	NA	NA	NR	NA	NA	NA	NA	NA	NA
	11/9/2017 ³	4.03	NA	NA	7.28	NA	NA	NA	-28.7	NA	NA
MW-9	8/27/2009	NA	<10	<10	NR	NA	<10	NA	NA	NA	1.27
	11/9/2017	6.40	NA	NA	7.75	NA	NA	NA	-42.6	NA	NA

TABLE 2
MNA Parameter Groundwater Sampling Results
Former One-Hour Valet Dry Cleaners
1214 West Wells Street, Milwaukee, Wisconsin
Ramboll Project No. 1690005819

Well ID	Sample Date	Dissolved Oxygen (mg/L)	Ethane (µg/L)	Ethene (µg/L)	pH	Iron, Dissolved (mg/L)	Methane (µg/L)	Nitrogen, NO ₂ plus NO ₃ (mg/L)	ORP (mV)	Sulfate (mg/L)	Total Organic Carbon (mg/L)
PZ-1	1/15/2002	0.66	NA	NA	NR	NA	NA	NA	-65.3	NA	NA
	5/8/2003	1.31	NA	NA	NR	NA	NA	NA	-18.3	NA	NA
	8/8/2003	0.12	NA	NA	NR	NA	NA	NA	-93.7	NA	NA
	10/7/2003	0.09	1.7	0.48	NR	NA	7	NA	-97.1	NA	NA
	8/25/2009	0.83	<1.0	<1.0	NR	NA	<1.0	NA	-73.0	NA	2.04
	11/2/2017	0.64	<0.58	<0.52	8.14	2.29	<1.4	0.33	38.5	155	0.50 J
PZ-1R	5/2/2019	1.01	337	32.4	7.05	5.88	23.1	<0.095	-102.6	101	124 J D3
	8/14/2019	0.21	3,060	87.2	6.97	5.70	129	<0.095	-138.4	93.1	184
	3/10/2020	0.00	2,130	974	7.58	4.60	162	<0.059	-270.1	85.9	115
	10/28/2020	0.21	1,560	1,320	6.47	NA	1510	NA	-126.9	4.9 J, D3	2,440
	4/21/2021	0.19	1,540	1,090	7.35	NA	2,680	NA	-487.7	<2.2 D3	499
	10/27/2021	0.18	2.7 J	21.9	6.43	17.1	1,820	NA	-58.6	<2.2 D3	959
	4/13/2022	0.36	683	3,570	6.62	3.74	5,650	NA	-244.8	66.2	240
	10/12/2022	0.48	1,040 J	7,090	6.47	5.80	13,900	NA	-312.7	<2.2 D3	241
	4/12/2023	0.12	135	4,270	6.16	10.100	13,300	NA	-243.9	<0.44 M	177
	10/31/2023	0.04	299	6,570	6.32	10.900	17,100	NA	-430.3	<22.2 D3	204 1q
PZ-2	8/8/2003	0.19	NA	NA	NR	NA	NA	NA	-41.3	NA	NA
	10/6/2003	0.15	1.3	0.79	NR	NA	60	NA	-35.1	NA	NA
	8/27/2009	0.78	NA	NA	NR	NA	NA	NA	-16.0	NA	NA
	11/1/2017 ¹	2.67	<0.58	<0.52	7.64	8.82	23.1	<0.095	-100.3	178	<0.25
PZ-2R	8/14/2019	0.13	0.82 J	<0.52	7.15	3.20	22	<0.095	-36.8	164	0.40 J
	3/10/2020	0.10	<1.2	<1.2	7.29	2.80	10.3	<0.059	-68.3	140	0.36 J M
	10/28/2020	0.35	NA	NA	6.99	NA	NA	NA	-80.6	NA	NA
	4/21/2021	0.47	NA	NA	7.65	NA	NA	NA	-81.7	NA	NA
	10/27/2021	0.38	NA	NA	7.19	NA	NA	NA	-45.8	NA	NA
	4/13/2022	0.57	NA	NA	7.11	NA	NA	NA	-40.0	NA	NA
	10/12/2022	0.81	NA	NA	6.90	NA	NA	NA	-65.8	NA	NA
	4/12/2023	0.37	NA	NA	7.00	NA	NA	NA	-162.9	NA	NA
	10/31/2023	0.30	NA	NA	7.20	NA	NA	NA	-183.6	NA	NA
PZ-3	8/25/2009	0.72	NA	NA	NR	NA	NA	NA	-53.0	NA	NA
	11/2/2017	1.34	NA	NA	7.98	NA	NA	NA	-103.8	NA	NA
PZ-4	8/25/2009	0.72	NA	NA	NR	NA	NA	NA	-55.0	NA	NA
	11/2/2017	1.47	NA	NA	7.76	NA	NA	NA	-111.8	NA	NA
	5/2/2019	2.99	NA	NA	7.02	NA	NA	NA	48.2	NA	NA
	8/14/2019	0.24	NA	NA	6.95	NA	NA	NA	-40.0	NA	NA
	3/10/2020	0.24	NA	NA	6.98	NA	NA	NA	-61.7	NA	NA
	10/28/2020	7.72	NA	NA	8.77	NA	NA	NA	12.4	NA	NA
	4/21/2021	0.54	NA	NA	7.44	NA	NA	NA	-88.1	NA	NA
	10/27/2021	0.31	NA	NA	7.09	NA	NA	NA	-36.9	NA	NA
	4/13/2022	0.56	NA	NA	6.89	NA	NA	NA	-35.5	NA	NA
	10/12/2022	0.98	NA	NA	6.92	NA	NA	NA	-110.9	NA	NA
	4/12/2023	0.82	NA	NA	6.97	NA	NA	NA	-175.1	NA	NA
	10/31/2023	0.39	NA	NA	6.95	NA	NA	NA	-107.4	NA	NA

Notes:

J = Estimated concentration at or above the level of detection and below the level of quantification.

mg/L = milligrams per liter

mV = millivolts

NA = Data was not collected or not able to be collected.

NS = Not sampled.

NR = Not reported.

ORP = Oxidation-reduction potential; measured in the field.

µg/L = micrograms per liter

All sampling results prior to 2017 obtained from a Site Investigation Report prepared by GZA GeoEnvironmental, Inc. dated February 24, 2012.

⁽¹⁾ Well cap either missing or not plugged at time of inspection; potential for water and other constituents to have entered the well.

⁽²⁾ Monitoring well purged dry after first stabilization parameter reading. Well sampled later in day without collecting new stabilization parameters.

⁽³⁾ Monitoring well purged dry before water passed completely through flow-through cell. Stabilization parameters collected from flow-through cell approximately 4/5 of the way full.

⁽⁴⁾ Monitoring well was damaged during site redevelopment activities and was not sampled.

D3 = Sample was diluted due to the presence of high levels of non-target analytes or other matrix interference.

M = Matrix spike recovery and/or matrix spike duplicate recovery was outside laboratory control limits. Refer to laboratory report for more details.



ATTACHMENT B
LABORATORY ANALYTICAL REPORT



November 16, 2023

Susan Petrofske
Ramboll US Consulting, Inc.
234 W. Florida Street
Fifth Floor
Milwaukee, WI 53204

RE: Project: 1690005819_CONV ONE-HOUR VALET
Pace Project No.: 40270444

Dear Susan Petrofske:

Enclosed are the analytical results for sample(s) received by the laboratory on November 01, 2023. The results relate only to the samples included in this report. Results reported herein conform to the applicable TNI/NELAC Standards and the laboratory's Quality Manual, where applicable, unless otherwise noted in the body of the report.

The test results provided in this final report were generated by each of the following laboratories within the Pace Network:

- Pace Analytical Services - Green Bay

If you have any questions concerning this report, please feel free to contact me.

Sincerely,

Steven Mleczko
steve.mleczko@pacelabs.com
(920)469-2436
Project Manager

Enclosures



REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



CERTIFICATIONS

Project: 1690005819_CONV ONE-HOUR VALET

Pace Project No.: 40270444

Pace Analytical Services Green Bay

1241 Bellevue Street, Green Bay, WI 54302

Florida/NELAP Certification #: E87948

Illinois Certification #: 200050

Kentucky UST Certification #: 82

Louisiana Certification #: 04168

Minnesota Certification #: 055-999-334

New York Certification #: 12064

North Dakota Certification #: R-150

South Carolina Certification #: 83006001

Texas Certification #: T104704529-21-8

Virginia VELAP Certification ID: 11873

Wisconsin Certification #: 405132750

Wisconsin DATCP Certification #: 105-444

USDA Soil Permit #: P330-21-00008

Federal Fish & Wildlife Permit #: 51774A

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



SAMPLE SUMMARY

Project: 1690005819_CONV ONE-HOUR VALET

Pace Project No.: 40270444

Lab ID	Sample ID	Matrix	Date Collected	Date Received
40270444001	MW-7	Water	10/31/23 08:30	11/01/23 15:15
40270444002	MW-3	Water	10/31/23 09:25	11/01/23 15:15
40270444003	MW-6	Water	10/31/23 10:21	11/01/23 15:15
40270444004	MW-6 DUP	Water	10/31/23 10:26	11/01/23 15:15
40270444005	PZ-2R	Water	10/31/23 11:06	11/01/23 15:15
40270444006	PZ-4	Water	10/31/23 11:50	11/01/23 15:15
40270444007	MW-5	Water	10/31/23 12:30	11/01/23 15:15
40270444008	MW-4	Water	10/31/23 13:16	11/01/23 15:15
40270444009	PZ-1R	Water	10/31/23 14:15	11/01/23 15:15
40270444010	TRIP BLANK	Water	10/31/23 00:00	11/01/23 15:15

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



SAMPLE ANALYTE COUNT

Project: 1690005819_CONV ONE-HOUR VALET

Pace Project No.: 40270444

Lab ID	Sample ID	Method	Analysts	Analytes Reported
40270444001	MW-7	EPA 8260	SMT	65
40270444002	MW-3	EPA 8260	SMT	65
40270444003	MW-6	EPA 8260	SMT	65
40270444004	MW-6 DUP	EPA 8260	SMT	65
40270444005	PZ-2R	EPA 8260	SMT	65
40270444006	PZ-4	EPA 8260	CXJ	65
40270444007	MW-5	EPA 8260	CXJ	65
40270444008	MW-4	EPA 8260	CXJ	65
40270444009	PZ-1R	EPA 8015B Modified	KHB	3
		EPA 6020B	TXW	1
		EPA 8260	CXJ	65
		HACH 8146	BAF	1
		EPA 300.0	HMB	1
		SM 5310C	TJJ	1
40270444010	TRIP BLANK	EPA 8260	CXJ	65

PASI-G = Pace Analytical Services - Green Bay

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full, without the written consent of Pace Analytical Services, LLC.



SUMMARY OF DETECTION

Project: 1690005819_CONV ONE-HOUR VALET

Pace Project No.: 40270444

Lab Sample ID Method	Client Sample ID Parameters	Result	Units	Report Limit	Analyzed	Qualifiers
40270444003	MW-6					
EPA 8260	cis-1,2-Dichloroethene	2.7	ug/L	1.0	11/03/23 11:03	
EPA 8260	Vinyl chloride	1.1	ug/L	1.0	11/03/23 11:03	
40270444004	MW-6 DUP					
EPA 8260	cis-1,2-Dichloroethene	3.2	ug/L	1.0	11/03/23 17:21	
EPA 8260	Vinyl chloride	1.4	ug/L	1.0	11/03/23 17:21	
40270444005	PZ-2R					
EPA 8260	cis-1,2-Dichloroethene	113	ug/L	1.0	11/03/23 17:38	
EPA 8260	trans-1,2-Dichloroethene	1.7	ug/L	1.0	11/03/23 17:38	
EPA 8260	Vinyl chloride	11.6	ug/L	1.0	11/03/23 17:38	
40270444006	PZ-4					
EPA 8260	Vinyl chloride	4.1	ug/L	1.0	11/02/23 23:07	
40270444007	MW-5					
EPA 8260	cis-1,2-Dichloroethene	3.3	ug/L	1.0	11/02/23 23:24	
EPA 8260	Tetrachloroethene	20.4	ug/L	1.0	11/02/23 23:24	
EPA 8260	Trichloroethene	3.1	ug/L	1.0	11/02/23 23:24	
40270444008	MW-4					
EPA 8260	Tetrachloroethene	23.1	ug/L	1.0	11/02/23 23:42	
40270444009	PZ-1R					
EPA 8015B Modified	Ethane	299	ug/L	5.6	11/07/23 14:49	
EPA 8015B Modified	Ethene	6570	ug/L	500	11/07/23 17:09	
EPA 8015B Modified	Methane	17100	ug/L	280	11/07/23 17:09	
EPA 6020B	Iron, Dissolved	10900	ug/L	250	11/10/23 10:57	
EPA 8260	cis-1,2-Dichloroethene	66100	ug/L	500	11/02/23 23:59	
EPA 8260	Tetrachloroethene	1660	ug/L	500	11/02/23 23:59	
EPA 8260	Trichloroethene	289J	ug/L	500	11/02/23 23:59	
EPA 8260	Vinyl chloride	16500	ug/L	500	11/02/23 23:59	
HACH 8146	Iron, Ferric	0.90	mg/L	0.50	11/16/23 11:38	1q
SM 5310C	Total Organic Carbon	204	mg/L	15.0	11/09/23 08:05	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: 1690005819_CONV ONE-HOUR VALET

Pace Project No.: 40270444

Sample: MW-7 Lab ID: 40270444001 Collected: 10/31/23 08:30 Received: 11/01/23 15:15 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV	Analytical Method: EPA 8260 Pace Analytical Services - Green Bay								
Benzene	<0.30	ug/L	1.0	0.30	1		11/03/23 16:46	71-43-2	
Bromobenzene	<0.36	ug/L	1.0	0.36	1		11/03/23 16:46	108-86-1	
Bromochloromethane	<0.36	ug/L	1.0	0.36	1		11/03/23 16:46	74-97-5	
Bromodichloromethane	<0.42	ug/L	1.0	0.42	1		11/03/23 16:46	75-27-4	
Bromoform	<0.43	ug/L	1.0	0.43	1		11/03/23 16:46	75-25-2	
Bromomethane	<1.2	ug/L	5.0	1.2	1		11/03/23 16:46	74-83-9	
n-Butylbenzene	<0.86	ug/L	1.0	0.86	1		11/03/23 16:46	104-51-8	
sec-Butylbenzene	<0.42	ug/L	1.0	0.42	1		11/03/23 16:46	135-98-8	
tert-Butylbenzene	<0.59	ug/L	1.0	0.59	1		11/03/23 16:46	98-06-6	
Carbon tetrachloride	<0.37	ug/L	1.0	0.37	1		11/03/23 16:46	56-23-5	
Chlorobenzene	<0.86	ug/L	1.0	0.86	1		11/03/23 16:46	108-90-7	
Chloroethane	<1.4	ug/L	5.0	1.4	1		11/03/23 16:46	75-00-3	
Chloroform	<0.50	ug/L	5.0	0.50	1		11/03/23 16:46	67-66-3	
Chloromethane	<1.6	ug/L	5.0	1.6	1		11/03/23 16:46	74-87-3	
2-Chlorotoluene	<0.89	ug/L	5.0	0.89	1		11/03/23 16:46	95-49-8	
4-Chlorotoluene	<0.89	ug/L	5.0	0.89	1		11/03/23 16:46	106-43-4	
1,2-Dibromo-3-chloropropane	<2.4	ug/L	5.0	2.4	1		11/03/23 16:46	96-12-8	
Dibromochloromethane	<2.6	ug/L	5.0	2.6	1		11/03/23 16:46	124-48-1	
1,2-Dibromoethane (EDB)	<0.31	ug/L	1.0	0.31	1		11/03/23 16:46	106-93-4	
Dibromomethane	<0.99	ug/L	5.0	0.99	1		11/03/23 16:46	74-95-3	
1,2-Dichlorobenzene	<0.33	ug/L	1.0	0.33	1		11/03/23 16:46	95-50-1	
1,3-Dichlorobenzene	<0.35	ug/L	1.0	0.35	1		11/03/23 16:46	541-73-1	
1,4-Dichlorobenzene	<0.89	ug/L	1.0	0.89	1		11/03/23 16:46	106-46-7	
Dichlorodifluoromethane	<0.46	ug/L	5.0	0.46	1		11/03/23 16:46	75-71-8	
1,1-Dichloroethane	<0.30	ug/L	1.0	0.30	1		11/03/23 16:46	75-34-3	
1,2-Dichloroethane	<0.29	ug/L	1.0	0.29	1		11/03/23 16:46	107-06-2	
1,1-Dichloroethene	<0.58	ug/L	1.0	0.58	1		11/03/23 16:46	75-35-4	
cis-1,2-Dichloroethene	<0.47	ug/L	1.0	0.47	1		11/03/23 16:46	156-59-2	
trans-1,2-Dichloroethene	<0.53	ug/L	1.0	0.53	1		11/03/23 16:46	156-60-5	
1,2-Dichloropropane	<0.45	ug/L	1.0	0.45	1		11/03/23 16:46	78-87-5	
1,3-Dichloropropane	<0.30	ug/L	1.0	0.30	1		11/03/23 16:46	142-28-9	
2,2-Dichloropropane	<0.42	ug/L	1.0	0.42	1		11/03/23 16:46	594-20-7	
1,1-Dichloropropene	<0.41	ug/L	1.0	0.41	1		11/03/23 16:46	563-58-6	
cis-1,3-Dichloropropene	<0.24	ug/L	1.0	0.24	1		11/03/23 16:46	10061-01-5	
trans-1,3-Dichloropropene	<0.27	ug/L	1.0	0.27	1		11/03/23 16:46	10061-02-6	
Diisopropyl ether	<1.1	ug/L	5.0	1.1	1		11/03/23 16:46	108-20-3	
Ethylbenzene	<0.33	ug/L	1.0	0.33	1		11/03/23 16:46	100-41-4	
Hexachloro-1,3-butadiene	<2.7	ug/L	5.0	2.7	1		11/03/23 16:46	87-68-3	
Isopropylbenzene (Cumene)	<1.0	ug/L	5.0	1.0	1		11/03/23 16:46	98-82-8	
p-Isopropyltoluene	<1.0	ug/L	5.0	1.0	1		11/03/23 16:46	99-87-6	
Methylene Chloride	<0.32	ug/L	5.0	0.32	1		11/03/23 16:46	75-09-2	
Methyl-tert-butyl ether	<1.1	ug/L	5.0	1.1	1		11/03/23 16:46	1634-04-4	
Naphthalene	<1.9	ug/L	5.0	1.9	1		11/03/23 16:46	91-20-3	
n-Propylbenzene	<0.35	ug/L	1.0	0.35	1		11/03/23 16:46	103-65-1	
Styrene	<0.36	ug/L	1.0	0.36	1		11/03/23 16:46	100-42-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: 1690005819_CONV ONE-HOUR VALET

Pace Project No.: 40270444

Sample: MW-7 Lab ID: 40270444001 Collected: 10/31/23 08:30 Received: 11/01/23 15:15 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV									
Analytical Method: EPA 8260									
Pace Analytical Services - Green Bay									
1,1,1,2-Tetrachloroethane	<0.36	ug/L	1.0	0.36	1		11/03/23 16:46	630-20-6	
1,1,1,2-Tetrachloroethane	<0.38	ug/L	1.0	0.38	1		11/03/23 16:46	79-34-5	
Tetrachloroethene	<0.41	ug/L	1.0	0.41	1		11/03/23 16:46	127-18-4	
Toluene	<0.29	ug/L	1.0	0.29	1		11/03/23 16:46	108-88-3	
1,2,3-Trichlorobenzene	<1.0	ug/L	5.0	1.0	1		11/03/23 16:46	87-61-6	
1,2,4-Trichlorobenzene	<0.95	ug/L	5.0	0.95	1		11/03/23 16:46	120-82-1	
1,1,1-Trichloroethane	<0.30	ug/L	1.0	0.30	1		11/03/23 16:46	71-55-6	
1,1,2-Trichloroethane	<0.34	ug/L	1.0	0.34	1		11/03/23 16:46	79-00-5	
Trichloroethene	<0.32	ug/L	1.0	0.32	1		11/03/23 16:46	79-01-6	
Trichlorofluoromethane	<0.42	ug/L	1.0	0.42	1		11/03/23 16:46	75-69-4	
1,2,3-Trichloropropane	<0.56	ug/L	1.0	0.56	1		11/03/23 16:46	96-18-4	
1,2,4-Trimethylbenzene	<0.45	ug/L	1.0	0.45	1		11/03/23 16:46	95-63-6	
1,3,5-Trimethylbenzene	<0.36	ug/L	1.0	0.36	1		11/03/23 16:46	108-67-8	
Vinyl chloride	<0.17	ug/L	1.0	0.17	1		11/03/23 16:46	75-01-4	
Xylene (Total)	<1.0	ug/L	3.0	1.0	1		11/03/23 16:46	1330-20-7	
m&p-Xylene	<0.70	ug/L	2.0	0.70	1		11/03/23 16:46	179601-23-1	
o-Xylene	<0.35	ug/L	1.0	0.35	1		11/03/23 16:46	95-47-6	
Surrogates									
4-Bromofluorobenzene (S)	87	%	70-130		1		11/03/23 16:46	460-00-4	
1,2-Dichlorobenzene-d4 (S)	103	%	70-130		1		11/03/23 16:46	2199-69-1	
Toluene-d8 (S)	97	%	70-130		1		11/03/23 16:46	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full, without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: 1690005819_CONV ONE-HOUR VALET

Pace Project No.: 40270444

Sample: MW-3 Lab ID: 40270444002 Collected: 10/31/23 09:25 Received: 11/01/23 15:15 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV		Analytical Method: EPA 8260 Pace Analytical Services - Green Bay							
Benzene	<0.30	ug/L	1.0	0.30	1		11/03/23 17:04	71-43-2	
Bromobenzene	<0.36	ug/L	1.0	0.36	1		11/03/23 17:04	108-86-1	
Bromochloromethane	<0.36	ug/L	1.0	0.36	1		11/03/23 17:04	74-97-5	
Bromodichloromethane	<0.42	ug/L	1.0	0.42	1		11/03/23 17:04	75-27-4	
Bromoform	<0.43	ug/L	1.0	0.43	1		11/03/23 17:04	75-25-2	
Bromomethane	<1.2	ug/L	5.0	1.2	1		11/03/23 17:04	74-83-9	
n-Butylbenzene	<0.86	ug/L	1.0	0.86	1		11/03/23 17:04	104-51-8	
sec-Butylbenzene	<0.42	ug/L	1.0	0.42	1		11/03/23 17:04	135-98-8	
tert-Butylbenzene	<0.59	ug/L	1.0	0.59	1		11/03/23 17:04	98-06-6	
Carbon tetrachloride	<0.37	ug/L	1.0	0.37	1		11/03/23 17:04	56-23-5	
Chlorobenzene	<0.86	ug/L	1.0	0.86	1		11/03/23 17:04	108-90-7	
Chloroethane	<1.4	ug/L	5.0	1.4	1		11/03/23 17:04	75-00-3	
Chloroform	<0.50	ug/L	5.0	0.50	1		11/03/23 17:04	67-66-3	
Chloromethane	<1.6	ug/L	5.0	1.6	1		11/03/23 17:04	74-87-3	
2-Chlorotoluene	<0.89	ug/L	5.0	0.89	1		11/03/23 17:04	95-49-8	
4-Chlorotoluene	<0.89	ug/L	5.0	0.89	1		11/03/23 17:04	106-43-4	
1,2-Dibromo-3-chloropropane	<2.4	ug/L	5.0	2.4	1		11/03/23 17:04	96-12-8	
Dibromochloromethane	<2.6	ug/L	5.0	2.6	1		11/03/23 17:04	124-48-1	
1,2-Dibromoethane (EDB)	<0.31	ug/L	1.0	0.31	1		11/03/23 17:04	106-93-4	
Dibromomethane	<0.99	ug/L	5.0	0.99	1		11/03/23 17:04	74-95-3	
1,2-Dichlorobenzene	<0.33	ug/L	1.0	0.33	1		11/03/23 17:04	95-50-1	
1,3-Dichlorobenzene	<0.35	ug/L	1.0	0.35	1		11/03/23 17:04	541-73-1	
1,4-Dichlorobenzene	<0.89	ug/L	1.0	0.89	1		11/03/23 17:04	106-46-7	
Dichlorodifluoromethane	<0.46	ug/L	5.0	0.46	1		11/03/23 17:04	75-71-8	
1,1-Dichloroethane	<0.30	ug/L	1.0	0.30	1		11/03/23 17:04	75-34-3	
1,2-Dichloroethane	<0.29	ug/L	1.0	0.29	1		11/03/23 17:04	107-06-2	
1,1-Dichloroethene	<0.58	ug/L	1.0	0.58	1		11/03/23 17:04	75-35-4	
cis-1,2-Dichloroethene	<0.47	ug/L	1.0	0.47	1		11/03/23 17:04	156-59-2	
trans-1,2-Dichloroethene	<0.53	ug/L	1.0	0.53	1		11/03/23 17:04	156-60-5	
1,2-Dichloropropane	<0.45	ug/L	1.0	0.45	1		11/03/23 17:04	78-87-5	
1,3-Dichloropropane	<0.30	ug/L	1.0	0.30	1		11/03/23 17:04	142-28-9	
2,2-Dichloropropane	<0.42	ug/L	1.0	0.42	1		11/03/23 17:04	594-20-7	
1,1-Dichloropropene	<0.41	ug/L	1.0	0.41	1		11/03/23 17:04	563-58-6	
cis-1,3-Dichloropropene	<0.24	ug/L	1.0	0.24	1		11/03/23 17:04	10061-01-5	
trans-1,3-Dichloropropene	<0.27	ug/L	1.0	0.27	1		11/03/23 17:04	10061-02-6	
Diisopropyl ether	<1.1	ug/L	5.0	1.1	1		11/03/23 17:04	108-20-3	
Ethylbenzene	<0.33	ug/L	1.0	0.33	1		11/03/23 17:04	100-41-4	
Hexachloro-1,3-butadiene	<2.7	ug/L	5.0	2.7	1		11/03/23 17:04	87-68-3	
Isopropylbenzene (Cumene)	<1.0	ug/L	5.0	1.0	1		11/03/23 17:04	98-82-8	
p-Isopropyltoluene	<1.0	ug/L	5.0	1.0	1		11/03/23 17:04	99-87-6	
Methylene Chloride	<0.32	ug/L	5.0	0.32	1		11/03/23 17:04	75-09-2	
Methyl-tert-butyl ether	<1.1	ug/L	5.0	1.1	1		11/03/23 17:04	1634-04-4	
Naphthalene	<1.9	ug/L	5.0	1.9	1		11/03/23 17:04	91-20-3	
n-Propylbenzene	<0.35	ug/L	1.0	0.35	1		11/03/23 17:04	103-65-1	
Styrene	<0.36	ug/L	1.0	0.36	1		11/03/23 17:04	100-42-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: 1690005819_CONV ONE-HOUR VALET

Pace Project No.: 40270444

Sample: MW-3 Lab ID: 40270444002 Collected: 10/31/23 09:25 Received: 11/01/23 15:15 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV									
Analytical Method: EPA 8260									
Pace Analytical Services - Green Bay									
1,1,1,2-Tetrachloroethane	<0.36	ug/L	1.0	0.36	1		11/03/23 17:04	630-20-6	
1,1,1,2-Tetrachloroethane	<0.38	ug/L	1.0	0.38	1		11/03/23 17:04	79-34-5	
Tetrachloroethene	<0.41	ug/L	1.0	0.41	1		11/03/23 17:04	127-18-4	
Toluene	<0.29	ug/L	1.0	0.29	1		11/03/23 17:04	108-88-3	
1,2,3-Trichlorobenzene	<1.0	ug/L	5.0	1.0	1		11/03/23 17:04	87-61-6	
1,2,4-Trichlorobenzene	<0.95	ug/L	5.0	0.95	1		11/03/23 17:04	120-82-1	
1,1,1-Trichloroethane	<0.30	ug/L	1.0	0.30	1		11/03/23 17:04	71-55-6	
1,1,2-Trichloroethane	<0.34	ug/L	1.0	0.34	1		11/03/23 17:04	79-00-5	
Trichloroethene	<0.32	ug/L	1.0	0.32	1		11/03/23 17:04	79-01-6	
Trichlorofluoromethane	<0.42	ug/L	1.0	0.42	1		11/03/23 17:04	75-69-4	
1,2,3-Trichloropropane	<0.56	ug/L	1.0	0.56	1		11/03/23 17:04	96-18-4	
1,2,4-Trimethylbenzene	<0.45	ug/L	1.0	0.45	1		11/03/23 17:04	95-63-6	
1,3,5-Trimethylbenzene	<0.36	ug/L	1.0	0.36	1		11/03/23 17:04	108-67-8	
Vinyl chloride	<0.17	ug/L	1.0	0.17	1		11/03/23 17:04	75-01-4	
Xylene (Total)	<1.0	ug/L	3.0	1.0	1		11/03/23 17:04	1330-20-7	
m&p-Xylene	<0.70	ug/L	2.0	0.70	1		11/03/23 17:04	179601-23-1	
o-Xylene	<0.35	ug/L	1.0	0.35	1		11/03/23 17:04	95-47-6	
Surrogates									
4-Bromofluorobenzene (S)	89	%	70-130		1		11/03/23 17:04	460-00-4	
1,2-Dichlorobenzene-d4 (S)	104	%	70-130		1		11/03/23 17:04	2199-69-1	
Toluene-d8 (S)	98	%	70-130		1		11/03/23 17:04	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: 1690005819_CONV ONE-HOUR VALET

Pace Project No.: 40270444

Sample: MW-6 Lab ID: 40270444003 Collected: 10/31/23 10:21 Received: 11/01/23 15:15 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV									
Analytical Method: EPA 8260									
Pace Analytical Services - Green Bay									
Benzene	<0.30	ug/L	1.0	0.30	1		11/03/23 11:03	71-43-2	
Bromobenzene	<0.36	ug/L	1.0	0.36	1		11/03/23 11:03	108-86-1	
Bromochloromethane	<0.36	ug/L	1.0	0.36	1		11/03/23 11:03	74-97-5	
Bromodichloromethane	<0.42	ug/L	1.0	0.42	1		11/03/23 11:03	75-27-4	
Bromoform	<0.43	ug/L	1.0	0.43	1		11/03/23 11:03	75-25-2	
Bromomethane	<1.2	ug/L	5.0	1.2	1		11/03/23 11:03	74-83-9	
n-Butylbenzene	<0.86	ug/L	1.0	0.86	1		11/03/23 11:03	104-51-8	
sec-Butylbenzene	<0.42	ug/L	1.0	0.42	1		11/03/23 11:03	135-98-8	
tert-Butylbenzene	<0.59	ug/L	1.0	0.59	1		11/03/23 11:03	98-06-6	
Carbon tetrachloride	<0.37	ug/L	1.0	0.37	1		11/03/23 11:03	56-23-5	
Chlorobenzene	<0.86	ug/L	1.0	0.86	1		11/03/23 11:03	108-90-7	
Chloroethane	<1.4	ug/L	5.0	1.4	1		11/03/23 11:03	75-00-3	
Chloroform	<0.50	ug/L	5.0	0.50	1		11/03/23 11:03	67-66-3	
Chloromethane	<1.6	ug/L	5.0	1.6	1		11/03/23 11:03	74-87-3	
2-Chlorotoluene	<0.89	ug/L	5.0	0.89	1		11/03/23 11:03	95-49-8	
4-Chlorotoluene	<0.89	ug/L	5.0	0.89	1		11/03/23 11:03	106-43-4	
1,2-Dibromo-3-chloropropane	<2.4	ug/L	5.0	2.4	1		11/03/23 11:03	96-12-8	
Dibromochloromethane	<2.6	ug/L	5.0	2.6	1		11/03/23 11:03	124-48-1	
1,2-Dibromoethane (EDB)	<0.31	ug/L	1.0	0.31	1		11/03/23 11:03	106-93-4	
Dibromomethane	<0.99	ug/L	5.0	0.99	1		11/03/23 11:03	74-95-3	
1,2-Dichlorobenzene	<0.33	ug/L	1.0	0.33	1		11/03/23 11:03	95-50-1	
1,3-Dichlorobenzene	<0.35	ug/L	1.0	0.35	1		11/03/23 11:03	541-73-1	
1,4-Dichlorobenzene	<0.89	ug/L	1.0	0.89	1		11/03/23 11:03	106-46-7	
Dichlorodifluoromethane	<0.46	ug/L	5.0	0.46	1		11/03/23 11:03	75-71-8	
1,1-Dichloroethane	<0.30	ug/L	1.0	0.30	1		11/03/23 11:03	75-34-3	
1,2-Dichloroethane	<0.29	ug/L	1.0	0.29	1		11/03/23 11:03	107-06-2	
1,1-Dichloroethene	<0.58	ug/L	1.0	0.58	1		11/03/23 11:03	75-35-4	
cis-1,2-Dichloroethene	2.7	ug/L	1.0	0.47	1		11/03/23 11:03	156-59-2	
trans-1,2-Dichloroethene	<0.53	ug/L	1.0	0.53	1		11/03/23 11:03	156-60-5	
1,2-Dichloropropane	<0.45	ug/L	1.0	0.45	1		11/03/23 11:03	78-87-5	
1,3-Dichloropropane	<0.30	ug/L	1.0	0.30	1		11/03/23 11:03	142-28-9	
2,2-Dichloropropane	<0.42	ug/L	1.0	0.42	1		11/03/23 11:03	594-20-7	
1,1-Dichloropropene	<0.41	ug/L	1.0	0.41	1		11/03/23 11:03	563-58-6	
cis-1,3-Dichloropropene	<0.24	ug/L	1.0	0.24	1		11/03/23 11:03	10061-01-5	
trans-1,3-Dichloropropene	<0.27	ug/L	1.0	0.27	1		11/03/23 11:03	10061-02-6	
Diisopropyl ether	<1.1	ug/L	5.0	1.1	1		11/03/23 11:03	108-20-3	
Ethylbenzene	<0.33	ug/L	1.0	0.33	1		11/03/23 11:03	100-41-4	
Hexachloro-1,3-butadiene	<2.7	ug/L	5.0	2.7	1		11/03/23 11:03	87-68-3	
Isopropylbenzene (Cumene)	<1.0	ug/L	5.0	1.0	1		11/03/23 11:03	98-82-8	
p-Isopropyltoluene	<1.0	ug/L	5.0	1.0	1		11/03/23 11:03	99-87-6	
Methylene Chloride	<0.32	ug/L	5.0	0.32	1		11/03/23 11:03	75-09-2	
Methyl-tert-butyl ether	<1.1	ug/L	5.0	1.1	1		11/03/23 11:03	1634-04-4	
Naphthalene	<1.9	ug/L	5.0	1.9	1		11/03/23 11:03	91-20-3	
n-Propylbenzene	<0.35	ug/L	1.0	0.35	1		11/03/23 11:03	103-65-1	
Styrene	<0.36	ug/L	1.0	0.36	1		11/03/23 11:03	100-42-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: 1690005819_CONV ONE-HOUR VALET

Pace Project No.: 40270444

Sample: MW-6 **Lab ID: 40270444003** Collected: 10/31/23 10:21 Received: 11/01/23 15:15 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV									
Analytical Method: EPA 8260									
Pace Analytical Services - Green Bay									
1,1,1,2-Tetrachloroethane	<0.36	ug/L	1.0	0.36	1		11/03/23 11:03	630-20-6	
1,1,1,2-Tetrachloroethane	<0.38	ug/L	1.0	0.38	1		11/03/23 11:03	79-34-5	
Tetrachloroethene	<0.41	ug/L	1.0	0.41	1		11/03/23 11:03	127-18-4	
Toluene	<0.29	ug/L	1.0	0.29	1		11/03/23 11:03	108-88-3	
1,2,3-Trichlorobenzene	<1.0	ug/L	5.0	1.0	1		11/03/23 11:03	87-61-6	
1,2,4-Trichlorobenzene	<0.95	ug/L	5.0	0.95	1		11/03/23 11:03	120-82-1	
1,1,1-Trichloroethane	<0.30	ug/L	1.0	0.30	1		11/03/23 11:03	71-55-6	
1,1,2-Trichloroethane	<0.34	ug/L	1.0	0.34	1		11/03/23 11:03	79-00-5	
Trichloroethene	<0.32	ug/L	1.0	0.32	1		11/03/23 11:03	79-01-6	
Trichlorofluoromethane	<0.42	ug/L	1.0	0.42	1		11/03/23 11:03	75-69-4	
1,2,3-Trichloropropane	<0.56	ug/L	1.0	0.56	1		11/03/23 11:03	96-18-4	
1,2,4-Trimethylbenzene	<0.45	ug/L	1.0	0.45	1		11/03/23 11:03	95-63-6	
1,3,5-Trimethylbenzene	<0.36	ug/L	1.0	0.36	1		11/03/23 11:03	108-67-8	
Vinyl chloride	1.1	ug/L	1.0	0.17	1		11/03/23 11:03	75-01-4	
Xylene (Total)	<1.0	ug/L	3.0	1.0	1		11/03/23 11:03	1330-20-7	
m&p-Xylene	<0.70	ug/L	2.0	0.70	1		11/03/23 11:03	179601-23-1	
o-Xylene	<0.35	ug/L	1.0	0.35	1		11/03/23 11:03	95-47-6	
Surrogates									
4-Bromofluorobenzene (S)	91	%	70-130		1		11/03/23 11:03	460-00-4	
1,2-Dichlorobenzene-d4 (S)	105	%	70-130		1		11/03/23 11:03	2199-69-1	
Toluene-d8 (S)	99	%	70-130		1		11/03/23 11:03	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: 1690005819_CONV ONE-HOUR VALET

Pace Project No.: 40270444

Sample: MW-6 DUP Lab ID: 40270444004 Collected: 10/31/23 10:26 Received: 11/01/23 15:15 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV									
Analytical Method: EPA 8260									
Pace Analytical Services - Green Bay									
Benzene	<0.30	ug/L	1.0	0.30	1		11/03/23 17:21	71-43-2	
Bromobenzene	<0.36	ug/L	1.0	0.36	1		11/03/23 17:21	108-86-1	
Bromochloromethane	<0.36	ug/L	1.0	0.36	1		11/03/23 17:21	74-97-5	
Bromodichloromethane	<0.42	ug/L	1.0	0.42	1		11/03/23 17:21	75-27-4	
Bromoform	<0.43	ug/L	1.0	0.43	1		11/03/23 17:21	75-25-2	
Bromomethane	<1.2	ug/L	5.0	1.2	1		11/03/23 17:21	74-83-9	
n-Butylbenzene	<0.86	ug/L	1.0	0.86	1		11/03/23 17:21	104-51-8	
sec-Butylbenzene	<0.42	ug/L	1.0	0.42	1		11/03/23 17:21	135-98-8	
tert-Butylbenzene	<0.59	ug/L	1.0	0.59	1		11/03/23 17:21	98-06-6	
Carbon tetrachloride	<0.37	ug/L	1.0	0.37	1		11/03/23 17:21	56-23-5	
Chlorobenzene	<0.86	ug/L	1.0	0.86	1		11/03/23 17:21	108-90-7	
Chloroethane	<1.4	ug/L	5.0	1.4	1		11/03/23 17:21	75-00-3	
Chloroform	<0.50	ug/L	5.0	0.50	1		11/03/23 17:21	67-66-3	
Chloromethane	<1.6	ug/L	5.0	1.6	1		11/03/23 17:21	74-87-3	
2-Chlorotoluene	<0.89	ug/L	5.0	0.89	1		11/03/23 17:21	95-49-8	
4-Chlorotoluene	<0.89	ug/L	5.0	0.89	1		11/03/23 17:21	106-43-4	
1,2-Dibromo-3-chloropropane	<2.4	ug/L	5.0	2.4	1		11/03/23 17:21	96-12-8	
Dibromochloromethane	<2.6	ug/L	5.0	2.6	1		11/03/23 17:21	124-48-1	
1,2-Dibromoethane (EDB)	<0.31	ug/L	1.0	0.31	1		11/03/23 17:21	106-93-4	
Dibromomethane	<0.99	ug/L	5.0	0.99	1		11/03/23 17:21	74-95-3	
1,2-Dichlorobenzene	<0.33	ug/L	1.0	0.33	1		11/03/23 17:21	95-50-1	
1,3-Dichlorobenzene	<0.35	ug/L	1.0	0.35	1		11/03/23 17:21	541-73-1	
1,4-Dichlorobenzene	<0.89	ug/L	1.0	0.89	1		11/03/23 17:21	106-46-7	
Dichlorodifluoromethane	<0.46	ug/L	5.0	0.46	1		11/03/23 17:21	75-71-8	
1,1-Dichloroethane	<0.30	ug/L	1.0	0.30	1		11/03/23 17:21	75-34-3	
1,2-Dichloroethane	<0.29	ug/L	1.0	0.29	1		11/03/23 17:21	107-06-2	
1,1-Dichloroethene	<0.58	ug/L	1.0	0.58	1		11/03/23 17:21	75-35-4	
cis-1,2-Dichloroethene	3.2	ug/L	1.0	0.47	1		11/03/23 17:21	156-59-2	
trans-1,2-Dichloroethene	<0.53	ug/L	1.0	0.53	1		11/03/23 17:21	156-60-5	
1,2-Dichloropropane	<0.45	ug/L	1.0	0.45	1		11/03/23 17:21	78-87-5	
1,3-Dichloropropane	<0.30	ug/L	1.0	0.30	1		11/03/23 17:21	142-28-9	
2,2-Dichloropropane	<0.42	ug/L	1.0	0.42	1		11/03/23 17:21	594-20-7	
1,1-Dichloropropene	<0.41	ug/L	1.0	0.41	1		11/03/23 17:21	563-58-6	
cis-1,3-Dichloropropene	<0.24	ug/L	1.0	0.24	1		11/03/23 17:21	10061-01-5	
trans-1,3-Dichloropropene	<0.27	ug/L	1.0	0.27	1		11/03/23 17:21	10061-02-6	
Diisopropyl ether	<1.1	ug/L	5.0	1.1	1		11/03/23 17:21	108-20-3	
Ethylbenzene	<0.33	ug/L	1.0	0.33	1		11/03/23 17:21	100-41-4	
Hexachloro-1,3-butadiene	<2.7	ug/L	5.0	2.7	1		11/03/23 17:21	87-68-3	
Isopropylbenzene (Cumene)	<1.0	ug/L	5.0	1.0	1		11/03/23 17:21	98-82-8	
p-Isopropyltoluene	<1.0	ug/L	5.0	1.0	1		11/03/23 17:21	99-87-6	
Methylene Chloride	<0.32	ug/L	5.0	0.32	1		11/03/23 17:21	75-09-2	
Methyl-tert-butyl ether	<1.1	ug/L	5.0	1.1	1		11/03/23 17:21	1634-04-4	
Naphthalene	<1.9	ug/L	5.0	1.9	1		11/03/23 17:21	91-20-3	
n-Propylbenzene	<0.35	ug/L	1.0	0.35	1		11/03/23 17:21	103-65-1	
Styrene	<0.36	ug/L	1.0	0.36	1		11/03/23 17:21	100-42-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: 1690005819_CONV ONE-HOUR VALET

Pace Project No.: 40270444

Sample: MW-6 DUP **Lab ID: 40270444004** Collected: 10/31/23 10:26 Received: 11/01/23 15:15 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV									
Analytical Method: EPA 8260									
Pace Analytical Services - Green Bay									
1,1,1,2-Tetrachloroethane	<0.36	ug/L	1.0	0.36	1		11/03/23 17:21	630-20-6	
1,1,1,2-Tetrachloroethane	<0.38	ug/L	1.0	0.38	1		11/03/23 17:21	79-34-5	
Tetrachloroethene	<0.41	ug/L	1.0	0.41	1		11/03/23 17:21	127-18-4	
Toluene	<0.29	ug/L	1.0	0.29	1		11/03/23 17:21	108-88-3	
1,2,3-Trichlorobenzene	<1.0	ug/L	5.0	1.0	1		11/03/23 17:21	87-61-6	
1,2,4-Trichlorobenzene	<0.95	ug/L	5.0	0.95	1		11/03/23 17:21	120-82-1	
1,1,1-Trichloroethane	<0.30	ug/L	1.0	0.30	1		11/03/23 17:21	71-55-6	
1,1,2-Trichloroethane	<0.34	ug/L	1.0	0.34	1		11/03/23 17:21	79-00-5	
Trichloroethene	<0.32	ug/L	1.0	0.32	1		11/03/23 17:21	79-01-6	
Trichlorofluoromethane	<0.42	ug/L	1.0	0.42	1		11/03/23 17:21	75-69-4	
1,2,3-Trichloropropane	<0.56	ug/L	1.0	0.56	1		11/03/23 17:21	96-18-4	
1,2,4-Trimethylbenzene	<0.45	ug/L	1.0	0.45	1		11/03/23 17:21	95-63-6	
1,3,5-Trimethylbenzene	<0.36	ug/L	1.0	0.36	1		11/03/23 17:21	108-67-8	
Vinyl chloride	1.4	ug/L	1.0	0.17	1		11/03/23 17:21	75-01-4	
Xylene (Total)	<1.0	ug/L	3.0	1.0	1		11/03/23 17:21	1330-20-7	
m&p-Xylene	<0.70	ug/L	2.0	0.70	1		11/03/23 17:21	179601-23-1	
o-Xylene	<0.35	ug/L	1.0	0.35	1		11/03/23 17:21	95-47-6	
Surrogates									
4-Bromofluorobenzene (S)	90	%	70-130		1		11/03/23 17:21	460-00-4	
1,2-Dichlorobenzene-d4 (S)	106	%	70-130		1		11/03/23 17:21	2199-69-1	
Toluene-d8 (S)	98	%	70-130		1		11/03/23 17:21	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: 1690005819_CONV ONE-HOUR VALET

Pace Project No.: 40270444

Sample: PZ-2R Lab ID: 40270444005 Collected: 10/31/23 11:06 Received: 11/01/23 15:15 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV									
Analytical Method: EPA 8260									
Pace Analytical Services - Green Bay									
Benzene	<0.30	ug/L	1.0	0.30	1		11/03/23 17:38	71-43-2	
Bromobenzene	<0.36	ug/L	1.0	0.36	1		11/03/23 17:38	108-86-1	
Bromochloromethane	<0.36	ug/L	1.0	0.36	1		11/03/23 17:38	74-97-5	
Bromodichloromethane	<0.42	ug/L	1.0	0.42	1		11/03/23 17:38	75-27-4	
Bromoform	<0.43	ug/L	1.0	0.43	1		11/03/23 17:38	75-25-2	
Bromomethane	<1.2	ug/L	5.0	1.2	1		11/03/23 17:38	74-83-9	
n-Butylbenzene	<0.86	ug/L	1.0	0.86	1		11/03/23 17:38	104-51-8	
sec-Butylbenzene	<0.42	ug/L	1.0	0.42	1		11/03/23 17:38	135-98-8	
tert-Butylbenzene	<0.59	ug/L	1.0	0.59	1		11/03/23 17:38	98-06-6	
Carbon tetrachloride	<0.37	ug/L	1.0	0.37	1		11/03/23 17:38	56-23-5	
Chlorobenzene	<0.86	ug/L	1.0	0.86	1		11/03/23 17:38	108-90-7	
Chloroethane	<1.4	ug/L	5.0	1.4	1		11/03/23 17:38	75-00-3	
Chloroform	<0.50	ug/L	5.0	0.50	1		11/03/23 17:38	67-66-3	
Chloromethane	<1.6	ug/L	5.0	1.6	1		11/03/23 17:38	74-87-3	
2-Chlorotoluene	<0.89	ug/L	5.0	0.89	1		11/03/23 17:38	95-49-8	
4-Chlorotoluene	<0.89	ug/L	5.0	0.89	1		11/03/23 17:38	106-43-4	
1,2-Dibromo-3-chloropropane	<2.4	ug/L	5.0	2.4	1		11/03/23 17:38	96-12-8	
Dibromochloromethane	<2.6	ug/L	5.0	2.6	1		11/03/23 17:38	124-48-1	
1,2-Dibromoethane (EDB)	<0.31	ug/L	1.0	0.31	1		11/03/23 17:38	106-93-4	
Dibromomethane	<0.99	ug/L	5.0	0.99	1		11/03/23 17:38	74-95-3	
1,2-Dichlorobenzene	<0.33	ug/L	1.0	0.33	1		11/03/23 17:38	95-50-1	
1,3-Dichlorobenzene	<0.35	ug/L	1.0	0.35	1		11/03/23 17:38	541-73-1	
1,4-Dichlorobenzene	<0.89	ug/L	1.0	0.89	1		11/03/23 17:38	106-46-7	
Dichlorodifluoromethane	<0.46	ug/L	5.0	0.46	1		11/03/23 17:38	75-71-8	
1,1-Dichloroethane	<0.30	ug/L	1.0	0.30	1		11/03/23 17:38	75-34-3	
1,2-Dichloroethane	<0.29	ug/L	1.0	0.29	1		11/03/23 17:38	107-06-2	
1,1-Dichloroethene	<0.58	ug/L	1.0	0.58	1		11/03/23 17:38	75-35-4	
cis-1,2-Dichloroethene	113	ug/L	1.0	0.47	1		11/03/23 17:38	156-59-2	
trans-1,2-Dichloroethene	1.7	ug/L	1.0	0.53	1		11/03/23 17:38	156-60-5	
1,2-Dichloropropane	<0.45	ug/L	1.0	0.45	1		11/03/23 17:38	78-87-5	
1,3-Dichloropropane	<0.30	ug/L	1.0	0.30	1		11/03/23 17:38	142-28-9	
2,2-Dichloropropane	<0.42	ug/L	1.0	0.42	1		11/03/23 17:38	594-20-7	
1,1-Dichloropropene	<0.41	ug/L	1.0	0.41	1		11/03/23 17:38	563-58-6	
cis-1,3-Dichloropropene	<0.24	ug/L	1.0	0.24	1		11/03/23 17:38	10061-01-5	
trans-1,3-Dichloropropene	<0.27	ug/L	1.0	0.27	1		11/03/23 17:38	10061-02-6	
Diisopropyl ether	<1.1	ug/L	5.0	1.1	1		11/03/23 17:38	108-20-3	
Ethylbenzene	<0.33	ug/L	1.0	0.33	1		11/03/23 17:38	100-41-4	
Hexachloro-1,3-butadiene	<2.7	ug/L	5.0	2.7	1		11/03/23 17:38	87-68-3	
Isopropylbenzene (Cumene)	<1.0	ug/L	5.0	1.0	1		11/03/23 17:38	98-82-8	
p-Isopropyltoluene	<1.0	ug/L	5.0	1.0	1		11/03/23 17:38	99-87-6	
Methylene Chloride	<0.32	ug/L	5.0	0.32	1		11/03/23 17:38	75-09-2	
Methyl-tert-butyl ether	<1.1	ug/L	5.0	1.1	1		11/03/23 17:38	1634-04-4	
Naphthalene	<1.9	ug/L	5.0	1.9	1		11/03/23 17:38	91-20-3	
n-Propylbenzene	<0.35	ug/L	1.0	0.35	1		11/03/23 17:38	103-65-1	
Styrene	<0.36	ug/L	1.0	0.36	1		11/03/23 17:38	100-42-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: 1690005819_CONV ONE-HOUR VALET

Pace Project No.: 40270444

Sample: PZ-2R Lab ID: 40270444005 Collected: 10/31/23 11:06 Received: 11/01/23 15:15 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV									
Analytical Method: EPA 8260									
Pace Analytical Services - Green Bay									
1,1,1,2-Tetrachloroethane	<0.36	ug/L	1.0	0.36	1		11/03/23 17:38	630-20-6	
1,1,1,2-Tetrachloroethane	<0.38	ug/L	1.0	0.38	1		11/03/23 17:38	79-34-5	
Tetrachloroethene	<0.41	ug/L	1.0	0.41	1		11/03/23 17:38	127-18-4	
Toluene	<0.29	ug/L	1.0	0.29	1		11/03/23 17:38	108-88-3	
1,2,3-Trichlorobenzene	<1.0	ug/L	5.0	1.0	1		11/03/23 17:38	87-61-6	
1,2,4-Trichlorobenzene	<0.95	ug/L	5.0	0.95	1		11/03/23 17:38	120-82-1	
1,1,1-Trichloroethane	<0.30	ug/L	1.0	0.30	1		11/03/23 17:38	71-55-6	
1,1,2-Trichloroethane	<0.34	ug/L	1.0	0.34	1		11/03/23 17:38	79-00-5	
Trichloroethene	<0.32	ug/L	1.0	0.32	1		11/03/23 17:38	79-01-6	
Trichlorofluoromethane	<0.42	ug/L	1.0	0.42	1		11/03/23 17:38	75-69-4	
1,2,3-Trichloropropane	<0.56	ug/L	1.0	0.56	1		11/03/23 17:38	96-18-4	
1,2,4-Trimethylbenzene	<0.45	ug/L	1.0	0.45	1		11/03/23 17:38	95-63-6	
1,3,5-Trimethylbenzene	<0.36	ug/L	1.0	0.36	1		11/03/23 17:38	108-67-8	
Vinyl chloride	11.6	ug/L	1.0	0.17	1		11/03/23 17:38	75-01-4	
Xylene (Total)	<1.0	ug/L	3.0	1.0	1		11/03/23 17:38	1330-20-7	
m&p-Xylene	<0.70	ug/L	2.0	0.70	1		11/03/23 17:38	179601-23-1	
o-Xylene	<0.35	ug/L	1.0	0.35	1		11/03/23 17:38	95-47-6	
Surrogates									
4-Bromofluorobenzene (S)	88	%	70-130		1		11/03/23 17:38	460-00-4	
1,2-Dichlorobenzene-d4 (S)	104	%	70-130		1		11/03/23 17:38	2199-69-1	
Toluene-d8 (S)	98	%	70-130		1		11/03/23 17:38	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full, without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: 1690005819_CONV ONE-HOUR VALET

Pace Project No.: 40270444

Sample: PZ-4 Lab ID: 40270444006 Collected: 10/31/23 11:50 Received: 11/01/23 15:15 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV		Analytical Method: EPA 8260 Pace Analytical Services - Green Bay							
Benzene	<0.30	ug/L	1.0	0.30	1		11/02/23 23:07	71-43-2	
Bromobenzene	<0.36	ug/L	1.0	0.36	1		11/02/23 23:07	108-86-1	
Bromochloromethane	<0.36	ug/L	1.0	0.36	1		11/02/23 23:07	74-97-5	
Bromodichloromethane	<0.42	ug/L	1.0	0.42	1		11/02/23 23:07	75-27-4	
Bromoform	<0.43	ug/L	1.0	0.43	1		11/02/23 23:07	75-25-2	
Bromomethane	<1.2	ug/L	5.0	1.2	1		11/02/23 23:07	74-83-9	
n-Butylbenzene	<0.86	ug/L	1.0	0.86	1		11/02/23 23:07	104-51-8	
sec-Butylbenzene	<0.42	ug/L	1.0	0.42	1		11/02/23 23:07	135-98-8	
tert-Butylbenzene	<0.59	ug/L	1.0	0.59	1		11/02/23 23:07	98-06-6	
Carbon tetrachloride	<0.37	ug/L	1.0	0.37	1		11/02/23 23:07	56-23-5	
Chlorobenzene	<0.86	ug/L	1.0	0.86	1		11/02/23 23:07	108-90-7	
Chloroethane	<1.4	ug/L	5.0	1.4	1		11/02/23 23:07	75-00-3	
Chloroform	<0.50	ug/L	5.0	0.50	1		11/02/23 23:07	67-66-3	
Chloromethane	<1.6	ug/L	5.0	1.6	1		11/02/23 23:07	74-87-3	
2-Chlorotoluene	<0.89	ug/L	5.0	0.89	1		11/02/23 23:07	95-49-8	
4-Chlorotoluene	<0.89	ug/L	5.0	0.89	1		11/02/23 23:07	106-43-4	
1,2-Dibromo-3-chloropropane	<2.4	ug/L	5.0	2.4	1		11/02/23 23:07	96-12-8	
Dibromochloromethane	<2.6	ug/L	5.0	2.6	1		11/02/23 23:07	124-48-1	
1,2-Dibromoethane (EDB)	<0.31	ug/L	1.0	0.31	1		11/02/23 23:07	106-93-4	
Dibromomethane	<0.99	ug/L	5.0	0.99	1		11/02/23 23:07	74-95-3	
1,2-Dichlorobenzene	<0.33	ug/L	1.0	0.33	1		11/02/23 23:07	95-50-1	
1,3-Dichlorobenzene	<0.35	ug/L	1.0	0.35	1		11/02/23 23:07	541-73-1	
1,4-Dichlorobenzene	<0.89	ug/L	1.0	0.89	1		11/02/23 23:07	106-46-7	
Dichlorodifluoromethane	<0.46	ug/L	5.0	0.46	1		11/02/23 23:07	75-71-8	
1,1-Dichloroethane	<0.30	ug/L	1.0	0.30	1		11/02/23 23:07	75-34-3	
1,2-Dichloroethane	<0.29	ug/L	1.0	0.29	1		11/02/23 23:07	107-06-2	
1,1-Dichloroethene	<0.58	ug/L	1.0	0.58	1		11/02/23 23:07	75-35-4	
cis-1,2-Dichloroethene	<0.47	ug/L	1.0	0.47	1		11/02/23 23:07	156-59-2	
trans-1,2-Dichloroethene	<0.53	ug/L	1.0	0.53	1		11/02/23 23:07	156-60-5	
1,2-Dichloropropane	<0.45	ug/L	1.0	0.45	1		11/02/23 23:07	78-87-5	
1,3-Dichloropropane	<0.30	ug/L	1.0	0.30	1		11/02/23 23:07	142-28-9	
2,2-Dichloropropane	<0.42	ug/L	1.0	0.42	1		11/02/23 23:07	594-20-7	
1,1-Dichloropropene	<0.41	ug/L	1.0	0.41	1		11/02/23 23:07	563-58-6	
cis-1,3-Dichloropropene	<0.24	ug/L	1.0	0.24	1		11/02/23 23:07	10061-01-5	
trans-1,3-Dichloropropene	<0.27	ug/L	1.0	0.27	1		11/02/23 23:07	10061-02-6	
Diisopropyl ether	<1.1	ug/L	5.0	1.1	1		11/02/23 23:07	108-20-3	
Ethylbenzene	<0.33	ug/L	1.0	0.33	1		11/02/23 23:07	100-41-4	
Hexachloro-1,3-butadiene	<2.7	ug/L	5.0	2.7	1		11/02/23 23:07	87-68-3	
Isopropylbenzene (Cumene)	<1.0	ug/L	5.0	1.0	1		11/02/23 23:07	98-82-8	
p-Isopropyltoluene	<1.0	ug/L	5.0	1.0	1		11/02/23 23:07	99-87-6	
Methylene Chloride	<0.32	ug/L	5.0	0.32	1		11/02/23 23:07	75-09-2	
Methyl-tert-butyl ether	<1.1	ug/L	5.0	1.1	1		11/02/23 23:07	1634-04-4	
Naphthalene	<1.9	ug/L	5.0	1.9	1		11/02/23 23:07	91-20-3	
n-Propylbenzene	<0.35	ug/L	1.0	0.35	1		11/02/23 23:07	103-65-1	
Styrene	<0.36	ug/L	1.0	0.36	1		11/02/23 23:07	100-42-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full, without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: 1690005819_CONV ONE-HOUR VALET

Pace Project No.: 40270444

Sample: PZ-4 Lab ID: 40270444006 Collected: 10/31/23 11:50 Received: 11/01/23 15:15 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV									
Analytical Method: EPA 8260									
Pace Analytical Services - Green Bay									
1,1,1,2-Tetrachloroethane	<0.36	ug/L	1.0	0.36	1		11/02/23 23:07	630-20-6	
1,1,1,2-Tetrachloroethane	<0.38	ug/L	1.0	0.38	1		11/02/23 23:07	79-34-5	
Tetrachloroethene	<0.41	ug/L	1.0	0.41	1		11/02/23 23:07	127-18-4	
Toluene	<0.29	ug/L	1.0	0.29	1		11/02/23 23:07	108-88-3	
1,2,3-Trichlorobenzene	<1.0	ug/L	5.0	1.0	1		11/02/23 23:07	87-61-6	
1,2,4-Trichlorobenzene	<0.95	ug/L	5.0	0.95	1		11/02/23 23:07	120-82-1	
1,1,1-Trichloroethane	<0.30	ug/L	1.0	0.30	1		11/02/23 23:07	71-55-6	
1,1,2-Trichloroethane	<0.34	ug/L	1.0	0.34	1		11/02/23 23:07	79-00-5	
Trichloroethene	<0.32	ug/L	1.0	0.32	1		11/02/23 23:07	79-01-6	
Trichlorofluoromethane	<0.42	ug/L	1.0	0.42	1		11/02/23 23:07	75-69-4	
1,2,3-Trichloropropane	<0.56	ug/L	1.0	0.56	1		11/02/23 23:07	96-18-4	
1,2,4-Trimethylbenzene	<0.45	ug/L	1.0	0.45	1		11/02/23 23:07	95-63-6	
1,3,5-Trimethylbenzene	<0.36	ug/L	1.0	0.36	1		11/02/23 23:07	108-67-8	
Vinyl chloride	4.1	ug/L	1.0	0.17	1		11/02/23 23:07	75-01-4	
Xylene (Total)	<1.0	ug/L	3.0	1.0	1		11/02/23 23:07	1330-20-7	
m&p-Xylene	<0.70	ug/L	2.0	0.70	1		11/02/23 23:07	179601-23-1	
o-Xylene	<0.35	ug/L	1.0	0.35	1		11/02/23 23:07	95-47-6	
Surrogates									
4-Bromofluorobenzene (S)	90	%	70-130		1		11/02/23 23:07	460-00-4	
1,2-Dichlorobenzene-d4 (S)	105	%	70-130		1		11/02/23 23:07	2199-69-1	
Toluene-d8 (S)	98	%	70-130		1		11/02/23 23:07	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: 1690005819_CONV ONE-HOUR VALET

Pace Project No.: 40270444

Sample: MW-5 Lab ID: 40270444007 Collected: 10/31/23 12:30 Received: 11/01/23 15:15 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV		Analytical Method: EPA 8260 Pace Analytical Services - Green Bay							
Benzene	<0.30	ug/L	1.0	0.30	1		11/02/23 23:24	71-43-2	
Bromobenzene	<0.36	ug/L	1.0	0.36	1		11/02/23 23:24	108-86-1	
Bromochloromethane	<0.36	ug/L	1.0	0.36	1		11/02/23 23:24	74-97-5	
Bromodichloromethane	<0.42	ug/L	1.0	0.42	1		11/02/23 23:24	75-27-4	
Bromoform	<0.43	ug/L	1.0	0.43	1		11/02/23 23:24	75-25-2	
Bromomethane	<1.2	ug/L	5.0	1.2	1		11/02/23 23:24	74-83-9	
n-Butylbenzene	<0.86	ug/L	1.0	0.86	1		11/02/23 23:24	104-51-8	
sec-Butylbenzene	<0.42	ug/L	1.0	0.42	1		11/02/23 23:24	135-98-8	
tert-Butylbenzene	<0.59	ug/L	1.0	0.59	1		11/02/23 23:24	98-06-6	
Carbon tetrachloride	<0.37	ug/L	1.0	0.37	1		11/02/23 23:24	56-23-5	
Chlorobenzene	<0.86	ug/L	1.0	0.86	1		11/02/23 23:24	108-90-7	
Chloroethane	<1.4	ug/L	5.0	1.4	1		11/02/23 23:24	75-00-3	
Chloroform	<0.50	ug/L	5.0	0.50	1		11/02/23 23:24	67-66-3	
Chloromethane	<1.6	ug/L	5.0	1.6	1		11/02/23 23:24	74-87-3	
2-Chlorotoluene	<0.89	ug/L	5.0	0.89	1		11/02/23 23:24	95-49-8	
4-Chlorotoluene	<0.89	ug/L	5.0	0.89	1		11/02/23 23:24	106-43-4	
1,2-Dibromo-3-chloropropane	<2.4	ug/L	5.0	2.4	1		11/02/23 23:24	96-12-8	
Dibromochloromethane	<2.6	ug/L	5.0	2.6	1		11/02/23 23:24	124-48-1	
1,2-Dibromoethane (EDB)	<0.31	ug/L	1.0	0.31	1		11/02/23 23:24	106-93-4	
Dibromomethane	<0.99	ug/L	5.0	0.99	1		11/02/23 23:24	74-95-3	
1,2-Dichlorobenzene	<0.33	ug/L	1.0	0.33	1		11/02/23 23:24	95-50-1	
1,3-Dichlorobenzene	<0.35	ug/L	1.0	0.35	1		11/02/23 23:24	541-73-1	
1,4-Dichlorobenzene	<0.89	ug/L	1.0	0.89	1		11/02/23 23:24	106-46-7	
Dichlorodifluoromethane	<0.46	ug/L	5.0	0.46	1		11/02/23 23:24	75-71-8	
1,1-Dichloroethane	<0.30	ug/L	1.0	0.30	1		11/02/23 23:24	75-34-3	
1,2-Dichloroethane	<0.29	ug/L	1.0	0.29	1		11/02/23 23:24	107-06-2	
1,1-Dichloroethene	<0.58	ug/L	1.0	0.58	1		11/02/23 23:24	75-35-4	
cis-1,2-Dichloroethene	3.3	ug/L	1.0	0.47	1		11/02/23 23:24	156-59-2	
trans-1,2-Dichloroethene	<0.53	ug/L	1.0	0.53	1		11/02/23 23:24	156-60-5	
1,2-Dichloropropane	<0.45	ug/L	1.0	0.45	1		11/02/23 23:24	78-87-5	
1,3-Dichloropropane	<0.30	ug/L	1.0	0.30	1		11/02/23 23:24	142-28-9	
2,2-Dichloropropane	<0.42	ug/L	1.0	0.42	1		11/02/23 23:24	594-20-7	
1,1-Dichloropropene	<0.41	ug/L	1.0	0.41	1		11/02/23 23:24	563-58-6	
cis-1,3-Dichloropropene	<0.24	ug/L	1.0	0.24	1		11/02/23 23:24	10061-01-5	
trans-1,3-Dichloropropene	<0.27	ug/L	1.0	0.27	1		11/02/23 23:24	10061-02-6	
Diisopropyl ether	<1.1	ug/L	5.0	1.1	1		11/02/23 23:24	108-20-3	
Ethylbenzene	<0.33	ug/L	1.0	0.33	1		11/02/23 23:24	100-41-4	
Hexachloro-1,3-butadiene	<2.7	ug/L	5.0	2.7	1		11/02/23 23:24	87-68-3	
Isopropylbenzene (Cumene)	<1.0	ug/L	5.0	1.0	1		11/02/23 23:24	98-82-8	
p-Isopropyltoluene	<1.0	ug/L	5.0	1.0	1		11/02/23 23:24	99-87-6	
Methylene Chloride	<0.32	ug/L	5.0	0.32	1		11/02/23 23:24	75-09-2	
Methyl-tert-butyl ether	<1.1	ug/L	5.0	1.1	1		11/02/23 23:24	1634-04-4	
Naphthalene	<1.9	ug/L	5.0	1.9	1		11/02/23 23:24	91-20-3	
n-Propylbenzene	<0.35	ug/L	1.0	0.35	1		11/02/23 23:24	103-65-1	
Styrene	<0.36	ug/L	1.0	0.36	1		11/02/23 23:24	100-42-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: 1690005819_CONV ONE-HOUR VALET

Pace Project No.: 40270444

Sample: MW-5 Lab ID: 40270444007 Collected: 10/31/23 12:30 Received: 11/01/23 15:15 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV									
Analytical Method: EPA 8260									
Pace Analytical Services - Green Bay									
1,1,1,2-Tetrachloroethane	<0.36	ug/L	1.0	0.36	1		11/02/23 23:24	630-20-6	
1,1,2,2-Tetrachloroethane	<0.38	ug/L	1.0	0.38	1		11/02/23 23:24	79-34-5	
Tetrachloroethene	20.4	ug/L	1.0	0.41	1		11/02/23 23:24	127-18-4	
Toluene	<0.29	ug/L	1.0	0.29	1		11/02/23 23:24	108-88-3	
1,2,3-Trichlorobenzene	<1.0	ug/L	5.0	1.0	1		11/02/23 23:24	87-61-6	
1,2,4-Trichlorobenzene	<0.95	ug/L	5.0	0.95	1		11/02/23 23:24	120-82-1	
1,1,1-Trichloroethane	<0.30	ug/L	1.0	0.30	1		11/02/23 23:24	71-55-6	
1,1,2-Trichloroethane	<0.34	ug/L	1.0	0.34	1		11/02/23 23:24	79-00-5	
Trichloroethene	3.1	ug/L	1.0	0.32	1		11/02/23 23:24	79-01-6	
Trichlorofluoromethane	<0.42	ug/L	1.0	0.42	1		11/02/23 23:24	75-69-4	
1,2,3-Trichloropropane	<0.56	ug/L	1.0	0.56	1		11/02/23 23:24	96-18-4	
1,2,4-Trimethylbenzene	<0.45	ug/L	1.0	0.45	1		11/02/23 23:24	95-63-6	
1,3,5-Trimethylbenzene	<0.36	ug/L	1.0	0.36	1		11/02/23 23:24	108-67-8	
Vinyl chloride	<0.17	ug/L	1.0	0.17	1		11/02/23 23:24	75-01-4	
Xylene (Total)	<1.0	ug/L	3.0	1.0	1		11/02/23 23:24	1330-20-7	
m&p-Xylene	<0.70	ug/L	2.0	0.70	1		11/02/23 23:24	179601-23-1	
o-Xylene	<0.35	ug/L	1.0	0.35	1		11/02/23 23:24	95-47-6	
Surrogates									
4-Bromofluorobenzene (S)	89	%	70-130		1		11/02/23 23:24	460-00-4	
1,2-Dichlorobenzene-d4 (S)	104	%	70-130		1		11/02/23 23:24	2199-69-1	
Toluene-d8 (S)	98	%	70-130		1		11/02/23 23:24	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: 1690005819_CONV ONE-HOUR VALET

Pace Project No.: 40270444

Sample: MW-4 Lab ID: 40270444008 Collected: 10/31/23 13:16 Received: 11/01/23 15:15 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV									
Analytical Method: EPA 8260									
Pace Analytical Services - Green Bay									
Benzene	<0.30	ug/L	1.0	0.30	1		11/02/23 23:42	71-43-2	
Bromobenzene	<0.36	ug/L	1.0	0.36	1		11/02/23 23:42	108-86-1	
Bromochloromethane	<0.36	ug/L	1.0	0.36	1		11/02/23 23:42	74-97-5	
Bromodichloromethane	<0.42	ug/L	1.0	0.42	1		11/02/23 23:42	75-27-4	
Bromoform	<0.43	ug/L	1.0	0.43	1		11/02/23 23:42	75-25-2	
Bromomethane	<1.2	ug/L	5.0	1.2	1		11/02/23 23:42	74-83-9	
n-Butylbenzene	<0.86	ug/L	1.0	0.86	1		11/02/23 23:42	104-51-8	
sec-Butylbenzene	<0.42	ug/L	1.0	0.42	1		11/02/23 23:42	135-98-8	
tert-Butylbenzene	<0.59	ug/L	1.0	0.59	1		11/02/23 23:42	98-06-6	
Carbon tetrachloride	<0.37	ug/L	1.0	0.37	1		11/02/23 23:42	56-23-5	
Chlorobenzene	<0.86	ug/L	1.0	0.86	1		11/02/23 23:42	108-90-7	
Chloroethane	<1.4	ug/L	5.0	1.4	1		11/02/23 23:42	75-00-3	
Chloroform	<0.50	ug/L	5.0	0.50	1		11/02/23 23:42	67-66-3	
Chloromethane	<1.6	ug/L	5.0	1.6	1		11/02/23 23:42	74-87-3	
2-Chlorotoluene	<0.89	ug/L	5.0	0.89	1		11/02/23 23:42	95-49-8	
4-Chlorotoluene	<0.89	ug/L	5.0	0.89	1		11/02/23 23:42	106-43-4	
1,2-Dibromo-3-chloropropane	<2.4	ug/L	5.0	2.4	1		11/02/23 23:42	96-12-8	
Dibromochloromethane	<2.6	ug/L	5.0	2.6	1		11/02/23 23:42	124-48-1	
1,2-Dibromoethane (EDB)	<0.31	ug/L	1.0	0.31	1		11/02/23 23:42	106-93-4	
Dibromomethane	<0.99	ug/L	5.0	0.99	1		11/02/23 23:42	74-95-3	
1,2-Dichlorobenzene	<0.33	ug/L	1.0	0.33	1		11/02/23 23:42	95-50-1	
1,3-Dichlorobenzene	<0.35	ug/L	1.0	0.35	1		11/02/23 23:42	541-73-1	
1,4-Dichlorobenzene	<0.89	ug/L	1.0	0.89	1		11/02/23 23:42	106-46-7	
Dichlorodifluoromethane	<0.46	ug/L	5.0	0.46	1		11/02/23 23:42	75-71-8	
1,1-Dichloroethane	<0.30	ug/L	1.0	0.30	1		11/02/23 23:42	75-34-3	
1,2-Dichloroethane	<0.29	ug/L	1.0	0.29	1		11/02/23 23:42	107-06-2	
1,1-Dichloroethene	<0.58	ug/L	1.0	0.58	1		11/02/23 23:42	75-35-4	
cis-1,2-Dichloroethene	<0.47	ug/L	1.0	0.47	1		11/02/23 23:42	156-59-2	
trans-1,2-Dichloroethene	<0.53	ug/L	1.0	0.53	1		11/02/23 23:42	156-60-5	
1,2-Dichloropropane	<0.45	ug/L	1.0	0.45	1		11/02/23 23:42	78-87-5	
1,3-Dichloropropane	<0.30	ug/L	1.0	0.30	1		11/02/23 23:42	142-28-9	
2,2-Dichloropropane	<0.42	ug/L	1.0	0.42	1		11/02/23 23:42	594-20-7	
1,1-Dichloropropene	<0.41	ug/L	1.0	0.41	1		11/02/23 23:42	563-58-6	
cis-1,3-Dichloropropene	<0.24	ug/L	1.0	0.24	1		11/02/23 23:42	10061-01-5	
trans-1,3-Dichloropropene	<0.27	ug/L	1.0	0.27	1		11/02/23 23:42	10061-02-6	
Diisopropyl ether	<1.1	ug/L	5.0	1.1	1		11/02/23 23:42	108-20-3	
Ethylbenzene	<0.33	ug/L	1.0	0.33	1		11/02/23 23:42	100-41-4	
Hexachloro-1,3-butadiene	<2.7	ug/L	5.0	2.7	1		11/02/23 23:42	87-68-3	
Isopropylbenzene (Cumene)	<1.0	ug/L	5.0	1.0	1		11/02/23 23:42	98-82-8	
p-Isopropyltoluene	<1.0	ug/L	5.0	1.0	1		11/02/23 23:42	99-87-6	
Methylene Chloride	<0.32	ug/L	5.0	0.32	1		11/02/23 23:42	75-09-2	
Methyl-tert-butyl ether	<1.1	ug/L	5.0	1.1	1		11/02/23 23:42	1634-04-4	
Naphthalene	<1.9	ug/L	5.0	1.9	1		11/02/23 23:42	91-20-3	
n-Propylbenzene	<0.35	ug/L	1.0	0.35	1		11/02/23 23:42	103-65-1	
Styrene	<0.36	ug/L	1.0	0.36	1		11/02/23 23:42	100-42-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: 1690005819_CONV ONE-HOUR VALET

Pace Project No.: 40270444

Sample: MW-4 **Lab ID: 40270444008** Collected: 10/31/23 13:16 Received: 11/01/23 15:15 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV									
Analytical Method: EPA 8260									
Pace Analytical Services - Green Bay									
1,1,1,2-Tetrachloroethane	<0.36	ug/L	1.0	0.36	1		11/02/23 23:42	630-20-6	
1,1,2,2-Tetrachloroethane	<0.38	ug/L	1.0	0.38	1		11/02/23 23:42	79-34-5	
Tetrachloroethene	23.1	ug/L	1.0	0.41	1		11/02/23 23:42	127-18-4	
Toluene	<0.29	ug/L	1.0	0.29	1		11/02/23 23:42	108-88-3	
1,2,3-Trichlorobenzene	<1.0	ug/L	5.0	1.0	1		11/02/23 23:42	87-61-6	
1,2,4-Trichlorobenzene	<0.95	ug/L	5.0	0.95	1		11/02/23 23:42	120-82-1	
1,1,1-Trichloroethane	<0.30	ug/L	1.0	0.30	1		11/02/23 23:42	71-55-6	
1,1,2-Trichloroethane	<0.34	ug/L	1.0	0.34	1		11/02/23 23:42	79-00-5	
Trichloroethene	<0.32	ug/L	1.0	0.32	1		11/02/23 23:42	79-01-6	
Trichlorofluoromethane	<0.42	ug/L	1.0	0.42	1		11/02/23 23:42	75-69-4	
1,2,3-Trichloropropane	<0.56	ug/L	1.0	0.56	1		11/02/23 23:42	96-18-4	
1,2,4-Trimethylbenzene	<0.45	ug/L	1.0	0.45	1		11/02/23 23:42	95-63-6	
1,3,5-Trimethylbenzene	<0.36	ug/L	1.0	0.36	1		11/02/23 23:42	108-67-8	
Vinyl chloride	<0.17	ug/L	1.0	0.17	1		11/02/23 23:42	75-01-4	
Xylene (Total)	<1.0	ug/L	3.0	1.0	1		11/02/23 23:42	1330-20-7	
m&p-Xylene	<0.70	ug/L	2.0	0.70	1		11/02/23 23:42	179601-23-1	
o-Xylene	<0.35	ug/L	1.0	0.35	1		11/02/23 23:42	95-47-6	
Surrogates									
4-Bromofluorobenzene (S)	88	%	70-130		1		11/02/23 23:42	460-00-4	
1,2-Dichlorobenzene-d4 (S)	102	%	70-130		1		11/02/23 23:42	2199-69-1	
Toluene-d8 (S)	97	%	70-130		1		11/02/23 23:42	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: 1690005819_CONV ONE-HOUR VALET

Pace Project No.: 40270444

Sample: PZ-1R Lab ID: 40270444009 Collected: 10/31/23 14:15 Received: 11/01/23 15:15 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
Methane, Ethane, Ethene GCV		Analytical Method: EPA 8015B Modified Pace Analytical Services - Green Bay							
Ethane	299	ug/L	5.6	0.39	1		11/07/23 14:49	74-84-0	
Ethene	6570	ug/L	500	25.2	100		11/07/23 17:09	74-85-1	
Methane	17100	ug/L	280	57.6	100		11/07/23 17:09	74-82-8	
6020B MET ICPMS, Dissolved		Analytical Method: EPA 6020B Preparation Method: EPA 3010A Pace Analytical Services - Green Bay							
Iron, Dissolved	10900	ug/L	250	58.0	1	11/08/23 05:45	11/10/23 10:57	7439-89-6	
8260 MSV		Analytical Method: EPA 8260 Pace Analytical Services - Green Bay							
Benzene	<148	ug/L	500	148	500		11/02/23 23:59	71-43-2	
Bromobenzene	<180	ug/L	500	180	500		11/02/23 23:59	108-86-1	
Bromochloromethane	<179	ug/L	500	179	500		11/02/23 23:59	74-97-5	
Bromodichloromethane	<208	ug/L	500	208	500		11/02/23 23:59	75-27-4	
Bromoform	<214	ug/L	500	214	500		11/02/23 23:59	75-25-2	
Bromomethane	<596	ug/L	2500	596	500		11/02/23 23:59	74-83-9	
n-Butylbenzene	<429	ug/L	500	429	500		11/02/23 23:59	104-51-8	
sec-Butylbenzene	<212	ug/L	500	212	500		11/02/23 23:59	135-98-8	
tert-Butylbenzene	<293	ug/L	500	293	500		11/02/23 23:59	98-06-6	
Carbon tetrachloride	<185	ug/L	500	185	500		11/02/23 23:59	56-23-5	
Chlorobenzene	<428	ug/L	500	428	500		11/02/23 23:59	108-90-7	
Chloroethane	<690	ug/L	2500	690	500		11/02/23 23:59	75-00-3	
Chloroform	<252	ug/L	2500	252	500		11/02/23 23:59	67-66-3	
Chloromethane	<818	ug/L	2500	818	500		11/02/23 23:59	74-87-3	
2-Chlorotoluene	<445	ug/L	2500	445	500		11/02/23 23:59	95-49-8	
4-Chlorotoluene	<447	ug/L	2500	447	500		11/02/23 23:59	106-43-4	
1,2-Dibromo-3-chloropropane	<1180	ug/L	2500	1180	500		11/02/23 23:59	96-12-8	
Dibromochloromethane	<1320	ug/L	2500	1320	500		11/02/23 23:59	124-48-1	
1,2-Dibromoethane (EDB)	<155	ug/L	500	155	500		11/02/23 23:59	106-93-4	
Dibromomethane	<495	ug/L	2500	495	500		11/02/23 23:59	74-95-3	
1,2-Dichlorobenzene	<163	ug/L	500	163	500		11/02/23 23:59	95-50-1	
1,3-Dichlorobenzene	<176	ug/L	500	176	500		11/02/23 23:59	541-73-1	
1,4-Dichlorobenzene	<446	ug/L	500	446	500		11/02/23 23:59	106-46-7	
Dichlorodifluoromethane	<228	ug/L	2500	228	500		11/02/23 23:59	75-71-8	
1,1-Dichloroethane	<148	ug/L	500	148	500		11/02/23 23:59	75-34-3	
1,2-Dichloroethane	<146	ug/L	500	146	500		11/02/23 23:59	107-06-2	
1,1-Dichloroethene	<291	ug/L	500	291	500		11/02/23 23:59	75-35-4	
cis-1,2-Dichloroethene	66100	ug/L	500	236	500		11/02/23 23:59	156-59-2	
trans-1,2-Dichloroethene	<264	ug/L	500	264	500		11/02/23 23:59	156-60-5	
1,2-Dichloropropane	<224	ug/L	500	224	500		11/02/23 23:59	78-87-5	
1,3-Dichloropropane	<152	ug/L	500	152	500		11/02/23 23:59	142-28-9	
2,2-Dichloropropane	<209	ug/L	500	209	500		11/02/23 23:59	594-20-7	
1,1-Dichloropropene	<205	ug/L	500	205	500		11/02/23 23:59	563-58-6	
cis-1,3-Dichloropropene	<119	ug/L	500	119	500		11/02/23 23:59	10061-01-5	
trans-1,3-Dichloropropene	<133	ug/L	500	133	500		11/02/23 23:59	10061-02-6	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: 1690005819_CONV ONE-HOUR VALET

Pace Project No.: 40270444

Sample: PZ-1R Lab ID: 40270444009 Collected: 10/31/23 14:15 Received: 11/01/23 15:15 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV									
Analytical Method: EPA 8260									
Pace Analytical Services - Green Bay									
Diisopropyl ether	<550	ug/L	2500	550	500		11/02/23 23:59	108-20-3	
Ethylbenzene	<163	ug/L	500	163	500		11/02/23 23:59	100-41-4	
Hexachloro-1,3-butadiene	<1370	ug/L	2500	1370	500		11/02/23 23:59	87-68-3	
Isopropylbenzene (Cumene)	<500	ug/L	2500	500	500		11/02/23 23:59	98-82-8	
p-Isopropyltoluene	<522	ug/L	2500	522	500		11/02/23 23:59	99-87-6	
Methylene Chloride	<160	ug/L	2500	160	500		11/02/23 23:59	75-09-2	
Methyl-tert-butyl ether	<565	ug/L	2500	565	500		11/02/23 23:59	1634-04-4	
Naphthalene	<959	ug/L	2500	959	500		11/02/23 23:59	91-20-3	
n-Propylbenzene	<173	ug/L	500	173	500		11/02/23 23:59	103-65-1	
Styrene	<178	ug/L	500	178	500		11/02/23 23:59	100-42-5	
1,1,1,2-Tetrachloroethane	<178	ug/L	500	178	500		11/02/23 23:59	630-20-6	
1,1,2,2-Tetrachloroethane	<189	ug/L	500	189	500		11/02/23 23:59	79-34-5	
Tetrachloroethene	1660	ug/L	500	204	500		11/02/23 23:59	127-18-4	
Toluene	<144	ug/L	500	144	500		11/02/23 23:59	108-88-3	
1,2,3-Trichlorobenzene	<509	ug/L	2500	509	500		11/02/23 23:59	87-61-6	
1,2,4-Trichlorobenzene	<475	ug/L	2500	475	500		11/02/23 23:59	120-82-1	
1,1,1-Trichloroethane	<151	ug/L	500	151	500		11/02/23 23:59	71-55-6	
1,1,2-Trichloroethane	<172	ug/L	500	172	500		11/02/23 23:59	79-00-5	
Trichloroethene	289J	ug/L	500	160	500		11/02/23 23:59	79-01-6	
Trichlorofluoromethane	<209	ug/L	500	209	500		11/02/23 23:59	75-69-4	
1,2,3-Trichloropropane	<278	ug/L	500	278	500		11/02/23 23:59	96-18-4	
1,2,4-Trimethylbenzene	<224	ug/L	500	224	500		11/02/23 23:59	95-63-6	
1,3,5-Trimethylbenzene	<179	ug/L	500	179	500		11/02/23 23:59	108-67-8	
Vinyl chloride	16500	ug/L	500	87.2	500		11/02/23 23:59	75-01-4	
Xylene (Total)	<524	ug/L	1500	524	500		11/02/23 23:59	1330-20-7	
m&p-Xylene	<350	ug/L	1000	350	500		11/02/23 23:59	179601-23-1	
o-Xylene	<174	ug/L	500	174	500		11/02/23 23:59	95-47-6	
Surrogates									
4-Bromofluorobenzene (S)	88	%	70-130		500		11/02/23 23:59	460-00-4	
1,2-Dichlorobenzene-d4 (S)	104	%	70-130		500		11/02/23 23:59	2199-69-1	
Toluene-d8 (S)	97	%	70-130		500		11/02/23 23:59	2037-26-5	
Iron, Ferric Calculation									
Analytical Method: HACH 8146									
Pace Analytical Services - Green Bay									
Iron, Ferric	0.90	mg/L	0.50	0.13	10		11/16/23 11:38	20074-52-6	1q
300.0 IC Anions									
Analytical Method: EPA 300.0									
Pace Analytical Services - Green Bay									
Sulfate	<22.2	mg/L	100	22.2	50		11/15/23 15:22	14808-79-8	D3
5310C TOC									
Analytical Method: SM 5310C									
Pace Analytical Services - Green Bay									
Total Organic Carbon	204	mg/L	15.0	5.7	30		11/09/23 08:05	7440-44-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full, without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: 1690005819_CONV ONE-HOUR VALET

Pace Project No.: 40270444

Sample: TRIP BLANK Lab ID: 40270444010 Collected: 10/31/23 00:00 Received: 11/01/23 15:15 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV		Analytical Method: EPA 8260 Pace Analytical Services - Green Bay							
Benzene	<0.30	ug/L	1.0	0.30	1		11/02/23 19:40	71-43-2	
Bromobenzene	<0.36	ug/L	1.0	0.36	1		11/02/23 19:40	108-86-1	
Bromochloromethane	<0.36	ug/L	1.0	0.36	1		11/02/23 19:40	74-97-5	
Bromodichloromethane	<0.42	ug/L	1.0	0.42	1		11/02/23 19:40	75-27-4	
Bromoform	<0.43	ug/L	1.0	0.43	1		11/02/23 19:40	75-25-2	
Bromomethane	<1.2	ug/L	5.0	1.2	1		11/02/23 19:40	74-83-9	
n-Butylbenzene	<0.86	ug/L	1.0	0.86	1		11/02/23 19:40	104-51-8	
sec-Butylbenzene	<0.42	ug/L	1.0	0.42	1		11/02/23 19:40	135-98-8	
tert-Butylbenzene	<0.59	ug/L	1.0	0.59	1		11/02/23 19:40	98-06-6	
Carbon tetrachloride	<0.37	ug/L	1.0	0.37	1		11/02/23 19:40	56-23-5	
Chlorobenzene	<0.86	ug/L	1.0	0.86	1		11/02/23 19:40	108-90-7	
Chloroethane	<1.4	ug/L	5.0	1.4	1		11/02/23 19:40	75-00-3	
Chloroform	<0.50	ug/L	5.0	0.50	1		11/02/23 19:40	67-66-3	
Chloromethane	<1.6	ug/L	5.0	1.6	1		11/02/23 19:40	74-87-3	
2-Chlorotoluene	<0.89	ug/L	5.0	0.89	1		11/02/23 19:40	95-49-8	
4-Chlorotoluene	<0.89	ug/L	5.0	0.89	1		11/02/23 19:40	106-43-4	
1,2-Dibromo-3-chloropropane	<2.4	ug/L	5.0	2.4	1		11/02/23 19:40	96-12-8	
Dibromochloromethane	<2.6	ug/L	5.0	2.6	1		11/02/23 19:40	124-48-1	
1,2-Dibromoethane (EDB)	<0.31	ug/L	1.0	0.31	1		11/02/23 19:40	106-93-4	
Dibromomethane	<0.99	ug/L	5.0	0.99	1		11/02/23 19:40	74-95-3	
1,2-Dichlorobenzene	<0.33	ug/L	1.0	0.33	1		11/02/23 19:40	95-50-1	
1,3-Dichlorobenzene	<0.35	ug/L	1.0	0.35	1		11/02/23 19:40	541-73-1	
1,4-Dichlorobenzene	<0.89	ug/L	1.0	0.89	1		11/02/23 19:40	106-46-7	
Dichlorodifluoromethane	<0.46	ug/L	5.0	0.46	1		11/02/23 19:40	75-71-8	
1,1-Dichloroethane	<0.30	ug/L	1.0	0.30	1		11/02/23 19:40	75-34-3	
1,2-Dichloroethane	<0.29	ug/L	1.0	0.29	1		11/02/23 19:40	107-06-2	
1,1-Dichloroethene	<0.58	ug/L	1.0	0.58	1		11/02/23 19:40	75-35-4	
cis-1,2-Dichloroethene	<0.47	ug/L	1.0	0.47	1		11/02/23 19:40	156-59-2	
trans-1,2-Dichloroethene	<0.53	ug/L	1.0	0.53	1		11/02/23 19:40	156-60-5	
1,2-Dichloropropane	<0.45	ug/L	1.0	0.45	1		11/02/23 19:40	78-87-5	
1,3-Dichloropropane	<0.30	ug/L	1.0	0.30	1		11/02/23 19:40	142-28-9	
2,2-Dichloropropane	<0.42	ug/L	1.0	0.42	1		11/02/23 19:40	594-20-7	
1,1-Dichloropropene	<0.41	ug/L	1.0	0.41	1		11/02/23 19:40	563-58-6	
cis-1,3-Dichloropropene	<0.24	ug/L	1.0	0.24	1		11/02/23 19:40	10061-01-5	
trans-1,3-Dichloropropene	<0.27	ug/L	1.0	0.27	1		11/02/23 19:40	10061-02-6	
Diisopropyl ether	<1.1	ug/L	5.0	1.1	1		11/02/23 19:40	108-20-3	
Ethylbenzene	<0.33	ug/L	1.0	0.33	1		11/02/23 19:40	100-41-4	
Hexachloro-1,3-butadiene	<2.7	ug/L	5.0	2.7	1		11/02/23 19:40	87-68-3	
Isopropylbenzene (Cumene)	<1.0	ug/L	5.0	1.0	1		11/02/23 19:40	98-82-8	
p-Isopropyltoluene	<1.0	ug/L	5.0	1.0	1		11/02/23 19:40	99-87-6	
Methylene Chloride	<0.32	ug/L	5.0	0.32	1		11/02/23 19:40	75-09-2	
Methyl-tert-butyl ether	<1.1	ug/L	5.0	1.1	1		11/02/23 19:40	1634-04-4	
Naphthalene	<1.9	ug/L	5.0	1.9	1		11/02/23 19:40	91-20-3	
n-Propylbenzene	<0.35	ug/L	1.0	0.35	1		11/02/23 19:40	103-65-1	
Styrene	<0.36	ug/L	1.0	0.36	1		11/02/23 19:40	100-42-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: 1690005819_CONV ONE-HOUR VALET

Pace Project No.: 40270444

Sample: TRIP BLANK Lab ID: 40270444010 Collected: 10/31/23 00:00 Received: 11/01/23 15:15 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV									
Analytical Method: EPA 8260									
Pace Analytical Services - Green Bay									
1,1,1,2-Tetrachloroethane	<0.36	ug/L	1.0	0.36	1		11/02/23 19:40	630-20-6	
1,1,2,2-Tetrachloroethane	<0.38	ug/L	1.0	0.38	1		11/02/23 19:40	79-34-5	
Tetrachloroethene	<0.41	ug/L	1.0	0.41	1		11/02/23 19:40	127-18-4	
Toluene	<0.29	ug/L	1.0	0.29	1		11/02/23 19:40	108-88-3	
1,2,3-Trichlorobenzene	<1.0	ug/L	5.0	1.0	1		11/02/23 19:40	87-61-6	
1,2,4-Trichlorobenzene	<0.95	ug/L	5.0	0.95	1		11/02/23 19:40	120-82-1	
1,1,1-Trichloroethane	<0.30	ug/L	1.0	0.30	1		11/02/23 19:40	71-55-6	
1,1,2-Trichloroethane	<0.34	ug/L	1.0	0.34	1		11/02/23 19:40	79-00-5	
Trichloroethene	<0.32	ug/L	1.0	0.32	1		11/02/23 19:40	79-01-6	
Trichlorofluoromethane	<0.42	ug/L	1.0	0.42	1		11/02/23 19:40	75-69-4	
1,2,3-Trichloropropane	<0.56	ug/L	1.0	0.56	1		11/02/23 19:40	96-18-4	
1,2,4-Trimethylbenzene	<0.45	ug/L	1.0	0.45	1		11/02/23 19:40	95-63-6	
1,3,5-Trimethylbenzene	<0.36	ug/L	1.0	0.36	1		11/02/23 19:40	108-67-8	
Vinyl chloride	<0.17	ug/L	1.0	0.17	1		11/02/23 19:40	75-01-4	
Xylene (Total)	<1.0	ug/L	3.0	1.0	1		11/02/23 19:40	1330-20-7	
m&p-Xylene	<0.70	ug/L	2.0	0.70	1		11/02/23 19:40	179601-23-1	
o-Xylene	<0.35	ug/L	1.0	0.35	1		11/02/23 19:40	95-47-6	
Surrogates									
4-Bromofluorobenzene (S)	89	%	70-130		1		11/02/23 19:40	460-00-4	
1,2-Dichlorobenzene-d4 (S)	104	%	70-130		1		11/02/23 19:40	2199-69-1	
Toluene-d8 (S)	97	%	70-130		1		11/02/23 19:40	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



QUALITY CONTROL DATA

Project: 1690005819_CONV ONE-HOUR VALET

Pace Project No.: 40270444

QC Batch: 459583	Analysis Method: EPA 8015B Modified
QC Batch Method: EPA 8015B Modified	Analysis Description: Methane, Ethane, Ethene GCV
	Laboratory: Pace Analytical Services - Green Bay

Associated Lab Samples: 40270444009

METHOD BLANK: 2639445 Matrix: Water

Associated Lab Samples: 40270444009

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
Ethane	ug/L	<0.39	5.6	11/07/23 11:59	
Ethene	ug/L	<0.25	5.0	11/07/23 11:59	
Methane	ug/L	<0.58	2.8	11/07/23 11:59	

LABORATORY CONTROL SAMPLE & LCSD: 2639446 2639447

Parameter	Units	Spike Conc.	LCS Result	LCSD Result	LCS % Rec	LCSD % Rec	% Rec Limits	RPD	Max RPD	Qualifiers
Ethane	ug/L	53.6	54.5	56.0	102	105	80-120	3	20	
Ethene	ug/L	50	50.6	51.9	101	104	80-120	3	20	
Methane	ug/L	28.6	28.2	29.1	99	102	80-120	3	20	

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 2639448 2639449

Parameter	Units	40270370004 Result	MS Spike Conc.	MSD Spike Conc.	MS Result	MSD Result	MS % Rec	MSD % Rec	% Rec Limits	RPD	Max RPD	Qual
Ethane	ug/L	<3.9	536	536	489	519	91	97	77-120	6	20	
Ethene	ug/L	<2.5	500	500	453	476	91	95	76-120	5	20	
Methane	ug/L	1450	286	286	2390	2440	329	346	12-198	2	26	M1

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full, without the written consent of Pace Analytical Services, LLC.



QUALITY CONTROL DATA

Project: 1690005819_CONV ONE-HOUR VALET

Pace Project No.: 40270444

QC Batch: 459812	Analysis Method: EPA 6020B
QC Batch Method: EPA 3010A	Analysis Description: 6020B MET Dissolved
	Laboratory: Pace Analytical Services - Green Bay

Associated Lab Samples: 40270444009

METHOD BLANK: 2640621 Matrix: Water

Associated Lab Samples: 40270444009

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
Iron, Dissolved	ug/L	<58.0	250	11/10/23 09:45	

LABORATORY CONTROL SAMPLE: 2640622

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Iron, Dissolved	ug/L	10000	9510	95	80-120	

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 2640623 2640624

Parameter	Units	2640623		2640624		MS % Rec	MSD % Rec	% Rec Limits	RPD	Max RPD	Qual
		MS Spike Conc.	MSD Spike Conc.	MS Result	MSD Result						
Iron, Dissolved	ug/L	40270451006 <58.0	10000	9810	9690	98	96	75-125	1	20	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full, without the written consent of Pace Analytical Services, LLC.



QUALITY CONTROL DATA

Project: 1690005819_CONV ONE-HOUR VALET

Pace Project No.: 40270444

QC Batch: 459352

Analysis Method: EPA 8260

QC Batch Method: EPA 8260

Analysis Description: 8260 MSV

Laboratory: Pace Analytical Services - Green Bay

Associated Lab Samples: 40270444006, 40270444007, 40270444008, 40270444009, 40270444010

METHOD BLANK: 2638063

Matrix: Water

Associated Lab Samples: 40270444006, 40270444007, 40270444008, 40270444009, 40270444010

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
1,1,1,2-Tetrachloroethane	ug/L	<0.36	1.0	11/02/23 16:41	
1,1,1-Trichloroethane	ug/L	<0.30	1.0	11/02/23 16:41	
1,1,2,2-Tetrachloroethane	ug/L	<0.38	1.0	11/02/23 16:41	
1,1,2-Trichloroethane	ug/L	<0.34	1.0	11/02/23 16:41	
1,1-Dichloroethane	ug/L	<0.30	1.0	11/02/23 16:41	
1,1-Dichloroethene	ug/L	<0.58	1.0	11/02/23 16:41	
1,1-Dichloropropene	ug/L	<0.41	1.0	11/02/23 16:41	
1,2,3-Trichlorobenzene	ug/L	<1.0	5.0	11/02/23 16:41	
1,2,3-Trichloropropane	ug/L	<0.56	1.0	11/02/23 16:41	
1,2,4-Trichlorobenzene	ug/L	<0.95	5.0	11/02/23 16:41	
1,2,4-Trimethylbenzene	ug/L	<0.45	1.0	11/02/23 16:41	
1,2-Dibromo-3-chloropropane	ug/L	<2.4	5.0	11/02/23 16:41	
1,2-Dibromoethane (EDB)	ug/L	<0.31	1.0	11/02/23 16:41	
1,2-Dichlorobenzene	ug/L	<0.33	1.0	11/02/23 16:41	
1,2-Dichloroethane	ug/L	<0.29	1.0	11/02/23 16:41	
1,2-Dichloropropane	ug/L	<0.45	1.0	11/02/23 16:41	
1,3,5-Trimethylbenzene	ug/L	<0.36	1.0	11/02/23 16:41	
1,3-Dichlorobenzene	ug/L	<0.35	1.0	11/02/23 16:41	
1,3-Dichloropropane	ug/L	<0.30	1.0	11/02/23 16:41	
1,4-Dichlorobenzene	ug/L	<0.89	1.0	11/02/23 16:41	
2,2-Dichloropropane	ug/L	<0.42	1.0	11/02/23 16:41	
2-Chlorotoluene	ug/L	<0.89	5.0	11/02/23 16:41	
4-Chlorotoluene	ug/L	<0.89	5.0	11/02/23 16:41	
Benzene	ug/L	<0.30	1.0	11/02/23 16:41	
Bromobenzene	ug/L	<0.36	1.0	11/02/23 16:41	
Bromochloromethane	ug/L	<0.36	1.0	11/02/23 16:41	
Bromodichloromethane	ug/L	<0.42	1.0	11/02/23 16:41	
Bromoform	ug/L	<0.43	1.0	11/02/23 16:41	
Bromomethane	ug/L	<1.2	5.0	11/02/23 16:41	
Carbon tetrachloride	ug/L	<0.37	1.0	11/02/23 16:41	
Chlorobenzene	ug/L	<0.86	1.0	11/02/23 16:41	
Chloroethane	ug/L	<1.4	5.0	11/02/23 16:41	
Chloroform	ug/L	<0.50	5.0	11/02/23 16:41	
Chloromethane	ug/L	<1.6	5.0	11/02/23 16:41	
cis-1,2-Dichloroethene	ug/L	<0.47	1.0	11/02/23 16:41	
cis-1,3-Dichloropropene	ug/L	<0.24	1.0	11/02/23 16:41	
Dibromochloromethane	ug/L	<2.6	5.0	11/02/23 16:41	
Dibromomethane	ug/L	<0.99	5.0	11/02/23 16:41	
Dichlorodifluoromethane	ug/L	<0.46	5.0	11/02/23 16:41	
Diisopropyl ether	ug/L	<1.1	5.0	11/02/23 16:41	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



QUALITY CONTROL DATA

Project: 1690005819_CONV ONE-HOUR VALET

Pace Project No.: 40270444

METHOD BLANK: 2638063

Matrix: Water

Associated Lab Samples: 40270444006, 40270444007, 40270444008, 40270444009, 40270444010

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
Ethylbenzene	ug/L	<0.33	1.0	11/02/23 16:41	
Hexachloro-1,3-butadiene	ug/L	<2.7	5.0	11/02/23 16:41	
Isopropylbenzene (Cumene)	ug/L	<1.0	5.0	11/02/23 16:41	
m&p-Xylene	ug/L	<0.70	2.0	11/02/23 16:41	
Methyl-tert-butyl ether	ug/L	<1.1	5.0	11/02/23 16:41	
Methylene Chloride	ug/L	<0.32	5.0	11/02/23 16:41	
n-Butylbenzene	ug/L	<0.86	1.0	11/02/23 16:41	
n-Propylbenzene	ug/L	<0.35	1.0	11/02/23 16:41	
Naphthalene	ug/L	<1.9	5.0	11/02/23 16:41	
o-Xylene	ug/L	<0.35	1.0	11/02/23 16:41	
p-Isopropyltoluene	ug/L	<1.0	5.0	11/02/23 16:41	
sec-Butylbenzene	ug/L	<0.42	1.0	11/02/23 16:41	
Styrene	ug/L	<0.36	1.0	11/02/23 16:41	
tert-Butylbenzene	ug/L	<0.59	1.0	11/02/23 16:41	
Tetrachloroethene	ug/L	<0.41	1.0	11/02/23 16:41	
Toluene	ug/L	<0.29	1.0	11/02/23 16:41	
trans-1,2-Dichloroethene	ug/L	<0.53	1.0	11/02/23 16:41	
trans-1,3-Dichloropropene	ug/L	<0.27	1.0	11/02/23 16:41	
Trichloroethene	ug/L	<0.32	1.0	11/02/23 16:41	
Trichlorofluoromethane	ug/L	<0.42	1.0	11/02/23 16:41	
Vinyl chloride	ug/L	<0.17	1.0	11/02/23 16:41	
Xylene (Total)	ug/L	<1.0	3.0	11/02/23 16:41	
1,2-Dichlorobenzene-d4 (S)	%	103	70-130	11/02/23 16:41	
4-Bromofluorobenzene (S)	%	89	70-130	11/02/23 16:41	
Toluene-d8 (S)	%	98	70-130	11/02/23 16:41	

LABORATORY CONTROL SAMPLE: 2638064

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
1,1,1-Trichloroethane	ug/L	50	45.1	90	70-132	
1,1,2,2-Tetrachloroethane	ug/L	50	51.1	102	70-130	
1,1,2-Trichloroethane	ug/L	50	55.0	110	70-130	
1,1-Dichloroethane	ug/L	50	47.2	94	70-130	
1,1-Dichloroethene	ug/L	50	50.1	100	73-140	
1,2,4-Trichlorobenzene	ug/L	50	42.9	86	70-130	
1,2-Dibromo-3-chloropropane	ug/L	50	36.6	73	58-130	
1,2-Dibromoethane (EDB)	ug/L	50	49.9	100	70-130	
1,2-Dichlorobenzene	ug/L	50	52.9	106	70-130	
1,2-Dichloroethane	ug/L	50	42.9	86	70-130	
1,2-Dichloropropane	ug/L	50	48.8	98	77-127	
1,3-Dichlorobenzene	ug/L	50	50.6	101	70-130	
1,4-Dichlorobenzene	ug/L	50	52.1	104	70-130	
Benzene	ug/L	50	50.6	101	70-130	
Bromodichloromethane	ug/L	50	47.5	95	70-130	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



QUALITY CONTROL DATA

Project: 1690005819_CONV ONE-HOUR VALET

Pace Project No.: 40270444

LABORATORY CONTROL SAMPLE: 2638064

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Bromoform	ug/L	50	48.8	98	70-130	
Bromomethane	ug/L	50	25.9	52	22-141	
Carbon tetrachloride	ug/L	50	48.9	98	70-135	
Chlorobenzene	ug/L	50	55.2	110	70-130	
Chloroethane	ug/L	50	39.3	79	59-141	
Chloroform	ug/L	50	48.7	97	80-124	
Chloromethane	ug/L	50	27.4	55	29-150	
cis-1,2-Dichloroethene	ug/L	50	49.9	100	70-130	
cis-1,3-Dichloropropene	ug/L	50	42.0	84	70-130	
Dibromochloromethane	ug/L	50	48.2	96	70-130	
Dichlorodifluoromethane	ug/L	50	19.8	40	10-147	
Ethylbenzene	ug/L	50	51.9	104	80-125	
Isopropylbenzene (Cumene)	ug/L	50	49.8	100	70-130	
m&p-Xylene	ug/L	100	108	108	70-130	
Methyl-tert-butyl ether	ug/L	50	37.5	75	64-131	
Methylene Chloride	ug/L	50	50.9	102	70-137	
o-Xylene	ug/L	50	52.4	105	70-130	
Styrene	ug/L	50	62.7	125	70-130	
Tetrachloroethene	ug/L	50	55.4	111	70-130	
Toluene	ug/L	50	53.2	106	80-120	
trans-1,2-Dichloroethene	ug/L	50	52.7	105	70-131	
trans-1,3-Dichloropropene	ug/L	50	41.3	83	70-130	
Trichloroethene	ug/L	50	50.3	101	70-130	
Trichlorofluoromethane	ug/L	50	44.9	90	69-141	
Vinyl chloride	ug/L	50	32.5	65	51-145	
Xylene (Total)	ug/L	150	160	107	70-130	
1,2-Dichlorobenzene-d4 (S)	%			99	70-130	
4-Bromofluorobenzene (S)	%			91	70-130	
Toluene-d8 (S)	%			99	70-130	

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 2638402 2638403

Parameter	Units	MS		MSD		MS Result	MSD Result	MS % Rec	MSD % Rec	% Rec Limits	RPD	Max RPD	Qual
		40270429021	Result	Spike Conc.	Spike Conc.								
1,1,1-Trichloroethane	ug/L	<0.30	50	50	43.5	41.1	87	82	70-132	6	20		
1,1,1,2-Tetrachloroethane	ug/L	<0.38	50	50	48.9	47.7	98	95	70-131	2	20		
1,1,2-Trichloroethane	ug/L	<0.34	50	50	51.2	50.0	102	100	70-130	2	20		
1,1-Dichloroethane	ug/L	<0.30	50	50	45.3	43.4	91	87	70-131	4	20		
1,1-Dichloroethene	ug/L	<0.58	50	50	47.2	45.4	94	91	69-146	4	20		
1,2,4-Trichlorobenzene	ug/L	<0.95	50	50	45.5	46.2	91	92	70-130	2	20		
1,2-Dibromo-3-chloropropane	ug/L	<2.4	50	50	35.4	31.8	71	64	56-130	11	20		
1,2-Dibromoethane (EDB)	ug/L	<0.31	50	50	47.1	46.1	94	92	70-130	2	20		
1,2-Dichlorobenzene	ug/L	<0.33	50	50	52.0	53.0	104	106	70-130	2	20		
1,2-Dichloroethane	ug/L	<0.29	50	50	41.0	40.4	82	81	70-130	1	20		

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full, without the written consent of Pace Analytical Services, LLC.



QUALITY CONTROL DATA

Project: 1690005819_CONV ONE-HOUR VALET

Pace Project No.: 40270444

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 2638402 2638403												
Parameter	Units	MS		MSD		MS Result	MSD Result	MS % Rec	MSD % Rec	% Rec Limits	Max RPD	Qual
		40270429021 Result	Spike Conc.	Spike Conc.	MS Result							
1,2-Dichloropropane	ug/L	<0.45	50	50	47.4	46.7	95	93	77-129	1	20	
1,3-Dichlorobenzene	ug/L	<0.35	50	50	50.5	51.0	101	102	70-130	1	20	
1,4-Dichlorobenzene	ug/L	<0.89	50	50	52.3	52.5	105	105	70-130	0	20	
Benzene	ug/L	<0.30	50	50	48.5	47.1	97	94	70-130	3	20	
Bromodichloromethane	ug/L	<0.42	50	50	46.3	45.7	93	91	70-130	1	20	
Bromoform	ug/L	<0.43	50	50	45.4	44.0	91	88	70-130	3	20	
Bromomethane	ug/L	<1.2	50	50	27.4	30.5	55	61	12-159	11	26	
Carbon tetrachloride	ug/L	<0.37	50	50	46.8	44.4	94	89	70-135	5	20	
Chlorobenzene	ug/L	<0.86	50	50	53.1	52.7	106	105	70-130	1	20	
Chloroethane	ug/L	<1.4	50	50	36.4	35.8	73	72	56-143	2	20	
Chloroform	ug/L	<0.50	50	50	46.8	45.6	94	91	80-126	3	20	
Chloromethane	ug/L	<1.6	50	50	23.7	23.2	47	46	22-156	2	20	
cis-1,2-Dichloroethene	ug/L	<0.47	50	50	48.5	46.6	97	93	70-130	4	20	
cis-1,3-Dichloropropene	ug/L	<0.24	50	50	41.2	40.5	82	81	70-130	2	20	
Dibromochloromethane	ug/L	<2.6	50	50	45.4	44.6	91	89	70-130	2	20	
Dichlorodifluoromethane	ug/L	<0.46	50	50	14.9	15.1	30	30	10-147	1	20	
Ethylbenzene	ug/L	<0.33	50	50	50.0	48.7	100	97	80-126	3	20	
Isopropylbenzene (Cumene)	ug/L	<1.0	50	50	49.0	47.2	98	94	70-130	4	20	
m&p-Xylene	ug/L	<0.70	100	100	104	101	104	101	70-130	3	20	
Methyl-tert-butyl ether	ug/L	<1.1	50	50	35.6	34.8	71	70	64-136	2	20	
Methylene Chloride	ug/L	<0.32	50	50	48.6	48.8	97	98	70-137	0	20	
o-Xylene	ug/L	<0.35	50	50	50.6	49.6	101	99	70-130	2	20	
Styrene	ug/L	<0.36	50	50	60.0	59.2	120	118	70-133	1	20	
Tetrachloroethene	ug/L	<0.41	50	50	53.9	51.3	108	103	70-131	5	20	
Toluene	ug/L	<0.29	50	50	51.3	49.6	103	99	80-121	3	20	
trans-1,2-Dichloroethene	ug/L	<0.53	50	50	50.2	47.6	100	95	70-135	5	20	
trans-1,3-Dichloropropene	ug/L	<0.27	50	50	39.9	39.1	80	78	70-130	2	20	
Trichloroethene	ug/L	<0.32	50	50	48.1	46.3	96	93	70-130	4	20	
Trichlorofluoromethane	ug/L	<0.42	50	50	40.7	39.9	81	80	67-142	2	20	
Vinyl chloride	ug/L	<0.17	50	50	29.9	29.3	60	59	45-147	2	20	
Xylene (Total)	ug/L	<1.0	150	150	155	151	103	100	70-130	3	20	
1,2-Dichlorobenzene-d4 (S)	%						99	100	70-130			
4-Bromofluorobenzene (S)	%						90	92	70-130			
Toluene-d8 (S)	%						99	100	70-130			

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



QUALITY CONTROL DATA

Project: 1690005819_CONV ONE-HOUR VALET

Pace Project No.: 40270444

QC Batch: 459353

Analysis Method: EPA 8260

QC Batch Method: EPA 8260

Analysis Description: 8260 MSV

Laboratory: Pace Analytical Services - Green Bay

Associated Lab Samples: 40270444001, 40270444002, 40270444003, 40270444004, 40270444005

METHOD BLANK: 2638066

Matrix: Water

Associated Lab Samples: 40270444001, 40270444002, 40270444003, 40270444004, 40270444005

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
1,1,1,2-Tetrachloroethane	ug/L	<0.36	1.0	11/03/23 08:24	
1,1,1-Trichloroethane	ug/L	<0.30	1.0	11/03/23 08:24	
1,1,2,2-Tetrachloroethane	ug/L	<0.38	1.0	11/03/23 08:24	
1,1,2-Trichloroethane	ug/L	<0.34	1.0	11/03/23 08:24	
1,1-Dichloroethane	ug/L	<0.30	1.0	11/03/23 08:24	
1,1-Dichloroethene	ug/L	<0.58	1.0	11/03/23 08:24	
1,1-Dichloropropene	ug/L	<0.41	1.0	11/03/23 08:24	
1,2,3-Trichlorobenzene	ug/L	<1.0	5.0	11/03/23 08:24	
1,2,3-Trichloropropane	ug/L	<0.56	1.0	11/03/23 08:24	
1,2,4-Trichlorobenzene	ug/L	<0.95	5.0	11/03/23 08:24	
1,2,4-Trimethylbenzene	ug/L	<0.45	1.0	11/03/23 08:24	
1,2-Dibromo-3-chloropropane	ug/L	<2.4	5.0	11/03/23 08:24	
1,2-Dibromoethane (EDB)	ug/L	<0.31	1.0	11/03/23 08:24	
1,2-Dichlorobenzene	ug/L	<0.33	1.0	11/03/23 08:24	
1,2-Dichloroethane	ug/L	<0.29	1.0	11/03/23 08:24	
1,2-Dichloropropane	ug/L	<0.45	1.0	11/03/23 08:24	
1,3,5-Trimethylbenzene	ug/L	<0.36	1.0	11/03/23 08:24	
1,3-Dichlorobenzene	ug/L	<0.35	1.0	11/03/23 08:24	
1,3-Dichloropropane	ug/L	<0.30	1.0	11/03/23 08:24	
1,4-Dichlorobenzene	ug/L	<0.89	1.0	11/03/23 08:24	
2,2-Dichloropropane	ug/L	<0.42	1.0	11/03/23 08:24	
2-Chlorotoluene	ug/L	<0.89	5.0	11/03/23 08:24	
4-Chlorotoluene	ug/L	<0.89	5.0	11/03/23 08:24	
Benzene	ug/L	<0.30	1.0	11/03/23 08:24	
Bromobenzene	ug/L	<0.36	1.0	11/03/23 08:24	
Bromochloromethane	ug/L	<0.36	1.0	11/03/23 08:24	
Bromodichloromethane	ug/L	<0.42	1.0	11/03/23 08:24	
Bromoform	ug/L	<0.43	1.0	11/03/23 08:24	
Bromomethane	ug/L	<1.2	5.0	11/03/23 08:24	
Carbon tetrachloride	ug/L	<0.37	1.0	11/03/23 08:24	
Chlorobenzene	ug/L	<0.86	1.0	11/03/23 08:24	
Chloroethane	ug/L	<1.4	5.0	11/03/23 08:24	
Chloroform	ug/L	<0.50	5.0	11/03/23 08:24	
Chloromethane	ug/L	<1.6	5.0	11/03/23 08:24	
cis-1,2-Dichloroethene	ug/L	<0.47	1.0	11/03/23 08:24	
cis-1,3-Dichloropropene	ug/L	<0.24	1.0	11/03/23 08:24	
Dibromochloromethane	ug/L	<2.6	5.0	11/03/23 08:24	
Dibromomethane	ug/L	<0.99	5.0	11/03/23 08:24	
Dichlorodifluoromethane	ug/L	<0.46	5.0	11/03/23 08:24	
Diisopropyl ether	ug/L	<1.1	5.0	11/03/23 08:24	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full, without the written consent of Pace Analytical Services, LLC.



QUALITY CONTROL DATA

Project: 1690005819_CONV ONE-HOUR VALET

Pace Project No.: 40270444

METHOD BLANK: 2638066

Matrix: Water

Associated Lab Samples: 40270444001, 40270444002, 40270444003, 40270444004, 40270444005

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
Ethylbenzene	ug/L	<0.33	1.0	11/03/23 08:24	
Hexachloro-1,3-butadiene	ug/L	<2.7	5.0	11/03/23 08:24	
Isopropylbenzene (Cumene)	ug/L	<1.0	5.0	11/03/23 08:24	
m&p-Xylene	ug/L	<0.70	2.0	11/03/23 08:24	
Methyl-tert-butyl ether	ug/L	<1.1	5.0	11/03/23 08:24	
Methylene Chloride	ug/L	<0.32	5.0	11/03/23 08:24	
n-Butylbenzene	ug/L	<0.86	1.0	11/03/23 08:24	
n-Propylbenzene	ug/L	<0.35	1.0	11/03/23 08:24	
Naphthalene	ug/L	<1.9	5.0	11/03/23 08:24	
o-Xylene	ug/L	<0.35	1.0	11/03/23 08:24	
p-Isopropyltoluene	ug/L	<1.0	5.0	11/03/23 08:24	
sec-Butylbenzene	ug/L	<0.42	1.0	11/03/23 08:24	
Styrene	ug/L	<0.36	1.0	11/03/23 08:24	
tert-Butylbenzene	ug/L	<0.59	1.0	11/03/23 08:24	
Tetrachloroethene	ug/L	<0.41	1.0	11/03/23 08:24	
Toluene	ug/L	<0.29	1.0	11/03/23 08:24	
trans-1,2-Dichloroethene	ug/L	<0.53	1.0	11/03/23 08:24	
trans-1,3-Dichloropropene	ug/L	<0.27	1.0	11/03/23 08:24	
Trichloroethene	ug/L	<0.32	1.0	11/03/23 08:24	
Trichlorofluoromethane	ug/L	<0.42	1.0	11/03/23 08:24	
Vinyl chloride	ug/L	<0.17	1.0	11/03/23 08:24	
Xylene (Total)	ug/L	<1.0	3.0	11/03/23 08:24	
1,2-Dichlorobenzene-d4 (S)	%	102	70-130	11/03/23 08:24	
4-Bromofluorobenzene (S)	%	88	70-130	11/03/23 08:24	
Toluene-d8 (S)	%	98	70-130	11/03/23 08:24	

LABORATORY CONTROL SAMPLE: 2638067

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
1,1,1-Trichloroethane	ug/L	50	46.6	93	70-132	
1,1,2,2-Tetrachloroethane	ug/L	50	52.3	105	70-130	
1,1,2-Trichloroethane	ug/L	50	53.0	106	70-130	
1,1-Dichloroethane	ug/L	50	49.0	98	70-130	
1,1-Dichloroethene	ug/L	50	54.2	108	73-140	
1,2,4-Trichlorobenzene	ug/L	50	43.7	87	70-130	
1,2-Dibromo-3-chloropropane	ug/L	50	38.0	76	58-130	
1,2-Dibromoethane (EDB)	ug/L	50	50.4	101	70-130	
1,2-Dichlorobenzene	ug/L	50	52.7	105	70-130	
1,2-Dichloroethane	ug/L	50	44.6	89	70-130	
1,2-Dichloropropane	ug/L	50	49.8	100	77-127	
1,3-Dichlorobenzene	ug/L	50	50.7	101	70-130	
1,4-Dichlorobenzene	ug/L	50	52.1	104	70-130	
Benzene	ug/L	50	52.0	104	70-130	
Bromodichloromethane	ug/L	50	47.5	95	70-130	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full, without the written consent of Pace Analytical Services, LLC.



QUALITY CONTROL DATA

Project: 1690005819_CONV ONE-HOUR VALET

Pace Project No.: 40270444

LABORATORY CONTROL SAMPLE: 2638067

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Bromoform	ug/L	50	46.8	94	70-130	
Bromomethane	ug/L	50	36.8	74	22-141	
Carbon tetrachloride	ug/L	50	50.1	100	70-135	
Chlorobenzene	ug/L	50	55.0	110	70-130	
Chloroethane	ug/L	50	47.6	95	59-141	
Chloroform	ug/L	50	49.6	99	80-124	
Chloromethane	ug/L	50	43.4	87	29-150	
cis-1,2-Dichloroethene	ug/L	50	51.4	103	70-130	
cis-1,3-Dichloropropene	ug/L	50	43.2	86	70-130	
Dibromochloromethane	ug/L	50	47.7	95	70-130	
Dichlorodifluoromethane	ug/L	50	43.4	87	10-147	
Ethylbenzene	ug/L	50	51.8	104	80-125	
Isopropylbenzene (Cumene)	ug/L	50	49.2	98	70-130	
m&p-Xylene	ug/L	100	107	107	70-130	
Methyl-tert-butyl ether	ug/L	50	39.7	79	64-131	
Methylene Chloride	ug/L	50	54.6	109	70-137	
o-Xylene	ug/L	50	52.1	104	70-130	
Styrene	ug/L	50	61.4	123	70-130	
Tetrachloroethene	ug/L	50	55.6	111	70-130	
Toluene	ug/L	50	53.5	107	80-120	
trans-1,2-Dichloroethene	ug/L	50	54.7	109	70-131	
trans-1,3-Dichloropropene	ug/L	50	42.0	84	70-130	
Trichloroethene	ug/L	50	51.3	103	70-130	
Trichlorofluoromethane	ug/L	50	50.6	101	69-141	
Vinyl chloride	ug/L	50	47.0	94	51-145	
Xylene (Total)	ug/L	150	159	106	70-130	
1,2-Dichlorobenzene-d4 (S)	%			100	70-130	
4-Bromofluorobenzene (S)	%			92	70-130	
Toluene-d8 (S)	%			100	70-130	

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 2638530 2638531

Parameter	Units	MS		MSD		MS Result	MSD Result	MS % Rec	MSD % Rec	% Rec Limits	RPD	Max RPD	Qual
		40270444003	Result	Spike Conc.	Spike Conc.								
1,1,1-Trichloroethane	ug/L	<0.30	50	50	44.0	44.3	88	89	70-132	1	20		
1,1,2,2-Tetrachloroethane	ug/L	<0.38	50	50	48.6	48.3	97	97	70-131	1	20		
1,1,2-Trichloroethane	ug/L	<0.34	50	50	49.0	48.7	98	97	70-130	1	20		
1,1-Dichloroethane	ug/L	<0.30	50	50	47.1	50.4	94	101	70-131	7	20		
1,1-Dichloroethene	ug/L	<0.58	50	50	53.6	57.4	107	115	69-146	7	20		
1,2,4-Trichlorobenzene	ug/L	<0.95	50	50	44.2	46.4	88	93	70-130	5	20		
1,2-Dibromo-3-chloropropane	ug/L	<2.4	50	50	35.3	34.9	71	70	56-130	1	20		
1,2-Dibromoethane (EDB)	ug/L	<0.31	50	50	45.2	45.7	90	91	70-130	1	20		
1,2-Dichlorobenzene	ug/L	<0.33	50	50	50.9	53.0	102	106	70-130	4	20		
1,2-Dichloroethane	ug/L	<0.29	50	50	42.5	46.2	85	92	70-130	8	20		

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full, without the written consent of Pace Analytical Services, LLC.



QUALITY CONTROL DATA

Project: 1690005819_CONV ONE-HOUR VALET

Pace Project No.: 40270444

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 2638530 2638531												
Parameter	Units	MS		MSD		MS		MSD		% Rec Limits	Max RPD	Qual
		40270444003	Spike Conc.	Spike Conc.	Result	Result	% Rec	% Rec				
1,2-Dichloropropane	ug/L	<0.45	50	50	46.6	47.2	93	94	77-129	1	20	
1,3-Dichlorobenzene	ug/L	<0.35	50	50	48.8	51.9	98	104	70-130	6	20	
1,4-Dichlorobenzene	ug/L	<0.89	50	50	50.5	52.7	101	105	70-130	4	20	
Benzene	ug/L	<0.30	50	50	49.1	51.2	98	102	70-130	4	20	
Bromodichloromethane	ug/L	<0.42	50	50	45.7	47.2	91	94	70-130	3	20	
Bromoform	ug/L	<0.43	50	50	42.7	42.2	85	84	70-130	1	20	
Bromomethane	ug/L	<1.2	50	50	44.9	52.9	90	106	12-159	16	26	
Carbon tetrachloride	ug/L	<0.37	50	50	47.0	47.2	94	94	70-135	0	20	
Chlorobenzene	ug/L	<0.86	50	50	52.6	54.9	105	110	70-130	4	20	
Chloroethane	ug/L	<1.4	50	50	49.3	51.9	99	104	56-143	5	20	
Chloroform	ug/L	<0.50	50	50	47.1	51.3	94	103	80-126	8	20	
Chloromethane	ug/L	<1.6	50	50	50.1	54.5	100	109	22-156	8	20	
cis-1,2-Dichloroethene	ug/L	2.7	50	50	52.4	56.6	99	108	70-130	8	20	
cis-1,3-Dichloropropene	ug/L	<0.24	50	50	40.1	41.2	80	82	70-130	3	20	
Dibromochloromethane	ug/L	<2.6	50	50	43.1	42.2	86	84	70-130	2	20	
Dichlorodifluoromethane	ug/L	<0.46	50	50	58.0	62.6	116	125	10-147	8	20	
Ethylbenzene	ug/L	<0.33	50	50	49.2	51.5	98	103	80-126	5	20	
Isopropylbenzene (Cumene)	ug/L	<1.0	50	50	46.8	49.4	94	99	70-130	5	20	
m&p-Xylene	ug/L	<0.70	100	100	101	108	101	108	70-130	6	20	
Methyl-tert-butyl ether	ug/L	<1.1	50	50	38.0	40.0	76	80	64-136	5	20	
Methylene Chloride	ug/L	<0.32	50	50	52.8	55.4	106	111	70-137	5	20	
o-Xylene	ug/L	<0.35	50	50	49.7	52.5	99	105	70-130	5	20	
Styrene	ug/L	<0.36	50	50	58.9	62.2	118	124	70-133	5	20	
Tetrachloroethene	ug/L	<0.41	50	50	52.7	54.4	105	109	70-131	3	20	
Toluene	ug/L	<0.29	50	50	51.0	53.3	102	107	80-121	4	20	
trans-1,2-Dichloroethene	ug/L	<0.53	50	50	53.3	57.3	107	115	70-135	7	20	
trans-1,3-Dichloropropene	ug/L	<0.27	50	50	37.9	36.9	76	74	70-130	3	20	
Trichloroethene	ug/L	<0.32	50	50	47.8	48.2	96	96	70-130	1	20	
Trichlorofluoromethane	ug/L	<0.42	50	50	51.1	53.2	102	106	67-142	4	20	
Vinyl chloride	ug/L	1.1	50	50	52.3	54.6	102	107	45-147	4	20	
Xylene (Total)	ug/L	<1.0	150	150	151	160	101	107	70-130	6	20	
1,2-Dichlorobenzene-d4 (S)	%						101	100	70-130			
4-Bromofluorobenzene (S)	%						91	92	70-130			
Toluene-d8 (S)	%						100	100	70-130			

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full, without the written consent of Pace Analytical Services, LLC.



QUALITY CONTROL DATA

Project: 1690005819_CONV ONE-HOUR VALET

Pace Project No.: 40270444

QC Batch: 460280

Analysis Method: EPA 300.0

QC Batch Method: EPA 300.0

Analysis Description: 300.0 IC Anions

Laboratory: Pace Analytical Services - Green Bay

Associated Lab Samples: 40270444009

METHOD BLANK: 2643233

Matrix: Water

Associated Lab Samples: 40270444009

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
Sulfate	mg/L	<0.44	2.0	11/14/23 19:13	

LABORATORY CONTROL SAMPLE: 2643234

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Sulfate	mg/L	20	20.3	101	90-110	

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 2643235 2643236

Parameter	Units	40270436004		2643235		2643236		% Rec Limits	RPD	Max RPD	Qual	
		MS Result	MS Spike Conc.	MSD Result	MSD Spike Conc.	MS Result	MSD Result					MS % Rec
Sulfate	mg/L	14.6	100	100	100	122	122	107	107	90-110	0	15

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 2643237 2643238

Parameter	Units	40270458001		2643237		2643238		% Rec Limits	RPD	Max RPD	Qual	
		MS Result	MS Spike Conc.	MSD Result	MSD Spike Conc.	MS Result	MSD Result					MS % Rec
Sulfate	mg/L	53.5	400	400	400	464	489	103	109	90-110	5	15

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full, without the written consent of Pace Analytical Services, LLC.



QUALITY CONTROL DATA

Project: 1690005819_CONV ONE-HOUR VALET

Pace Project No.: 40270444

QC Batch: 459946	Analysis Method: SM 5310C
QC Batch Method: SM 5310C	Analysis Description: 5310C Total Organic Carbon
	Laboratory: Pace Analytical Services - Green Bay

Associated Lab Samples: 40270444009

METHOD BLANK: 2641234 Matrix: Water

Associated Lab Samples: 40270444009

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
Total Organic Carbon	mg/L	<0.19	0.50	11/09/23 07:34	

LABORATORY CONTROL SAMPLE: 2641235

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Total Organic Carbon	mg/L	12.5	13.4	107	80-120	

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 2641236 2641237

Parameter	Units	2641236		2641237		MS % Rec	MSD % Rec	% Rec Limits	RPD	Max RPD	Qual
		MS Spike Conc.	MSD Spike Conc.	MS Result	MSD Result						
Total Organic Carbon	mg/L	7.2	18	24.9	24.9	98	98	80-120	0	10	

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 2641238 2641239

Parameter	Units	2641238		2641239		MS % Rec	MSD % Rec	% Rec Limits	RPD	Max RPD	Qual
		MS Spike Conc.	MSD Spike Conc.	MS Result	MSD Result						
Total Organic Carbon	mg/L	0.97	6	7.0	7.2	101	103	80-120	2	10	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full, without the written consent of Pace Analytical Services, LLC.



QUALIFIERS

Project: 1690005819_CONV ONE-HOUR VALET

Pace Project No.: 40270444

DEFINITIONS

DF - Dilution Factor, if reported, represents the factor applied to the reported data due to dilution of the sample aliquot.

ND - Not Detected at or above LOD.

J - Estimated concentration at or above the LOD and below the LOQ.

LOD - Limit of Detection adjusted for dilution factor, percent moisture, initial weight and final volume.

LOQ - Limit of Quantitation adjusted for dilution factor, percent moisture, initial weight and final volume.

DL - Adjusted Method Detection Limit.

S - Surrogate

1,2-Diphenylhydrazine decomposes to and cannot be separated from Azobenzene using Method 8270. The result for each analyte is a combined concentration.

Consistent with EPA guidelines, unrounded data are displayed and have been used to calculate % recovery and RPD values.

LCS(D) - Laboratory Control Sample (Duplicate)

MS(D) - Matrix Spike (Duplicate)

DUP - Sample Duplicate

RPD - Relative Percent Difference

NC - Not Calculable.

SG - Silica Gel - Clean-Up

U - Indicates the compound was analyzed for, but not detected at or above the adjusted LOD.

N-Nitrosodiphenylamine decomposes and cannot be separated from Diphenylamine using Method 8270. The result reported for each analyte is a combined concentration.

Pace Analytical is TNI accredited. Contact your Pace PM for the current list of accredited analytes.

TNI - The NELAC Institute.

ANALYTE QUALIFIERS

1q Dilution for calculation purposes only.

D3 Sample was diluted due to the presence of high levels of non-target analytes or other matrix interference.

M1 Matrix spike recovery exceeded QC limits. Batch accepted based on laboratory control sample (LCS) recovery.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



QUALITY CONTROL DATA CROSS REFERENCE TABLE

Project: 1690005819_CONV ONE-HOUR VALET

Pace Project No.: 40270444

Lab ID	Sample ID	QC Batch Method	QC Batch	Analytical Method	Analytical Batch
40270444009	PZ-1R	EPA 8015B Modified	459583		
40270444009	PZ-1R	EPA 3010A	459812	EPA 6020B	459925
40270444001	MW-7	EPA 8260	459353		
40270444002	MW-3	EPA 8260	459353		
40270444003	MW-6	EPA 8260	459353		
40270444004	MW-6 DUP	EPA 8260	459353		
40270444005	PZ-2R	EPA 8260	459353		
40270444006	PZ-4	EPA 8260	459352		
40270444007	MW-5	EPA 8260	459352		
40270444008	MW-4	EPA 8260	459352		
40270444009	PZ-1R	EPA 8260	459352		
40270444010	TRIP BLANK	EPA 8260	459352		
40270444009	PZ-1R	HACH 8146	460621		
40270444009	PZ-1R	EPA 300.0	460280		
40270444009	PZ-1R	SM 5310C	459946		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full, without the written consent of Pace Analytical Services, LLC.

40270444

Pace
 Pace* Location Requested (City/State)
 Pace Analytical Green Bay
 1241 Bellevue Street, Suite 9
 Green Bay, WI 54302

Company Name: Ramboll US Consulting, Inc.
 Street Address: 234 W. Florida Street, Fifth Floor
 Milwaukee, WI 53204

Customer Project #.
 Project Name: 1690005819_Conv One-Hour Valet

Site Collection Info/Facility ID (as applicable).


CHAIN-OF-CUSTODY Analytical Request Document
 Chain-of-Custody is a LEGAL DOCUMENT - Complete all relevant fields

Contact/Report To: SPETROFSKE@RAMBOLL.COM
 Phone #: PLINDQUIST@RAMBOLL.COM
 E-Mail:
 Cc E-Mail:

Invoice To:
 Invoice E-Mail:

Purchase Order # (if applicable)
 Quote #

LAB USE ONLY- Affix Workorder/Login Label Here



Scan QR Code for instructions

Specify Container Size **
 6 3 6 3 4 6 6

Identify Container Preservative Type**
 4 2 4 1 3 4 4

***Container Size (1) 1L, (2) 500mL, (3) 250mL, (4) 125mL, (5) 100mL, (6) 40mL vial, (7) EnCore, (8) TerraCore, (9) Other

***Preservative Types (1) None, (2) HNO3, (3) H2SO4, (4) HCl, (5) NaOH, (6) Zn Acetate, (7) NaHSO4, (8) Sod Thiosulfate, (9) Ascorbic Acid, (10) MeOH, (11) Other

Time Zone Collected. AK PT MT CT ET

Data Deliverables
 Level II Level III Level IV
 EQUIS
 Other

Country / State origin of sample(s) Wisconsin

Regulatory Program (DW, RCRA, etc.) as applicable

Rush (Pre-approval required):
 2 Day 3 day 5 day Other

Date Results Requested: STD

DW PWSID # or WW Permit # as applicable

Field Filtered (if applicable) Yes No
 Analysis: IRON

Ferrous Iron									
Methane (Filtered)									
Methane, Ethane, and Ethene Sulfate									
TOC by 8310									
Triph Blank									
VOC by 8260									

Proj Mgr:
 Steven Mieczko
 AcctNum / Client ID:
 Table #
 Profile / Template:
 1
 Preglog / Bottle Ord ID:
 1149386

Sample Comment

* Matrix Codes (Insert in Matrix box below). Drinking Water (DW), Ground Water (GW), Waste Water (WW), Product (P), Soil/Solid (SS), Oil (OL), Wipe (WP), Tissue (TS), Bioassay (B), Vapor (V), Other (OT), Surface Water (SW), Sediment (SED), Sludge (SL), Caulk

Customer Sample ID	Matrix *	Comp / Grab	Collected (or Composite Start)		Composite End		Res. CL2	Number & Type of Containers		Methane (Filtered)	Methane, Ethane, and Ethene Sulfate	TOC by 8310	Triph Blank	VOC by 8260	Sample Comment
			Date	Time	Date	Time		Plastic	Glass						
MW-7	WT	G	10-31-23	830					3						001
MW-3	WT			925											002
MW-6	WT			1021											003
MW-6 DUP	WT			1026											004
PZ-2R	WT			1106											005
PZ-4	WT			1150											006
MW-5	WT			1230											007
MW-4	WT			1316											008
PZ-1R				1415				2	11	X	X	X	X	X	009
TRIP BLANK				-					2				X		010

Customer Remarks / Special Conditions / Possible Hazards:

Relinquished by/Company (Signature): *[Signature]* RANBOLL
 Date/Time: 11-1-23 15:15

Relinquished by/Company (Signature):
 Date/Time:

Relinquished by/Company (Signature):
 Date/Time:

Relinquished by/Company (Signature):
 Date/Time:

Collected By: D. GLASFORD
 Printed Name: Douglas Ford
 Signature: *[Signature]*

Received by/Company (Signature): *[Signature]* Pace
 Date/Time: 11/01/2023 15:15

Received by/Company (Signature):
 Date/Time:

Received by/Company (Signature):
 Date/Time:

Received by/Company (Signature):
 Date/Time:

Additional Instructions from Pace*:
 Date/Time: 11/01/23
 Thermometer ID: 1131
 Correction Factor (°C): -0.5
 Obs Temp (°C): 1.0
 Corrected Temp (°C): 0.5

Tracking Number: NA

Delivered by In-Person Courier
 FedEx UPS Other

Page: 1 of 1

Effective Date: 8/16/2022

Client Name: Ramboll

Sample Preservation Receipt Form

Project # 40220444

All containers needing preservation have been checked and noted below:

Yes No N/A

Lab Lot# of pH paper: 1080134

Lab Std #ID of preservation (if pH adjusted):

Initial when completed: TJW Date/Time:

Pace Lab #	Glass							Plastic					Vials				Jars			General		VOA Vials (>6mm) *	H2SO4 pH ≤2	NaOH+Zn Act pH ≥9	NaOH pH ≥12	HNO3 pH ≤2	pH after adjusted	Volume (mL)							
	AG1U	BG1U	AG1H	AG4S	AG5U	AG2S	BG3U	BP1U	BP3U	BP3B	BP3N	BP3S	BP2Z	VG9C	DG9T	VG9U	VG9H	VG9M	VG9D	JGFU	JG9U								WGFU	WPFU	SP5T	ZPLC	GN 1	GN 2	
001																3																			2.5 / 5
002																3																			2.5 / 5
003																3																			2.5 / 5
004																3																			2.5 / 5
005																3																			2.5 / 5
006																3																			2.5 / 5
007																3																			2.5 / 5
008																3																			2.5 / 5
009																3																			2.5 / 5
010																2																			2.5 / 5
011																																			2.5 / 5
012																																			2.5 / 5
013																																			2.5 / 5
014																																			2.5 / 5
015																																			2.5 / 5
016																																			2.5 / 5
017																																			2.5 / 5
018																																			2.5 / 5
019																																			2.5 / 5
020																																			2.5 / 5

11/01/23
TJW

Exceptions to preservation check: VOA, Coliform, TOC, TOX, TOH, O&G, WI DRO, Phenolics, Other: _____ Headspace in VOA Vials (>6mm): Yes No N/A *If yes look in headspace column

AG1U	1 liter amber glass	BP1U	1 liter plastic unpres	VG9C	40 mL clear ascorbic w/ HCl	JGFU	4 oz amber jar unpres
BG1U	1 liter clear glass	BP3U	250 mL plastic unpres	DG9T	40 mL amber Na Thio	JG9U	9 oz amber jar unpres
AG1H	1 liter amber glass HCL	BP3B	250 mL plastic NaOH	VG9U	40 mL clear vial unpres	WGFU	4 oz clear jar unpres
AG4S	125 mL amber glass H2SO4	BP3N	250 mL plastic HNO3	VG9H	40 mL clear vial HCL	WPFU	4 oz plastic jar unpres
AG5U	100 mL amber glass unpres	BP3S	250 mL plastic H2SO4	VG9M	40 mL clear vial MeOH	SP5T	120 mL plastic Na Thiosulfate
AG2S	500 mL amber glass H2SO4	BP2Z	500 mL plastic NaOH + Zn	VG9D	40 mL clear vial DI	ZPLC	ziploc bag
BG3U	250 mL clear glass unpres					GN 1	
						GN 2	

Sample Condition Upon Receipt Form (SCUR)

Project #:

Client Name: Ramboll

WO#: **40270444**



Courier: CS Logistics Fed Ex Speedee UPS Waltco
 Client Pace Other: _____

Tracking #: _____

Custody Seal on Cooler/Box Present: yes no Seals intact: yes no

Custody Seal on Samples Present: yes no Seals intact: yes no

Packing Material: Bubble Wrap Bubble Bags None Other

Thermometer Used SR-131 Type of Ice: Wet Blue Dry None Meltwater Only

Cooler Temperature Uncorr: -0.5 / Corr: 0.3 0.5

Temp Blank Present: yes no 10/11/23 TSW Biological Tissue is Frozen: yes no

Temp should be above freezing to 6°C.

Biota Samples may be received at ≤ 0°C if shipped on Dry Ice.

Person examining contents:

Date: 11/1/23 / Initials: TJSW

Labeled By Initials: SG

Chain of Custody Present:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	1.
Chain of Custody Filled Out:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	2.
Chain of Custody Relinquished:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	3.
Sampler Name & Signature on COC:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	4.
Samples Arrived within Hold Time:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	5.
- DI VOA Samples frozen upon receipt	<input type="checkbox"/> Yes <input type="checkbox"/> No	Date/Time:
Short Hold Time Analysis (<72hr):	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	6.
Rush Turn Around Time Requested:	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	7.
Sufficient Volume:		8.
For Analysis: <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No MS/MSD: <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A		
Correct Containers Used:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	9.
Correct Type: <u>Pace Green Bay, Pace IR, Non-Pace</u>		
Containers Intact:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	10.
Filtered volume received for Dissolved tests	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	11.
Sample Labels match COC:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	12.
-Includes date/time/ID/Analysis Matrix: <u>W</u>		
Trip Blank Present:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	13.
Trip Blank Custody Seals Present	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	
Pace Trip Blank Lot # (if purchased): <u>467</u>		

Client Notification/ Resolution:

If checked, see attached form for additional comments

Person Contacted: _____ Date/Time: _____

Comments/ Resolution: _____

PM Review is documented electronically in LIMS. By releasing the project, the PM acknowledges they have reviewed the sample logi



Report of Analysis

Pace Analytical Services, LLC
1241 Bellevue Street
Suite 9
Green Bay, WI 54302
Attention: Steven Mleczeko

Project Name: 1690005819_CONV ONE-HOUR VALET

Project Number: 40270444

Lot Number: **YK03013**

Date Completed: 11/13/2023

11/14/2023 4:15 PM

Approved and released by:
Project Coordinator 1: **Jenna S. Holliday**



The electronic signature above is the equivalent of a handwritten signature.
This report shall not be reproduced, except in its entirety, without the written approval of Pace Analytical Services, LLC.

PACE ANALYTICAL SERVICES, LLC

SC DHEC No: 32010001

NELAC No: E87653

NC DENR No: 329

NC Field Parameters No: 5639

Case Narrative Pace Analytical Services, LLC Lot Number: YK03013

This Report of Analysis contains the analytical result(s) for the sample(s) listed on the Sample Summary following this Case Narrative. The sample receiving date is documented in the header information associated with each sample.

All results listed in this report relate only to the samples that are contained within this report. Where sampling is conducted by the client, results relate to the accuracy of the information provided, and as the samples are received.

Sample receipt, sample analysis, and data review have been performed in accordance with the most current approved The NELAC Institute (TNI) standards, the Pace Analytical Services, LLC ("Pace") Laboratory Quality Manual, standard operating procedures (SOPs), and Pace policies. Any exceptions to the TNI standards, the Laboratory Quality Manual, SOPs or policies are qualified on the results page or discussed below.

Pace is a TNI accredited laboratory; however, the following analyses are currently not listed on our TNI scope of accreditation: E. coli and Total coliforms SM 9223 B-2004, Solid Chemical Material: TOC Walkley-Black, Biological Tissue: All, Non-Potable Water: SGT-HEM EPA 1664B, Silica EPA 200.7, Boron, Calcium, Silicon, Strontium EPA 200.8, Bicarbonate, Carbonate, and Hydroxide Alkalinity SM 2320 B-2011, SM 9221 C E-2006 & SM 9222D-2006, Strontium SW-846 6010D, VOC SM 6200 B-2011, Fecal Coliform Colilert-18. If you have any questions regarding this report, please contact the Pace Project Manager listed on the cover page.

Ferrous Iron Analysis

Sample YK03013-001 was received and analyzed outside of holding time.

PACE ANALYTICAL SERVICES, LLC

Sample Summary

Pace Analytical Services, LLC

Lot Number: YK03013

Project Name: 1690005819_CONV ONE-HOUR VALET

Project Number: 40270444

Sample Number	Sample ID	Matrix	Date Sampled	Date Received
001	PZ-1R	Aqueous	10/31/2023 1415	11/03/2023

(1 sample)

PACE ANALYTICAL SERVICES, LLC

Detection Summary

Pace Analytical Services, LLC

Lot Number: YK03013

Project Name: 1690005819_CONV ONE-HOUR VALET

Project Number: 40270444

Sample	Sample ID	Matrix	Parameter	Method	Result	Q	Units	Page
001	PZ-1R	Aqueous	Ferrous Iron	SM 3500-Fe B-	10	H	mg/L	5

(1 detection)

Inorganic non-metals

Client: Pace Analytical Services, LLC	Laboratory ID: YK03013-001
Description: PZ-1R	Matrix: Aqueous
Date Sampled: 10/31/2023 1415	Project Name: 1690005819_CONV ONE-HOUR
Date Received: 11/03/2023	Project Number: 40270444

Run	Prep Method	Analytical Method	Dilution	Analysis Date	Analyst	Prep Date	Batch
1	(Ferrous Iron)	SM 3500-Fe B-2011	10	11/03/2023 2125	DAT		89185

Parameter	CAS Number	Analytical Method	Result	Q	LOQ	Units	Run
Ferrous Iron		SM 3500-Fe B-2	10	H	0.50	mg/L	1

LOQ = Limit of Quantitation B = Detected in the method blank E = Quantitation of compound exceeded the calibration range Q = Surrogate failure
 ND = Not detected at or above the LOQ N = Recovery is out of criteria P = The RPD between two GC columns exceeds 40% L = LCS/LCSD failure
 H = Out of holding time W = Reported on wet weight basis S = MS/MSD failure

Pace Analytical Services, LLC (formerly Shealy Environmental Services, Inc.)
 106 Vantage Point Drive West Columbia, SC 29172 (803) 791-9700 Fax (803) 791-9111 www.pacelabs.com

QC Summary

Inorganic non-metals - MB

Sample ID: YQ89185-001

Matrix: Aqueous

Batch: 89185

Analytical Method: SM 3500-Fe B-2011

Parameter	Result	Q	Dil	LOQ	Units	Analysis Date
Ferrous Iron	ND		1	0.050	mg/L	11/03/2023 2018

LOQ = Limit of Quantitation

ND = Not detected at or above the LOQ

N = Recovery is out of criteria

P = The RPD between two GC columns exceeds 40%

* = RSD is out of criteria

+ = RPD is out of criteria

Note: Calculations are performed before rounding to avoid round-off errors in calculated results

Pace Analytical Services, LLC (formerly Shealy Environmental Services, Inc.)
106 Vantage Point Drive West Columbia, SC 29172 (803) 791-9700 Fax (803) 791-9111 www.pacelabs.com

QC Data for Lot Number: YK03013

Inorganic non-metals - LCS

Sample ID: YQ89185-002

Matrix: Aqueous

Batch: 89185

Analytical Method: SM 3500-Fe B-2011

Parameter	Spike Amount (mg/L)	Result (mg/L)	Q	Dil	% Rec	%Rec Limit	Analysis Date
Ferrous Iron	1.0	1.0		1	104	90-110	11/03/2023 2105

LOQ = Limit of Quantitation

ND = Not detected at or above the LOQ

N = Recovery is out of criteria

P = The RPD between two GC columns exceeds 40%

* = RSD is out of criteria

+ = RPD is out of criteria

Note: Calculations are performed before rounding to avoid round-off errors in calculated results

Pace Analytical Services, LLC (formerly Shealy Environmental Services, Inc.)
106 Vantage Point Drive West Columbia, SC 29172 (803) 791-9700 Fax (803) 791-9111 www.pacelabs.com

QC Data for Lot Number: YK03013

Inorganic non-metals - LCSD

Sample ID: YQ89185-003

Matrix: Aqueous

Batch: 89185

Analytical Method: SM 3500-Fe B-2011

Parameter	Spike Amount (mg/L)	Result (mg/L)	Q	Dil	% Rec	% RPD	%Rec Limit	% RPD Limit	Analysis Date
Ferrous Iron	1.0	1.1		1	107	2.8	90-110	20	11/03/2023 2110

LOQ = Limit of Quantitation

ND = Not detected at or above the LOQ

N = Recovery is out of criteria

P = The RPD between two GC columns exceeds 40%

* = RSD is out of criteria

+ = RPD is out of criteria

Note: Calculations are performed before rounding to avoid round-off errors in calculated results

Inorganic non-metals - MS

Sample ID: YK03013-001MS

Matrix: Aqueous

Batch: 89185

Analytical Method: SM 3500-Fe B-2011

Parameter	Sample Amount (mg/L)	Spike Amount (mg/L)	Result (mg/L)	Q	Dil	% Rec	%Rec Limit	Analysis Date
Ferrous Iron	10	10	20		10	93	70-130	11/03/2023 2130

LOQ = Limit of Quantitation

ND = Not detected at or above the LOQ

N = Recovery is out of criteria

P = The RPD between two GC columns exceeds 40%

* = RSD is out of criteria

+ = RPD is out of criteria

Note: Calculations are performed before rounding to avoid round-off errors in calculated results

Pace Analytical Services, LLC (formerly Shealy Environmental Services, Inc.)
106 Vantage Point Drive West Columbia, SC 29172 (803) 791-9700 Fax (803) 791-9111 www.pacelabs.com

QC Data for Lot Number: YK03013

Inorganic non-metals - MSD

Sample ID: YK03013-001MD

Matrix: Aqueous

Batch: 89185

Analytical Method: SM 3500-Fe B-2011

Parameter	Sample Amount (mg/L)	Spike Amount (mg/L)	Result (mg/L)	Q	Dil	% Rec	% RPD	%Rec Limit	% RPD Limit	Analysis Date
Ferrous Iron	10	10	20		10	97	2.2	70-130	20	11/03/2023 2135

LOQ = Limit of Quantitation

ND = Not detected at or above the LOQ

N = Recovery is out of criteria

P = The RPD between two GC columns exceeds 40%

* = RSD is out of criteria

+ = RPD is out of criteria

Note: Calculations are performed before rounding to avoid round-off errors in calculated results

**Chain of Custody
and
Miscellaneous Documents**

Pace

Internal Transfer Chain of Custody

Rush Multiplier X
 Samples Pre-Logged into eCOC
 Workorder Name: 1690005819_CONV ONE-HOUR VALETOwner Received Date: 11/1/2023 Requested Analysis: Results Requested By: 11/16/2023

Part To: **Subcontract To**
 State Of Origin: WI
 Cert. Needed: Yes No

Pace Analytical West Columbia
 108 Vantage Point Drive
 West Columbia, SC 29172
 Phone: (803)791-9700

Even Mlczak
 Pace Analytical Green Bay
 41 Bellevue Street
 Green Bay, WI 54302
 Phone: (820)459-2436

Item	Sample ID	Sample Type	Collect Date/Time	Lab ID	Matrix	Preserved Containers			Comments
						1	2	3	
1	PZ-1R	PS	10/31/2023 14:15	4027044-009	Water		2		OK to run past hold time

Released By	Date/Time	Received By	Date/Time
<i>[Signature]</i>	11/23 14:00		
Received on Receipt	13 °C	Custody Seal	Y or N
<i>[Signature]</i>	11/23 0946	<i>[Signature]</i>	Y or N

Cooler Temperature on Receipt 13 °C Received on Ice (Y or N) Samples Intact (Y or N)

FERRIOUS ION BY SM 3500 Pd2011
 YK03013
 JSH
 LAS USE ONLY

In order to maintain client confidentiality, location/name of the sampling site, sampler's name and signature may not be provided on this COC document.
 This chain of custody is considered complete as is since this information is available in the owner laboratory.

PACE ANALYTICAL SERVICES, LLC

DC# Title: ENV-FRM-WCOL-0286 v02_Samples Receipt Checklist (SRC)
 Effective Date: 8/2/2022


YK03013

Sample Receipt Checklist (SRC)

Client: Pace Cooler Inspected by/date: ML / 11/3/23 Lot #: 991

Means of receipt: <input type="checkbox"/> Pace <input type="checkbox"/> Client <input type="checkbox"/> UPS <input checked="" type="checkbox"/> FedEx <input type="checkbox"/> Other: _____	
<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	1. Were custody seals present on the cooler?
<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> NA	2. If custody seals were present, were they intact and unbroken?
pH Strip ID: <u>N/A</u> Chlorine Strip ID: <u>N/A</u> Tested by: <u>N/A</u>	
Original temperature upon receipt / Derived (Corrected) temperature upon receipt %Solid Snap-Cup ID: <u>N/A</u>	
<u>1.3 / 1.3 °C</u> <u>N/A / N/A °C</u> <u>N/A / N/A °C</u> <u>NA / NA °C</u>	
Method: <input checked="" type="checkbox"/> Temperature Blank <input type="checkbox"/> Against Bottles IR Gun ID: <u>8</u> IR Gun Correction Factor: <u>0</u> °C	
Method of coolant: <input checked="" type="checkbox"/> Wet Ice <input type="checkbox"/> Ice Packs <input type="checkbox"/> Dry Ice <input type="checkbox"/> None	
<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> NA	3. Were all coolers received at or below 6.0°C? If no, was Project Manager notified? PM was Notified by: <u>phone / email / face-to-face (circle one)</u>
<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> NA	4. Is the commercial courier's packing slip attached to this form?
<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	5. Were proper custody procedures (relinquished/received) followed?
<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	6. Were sample IDs listed on the COC and all sample containers?
<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	7. Was collection date & time listed on the COC and all sample containers?
<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	8. Did all container label information (ID, date, time) agree with the COC?
<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	9. Were tests to be performed listed on the COC?
<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	10. Did all samples arrive in the proper containers for each test and/or in good condition (unbroken, lids on, etc.)?
<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	11. Was adequate sample volume available?
<input checked="" type="checkbox"/> Yes <input checked="" type="checkbox"/> No	12. Were all samples received within ½ the holding time or 48 hours, whichever comes first?
<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	13. Were all samples containers accounted for? (No missing/excess)
<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> NA	14. Were VOA, 8015C and RSK-175 samples free of bubbles > "pea-size" (¼" or 6mm in diameter) in any of the VOA vials?
<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> NA	15. Were all DRO/metals/nutrient samples received at a pH of < 2?
<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> NA	16. Were all cyanide samples received at a pH > 12 and sulfide samples received at a pH > 9?
<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> NA	17. Were all applicable NH ₃ /TKN/cyanide/phenol/625.1/608.3 (< 0.5mg/L) samples free of residual chlorine?
<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> NA	18. Was the quote number listed on the container label? If yes, Quote # _____
Sample Preservation (Must be completed for any sample(s) incorrectly preserved or with headspace.)	
Sample(s) <u>N/A</u> were received incorrectly preserved and were adjusted accordingly in sample receiving with <u>N/A</u> mL of circle one: H2SO4, HNO3, HCL, NaOH using SR # <u>N/A</u> .	
Time of preservation <u>N/A</u> . If more than one preservative is needed, please note in the comments below.	
Sample(s) <u>N/A</u> were received with bubbles > 6 mm in diameter.	
Samples(s) ^{NA} were received with TRC > 0.5 mg/L (If #19 is <i>no</i>) and were adjusted accordingly in sample receiving with sodium thiosulfate (Na ₂ S ₂ O ₃) with Unique ID: <u>NA</u> .	

DWA
 11/3/23

Comments:

