

July 19, 2007  
(1105)

Ms. Victoria Stovall  
Wisconsin Department of Natural Resources  
South East Region Headquarters  
PO Box 12436  
Milwaukee, WI 53212

RE: Praefke Brake and Supply, 133 Oak Street, West Bend, Wisconsin 53095  
**FID #267284740**

267 004430

Dear Ms. Stovall:

Natural Resource Technology (NRT) is submitting the following letter to summarize current site conditions and findings of recent groundwater sampling events performed for Praefke Brake and Supply located in West Bend, Wisconsin. In addition, this letter will address the Wisconsin Department of Natural Resources (WDNR) letter dated May 24, 2007 regarding the status of this site and environmental activities that have taken place at the facility. Mr. Gordon Praefke, owner of the subject property, retained NRT as the environmental consultant for the site in March of 2005. NRT is located at 23713 West Paul Road, Pewaukee, Wisconsin 53072. We can be reached at (262) 523-9000.

As a reminder, this site has ten groundwater monitoring wells, six recovery wells and two groundwater pump and treat systems. System 001 is the volatile organic compound (VOC) remediation system that is located on the north side of the property and was shutdown in October of 1998 with Department approval. System 002 is the pentachlorophenol (PCP) remediation system located on the south side of the property; however, this system has not been in operation since 2002. Historically, this facility has PCP and VOC impacts, and these remediation systems were installed (by others) to address the on-site impacts. The historical operation and maintenance plan reports previously submitted to the Department indicate that the drawdown influence from the PCP extraction system was not performing as the modeling efforts predicted and therefore was not adequately addressing impacts. Due to poor performance and maintenance costs, this system is no longer used.

The last status report (#15) for the site was issued by NRT to the WDNR in December of 2002 and the final report indicated that, overall, semi-volatile organic compounds of concern (PCP and naphthalene) appear to be stable or decreasing. VOC constituents (in wells with detections) also appear to remain stable and/or decline. Praefke Brake and Supply Corporation was dissolved on June 30, 2003. No groundwater sampling was conducted during 2003 or 2004.

In 2005, Mr. Praefke retained NRT for environmental consulting services and following review of site conditions, we recommended samples from on and off-site wells to assess current groundwater conditions. NRT sampled select wells on March 23, 2005 (MW-3, MW-4, MW-A and MW-H) for a base line review. On February 21, 2007, NRT returned to the site and obtained groundwater samples from the on-site wells that have been historically used for evaluating groundwater quality. This round of groundwater sampling included monitoring wells MW-6B, MW-A, MW-2, MW-D1, MW-D2, MW-4, MW-H, RW-1B, RW-1C and MW-3 (Figure 5). Monitoring wells MW-6A and MW-G have been damaged by snowplows and will be abandoned; therefore, groundwater samples were not obtained from these wells.

Ms. Victoria Stovall  
July 19, 2007  
Page 2

Results of the current round of samples obtained from the wells are similar to past results and again indicate that PCP and/or VOC constituents appear to be stable and/or decreasing. Furthermore, the site poses no immediate threat to human health and safety. Tabulated laboratory analytical results are included on Tables 1 and 2 of this report (Appendix A). Laboratory analytical results are included as Appendix B.


At the current time, Mr. Praefke is leasing his facility to offset the costs of environmental management of the site. Current and future plans for the facility include working with prospective buyers of the site to develop a plan that will facilitate the site closure through redevelopment of the site. NRT will continue to assist Mr. Praefke with the environmental monitoring and management of this project with the goal of site closure. Please contact us if you have any questions or comments regarding your review of this letter.

Sincerely,

NATURAL RESOURCE TECHNOLOGY, INC.



Sarah A. Ganswindt  
Environmental Technician



Katherine M. Juno, PG  
Senior Geologist

Attachments: WDNR Letter to Gordon Praefke dated May 24, 2007.  
Figure: Figure 5  
Appendix A: Tables 1 and 2  
Appendix B: Groundwater Laboratory Analytical Results

C: Mr. Gordon Praefke. (w/att.)

[1105 WDNR Update ltr. 070719]



## FIGURE





State of Wisconsin \ DEPARTMENT OF NATURAL RESOURCES

Jim Doyle, Governor  
Scott Hassett, Secretary  
Gloria L. McCutcheon, Regional Director

Waukesha Service Center  
141 NW Barstow St  
Waukesha, Wisconsin 53188  
Telephone 262-574-2100  
FAX 262-574-2117

JUN 04 2007

May 24, 2007

Gordon Praefke  
Spahis, Inc.  
1125 Paradise Dr.  
West Bend, WI 53095

FID # 267004430  
BRRTS # 02-67-152445

SUBJECT: Praefke Brake and Supply, 133 Oak Street, West Bend, WI

Dear Mr. Praefke:

The Department of Natural Resources (Department) is undertaking a project to address open environmental contamination sites where we have not heard from site owners or consultants in several years. We are sending letters to those property owners to determine the status of these cases and to request additional work if necessary. We appreciate your cooperation and understanding as we try to resolve these old cases. Getting your site closed and taken off the Department's data base can facilitate redevelopment and/or sale of your property.

In our review of the Praefke Brake case file referenced above, the Department found "Operation, Maintenance and Monitoring Status Report No. 12" was submitted in September 1999. A hazardous waste determination was submitted to the Department in October 2003 and approval was granted in November 2003. No further information has been received and it appears that no additional investigation or remediation was performed at the site since 1999.

Under Section 292.11 of the Wisconsin Statutes, a person who possesses or controls a hazardous substance release (e.g., the owner of the property where a spill has occurred) is required to take actions necessary to restore the environment to the extent practicable. Because the release of contaminants into soil and groundwater may have significant environmental or health implications, it is important that the extent and degree of the released contaminants be determined and that the contamination be remediated to the extent practicable.

Please submit the name, address and phone number of the environmental consultant you have retained to complete the remedial action phase at the site, along with a work plan and schedule for the investigation, within 45 days of receipt of this letter. If you have other information, such as reports or laboratory results from samples collected at the site, you should submit these as well. All applicable information should be submitted IN WRITING to:

Ms. Victoria Stovall  
Wisconsin Department of Natural Resources  
2300 North Dr. Martin Luther King Jr. Dr.  
Milwaukee, WI 53212


Correspondence should reference the "Subject" name and file reference numbers listed above.  
**Please include a copy of this letter with your submittal.**

Sites where discharges to the environment have been reported are entered into the Bureau for Remediation and Redevelopment Tracking System (BRRTS), a version of which appears on the Department's internet site. You may view the information related to your site at any time (<http://www.dnr.state.wi.us/org/aw/rr/brrts>) and use the feedback system to alert us to any errors in the data.

If you want a formal response from the Department on a specific submittal, please be aware that a review fee is required in accordance with ch. NR 749, Wis. Adm. Code. If a fee is not submitted with your reports, you should proceed under the advice of your consultant to complete the site investigation to maintain your compliance with the spills law and chs. NR 700 through NR 749. **Do not delay the investigation of your site by waiting for a Department response.** We have provided detailed technical guidance to environmental consultants. Your consultant is expected to know our technical procedures and administrative codes and should be able to answer your questions on meeting cleanup requirements.

If we do not hear from you, the Department may pursue enforcement action. It is in your best interest to take the necessary steps to obtain case closure for your site, as an open status can delay or prevent refinancing, sale or other actions pertaining to the property. If you have questions on your responsibilities in this matter, I can be reached at 262-574-2146.

Sincerely,

A handwritten signature in black ink, appearing to read "Mark Drews", written over a horizontal line.

Mark Drews, P.G.  
Hydrogeologist  
Remediation and Redevelopment Program  
Southeast Region

## **APPENDIX A**

### **TABLES 1 AND 2**

Table 1 - Groundwater Analytical Summary  
Volatile Organic Compounds (VOCs)  
Praefke Brake and Supply Corporation - West Bend, WI

| Sample Location                         | Sample Date | VOCs (µg/L) |         |                  |                      |               |              |            |                    |                    |                      |                     |              |                    |     |      |       |             |                   |         |                       |                 |                |               |
|-----------------------------------------|-------------|-------------|---------|------------------|----------------------|---------------|--------------|------------|--------------------|--------------------|----------------------|---------------------|--------------|--------------------|-----|------|-------|-------------|-------------------|---------|-----------------------|-----------------|----------------|---------------|
|                                         |             | Acetone     | Benzene | Carbon Disulfide | Carbon Tetrachloride | Chlorobenzene | Chloroethane | Chloroform | 1,1-Dichloroethane | 1,2-Dichloroethane | 1,1,1-Dichloroethene | 1,2-Dichloropropane | Ethylbenzene | Methylene Chloride | MEK | MIBK | MTBE  | Naphthalene | Tetrachloroethene | Toluene | 1,1,1-Trichloroethane | Trichloroethene | Vinyl Chloride | Total Xylenes |
| MW-2                                    | 9/25/1987   | --          | nd      | --               | nd                   | nd            | nd           | nd         | nd                 | nd                 | nd                   | nd                  | nd           | 1.3                | --  | --   | nd    | nd          | nd                | nd      | 0.6                   | nd              | nd             | nd            |
|                                         | 3/88        | --          | 1.4     | --               | nd                   | nd            | nd           | nd         | nd                 | nd                 | nd                   | nd                  | nd           | nd                 | --  | --   | nd    | nd          | nd                | nd      | nd                    | nd              | nd             |               |
|                                         | 5/88        | --          | nd      | --               | nd                   | nd            | nd           | nd         | nd                 | nd                 | nd                   | nd                  | nd           | nd                 | --  | --   | nd    | nd          | nd                | nd      | nd                    | nd              | nd             |               |
|                                         | 2/89        | --          | nd      | --               | nd                   | nd            | nd           | nd         | nd                 | nd                 | nd                   | nd                  | nd           | nd                 | --  | --   | nd    | nd          | nd                | nd      | nd                    | nd              | nd             |               |
|                                         | 1/94        | --          | nd      | --               | nd                   | nd            | nd           | nd         | nd                 | nd                 | nd                   | nd                  | nd           | nd                 | --  | --   | nd    | nd          | nd                | nd      | nd                    | nd              | nd             |               |
|                                         | 12/6/1995   | nd          | nd      | nd               | nd                   | nd            | nd           | nd         | nd                 | nd                 | nd                   | nd                  | nd           | nd                 | nd  | nd   | nd    | nd          | nd                | nd      | nd                    | nd              | nd             |               |
|                                         | 2/27/1996   | nd          | nd      | nd               | nd                   | nd            | nd           | nd         | nd                 | nd                 | nd                   | nd                  | nd           | nd                 | nd  | nd   | nd    | nd          | nd                | nd      | nd                    | nd              | nd             |               |
|                                         | 5/14/1996   | 5.6         | nd      | nd               | nd                   | nd            | nd           | nd         | nd                 | nd                 | nd                   | nd                  | nd           | nd                 | nd  | nd   | nd    | nd          | nd                | nd      | nd                    | nd              | nd             |               |
|                                         | 8/13/1996   | nd          | nd      | nd               | nd                   | nd            | nd           | nd         | nd                 | nd                 | nd                   | nd                  | nd           | nd                 | nd  | nd   | nd    | nd          | nd                | nd      | nd                    | nd              | nd             |               |
|                                         | 11/14/1996  | nd          | nd      | nd               | nd                   | nd            | nd           | nd         | nd                 | nd                 | nd                   | nd                  | nd           | nd                 | nd  | nd   | nd    | nd          | nd                | nd      | nd                    | nd              | nd             |               |
|                                         | 2/3/1997    | nd          | nd      | nd               | nd                   | nd            | nd           | nd         | nd                 | nd                 | nd                   | nd                  | nd           | nd                 | nd  | nd   | nd    | nd          | nd                | nd      | nd                    | nd              | nd             |               |
|                                         | 5/13/1997   | nd          | nd      | nd               | nd                   | nd            | nd           | nd         | nd                 | nd                 | nd                   | nd                  | nd           | nd                 | nd  | nd   | nd    | nd          | nd                | nd      | nd                    | nd              | nd             |               |
|                                         | 2/22/2007   | --          | <0.20   | --               | <0.50                | <0.20         | <1.0         | <0.20      | <0.50              | <0.50              | <0.50                | <0.50               | <0.50        | <1.0               | --  | --   | <0.50 | <0.25       | <0.50             | <0.20   | <0.50                 | <0.20           | <0.20          | <0.50         |
| MW-G                                    | 2/89        | --          | nd      | --               | nd                   | nd            | nd           | nd         | nd                 | nd                 | nd                   | nd                  | nd           | nd                 | --  | --   | nd    | nd          | nd                | 3.0     | 20                    | nd              | nd             | nd            |
|                                         | 1990        | --          | nd      | --               | nd                   | nd            | nd           | nd         | nd                 | nd                 | nd                   | nd                  | nd           | nd                 | --  | --   | nd    | nd          | nd                | nd      | 9.1                   | nd              | nd             | nd            |
|                                         | 1/94        | --          | nd      | --               | nd                   | nd            | nd           | nd         | nd                 | nd                 | nd                   | nd                  | nd           | nd                 | --  | --   | nd    | nd          | nd                | nd      | 2.2                   | nd              | nd             | nd            |
|                                         | 12/6/1995   | nd          | nd      | nd               | nd                   | nd            | nd           | nd         | nd                 | nd                 | nd                   | nd                  | nd           | nd                 | nd  | nd   | nd    | nd          | nd                | nd      | nd                    | nd              | nd             |               |
|                                         | 5/14/1996   | 8.1         | nd      | nd               | nd                   | nd            | nd           | nd         | nd                 | nd                 | nd                   | nd                  | nd           | nd                 | nd  | nd   | nd    | nd          | nd                | nd      | nd                    | nd              | nd             |               |
|                                         | 8/13/1996   | nd          | nd      | nd               | nd                   | nd            | nd           | nd         | nd                 | nd                 | nd                   | nd                  | nd           | nd                 | nd  | nd   | nd    | nd          | nd                | nd      | 1.0                   | nd              | nd             | nd            |
|                                         | 11/14/1996  | nd          | nd      | nd               | nd                   | nd            | nd           | nd         | nd                 | nd                 | nd                   | nd                  | nd           | nd                 | nd  | nd   | nd    | nd          | nd                | nd      | nd                    | nd              | nd             |               |
|                                         | 2/3/1997    | nd          | nd      | nd               | nd                   | nd            | nd           | nd         | nd                 | nd                 | nd                   | nd                  | nd           | nd                 | nd  | nd   | nd    | nd          | nd                | nd      | 0.31                  | nd              | nd             | nd            |
|                                         | 5/13/1997   | nd          | nd      | nd               | nd                   | nd            | nd           | nd         | nd                 | nd                 | nd                   | nd                  | nd           | nd                 | nd  | nd   | nd    | nd          | nd                | nd      | 0.35                  | nd              | nd             | nd            |
|                                         | 5/19/1998   | nd          | nd      | 1.8 (B)          | nd                   | nd            | nd           | nd         | nd                 | nd                 | nd                   | nd                  | nd           | nd                 | nd  | nd   | nd    | nd          | nd                | nd      | nd                    | nd              | nd             | nd            |
|                                         | 2/10/1999   | nd          | nd      | nd               | nd                   | nd            | nd           | nd         | nd                 | nd                 | nd                   | nd                  | nd           | nd                 | nd  | nd   | nd    | nd          | nd                | nd      | 0.40                  | nd              | nd             | nd            |
| Damaged/No Sample                       | 5/11/1999   | nd          | nd      | nd               | nd                   | nd            | nd           | nd         | nd                 | nd                 | nd                   | nd                  | nd           | nd                 | nd  | nd   | nd    | nd          | nd                | nd      | nd                    | nd              | nd             |               |
|                                         | 2/22/2007   | --          | --      | --               | --                   | --            | --           | --         | --                 | --                 | --                   | --                  | --           | --                 | --  | --   | --    | --          | --                | --      | --                    | --              | --             |               |
| MW-6/6A                                 | 9/25/1987   | --          | nd      | --               | nd                   | nd            | nd           | 1.2        | 1.1                | nd                 | 2.7                  | nd                  | nd           | 1.1                | --  | --   | nd    | nd          | nd                | nd      | 180                   | 230             | nd             | nd            |
|                                         | 3/88        | --          | 3.7     | --               | nd                   | nd            | nd           | nd         | nd                 | nd                 | nd                   | nd                  | nd           | 18                 | --  | --   | nd    | nd          | nd                | nd      | 140                   | 78              | nd             | nd            |
|                                         | 5/88        | --          | nd      | --               | nd                   | nd            | nd           | nd         | nd                 | nd                 | 11                   | nd                  | nd           | nd                 | --  | --   | nd    | nd          | nd                | nd      | 210                   | 180             | nd             | nd            |
|                                         | 2/89        | --          | nd      | --               | nd                   | nd            | nd           | nd         | nd                 | nd                 | nd                   | nd                  | nd           | nd                 | --  | --   | nd    | nd          | nd                | nd      | 260                   | 120             | nd             | nd            |
| Wisconsin Groundwater Quality Standards |             |             |         |                  |                      |               |              |            |                    |                    |                      |                     |              |                    |     |      |       |             |                   |         |                       |                 |                |               |
| NR 140 PAL                              |             | 200         | 0.5     | 200              | 0.5                  | ns            | 80           | 0.6        | 85                 | 0.5                | 0.7                  | 0.5                 | 140          | 0.5                | 90  | 50   | 12    | 10          | 0.5               | 200     | 40                    | 0.5             | 0.2            | 1,000         |
| NR 140 ES                               |             | 1000        | 5       | 1000             | 5                    | ns            | 400          | 6          | 850                | 5                  | 7                    | 5                   | 700          | 5                  | 460 | 500  | 60    | 100         | 5                 | 1,000   | 200                   | 5               | 0.02           | 10,000        |

1

VOCs (µg/L)

Table 1, continued - Groundwater Analytical Summary  
Volatile Organic Compounds (VOCs)  
Praefke Brake and Supply Corporation - West Bend, WI

| Sample Location                         | Sample Date | VOCs (µg/L) |         |                  |                      |               |              |            |                    |                    |                    |                     |              |                    |       |       |       |             |                   |         |                       |                 |                |               |
|-----------------------------------------|-------------|-------------|---------|------------------|----------------------|---------------|--------------|------------|--------------------|--------------------|--------------------|---------------------|--------------|--------------------|-------|-------|-------|-------------|-------------------|---------|-----------------------|-----------------|----------------|---------------|
|                                         |             | Acetone     | Benzene | Carbon Disulfide | Carbon Tetrachloride | Chlorobenzene | Chloroethane | Chloroform | 1,1-Dichloroethane | 1,2-Dichloroethane | 1,1-Dichloroethene | 1,2-Dichloropropane | Ethylbenzene | Methylene Chloride | MEK   | MIBK  | MTBE  | Naphthalene | Tetrachloroethene | Toluene | 1,1,1-Trichloroethane | Trichloroethene | Vinyl Chloride | Total Xylenes |
| SYSTEM #1 (cont.)                       |             |             |         |                  |                      |               |              |            |                    |                    |                    |                     |              |                    |       |       |       |             |                   |         |                       |                 |                |               |
| MW-A                                    | 3/88        | --          | nd      | --               | nd                   | nd            | nd           | nd         | nd                 | nd                 | nd                 | nd                  | nd           | nd                 | --    | --    | nd    | nd          | nd                | nd      | 24                    | 300             | nd             | nd            |
|                                         | 5/88        | --          | nd      | --               | nd                   | nd            | nd           | nd         | nd                 | nd                 | nd                 | nd                  | nd           | nd                 | --    | --    | nd    | nd          | nd                | nd      | 7.8                   | 180             | nd             | nd            |
|                                         | 2/89        | --          | nd      | --               | nd                   | nd            | nd           | nd         | nd                 | nd                 | nd                 | nd                  | nd           | nd                 | --    | --    | nd    | nd          | nd                | nd      | 6.3                   | 110             | nd             | nd            |
|                                         | 1/94        | --          | nd      | --               | nd                   | nd            | nd           | nd         | nd                 | nd                 | 3.2                | nd                  | nd           | nd                 | --    | --    | nd    | nd          | nd                | nd      | 67                    | 9.5             | nd             | nd            |
|                                         | 12/6/1995   | nd          | nd      | nd               | nd                   | nd            | nd           | nd         | 1.7                | nd                 | nd                 | nd                  | nd           | nd                 | nd    | nd    | nd    | nd          | nd                | nd      | 120                   | 18              | nd             | nd            |
|                                         | 2/27/1996   | nd          | nd      | nd               | nd                   | nd            | nd           | 1.4        | nd                 | nd                 | nd                 | nd                  | nd           | nd                 | nd    | nd    | nd    | nd          | nd                | nd      | 33                    | 7.9             | nd             | nd            |
|                                         | 5/14/1996   | 6.4         | nd      | nd               | nd                   | nd            | nd           | nd         | 1.4                | nd                 | 2.7                | nd                  | nd           | nd                 | nd    | nd    | nd    | nd          | nd                | nd      | 60                    | 12              | nd             | nd            |
|                                         | 8/13/1996   | nd          | nd      | nd               | nd                   | nd            | nd           | nd         | 3.8                | nd                 | 3.3                | nd                  | nd           | nd                 | nd    | nd    | nd    | nd          | nd                | nd      | 120                   | 44              | nd             | nd            |
|                                         | 11/14/1996  | nd          | nd      | nd               | nd                   | nd            | nd           | nd         | 1                  | nd                 | nd                 | nd                  | nd           | nd                 | nd    | nd    | nd    | nd          | nd                | nd      | 32                    | 13              | nd             | nd            |
|                                         | 2/3/1997    | nd          | 0.85    | nd               | nd                   | nd            | nd           | 0.84       | 0.39               | nd                 | nd                 | nd                  | nd           | nd                 | nd    | nd    | nd    | nd          | nd                | nd      | 23                    | 9.4             | nd             | 1.5           |
|                                         | 5/13/1997   | nd          | 0.43    | nd               | nd                   | nd            | nd           | 0.84       | 0.53               | nd                 | 1.1                | nd                  | nd           | nd                 | nd    | nd    | nd    | 0.37        | nd                | nd      | 29                    | 5.5             | nd             | nd            |
|                                         | 8/14/1997   | nd          | 1.4     | nd               | nd                   | nd            | nd           | 0.80       | 0.67               | nd                 | 1.8                | nd                  | nd           | nd                 | nd    | nd    | nd    | 4.4         | nd                | nd      | 17                    | 4.8             | nd             | 1.8           |
|                                         | 11/3/1997   | 5.4 (L)     | 1.9     | nd               | nd                   | nd            | nd           | 0.84       | nd                 | nd                 | nd                 | nd                  | nd           | 1.3 (L)            | nd    | nd    | nd    | 64          | nd                | 0.97    | 13                    | 6.6             | nd             | 29            |
|                                         | 2/3/1998    | 4.7 (L)     | nd      | nd               | nd                   | nd            | nd           | 0.62       | nd                 | nd                 | nd                 | nd                  | nd           | nd                 | 3.7   | nd    | nd    | 4.4         | nd                | nd      | 0.82                  | 0.9             | nd             | nd            |
|                                         | 5/19/1998   | 4.0 (B)     | 2.2     | 2.0 (B)          | nd                   | nd            | nd           | 0.56       | nd                 | nd                 | nd                 | nd                  | nd           | nd                 | nd    | nd    | nd    | nd          | nd                | nd      | 4.1                   | 1.4             | nd             | nd            |
|                                         | 8/10/1998   | nd          | 1.5     | --               | nd                   | nd            | nd           | 0.35       | 0.50               | nd                 | 1.0                | nd                  | nd           | nd                 | --    | nd    | nd    | 9.7         | nd                | 3.3     | 18                    | 6.9             | nd             | 11            |
|                                         | 11/10/1998  | nd          | nd      | nd               | nd                   | nd            | nd           | 0.22       | nd                 | nd                 | nd                 | nd                  | nd           | nd                 | nd    | nd    | nd    | 0.42        | nd                | nd      | 2.6                   | 1.1             | nd             | nd            |
|                                         | 2/10/1999   | nd          | nd      | nd               | nd                   | nd            | nd           | nd         | nd                 | nd                 | nd                 | nd                  | nd           | nd                 | nd    | nd    | nd    | nd          | nd                | nd      | 1.8                   | 1.1             | nd             | nd            |
|                                         | 5/11/1999   | nd          | 0.38    | nd               | nd                   | nd            | nd           | nd         | 0.80               | nd                 | nd                 | nd                  | nd           | nd                 | nd    | nd    | nd    | nd          | nd                | nd      | 19                    | 6.2             | nd             | nd            |
|                                         | 8/10/1999   | nd          | nd      | nd               | nd                   | nd            | nd           | nd         | nd                 | nd                 | nd                 | nd                  | nd           | nd                 | nd    | nd    | nd    | nd          | nd                | nd      | 13                    | 5.6             | nd             | nd            |
|                                         | 11/9/1999   | nd          | nd      | nd               | nd                   | nd            | nd           | nd         | nd                 | nd                 | nd                 | nd                  | nd           | nd                 | nd    | nd    | nd    | nd          | nd                | nd      | 18                    | 22              | nd             | nd            |
|                                         | 5/9/2000    | nd          | nd      | nd               | nd                   | nd            | nd           | nd         | nd                 | nd                 | nd                 | nd                  | nd           | nd                 | nd    | nd    | 7.9   | nd          | nd                | nd      | nd                    | 7.0             | nd             | nd            |
|                                         | 11/13/2000  | nd          | nd      | nd               | nd                   | nd            | nd           | 0.25       | nd                 | nd                 | 0.58               | nd                  | nd           | 0.34 (L)           | nd    | nd    | nd    | nd          | 0.46              | nd      | 29                    | 8.1             | nd             | nd            |
|                                         | 5/8/2001    | nd          | nd      | nd               | nd                   | nd            | nd           | nd         | 1.0                | nd                 | nd                 | nd                  | nd           | nd                 | nd    | nd    | nd    | nd          | 0.40              | nd      | 17                    | 12              | nd             | nd            |
|                                         | 11/13/2001  | <2.0        | <0.10   | <0.25            | <0.25                | <0.25         | <0.25        | <0.25      | <0.25              | <0.25              | <0.25              | <0.25               | <0.25        | 1.2 L              | --    | <0.25 | <0.25 | <0.25       | <0.25             | <0.10   | 1.4                   | <0.25           | <0.25          | <0.25         |
|                                         | 5/20/2002   | <2.0        | <1.0    | <0.25            | <0.25                | <0.25         | <0.25        | <0.25      | 1.8                | <0.25              | 0.50               | <0.25               | <0.25        | <0.25              | --    | <0.25 | <0.25 | <0.25       | 0.72              | <0.10   | 23                    | 23              | <0.25          | <0.25         |
|                                         | 11/11/2002  | <2.0        | <0.10   | 0.25             | <0.25                | <0.25         | <0.25        | <0.25      | <0.25              | <0.25              | <0.25              | <0.25               | <0.25        | <0.25              | <0.25 | <0.25 | <0.25 | <0.25       | 0.43              | <0.10   | 9.0                   | 7.5             | <0.25          | <0.25         |
|                                         | 3/23/2005   | --          | <0.20   | --               | <0.50                | <0.20         | <1.0         | <0.20      | <0.50              | <0.50              | <0.50              | <0.50               | <0.50        | <1.0               | --    | --    | <0.50 | <0.25       | <0.50             | <0.20   | 12                    | 13              | <0.20          | <0.50         |
|                                         | 2/22/2007   | --          | <0.20   | --               | <0.50                | <0.20         | <1.0         | <0.20      | <0.50              | <0.50              | <0.50              | <0.50               | <0.50        | <1.0               | --    | --    | <0.50 | <0.25       | <0.50             | <0.20   | 6.5                   | 4.1             | <0.20          | <0.50         |
| 001 Influent                            |             |             |         |                  |                      |               |              |            |                    |                    |                    |                     |              |                    |       |       |       |             |                   |         |                       |                 |                |               |
|                                         | 12/6/1995   | nd          | nd      | 3.8              | nd                   | nd            | nd           | nd         | nd                 | nd                 | nd                 | nd                  | nd           | nd                 | nd    | nd    | nd    | nd          | nd                | nd      | nd                    | 1.1             | nd             | nd            |
|                                         | 2/27/1996   | 16          | nd      | nd               | nd                   | nd            | nd           | nd         | nd                 | nd                 | nd                 | nd                  | nd           | nd                 | nd    | nd    | nd    | nd          | nd                | nd      | 8.7                   | 1.7             | nd             | nd            |
|                                         | 5/14/1996   | 9.0         | nd      | nd               | nd                   | nd            | nd           | nd         | nd                 | nd                 | nd                 | nd                  | nd           | nd                 | nd    | 2.7   | nd    | nd          | nd                | nd      | 15                    | 4.1             | nd             | nd            |
|                                         | 8/13/1996   | nd          | nd      | nd               | nd                   | nd            | nd           | nd         | nd                 | nd                 | nd                 | nd                  | nd           | nd                 | nd    | nd    | nd    | nd          | nd                | nd      | 6.4                   | 3.0             | nd             | nd            |
|                                         | 11/13/1996  | 6.0         | nd      | nd               | nd                   | nd            | nd           | nd         | nd                 | nd                 | nd                 | nd                  | nd           | nd                 | nd    | nd    | nd    | nd          | nd                | nd      | 8.3                   | 3.6             | nd             | nd            |
|                                         | 2/3/1997    | nd          | nd      | nd               | nd                   | nd            | nd           | nd         | nd                 | nd                 | nd                 | nd                  | nd           | nd                 | nd    | nd    | nd    | nd          | 0.86              | nd      | 4.2                   | 3.6             | nd             | nd            |
|                                         | 5/13/1997   | 4.5         | nd      | nd               | nd                   | nd            | nd           | nd         | nd                 | nd                 | nd                 | nd                  | nd           | nd                 | nd    | nd    | nd    | nd          | nd                | nd      | 12                    | 7.3             | nd             | nd            |
|                                         | 8/14/1997   | nd          | nd      | nd               | nd                   | nd            | nd           | nd         | nd                 | nd                 | nd                 | nd                  | nd           | nd                 | nd    | nd    | nd    | nd          | nd                | nd      | 4.5                   | 3.2             | nd             | nd            |
|                                         | 11/3/1997   | 3.2 (L)     | nd      | nd               | nd                   | nd            | nd           | nd         | 0.27               | nd                 | nd                 | nd                  | nd           | nd                 | nd    | nd    | nd    | nd          | nd                | nd      | 7.4                   | 5.9             | nd             | nd            |
|                                         | 2/3/1998    | 4.2 (L)     | nd      | nd               | nd                   | nd            | nd           | nd         | 0.29               | nd                 | nd                 | nd                  | nd           | nd                 | 3.1   | nd    | nd    | nd          | 0.71              | nd      | 5.2                   | 4.9             | nd             | nd            |
|                                         | 5/19/1998   | 5.7 (B)     | nd      | 2.3 (B)          | nd                   | nd            | nd           | nd         | nd                 | nd                 | nd                 | nd                  | nd           | nd                 | nd    | nd    | nd    | nd          | 0.8               | nd      | 6.7                   | 3.2             | nd             | nd            |
|                                         | 8/10/1998   | nd          | nd      | --               | nd                   | nd            | nd           | nd         | nd                 | nd                 | nd                 | nd                  | nd           | nd                 | --    | nd    | nd    | nd          | nd                | nd      | 6.6                   | 9.8             | nd             | nd            |
| Wisconsin Groundwater Quality Standards |             |             |         |                  |                      |               |              |            |                    |                    |                    |                     |              |                    |       |       |       |             |                   |         |                       |                 |                |               |
| NR 140 PAL                              |             | 200         | 0.5     | 200              | 0.5                  | ns            | 80           | 0.6        | 85                 | 0.5                | 0.7                | 0.5                 | 140          | 0.5                | 90    | 50    | 12    | 10          | 0.5               | 200     | 40                    | 0.5             | 0.2            | 1,000         |
| NR 140 ES                               |             | 1000        | 5       | 1000             | 5                    | ns            | 400          | 6          | 850                | 5                  | 7                  | 5                   | 700          | 5                  | 460   | 500   | 60    | 100         | 5                 | 1,000   | 200                   | 5               | 0.02           | 10,000        |

Table 1, continued - Groundwater Analytical Summary  
Volatile Organic Compounds (VOCs)  
Praefke Brake and Supply Corporation - West Bend, WI

| Sample Location                         | Sample Date | VOCs (µg/L) |         |                  |                      |               |              |            |                    |                    |                    |                     |              |                    |       |       |       |             |                   |         |                       |                 |                |               |    |
|-----------------------------------------|-------------|-------------|---------|------------------|----------------------|---------------|--------------|------------|--------------------|--------------------|--------------------|---------------------|--------------|--------------------|-------|-------|-------|-------------|-------------------|---------|-----------------------|-----------------|----------------|---------------|----|
|                                         |             | Acetone     | Benzene | Carbon Disulfide | Carbon Tetrachloride | Chlorobenzene | Chloroethane | Chloroform | 1,1-Dichloroethane | 1,2-Dichloroethane | 1,1-Dichloroethene | 1,2-Dichloropropane | Ethylbenzene | Methylene Chloride | MEK   | MIBK  | MTBE  | Naphthalene | Tetrachloroethene | Toluene | 1,1,1-Trichloroethane | Trichloroethene | Vinyl Chloride | Total Xylenes |    |
| SYSTEM #1 (cont.)                       |             |             |         |                  |                      |               |              |            |                    |                    |                    |                     |              |                    |       |       |       |             |                   |         |                       |                 |                |               |    |
| RW-1A                                   | 8/14/1997   | nd          | nd      | nd               | nd                   | nd            | nd           | nd         | 0.26               | nd                 | nd                 | nd                  | nd           | nd                 | nd    | nd    | nd    | nd          | 1.0               | nd      | 13                    | 14              | nd             | nd            |    |
|                                         | 11/3/1997   | nd          | nd      | nd               | nd                   | nd            | nd           | nd         | 0.32               | nd                 | nd                 | nd                  | nd           | nd                 | nd    | nd    | nd    | nd          | 0.92              | nd      | 9.1                   | 8.9             | nd             | nd            |    |
|                                         | 2/3/1998    | 3.3 (L)     | nd      | nd               | nd                   | nd            | nd           | nd         | 0.4                | nd                 | nd                 | nd                  | nd           | nd                 | 3.4   | nd    | nd    | nd          | 0.94              | nd      | 11                    | 13              | nd             | nd            |    |
|                                         | 5/19/1998   | 10 (B)      | nd      | 2.5 (B)          | nd                   | nd            | nd           | 0.19       | nd                 | nd                 | nd                 | nd                  | nd           | nd                 | nd    | nd    | nd    | nd          | 0.96              | nd      | 12                    | 13              | nd             | nd            |    |
|                                         | 8/10/1998   | nd          | nd      | --               | nd                   | nd            | nd           | nd         | nd                 | nd                 | nd                 | nd                  | nd           | nd                 | --    | nd    | nd    | nd          | 0.88              | nd      | 9.3                   | 14              | nd             | nd            |    |
|                                         | 11/10/1998  | nd          | nd      | nd               | nd                   | nd            | nd           | nd         | 0.77               | nd                 | nd                 | nd                  | nd           | nd                 | nd    | nd    | nd    | nd          | 1.1               | nd      | 11                    | 3.1             | nd             | nd            |    |
|                                         | 2/9/1999    | nd          | nd      | nd               | nd                   | nd            | nd           | nd         | nd                 | nd                 | nd                 | nd                  | nd           | nd                 | nd    | nd    | nd    | nd          | 1.1               | nd      | 2.4                   | 7.8             | nd             | nd            |    |
|                                         | 5/11/1999   | nd          | nd      | nd               | nd                   | nd            | nd           | nd         | nd                 | nd                 | nd                 | nd                  | nd           | nd                 | nd    | nd    | nd    | nd          | 0.86              | nd      | 4                     | 11              | nd             | nd            |    |
|                                         | 8/10/1999   | nd          | nd      | nd               | nd                   | nd            | nd           | nd         | nd                 | nd                 | nd                 | nd                  | nd           | nd                 | nd    | nd    | nd    | nd          | nd                | nd      | 3.5                   | 6.5             | nd             | nd            |    |
|                                         | 11/9/1999   | nd          | nd      | nd               | nd                   | nd            | nd           | nd         | nd                 | nd                 | nd                 | nd                  | nd           | nd                 | nd    | nd    | nd    | nd          | nd                | 0.64    | nd                    | 4.2             | 13             | nd            | nd |
|                                         | 5/9/2000    | nd          | nd      | nd               | nd                   | nd            | nd           | nd         | nd                 | nd                 | nd                 | nd                  | nd           | nd                 | nd    | nd    | nd    | nd          | nd                | 0.71    | nd                    | 5.0             | 9.2            | nd            | nd |
|                                         | 11/13/2000  | nd          | nd      | nd               | nd                   | nd            | nd           | nd         | nd                 | nd                 | nd                 | nd                  | nd           | nd                 | nd    | nd    | nd    | nd          | 0.37              | nd      | 5.4                   | 6.6             | nd             | nd            |    |
|                                         | 5/8/2001    | nd          | nd      | nd               | nd                   | nd            | nd           | nd         | nd                 | nd                 | nd                 | nd                  | nd           | nd                 | nd    | nd    | nd    | nd          | nd                | nd      | 0.66                  | 2.1             | nd             | nd            |    |
| 11/13/2001                              | <2.0        | <0.10       | <0.25   | <0.25            | <0.25                | <0.25         | <0.25        | <0.25      | <0.25              | <0.25              | <0.25              | <0.25               | 0.36 L       | --                 | <0.25 | <0.25 | <0.25 | <0.25       | 0.37              | <0.10   | 2.2                   | 5.6             | <0.25          | <0.25         |    |
| 11/11/2002                              | <2.0        | <0.10       | <0.25   | <0.25            | <0.25                | <0.25         | <0.25        | <0.25      | <0.25              | <0.25              | <0.25              | <0.25               | <0.25        | <0.25              | <0.25 | <0.25 | <0.25 | <0.25       | <0.10             | 0.95    | 2.0                   | <0.25           | <0.25          |               |    |
|                                         |             |             |         |                  |                      |               |              |            |                    |                    |                    |                     |              |                    |       |       |       |             |                   |         |                       |                 |                |               |    |
| RW-1B                                   | 8/14/1997   | nd          | nd      | nd               | nd                   | nd            | nd           | nd         | nd                 | nd                 | nd                 | nd                  | nd           | nd                 | nd    | nd    | nd    | nd          | nd                | nd      | 5.5                   | 1.9             | nd             | nd            |    |
|                                         | 11/3/1997   | nd          | nd      | nd               | nd                   | nd            | nd           | nd         | nd                 | nd                 | nd                 | nd                  | nd           | nd                 | nd    | nd    | nd    | nd          | nd                | nd      | 3.0                   | 0.66            | nd             | nd            |    |
|                                         | 2/3/1998    | 4.7 (L)     | nd      | nd               | nd                   | nd            | nd           | nd         | nd                 | nd                 | nd                 | nd                  | nd           | nd                 | nd    | nd    | nd    | nd          | nd                | nd      | 1.9                   | nd              | nd             | nd            |    |
|                                         | 5/19/1998   | 8.8 (B)     | nd      | 4.2 (B)          | nd                   | nd            | nd           | nd         | nd                 | nd                 | nd                 | nd                  | nd           | nd                 | nd    | nd    | nd    | nd          | nd                | nd      | 3.2                   | 0.76            | nd             | nd            |    |
|                                         | 8/10/1998   | nd          | nd      | --               | nd                   | nd            | nd           | nd         | nd                 | nd                 | nd                 | nd                  | nd           | nd                 | --    | nd    | nd    | nd          | nd                | nd      | 2.3                   | 0.89            | nd             | nd            |    |
|                                         | 11/10/1998  | nd          | nd      | nd               | nd                   | nd            | nd           | 0.83       | nd                 | nd                 | nd                 | nd                  | nd           | nd                 | nd    | nd    | nd    | nd          | nd                | nd      | nd                    | nd              | nd             | nd            |    |
|                                         | 2/9/1999    | nd          | nd      | nd               | nd                   | nd            | nd           | nd         | nd                 | nd                 | nd                 | nd                  | nd           | nd                 | nd    | nd    | nd    | nd          | nd                | nd      | 0.45                  | nd              | nd             | nd            |    |
|                                         | 5/11/1999   | nd          | nd      | nd               | nd                   | nd            | nd           | nd         | nd                 | nd                 | nd                 | nd                  | nd           | nd                 | nd    | nd    | nd    | nd          | nd                | nd      | nd                    | nd              | nd             | nd            |    |
|                                         | 8/10/1999   | nd          | nd      | nd               | nd                   | nd            | nd           | nd         | nd                 | nd                 | nd                 | nd                  | nd           | nd                 | nd    | nd    | nd    | nd          | nd                | nd      | nd                    | nd              | nd             | nd            |    |
|                                         | 11/9/1999   | nd          | 0.33    | nd               | 0.54                 | nd            | nd           | nd         | nd                 | nd                 | nd                 | nd                  | nd           | nd                 | nd    | nd    | nd    | nd          | nd                | nd      | 0.8                   | nd              | 0.57           | nd            | nd |
|                                         | 5/9/2000    | nd          | nd      | nd               | nd                   | nd            | nd           | nd         | nd                 | nd                 | nd                 | nd                  | nd           | nd                 | nd    | nd    | 5.5   | nd          | nd                | nd      | 0.57                  | nd              | nd             | nd            |    |
|                                         | 11/13/2000  | nd          | nd      | nd               | nd                   | nd            | nd           | nd         | nd                 | nd                 | nd                 | nd                  | nd           | nd                 | nd    | nd    | nd    | nd          | nd                | nd      | nd                    | nd              | nd             | nd            |    |
|                                         | 2/22/2007   | --          | <0.20   | --               | <0.50                | <0.20         | <1.0         | <0.20      | <0.50              | <0.50              | <0.50              | <0.50               | <0.50        | <1.0               | --    | --    | <0.50 | <0.25       | <0.50             | <0.20   | <0.50                 | <0.20           | <0.20          | <0.50         |    |
|                                         |             |             |         |                  |                      |               |              |            |                    |                    |                    |                     |              |                    |       |       |       |             |                   |         |                       |                 |                |               |    |
| RW-1C                                   | 8/14/1997   | 4.5 (L)     | nd      | nd               | nd                   | nd            | nd           | nd         | nd                 | nd                 | nd                 | nd                  | nd           | nd                 | nd    | nd    | nd    | nd          | nd                | nd      | nd                    | nd              | nd             | nd            |    |
|                                         | 2/22/2007   | --          | <0.20   | --               | <0.50                | <0.20         | <1.0         | <0.20      | <0.50              | <0.50              | <0.50              | <0.50               | <0.50        | <1.0               | --    | --    | <0.50 | <0.25       | <0.50             | <0.20   | <0.50                 | <0.20           | <0.20          | <0.50         |    |
| SYSTEM #2                               |             |             |         |                  |                      |               |              |            |                    |                    |                    |                     |              |                    |       |       |       |             |                   |         |                       |                 |                |               |    |
| MW-3                                    | 9/25/1987   | --          | nd      | --               | 33                   | nd            | 1.2          | 30         | 66                 | nd                 | 5.7                | 0.3                 | 2.4          | 2.5                | --    | --    | nd    | nd          | nd                | 4.9     | 180                   | 2.8             | nd             | nd            |    |
|                                         | 3/88        | --          | nd      | --               | 35                   | 6.0           | nd           | 24         | 43                 | nd                 | nd                 | nd                  | nd           | 17                 | --    | --    | nd    | nd          | nd                | 4.7     | 65                    | 2.4             | nd             | nd            |    |
|                                         | 5/88        | --          | nd      | --               | 14                   | nd            | nd           | 11         | 43                 | nd                 | nd                 | nd                  | 7.4          | 9.2                | --    | --    | nd    | nd          | nd                | nd      | 50                    | nd              | nd             | nd            |    |
|                                         | 2/89        | --          | nd      | --               | nd                   | nd            | nd           | 1.9        | 35                 | 0.4                | 1.3                | nd                  | 3.0          | 5.2                | --    | --    | nd    | nd          | nd                | 1.5     | 27                    | nd              | nd             | nd            |    |
|                                         | 1990        | --          | nd      | --               | nd                   | nd            | nd           | 1.1        | 2.3                | 0.5                | 0.5                | nd                  | 2.1          | 3.5                | --    | --    | nd    | nd          | nd                | 2.2     | 15                    | nd              | nd             | nd            |    |
|                                         | 1/94        | --          | nd      | --               | 1.2                  | nd            | nd           | 1.4        | 6.7                | nd                 | nd                 | nd                  | 1.9          | nd                 | --    | --    | nd    | nd          | nd                | 13      | 6.0                   | nd              | nd             | 24            |    |
|                                         |             |             |         |                  |                      |               |              |            |                    |                    |                    |                     |              |                    |       |       |       |             |                   |         |                       |                 |                |               |    |
| MW-4                                    | 9/25/1987   | --          | nd      | --               | nd                   | nd            | nd           | 0.6        | nd                 | nd                 | nd                 | nd                  | nd           | 1.3                | --    | --    | nd    | nd          | nd                | nd      | nd                    | nd              | nd             | nd            |    |
|                                         | 3/88        | --          | nd      | --               | nd                   | nd            | nd           | nd         | nd                 | nd                 | nd                 | nd                  | nd           | nd                 | --    | --    | nd    | nd          | nd                | nd      | nd                    | nd              | nd             | nd            |    |
|                                         | 5/88        | --          | nd      | --               | nd                   | nd            | nd           | nd         | nd                 | nd                 | nd                 | nd                  | nd           | nd                 | --    | --    | nd    | nd          | nd                | nd      | nd                    | nd              | nd             | nd            |    |
|                                         | 6/26/1995   | --          | nd      | --               | nd                   | nd            | nd           | nd         | nd                 | nd                 | nd                 | nd                  | nd           | nd                 | --    | --    | nd    | nd          | nd                | nd      | 31                    | 3.2             | nd             | nd            |    |
|                                         |             |             |         |                  |                      |               |              |            |                    |                    |                    |                     |              |                    |       |       |       |             |                   |         |                       |                 |                |               |    |
| Wisconsin Groundwater Quality Standards |             |             |         |                  |                      |               |              |            |                    |                    |                    |                     |              |                    |       |       |       |             |                   |         |                       |                 |                |               |    |
| NR 140 PAL                              |             | 200         | 0.5     | 200              | 0.5                  | ns            | 80           | 0.6        | 85                 | 0.5                | 0.7                | 0.5                 | 140          | 0.5                | 90    | 50    | 12    | 10          | 0.5               | 200     | 40                    | 0.5             | 0.2            | 1,000         |    |
| NR 140 ES                               |             | 1000        | 5       | 1000             | 5                    | ns            | 400          | 6          | 850                | 5                  | 7                  | 5                   | 700          | 5                  | 460   | 500   | 60    | 100         | 5                 | 1,000   | 200                   | 5               | 0.02           | 10,000        |    |

Table 1, continued - Groundwater Analytical Summary  
Volatile Organic Compounds (VOCs)  
Praefke Brake and Supply Corporation - West Bend, WI

| Sample Location                         | Sample Date | VOCs (µg/L) |         |                  |                      |               |              |            |                    |                    |                    |                     |              |                    |     |      |      |             |                   |         |                       |                 |                |               |
|-----------------------------------------|-------------|-------------|---------|------------------|----------------------|---------------|--------------|------------|--------------------|--------------------|--------------------|---------------------|--------------|--------------------|-----|------|------|-------------|-------------------|---------|-----------------------|-----------------|----------------|---------------|
|                                         |             | Acetone     | Benzene | Carbon Disulfide | Carbon Tetrachloride | Chlorobenzene | Chloroethane | Chloroform | 1,1-Dichloroethane | 1,2-Dichloroethane | 1,1-Dichloroethene | 1,2-Dichloropropane | Ethylbenzene | Methylene Chloride | MEK | MIBK | MTBE | Naphthalene | Tetrachloroethene | Toluene | 1,1,1-Trichloroethane | Trichloroethene | Vinyl Chloride | Total Xylenes |
| SYSTEM #2 (cont.)                       |             |             |         |                  |                      |               |              |            |                    |                    |                    |                     |              |                    |     |      |      |             |                   |         |                       |                 |                |               |
| MW-H                                    | 2/89        | --          | nd      | --               | nd                   | nd            | nd           | nd         | 2.9                | nd                 | nd                 | nd                  | nd           | nd                 | --  | --   | nd   | nd          | nd                | nd      | nd                    | nd              | nd             | nd            |
|                                         | 1990        | --          | nd      | --               | nd                   | nd            | nd           | 1.6        | 2.7                | 0.2                | nd                 | nd                  | nd           | nd                 | --  | --   | nd   | nd          | nd                | nd      | nd                    | nd              | nd             | nd            |
|                                         | 1/94        | --          | nd      | --               | nd                   | nd            | nd           | nd         | nd                 | nd                 | nd                 | nd                  | nd           | nd                 | --  | --   | nd   | nd          | nd                | nd      | nd                    | nd              | nd             | nd            |
| Wisconsin Groundwater Quality Standards |             |             |         |                  |                      |               |              |            |                    |                    |                    |                     |              |                    |     |      |      |             |                   |         |                       |                 |                |               |
| NR 140 PAL                              |             | 200         | 0.5     | 200              | 0.5                  | ns            | 80           | 0.6        | 85                 | 0.5                | 0.7                | 0.5                 | 140          | 0.5                | 90  | 50   | 12   | 10          | 0.5               | 200     | 40                    | 0.5             | 0.2            | 1,000         |
| NR 140 ES                               |             | 1000        | 5       | 1000             | 5                    | ns            | 400          | 6          | 850                | 5                  | 7                  | 5                   | 700          | 5                  | 460 | 500  | 60   | 100         | 5                 | 1,000   | 200                   | 5               | 0.02           | 10,000        |

Notes:

- 1) nd = not detected
- 2) -- = not analyzed
- 3) ns = no NR 140 standard currently exists.
- 4) \*\* = Elevated detection limit
- 5) L = compound is a common lab solvent and contaminant.
- 6) Bold and underline is a NR 140 Preventive Action Limit (PAL) exceedance
- 7) Bold and shaded is a NR 140 Enforcement Standard (ES) exceedance
- 8) Only compounds that were detected are shown.
- 9) B = Blank is Contaminated
- 10) MEK = Methyl Ethyl Ketone/ 2-Butanone
- 11) MIBK = 4-Methyl-2-pentanone/ Methyl isobutyl ketone

- 11) MW-A, 5/13/97, contained detections of bromodichloromethane (0.33 µg/L) and chlorodibromomethane (0.18 µg/L) below the laboratory LOQ and NR 140 ES.
- 12) MW-A, 8/14/97, contained detections of bromodichloromethane (0.38 µg/L) and chlorodibromomethane (0.25 µg/L) below the laboratory LOQ and NR 140 ES.
- 13) MW-A, 11/3/97, contained detections of bromodichloromethane (0.3 µg/L) and chlorodibromomethane (0.25 µg/L) below the laboratory LOQ and NR 140 ES.
- 14) MW-A, 2/3/98, contained detections of bromodichloromethane (0.42 µg/L) and chlorodibromomethane (0.19 µg/L) below the laboratory LOQ and NR 140 ES.
- 15) Recovery well RW-1C was shutdown due to non-detectable concentrations.
- 16) MW-A, 5/19/98, contained detections of bromodichloromethane (0.22 µg/L) below the laboratory LOQ and NR 140 ES.
- 17) RW-1B, 11/9/99, contained detections of dichlorodifluoromethane (0.72 µg/L) and styrene (0.18 µg/L) below the laboratory LOQ and NR 140 ES.

- 18) Tetrahydrofuran was detected in sample MW-A on 5/20/02 at 3.2 µg/L.
  - 19) Methylene Chloride was detected in the blank on 11/13/01
  - 20) Methylene Chloride was detected in the blank on 5/20/02
- orig 1/97 rev. 2/98, 6/98, 1/99, 7/99, 3/00, 12/00, 7/02/3/03  
By: dvp/jag/stm/dvp/jam/aas/aas/pah/rhs  
Chkd By: jag/tln/jag/jaz/sag/jth/rjc

General Note : This summary table was developed from available information; some minor inaccuracies may exist in the 1987 through 1994 data.  
The table will be updated if more accurate information is found.

**Table 2 - Groundwater Analytical Summary**  
**Semi-Volatile Organic Compounds (SVOCs)**  
**Praefke Brake and Supply Corporation - West Bend, WI**

|                                         |             | ACID COMPOUNDS             |                |                    |                    |                           |                   |        |                       |                       | SVOCs (µg/L) |              |                |            |                            |              |                      |              |          |                     |                     |             |                |                        |              |        | BASE/NEUTRALS |  |  |  |  |  |  |
|-----------------------------------------|-------------|----------------------------|----------------|--------------------|--------------------|---------------------------|-------------------|--------|-----------------------|-----------------------|--------------|--------------|----------------|------------|----------------------------|--------------|----------------------|--------------|----------|---------------------|---------------------|-------------|----------------|------------------------|--------------|--------|---------------|--|--|--|--|--|--|
| Sample Location                         | Sample Date | 2-Methyl-4,6-dinitrophenol | Cresols, Total | 2,4-Dichlorophenol | 2,4-Dimethylphenol | 4-Methylphenol (p-Cresol) | Pentachlorophenol | Phenol | 2,4,5-Trichlorophenol | 2,4,6-Trichlorophenol |              | Acenaphthene | Acenaphthylene | Anthracene | Bis(2-ethylhexyl)phthalate | Dibenzofuran | Di-n-butyl phthalate | Fluoranthene | Fluorene | 1-Methylnaphthalene | 2-Methylnaphthalene | Naphthalene | 2-Nitroaniline | N-nitrosodiphenylamine | Phenanthrene | Pyrene |               |  |  |  |  |  |  |
| SYSTEM #1                               |             |                            |                |                    |                    |                           |                   |        |                       |                       |              |              |                |            |                            |              |                      |              |          |                     |                     |             |                |                        |              |        |               |  |  |  |  |  |  |
| MW-2                                    | 9/25/1987   | nd                         | --             | nd                 | nd                 | nd                        | nd                | nd     | nd                    | nd                    |              | nd           | nd             | nd         | nd                         | nd           | nd                   | nd           | nd       | nd                  | nd                  | nd          | nd             | nd                     | nd           | nd     |               |  |  |  |  |  |  |
|                                         | 3/88        | nd                         | --             | nd                 | nd                 | nd                        | nd                | nd     | nd                    | nd                    |              | --           | --             | --         | --                         | --           | --                   | --           | --       | --                  | --                  | --          | --             | --                     | --           | --     |               |  |  |  |  |  |  |
|                                         | 5/88        | nd                         | --             | nd                 | nd                 | nd                        | nd                | nd     | nd                    | nd                    |              | --           | --             | --         | --                         | --           | --                   | --           | --       | --                  | --                  | --          | --             | --                     | --           | --     |               |  |  |  |  |  |  |
|                                         | 2/89        | nd                         | --             | nd                 | nd                 | nd                        | nd                | nd     | nd                    | nd                    |              | --           | --             | --         | --                         | --           | --                   | --           | --       | --                  | --                  | --          | --             | --                     | --           | --     |               |  |  |  |  |  |  |
| MW-G                                    | 2/89        | nd                         | --             | nd                 | nd                 | nd                        | nd                | nd     | nd                    | nd                    |              | --           | --             | --         | --                         | --           | --                   | --           | --       | --                  | --                  | --          | --             | --                     | --           | --     |               |  |  |  |  |  |  |
| MW-6/6A                                 | 9/25/1987   | nd                         | --             | nd                 | nd                 | nd                        | nd                | nd     | nd                    | nd                    |              | nd           | nd             | nd         | nd                         | nd           | nd                   | nd           | nd       | nd                  | nd                  | nd          | nd             | nd                     | nd           | nd     |               |  |  |  |  |  |  |
|                                         | 3/88        | nd                         | --             | nd                 | nd                 | nd                        | nd                | nd     | nd                    | nd                    |              | --           | --             | --         | --                         | --           | --                   | --           | --       | --                  | --                  | --          | --             | --                     | --           | --     |               |  |  |  |  |  |  |
|                                         | 5/88        | nd                         | --             | nd                 | nd                 | nd                        | nd                | nd     | nd                    | nd                    |              | --           | --             | --         | --                         | --           | --                   | --           | --       | --                  | --                  | --          | --             | --                     | --           | --     |               |  |  |  |  |  |  |
|                                         | 2/89        | nd                         | --             | nd                 | nd                 | nd                        | nd                | nd     | nd                    | nd                    |              | --           | --             | --         | --                         | --           | --                   | --           | --       | --                  | --                  | --          | --             | --                     | --           | --     |               |  |  |  |  |  |  |
| MW-6B                                   | 3/88        | nd                         | --             | nd                 | nd                 | nd                        | nd                | nd     | nd                    | nd                    |              | --           | --             | --         | --                         | --           | --                   | --           | --       | --                  | --                  | --          | --             | --                     | --           | --     |               |  |  |  |  |  |  |
|                                         | 5/88        | nd                         | --             | nd                 | nd                 | nd                        | nd                | nd     | nd                    | nd                    |              | --           | --             | --         | --                         | --           | --                   | --           | --       | --                  | --                  | --          | --             | --                     | --           | --     |               |  |  |  |  |  |  |
|                                         | 2/89        | nd                         | --             | nd                 | nd                 | nd                        | nd                | nd     | nd                    | nd                    |              | --           | --             | --         | --                         | --           | --                   | --           | --       | --                  | --                  | --          | --             | --                     | --           | --     |               |  |  |  |  |  |  |
| MW-A                                    | 3/88        | nd                         | --             | nd                 | nd                 | nd                        | nd                | nd     | nd                    | nd                    |              | --           | --             | --         | --                         | --           | --                   | --           | --       | --                  | --                  | --          | --             | --                     | --           | --     |               |  |  |  |  |  |  |
|                                         | 5/88        | nd                         | --             | nd                 | nd                 | nd                        | nd                | nd     | nd                    | nd                    |              | --           | --             | --         | --                         | --           | --                   | --           | --       | --                  | --                  | --          | --             | --                     | --           | --     |               |  |  |  |  |  |  |
|                                         | 2/89        | nd                         | --             | nd                 | nd                 | nd                        | nd                | nd     | nd                    | nd                    |              | --           | --             | --         | --                         | --           | --                   | --           | --       | --                  | --                  | --          | --             | --                     | --           | --     |               |  |  |  |  |  |  |
| SYSTEM #2                               |             |                            |                |                    |                    |                           |                   |        |                       |                       |              |              |                |            |                            |              |                      |              |          |                     |                     |             |                |                        |              |        |               |  |  |  |  |  |  |
| MW-3                                    | 9/25/1987   | nd                         | --             | 13                 | nd                 | nd                        | 590               | nd     | nd                    | nd                    |              | nd           | nd             | nd         | nd                         | nd           | 1.7                  | nd           | nd       | nd                  | nd                  | nd          | nd             | nd                     | nd           | nd     |               |  |  |  |  |  |  |
|                                         | 3/88        | nd                         | --             | nd                 | nd                 | nd                        | 16,000            | nd     | nd                    | nd                    |              | --           | --             | --         | --                         | --           | --                   | --           | --       | --                  | --                  | --          | --             | --                     | --           | --     |               |  |  |  |  |  |  |
|                                         | 5/88        | nd                         | --             | nd                 | nd                 | nd                        | 590               | nd     | nd                    | nd                    |              | --           | --             | --         | --                         | --           | --                   | --           | --       | --                  | --                  | --          | --             | --                     | --           | --     |               |  |  |  |  |  |  |
|                                         | 2/89        | nd                         | --             | nd                 | nd                 | nd                        | 5,000             | nd     | nd                    | 39                    |              | --           | --             | --         | --                         | --           | --                   | --           | --       | --                  | --                  | --          | --             | --                     | --           | --     |               |  |  |  |  |  |  |
|                                         | 1990        | nd                         | --             | nd                 | nd                 | nd                        | 4,000             | nd     | nd                    | nd                    |              | nd           | 140            | nd         | nd                         | nd           | nd                   | 5.6          | nd       | nd                  | 160                 | nd          | nd             | nd                     | nd           | nd     |               |  |  |  |  |  |  |
|                                         | 1/94        | nd                         | --             | nd                 | 1.0                | 6                         | 3,700(E)          | nd     | 4.0                   | nd                    |              | nd           | 30             | 0.15       | nd                         | 2.0          | nd                   | nd           | 4.8      | nd                  | 78                  | 91          | nd             | nd                     | 2.2          | nd     |               |  |  |  |  |  |  |
|                                         | 10/18/1995  | nd                         | nd             | nd                 | nd                 | --                        | 1,100             | nd     | nd                    | nd                    |              | nd           | nd             | nd         | nd                         | nd           | nd                   | nd           | nd       | nd                  | nd                  | nd          | nd             | nd                     | nd           | nd     |               |  |  |  |  |  |  |
|                                         | 12/6/1995   | nd                         | nd             | nd                 | nd                 | --                        | 590               | nd     | nd                    | nd                    |              | nd           | nd             | nd         | nd                         | nd           | nd                   | nd           | nd       | 120                 | 76                  | nd          | nd             | nd                     | nd           | nd     |               |  |  |  |  |  |  |
|                                         | 2/27/1996   | nd                         | nd             | nd                 | nd                 | --                        | 300               | nd     | nd                    | nd                    |              | nd           | nd             | nd         | nd                         | nd           | nd                   | nd           | nd       | 100                 | 110                 | nd          | nd             | nd                     | nd           | nd     |               |  |  |  |  |  |  |
|                                         | 5/14/1996   | nd                         | 17             | nd                 | nd                 | --                        | 450               | nd     | nd                    | nd                    |              | nd           | nd             | nd         | nd                         | nd           | nd                   | nd           | nd       | 130                 | 110                 | nd          | nd             | nd                     | nd           | nd     |               |  |  |  |  |  |  |
| Wisconsin Groundwater Quality Standards |             |                            |                |                    |                    |                           |                   |        |                       |                       |              |              |                |            |                            |              |                      |              |          |                     |                     |             |                |                        |              |        |               |  |  |  |  |  |  |
| NR 140 PAL                              |             | ns                         | ns             | ns                 | ns                 | ns                        | 0.1               | 1,200  | ns                    | ns                    |              | ns           | ns             | 600        | 0.6                        | ns           | 20                   | 80           | 80       | ns                  | ns                  | 10          | ns             | 0.7                    | ns           | 50     |               |  |  |  |  |  |  |
| NR 140 ES                               |             | ns                         | ns             | ns                 | ns                 | ns                        | 1                 | 6,000  | ns                    | ns                    |              | ns           | ns             | 3,000      | 6                          | ns           | 100                  | 400          | 400      | ns                  | ns                  | 100         | ns             | 7                      | ns           | 250    |               |  |  |  |  |  |  |

Table 2, continued - Groundwater Analytical Summary  
Semi-Volatile Organic Compounds (SVOCs)  
Praefke Brake and Supply Corporation - West Bend, WI

|                                         |                       | ACID COMPOUNDS             |                |                    |                    |                           |                   |        |                       |                       | SVOCs (µg/L) |                |            |                            |              |                      |              |          |                     |                     |             |                |                        |              |        | BASE/NEUTRALS |  |  |  |  |  |  |
|-----------------------------------------|-----------------------|----------------------------|----------------|--------------------|--------------------|---------------------------|-------------------|--------|-----------------------|-----------------------|--------------|----------------|------------|----------------------------|--------------|----------------------|--------------|----------|---------------------|---------------------|-------------|----------------|------------------------|--------------|--------|---------------|--|--|--|--|--|--|
| Sample Location                         | Sample Date           | 2-Methyl-4,6-dinitrophenol | Cresols, Total | 2,4-Dichlorophenol | 2,4-Dimethylphenol | 4-Methylphenol (p-Cresol) | Pentachlorophenol | Phenol | 2,4,5-Trichlorophenol | 2,4,6-Trichlorophenol | Acenaphthene | Acenaphthylene | Anthracene | Bis(2-ethylhexyl)phthalate | Dibenzofuran | Di-n-butyl phthalate | Fluoranthene | Fluorene | 1-Methylnaphthalene | 2-Methylnaphthalene | Naphthalene | 2-Nitroaniline | N-nitrosodiphenylamine | Phenanthrene | Pyrene |               |  |  |  |  |  |  |
| SYSTEM #2 (cont.)                       |                       |                            |                |                    |                    |                           |                   |        |                       |                       |              |                |            |                            |              |                      |              |          |                     |                     |             |                |                        |              |        |               |  |  |  |  |  |  |
| MW-3 (cont.)                            | 8/13/96**             | nd                         | nd(M)          | nd(M)              | nd(M)              | --                        | 2,000             | nd     | nd(M)                 | nd(M)                 | nd           | nd(M)          | nd(M)      | nd(M)                      | nd(M)        | nd(M)                | nd(M)        | nd(M)    | nd(M)               | nd(M)               | nd(M)       | nd(M)          | nd(M)                  | nd(M)        | nd     |               |  |  |  |  |  |  |
|                                         | 11/14/1996            | nd                         | 11             | nd                 | nd                 | --                        | 680               | nd     | nd                    | nd                    | nd           | nd             | nd         | nd                         | nd           | nd                   | nd           | nd       | nd                  | 200                 | 160         | nd             | nd                     | nd           | nd     |               |  |  |  |  |  |  |
|                                         | 2/3/1997              | nd                         | 6.2            | nd                 | 2.8                | --                        | 170               | 2.5    | 6.5                   | nd                    | nd           | nd             | 4.3        | nd                         | 4.7          | nd                   | nd           | 4.6      | nd                  | 140                 | 120         | 3.4            | nd                     | 4.3          | nd     |               |  |  |  |  |  |  |
|                                         | 5/13/1997             | nd                         | 4.1            | nd                 | nd                 | --                        | 650               | nd     | nd                    | nd                    | nd           | nd             | 0.13       | --                         | --           | --                   | 0.35         | 1.7      | 50                  | 66                  | 43          | --             | --                     | 1.3          | nd     |               |  |  |  |  |  |  |
|                                         | 8/14/1997             | nd                         | 9.6            | nd                 | nd                 | --                        | 2,600             | 3.2    | 8.6                   | nd                    | nd (M)       | nd(M)          | nd(M)      | --                         | --           | --                   | nd(M)        | 10       | 260                 | 280                 | 370         | --             | --                     | 4.4          | nd     |               |  |  |  |  |  |  |
|                                         | 11/4/1997             | nd                         | 8.0            | nd                 | nd                 | --                        | 2,800             | nd     | 11                    | nd                    | 2.5          | nd             | 0.59       | --                         | --           | --                   | nd           | 12       | 190                 | 270                 | 420         | --             | --                     | 8.3          | nd     |               |  |  |  |  |  |  |
|                                         | 2/3/1998              | nd                         | nd             | nd                 | nd                 | --                        | 1,800             | nd     | 8.6                   | nd                    | nd           | nd             | nd         | --                         | --           | --                   | nd           | 4.2      | 15                  | 16                  | 16          | --             | --                     | nd           | nd     |               |  |  |  |  |  |  |
|                                         | 5/19/1998             | nd                         | nd             | nd                 | nd                 | --                        | 300               | nd     | nd                    | nd                    | 32           | nd             | nd         | --                         | --           | --                   | nd           | 0.56     | 22                  | 38                  | nd          | --             | --                     | 0.62         | nd     |               |  |  |  |  |  |  |
|                                         | 8/10/1998             | nd                         | 5.8            | nd                 | nd                 | --                        | 3,200             | nd     | 13                    | nd                    | nd           | nd             | 1.1        | --                         | --           | --                   | nd           | 13       | 220                 | 420                 | 330         | --             | --                     | 6.2          | nd     |               |  |  |  |  |  |  |
|                                         | 11/10/1998            | nd(M)                      | nd(M)          | nd(M)              | nd(M)              | --                        | 1,200             | nd(M)  | nd(M)                 | nd(M)                 | nd           | nd             | 0.66       | --                         | --           | --                   | 0.57         | 15       | 170                 | 330                 | 250         | --             | --                     | 7.4          | nd     |               |  |  |  |  |  |  |
|                                         | 2/10/1999             | nd                         | nd             | nd                 | nd                 | --                        | 76                | nd     | nd                    | nd                    | nd           | nd             | nd         | --                         | --           | --                   | nd           | nd       | nd                  | nd                  | nd          | --             | --                     | nd           | nd     |               |  |  |  |  |  |  |
|                                         | 5/11/1999             | nd                         | nd             | nd                 | nd                 | --                        | 440               | nd     | nd                    | nd                    | nd           | nd             | nd         | --                         | --           | --                   | nd           | nd       | 13                  | 18                  | 91          | --             | --                     | nd           | nd     |               |  |  |  |  |  |  |
|                                         | 8/10/1999             | nd(M)                      | 4.8            | nd(M)              | nd(M)              | --                        | 2,700             | nd(M)  | 9.3                   | nd(M)                 | 1.5          | nd             | 0.28       | --                         | --           | --                   | 0.27         | 9.4      | 110                 | 210                 | 140         | --             | --                     | 2.5          | nd     |               |  |  |  |  |  |  |
|                                         | 11/9/1999             | --                         | --             | --                 | --                 | --                        | --                | --     | --                    | --                    | 2.5          | nd(M)          | 0.47       | --                         | --           | --                   | 1.8          | 14       | 190                 | 340                 | 330         | --             | --                     | 7.6          | nd     |               |  |  |  |  |  |  |
|                                         | 11/17/1999            | nd(M)                      | nd(M)          | nd(M)              | nd(M)              | --                        | 2,690             | nd(M)  | nd(M)                 | nd(M)                 | nd           | nd             | 0.28       | --                         | --           | --                   | 4.7          | 7.6      | 170                 | 290                 | 280         | --             | --                     | 3.5          | nd     |               |  |  |  |  |  |  |
|                                         | 5/9/2000              | nd                         | nd             | nd                 | nd                 | --                        | 690               | nd     | nd                    | nd                    | nd           | nd             | 0.2        | --                         | --           | --                   | nd           | 1.6      | 63                  | 120                 | 81          | --             | --                     | 2.3          | nd     |               |  |  |  |  |  |  |
|                                         | 11/13/2000            | nd                         | 6.4            | nd                 | 0.46               | --                        | 890               | nd     | 10                    | nd                    | 8.6          | nd             | 0.43       | --                         | --           | --                   | 1.3          | 8.6      | 200                 | 370                 | 320         | --             | --                     | 4.6          | nd     |               |  |  |  |  |  |  |
|                                         | 5/8/01 <sup>M</sup>   | nd                         | nd             | nd                 | nd                 | --                        | 39                | nd     | nd                    | nd                    | nd           | nd             | nd         | --                         | --           | --                   | nd           | 0.32     | 7.6                 | 9.0                 | 13          | --             | --                     | 0.13         | nd     |               |  |  |  |  |  |  |
|                                         | 11/13/01 <sup>M</sup> | <27                        | <16            | <41                | <3.8               | --                        | 1,500             | <17    | <31                   | <52                   | <0.44        | <0.70          | <0.033     | --                         | --           | --                   | <0.084       | <0.085   | <0.56               | <1.0                | <0.41       | --             | --                     | <0.085       | <0.066 |               |  |  |  |  |  |  |
|                                         | 5/20/02 <sup>M</sup>  | <3.4                       | <2.0           | <1.2               | <2.9               | --                        | 3.3               | <0.76  | <0.81                 | <0.74                 | <0.47        | <0.21          | <0.085     | --                         | --           | --                   | <0.12        | <0.15    | <0.55               | <0.52               | <0.61       | --             | --                     | 0.11         | 0.060  |               |  |  |  |  |  |  |
|                                         | 11/11/02 <sup>M</sup> | <6.5                       | <3.8           | <2.2               | <5.7               | --                        | 1,600             | <1.5   | <1.6                  | <1.4                  | 1.9          | <0.25          | 1.2        | --                         | --           | --                   | 1.2          | 14       | 140                 | 220                 | 150         | --             | --                     | 4.5          | 0.71   |               |  |  |  |  |  |  |
|                                         | 3/23/2005             | --                         | --             | --                 | --                 | --                        | 1,800             | --     | --                    | --                    | --           | --             | --         | --                         | --           | --                   | --           | --       | --                  | --                  | 47          | --             | --                     | --           | --     |               |  |  |  |  |  |  |
|                                         | 2/22/2007             | --                         | --             | --                 | --                 | --                        | 1,860             | --     | --                    | --                    | --           | --             | --         | --                         | --           | --                   | --           | --       | --                  | --                  | --          | --             | --                     | --           | --     |               |  |  |  |  |  |  |
| MW-4                                    | 9/25/1987             | nd                         | --             | nd                 | nd                 | nd                        | nd                | nd     | nd                    | nd                    | nd           | nd             | nd         | nd                         | nd           | nd                   | nd           | nd       | nd                  | nd                  | nd          | nd             | nd                     | nd           | nd     |               |  |  |  |  |  |  |
|                                         | 3/88                  | nd                         | --             | nd                 | nd                 | nd                        | nd                | nd     | nd                    | nd                    | --           | --             | --         | --                         | --           | --                   | --           | --       | --                  | --                  | --          | --             | --                     | --           | --     |               |  |  |  |  |  |  |
|                                         | 5/88                  | nd                         | --             | nd                 | nd                 | nd                        | nd                | nd     | nd                    | nd                    | --           | --             | --         | --                         | --           | --                   | --           | --       | --                  | --                  | --          | --             | --                     | --           | --     |               |  |  |  |  |  |  |
|                                         | 2/27/1996             | nd                         | nd             | nd                 | nd                 | --                        | nd                | nd     | nd                    | nd                    | nd           | nd             | nd         | nd                         | nd           | nd                   | nd           | nd       | nd                  | nd                  | nd          | nd             | nd                     | nd           | nd     |               |  |  |  |  |  |  |
|                                         | 5/14/1996             | nd                         | nd             | nd                 | nd                 | --                        | nd                | nd     | nd                    | nd                    | nd           | nd             | nd         | nd                         | nd           | nd                   | nd           | nd       | nd                  | nd                  | nd          | nd             | nd                     | nd           | nd     |               |  |  |  |  |  |  |
|                                         | 8/13/1996             | nd                         | nd             | nd                 | nd                 | --                        | nd                | nd     | nd                    | nd                    | nd           | nd             | nd         | nd                         | nd           | nd                   | nd           | nd       | nd                  | nd                  | nd          | nd             | nd                     | nd           | nd     |               |  |  |  |  |  |  |
|                                         | 11/14/1996            | nd                         | nd             | nd                 | nd                 | --                        | nd                | nd     | nd                    | nd                    | nd           | nd             | nd         | nd                         | nd           | nd                   | nd           | nd       | nd                  | nd                  | nd          | nd             | nd                     | nd           | nd     |               |  |  |  |  |  |  |
|                                         | 2/3/1997              | nd                         | nd             | nd                 | nd                 | --                        | nd                | nd     | nd                    | nd                    | nd           | nd             | nd         | nd                         | nd           | nd                   | nd           | nd       | nd                  | nd                  | nd          | nd             | 2.2                    | nd           | nd     |               |  |  |  |  |  |  |
|                                         | 5/13/1997             | nd                         | nd             | nd                 | nd                 | --                        | nd                | nd     | nd                    | nd                    | --           | --             | --         | --                         | --           | --                   | --           | --       | --                  | --                  | --          | --             | --                     | --           | --     |               |  |  |  |  |  |  |
|                                         | 5/19/1998             | nd                         | nd             | nd                 | nd                 | --                        | nd                | nd     | nd                    | nd                    | nd           | nd             | nd         | --                         | --           | --                   | nd           | nd       | nd                  | nd                  | nd          | --             | --                     | nd           | nd     |               |  |  |  |  |  |  |
|                                         | 5/11/1999             | nd                         | nd             | nd                 | nd                 | --                        | nd                | nd     | nd                    | nd                    | nd           | nd             | nd         | --                         | --           | --                   | nd           | nd       | nd                  | nd                  | nd          | --             | --                     | nd           | nd     |               |  |  |  |  |  |  |
|                                         | 5/9/2000              | nd                         | nd             | nd                 | nd                 | --                        | nd                | nd     | nd                    | nd                    | nd           | nd             | nd         | nd                         | nd           | nd                   | nd           | nd       | nd                  | nd                  | nd          | nd             | nd                     | 0.027        | 0.12   |               |  |  |  |  |  |  |
|                                         | 5/8/01 <sup>M</sup>   | nd                         | nd             | nd                 | nd                 | --                        | nd                | nd     | nd                    | nd                    | nd           | nd             | nd         | nd                         | nd           | nd                   | nd           | nd       | nd                  | nd                  | nd          | nd             | nd                     | nd           | nd     |               |  |  |  |  |  |  |
|                                         | 11/11/02 <sup>M</sup> | <3.3                       | <2.0           | <1.1               | <2.9               | --                        | <1.7              | <0.75  | <0.80                 | <0.72                 | <0.47        | <0.22          | <0.085     | --                         | --           | --                   | <0.12        | <0.15    | <0.56               | <0.53               | <0.62       | --             | --                     | <0.022       | <0.013 |               |  |  |  |  |  |  |
|                                         | 3/23/2005             | --                         | --             | --                 | --                 | --                        | <2.8              | --     | --                    | --                    | --           | --             | --         | --                         | --           | --                   | --           | --       | --                  | --                  | --          | <0.43          | --                     | --           | --     |               |  |  |  |  |  |  |
|                                         | 2/22/2007             | --                         | --             | --                 | --                 | --                        | <2.05             | --     | --                    | --                    | --           | --             | --         | --                         | --           | --                   | --           | --       | --                  | --                  | --          | --             | --                     | --           | --     |               |  |  |  |  |  |  |
| Wisconsin Groundwater Quality Standards |                       |                            |                |                    |                    |                           |                   |        |                       |                       |              |                |            |                            |              |                      |              |          |                     |                     |             |                |                        |              |        |               |  |  |  |  |  |  |
| NR 140 PAL                              |                       | ns                         | ns             | ns                 | ns                 | ns                        | 0.1               | 1,200  | ns                    | ns                    | ns           | ns             | 600        | 0.6                        | ns           | 20                   | 80           | 80       | ns                  | ns                  | 10          | ns             | 0.7                    | ns           | 50     |               |  |  |  |  |  |  |
| NR 140 ES                               |                       | ns                         | ns             | ns                 | ns                 | ns                        | 1                 | 6,000  | ns                    | ns                    | ns           | ns             | 3,000      | 6                          | ns           | 100                  | 400          | 400      | ns                  | ns                  | 100         | ns             | 7                      | ns           | 250    |               |  |  |  |  |  |  |

Table 2, continued - Groundwater Analytical Summary  
Semi-Volatile Organic Compounds (SVOCs)  
Praefke Brake and Supply Corporation - West Bend, WI

|                                         |                       | ACID COMPOUNDS             |                |                    |                    |                           |                   |        |                       |                       | SVOCs (µg/L) |                |            |                            |              |                      |              |          |                     |                     |             |                |                        |              |        | BASE/NEUTRALS |  |  |  |  |
|-----------------------------------------|-----------------------|----------------------------|----------------|--------------------|--------------------|---------------------------|-------------------|--------|-----------------------|-----------------------|--------------|----------------|------------|----------------------------|--------------|----------------------|--------------|----------|---------------------|---------------------|-------------|----------------|------------------------|--------------|--------|---------------|--|--|--|--|
| Sample Location                         | Sample Date           | 2-Methyl-4,6-dinitrophenol | Cresols, Total | 2,4-Dichlorophenol | 2,4-Dimethylphenol | 4-Methylphenol (p-Cresol) | Pentachlorophenol | Phenol | 2,4,5-Trichlorophenol | 2,4,6-Trichlorophenol | Acenaphthene | Acenaphthylene | Anthracene | Bis(2-ethylhexyl)phthalate | Dibenzofuran | Di-n-butyl phthalate | Fluoranthene | Fluorene | 1-Methylnaphthalene | 2-Methylnaphthalene | Naphthalene | 2-Nitroaniline | N-nitrosodiphenylamine | Phenanthrene | Pyrene |               |  |  |  |  |
| SYSTEM #2 (cont.)                       |                       |                            |                |                    |                    |                           |                   |        |                       |                       |              |                |            |                            |              |                      |              |          |                     |                     |             |                |                        |              |        |               |  |  |  |  |
| MW-H                                    | 2/89                  | nd                         | --             | nd                 | nd                 | nd                        | 570               | nd     | nd                    | 33                    | --           | --             | --         | --                         | --           | --                   | --           | --       | --                  | --                  | --          | --             | --                     | --           | --     |               |  |  |  |  |
|                                         | 1990                  | nd                         | --             | nd                 | nd                 | nd                        | 70                | nd     | nd                    | nd                    | nd           | nd             | nd         | nd                         | nd           | nd                   | nd           | nd       | nd                  | nd                  | nd          | nd             | nd                     | nd           | nd     |               |  |  |  |  |
|                                         | 1/94                  | nd                         | --             | nd                 | nd                 | nd                        | 82(E)             | nd     | nd                    | nd                    | nd           | nd             | nd         | nd                         | nd           | nd                   | nd           | nd       | nd                  | nd                  | nd          | nd             | nd                     | nd           | nd     |               |  |  |  |  |
|                                         | 10/18/1995            | nd                         | nd             | nd                 | nd                 | --                        | 860               | nd     | nd                    | nd                    | nd           | nd             | nd         | nd                         | nd           | nd                   | nd           | nd       | nd                  | nd                  | nd          | nd             | nd                     | nd           | nd     |               |  |  |  |  |
|                                         | 12/6/1995             | nd                         | nd             | nd                 | nd                 | --                        | 210               | nd     | nd                    | nd                    | nd           | nd             | nd         | nd                         | nd           | nd                   | nd           | nd       | nd                  | nd                  | nd          | nd             | nd                     | nd           | nd     |               |  |  |  |  |
|                                         | 2/27/1996             | nd                         | nd             | nd                 | nd                 | --                        | 450               | nd     | nd                    | nd                    | nd           | nd             | nd         | nd                         | nd           | nd                   | nd           | nd       | nd                  | nd                  | nd          | nd             | nd                     | nd           | nd     |               |  |  |  |  |
|                                         | 5/14/1996             | nd                         | nd             | nd                 | nd                 | --                        | 460               | nd     | nd                    | nd                    | nd           | nd             | nd         | nd                         | nd           | nd                   | nd           | nd       | nd                  | nd                  | nd          | nd             | nd                     | nd           | nd     |               |  |  |  |  |
|                                         | 8/13/1996             | nd(M)                      | nd(M)          | nd(M)              | nd(M)              | --                        | nd (M)            | nd (M) | nd(M)                 | nd(M)                 | nd (M)       | nd(M)          | nd(M)      | nd(M)                      | nd(M)        | nd(M)                | nd(M)        | nd(M)    | nd(M)               | nd(M)               | nd(M)       | nd(M)          | nd(M)                  | nd(M)        | nd(M)  |               |  |  |  |  |
|                                         | 11/14/1996            | nd                         | nd             | nd                 | nd                 | --                        | 310               | nd     | nd                    | nd                    | nd           | nd             | nd         | nd                         | nd           | nd                   | nd           | nd       | nd                  | nd                  | 11          | nd             | nd                     | nd           | nd     |               |  |  |  |  |
|                                         | 2/3/1997              | 7.6                        | nd             | nd                 | nd                 | --                        | 240               | nd     | nd                    | nd                    | nd           | nd             | nd         | 3.4                        | nd           | nd                   | nd           | nd       | nd                  | nd                  | nd          | nd             | nd                     | nd           | nd     |               |  |  |  |  |
|                                         | 5/13/1997             | nd                         | nd             | nd                 | nd                 | --                        | 400               | nd     | nd                    | nd                    | --           | --             | --         | --                         | --           | --                   | --           | --       | --                  | --                  | --          | --             | --                     | --           | --     |               |  |  |  |  |
|                                         | 8/14/1997             | nd                         | nd             | nd                 | nd                 | --                        | 2,200             | nd     | nd                    | nd                    | --           | --             | --         | --                         | --           | --                   | --           | --       | --                  | --                  | --          | --             | --                     | --           | --     |               |  |  |  |  |
|                                         | 11/3/1997             | nd                         | nd             | nd                 | nd                 | --                        | 2,800             | nd     | 8.6                   | nd                    | --           | --             | --         | --                         | --           | --                   | --           | --       | --                  | --                  | --          | --             | --                     | --           | --     |               |  |  |  |  |
|                                         | 2/3/1998              | nd                         | nd             | nd                 | nd                 | --                        | 450               | nd     | nd                    | nd                    | --           | --             | --         | --                         | --           | --                   | --           | --       | --                  | --                  | --          | --             | --                     | --           | --     |               |  |  |  |  |
|                                         | 5/19/1998             | nd                         | nd             | nd                 | nd                 | --                        | 110               | nd     | nd                    | nd                    | 0.72         | nd             | nd         | --                         | --           | --                   | nd           | nd       | nd                  | nd                  | nd          | nd             | --                     | --           | nd     |               |  |  |  |  |
|                                         | 8/10/1998             | nd                         | nd             | nd                 | nd                 | --                        | 280               | nd     | nd                    | nd                    | nd           | nd             | nd         | --                         | --           | --                   | nd           | nd       | nd                  | nd                  | nd          | --             | --                     | nd           | nd     |               |  |  |  |  |
|                                         | 11/10/1998            | nd(M)                      | nd(M)          | nd(M)              | nd(M)              | --                        | 510               | nd(M)  | nd(M)                 | nd(M)                 | nd           | nd             | nd         | --                         | --           | --                   | nd           | nd       | 4.2                 | nd                  | 1.4         | --             | --                     | nd           | nd     |               |  |  |  |  |
|                                         | 2/10/1999             | nd                         | nd             | nd                 | nd                 | --                        | 140               | nd     | nd                    | nd                    | nd           | nd             | nd         | --                         | --           | --                   | nd           | nd       | nd                  | nd                  | nd          | --             | --                     | nd           | nd     |               |  |  |  |  |
|                                         | 5/11/1999             | nd                         | nd             | nd                 | nd                 | --                        | <3.0              | nd     | nd                    | nd                    | nd           | nd             | nd         | --                         | --           | --                   | nd           | nd       | nd                  | nd                  | nd          | nd             | --                     | --           | nd     |               |  |  |  |  |
|                                         | 8/10/1999             | nd(M)                      | nd(M)          | nd(M)              | nd(M)              | --                        | 69                | nd(M)  | nd(M)                 | nd(M)                 | nd           | nd             | nd         | --                         | --           | --                   | nd           | nd       | nd                  | nd                  | nd          | nd             | --                     | --           | nd     |               |  |  |  |  |
|                                         | 11/9/1999             | nd                         | nd             | nd                 | nd                 | --                        | 74                | nd     | nd                    | nd                    | nd           | nd             | nd         | --                         | --           | --                   | nd           | nd       | nd                  | nd                  | nd          | nd             | --                     | --           | nd     |               |  |  |  |  |
|                                         | 5/9/2000              | nd                         | nd             | nd                 | nd                 | --                        | 56                | nd     | nd                    | nd                    | nd           | nd             | nd         | --                         | --           | --                   | nd           | nd       | nd                  | nd                  | nd          | nd             | --                     | --           | nd     |               |  |  |  |  |
|                                         | 11/13/2000            | nd                         | nd             | nd                 | nd                 | --                        | 85                | nd     | nd                    | nd                    | nd           | nd             | nd         | --                         | --           | --                   | nd           | nd       | nd                  | nd                  | nd          | nd             | --                     | --           | nd     |               |  |  |  |  |
|                                         | 5/8/01 <sup>M</sup>   | nd                         | nd             | nd                 | nd                 | --                        | 31                | nd     | nd                    | nd                    | nd           | nd             | nd         | --                         | --           | --                   | nd           | nd       | nd                  | nd                  | nd          | nd             | --                     | --           | nd     |               |  |  |  |  |
|                                         | 11/13/01 <sup>M</sup> | <2.7                       | <1.6           | <4.1               | <0.38              | --                        | 34                | <1.7   | <3.0                  | <5.1                  | <0.40        | <0.64          | <0.030     | --                         | --           | --                   | <0.077       | <0.078   | <0.51               | <0.96               | <0.38       | --             | --                     | <0.078       | <0.061 |               |  |  |  |  |
|                                         | 5/20/02 <sup>M</sup>  | <3.4                       | <2.0           | <1.2               | <3.0               | --                        | 5.4               | <0.76  | <0.82                 | <0.73                 | <0.51        | <0.23          | <0.091     | --                         | --           | --                   | <0.13        | <0.16    | <0.59               | <0.56               | <0.66       | --             | --                     | <0.023       | <0.014 |               |  |  |  |  |
|                                         | 11/11/02 <sup>M</sup> | <4.0                       | <2.4           | <1.4               | <3.5               | --                        | 86                | <0.90  | <0.96                 | <0.90                 | <0.47        | <0.21          | <0.085     | --                         | --           | --                   | <0.12        | <0.15    | <0.55               | <0.52               | <0.61       | --             | --                     | <0.021       | <0.013 |               |  |  |  |  |
|                                         | 3/23/2005             | --                         | --             | --                 | --                 | --                        | 44                | --     | --                    | --                    | --           | --             | --         | --                         | --           | --                   | --           | --       | --                  | --                  | <0.41       | --             | --                     | --           | --     |               |  |  |  |  |
|                                         | 2/22/2007             | --                         | --             | --                 | --                 | --                        | 96.2              | --     | --                    | --                    | --           | --             | --         | --                         | --           | --                   | --           | --       | --                  | --                  | --          | --             | --                     | --           | --     |               |  |  |  |  |
| Wisconsin Groundwater Quality Standards |                       |                            |                |                    |                    |                           |                   |        |                       |                       |              |                |            |                            |              |                      |              |          |                     |                     |             |                |                        |              |        |               |  |  |  |  |
| NR 140 PAL                              |                       | ns                         | ns             | ns                 | ns                 | ns                        | 0.1               | 1,200  | ns                    | ns                    | ns           | ns             | 600        | 0.6                        | ns           | 20                   | 80           | 80       | ns                  | ns                  | 10          | ns             | 0.7                    | ns           | 50     |               |  |  |  |  |
| NR 140 ES                               |                       | ns                         | ns             | ns                 | ns                 | ns                        | 1                 | 6,000  | ns                    | ns                    | ns           | ns             | 3,000      | 6                          | ns           | 100                  | 400          | 400      | ns                  | ns                  | 100         | ns             | 7                      | ns           | 250    |               |  |  |  |  |

Table 2, continued - Groundwater Analytical Summary  
Semi-Volatile Organic Compounds (SVOCs)  
Praefke Brake and Supply Corporation - West Bend, WI

|                                         |                      | ACID COMPOUNDS             |                |                    |                    |                           |                   |        |                       |                       |              | SVOCs (µg/L)   |            |                            |              |                      |              |          |                     |                     |             |                |                        |              |        | BASE/NEUTRALS |  |  |  |  |  |  |  |
|-----------------------------------------|----------------------|----------------------------|----------------|--------------------|--------------------|---------------------------|-------------------|--------|-----------------------|-----------------------|--------------|----------------|------------|----------------------------|--------------|----------------------|--------------|----------|---------------------|---------------------|-------------|----------------|------------------------|--------------|--------|---------------|--|--|--|--|--|--|--|
| Sample Location                         | Sample Date          | 2-Methyl-4,6-dinitrophenol | Cresols, Total | 2,4-Dichlorophenol | 2,4-Dimethylphenol | 4-Methylphenol (p-Cresol) | Pentachlorophenol | Phenol | 2,4,5-Trichlorophenol | 2,4,6-Trichlorophenol | Acenaphthene | Acenaphthylene | Anthracene | Bis(2-ethylhexyl)phthalate | Dibenzofuran | Di-n-butyl phthalate | Fluoranthene | Fluorene | 1-Methylnaphthalene | 2-Methylnaphthalene | Naphthalene | 2-Nitroaniline | N-nitrosodiphenylamine | Phenanthrene | Pyrene |               |  |  |  |  |  |  |  |
| SYSTEM #2 (cont.)                       |                      |                            |                |                    |                    |                           |                   |        |                       |                       |              |                |            |                            |              |                      |              |          |                     |                     |             |                |                        |              |        |               |  |  |  |  |  |  |  |
| 002 Influent                            | 12/6/1995            | nd                         | nd             | nd                 | nd                 | --                        | nd                | nd     | nd                    | nd                    | nd           | 23             | nd         | nd                         | nd           | nd                   | nd           | nd       | nd                  | nd                  | nd          | nd             | nd                     | nd           | nd     | nd            |  |  |  |  |  |  |  |
|                                         | 2/27/1996            | nd                         | nd             | nd                 | nd                 | --                        | nd                | nd     | nd                    | nd                    | nd           | nd             | nd         | nd                         | nd           | nd                   | nd           | nd       | nd                  | nd                  | nd          | nd             | nd                     | nd           | nd     | nd            |  |  |  |  |  |  |  |
|                                         | 5/14/1996            | nd                         | nd             | nd                 | nd                 | --                        | 38                | nd     | nd                    | nd                    | nd           | nd             | nd         | nd                         | nd           | nd                   | nd           | nd       | nd                  | nd                  | nd          | nd             | nd                     | nd           | nd     | nd            |  |  |  |  |  |  |  |
|                                         | 8/13/1996            | nd                         | nd             | nd                 | nd                 | --                        | 28                | nd     | nd                    | nd                    | nd           | nd             | nd         | nd                         | nd           | nd                   | nd           | nd       | nd                  | nd                  | nd          | nd             | nd                     | nd           | nd     | nd            |  |  |  |  |  |  |  |
|                                         | 11/13/1996           | nd                         | nd             | nd                 | nd                 | --                        | nd                | nd     | nd                    | nd                    | nd           | nd             | nd         | nd                         | nd           | nd                   | nd           | nd       | nd                  | nd                  | nd          | nd             | nd                     | nd           | nd     | nd            |  |  |  |  |  |  |  |
|                                         | 2/3/1997             | nd                         | nd             | nd                 | nd                 | --                        | nd                | nd     | nd                    | nd                    | nd           | nd             | nd         | nd                         | nd           | nd                   | nd           | nd       | nd                  | nd                  | nd          | nd             | nd                     | 2.6          | nd     | nd            |  |  |  |  |  |  |  |
|                                         | 5/13/1997            | nd                         | nd             | nd                 | nd                 | --                        | 24                | nd     | nd                    | nd                    | --           | --             | --         | --                         | --           | --                   | --           | --       | --                  | --                  | --          | --             | --                     | --           | --     | --            |  |  |  |  |  |  |  |
|                                         | 8/14/1997            | nd                         | nd             | nd                 | nd                 | --                        | 31                | nd     | nd                    | nd                    | --           | --             | --         | --                         | --           | --                   | --           | --       | --                  | --                  | --          | --             | --                     | --           | --     | --            |  |  |  |  |  |  |  |
|                                         | 11/3/1997            | nd                         | nd             | nd                 | nd                 | --                        | 34                | nd     | nd                    | nd                    | --           | --             | --         | --                         | --           | --                   | --           | --       | --                  | --                  | --          | --             | --                     | --           | --     | --            |  |  |  |  |  |  |  |
|                                         | 2/3/1998             | nd                         | nd             | nd                 | nd                 | --                        | 32                | nd     | nd                    | nd                    | --           | --             | --         | --                         | --           | --                   | --           | --       | --                  | --                  | --          | --             | --                     | --           | --     | --            |  |  |  |  |  |  |  |
|                                         | 5/19/1998            | nd                         | nd             | nd                 | nd                 | --                        | 11                | nd     | nd                    | nd                    | --           | --             | --         | --                         | --           | --                   | --           | --       | --                  | --                  | --          | --             | --                     | --           | --     | --            |  |  |  |  |  |  |  |
|                                         | 8/10/1998            | nd                         | nd             | nd                 | nd                 | --                        | 36                | nd     | nd                    | nd                    | --           | --             | --         | --                         | --           | --                   | --           | --       | --                  | --                  | --          | --             | --                     | --           | --     | --            |  |  |  |  |  |  |  |
|                                         | 11/10/1998           | nd                         | nd             | nd                 | nd                 | --                        | 13                | nd     | nd                    | nd                    | --           | --             | --         | --                         | --           | --                   | --           | --       | --                  | --                  | --          | --             | --                     | --           | --     | --            |  |  |  |  |  |  |  |
|                                         | 2/9/1999             | nd                         | nd             | nd                 | nd                 | --                        | 16                | nd     | nd                    | nd                    | --           | --             | --         | --                         | --           | --                   | --           | --       | --                  | --                  | --          | --             | --                     | --           | --     | --            |  |  |  |  |  |  |  |
|                                         | 5/11/1999            | nd                         | nd             | nd                 | nd                 | --                        | <3.0              | nd     | nd                    | nd                    | --           | --             | --         | --                         | --           | --                   | --           | --       | --                  | --                  | --          | --             | --                     | --           | --     | --            |  |  |  |  |  |  |  |
|                                         | 8/10/1999            | nd                         | nd             | nd                 | nd                 | --                        | 39                | nd     | nd                    | nd                    | --           | --             | --         | --                         | --           | --                   | --           | --       | --                  | --                  | --          | --             | --                     | --           | --     | --            |  |  |  |  |  |  |  |
|                                         | 11/9/1999            | nd                         | nd             | nd                 | nd                 | --                        | <3.0              | nd     | nd                    | nd                    | --           | --             | --         | --                         | --           | --                   | --           | --       | --                  | --                  | --          | --             | --                     | --           | --     | --            |  |  |  |  |  |  |  |
|                                         | 2/8/2000             | nd                         | nd             | nd                 | nd                 | --                        | <3.0              | nd     | nd                    | nd                    | --           | --             | --         | --                         | --           | --                   | --           | --       | --                  | --                  | --          | --             | --                     | --           | --     | --            |  |  |  |  |  |  |  |
|                                         | 5/9/2000             | nd                         | nd             | nd                 | nd                 | --                        | <3.0              | nd     | nd                    | nd                    | --           | --             | --         | --                         | --           | --                   | --           | --       | --                  | --                  | --          | --             | --                     | --           | --     | --            |  |  |  |  |  |  |  |
|                                         | 8/8/2000             | nd                         | nd             | nd                 | nd                 | --                        | <3.0              | nd     | nd                    | nd                    | --           | --             | --         | --                         | --           | --                   | --           | --       | --                  | --                  | --          | --             | --                     | --           | --     | --            |  |  |  |  |  |  |  |
|                                         | 11/13/2000           | nd                         | nd             | nd                 | nd                 | --                        | 5.2               | nd     | nd                    | nd                    | --           | --             | --         | --                         | --           | --                   | --           | --       | --                  | --                  | --          | --             | --                     | --           | --     | --            |  |  |  |  |  |  |  |
|                                         | 2/13/2001            | nd                         | nd             | nd                 | nd                 | --                        | 4.6               | nd     | nd                    | nd                    | --           | --             | --         | --                         | --           | --                   | --           | --       | --                  | --                  | --          | --             | --                     | --           | --     | --            |  |  |  |  |  |  |  |
|                                         | 5/8/01 <sup>M</sup>  | nd                         | nd             | nd                 | nd                 | --                        | 5.1               | nd     | nd                    | nd                    | --           | --             | --         | --                         | --           | --                   | --           | --       | --                  | --                  | --          | --             | --                     | --           | --     | --            |  |  |  |  |  |  |  |
|                                         | 8/14/2001            | <2.6                       | <1.5           | <3.9               | <0.36              | --                        | <3.0              | <1.6   | <2.9                  | <4.9                  | --           | --             | --         | --                         | --           | --                   | --           | --       | --                  | --                  | --          | --             | --                     | --           | --     | --            |  |  |  |  |  |  |  |
|                                         | 11/13/2001           | <2.6                       | <1.5           | <3.9               | <0.36              | --                        | <3.0              | <1.6   | <2.9                  | <4.9                  | --           | --             | --         | --                         | --           | --                   | --           | --       | --                  | --                  | --          | --             | --                     | --           | --     | --            |  |  |  |  |  |  |  |
|                                         | 9/11/2002            | <3.2                       | <1.9           | <1.1               | <2.8               | --                        | <1.6              | <0.72  | <0.77                 | <0.70                 | --           | --             | --         | --                         | --           | --                   | --           | --       | --                  | --                  | --          | --             | --                     | --           | --     | --            |  |  |  |  |  |  |  |
|                                         | 11/11/2002           | <3.2                       | <1.9           | <1.1               | <2.8               | --                        | 5.9               | <0.72  | <0.77                 | <0.70                 | --           | --             | --         | --                         | --           | --                   | --           | --       | --                  | --                  | --          | --             | --                     | --           | --     | --            |  |  |  |  |  |  |  |
| MW-D1                                   | 5/19/1998            | nd                         | nd             | nd                 | nd                 | --                        | nd                | nd     | nd                    | nd                    | nd           | nd             | nd         | --                         | --           | --                   | nd           | nd       | nd                  | nd                  | nd          | --             | --                     | nd           | nd     |               |  |  |  |  |  |  |  |
|                                         | 5/11/1999            | nd                         | nd             | nd                 | nd                 | --                        | nd                | nd     | nd                    | nd                    | nd           | nd             | nd         | --                         | --           | --                   | nd           | nd       | nd                  | nd                  | nd          | --             | --                     | nd           | nd     |               |  |  |  |  |  |  |  |
|                                         | 5/9/2000             | nd                         | nd             | nd                 | nd                 | --                        | nd                | nd     | nd                    | nd                    | nd           | nd             | nd         | --                         | --           | --                   | nd           | nd       | nd                  | nd                  | nd          | --             | --                     | nd           | nd     |               |  |  |  |  |  |  |  |
|                                         | 5/8/01 <sup>M</sup>  | nd                         | nd             | nd                 | nd                 | --                        | nd                | nd     | nd                    | nd                    | nd           | nd             | nd         | --                         | --           | --                   | nd           | nd       | nd                  | nd                  | nd          | --             | --                     | nd           | nd     |               |  |  |  |  |  |  |  |
|                                         | 5/20/02 <sup>M</sup> | <3.3                       | <2.0           | <1.1               | <2.9               | --                        | <1.6              | <0.74  | <0.79                 | <0.72                 | <0.47        | <0.21          | <0.085     | --                         | --           | --                   | <0.12        | <0.15    | <0.55               | <0.52               | <0.61       | --             | --                     | <0.021       | <0.013 |               |  |  |  |  |  |  |  |
|                                         | 2/22/2007            | --                         | --             | --                 | --                 | --                        | <2.05             | --     | --                    | --                    | --           | --             | --         | --                         | --           | --                   | --           | --       | --                  | --                  | --          | --             | --                     | --           | --     | --            |  |  |  |  |  |  |  |
| MW-D2                                   | 5/19/1998            | nd                         | nd             | nd                 | nd                 | --                        | nd                | nd     | nd                    | nd                    | nd           | nd             | nd         | --                         | --           | --                   | nd           | nd       | nd                  | nd                  | nd          | --             | --                     | nd           | nd     |               |  |  |  |  |  |  |  |
|                                         | 5/11/1999            | nd                         | nd             | nd                 | nd                 | --                        | nd                | nd     | nd                    | nd                    | nd           | nd             | nd         | --                         | --           | --                   | nd           | nd       | nd                  | nd                  | nd          | --             | --                     | nd           | nd     |               |  |  |  |  |  |  |  |
|                                         | 5/9/2000             | nd                         | nd             | nd                 | nd                 | --                        | nd                | nd     | nd                    | nd                    | nd           | nd             | nd         | --                         | --           | --                   | nd           | nd       | nd                  | nd                  | nd          | --             | --                     | nd           | nd     |               |  |  |  |  |  |  |  |
|                                         | 5/8/01 <sup>M</sup>  | nd                         | nd             | nd                 | nd                 | --                        | nd                | nd     | nd                    | nd                    | nd           | nd             | nd         | --                         | --           | --                   | nd           | nd       | nd                  | nd                  | nd          | --             | --                     | nd           | nd     |               |  |  |  |  |  |  |  |
|                                         | 5/20/02 <sup>M</sup> | <3.4                       | <2.0           | <1.2               | <3.0               | --                        | <1.7              | <0.76  | <0.82                 | <0.74                 | <0.46        | <0.21          | <0.084     | --                         | --           | --                   | 0.13         | <0.15    | <0.55               | <0.52               | <0.61       | --             | --                     | 0.023        | 0.043  |               |  |  |  |  |  |  |  |
|                                         | 2/22/2007            | --                         | --             | --                 | --                 | --                        | <2.05             | --     | --                    | --                    | --           | --             | --         | --                         | --           | --                   | --           | --       | --                  | --                  | --          | --             | --                     | --           | --     | --            |  |  |  |  |  |  |  |
| Wisconsin Groundwater Quality Standards |                      |                            |                |                    |                    |                           |                   |        |                       |                       |              |                |            |                            |              |                      |              |          |                     |                     |             |                |                        |              |        |               |  |  |  |  |  |  |  |
| NR 140 PAL                              |                      | ns                         | ns             | ns                 | ns                 | ns                        | 0.1               | 1,200  | ns                    | ns                    | ns           | ns             | 600        | 0.6                        | ns           | 20                   | 80           | 80       | ns                  | ns                  | 10          | ns             | 0.7                    | ns           | 50     |               |  |  |  |  |  |  |  |
| NR 140 ES                               |                      | ns                         | ns             | ns                 | ns                 | ns                        | 1                 | 6,000  | ns                    | ns                    | ns           | ns             | 3,000      | 6                          | ns           | 100                  | 400          | 400      | ns                  | ns                  | 100         | ns             | 7                      | ns           | 250    |               |  |  |  |  |  |  |  |

Table 2, continued - Groundwater Analytical Summary  
Semi-Volatile Organic Compounds (SVOCs)  
Praefke Brake and Supply Corporation - West Bend, WI

|                                         |             | ACID COMPOUNDS             |                |                    |                    |                           |                   |        |                       |                       | SVOCs (µg/L) |                |            |                            |              |                      |              |          |                     |                     |             |                |                        |              |        |
|-----------------------------------------|-------------|----------------------------|----------------|--------------------|--------------------|---------------------------|-------------------|--------|-----------------------|-----------------------|--------------|----------------|------------|----------------------------|--------------|----------------------|--------------|----------|---------------------|---------------------|-------------|----------------|------------------------|--------------|--------|
| Sample Location                         | Sample Date | 2-Methyl-4,6-dinitrophenol | Cresols, Total | 2,4-Dichlorophenol | 2,4-Dimethylphenol | 4-Methylphenol (p-Cresol) | Pentachlorophenol | Phenol | 2,4,5-Trichlorophenol | 2,4,6-Trichlorophenol | Acenaphthene | Acenaphthylene | Anthracene | Bis(2-ethylhexyl)phthalate | Dibenzofuran | Di-n-butyl phthalate | Fluoranthene | Fluorene | 1-Methylnaphthalene | 2-Methylnaphthalene | Naphthalene | 2-Nitroaniline | N-nitrosodiphenylamine | Phenanthrene | Pyrene |
| SYSTEM #2 (cont.)                       |             |                            |                |                    |                    |                           |                   |        |                       |                       |              |                |            |                            |              |                      |              |          |                     |                     |             |                |                        |              |        |
| RW-2A                                   | 8/14/1997   | nd                         | nd             | nd                 | nd                 | --                        | 64                | nd     | nd                    | nd                    | --           | --             | --         | --                         | --           | --                   | --           | --       | --                  | --                  | --          | --             | --                     | --           | --     |
|                                         | 11/3/1997   | nd                         | nd             | nd                 | nd                 | --                        | 61                | nd     | nd                    | nd                    | --           | --             | --         | --                         | --           | --                   | --           | --       | --                  | --                  | --          | --             | --                     | --           | --     |
|                                         | 2/3/1998    | nd                         | nd             | nd                 | nd                 | --                        | 17                | nd     | nd                    | nd                    | --           | --             | --         | --                         | --           | --                   | --           | --       | --                  | --                  | --          | --             | --                     | --           | --     |
|                                         | 5/19/1998   | nd                         | nd             | nd                 | nd                 | --                        | 11                | nd     | nd                    | nd                    | --           | --             | --         | --                         | --           | --                   | --           | --       | --                  | --                  | --          | --             | --                     | --           | --     |
|                                         | 8/10/1998   | nd                         | nd             | nd                 | nd                 | --                        | 77                | nd     | nd                    | nd                    | --           | --             | --         | --                         | --           | --                   | --           | --       | --                  | --                  | --          | --             | --                     | --           | --     |
|                                         | 11/10/1998  | nd                         | nd             | nd                 | nd                 | --                        | 13                | nd     | nd                    | nd                    | --           | --             | --         | --                         | --           | --                   | --           | --       | --                  | --                  | --          | --             | --                     | --           | --     |
|                                         | 2/9/1999    | nd                         | nd             | nd                 | nd                 | --                        | 8.4               | nd     | nd                    | nd                    | --           | --             | --         | --                         | --           | --                   | --           | --       | --                  | --                  | --          | --             | --                     | --           | --     |
|                                         | 5/11/1999   | nd                         | nd             | nd                 | nd                 | --                        | 86                | nd     | nd                    | nd                    | --           | --             | --         | --                         | --           | --                   | --           | --       | --                  | --                  | --          | --             | --                     | --           | --     |
|                                         | 8/10/1999   | nd                         | nd             | nd                 | nd                 | --                        | 51                | nd     | nd                    | nd                    | --           | --             | --         | --                         | --           | --                   | --           | --       | --                  | --                  | --          | --             | --                     | --           | --     |
|                                         | 11/9/1999   | nd                         | nd             | nd                 | nd                 | --                        | <3.0              | nd     | nd                    | nd                    | --           | --             | --         | --                         | --           | --                   | --           | --       | --                  | --                  | --          | --             | --                     | --           | --     |
|                                         | 5/9/2000    | nd                         | nd             | nd                 | nd                 | --                        | 22                | nd     | nd                    | nd                    | --           | --             | --         | --                         | --           | --                   | --           | --       | --                  | --                  | --          | --             | --                     | --           | --     |
|                                         | 11/13/2000  | nd                         | nd             | nd                 | nd                 | --                        | 5.5               | nd     | nd                    | nd                    | --           | --             | --         | --                         | --           | --                   | --           | --       | --                  | --                  | --          | --             | --                     | --           | --     |
|                                         | 5/8/2001    | nd                         | nd             | nd                 | nd                 | --                        | 14                | nd     | nd                    | nd                    | --           | --             | --         | --                         | --           | --                   | --           | --       | --                  | --                  | --          | --             | --                     | --           | --     |
|                                         | 11/13/2001  | <2.7                       | <1.6           | <4.1               | <0.37              | --                        | <3.1              | <1.7   | <3.0                  | <5.1                  | --           | --             | --         | --                         | --           | --                   | --           | --       | --                  | --                  | --          | --             | --                     | --           | --     |
|                                         | 11/11/2002  | <3.3                       | <2.0           | <1.1               | <2.9               | --                        | 13                | <0.75  | <0.80                 | <0.74                 | <0.47        | <0.22          | <0.085     | --                         | --           | --                   | <0.12        | <0.15    | <0.56               | <0.53               | <0.62       | --             | --                     | <0.022       | <0.013 |
| RW-2B                                   | 8/14/1997   | nd                         | nd             | nd                 | nd                 | --                        | nd                | nd     | nd                    | nd                    | --           | --             | --         | --                         | --           | --                   | --           | --       | --                  | --                  | --          | --             | --                     | --           | --     |
|                                         | 11/4/1997   | nd                         | nd             | nd                 | nd                 | --                        | nd                | nd     | nd                    | nd                    | --           | --             | --         | --                         | --           | --                   | --           | --       | --                  | --                  | --          | --             | --                     | --           | --     |
|                                         | 2/3/1998    | nd                         | nd             | nd                 | nd                 | --                        | nd                | nd     | nd                    | nd                    | --           | --             | --         | --                         | --           | --                   | --           | --       | --                  | --                  | --          | --             | --                     | --           | --     |
|                                         | 5/19/1998   | nd                         | nd             | nd                 | nd                 | --                        | nd                | nd     | nd                    | nd                    | --           | --             | --         | --                         | --           | --                   | --           | --       | --                  | --                  | --          | --             | --                     | --           | --     |
|                                         | 8/10/1998   | nd                         | nd             | nd                 | nd                 | --                        | nd                | nd     | nd                    | nd                    | --           | --             | --         | --                         | --           | --                   | --           | --       | --                  | --                  | --          | --             | --                     | --           | --     |
|                                         | 11/10/1998  | nd                         | nd             | nd                 | nd                 | --                        | nd                | nd     | nd                    | nd                    | --           | --             | --         | --                         | --           | --                   | --           | --       | --                  | --                  | --          | --             | --                     | --           | --     |
|                                         | 2/9/1999    | nd                         | nd             | nd                 | nd                 | --                        | nd                | nd     | nd                    | nd                    | --           | --             | --         | --                         | --           | --                   | --           | --       | --                  | --                  | --          | --             | --                     | --           | --     |
|                                         |             |                            |                |                    |                    |                           |                   |        |                       |                       |              |                |            |                            |              |                      |              |          |                     |                     |             |                |                        |              |        |
| RW-2C                                   | 8/14/1997   | nd                         | nd             | nd                 | nd                 | --                        | nd                | nd     | nd                    | nd                    | --           | --             | --         | --                         | --           | --                   | --           | --       | --                  | --                  | --          | --             | --                     | --           | --     |
|                                         |             |                            |                |                    |                    |                           |                   |        |                       |                       |              |                |            |                            |              |                      |              |          |                     |                     |             |                |                        |              |        |
| Wisconsin Groundwater Quality Standards |             |                            |                |                    |                    |                           |                   |        |                       |                       |              |                |            |                            |              |                      |              |          |                     |                     |             |                |                        |              |        |
| NR 140 PAL                              |             | ns                         | ns             | ns                 | ns                 | ns                        | 0.1               | 1,200  | ns                    | ns                    | ns           | ns             | 600        | 0.6                        | ns           | 20                   | 80           | 80       | ns                  | ns                  | 10          | ns             | 0.7                    | ns           | 50     |
| NR 140 ES                               |             | ns                         | ns             | ns                 | ns                 | ns                        | 1                 | 6,000  | ns                    | ns                    | ns           | ns             | 3,000      | 6                          | ns           | 100                  | 400          | 400      | ns                  | ns                  | 100         | ns             | 7                      | ns           | 250    |

Notes:

- 1) nd = not detected
- 2) -- = not analyzed
- 3) ns = no NR 140 standard currently exists.
- 4) \*\* = Elevated detection limit
- 5) E = Compound concentration exceeds the calibration range of the instrument.
- 6) M = Matrix interference
- 7) Bold and underlined = NR 140 Preventive Action Limit (PAL) exceedance.
- 8) Bold and shaded = NR 140 Enforcement Standard (ES) exceedance.
- 9) Only compounds that were detected are shown
- 10) MW-3, 11/17/99, contained detection of 2-chlorophenol (310 µg/L)

orig 1/97 rev. 2/98, 6/98, 1&3/99, 7/99, 3/00, 12/00  
By: dvp/jag/slm/dvp/jam/aas/aas/rhs  
Chkd By: jag/tln/jag/jam/jaz/sag/jth

General Note : This summary table was developed from available information; some minor inaccuracies may exist in the 1987 through 1994 data.  
The table will be updated if more accurate information is found.

## **APPENDIX B**

### **GROUNDWATER LABORATORY ANALYTICAL RESULTS**

## ANALYTICAL REPORT

Ms. Sarah Ganswindt  
NATURAL RESOURCE TECH, INC  
23713 W. Paul Road  
Pewaukee, WI 53072

04/02/2005


Job No: 05.02252

Page 1 of 11

The following samples were received by TestAmerica for analysis:

1105 Praefke Brake

| Sample<br>Number | Sample Description | Date<br>Taken | Date<br>Received |
|------------------|--------------------|---------------|------------------|
| 610060           | MW-3               | 03/23/2005    | 03/24/2005       |
| 610065           | MW-4               | 03/23/2005    | 03/25/2005       |
| 610066           | MW-A               | 03/23/2005    | 03/25/2005       |
| 610067           | MW-H               | 03/23/2005    | 03/25/2005       |
| 610068           | Trip Blank         | 03/23/2005    | 03/25/2005       |



Brian DeJong  
Organic Operations Manager

NATURAL RESOURCE TECH, INC  
Job No: 05.02252

04/02/2005  
Page 2 of 11

## KEY TO DATA FLAGS

The attached sample(s) may have a result flag shown on the report. The following are the result flag definitions:

|                                                                  |                                       |
|------------------------------------------------------------------|---------------------------------------|
| A = Analyzed/extracted past hold time                            | B = Blank is contaminated             |
| C = Standard outside of control limits                           | D = Diluted for analysis              |
| E = TCLP extraction outside of method required temperature range |                                       |
| F = Sample filtered in lab                                       | G = Received past hold time           |
| H = Late eluting hydrocarbons present                            | I = Improperly handled sample         |
| J = Estimated concentration                                      | L = Common lab solvent                |
| M = Matrix interference                                          | P = Improperly preserved sample       |
| Q = Result confirmed via re-analysis                             | S = Sediment present                  |
| T = Does not match typical pattern                               | W = BOD re-set due to missed dilution |
| X = Unidentified compound(s) present                             | Z = Internal standard outside limits  |
| * = See Case Narrative                                           |                                       |

## KEY TO ANALYST INITIALS

The attached sample(s) may have been analyzed by another certified laboratory. If a number appears in the Analyst Initials field, the following are the appropriate certifications (if the lab code does not appear below, that means that certification is not required for the work performed):

| Lab Code | Certification Number                                            |
|----------|-----------------------------------------------------------------|
| 008      | WDNR - 999766900                                                |
| 009      | WDNR - 241293690                                                |
| 013      | WDNR - 999917160; ILNELAC - 100261                              |
| 020      | WDNR - 999447680                                                |
| 030      | ILNELAC - 100230; WDNR - 998294430                              |
| 060      | ILNELAC - 100221; WDNR - 999447130                              |
| 070      | IA - 007; ILNELAC - 000668; MDH - 019-999-319; WDNR - 999917270 |
| 090      | ILNELAC 200006; WDNR - 399031270                                |
| 130      | WDNR - 632021390                                                |
| 147      | WDNR - 721026460                                                |
| 148      | WDNR - 399017190                                                |
| 300      | FLNELAC - 87358; IA - 131; MDH - 047-999-345; WDNR - 998020430  |
| 400      | WDNR - 113133790                                                |
| 510      | WDNR - 241249360                                                |
| 520      | WDNR - 999518190; ILNELAC - 100439                              |
| 700      | WDNR - 113289110                                                |

TestAmerica Watertown Certifications: WI DNR - 128053530; IL NELAC - 100453; IA DNR - 294; MN DoH - 055-999-366; ND DoH R-046; AR DEQ - 88-0808

Unless sub-contracted (see above), volatiles analyses (including VOC, PVOC, GRO, BTEX and TPH Gasoline) performed by TestAmerica Watertown at 1101 Industrial Drive, Units 9&10. All other analyses performed at 602 Commerce Drive, Watertown WI 53094.

Results reported between the Method Detection Limit (MDL) and Limit of Quantitation (LOQ) are less certain than results at or above the LOQ.

For questions regarding this report, please contact Dan Milewsky or Warren Topel.

[www.testamericainc.com](http://www.testamericainc.com)

TestAmerica Analytical Testing Corporation | TestAmerica Drilling Corporation | TestAmerica Air Emission Corporation

## ANALYTICAL REPORT

Ms. Sarah Ganswindt  
NATURAL RESOURCE TECH, INC  
23713 W. Paul Road  
Pewaukee, WI 53072

04/02/2005  
Job No: 05.02252  
Sample No: 610060  
Account No: 52450  
Page 3 of 11

JOB DESCRIPTION: 1105 Praefke Brake  
PROJECT DESCRIPTION: Groundwater Analysis  
SAMPLE DESCRIPTION: MW-3  
West Bend, WI  
Rec'd on ice

Date/Time Taken: 03/23/2005 UNKNOWN

Date Received: 03/24/2005

| Parameter                  | Results    | Units | MDL  | LOQ    | Method   | Date       | Prep/Run |           |
|----------------------------|------------|-------|------|--------|----------|------------|----------|-----------|
|                            |            |       |      |        |          | Analyzed   | Analyst  | Batch     |
| PREP, BNA AQUEOUS          | Complete   |       |      |        | SW 3510C | 03/29/2005 | 070      | 361       |
| ACID CMPDS - 8270 AQUEOUS  |            |       |      |        |          |            | 070      |           |
| Pentachlorophenol          | 1,800      | ug/L  | 2.8  | 8.3    | SW 8270B | 03/31/2005 | 070      | 361 1109  |
| Surr: Phenol-d6            | M,C 25     | %     |      | n/a    | SW 8270B | 03/31/2005 | 070      | 361 1109  |
| Surr: 2-Fluorophenol       | 40         | %     |      | n/a    | SW 8270B | 03/31/2005 | 070      | 361 1109  |
| Surr: 2,4,6-Tribromophenol | 58         | %     |      | n/a    | SW 8270B | 03/31/2005 | 070      | 361 1109  |
| PNA Extraction             | 03/28/2005 |       |      |        | SW 3510C | 03/28/2005 | jvk      | 1327      |
| PNA - 8310 AQUEOUS         |            |       |      |        |          |            |          |           |
| Naphthalene                | 47         | ug/L  | 0.40 | 1.4    | SW 8310  | 03/30/2005 | clj      | 1327 2079 |
| Surr: 2-Fluorobiphenyl     | 71         | %     |      | 31-113 | SW 8310  | 03/30/2005 | clj      | 1327 2079 |

## ANALYTICAL REPORT

Ms. Sarah Ganswindt  
NATURAL RESOURCE TECH, INC  
23713 W. Paul Road  
Pewaukee, WI 53072

04/02/2005  
Job No: 05.02252  
Sample No: 610065  
Account No: 52450  
Page 4 of 11

JOB DESCRIPTION: 1105 Praefke Brake  
PROJECT DESCRIPTION: Groundwater Analysis  
SAMPLE DESCRIPTION: MW-4  
West Bend, WI  
Rec'd on ice

Date/Time Taken: 03/23/2005 UNKNOWN

Date Received: 03/25/2005

| Parameter                  | Results    | Units | MDL  | LOQ    | Method   | Date Analyzed | Analyst | Prep/Run Batch |
|----------------------------|------------|-------|------|--------|----------|---------------|---------|----------------|
| PREP, BNA AQUEOUS          | Complete   |       |      |        | SW 3510C | 03/29/2005    | 070     | 361            |
| ACID CMPDS - 8270 AQUEOUS  |            |       |      |        |          |               | 070     |                |
| Pentachlorophenol          | <2.8       | ug/L  | 2.8  | 8.3    | SW 8270B | 03/30/2005    | 070     | 361 1110       |
| Surr: Phenol-d6            | M,C 25     | %     |      | n/a    | SW 8270B | 03/30/2005    | 070     | 361 1110       |
| Surr: 2-Fluorophenol       | M,C 36     | %     |      | n/a    | SW 8270B | 03/30/2005    | 070     | 361 1110       |
| Surr: 2,4,6-Tribromophenol | 67         | %     |      | n/a    | SW 8270B | 03/30/2005    | 070     | 361 1110       |
| PNA Extraction             | 03/28/2005 |       |      |        | SW 3510C | 03/28/2005    | jvk     | 1327           |
| PNA - 8310 AQUEOUS         |            |       |      |        |          |               |         |                |
| Naphthalene                | <0.43      | ug/L  | 0.40 | 1.4    | SW 8310  | 03/31/2005    | clj     | 1327 2079      |
| Surr: 2-Fluorobiphenyl     | 72         | %     |      | 31-113 | SW 8310  | 03/31/2005    | clj     | 1327 2079      |

## ANALYTICAL REPORT

Ms. Sarah Ganswindt  
NATURAL RESOURCE TECH, INC  
23713 W. Paul Road  
Pewaukee, WI 53072

04/02/2005  
Job No: 05.02252  
Sample No: 610066  
Account No: 52450  
Page 5 of 11

JOB DESCRIPTION: 1105 Praefke Brake  
PROJECT DESCRIPTION: Groundwater Analysis  
SAMPLE DESCRIPTION: MW-A  
West Bend, WI  
Rec'd on ice

Date/Time Taken: 03/23/2005 UNKNOWN

Date Received: 03/25/2005

| Parameter                   | Results | Units | MDL  | LOQ  | Method   | Date Analyzed | Prep/Run Analyst | Batch |
|-----------------------------|---------|-------|------|------|----------|---------------|------------------|-------|
| VOC - AQUEOUS - EPA 8260B   |         |       |      |      |          |               |                  |       |
| Benzene                     | <0.20   | ug/L  | 0.20 | 0.67 | SW 8260B | 03/31/2005    | mae              | 7225  |
| Bromobenzene                | <0.20   | ug/L  | 0.20 | 0.67 | SW 8260B | 03/31/2005    | mae              | 7225  |
| Bromochloromethane          | <0.50   | ug/L  | 0.50 | 1.7  | SW 8260B | 03/31/2005    | mae              | 7225  |
| Bromodichloromethane        | <0.20   | ug/L  | 0.20 | 0.67 | SW 8260B | 03/31/2005    | mae              | 7225  |
| Bromoform                   | <0.20   | ug/L  | 0.20 | 0.67 | SW 8260B | 03/31/2005    | mae              | 7225  |
| Bromomethane                | <0.20   | ug/L  | 0.20 | 0.67 | SW 8260B | 03/31/2005    | mae              | 7225  |
| n-Butylbenzene              | <0.20   | ug/L  | 0.20 | 0.67 | SW 8260B | 03/31/2005    | mae              | 7225  |
| sec-Butylbenzene            | <0.25   | ug/L  | 0.25 | 0.83 | SW 8260B | 03/31/2005    | mae              | 7225  |
| tert-Butylbenzene           | <0.20   | ug/L  | 0.20 | 0.67 | SW 8260B | 03/31/2005    | mae              | 7225  |
| Carbon Tetrachloride        | <0.50   | ug/L  | 0.50 | 1.7  | SW 8260B | 03/31/2005    | mae              | 7225  |
| Chlorobenzene               | <0.20   | ug/L  | 0.20 | 0.67 | SW 8260B | 03/31/2005    | mae              | 7225  |
| Chlorodibromomethane        | <0.20   | ug/L  | 0.20 | 0.67 | SW 8260B | 03/31/2005    | mae              | 7225  |
| Chloroethane                | <1.0    | ug/L  | 1.0  | 3.3  | SW 8260B | 03/31/2005    | mae              | 7225  |
| Chloroform                  | <0.20   | ug/L  | 0.20 | 0.67 | SW 8260B | 03/31/2005    | mae              | 7225  |
| Chloromethane               | <0.20   | ug/L  | 0.20 | 0.67 | SW 8260B | 03/31/2005    | mae              | 7225  |
| 2-Chlorotoluene             | <0.50   | ug/L  | 0.50 | 1.7  | SW 8260B | 03/31/2005    | mae              | 7225  |
| 4-Chlorotoluene             | <0.20   | ug/L  | 0.20 | 0.67 | SW 8260B | 03/31/2005    | mae              | 7225  |
| 1,2-Dibromo-3-Chloropropane | <0.50   | ug/L  | 0.50 | 1.7  | SW 8260B | 03/31/2005    | mae              | 7225  |
| 1,2-Dibromoethane (EDB)     | <0.20   | ug/L  | 0.20 | 0.67 | SW 8260B | 03/31/2005    | mae              | 7225  |
| Dibromomethane              | <0.20   | ug/L  | 0.20 | 0.67 | SW 8260B | 03/31/2005    | mae              | 7225  |
| 1,2-Dichlorobenzene         | <0.20   | ug/L  | 0.20 | 0.67 | SW 8260B | 03/31/2005    | mae              | 7225  |
| 1,3-Dichlorobenzene         | <0.20   | ug/L  | 0.20 | 0.67 | SW 8260B | 03/31/2005    | mae              | 7225  |
| 1,4-Dichlorobenzene         | <0.20   | ug/L  | 0.20 | 0.67 | SW 8260B | 03/31/2005    | mae              | 7225  |
| Dichlorodifluoromethane     | <0.50   | ug/L  | 0.50 | 1.7  | SW 8260B | 03/31/2005    | mae              | 7225  |
| 1,1-Dichloroethane          | <0.50   | ug/L  | 0.50 | 1.7  | SW 8260B | 03/31/2005    | mae              | 7225  |
| 1,2-Dichloroethane          | <0.50   | ug/L  | 0.50 | 1.7  | SW 8260B | 03/31/2005    | mae              | 7225  |
| 1,1-Dichloroethene          | <0.50   | ug/L  | 0.50 | 1.7  | SW 8260B | 03/31/2005    | mae              | 7225  |
| cis-1,2-Dichloroethene      | <0.50   | ug/L  | 0.50 | 1.7  | SW 8260B | 03/31/2005    | mae              | 7225  |
| trans-1,2-Dichloroethene    | <0.50   | ug/L  | 0.50 | 1.7  | SW 8260B | 03/31/2005    | mae              | 7225  |
| 1,2-Dichloropropane         | <0.50   | ug/L  | 0.50 | 1.7  | SW 8260B | 03/31/2005    | mae              | 7225  |
| 1,3-Dichloropropane         | <0.25   | ug/L  | 0.25 | 0.83 | SW 8260B | 03/31/2005    | mae              | 7225  |
| 2,2-Dichloropropane         | <0.50   | ug/L  | 0.50 | 1.7  | SW 8260B | 03/31/2005    | mae              | 7225  |
| 1,1-Dichloropropene         | <0.50   | ug/L  | 0.50 | 1.7  | SW 8260B | 03/31/2005    | mae              | 7225  |
| cis-1,3-Dichloropropene     | <0.20   | ug/L  | 0.20 | 0.67 | SW 8260B | 03/31/2005    | mae              | 7225  |
| trans-1,3-Dichloropropene   | <0.20   | ug/L  | 0.20 | 0.67 | SW 8260B | 03/31/2005    | mae              | 7225  |
| Di-isopropyl ether          | <0.50   | ug/L  | 0.50 | 1.7  | SW 8260B | 03/31/2005    | mae              | 7225  |
| Ethylbenzene                | <0.50   | ug/L  | 0.50 | 1.7  | SW 8260B | 03/31/2005    | mae              | 7225  |
| Hexachlorobutadiene         | <0.50   | ug/L  | 0.50 | 1.7  | SW 8260B | 03/31/2005    | mae              | 7225  |

## ANALYTICAL REPORT

Ms. Sarah Ganswindt  
NATURAL RESOURCE TECH, INC  
23713 W. Paul Road  
Pewaukee, WI 53072

04/02/2005  
Job No: 05.02252  
Sample No: 610066  
Account No: 52450  
Page 6 of 11

JOB DESCRIPTION: 1105 Praefke Brake  
PROJECT DESCRIPTION: Groundwater Analysis  
SAMPLE DESCRIPTION: MW-A  
West Bend, WI  
Rec'd on ice

Date/Time Taken: 03/23/2005 UNKNOWN

Date Received: 03/25/2005

| Parameter                  | Results | Units | MDL  | LOQ    | Method   | Date       | Prep/Run |       |
|----------------------------|---------|-------|------|--------|----------|------------|----------|-------|
|                            |         |       |      |        |          | Analyzed   | Analyst  | Batch |
| Isopropylbenzene           | <0.20   | ug/L  | 0.20 | 0.67   | SW 8260B | 03/31/2005 | mae      | 7225  |
| p-Isopropyltoluene         | <0.20   | ug/L  | 0.20 | 0.67   | SW 8260B | 03/31/2005 | mae      | 7225  |
| Methylene Chloride         | <1.0    | ug/L  | 1.0  | 3.3    | SW 8260B | 03/31/2005 | mae      | 7225  |
| Methyl-t-butyl ether       | <0.50   | ug/L  | 0.50 | 1.7    | SW 8260B | 03/31/2005 | mae      | 7225  |
| Naphthalene                | <0.25   | ug/L  | 0.25 | 0.83   | SW 8260B | 03/31/2005 | mae      | 7225  |
| n-Propylbenzene            | <0.50   | ug/L  | 0.50 | 1.7    | SW 8260B | 03/31/2005 | mae      | 7225  |
| Styrene                    | <0.20   | ug/L  | 0.20 | 0.67   | SW 8260B | 03/31/2005 | mae      | 7225  |
| 1,1,1,2-Tetrachloroethane  | <0.25   | ug/L  | 0.25 | 0.83   | SW 8260B | 03/31/2005 | mae      | 7225  |
| 1,1,2,2-Tetrachloroethane  | <0.20   | ug/L  | 0.20 | 0.67   | SW 8260B | 03/31/2005 | mae      | 7225  |
| Tetrachloroethene          | <0.50   | ug/L  | 0.50 | 1.7    | SW 8260B | 03/31/2005 | mae      | 7225  |
| Toluene                    | <0.20   | ug/L  | 0.20 | 0.67   | SW 8260B | 03/31/2005 | mae      | 7225  |
| 1,2,3-Trichlorobenzene     | <0.25   | ug/L  | 0.25 | 0.83   | SW 8260B | 03/31/2005 | mae      | 7225  |
| 1,2,4-Trichlorobenzene     | <0.25   | ug/L  | 0.25 | 0.83   | SW 8260B | 03/31/2005 | mae      | 7225  |
| 1,1,1-Trichloroethane      | 12      | ug/L  | 0.50 | 1.7    | SW 8260B | 03/31/2005 | mae      | 7225  |
| 1,1,2-Trichloroethane      | <0.25   | ug/L  | 0.25 | 0.83   | SW 8260B | 03/31/2005 | mae      | 7225  |
| Trichloroethene            | 13      | ug/L  | 0.20 | 0.67   | SW 8260B | 03/31/2005 | mae      | 7225  |
| Trichlorofluoromethane     | <0.50   | ug/L  | 0.50 | 1.7    | SW 8260B | 03/31/2005 | mae      | 7225  |
| 1,2,3-Trichloropropane     | <0.50   | ug/L  | 0.50 | 1.7    | SW 8260B | 03/31/2005 | mae      | 7225  |
| 1,2,4-Trimethylbenzene     | <0.20   | ug/L  | 0.20 | 0.67   | SW 8260B | 03/31/2005 | mae      | 7225  |
| 1,3,5-Trimethylbenzene     | <0.20   | ug/L  | 0.20 | 0.67   | SW 8260B | 03/31/2005 | mae      | 7225  |
| Vinyl Chloride             | <0.20   | ug/L  | 0.20 | 0.67   | SW 8260B | 03/31/2005 | mae      | 7225  |
| Xylenes, Total             | <0.50   | ug/L  | 0.50 | 1.7    | SW 8260B | 03/31/2005 | mae      | 7225  |
| Surr: Dibromofluoromethane | 103     | %     |      | 90-114 | SW 8260B | 03/31/2005 | mae      | 7225  |
| Surr: Toluene-d8           | 100     | %     |      | 91-106 | SW 8260B | 03/31/2005 | mae      | 7225  |
| Surr: Bromofluorobenzene   | 106     | %     |      | 96-106 | SW 8260B | 03/31/2005 | mae      | 7225  |

## ANALYTICAL REPORT

Ms. Sarah Ganswindt  
NATURAL RESOURCE TECH, INC  
23713 W. Paul Road  
Pewaukee, WI 53072

04/02/2005  
Job No: 05.02252  
Sample No: 610067  
Account No: 52450  
Page 7 of 11

JOB DESCRIPTION: 1105 Praefke Brake  
PROJECT DESCRIPTION: Groundwater Analysis  
SAMPLE DESCRIPTION: MW-H  
West Bend, WI  
Rec'd on ice

Date/Time Taken: 03/23/2005 UNKNOWN

Date Received: 03/25/2005

| Parameter                  | Results    | Units | MDL  | LOQ    | Method   | Date       | Prep/Run |           |
|----------------------------|------------|-------|------|--------|----------|------------|----------|-----------|
|                            |            |       |      |        |          | Analyzed   | Analyst  | Batch     |
| PREP, BNA AQUEOUS          | Complete   |       |      |        | SW 3510C | 03/29/2005 | 070      | 361       |
| ACID CMPDS - 8270 AQUEOUS  |            |       |      |        |          |            | 070      |           |
| Pentachlorophenol          | 44         | ug/L  | 2.8  | 8.3    | SW 8270B | 03/30/2005 | 070      | 361 1110  |
| Surr: Phenol-d6            | M,C 28     | %     |      | n/a    | SW 8270B | 03/30/2005 | 070      | 361 1110  |
| Surr: 2-Fluorophenol       | 42         | %     |      | n/a    | SW 8270B | 03/30/2005 | 070      | 361 1110  |
| Surr: 2,4,6-Tribromophenol | 93         | %     |      | n/a    | SW 8270B | 03/30/2005 | 070      | 361 1110  |
| PNA Extraction             | 03/28/2005 |       |      |        | SW 3510C | 03/28/2005 | jvk      | 1327      |
| PNA - 8310 AQUEOUS         |            |       |      |        |          |            |          |           |
| Naphthalene                | <0.41      | ug/L  | 0.40 | 1.4    | SW 8310  | 03/30/2005 | clj      | 1327 2079 |
| Surr: 2-Fluorobiphenyl     | 71         | %     |      | 31-113 | SW 8310  | 03/30/2005 | clj      | 1327 2079 |

## ANALYTICAL REPORT

Ms. Sarah Ganswindt  
NATURAL RESOURCE TECH, INC  
23713 W. Paul Road  
Pewaukee, WI 53072

04/02/2005  
Job No: 05.02252  
Sample No: 610068  
Account No: 52450  
Page 8 of 11

JOB DESCRIPTION: 1105 Praefke Brake  
PROJECT DESCRIPTION: Groundwater Analysis  
SAMPLE DESCRIPTION: Trip Blank  
West Bend, WI  
Rec'd on ice

Date/Time Taken: 03/23/2005 UNKNOWN

Date Received: 03/25/2005

| Parameter                   | Results | Units | MDL  | LOQ  | Method   | Date Analyzed | Prep/Run Analyst | Batch |
|-----------------------------|---------|-------|------|------|----------|---------------|------------------|-------|
| VOC - AQUEOUS - EPA 8260B   |         |       |      |      |          |               |                  |       |
| Benzene                     | <0.20   | ug/L  | 0.20 | 0.67 | SW 8260B | 03/30/2005    | mae              | 7225  |
| Bromobenzene                | <0.20   | ug/L  | 0.20 | 0.67 | SW 8260B | 03/30/2005    | mae              | 7225  |
| Bromochloromethane          | <0.50   | ug/L  | 0.50 | 1.7  | SW 8260B | 03/30/2005    | mae              | 7225  |
| Bromodichloromethane        | <0.20   | ug/L  | 0.20 | 0.67 | SW 8260B | 03/30/2005    | mae              | 7225  |
| Bromoform                   | <0.20   | ug/L  | 0.20 | 0.67 | SW 8260B | 03/30/2005    | mae              | 7225  |
| Bromomethane                | <0.20   | ug/L  | 0.20 | 0.67 | SW 8260B | 03/30/2005    | mae              | 7225  |
| n-Butylbenzene              | <0.20   | ug/L  | 0.20 | 0.67 | SW 8260B | 03/30/2005    | mae              | 7225  |
| sec-Butylbenzene            | <0.25   | ug/L  | 0.25 | 0.83 | SW 8260B | 03/30/2005    | mae              | 7225  |
| tert-Butylbenzene           | <0.20   | ug/L  | 0.20 | 0.67 | SW 8260B | 03/30/2005    | mae              | 7225  |
| Carbon Tetrachloride        | <0.50   | ug/L  | 0.50 | 1.7  | SW 8260B | 03/30/2005    | mae              | 7225  |
| Chlorobenzene               | <0.20   | ug/L  | 0.20 | 0.67 | SW 8260B | 03/30/2005    | mae              | 7225  |
| Chlorodibromomethane        | <0.20   | ug/L  | 0.20 | 0.67 | SW 8260B | 03/30/2005    | mae              | 7225  |
| Chloroethane                | <1.0    | ug/L  | 1.0  | 3.3  | SW 8260B | 03/30/2005    | mae              | 7225  |
| Chloroform                  | <0.20   | ug/L  | 0.20 | 0.67 | SW 8260B | 03/30/2005    | mae              | 7225  |
| Chloromethane               | <0.20   | ug/L  | 0.20 | 0.67 | SW 8260B | 03/30/2005    | mae              | 7225  |
| 2-Chlorotoluene             | <0.50   | ug/L  | 0.50 | 1.7  | SW 8260B | 03/30/2005    | mae              | 7225  |
| 4-Chlorotoluene             | <0.20   | ug/L  | 0.20 | 0.67 | SW 8260B | 03/30/2005    | mae              | 7225  |
| 1,2-Dibromo-3-Chloropropane | <0.50   | ug/L  | 0.50 | 1.7  | SW 8260B | 03/30/2005    | mae              | 7225  |
| 1,2-Dibromoethane (EDB)     | <0.20   | ug/L  | 0.20 | 0.67 | SW 8260B | 03/30/2005    | mae              | 7225  |
| Dibromomethane              | <0.20   | ug/L  | 0.20 | 0.67 | SW 8260B | 03/30/2005    | mae              | 7225  |
| 1,2-Dichlorobenzene         | <0.20   | ug/L  | 0.20 | 0.67 | SW 8260B | 03/30/2005    | mae              | 7225  |
| 1,3-Dichlorobenzene         | <0.20   | ug/L  | 0.20 | 0.67 | SW 8260B | 03/30/2005    | mae              | 7225  |
| 1,4-Dichlorobenzene         | <0.20   | ug/L  | 0.20 | 0.67 | SW 8260B | 03/30/2005    | mae              | 7225  |
| Dichlorodifluoromethane     | <0.50   | ug/L  | 0.50 | 1.7  | SW 8260B | 03/30/2005    | mae              | 7225  |
| 1,1-Dichloroethane          | <0.50   | ug/L  | 0.50 | 1.7  | SW 8260B | 03/30/2005    | mae              | 7225  |
| 1,2-Dichloroethane          | <0.50   | ug/L  | 0.50 | 1.7  | SW 8260B | 03/30/2005    | mae              | 7225  |
| 1,1-Dichloroethene          | <0.50   | ug/L  | 0.50 | 1.7  | SW 8260B | 03/30/2005    | mae              | 7225  |
| cis-1,2-Dichloroethene      | <0.50   | ug/L  | 0.50 | 1.7  | SW 8260B | 03/30/2005    | mae              | 7225  |
| trans-1,2-Dichloroethene    | <0.50   | ug/L  | 0.50 | 1.7  | SW 8260B | 03/30/2005    | mae              | 7225  |
| 1,2-Dichloropropane         | <0.50   | ug/L  | 0.50 | 1.7  | SW 8260B | 03/30/2005    | mae              | 7225  |
| 1,3-Dichloropropane         | <0.25   | ug/L  | 0.25 | 0.83 | SW 8260B | 03/30/2005    | mae              | 7225  |
| 2,2-Dichloropropane         | <0.50   | ug/L  | 0.50 | 1.7  | SW 8260B | 03/30/2005    | mae              | 7225  |
| 1,1-Dichloropropene         | <0.50   | ug/L  | 0.50 | 1.7  | SW 8260B | 03/30/2005    | mae              | 7225  |
| cis-1,3-Dichloropropene     | <0.20   | ug/L  | 0.20 | 0.67 | SW 8260B | 03/30/2005    | mae              | 7225  |
| trans-1,3-Dichloropropene   | <0.20   | ug/L  | 0.20 | 0.67 | SW 8260B | 03/30/2005    | mae              | 7225  |
| Di-isopropyl ether          | <0.50   | ug/L  | 0.50 | 1.7  | SW 8260B | 03/30/2005    | mae              | 7225  |
| Ethylbenzene                | <0.50   | ug/L  | 0.50 | 1.7  | SW 8260B | 03/30/2005    | mae              | 7225  |
| Hexachlorobutadiene         | <0.50   | ug/L  | 0.50 | 1.7  | SW 8260B | 03/30/2005    | mae              | 7225  |

## ANALYTICAL REPORT

Ms. Sarah Ganswindt  
NATURAL RESOURCE TECH, INC  
23713 W. Paul Road  
Pewaukee, WI 53072

04/02/2005  
Job No: 05.02252  
Sample No: 610068  
Account No: 52450  
Page 9 of 11

JOB DESCRIPTION: 1105 Praefke Brake  
PROJECT DESCRIPTION: Groundwater Analysis  
SAMPLE DESCRIPTION: Trip Blank  
West Bend, WI  
Rec'd on ice

Date/Time Taken: 03/23/2005 UNKNOWN

Date Received: 03/25/2005

| Parameter                  | Results | Units | MDL  | LOQ    | Method   | Date       | Prep/Run |       |
|----------------------------|---------|-------|------|--------|----------|------------|----------|-------|
|                            |         |       |      |        |          | Analyzed   | Analyst  | Batch |
| Isopropylbenzene           | <0.20   | ug/L  | 0.20 | 0.67   | SW 8260B | 03/30/2005 | mae      | 7225  |
| p-Isopropyltoluene         | <0.20   | ug/L  | 0.20 | 0.67   | SW 8260B | 03/30/2005 | mae      | 7225  |
| Methylene Chloride         | <1.0    | ug/L  | 1.0  | 3.3    | SW 8260B | 03/30/2005 | mae      | 7225  |
| Methyl-t-butyl ether       | <0.50   | ug/L  | 0.50 | 1.7    | SW 8260B | 03/30/2005 | mae      | 7225  |
| Naphthalene                | <0.25   | ug/L  | 0.25 | 0.83   | SW 8260B | 03/30/2005 | mae      | 7225  |
| n-Propylbenzene            | <0.50   | ug/L  | 0.50 | 1.7    | SW 8260B | 03/30/2005 | mae      | 7225  |
| Styrene                    | <0.20   | ug/L  | 0.20 | 0.67   | SW 8260B | 03/30/2005 | mae      | 7225  |
| 1,1,1,2-Tetrachloroethane  | <0.25   | ug/L  | 0.25 | 0.83   | SW 8260B | 03/30/2005 | mae      | 7225  |
| 1,1,2,2-Tetrachloroethane  | <0.20   | ug/L  | 0.20 | 0.67   | SW 8260B | 03/30/2005 | mae      | 7225  |
| Tetrachloroethene          | <0.50   | ug/L  | 0.50 | 1.7    | SW 8260B | 03/30/2005 | mae      | 7225  |
| Toluene                    | <0.20   | ug/L  | 0.20 | 0.67   | SW 8260B | 03/30/2005 | mae      | 7225  |
| 1,2,3-Trichlorobenzene     | <0.25   | ug/L  | 0.25 | 0.83   | SW 8260B | 03/30/2005 | mae      | 7225  |
| 1,2,4-Trichlorobenzene     | <0.25   | ug/L  | 0.25 | 0.83   | SW 8260B | 03/30/2005 | mae      | 7225  |
| 1,1,1-Trichloroethane      | <0.50   | ug/L  | 0.50 | 1.7    | SW 8260B | 03/30/2005 | mae      | 7225  |
| 1,1,2-Trichloroethane      | <0.25   | ug/L  | 0.25 | 0.83   | SW 8260B | 03/30/2005 | mae      | 7225  |
| Trichloroethene            | <0.20   | ug/L  | 0.20 | 0.67   | SW 8260B | 03/30/2005 | mae      | 7225  |
| Trichlorofluoromethane     | <0.50   | ug/L  | 0.50 | 1.7    | SW 8260B | 03/30/2005 | mae      | 7225  |
| 1,2,3-Trichloropropane     | <0.50   | ug/L  | 0.50 | 1.7    | SW 8260B | 03/30/2005 | mae      | 7225  |
| 1,2,4-Trimethylbenzene     | <0.20   | ug/L  | 0.20 | 0.67   | SW 8260B | 03/30/2005 | mae      | 7225  |
| 1,3,5-Trimethylbenzene     | <0.20   | ug/L  | 0.20 | 0.67   | SW 8260B | 03/30/2005 | mae      | 7225  |
| Vinyl Chloride             | <0.20   | ug/L  | 0.20 | 0.67   | SW 8260B | 03/30/2005 | mae      | 7225  |
| Xylenes, Total             | 0.61    | ug/L  | 0.50 | 1.7    | SW 8260B | 03/30/2005 | mae      | 7225  |
| Surr: Dibromofluoromethane | 104     | %     |      | 90-114 | SW 8260B | 03/30/2005 | mae      | 7225  |
| Surr: Toluene-d8           | 104     | %     |      | 91-106 | SW 8260B | 03/30/2005 | mae      | 7225  |
| Surr: Bromofluorobenzene   | C 109   | %     |      | 96-106 | SW 8260B | 03/30/2005 | mae      | 7225  |

## QUALITY CONTROL REPORT BLANKS

04/02/2005

Ms. Sarah Ganswindt  
NATURAL RESOURCE TECH, INC  
23713 W. Paul Road  
Pewaukee, WI 53072

Job No: 05.02252  
Account No: 52450

Page 10 of 11

Job Description: 1105 Praefke Brake

| Parameter                   | Prep<br>Batch | Run<br>Batch | Blank<br>Result | MDL  | LOQ  | Units |
|-----------------------------|---------------|--------------|-----------------|------|------|-------|
| ACID CMPDS - 8270 AQUEOUS   |               |              |                 |      |      |       |
| Pentachlorophenol           |               | 1110         | <2.8            | 2.8  | 8.3  | ug/L  |
| Surr: Phenol-d6             |               | 1110         | 26.0            |      | n/a  | %     |
| Surr: 2-Fluorophenol        |               | 1110         | 40.0            |      | n/a  | %     |
| Surr: 2,4,6-Tribromophenol  |               | 1110         | 93.0            |      | n/a  | %     |
| VOC - AQUEOUS - EPA 8260B   |               |              |                 |      |      |       |
| Benzene                     |               | 7225         | <0.20           | 0.20 | 0.67 | ug/L  |
| Bromobenzene                |               | 7225         | <0.20           | 0.20 | 0.67 | ug/L  |
| Bromochloromethane          |               | 7225         | <0.50           | 0.50 | 1.7  | ug/L  |
| Bromodichloromethane        |               | 7225         | <0.20           | 0.20 | 0.67 | ug/L  |
| Bromoform                   |               | 7225         | <0.20           | 0.20 | 0.67 | ug/L  |
| Bromomethane                |               | 7225         | <0.20           | 0.20 | 0.67 | ug/L  |
| n-Butylbenzene              |               | 7225         | <0.20           | 0.20 | 0.67 | ug/L  |
| sec-Butylbenzene            |               | 7225         | <0.25           | 0.25 | 0.83 | ug/L  |
| tert-Butylbenzene           |               | 7225         | <0.20           | 0.20 | 0.67 | ug/L  |
| Carbon Tetrachloride        |               | 7225         | <0.50           | 0.50 | 1.7  | ug/L  |
| Chlorobenzene               |               | 7225         | <0.20           | 0.20 | 0.67 | ug/L  |
| Chlorodibromomethane        |               | 7225         | <0.20           | 0.20 | 0.67 | ug/L  |
| Chloroethane                |               | 7225         | <1.0            | 1.0  | 3.3  | ug/L  |
| Chloroform                  |               | 7225         | <0.20           | 0.20 | 0.67 | ug/L  |
| Chloromethane               |               | 7225         | <0.20           | 0.20 | 0.67 | ug/L  |
| 2-Chlorotoluene             |               | 7225         | <0.50           | 0.50 | 1.7  | ug/L  |
| 4-Chlorotoluene             |               | 7225         | <0.20           | 0.20 | 0.67 | ug/L  |
| 1,2-Dibromo-3-Chloropropane |               | 7225         | <0.50           | 0.50 | 1.7  | ug/L  |
| 1,2-Dibromoethane (EDB)     |               | 7225         | <0.20           | 0.20 | 0.67 | ug/L  |
| Dibromomethane              |               | 7225         | <0.20           | 0.20 | 0.67 | ug/L  |
| 1,2-Dichlorobenzene         |               | 7225         | <0.20           | 0.20 | 0.67 | ug/L  |
| 1,3-Dichlorobenzene         |               | 7225         | <0.20           | 0.20 | 0.67 | ug/L  |
| 1,4-Dichlorobenzene         |               | 7225         | <0.20           | 0.20 | 0.67 | ug/L  |
| Dichlorodifluoromethane     |               | 7225         | <0.50           | 0.50 | 1.7  | ug/L  |
| 1,1-Dichloroethane          |               | 7225         | <0.50           | 0.50 | 1.7  | ug/L  |
| 1,2-Dichloroethane          |               | 7225         | <0.50           | 0.50 | 1.7  | ug/L  |
| 1,1-Dichloroethene          |               | 7225         | <0.50           | 0.50 | 1.7  | ug/L  |
| cis-1,2-Dichloroethene      |               | 7225         | <0.50           | 0.50 | 1.7  | ug/L  |
| trans-1,2-Dichloroethene    |               | 7225         | <0.50           | 0.50 | 1.7  | ug/L  |
| 1,2-Dichloropropane         |               | 7225         | <0.50           | 0.50 | 1.7  | ug/L  |
| 1,3-Dichloropropane         |               | 7225         | <0.25           | 0.25 | 0.83 | ug/L  |

Method blank results exceed control limits when results are higher than the highest of any of the following: 1 - The limit of detection; 2 - Five percent of the regulatory limit for that analyte; 3 - Five percent of the measured concentration in the sample. NR149.14 (3)d

## QUALITY CONTROL REPORT BLANKS

04/02/2005

Ms. Sarah Ganswindt  
NATURAL RESOURCE TECH, INC  
23713 W. Paul Road  
Pewaukee, WI 53072

Job No: 05.02252  
Account No: 52450

Page 11 of 11

Job Description: 1105 Praefke Brake

| Parameter                  | Prep<br>Batch | Run<br>Batch | Blank<br>Result | MDL  | LOQ    | Units |
|----------------------------|---------------|--------------|-----------------|------|--------|-------|
| 2,2-Dichloropropane        |               | 7225         | <0.50           | 0.50 | 1.7    | ug/L  |
| 1,1-Dichloropropene        |               | 7225         | <0.50           | 0.50 | 1.7    | ug/L  |
| cis-1,3-Dichloropropene    |               | 7225         | <0.20           | 0.20 | 0.67   | ug/L  |
| trans-1,3-Dichloropropene  |               | 7225         | <0.20           | 0.20 | 0.67   | ug/L  |
| Di-isopropyl ether         |               | 7225         | <0.50           | 0.50 | 1.7    | ug/L  |
| Ethylbenzene               |               | 7225         | <0.50           | 0.50 | 1.7    | ug/L  |
| Hexachlorobutadiene        |               | 7225         | <0.50           | 0.50 | 1.7    | ug/L  |
| Isopropylbenzene           |               | 7225         | <0.20           | 0.20 | 0.67   | ug/L  |
| p-Isopropyltoluene         |               | 7225         | <0.20           | 0.20 | 0.67   | ug/L  |
| Methylene Chloride         |               | 7225         | <1.0            | 1.0  | 3.3    | ug/L  |
| Methyl-t-butyl ether       |               | 7225         | <0.50           | 0.50 | 1.7    | ug/L  |
| Naphthalene                |               | 7225         | <0.25           | 0.25 | 0.83   | ug/L  |
| n-Propylbenzene            |               | 7225         | <0.50           | 0.50 | 1.7    | ug/L  |
| Styrene                    |               | 7225         | <0.20           | 0.20 | 0.67   | ug/L  |
| 1,1,1,2-Tetrachloroethane  |               | 7225         | <0.25           | 0.25 | 0.83   | ug/L  |
| 1,1,2,2-Tetrachloroethane  |               | 7225         | <0.20           | 0.20 | 0.67   | ug/L  |
| Tetrachloroethene          |               | 7225         | <0.50           | 0.50 | 1.7    | ug/L  |
| Toluene                    |               | 7225         | <0.20           | 0.20 | 0.67   | ug/L  |
| 1,2,3-Trichlorobenzene     |               | 7225         | <0.25           | 0.25 | 0.83   | ug/L  |
| 1,2,4-Trichlorobenzene     |               | 7225         | <0.25           | 0.25 | 0.83   | ug/L  |
| 1,1,1-Trichloroethane      |               | 7225         | <0.50           | 0.50 | 1.7    | ug/L  |
| 1,1,2-Trichloroethane      |               | 7225         | <0.25           | 0.25 | 0.83   | ug/L  |
| Trichloroethene            |               | 7225         | <0.20           | 0.20 | 0.67   | ug/L  |
| Trichlorofluoromethane     |               | 7225         | <0.50           | 0.50 | 1.7    | ug/L  |
| 1,2,3-Trichloropropane     |               | 7225         | <0.50           | 0.50 | 1.7    | ug/L  |
| 1,2,4-Trimethylbenzene     |               | 7225         | <0.20           | 0.20 | 0.67   | ug/L  |
| 1,3,5-Trimethylbenzene     |               | 7225         | <0.20           | 0.20 | 0.67   | ug/L  |
| Vinyl Chloride             |               | 7225         | <0.20           | 0.20 | 0.67   | ug/L  |
| Xylenes, Total             |               | 7225         | <0.50           | 0.50 | 1.7    | ug/L  |
| Surr: Dibromofluoromethane |               | 7225         | 103.8           |      | 90-114 | %     |
| Surr: Toluene-d8           |               | 7225         | 102.4           |      | 91-106 | %     |
| Surr: Bromofluorobenzene   |               | 7225         | 108.0           |      | 96-106 | %     |
| PNA - 8310 AQUEOUS         |               |              |                 |      |        |       |
| Naphthalene                | 1327          | 2079         | <0.40           | 0.40 | 1.4    | ug/L  |
| Surr: 2-Fluorobiphenyl     | 1327          | 2079         | 73.2            |      | 31-113 | %     |

Method blank results exceed control limits when results are higher than the highest of any of the following: 1 - The limit of detection; 2 - Five percent of the regulatory limit for that analyte; 3 - Five percent of the measured concentration in the sample. NR149.14 (3)d



Phone 920-261-1660 or 800-833-7036  
Fax 920-261-8120

124

Sampler Signature: 

Quote #: \_\_\_\_\_ PO#: \_\_\_\_\_

**QC Deliverables**  
☐ None  
☐ Level 2  
     *(Batch QC)*  
☐ Level 3  
☐ Level 4  
 Other: \_\_\_\_\_

LABORATORY COMMENTS:

Rec Lab Temp:

Time

Time

Time

Custody Seals: Y N N/A  
Bottles Supplied by Test America:

**Method of Shipment:**

March 05, 2007

Client: NATURAL RESOURCE TECH, INC  
23713 W. Paul Road  
Pewaukee, WI 53072

Work Order: WQB0708  
Project Name: 1105 Praefke Brake  
Project Number: 1105

Attn: Ms. Sarah Ganswindt

Date Received: 02/26/07

An executed copy of the chain of custody is also included as an addendum to this report.

If you have any questions relating to this analytical report, please contact your Laboratory Project Manager at 1-800-833-7036

| SAMPLE IDENTIFICATION | LAB NUMBER | COLLECTION DATE AND TIME |
|-----------------------|------------|--------------------------|
| RW-1B                 | WQB0708-01 | 02/22/07 12:00           |
| RW-1C                 | WQB0708-02 | 02/22/07 12:30           |
| MW-6B                 | WQB0708-03 | 02/21/07 09:00           |
| MW-A                  | WQB0708-04 | 02/21/07 09:45           |
| MW-2                  | WQB0708-05 | 02/21/07 10:30           |
| MW-D1                 | WQB0708-06 | 02/21/07 11:25           |
| MW-D2                 | WQB0708-07 | 02/21/07 13:30           |
| MW-4                  | WQB0708-08 | 02/21/07 14:20           |
| MW-H                  | WQB0708-09 | 02/21/07                 |
| Trip Blank            | WQB0708-10 | 02/21/07                 |
| MW-3                  | WQB0708-11 | 02/21/07                 |

SW 8270C analysis performed at Lab ID: 999917270


Samples were received into laboratory on ice.

Wisconsin Certification Number: 128053530

The Chain of Custody, 1 page, is included and is an integral part of this report.

*Unless subcontracted, volatiles analyses (including VOC, PVOC, GRO, BTEX, and TPH gasoline) performed by TestAmerica Watertown at 1101 Industrial Drive, Units 9&10. All other analyses performed at the address shown in the heading of this report.*

Approved By:



TestAmerica - Watertown, WI  
Brian DeJong For Traci Saeger  
Project Manager

NATURAL RESOURCE TECH, INC  
23713 W. Paul Road  
Pewaukee, WI 53072  
Ms. Sarah Ganswindt

Work Order: WQB0708  
Project: 1105 Praefke Brake  
Project Number: 1105

Received: 02/26/07  
Reported: 03/05/07 08:49

## ANALYTICAL REPORT

| Analyte                                      | Sample Result | Data Qualifiers | Units | MDL  | LOQ  | Dilution Factor         | Date Analyzed  | Analyst | Seq/ Batch | Method   |
|----------------------------------------------|---------------|-----------------|-------|------|------|-------------------------|----------------|---------|------------|----------|
| Sample ID: WQB0708-01 (RW-1B - Ground Water) |               |                 |       |      |      | Sampled: 02/22/07 12:00 |                |         |            |          |
| VOCs by SW8260B                              |               |                 |       |      |      |                         |                |         |            |          |
| Benzene                                      | <0.20         |                 | ug/L  | 0.20 | 0.67 | 1                       | 02/28/07 13:29 | MAE     | 7020619    | SW 8260B |
| Bromobenzene                                 | <0.20         |                 | ug/L  | 0.20 | 0.67 | 1                       | 02/28/07 13:29 | MAE     | 7020619    | SW 8260B |
| Bromochloromethane                           | <0.50         |                 | ug/L  | 0.50 | 1.7  | 1                       | 02/28/07 13:29 | MAE     | 7020619    | SW 8260B |
| Bromodichloromethane                         | <0.20         |                 | ug/L  | 0.20 | 0.67 | 1                       | 02/28/07 13:29 | MAE     | 7020619    | SW 8260B |
| Bromoform                                    | <0.20         |                 | ug/L  | 0.20 | 0.67 | 1                       | 02/28/07 13:29 | MAE     | 7020619    | SW 8260B |
| Bromomethane                                 | <0.20         |                 | ug/L  | 0.20 | 0.67 | 1                       | 02/28/07 13:29 | MAE     | 7020619    | SW 8260B |
| n-Butylbenzene                               | <0.20         |                 | ug/L  | 0.20 | 0.67 | 1                       | 02/28/07 13:29 | MAE     | 7020619    | SW 8260B |
| sec-Butylbenzene                             | <0.25         |                 | ug/L  | 0.25 | 0.83 | 1                       | 02/28/07 13:29 | MAE     | 7020619    | SW 8260B |
| tert-Butylbenzene                            | <0.20         |                 | ug/L  | 0.20 | 0.67 | 1                       | 02/28/07 13:29 | MAE     | 7020619    | SW 8260B |
| Carbon Tetrachloride                         | <0.50         |                 | ug/L  | 0.50 | 1.7  | 1                       | 02/28/07 13:29 | MAE     | 7020619    | SW 8260B |
| Chlorobenzene                                | <0.20         |                 | ug/L  | 0.20 | 0.67 | 1                       | 02/28/07 13:29 | MAE     | 7020619    | SW 8260B |
| Chlorodibromomethane                         | <0.20         |                 | ug/L  | 0.20 | 0.67 | 1                       | 02/28/07 13:29 | MAE     | 7020619    | SW 8260B |
| Chloroethane                                 | <1.0          |                 | ug/L  | 1.0  | 3.3  | 1                       | 02/28/07 13:29 | MAE     | 7020619    | SW 8260B |
| Chloroform                                   | <0.20         |                 | ug/L  | 0.20 | 0.67 | 1                       | 02/28/07 13:29 | MAE     | 7020619    | SW 8260B |
| Chloromethane                                | <0.20         |                 | ug/L  | 0.20 | 0.67 | 1                       | 02/28/07 13:29 | MAE     | 7020619    | SW 8260B |
| 2-Chlorotoluene                              | <0.50         |                 | ug/L  | 0.50 | 1.7  | 1                       | 02/28/07 13:29 | MAE     | 7020619    | SW 8260B |
| 4-Chlorotoluene                              | <0.20         |                 | ug/L  | 0.20 | 0.67 | 1                       | 02/28/07 13:29 | MAE     | 7020619    | SW 8260B |
| 1,2-Dibromo-3-chloropropane                  | <0.50         |                 | ug/L  | 0.50 | 1.7  | 1                       | 02/28/07 13:29 | MAE     | 7020619    | SW 8260B |
| 1,2-Dibromoethane (EDB)                      | <0.20         |                 | ug/L  | 0.20 | 0.67 | 1                       | 02/28/07 13:29 | MAE     | 7020619    | SW 8260B |
| Dibromomethane                               | <0.20         |                 | ug/L  | 0.20 | 0.67 | 1                       | 02/28/07 13:29 | MAE     | 7020619    | SW 8260B |
| 1,2-Dichlorobenzene                          | <0.20         |                 | ug/L  | 0.20 | 0.67 | 1                       | 02/28/07 13:29 | MAE     | 7020619    | SW 8260B |
| 1,3-Dichlorobenzene                          | <0.20         |                 | ug/L  | 0.20 | 0.67 | 1                       | 02/28/07 13:29 | MAE     | 7020619    | SW 8260B |
| 1,4-Dichlorobenzene                          | <0.20         |                 | ug/L  | 0.20 | 0.67 | 1                       | 02/28/07 13:29 | MAE     | 7020619    | SW 8260B |
| Dichlorodifluoromethane                      | <0.50         |                 | ug/L  | 0.50 | 1.7  | 1                       | 02/28/07 13:29 | MAE     | 7020619    | SW 8260B |
| 1,1-Dichloroethane                           | <0.50         |                 | ug/L  | 0.50 | 1.7  | 1                       | 02/28/07 13:29 | MAE     | 7020619    | SW 8260B |
| 1,2-Dichloroethane                           | <0.50         |                 | ug/L  | 0.50 | 1.7  | 1                       | 02/28/07 13:29 | MAE     | 7020619    | SW 8260B |
| 1,1-Dichloroethene                           | <0.50         |                 | ug/L  | 0.50 | 1.7  | 1                       | 02/28/07 13:29 | MAE     | 7020619    | SW 8260B |
| cis-1,2-Dichloroethene                       | <0.50         |                 | ug/L  | 0.50 | 1.7  | 1                       | 02/28/07 13:29 | MAE     | 7020619    | SW 8260B |
| trans-1,2-Dichloroethene                     | <0.50         |                 | ug/L  | 0.50 | 1.7  | 1                       | 02/28/07 13:29 | MAE     | 7020619    | SW 8260B |
| 1,2-Dichloropropane                          | <0.50         |                 | ug/L  | 0.50 | 1.7  | 1                       | 02/28/07 13:29 | MAE     | 7020619    | SW 8260B |
| 1,3-Dichloropropane                          | <0.25         |                 | ug/L  | 0.25 | 0.83 | 1                       | 02/28/07 13:29 | MAE     | 7020619    | SW 8260B |
| 2,2-Dichloropropane                          | <0.50         |                 | ug/L  | 0.50 | 1.7  | 1                       | 02/28/07 13:29 | MAE     | 7020619    | SW 8260B |
| 1,1-Dichloropropene                          | <0.50         |                 | ug/L  | 0.50 | 1.7  | 1                       | 02/28/07 13:29 | MAE     | 7020619    | SW 8260B |
| cis-1,3-Dichloropropene                      | <0.20         |                 | ug/L  | 0.20 | 0.67 | 1                       | 02/28/07 13:29 | MAE     | 7020619    | SW 8260B |
| trans-1,3-Dichloropropene                    | <0.20         |                 | ug/L  | 0.20 | 0.67 | 1                       | 02/28/07 13:29 | MAE     | 7020619    | SW 8260B |
| 2,3-Dichloropropene                          | <0.25         |                 | ug/L  | 0.25 | 0.83 | 1                       | 02/28/07 13:29 | MAE     | 7020619    | SW 8260B |
| Isopropyl Ether                              | <0.50         |                 | ug/L  | 0.50 | 1.7  | 1                       | 02/28/07 13:29 | MAE     | 7020619    | SW 8260B |
| Ethylbenzene                                 | <0.50         |                 | ug/L  | 0.50 | 1.7  | 1                       | 02/28/07 13:29 | MAE     | 7020619    | SW 8260B |
| Hexachlorobutadiene                          | <0.50         |                 | ug/L  | 0.50 | 1.7  | 1                       | 02/28/07 13:29 | MAE     | 7020619    | SW 8260B |
| Isopropylbenzene                             | <0.20         |                 | ug/L  | 0.20 | 0.67 | 1                       | 02/28/07 13:29 | MAE     | 7020619    | SW 8260B |
| p-Isopropyltoluene                           | <0.20         |                 | ug/L  | 0.20 | 0.67 | 1                       | 02/28/07 13:29 | MAE     | 7020619    | SW 8260B |
| Methylene Chloride                           | <1.0          |                 | ug/L  | 1.0  | 3.3  | 1                       | 02/28/07 13:29 | MAE     | 7020619    | SW 8260B |
| Methyl tert-Butyl Ether                      | <0.50         |                 | ug/L  | 0.50 | 1.7  | 1                       | 02/28/07 13:29 | MAE     | 7020619    | SW 8260B |
| Naphthalene                                  | <0.25         |                 | ug/L  | 0.25 | 0.83 | 1                       | 02/28/07 13:29 | MAE     | 7020619    | SW 8260B |
| n-Propylbenzene                              | <0.50         |                 | ug/L  | 0.50 | 1.7  | 1                       | 02/28/07 13:29 | MAE     | 7020619    | SW 8260B |
| Styrene                                      | <0.20         |                 | ug/L  | 0.20 | 0.67 | 1                       | 02/28/07 13:29 | MAE     | 7020619    | SW 8260B |
| 1,1,1,2-Tetrachloroethane                    | <0.25         |                 | ug/L  | 0.25 | 0.83 | 1                       | 02/28/07 13:29 | MAE     | 7020619    | SW 8260B |
| 1,1,2,2-Tetrachloroethane                    | <0.20         |                 | ug/L  | 0.20 | 0.67 | 1                       | 02/28/07 13:29 | MAE     | 7020619    | SW 8260B |
| Tetrachloroethene                            | <0.50         |                 | ug/L  | 0.50 | 1.7  | 1                       | 02/28/07 13:29 | MAE     | 7020619    | SW 8260B |
| Toluene                                      | <0.20         |                 | ug/L  | 0.20 | 0.67 | 1                       | 02/28/07 13:29 | MAE     | 7020619    | SW 8260B |

NATURAL RESOURCE TECH, INC  
23713 W. Paul Road  
Pewaukee, WI 53072  
Ms. Sarah Ganswindt

Work Order: WQB0708  
Project: 1105 Praefke Brake  
Project Number: 1105

Received: 02/26/07  
Reported: 03/05/07 08:49

| Analyte                                              | Sample Result | Data Qualifiers | Units | MDL  | LOQ  | Dilution Factor         | Date Analyzed  | Analyst | Seq/ Batch | Method   |
|------------------------------------------------------|---------------|-----------------|-------|------|------|-------------------------|----------------|---------|------------|----------|
| Sample ID: WQB0708-01 (RW-1B - Ground Water) - cont. |               |                 |       |      |      | Sampled: 02/22/07 12:00 |                |         |            |          |
| VOCs by SW8260B - cont.                              |               |                 |       |      |      |                         |                |         |            |          |
| 1,2,3-Trichlorobenzene                               | <0.25         |                 | ug/L  | 0.25 | 0.83 | 1                       | 02/28/07 13:29 | MAE     | 7020619    | SW 8260B |
| 1,2,4-Trichlorobenzene                               | <0.25         |                 | ug/L  | 0.25 | 0.83 | 1                       | 02/28/07 13:29 | MAE     | 7020619    | SW 8260B |
| 1,1,1-Trichloroethane                                | <0.50         |                 | ug/L  | 0.50 | 1.7  | 1                       | 02/28/07 13:29 | MAE     | 7020619    | SW 8260B |
| 1,1,2-Trichloroethane                                | <0.25         |                 | ug/L  | 0.25 | 0.83 | 1                       | 02/28/07 13:29 | MAE     | 7020619    | SW 8260B |
| Trichloroethene                                      | <0.20         |                 | ug/L  | 0.20 | 0.67 | 1                       | 02/28/07 13:29 | MAE     | 7020619    | SW 8260B |
| Trichlorofluoromethane                               | <0.50         |                 | ug/L  | 0.50 | 1.7  | 1                       | 02/28/07 13:29 | MAE     | 7020619    | SW 8260B |
| 1,2,3-Trichloropropane                               | <0.50         |                 | ug/L  | 0.50 | 1.7  | 1                       | 02/28/07 13:29 | MAE     | 7020619    | SW 8260B |
| 1,2,4-Trimethylbenzene                               | <0.20         |                 | ug/L  | 0.20 | 0.67 | 1                       | 02/28/07 13:29 | MAE     | 7020619    | SW 8260B |
| 1,3,5-Trimethylbenzene                               | <0.20         |                 | ug/L  | 0.20 | 0.67 | 1                       | 02/28/07 13:29 | MAE     | 7020619    | SW 8260B |
| Vinyl chloride                                       | <0.20         |                 | ug/L  | 0.20 | 0.67 | 1                       | 02/28/07 13:29 | MAE     | 7020619    | SW 8260B |
| Xylenes, Total                                       | <0.50         |                 | ug/L  | 0.50 | 1.7  | 1                       | 02/28/07 13:29 | MAE     | 7020619    | SW 8260B |
| Surr: Dibromofluoromethane (89-119%)                 | 107 %         |                 |       |      |      |                         |                |         |            |          |
| Surr: Toluene-d8 (91-109%)                           | 99 %          |                 |       |      |      |                         |                |         |            |          |
| Surr: 4-Bromofluorobenzene (89-114%)                 | 101 %         |                 |       |      |      |                         |                |         |            |          |
| Sample ID: WQB0708-02 (RW-1C - Ground Water)         |               |                 |       |      |      | Sampled: 02/22/07 12:30 |                |         |            |          |
| VOCs by SW8260B                                      |               |                 |       |      |      |                         |                |         |            |          |
| Benzene                                              | <0.20         |                 | ug/L  | 0.20 | 0.67 | 1                       | 02/28/07 13:55 | MAE     | 7020619    | SW 8260B |
| Bromobenzene                                         | <0.20         |                 | ug/L  | 0.20 | 0.67 | 1                       | 02/28/07 13:55 | MAE     | 7020619    | SW 8260B |
| Bromochloromethane                                   | <0.50         |                 | ug/L  | 0.50 | 1.7  | 1                       | 02/28/07 13:55 | MAE     | 7020619    | SW 8260B |
| Bromodichloromethane                                 | <0.20         |                 | ug/L  | 0.20 | 0.67 | 1                       | 02/28/07 13:55 | MAE     | 7020619    | SW 8260B |
| Bromoform                                            | <0.20         |                 | ug/L  | 0.20 | 0.67 | 1                       | 02/28/07 13:55 | MAE     | 7020619    | SW 8260B |
| Bromomethane                                         | <0.20         |                 | ug/L  | 0.20 | 0.67 | 1                       | 02/28/07 13:55 | MAE     | 7020619    | SW 8260B |
| n-Butylbenzene                                       | <0.20         |                 | ug/L  | 0.20 | 0.67 | 1                       | 02/28/07 13:55 | MAE     | 7020619    | SW 8260B |
| sec-Butylbenzene                                     | <0.25         |                 | ug/L  | 0.25 | 0.83 | 1                       | 02/28/07 13:55 | MAE     | 7020619    | SW 8260B |
| tert-Butylbenzene                                    | <0.20         |                 | ug/L  | 0.20 | 0.67 | 1                       | 02/28/07 13:55 | MAE     | 7020619    | SW 8260B |
| Carbon Tetrachloride                                 | <0.50         |                 | ug/L  | 0.50 | 1.7  | 1                       | 02/28/07 13:55 | MAE     | 7020619    | SW 8260B |
| Chlorobenzene                                        | <0.20         |                 | ug/L  | 0.20 | 0.67 | 1                       | 02/28/07 13:55 | MAE     | 7020619    | SW 8260B |
| Chlorodibromomethane                                 | <0.20         |                 | ug/L  | 0.20 | 0.67 | 1                       | 02/28/07 13:55 | MAE     | 7020619    | SW 8260B |
| Chloroethane                                         | <1.0          |                 | ug/L  | 1.0  | 3.3  | 1                       | 02/28/07 13:55 | MAE     | 7020619    | SW 8260B |
| Chloroform                                           | <0.20         |                 | ug/L  | 0.20 | 0.67 | 1                       | 02/28/07 13:55 | MAE     | 7020619    | SW 8260B |
| Chloromethane                                        | <0.20         |                 | ug/L  | 0.20 | 0.67 | 1                       | 02/28/07 13:55 | MAE     | 7020619    | SW 8260B |
| 2-Chlorotoluene                                      | <0.50         |                 | ug/L  | 0.50 | 1.7  | 1                       | 02/28/07 13:55 | MAE     | 7020619    | SW 8260B |
| 4-Chlorotoluene                                      | <0.20         |                 | ug/L  | 0.20 | 0.67 | 1                       | 02/28/07 13:55 | MAE     | 7020619    | SW 8260B |
| 1,2-Dibromo-3-chloropropane                          | <0.50         |                 | ug/L  | 0.50 | 1.7  | 1                       | 02/28/07 13:55 | MAE     | 7020619    | SW 8260B |
| 1,2-Dibromoethane (EDB)                              | <0.20         |                 | ug/L  | 0.20 | 0.67 | 1                       | 02/28/07 13:55 | MAE     | 7020619    | SW 8260B |
| Dibromomethane                                       | <0.20         |                 | ug/L  | 0.20 | 0.67 | 1                       | 02/28/07 13:55 | MAE     | 7020619    | SW 8260B |
| 1,2-Dichlorobenzene                                  | <0.20         |                 | ug/L  | 0.20 | 0.67 | 1                       | 02/28/07 13:55 | MAE     | 7020619    | SW 8260B |
| 1,3-Dichlorobenzene                                  | <0.20         |                 | ug/L  | 0.20 | 0.67 | 1                       | 02/28/07 13:55 | MAE     | 7020619    | SW 8260B |
| 1,4-Dichlorobenzene                                  | <0.20         |                 | ug/L  | 0.20 | 0.67 | 1                       | 02/28/07 13:55 | MAE     | 7020619    | SW 8260B |
| Dichlorodifluoromethane                              | <0.50         |                 | ug/L  | 0.50 | 1.7  | 1                       | 02/28/07 13:55 | MAE     | 7020619    | SW 8260B |
| 1,1-Dichloroethane                                   | <0.50         |                 | ug/L  | 0.50 | 1.7  | 1                       | 02/28/07 13:55 | MAE     | 7020619    | SW 8260B |
| 1,2-Dichloroethane                                   | <0.50         |                 | ug/L  | 0.50 | 1.7  | 1                       | 02/28/07 13:55 | MAE     | 7020619    | SW 8260B |
| 1,1-Dichloroethene                                   | <0.50         |                 | ug/L  | 0.50 | 1.7  | 1                       | 02/28/07 13:55 | MAE     | 7020619    | SW 8260B |
| cis-1,2-Dichloroethene                               | <0.50         |                 | ug/L  | 0.50 | 1.7  | 1                       | 02/28/07 13:55 | MAE     | 7020619    | SW 8260B |
| trans-1,2-Dichloroethene                             | <0.50         |                 | ug/L  | 0.50 | 1.7  | 1                       | 02/28/07 13:55 | MAE     | 7020619    | SW 8260B |
| 1,2-Dichloropropane                                  | <0.50         |                 | ug/L  | 0.50 | 1.7  | 1                       | 02/28/07 13:55 | MAE     | 7020619    | SW 8260B |
| 1,3-Dichloropropane                                  | <0.25         |                 | ug/L  | 0.25 | 0.83 | 1                       | 02/28/07 13:55 | MAE     | 7020619    | SW 8260B |
| 2,2-Dichloropropane                                  | <0.50         |                 | ug/L  | 0.50 | 1.7  | 1                       | 02/28/07 13:55 | MAE     | 7020619    | SW 8260B |
| 1,1-Dichloropropene                                  | <0.50         |                 | ug/L  | 0.50 | 1.7  | 1                       | 02/28/07 13:55 | MAE     | 7020619    | SW 8260B |
| cis-1,3-Dichloropropene                              | <0.20         |                 | ug/L  | 0.20 | 0.67 | 1                       | 02/28/07 13:55 | MAE     | 7020619    | SW 8260B |
| trans-1,3-Dichloropropene                            | <0.20         |                 | ug/L  | 0.20 | 0.67 | 1                       | 02/28/07 13:55 | MAE     | 7020619    | SW 8260B |

NATURAL RESOURCE TECH, INC  
23713 W. Paul Road  
Pewaukee, WI 53072  
Ms. Sarah Ganswindt

Work Order: WQB0708  
Project: 1105 Praefke Brake  
Project Number: 1105

Received: 02/26/07  
Reported: 03/05/07 08:49

| Analyte                                              | Sample Result | Data Qualifiers | Units | MDL  | LOQ  | Dilution Factor         | Date Analyzed  | Analyst | Seq/ Batch | Method   |
|------------------------------------------------------|---------------|-----------------|-------|------|------|-------------------------|----------------|---------|------------|----------|
| Sample ID: WQB0708-02 (RW-1C - Ground Water) - cont. |               |                 |       |      |      | Sampled: 02/22/07 12:30 |                |         |            |          |
| VOCs by SW8260B - cont.                              |               |                 |       |      |      |                         |                |         |            |          |
| 2,3-Dichloropropene                                  | <0.25         |                 | ug/L  | 0.25 | 0.83 | 1                       | 02/28/07 13:55 | MAE     | 7020619    | SW 8260B |
| Isopropyl Ether                                      | <0.50         |                 | ug/L  | 0.50 | 1.7  | 1                       | 02/28/07 13:55 | MAE     | 7020619    | SW 8260B |
| Ethylbenzene                                         | <0.50         |                 | ug/L  | 0.50 | 1.7  | 1                       | 02/28/07 13:55 | MAE     | 7020619    | SW 8260B |
| Hexachlorobutadiene                                  | <0.50         |                 | ug/L  | 0.50 | 1.7  | 1                       | 02/28/07 13:55 | MAE     | 7020619    | SW 8260B |
| Isopropylbenzene                                     | <0.20         |                 | ug/L  | 0.20 | 0.67 | 1                       | 02/28/07 13:55 | MAE     | 7020619    | SW 8260B |
| p-Isopropyltoluene                                   | <0.20         |                 | ug/L  | 0.20 | 0.67 | 1                       | 02/28/07 13:55 | MAE     | 7020619    | SW 8260B |
| Methylene Chloride                                   | <1.0          |                 | ug/L  | 1.0  | 3.3  | 1                       | 02/28/07 13:55 | MAE     | 7020619    | SW 8260B |
| Methyl teri-Butyl Ether                              | <0.50         |                 | ug/L  | 0.50 | 1.7  | 1                       | 02/28/07 13:55 | MAE     | 7020619    | SW 8260B |
| Naphthalene                                          | <0.25         |                 | ug/L  | 0.25 | 0.83 | 1                       | 02/28/07 13:55 | MAE     | 7020619    | SW 8260B |
| n-Propylbenzene                                      | <0.50         |                 | ug/L  | 0.50 | 1.7  | 1                       | 02/28/07 13:55 | MAE     | 7020619    | SW 8260B |
| Styrene                                              | <0.20         |                 | ug/L  | 0.20 | 0.67 | 1                       | 02/28/07 13:55 | MAE     | 7020619    | SW 8260B |
| 1,1,1,2-Tetrachloroethane                            | <0.25         |                 | ug/L  | 0.25 | 0.83 | 1                       | 02/28/07 13:55 | MAE     | 7020619    | SW 8260B |
| 1,1,2,2-Tetrachloroethane                            | <0.20         |                 | ug/L  | 0.20 | 0.67 | 1                       | 02/28/07 13:55 | MAE     | 7020619    | SW 8260B |
| Tetrachloroethene                                    | <0.50         |                 | ug/L  | 0.50 | 1.7  | 1                       | 02/28/07 13:55 | MAE     | 7020619    | SW 8260B |
| Toluene                                              | <0.20         |                 | ug/L  | 0.20 | 0.67 | 1                       | 02/28/07 13:55 | MAE     | 7020619    | SW 8260B |
| 1,2,3-Trichlorobenzene                               | <0.25         |                 | ug/L  | 0.25 | 0.83 | 1                       | 02/28/07 13:55 | MAE     | 7020619    | SW 8260B |
| 1,2,4-Trichlorobenzene                               | <0.25         |                 | ug/L  | 0.25 | 0.83 | 1                       | 02/28/07 13:55 | MAE     | 7020619    | SW 8260B |
| 1,1,1-Trichloroethane                                | <0.50         |                 | ug/L  | 0.50 | 1.7  | 1                       | 02/28/07 13:55 | MAE     | 7020619    | SW 8260B |
| 1,1,2-Trichloroethane                                | <0.25         |                 | ug/L  | 0.25 | 0.83 | 1                       | 02/28/07 13:55 | MAE     | 7020619    | SW 8260B |
| Trichloroethene                                      | <0.20         |                 | ug/L  | 0.20 | 0.67 | 1                       | 02/28/07 13:55 | MAE     | 7020619    | SW 8260B |
| Trichlorofluoromethane                               | <0.50         |                 | ug/L  | 0.50 | 1.7  | 1                       | 02/28/07 13:55 | MAE     | 7020619    | SW 8260B |
| 1,2,3-Trichloropropane                               | <0.50         |                 | ug/L  | 0.50 | 1.7  | 1                       | 02/28/07 13:55 | MAE     | 7020619    | SW 8260B |
| 1,2,4-Trimethylbenzene                               | <0.20         |                 | ug/L  | 0.20 | 0.67 | 1                       | 02/28/07 13:55 | MAE     | 7020619    | SW 8260B |
| 1,3,5-Trimethylbenzene                               | <0.20         |                 | ug/L  | 0.20 | 0.67 | 1                       | 02/28/07 13:55 | MAE     | 7020619    | SW 8260B |
| Vinyl chloride                                       | <0.20         |                 | ug/L  | 0.20 | 0.67 | 1                       | 02/28/07 13:55 | MAE     | 7020619    | SW 8260B |
| Xylenes, Total                                       | <0.50         |                 | ug/L  | 0.50 | 1.7  | 1                       | 02/28/07 13:55 | MAE     | 7020619    | SW 8260B |
| Surr: Dibromofluoromethane (89-119%)                 | 106 %         |                 |       |      |      |                         |                |         |            |          |
| Surr: Toluene-d8 (91-109%)                           | 98 %          |                 |       |      |      |                         |                |         |            |          |
| Surr: 4-Bromofluorobenzene (89-114%)                 | 99 %          |                 |       |      |      |                         |                |         |            |          |

NATURAL RESOURCE TECH, INC  
23713 W. Paul Road  
Pewaukee, WI 53072  
Ms. Sarah Ganswindt

Work Order: WQB0708  
Project: 1105 Praefke Brake  
Project Number: 1105

Received: 02/26/07  
Reported: 03/05/07 08:49

| Analyte                                      | Sample Result | Data Qualifiers | Units | MDL  | LOQ  | Dilution Factor         | Date Analyzed  | Analyst | Seq/ Batch | Method   |
|----------------------------------------------|---------------|-----------------|-------|------|------|-------------------------|----------------|---------|------------|----------|
| Sample ID: WQB0708-03 (MW-6B - Ground Water) |               |                 |       |      |      | Sampled: 02/21/07 09:00 |                |         |            |          |
| VOCs by SW8260B                              |               |                 |       |      |      |                         |                |         |            |          |
| Benzene                                      | <0.20         |                 | ug/L  | 0.20 | 0.67 | 1                       | 02/28/07 14:21 | MAE     | 7020619    | SW 8260B |
| Bromobenzene                                 | <0.20         |                 | ug/L  | 0.20 | 0.67 | 1                       | 02/28/07 14:21 | MAE     | 7020619    | SW 8260B |
| Bromochloromethane                           | <0.50         |                 | ug/L  | 0.50 | 1.7  | 1                       | 02/28/07 14:21 | MAE     | 7020619    | SW 8260B |
| Bromodichloromethane                         | <0.20         |                 | ug/L  | 0.20 | 0.67 | 1                       | 02/28/07 14:21 | MAE     | 7020619    | SW 8260B |
| Bromoform                                    | <0.20         |                 | ug/L  | 0.20 | 0.67 | 1                       | 02/28/07 14:21 | MAE     | 7020619    | SW 8260B |
| Bromomethane                                 | <0.20         |                 | ug/L  | 0.20 | 0.67 | 1                       | 02/28/07 14:21 | MAE     | 7020619    | SW 8260B |
| n-Butylbenzene                               | <0.20         |                 | ug/L  | 0.20 | 0.67 | 1                       | 02/28/07 14:21 | MAE     | 7020619    | SW 8260B |
| sec-Butylbenzene                             | <0.25         |                 | ug/L  | 0.25 | 0.83 | 1                       | 02/28/07 14:21 | MAE     | 7020619    | SW 8260B |
| tert-Butylbenzene                            | <0.20         |                 | ug/L  | 0.20 | 0.67 | 1                       | 02/28/07 14:21 | MAE     | 7020619    | SW 8260B |
| Carbon Tetrachloride                         | <0.50         |                 | ug/L  | 0.50 | 1.7  | 1                       | 02/28/07 14:21 | MAE     | 7020619    | SW 8260B |
| Chlorobenzene                                | <0.20         |                 | ug/L  | 0.20 | 0.67 | 1                       | 02/28/07 14:21 | MAE     | 7020619    | SW 8260B |
| Chlorodibromomethane                         | <0.20         |                 | ug/L  | 0.20 | 0.67 | 1                       | 02/28/07 14:21 | MAE     | 7020619    | SW 8260B |
| Chloroethane                                 | <1.0          |                 | ug/L  | 1.0  | 3.3  | 1                       | 02/28/07 14:21 | MAE     | 7020619    | SW 8260B |
| Chloroform                                   | <0.20         |                 | ug/L  | 0.20 | 0.67 | 1                       | 02/28/07 14:21 | MAE     | 7020619    | SW 8260B |
| Chloromethane                                | <0.20         |                 | ug/L  | 0.20 | 0.67 | 1                       | 02/28/07 14:21 | MAE     | 7020619    | SW 8260B |
| 2-Chlorotoluene                              | <0.50         |                 | ug/L  | 0.50 | 1.7  | 1                       | 02/28/07 14:21 | MAE     | 7020619    | SW 8260B |
| 4-Chlorotoluene                              | <0.20         |                 | ug/L  | 0.20 | 0.67 | 1                       | 02/28/07 14:21 | MAE     | 7020619    | SW 8260B |
| 1,2-Dibromo-3-chloropropane                  | <0.50         |                 | ug/L  | 0.50 | 1.7  | 1                       | 02/28/07 14:21 | MAE     | 7020619    | SW 8260B |
| 1,2-Dibromoethane (EDB)                      | <0.20         |                 | ug/L  | 0.20 | 0.67 | 1                       | 02/28/07 14:21 | MAE     | 7020619    | SW 8260B |
| Dibromomethane                               | <0.20         |                 | ug/L  | 0.20 | 0.67 | 1                       | 02/28/07 14:21 | MAE     | 7020619    | SW 8260B |
| 1,2-Dichlorobenzene                          | <0.20         |                 | ug/L  | 0.20 | 0.67 | 1                       | 02/28/07 14:21 | MAE     | 7020619    | SW 8260B |
| 1,3-Dichlorobenzene                          | <0.20         |                 | ug/L  | 0.20 | 0.67 | 1                       | 02/28/07 14:21 | MAE     | 7020619    | SW 8260B |
| 1,4-Dichlorobenzene                          | <0.20         |                 | ug/L  | 0.20 | 0.67 | 1                       | 02/28/07 14:21 | MAE     | 7020619    | SW 8260B |
| Dichlorodifluoromethane                      | <0.50         |                 | ug/L  | 0.50 | 1.7  | 1                       | 02/28/07 14:21 | MAE     | 7020619    | SW 8260B |
| 1,1-Dichloroethane                           | <0.50         |                 | ug/L  | 0.50 | 1.7  | 1                       | 02/28/07 14:21 | MAE     | 7020619    | SW 8260B |
| 1,2-Dichloroethane                           | <0.50         |                 | ug/L  | 0.50 | 1.7  | 1                       | 02/28/07 14:21 | MAE     | 7020619    | SW 8260B |
| 1,1-Dichloroethene                           | <0.50         |                 | ug/L  | 0.50 | 1.7  | 1                       | 02/28/07 14:21 | MAE     | 7020619    | SW 8260B |
| cis-1,2-Dichloroethene                       | <0.50         |                 | ug/L  | 0.50 | 1.7  | 1                       | 02/28/07 14:21 | MAE     | 7020619    | SW 8260B |
| trans-1,2-Dichloroethene                     | <0.50         |                 | ug/L  | 0.50 | 1.7  | 1                       | 02/28/07 14:21 | MAE     | 7020619    | SW 8260B |
| 1,2-Dichloropropane                          | <0.50         |                 | ug/L  | 0.50 | 1.7  | 1                       | 02/28/07 14:21 | MAE     | 7020619    | SW 8260B |
| 1,3-Dichloropropane                          | <0.25         |                 | ug/L  | 0.25 | 0.83 | 1                       | 02/28/07 14:21 | MAE     | 7020619    | SW 8260B |
| 2,2-Dichloropropane                          | <0.50         |                 | ug/L  | 0.50 | 1.7  | 1                       | 02/28/07 14:21 | MAE     | 7020619    | SW 8260B |
| 1,1-Dichloropropene                          | <0.50         |                 | ug/L  | 0.50 | 1.7  | 1                       | 02/28/07 14:21 | MAE     | 7020619    | SW 8260B |
| cis-1,3-Dichloropropene                      | <0.20         |                 | ug/L  | 0.20 | 0.67 | 1                       | 02/28/07 14:21 | MAE     | 7020619    | SW 8260B |
| trans-1,3-Dichloropropene                    | <0.20         |                 | ug/L  | 0.20 | 0.67 | 1                       | 02/28/07 14:21 | MAE     | 7020619    | SW 8260B |
| 2,3-Dichloropropene                          | <0.25         |                 | ug/L  | 0.25 | 0.83 | 1                       | 02/28/07 14:21 | MAE     | 7020619    | SW 8260B |
| Isopropyl Ether                              | <0.50         |                 | ug/L  | 0.50 | 1.7  | 1                       | 02/28/07 14:21 | MAE     | 7020619    | SW 8260B |
| Ethylbenzene                                 | <0.50         |                 | ug/L  | 0.50 | 1.7  | 1                       | 02/28/07 14:21 | MAE     | 7020619    | SW 8260B |
| Hexachlorobutadiene                          | <0.50         |                 | ug/L  | 0.50 | 1.7  | 1                       | 02/28/07 14:21 | MAE     | 7020619    | SW 8260B |
| Isopropylbenzene                             | <0.20         |                 | ug/L  | 0.20 | 0.67 | 1                       | 02/28/07 14:21 | MAE     | 7020619    | SW 8260B |
| p-Isopropyltoluene                           | <0.20         |                 | ug/L  | 0.20 | 0.67 | 1                       | 02/28/07 14:21 | MAE     | 7020619    | SW 8260B |
| Methylene Chloride                           | <1.0          |                 | ug/L  | 1.0  | 3.3  | 1                       | 02/28/07 14:21 | MAE     | 7020619    | SW 8260B |
| Methyl tert-Butyl Ether                      | <0.50         |                 | ug/L  | 0.50 | 1.7  | 1                       | 02/28/07 14:21 | MAE     | 7020619    | SW 8260B |
| Naphthalene                                  | <0.25         |                 | ug/L  | 0.25 | 0.83 | 1                       | 02/28/07 14:21 | MAE     | 7020619    | SW 8260B |
| n-Propylbenzene                              | <0.50         |                 | ug/L  | 0.50 | 1.7  | 1                       | 02/28/07 14:21 | MAE     | 7020619    | SW 8260B |
| Styrene                                      | <0.20         |                 | ug/L  | 0.20 | 0.67 | 1                       | 02/28/07 14:21 | MAE     | 7020619    | SW 8260B |
| 1,1,1,2-Tetrachloroethane                    | <0.25         |                 | ug/L  | 0.25 | 0.83 | 1                       | 02/28/07 14:21 | MAE     | 7020619    | SW 8260B |
| 1,1,2,2-Tetrachloroethane                    | <0.20         |                 | ug/L  | 0.20 | 0.67 | 1                       | 02/28/07 14:21 | MAE     | 7020619    | SW 8260B |
| Tetrachloroethene                            | <0.50         |                 | ug/L  | 0.50 | 1.7  | 1                       | 02/28/07 14:21 | MAE     | 7020619    | SW 8260B |
| Toluene                                      | <0.20         |                 | ug/L  | 0.20 | 0.67 | 1                       | 02/28/07 14:21 | MAE     | 7020619    | SW 8260B |
| 1,2,3-Trichlorobenzene                       | <0.25         |                 | ug/L  | 0.25 | 0.83 | 1                       | 02/28/07 14:21 | MAE     | 7020619    | SW 8260B |
| 1,2,4-Trichlorobenzene                       | <0.25         |                 | ug/L  | 0.25 | 0.83 | 1                       | 02/28/07 14:21 | MAE     | 7020619    | SW 8260B |

NATURAL RESOURCE TECH, INC  
23713 W. Paul Road  
Pewaukee, WI 53072  
Ms. Sarah Ganswindt

Work Order: WQB0708  
Project: 1105 Praefke Brake  
Project Number: 1105

Received: 02/26/07  
Reported: 03/05/07 08:49

| Analyte                                              | Sample Result | Data Qualifiers | Units | MDL  | LOQ  | Dilution Factor         | Date Analyzed  | Analyst | Seq/ Batch | Method   |
|------------------------------------------------------|---------------|-----------------|-------|------|------|-------------------------|----------------|---------|------------|----------|
| Sample ID: WQB0708-03 (MW-6B - Ground Water) - cont. |               |                 |       |      |      | Sampled: 02/21/07 09:00 |                |         |            |          |
| VOCs by SW8260B - cont.                              |               |                 |       |      |      |                         |                |         |            |          |
| 1,1,1-Trichloroethane                                | <0.50         |                 | ug/L  | 0.50 | 1.7  | 1                       | 02/28/07 14:21 | MAE     | 7020619    | SW 8260B |
| 1,1,2-Trichloroethane                                | <0.25         |                 | ug/L  | 0.25 | 0.83 | 1                       | 02/28/07 14:21 | MAE     | 7020619    | SW 8260B |
| Trichloroethene                                      | <0.20         |                 | ug/L  | 0.20 | 0.67 | 1                       | 02/28/07 14:21 | MAE     | 7020619    | SW 8260B |
| Trichlorofluoromethane                               | <0.50         |                 | ug/L  | 0.50 | 1.7  | 1                       | 02/28/07 14:21 | MAE     | 7020619    | SW 8260B |
| 1,2,3-Trichloropropane                               | <0.50         |                 | ug/L  | 0.50 | 1.7  | 1                       | 02/28/07 14:21 | MAE     | 7020619    | SW 8260B |
| 1,2,4-Trimethylbenzene                               | <0.20         |                 | ug/L  | 0.20 | 0.67 | 1                       | 02/28/07 14:21 | MAE     | 7020619    | SW 8260B |
| 1,3,5-Trimethylbenzene                               | <0.20         |                 | ug/L  | 0.20 | 0.67 | 1                       | 02/28/07 14:21 | MAE     | 7020619    | SW 8260B |
| Vinyl chloride                                       | <0.20         |                 | ug/L  | 0.20 | 0.67 | 1                       | 02/28/07 14:21 | MAE     | 7020619    | SW 8260B |
| Xylenes, Total                                       | <0.50         |                 | ug/L  | 0.50 | 1.7  | 1                       | 02/28/07 14:21 | MAE     | 7020619    | SW 8260B |
| Surr: Dibromofluoromethane (89-119%)                 | 106 %         |                 |       |      |      |                         |                |         |            |          |
| Surr: Toluene-d8 (91-109%)                           | 99 %          |                 |       |      |      |                         |                |         |            |          |
| Surr: 4-Bromofluorobenzene (89-114%)                 | 100 %         |                 |       |      |      |                         |                |         |            |          |
| Sample ID: WQB0708-04 (MW-A - Ground Water)          |               |                 |       |      |      | Sampled: 02/21/07 09:45 |                |         |            |          |
| VOCs by SW8260B                                      |               |                 |       |      |      |                         |                |         |            |          |
| Benzene                                              | <0.20         |                 | ug/L  | 0.20 | 0.67 | 1                       | 02/28/07 14:47 | MAE     | 7020619    | SW 8260B |
| Bromobenzene                                         | <0.20         |                 | ug/L  | 0.20 | 0.67 | 1                       | 02/28/07 14:47 | MAE     | 7020619    | SW 8260B |
| Bromochloromethane                                   | <0.50         |                 | ug/L  | 0.50 | 1.7  | 1                       | 02/28/07 14:47 | MAE     | 7020619    | SW 8260B |
| Bromodichloromethane                                 | <0.20         |                 | ug/L  | 0.20 | 0.67 | 1                       | 02/28/07 14:47 | MAE     | 7020619    | SW 8260B |
| Bromoform                                            | <0.20         |                 | ug/L  | 0.20 | 0.67 | 1                       | 02/28/07 14:47 | MAE     | 7020619    | SW 8260B |
| Bromomethane                                         | <0.20         |                 | ug/L  | 0.20 | 0.67 | 1                       | 02/28/07 14:47 | MAE     | 7020619    | SW 8260B |
| n-Butylbenzene                                       | <0.20         |                 | ug/L  | 0.20 | 0.67 | 1                       | 02/28/07 14:47 | MAE     | 7020619    | SW 8260B |
| sec-Butylbenzene                                     | <0.25         |                 | ug/L  | 0.25 | 0.83 | 1                       | 02/28/07 14:47 | MAE     | 7020619    | SW 8260B |
| tert-Butylbenzene                                    | <0.20         |                 | ug/L  | 0.20 | 0.67 | 1                       | 02/28/07 14:47 | MAE     | 7020619    | SW 8260B |
| Carbon Tetrachloride                                 | <0.50         |                 | ug/L  | 0.50 | 1.7  | 1                       | 02/28/07 14:47 | MAE     | 7020619    | SW 8260B |
| Chlorobenzene                                        | <0.20         |                 | ug/L  | 0.20 | 0.67 | 1                       | 02/28/07 14:47 | MAE     | 7020619    | SW 8260B |
| Chlorodibromomethane                                 | <0.20         |                 | ug/L  | 0.20 | 0.67 | 1                       | 02/28/07 14:47 | MAE     | 7020619    | SW 8260B |
| Chloroethane                                         | <1.0          |                 | ug/L  | 1.0  | 3.3  | 1                       | 02/28/07 14:47 | MAE     | 7020619    | SW 8260B |
| Chloroform                                           | <0.20         |                 | ug/L  | 0.20 | 0.67 | 1                       | 02/28/07 14:47 | MAE     | 7020619    | SW 8260B |
| Chloromethane                                        | <0.20         |                 | ug/L  | 0.20 | 0.67 | 1                       | 02/28/07 14:47 | MAE     | 7020619    | SW 8260B |
| 2-Chlorotoluene                                      | <0.50         |                 | ug/L  | 0.50 | 1.7  | 1                       | 02/28/07 14:47 | MAE     | 7020619    | SW 8260B |
| 4-Chlorotoluene                                      | <0.20         |                 | ug/L  | 0.20 | 0.67 | 1                       | 02/28/07 14:47 | MAE     | 7020619    | SW 8260B |
| 1,2-Dibromo-3-chloropropane                          | <0.50         |                 | ug/L  | 0.50 | 1.7  | 1                       | 02/28/07 14:47 | MAE     | 7020619    | SW 8260B |
| 1,2-Dibromoethane (EDB)                              | <0.20         |                 | ug/L  | 0.20 | 0.67 | 1                       | 02/28/07 14:47 | MAE     | 7020619    | SW 8260B |
| Dibromomethane                                       | <0.20         |                 | ug/L  | 0.20 | 0.67 | 1                       | 02/28/07 14:47 | MAE     | 7020619    | SW 8260B |
| 1,2-Dichlorobenzene                                  | <0.20         |                 | ug/L  | 0.20 | 0.67 | 1                       | 02/28/07 14:47 | MAE     | 7020619    | SW 8260B |
| 1,3-Dichlorobenzene                                  | <0.20         |                 | ug/L  | 0.20 | 0.67 | 1                       | 02/28/07 14:47 | MAE     | 7020619    | SW 8260B |
| 1,4-Dichlorobenzene                                  | <0.20         |                 | ug/L  | 0.20 | 0.67 | 1                       | 02/28/07 14:47 | MAE     | 7020619    | SW 8260B |
| Dichlorodifluoromethane                              | <0.50         |                 | ug/L  | 0.50 | 1.7  | 1                       | 02/28/07 14:47 | MAE     | 7020619    | SW 8260B |
| 1,1-Dichloroethane                                   | <0.50         |                 | ug/L  | 0.50 | 1.7  | 1                       | 02/28/07 14:47 | MAE     | 7020619    | SW 8260B |
| 1,2-Dichloroethane                                   | <0.50         |                 | ug/L  | 0.50 | 1.7  | 1                       | 02/28/07 14:47 | MAE     | 7020619    | SW 8260B |
| 1,1-Dichloroethene                                   | <0.50         |                 | ug/L  | 0.50 | 1.7  | 1                       | 02/28/07 14:47 | MAE     | 7020619    | SW 8260B |
| cis-1,2-Dichloroethene                               | <0.50         |                 | ug/L  | 0.50 | 1.7  | 1                       | 02/28/07 14:47 | MAE     | 7020619    | SW 8260B |
| trans-1,2-Dichloroethene                             | <0.50         |                 | ug/L  | 0.50 | 1.7  | 1                       | 02/28/07 14:47 | MAE     | 7020619    | SW 8260B |
| 1,2-Dichloropropane                                  | <0.50         |                 | ug/L  | 0.50 | 1.7  | 1                       | 02/28/07 14:47 | MAE     | 7020619    | SW 8260B |
| 1,3-Dichloropropane                                  | <0.25         |                 | ug/L  | 0.25 | 0.83 | 1                       | 02/28/07 14:47 | MAE     | 7020619    | SW 8260B |
| 2,2-Dichloropropane                                  | <0.50         |                 | ug/L  | 0.50 | 1.7  | 1                       | 02/28/07 14:47 | MAE     | 7020619    | SW 8260B |
| 1,1-Dichloropropene                                  | <0.50         |                 | ug/L  | 0.50 | 1.7  | 1                       | 02/28/07 14:47 | MAE     | 7020619    | SW 8260B |
| cis-1,3-Dichloropropene                              | <0.20         |                 | ug/L  | 0.20 | 0.67 | 1                       | 02/28/07 14:47 | MAE     | 7020619    | SW 8260B |
| trans-1,3-Dichloropropene                            | <0.20         |                 | ug/L  | 0.20 | 0.67 | 1                       | 02/28/07 14:47 | MAE     | 7020619    | SW 8260B |
| 2,3-Dichloropropene                                  | <0.25         |                 | ug/L  | 0.25 | 0.83 | 1                       | 02/28/07 14:47 | MAE     | 7020619    | SW 8260B |
| Isopropyl Ether                                      | <0.50         |                 | ug/L  | 0.50 | 1.7  | 1                       | 02/28/07 14:47 | MAE     | 7020619    | SW 8260B |

NATURAL RESOURCE TECH, INC  
23713 W. Paul Road  
Pewaukee, WI 53072  
Ms. Sarah Ganswindt

Work Order: WQB0708  
Project: 1105 Praefke Brake  
Project Number: 1105

Received: 02/26/07  
Reported: 03/05/07 08:49

| Analyte                                             | Sample Result | Data Qualifiers | Units | MDL  | LOQ  | Dilution Factor         | Date Analyzed  | Analyst | Seq/ Batch | Method   |
|-----------------------------------------------------|---------------|-----------------|-------|------|------|-------------------------|----------------|---------|------------|----------|
| Sample ID: WQB0708-04 (MW-A - Ground Water) - cont. |               |                 |       |      |      | Sampled: 02/21/07 09:45 |                |         |            |          |
| VOCs by SW8260B - cont.                             |               |                 |       |      |      |                         |                |         |            |          |
| Ethylbenzene                                        | <0.50         |                 | ug/L  | 0.50 | 1.7  | 1                       | 02/28/07 14:47 | MAE     | 7020619    | SW 8260B |
| Hexachlorobutadiene                                 | <0.50         |                 | ug/L  | 0.50 | 1.7  | 1                       | 02/28/07 14:47 | MAE     | 7020619    | SW 8260B |
| Isopropylbenzene                                    | <0.20         |                 | ug/L  | 0.20 | 0.67 | 1                       | 02/28/07 14:47 | MAE     | 7020619    | SW 8260B |
| p-Isopropyltoluene                                  | <0.20         |                 | ug/L  | 0.20 | 0.67 | 1                       | 02/28/07 14:47 | MAE     | 7020619    | SW 8260B |
| Methylene Chloride                                  | <1.0          |                 | ug/L  | 1.0  | 3.3  | 1                       | 02/28/07 14:47 | MAE     | 7020619    | SW 8260B |
| Methyl tert-Butyl Ether                             | <0.50         |                 | ug/L  | 0.50 | 1.7  | 1                       | 02/28/07 14:47 | MAE     | 7020619    | SW 8260B |
| Naphthalene                                         | <0.25         |                 | ug/L  | 0.25 | 0.83 | 1                       | 02/28/07 14:47 | MAE     | 7020619    | SW 8260B |
| n-Propylbenzene                                     | <0.50         |                 | ug/L  | 0.50 | 1.7  | 1                       | 02/28/07 14:47 | MAE     | 7020619    | SW 8260B |
| Styrene                                             | <0.20         |                 | ug/L  | 0.20 | 0.67 | 1                       | 02/28/07 14:47 | MAE     | 7020619    | SW 8260B |
| 1,1,1,2-Tetrachloroethane                           | <0.25         |                 | ug/L  | 0.25 | 0.83 | 1                       | 02/28/07 14:47 | MAE     | 7020619    | SW 8260B |
| 1,1,2,2-Tetrachloroethane                           | <0.20         |                 | ug/L  | 0.20 | 0.67 | 1                       | 02/28/07 14:47 | MAE     | 7020619    | SW 8260B |
| Tetrachloroethene                                   | <0.50         |                 | ug/L  | 0.50 | 1.7  | 1                       | 02/28/07 14:47 | MAE     | 7020619    | SW 8260B |
| Toluene                                             | <0.20         |                 | ug/L  | 0.20 | 0.67 | 1                       | 02/28/07 14:47 | MAE     | 7020619    | SW 8260B |
| 1,2,3-Trichlorobenzene                              | <0.25         |                 | ug/L  | 0.25 | 0.83 | 1                       | 02/28/07 14:47 | MAE     | 7020619    | SW 8260B |
| 1,2,4-Trichlorobenzene                              | <0.25         |                 | ug/L  | 0.25 | 0.83 | 1                       | 02/28/07 14:47 | MAE     | 7020619    | SW 8260B |
| 1,1,1-Trichloroethane                               | 6.5           |                 | ug/L  | 0.50 | 1.7  | 1                       | 02/28/07 14:47 | MAE     | 7020619    | SW 8260B |
| 1,1,2-Trichloroethane                               | <0.25         |                 | ug/L  | 0.25 | 0.83 | 1                       | 02/28/07 14:47 | MAE     | 7020619    | SW 8260B |
| Trichloroethene                                     | 4.1           |                 | ug/L  | 0.20 | 0.67 | 1                       | 02/28/07 14:47 | MAE     | 7020619    | SW 8260B |
| Trichlorofluoromethane                              | <0.50         |                 | ug/L  | 0.50 | 1.7  | 1                       | 02/28/07 14:47 | MAE     | 7020619    | SW 8260B |
| 1,2,3-Trichloropropane                              | <0.50         |                 | ug/L  | 0.50 | 1.7  | 1                       | 02/28/07 14:47 | MAE     | 7020619    | SW 8260B |
| 1,2,4-Trimethylbenzene                              | <0.20         |                 | ug/L  | 0.20 | 0.67 | 1                       | 02/28/07 14:47 | MAE     | 7020619    | SW 8260B |
| 1,3,5-Trimethylbenzene                              | <0.20         |                 | ug/L  | 0.20 | 0.67 | 1                       | 02/28/07 14:47 | MAE     | 7020619    | SW 8260B |
| Vinyl chloride                                      | <0.20         |                 | ug/L  | 0.20 | 0.67 | 1                       | 02/28/07 14:47 | MAE     | 7020619    | SW 8260B |
| Xylenes, Total                                      | <0.50         |                 | ug/L  | 0.50 | 1.7  | 1                       | 02/28/07 14:47 | MAE     | 7020619    | SW 8260B |
| Surr: Dibromofluoromethane (89-119%)                | 105 %         |                 |       |      |      |                         |                |         |            |          |
| Surr: Toluene-d8 (91-109%)                          | 100 %         |                 |       |      |      |                         |                |         |            |          |
| Surr: 4-Bromofluorobenzene (89-114%)                | 100 %         |                 |       |      |      |                         |                |         |            |          |
| Sample ID: WQB0708-05 (MW-2 - Ground Water)         |               |                 |       |      |      | Sampled: 02/21/07 10:30 |                |         |            |          |
| VOCs by SW8260B                                     |               |                 |       |      |      |                         |                |         |            |          |
| Benzene                                             | <0.20         |                 | ug/L  | 0.20 | 0.67 | 1                       | 02/28/07 15:14 | MAE     | 7020619    | SW 8260B |
| Bromobenzene                                        | <0.20         |                 | ug/L  | 0.20 | 0.67 | 1                       | 02/28/07 15:14 | MAE     | 7020619    | SW 8260B |
| Bromochloromethane                                  | <0.50         |                 | ug/L  | 0.50 | 1.7  | 1                       | 02/28/07 15:14 | MAE     | 7020619    | SW 8260B |
| Bromodichloromethane                                | <0.20         |                 | ug/L  | 0.20 | 0.67 | 1                       | 02/28/07 15:14 | MAE     | 7020619    | SW 8260B |
| Bromoform                                           | <0.20         |                 | ug/L  | 0.20 | 0.67 | 1                       | 02/28/07 15:14 | MAE     | 7020619    | SW 8260B |
| Bromomethane                                        | <0.20         |                 | ug/L  | 0.20 | 0.67 | 1                       | 02/28/07 15:14 | MAE     | 7020619    | SW 8260B |
| n-Butylbenzene                                      | <0.20         |                 | ug/L  | 0.20 | 0.67 | 1                       | 02/28/07 15:14 | MAE     | 7020619    | SW 8260B |
| sec-Butylbenzene                                    | <0.25         |                 | ug/L  | 0.25 | 0.83 | 1                       | 02/28/07 15:14 | MAE     | 7020619    | SW 8260B |
| tert-Butylbenzene                                   | <0.20         |                 | ug/L  | 0.20 | 0.67 | 1                       | 02/28/07 15:14 | MAE     | 7020619    | SW 8260B |
| Carbon Tetrachloride                                | <0.50         |                 | ug/L  | 0.50 | 1.7  | 1                       | 02/28/07 15:14 | MAE     | 7020619    | SW 8260B |
| Chlorobenzene                                       | <0.20         |                 | ug/L  | 0.20 | 0.67 | 1                       | 02/28/07 15:14 | MAE     | 7020619    | SW 8260B |
| Chlorodibromomethane                                | <0.20         |                 | ug/L  | 0.20 | 0.67 | 1                       | 02/28/07 15:14 | MAE     | 7020619    | SW 8260B |
| Chloroethane                                        | <1.0          |                 | ug/L  | 1.0  | 3.3  | 1                       | 02/28/07 15:14 | MAE     | 7020619    | SW 8260B |
| Chloroform                                          | <0.20         |                 | ug/L  | 0.20 | 0.67 | 1                       | 02/28/07 15:14 | MAE     | 7020619    | SW 8260B |
| Chloromethane                                       | <0.20         |                 | ug/L  | 0.20 | 0.67 | 1                       | 02/28/07 15:14 | MAE     | 7020619    | SW 8260B |
| 2-Chlorotoluene                                     | <0.50         |                 | ug/L  | 0.50 | 1.7  | 1                       | 02/28/07 15:14 | MAE     | 7020619    | SW 8260B |
| 4-Chlorotoluene                                     | <0.20         |                 | ug/L  | 0.20 | 0.67 | 1                       | 02/28/07 15:14 | MAE     | 7020619    | SW 8260B |
| 1,2-Dibromo-3-chloropropane                         | <0.50         |                 | ug/L  | 0.50 | 1.7  | 1                       | 02/28/07 15:14 | MAE     | 7020619    | SW 8260B |
| 1,2-Dibromoethane (EDB)                             | <0.20         |                 | ug/L  | 0.20 | 0.67 | 1                       | 02/28/07 15:14 | MAE     | 7020619    | SW 8260B |
| Dibromomethane                                      | <0.20         |                 | ug/L  | 0.20 | 0.67 | 1                       | 02/28/07 15:14 | MAE     | 7020619    | SW 8260B |
| 1,2-Dichlorobenzene                                 | <0.20         |                 | ug/L  | 0.20 | 0.67 | 1                       | 02/28/07 15:14 | MAE     | 7020619    | SW 8260B |
| 1,3-Dichlorobenzene                                 | <0.20         |                 | ug/L  | 0.20 | 0.67 | 1                       | 02/28/07 15:14 | MAE     | 7020619    | SW 8260B |

NATURAL RESOURCE TECH, INC  
23713 W. Paul Road  
Pewaukee, WI 53072  
Ms. Sarah Ganswindt

Work Order: WQB0708  
Project: 1105 Praefke Brake  
Project Number: 1105

Received: 02/26/07  
Reported: 03/05/07 08:49

| Analyte                                             | Sample Result | Data Qualifiers | Units | MDL  | LOQ  | Dilution Factor         | Date Analyzed  | Analyst | Seq/ Batch | Method   |
|-----------------------------------------------------|---------------|-----------------|-------|------|------|-------------------------|----------------|---------|------------|----------|
| Sample ID: WQB0708-05 (MW-2 - Ground Water) - cont. |               |                 |       |      |      | Sampled: 02/21/07 10:30 |                |         |            |          |
| VOCs by SW8260B - cont.                             |               |                 |       |      |      |                         |                |         |            |          |
| 1,4-Dichlorobenzene                                 | <0.20         |                 | ug/L  | 0.20 | 0.67 | 1                       | 02/28/07 15:14 | MAE     | 7020619    | SW 8260B |
| Dichlorodifluoromethane                             | <0.50         |                 | ug/L  | 0.50 | 1.7  | 1                       | 02/28/07 15:14 | MAE     | 7020619    | SW 8260B |
| 1,1-Dichloroethane                                  | <0.50         |                 | ug/L  | 0.50 | 1.7  | 1                       | 02/28/07 15:14 | MAE     | 7020619    | SW 8260B |
| 1,2-Dichloroethane                                  | <0.50         |                 | ug/L  | 0.50 | 1.7  | 1                       | 02/28/07 15:14 | MAE     | 7020619    | SW 8260B |
| 1,1-Dichloroethene                                  | <0.50         |                 | ug/L  | 0.50 | 1.7  | 1                       | 02/28/07 15:14 | MAE     | 7020619    | SW 8260B |
| cis-1,2-Dichloroethene                              | <0.50         |                 | ug/L  | 0.50 | 1.7  | 1                       | 02/28/07 15:14 | MAE     | 7020619    | SW 8260B |
| trans-1,2-Dichloroethene                            | <0.50         |                 | ug/L  | 0.50 | 1.7  | 1                       | 02/28/07 15:14 | MAE     | 7020619    | SW 8260B |
| 1,2-Dichloropropane                                 | <0.50         |                 | ug/L  | 0.50 | 1.7  | 1                       | 02/28/07 15:14 | MAE     | 7020619    | SW 8260B |
| 1,3-Dichloropropane                                 | <0.25         |                 | ug/L  | 0.25 | 0.83 | 1                       | 02/28/07 15:14 | MAE     | 7020619    | SW 8260B |
| 2,2-Dichloropropane                                 | <0.50         |                 | ug/L  | 0.50 | 1.7  | 1                       | 02/28/07 15:14 | MAE     | 7020619    | SW 8260B |
| 1,1-Dichloropropene                                 | <0.50         |                 | ug/L  | 0.50 | 1.7  | 1                       | 02/28/07 15:14 | MAE     | 7020619    | SW 8260B |
| cis-1,3-Dichloropropene                             | <0.20         |                 | ug/L  | 0.20 | 0.67 | 1                       | 02/28/07 15:14 | MAE     | 7020619    | SW 8260B |
| trans-1,3-Dichloropropene                           | <0.20         |                 | ug/L  | 0.20 | 0.67 | 1                       | 02/28/07 15:14 | MAE     | 7020619    | SW 8260B |
| 2,3-Dichloropropene                                 | <0.25         |                 | ug/L  | 0.25 | 0.83 | 1                       | 02/28/07 15:14 | MAE     | 7020619    | SW 8260B |
| Isopropyl Ether                                     | <0.50         |                 | ug/L  | 0.50 | 1.7  | 1                       | 02/28/07 15:14 | MAE     | 7020619    | SW 8260B |
| Ethylbenzene                                        | <0.50         |                 | ug/L  | 0.50 | 1.7  | 1                       | 02/28/07 15:14 | MAE     | 7020619    | SW 8260B |
| Hexachlorobutadiene                                 | <0.50         |                 | ug/L  | 0.50 | 1.7  | 1                       | 02/28/07 15:14 | MAE     | 7020619    | SW 8260B |
| Isopropylbenzene                                    | <0.20         |                 | ug/L  | 0.20 | 0.67 | 1                       | 02/28/07 15:14 | MAE     | 7020619    | SW 8260B |
| p-Isopropyltoluene                                  | <0.20         |                 | ug/L  | 0.20 | 0.67 | 1                       | 02/28/07 15:14 | MAE     | 7020619    | SW 8260B |
| Methylene Chloride                                  | <1.0          |                 | ug/L  | 1.0  | 3.3  | 1                       | 02/28/07 15:14 | MAE     | 7020619    | SW 8260B |
| Methyl tert-Butyl Ether                             | <0.50         |                 | ug/L  | 0.50 | 1.7  | 1                       | 02/28/07 15:14 | MAE     | 7020619    | SW 8260B |
| Naphthalene                                         | <0.25         |                 | ug/L  | 0.25 | 0.83 | 1                       | 02/28/07 15:14 | MAE     | 7020619    | SW 8260B |
| n-Propylbenzene                                     | <0.50         |                 | ug/L  | 0.50 | 1.7  | 1                       | 02/28/07 15:14 | MAE     | 7020619    | SW 8260B |
| Styrene                                             | <0.20         |                 | ug/L  | 0.20 | 0.67 | 1                       | 02/28/07 15:14 | MAE     | 7020619    | SW 8260B |
| 1,1,1,2-Tetrachloroethane                           | <0.25         |                 | ug/L  | 0.25 | 0.83 | 1                       | 02/28/07 15:14 | MAE     | 7020619    | SW 8260B |
| 1,1,2,2-Tetrachloroethane                           | <0.20         |                 | ug/L  | 0.20 | 0.67 | 1                       | 02/28/07 15:14 | MAE     | 7020619    | SW 8260B |
| Tetrachloroethene                                   | <0.50         |                 | ug/L  | 0.50 | 1.7  | 1                       | 02/28/07 15:14 | MAE     | 7020619    | SW 8260B |
| Toluene                                             | <0.20         |                 | ug/L  | 0.20 | 0.67 | 1                       | 02/28/07 15:14 | MAE     | 7020619    | SW 8260B |
| 1,2,3-Trichlorobenzene                              | <0.25         |                 | ug/L  | 0.25 | 0.83 | 1                       | 02/28/07 15:14 | MAE     | 7020619    | SW 8260B |
| 1,2,4-Trichlorobenzene                              | <0.25         |                 | ug/L  | 0.25 | 0.83 | 1                       | 02/28/07 15:14 | MAE     | 7020619    | SW 8260B |
| 1,1,1-Trichloroethane                               | <0.50         |                 | ug/L  | 0.50 | 1.7  | 1                       | 02/28/07 15:14 | MAE     | 7020619    | SW 8260B |
| 1,1,2-Trichloroethane                               | <0.25         |                 | ug/L  | 0.25 | 0.83 | 1                       | 02/28/07 15:14 | MAE     | 7020619    | SW 8260B |
| Trichloroethene                                     | <0.20         |                 | ug/L  | 0.20 | 0.67 | 1                       | 02/28/07 15:14 | MAE     | 7020619    | SW 8260B |
| Trichlorofluoromethane                              | <0.50         |                 | ug/L  | 0.50 | 1.7  | 1                       | 02/28/07 15:14 | MAE     | 7020619    | SW 8260B |
| 1,2,3-Trichloropropane                              | <0.50         |                 | ug/L  | 0.50 | 1.7  | 1                       | 02/28/07 15:14 | MAE     | 7020619    | SW 8260B |
| 1,2,4-Trimethylbenzene                              | <0.20         |                 | ug/L  | 0.20 | 0.67 | 1                       | 02/28/07 15:14 | MAE     | 7020619    | SW 8260B |
| 1,3,5-Trimethylbenzene                              | <0.20         |                 | ug/L  | 0.20 | 0.67 | 1                       | 02/28/07 15:14 | MAE     | 7020619    | SW 8260B |
| Vinyl chloride                                      | <0.20         |                 | ug/L  | 0.20 | 0.67 | 1                       | 02/28/07 15:14 | MAE     | 7020619    | SW 8260B |
| Xylenes, Total                                      | <0.50         |                 | ug/L  | 0.50 | 1.7  | 1                       | 02/28/07 15:14 | MAE     | 7020619    | SW 8260B |
| Surr: Dibromofluoromethane (89-119%)                | 105 %         |                 |       |      |      |                         |                |         |            |          |
| Surr: Toluene-d8 (91-109%)                          | 99 %          |                 |       |      |      |                         |                |         |            |          |
| Surr: 4-Bromofluorobenzene (89-114%)                | 100 %         |                 |       |      |      |                         |                |         |            |          |

NATURAL RESOURCE TECH, INC  
23713 W. Paul Road  
Pewaukee, WI 53072  
Ms. Sarah Ganswindt

Work Order: WQB0708  
Project: 1105 Praefke Brake  
Project Number: 1105

Received: 02/26/07  
Reported: 03/05/07 08:49

| Analyte                                           | Sample Result | Data Qualifiers | Units | MDL  | LOQ  | Dilution Factor         | Date Analyzed  | Analyst | Seq/ Batch | Method   |
|---------------------------------------------------|---------------|-----------------|-------|------|------|-------------------------|----------------|---------|------------|----------|
| Sample ID: WQB0708-06 (MW-D1 - Ground Water)      |               |                 |       |      |      | Sampled: 02/21/07 11:25 |                |         |            |          |
| Semivolatile Organics by GC/MS                    |               |                 |       |      |      |                         |                |         |            |          |
| Pentachlorophenol                                 | <2.05         |                 | ug/L  | 2.05 | 6.83 | 1.03                    | 03/01/07 18:56 | AKE     | 7020893    | SW 8270C |
| Surr: Phenol-d6 (10-75%)                          | 23 %          |                 |       |      |      |                         |                |         |            |          |
| Surr: 2-Fluorophenol (10-85%)                     | 32 %          |                 |       |      |      |                         |                |         |            |          |
| Surr: 2,4,6-Tribromophenol (35-130%)              | 65 %          |                 |       |      |      |                         |                |         |            |          |
| Sample ID: WQB0708-07 (MW-D2 - Ground Water)      |               |                 |       |      |      | Sampled: 02/21/07 13:30 |                |         |            |          |
| Semivolatile Organics by GC/MS                    |               |                 |       |      |      |                         |                |         |            |          |
| Pentachlorophenol                                 | <2.05         |                 | ug/L  | 2.05 | 6.83 | 1.02                    | 03/01/07 19:30 | AKE     | 7020893    | SW 8270C |
| Surr: Phenol-d6 (10-75%)                          | 31 %          |                 |       |      |      |                         |                |         |            |          |
| Surr: 2-Fluorophenol (10-85%)                     | 45 %          |                 |       |      |      |                         |                |         |            |          |
| Surr: 2,4,6-Tribromophenol (35-130%)              | 80 %          |                 |       |      |      |                         |                |         |            |          |
| Sample ID: WQB0708-08 (MW-4 - Ground Water)       |               |                 |       |      |      | Sampled: 02/21/07 14:20 |                |         |            |          |
| Semivolatile Organics by GC/MS                    |               |                 |       |      |      |                         |                |         |            |          |
| Pentachlorophenol                                 | <2.05         |                 | ug/L  | 2.05 | 6.83 | 1.04                    | 03/02/07 10:21 | AKE     | 7020893    | SW 8270C |
| Surr: Phenol-d6 (10-75%)                          | 32 %          |                 |       |      |      |                         |                |         |            |          |
| Surr: 2-Fluorophenol (10-85%)                     | 48 %          |                 |       |      |      |                         |                |         |            |          |
| Surr: 2,4,6-Tribromophenol (35-130%)              | 89 %          |                 |       |      |      |                         |                |         |            |          |
| Sample ID: WQB0708-09 (MW-H - Ground Water)       |               |                 |       |      |      | Sampled: 02/21/07       |                |         |            |          |
| Semivolatile Organics by GC/MS                    |               |                 |       |      |      |                         |                |         |            |          |
| Pentachlorophenol                                 | 96.2          |                 | ug/L  | 2.05 | 6.83 | 1                       | 03/02/07 10:55 | AKE     | 7020893    | SW 8270C |
| Surr: Phenol-d6 (10-75%)                          | 24 %          |                 |       |      |      |                         |                |         |            |          |
| Surr: 2-Fluorophenol (10-85%)                     | 36 %          |                 |       |      |      |                         |                |         |            |          |
| Surr: 2,4,6-Tribromophenol (35-130%)              | 82 %          |                 |       |      |      |                         |                |         |            |          |
| Sample ID: WQB0708-10 (Trip Blank - Ground Water) |               |                 |       |      |      | Sampled: 02/21/07       |                |         |            |          |
| VOCs by SW8260B                                   |               |                 |       |      |      |                         |                |         |            |          |
| Benzene                                           | <0.20         |                 | ug/L  | 0.20 | 0.67 | 1                       | 02/28/07 15:40 | MAE     | 7020619    | SW 8260B |
| Bromobenzene                                      | <0.20         |                 | ug/L  | 0.20 | 0.67 | 1                       | 02/28/07 15:40 | MAE     | 7020619    | SW 8260B |
| Bromochloromethane                                | <0.50         |                 | ug/L  | 0.50 | 1.7  | 1                       | 02/28/07 15:40 | MAE     | 7020619    | SW 8260B |
| Bromodichloromethane                              | <0.20         |                 | ug/L  | 0.20 | 0.67 | 1                       | 02/28/07 15:40 | MAE     | 7020619    | SW 8260B |
| Bromoform                                         | <0.20         |                 | ug/L  | 0.20 | 0.67 | 1                       | 02/28/07 15:40 | MAE     | 7020619    | SW 8260B |
| Bromomethane                                      | <0.20         |                 | ug/L  | 0.20 | 0.67 | 1                       | 02/28/07 15:40 | MAE     | 7020619    | SW 8260B |
| n-Butylbenzene                                    | <0.20         |                 | ug/L  | 0.20 | 0.67 | 1                       | 02/28/07 15:40 | MAE     | 7020619    | SW 8260B |
| sec-Butylbenzene                                  | <0.25         |                 | ug/L  | 0.25 | 0.83 | 1                       | 02/28/07 15:40 | MAE     | 7020619    | SW 8260B |
| tert-Butylbenzene                                 | <0.20         |                 | ug/L  | 0.20 | 0.67 | 1                       | 02/28/07 15:40 | MAE     | 7020619    | SW 8260B |
| Carbon Tetrachloride                              | <0.50         |                 | ug/L  | 0.50 | 1.7  | 1                       | 02/28/07 15:40 | MAE     | 7020619    | SW 8260B |
| Chlorobenzene                                     | <0.20         |                 | ug/L  | 0.20 | 0.67 | 1                       | 02/28/07 15:40 | MAE     | 7020619    | SW 8260B |
| Chlorodibromomethane                              | <0.20         |                 | ug/L  | 0.20 | 0.67 | 1                       | 02/28/07 15:40 | MAE     | 7020619    | SW 8260B |
| Chloroethane                                      | <1.0          |                 | ug/L  | 1.0  | 3.3  | 1                       | 02/28/07 15:40 | MAE     | 7020619    | SW 8260B |
| Chloroform                                        | <0.20         |                 | ug/L  | 0.20 | 0.67 | 1                       | 02/28/07 15:40 | MAE     | 7020619    | SW 8260B |
| Chloromethane                                     | <0.20         |                 | ug/L  | 0.20 | 0.67 | 1                       | 02/28/07 15:40 | MAE     | 7020619    | SW 8260B |
| 2-Chlorotoluene                                   | <0.50         |                 | ug/L  | 0.50 | 1.7  | 1                       | 02/28/07 15:40 | MAE     | 7020619    | SW 8260B |
| 4-Chlorotoluene                                   | <0.20         |                 | ug/L  | 0.20 | 0.67 | 1                       | 02/28/07 15:40 | MAE     | 7020619    | SW 8260B |
| 1,2-Dibromo-3-chloropropane                       | <0.50         |                 | ug/L  | 0.50 | 1.7  | 1                       | 02/28/07 15:40 | MAE     | 7020619    | SW 8260B |
| 1,2-Dibromoethane (EDB)                           | <0.20         |                 | ug/L  | 0.20 | 0.67 | 1                       | 02/28/07 15:40 | MAE     | 7020619    | SW 8260B |
| Dibromomethane                                    | <0.20         |                 | ug/L  | 0.20 | 0.67 | 1                       | 02/28/07 15:40 | MAE     | 7020619    | SW 8260B |
| 1,2-Dichlorobenzene                               | <0.20         |                 | ug/L  | 0.20 | 0.67 | 1                       | 02/28/07 15:40 | MAE     | 7020619    | SW 8260B |
| 1,3-Dichlorobenzene                               | <0.20         |                 | ug/L  | 0.20 | 0.67 | 1                       | 02/28/07 15:40 | MAE     | 7020619    | SW 8260B |
| 1,4-Dichlorobenzene                               | <0.20         |                 | ug/L  | 0.20 | 0.67 | 1                       | 02/28/07 15:40 | MAE     | 7020619    | SW 8260B |
| Dichlorodifluoromethane                           | <0.50         |                 | ug/L  | 0.50 | 1.7  | 1                       | 02/28/07 15:40 | MAE     | 7020619    | SW 8260B |
| 1,1-Dichloroethane                                | <0.50         |                 | ug/L  | 0.50 | 1.7  | 1                       | 02/28/07 15:40 | MAE     | 7020619    | SW 8260B |

NATURAL RESOURCE TECH, INC  
23713 W. Paul Road  
Pewaukee, WI 53072  
Ms. Sarah Ganswindt

Work Order: WQB0708  
Project: 1105 Praefke Brake  
Project Number: 1105

Received: 02/26/07  
Reported: 03/05/07 08:49

| Analyte                                                   | Sample Result | Data Qualifiers | Units | MDL  | LOQ  | Dilution Factor   | Date Analyzed  | Analyst | Seq/ Batch | Method   |
|-----------------------------------------------------------|---------------|-----------------|-------|------|------|-------------------|----------------|---------|------------|----------|
| Sample ID: WQB0708-10 (Trip Blank - Ground Water) - cont. |               |                 |       |      |      | Sampled: 02/21/07 |                |         |            |          |
| VOCs by SW8260B - cont.                                   |               |                 |       |      |      |                   |                |         |            |          |
| 1,2-Dichloroethane                                        | <0.50         |                 | ug/L  | 0.50 | 1.7  | 1                 | 02/28/07 15:40 | MAE     | 7020619    | SW 8260B |
| 1,1-Dichloroethene                                        | <0.50         |                 | ug/L  | 0.50 | 1.7  | 1                 | 02/28/07 15:40 | MAE     | 7020619    | SW 8260B |
| cis-1,2-Dichloroethene                                    | <0.50         |                 | ug/L  | 0.50 | 1.7  | 1                 | 02/28/07 15:40 | MAE     | 7020619    | SW 8260B |
| trans-1,2-Dichloroethene                                  | <0.50         |                 | ug/L  | 0.50 | 1.7  | 1                 | 02/28/07 15:40 | MAE     | 7020619    | SW 8260B |
| 1,2-Dichloropropane                                       | <0.50         |                 | ug/L  | 0.50 | 1.7  | 1                 | 02/28/07 15:40 | MAE     | 7020619    | SW 8260B |
| 1,3-Dichloropropane                                       | <0.25         |                 | ug/L  | 0.25 | 0.83 | 1                 | 02/28/07 15:40 | MAE     | 7020619    | SW 8260B |
| 2,2-Dichloropropane                                       | <0.50         |                 | ug/L  | 0.50 | 1.7  | 1                 | 02/28/07 15:40 | MAE     | 7020619    | SW 8260B |
| 1,1-Dichloropropene                                       | <0.50         |                 | ug/L  | 0.50 | 1.7  | 1                 | 02/28/07 15:40 | MAE     | 7020619    | SW 8260B |
| cis-1,3-Dichloropropene                                   | <0.20         |                 | ug/L  | 0.20 | 0.67 | 1                 | 02/28/07 15:40 | MAE     | 7020619    | SW 8260B |
| trans-1,3-Dichloropropene                                 | <0.20         |                 | ug/L  | 0.20 | 0.67 | 1                 | 02/28/07 15:40 | MAE     | 7020619    | SW 8260B |
| 2,3-Dichloropropene                                       | <0.25         |                 | ug/L  | 0.25 | 0.83 | 1                 | 02/28/07 15:40 | MAE     | 7020619    | SW 8260B |
| Isopropyl Ether                                           | <0.50         |                 | ug/L  | 0.50 | 1.7  | 1                 | 02/28/07 15:40 | MAE     | 7020619    | SW 8260B |
| Ethylbenzene                                              | <0.50         |                 | ug/L  | 0.50 | 1.7  | 1                 | 02/28/07 15:40 | MAE     | 7020619    | SW 8260B |
| Hexachlorobutadiene                                       | <0.50         |                 | ug/L  | 0.50 | 1.7  | 1                 | 02/28/07 15:40 | MAE     | 7020619    | SW 8260B |
| Isopropylbenzene                                          | <0.20         |                 | ug/L  | 0.20 | 0.67 | 1                 | 02/28/07 15:40 | MAE     | 7020619    | SW 8260B |
| p-Isopropyltoluene                                        | <0.20         |                 | ug/L  | 0.20 | 0.67 | 1                 | 02/28/07 15:40 | MAE     | 7020619    | SW 8260B |
| Methylene Chloride                                        | <1.0          |                 | ug/L  | 1.0  | 3.3  | 1                 | 02/28/07 15:40 | MAE     | 7020619    | SW 8260B |
| Methyl tert-Butyl Ether                                   | <0.50         |                 | ug/L  | 0.50 | 1.7  | 1                 | 02/28/07 15:40 | MAE     | 7020619    | SW 8260B |
| Naphthalene                                               | <0.25         |                 | ug/L  | 0.25 | 0.83 | 1                 | 02/28/07 15:40 | MAE     | 7020619    | SW 8260B |
| n-Propylbenzene                                           | <0.50         |                 | ug/L  | 0.50 | 1.7  | 1                 | 02/28/07 15:40 | MAE     | 7020619    | SW 8260B |
| Styrene                                                   | <0.20         |                 | ug/L  | 0.20 | 0.67 | 1                 | 02/28/07 15:40 | MAE     | 7020619    | SW 8260B |
| 1,1,1,2-Tetrachloroethane                                 | <0.25         |                 | ug/L  | 0.25 | 0.83 | 1                 | 02/28/07 15:40 | MAE     | 7020619    | SW 8260B |
| 1,1,2,2-Tetrachloroethane                                 | <0.20         |                 | ug/L  | 0.20 | 0.67 | 1                 | 02/28/07 15:40 | MAE     | 7020619    | SW 8260B |
| Tetrachloroethene                                         | <0.50         |                 | ug/L  | 0.50 | 1.7  | 1                 | 02/28/07 15:40 | MAE     | 7020619    | SW 8260B |
| Toluene                                                   | <0.20         |                 | ug/L  | 0.20 | 0.67 | 1                 | 02/28/07 15:40 | MAE     | 7020619    | SW 8260B |
| 1,2,3-Trichlorobenzene                                    | <0.25         |                 | ug/L  | 0.25 | 0.83 | 1                 | 02/28/07 15:40 | MAE     | 7020619    | SW 8260B |
| 1,2,4-Trichlorobenzene                                    | <0.25         |                 | ug/L  | 0.25 | 0.83 | 1                 | 02/28/07 15:40 | MAE     | 7020619    | SW 8260B |
| 1,1,1-Trichloroethane                                     | <0.50         |                 | ug/L  | 0.50 | 1.7  | 1                 | 02/28/07 15:40 | MAE     | 7020619    | SW 8260B |
| 1,1,2-Trichloroethane                                     | <0.25         |                 | ug/L  | 0.25 | 0.83 | 1                 | 02/28/07 15:40 | MAE     | 7020619    | SW 8260B |
| Trichloroethene                                           | <0.20         |                 | ug/L  | 0.20 | 0.67 | 1                 | 02/28/07 15:40 | MAE     | 7020619    | SW 8260B |
| Trichlorofluoromethane                                    | <0.50         |                 | ug/L  | 0.50 | 1.7  | 1                 | 02/28/07 15:40 | MAE     | 7020619    | SW 8260B |
| 1,2,3-Trichloropropane                                    | <0.50         |                 | ug/L  | 0.50 | 1.7  | 1                 | 02/28/07 15:40 | MAE     | 7020619    | SW 8260B |
| 1,2,4-Trimethylbenzene                                    | <0.20         |                 | ug/L  | 0.20 | 0.67 | 1                 | 02/28/07 15:40 | MAE     | 7020619    | SW 8260B |
| 1,3,5-Trimethylbenzene                                    | <0.20         |                 | ug/L  | 0.20 | 0.67 | 1                 | 02/28/07 15:40 | MAE     | 7020619    | SW 8260B |
| Vinyl chloride                                            | <0.20         |                 | ug/L  | 0.20 | 0.67 | 1                 | 02/28/07 15:40 | MAE     | 7020619    | SW 8260B |
| Xylenes, Total                                            | <0.50         |                 | ug/L  | 0.50 | 1.7  | 1                 | 02/28/07 15:40 | MAE     | 7020619    | SW 8260B |
| Surr: Dibromofluoromethane (89-119%)                      | 105 %         |                 |       |      |      |                   |                |         |            |          |
| Surr: Toluene-d8 (91-109%)                                | 98 %          |                 |       |      |      |                   |                |         |            |          |
| Surr: 4-Bromofluorobenzene (89-114%)                      | 99 %          |                 |       |      |      |                   |                |         |            |          |

NATURAL RESOURCE TECH, INC  
23713 W. Paul Road  
Pewaukee, WI 53072  
Ms. Sarah Ganswindt

Work Order: WQB0708  
Project: 1105 Praefke Brake  
Project Number: 1105

Received: 02/26/07  
Reported: 03/05/07 08:49

| Analyte                                     | Sample Result | Data Qualifiers | Units | MDL | LOQ | Dilution Factor | Date Analyzed     | Analyst | Seq/ Batch | Method   |
|---------------------------------------------|---------------|-----------------|-------|-----|-----|-----------------|-------------------|---------|------------|----------|
| Sample ID: WQB0708-11 (MW-3 - Ground Water) |               |                 |       |     |     |                 | Sampled: 02/21/07 |         |            |          |
| Semivolatile Organics by GC/MS              |               |                 |       |     |     |                 |                   |         |            |          |
| Pentachlorophenol                           | 1860          |                 | ug/L  | 102 | 341 | 50.5            | 03/02/07 12:57    | AKE     | 7020893    | SW 8270C |
| Surr: Phenol-d6 (10-75%)                    | 31 %          |                 |       |     |     |                 |                   |         |            |          |
| Surr: 2-Fluorophenol (10-85%)               | 45 %          |                 |       |     |     |                 |                   |         |            |          |
| Surr: 2,4,6-Tribromophenol (35-130%)        | 104 %         |                 |       |     |     |                 |                   |         |            |          |

NATURAL RESOURCE TECH, INC  
23713 W. Paul Road  
Pewaukee, WI 53072  
Ms. Sarah Ganswindt

Work Order: WQB0708  
Project: 1105 Praefke Brake  
Project Number: 1105

Received: 02/26/07  
Reported: 03/05/07 08:49

## SAMPLE EXTRACTION DATA

| Parameter                      | Batch   | Lab Number | Wt/Vol<br>Extracted | Extracted Vol | Date           | Analyst | Extraction<br>Method |
|--------------------------------|---------|------------|---------------------|---------------|----------------|---------|----------------------|
| Semivolatile Organics by GC/MS |         |            |                     |               |                |         |                      |
| SW 8270C                       | 7020893 | WQB0708-06 | 970                 | 1             | 02/27/07 13:59 | MDM     | SW 3510C_MS          |
| SW 8270C                       | 7020893 | WQB0708-07 | 980                 | 1             | 02/27/07 13:59 | MDM     | SW 3510C_MS          |
| SW 8270C                       | 7020893 | WQB0708-08 | 960                 | 1             | 02/27/07 13:59 | MDM     | SW 3510C_MS          |
| SW 8270C                       | 7020893 | WQB0708-09 | 1000                | 1             | 02/27/07 13:59 | MDM     | SW 3510C_MS          |
| SW 8270C                       | 7020893 | WQB0708-11 | 990                 | 1             | 02/27/07 13:59 | MDM     | SW 3510C_MS          |

NATURAL RESOURCE TECH, INC  
23713 W. Paul Road  
Pewaukee, WI 53072  
Ms. Sarah Ganswindt

Work Order: WQB0708  
Project: 1105 Praefke Brake  
Project Number: 1105

Received: 02/26/07  
Reported: 03/05/07 08:49

## LABORATORY BLANK QC DATA

| Analyte                               | Seq/<br>Batch | Source<br>Result | Spike<br>Level | Units | MDL  | MRL  | Result | Dup<br>Result | %<br>REC | Dup<br>%REC | % REC<br>Limits | RPD<br>RPD | RPD<br>Limit | Q |
|---------------------------------------|---------------|------------------|----------------|-------|------|------|--------|---------------|----------|-------------|-----------------|------------|--------------|---|
| <b>VOCs by SW8260B</b>                |               |                  |                |       |      |      |        |               |          |             |                 |            |              |   |
| Chloroform                            | 7020619       |                  |                | ug/L  | 0.20 | 0.67 | <0.20  |               |          |             |                 |            |              |   |
| Surrogate: Dibromofluoromethane       | 7020619       |                  |                | ug/L  |      |      |        |               | 104      |             | 89-119          |            |              |   |
| Surrogate: Toluene-d8                 | 7020619       |                  |                | ug/L  |      |      |        |               | 98       |             | 91-109          |            |              |   |
| Surrogate: 4-Bromofluorobenzene       | 7020619       |                  |                | ug/L  |      |      |        |               | 99       |             | 89-114          |            |              |   |
| <b>Semivolatile Organics by GC/MS</b> |               |                  |                |       |      |      |        |               |          |             |                 |            |              |   |
| Pentachlorophenol                     | 7020893       |                  |                | ug/L  | 2.05 | 10.0 | <2.05  |               |          |             |                 |            |              |   |
| Surrogate: Phenol-d6                  | 7020893       |                  |                | ug/L  |      |      |        |               | 32       |             | 10-75           |            |              |   |
| Surrogate: 2-Fluorophenol             | 7020893       |                  |                | ug/L  |      |      |        |               | 45       |             | 10-85           |            |              |   |
| Surrogate: 2,4,6-Tribromophenol       | 7020893       |                  |                | ug/L  |      |      |        |               | 110      |             | 35-130          |            |              |   |

NATURAL RESOURCE TECH, INC  
23713 W. Paul Road  
Pewaukee, WI 53072  
Ms. Sarah Ganswindt

Work Order: WQB0708  
Project: 1105 Praefke Brake  
Project Number: 1105

Received: 02/26/07  
Reported: 03/05/07 08:49

## CCV QC DATA

| Analyte                     | Seq/<br>Batch | Source<br>Result | Spike<br>Level | Units | MDL | MRL | Result | Dup<br>Result | %<br>REC | Dup<br>%REC | % REC<br>Limits | RPD<br>RPD | RPD<br>Limit | Q |
|-----------------------------|---------------|------------------|----------------|-------|-----|-----|--------|---------------|----------|-------------|-----------------|------------|--------------|---|
| <b>VOCs by SW8260B</b>      |               |                  |                |       |     |     |        |               |          |             |                 |            |              |   |
| Benzene                     | 7B28001       |                  | 50.000         | ug/L  | N/A | N/A | 48.1   |               | 96       |             | 80-120          |            |              |   |
| Bromobenzene                | 7B28001       |                  | 50.000         | ug/L  | N/A | N/A | 43.8   |               | 88       |             | 80-120          |            |              |   |
| Bromochloromethane          | 7B28001       |                  | 50.000         | ug/L  | N/A | N/A | 46.6   |               | 93       |             | 80-120          |            |              |   |
| Bromodichloromethane        | 7B28001       |                  | 50.000         | ug/L  | N/A | N/A | 43.3   |               | 87       |             | 80-120          |            |              |   |
| Bromoform                   | 7B28001       |                  | 50.000         | ug/L  | N/A | N/A | 44.8   |               | 90       |             | 80-120          |            |              |   |
| Bromomethane                | 7B28001       |                  | 50.000         | ug/L  | N/A | N/A | 54.5   |               | 109      |             | 80-120          |            |              |   |
| n-Butylbenzene              | 7B28001       |                  | 50.000         | ug/L  | N/A | N/A | 53.6   |               | 107      |             | 80-120          |            |              |   |
| sec-Butylbenzene            | 7B28001       |                  | 50.000         | ug/L  | N/A | N/A | 54.9   |               | 110      |             | 80-120          |            |              |   |
| tert-Butylbenzene           | 7B28001       |                  | 50.000         | ug/L  | N/A | N/A | 51.3   |               | 103      |             | 80-120          |            |              |   |
| Carbon Tetrachloride        | 7B28001       |                  | 50.000         | ug/L  | N/A | N/A | 50.6   |               | 101      |             | 80-120          |            |              |   |
| Chlorobenzene               | 7B28001       |                  | 50.000         | ug/L  | N/A | N/A | 49.5   |               | 99       |             | 80-120          |            |              |   |
| Chlorodibromomethane        | 7B28001       |                  | 50.000         | ug/L  | N/A | N/A | 44.9   |               | 90       |             | 80-120          |            |              |   |
| Chloroethane                | 7B28001       |                  | 50.000         | ug/L  | N/A | N/A | 51.5   |               | 103      |             | 80-120          |            |              |   |
| Chloroform                  | 7B28001       |                  | 50.000         | ug/L  | N/A | N/A | 46.5   |               | 93       |             | 80-120          |            |              |   |
| Chloromethane               | 7B28001       |                  | 50.000         | ug/L  | N/A | N/A | 53.6   |               | 107      |             | 80-120          |            |              |   |
| 2-Chlorotoluene             | 7B28001       |                  | 50.000         | ug/L  | N/A | N/A | 45.6   |               | 91       |             | 80-120          |            |              |   |
| 4-Chlorotoluene             | 7B28001       |                  | 50.000         | ug/L  | N/A | N/A | 48.5   |               | 97       |             | 80-120          |            |              |   |
| 1,2-Dibromo-3-chloropropane | 7B28001       |                  | 50.000         | ug/L  | N/A | N/A | 44.0   |               | 88       |             | 80-120          |            |              |   |
| 1,2-Dibromoethane (EDB)     | 7B28001       |                  | 50.000         | ug/L  | N/A | N/A | 47.1   |               | 94       |             | 80-120          |            |              |   |
| Dibromomethane              | 7B28001       |                  | 50.000         | ug/L  | N/A | N/A | 45.9   |               | 92       |             | 80-120          |            |              |   |
| 1,2-Dichlorobenzene         | 7B28001       |                  | 50.000         | ug/L  | N/A | N/A | 46.4   |               | 93       |             | 80-120          |            |              |   |
| 1,3-Dichlorobenzene         | 7B28001       |                  | 50.000         | ug/L  | N/A | N/A | 47.1   |               | 94       |             | 80-120          |            |              |   |
| 1,4-Dichlorobenzene         | 7B28001       |                  | 50.000         | ug/L  | N/A | N/A | 47.4   |               | 95       |             | 80-120          |            |              |   |
| Dichlorodifluoromethane     | 7B28001       |                  | 50.000         | ug/L  | N/A | N/A | 47.9   |               | 96       |             | 80-120          |            |              |   |
| 1,1-Dichloroethane          | 7B28001       |                  | 50.000         | ug/L  | N/A | N/A | 48.3   |               | 97       |             | 80-120          |            |              |   |
| 1,2-Dichloroethane          | 7B28001       |                  | 50.000         | ug/L  | N/A | N/A | 45.4   |               | 91       |             | 80-120          |            |              |   |
| 1,1-Dichloroethene          | 7B28001       |                  | 50.000         | ug/L  | N/A | N/A | 49.9   |               | 100      |             | 80-120          |            |              |   |
| cis-1,2-Dichloroethene      | 7B28001       |                  | 50.000         | ug/L  | N/A | N/A | 53.1   |               | 106      |             | 80-120          |            |              |   |
| trans-1,2-Dichloroethene    | 7B28001       |                  | 50.000         | ug/L  | N/A | N/A | 53.7   |               | 107      |             | 80-120          |            |              |   |
| 1,2-Dichloropropane         | 7B28001       |                  | 50.000         | ug/L  | N/A | N/A | 45.8   |               | 92       |             | 80-120          |            |              |   |
| 1,3-Dichloropropane         | 7B28001       |                  | 50.000         | ug/L  | N/A | N/A | 42.7   |               | 85       |             | 80-120          |            |              |   |
| 2,2-Dichloropropane         | 7B28001       |                  | 50.000         | ug/L  | N/A | N/A | 46.4   |               | 93       |             | 80-120          |            |              |   |
| 1,1-Dichloropropene         | 7B28001       |                  | 50.000         | ug/L  | N/A | N/A | 47.0   |               | 94       |             | 80-120          |            |              |   |
| cis-1,3-Dichloropropene     | 7B28001       |                  | 50.000         | ug/L  | N/A | N/A | 43.0   |               | 86       |             | 80-120          |            |              |   |
| trans-1,3-Dichloropropene   | 7B28001       |                  | 50.000         | ug/L  | N/A | N/A | 41.6   |               | 83       |             | 80-120          |            |              |   |
| 2,3-Dichloropropene         | 7B28001       |                  | 50.000         | ug/L  | N/A | N/A | 43.3   |               | 87       |             | 80-120          |            |              |   |
| Isopropyl Ether             | 7B28001       |                  | 50.000         | ug/L  | N/A | N/A | 53.0   |               | 106      |             | 80-120          |            |              |   |
| Ethylbenzene                | 7B28001       |                  | 50.000         | ug/L  | N/A | N/A | 50.5   |               | 101      |             | 80-120          |            |              |   |
| Hexachlorobutadiene         | 7B28001       |                  | 50.000         | ug/L  | N/A | N/A | 51.4   |               | 103      |             | 80-120          |            |              |   |
| Isopropylbenzene            | 7B28001       |                  | 50.000         | ug/L  | N/A | N/A | 50.4   |               | 101      |             | 80-120          |            |              |   |
| p-Isopropyltoluene          | 7B28001       |                  | 50.000         | ug/L  | N/A | N/A | 49.6   |               | 99       |             | 80-120          |            |              |   |
| Methylene Chloride          | 7B28001       |                  | 50.000         | ug/L  | N/A | N/A | 48.4   |               | 97       |             | 80-120          |            |              |   |
| Methyl tert-Butyl Ether     | 7B28001       |                  | 50.000         | ug/L  | N/A | N/A | 46.2   |               | 92       |             | 80-120          |            |              |   |
| Naphthalene                 | 7B28001       |                  | 50.000         | ug/L  | N/A | N/A | 46.4   |               | 93       |             | 80-120          |            |              |   |
| n-Propylbenzene             | 7B28001       |                  | 50.000         | ug/L  | N/A | N/A | 49.3   |               | 99       |             | 80-120          |            |              |   |

NATURAL RESOURCE TECH, INC  
23713 W. Paul Road  
Pewaukee, WI 53072  
Ms. Sarah Ganswindt

Work Order: WQB0708  
Project: 1105 Praefke Brake  
Project Number: 1105

Received: 02/26/07  
Reported: 03/05/07 08:49

## CCV QC DATA

| Analyte                         | Seq/<br>Batch | Source<br>Result | Spike<br>Level | Units | MDL | MRL | Result | Dup<br>Result | %<br>REC | Dup<br>%REC | % REC<br>Limits | RPD<br>RPD | RPD<br>Limit | Q |
|---------------------------------|---------------|------------------|----------------|-------|-----|-----|--------|---------------|----------|-------------|-----------------|------------|--------------|---|
| <b>VOCs by SW8260B</b>          |               |                  |                |       |     |     |        |               |          |             |                 |            |              |   |
| Styrene                         | 7B28001       |                  | 50.000         | ug/L  | N/A | N/A | 50.7   |               | 101      |             | 80-120          |            |              |   |
| 1,1,1,2-Tetrachloroethane       | 7B28001       |                  | 50.000         | ug/L  | N/A | N/A | 45.7   |               | 91       |             | 80-120          |            |              |   |
| 1,1,1,2,2-Tetrachloroethane     | 7B28001       |                  | 50.000         | ug/L  | N/A | N/A | 41.9   |               | 84       |             | 80-120          |            |              |   |
| Tetrachloroethene               | 7B28001       |                  | 50.000         | ug/L  | N/A | N/A | 46.7   |               | 93       |             | 80-120          |            |              |   |
| Toluene                         | 7B28001       |                  | 50.000         | ug/L  | N/A | N/A | 47.9   |               | 96       |             | 80-120          |            |              |   |
| 1,2,3-Trichlorobenzene          | 7B28001       |                  | 50.000         | ug/L  | N/A | N/A | 50.6   |               | 101      |             | 80-120          |            |              |   |
| 1,2,4-Trichlorobenzene          | 7B28001       |                  | 50.000         | ug/L  | N/A | N/A | 52.5   |               | 105      |             | 80-120          |            |              |   |
| 1,1,1-Trichloroethane           | 7B28001       |                  | 50.000         | ug/L  | N/A | N/A | 50.1   |               | 100      |             | 80-120          |            |              |   |
| 1,1,2-Trichloroethane           | 7B28001       |                  | 50.000         | ug/L  | N/A | N/A | 48.6   |               | 97       |             | 80-120          |            |              |   |
| Trichloroethene                 | 7B28001       |                  | 50.000         | ug/L  | N/A | N/A | 47.5   |               | 95       |             | 80-120          |            |              |   |
| Trichlorofluoromethane          | 7B28001       |                  | 50.000         | ug/L  | N/A | N/A | 53.6   |               | 107      |             | 80-120          |            |              |   |
| 1,2,3-Trichloropropane          | 7B28001       |                  | 50.000         | ug/L  | N/A | N/A | 45.6   |               | 91       |             | 80-120          |            |              |   |
| 1,2,4-Trimethylbenzene          | 7B28001       |                  | 50.000         | ug/L  | N/A | N/A | 50.0   |               | 100      |             | 80-120          |            |              |   |
| 1,3,5-Trimethylbenzene          | 7B28001       |                  | 50.000         | ug/L  | N/A | N/A | 50.3   |               | 101      |             | 80-120          |            |              |   |
| Vinyl chloride                  | 7B28001       |                  | 50.000         | ug/L  | N/A | N/A | 55.1   |               | 110      |             | 80-120          |            |              |   |
| Xylenes, Total                  | 7B28001       |                  | 150.00         | ug/L  | N/A | N/A | 153    |               | 102      |             | 80-120          |            |              |   |
| Surrogate: Dibromofluoromethane | 7B28001       |                  |                | ug/L  |     |     |        |               | 105      |             | 89-119          |            |              |   |
| Surrogate: Toluene-d8           | 7B28001       |                  |                | ug/L  |     |     |        |               | 100      |             | 91-109          |            |              |   |
| Surrogate: 4-Bromofluorobenzene | 7B28001       |                  |                | ug/L  |     |     |        |               | 99       |             | 89-114          |            |              |   |

NATURAL RESOURCE TECH, INC  
23713 W. Paul Road  
Pewaukee, WI 53072  
Ms. Sarah Ganswindt

Work Order: WQB0708  
Project: 1105 Praefke Brake  
Project Number: 1105

Received: 02/26/07  
Reported: 03/05/07 08:49

## LCS/LCS DUPLICATE QC DATA

| Analyte                               | Seq/<br>Batch | Source<br>Result | Spike<br>Level | Units | MDL  | MRL  | Result | Dup<br>Result | %<br>REC | Dup<br>%REC | % REC<br>Limits | RPD<br>RPD | RPD<br>Limit | Q |
|---------------------------------------|---------------|------------------|----------------|-------|------|------|--------|---------------|----------|-------------|-----------------|------------|--------------|---|
| <b>Semivolatile Organics by GC/MS</b> |               |                  |                |       |      |      |        |               |          |             |                 |            |              |   |
| Pentachlorophenol                     | 7020893       |                  | 100            | ug/L  | 2.05 | 10.0 | 53.1   | 63.4          | 53       | 63          | 35-130          | 18         | 35           |   |
| Surrogate: Phenol-d6                  | 7020893       |                  |                | ug/L  |      |      |        |               | 32       | 32          | 10-75           |            |              |   |
| Surrogate: 2-Fluorophenol             | 7020893       |                  |                | ug/L  |      |      |        |               | 45       | 43          | 20-65           |            |              |   |
| Surrogate: 2,4,6-Tribromophenol       | 7020893       |                  |                | ug/L  |      |      |        |               | 88       | 96          | 45-130          |            |              |   |

NATURAL RESOURCE TECH, INC  
23713 W. Paul Road  
Pewaukee, WI 53072  
Ms. Sarah Ganswindt

Work Order: WQB0708  
Project: 1105 Praefke Brake  
Project Number: 1105

Received: 02/26/07  
Reported: 03/05/07 08:49

## MATRIX SPIKE/MATRIX SPIKE DUPLICATE QC DATA

| Analyte                         | Seq/<br>Batch | Source<br>Result | Spike<br>Level | Units | MDL  | MRL  | Result | Dup<br>Result | %<br>REC | Dup<br>%REC | % REC<br>Limits | RPD | RPD<br>Limit | Q |
|---------------------------------|---------------|------------------|----------------|-------|------|------|--------|---------------|----------|-------------|-----------------|-----|--------------|---|
| VOCs by SW8260B                 |               |                  |                |       |      |      |        |               |          |             |                 |     |              |   |
| QC Source Sample: WQB0699-03    |               |                  |                |       |      |      |        |               |          |             |                 |     |              |   |
| Chloroform                      | 7020619       | <0.20            | 50.000         | ug/L  | 0.20 | 0.67 | 45.7   | 47.2          | 91       | 94          | 70-130          | 3   | 20           |   |
| Surrogate: Dibromofluoromethane | 7020619       |                  |                | ug/L  |      |      |        |               | 106      | 105         | 89-119          |     |              |   |
| Surrogate: Toluene-d8           | 7020619       |                  |                | ug/L  |      |      |        |               | 98       | 99          | 91-109          |     |              |   |
| Surrogate: 4-Bromofluorobenzene | 7020619       |                  |                | ug/L  |      |      |        |               | 99       | 100         | 89-114          |     |              |   |

NATURAL RESOURCE TECH, INC  
23713 W. Paul Road  
Pewaukee, WI 53072  
Ms. Sarah Ganswindt

Work Order: WQB0708  
Project: 1105 Praefke Brake  
Project Number: 1105

Received: 02/26/07  
Reported: 03/05/07 08:49

## CERTIFICATION SUMMARY

### TestAmerica - Watertown, WI

| Method   | Matrix             | Nelac | Wisconsin |
|----------|--------------------|-------|-----------|
| SW 8260B | Water - NonPotable | X     | X         |

### Subcontracted Laboratories

TestAmerica Analytical - Cedar Falls NELAC Cert #000668, Wisconsin Cert #999917270, Illinois Cert #000668, Minnesota Cert #019-999-319, Iowa Cert #007

704 Enterprise Drive - Cedar Falls, IA 50613

Method Performed: SW 8270C

Samples: WQB0708-06, WQB0708-07, WQB0708-08, WQB0708-09, WQB0708-11

# TestAmerica

ANALYTICAL TESTING CORPORATION

Watertown Division  
602 Commerce Drive  
Watertown, WI 53094

Phone 920-261-1660 or 800-833-7036  
Fax 920-261-8120

WB30708  
To assist us in using the proper analytical methods,  
is this work being conducted for regulatory purposes?  
Compliance Monitoring

Client Name: Natural Resource Technology Client #: \_\_\_\_\_  
Address: 23713 W. Paul Road  
City/State/Zip Code: Racine WI 53072  
Project Manager: KMT, SAG  
Telephone Number: 262-522-1202 Fax: 262-523-9000  
Sampler Name: (Print Name) SARAH Ganswindt  
Sampler Signature: [Signature]

Project Name: PræFK Brake  
Project #: 1105  
Site/Location ID: West Bend State: WI  
Report To: SAG JTB  
Invoice To: JDS  
Quote #: \_\_\_\_\_ PO#: \_\_\_\_\_

| TAT                                             |                                    | Date Sampled | Time Sampled | G = Grab, C = Composite | Field Filtered | Matrix | Preservation & # of Containers |                     |                  |                |                 |               |                  |     | Analyze For: | QC Deliverables | REMARKS |      |
|-------------------------------------------------|------------------------------------|--------------|--------------|-------------------------|----------------|--------|--------------------------------|---------------------|------------------|----------------|-----------------|---------------|------------------|-----|--------------|-----------------|---------|------|
| Standard                                        | Rush (surcharges may apply)        |              |              |                         |                |        | ST - Sludge                    | DW - Drinking Water | GW - Groundwater | S - Soil/Solid | WW - Wastewater | Specify Other | HNO <sub>3</sub> | HCl |              |                 |         | NaOH |
| Date Needed: _____                              |                                    |              |              |                         |                |        |                                |                     |                  |                |                 |               |                  |     |              |                 |         |      |
| Fax Results: Y N                                |                                    |              |              |                         |                |        |                                |                     |                  |                |                 |               |                  |     |              |                 |         |      |
| SAMPLE ID                                       |                                    |              |              |                         |                |        |                                |                     |                  |                |                 |               |                  |     |              |                 |         |      |
| G1                                              | BW-1B                              | 2/22/07      | 1200         |                         |                | GW     |                                | X                   | 3                |                |                 |               |                  | 2   |              | X               |         |      |
| G2                                              | BW-1C                              |              | 1230         |                         |                |        |                                | X                   | 3                |                |                 |               |                  | 2   |              | X               |         |      |
| G3                                              | MW-6B                              | 2/21/07      | 900          |                         |                |        |                                | X                   | 3                |                |                 |               |                  | 2   |              | X               |         |      |
| G4                                              | MW-A                               |              | 945          |                         |                |        |                                | X                   | 3                |                |                 |               |                  | 2   |              | X               |         |      |
| G5                                              | MW-2 - MW-6                        |              | 1030         |                         |                |        |                                | X                   | 3                |                |                 |               |                  | 2   |              | X               |         |      |
| G6                                              | MW-D1                              |              | 1125         |                         |                |        |                                |                     | 3                |                |                 |               |                  | X2  |              | X               |         |      |
| G7                                              | MW-D2                              |              | 130          |                         |                |        |                                |                     | 3                |                |                 |               |                  | X2  |              | X               |         |      |
| G8                                              | MW-4                               |              | 220          |                         |                |        |                                |                     | 3                |                |                 |               |                  | X2  |              | X               |         |      |
| G9                                              | MW-H                               |              |              |                         |                |        |                                |                     | 3                |                |                 |               |                  | X2  |              | X               |         |      |
| G10                                             | TRIP                               |              |              |                         |                |        |                                |                     | 1                |                |                 |               |                  |     |              | X               |         |      |
| G11                                             | Special Instructions: MW-3 2/21/07 |              |              |                         |                | GW     |                                |                     | 3                |                |                 |               |                  | X2  |              | X               |         |      |
| LABORATORY COMMENTS:                            |                                    |              |              |                         |                |        |                                |                     |                  |                |                 |               |                  |     |              |                 |         |      |
| Init Lab Temp: <u>TCE</u>                       |                                    |              |              |                         |                |        |                                |                     |                  |                |                 |               |                  |     |              |                 |         |      |
| Rec Lab Temp: _____                             |                                    |              |              |                         |                |        |                                |                     |                  |                |                 |               |                  |     |              |                 |         |      |
| Custody Seals: Y N <u>NA</u>                    |                                    |              |              |                         |                |        |                                |                     |                  |                |                 |               |                  |     |              |                 |         |      |
| Bottles Supplied by Test America: Y N <u>NA</u> |                                    |              |              |                         |                |        |                                |                     |                  |                |                 |               |                  |     |              |                 |         |      |
| Method of Shipment: <u>HA</u>                   |                                    |              |              |                         |                |        |                                |                     |                  |                |                 |               |                  |     |              |                 |         |      |

326 EXTRA

CG 2/26

C