



July 18, 2017

Lisa Marie Long
W8630 Elk Avenue
Oxford, WI 53952

Re: Water Supply Well Sampling
141 W. Vallette Street, Oxford, Wisconsin
DNR BRRTS# 03-39-168015

Dear Ms. Long:

Attached is a copy of the laboratory report for the water sample collected from your well on July 28, 2017.

No petroleum contamination was detected in the sample.

Thank you for your cooperation with this sampling. If you have any questions, please feel free to contact me at 608-355-8860, or by email at jenglebert@msa-ps.com. If you wish to discuss this investigation with the DNR, the DNR project manager for the case is Tom Verstegen. He can be reached at 920-424-0025, or by email at Thomas.Verstegen@wisconsin.gov.

Sincerely,

MSA Professional Services, Inc.

Jayne A. Englebert, P.G.
Senior Hydrogeologist/Project Manager

Cc: Terry Berndt, Winner's Circle Auto
Tom Verstegen, DNR
Richard Lyster, MSA

Offices in Illinois, Iowa, Minnesota, and Wisconsin

1230 SOUTH BOULEVARD • BARABOO, WI 53913
(608) 356-2771 • (800) 362-4505 • FAX: (608) 356-2770
www.msa-ps.com

CT LAB Sample#: 898653 Sample Description: 141 W VALLETTE

Sampled: 07/27/2017

Analyte	Result	Units	LOD	LOQ	Dilution	Qualifier	Prep Date/Time	Analysis Date/Time	Analyst	Method
Organic Results										
1,2,4-Trimethylbenzene	<0.40	ug/L	0.40	1.3	1			08/10/2017 01:12	MDS	EPA 8021B
1,3,5-Trimethylbenzene	<0.40	ug/L	0.40	1.4	1			08/10/2017 01:12	MDS	EPA 8021B
Benzene	<0.40	ug/L	0.40	1.3	1			08/10/2017 01:12	MDS	EPA 8021B
Ethylbenzene	<0.40	ug/L	0.40	1.4	1			08/10/2017 01:12	MDS	EPA 8021B
m & p-Xylene	<0.80	ug/L	0.80	2.8	1			08/10/2017 01:12	MDS	EPA 8021B
Methyl tert-butyl ether	<0.40	ug/L	0.40	1.3	1			08/10/2017 01:12	MDS	EPA 8021B
Naphthalene	<0.90	ug/L	0.90	2.9	1			08/10/2017 01:12	MDS	EPA 8021B
o-Xylene	<0.40	ug/L	0.40	1.4	1			08/10/2017 01:12	MDS	EPA 8021B
Toluene	<0.40	ug/L	0.40	1.4	1			08/10/2017 01:12	MDS	EPA 8021B

Unless specifically stated to the contrary, soil/sediment/sludge sample results reported on a Dry Weight Basis



August 21, 2017

John and Cynthia Ellis
P.O. Box 165
Oxford, WI 53952

Re: Water Supply Well Sampling
133 W. Vallette Street, Oxford, Wisconsin
DNR BRRTS# 03-39-168015

Dear Mr. and Mrs. Ellis:

Attached is a copy of the laboratory report for the water sample collected from your well on July 28, 2017.

No petroleum contamination was detected in the sample.

Thank you for your cooperation with this sampling. If you have any questions, please feel free to contact me at 608-355-8860, or by email at jenglebert@msa-ps.com. If you wish to discuss this investigation with the DNR, the DNR project manager for the case is Tom Verstegen. He can be reached at 920-424-0025, or by email at Thomas.Verstegen@wisconsin.gov.

Sincerely,

MSA Professional Services, Inc.

A handwritten signature in black ink that reads 'Jayne A. Englebert'. The signature is written in a cursive, flowing style.

Jayne A. Englebert, P.G.
Senior Hydrogeologist/Project Manager

Cc: Terry Berndt, Winner's Circle Auto
Tom Verstegen, DNR
Richard Lyster, MSA

Offices in Illinois, Iowa, Minnesota, and Wisconsin

1230 SOUTH BOULEVARD • BARABOO, WI 53913
(608) 356-2771 • (800) 362-4505 • FAX: (608) 356-2770
www.msa-ps.com

CT LABORATORIES

delivering more than data from your environmental analyses



MSA PROFESSIONAL SERVICES
 Project Name: WINNERS CIRCLE
 Project #: 213212
 Project Phase:

Contract #: 2054
 Folder #: 129356
 Page 21 of 22

CT LAB Sample#: 898652 Sample Description: 133 W VALLETTE

Sampled: 07/27/2017

Analyte	Result	Units	LOD	LOQ	Dilution	Qualifier	Prep Date/Time	Analysis Date/Time	Analyst	Method
Organic Results										
1,2,4-Trimethylbenzene	<0.40	ug/L	0.40	1.3	1			08/10/2017 00:34	MDS	EPA 8021B
1,3,5-Trimethylbenzene	<0.40	ug/L	0.40	1.4	1			08/10/2017 00:34	MDS	EPA 8021B
Benzene	<0.40	ug/L	0.40	1.3	1			08/10/2017 00:34	MDS	EPA 8021B
Ethylbenzene	<0.40	ug/L	0.40	1.4	1			08/10/2017 00:34	MDS	EPA 8021B
m & p-Xylene	<0.80	ug/L	0.80	2.8	1			08/10/2017 00:34	MDS	EPA 8021B
Methyl tert-butyl ether	<0.40	ug/L	0.40	1.3	1			08/10/2017 00:34	MDS	EPA 8021B
Naphthalene	<0.90	ug/L	0.90	2.9	1			08/10/2017 00:34	MDS	EPA 8021B
o-Xylene	<0.40	ug/L	0.40	1.4	1			08/10/2017 00:34	MDS	EPA 8021B
Toluene	<0.40	ug/L	0.40	1.4	1			08/10/2017 00:34	MDS	EPA 8021B



August 21, 2017

Anna M. Wren, POA for Sheila Siekert
1025 S. 73rd Street
West Allis, WI 53214

Re: Water Supply Well Sampling
125 W. Vallette Street, Oxford, Wisconsin
DNR BRRTS# 03-39-168015

Dear Ms. Wren:

Attached is a copy of the laboratory report for the water sample collected from your well on July 28, 2017.

No petroleum contamination was detected in the sample.

Thank you for your cooperation with this sampling. If you have any questions, please feel free to contact me at 608-355-8860, or by email at jenglebert@msa-ps.com. If you wish to discuss this investigation with the DNR, the DNR project manager for the case is Tom Verstegen. He can be reached at 920-424-0025, or by email at Thomas.Verstegen@wisconsin.gov.

Sincerely,

MSA Professional Services, Inc.

A handwritten signature in black ink that reads 'Jayne A. Englebert'. The signature is written in a cursive, flowing style.

Jayne A. Englebert, P.G.
Senior Hydrogeologist/Project Manager

Cc: Terry Berndt, Winner's Circle Auto
Tom Verstegen, DNR
Richard Lyster, MSA

Offices in Illinois, Iowa, Minnesota, and Wisconsin

1230 SOUTH BOULEVARD • BARABOO, WI 53913
(608) 356-2771 • (800) 362-4505 • FAX: (608) 356-2770
www.msa-ps.com

CT LAB Sample#: 898651 Sample Description: 125 W VALLETTE

Sampled: 07/27/2017

Analyte	Result	Units	LOD	LOQ	Dilution	Qualifier	Prep Date/Time	Analysis Date/Time	Analyst	Method
Organic Results										
1,2,4-Trimethylbenzene	<0.40	ug/L	0.40	1.3	1			08/09/2017 23:57	MDS	EPA 8021B
1,3,5-Trimethylbenzene	<0.40	ug/L	0.40	1.4	1			08/09/2017 23:57	MDS	EPA 8021B
Benzene	<0.40	ug/L	0.40	1.3	1			08/09/2017 23:57	MDS	EPA 8021B
Ethylbenzene	<0.40	ug/L	0.40	1.4	1			08/09/2017 23:57	MDS	EPA 8021B
m & p-Xylene	<0.80	ug/L	0.80	2.8	1			08/09/2017 23:57	MDS	EPA 8021B
Methyl tert-butyl ether	<0.40	ug/L	0.40	1.3	1			08/09/2017 23:57	MDS	EPA 8021B
Naphthalene	<0.90	ug/L	0.90	2.9	1			08/09/2017 23:57	MDS	EPA 8021B
o-Xylene	<0.40	ug/L	0.40	1.4	1			08/09/2017 23:57	MDS	EPA 8021B
Toluene	<0.40	ug/L	0.40	1.4	1			08/09/2017 23:57	MDS	EPA 8021B

Unless specifically stated to the contrary, soil/sediment/sludge sample results reported on a Dry Weight Basis



August 21, 2017

Federal Home Loan Mortgage Corp.
333 W. Wacker Drive, Suite 2500
Chicago, IL 60606

Re: Water Sample Results
215 S. Franklin Street, Oxford, Wisconsin
DNR BRRTS# 03-39-168015

Dear Sir/Madame:

Attached is a copy of the laboratory report for a water sample collected from your well on July 28, 2017.

No petroleum contamination was detected in the sample.

If you have any questions regarding this sampling, please feel free to contact me at 608-355-8860, via our toll free number, 800-362-4505, or by email at jenglebert@msa-ps.com. If you wish to discuss this investigation with the DNR, the DNR project manager for the site is Tom Verstegen. He can be reached at 920-424-0025, or by email at Thomas.Verstegen@wisconsin.gov.

Sincerely,

MSA Professional Services, Inc.

Jayne A. Englebert, P.G.
Senior Hydrogeologist

Cc: Terry Berndt, Winner's Circle Auto
Tom Verstegen, DNR
Richard Lyster, MSA

Offices in Illinois, Iowa, Minnesota, and Wisconsin

1230 SOUTH BOULEVARD • BARABOO, WI 53913
(608) 356-2771 • (800) 362-4505 • FAX: (608) 356-2770
www.msa-ps.com

CT LABORATORIES

delivering more than data from your environmental analyses



MSA PROFESSIONAL SERVICES
 Project Name: WINNERS CIRCLE
 Project #: 213212
 Project Phase:

Contract #: 2054
 Folder #: 129356
 Page 20 of 22

CT LAB Sample#: 898650 Sample Description: 215 S FRANKLIN Sampled: 07/27/2017

Analyte	Result	Units	LOD	LOQ	Dilution	Qualifier	Prep Date/Time	Analysis Date/Time	Analyst	Method
Organic Results										
1,2,4-Trimethylbenzene	<0.40	ug/L	0.40	1.3	1		08/09/2017 23:19	08/09/2017 23:19	MDS	EPA 8021B
1,3,5-Trimethylbenzene	<0.40	ug/L	0.40	1.4	1		08/09/2017 23:19	08/09/2017 23:19	MDS	EPA 8021B
Benzene	<0.40	ug/L	0.40	1.3	1		08/09/2017 23:19	08/09/2017 23:19	MDS	EPA 8021B
Ethylbenzene	<0.40	ug/L	0.40	1.4	1		08/09/2017 23:19	08/09/2017 23:19	MDS	EPA 8021B
m & p-Xylene	<0.80	ug/L	0.80	2.8	1		08/09/2017 23:19	08/09/2017 23:19	MDS	EPA 8021B
Methyl tert-butyl ether	<0.40	ug/L	0.40	1.3	1		08/09/2017 23:19	08/09/2017 23:19	MDS	EPA 8021B
Naphthalene	<0.90	ug/L	0.90	2.9	1		08/09/2017 23:19	08/09/2017 23:19	MDS	EPA 8021B
o-Xylene	<0.40	ug/L	0.40	1.4	1		08/09/2017 23:19	08/09/2017 23:19	MDS	EPA 8021B
Toluene	<0.40	ug/L	0.40	1.4	1		08/09/2017 23:19	08/09/2017 23:19	MDS	EPA 8021B



August 21, 2017

Patricia Drinkwater
P.O. Box 205
Oxford, WI 53952

Re: Water Supply Well Sampling
209 S. Franklin Street, Oxford, Wisconsin
DNR BRRTS# 03-39-168015

Dear Ms. Drinkwater:

Attached is a copy of the laboratory report for the water sample collected from your well on July 28, 2017.

No petroleum contamination was detected in the sample.

Thank you for your cooperation with this sampling. If you have any questions, please feel free to contact me at 608-355-8860, or by email at jenglebert@msa-ps.com. If you wish to discuss this investigation with the DNR, the DNR project manager for the case is Tom Verstegen. He can be reached at 920-424-0025, or by email at Thomas.Verstegen@wisconsin.gov.

Sincerely,

MSA Professional Services, Inc.

A handwritten signature in black ink that reads 'Jayne A. Englebert'. The signature is written in a cursive style with a large initial 'J'.

Jayne A. Englebert, P.G.
Senior Hydrogeologist/Project Manager

Cc: Terry Berndt, Winner's Circle Auto
Tom Verstegen, DNR
Richard Lyster, MSA

Offices in Illinois, Iowa, Minnesota, and Wisconsin

1230 SOUTH BOULEVARD • BARABOO, WI 53913
(608) 356-2771 • (800) 362-4505 • FAX: (608) 356-2770
www.msa-ps.com

CT LAB Sample#: 898649 Sample Description: 209 S FRANKLIN

Sampled: 07/27/2017

Analyte	Result	Units	LOD	LOQ	Dilution	Qualifier	Prep Date/Time	Analysis Date/Time	Analyst	Method
Organic Results										
1,2,4-Trimethylbenzene	<0.40	ug/L	0.40	1.3	1			08/09/2017 22:42	MDS	EPA 8021B
1,3,5-Trimethylbenzene	<0.40	ug/L	0.40	1.4	1			08/09/2017 22:42	MDS	EPA 8021B
Benzene	<0.40	ug/L	0.40	1.3	1			08/09/2017 22:42	MDS	EPA 8021B
Ethylbenzene	<0.40	ug/L	0.40	1.4	1			08/09/2017 22:42	MDS	EPA 8021B
m & p-Xylene	<0.80	ug/L	0.80	2.8	1			08/09/2017 22:42	MDS	EPA 8021B
Methyl tert-butyl ether	<0.40	ug/L	0.40	1.3	1			08/09/2017 22:42	MDS	EPA 8021B
Naphthalene	<0.90	ug/L	0.90	2.9	1			08/09/2017 22:42	MDS	EPA 8021B
o-Xylene	<0.40	ug/L	0.40	1.4	1			08/09/2017 22:42	MDS	EPA 8021B
Toluene	<0.40	ug/L	0.40	1.4	1			08/09/2017 22:42	MDS	EPA 8021B

Unless specifically stated to the contrary, soil/sediment/sludge sample results reported on a Dry Weight Basis



August 21, 2017

June Lloyd and Alice Pflum
725 E. Chauncey Street
Oxford, WI 53952

Re: Water Supply Well Sampling
214 S. Oxford Street, Oxford, Wisconsin
DNR BRRTS# 03-39-168015

Dear Ms. Lloyd and Ms. Pflum:

Attached is a copy of the laboratory report for the water sample collected from your well at 214 S. Oxford Street on July 28, 2017.

No petroleum contamination was detected in the sample.

Thank you for your cooperation with this sampling. If you have any questions, please feel free to contact me at 608-355-8860, or by email at jenglebert@msa-ps.com. If you wish to discuss this investigation with the DNR, the DNR project manager for the case is Tom Verstegen. He can be reached at 920-424-0025, or by email at Thomas.Verstegen@wisconsin.gov.

Sincerely,

MSA Professional Services, Inc.

A handwritten signature in black ink that reads 'Jayne A. Englebert'. The signature is written in a cursive, flowing style.

Jayne A. Englebert, P.G.
Senior Hydrogeologist/Project Manager

Cc: Terry Berndt, Winner's Circle Auto
Tom Verstegen, DNR
Richard Lyster, MSA

Offices in Illinois, Iowa, Minnesota, and Wisconsin

1230 SOUTH BOULEVARD • BARABOO, WI 53913
(608) 356-2771 • (800) 362-4505 • FAX: (608) 356-2770
www.msa-ps.com

CT LABORATORIES

delivering more than data from your environmental analyses



MSA PROFESSIONAL SERVICES
Project Name: WINNERS CIRCLE
Project #: 213212
Project Phase:

Contract #: 2054
Folder #: 129356
Page 19 of 22

CT LAB Sample#: 898648 Sample Description: 214'S OXFORD

Sampled: 07/27/2017

Analyte	Result	Units	LOD	LOQ	Dilution	Qualifier	Prep Date/Time	Analysis Date/Time	Analyst	Method
Organic Results										
1,2,4-Trimethylbenzene	<0.40	ug/L	0.40	1.3	1			08/09/2017 22:04	MDS	EPA 8021B
1,3,5-Trimethylbenzene	<0.40	ug/L	0.40	1.4	1			08/09/2017 22:04	MDS	EPA 8021B
Benzene	<0.40	ug/L	0.40	1.3	1			08/09/2017 22:04	MDS	EPA 8021B
Ethylbenzene	<0.40	ug/L	0.40	1.4	1			08/09/2017 22:04	MDS	EPA 8021B
m & p-Xylene	<0.80	ug/L	0.80	2.8	1			08/09/2017 22:04	MDS	EPA 8021B
Methyl tert-butyl ether	<0.40	ug/L	0.40	1.3	1			08/09/2017 22:04	MDS	EPA 8021B
Naphthalene	<0.90	ug/L	0.90	2.9	1			08/09/2017 22:04	MDS	EPA 8021B
o-Xylene	<0.40	ug/L	0.40	1.4	1			08/09/2017 22:04	MDS	EPA 8021B
Toluene	<0.40	ug/L	0.40	1.4	1			08/09/2017 22:04	MDS	EPA 8021B



August 21, 2017

John Kruse and Lori Gordon
P.O. Box 227
Oxford, WI 53952

Re: Water Supply Well Sampling
201 S. Oxford Street, Oxford, Wisconsin
DNR BRRTS# 03-39-168015

Dear Mr. Kruse and Ms. Gordon:

Attached is a copy of the laboratory report for the water sample collected from your well on July 28, 2017.

No petroleum contamination was detected in the sample.

Thank you for your cooperation with this sampling. If you have any questions, please feel free to contact me at 608-355-8860, or by email at jenglebert@msa-ps.com. If you wish to discuss this investigation with the DNR, the DNR project manager for the case is Tom Verstegen. He can be reached at 920-424-0025, or by email at Thomas.Verstegen@wisconsin.gov.

Sincerely,

MSA Professional Services, Inc.

A handwritten signature in black ink that reads 'Jayne A. Englebert'. The signature is written in a cursive, flowing style.

Jayne A. Englebert, P.G.
Senior Hydrogeologist/Project Manager

Cc: Terry Berndt, Winner's Circle Auto
Tom Verstegen, DNR
Richard Lyster, MSA

Offices in Illinois, Iowa, Minnesota, and Wisconsin

1230 SOUTH BOULEVARD • BARABOO, WI 53913
(608) 356-2771 • (800) 362-4505 • FAX: (608) 356-2770
www.msa-ps.com

CT LAB Sample#: 898647 Sample Description: 201 S OXFORD

Sampled: 07/27/2017

Analyte	Result	Units	LOD	LOQ	Dilution	Qualifier	Prep Date/Time	Analysis Date/Time	Analyst	Method
Organic Results										
1,2,4-Trimethylbenzene	<0.40	ug/L	0.40	1.3	1		08/09/2017	21:26	MDS	EPA 8021B
1,3,5-Trimethylbenzene	<0.40	ug/L	0.40	1.4	1		08/09/2017	21:26	MDS	EPA 8021B
Benzene	<0.40	ug/L	0.40	1.3	1		08/09/2017	21:26	MDS	EPA 8021B
Ethylbenzene	<0.40	ug/L	0.40	1.4	1		08/09/2017	21:26	MDS	EPA 8021B
m & p-Xylene	<0.80	ug/L	0.80	2.8	1		08/09/2017	21:26	MDS	EPA 8021B
Methyl tert-butyl ether	<0.40	ug/L	0.40	1.3	1		08/09/2017	21:26	MDS	EPA 8021B
Naphthalene	<0.90	ug/L	0.90	2.9	1		08/09/2017	21:26	MDS	EPA 8021B
o-Xylene	<0.40	ug/L	0.40	1.4	1		08/09/2017	21:26	MDS	EPA 8021B
Toluene	<0.40	ug/L	0.40	1.4	1		08/09/2017	21:26	MDS	EPA 8021B

Unless specifically stated to the contrary, soil/sediment/sludge sample results reported on a Dry Weight Basis



August 21, 2017

Dale and Sue Everett
128 W. Vallette Street
Oxford, WI 53952

Re: Water Supply Well Sampling
128 W. Vallette Street, Oxford, Wisconsin
DNR BRRTS# 03-39-168015

Dear Mr. and Mrs. Everett:

Attached is a copy of the laboratory report for the water sample collected from your well on July 28, 2017.

No petroleum contamination was detected in the sample.

Thank you for your cooperation with this sampling. If you have any questions, please feel free to contact me at 608-355-8860, or by email at jenglebert@msa-ps.com. If you wish to discuss this investigation with the DNR, the DNR project manager for the case is Tom Verstegen. He can be reached at 920-424-0025, or by email at Thomas.Verstegen@wisconsin.gov.

Sincerely,

MSA Professional Services, Inc.

A handwritten signature in black ink that reads 'Jayne A. Englebert'. The signature is written in a cursive style with a large, prominent 'J' and 'E'.

Jayne A. Englebert, P.G.
Senior Hydrogeologist/Project Manager

Cc: Terry Berndt, Winner's Circle Auto
Tom Verstegen, DNR
Richard Lyster, MSA

Offices in Illinois, Iowa, Minnesota, and Wisconsin

1230 SOUTH BOULEVARD • BARABOO, WI 53913
(608) 356-2771 • (800) 362-4505 • FAX: (608) 356-2770
www.msa-ps.com

CT LAB_Sample#: 898646 Sample Description: 128 W VALLETTE

Sampled: 07/27/2017

Analyte	Result	Units	LOD	LOQ	Dilution	Qualifier	Prep Date/Time	Analysis Date/Time	Analyst	Method
Organic Results										
1,2,4-Trimethylbenzene	<0.40	ug/L	0.40	1.3	1		08/09/2017 20:49	20:49	MDS	EPA 8021B
1,3,5-Trimethylbenzene	<0.40	ug/L	0.40	1.4	1		08/09/2017 20:49	20:49	MDS	EPA 8021B
Benzene	<0.40	ug/L	0.40	1.3	1		08/09/2017 20:49	20:49	MDS	EPA 8021B
Ethylbenzene	<0.40	ug/L	0.40	1.4	1		08/09/2017 20:49	20:49	MDS	EPA 8021B
m & p-Xylene	<0.80	ug/L	0.80	2.8	1		08/09/2017 20:49	20:49	MDS	EPA 8021B
Methyl tert-butyl ether	<0.40	ug/L	0.40	1.3	1		08/09/2017 20:49	20:49	MDS	EPA 8021B
Naphthalene	<0.90	ug/L	0.90	2.9	1		08/09/2017 20:49	20:49	MDS	EPA 8021B
o-Xylene	<0.40	ug/L	0.40	1.4	1		08/09/2017 20:49	20:49	MDS	EPA 8021B
Toluene	<0.40	ug/L	0.40	1.4	1		08/09/2017 20:49	20:49	MDS	EPA 8021B



August 21, 2017

ARM Construction, Inc.
902 Broadway
Wisconsin Dells, WI 53965

Re: Water Sample Results - Water Supply Well
229 S. Franklin Street, Oxford, Wisconsin
DNR BRRTS# 03-39-168015

Dear Sir/Madame:

Attached is a copy of the laboratory report for the water sample collected from your well on July 28, 2017.

No petroleum contamination was detected in the sample.

If you have any questions regarding this sampling, please feel free to contact me at 608-355-8860, via our toll free number, 800-362-4505, or by email at jenglebert@msa-ps.com. If you wish to discuss this investigation with the DNR, the DNR project manager for the site is Tom Verstegen. He can be reached at 920-424-0025, or by email at Thomas.Verstegen@wisconsin.gov.

Sincerely,

MSA Professional Services, Inc.

A handwritten signature in black ink that reads 'Jayne A. Englebert'. The signature is written in a cursive, flowing style.

Jayne A. Englebert, P.G.
Senior Hydrogeologist

Cc: Terry Berndt, Winner's Circle Auto
Tom Verstegen, DNR
Richard Lyster, MSA

Offices in Illinois, Iowa, Minnesota, and Wisconsin

1230 SOUTH BOULEVARD • BARABOO, WI 53913
(608) 356-2771 • (800) 362-4505 • FAX: (608) 356-2770
www.msa-ps.com

CT LAB Sample#: 898645 Sample Description: 229 S FRANKLIN

Sampled: 07/27/2017

Analyte	Result	Units	LOD	LOQ	Dilution	Qualifier	Prep Date/Time	Analysis Date/Time	Analyst	Method
Organic Results										
1,2,4-Trimethylbenzene	<0.40	ug/L	0.40	1.3	1		08/09/2017 17:40	08/09/2017 17:40	MDS	EPA 8021B
1,3,5-Trimethylbenzene	<0.40	ug/L	0.40	1.4	1		08/09/2017 17:40	08/09/2017 17:40	MDS	EPA 8021B
Benzene	<0.40	ug/L	0.40	1.3	1		08/09/2017 17:40	08/09/2017 17:40	MDS	EPA 8021B
Ethylbenzene	<0.40	ug/L	0.40	1.4	1		08/09/2017 17:40	08/09/2017 17:40	MDS	EPA 8021B
m & p-Xylene	<0.80	ug/L	0.80	2.8	1		08/09/2017 17:40	08/09/2017 17:40	MDS	EPA 8021B
Methyl tert-butyl ether	<0.40	ug/L	0.40	1.3	1		08/09/2017 17:40	08/09/2017 17:40	MDS	EPA 8021B
Naphthalene	<0.90	ug/L	0.90	2.9	1		08/09/2017 17:40	08/09/2017 17:40	MDS	EPA 8021B
o-Xylene	<0.40	ug/L	0.40	1.4	1		08/09/2017 17:40	08/09/2017 17:40	MDS	EPA 8021B
Toluene	<0.40	ug/L	0.40	1.4	1		08/09/2017 17:40	08/09/2017 17:40	MDS	EPA 8021B

Unless specifically stated to the contrary, soil/sediment/sludge sample results reported on a Dry Weight Basis



August 21, 2017

Thomas Wastart
P.O. Box 68
Oxford, WI 53952

Re: Water Supply Well Sampling
120 W. Chauncey Street, Oxford, Wisconsin
DNR BRRTS# 03-39-168015

Dear Mr. Wastart:

Attached is a copy of the laboratory report for the water sample collected from your well on July 28, 2017.

No petroleum contamination was detected in the sample.

Thank you for your cooperation with this sampling. If you have any questions, please feel free to contact me at 608-355-8860, or by email at jenglebert@msa-ps.com. If you wish to discuss this investigation with the DNR, the DNR project manager for the case is Tom Verstegen. He can be reached at 920-424-0025, or by email at Thomas.Verstegen@wisconsin.gov.

Sincerely,

MSA Professional Services, Inc.

A handwritten signature in black ink that reads 'Jayne A. Englebert'. The signature is written in a cursive, flowing style.

Jayne A. Englebert, P.G.
Senior Hydrogeologist/Project Manager

Cc: Terry Berndt, Winner's Circle Auto
Tom Verstegen, DNR
Richard Lyster, MSA

Offices in Illinois, Iowa, Minnesota, and Wisconsin

1230 SOUTH BOULEVARD • BARABOO, WI 53913
(608) 356-2771 • (800) 362-4505 • FAX: (608) 356-2770
www.msa-ps.com

CT LABORATORIES

delivering more than data from your environmental analyses



MSA PROFESSIONAL SERVICES
 Project Name: WINNERS CIRCLE
 Project #: 213212
 Project Phase:

Contract #: 2054
 Folder #: 129356
 Page 17 of 22

CT LAB Sample#: 898644 Sample Description: 120 W CHAUNCEY Sampled: 07/27/2017

Analyte	Result	Units	LOD	LOQ	Dilution	Qualifier	Prep Date/Time	Analysis Date/Time	Analyst	Method
Organic Results										
1,2,4-Trimethylbenzene	<0.40	ug/L	0.40	1.3	1			08/09/2017 17:02	MDS	EPA 8021B
1,3,5-Trimethylbenzene	<0.40	ug/L	0.40	1.4	1			08/09/2017 17:02	MDS	EPA 8021B
Benzene	<0.40	ug/L	0.40	1.3	1			08/09/2017 17:02	MDS	EPA 8021B
Ethylbenzene	<0.40	ug/L	0.40	1.4	1			08/09/2017 17:02	MDS	EPA 8021B
m & p-Xylene	<0.80	ug/L	0.80	2.8	1			08/09/2017 17:02	MDS	EPA 8021B
Methyl tert-butyl ether	<0.40	ug/L	0.40	1.3	1			08/09/2017 17:02	MDS	EPA 8021B
Naphthalene	<0.90	ug/L	0.90	2.9	1			08/09/2017 17:02	MDS	EPA 8021B
o-Xylene	<0.40	ug/L	0.40	1.4	1			08/09/2017 17:02	MDS	EPA 8021B
Toluene	<0.40	ug/L	0.40	1.4	1			08/09/2017 17:02	MDS	EPA 8021B



August 21, 2017

Michael and Rachel Paskey
P.O. Box 471
Oxford, WI 53952

Re: Water Supply Well Sampling
131 W. Chauncey Street, Oxford, Wisconsin
DNR BRRTS# 03-39-168015

Dear Mr. and Mrs. Paskey:

Attached is a copy of the laboratory report for the water sample collected from your well on July 28, 2017.

No petroleum contamination was detected in the sample.

Thank you for your cooperation with this sampling. If you have any questions, please feel free to contact me at 608-355-8860, or by email at jenglebert@msa-ps.com. If you wish to discuss this investigation with the DNR, the DNR project manager for the case is Tom Verstegen. He can be reached at 920-424-0025, or by email at Thomas.Verstegen@wisconsin.gov.

Sincerely,

MSA Professional Services, Inc.

A handwritten signature in black ink that reads 'Jayne A. Englebert'. The signature is written in a cursive, flowing style.

Jayne A. Englebert, P.G.
Senior Hydrogeologist/Project Manager

Cc: Terry Berndt, Winner's Circle Auto
Tom Verstegen, DNR
Richard Lyster, MSA

Offices in Illinois, Iowa, Minnesota, and Wisconsin

1230 SOUTH BOULEVARD • BARABOO, WI 53913
(608) 356-2771 • (800) 362-4505 • FAX: (608) 356-2770
www.msa-ps.com

CT LAB Sample#: 898643 Sample Description: 131 W CHAUNCEY

Sampled: 07/27/2017

Analyte	Result	Units	LOD	LOQ	Dilution	Qualifier	Prep Date/Time	Analysis Date/Time	Analyst	Method
Organic Results										
1,2,4-Trimethylbenzene	<0.40	ug/L	0.40	1.3	1			08/09/2017 16:24	MDS	EPA 8021B
1,3,5-Trimethylbenzene	<0.40	ug/L	0.40	1.4	1			08/09/2017 16:24	MDS	EPA 8021B
Benzene	<0.40	ug/L	0.40	1.3	1			08/09/2017 16:24	MDS	EPA 8021B
Ethylbenzene	<0.40	ug/L	0.40	1.4	1			08/09/2017 16:24	MDS	EPA 8021B
m & p-Xylene	<0.80	ug/L	0.80	2.8	1			08/09/2017 16:24	MDS	EPA 8021B
Methyl tert-butyl ether	<0.40	ug/L	0.40	1.3	1			08/09/2017 16:24	MDS	EPA 8021B
Naphthalene	<0.90	ug/L	0.90	2.9	1			08/09/2017 16:24	MDS	EPA 8021B
o-Xylene	<0.40	ug/L	0.40	1.4	1			08/09/2017 16:24	MDS	EPA 8021B
Toluene	<0.40	ug/L	0.40	1.4	1			08/09/2017 16:24	MDS	EPA 8021B

Unless specifically stated to the contrary, soil/sediment/sludge sample results reported on a Dry Weight Basis



August 21, 2017

Joshua and Tracy Holliday
P.O. Box 385
Oxford, WI 53952

Re: Water Supply Well Sampling
138 W. Chauncey Street, Oxford, Wisconsin
DNR BRRTS# 03-39-168015

Dear Mr. and Mrs. Holliday:

Attached is a copy of the laboratory report for the water sample collected from your well on July 28, 2017.

No petroleum contamination was detected in the sample.

Thank you for your cooperation with this sampling. If you have any questions, please feel free to contact me at 608-355-8860, or by email at jenglebert@msa-ps.com. If you wish to discuss this investigation with the DNR, the DNR project manager for the case is Tom Verstegen. He can be reached at 920-424-0025, or by email at Thomas.Verstegen@wisconsin.gov.

Sincerely,

MSA Professional Services, Inc.

A handwritten signature in black ink that reads 'Jayne A. Englebert'. The signature is written in a cursive style with a large, prominent 'J' and 'E'.

Jayne A. Englebert, P.G.
Senior Hydrogeologist/Project Manager

Cc: Terry Berndt, Winner's Circle Auto
Tom Verstegen, DNR
Richard Lyster, MSA

Offices in Illinois, Iowa, Minnesota, and Wisconsin

1230 SOUTH BOULEVARD • BARABOO, WI 53913
(608) 356-2771 • (800) 362-4505 • FAX: (608) 356-2770
www.msa-ps.com

CT LABORATORIES

delivering more than data from your environmental analyses



MSA PROFESSIONAL SERVICES
 Project Name: WINNERS CIRCLE
 Project #: 213212
 Project Phase:

Contract #: 2054
 Folder #: 129356
 Page 16 of 22

CT LAB Sample#: 898642 Sample Description: 138 W CHAUNCEY

Sampled: 07/27/2017

Analyte	Result	Units	LOD	LOQ	Dilution	Qualifier	Prep Date/Time	Analysis Date/Time	Analyst	Method
Organic Results										
1,2,4-Trimethylbenzene	<0.40	ug/L	0.40	1.3	1		08/09/2017 15:46	08/09/2017 15:46	MDS	EPA 8021B
1,3,5-Trimethylbenzene	<0.40	ug/L	0.40	1.4	1		08/09/2017 15:46	08/09/2017 15:46	MDS	EPA 8021B
Benzene	<0.40	ug/L	0.40	1.3	1		08/09/2017 15:46	08/09/2017 15:46	MDS	EPA 8021B
Ethylbenzene	<0.40	ug/L	0.40	1.4	1		08/09/2017 15:46	08/09/2017 15:46	MDS	EPA 8021B
m & p-Xylene	<0.80	ug/L	0.80	2.8	1		08/09/2017 15:46	08/09/2017 15:46	MDS	EPA 8021B
Methyl tert-butyl ether	<0.40	ug/L	0.40	1.3	1		08/09/2017 15:46	08/09/2017 15:46	MDS	EPA 8021B
Naphthalene	<0.90	ug/L	0.90	2.9	1		08/09/2017 15:46	08/09/2017 15:46	MDS	EPA 8021B
o-Xylene	<0.40	ug/L	0.40	1.4	1		08/09/2017 15:46	08/09/2017 15:46	MDS	EPA 8021B
Toluene	<0.40	ug/L	0.40	1.4	1		08/09/2017 15:46	08/09/2017 15:46	MDS	EPA 8021B

CT LAB Sample#: 898643 Sample Description: 131 W CHAUNCEY

Sampled: 07/27/2017



August 21, 2017

Eric and Rachel Donat
P.O. Box 444
Oxford, WI 53952

Re: Water Supply Well Sampling
205 W. Chauncey Street, Oxford, Wisconsin
DNR BRRTS# 03-39-168015

Dear Mr. and Mrs. Donat:

Attached is a copy of the laboratory report for the water sample collected from your well on July 28, 2017.

No petroleum contamination was detected in this sample.

Thank you for your cooperation with this sampling. If you have any questions, please feel free to contact me at 608-355-8860, or by email at jenglebert@msa-ps.com. If you wish to discuss this investigation with the DNR, the DNR project manager for the case is Tom Verstegen. He can be reached at 920-424-0025, or by email at Thomas.Verstegen@wisconsin.gov.

Sincerely,

MSA Professional Services, Inc.

A handwritten signature in black ink that reads 'Jayne A. Englebert'. The signature is written in a cursive, flowing style.

Jayne A. Englebert, P.G.
Senior Hydrogeologist/Project Manager

Cc: Terry Berndt, Winner's Circle Auto
Tom Verstegen, DNR
Richard Lyster, MSA

Offices in Illinois, Iowa, Minnesota, and Wisconsin

1230 SOUTH BOULEVARD • BARABOO, WI 53913
(608) 356-2771 • (800) 362-4505 • FAX: (608) 356-2770
www.msa-ps.com

CT LAB Sample#: 898641 Sample Description: 205 W CHAUNCEY

Sampled: 07/27/2017

Analyte	Result	Units	LOD	LOQ	Dilution	Qualifier	Prep Date/Time	Analysis Date/Time	Analyst	Method
Organic Results										
1,2,4-Trimethylbenzene	<0.40	ug/L	0.40	1.3	1		08/09/2017	15:08	MDS	EPA 8021B
1,3,5-Trimethylbenzene	<0.40	ug/L	0.40	1.4	1		08/09/2017	15:08	MDS	EPA 8021B
Benzene	<0.40	ug/L	0.40	1.3	1		08/09/2017	15:08	MDS	EPA 8021B
Ethylbenzene	<0.40	ug/L	0.40	1.4	1		08/09/2017	15:08	MDS	EPA 8021B
m & p-Xylene	<0.80	ug/L	0.80	2.8	1		08/09/2017	15:08	MDS	EPA 8021B
Methyl tert-butyl ether	<0.40	ug/L	0.40	1.3	1		08/09/2017	15:08	MDS	EPA 8021B
Naphthalene	<0.90	ug/L	0.90	2.9	1		08/09/2017	15:08	MDS	EPA 8021B
o-Xylene	<0.40	ug/L	0.40	1.4	1		08/09/2017	15:08	MDS	EPA 8021B
Toluene	<0.40	ug/L	0.40	1.4	1		08/09/2017	15:08	MDS	EPA 8021B

Unless specifically stated to the contrary, soil/sediment/sludge sample results reported on a Dry Weight Basis



August 21, 2017

Robert and Joan Sparks
110 S. Henry Street, Apt. 1201
Madison, WI 53703

Re: Water Supply Well Sampling
219 W. Chauncey Street, Oxford, Wisconsin
DNR BRRTS# 03-39-168015

Dear Mr. and Mrs. Sparks:

Attached is a copy of the laboratory report for the water sample collected from your well on July 28, 2017.

No petroleum contamination was detected in the sample.

Thank you for your cooperation with this sampling. If you have any questions, please feel free to contact me at 608-355-8860, or by email at jenglebert@msa-ps.com. If you wish to discuss this investigation with the DNR, the DNR project manager for the case is Tom Verstegen. He can be reached at 920-424-0025, or by email at Thomas.Verstegen@wisconsin.gov.

Sincerely,

MSA Professional Services, Inc.

A handwritten signature in black ink that reads 'Jayne A. Englebert'. The signature is written in a cursive style with a large initial 'J'.

Jayne A. Englebert, P.G.
Senior Hydrogeologist/Project Manager

Cc: Terry Berndt, Winner's Circle Auto
Tom Verstegen, DNR
Richard Lyster, MSA

Offices in Illinois, Iowa, Minnesota, and Wisconsin

1230 SOUTH BOULEVARD • BARABOO, WI 53913
(608) 356-2771 • (800) 362-4505 • FAX: (608) 356-2770
www.msa-ps.com

CT LABORATORIES

delivering more than data from your environmental analyses



MSA PROFESSIONAL SERVICES
Project Name: WINNERS CIRCLE
Project #: 213212
Project Phase:

Contract #: 2054
Folder #: 129356
Page 15 of 22

CT LAB Sample#: 898640 Sample Description: 219 W CHAUNCEY

Sampled: 07/27/2017

Analyte	Result	Units	LOD	LOQ	Dilution	Qualifier	Prep Date/Time	Analysis Date/Time	Analyst	Method
Organic Results										
1,2,4-Trimethylbenzene	<0.40	ug/L	0.40	1.3	1		08/09/2017 14:31	08/09/2017 14:31	MDS	EPA 8021B
1,3,5-Trimethylbenzene	<0.40	ug/L	0.40	1.4	1		08/09/2017 14:31	08/09/2017 14:31	MDS	EPA 8021B
Benzene	<0.40	ug/L	0.40	1.3	1		08/09/2017 14:31	08/09/2017 14:31	MDS	EPA 8021B
Ethylbenzene	<0.40	ug/L	0.40	1.4	1		08/09/2017 14:31	08/09/2017 14:31	MDS	EPA 8021B
m & p-Xylene	<0.80	ug/L	0.80	2.8	1		08/09/2017 14:31	08/09/2017 14:31	MDS	EPA 8021B
Methyl tert-butyl ether	<0.40	ug/L	0.40	1.3	1		08/09/2017 14:31	08/09/2017 14:31	MDS	EPA 8021B
Naphthalene	<0.90	ug/L	0.90	2.9	1		08/09/2017 14:31	08/09/2017 14:31	MDS	EPA 8021B
o-Xylene	<0.40	ug/L	0.40	1.4	1		08/09/2017 14:31	08/09/2017 14:31	MDS	EPA 8021B
Toluene	<0.40	ug/L	0.40	1.4	1		08/09/2017 14:31	08/09/2017 14:31	MDS	EPA 8021B

Sampled: 07/27/2017



August 21, 2017

George Johnson
P.O. Box 198
Oxford, WI 53952

Re: Water Supply Well Sampling
229 S. Oxford Street, Oxford, Wisconsin
DNR BRRTS# 03-39-168015

Dear Mr. Johnson:

Attached is a copy of the laboratory report for the water sample collected from your well on July 28, 2017.

No petroleum contamination was detected in the sample.

Thank you for your cooperation with this sampling. If you have any questions, please feel free to contact me at 608-355-8860, or by email at jenglebert@msa-ps.com. If you wish to discuss this investigation with the DNR, the DNR project manager for the case is Tom Verstegen. He can be reached at 920-424-0025, or by email at Thomas.Verstegen@wisconsin.gov.

Sincerely,

MSA Professional Services, Inc.

A handwritten signature in black ink that reads 'Jayne A. Englebert'. The signature is written in a cursive, flowing style.

Jayne A. Englebert, P.G.
Senior Hydrogeologist/Project Manager

Cc: Terry Berndt, Winner's Circle Auto
Tom Verstegen, DNR
Richard Lyster, MSA

Offices in Illinois, Iowa, Minnesota, and Wisconsin

1230 SOUTH BOULEVARD • BARABOO, WI 53913
(608) 356-2771 • (800) 362-4505 • FAX: (608) 356-2770
www.msa-ps.com

CT LAB Sample#: 898639 Sample Description: 229 S OXFORD

Sampled: 07/27/2017

Analyte	Result	Units	LOD	LOQ	Dilution	Qualifier	Prep Date/Time	Analysis Date/Time	Analyst	Method
Organic Results										
1,2,4-Trimethylbenzene	<0.40	ug/L	0.40	1.3	1		08/09/2017	13:52	MDS	EPA 8021B
1,3,5-Trimethylbenzene	<0.40	ug/L	0.40	1.4	1		08/09/2017	13:52	MDS	EPA 8021B
Benzene	<0.40	ug/L	0.40	1.3	1		08/09/2017	13:52	MDS	EPA 8021B
Ethylbenzene	<0.40	ug/L	0.40	1.4	1		08/09/2017	13:52	MDS	EPA 8021B
m & p-Xylene	<0.80	ug/L	0.80	2.8	1		08/09/2017	13:52	MDS	EPA 8021B
Methyl tert-butyl ether	<0.40	ug/L	0.40	1.3	1		08/09/2017	13:52	MDS	EPA 8021B
Naphthalene	<0.90	ug/L	0.90	2.9	1		08/09/2017	13:52	MDS	EPA 8021B
o-Xylene	<0.40	ug/L	0.40	1.4	1		08/09/2017	13:52	MDS	EPA 8021B
Toluene	<0.40	ug/L	0.40	1.4	1		08/09/2017	13:52	MDS	EPA 8021B

Unless specifically stated to the contrary, soil/sediment/sludge sample results reported on a Dry Weight Basis



August 21, 2017

Dale and Christine Korth
P.O. Box 235
Oxford, WI 53952

Re: Water Supply Well Sampling
129 S. Oxford Street, Oxford, Wisconsin
DNR BRRTS# 03-39-168015

Dear Mr. and Mrs. Korth:

Attached is a copy of the laboratory report for the water sample collected from your well on July 28, 2017.

No petroleum contamination was detected in the sample.

Thank you for your cooperation with this sampling. If you have any questions, please feel free to contact me at 608-355-8860, or by email at jenglebert@msa-ps.com. If you wish to discuss this investigation with the DNR, the DNR project manager for the case is Tom Verstegen. He can be reached at 920-424-0025, or by email at Thomas.Verstegen@wisconsin.gov.

Sincerely,

MSA Professional Services, Inc.

Jayne A. Englebert, P.G.
Senior Hydrogeologist/Project Manager

Cc: Terry Berndt, Winner's Circle Auto
Tom Verstegen, DNR
Richard Lyster, MSA

Offices in Illinois, Iowa, Minnesota, and Wisconsin

1230 SOUTH BOULEVARD • BARABOO, WI 53913
(608) 356-2771 • (800) 362-4505 • FAX: (608) 356-2770
www.msa-ps.com

CT LABORATORIES

delivering more than data from your environmental analyses



MSA PROFESSIONAL SERVICES
Project Name: WINNERS CIRCLE
Project #: 213212
Project Phase:

Contract #: 2054
Folder #: 129356
Page 14 of 22

CT LAB Sample#: 898638 Sample Description: 129 S OXFORD

Sampled: 07/27/2017

Analyte	Result	Units	LOD	LOQ	Dilution	Qualifier	Prep Date/Time	Analysis Date/Time	Analyst	Method
Organic Results										
1,2,4-Trimethylbenzene	<0.40	ug/L	0.40	1.3	1			08/09/2017 13:15	MDS	EPA 8021B
1,3,5-Trimethylbenzene	<0.40	ug/L	0.40	1.4	1			08/09/2017 13:15	MDS	EPA 8021B
Benzene	<0.40	ug/L	0.40	1.3	1			08/09/2017 13:15	MDS	EPA 8021B
Ethylbenzene	<0.40	ug/L	0.40	1.4	1			08/09/2017 13:15	MDS	EPA 8021B
m & p-Xylene	<0.80	ug/L	0.80	2.8	1			08/09/2017 13:15	MDS	EPA 8021B
Methyl tert-butyl ether	<0.40	ug/L	0.40	1.3	1			08/09/2017 13:15	MDS	EPA 8021B
Naphthalene	<0.90	ug/L	0.90	2.9	1			08/09/2017 13:15	MDS	EPA 8021B
o-Xylene	<0.40	ug/L	0.40	1.4	1			08/09/2017 13:15	MDS	EPA 8021B
Toluene	<0.40	ug/L	0.40	1.4	1			08/09/2017 13:15	MDS	EPA 8021B



August 21, 2017

Thomas and Roberta Roos
P.O. Box 223
Oxford, WI 53952

Re: Water Supply Well Sampling
128 S. Oxford Street, Oxford, Wisconsin
DNR BRRTS# 03-39-168015

Dear Mr. and Mrs. Roos:

Attached is a copy of the laboratory report for the water sample collected from your well on July 28, 2017.

No petroleum contamination was detected in the sample.

Thank you for your cooperation with this sampling. If you have any questions, please feel free to contact me at 608-355-8860, or by email at jenglebert@msa-ps.com. If you wish to discuss this investigation with the DNR, the DNR project manager for the case is Tom Verstegen. He can be reached at 920-424-0025, or by email at Thomas.Verstegen@wisconsin.gov.

Sincerely,

MSA Professional Services, Inc.

A handwritten signature in black ink that reads 'Jayne A. Englebert'. The signature is written in a cursive, flowing style.

Jayne A. Englebert, P.G.
Senior Hydrogeologist/Project Manager

Cc: Terry Berndt, Winner's Circle Auto
Tom Verstegen, DNR
Richard Lyster, MSA

Offices in Illinois, Iowa, Minnesota, and Wisconsin

1230 SOUTH BOULEVARD • BARABOO, WI 53913
(608) 356-2771 • (800) 362-4505 • FAX: (608) 356-2770
www.msa-ps.com

CT LAB Sample#: 898637 Sample Description: 128 S OXFORD WELL

Sampled: 07/27/2017

Analyte	Result	Units	LOD	LOQ	Dilution	Qualifier	Prep Date/Time	Analysis Date/Time	Analyst	Method
Organic Results										
1,2,4-Trimethylbenzene	<0.40	ug/L	0.40	1.3	1			08/09/2017 12:37	MDS	EPA 8021B
1,3,5-Trimethylbenzene	<0.40	ug/L	0.40	1.4	1			08/09/2017 12:37	MDS	EPA 8021B
Benzene	<0.40	ug/L	0.40	1.3	1			08/09/2017 12:37	MDS	EPA 8021B
Ethylbenzene	<0.40	ug/L	0.40	1.4	1			08/09/2017 12:37	MDS	EPA 8021B
m & p-Xylene	<0.80	ug/L	0.80	2.8	1			08/09/2017 12:37	MDS	EPA 8021B
Methyl tert-butyl ether	<0.40	ug/L	0.40	1.3	1			08/09/2017 12:37	MDS	EPA 8021B
Naphthalene	<0.90	ug/L	0.90	2.9	1			08/09/2017 12:37	MDS	EPA 8021B
o-Xylene	<0.40	ug/L	0.40	1.4	1			08/09/2017 12:37	MDS	EPA 8021B
Toluene	<0.40	ug/L	0.40	1.4	1			08/09/2017 12:37	MDS	EPA 8021B

Unless specifically stated to the contrary, soil/sediment/sludge sample results reported on a Dry Weight Basis



August 21, 2017

Village Hall/Library
P.O. Box 122
Oxford, WI 53952

Re: Water Supply Well Sampling
129 S. Franklin, Oxford, Wisconsin
DNR BRRTS# 03-39-168015

Dear Sir/Madame:

Attached is the laboratory report for the water sample collected at the Village Hall on July 27, 2017.

No petroleum contamination was detected in the sample.

Thank you for your cooperation with this sampling. If you have any questions, please feel free to contact me at 608-355-8860, or by email at jenglebert@msa-ps.com. If you wish to discuss this investigation with the DNR, the DNR project manager for the case is Tom Verstegen. He can be reached at 920-424-0025, or by email at Thomas.Verstegen@wisconsin.gov.

Sincerely,

MSA Professional Services, Inc.

A handwritten signature in black ink that reads 'Jayne A. Englebert'. The signature is written in a cursive style with a large, prominent 'J' and 'E'.

Jayne A. Englebert, P.G.
Senior Hydrogeologist/Project Manager

Cc: Terry Berndt, Winner's Circle Auto
Tom Verstegen, DNR
Richard Lyster, MSA

Offices in Illinois, Iowa, Minnesota, and Wisconsin

1230 SOUTH BOULEVARD • BARABOO, WI 53913
(608) 356-2771 • (800) 362-4505 • FAX: (608) 356-2770
www.msa-ps.com

CT LABORATORIES

delivering more than data from your environmental analyses



MSA PROFESSIONAL SERVICES
Project Name: WINNERS CIRCLE
Project #: 213212
Project Phase:

Contract #: 2054
Folder #: 129356
Page 13 of 22

CT LAB_Sample#: 898636 Sample Description: VILLAGE HALL

Sampled: 07/27/2017

Analyte	Result	Units	LOD	LOQ	Dilution	Qualifier	Prep Date/Time	Analysis Date/Time	Analyst	Method
1,2,4-Trimethylbenzene	<0.40	ug/L	0.40	1.3	1			08/09/2017 11:59	MDS	EPA 8021B
1,3,5-Trimethylbenzene	<0.40	ug/L	0.40	1.4	1			08/09/2017 11:59	MDS	EPA 8021B
Benzene	<0.40	ug/L	0.40	1.3	1			08/09/2017 11:59	MDS	EPA 8021B
Ethylbenzene	<0.40	ug/L	0.40	1.4	1			08/09/2017 11:59	MDS	EPA 8021B
m & p-Xylene	<0.80	ug/L	0.80	2.8	1			08/09/2017 11:59	MDS	EPA 8021B
Methyl tert-butyl ether	<0.40	ug/L	0.40	1.3	1			08/09/2017 11:59	MDS	EPA 8021B
Naphthalene	<0.90	ug/L	0.90	2.9	1			08/09/2017 11:59	MDS	EPA 8021B
o-Xylene	<0.40	ug/L	0.40	1.4	1			08/09/2017 11:59	MDS	EPA 8021B
Toluene	<0.40	ug/L	0.40	1.4	1			08/09/2017 11:59	MDS	EPA 8021B