

SCS ENGINEERS

September 18, 2013
File No. 25212159.0

Ms. Nancy D. Ryan, Hydrogeologist
Bureau for Remediation and Redevelopment
Wisconsin Department of Natural Resources
2300 N. Dr. Martin Luther King, Jr. Drive
Milwaukee, WI 53212

Subject: DERF Site Investigation – Status Update
Queens Way Cleaners (former), aka Speedy Lube
117 East Capitol Drive, Milwaukee, Wisconsin
BRRTS #02-41-182420

Dear Nancy:

The following information is being submitted by SCS Engineers (SCS) on behalf of the Hunn Family Trust. Recent activities include installation of soil borings and groundwater monitoring wells, groundwater monitoring, sub-slab vapor sampling, and sampling of indoor and outdoor (background) air quality.

Groundwater Monitoring

On May 30, 2013, SCS monitored groundwater at the five wells previously installed at the site. The analytical results are summarized in **Table 1**, and the analytical report is included as **Attachment A**. Chlorinated volatile organic compounds (CVOCs) were detected at concentrations above the Wis. Adm. Code NR 140 enforcement standards (ESs) at all of the wells except MW3A. High concentrations of CVOCs were detected at MW2A, where previously in 2003, only tetrachloroethylene (PCE) and trichloroethene (TCE) were detected at low concentrations above the preventive action limit, but below the ESs.

Soil Boring Installation

SCS coordinated and documented the installation of soil borings and monitoring wells on July 11 and 12, 2013. Locations are shown on **Figure 1**. Borings B15 through B18 were installed at the approximate locations shown in the work plan dated April 3, 2013. Boring B19 was installed near monitoring well MW2A. A soil boring at this location was not proposed in the work plan but was added because of a suspected possible contaminate source in the area of MW2A. Borings B7A, B20, and B21 are hand auger borings, installed at the west side of the site at the approximate locations shown in the April 3, 2013 work plan. Boring logs and abandonment forms are included in **Attachment B**. The soil analytical results are summarized in **Table 2**, and the analytical report is included in **Attachment C**.



Monitoring Well Installation

The April 3, 2013 work plan included the installation of three water table wells in unconsolidated sediment to depths of approximately 16 feet below ground surface, and the installation of one piezometer to an approximate depth of 35 feet at one of the water table well locations. The well nest MW12/MW12P was proposed for the northeast corner of the residential lot at 3935 North Palmer Street. However, depth to water at that location was found to be approximately 19 feet below ground surface, and refusal on bedrock was at a depth of about 20 feet. A water table well was installed but no piezometer.

MW14 was installed approximately 20 feet from the location proposed in the work plan due to obstructed access to the planned location. Planned well MW13 was not attempted because of the greater than estimated depth to water, the shallow bedrock, and limitations due to underground utilities. Boring logs, well construction and well development forms are included in **Attachment B**.

Sub-Slab Vapor Sampling

SCS obtained an access agreement with the owner of the property at 3935 North Palmer Street in order to conduct sub-slab vapor sampling and indoor air sampling. On July 25, 2013, two sub-slab vapor samples were collected in the basement of the house at 3935 North Palmer, and two sub-slab vapor samples were collected at Lindem's garage. Helium shroud leak tests were conducted prior to collecting the vapor samples.

SCS also collected 24-hour indoor air samples from the basement, first floor, and second floors of the residence at 3935 N. Palmer Street. A 24-hour outdoor air sample was collected on the porch of the residence. The air and vapor samples were submitted to the Wisconsin State Laboratory of Hygiene for TO-15 analysis of PCE, cis-1,2-dichloroethene, trans-1,2-dichloroethene, TCE, and vinyl chloride.

PCE was the only compound detected in the air and vapor samples (**Tables 4 and 5**). The PCE vapor concentration detected at Lindem's garage on the east side of the garage, adjacent the former PCE tank location, exceeds the non-residential vapor risk screening level. The PCE vapor concentration detected at Lindem's garage on the west side of the garage, adjacent the sewer line, did not exceed the non-residential vapor risk screening level.

Both PCE vapor concentrations detected at the house basement exceed the residential vapor risk screening level. However, none of the PCE concentrations detected in the indoor air samples collected in the house exceed the indoor air vapor action level.

The laboratory analytical report for the vapor and air sampling is included in **Attachment D**. The approximate sampling locations are shown on **Figure 1**.

Groundwater Monitoring at New Monitoring Wells

The two monitoring wells installed on July 12, 2013, were developed on July 24, 2013, and were sampled on August 12, 2013. Samples were analyzed for volatile organic compounds. The analytical report is included in **Attachment A**, and results are summarized in **Table 1**. Groundwater levels were measured at all the groundwater monitoring wells on August 12, 2013. The levels measured and groundwater elevations are summarized in **Table 3**.

Figure 2, a water table contour map based on the August 12, 2013 water level measurements, is attached. The contour map indicates groundwater flow at the water table radially outward from the location of MW1.

Discussion

Depth to bedrock and depth to groundwater is significantly different than anticipated based on available regional information and from nearby sites. A revised work plan and change order will be prepared to address the actual hydrogeologic environment encountered. The revised work plan will include off-site wells installed in bedrock.

Additional vapor monitoring at Lindem's garage and installation of a vapor mitigation system at the 3935 North Palmer residence will likely be necessary.

The former PCE tank excavation may be acting as an area of increased infiltration to groundwater due to the permeable backfill, the grass-covered ground surface over lying the area, and runoff from the garage roof. Options for capping the area and/or excavating contaminated soil will be considered and proposed as an interim action.

The contamination observed at MW2A may be due to the mounding condition caused by the increased infiltration in the former tank area or may be associated with another source of CVOCs, possibly the body shop at 3913 North Palmer Street. The revised work plan will include investigating other possible sources of CVOCs.

We would like to discuss the recent investigation findings with you, and obtain your comments prior to preparing the revised work plan, change order, and proposal for an interim action. Please contact Betty at 608-216-7331 or bsocha@scsengineers.com with any questions or comments you may have during your review of the information in this update letter. Thank you.

Certification

I, Betty J. Socha, hereby certify that I am a hydrogeologist as the term is defined in s. NR 712.03(1), Wis. Adm. Code, and that, to the best of my knowledge, all of the information contained in this document is correct and the document was prepared in compliance with all applicable requirements in chs. NR 700 to 726, Wis. Adm. Code.

Sincerely,



Betty J. Socha, PhD, PG
Senior Project Manager
SCS ENGINEERS



Tony Kollasch
Project Hydrogeologist
SCS ENGINEERS

cc: Mr. Lou Dodulik, Mudroch & Dodulik, S.C.
Mr. Don Gagas, DFG Environmental, Inc.

Enclosures: Table 1 – Groundwater Analytical Results Summary – VOCs
Table 2 – Soil Analytical Results Summary – VOCs
Table 3 – Water Level Summary
Table 4 – Sub-Slab Vapor Analytical Results Summary
Table 5 – 24-Hour Ambient Air Analytical Results Summary
Figure 1 – Environmental Sampling Locations
Figure 2 – Water Table Contour Map for August 12, 2013
Attachment A – Laboratory Reports for Groundwater Analysis
Attachment B – Field Documentation Forms
Attachment C – Laboratory Report for Soils Analysis
Attachment D – Laboratory Report for Vapor and Air Analysis

TABLES

- 1 Groundwater Analytical Results Summary – VOCs
- 2 Soil Analytical Results Summary – VOCs
- 3 Water Level Summary
- 4 Sub-Slab Vapor Analytical Results Summary
- 5 24-Hour Ambient Air Analytical Results Summary

Table 1. Groundwater Analytical Results Summary - VOCs
Hunn Family Trust Site, 117 E. Capitol Drive, Milwaukee, WI / SCS Engineers Project #25212159.00
 (Results are in µg/L)

Sample	Date	Lab Notes	Benzene	Ethylbenzene	Toluene	trans-1,2-Dichloroethene	cis-1,2-Dichloroethene	MTBE	PCE	TCE	VC	Other VOCs
MW-1	2/12/2003	--	<250	<530	<840	<800	<810	<870	99,000	<390	580	ND
	5/30/2013	(1)	<500	<500	<439	<371	819 J	<494	105,000	662 J	<185	ND
	5/30/2013 (Dup)	(1)	<500	<500	<439	<371	729 J	<494	96,200	596 J	<185	ND
MW-2A	2/12/2003	--	<0.25	<0.53	<0.84	<0.80	<0.81	<0.87	1.0	0.98	<0.11	ND
	5/30/2013	(1)	<125	<125	<110	1,210	28,600	<123	39,200	7,060	64.4 J	ND
MW-3A	2/12/2003	--	<0.25	<0.53	<0.84	<0.80	<0.81	<0.87	<0.63	<0.39	<0.11	ND
	5/30/2013	(1)	2.8	<0.50	<0.44	<0.37	0.53 J	<0.49	<0.47	<0.43	<0.18	ND
MW-4	5/30/2013	(1)	<1.0	<1.0	<0.88	10.6	232	<0.99	51.9	53.3	<0.37	ND
MW-5	5/30/2013	(1)	<12.5	<12.5	<11.0	<9.3	18.4 J	<12.3	4,880	<10.7	<4.6	ND
MW12	8/12/2013	--	0.69 J	<0.50	1.7	<0.37	<0.42	<0.49	<0.47	<0.43	<0.18	1,2-Dichloroethane 1.2 Chloromethane 12.2
MW14	8/12/2013	--	<0.50	<0.50	<0.44	<0.37	<0.42	<0.49	<0.47	<0.43	<0.18	Chloromethane 9.6
Trip Blank	5/30/2013	(1)	<0.50	<0.50	<0.44	<0.37	<0.42	<0.49	<0.47	<0.43	<0.18	ND
NR 140 Enforcement Standards (ESs)			5	700	800	100	480	60	5	5	0.2	1,2-Dichloroethane 5 Chloromethane 30
NR 140 Preventive Action Limits (PALs)			0.5	140	160	20	96	12	0.5	0.5	0.02	1,2-Dichloroethane 0.5 Chloromethane 3

Abbreviations:

µg/L = micrograms per liter or parts per billion (ppb)
 TMBs = 1,2,4- and 1,3,5-trimethylbenzenes

MTBE = Methyl-tert-butyl ether
 VC = Vinyl Chloride

PCE = Tetrachloroethene
 VOCs = Volatile Organic Compounds

TCE = Trichloroethene
 ND = Not Detected

Notes:

NR 140 ESs - Wisconsin Administrative Code (WAC), Chapter NR 140.10 Table 1 - Public Health Groundwater Quality Standards.

NR 140 PALs - WAC, Chapter NR 140.10 Table 1 - Public Health Groundwater Quality Standards.

Bold+underlined values meet or exceed NR 140 ESs.

Italic+underlined values meet or exceed NR 140 PALs.

2003 Groundwater samples collected by Shaw Environmental & Infrastructure, Inc. Results reported in a letter dated October 23, 2003, addressed to Hunn Family Trust.

2013 Groundwater samples collected by SCS Engineers.

Laboratory Notes/Qualifiers:

J = Estimated concentration above the adjusted method detection limit and below the adjusted reporting limit.

(1) Trichlorofluoromethane analysis - Analyte recovery in the laboratory control sample exceeded Quality Control limits. Analyte presence below reporting limits in associated samples. Results unaffected by high bias.

Created by: TLC
 Last revision by: TLC
 Checked by: BJS

Date: 12/31/2012
 Date: 8/26/2013
 Date: 8/26/2013

Table 2. Soil Analytical Results Summary - VOCs
Hunn Family Trust Site, 117 E. Capitol Drive, Milwaukee, WI / SCS Engineers Project #25212159.00
 (Results are in µg/kg, except where noted otherwise)

Sample	Date	Depth (feet)	PID (ppm)	Lab Notes	Benzene	Ethylbenzene	Toluene	Xylenes	1,2,4-TMB	1,3,5-TMB	MTBE	PCE	TCE	Lead	Other VOCs
MW-1	1/9/2003	2-4	--	--	<130	<130	<130	<260	<130	<130	<130	34,000	<130	NA	ND
		8-10	--	--	<2,500	<2,500	<2,500	<5,000	<2,500	<2,500	<2,500	740,000	<2,500	NA	ND
MW-4	1/9/2003	2-4	--	--	<62	<62	<62	<134	<62	<62	<62	19,000	760	NA	ND
		12-14	--	--	<1,000	<1,000	<1,000	<2,000	<1,000	<1,000	<1,000	290,000	2,100	NA	ND
MW-5	1/9/2003	2-4	--	--	<25	<25	<25	<50	<25	<25	<25	3,800	<25	NA	ND
		8-10	--	--	<50	<50	<50	<100	<50	<50	<50	12,000	<50	NA	ND
MW-2A	1/9/2003	10-12	--	--	<25	<25	<25	<50	<25	<25	<25	530	57	NA	cis-1,2-Dichloroethene 86
(B2A) B19 - S1	7/11/2013	0-2.5	42.7	(1)(3)	<25	<25	<25	<75	<25	<25	<25	37.6 J1	<25	NA	Vinyl chloride 115 cis-1,2-Dichloroethene 1,870 trans-1,2-Dichloroethene 690
B19 - S3		5-7.5	60.6	(1)(3)	<25	<25	<25	<75	<25	<25	<25	59.6 J1	1,090	NA	cis-1,2-Dichloroethene 3,850 trans-1,2-Dichloroethene 208
MW-3A	1/9/2003	10-12	--	--	<25	<25	<25	<50	<25	<25	<25	<25	<25	NA	ND
B-1	8/7/1998	4-6	73	--	ND	ND	ND	ND	ND	ND	ND	120,000	2,300	<50	Chlorobenzene 26 cis-1,2-Dichlorobenzene 190
		8-10	568	--	ND	ND	ND	ND	ND	ND	ND	150,000	<250	<50	ND
		16-18	0	--	ND	ND	ND	ND	ND	ND	ND	2,600	<25	<50	ND
B-2	8/7/1998	6-8	154	--	ND	ND	ND	ND	ND	ND	ND	140,000	100	<50	Chlorobenzene 33 1,2-Dichlorobenzene 46
		12-14	4,528	--	ND	ND	ND	ND	ND	ND	ND	2,100,000	<500	<50	1,2-Dichlorobenzene 810
		18-20	7	--	ND	ND	ND	ND	ND	ND	ND	110	<25	<50	ND
B-3	8/7/1998	4-6	20	--	ND	ND	ND	ND	ND	ND	ND	700	130	<50	cis-1,2-Dichlorobenzene 36
		10-12	0	--	ND	ND	ND	ND	ND	ND	ND	240	<25	<50	ND
		18-20	0	--	ND	ND	ND	ND	ND	ND	ND	250	<25	<50	ND
B-4	8/7/1998	2-4	0	--	ND	ND	ND	ND	ND	ND	ND	180	<25	<50	ND
		10-12	0	--	ND	ND	ND	ND	ND	ND	ND	<25	<25	<50	ND
		14-16	0	--	ND	ND	ND	ND	ND	ND	ND	<25	<25	<50	ND
B-5	8/7/1998	10-12	0	--	<25	<25	<25	<50	<25	<25	<25	<25	<25	12 J	ND
B-6	8/7/1998	6-8	0	--	<25	<25	<25	<50	<25	<25	<25	240	<25	16 J	ND
B-7	8/7/1998	6-8	22	--	<25	<25	<25	<50	<25	<25	ND	50,000	440	20 J	cis-1,2-Dichlorobenzene 84
B7 - S2	7/12/2013	1-2	5.6	(1)(3)	<25	<25	<25	<75	<25	<25	<25	2,800	71.9 J1	NA	cis-1,2-Dichloroethene 179
B7 - S7		6-7	12	(1)	<50	<50	<50	<150	<50	<50	<50	12,100	146	NA	ND

Table 2. Soil Analytical Results Summary - VOCs
Hunn Family Trust Site, 117 E. Capitol Drive, Milwaukee, WI / SCS Engineers Project #25212159.00
 (Results are in µg/kg, except where noted otherwise)

Sample	Date	Depth (feet)	PID (ppm)	Lab Notes	Benzene	Ethylbenzene	Toluene	Xylenes	1,2,4-TMB	1,3,5-TMB	MTBE	PCE	TCE	Lead	Other VOCs
B12 - S1	7/11/2013	0-2.5	0.4	(1)	<25	<25	<25	<75	<25	<25	<25	<25	<25	NA	ND
B12 - S7		15-17.5	1.7	(1)	<25	<25	<25	<75	<25	<25	<25	<25	<25	NA	ND
B14 - S2	7/11/2013	2.5-5	4/2	(1)(3)	<25	<25	<25	<75	<25	<25	<25	<25	<25	NA	ND
B14 - S6		12.5-15	3.4	(1)(3)	<25	<25	<25	<75	<25	<25	<25	<25	<25	NA	ND
B15 - S1	7/11/2013	0-2.5	3.5	(1)	<25	<25	<25	<75	<25	<25	<25	<25	<25	NA	ND
B15 - S4		7.5-10	5.7	(1)	<25	<25	<25	<75	<25	<25	<25	<25	<25	NA	ND
B16 - S1	7/11/2013	0-2.5	1.4	(1)	<25	<25	<25	<75	<25	<25	<25	311	34.1 J1	NA	ND
B16 - S6		12.5-15	2.9	(1)	<25	<25	<25	<75	<25	<25	<25	<25	<25	NA	ND
B17 - S1	7/11/2013	0-2.5	0.1	(1)	<25	<25	<25	<75	<25	<25	<25	<25	<25	NA	ND
B17 - S6		12.5-15	0.3	(1)	<25	<25	<25	<75	<25	<25	<25	<25	<25	NA	ND
B18 - S1	7/11/2013	0-2.5	8.2	(1)	<25	<25	<25	<75	<25	<25	<25	817	<25	NA	ND
B18 - S10		22.5-24	1,351	(1)(2)	<500	<500	<500	<1,500	<500	<500	<500	155,000	1,380	NA	ND
B20 - S3	7/12/2013	2-3	9.8	(4)	<25	<25	<25	<75	<25	<25	<25	1,750	<25	NA	Chloroform 78.3 B
B20 - S5		4-5	33.2	(4)	<50	<50	<50	<150	<50	<50	<50	6,190	167	NA	Chloroform 97.9 J1,B
B21 - S3	7/12/2013	2-3	3.9	(1)(3)	<25	<25	<25	<75	<25	<25	<25	<25	<25	NA	ND
B21 - S7		6-7	4.3	(1)(3)	<25	<25	<25	<75	<25	<25	<25	1,290	34.4 J1	NA	ND
B-200	1/9/2003	2-4	--	--	<25	<25	<25	<50	<25	<25	<25	600	68	NA	ND
		8-10	--	--	<25	<25	<25	<50	<25	<25	<25	3,000	<25	NA	ND
B-300	1/9/2003	2-4	--	--	<25	<25	<25	<50	<25	<25	<25	1,200	<25	NA	ND
		6-8	--	--	<25	<25	<25	<50	<25	<25	<25	1,800	<25	NA	ND
S-100	11/29/1999	8	1,566	--	<250,000	<250,000	<250,000	<750,000	<250,000	<250,000	<250,000	1,700,000	<250,000	NA	ND
NR 720 Residual Contaminant Level (RCL)					5.5	2,900	1,500	4,100	NE	NE	NE	NE	NE	50	1,2-Dichloroethane 4.9
NR 746 Table 1					8,500	4,600	38,000	42,000	83,000	11,000	NE	NE	NE	NE	1,2-Dichloroethane 600
NR 746 Table 2					1,100	NE	NE	NE	NE	NE	NE	NE	NE	NE	1,2-Dichloroethane 540

Abbreviations:

µg/kg = micrograms per kilogram or parts per billion (ppb)
 PCE = Tetrachloroethene
 TMB = Trimethylbenzene
 ND = Not Detected

ppm = PID measured in ppm as isobutylene
 PID = Photo-Ionization Detector
 VOCs = Volatile Organic Compounds
 NE = Not Established

MTBE = Methyl-tert-butyl ether
 TCE = Trichloroethene
 NA = Not Analyzed
 -- = Not Applicable

Table 2. Soil Analytical Results Summary - VOCs
Hunn Family Trust Site, 117 E. Capitol Drive, Milwaukee, WI / SCS Engineers Project #25212159.00

Notes:

Bold+underlined values exceed NR 720 RCLs.

NR 720 RCL - Wisconsin Administrative Code (WAC), Chapter NR 720 Residual Contaminant Level.

NR 746 Table 1 - WAC, Chapter NR 746.06(2)(b) Table 1 - Indicators of Residual Petroleum Product in Soil Pores.

NR 746 Table 2 - WAC, Chapter NR 746.06(2)(b) Table 2 - Protection of Human Health from Direct Contact with Contaminated Soil.

2003 soil samples collected by Shaw Environmental & Infrastructure, Inc. Results reported in a letter dated October 23, 2003, addressed to Hunn Family Trust.

1998 soil samples collected by Envirogen. Results reported to the WDNR in a workplan dated October 22, 2002.

1999 soil sample S-100 collected by Environmental Associates, Inc. Laboratory report included in a letter dated March 2, 2000, addressed to the Hunn Family Trust.

Laboratory Notes/Qualifiers:

B = Analyte was detected in the associated method blank.

J = Analyte detected between the limit of detection and limit of quantitation.

J1 = Estimated concentration above the adjusted method detection limit and below the adjusted reporting limit.

1q = Continue calibration verification for this compound is outside of method control limits. Analyte presence below reporting limit; results unaffected by high bias.

(1) Non-detect results are reported on a wet weight basis. Bromomethane, Chloroethane = Analyte recovery in the laboratory control sample exceeded quality control limits.

Analyte presence below reporting limits in associated samples. Results unaffected by high bias.

(2) Surrogate = Surrogate recovery not evaluated against control limits due to sample dilution.

(3) Chloroethane = Continue calibration verification for this compound is outside of method control limits. Analyte presence below reporting limit; results unaffected by high bias.

(4) Non-detect results are reported on a wet weight basis.

Created by:	<u>TLC</u>	Date:	<u>12/31/2012</u>
Last revision by:	<u>TLC</u>	Date:	<u>7/25/2013</u>
Checked by:	<u>BJJ</u>	Date:	<u>7/26/2013</u>

I:\25212159\Tables-General\[Soil_VOCs.xls]Notes

Table 3. Water Level Summary
Hunn Family Trust, Milwaukee, WI / SCS Engineers Project #25212159.01

Raw Data	Depth to Water in feet below top of well casing						
	MW1	MW2A	MW3A	MW4	MW5	MW12	MW14
Measurement Date							
May 30, 2013	3.55	14.16	8.55	20.49	18.30	--	--
August 12, 2013	6.51	14.95	13.38	20.22	20.05	19.26	17.02

Ground Water Elevation in feet above mean sea level (amsl)							
Well Number	MW1	MW2A	MW3A	MW4	MW5	MW12	MW14
Top of Casing Elevation (feet amsl)	653.81	652.91	651.97	652.00	652.56	653.47	653.25
Screen Length (ft)	10	10	10	10	10	10	10
Total Depth (ft from top of casing)	18.60	22.00	22.10	22.00	22.10	21.00	22.50
Top of Well Screen Elevation (ft)	645.21	640.91	639.87	640.00	640.46	642.47	640.75
Measurement Date							
May 30, 2013	650.26	638.75	643.42	631.51	634.26	--	--
August 12, 2013	647.30	637.96	638.59	631.78	632.51	634.21	636.23
Bottom of Well Elevation (ft)	635.21	630.91	629.87	630.00	630.46	632.47	630.75

Created by: BJS Date: 6/13/2013
Last revision by: BJS Date: 8/15/2013
Checked by: BJS Date: 8/15/2013

655.00 Estimated well casing elevation

I:\25212159\Tables-General\[wlstat1.xls]levels

Table 4. Sub-Slab Vapor Analytical Results Summary
117 E. Capital Drive / SCS Engineers Project #25212159.01
 (Results are in ppbv)

Sample	Date	Lab Notes	PCE	TCE	cis-1,2-DCE	trans-1,2-DCE	Vinyl Chloride
Lindems Auto #1	7/25/2013	--	<u>1,870</u>	<800 *D	<800 *D	<800 *D	<800 *D
Lindems Auto #2	7/25/2013	--	230	<100 *D	<100 *D	<100 *D	<100 *D
3935 Palmer Basement #1	7/25/2013	--	<u>10,900</u>	<8,000 *D	<8,000 *D	<8,000 *D	<8,000 *D
3935 Palmer Basement #2	7/25/2013	--	<u>834</u>	<200 *D	<200 *D	<200 *D	<200 *D
Indoor Air Vapor Action Level (Residential)			6.2	0.39	NE	16	0.62
Vapor Risk Screening Level (Residential)			62	3.9	NE	160	6.2
Indoor Air Vapor Action Level (Non-Residential)			27	1.6	NE	65	11
Vapor Risk Screening Level (Non-Residential)			270	16	NE	650	110

Abbreviations:

ppbv = parts per billion by volume

cis-1,2-DCE = cis-1,2-dichloroethene

trans-1,2-DCE = trans-1,2-dichloroethene

PCE = tetrachloroethene

TCE = trichloroethene

NE = not established

Notes:

1. Samples were collected in 6L summa canisters over a 30-minute period and analyzed using the USEPA TO-15 analytical method.
2. Indoor Air Vapor Action Levels are Target Indoor Air Concentrations from the USEPA May 2013 Regional Screening Level Summary Table, assuming a target risk for carcinogens of 1.00E-05.
3. Vapor Risk Screening Levels assume a residential/small commercial attenuation factor of 0.1 for sub-slab vapor.
4. Bold values meet or exceed Vapor Risk Screening Levels for residential settings. Bold and underlined values meet or exceed Vapor Risk Screening Levels for non-residential settings.

Laboratory Notes/Qualifiers:

*D = Report limit not achievable due to dilution.

Created by: TLC Date: 8/2/2013
 Last revision by: TLC Date: 8/2/2013
 Checked by: BJS Date: 8/5/2013

Table 5. 24-Hour Ambient Air Analytical Results Summary
117 E. Capital Drive / SCS Engineers Project #25212159.00
 (Results are in ppbv)

Sample	Date	Lab Notes	PCE	TCE	cis-1,2-DCE	trans-1,2-DCE	Vinyl Chloride
3935 Palmer 1st Floor	7/24/2013	--	0.290	<0.085	<0.085	<0.085	<0.085
3935 Palmer 2nd Floor	7/14/2013	--	0.370	<0.085	<0.085	<0.085	<0.085
3935 Palmer Basement	7/24/2013	--	1.48	<0.085	<0.085	<0.085	<0.085
3935 Palmer Outdoor	7/24/2013	--	0.250	<0.085	<0.085	<0.085	<0.085
Indoor Air Vapor Action Level (Residential)			6.2	0.39	NE	16	0.62
Vapor Risk Screening Level (Residential)			62	3.9	NE	160	6.2
Indoor Air Vapor Action Level (Non-Residential)			27	1.6	NE	65	11
Vapor Risk Screening Level (Non-Residential)			270	16	NE	650	110

Abbreviations:

ppbv = parts per billion by volume

cis-1,2-DCE = cis-1,2-dichloroethene

trans-1,2-DCE = trans-1,2-dichloroethene

PCE = tetrachloroethene

TCE = trichloroethene

NE = not established

Notes:

1. Samples were collected in 6L summa canisters over a 30-minute period and analyzed using the USEPA TO-15 analytical method.

2. Indoor Air Vapor Action Levels are Target Indoor Air Concentrations from the USEPA May 2013 Regional Screening Level Summary Table, assuming a target risk for carcinogens of 1.00E-05.

3. Vapor Risk Screening Levels assume a residential/small commercial attenuation factor of 0.1 for sub-slab vapor.

4. Bold values meet or exceed Vapor Risk Screening Levels for residential settings. Bold and underlined values meet or exceed Vapor Risk Screening Levels for non-residential settings.

Created by: TLC

Date: 8/2/2013

Last revision by: TLC


Date: 8/2/2013

Checked by: BJS

Date: 8/5/2013


FIGURES

- 1 Environmental Sampling Locations
- 2 Water Table Contour Map for August 12, 2013




- LEGEND**
- OVERHEAD ELECTRIC
 - UNDERGROUND ELECTRIC
 - UNDERGROUND GAS LINE
 - UNDERGROUND TELEPHONE
 - ⊕ EXISTING MONITORING WELL
 - ⊙ EXISTING BORING
 - (3913) PROPERTY ADDRESS
 - OVERHEAD DOOR
 - POWER POLE
 - × SUB-SLAB VAPOR SAMPLING LOCATION

- NOTES:**
1. PCE=TETRACHLOROETHYLENE
 2. UTILITY LOCATIONS ARE APPROXIMATE AND BASED ON SITE LAYOUT DRAWING PROVIDED BY ENVIRONMENTAL ASSOCIATES, INC.
 3. SAMPLING LOCATIONS ARE COMPILED FROM VARIOUS SOURCES AND ARE APPROXIMATE.



PROJECT NO. 25212159.00	DRAWN BY: AHB/BJM	SCS ENGINEERS 2830 DAIRY DRIVE MADISON, WI 53718-6751 PHONE: (608) 224-2830	CLIENT HUNN FAMILY TRUST 946 ELM GROVE ROAD ELM GROVE, WISCONSIN	SITE FORMER QUEENS WAY CLEANERS 117 E. CAPITOL DRIVE MILWAUKEE, WI	ENVIRONMENTAL SAMPLING LOCATIONS	FIGURE 1
DRAWN: 07/12/12	CHECKED BY: BS					
REVISED: 09/17/13	APPROVED BY:					

I:\25212159\Drawings-General\SITE LAYOUT.dwg, 9/17/2013 3:25:19 PM



LEGEND

- OVERHEAD ELECTRIC
- UNDERGROUND ELECTRIC
- UNDERGROUND GAS LINE
- UNDERGROUND TELEPHONE
- ⊕ EXISTING MONITORING WELL
- ⊙ EXISTING BORING
- (3913) PROPERTY ADDRESS
- OVERHEAD DOOR
- POWER POLE
- 638.6** WATER TABLE ELEVATION MEASURED ON AUGUST 12, 2013
- WATER TABLE CONTOUR
- APPROXIMATE GROUNDWATER FLOW DIRECTION

NOTES:

1. PCE=TETRACHLOROETHYLENE
2. UTILITY LOCATIONS ARE APPROXIMATE AND BASED ON SITE LAYOUT DRAWING PROVIDED BY ENVIRONMENTAL ASSOCIATES, INC.
3. SAMPLING LOCATIONS ARE COMPILED FROM VARIOUS SOURCES AND ARE APPROXIMATE.



SCALE: 1" = 30'

PROJECT NO. 25212159.00	DRAWN BY: AHB	SCS ENGINEERS 2830 DAIRY DRIVE MADISON, WI 53718-6751 PHONE: (608) 224-2830	CLIENT: HUNN FAMILY TRUST 946 ELM GROVE ROAD ELM GROVE, WISCONSIN	SITE: FORMER QUEENS WAY CLEANERS 117 E. CAPITOL DRIVE MILWAUKEE, WI	WATER TABLE CONTOUR MAP AUGUST 12, 2013	FIGURE
DRAWN: 08/19/13	CHECKED BY: BS					2
REVISED: 08/27/13	APPROVED BY:					

ATTACHMENT A

Laboratory Reports for Groundwater Analysis

June 07, 2013

Tony Kollasch
SCS ENGINEERS
2830 Dairy Drive
Madison, WI 53718

RE: Project: 25212159.01 HUNN FAMILY TRUST
Pace Project No.: 4078772

Dear Tony Kollasch:

Enclosed are the analytical results for sample(s) received by the laboratory on May 31, 2013. The results relate only to the samples included in this report. Results reported herein conform to the most current TNI standards and the laboratory's Quality Assurance Manual, where applicable, unless otherwise noted in the body of the report.

If you have any questions concerning this report, please feel free to contact me.

Sincerely,



Dan Milewsky

dan.milewsky@pacelabs.com
Project Manager

Enclosures



REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

CERTIFICATIONS

Project: 25212159.01 HUNN FAMILY TRUST

Pace Project No.: 4078772

Green Bay Certification IDs

1241 Bellevue Street, Green Bay, WI 54302

Florida/NELAP Certification #: E87948

Illinois Certification #: 200050

Kentucky Certification #: 82

Louisiana Certification #: 04168

Minnesota Certification #: 055-999-334

New York Certification #: 11888

North Dakota Certification #: R-150

South Carolina Certification #: 83006001

US Dept of Agriculture #: S-76505

Wisconsin Certification #: 405132750

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

SAMPLE SUMMARY

Project: 25212159.01 HUNN FAMILY TRUST

Pace Project No.: 4078772

Lab ID	Sample ID	Matrix	Date Collected	Date Received
4078772001	MW1	Water	05/30/13 14:40	05/31/13 09:15
4078772002	MW1 DUP	Water	05/30/13 14:40	05/31/13 09:15
4078772003	MW2A	Water	05/30/13 11:20	05/31/13 09:15
4078772004	MW3A	Water	05/30/13 12:10	05/31/13 09:15
4078772005	MW4	Water	05/30/13 14:00	05/31/13 09:15
4078772006	MW5	Water	05/30/13 13:30	05/31/13 09:15
4078772007	TRIP BLANK	Water	05/30/13 00:00	05/31/13 09:15

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

SAMPLE ANALYTE COUNT

Project: 25212159.01 HUNN FAMILY TRUST
Pace Project No.: 4078772

Lab ID	Sample ID	Method	Analysts	Analytes Reported	Laboratory
4078772001	MW1	EPA 8260	HNW	64	PASI-G
4078772002	MW1 DUP	EPA 8260	HNW	64	PASI-G
4078772003	MW2A	EPA 8260	HNW	64	PASI-G
4078772004	MW3A	EPA 8260	HNW	64	PASI-G
4078772005	MW4	EPA 8260	HNW	64	PASI-G
4078772006	MW5	EPA 8260	HNW	64	PASI-G
4078772007	TRIP BLANK	EPA 8260	HNW	64	PASI-G

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

HITS ONLY

Project: 25212159.01 HUNN FAMILY TRUST

Pace Project No.: 4078772

Lab Sample ID Method	Client Sample ID Parameters	Result	Units	Report Limit	Analyzed	Qualifiers
4078772001	MW1					
EPA 8260	Tetrachloroethene	105000	ug/L	1000	06/05/13 10:17	
EPA 8260	Trichloroethene	662J	ug/L	1000	06/05/13 10:17	
EPA 8260	cis-1,2-Dichloroethene	819J	ug/L	1000	06/05/13 10:17	
4078772002	MW1 DUP					
EPA 8260	Tetrachloroethene	96200	ug/L	1000	06/05/13 10:40	
EPA 8260	Trichloroethene	596J	ug/L	1000	06/05/13 10:40	
EPA 8260	cis-1,2-Dichloroethene	729J	ug/L	1000	06/05/13 10:40	
4078772003	MW2A					
EPA 8260	Tetrachloroethene	39200	ug/L	250	06/05/13 20:15	
EPA 8260	Trichloroethene	7060	ug/L	250	06/05/13 20:15	
EPA 8260	Vinyl chloride	64.4J	ug/L	250	06/05/13 20:15	
EPA 8260	cis-1,2-Dichloroethene	28600	ug/L	250	06/05/13 20:15	
EPA 8260	trans-1,2-Dichloroethene	1210	ug/L	250	06/05/13 20:15	
4078772004	MW3A					
EPA 8260	Benzene	2.8	ug/L	1.0	06/05/13 19:08	
EPA 8260	cis-1,2-Dichloroethene	0.53J	ug/L	1.0	06/05/13 19:08	
4078772005	MW4					
EPA 8260	Tetrachloroethene	51.9	ug/L	2.0	06/05/13 19:30	
EPA 8260	Trichloroethene	53.3	ug/L	2.0	06/05/13 19:30	
EPA 8260	cis-1,2-Dichloroethene	232	ug/L	2.0	06/05/13 19:30	
EPA 8260	trans-1,2-Dichloroethene	10.6	ug/L	2.0	06/05/13 19:30	
4078772006	MW5					
EPA 8260	Tetrachloroethene	4880	ug/L	25.0	06/05/13 19:52	
EPA 8260	cis-1,2-Dichloroethene	18.4J	ug/L	25.0	06/05/13 19:52	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

ANALYTICAL RESULTS

Project: 25212159.01 HUNN FAMILY TRUST

Pace Project No.: 4078772

Sample: MW1 **Lab ID: 4078772001** Collected: 05/30/13 14:40 Received: 05/31/13 09:15 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV		Analytical Method: EPA 8260							
1,1,1,2-Tetrachloroethane	<450	ug/L	1000	450	1000		06/05/13 10:17	630-20-6	
1,1,1-Trichloroethane	<443	ug/L	1000	443	1000		06/05/13 10:17	71-55-6	
1,1,2,2-Tetrachloroethane	<384	ug/L	1000	384	1000		06/05/13 10:17	79-34-5	
1,1,2-Trichloroethane	<390	ug/L	1000	390	1000		06/05/13 10:17	79-00-5	
1,1-Dichloroethane	<285	ug/L	1000	285	1000		06/05/13 10:17	75-34-3	
1,1-Dichloroethene	<427	ug/L	1000	427	1000		06/05/13 10:17	75-35-4	
1,1-Dichloropropene	<507	ug/L	1000	507	1000		06/05/13 10:17	563-58-6	
1,2,3-Trichlorobenzene	<768	ug/L	5000	768	1000		06/05/13 10:17	87-61-6	
1,2,3-Trichloropropane	<468	ug/L	1000	468	1000		06/05/13 10:17	96-18-4	
1,2,4-Trichlorobenzene	<2500	ug/L	5000	2500	1000		06/05/13 10:17	120-82-1	
1,2,4-Trimethylbenzene	<572	ug/L	5000	572	1000		06/05/13 10:17	95-63-6	
1,2-Dibromo-3-chloropropane	<1500	ug/L	5000	1500	1000		06/05/13 10:17	96-12-8	
1,2-Dibromoethane (EDB)	<381	ug/L	1000	381	1000		06/05/13 10:17	106-93-4	
1,2-Dichlorobenzene	<439	ug/L	1000	439	1000		06/05/13 10:17	95-50-1	
1,2-Dichloroethane	<476	ug/L	1000	476	1000		06/05/13 10:17	107-06-2	
1,2-Dichloropropane	<498	ug/L	1000	498	1000		06/05/13 10:17	78-87-5	
1,3,5-Trimethylbenzene	<2500	ug/L	5000	2500	1000		06/05/13 10:17	108-67-8	
1,3-Dichlorobenzene	<451	ug/L	1000	451	1000		06/05/13 10:17	541-73-1	
1,3-Dichloropropane	<463	ug/L	1000	463	1000		06/05/13 10:17	142-28-9	
1,4-Dichlorobenzene	<434	ug/L	1000	434	1000		06/05/13 10:17	106-46-7	
2,2-Dichloropropane	<369	ug/L	1000	369	1000		06/05/13 10:17	594-20-7	
2-Chlorotoluene	<477	ug/L	1000	477	1000		06/05/13 10:17	95-49-8	
4-Chlorotoluene	<484	ug/L	1000	484	1000		06/05/13 10:17	106-43-4	
Benzene	<500	ug/L	1000	500	1000		06/05/13 10:17	71-43-2	
Bromobenzene	<484	ug/L	1000	484	1000		06/05/13 10:17	108-86-1	
Bromochloromethane	<492	ug/L	1000	492	1000		06/05/13 10:17	74-97-5	
Bromodichloromethane	<453	ug/L	1000	453	1000		06/05/13 10:17	75-27-4	
Bromoform	<233	ug/L	20000	233	1000		06/05/13 10:17	75-25-2	
Bromomethane	<430	ug/L	5000	430	1000		06/05/13 10:17	74-83-9	
Carbon tetrachloride	<365	ug/L	1000	365	1000		06/05/13 10:17	56-23-5	
Chlorobenzene	<358	ug/L	1000	358	1000		06/05/13 10:17	108-90-7	
Chloroethane	<444	ug/L	1000	444	1000		06/05/13 10:17	75-00-3	
Chloroform	<689	ug/L	5000	689	1000		06/05/13 10:17	67-66-3	
Chloromethane	<388	ug/L	1000	388	1000		06/05/13 10:17	74-87-3	
Dibromochloromethane	<1900	ug/L	5000	1900	1000		06/05/13 10:17	124-48-1	
Dibromomethane	<480	ug/L	1000	480	1000		06/05/13 10:17	74-95-3	
Dichlorodifluoromethane	<401	ug/L	1000	401	1000		06/05/13 10:17	75-71-8	
Diisopropyl ether	<500	ug/L	1000	500	1000		06/05/13 10:17	108-20-3	
Ethylbenzene	<500	ug/L	1000	500	1000		06/05/13 10:17	100-41-4	
Hexachloro-1,3-butadiene	<1260	ug/L	5000	1260	1000		06/05/13 10:17	87-68-3	
Isopropylbenzene (Cumene)	<341	ug/L	1000	341	1000		06/05/13 10:17	98-82-8	
Methyl-tert-butyl ether	<494	ug/L	1000	494	1000		06/05/13 10:17	1634-04-4	
Methylene Chloride	<359	ug/L	1000	359	1000		06/05/13 10:17	75-09-2	
Naphthalene	<2500	ug/L	5000	2500	1000		06/05/13 10:17	91-20-3	
Styrene	<350	ug/L	1000	350	1000		06/05/13 10:17	100-42-5	
Tetrachloroethene	105000	ug/L	1000	472	1000		06/05/13 10:17	127-18-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

ANALYTICAL RESULTS

Project: 25212159.01 HUNN FAMILY TRUST

Pace Project No.: 4078772

Sample: MW1 **Lab ID: 4078772001** Collected: 05/30/13 14:40 Received: 05/31/13 09:15 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV		Analytical Method: EPA 8260							
Toluene	<439	ug/L	1000	439	1000		06/05/13 10:17	108-88-3	
Trichloroethene	662J	ug/L	1000	429	1000		06/05/13 10:17	79-01-6	
Trichlorofluoromethane	<477	ug/L	1000	477	1000		06/05/13 10:17	75-69-4	L3
Vinyl chloride	<185	ug/L	1000	185	1000		06/05/13 10:17	75-01-4	
cis-1,2-Dichloroethene	819J	ug/L	1000	419	1000		06/05/13 10:17	156-59-2	
cis-1,3-Dichloropropene	<290	ug/L	20000	290	1000		06/05/13 10:17	10061-01-5	
m&p-Xylene	<817	ug/L	2000	817	1000		06/05/13 10:17	179601-23-1	
n-Butylbenzene	<400	ug/L	1000	400	1000		06/05/13 10:17	104-51-8	
n-Propylbenzene	<500	ug/L	1000	500	1000		06/05/13 10:17	103-65-1	
o-Xylene	<500	ug/L	1000	500	1000		06/05/13 10:17	95-47-6	
p-Isopropyltoluene	<397	ug/L	1000	397	1000		06/05/13 10:17	99-87-6	
sec-Butylbenzene	<605	ug/L	5000	605	1000		06/05/13 10:17	135-98-8	
tert-Butylbenzene	<424	ug/L	1000	424	1000		06/05/13 10:17	98-06-6	
trans-1,2-Dichloroethene	<371	ug/L	1000	371	1000		06/05/13 10:17	156-60-5	
trans-1,3-Dichloropropene	<262	ug/L	20000	262	1000		06/05/13 10:17	10061-02-6	
Surrogates									
4-Bromofluorobenzene (S)	89	%	43-137		1000		06/05/13 10:17	460-00-4	
Dibromofluoromethane (S)	98	%	70-130		1000		06/05/13 10:17	1868-53-7	
Toluene-d8 (S)	93	%	55-137		1000		06/05/13 10:17	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

ANALYTICAL RESULTS

Project: 25212159.01 HUNN FAMILY TRUST

Pace Project No.: 4078772

Sample: MW1 DUP **Lab ID: 4078772002** Collected: 05/30/13 14:40 Received: 05/31/13 09:15 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV		Analytical Method: EPA 8260							
1,1,1,2-Tetrachloroethane	<450	ug/L	1000	450	1000		06/05/13 10:40	630-20-6	
1,1,1-Trichloroethane	<443	ug/L	1000	443	1000		06/05/13 10:40	71-55-6	
1,1,2,2-Tetrachloroethane	<384	ug/L	1000	384	1000		06/05/13 10:40	79-34-5	
1,1,2-Trichloroethane	<390	ug/L	1000	390	1000		06/05/13 10:40	79-00-5	
1,1-Dichloroethane	<285	ug/L	1000	285	1000		06/05/13 10:40	75-34-3	
1,1-Dichloroethene	<427	ug/L	1000	427	1000		06/05/13 10:40	75-35-4	
1,1-Dichloropropene	<507	ug/L	1000	507	1000		06/05/13 10:40	563-58-6	
1,2,3-Trichlorobenzene	<768	ug/L	5000	768	1000		06/05/13 10:40	87-61-6	
1,2,3-Trichloropropane	<468	ug/L	1000	468	1000		06/05/13 10:40	96-18-4	
1,2,4-Trichlorobenzene	<2500	ug/L	5000	2500	1000		06/05/13 10:40	120-82-1	
1,2,4-Trimethylbenzene	<572	ug/L	5000	572	1000		06/05/13 10:40	95-63-6	
1,2-Dibromo-3-chloropropane	<1500	ug/L	5000	1500	1000		06/05/13 10:40	96-12-8	
1,2-Dibromoethane (EDB)	<381	ug/L	1000	381	1000		06/05/13 10:40	106-93-4	
1,2-Dichlorobenzene	<439	ug/L	1000	439	1000		06/05/13 10:40	95-50-1	
1,2-Dichloroethane	<476	ug/L	1000	476	1000		06/05/13 10:40	107-06-2	
1,2-Dichloropropane	<498	ug/L	1000	498	1000		06/05/13 10:40	78-87-5	
1,3,5-Trimethylbenzene	<2500	ug/L	5000	2500	1000		06/05/13 10:40	108-67-8	
1,3-Dichlorobenzene	<451	ug/L	1000	451	1000		06/05/13 10:40	541-73-1	
1,3-Dichloropropane	<463	ug/L	1000	463	1000		06/05/13 10:40	142-28-9	
1,4-Dichlorobenzene	<434	ug/L	1000	434	1000		06/05/13 10:40	106-46-7	
2,2-Dichloropropane	<369	ug/L	1000	369	1000		06/05/13 10:40	594-20-7	
2-Chlorotoluene	<477	ug/L	1000	477	1000		06/05/13 10:40	95-49-8	
4-Chlorotoluene	<484	ug/L	1000	484	1000		06/05/13 10:40	106-43-4	
Benzene	<500	ug/L	1000	500	1000		06/05/13 10:40	71-43-2	
Bromobenzene	<484	ug/L	1000	484	1000		06/05/13 10:40	108-86-1	
Bromochloromethane	<492	ug/L	1000	492	1000		06/05/13 10:40	74-97-5	
Bromodichloromethane	<453	ug/L	1000	453	1000		06/05/13 10:40	75-27-4	
Bromoform	<233	ug/L	20000	233	1000		06/05/13 10:40	75-25-2	
Bromomethane	<430	ug/L	5000	430	1000		06/05/13 10:40	74-83-9	
Carbon tetrachloride	<365	ug/L	1000	365	1000		06/05/13 10:40	56-23-5	
Chlorobenzene	<358	ug/L	1000	358	1000		06/05/13 10:40	108-90-7	
Chloroethane	<444	ug/L	1000	444	1000		06/05/13 10:40	75-00-3	
Chloroform	<689	ug/L	5000	689	1000		06/05/13 10:40	67-66-3	
Chloromethane	<388	ug/L	1000	388	1000		06/05/13 10:40	74-87-3	
Dibromochloromethane	<1900	ug/L	5000	1900	1000		06/05/13 10:40	124-48-1	
Dibromomethane	<480	ug/L	1000	480	1000		06/05/13 10:40	74-95-3	
Dichlorodifluoromethane	<401	ug/L	1000	401	1000		06/05/13 10:40	75-71-8	
Diisopropyl ether	<500	ug/L	1000	500	1000		06/05/13 10:40	108-20-3	
Ethylbenzene	<500	ug/L	1000	500	1000		06/05/13 10:40	100-41-4	
Hexachloro-1,3-butadiene	<1260	ug/L	5000	1260	1000		06/05/13 10:40	87-68-3	
Isopropylbenzene (Cumene)	<341	ug/L	1000	341	1000		06/05/13 10:40	98-82-8	
Methyl-tert-butyl ether	<494	ug/L	1000	494	1000		06/05/13 10:40	1634-04-4	
Methylene Chloride	<359	ug/L	1000	359	1000		06/05/13 10:40	75-09-2	
Naphthalene	<2500	ug/L	5000	2500	1000		06/05/13 10:40	91-20-3	
Styrene	<350	ug/L	1000	350	1000		06/05/13 10:40	100-42-5	
Tetrachloroethene	96200	ug/L	1000	472	1000		06/05/13 10:40	127-18-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

ANALYTICAL RESULTS

Project: 25212159.01 HUNN FAMILY TRUST

Pace Project No.: 4078772

Sample: MW1 DUP **Lab ID: 4078772002** Collected: 05/30/13 14:40 Received: 05/31/13 09:15 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Analytical Method: EPA 8260									
Toluene	<439	ug/L	1000	439	1000		06/05/13 10:40	108-88-3	
Trichloroethene	596J	ug/L	1000	429	1000		06/05/13 10:40	79-01-6	
Trichlorofluoromethane	<477	ug/L	1000	477	1000		06/05/13 10:40	75-69-4	L3
Vinyl chloride	<185	ug/L	1000	185	1000		06/05/13 10:40	75-01-4	
cis-1,2-Dichloroethene	729J	ug/L	1000	419	1000		06/05/13 10:40	156-59-2	
cis-1,3-Dichloropropene	<290	ug/L	20000	290	1000		06/05/13 10:40	10061-01-5	
m&p-Xylene	<817	ug/L	2000	817	1000		06/05/13 10:40	179601-23-1	
n-Butylbenzene	<400	ug/L	1000	400	1000		06/05/13 10:40	104-51-8	
n-Propylbenzene	<500	ug/L	1000	500	1000		06/05/13 10:40	103-65-1	
o-Xylene	<500	ug/L	1000	500	1000		06/05/13 10:40	95-47-6	
p-Isopropyltoluene	<397	ug/L	1000	397	1000		06/05/13 10:40	99-87-6	
sec-Butylbenzene	<605	ug/L	5000	605	1000		06/05/13 10:40	135-98-8	
tert-Butylbenzene	<424	ug/L	1000	424	1000		06/05/13 10:40	98-06-6	
trans-1,2-Dichloroethene	<371	ug/L	1000	371	1000		06/05/13 10:40	156-60-5	
trans-1,3-Dichloropropene	<262	ug/L	20000	262	1000		06/05/13 10:40	10061-02-6	
Surrogates									
4-Bromofluorobenzene (S)	88 %		43-137		1000		06/05/13 10:40	460-00-4	
Dibromofluoromethane (S)	98 %		70-130		1000		06/05/13 10:40	1868-53-7	
Toluene-d8 (S)	92 %		55-137		1000		06/05/13 10:40	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

ANALYTICAL RESULTS

Project: 25212159.01 HUNN FAMILY TRUST

Pace Project No.: 4078772

Sample: MW2A **Lab ID: 4078772003** Collected: 05/30/13 11:20 Received: 05/31/13 09:15 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Analytical Method: EPA 8260									
1,1,1,2-Tetrachloroethane	<113	ug/L	250	113	250		06/05/13 20:15	630-20-6	
1,1,1-Trichloroethane	<111	ug/L	250	111	250		06/05/13 20:15	71-55-6	
1,1,2,2-Tetrachloroethane	<96.0	ug/L	250	96.0	250		06/05/13 20:15	79-34-5	
1,1,2-Trichloroethane	<97.5	ug/L	250	97.5	250		06/05/13 20:15	79-00-5	
1,1-Dichloroethane	<71.2	ug/L	250	71.2	250		06/05/13 20:15	75-34-3	
1,1-Dichloroethene	<107	ug/L	250	107	250		06/05/13 20:15	75-35-4	
1,1-Dichloropropene	<127	ug/L	250	127	250		06/05/13 20:15	563-58-6	
1,2,3-Trichlorobenzene	<192	ug/L	1250	192	250		06/05/13 20:15	87-61-6	
1,2,3-Trichloropropane	<117	ug/L	250	117	250		06/05/13 20:15	96-18-4	
1,2,4-Trichlorobenzene	<625	ug/L	1250	625	250		06/05/13 20:15	120-82-1	
1,2,4-Trimethylbenzene	<143	ug/L	1250	143	250		06/05/13 20:15	95-63-6	
1,2-Dibromo-3-chloropropane	<374	ug/L	1250	374	250		06/05/13 20:15	96-12-8	
1,2-Dibromoethane (EDB)	<95.2	ug/L	250	95.2	250		06/05/13 20:15	106-93-4	
1,2-Dichlorobenzene	<110	ug/L	250	110	250		06/05/13 20:15	95-50-1	
1,2-Dichloroethane	<119	ug/L	250	119	250		06/05/13 20:15	107-06-2	
1,2-Dichloropropane	<125	ug/L	250	125	250		06/05/13 20:15	78-87-5	
1,3,5-Trimethylbenzene	<625	ug/L	1250	625	250		06/05/13 20:15	108-67-8	
1,3-Dichlorobenzene	<113	ug/L	250	113	250		06/05/13 20:15	541-73-1	
1,3-Dichloropropane	<116	ug/L	250	116	250		06/05/13 20:15	142-28-9	
1,4-Dichlorobenzene	<109	ug/L	250	109	250		06/05/13 20:15	106-46-7	
2,2-Dichloropropane	<92.2	ug/L	250	92.2	250		06/05/13 20:15	594-20-7	
2-Chlorotoluene	<119	ug/L	250	119	250		06/05/13 20:15	95-49-8	
4-Chlorotoluene	<121	ug/L	250	121	250		06/05/13 20:15	106-43-4	
Benzene	<125	ug/L	250	125	250		06/05/13 20:15	71-43-2	
Bromobenzene	<121	ug/L	250	121	250		06/05/13 20:15	108-86-1	
Bromochloromethane	<123	ug/L	250	123	250		06/05/13 20:15	74-97-5	
Bromodichloromethane	<113	ug/L	250	113	250		06/05/13 20:15	75-27-4	
Bromoform	<58.2	ug/L	5000	58.2	250		06/05/13 20:15	75-25-2	
Bromomethane	<107	ug/L	1250	107	250		06/05/13 20:15	74-83-9	
Carbon tetrachloride	<91.3	ug/L	250	91.3	250		06/05/13 20:15	56-23-5	
Chlorobenzene	<89.6	ug/L	250	89.6	250		06/05/13 20:15	108-90-7	
Chloroethane	<111	ug/L	250	111	250		06/05/13 20:15	75-00-3	
Chloroform	<172	ug/L	1250	172	250		06/05/13 20:15	67-66-3	
Chloromethane	<96.9	ug/L	250	96.9	250		06/05/13 20:15	74-87-3	
Dibromochloromethane	<474	ug/L	1250	474	250		06/05/13 20:15	124-48-1	
Dibromomethane	<120	ug/L	250	120	250		06/05/13 20:15	74-95-3	
Dichlorodifluoromethane	<100	ug/L	250	100	250		06/05/13 20:15	75-71-8	
Diisopropyl ether	<125	ug/L	250	125	250		06/05/13 20:15	108-20-3	
Ethylbenzene	<125	ug/L	250	125	250		06/05/13 20:15	100-41-4	
Hexachloro-1,3-butadiene	<314	ug/L	1250	314	250		06/05/13 20:15	87-68-3	
Isopropylbenzene (Cumene)	<85.2	ug/L	250	85.2	250		06/05/13 20:15	98-82-8	
Methyl-tert-butyl ether	<123	ug/L	250	123	250		06/05/13 20:15	1634-04-4	
Methylene Chloride	<89.7	ug/L	250	89.7	250		06/05/13 20:15	75-09-2	
Naphthalene	<625	ug/L	1250	625	250		06/05/13 20:15	91-20-3	
Styrene	<87.5	ug/L	250	87.5	250		06/05/13 20:15	100-42-5	
Tetrachloroethene	39200	ug/L	250	118	250		06/05/13 20:15	127-18-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

ANALYTICAL RESULTS

Project: 25212159.01 HUNN FAMILY TRUST

Pace Project No.: 4078772

Sample: MW2A **Lab ID: 4078772003** Collected: 05/30/13 11:20 Received: 05/31/13 09:15 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV		Analytical Method: EPA 8260							
Toluene	<110	ug/L	250	110	250		06/05/13 20:15	108-88-3	
Trichloroethene	7060	ug/L	250	107	250		06/05/13 20:15	79-01-6	
Trichlorofluoromethane	<119	ug/L	250	119	250		06/05/13 20:15	75-69-4	L3
Vinyl chloride	64.4J	ug/L	250	46.2	250		06/05/13 20:15	75-01-4	
cis-1,2-Dichloroethene	28600	ug/L	250	105	250		06/05/13 20:15	156-59-2	
cis-1,3-Dichloropropene	<72.5	ug/L	5000	72.5	250		06/05/13 20:15	10061-01-5	
m&p-Xylene	<204	ug/L	500	204	250		06/05/13 20:15	179601-23-1	
n-Butylbenzene	<99.9	ug/L	250	99.9	250		06/05/13 20:15	104-51-8	
n-Propylbenzene	<125	ug/L	250	125	250		06/05/13 20:15	103-65-1	
o-Xylene	<125	ug/L	250	125	250		06/05/13 20:15	95-47-6	
p-Isopropyltoluene	<99.3	ug/L	250	99.3	250		06/05/13 20:15	99-87-6	
sec-Butylbenzene	<151	ug/L	1250	151	250		06/05/13 20:15	135-98-8	
tert-Butylbenzene	<106	ug/L	250	106	250		06/05/13 20:15	98-06-6	
trans-1,2-Dichloroethene	1210	ug/L	250	92.9	250		06/05/13 20:15	156-60-5	
trans-1,3-Dichloropropene	<65.5	ug/L	5000	65.5	250		06/05/13 20:15	10061-02-6	
Surrogates									
4-Bromofluorobenzene (S)	86	%	43-137		250		06/05/13 20:15	460-00-4	
Dibromofluoromethane (S)	97	%	70-130		250		06/05/13 20:15	1868-53-7	
Toluene-d8 (S)	89	%	55-137		250		06/05/13 20:15	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

ANALYTICAL RESULTS

Project: 25212159.01 HUNN FAMILY TRUST

Pace Project No.: 4078772

Sample: MW3A **Lab ID: 4078772004** Collected: 05/30/13 12:10 Received: 05/31/13 09:15 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV		Analytical Method: EPA 8260							
1,1,1,2-Tetrachloroethane	<0.45	ug/L	1.0	0.45	1		06/05/13 19:08	630-20-6	
1,1,1-Trichloroethane	<0.44	ug/L	1.0	0.44	1		06/05/13 19:08	71-55-6	
1,1,2,2-Tetrachloroethane	<0.38	ug/L	1.0	0.38	1		06/05/13 19:08	79-34-5	
1,1,2-Trichloroethane	<0.39	ug/L	1.0	0.39	1		06/05/13 19:08	79-00-5	
1,1-Dichloroethane	<0.28	ug/L	1.0	0.28	1		06/05/13 19:08	75-34-3	
1,1-Dichloroethene	<0.43	ug/L	1.0	0.43	1		06/05/13 19:08	75-35-4	
1,1-Dichloropropene	<0.51	ug/L	1.0	0.51	1		06/05/13 19:08	563-58-6	
1,2,3-Trichlorobenzene	<0.77	ug/L	5.0	0.77	1		06/05/13 19:08	87-61-6	
1,2,3-Trichloropropane	<0.47	ug/L	1.0	0.47	1		06/05/13 19:08	96-18-4	
1,2,4-Trichlorobenzene	<2.5	ug/L	5.0	2.5	1		06/05/13 19:08	120-82-1	
1,2,4-Trimethylbenzene	<0.57	ug/L	5.0	0.57	1		06/05/13 19:08	95-63-6	
1,2-Dibromo-3-chloropropane	<1.5	ug/L	5.0	1.5	1		06/05/13 19:08	96-12-8	
1,2-Dibromoethane (EDB)	<0.38	ug/L	1.0	0.38	1		06/05/13 19:08	106-93-4	
1,2-Dichlorobenzene	<0.44	ug/L	1.0	0.44	1		06/05/13 19:08	95-50-1	
1,2-Dichloroethane	<0.48	ug/L	1.0	0.48	1		06/05/13 19:08	107-06-2	
1,2-Dichloropropane	<0.50	ug/L	1.0	0.50	1		06/05/13 19:08	78-87-5	
1,3,5-Trimethylbenzene	<2.5	ug/L	5.0	2.5	1		06/05/13 19:08	108-67-8	
1,3-Dichlorobenzene	<0.45	ug/L	1.0	0.45	1		06/05/13 19:08	541-73-1	
1,3-Dichloropropane	<0.46	ug/L	1.0	0.46	1		06/05/13 19:08	142-28-9	
1,4-Dichlorobenzene	<0.43	ug/L	1.0	0.43	1		06/05/13 19:08	106-46-7	
2,2-Dichloropropane	<0.37	ug/L	1.0	0.37	1		06/05/13 19:08	594-20-7	
2-Chlorotoluene	<0.48	ug/L	1.0	0.48	1		06/05/13 19:08	95-49-8	
4-Chlorotoluene	<0.48	ug/L	1.0	0.48	1		06/05/13 19:08	106-43-4	
Benzene	2.8	ug/L	1.0	0.50	1		06/05/13 19:08	71-43-2	
Bromobenzene	<0.48	ug/L	1.0	0.48	1		06/05/13 19:08	108-86-1	
Bromochloromethane	<0.49	ug/L	1.0	0.49	1		06/05/13 19:08	74-97-5	
Bromodichloromethane	<0.45	ug/L	1.0	0.45	1		06/05/13 19:08	75-27-4	
Bromoform	<0.23	ug/L	20.0	0.23	1		06/05/13 19:08	75-25-2	
Bromomethane	<0.43	ug/L	5.0	0.43	1		06/05/13 19:08	74-83-9	
Carbon tetrachloride	<0.37	ug/L	1.0	0.37	1		06/05/13 19:08	56-23-5	
Chlorobenzene	<0.36	ug/L	1.0	0.36	1		06/05/13 19:08	108-90-7	
Chloroethane	<0.44	ug/L	1.0	0.44	1		06/05/13 19:08	75-00-3	
Chloroform	<0.69	ug/L	5.0	0.69	1		06/05/13 19:08	67-66-3	
Chloromethane	<0.39	ug/L	1.0	0.39	1		06/05/13 19:08	74-87-3	
Dibromochloromethane	<1.9	ug/L	5.0	1.9	1		06/05/13 19:08	124-48-1	
Dibromomethane	<0.48	ug/L	1.0	0.48	1		06/05/13 19:08	74-95-3	
Dichlorodifluoromethane	<0.40	ug/L	1.0	0.40	1		06/05/13 19:08	75-71-8	
Diisopropyl ether	<0.50	ug/L	1.0	0.50	1		06/05/13 19:08	108-20-3	
Ethylbenzene	<0.50	ug/L	1.0	0.50	1		06/05/13 19:08	100-41-4	
Hexachloro-1,3-butadiene	<1.3	ug/L	5.0	1.3	1		06/05/13 19:08	87-68-3	
Isopropylbenzene (Cumene)	<0.34	ug/L	1.0	0.34	1		06/05/13 19:08	98-82-8	
Methyl-tert-butyl ether	<0.49	ug/L	1.0	0.49	1		06/05/13 19:08	1634-04-4	
Methylene Chloride	<0.36	ug/L	1.0	0.36	1		06/05/13 19:08	75-09-2	
Naphthalene	<2.5	ug/L	5.0	2.5	1		06/05/13 19:08	91-20-3	
Styrene	<0.35	ug/L	1.0	0.35	1		06/05/13 19:08	100-42-5	
Tetrachloroethene	<0.47	ug/L	1.0	0.47	1		06/05/13 19:08	127-18-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

ANALYTICAL RESULTS

Project: 25212159.01 HUNN FAMILY TRUST

Pace Project No.: 4078772

Sample: MW3A **Lab ID: 4078772004** Collected: 05/30/13 12:10 Received: 05/31/13 09:15 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV		Analytical Method: EPA 8260							
Toluene	<0.44	ug/L	1.0	0.44	1		06/05/13 19:08	108-88-3	
Trichloroethene	<0.43	ug/L	1.0	0.43	1		06/05/13 19:08	79-01-6	
Trichlorofluoromethane	<0.48	ug/L	1.0	0.48	1		06/05/13 19:08	75-69-4	L3
Vinyl chloride	<0.18	ug/L	1.0	0.18	1		06/05/13 19:08	75-01-4	
cis-1,2-Dichloroethene	0.53J	ug/L	1.0	0.42	1		06/05/13 19:08	156-59-2	
cis-1,3-Dichloropropene	<0.29	ug/L	20.0	0.29	1		06/05/13 19:08	10061-01-5	
m&p-Xylene	<0.82	ug/L	2.0	0.82	1		06/05/13 19:08	179601-23-1	
n-Butylbenzene	<0.40	ug/L	1.0	0.40	1		06/05/13 19:08	104-51-8	
n-Propylbenzene	<0.50	ug/L	1.0	0.50	1		06/05/13 19:08	103-65-1	
o-Xylene	<0.50	ug/L	1.0	0.50	1		06/05/13 19:08	95-47-6	
p-Isopropyltoluene	<0.40	ug/L	1.0	0.40	1		06/05/13 19:08	99-87-6	
sec-Butylbenzene	<0.60	ug/L	5.0	0.60	1		06/05/13 19:08	135-98-8	
tert-Butylbenzene	<0.42	ug/L	1.0	0.42	1		06/05/13 19:08	98-06-6	
trans-1,2-Dichloroethene	<0.37	ug/L	1.0	0.37	1		06/05/13 19:08	156-60-5	
trans-1,3-Dichloropropene	<0.26	ug/L	20.0	0.26	1		06/05/13 19:08	10061-02-6	
Surrogates									
4-Bromofluorobenzene (S)	89 %		43-137		1		06/05/13 19:08	460-00-4	
Dibromofluoromethane (S)	98 %		70-130		1		06/05/13 19:08	1868-53-7	
Toluene-d8 (S)	92 %		55-137		1		06/05/13 19:08	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

ANALYTICAL RESULTS

Project: 25212159.01 HUNN FAMILY TRUST

Pace Project No.: 4078772

Sample: MW4 **Lab ID: 4078772005** Collected: 05/30/13 14:00 Received: 05/31/13 09:15 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV		Analytical Method: EPA 8260							
1,1,1,2-Tetrachloroethane	<0.90	ug/L	2.0	0.90	2		06/05/13 19:30	630-20-6	
1,1,1-Trichloroethane	<0.89	ug/L	2.0	0.89	2		06/05/13 19:30	71-55-6	
1,1,2,2-Tetrachloroethane	<0.77	ug/L	2.0	0.77	2		06/05/13 19:30	79-34-5	
1,1,2-Trichloroethane	<0.78	ug/L	2.0	0.78	2		06/05/13 19:30	79-00-5	
1,1-Dichloroethane	<0.57	ug/L	2.0	0.57	2		06/05/13 19:30	75-34-3	
1,1-Dichloroethene	<0.85	ug/L	2.0	0.85	2		06/05/13 19:30	75-35-4	
1,1-Dichloropropene	<1.0	ug/L	2.0	1.0	2		06/05/13 19:30	563-58-6	
1,2,3-Trichlorobenzene	<1.5	ug/L	10.0	1.5	2		06/05/13 19:30	87-61-6	
1,2,3-Trichloropropane	<0.94	ug/L	2.0	0.94	2		06/05/13 19:30	96-18-4	
1,2,4-Trichlorobenzene	<5.0	ug/L	10.0	5.0	2		06/05/13 19:30	120-82-1	
1,2,4-Trimethylbenzene	<1.1	ug/L	10.0	1.1	2		06/05/13 19:30	95-63-6	
1,2-Dibromo-3-chloropropane	<3.0	ug/L	10.0	3.0	2		06/05/13 19:30	96-12-8	
1,2-Dibromoethane (EDB)	<0.76	ug/L	2.0	0.76	2		06/05/13 19:30	106-93-4	
1,2-Dichlorobenzene	<0.88	ug/L	2.0	0.88	2		06/05/13 19:30	95-50-1	
1,2-Dichloroethane	<0.95	ug/L	2.0	0.95	2		06/05/13 19:30	107-06-2	
1,2-Dichloropropane	<1.0	ug/L	2.0	1.0	2		06/05/13 19:30	78-87-5	
1,3,5-Trimethylbenzene	<5.0	ug/L	10.0	5.0	2		06/05/13 19:30	108-67-8	
1,3-Dichlorobenzene	<0.90	ug/L	2.0	0.90	2		06/05/13 19:30	541-73-1	
1,3-Dichloropropane	<0.93	ug/L	2.0	0.93	2		06/05/13 19:30	142-28-9	
1,4-Dichlorobenzene	<0.87	ug/L	2.0	0.87	2		06/05/13 19:30	106-46-7	
2,2-Dichloropropane	<0.74	ug/L	2.0	0.74	2		06/05/13 19:30	594-20-7	
2-Chlorotoluene	<0.95	ug/L	2.0	0.95	2		06/05/13 19:30	95-49-8	
4-Chlorotoluene	<0.97	ug/L	2.0	0.97	2		06/05/13 19:30	106-43-4	
Benzene	<1.0	ug/L	2.0	1.0	2		06/05/13 19:30	71-43-2	
Bromobenzene	<0.97	ug/L	2.0	0.97	2		06/05/13 19:30	108-86-1	
Bromochloromethane	<0.98	ug/L	2.0	0.98	2		06/05/13 19:30	74-97-5	
Bromodichloromethane	<0.91	ug/L	2.0	0.91	2		06/05/13 19:30	75-27-4	
Bromoform	<0.47	ug/L	40.0	0.47	2		06/05/13 19:30	75-25-2	
Bromomethane	<0.86	ug/L	10.0	0.86	2		06/05/13 19:30	74-83-9	
Carbon tetrachloride	<0.73	ug/L	2.0	0.73	2		06/05/13 19:30	56-23-5	
Chlorobenzene	<0.72	ug/L	2.0	0.72	2		06/05/13 19:30	108-90-7	
Chloroethane	<0.89	ug/L	2.0	0.89	2		06/05/13 19:30	75-00-3	
Chloroform	<1.4	ug/L	10.0	1.4	2		06/05/13 19:30	67-66-3	
Chloromethane	<0.78	ug/L	2.0	0.78	2		06/05/13 19:30	74-87-3	
Dibromochloromethane	<3.8	ug/L	10.0	3.8	2		06/05/13 19:30	124-48-1	
Dibromomethane	<0.96	ug/L	2.0	0.96	2		06/05/13 19:30	74-95-3	
Dichlorodifluoromethane	<0.80	ug/L	2.0	0.80	2		06/05/13 19:30	75-71-8	
Diisopropyl ether	<1.0	ug/L	2.0	1.0	2		06/05/13 19:30	108-20-3	
Ethylbenzene	<1.0	ug/L	2.0	1.0	2		06/05/13 19:30	100-41-4	
Hexachloro-1,3-butadiene	<2.5	ug/L	10.0	2.5	2		06/05/13 19:30	87-68-3	
Isopropylbenzene (Cumene)	<0.68	ug/L	2.0	0.68	2		06/05/13 19:30	98-82-8	
Methyl-tert-butyl ether	<0.99	ug/L	2.0	0.99	2		06/05/13 19:30	1634-04-4	
Methylene Chloride	<0.72	ug/L	2.0	0.72	2		06/05/13 19:30	75-09-2	
Naphthalene	<5.0	ug/L	10.0	5.0	2		06/05/13 19:30	91-20-3	
Styrene	<0.70	ug/L	2.0	0.70	2		06/05/13 19:30	100-42-5	
Tetrachloroethene	51.9	ug/L	2.0	0.94	2		06/05/13 19:30	127-18-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

ANALYTICAL RESULTS

Project: 25212159.01 HUNN FAMILY TRUST

Pace Project No.: 4078772

Sample: MW4 **Lab ID: 4078772005** Collected: 05/30/13 14:00 Received: 05/31/13 09:15 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV									
Analytical Method: EPA 8260									
Toluene	<0.88	ug/L	2.0	0.88	2		06/05/13 19:30	108-88-3	
Trichloroethene	53.3	ug/L	2.0	0.86	2		06/05/13 19:30	79-01-6	
Trichlorofluoromethane	<0.95	ug/L	2.0	0.95	2		06/05/13 19:30	75-69-4	L3
Vinyl chloride	<0.37	ug/L	2.0	0.37	2		06/05/13 19:30	75-01-4	
cis-1,2-Dichloroethene	232	ug/L	2.0	0.84	2		06/05/13 19:30	156-59-2	
cis-1,3-Dichloropropene	<0.58	ug/L	40.0	0.58	2		06/05/13 19:30	10061-01-5	
m&p-Xylene	<1.6	ug/L	4.0	1.6	2		06/05/13 19:30	179601-23-1	
n-Butylbenzene	<0.80	ug/L	2.0	0.80	2		06/05/13 19:30	104-51-8	
n-Propylbenzene	<1.0	ug/L	2.0	1.0	2		06/05/13 19:30	103-65-1	
o-Xylene	<1.0	ug/L	2.0	1.0	2		06/05/13 19:30	95-47-6	
p-Isopropyltoluene	<0.79	ug/L	2.0	0.79	2		06/05/13 19:30	99-87-6	
sec-Butylbenzene	<1.2	ug/L	10.0	1.2	2		06/05/13 19:30	135-98-8	
tert-Butylbenzene	<0.85	ug/L	2.0	0.85	2		06/05/13 19:30	98-06-6	
trans-1,2-Dichloroethene	10.6	ug/L	2.0	0.74	2		06/05/13 19:30	156-60-5	
trans-1,3-Dichloropropene	<0.52	ug/L	40.0	0.52	2		06/05/13 19:30	10061-02-6	
Surrogates									
4-Bromofluorobenzene (S)	87	%	43-137		2		06/05/13 19:30	460-00-4	
Dibromofluoromethane (S)	99	%	70-130		2		06/05/13 19:30	1868-53-7	
Toluene-d8 (S)	92	%	55-137		2		06/05/13 19:30	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

ANALYTICAL RESULTS

Project: 25212159.01 HUNN FAMILY TRUST

Pace Project No.: 4078772

Sample: MW5 **Lab ID: 4078772006** Collected: 05/30/13 13:30 Received: 05/31/13 09:15 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV		Analytical Method: EPA 8260							
1,1,1,2-Tetrachloroethane	<11.3	ug/L	25.0	11.3	25		06/05/13 19:52	630-20-6	
1,1,1-Trichloroethane	<11.1	ug/L	25.0	11.1	25		06/05/13 19:52	71-55-6	
1,1,2,2-Tetrachloroethane	<9.6	ug/L	25.0	9.6	25		06/05/13 19:52	79-34-5	
1,1,2-Trichloroethane	<9.7	ug/L	25.0	9.7	25		06/05/13 19:52	79-00-5	
1,1-Dichloroethane	<7.1	ug/L	25.0	7.1	25		06/05/13 19:52	75-34-3	
1,1-Dichloroethene	<10.7	ug/L	25.0	10.7	25		06/05/13 19:52	75-35-4	
1,1-Dichloropropene	<12.7	ug/L	25.0	12.7	25		06/05/13 19:52	563-58-6	
1,2,3-Trichlorobenzene	<19.2	ug/L	125	19.2	25		06/05/13 19:52	87-61-6	
1,2,3-Trichloropropane	<11.7	ug/L	25.0	11.7	25		06/05/13 19:52	96-18-4	
1,2,4-Trichlorobenzene	<62.5	ug/L	125	62.5	25		06/05/13 19:52	120-82-1	
1,2,4-Trimethylbenzene	<14.3	ug/L	125	14.3	25		06/05/13 19:52	95-63-6	
1,2-Dibromo-3-chloropropane	<37.4	ug/L	125	37.4	25		06/05/13 19:52	96-12-8	
1,2-Dibromoethane (EDB)	<9.5	ug/L	25.0	9.5	25		06/05/13 19:52	106-93-4	
1,2-Dichlorobenzene	<11.0	ug/L	25.0	11.0	25		06/05/13 19:52	95-50-1	
1,2-Dichloroethane	<11.9	ug/L	25.0	11.9	25		06/05/13 19:52	107-06-2	
1,2-Dichloropropane	<12.5	ug/L	25.0	12.5	25		06/05/13 19:52	78-87-5	
1,3,5-Trimethylbenzene	<62.5	ug/L	125	62.5	25		06/05/13 19:52	108-67-8	
1,3-Dichlorobenzene	<11.3	ug/L	25.0	11.3	25		06/05/13 19:52	541-73-1	
1,3-Dichloropropane	<11.6	ug/L	25.0	11.6	25		06/05/13 19:52	142-28-9	
1,4-Dichlorobenzene	<10.9	ug/L	25.0	10.9	25		06/05/13 19:52	106-46-7	
2,2-Dichloropropane	<9.2	ug/L	25.0	9.2	25		06/05/13 19:52	594-20-7	
2-Chlorotoluene	<11.9	ug/L	25.0	11.9	25		06/05/13 19:52	95-49-8	
4-Chlorotoluene	<12.1	ug/L	25.0	12.1	25		06/05/13 19:52	106-43-4	
Benzene	<12.5	ug/L	25.0	12.5	25		06/05/13 19:52	71-43-2	
Bromobenzene	<12.1	ug/L	25.0	12.1	25		06/05/13 19:52	108-86-1	
Bromochloromethane	<12.3	ug/L	25.0	12.3	25		06/05/13 19:52	74-97-5	
Bromodichloromethane	<11.3	ug/L	25.0	11.3	25		06/05/13 19:52	75-27-4	
Bromoform	<5.8	ug/L	500	5.8	25		06/05/13 19:52	75-25-2	
Bromomethane	<10.7	ug/L	125	10.7	25		06/05/13 19:52	74-83-9	
Carbon tetrachloride	<9.1	ug/L	25.0	9.1	25		06/05/13 19:52	56-23-5	
Chlorobenzene	<9.0	ug/L	25.0	9.0	25		06/05/13 19:52	108-90-7	
Chloroethane	<11.1	ug/L	25.0	11.1	25		06/05/13 19:52	75-00-3	
Chloroform	<17.2	ug/L	125	17.2	25		06/05/13 19:52	67-66-3	
Chloromethane	<9.7	ug/L	25.0	9.7	25		06/05/13 19:52	74-87-3	
Dibromochloromethane	<47.4	ug/L	125	47.4	25		06/05/13 19:52	124-48-1	
Dibromomethane	<12.0	ug/L	25.0	12.0	25		06/05/13 19:52	74-95-3	
Dichlorodifluoromethane	<10.0	ug/L	25.0	10.0	25		06/05/13 19:52	75-71-8	
Diisopropyl ether	<12.5	ug/L	25.0	12.5	25		06/05/13 19:52	108-20-3	
Ethylbenzene	<12.5	ug/L	25.0	12.5	25		06/05/13 19:52	100-41-4	
Hexachloro-1,3-butadiene	<31.4	ug/L	125	31.4	25		06/05/13 19:52	87-68-3	
Isopropylbenzene (Cumene)	<8.5	ug/L	25.0	8.5	25		06/05/13 19:52	98-82-8	
Methyl-tert-butyl ether	<12.3	ug/L	25.0	12.3	25		06/05/13 19:52	1634-04-4	
Methylene Chloride	<9.0	ug/L	25.0	9.0	25		06/05/13 19:52	75-09-2	
Naphthalene	<62.5	ug/L	125	62.5	25		06/05/13 19:52	91-20-3	
Styrene	<8.7	ug/L	25.0	8.7	25		06/05/13 19:52	100-42-5	
Tetrachloroethene	4880	ug/L	25.0	11.8	25		06/05/13 19:52	127-18-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

ANALYTICAL RESULTS

Project: 25212159.01 HUNN FAMILY TRUST

Pace Project No.: 4078772

Sample: MW5 **Lab ID: 4078772006** Collected: 05/30/13 13:30 Received: 05/31/13 09:15 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV									
Analytical Method: EPA 8260									
Toluene	<11.0	ug/L	25.0	11.0	25		06/05/13 19:52	108-88-3	
Trichloroethene	<10.7	ug/L	25.0	10.7	25		06/05/13 19:52	79-01-6	
Trichlorofluoromethane	<11.9	ug/L	25.0	11.9	25		06/05/13 19:52	75-69-4	L3
Vinyl chloride	<4.6	ug/L	25.0	4.6	25		06/05/13 19:52	75-01-4	
cis-1,2-Dichloroethene	18.4J	ug/L	25.0	10.5	25		06/05/13 19:52	156-59-2	
cis-1,3-Dichloropropene	<7.3	ug/L	500	7.3	25		06/05/13 19:52	10061-01-5	
m&p-Xylene	<20.4	ug/L	50.0	20.4	25		06/05/13 19:52	179601-23-1	
n-Butylbenzene	<10	ug/L	25.0	10	25		06/05/13 19:52	104-51-8	
n-Propylbenzene	<12.5	ug/L	25.0	12.5	25		06/05/13 19:52	103-65-1	
o-Xylene	<12.5	ug/L	25.0	12.5	25		06/05/13 19:52	95-47-6	
p-Isopropyltoluene	<9.9	ug/L	25.0	9.9	25		06/05/13 19:52	99-87-6	
sec-Butylbenzene	<15.1	ug/L	125	15.1	25		06/05/13 19:52	135-98-8	
tert-Butylbenzene	<10.6	ug/L	25.0	10.6	25		06/05/13 19:52	98-06-6	
trans-1,2-Dichloroethene	<9.3	ug/L	25.0	9.3	25		06/05/13 19:52	156-60-5	
trans-1,3-Dichloropropene	<6.6	ug/L	500	6.6	25		06/05/13 19:52	10061-02-6	
Surrogates									
4-Bromofluorobenzene (S)	89 %		43-137		25		06/05/13 19:52	460-00-4	
Dibromofluoromethane (S)	98 %		70-130		25		06/05/13 19:52	1868-53-7	
Toluene-d8 (S)	92 %		55-137		25		06/05/13 19:52	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

ANALYTICAL RESULTS

Project: 25212159.01 HUNN FAMILY TRUST

Pace Project No.: 4078772

Sample: TRIP BLANK **Lab ID: 4078772007** Collected: 05/30/13 00:00 Received: 05/31/13 09:15 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV		Analytical Method: EPA 8260							
1,1,1,2-Tetrachloroethane	<0.45	ug/L	1.0	0.45	1		06/05/13 18:45	630-20-6	
1,1,1-Trichloroethane	<0.44	ug/L	1.0	0.44	1		06/05/13 18:45	71-55-6	
1,1,2,2-Tetrachloroethane	<0.38	ug/L	1.0	0.38	1		06/05/13 18:45	79-34-5	
1,1,2-Trichloroethane	<0.39	ug/L	1.0	0.39	1		06/05/13 18:45	79-00-5	
1,1-Dichloroethane	<0.28	ug/L	1.0	0.28	1		06/05/13 18:45	75-34-3	
1,1-Dichloroethene	<0.43	ug/L	1.0	0.43	1		06/05/13 18:45	75-35-4	
1,1-Dichloropropene	<0.51	ug/L	1.0	0.51	1		06/05/13 18:45	563-58-6	
1,2,3-Trichlorobenzene	<0.77	ug/L	5.0	0.77	1		06/05/13 18:45	87-61-6	
1,2,3-Trichloropropane	<0.47	ug/L	1.0	0.47	1		06/05/13 18:45	96-18-4	
1,2,4-Trichlorobenzene	<2.5	ug/L	5.0	2.5	1		06/05/13 18:45	120-82-1	
1,2,4-Trimethylbenzene	<0.57	ug/L	5.0	0.57	1		06/05/13 18:45	95-63-6	
1,2-Dibromo-3-chloropropane	<1.5	ug/L	5.0	1.5	1		06/05/13 18:45	96-12-8	
1,2-Dibromoethane (EDB)	<0.38	ug/L	1.0	0.38	1		06/05/13 18:45	106-93-4	
1,2-Dichlorobenzene	<0.44	ug/L	1.0	0.44	1		06/05/13 18:45	95-50-1	
1,2-Dichloroethane	<0.48	ug/L	1.0	0.48	1		06/05/13 18:45	107-06-2	
1,2-Dichloropropane	<0.50	ug/L	1.0	0.50	1		06/05/13 18:45	78-87-5	
1,3,5-Trimethylbenzene	<2.5	ug/L	5.0	2.5	1		06/05/13 18:45	108-67-8	
1,3-Dichlorobenzene	<0.45	ug/L	1.0	0.45	1		06/05/13 18:45	541-73-1	
1,3-Dichloropropane	<0.46	ug/L	1.0	0.46	1		06/05/13 18:45	142-28-9	
1,4-Dichlorobenzene	<0.43	ug/L	1.0	0.43	1		06/05/13 18:45	106-46-7	
2,2-Dichloropropane	<0.37	ug/L	1.0	0.37	1		06/05/13 18:45	594-20-7	
2-Chlorotoluene	<0.48	ug/L	1.0	0.48	1		06/05/13 18:45	95-49-8	
4-Chlorotoluene	<0.48	ug/L	1.0	0.48	1		06/05/13 18:45	106-43-4	
Benzene	<0.50	ug/L	1.0	0.50	1		06/05/13 18:45	71-43-2	
Bromobenzene	<0.48	ug/L	1.0	0.48	1		06/05/13 18:45	108-86-1	
Bromochloromethane	<0.49	ug/L	1.0	0.49	1		06/05/13 18:45	74-97-5	
Bromodichloromethane	<0.45	ug/L	1.0	0.45	1		06/05/13 18:45	75-27-4	
Bromoform	<0.23	ug/L	20.0	0.23	1		06/05/13 18:45	75-25-2	
Bromomethane	<0.43	ug/L	5.0	0.43	1		06/05/13 18:45	74-83-9	
Carbon tetrachloride	<0.37	ug/L	1.0	0.37	1		06/05/13 18:45	56-23-5	
Chlorobenzene	<0.36	ug/L	1.0	0.36	1		06/05/13 18:45	108-90-7	
Chloroethane	<0.44	ug/L	1.0	0.44	1		06/05/13 18:45	75-00-3	
Chloroform	<0.69	ug/L	5.0	0.69	1		06/05/13 18:45	67-66-3	
Chloromethane	<0.39	ug/L	1.0	0.39	1		06/05/13 18:45	74-87-3	
Dibromochloromethane	<1.9	ug/L	5.0	1.9	1		06/05/13 18:45	124-48-1	
Dibromomethane	<0.48	ug/L	1.0	0.48	1		06/05/13 18:45	74-95-3	
Dichlorodifluoromethane	<0.40	ug/L	1.0	0.40	1		06/05/13 18:45	75-71-8	
Diisopropyl ether	<0.50	ug/L	1.0	0.50	1		06/05/13 18:45	108-20-3	
Ethylbenzene	<0.50	ug/L	1.0	0.50	1		06/05/13 18:45	100-41-4	
Hexachloro-1,3-butadiene	<1.3	ug/L	5.0	1.3	1		06/05/13 18:45	87-68-3	
Isopropylbenzene (Cumene)	<0.34	ug/L	1.0	0.34	1		06/05/13 18:45	98-82-8	
Methyl-tert-butyl ether	<0.49	ug/L	1.0	0.49	1		06/05/13 18:45	1634-04-4	
Methylene Chloride	<0.36	ug/L	1.0	0.36	1		06/05/13 18:45	75-09-2	
Naphthalene	<2.5	ug/L	5.0	2.5	1		06/05/13 18:45	91-20-3	
Styrene	<0.35	ug/L	1.0	0.35	1		06/05/13 18:45	100-42-5	
Tetrachloroethene	<0.47	ug/L	1.0	0.47	1		06/05/13 18:45	127-18-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

ANALYTICAL RESULTS

Project: 25212159.01 HUNN FAMILY TRUST

Pace Project No.: 4078772

Sample: TRIP BLANK **Lab ID: 4078772007** Collected: 05/30/13 00:00 Received: 05/31/13 09:15 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV		Analytical Method: EPA 8260							
Toluene	<0.44	ug/L	1.0	0.44	1		06/05/13 18:45	108-88-3	
Trichloroethene	<0.43	ug/L	1.0	0.43	1		06/05/13 18:45	79-01-6	
Trichlorofluoromethane	<0.48	ug/L	1.0	0.48	1		06/05/13 18:45	75-69-4	L3
Vinyl chloride	<0.18	ug/L	1.0	0.18	1		06/05/13 18:45	75-01-4	
cis-1,2-Dichloroethene	<0.42	ug/L	1.0	0.42	1		06/05/13 18:45	156-59-2	
cis-1,3-Dichloropropene	<0.29	ug/L	20.0	0.29	1		06/05/13 18:45	10061-01-5	
m&p-Xylene	<0.82	ug/L	2.0	0.82	1		06/05/13 18:45	179601-23-1	
n-Butylbenzene	<0.40	ug/L	1.0	0.40	1		06/05/13 18:45	104-51-8	
n-Propylbenzene	<0.50	ug/L	1.0	0.50	1		06/05/13 18:45	103-65-1	
o-Xylene	<0.50	ug/L	1.0	0.50	1		06/05/13 18:45	95-47-6	
p-Isopropyltoluene	<0.40	ug/L	1.0	0.40	1		06/05/13 18:45	99-87-6	
sec-Butylbenzene	<0.60	ug/L	5.0	0.60	1		06/05/13 18:45	135-98-8	
tert-Butylbenzene	<0.42	ug/L	1.0	0.42	1		06/05/13 18:45	98-06-6	
trans-1,2-Dichloroethene	<0.37	ug/L	1.0	0.37	1		06/05/13 18:45	156-60-5	
trans-1,3-Dichloropropene	<0.26	ug/L	20.0	0.26	1		06/05/13 18:45	10061-02-6	
Surrogates									
4-Bromofluorobenzene (S)	89 %		43-137		1		06/05/13 18:45	460-00-4	
Dibromofluoromethane (S)	97 %		70-130		1		06/05/13 18:45	1868-53-7	
Toluene-d8 (S)	93 %		55-137		1		06/05/13 18:45	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

QUALITY CONTROL DATA

Project: 25212159.01 HUNN FAMILY TRUST

Pace Project No.: 4078772

QC Batch: MSV/19887 Analysis Method: EPA 8260
 QC Batch Method: EPA 8260 Analysis Description: 8260 MSV
 Associated Lab Samples: 4078772001, 4078772002, 4078772003, 4078772004, 4078772005, 4078772006, 4078772007

METHOD BLANK: 800929 Matrix: Water
 Associated Lab Samples: 4078772001, 4078772002, 4078772003, 4078772004, 4078772005, 4078772006, 4078772007

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
1,1,1,2-Tetrachloroethane	ug/L	<0.45	1.0	06/05/13 06:55	
1,1,1-Trichloroethane	ug/L	<0.44	1.0	06/05/13 06:55	
1,1,2,2-Tetrachloroethane	ug/L	<0.38	1.0	06/05/13 06:55	
1,1,2-Trichloroethane	ug/L	<0.39	1.0	06/05/13 06:55	
1,1-Dichloroethane	ug/L	<0.28	1.0	06/05/13 06:55	
1,1-Dichloroethene	ug/L	<0.43	1.0	06/05/13 06:55	
1,1-Dichloropropene	ug/L	<0.51	1.0	06/05/13 06:55	
1,2,3-Trichlorobenzene	ug/L	<0.77	5.0	06/05/13 06:55	
1,2,3-Trichloropropane	ug/L	<0.47	1.0	06/05/13 06:55	
1,2,4-Trichlorobenzene	ug/L	<2.5	5.0	06/05/13 06:55	
1,2,4-Trimethylbenzene	ug/L	<0.57	5.0	06/05/13 06:55	
1,2-Dibromo-3-chloropropane	ug/L	<1.5	5.0	06/05/13 06:55	
1,2-Dibromoethane (EDB)	ug/L	<0.38	1.0	06/05/13 06:55	
1,2-Dichlorobenzene	ug/L	<0.44	1.0	06/05/13 06:55	
1,2-Dichloroethane	ug/L	<0.48	1.0	06/05/13 06:55	
1,2-Dichloropropane	ug/L	<0.50	1.0	06/05/13 06:55	
1,3,5-Trimethylbenzene	ug/L	<2.5	5.0	06/05/13 06:55	
1,3-Dichlorobenzene	ug/L	<0.45	1.0	06/05/13 06:55	
1,3-Dichloropropane	ug/L	<0.46	1.0	06/05/13 06:55	
1,4-Dichlorobenzene	ug/L	<0.43	1.0	06/05/13 06:55	
2,2-Dichloropropane	ug/L	<0.37	1.0	06/05/13 06:55	
2-Chlorotoluene	ug/L	<0.48	1.0	06/05/13 06:55	
4-Chlorotoluene	ug/L	<0.48	1.0	06/05/13 06:55	
Benzene	ug/L	<0.50	1.0	06/05/13 06:55	
Bromobenzene	ug/L	<0.48	1.0	06/05/13 06:55	
Bromochloromethane	ug/L	<0.49	1.0	06/05/13 06:55	
Bromodichloromethane	ug/L	<0.45	1.0	06/05/13 06:55	
Bromoform	ug/L	<0.23	20.0	06/05/13 06:55	
Bromomethane	ug/L	<0.43	5.0	06/05/13 06:55	
Carbon tetrachloride	ug/L	<0.37	1.0	06/05/13 06:55	
Chlorobenzene	ug/L	<0.36	1.0	06/05/13 06:55	
Chloroethane	ug/L	<0.44	1.0	06/05/13 06:55	
Chloroform	ug/L	<0.69	5.0	06/05/13 06:55	
Chloromethane	ug/L	<0.39	1.0	06/05/13 06:55	
cis-1,2-Dichloroethene	ug/L	<0.42	1.0	06/05/13 06:55	
cis-1,3-Dichloropropene	ug/L	<0.29	20.0	06/05/13 06:55	
Dibromochloromethane	ug/L	<1.9	5.0	06/05/13 06:55	
Dibromomethane	ug/L	<0.48	1.0	06/05/13 06:55	
Dichlorodifluoromethane	ug/L	<0.40	1.0	06/05/13 06:55	
Diisopropyl ether	ug/L	<0.50	1.0	06/05/13 06:55	
Ethylbenzene	ug/L	<0.50	1.0	06/05/13 06:55	
Hexachloro-1,3-butadiene	ug/L	<1.3	5.0	06/05/13 06:55	
Isopropylbenzene (Cumene)	ug/L	<0.34	1.0	06/05/13 06:55	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

QUALITY CONTROL DATA

Project: 25212159.01 HUNN FAMILY TRUST

Project No.: 4078772

METHOD BLANK: 800929

Matrix: Water

Associated Lab Samples: 4078772001, 4078772002, 4078772003, 4078772004, 4078772005, 4078772006, 4078772007

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
m&p-Xylene	ug/L	<0.82	2.0	06/05/13 06:55	
Methyl-tert-butyl ether	ug/L	<0.49	1.0	06/05/13 06:55	
Methylene Chloride	ug/L	<0.36	1.0	06/05/13 06:55	
n-Butylbenzene	ug/L	<0.40	1.0	06/05/13 06:55	
n-Propylbenzene	ug/L	<0.50	1.0	06/05/13 06:55	
Naphthalene	ug/L	<2.5	5.0	06/05/13 06:55	
o-Xylene	ug/L	<0.50	1.0	06/05/13 06:55	
p-Isopropyltoluene	ug/L	<0.40	1.0	06/05/13 06:55	
sec-Butylbenzene	ug/L	<0.60	5.0	06/05/13 06:55	
Styrene	ug/L	<0.35	1.0	06/05/13 06:55	
tert-Butylbenzene	ug/L	<0.42	1.0	06/05/13 06:55	
Tetrachloroethene	ug/L	<0.47	1.0	06/05/13 06:55	
Toluene	ug/L	<0.44	1.0	06/05/13 06:55	
trans-1,2-Dichloroethene	ug/L	<0.37	1.0	06/05/13 06:55	
trans-1,3-Dichloropropene	ug/L	<0.26	20.0	06/05/13 06:55	
Trichloroethene	ug/L	<0.43	1.0	06/05/13 06:55	
Trichlorofluoromethane	ug/L	<0.48	1.0	06/05/13 06:55	
Vinyl chloride	ug/L	<0.18	1.0	06/05/13 06:55	
4-Bromofluorobenzene (S)	%	88	43-137	06/05/13 06:55	
Dibromofluoromethane (S)	%	97	70-130	06/05/13 06:55	
Toluene-d8 (S)	%	93	55-137	06/05/13 06:55	

LABORATORY CONTROL SAMPLE & LCSD: 800930

800931

Parameter	Units	Spike Conc.	LCS Result	LCSD Result	LCS % Rec	LCSD % Rec	% Rec Limits	RPD	Max RPD	Qualifiers
1,1,1-Trichloroethane	ug/L	50	57.9	56.8	116	114	70-136	2	20	
1,1,2,2-Tetrachloroethane	ug/L	50	44.0	43.5	88	87	70-130	1	20	
1,1,2-Trichloroethane	ug/L	50	48.2	47.0	96	94	70-130	3	20	
1,1-Dichloroethane	ug/L	50	56.4	55.7	113	111	70-146	1	20	
1,1-Dichloroethene	ug/L	50	61.6	61.3	123	123	70-130	1	20	
1,2,4-Trichlorobenzene	ug/L	50	58.2	59.1	116	118	70-130	2	20	
1,2-Dibromo-3-chloropropane	ug/L	50	40.0	42.9	80	86	46-150	7	20	
1,2-Dibromoethane (EDB)	ug/L	50	52.4	51.8	105	104	70-130	1	20	
1,2-Dichlorobenzene	ug/L	50	53.4	52.7	107	105	70-130	1	20	
1,2-Dichloroethane	ug/L	50	54.5	53.9	109	108	70-144	1	20	
1,2-Dichloropropane	ug/L	50	46.9	47.4	94	95	70-136	1	20	
1,3-Dichlorobenzene	ug/L	50	51.2	49.9	102	100	70-130	2	20	
1,4-Dichlorobenzene	ug/L	50	52.9	52.1	106	104	70-130	2	20	
Benzene	ug/L	50	46.6	45.8	93	92	70-137	2	20	
Bromodichloromethane	ug/L	50	59.8	60.3	120	121	70-133	1	20	
Bromoform	ug/L	50	50.9	50.8	102	102	59-130	0	20	
Bromomethane	ug/L	50	65.2	67.1	130	134	41-148	3	20	
Carbon tetrachloride	ug/L	50	66.9	65.8	134	132	70-154	2	20	
Chlorobenzene	ug/L	50	54.3	54.0	109	108	70-130	0	20	
Chloroethane	ug/L	50	58.3	57.8	117	116	70-139	1	20	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

QUALITY CONTROL DATA

Project: 25212159.01 HUNN FAMILY TRUST
Pace Project No.: 4078772

LABORATORY CONTROL SAMPLE & LCSD:		800930	800931							
Parameter	Units	Spike Conc.	LCS Result	LCSD Result	LCS % Rec	LCSD % Rec	% Rec Limits	RPD	Max RPD	Qualifiers
Chloroform	ug/L	50	50.5	49.8	101	100	70-130	1	20	
Chloromethane	ug/L	50	50.7	51.5	101	103	45-154	2	20	
cis-1,2-Dichloroethene	ug/L	50	57.6	57.0	115	114	70-130	1	20	
cis-1,3-Dichloropropene	ug/L	50	43.1	43.6	86	87	70-136	1	20	
Dibromochloromethane	ug/L	50	56.3	56.9	113	114	70-130	1	20	
Dichlorodifluoromethane	ug/L	50	71.6	69.9	143	140	20-157	2	20	
Ethylbenzene	ug/L	50	56.1	55.3	112	111	70-130	1	20	
Isopropylbenzene (Cumene)	ug/L	50	55.0	54.9	110	110	70-130	0	20	
m&p-Xylene	ug/L	100	118	118	118	118	70-130	1	20	
Methyl-tert-butyl ether	ug/L	50	48.4	48.9	97	98	59-141	1	20	
Methylene Chloride	ug/L	50	55.7	54.7	111	109	70-130	2	20	
o-Xylene	ug/L	50	53.6	53.4	107	107	70-130	0	20	
Styrene	ug/L	50	52.9	53.1	106	106	70-130	0	20	
Tetrachloroethene	ug/L	50	57.2	56.5	114	113	70-130	1	20	
Toluene	ug/L	50	54.0	52.8	108	106	70-130	2	20	
trans-1,2-Dichloroethene	ug/L	50	59.8	58.8	120	118	70-130	2	20	
trans-1,3-Dichloropropene	ug/L	50	46.3	46.6	93	93	55-135	1	20	
Trichloroethene	ug/L	50	57.6	57.8	115	116	70-130	0	20	
Trichlorofluoromethane	ug/L	50	76.1	74.9	152	150	50-150	2	20	LO
Vinyl chloride	ug/L	50	58.9	59.2	118	118	61-143	0	20	
4-Bromofluorobenzene (S)	%				102	103	43-137			
Dibromofluoromethane (S)	%				97	97	70-130			
Toluene-d8 (S)	%				95	94	55-137			

MATRIX SPIKE & MATRIX SPIKE DUPLICATE:		802354	802355										
Parameter	Units	4078851002		MS Spike Conc.	MSD Spike Conc.	MS Result	MSD Result	MS % Rec	MSD % Rec	% Rec Limits	RPD	Max RPD	Qual
		1,1,1-Trichloroethane	ug/L	<0.44	50	50	58.2	57.4	116	115	70-136	1	20
1,1,2,2-Tetrachloroethane	ug/L	<0.38	50	50	43.9	44.4	88	89	70-130	1	20		
1,1,2-Trichloroethane	ug/L	<0.39	50	50	47.9	47.9	96	96	70-130	0	20		
1,1-Dichloroethane	ug/L	<0.28	50	50	56.4	56.2	113	112	70-146	0	20		
1,1-Dichloroethene	ug/L	<0.43	50	50	61.7	61.7	123	123	70-130	0	20		
1,2,4-Trichlorobenzene	ug/L	<2.5	50	50	60.7	59.6	121	119	70-130	2	20		
1,2-Dibromo-3-chloropropane	ug/L	<1.5	50	50	43.7	43.0	87	86	46-150	1	20		
1,2-Dibromoethane (EDB)	ug/L	<0.38	50	50	52.9	52.6	106	105	70-130	1	20		
1,2-Dichlorobenzene	ug/L	<0.44	50	50	54.4	52.5	109	105	70-130	3	20		
1,2-Dichloroethane	ug/L	<0.48	50	50	54.1	53.7	108	107	70-146	1	20		
1,2-Dichloropropane	ug/L	<0.50	50	50	47.1	47.7	94	95	70-136	1	20		
1,3-Dichlorobenzene	ug/L	<0.45	50	50	50.8	50.0	102	100	70-130	2	20		
1,4-Dichlorobenzene	ug/L	<0.43	50	50	52.2	52.1	104	104	70-130	0	20		
Benzene	ug/L	<0.50	50	50	46.6	46.0	93	92	70-137	1	20		
Bromodichloromethane	ug/L	<0.45	50	50	60.1	59.4	120	119	70-133	1	20		
Bromoform	ug/L	<0.23	50	50	50.6	51.0	101	102	57-130	1	20		
Bromomethane	ug/L	<0.43	50	50	69.0	67.7	138	135	41-148	2	20		
Carbon tetrachloride	ug/L	<0.37	50	50	66.8	66.6	134	133	70-154	0	20		
Chlorobenzene	ug/L	<0.36	50	50	53.8	54.6	108	109	70-130	2	20		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

QUALITY CONTROL DATA

Project: 25212159.01 HUNN FAMILY TRUST

Pace Project No.: 4078772

Parameter	MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 802354		802355									
	Units	4078851002 Result	MS Spike Conc.	MSD Spike Conc.	MS Result	MSD Result	MS % Rec	MSD % Rec	% Rec Limits	RPD	Max RPD	Qual
Chloroethane	ug/L	<0.44	50	50	58.0	57.9	116	116	70-140	0	20	
Chloroform	ug/L	<0.69	50	50	50.1	49.6	100	99	70-130	1	20	
Chloromethane	ug/L	<0.39	50	50	52.7	51.1	105	102	45-154	3	20	
cis-1,2-Dichloroethene	ug/L	<0.42	50	50	57.5	56.6	115	113	70-130	2	20	
cis-1,3-Dichloropropene	ug/L	<0.29	50	50	44.0	43.9	88	88	70-136	0	20	
Dibromochloromethane	ug/L	<1.9	50	50	57.0	56.5	114	113	70-130	1	20	
Dichlorodifluoromethane	ug/L	<0.40	50	50	73.8	71.4	148	143	10-157	3	20	
Ethylbenzene	ug/L	<0.50	50	50	56.3	56.0	113	112	70-130	1	20	
Isopropylbenzene (Cumene)	ug/L	<0.34	50	50	55.7	55.0	111	110	70-130	1	20	
m&p-Xylene	ug/L		100	100	119	118	119	118	70-130	1	20	
Methyl-tert-butyl ether	ug/L	<0.49	50	50	50.0	48.6	100	97	59-141	3	20	
Methylene Chloride	ug/L	<0.36	50	50	55.7	55.1	111	110	70-130	1	20	
o-Xylene	ug/L		50	50	54.1	53.4	108	107	70-130	1	20	
Styrene	ug/L	<0.35	50	50	53.7	52.7	107	105	35-164	2	20	
Tetrachloroethene	ug/L	<0.47	50	50	57.8	57.6	116	115	70-130	0	20	
Toluene	ug/L	<0.44	50	50	53.2	53.5	106	107	70-130	1	20	
trans-1,2-Dichloroethene	ug/L	<0.37	50	50	60.3	59.8	121	120	70-130	1	20	
trans-1,3-Dichloropropene	ug/L	<0.26	50	50	46.8	47.0	94	94	55-137	0	20	
Trichloroethene	ug/L	<0.43	50	50	58.6	58.0	117	116	70-130	1	20	
Trichlorofluoromethane	ug/L	<0.48	50	50	78.0	77.1	156	154	50-150	1	20	MO
Vinyl chloride	ug/L	<0.18	50	50	60.0	58.8	120	118	59-144	2	20	
4-Bromofluorobenzene (S)	%						101	101	43-137			
Dibromofluoromethane (S)	%						96	96	70-130			
Toluene-d8 (S)	%						93	94	55-137			

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

QUALIFIERS

Project: 25212159.01 HUNN FAMILY TRUST
Pace Project No.: 4078772

DEFINITIONS

DF - Dilution Factor, if reported, represents the factor applied to the reported data due to changes in sample preparation, dilution of the sample aliquot, or moisture content.

ND - Not Detected at or above adjusted reporting limit.

J - Estimated concentration above the adjusted method detection limit and below the adjusted reporting limit.

MDL - Adjusted Method Detection Limit.

PRL - Pace Reporting Limit.

RL - Reporting Limit.

S - Surrogate

1,2-Diphenylhydrazine (8270 listed analyte) decomposes to Azobenzene.

Consistent with EPA guidelines, unrounded data are displayed and have been used to calculate % recovery and RPD values.

LCS(D) - Laboratory Control Sample (Duplicate)

MS(D) - Matrix Spike (Duplicate)

DUP - Sample Duplicate

RPD - Relative Percent Difference

NC - Not Calculable.

SG - Silica Gel - Clean-Up

U - Indicates the compound was analyzed for, but not detected.

N-Nitrosodiphenylamine decomposes and cannot be separated from Diphenylamine using Method 8270. The result reported for each analyte is a combined concentration.

Pace Analytical is TNI accredited. Contact your Pace PM for the current list of accredited analytes.

TNI - The NELAC Institute.

LABORATORIES

PASI-G Pace Analytical Services - Green Bay

ANALYTE QUALIFIERS

L0 Analyte recovery in the laboratory control sample (LCS) was outside QC limits.

L3 Analyte recovery in the laboratory control sample (LCS) exceeded QC limits. Analyte presence below reporting limits in associated samples. Results unaffected by high bias.

M0 Matrix spike recovery and/or matrix spike duplicate recovery was outside laboratory control limits.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

QUALITY CONTROL DATA CROSS REFERENCE TABLE

Project: 25212159.01 HUNN FAMILY TRUST

Pace Project No.: 4078772

Lab ID	Sample ID	QC Batch Method	QC Batch	Analytical Method	Analytical Batch
4078772001	MW1	EPA 8260	MSV/19887		
4078772002	MW1 DUP	EPA 8260	MSV/19887		
4078772003	MW2A	EPA 8260	MSV/19887		
4078772004	MW3A	EPA 8260	MSV/19887		
4078772005	MW4	EPA 8260	MSV/19887		
4078772006	MW5	EPA 8260	MSV/19887		
4078772007	TRIP BLANK	EPA 8260	MSV/19887		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

(Please Print Clearly)

UPPER MIDWEST REGION

MN: 612-607-1700 WI: 920-469-2436



4078772

CHAIN OF CUSTODY

*Preservation Codes
 A=None B=HCL C=H2SO4 D=HNO3 E=DI Water F=Methanol G=NaOH
 H=Sodium Bisulfate Solution I=Sodium Thiosulfate J=Other

Company Name: SCS
 Branch/Location: Madison, WI
 Project Contact: Tony Kollasch
 Phone: (608) 224-2830
 Project Number: 25212159.01
 Project Name: Hunn Family Trust
 Project State: WI
 Sampled By (Print): Paul A. Grover
 Sampled By (Sign): Paul A. Grover
 PO #: _____ Regulatory Program: _____

FILTERED?
(YES/NO)
 PRESERVATION
(CODE)*

Y/N	Pick Letter	Analysis Requested	COLLECTION		MATRIX	
			DATE	TIME		
		VOL	5/30/13	14:40	GW	
				14:40		
				11:20		
				12:10		
				14:00		
				5/31/13	13:38	
						DT

Data Package Options (billable)
 EPA Level III
 EPA Level IV

MS/MSD
 On your sample (billable)
 NOT needed on your sample

Matrix Codes
 A = Air W = Water
 B = Biota DW = Drinking Water
 C = Charcoal GW = Ground Water
 O = Oil SW = Surface Water
 S = Soil WW = Waste Water
 SI = Sludge WP = Wipe

PACE LAB #	CLIENT FIELD ID	COLLECTION		MATRIX
		DATE	TIME	
001	MW 1	5/30/13	14:40	GW
002	MW 1 Dup		14:40	
003	MW 2A		11:20	
004	MW 3A		12:10	
005	MW 4		14:00	
006	MW 5	5/31/13	13:38	
007	Trip Blank			DT

Quote #: _____
 Mail To Contact: _____
 Mail To Company: _____
 Mail To Address: _____
 Invoice To Contact: Betsy Sacha
 Invoice To Company: SCS
 Invoice To Address: 2830 Dairy Dr.
Madison, WI 53718
 Invoice To Phone: _____

CLIENT COMMENTS	LAB COMMENTS (Lab Use Only)	Profile #
	<u>3-40ml^B</u>	
	<u>1-40ml^B</u>	

Rush Turnaround Time Requested - Prelims (Rush TAT subject to approval/surcharge) Date Needed: _____	Relinquished By: <u>Paul A. Grover</u> Date/Time: <u>5/30/13 17:50</u>	Received By: _____ Date/Time: _____	PACE Project No. <u>4078772</u> Receipt Temp = <u>RO1</u> °C Sample Receipt pH OK / Adjusted Cooler Custody Seal Present / <u>Not Present</u> Intact / Not Intact
Transmit Prelim Rush Results by (complete what you want): _____	Relinquished By: <u>Dunham</u> Date/Time: <u>5/31/13 0915</u>	Received By: <u>alvada</u> Date/Time: <u>5/31/13 0915</u>	
Email #1: _____	Relinquished By: _____ Date/Time: _____	Received By: _____ Date/Time: _____	
Email #2: _____	Relinquished By: _____ Date/Time: _____	Received By: _____ Date/Time: _____	
Telephone: _____	Relinquished By: _____ Date/Time: _____	Received By: _____ Date/Time: _____	
Fax: _____	Relinquished By: _____ Date/Time: _____	Received By: _____ Date/Time: _____	
Samples on HOLD are subject to special pricing and release of liability	Relinquished By: _____ Date/Time: _____	Received By: _____ Date/Time: _____	



Sample Condition Upon Receipt

Client Name: SCS Project # 4078772

Courier: Fed Ex UPS USPS Client Commercial Pace Other Dunham

Tracking #: 526424

Custody Seal on Cooler/Box Present: yes no Seals intact: yes no

Custody Seal on Samples Present: yes no Seals intact: yes no

Packing Material: Bubble Wrap Bubble Bags None Other

Thermometer Used NA Type of Ice: Wet Blue Dry None Samples on ice, cooling process has begun

Cooler Temperature Uncorr: _____ /Corr: R01 Biological Tissue is Frozen: yes

Temp Blank Present: yes no no

Person examining contents:
Date: 5/31/13
Initials: DM

Temp should be above freezing to 6°C for all sample except Biota.
Frozen Biota Samples should be received ≤ 0°C.

Comments:

Chain of Custody Present:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	1.
Chain of Custody Filled Out:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	2.
Chain of Custody Relinquished:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	3.
Sampler Name & Signature on COC:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	4.
Samples Arrived within Hold Time:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	5.
- VOA Samples frozen upon receipt	<input type="checkbox"/> Yes <input type="checkbox"/> No	Date/Time:
Short Hold Time Analysis (<72hr):	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A	6.
Rush Turn Around Time Requested:	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A	7.
Sufficient Volume:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	8.
Correct Containers Used:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	9.
-Pace Containers Used:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	
-Pace IR Containers Used:	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	
Containers Intact:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	10.
Filtered volume received for Dissolved tests	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	11.
Sample Labels match COC:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	12.
-Includes date/time/ID/Analysis Matrix: <u>W</u>		
All containers needing preservation have been checked. (Non-Compliance noted in 13.)	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	13.
All containers needing preservation are found to be in compliance with EPA recommendation. (HNO ₃ , H ₂ SO ₄ ≤2; NaOH+ZnAct ≥9, NaOH ≥12)	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	
exceptions: <input checked="" type="checkbox"/> O&G, colliform, TOC, TOX, TOH, O&G, WIDROW, Phenolics, OTHER:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	Initial when completed
		Lab Std #ID of preservative
		Date/Time:
Headspace in VOA Vials (>6mm):	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A	14.
Trip Blank Present:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	15.
Trip Blank Custody Seals Present	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	
Pace Trip Blank Lot # (if purchased):		

Client Notification/ Resolution: _____ If checked, see attached form for additional comments

Person Contacted: _____ Date/Time: _____

Comments/ Resolution: _____

Project Manager Review: MAT for DM Date: 5.31.13

August 20, 2013

Tony Kollasch
SCS ENGINEERS
2830 Dairy Drive
Madison, WI 53718

RE: Project: 25212159.01 HUNN FAMILY TRUST
Pace Project No.: 4082834

Dear Tony Kollasch:

Enclosed are the analytical results for sample(s) received by the laboratory on August 13, 2013. The results relate only to the samples included in this report. Results reported herein conform to the most current TNI standards and the laboratory's Quality Assurance Manual, where applicable, unless otherwise noted in the body of the report.

If you have any questions concerning this report, please feel free to contact me.

Sincerely,



Dan Milewsky

dan.milewsky@pacelabs.com
Project Manager

Enclosures



REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

CERTIFICATIONS

Project: 25212159.01 HUNN FAMILY TRUST

Pace Project No.: 4082834

Green Bay Certification IDs

1241 Bellevue Street, Green Bay, WI 54302

Florida/NELAP Certification #: E87948

Illinois Certification #: 200050

Kentucky Certification #: 82

Louisiana Certification #: 04168

Minnesota Certification #: 055-999-334

New York Certification #: 11888

North Dakota Certification #: R-150

South Carolina Certification #: 83006001

US Dept of Agriculture #: S-76505

Wisconsin Certification #: 405132750

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

SAMPLE SUMMARY

Project: 25212159.01 HUNN FAMILY TRUST

Pace Project No.: 4082834

Lab ID	Sample ID	Matrix	Date Collected	Date Received
4082834001	MW12	Water	08/12/13 12:00	08/13/13 15:30
4082834002	MW14	Water	08/12/13 10:40	08/13/13 15:30

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

SAMPLE ANALYTE COUNT

Project: 25212159.01 HUNN FAMILY TRUST

Pace Project No.: 4082834

Lab ID	Sample ID	Method	Analysts	Analytes Reported	Laboratory
4082834001	MW12	EPA 8260	HNW	63	PASI-G
4082834002	MW14	EPA 8260	HNW	63	PASI-G

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

HITS ONLY

Project: 25212159.01 HUNN FAMILY TRUST

Pace Project No.: 4082834

Lab Sample ID Method	Client Sample ID Parameters	Result	Units	Report Limit	Analyzed	Qualifiers
4082834001	MW12					
EPA 8260	1,2-Dichloroethane	1.2	ug/L	1.0	08/20/13 01:31	
EPA 8260	Benzene	0.69J	ug/L	1.0	08/20/13 01:31	
EPA 8260	Chloromethane	12.2	ug/L	1.0	08/20/13 01:31	
EPA 8260	Toluene	1.7	ug/L	1.0	08/20/13 01:31	
4082834002	MW14					
EPA 8260	Chloromethane	9.6	ug/L	1.0	08/20/13 01:08	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

ANALYTICAL RESULTS

Project: 25212159.01 HUNN FAMILY TRUST

Pace Project No.: 4082834

Sample: MW12 **Lab ID: 4082834001** Collected: 08/12/13 12:00 Received: 08/13/13 15:30 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV		Analytical Method: EPA 8260							
1,1,1,2-Tetrachloroethane	<0.45	ug/L	1.0	0.45	1		08/20/13 01:31	630-20-6	
1,1,1-Trichloroethane	<0.44	ug/L	1.0	0.44	1		08/20/13 01:31	71-55-6	
1,1,2,2-Tetrachloroethane	<0.38	ug/L	1.0	0.38	1		08/20/13 01:31	79-34-5	
1,1,2-Trichloroethane	<0.39	ug/L	1.0	0.39	1		08/20/13 01:31	79-00-5	
1,1-Dichloroethane	<0.28	ug/L	1.0	0.28	1		08/20/13 01:31	75-34-3	
1,1-Dichloroethene	<0.43	ug/L	1.0	0.43	1		08/20/13 01:31	75-35-4	
1,1-Dichloropropene	<0.51	ug/L	1.0	0.51	1		08/20/13 01:31	563-58-6	
1,2,3-Trichlorobenzene	<0.77	ug/L	5.0	0.77	1		08/20/13 01:31	87-61-6	
1,2,3-Trichloropropane	<0.47	ug/L	1.0	0.47	1		08/20/13 01:31	96-18-4	
1,2,4-Trichlorobenzene	<2.5	ug/L	5.0	2.5	1		08/20/13 01:31	120-82-1	
1,2,4-Trimethylbenzene	<0.57	ug/L	5.0	0.57	1		08/20/13 01:31	95-63-6	
1,2-Dibromo-3-chloropropane	<1.5	ug/L	5.0	1.5	1		08/20/13 01:31	96-12-8	
1,2-Dibromoethane (EDB)	<0.38	ug/L	1.0	0.38	1		08/20/13 01:31	106-93-4	
1,2-Dichlorobenzene	<0.44	ug/L	1.0	0.44	1		08/20/13 01:31	95-50-1	
1,2-Dichloroethane	1.2	ug/L	1.0	0.48	1		08/20/13 01:31	107-06-2	
1,2-Dichloropropane	<0.50	ug/L	1.0	0.50	1		08/20/13 01:31	78-87-5	
1,3,5-Trimethylbenzene	<2.5	ug/L	5.0	2.5	1		08/20/13 01:31	108-67-8	
1,3-Dichlorobenzene	<0.45	ug/L	1.0	0.45	1		08/20/13 01:31	541-73-1	
1,3-Dichloropropane	<0.46	ug/L	1.0	0.46	1		08/20/13 01:31	142-28-9	
1,4-Dichlorobenzene	<0.43	ug/L	1.0	0.43	1		08/20/13 01:31	106-46-7	
2,2-Dichloropropane	<0.50	ug/L	1.0	0.50	1		08/20/13 01:31	594-20-7	
2-Chlorotoluene	<0.48	ug/L	1.0	0.48	1		08/20/13 01:31	95-49-8	
4-Chlorotoluene	<0.48	ug/L	1.0	0.48	1		08/20/13 01:31	106-43-4	
Benzene	0.69J	ug/L	1.0	0.50	1		08/20/13 01:31	71-43-2	
Bromobenzene	<0.48	ug/L	1.0	0.48	1		08/20/13 01:31	108-86-1	
Bromochloromethane	<0.49	ug/L	1.0	0.49	1		08/20/13 01:31	74-97-5	
Bromodichloromethane	<0.45	ug/L	1.0	0.45	1		08/20/13 01:31	75-27-4	
Bromoform	<0.33	ug/L	1.0	0.33	1		08/20/13 01:31	75-25-2	
Bromomethane	<0.43	ug/L	5.0	0.43	1		08/20/13 01:31	74-83-9	
Carbon tetrachloride	<0.37	ug/L	1.0	0.37	1		08/20/13 01:31	56-23-5	
Chlorobenzene	<0.36	ug/L	1.0	0.36	1		08/20/13 01:31	108-90-7	
Chloroethane	<0.44	ug/L	1.0	0.44	1		08/20/13 01:31	75-00-3	
Chloroform	<0.69	ug/L	5.0	0.69	1		08/20/13 01:31	67-66-3	
Chloromethane	12.2	ug/L	1.0	0.39	1		08/20/13 01:31	74-87-3	
Dibromochloromethane	<1.9	ug/L	5.0	1.9	1		08/20/13 01:31	124-48-1	
Dibromomethane	<0.48	ug/L	1.0	0.48	1		08/20/13 01:31	74-95-3	
Dichlorodifluoromethane	<0.40	ug/L	1.0	0.40	1		08/20/13 01:31	75-71-8	
Diisopropyl ether	<0.50	ug/L	1.0	0.50	1		08/20/13 01:31	108-20-3	
Ethylbenzene	<0.50	ug/L	1.0	0.50	1		08/20/13 01:31	100-41-4	
Hexachloro-1,3-butadiene	<1.3	ug/L	5.0	1.3	1		08/20/13 01:31	87-68-3	
Isopropylbenzene (Cumene)	<0.34	ug/L	1.0	0.34	1		08/20/13 01:31	98-82-8	
Methyl-tert-butyl ether	<0.49	ug/L	1.0	0.49	1		08/20/13 01:31	1634-04-4	
Methylene Chloride	<0.36	ug/L	1.0	0.36	1		08/20/13 01:31	75-09-2	
Naphthalene	<2.5	ug/L	5.0	2.5	1		08/20/13 01:31	91-20-3	
Styrene	<0.35	ug/L	1.0	0.35	1		08/20/13 01:31	100-42-5	
Tetrachloroethene	<0.47	ug/L	1.0	0.47	1		08/20/13 01:31	127-18-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

ANALYTICAL RESULTS

Project: 25212159.01 HUNN FAMILY TRUST

Pace Project No.: 4082834

Sample: MW12 **Lab ID: 4082834001** Collected: 08/12/13 12:00 Received: 08/13/13 15:30 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV									
Analytical Method: EPA 8260									
Toluene	1.7	ug/L	1.0	0.44	1		08/20/13 01:31	108-88-3	
Trichloroethene	<0.43	ug/L	1.0	0.43	1		08/20/13 01:31	79-01-6	
Trichlorofluoromethane	<0.48	ug/L	1.0	0.48	1		08/20/13 01:31	75-69-4	
Vinyl chloride	<0.18	ug/L	1.0	0.18	1		08/20/13 01:31	75-01-4	
Xylene (Total)	<1.3	ug/L	3.0	1.3	1		08/20/13 01:31	1330-20-7	
cis-1,2-Dichloroethene	<0.42	ug/L	1.0	0.42	1		08/20/13 01:31	156-59-2	
cis-1,3-Dichloropropene	<0.29	ug/L	1.0	0.29	1		08/20/13 01:31	10061-01-5	
n-Butylbenzene	<0.40	ug/L	1.0	0.40	1		08/20/13 01:31	104-51-8	
n-Propylbenzene	<0.50	ug/L	1.0	0.50	1		08/20/13 01:31	103-65-1	
p-Isopropyltoluene	<0.40	ug/L	1.0	0.40	1		08/20/13 01:31	99-87-6	
sec-Butylbenzene	<0.60	ug/L	5.0	0.60	1		08/20/13 01:31	135-98-8	
tert-Butylbenzene	<0.42	ug/L	1.0	0.42	1		08/20/13 01:31	98-06-6	
trans-1,2-Dichloroethene	<0.37	ug/L	1.0	0.37	1		08/20/13 01:31	156-60-5	
trans-1,3-Dichloropropene	<0.30	ug/L	1.0	0.30	1		08/20/13 01:31	10061-02-6	
Surrogates									
4-Bromofluorobenzene (S)	99 %		43-137		1		08/20/13 01:31	460-00-4	
Dibromofluoromethane (S)	99 %		70-130		1		08/20/13 01:31	1868-53-7	
Toluene-d8 (S)	99 %		55-137		1		08/20/13 01:31	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

ANALYTICAL RESULTS

Project: 25212159.01 HUNN FAMILY TRUST

Pace Project No.: 4082834

Sample: MW14 **Lab ID: 4082834002** Collected: 08/12/13 10:40 Received: 08/13/13 15:30 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Analytical Method: EPA 8260									
1,1,1,2-Tetrachloroethane	<0.45	ug/L	1.0	0.45	1		08/20/13 01:08	630-20-6	
1,1,1-Trichloroethane	<0.44	ug/L	1.0	0.44	1		08/20/13 01:08	71-55-6	
1,1,2,2-Tetrachloroethane	<0.38	ug/L	1.0	0.38	1		08/20/13 01:08	79-34-5	
1,1,2-Trichloroethane	<0.39	ug/L	1.0	0.39	1		08/20/13 01:08	79-00-5	
1,1-Dichloroethane	<0.28	ug/L	1.0	0.28	1		08/20/13 01:08	75-34-3	
1,1-Dichloroethene	<0.43	ug/L	1.0	0.43	1		08/20/13 01:08	75-35-4	
1,1-Dichloropropene	<0.51	ug/L	1.0	0.51	1		08/20/13 01:08	563-58-6	
1,2,3-Trichlorobenzene	<0.77	ug/L	5.0	0.77	1		08/20/13 01:08	87-61-6	
1,2,3-Trichloropropane	<0.47	ug/L	1.0	0.47	1		08/20/13 01:08	96-18-4	
1,2,4-Trichlorobenzene	<2.5	ug/L	5.0	2.5	1		08/20/13 01:08	120-82-1	
1,2,4-Trimethylbenzene	<0.57	ug/L	5.0	0.57	1		08/20/13 01:08	95-63-6	
1,2-Dibromo-3-chloropropane	<1.5	ug/L	5.0	1.5	1		08/20/13 01:08	96-12-8	
1,2-Dibromoethane (EDB)	<0.38	ug/L	1.0	0.38	1		08/20/13 01:08	106-93-4	
1,2-Dichlorobenzene	<0.44	ug/L	1.0	0.44	1		08/20/13 01:08	95-50-1	
1,2-Dichloroethane	<0.48	ug/L	1.0	0.48	1		08/20/13 01:08	107-06-2	
1,2-Dichloropropane	<0.50	ug/L	1.0	0.50	1		08/20/13 01:08	78-87-5	
1,3,5-Trimethylbenzene	<2.5	ug/L	5.0	2.5	1		08/20/13 01:08	108-67-8	
1,3-Dichlorobenzene	<0.45	ug/L	1.0	0.45	1		08/20/13 01:08	541-73-1	
1,3-Dichloropropane	<0.46	ug/L	1.0	0.46	1		08/20/13 01:08	142-28-9	
1,4-Dichlorobenzene	<0.43	ug/L	1.0	0.43	1		08/20/13 01:08	106-46-7	
2,2-Dichloropropane	<0.50	ug/L	1.0	0.50	1		08/20/13 01:08	594-20-7	
2-Chlorotoluene	<0.48	ug/L	1.0	0.48	1		08/20/13 01:08	95-49-8	
4-Chlorotoluene	<0.48	ug/L	1.0	0.48	1		08/20/13 01:08	106-43-4	
Benzene	<0.50	ug/L	1.0	0.50	1		08/20/13 01:08	71-43-2	
Bromobenzene	<0.48	ug/L	1.0	0.48	1		08/20/13 01:08	108-86-1	
Bromochloromethane	<0.49	ug/L	1.0	0.49	1		08/20/13 01:08	74-97-5	
Bromodichloromethane	<0.45	ug/L	1.0	0.45	1		08/20/13 01:08	75-27-4	
Bromoform	<0.33	ug/L	1.0	0.33	1		08/20/13 01:08	75-25-2	
Bromomethane	<0.43	ug/L	5.0	0.43	1		08/20/13 01:08	74-83-9	
Carbon tetrachloride	<0.37	ug/L	1.0	0.37	1		08/20/13 01:08	56-23-5	
Chlorobenzene	<0.36	ug/L	1.0	0.36	1		08/20/13 01:08	108-90-7	
Chloroethane	<0.44	ug/L	1.0	0.44	1		08/20/13 01:08	75-00-3	
Chloroform	<0.69	ug/L	5.0	0.69	1		08/20/13 01:08	67-66-3	
Chloromethane	9.6	ug/L	1.0	0.39	1		08/20/13 01:08	74-87-3	
Dibromochloromethane	<1.9	ug/L	5.0	1.9	1		08/20/13 01:08	124-48-1	
Dibromomethane	<0.48	ug/L	1.0	0.48	1		08/20/13 01:08	74-95-3	
Dichlorodifluoromethane	<0.40	ug/L	1.0	0.40	1		08/20/13 01:08	75-71-8	
Diisopropyl ether	<0.50	ug/L	1.0	0.50	1		08/20/13 01:08	108-20-3	
Ethylbenzene	<0.50	ug/L	1.0	0.50	1		08/20/13 01:08	100-41-4	
Hexachloro-1,3-butadiene	<1.3	ug/L	5.0	1.3	1		08/20/13 01:08	87-68-3	
Isopropylbenzene (Cumene)	<0.34	ug/L	1.0	0.34	1		08/20/13 01:08	98-82-8	
Methyl-tert-butyl ether	<0.49	ug/L	1.0	0.49	1		08/20/13 01:08	1634-04-4	
Methylene Chloride	<0.36	ug/L	1.0	0.36	1		08/20/13 01:08	75-09-2	
Naphthalene	<2.5	ug/L	5.0	2.5	1		08/20/13 01:08	91-20-3	
Styrene	<0.35	ug/L	1.0	0.35	1		08/20/13 01:08	100-42-5	
Tetrachloroethene	<0.47	ug/L	1.0	0.47	1		08/20/13 01:08	127-18-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

ANALYTICAL RESULTS

Project: 25212159.01 HUNN FAMILY TRUST

Pace Project No.: 4082834

Sample: MW14 **Lab ID: 4082834002** Collected: 08/12/13 10:40 Received: 08/13/13 15:30 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV		Analytical Method: EPA 8260							
Toluene	<0.44	ug/L	1.0	0.44	1		08/20/13 01:08	108-88-3	
Trichloroethene	<0.43	ug/L	1.0	0.43	1		08/20/13 01:08	79-01-6	
Trichlorofluoromethane	<0.48	ug/L	1.0	0.48	1		08/20/13 01:08	75-69-4	
Vinyl chloride	<0.18	ug/L	1.0	0.18	1		08/20/13 01:08	75-01-4	
Xylene (Total)	<1.3	ug/L	3.0	1.3	1		08/20/13 01:08	1330-20-7	
cis-1,2-Dichloroethene	<0.42	ug/L	1.0	0.42	1		08/20/13 01:08	156-59-2	
cis-1,3-Dichloropropene	<0.29	ug/L	1.0	0.29	1		08/20/13 01:08	10061-01-5	
n-Butylbenzene	<0.40	ug/L	1.0	0.40	1		08/20/13 01:08	104-51-8	
n-Propylbenzene	<0.50	ug/L	1.0	0.50	1		08/20/13 01:08	103-65-1	
p-Isopropyltoluene	<0.40	ug/L	1.0	0.40	1		08/20/13 01:08	99-87-6	
sec-Butylbenzene	<0.60	ug/L	5.0	0.60	1		08/20/13 01:08	135-98-8	
tert-Butylbenzene	<0.42	ug/L	1.0	0.42	1		08/20/13 01:08	98-06-6	
trans-1,2-Dichloroethene	<0.37	ug/L	1.0	0.37	1		08/20/13 01:08	156-60-5	
trans-1,3-Dichloropropene	<0.30	ug/L	1.0	0.30	1		08/20/13 01:08	10061-02-6	
Surrogates									
4-Bromofluorobenzene (S)	99 %		43-137		1		08/20/13 01:08	460-00-4	
Dibromofluoromethane (S)	97 %		70-130		1		08/20/13 01:08	1868-53-7	pH
Toluene-d8 (S)	97 %		55-137		1		08/20/13 01:08	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

QUALITY CONTROL DATA

Project: 25212159.01 HUNN FAMILY TRUST

Pace Project No.: 4082834

QC Batch: MSV/20901 Analysis Method: EPA 8260
QC Batch Method: EPA 8260 Analysis Description: 8260 MSV
Associated Lab Samples: 4082834001, 4082834002

METHOD BLANK: 840047 Matrix: Water

Associated Lab Samples: 4082834001, 4082834002

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
1,1,1,2-Tetrachloroethane	ug/L	<0.45	1.0	08/19/13 16:00	
1,1,1-Trichloroethane	ug/L	<0.44	1.0	08/19/13 16:00	
1,1,2,2-Tetrachloroethane	ug/L	<0.38	1.0	08/19/13 16:00	
1,1,2-Trichloroethane	ug/L	<0.39	1.0	08/19/13 16:00	
1,1-Dichloroethane	ug/L	<0.28	1.0	08/19/13 16:00	
1,1-Dichloroethene	ug/L	<0.43	1.0	08/19/13 16:00	
1,1-Dichloropropene	ug/L	<0.51	1.0	08/19/13 16:00	
1,2,3-Trichlorobenzene	ug/L	<0.77	5.0	08/19/13 16:00	
1,2,3-Trichloropropane	ug/L	<0.47	1.0	08/19/13 16:00	
1,2,4-Trichlorobenzene	ug/L	<2.5	5.0	08/19/13 16:00	
1,2,4-Trimethylbenzene	ug/L	<0.57	5.0	08/19/13 16:00	
1,2-Dibromo-3-chloropropane	ug/L	<1.5	5.0	08/19/13 16:00	
1,2-Dibromoethane (EDB)	ug/L	<0.38	1.0	08/19/13 16:00	
1,2-Dichlorobenzene	ug/L	<0.44	1.0	08/19/13 16:00	
1,2-Dichloroethane	ug/L	<0.48	1.0	08/19/13 16:00	
1,2-Dichloropropane	ug/L	<0.50	1.0	08/19/13 16:00	
1,3,5-Trimethylbenzene	ug/L	<2.5	5.0	08/19/13 16:00	
1,3-Dichlorobenzene	ug/L	<0.45	1.0	08/19/13 16:00	
1,3-Dichloropropane	ug/L	<0.46	1.0	08/19/13 16:00	
1,4-Dichlorobenzene	ug/L	<0.43	1.0	08/19/13 16:00	
2,2-Dichloropropane	ug/L	<0.50	1.0	08/19/13 16:00	
2-Chlorotoluene	ug/L	<0.48	1.0	08/19/13 16:00	
4-Chlorotoluene	ug/L	<0.48	1.0	08/19/13 16:00	
Benzene	ug/L	<0.50	1.0	08/19/13 16:00	
Bromobenzene	ug/L	<0.48	1.0	08/19/13 16:00	
Bromochloromethane	ug/L	<0.49	1.0	08/19/13 16:00	
Bromodichloromethane	ug/L	<0.45	1.0	08/19/13 16:00	
Bromoform	ug/L	<0.33	1.0	08/19/13 16:00	
Bromomethane	ug/L	<0.43	5.0	08/19/13 16:00	
Carbon tetrachloride	ug/L	<0.37	1.0	08/19/13 16:00	
Chlorobenzene	ug/L	<0.36	1.0	08/19/13 16:00	
Chloroethane	ug/L	<0.44	1.0	08/19/13 16:00	
Chloroform	ug/L	<0.69	5.0	08/19/13 16:00	
Chloromethane	ug/L	<0.39	1.0	08/19/13 16:00	
cis-1,2-Dichloroethene	ug/L	<0.42	1.0	08/19/13 16:00	
cis-1,3-Dichloropropene	ug/L	<0.29	1.0	08/19/13 16:00	
Dibromochloromethane	ug/L	<1.9	5.0	08/19/13 16:00	
Dibromomethane	ug/L	<0.48	1.0	08/19/13 16:00	
Dichlorodifluoromethane	ug/L	<0.40	1.0	08/19/13 16:00	
Diisopropyl ether	ug/L	<0.50	1.0	08/19/13 16:00	
Ethylbenzene	ug/L	<0.50	1.0	08/19/13 16:00	
Hexachloro-1,3-butadiene	ug/L	<1.3	5.0	08/19/13 16:00	
Isopropylbenzene (Cumene)	ug/L	<0.34	1.0	08/19/13 16:00	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

QUALITY CONTROL DATA

Project: 25212159.01 HUNN FAMILY TRUST

Project No.: 4082834

METHOD BLANK: 840047

Matrix: Water

Associated Lab Samples: 4082834001, 4082834002

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
Methyl-tert-butyl ether	ug/L	<0.49	1.0	08/19/13 16:00	
Methylene Chloride	ug/L	<0.36	1.0	08/19/13 16:00	
n-Butylbenzene	ug/L	<0.40	1.0	08/19/13 16:00	
n-Propylbenzene	ug/L	<0.50	1.0	08/19/13 16:00	
Naphthalene	ug/L	<2.5	5.0	08/19/13 16:00	
p-Isopropyltoluene	ug/L	<0.40	1.0	08/19/13 16:00	
sec-Butylbenzene	ug/L	<0.60	5.0	08/19/13 16:00	
Styrene	ug/L	<0.35	1.0	08/19/13 16:00	
tert-Butylbenzene	ug/L	<0.42	1.0	08/19/13 16:00	
Tetrachloroethene	ug/L	<0.47	1.0	08/19/13 16:00	
Toluene	ug/L	<0.44	1.0	08/19/13 16:00	
trans-1,2-Dichloroethene	ug/L	<0.37	1.0	08/19/13 16:00	
trans-1,3-Dichloropropene	ug/L	<0.30	1.0	08/19/13 16:00	
Trichloroethene	ug/L	<0.43	1.0	08/19/13 16:00	
Trichlorofluoromethane	ug/L	<0.48	1.0	08/19/13 16:00	
Vinyl chloride	ug/L	<0.18	1.0	08/19/13 16:00	
Xylene (Total)	ug/L	<1.3	3.0	08/19/13 16:00	
4-Bromofluorobenzene (S)	%	100	43-137	08/19/13 16:00	
Dibromofluoromethane (S)	%	93	70-130	08/19/13 16:00	
Toluene-d8 (S)	%	99	55-137	08/19/13 16:00	

LABORATORY CONTROL SAMPLE & LCSD: 840048

840049

Parameter	Units	Spike Conc.	LCS Result	LCSD Result	LCS % Rec	LCSD % Rec	% Rec Limits	RPD	Max RPD	Qualifiers
1,1,1-Trichloroethane	ug/L	50	49.9	49.6	100	99	70-136	1	20	
1,1,2,2-Tetrachloroethane	ug/L	50	45.1	46.9	90	94	70-130	4	20	
1,1,2-Trichloroethane	ug/L	50	48.9	51.5	98	103	70-130	5	20	
1,1-Dichloroethane	ug/L	50	54.8	55.1	110	110	70-146	1	20	
1,1-Dichloroethene	ug/L	50	46.0	46.2	92	92	70-130	0	20	
1,2,4-Trichlorobenzene	ug/L	50	52.3	55.7	105	111	70-130	6	20	
1,2-Dibromo-3-chloropropane	ug/L	50	34.6	37.7	69	75	46-150	9	20	
1,2-Dibromoethane (EDB)	ug/L	50	50.7	52.0	101	104	70-130	3	20	
1,2-Dichlorobenzene	ug/L	50	52.1	52.8	104	106	70-130	1	20	
1,2-Dichloroethane	ug/L	50	51.7	51.5	103	103	70-144	0	20	
1,2-Dichloropropane	ug/L	50	56.1	56.8	112	114	70-136	1	20	
1,3-Dichlorobenzene	ug/L	50	52.7	54.5	105	109	70-130	3	20	
1,4-Dichlorobenzene	ug/L	50	52.7	53.7	105	107	70-130	2	20	
Benzene	ug/L	50	52.3	52.3	105	105	70-137	0	20	
Bromodichloromethane	ug/L	50	52.5	54.0	105	108	70-133	3	20	
Bromoform	ug/L	50	43.5	46.0	87	92	59-130	6	20	
Bromomethane	ug/L	50	31.2	34.5	62	69	41-148	10	20	
Carbon tetrachloride	ug/L	50	49.6	52.1	99	104	70-154	5	20	
Chlorobenzene	ug/L	50	53.9	55.7	108	111	70-130	3	20	
Chloroethane	ug/L	50	44.1	45.3	88	91	70-139	3	20	
Chloroform	ug/L	50	51.2	52.2	102	104	70-130	2	20	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

QUALITY CONTROL DATA

Project: 25212159.01 HUNN FAMILY TRUST
Pace Project No.: 4082834

LABORATORY CONTROL SAMPLE & LCSD: 840048		840049								
Parameter	Units	Spike Conc.	LCS Result	LCSD Result	LCS % Rec	LCSD % Rec	% Rec Limits	RPD	Max RPD	Qualifiers
Chloromethane	ug/L	50	37.2	37.8	74	76	45-154	2	20	
cis-1,2-Dichloroethene	ug/L	50	49.8	50.6	100	101	70-130	2	20	
cis-1,3-Dichloropropene	ug/L	50	45.1	47.2	90	94	70-136	5	20	
Dibromochloromethane	ug/L	50	46.7	50.1	93	100	70-130	7	20	
Dichlorodifluoromethane	ug/L	50	24.7	23.9	49	48	20-157	4	20	
Ethylbenzene	ug/L	50	56.0	57.6	112	115	70-130	3	20	
Isopropylbenzene (Cumene)	ug/L	50	60.6	62.3	121	125	70-130	3	20	
Methyl-tert-butyl ether	ug/L	50	46.4	47.3	93	95	59-141	2	20	
Methylene Chloride	ug/L	50	47.2	46.7	94	93	70-130	1	20	
Styrene	ug/L	50	54.7	55.5	109	111	70-130	1	20	
Tetrachloroethene	ug/L	50	53.9	55.3	108	111	70-130	3	20	
Toluene	ug/L	50	52.9	54.6	106	109	70-130	3	20	
trans-1,2-Dichloroethene	ug/L	50	54.8	55.6	110	111	70-130	1	20	
trans-1,3-Dichloropropene	ug/L	50	42.9	45.1	86	90	55-135	5	20	
Trichloroethene	ug/L	50	55.2	57.2	110	114	70-130	4	20	
Trichlorofluoromethane	ug/L	50	44.8	45.1	90	90	50-150	1	20	
Vinyl chloride	ug/L	50	42.2	42.6	84	85	61-143	1	20	
Xylene (Total)	ug/L	150	170	175	113	117	70-130	3	20	
4-Bromofluorobenzene (S)	%				105	104	43-137			
Dibromofluoromethane (S)	%				101	99	70-130			
Toluene-d8 (S)	%				99	100	55-137			

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 841642		841643										
Parameter	Units	4082979007	MS Spike Conc.	MSD Spike Conc.	MS Result	MSD Result	MS % Rec	MSD % Rec	% Rec Limits	RPD	Max RPD	Qual
		Result										
1,1,1-Trichloroethane	ug/L	<0.44	50	50	50.1	51.1	100	102	70-136	2	20	
1,1,2,2-Tetrachloroethane	ug/L	<0.38	50	50	46.8	47.7	94	95	70-130	2	20	
1,1,2-Trichloroethane	ug/L	<0.39	50	50	50.3	49.5	101	99	70-130	2	20	
1,1-Dichloroethane	ug/L	<0.28	50	50	54.0	55.7	108	111	70-146	3	20	
1,1-Dichloroethene	ug/L	<0.43	50	50	48.3	49.0	97	98	70-130	1	20	
1,2,4-Trichlorobenzene	ug/L	<2.5	50	50	55.7	55.8	111	112	70-130	0	20	
1,2-Dibromo-3-chloropropane	ug/L	<1.5	50	50	40.5	40.2	81	80	46-150	1	20	
1,2-Dibromoethane (EDB)	ug/L	<0.38	50	50	51.3	51.7	103	103	70-130	1	20	
1,2-Dichlorobenzene	ug/L	3.4	50	50	55.5	56.2	104	106	70-130	1	20	
1,2-Dichloroethane	ug/L	1.3	50	50	50.8	51.3	99	100	70-146	1	20	
1,2-Dichloropropane	ug/L	<0.50	50	50	52.3	53.5	105	107	70-136	2	20	
1,3-Dichlorobenzene	ug/L	<0.45	50	50	53.3	53.8	107	108	70-130	1	20	
1,4-Dichlorobenzene	ug/L	<0.43	50	50	52.7	53.1	105	106	70-130	1	20	
Benzene	ug/L	<0.50	50	50	50.7	51.3	101	103	70-137	1	20	
Bromodichloromethane	ug/L	0.60J	50	50	52.1	53.4	103	106	70-133	3	20	
Bromoform	ug/L	<0.33	50	50	48.1	48.8	96	98	57-130	2	20	
Bromomethane	ug/L	<0.43	50	50	38.0	38.7	76	77	41-148	2	20	
Carbon tetrachloride	ug/L	<0.37	50	50	51.5	52.3	103	105	70-154	1	20	
Chlorobenzene	ug/L	<0.36	50	50	54.2	54.3	108	108	70-130	0	20	
Chloroethane	ug/L	<0.44	50	50	49.9	51.0	100	102	70-140	2	20	
Chloroform	ug/L	1.6J	50	50	52.6	53.3	102	103	70-130	1	20	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

QUALITY CONTROL DATA

Project: 25212159.01 HUNN FAMILY TRUST

Pace Project No.: 4082834

Parameter	4082979007		MS		MSD		MS		MSD		% Rec	Limits	RPD	Max	RPD	Qual
	Units	Result	Spike	Conc.	Spike	Conc.	Result	Result	% Rec	% Rec						
Chloromethane	ug/L	<0.39	50	50	52.6	54.3	105	109	45-154	3	20					
cis-1,2-Dichloroethene	ug/L	<0.42	50	50	49.5	50.9	99	102	70-130	3	20					
cis-1,3-Dichloropropene	ug/L	<0.29	50	50	45.9	46.6	92	93	70-136	1	20					
Dibromochloromethane	ug/L	<1.9	50	50	49.0	50.1	98	100	70-130	2	20					
Dichlorodifluoromethane	ug/L	<0.40	50	50	52.2	52.5	104	105	10-157	1	20					
Ethylbenzene	ug/L	1.7	50	50	57.8	58.3	112	113	70-130	1	20					
Isopropylbenzene (Cumene)	ug/L	<0.34	50	50	60.8	61.3	122	123	70-130	1	20					
Methyl-tert-butyl ether	ug/L	0.84J	50	50	48.4	49.9	95	98	59-141	3	20					
Methylene Chloride	ug/L	2.1	50	50	49.5	49.9	95	96	70-130	1	20					
Styrene	ug/L	<0.35	50	50	54.0	55.1	108	110	35-164	2	20					
Tetrachloroethene	ug/L	<0.47	50	50	54.8	54.9	109	109	70-130	0	20					
Toluene	ug/L	11.9	50	50	66.3	66.2	109	109	70-130	0	20					
trans-1,2-Dichloroethene	ug/L	<0.37	50	50	55.9	57.2	112	114	70-130	2	20					
trans-1,3-Dichloropropene	ug/L	<0.30	50	50	45.1	45.5	90	91	55-137	1	20					
Trichloroethene	ug/L	<0.43	50	50	55.2	55.5	110	111	70-130	1	20					
Trichlorofluoromethane	ug/L	<0.48	50	50	48.4	49.4	97	99	50-150	2	20					
Vinyl chloride	ug/L	<0.18	50	50	53.4	54.1	107	108	59-144	1	20					
Xylene (Total)	ug/L	7.9	150	150	180	181	114	115	70-130	1	20					
4-Bromofluorobenzene (S)	%						105	105	43-137							
Dibromofluoromethane (S)	%						98	102	70-130							
Toluene-d8 (S)	%						100	100	55-137							

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

QUALIFIERS

Project: 25212159.01 HUNN FAMILY TRUST
Pace Project No.: 4082834

DEFINITIONS

DF - Dilution Factor, if reported, represents the factor applied to the reported data due to changes in sample preparation, dilution of the sample aliquot, or moisture content.

ND - Not Detected at or above adjusted reporting limit.

J - Estimated concentration above the adjusted method detection limit and below the adjusted reporting limit.

MDL - Adjusted Method Detection Limit.

PRL - Pace Reporting Limit.

RL - Reporting Limit.

S - Surrogate

1,2-Diphenylhydrazine (8270 listed analyte) decomposes to Azobenzene.

Consistent with EPA guidelines, unrounded data are displayed and have been used to calculate % recovery and RPD values.

LCS(D) - Laboratory Control Sample (Duplicate)

MS(D) - Matrix Spike (Duplicate)

DUP - Sample Duplicate

RPD - Relative Percent Difference

NC - Not Calculable.

SG - Silica Gel - Clean-Up

U - Indicates the compound was analyzed for, but not detected.

N-Nitrosodiphenylamine decomposes and cannot be separated from Diphenylamine using Method 8270. The result reported for each analyte is a combined concentration.

Pace Analytical is TNI accredited. Contact your Pace PM for the current list of accredited analytes.

TNI - The NELAC Institute.

LABORATORIES

PASI-G Pace Analytical Services - Green Bay

ANALYTE QUALIFIERS

pH Post-analysis pH measurement indicates insufficient VOA sample preservation.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

QUALITY CONTROL DATA CROSS REFERENCE TABLE

Project: 25212159.01 HUNN FAMILY TRUST

Pace Project No.: 4082834

Lab ID	Sample ID	QC Batch Method	QC Batch	Analytical Method	Analytical Batch
4082834001	MW12	EPA 8260	MSV/20901		
4082834002	MW14	EPA 8260	MSV/20901		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

(Please Print Clearly)

Company Name: SCS Engineers
 Branch/Location: Madison WI
 Project Contact: Tony Kollasch
 Phone: 608-216-7381
 Project Number: 25212159.01
 Project Name: Hunn Family Trust
 Project State: Wis
 Sampled By (Print): Gary Stokel
 Sampled By (Sign): Gary Stokel



UPPER MIDWEST REGION
 MN: 612-607-1700 WI: 920-469-2436

Page 1 of 17
 4082834
 COC No. 010357

CHAIN OF CUSTODY

*Preservation Codes
 A=None B=HCL C=H2SO4 D=HNO3 E=DI Water F=Methanol G=NaOH
 H=Sodium Bisulfate Solution I=Sodium Thiosulfate J=Other

FILTERED? (YES/NO)
 PRESERVATION (CODE)*

Y/N	Pick Letter	Analyses Requested														
N	B	VOA														

Quote #: [Blank]
 Mail To Contact: [Blank]
 Mail To Company: [Blank]
 Mail To Address: [Blank]
 Invoice To Contact: [Blank]
 Invoice To Company: [Blank]
 Invoice To Address: [Blank]
 Invoice To Phone: [Blank]
 CLIENT COMMENTS: [Blank]
 LAB COMMENTS (Lab Use Only): [Blank]
 Profile #: [Blank]

Data Package Options (billable)
 EPA Level III
 EPA Level IV

MS/MSD
 On your sample (billable)
 NOT needed on your sample

Matrix Codes
 A = Air W = Water
 B = Biota DW = Drinking Water
 C = Charcoal GW = Ground Water
 O = Oil SW = Surface Water
 S = Soil WW = Waste Water
 Sl = Sludge WP = Wipe

PACE LAB #	CLIENT FIELD ID	COLLECTION		MATRIX	Y/N	Pick Letter	Analyses Requested										
		DATE	TIME														
001	mw12	8/12/13	1200	GW		X											
002	mw14	8/12/13	1040	GW		X											

Rush Turnaround Time Requested - Prelims (Rush TAT subject to approval/surcharge)
 Date Needed: [Blank]
 Transmit Prelim Rush Results by (complete what you want): [Blank]
 Email #1: [Blank]
 Email #2: [Blank]
 Telephone: [Blank]
 Fax: [Blank]
 Samples on HOLD are subject to special pricing and release of liability

Relinquished By: Gary Stokel	Date/Time: 8/13/13 11:25	Received By: Mary Fanni	Date/Time: 8/13/13 11:25
Relinquished By: Mary Fanni	Date/Time: 8/13/13 1300	Received By: [Signature]	Date/Time: 8/13/13 1300
Relinquished By: [Signature]	Date/Time: 8/13/13 1530	Received By: M.V.	Date/Time: 8/13/13 1530
Relinquished By:	Date/Time:	Received By:	Date/Time:
Relinquished By:	Date/Time:	Received By:	Date/Time:

PACE Project No. 4082834
 Receipt Temp = 70 / °C
 Sample Receipt pH OK / Adjusted
 Cooler Custody Seal Present / Not Present Intact / Not Intact



Sample Condition Upon Receipt

Client Name: SCS Project # 4082834

Courier: Fed Ex UPS USPS Client Commercial Pace Other _____

Tracking #: _____

Custody Seal on Cooler/Box Present: yes no Seals intact: yes no

Custody Seal on Samples Present: yes no Seals intact: yes no

Packing Material: Bubble Wrap Bubble Bags None Other _____

Thermometer Used NA Type of Ice: Wet Blue Dry None Samples on ice, cooling process has begun

Cooler Temperature Uncorr: 20 / Corr: _____ Biological Tissue is Frozen: yes no

Temp Blank Present: yes no no

Person examining contents:
Date: 8/13/13
Initials: MLV

Temp should be above freezing to 6°C for all sample except Biota:
Frozen Biota Samples should be received ≤ 0°C.

Comments:

Chain of Custody Present:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	1.
Chain of Custody Filled Out:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	2.
Chain of Custody Relinquished:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	3.
Sampler Name & Signature on COC:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	4.
Samples Arrived within Hold Time:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	5.
- VOA Samples frozen upon receipt	<input type="checkbox"/> Yes <input type="checkbox"/> No	Date/Time:
Short Hold Time Analysis (<72hr):	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A	6.
Rush Turn Around Time Requested:	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A	7.
Sufficient Volume:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	8.
Correct Containers Used:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	9.
-Pace Containers Used:	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A	
-Pace IR Containers Used:	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A	
Containers Intact:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	10.
Filtered volume received for Dissolved tests	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	11.
Sample Labels match COC:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	12.
-Includes date/time/ID/Analysis Matrix: <u>W</u>		
All containers needing preservation have been checked. (Non-Compliance noted in 13.)	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	13.
All containers needing preservation are found to be in compliance with EPA recommendation. (HNO3, H2SO4 ≤2; NaOH+ZnAct ≥9, NaOH ≥12)	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	
exceptions: <u>VOA</u> coliform, TOC, TOX, TOH, O&G, WIDROW, Phenolics, OTHER: _____	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	Initial when completed
		Lab Std #ID of preservative
		Date/Time:
Headspace in VOA Vials (>6mm):	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A	14.
Trip Blank Present:	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A	15.
Trip Blank Custody Seals Present	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	
Pace Trip Blank Lot # (if purchased):		

Client Notification/ Resolution: _____ If checked, see attached form for additional comments [

Person Contacted: _____ Date/Time: _____

Comments/ Resolution: _____

Project Manager Review: MAT for DM Date: 8.13.13

ATTACHMENT B

Field Documentation Forms

- Boring Logs
- Abandonment Forms
- Well Construction Forms
- Well Development Forms

Facility/Project Name <i>Hunn Family Trust</i>		License/Permit/Monitoring Number SCS # 25213159.00		Boring Number B-7A	
Boring Drilled By (Firm name and name of crew chief) <i>On Site Tony Kapusi</i>			Drilling Started <i>7/12/13 1230</i>	Drilling Completed <i>7/12</i>	Drilling Method <i>HA</i>
DNR Facility Well No.	WI Unique Well No.	Common Well Name	Static Water Level Feet	Surface Elevation Feet	Borehole Diam. Inches <i>3</i>
Boring Location State Plane <i>NE 1/4 of NE 1/4 of Section 8, T. 7N, R. 22E</i>			Lat. Long.	Local Grid Location (If applicable) Feet N., Feet E.	
County <i>Milw</i>			DNR County Code	Civil Town/City/or Village	

Sample Number	Length Recovered	Blow Counts	Depth in Feet	Soil/Rock Description And Geologic Origin For Each Major Unit	USCS	Graphic Log	Well Diagram	Max. ρ /FID	Soil Properties			RQD/Comments
									Standard Penetration	Moisture Content	P200	
1				<i>sandy lean clay; dk brn</i>	<i>cl</i>			<i>2.2</i>	<i>m</i>			
2				<i>blk cinder chips,</i>				<i>5.6</i>	<i>m</i>			
3				<i>lean clay; brn</i>	<i>cc</i>			<i>4.5</i>	<i>m</i>			
4								<i>3.9</i>	<i>m</i>			
5			5					<i>3.2</i>	<i>m</i>			
6				<i>sandy zone</i>				<i>7.1</i>	<i>m</i>			
7				<i>refusal on rock 7'</i>				<i>12</i>	<i>w</i>			<i>wet 2" at last sample</i>

I hereby certify that the information on this form is true and correct to the best of my knowledge.

Signature <i>G. Kaul</i>	Firm SCS ENGINEERS
-----------------------------	------------------------------

This form is authorized by Chapters 281, 283, 289, 291, 292, 295, and 299, Wis. Stats. Completion of this form is mandatory. Failure to file this form may result in forfeiture between \$10 and \$25,000, or imprisonment for up to one year, depending on program and conduct involved. Personally identifiable information on this form is not intended to be used for any other purpose. NOTE: See instructions for more information.

Notice: Completion of this report is required by chs. 160, 281, 283, 289, 291-293, 295, and 299, Wis. Stats., and ch. NR 141, Wis. Adm. Code. In accordance with chs. 281, 289, 291-293, 295, and 299, Wis. Stats., failure to file this form may result in a forfeiture of between \$10-25,000, or imprisonment for up to one year, depending on the program and conduct involved. Personally identifiable information on this form is not intended to be used for any other purpose. Return form to the appropriate DNR office and bureau. See instructions on reverse for more information.

Verification Only of Fill and Seal

Route to:

Drinking Water Watershed/Wastewater Remediation/Redevelopment

Waste Management Other: _____

1. Well Location Information				2. Facility / Owner Information			
County Milwaukee		WI Unique Well # of Removed Well		Hicap # B7A		Facility Name Hunn Family Trust	
Latitude / Longitude (Degrees and Minutes)		Method Code (see instructions)		Facility ID (FID or PWS)		License/Permit/Monitoring #	
_____ ° _____ ' N		_____		Original Well Owner Hunn Family Trust		Present Well Owner	
_____ ° _____ ' W		_____		Mailing Address of Present Owner		City of Present Owner State ZIP Code	
¼ / ¼ NE	¼ NE	Section 8	Township 7 N	Range 22	<input checked="" type="checkbox"/> E <input type="checkbox"/> W		
Well Street Address 117 East Capitol Drive							
Well City, Village or Town Milwaukee				Well ZIP Code			
Subdivision Name				Lot #			

Reason For Removal From Service Temp.		WI Unique Well # of Replacement Well		4. Pump, Liner, Screen, Casing & Sealing Material			
3. Well / Drillhole / Borehole Information				Pump and piping removed? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A			
<input type="checkbox"/> Monitoring Well		Original Construction Date (mm/dd/yyyy) 7/12/13		Liner(s) removed? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A			
<input type="checkbox"/> Water Well		If a Well Construction Report is available, please attach.		Screen removed? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A			
<input checked="" type="checkbox"/> Borehole / Drillhole				Casing left in place? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A			
Construction Type:				Was casing cut off below surface? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A			
<input type="checkbox"/> Drilled		<input type="checkbox"/> Driven (Sandpoint)		<input type="checkbox"/> Dug		Did sealing material rise to surface? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	
<input checked="" type="checkbox"/> Other (specify):		HAND Auger		<input type="checkbox"/> Yes		<input checked="" type="checkbox"/> No <input type="checkbox"/> N/A	
Formation Type:				If material settle after 24 hours? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A			
<input checked="" type="checkbox"/> Unconsolidated Formation		<input type="checkbox"/> Bedrock		If yes, was hole retopped? <input type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A			
Total Well Depth From Ground Surface (ft.) 7		Casing Diameter (in.)		If bentonite chips were used, were they hydrated with water from a known safe source? <input type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A			
Lower Drillhole Diameter (in.) 3		Casing Depth (ft.)		Required Method of Placing Sealing Material			
Was well annular space grouted? <input type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> Unknown				<input type="checkbox"/> Conductor Pipe-Gravity <input type="checkbox"/> Conductor Pipe-Pumped			
If yes, to what depth (feet)?		Depth to Water (feet)		<input type="checkbox"/> Screened & Poured (Bentonite Chips) <input type="checkbox"/> Other (Explain):			

5. Material Used To Fill Well / Drillhole				Sealing Materials			
Bentonite		From (ft.) Surface		To (ft.) 7		No. Yards, Sacks Sealant or Volume (circle one) 10 #	
						Mix Ratio or Mud Weight	
6. Comments				For Monitoring Wells and Monitoring Well Boreholes Only:			
				<input type="checkbox"/> Bentonite Chips <input type="checkbox"/> Bentonite - Cement Grout			
				<input type="checkbox"/> Granular Bentonite <input type="checkbox"/> Bentonite - Sand Slurry			

7. Supervision of Work

Name of Person or Firm Doing Filling & Sealing SCS Engineers		License #		Date of Filling & Sealing (mm/dd/yyyy) 7/12/13		DNR Use Only	
Street or Route 2830 Dairy Drive		City Madison		Telephone Number (608) 224-2830		Date Received	
State WI		ZIP Code 53718		Signature of Person Doing Work <i>Ch Kallash</i>		Noted By	
						Date Signed 7/12/13	

Facility/Project Name <i>Hunn Family Trust</i>		License/Permit/Monitoring Number SCS # <i>25213159.00</i>		Boring Number <i>B-12/MW-12</i>	
Boring Drilled By (Firm name and name of crew chief) <i>On Site</i>			Drilling Started <i>7/11/13 0840</i>	Drilling Completed <i>7/11/13</i>	Drilling Method <i>GP</i>
DNR Facility Well No.	WI Unique Well No.	Common Well Name	Static Water Level Feet	Surface Elevation Feet	Borehole Diam. Inches <i>2</i>
Boring Location State Plane <i>NE 1/4 of NE 1/4 of Section 8, T. 7N, R. 22E</i>			Lat. Long.	Local Grid Location (If applicable) Feet N., Feet E.	
County <i>Milwaukee</i>		DNR County Code	Civil Town/City/or Village <i>Milwaukee</i>		

Sample Number	Length Recovered	Blow Counts	Depth in Feet	Soil/Rock Description And Geologic Origin For Each Major Unit	USCS	Graphic Log	Well Diagram	Max. ϕ /FID	Soil Properties			RQD/ Comments
									Standard Penetration	Moisture Content	P200	
1	40			<i>Topsoil 6" dk brn silt sandy clayey silt; brown, organic m. stiff</i>	<i>SM</i>			0.4		D		
2								0.4		D		
3	48		5	<i>lean clay; mottled gray/brown; little red c. sand and gravel; dense</i>	<i>cl</i>			0.2		D		
4								0.4		M		
5	40		10					0.6		D		
6				<i>f. sandy silt; gray/brown; red gravel dense</i>	<i>ML</i>			0.6		D		
7	42		15					1.7		D		
8			20					1.0		D-		<i>very hard drilling</i>

I hereby certify that the information on this form is true and correct to the best of my knowledge.

Signature: *[Signature]* Firm: **SCS ENGINEERS**

This form is authorized by Chapters 281, 283, 289, 291, 292, 295, and 299, Wis. Stats. Completion of this form is mandatory. Failure to file this form may result in forfeiture between \$10 and \$25,000, or imprisonment for up to one year, depending on program and conduct involved. Personally identifiable information on this form is not intended to be used for any other purpose. NOTE: See instructions for more information.

Facility/Project Name Hunn Family Trust		Local Grid Location of Well ft. <input type="checkbox"/> N. <input type="checkbox"/> S. ft. <input type="checkbox"/> E. <input type="checkbox"/> W.		Well Name MW12	
Facility License, Permit or Monitoring No.		Local Grid Origin (estimated: <input type="checkbox"/>) or Well Location <input type="checkbox"/>		Wis. Unique Well No. DNR Well ID No.	
Facility ID		St. Plane ft. N. ft. E. S/C/N		Date Well Installed 7/12/2013 m m d d y y y y	
Type of Well Well Code /		Section Location of Waste/Source NE 1/4 of NE 1/4 of Sec. 8, T. 7 N, R. 22 <input checked="" type="checkbox"/> E <input type="checkbox"/> W		Well Installed By: Name (first, last) and Firm Onsite Environmental Tony Kapugi	
Distance from Waste/Source ft.		Enf. Stds. Apply <input checked="" type="checkbox"/>		Gov. Lot Number	
		Location of Well Relative to Waste/Source u <input type="checkbox"/> Upgradient s <input type="checkbox"/> Sidegradient d <input type="checkbox"/> Downgradient n <input type="checkbox"/> Not Known			

A. Protective pipe, top elevation ----- ft. MSL

B. Well casing, top elevation 653.47 ft. MSL

C. Land surface elevation 653.99 ft. MSL

D. Surface seal, bottom ----- ft. MSL or ----- ft.

12. USCS classification of soil near screen:
 GP GM GC GW SW SP
 SM SC ML MH CL CH
 Bedrock


13. Sieve analysis performed? Yes No

14. Drilling method used: Rotary 50
 Hollow Stem Auger 41
 Other

15. Drilling fluid used: Water 02 Air 01
 Drilling Mud 03 None 99

16. Drilling additives used? Yes No
 Describe _____

17. Source of water (attach analysis, if required):



1. Cap and lock? Yes No

2. Protective cover pipe:
 a. Inside diameter: 8 in.
 b. Length: 1 ft.
 c. Material: Steel 04
 Other

d. Additional protection? Yes No
 If yes, describe: _____

3. Surface seal: Bentonite 30
 Concrete 01
 Other

4. Material between well casing and protective pipe: Bentonite 30
 Sand

5. Annular space seal: a. Granular/Chipped Bentonite 33
 b. _____ Lbs/gal mud weight ... Bentonite-sand slurry 35
 c. _____ Lbs/gal mud weight ... Bentonite slurry 31
 d. _____ % Bentonite ... Bentonite-cement grout 50
 e. 2 bags Ft³ volume added for any of the above
 f. How installed: Tremie 01
 Tremie pumped 02
 Gravity 08

6. Bentonite seal: a. Bentonite granules 33
 b. 1/4 in. 3/8 in. 1/2 in. Bentonite chips 32
 c. _____ Other

7. Fine sand material: Manufacturer, product name & mesh size
 a. _____
 b. Volume added 1 bag ft³

8. Filter pack material: Manufacturer, product name & mesh size
 a. _____
 b. Volume added 6.5 bags ft³

9. Well casing: Flush threaded PVC schedule 40 23
 Flush threaded PVC schedule 80 24
 Other

10. Screen material:
 a. Screen type: Factory cut 11
 Continuous slot 01
 Other
 b. Manufacturer _____
 c. Slot size: 0. 01 in.
 d. Slotted length: 10 ft.

11. Backfill material (below filter pack): None 14
 Other

E. Bentonite seal, top ----- ft. MSL or 1 ft.

F. Fine sand, top ----- ft. MSL or 7 ft.

G. Filter pack, top ----- ft. MSL or 9 ft.

H. Screen joint, top ----- ft. MSL or 11 ft.

I. Well bottom ----- ft. MSL or 21 ft.

J. Filter pack, bottom ----- ft. MSL or 21 ft.

K. Borehole, bottom ----- ft. MSL or 21 ft.

L. Borehole, diameter 8.5 in.

M. O.D. well casing 2.4 in.

N. I.D. well casing 2.0 in.

I hereby certify that the information on this form is true and correct to the best of my knowledge.

Signature (Tony Kapugi) Firm

SCS ENGINEERS, 2830 Dairy Drive, Madison, WI 53718

Please complete both Forms 4400-113A and 4400-113B and return them to the appropriate DNR office and bureau. Completion of these reports is required by chs. 160, 281, 283, 289, 291, 292, 293, 295, and 299, Wis. Stats., and ch. NR 141, Wis. Adm. Code. In accordance with chs. 281, 289, 291, 292, 293, 295, and 299, Wis. Stats., failure to file these forms may result in a forfeiture of between \$10 and \$25,000, or imprisonment for up to one year, depending on the program and conduct involved. Personally identifiable information on these forms is not intended to be used for any other purpose. NOTE: See the instructions for more information, including where the completed forms should be sent.

Route to: Watershed/Wastewater Waste Management
Remediation/Redevelopment Other

Facility/Project Name Hunn Family Trust	County Name Milwaukee	Well Name mwz
Facility License, Permit or Monitoring Number	County Code	DNR Well ID Number

1. Can this well be purged dry? Yes No
2. Well development method
- surged with bailer and bailed 41
 - surged with bailer and pumped 61
 - surged with block and bailed 42
 - surged with block and pumped 62
 - surged with block, bailed and pumped 70
 - compressed air 20
 - bailed only 10
 - pumped only 51
 - pumped slowly 50
 - Other
3. Time spent developing well 5 min.
4. Depth of well (from top of well casing) 20.0 ft.
5. Inside diameter of well 2.00 in.
6. Volume of water in filter pack and well casing _____ gal.
7. Volume of water removed from well 0.3 gal.
8. Volume of water added (if any) _____ gal.
9. Source of water added _____
10. Analysis performed on water added? Yes No
(If yes, attach results)

	Before Development	After Development
11. Depth to Water (from top of well casing)	a. <u>19.25</u> ft.	<u>19.93</u> ft.
Date	b. <u>07/24/2013</u> m m d d y y y y	<u>07/24/2013</u> m m d d y y y y
Time	c. <u>11:00</u> <input checked="" type="checkbox"/> a.m. <input type="checkbox"/> p.m.	<u>11:10</u> <input checked="" type="checkbox"/> a.m. <input type="checkbox"/> p.m.
12. Sediment in well bottom	<u>0.0</u> inches	<u>0.0</u> inches
13. Water clarity	Clear <input type="checkbox"/> 10 Turbid <input checked="" type="checkbox"/> 15 (Describe) <u>Brown moderate turbidity</u>	Clear <input type="checkbox"/> 20 Turbid <input checked="" type="checkbox"/> 25 (Describe) <u>Brown moderate turbidity</u>
Fill in if drilling fluids were used and well is at solid waste facility:		
14. Total suspended solids	_____ mg/l	_____ mg/l
15. COD	_____ mg/l	_____ mg/l
16. Well developed by: Name (first, last) and Firm		
First Name:	<u>Steve</u>	Last Name: <u>Smith</u>
Firm: <u>SCS BT Squared</u>		

17. Additional comments on development:
7/25/13 - DTW = 19.31' Bailed an additional 0.3 gals. DTW = 19.90'

Name and Address of Facility Contact/Owner/Responsible Party

First Name: Lou Last Name: Dodalik
Attorney for Hunn Family Trust

Facility/Firm: Mudroch & Dodalik, S.C.

Street: 945 Elm Grove Road

City/State/Zip: Elm Grove, WI 53122

I hereby certify that the above information is true and correct to the best of my knowledge.

Signature: [Signature]

Print Name: Steve Smith

Firm: SCS ENGINEERS 2830 Dairy Drive, Madison, WI 53718

Notice: Completion of this report is required by chs. 160, 281, 283, 289, 291-293, 295, and 299, Wis. Stats., and ch. NR 141, Wis. Adm. Code. In accordance with chs. 281, 289, 291-293, 295, and 299, Wis. Stats., failure to file this form may result in a forfeiture of between \$10-25,000, or imprisonment for up to one year, depending on the program and conduct involved. Personally identifiable information on this form is not intended to be used for any other purpose. Return form to the appropriate DNR office and bureau. See instructions on reverse for more information.

Verification Only of Fill and Seal

Route to:

Drinking Water Watershed/Wastewater Remediation/Redevelopment

Waste Management Other: _____

1. Well Location Information			2. Facility / Owner Information		
County Milwaukee	WI Unique Well # of Removed Well	Hicap # MW12A	Facility Name Hunn Family Trust		
Latitude / Longitude (Degrees and Minutes)		Method Code (see instructions)	Facility ID (FID or PWS)		
_____ ° _____ ' N			License/Permit/Monitoring #		
_____ ° _____ ' W					

1/4 NE	1/4 NE	Section 8	Township 7 N	Range 22	<input checked="" type="checkbox"/> E <input type="checkbox"/> W	Original Well Owner Hunn Family Trust
or Gov't Lot #						Present Well Owner
Well Street Address 117 East Capitol Drive						Mailing Address of Present Owner
Well City, Village or Town Milwaukee				Well ZIP Code		
Subdivision Name				Lot #		City of Present Owner State ZIP Code

Reason For Removal From Service: Temp. obstruction WI Unique Well # of Replacement Well: _____

3. Well / Drillhole / Borehole Information

Monitoring Well Original Construction Date (mm/dd/yyyy): 7/12/13

Water Well

Borehole / Drillhole If a Well Construction Report is available, please attach.

Construction Type:

Drilled Driven (Sandpoint) Dug

Other (specify): _____

Formation Type:

Unconsolidated Formation Bedrock

Total Well Depth From Ground Surface (ft.): 10 Casing Diameter (in.): _____

Lower Drillhole Diameter (in.): 8.5 Casing Depth (ft.): _____

Was well annular space grouted? Yes No Unknown

If yes, to what depth (feet)? Depth to Water (feet): _____

4. Pump, Liner, Screen, Casing & Sealing Material

Pump and piping removed? Yes No N/A

Liner(s) removed? Yes No N/A

Screen removed? Yes No N/A

Casing left in place? Yes No N/A

Was casing cut off below surface? Yes No N/A

Did sealing material rise to surface? Yes No N/A

Did material settle after 24 hours? Yes No N/A

If yes, was hole retopped? Yes No N/A

If bentonite chips were used, were they hydrated with water from a known safe source? Yes No N/A

Required Method of Placing Sealing Material

Conductor Pipe-Gravity Conductor Pipe-Pumped

Screened & Poured (Bentonite Chips) Other (Explain): _____

Sealing Materials

Neat Cement Grout Clay-Sand Slurry (11 lb./gal. wt.)

Sand-Cement (Concrete) Grout Bentonite-Sand Slurry " "

Concrete Bentonite Chips

For Monitoring Wells and Monitoring Well Boreholes Only:

Bentonite Chips Bentonite - Cement Grout

Granular Bentonite Bentonite - Sand Slurry

5. Material Used To Fill Well / Drillhole			
From (ft.)	To (ft.)	No. Yards, Sacks Sealant or Volume (circle one)	Mix Ratio or Mud Weight
Surface	10	125#	

6. Comments

7. Supervision of Work			DNR Use Only	
Name of Person or Firm Doing Filling & Sealing SCS Engineers	License #	Date of Filling & Sealing (mm/dd/yyyy) 7/12/13	Date Received	Noted By
Street or Route 2830 Dairy Drive		Telephone Number (608) 224-2839	Comments	
City Madison	State WI	ZIP Code 53718	Signature of Person Doing Work <i>[Signature]</i>	Date Signed 7/12/13

Notice: Completion of this report is required by chs. 160, 281, 283, 289, 291-293, 295, and 299, Wis. Stats., and ch. NR 141, Wis. Adm. Code. In accordance with chs. 281, 289, 291-293, 295, and 299, Wis. Stats., failure to file this form may result in a forfeiture of between \$10-25,000, or imprisonment for up to one year, depending on the program and conduct involved. Personally identifiable information on this form is not intended to be used for any other purpose. Return form to the appropriate DNR office and bureau. See instructions on reverse for more information.

Verification Only of Fill and Seal

Route to:

Drinking Water Watershed/Wastewater Remediation/Redevelopment

Waste Management Other: _____

1. Well Location Information				2. Facility / Owner Information			
County Milwaukee		WI Unique Well # of Removed Well _____		Hicap # MW12B		Facility Name Hunn Family Trust	
Latitude / Longitude (Degrees and Minutes) ____ ° ____ ' N ____ ° ____ ' W		Method Code (see instructions) _____		Facility ID (FID or PWS) _____		License/Permit/Monitoring # _____	
¼ / ¼ NE ¼ NE		Section 8		Township 7 N		Range 22 <input checked="" type="checkbox"/> E <input type="checkbox"/> W	
Well Street Address 117 East Capitol Drive				Original Well Owner Hunn Family Trust			
Well City, Village or Town Milwaukee				Present Well Owner _____			
Subdivision Name _____				Mailing Address of Present Owner _____			
Well ZIP Code _____				City of Present Owner _____		State ZIP Code _____	
Reason For Removal From Service Temp.				WI Unique Well # of Replacement Well _____			

3. Well / Drillhole / Borehole Information		4. Pump, Liner, Screen, Casing & Sealing Material	
<input type="checkbox"/> Monitoring Well <input type="checkbox"/> Water Well <input checked="" type="checkbox"/> Borehole / Drillhole		Pump and piping removed? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A Liner(s) removed? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A Screen removed? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A Casing left in place? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	
Original Construction Date (mm/dd/yyyy) 7/12/13 If a Well Construction Report is available, please attach.		Was casing cut off below surface? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A Did sealing material rise to surface? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A Did material settle after 24 hours? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input checked="" type="checkbox"/> N/A If yes, was hole retopped? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A If bentonite chips were used, were they hydrated with water from a known safe source? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	
Construction Type: <input checked="" type="checkbox"/> Drilled <input type="checkbox"/> Driven (Sandpoint) <input type="checkbox"/> Dug <input checked="" type="checkbox"/> Other (specify): _____		Required Method of Placing Sealing Material <input type="checkbox"/> Conductor Pipe-Gravity <input type="checkbox"/> Conductor Pipe-Pumped <input type="checkbox"/> Screened & Poured (Bentonite Chips) <input type="checkbox"/> Other (Explain): _____	
Formation Type: <input checked="" type="checkbox"/> Unconsolidated Formation <input type="checkbox"/> Bedrock		Sealing Materials <input type="checkbox"/> Neat Cement Grout <input type="checkbox"/> Clay-Sand Slurry (11 lb./gal. wt.) <input type="checkbox"/> Sand-Cement (Concrete) Grout <input type="checkbox"/> Bentonite-Sand Slurry " " <input type="checkbox"/> Concrete <input checked="" type="checkbox"/> Bentonite Chips	
Total Well Depth From Ground Surface (ft.) Casing Diameter (in.) _____ _____		For Monitoring Wells and Monitoring Well Boreholes Only: <input type="checkbox"/> Bentonite Chips <input type="checkbox"/> Bentonite - Cement Grout <input type="checkbox"/> Granular Bentonite <input type="checkbox"/> Bentonite - Sand Slurry	
Lower Drillhole Diameter (in.) Casing Depth (ft.) _____ _____		From (ft.) To (ft.) No. Yards, Sacks Sealant or Volume (circle one) Mix Ratio or Mud Weight Surface 11 # 125 #	
Was well annular space grouted? <input type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> Unknown If yes, to what depth (feet)? Depth to Water (feet) _____ _____		5. Material Used To Fill Well / Drillhole Chips	

6. Comments

7. Supervision of Work				DNR Use Only	
Name of Person or Firm Doing Filling & Sealing SCS Engineers		License # _____	Date of Filling & Sealing (mm/dd/yyyy) 7/12/13	Date Received _____	Noted By _____
Street or Route 2830 Dairy Drive			Telephone Number (608) 224-2830	Comments _____	
City Madison		State WI	ZIP Code 53718	Signature of Person Doing Work <i>[Signature]</i>	Date Signed 7/12/13

Facility/Project Name <i>Hann Family Trust</i>		License/Permit/Monitoring Number SCS # <i>25213159.00</i>		Boring Number <i>B-14MW-14</i>	
Boring Drilled By (Firm name and name of crew chief) <i>On Site</i>			Drilling Started <i>7/11/13 1220</i>	Drilling Completed <i>7/11/13</i>	Drilling Method <i>GP</i>
DNR Facility Well No.	WI Unique Well No.	Common Well Name	Static Water Level Feet	Surface Elevation Feet	Borehole Diam. Inches
Boring Location State Plane <i>NE 1/4 of NE 1/4 of Section 8, T. 7N, R. 22E</i>			Lat. Long.	Local Grid Location (If applicable) Feet N., Feet E.	
County <i>MILW</i>			DNR County Code	Civil Town/City/or Village <i>MILW</i>	

Sample Number	Length Recovered	Blow Counts	Depth in Feet	Soil/Rock Description And Geologic Origin For Each Major Unit	USCS	Graphic Log	Well Diagram	Max PIP/FID	Soil Properties			RQD/Comments
									Standard Penetration	Moisture Content	P200	
1	42			<i>8" concrete</i>	<i>CL</i>							<i>no odors</i>
				<i>lean clay; brown; (fill)</i>			<i>4.2</i>	<i>M</i>				
2			5	<i>lean clay; mott. gray-brown; m. soft</i>	<i>CL</i>							
						<i>10.9</i>	<i>M</i>					
3	46							<i>4.2</i>	<i>M</i>			
4				<i>lean clay; gray; dense rnd c. sand and gravel (till)</i>	<i>CL</i>				<i>3</i>	<i>M</i>		
5	44							<i>2.7</i>	<i>M</i>			
6								<i>3.4</i>	<i>M</i>			
7	60							<i>3.3</i>	<i>M</i>			
8								<i>4.3</i>	<i>M</i>			

I hereby certify that the information on this form is true and correct to the best of my knowledge.

Signature: *[Signature]* Firm: **SCS ENGINEERS**

This form is authorized by Chapters 281, 283, 289, 291, 292, 295, and 299, Wis. Stats. Completion of this form is mandatory. Failure to file this form may result in forfeiture between \$10 and \$25,000, or imprisonment for up to one year, depending on program and conduct involved. Personally identifiable information on this form is not intended to be used for any other purpose. NOTE: See instructions for more information.

Route to: Watershed/Wastewater Waste Management
 Remediation/Redevelopment Other

Facility/Project Name Hunn Family Trust		Local Grid Location of Well ft. <input type="checkbox"/> N. <input type="checkbox"/> E. ft. <input type="checkbox"/> S. <input type="checkbox"/> W.		Well Name MW 14	
Facility License, Permit or Monitoring No.		Local Grid Origin (estimated: <input type="checkbox"/>) or Well Location Lat. " Long. " or " or "		Wis. Unique Well No. DNR Well ID No.	
Facility ID		St. Plane ft. N. ft. E. S/C/N		Date Well Installed m / d / y _ / _ / 2013	
Type of Well Well Code /		Section Location of Waste/Source NE 1/4 of NE 1/4 of Sec. 8, T. 7 N, R. 22 <input checked="" type="checkbox"/> E <input type="checkbox"/> W		Well Installed By: Name (first, last) and Firm Onsite Environmental Tony K	
Distance from Waste/Source ft.		Location of Well Relative to Waste/Source u <input type="checkbox"/> Upgradient s <input type="checkbox"/> Sidegradient d <input checked="" type="checkbox"/> Downgradient n <input type="checkbox"/> Not Known		Gov. Lot Number	

A. Protective pipe, top elevation --- ft. MSL
 B. Well casing, top elevation 653.23 ft. MSL
 C. Land surface elevation 653.68 ft. MSL
 D. Surface seal, bottom --- ft. MSL or 1 ft.

12. USCS classification of soil near screen:
 GP GM GC GW SW SP
 SM SC ML MH CL CH
 Bedrock


13. Sieve analysis performed? Yes No

14. Drilling method used: Rotary 50
 Hollow Stem Auger 41
 Other

15. Drilling fluid used: Water 02 Air 01
 Drilling Mud 03 None 99

16. Drilling additives used? Yes No
 Describe _____

17. Source of water (attach analysis, if required):



1. Cap and lock? Yes No

2. Protective cover pipe:
 a. Inside diameter: 8 in.
 b. Length: 1 ft.
 c. Material: Steel 04
 Other
 d. Additional protection? Yes No
 If yes, describe: _____

3. Surface seal: Concrete 01
Concrete Other

4. Material between well casing and protective pipe:
Sand Bentonite 30
 Other

5. Annular space seal: a. Granular/Chipped Bentonite 33
 b. Lbs/gal mud weight... Bentonite-sand slurry 35
 c. Lbs/gal mud weight... Bentonite slurry 31
 d. % Bentonite... Bentonite-cement grout 50
 e. 2.5 bags Ft³ volume added for any of the above
 f. How installed: Tremie 01
 Tremie pumped 02
 Gravity 08

6. Bentonite seal: a. Bentonite granules 33
 b. 1/4 in. 3/8 in. 1/2 in. Bentonite chips 32
 c. Other

7. Fine sand material: Manufacturer, product name & mesh size
 a. 1 bag
 b. Volume added ft³

8. Filter pack material: Manufacturer, product name & mesh size
 a. 65 bags
 b. Volume added ft³

9. Well casing: Flush threaded PVC schedule 40 23
 Flush threaded PVC schedule 80 24
 Other

10. Screen material:
 a. Screen type: Factory cut 11
 Continuous slot 01
 Other
 b. Manufacturer
 c. Slot size: 0.01 in.
 d. Slotted length: 10 ft.

11. Backfill material (below filter pack): None 14
 Other

E. Bentonite seal, top --- ft. MSL or 1.0 ft.
 F. Fine sand, top --- ft. MSL or 8.5 ft.
 G. Filter pack, top --- ft. MSL or 10.5 ft.
 H. Screen joint, top --- ft. MSL or 12.5 ft.
 I. Well bottom --- ft. MSL or 22.5 ft.
 J. Filter pack, bottom --- ft. MSL or 22.5 ft.
 K. Borehole, bottom --- ft. MSL or 22.5 ft.
 L. Borehole, diameter 8 1/2 in.
 M. O.D. well casing 2.4 in.
 N. I.D. well casing 2.0 in.

I hereby certify that the information on this form is true and correct to the best of my knowledge.
 Signature Tom Kellensch Firm SCS ENGINEERS. 2830 Dairy Drive, Madison, WI 53718

Please complete both Forms 4400-113A and 4400-113B and return them to the appropriate DNR office and bureau. Completion of these reports is required by chs. 160, 281, 283, 289, 291, 292, 293, 295, and 299, Wis. Stats., and ch. NR 141, Wis. Adm. Code. In accordance with chs. 281, 289, 291, 292, 293, 295, and 299, Wis. Stats., failure to file these forms may result in a forfeiture of between \$10 and \$25,000, or imprisonment for up to one year, depending on the program and conduct involved. Personally identifiable information on these forms is not intended to be used for any other purpose. NOTE: See the instructions for more information, including where the completed forms should be sent.

Route to: Watershed/Wastewater Waste Management
Remediation/Redevelopment Other

Facility/Project Name Hunn Family Trust	County Name Milwaukee	Well Name mu 14
Facility License, Permit or Monitoring Number	County Code	DNR Well ID Number

1. Can this well be purged dry? Yes No

2. Well development method
- surged with bailer and bailed 41
 - surged with bailer and pumped 61
 - surged with block and bailed 42
 - surged with block and pumped 62
 - surged with block, bailed and pumped 70
 - compressed air 20
 - bailed only 10
 - pumped only 51
 - pumped slowly 50
 - Other

3. Time spent developing well 20 min.

4. Depth of well (from top of well casing) 21.55 ft.

5. Inside diameter of well 2.00 in.

6. Volume of water in filter pack and well casing _____ gal.

7. Volume of water removed from well 5.0 gal.

8. Volume of water added (if any) _____ gal.

9. Source of water added _____

10. Analysis performed on water added? Yes No
(If yes, attach results)

17. Additional comments on development:

7/25/13 - DTW = Blocked by an unattended vehicle. Can't access

11. Depth to Water (from top of well casing)

	Before Development	After Development
a.	<u>15.33</u> ft.	<u>21.50</u> ft.

Date b. 07/29/2013 07/24/2013
m m d d y y y y m m d d y y y y

Time c. 11:20 a.m. p.m. 11:30 a.m. p.m.

12. Sediment in well bottom 12.0 inches 7.0 inches

13. Water clarity

	Before Development	After Development
Clear	<input type="checkbox"/> 10	<input type="checkbox"/> 20
Turbid	<input checked="" type="checkbox"/> 15	<input checked="" type="checkbox"/> 25
(Describe)	<u>Brown</u>	<u>Brown</u>
	<u>Heavy turbidity</u>	<u>Heavy turbidity</u>

TD = 21.80

Fill in if drilling fluids were used and well is at solid waste facility:

14. Total suspended solids _____ mg/l _____ mg/l

15. COD _____ mg/l _____ mg/l

16. Well developed by: Name (first, last) and Firm

First Name: Steven Last Name: Smith

Firm: SCS BT Squared

Name and Address of Facility Contact /Owner/Responsible Party

First Name: Lou Last Name: Dodulik
Attorney for Hunn Family Trust
Facility/Firm: Madroch & Dodulik, S.C.

Street: 945 Elm Grove Road

City/State/Zip: Elm Grove, WI 53122

I hereby certify that the above information is true and correct to the best of my knowledge.

Signature: Steven Smith

Print Name: Steven Smith

Firm: SCS ENGINEERS 2830 Dairy Drive, Madison, WI 53718

Facility/Project Name <i>Hunn Family Trust</i>		License/Permit/Monitoring Number SCS # 25213159.00		Boring Number B-15/MW-	
Boring Drilled By (Firm name and name of crew chief) <i>On Site</i>			Drilling Started <i>7/11/13 1155</i>	Drilling Completed <i>7/11/13</i>	Drilling Method
DNR Facility Well No.	WI Unique Well No.	Common Well Name	Static Water Level Feet	Surface Elevation Feet	Borehole Diam. Inches
Boring Location State Plane <i>NE 1/4 of NE 1/4 of Section 8, T. 7N, R. 22E</i>			Lat. Long.	Local Grid Location (If applicable) Feet N., Feet E.	

County <i>Milwaukee</i>	DNR County Code	Civil Town/City/or Village <i>milwaukee</i>
----------------------------	-----------------	--

Sample Number	Length Recovered	Blow Counts	Depth in Feet	Soil/Rock Description And Geologic Origin For Each Major Unit	USCS	Graphic Log	Well Diagram	Max. PIP/FID	Soil Properties			RQD/ Comments
									Standard Penetration	Moisture Content	P200	
<i>X 1</i>	<i>40</i>			<i>concrete 2" and sandy clay</i>	<i>SC</i>			<i>3.5</i>		<i>m</i>		
<i>2</i>				<i>lean clay; brown; dense; some salty and sandy zones, and c. sand and gravel (till)</i>	<i>CL</i>			<i>1.6</i>		<i>m</i>		<i>no odors</i>
<i>3</i>	<i>50</i>							<i>1.9</i>		<i>m</i>		
<i>X 4</i>								<i>5.7</i>		<i>m</i>		
<i>5</i>	<i>40</i>			<i>lean clay; gray (till)</i>	<i>CL</i>			<i>4.1</i>		<i>m</i>		
<i>6</i>				<i>dense; red s. sand and gravel;</i>				<i>3.7</i>		<i>m</i>		
				<i>EOB 15'</i>								

I hereby certify that the information on this form is true and correct to the best of my knowledge.

Signature <i>[Signature]</i>	Firm SCS ENGINEERS
---------------------------------	------------------------------

This form is authorized by Chapters 281, 283, 289, 291, 292, 295, and 299, Wis. Stats. Completion of this form is mandatory. Failure to file this form may result in forfeiture between \$10 and \$25,000, or imprisonment for up to one year, depending on program and conduct involved. Personally identifiable information on this form is not intended to be used for any other purpose. NOTE: See instructions for more information.

Notice: Completion of this report is required by chs. 160, 281, 283, 289, 291-293, 295, and 299, Wis. Stats., and ch. NR 141, Wis. Adm. Code. In accordance with chs. 281, 289, 291-293, 295, and 299, Wis. Stats., failure to file this form may result in a forfeiture of between \$10-25,000, or imprisonment for up to one year, depending on the program and conduct involved. Personally identifiable information on this form is not intended to be used for any other purpose. Return form to the appropriate DNR office and bureau. See instructions on reverse for more information.

Verification Only of Fill and Seal

Route to:

Drinking Water

Watershed/Wastewater

Remediation/Redevelopment

Waste Management

Other: _____

1. Well Location Information

County: Milwaukee
 WI Unique Well # of Removed Well: _____
 Hicap #: B15

Latitude / Longitude (Degrees and Minutes): _____ 'N
 _____ 'W
 Method Code (see instructions): _____

1/4 NE or Gov't Lot #: _____
 Section: 8 Township: 7 N Range: 22 E W

Well Street Address: 117 East Capitol Drive

Well City, Village or Town: Milwaukee Well ZIP Code: _____

Subdivision Name: _____ Lot #: _____

Reason For Removal From Service: Temp
 WI Unique Well # of Replacement Well: _____

3. Well / Drillhole / Borehole Information

Monitoring Well
 Water Well
 Borehole / Drillhole
 Original Construction Date (mm/dd/yyyy): 7/11/13
 If a Well Construction Report is available, please attach.

Construction Type:
 Drilled Driven (Sandpoint) Dug
 Other (specify): GP

Formation Type:
 Unconsolidated Formation Bedrock

Total Well Depth From Ground Surface (ft.): 15 Casing Diameter (in.): _____

Lower Drillhole Diameter (in.): _____ Casing Depth (ft.): _____

Was well annular space grouted? Yes No Unknown

If yes, to what depth (feet)? _____ Depth to Water (feet): _____

5. Material Used To Fill Well / Drillhole

From (ft.)	To (ft.)	No. Yards, Sacks Sealant or Volume (circle one)	Mix Ratio or Mud Weight
Surface	15	207#	dry

6. Comments

7. Supervision of Work

Name of Person or Firm Doing Filling & Sealing: SCS Engineers License #: _____ Date of Filling & Sealing (mm/dd/yyyy): 7/11/13
 Street or Route: 2830 Dairy Drive Telephone Number: (608) 224-2830
 City: Madison State: WI ZIP Code: 53718

DNR Use Only

Date Received: _____ Noted By: _____
 Signature of Person Doing Work: _____ Date Signed: 7/11/13

Facility/Project Name <i>Hunn Family Trust</i>		SCS # <i>25213159.00</i>		License/Permit/Monitoring Number		Boring Number B- <i>18MW- 316</i>					
Boring Drilled By (Firm name and name of crew chief) <i>On Site</i>				Drilling Started <i>7/11/13 0955</i>		Drilling Completed <i>7/11/13</i>		Drilling Method <i>GP</i>			
DNR Facility Well No.		WI Unique Well No.		Common Well Name		Static Water Level Feet		Surface Elevation Feet <i>2</i>		Borehole Diam. Inches	
Boring Location State Plane <i>NE 1/4 of NE 1/4 of Section 8, T. 7N, R. 22E</i>				Lat. Long.		Local Grid Location (If applicable) Feet N., Feet E.					
County <i>Milw.</i>				DNR County Code		Civil Town/City/Village <i>Milw.</i>					

Sample Number	Length Recovered	Blow Counts	Depth in Feet	Soil/Rock Description And Geologic Origin For Each Major Unit	USCS	Graphic Log	Well Diagram	Max. P.D./FID	Soil Properties			RQD/ Comments
									Standard Penetration	Moisture Content	P200	
<i>x 1</i>	<i>26</i>			<i>concrete 6" & sand fill 3"</i> <i>lean clay; brown; m. stiff</i>	<i>CL</i>				<i>1.4</i>	<i>M+</i>		
<i>2</i>									<i>2.2</i>	<i>M</i>		
<i>3</i>	<i>60</i>		<i>5</i>	<i>As above, sandy zones</i>					<i>14.2</i>	<i>M-</i>		
<i>4</i>									<i>2.3</i>	<i>M.</i>		
<i>5</i>			<i>10</i>	<i>F. sandy silt; gray; dense red c. sand and gravel (till)</i>	<i>ML</i>				<i>2.4</i>	<i>M</i>		
<i>x 6</i>	<i>52</i>								<i>2.9</i>	<i>M</i>		<i>Water around sample from above</i>
<i>7</i>	<i>52</i>		<i>15</i>	<i>As above, v. dense</i>					<i>2.5</i>	<i>M</i>		
<i>8</i>									<i>2.5</i>	<i>M</i>		

I hereby certify that the information on this form is true and correct to the best of my knowledge.

Signature: *[Signature]* Firm: **SCS ENGINEERS**

This form is authorized by Chapters 281, 283, 289, 291, 292, 295, and 299, Wis. Stats. Completion of this form is mandatory. Failure to file this form may result in forfeiture between \$10 and \$25,000, or imprisonment for up to one year, depending on program and conduct involved. Personally identifiable information on this form is not intended to be used for any other purpose. NOTE: See instructions for more information.

Notice: Completion of this report is required by chs. 160, 281, 283, 289, 291-293, 295, and 299, Wis. Stats., and ch. NR 141, Wis. Adm. Code. In accordance with chs. 281, 289, 291-293, 295, and 299, Wis. Stats., failure to file this form may result in a forfeiture of between \$10-25,000, or imprisonment for up to one year, depending on the program and conduct involved. Personally identifiable information on this form is not intended to be used for any other purpose. Return form to the appropriate DNR office and bureau. See instructions on reverse for more information.

Verification Only of Fill and Seal

Route to:
 Drinking Water Watershed/Wastewater Remediation/Redevelopment
 Waste Management Other: _____

1. Well Location Information				2. Facility / Owner Information			
County Milwaukee		WI Unique Well # of Removed Well		Hicap # B16		Facility Name Hunn Family Trust	
Latitude / Longitude (Degrees and Minutes)		Method Code (see instructions)		Facility ID (FID or PWS)		License/Permit/Monitoring #	
_____ ° _____ ' N		_____		Original Well Owner Hunn Family Trust		Present Well Owner	
_____ ° _____ ' W		_____		Mailing Address of Present Owner		City of Present Owner State ZIP Code	
1/4 NE	1/4 NE	Section 8	Township 7 N	Range 22	<input checked="" type="checkbox"/> E <input type="checkbox"/> W	4. Pump, Liner, Screen, Casing & Sealing Material	
or Gov't Lot #		Well Street Address 117 East Capitol Drive		Well City, Village or Town Milwaukee		Well ZIP Code	
Subdivision Name		Lot #		Reason For Removal From Service Temp		WI Unique Well # of Replacement Well	

3. Well / Drillhole / Borehole Information		Original Construction Date (mm/dd/yyyy) 7/11/13	
<input type="checkbox"/> Monitoring Well	<input type="checkbox"/> Water Well	If a Well Construction Report is available, please attach.	
<input checked="" type="checkbox"/> Borehole / Drillhole		Construction Type:	
<input type="checkbox"/> Drilled	<input type="checkbox"/> Driven (Sandpoint)	<input type="checkbox"/> Dug	
<input checked="" type="checkbox"/> Other (specify): GP		Formation Type:	
<input checked="" type="checkbox"/> Unconsolidated Formation		<input type="checkbox"/> Bedrock	
Total Well Depth From Ground Surface (ft.) 23		Casing Diameter (in.)	
Lower Drillhole Diameter (in.) 2		Casing Depth (ft.)	
Was well annular space grouted? <input type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> Unknown		If yes, to what depth (feet)?	
Depth to Water (feet)		Required Method of Placing Sealing Material	
		<input type="checkbox"/> Conductor Pipe-Gravity <input type="checkbox"/> Conductor Pipe-Pumped	
		<input type="checkbox"/> Screened & Poured (Bentonite Chips) <input type="checkbox"/> Other (Explain):	
		Sealing Materials	
		<input type="checkbox"/> Neat Cement Grout <input type="checkbox"/> Clay-Sand Slurry (11 lb./gal. wt.)	
		<input type="checkbox"/> Sand-Cement (Concrete) Grout <input type="checkbox"/> Bentonite-Sand Slurry " "	
		<input type="checkbox"/> Concrete <input checked="" type="checkbox"/> Bentonite Chips	
		For Monitoring Wells and Monitoring Well Boreholes Only:	
		<input checked="" type="checkbox"/> Bentonite Chips <input type="checkbox"/> Bentonite - Cement Grout	
		<input type="checkbox"/> Granular Bentonite <input type="checkbox"/> Bentonite - Sand Slurry	

5. Material Used To Fill Well / Drillhole			
From (ft.)	To (ft.)	No. Yards, Sacks Sealant or Volume (circle one)	Mix Ratio or Mud Weight
Surface	23	30#	dry

6. Comments

7. Supervision of Work			DNR Use Only	
Name of Person or Firm Doing Filling & Sealing SCS Engineers	License #	Date of Filling & Sealing (mm/dd/yyyy) 7/11/13	Date Received	Noted By
Street or Route 2830 Dairy Drive		Telephone Number (608) 224-2830	Comments	
City Madison	State WI	ZIP Code 53718	Signature of Person Doing Work <i>[Signature]</i>	Date Signed 7/11/13

- Watershed/Wastewater
 Remediation/Redev.
 Waste Management Other _____

Facility/Project Name <i>Hunn Family Trust</i>		SCS # <i>25213159.00</i>		License/Permit/Monitoring Number		Boring Number <i>B-77/MW-</i>	
Boring Drilled By (Firm name and name of crew chief) <i>On Site</i>				Drilling Started <i>7/11/13 0925</i>		Drilling Completed <i>7/11/13</i>	
DNR Facility Well No.		WI Unique Well No.		Common Well Name		Static Water Level Feet	
Boring Location State Plane <i>NE 1/4 of NE 1/4 of Section 8, T. 7N, R. 22E</i>		Lat.		Local Grid Location (If applicable) Feet N., Feet E.		Surface Elevation Feet <i>2</i>	
County <i>Mi</i>		DNR County Code		Civil Town/City/or Village <i>Milw</i>			

Sample Number	Length Recovered	Blow Counts	Depth in Feet	Soil/Rock Description And Geologic Origin For Each Major Unit	USCS	Graphic Log	Well Diagram	Soil Properties				RQD/Comments
								Max. P200	Standard Penetration	Moisture Content	P200	
<i>1</i>	<i>50</i>			<i>Silty; dk brn; organic (topsoil) - as</i>	<i>CL</i>			<i>m</i>		<i>0.1</i>		<i>No odors</i>
<i>2</i>				<i>sandy lean clay; brown some rnd. sand & gravel dense by 4' (fill)</i>				<i>m</i>		<i>0.1</i>		
<i>3</i>								<i>m</i>		<i>0.1</i>		<i>sandier and siltier zones</i>
<i>4</i>	<i>60</i>							<i>m</i>		<i>0.1</i>		
<i>5</i>				<i>As Above, gray color, dense</i>	<i>CL</i>			<i>m</i>		<i>0.1</i>		
<i>6</i>	<i>50</i>							<i>m</i>		<i>0.3</i>		
				<i>EOB 15'</i>	<i>15</i>							

I hereby certify that the information on this form is true and correct to the best of my knowledge.

Signature: *[Signature]* Firm: **SCS ENGINEERS**

This form is authorized by Chapters 281, 283, 289, 291, 292, 295, and 299, Wis. Stats. Completion of this form is mandatory. Failure to file this form may result in forfeiture between \$10 and \$25,000, or imprisonment for up to one year, depending on program and conduct involved. Personally identifiable information on this form is not intended to be used for any other purpose. NOTE: See instructions for more information.

Notice: Completion of this report is required by chs. 160, 281, 283, 289, 291-293, 295, and 299, Wis. Stats., and ch. NR 141, Wis. Adm. Code. In accordance with chs. 281, 289, 291-293, 295, and 299, Wis. Stats., failure to file this form may result in a forfeiture of between \$10-25,000, or imprisonment for up to one year, depending on the program and conduct involved. Personally identifiable information on this form is not intended to be used for any other purpose. Return form to the appropriate DNR office and bureau. See instructions on reverse for more information.

Verification Only of Fill and Seal

Route to:
 Drinking Water Watershed/Wastewater Remediation/Redevelopment
 Waste Management Other: _____

1. Well Location Information

County: Milwaukee
 WI Unique Well # of Removed Well: _____
 Hicap #: 817

Latitude / Longitude (Degrees and Minutes): _____ 'N
 _____ 'W

Method Code (see instructions): _____

1/4 NE 1/4 NE Section 8 Township 7 N Range 22 E W

or Gov't Lot #: _____

Well Street Address: 117 East Capitol Drive
 Well City, Village or Town: Milwaukee
 Well ZIP Code: _____

Subdivision Name: _____ Lot #: _____

Reason For Removal From Service: Temp Boring
 WI Unique Well # of Replacement Well: _____

3. Well / Drillhole / Borehole Information

Monitoring Well
 Water Well
 Borehole / Drillhole

Original Construction Date (mm/dd/yyyy): 7/11/13
 If a Well Construction Report is available, please attach.

Construction Type:
 Drilled Driven (Sandpoint) Dug
 Other (specify): GP

Formation Type:
 Unconsolidated Formation Bedrock

Total Well Depth From Ground Surface (ft.): 15 Casing Diameter (in.): _____
 Lower Drillhole Diameter (in.): 2 Casing Depth (ft.): _____

Was well annular space grouted? Yes No Unknown

If yes, to what depth (feet)? _____ Depth to Water (feet): _____

5. Material Used To Fill Well / Drillhole

Bent Chips

From (ft.)	To (ft.)	No. Yards, Sacks Sealant or Volume (circle one)	Mix Ratio or Mud Weight
Surface	15	20#	

6. Comments

2. Facility / Owner Information

Facility Name: Hunn Family Trust
 Facility ID (FID or PWS): _____
 License/Permit/Monitoring #: _____

Original Well Owner: Hunn Family Trust
 Present Well Owner: _____

Mailing Address of Present Owner: _____

City of Present Owner: _____ State: _____ ZIP Code: _____

4. Pump, Liner, Screen, Casing & Sealing Material

Pump and piping removed? Yes No N/A
 Liner(s) removed? Yes No N/A
 Screen removed? Yes No N/A
 Casing left in place? Yes No N/A

Was casing cut off below surface? Yes No N/A
 Did sealing material rise to surface? Yes No N/A
 Did material settle after 24 hours? Yes No N/A
 If yes, was hole retopped? Yes No N/A
 If bentonite chips were used, were they hydrated with water from a known safe source? Yes No N/A

Required Method of Placing Sealing Material:
 Conductor Pipe-Gravity Conductor Pipe-Pumped
 Screened & Poured (Bentonite Chips) Other (Explain): _____

Sealing Materials:
 Neat Cement Grout Clay-Sand Slurry (11 lb./gal. wt.)
 Sand-Cement (Concrete) Grout Bentonite-Sand Slurry " "
 Concrete Bentonite Chips

For Monitoring Wells and Monitoring Well Boreholes Only:
 Bentonite Chips Bentonite - Cement Grout
 Granular Bentonite Bentonite - Sand Slurry

7. Supervision of Work

Supervision of Work			DNR Use Only	
Name of Person or Firm Doing Filling & Sealing: SCS Engineers	License #: _____	Date of Filling & Sealing (mm/dd/yyyy): 7/11/13	Date Received: _____	Noted By: _____
Street or Route: 2830 Dairy Drive	City: Madison	State: WI	ZIP Code: 53718	Telephone Number: (608) 224-2830
Signature of Person Doing Work: <i>[Signature]</i>			Date Signed: 7/11/13	

- Watershed/Wastewater
 Remediation/Redev.
 Waste Management Other

Facility/Project Name <i>Hunn Family Trust</i>		SCS # <i>25213159.00</i>		License/Permit/Monitoring Number		Boring Number B-18/MW-	
Boring Drilled By (Firm name and name of crew chief) <i>On Site</i>				Drilling Started <i>7/11/13 1100</i>		Drilling Completed <i>7/11/13</i>	
DNR Facility Well No.		WI Unique Well No.		Common Well Name		Drilling Method <i>GP</i>	
Static Water Level Feet		Surface Elevation Feet		Borehole Diam. Inches <i>2</i>			
Boring Location State Plane <i>NE 1/4 of NE 1/4 of Section 8, T. 7N, R. 22E</i>				Lat. Long.		Local Grid Location (If applicable) Feet N., Feet E.	
County <i>MILW.</i>				DNR County Code		Civil Town/City/or Village <i>MILW.</i>	

Sample Number	Length Recovered	Blow Counts	Depth in Feet	Soil/Rock Description And Geologic Origin For Each Major Unit	USCS	Graphic Log	Well Diagram	Max. RQD (%)	Soil Properties			RQD/Comments
									Standard Penetration	Moisture Content	P200	
<i>X</i> 1				<i>silty, dk brown (top soil) organic</i>	<i>OL</i>							
2	<i>55</i>			<i>lean clay; brown; soft to m. stiff</i>	<i>CL</i>							
			<i>5</i>	<i>silty and sandy layers, rnd c. sand & gravel</i>								
<i>*</i> 3	<i>40</i>								<i>5000+</i>	<i>m+</i>		<i>Strong solvent odor</i>
4									<i>5000+</i>	<i>m</i>		
5	<i>60</i>								<i>5000+</i>	<i>m</i>		<i>solvent odor is cobbles @ 11'</i>
6				<i>grey lean clay; stiff; rnd c. sand & gravel (fill)</i>	<i>CL</i>				<i>4376</i>	<i>m</i>		
7	<i>60</i>								<i>1995</i>	<i>m-</i>		<i>Sl. Solv. odor</i>
8				<i>Sandy zones - dry</i>					<i>5000+</i>	<i>m-</i>		

I hereby certify that the information on this form is true and correct to the best of my knowledge.

Signature *[Signature]* Firm **SCS ENGINEERS**

This form is authorized by Chapters 281,283,289,291,292,295, and 299, Wis. Stats. Completion of this form is mandatory. Failure to file this form may result in forfeiture between \$10 and \$25,000, or imprisonment for up to one year, depending on program and conduct involved. Personally identifiable information on this form is not intended to be used for any other purpose. NOTE: See instructions for more information.

Notice: Completion of this report is required by chs. 160, 281, 283, 289, 291-293, 295, and 299, Wis. Stats., and ch. NR 141, Wis. Adm. Code. In accordance with chs. 281, 289, 291-293, 295, and 299, Wis. Stats., failure to file this form may result in a forfeiture of between \$10-25,000, or imprisonment for up to one year, depending on the program and conduct involved. Personally identifiable information on this form is not intended to be used for any other purpose. Return form to the appropriate DNR office and bureau. See instructions on reverse for more information.

Verification Only of Fill and Seal

Route to:

Drinking Water

Watershed/Wastewater

Remediation/Redevelopment

Waste Management

Other: _____

1. Well Location Information

County: Milwaukee
 WI Unique Well # of Removed Well: _____
 Hicap #: BB

Latitude / Longitude (Degrees and Minutes): _____ 'N
 _____ 'W
 Method Code (see instructions): _____

1/4 NE or Gov't Lot #: _____
 Section: 8 Township: 7 N Range: 22 E W

Well Street Address: 117 East Capitol Drive

Well City, Village or Town: Milwaukee Well ZIP Code: _____

Subdivision Name: _____ Lot #: _____

Reason For Removal From Service: Temp WI Unique Well # of Replacement Well: _____

3. Well / Drillhole / Borehole Information

Monitoring Well
 Water Well
 Borehole / Drillhole
 Original Construction Date (mm/dd/yyyy): 7/11/13
 If a Well Construction Report is available, please attach.

Construction Type:
 Drilled Driven (Sandpoint) Dug
 Other (specify): GB

Formation Type:
 Unconsolidated Formation Bedrock

Total Well Depth From Ground Surface (ft.): 24 Casing Diameter (in.): _____

Lower Drillhole Diameter (in.): 2 Casing Depth (ft.): _____

Was well annular space grouted? Yes No Unknown

If yes, to what depth (feet)? _____ Depth to Water (feet): _____

5. Material Used To Fill Well / Drillhole

bent chips

2. Facility / Owner Information

Facility Name: Hunn Family Trust

Facility ID (FID or PWS): _____

License/Permit/Monitoring #: _____

Original Well Owner: Hunn Family Trust

Present Well Owner: _____

Mailing Address of Present Owner: _____

City of Present Owner: _____ State: _____ ZIP Code: _____

4. Pump, Liner, Screen, Casing & Sealing Material

Pump and piping removed? Yes No N/A
 Liner(s) removed? Yes No N/A
 Screen removed? Yes No N/A
 Casing left in place? Yes No N/A
 Was casing cut off below surface? Yes No N/A
 Did sealing material rise to surface? Yes No N/A
 Did material settle after 24 hours? Yes No N/A
 If yes, was hole retopped? Yes No N/A
 If bentonite chips were used, were they hydrated with water from a known safe source? Yes No N/A

Required Method of Placing Sealing Material:
 Conductor Pipe-Gravity Conductor Pipe-Pumped
 Screened & Poured (Bentonite Chips) Other (Explain): _____

Sealing Materials:
 Neat Cement Grout Clay-Sand Slurry (11 lb./gal. wt.)
 Sand-Cement (Concrete) Grout Bentonite-Sand Slurry " "
 Concrete Bentonite Chips

For Monitoring Wells and Monitoring Well Boreholes Only:
 Bentonite Chips Bentonite - Cement Grout
 Granular Bentonite Bentonite - Sand Slurry

6. Comments

7. Supervision of Work

				DNR Use Only	
Name of Person or Firm Doing Filling & Sealing	License #	Date of Filling & Sealing (mm/dd/yyyy)	Date Received	Noted By	
SCS Engineers		7/11/13			
Street or Route	Telephone Number	Comments			
2830 Dairy Drive	(608) 224-2830				
City	State	ZIP Code	Signature of Person Doing Work	Date Signed	
Madison	WI	53718	<i>[Signature]</i>	7/11/13	

Route To:

- Watershed/Wastewater
 Remediation/Redev.
 Waste Management Other _____

SOIL BORING LOG INFORMATION

Form 4400-122

7-98 bt2

Facility/Project Name <i>Hunn Family Trust</i>		SCS # <i>25213159.00</i>		License/Permit/Monitoring Number		Boring Number <i>B-19MW-2A</i>	
Boring Drilled By (Firm name and name of crew chief) <i>On Site</i>				Drilling Started <i>7/11/13 1350</i>		Drilling Completed <i>7/11/13</i>	
DNR Facility Well No.		WI Unique Well No.		Common Well Name		Drilling Method <i>GP</i>	
				Static Water Level Feet		Surface Elevation Feet <i>2</i>	
Boring Location State Plane <i>NE 1/4 of NE 1/4 of Section 8, T. 7N, R. 22E</i>				Lat. Long.		Local Grid Location (If applicable) Feet N., Feet E.	
County <i>MILW</i>				DNR County Code		Civil Town/City/or Village <i>MILW</i>	

Sample Number	Length Recovered	Blow Counts	Depth in Feet	Soil/Rock Description And Geologic Origin For Each Major Unit	USCS	Graphic Log	Well Diagram	Max. (PID) FID	Soil Properties			RQD/Comments
									Standard Penetration	Moisture Content	P200	
* 1	40			<i>Asphalt over F. sandy silt; dk brn;</i>	SM			42.7		M		
2				<i>silty f-m sand; brn;</i>	SM			32		M		
* 3	36			<i>lean clay; brn; stiff</i>	CL			60.6		M		
4								41.9		M		
5	25			<i>lean clay; gray; dense and c. sand and gravel (#11)</i>	CL			7.3		M		
6								6.1		M		
			15	<i>EOB 15'</i>								

I hereby certify that the information on this form is true and correct to the best of my knowledge.

Signature *Greg Kolland* Firm **SCS ENGINEERS**

This form is authorized by Chapters 281,283,289,291,292,295, and 299, Wis. Stats. Completion of this form is mandatory. Failure to file this form may result in forfeiture between \$10 and \$25,000, or imprisonment for up to one year, depending on program and conduct involved. Personally identifiable information on this form is not intended to be used for any other purpose. NOTE: See instructions for more information.

Notice: Completion of this report is required by chs. 160, 281, 283, 289, 291-293, 295, and 299, Wis. Stats., and ch. NR 141, Wis. Adm. Code. In accordance with chs. 281, 289, 291-293, 295, and 299, Wis. Stats., failure to file this form may result in a forfeiture of between \$10-25,000, or imprisonment for up to one year, depending on the program and conduct involved. Personally identifiable information on this form is not intended to be used for any other purpose. Return form to the appropriate DNR office and bureau. See instructions on reverse for more information.

Verification Only of Fill and Seal

Route to:

Drinking Water Watershed/Wastewater Remediation/Redevelopment

Waste Management Other: _____

1. Well Location Information				2. Facility / Owner Information			
County Milwaukee		WI Unique Well # of Removed Well		Hicap # B19		Facility Name Hunn Family Trust	
Latitude / Longitude (Degrees and Minutes)		Method Code (see instructions)		Facility ID (FID or PWS)		License/Permit/Monitoring #	
_____ ° _____ ' N		_____		Original Well Owner Hunn Family Trust		Present Well Owner	
_____ ° _____ ' W		_____		Mailing Address of Present Owner		City of Present Owner State ZIP Code	
1/4 NE	1/4 NE	Section 8	Township 7 N	Range 22	<input checked="" type="checkbox"/> E <input type="checkbox"/> W		
or Gov't Lot #		Well Street Address 117 East Capitol Drive		Well City, Village or Town Milwaukee		Well ZIP Code	
Subdivision Name		Lot #		City of Present Owner		State ZIP Code	

Reason For Removal From Service Temp B.		WI Unique Well # of Replacement Well		4. Pump, Liner, Screen, Casing & Sealing Material			
3. Well / Drillhole / Borehole Information		Original Construction Date (mm/dd/yyyy) 7/11/13		Pump and piping removed?		<input type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	
<input type="checkbox"/> Monitoring Well		If a Well Construction Report is available, please attach.		Liner(s) removed?		<input type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	
<input type="checkbox"/> Water Well				Screen removed?		<input type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	
<input checked="" type="checkbox"/> Borehole / Drillhole				Casing left in place?		<input type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	
Construction Type:				Was casing cut off below surface?		<input type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	
<input type="checkbox"/> Drilled		<input type="checkbox"/> Driven (Sandpoint)		Did sealing material rise to surface?		<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	
<input checked="" type="checkbox"/> Other (specify): GP				Did material settle after 24 hours?		<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A	
Formation Type:				If yes, was hole retopped?		<input type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	
<input checked="" type="checkbox"/> Unconsolidated Formation		<input type="checkbox"/> Bedrock		If bentonite chips were used, were they hydrated with water from a known safe source?		<input type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	
Total Well Depth From Ground Surface (ft.) 15		Casing Diameter (in.)		Required Method of Placing Sealing Material			
Lower Drillhole Diameter (in.) 2		Casing Depth (ft.)		<input type="checkbox"/> Conductor Pipe-Gravity <input type="checkbox"/> Conductor Pipe-Pumped			
Was well annular space grouted? <input type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> Unknown		Depth to Water (feet)		<input type="checkbox"/> Screened & Poured (Bentonite Chips) <input type="checkbox"/> Other (Explain): _____			
If yes, to what depth (feet)?				Sealing Materials			
				<input type="checkbox"/> Neat Cement Grout <input type="checkbox"/> Clay-Sand Slurry (11 lb./gal. wt.)			
				<input type="checkbox"/> Sand-Cement (Concrete) Grout <input type="checkbox"/> Bentonite-Sand Slurry " "			
				<input type="checkbox"/> Concrete <input checked="" type="checkbox"/> Bentonite Chips			
				For Monitoring Wells and Monitoring Well Boreholes Only:			
				<input type="checkbox"/> Bentonite Chips <input type="checkbox"/> Bentonite - Cement Grout			
				<input type="checkbox"/> Granular Bentonite <input type="checkbox"/> Bentonite - Sand Slurry			

5. Material Used To Fill Well / Drillhole			
Chips	From (ft.) Surface	To (ft.) 15	No. Yards, Sacks Sealant or Volume (circle one) 20 #
			Mix Ratio or Mud Weight

6. Comments

7. Supervision of Work				DNR Use Only	
Name of Person or Firm Doing Filling & Sealing SCS Engineers		License #	Date of Filling & Sealing (mm/dd/yyyy) 7/11/13	Date Received	Noted By
Street or Route 2830 Dairy Drive		Telephone Number (608) 724-2830		Comments	
City Madison	State WI	ZIP Code 53718	Signature of Person Doing Work <i>[Signature]</i>	Date Signed 7/11/13	

Route To:

- Watershed/Wastewater
 Remediation/Redev.
 Waste Management Other _____

SOIL BORING LOG INFORMATION

Form 4400-122

7-98 bt2

Facility/Project Name <i>Hunn Family Trust</i>		SCS # <i>25213159.00</i>		License/Permit/Monitoring Number		Boring Number <i>B-10/MW-</i>					
Boring Drilled By (Firm name and name of crew chief) <i>On Site</i>				Drilling Started <i>7/24/13</i>		Drilling Completed <i>7/26/13</i>		Drilling Method <i>LHA</i>			
DNR Facility Well No.		WI Unique Well No.		Common Well Name		Static Water Level Feet		Surface Elevation Feet		Borehole Diam. Inches <i>3</i>	
Boring Location State Plane <i>NE 1/4 of NE 1/4 of Section 8, T. 7N, R. 22E</i>				Lat. Long.		Local Grid Location (If applicable) Feet N., Feet E.					
County <i>Milw</i>				DNR County Code		Civil Town/City/or Village <i>Milw</i>					

Sample Number	Length Recovered	Blow Counts	Depth in Feet	Soil/Rock Description And Geologic Origin For Each Major Unit	USCS	Graphic Log	Well Diagram	Max. PID/FID	Soil Properties			RQD/ Comments
									Standard Penetration	Moisture Content	P200	
<i>1</i>				<i>fill sand and gravel, debris (plastic)</i>	<i>fi</i>			<i>6.3</i>		<i>M</i>		<i>5' asphalt down</i>
<i>2</i>					<i>1.5</i>			<i>7.8</i>		<i>M</i>		
<i>* 3</i>				<i>lean clay, brown</i>	<i>cc</i>			<i>9.8</i>		<i>M</i>		
<i>4</i>								<i>11.4</i>		<i>M</i>		
<i>* 5</i>			<i>5</i>					<i>33.2</i>		<i>M</i>		
<i>6</i>				<i>refusal (on rock?) EOB 6'</i>	<i>6</i>			<i>31.9</i>		<i>M</i>		

I hereby certify that the information on this form is true and correct to the best of my knowledge.

Signature: *[Signature]* Firm: **SCS ENGINEERS**

This form is authorized by Chapters 281,283,289,291,292,295, and 299, Wis. Stats. Completion of this form is mandatory. Failure to file this form may result in forfeiture between \$10 and \$25,000, or imprisonment for up to one year, depending on program and conduct involved. Personally identifiable information on this form is not intended to be used for any other purpose. NOTE: See instructions for more information.

Notice: Completion of this report is required by chs. 160, 281, 283, 289, 291-293, 295, and 299, Wis. Stats., and ch. NR 141, Wis. Adm. Code. In accordance with chs. 281, 289, 291-293, 295, and 299, Wis. Stats., failure to file this form may result in a forfeiture of between \$10-25,000, or imprisonment for up to one year, depending on the program and conduct involved. Personally identifiable information on this form is not intended to be used for any other purpose. Return form to the appropriate DNR office and bureau. See instructions on reverse for more information.

Verification Only of Fill and Seal

Route to:

Drinking Water Watershed/Wastewater Remediation/Redevelopment

Waste Management Other: _____

1. Well Location Information				2. Facility / Owner Information			
County Milwaukee		WI Unique Well # of Removed Well		Hicap # B20		Facility Name Hunn Family Trust	
Latitude / Longitude (Degrees and Minutes)		Method Code (see instructions)		Facility ID (FID or PWS)		License/Permit/Monitoring #	
_____ 'N		_____		Original Well Owner Hunn Family Trust		Present Well Owner	
_____ 'W		_____		Mailing Address of Present Owner		City of Present Owner State ZIP Code	
¼ ¼ NE ¼ NE		Section 8		Township 7 N		Range <input checked="" type="checkbox"/> E <input type="checkbox"/> W	
or Gov't Lot #		8		7 N		22	
Well Street Address 117 East Capitol Drive				Well ZIP Code			
Well City, Village or Town Milwaukee				Subdivision Name Lot #			
Reason For Removal From Service Temp.				WI Unique Well # of Replacement Well			

3. Well / Drillhole / Borehole Information				4. Pump, Liner, Screen, Casing & Sealing Material			
<input type="checkbox"/> Monitoring Well		Original Construction Date (mm/dd/yyyy) 7/12/13		Pump and piping removed?		<input type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	
<input type="checkbox"/> Water Well		If a Well Construction Report is available, please attach.		Liner(s) removed?		<input type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	
<input checked="" type="checkbox"/> Borehole / Drillhole				Screen removed?		<input type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	
Construction Type:				Casing left in place?		<input type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	
<input type="checkbox"/> Drilled		<input type="checkbox"/> Driven (Sandpoint)		Was casing cut off below surface?		<input type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	
<input checked="" type="checkbox"/> Other (specify): <u>Hand Auger</u>				Did sealing material rise to surface?		<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	
Formation Type:				Did material settle after 24 hours?		<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A	
<input checked="" type="checkbox"/> Unconsolidated Formation		<input type="checkbox"/> Bedrock		If yes, was hole retopped?		<input type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	
Total Well Depth From Ground Surface (ft.) 6		Casing Diameter (in.)		If bentonite chips were used, were they hydrated with water from a known safe source?		<input type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	
Lower Drillhole Diameter (in.) 3		Casing Depth (ft.)		Required Method of Placing Sealing Material			
Was well annular space grouted? <input type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> Unknown		Depth to Water (feet)		<input type="checkbox"/> Conductor Pipe-Gravity <input type="checkbox"/> Conductor Pipe-Pumped			
If yes, to what depth (feet)?				<input type="checkbox"/> Screened & Poured (Bentonite Chips) <input type="checkbox"/> Other (Explain):			
				Sealing Materials			
				<input type="checkbox"/> Neat Cement Grout <input type="checkbox"/> Clay-Sand Slurry (11 lb./gal. wt.)			
				<input type="checkbox"/> Sand-Cement (Concrete) Grout <input type="checkbox"/> Bentonite-Sand Slurry " "			
				<input type="checkbox"/> Concrete <input checked="" type="checkbox"/> Bentonite Chips			
				For Monitoring Wells and Monitoring Well Boreholes Only:			
				<input type="checkbox"/> Bentonite Chips <input type="checkbox"/> Bentonite - Cement Grout			
				<input type="checkbox"/> Granular Bentonite <input type="checkbox"/> Bentonite - Sand Slurry			

5. Material Used To Fill Well / Drillhole			
From (ft.) Surface	To (ft.) 6	No. Yards, Sacks Sealant or Volume (circle one) 10#	Mix Ratio or Mud Weight dry

6. Comments

7. Supervision of Work			DNR Use Only		
Name of Person or Firm Doing Filling & Sealing SCS Engineers		License #	Date of Filling & Sealing (mm/dd/yyyy) 7/12/13	Date Received	Noted By
Street or Route 2830 Dairy Drive		Telephone Number (608) 224-2830		Comments	
City Madison	State WI	ZIP Code 53718	Signature of Person Doing Work <i>[Signature]</i>	Date Signed 7/12/13	

Facility/Project Name <i>Hunn Family Trust</i>		SCS # <i>25213159.00</i>		License/Permit/Monitoring Number		Boring Number <i>B-21/MW-</i>	
Boring Drilled By (Firm name and name of crew chief) <i>On Site</i>				Drilling Started <i>7/12/13</i>		Drilling Completed <i>7/12</i>	
DNR Facility Well No.		WI Unique Well No.		Common Well Name		Borehole Diam. Inches <i>3</i>	
Boring Location State Plane <i>NE 1/4 of NE 1/4 of Section 8, T. 7N, R. 22E</i>				Static Water Level Feet		Surface Elevation Feet	
County <i>MILW</i>				DNR County Code		Civil Town/City/or Village <i>Milw</i>	
Lat.				Local Grid Location (If applicable)			
Long.				Feet		N., Feet E.	

Sample Number	Length Recovered	Blow Counts	Depth in Feet	Soil/Rock Description And Geologic Origin For Each Major Unit	USCS	Graphic Log	Well Diagram	Max. PID/FID	Soil Properties			RQD/Comments
									Standard Penetration	Moisture Content	P200	
1				<i>sandy dk brn silt</i>	<i>ML</i>			<i>3.2</i>	<i>M</i>			
2				<i>lean clay; brn</i>	<i>CC</i>			<i>3.5</i>	<i>M</i>			
3								<i>3.9</i>	<i>M</i>			
4								<i>5.1</i>	<i>M</i>			
5			5					<i>5.7</i>	<i>M</i>			
6								<i>4.8</i>	<i>M</i>			
7				<i>refusal @ 6.75'</i>				<i>4.3</i>	<i>M+</i>			

I hereby certify that the information on this form is true and correct to the best of my knowledge.

Signature: *[Signature]* Firm: **SCS ENGINEERS**

This form is authorized by Chapters 281,283,289,291,292,295, and 299, Wis. Stats. Completion of this form is mandatory. Failure to file this form may result in forfeiture between \$10 and \$25,000, or imprisonment for up to one year, depending on program and conduct involved. Personally identifiable information on this form is not intended to be used for any other purpose. NOTE: See instructions for more information.

Notice: Completion of this report is required by chs. 160, 281, 283, 289, 291-293, 295, and 299, Wis. Stats., and ch. NR 141, Wis. Adm. Code. In accordance with chs. 281, 289, 291-293, 295, and 299, Wis. Stats., failure to file this form may result in a forfeiture of between \$10-25,000, or imprisonment for up to one year, depending on the program and conduct involved. Personally identifiable information on this form is not intended to be used for any other purpose. Return form to the appropriate DNR office and bureau. See instructions on reverse for more information.

Verification Only of Fill and Seal

Route to:

Drinking Water Watershed/Wastewater Remediation/Redevelopment

Waste Management Other: _____

1. Well Location Information			2. Facility / Owner Information		
County Milwaukee	WI Unique Well # of Removed Well	Hicap # B21	Facility Name Hunn Family Trust		
Latitude / Longitude (Degrees and Minutes)		Method Code (see instructions)	Facility ID (FID or PWS)		
_____ 'N		_____	License/Permit/Monitoring #		
_____ 'W		_____	Original Well Owner Hunn Family Trust		

1/4 NE	1/4 NE	Section 8	Township 7 N	Range 22	<input checked="" type="checkbox"/> E <input type="checkbox"/> W	Present Well Owner
Well Street Address 117 East Capitol Drive						Mailing Address of Present Owner
Well City, Village or Town Milwaukee			Well ZIP Code			City of Present Owner
Subdivision Name			Lot #		State	ZIP Code

Reason For Removal From Service: Temp.

WI Unique Well # of Replacement Well: _____

3. Well / Drillhole / Borehole Information		Original Construction Date (mm/dd/yyyy) 7/12/13	
<input type="checkbox"/> Monitoring Well	<input type="checkbox"/> Water Well	If a Well Construction Report is available, please attach.	
<input checked="" type="checkbox"/> Borehole / Drillhole			
Construction Type:			
<input type="checkbox"/> Drilled	<input type="checkbox"/> Driven (Sandpoint)	<input type="checkbox"/> Dug	
<input checked="" type="checkbox"/> Other (specify): <u>Hand Auger</u>			

Formation Type:		<input checked="" type="checkbox"/> Unconsolidated Formation <input type="checkbox"/> Bedrock	
Total Well Depth From Ground Surface (ft.) 6.75	Casing Diameter (in.)		
Lower Drillhole Diameter (in.) 3	Casing Depth (ft.)		
Was well annular space grouted? <input type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> Unknown			
If yes, to what depth (feet)?	Depth to Water (feet)		

4. Pump, Liner, Screen, Casing & Sealing Material			
Pump and piping removed?	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A		
Liner(s) removed?	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A		
Screen removed?	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A		
Casing left in place?	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A		
Was casing cut off below surface?	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A		
Did sealing material rise to surface?	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A		
Did material settle after 24 hours?	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A		
If yes, was hole retopped?	<input type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A		
If bentonite chips were used, were they hydrated with water from a known safe source?	<input type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A		
Required Method of Placing Sealing Material			
<input type="checkbox"/> Conductor Pipe-Gravity		<input type="checkbox"/> Conductor Pipe-Pumped	
<input type="checkbox"/> Screened & Poured (Bentonite Chips)		<input type="checkbox"/> Other (Explain): _____	
Sealing Materials			
<input type="checkbox"/> Neat Cement Grout		<input type="checkbox"/> Clay-Sand Slurry (11 lb./gal. wt.)	
<input type="checkbox"/> Sand-Cement (Concrete) Grout		<input type="checkbox"/> Bentonite-Sand Slurry " "	
<input type="checkbox"/> Concrete		<input checked="" type="checkbox"/> Bentonite Chips	
For Monitoring Wells and Monitoring Well Boreholes Only:			
<input type="checkbox"/> Bentonite Chips		<input type="checkbox"/> Bentonite - Cement Grout	
<input type="checkbox"/> Granular Bentonite		<input type="checkbox"/> Bentonite - Sand Slurry	

5. Material Used To Fill Well / Drillhole			
From (ft.)	To (ft.)	No. Yards, Sacks Sealant or Volume (circle one)	Mix Ratio or Mud Weight
Surface	6.75	10 #	dry

6. Comments			7. Supervision of Work		
			DNR Use Only		
Name of Person or Firm Doing Filling & Sealing SCS Engineers		License #	Date of Filling & Sealing (mm/dd/yyyy) 7/12/13	Date Received	Noted By
Street or Route 2830 Dairy Drive		Telephone Number (608) 224-2830		Comments	
City Madison	State WI	ZIP Code 53718	Signature of Person Doing Work <i>[Signature]</i>		Date Signed 7/12/13

ATTACHMENT C

Laboratory Report for Soils Analysis

July 24, 2013

Tony Kollasch
SCS ENGINEERS
2830 Dairy Drive
Madison, WI 53718

RE: Project: 25212159 HUNN FAMILY TRUST
Pace Project No.: 4081228

Dear Tony Kollasch:

Enclosed are the analytical results for sample(s) received by the laboratory on July 16, 2013. The results relate only to the samples included in this report. Results reported herein conform to the most current TNI standards and the laboratory's Quality Assurance Manual, where applicable, unless otherwise noted in the body of the report.

If you have any questions concerning this report, please feel free to contact me.

Sincerely,



Dan Milewsky

dan.milewsky@pacelabs.com
Project Manager

Enclosures



REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

CERTIFICATIONS

Project: 25212159 HUNN FAMILY TRUST

Pace Project No.: 4081228

Green Bay Certification IDs

1241 Bellevue Street, Green Bay, WI 54302

Florida/NELAP Certification #: E87948

Illinois Certification #: 200050

Kentucky Certification #: 82

Louisiana Certification #: 04168

Minnesota Certification #: 055-999-334

New York Certification #: 11888

North Dakota Certification #: R-150

South Carolina Certification #: 83006001

US Dept of Agriculture #: S-76505

Wisconsin Certification #: 405132750

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

SAMPLE SUMMARY

Project: 25212159 HUNN FAMILY TRUST

Pace Project No.: 4081228

Lab ID	Sample ID	Matrix	Date Collected	Date Received
4081228001	B12-S1	Solid	07/11/13 08:50	07/16/13 10:35
4081228002	B12-S7	Solid	07/11/13 09:10	07/16/13 10:35
4081228003	B17-S1	Solid	07/11/13 00:00	07/16/13 10:35
4081228004	B17-S6	Solid	07/11/13 00:00	07/16/13 10:35
4081228005	B16-S1	Solid	07/11/13 00:00	07/16/13 10:35
4081228006	B16-S6	Solid	07/11/13 00:00	07/16/13 10:35
4081228007	B18-S1	Solid	07/11/13 00:00	07/16/13 10:35
4081228008	B18-S10	Solid	07/11/13 00:00	07/16/13 10:35
4081228009	B15-S1	Solid	07/11/13 00:00	07/16/13 10:35
4081228010	B15-S4	Solid	07/11/13 00:00	07/16/13 10:35
4081228011	B14-S2	Solid	07/11/13 00:00	07/16/13 10:35
4081228012	B14-S6	Solid	07/11/13 00:00	07/16/13 10:35
4081228013	B19-S1	Solid	07/11/13 00:00	07/16/13 10:35
4081228014	B19-S3	Solid	07/11/13 00:00	07/16/13 10:35
4081228015	B7-S2	Solid	07/12/13 00:00	07/16/13 10:35
4081228016	B7-S7	Solid	07/12/13 00:00	07/16/13 10:35
4081228017	B21-S3	Solid	07/12/13 00:00	07/16/13 10:35
4081228018	B21-S7	Solid	07/12/13 00:00	07/16/13 10:35
4081228019	B20-S3	Solid	07/12/13 00:00	07/16/13 10:35
4081228020	B20-S5	Solid	07/12/13 00:00	07/16/13 10:35

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

SAMPLE ANALYTE COUNT

Project: 25212159 HUNN FAMILY TRUST

Pace Project No.: 4081228

Lab ID	Sample ID	Method	Analysts	Analytes Reported	Laboratory
4081228001	B12-S1	EPA 8260	SMT	63	PASI-G
		ASTM D2974-87	SKW	1	PASI-G
4081228002	B12-S7	EPA 8260	SMT	63	PASI-G
		ASTM D2974-87	SKW	1	PASI-G
4081228003	B17-S1	EPA 8260	SMT	63	PASI-G
		ASTM D2974-87	SKW	1	PASI-G
4081228004	B17-S6	EPA 8260	SMT	63	PASI-G
		ASTM D2974-87	SKW	1	PASI-G
4081228005	B16-S1	EPA 8260	SMT	63	PASI-G
		ASTM D2974-87	SKW	1	PASI-G
4081228006	B16-S6	EPA 8260	SMT	63	PASI-G
		ASTM D2974-87	SKW	1	PASI-G
4081228007	B18-S1	EPA 8260	SMT	63	PASI-G
		ASTM D2974-87	SKW	1	PASI-G
4081228008	B18-S10	EPA 8260	SMT	63	PASI-G
		ASTM D2974-87	SKW	1	PASI-G
4081228009	B15-S1	EPA 8260	SMT	63	PASI-G
		ASTM D2974-87	SKW	1	PASI-G
4081228010	B15-S4	EPA 8260	SMT	63	PASI-G
		ASTM D2974-87	SKW	1	PASI-G
4081228011	B14-S2	EPA 8260	SMT	63	PASI-G
		ASTM D2974-87	SKW	1	PASI-G
4081228012	B14-S6	EPA 8260	SMT	63	PASI-G
		ASTM D2974-87	SKW	1	PASI-G
4081228013	B19-S1	EPA 8260	SMT	63	PASI-G
		ASTM D2974-87	SKW	1	PASI-G
4081228014	B19-S3	EPA 8260	SMT	63	PASI-G
		ASTM D2974-87	SKW	1	PASI-G
4081228015	B7-S2	EPA 8260	SMT	63	PASI-G
		ASTM D2974-87	SKW	1	PASI-G
4081228016	B7-S7	EPA 8260	SMT	63	PASI-G
		ASTM D2974-87	AH	1	PASI-G
4081228017	B21-S3	EPA 8260	SMT	63	PASI-G
		ASTM D2974-87	AH	1	PASI-G
4081228018	B21-S7	EPA 8260	SMT	63	PASI-G
		ASTM D2974-87	AH	1	PASI-G
4081228019	B20-S3	EPA 8260	SMT	63	PASI-G

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

SAMPLE ANALYTE COUNT

Project: 25212159 HUNN FAMILY TRUST

Pace Project No.: 4081228

Lab ID	Sample ID	Method	Analysts	Analytes Reported	Laboratory
4081228020	B20-S5	ASTM D2974-87	AH	1	PASI-G
		EPA 8260	SMT	63	PASI-G
		ASTM D2974-87	AH	1	PASI-G

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

HITS ONLY

Project: 25212159 HUNN FAMILY TRUST
Pace Project No.: 4081228

Lab Sample ID Method	Client Sample ID Parameters	Result	Units	Report Limit	Analyzed	Qualifiers
4081228001	B12-S1					
ASTM D2974-87	Percent Moisture	11.5 %		0.10	07/19/13 16:24	
4081228002	B12-S7					
ASTM D2974-87	Percent Moisture	12.3 %		0.10	07/19/13 16:24	
4081228003	B17-S1					
ASTM D2974-87	Percent Moisture	15.5 %		0.10	07/19/13 16:24	
4081228004	B17-S6					
ASTM D2974-87	Percent Moisture	5.8 %		0.10	07/19/13 16:25	
4081228005	B16-S1					
EPA 8260	Tetrachloroethene	311 ug/kg		77.7	07/18/13 01:08	
EPA 8260	Trichloroethene	34.1J ug/kg		77.7	07/18/13 01:08	
ASTM D2974-87	Percent Moisture	22.8 %		0.10	07/19/13 16:25	
4081228006	B16-S6					
ASTM D2974-87	Percent Moisture	9.1 %		0.10	07/19/13 16:25	
4081228007	B18-S1					
EPA 8260	Tetrachloroethene	817 ug/kg		72.3	07/18/13 01:53	
ASTM D2974-87	Percent Moisture	17.0 %		0.10	07/19/13 16:25	
4081228008	B18-S10					
EPA 8260	Tetrachloroethene	155000 ug/kg		1260	07/18/13 03:25	
EPA 8260	Trichloroethene	1380 ug/kg		1260	07/18/13 03:25	
ASTM D2974-87	Percent Moisture	5.1 %		0.10	07/19/13 16:25	
4081228009	B15-S1					
ASTM D2974-87	Percent Moisture	15.7 %		0.10	07/19/13 16:25	
4081228010	B15-S4					
ASTM D2974-87	Percent Moisture	11.6 %		0.10	07/19/13 16:25	
4081228011	B14-S2					
ASTM D2974-87	Percent Moisture	16.7 %		0.10	07/19/13 16:25	
4081228012	B14-S6					
ASTM D2974-87	Percent Moisture	6.8 %		0.10	07/19/13 16:25	
4081228013	B19-S1					
EPA 8260	Tetrachloroethene	37.6J ug/kg		77.9	07/18/13 08:42	
EPA 8260	Vinyl chloride	115 ug/kg		77.9	07/18/13 08:42	
EPA 8260	cis-1,2-Dichloroethene	1870 ug/kg		77.9	07/18/13 08:42	
EPA 8260	trans-1,2-Dichloroethene	690 ug/kg		77.9	07/18/13 08:42	
ASTM D2974-87	Percent Moisture	23.0 %		0.10	07/19/13 16:25	
4081228014	B19-S3					
EPA 8260	Tetrachloroethene	59.6J ug/kg		68.1	07/18/13 09:05	
EPA 8260	Trichloroethene	1090 ug/kg		68.1	07/18/13 09:05	
EPA 8260	cis-1,2-Dichloroethene	3850 ug/kg		68.1	07/18/13 09:05	
EPA 8260	trans-1,2-Dichloroethene	208 ug/kg		68.1	07/18/13 09:05	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

HITS ONLY

Project: 25212159 HUNN FAMILY TRUST

Pace Project No.: 4081228

Lab Sample ID Method	Client Sample ID Parameters	Result	Units	Report Limit	Analyzed	Qualifiers
4081228014	B19-S3					
ASTM D2974-87	Percent Moisture	11.9 %		0.10	07/19/13 16:25	
4081228015	B7-S2					
EPA 8260	Tetrachloroethene	2800 ug/kg		73.9	07/18/13 09:28	
EPA 8260	Trichloroethene	71.9J ug/kg		73.9	07/18/13 09:28	
EPA 8260	cis-1,2-Dichloroethene	179 ug/kg		73.9	07/18/13 09:28	
ASTM D2974-87	Percent Moisture	18.8 %		0.10	07/19/13 16:25	
4081228016	B7-S7					
EPA 8260	Tetrachloroethene	12100 ug/kg		144	07/18/13 03:02	
EPA 8260	Trichloroethene	146 ug/kg		144	07/18/13 03:02	
ASTM D2974-87	Percent Moisture	16.8 %		0.10	07/22/13 15:19	
4081228017	B21-S3					
ASTM D2974-87	Percent Moisture	12.5 %		0.10	07/22/13 15:19	
4081228018	B21-S7					
EPA 8260	Tetrachloroethene	1290 ug/kg		70.3	07/18/13 10:14	
EPA 8260	Trichloroethene	34.4J ug/kg		70.3	07/18/13 10:14	
ASTM D2974-87	Percent Moisture	14.7 %		0.10	07/22/13 15:19	
4081228019	B20-S3					
EPA 8260	Chloroform	78.3 ug/kg		68.3	07/18/13 16:16	B
EPA 8260	Tetrachloroethene	1750 ug/kg		68.3	07/18/13 16:16	
ASTM D2974-87	Percent Moisture	12.1 %		0.10	07/22/13 15:19	
4081228020	B20-S5					
EPA 8260	Chloroform	97.9J ug/kg		137	07/18/13 19:41	B
EPA 8260	Tetrachloroethene	6190 ug/kg		137	07/18/13 19:41	
EPA 8260	Trichloroethene	167 ug/kg		137	07/18/13 19:41	
ASTM D2974-87	Percent Moisture	12.2 %		0.10	07/22/13 15:20	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

ANALYTICAL RESULTS

Project: 25212159 HUNN FAMILY TRUST

Pace Project No.: 4081228

Sample: B12-S1 **Lab ID: 4081228001** Collected: 07/11/13 08:50 Received: 07/16/13 10:35 Matrix: Solid

Results reported on a "dry-weight" basis

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Med Level Normal List Analytical Method: EPA 8260 Preparation Method: EPA 5035/5030B									
1,1,1,2-Tetrachloroethane	<25.0	ug/kg	60.0	25.0	1	07/17/13 13:18	07/17/13 23:36	630-20-6	W
1,1,1-Trichloroethane	<25.0	ug/kg	60.0	25.0	1	07/17/13 13:18	07/17/13 23:36	71-55-6	W
1,1,2,2-Tetrachloroethane	<25.0	ug/kg	60.0	25.0	1	07/17/13 13:18	07/17/13 23:36	79-34-5	W
1,1,2-Trichloroethane	<25.0	ug/kg	60.0	25.0	1	07/17/13 13:18	07/17/13 23:36	79-00-5	W
1,1-Dichloroethane	<25.0	ug/kg	60.0	25.0	1	07/17/13 13:18	07/17/13 23:36	75-34-3	W
1,1-Dichloroethene	<25.0	ug/kg	60.0	25.0	1	07/17/13 13:18	07/17/13 23:36	75-35-4	W
1,1-Dichloropropene	<25.0	ug/kg	60.0	25.0	1	07/17/13 13:18	07/17/13 23:36	563-58-6	W
1,2,3-Trichlorobenzene	<25.0	ug/kg	60.0	25.0	1	07/17/13 13:18	07/17/13 23:36	87-61-6	W
1,2,3-Trichloropropane	<25.0	ug/kg	60.0	25.0	1	07/17/13 13:18	07/17/13 23:36	96-18-4	W
1,2,4-Trichlorobenzene	<25.0	ug/kg	60.0	25.0	1	07/17/13 13:18	07/17/13 23:36	120-82-1	W
1,2,4-Trimethylbenzene	<25.0	ug/kg	60.0	25.0	1	07/17/13 13:18	07/17/13 23:36	95-63-6	W
1,2-Dibromo-3-chloropropane	<49.8	ug/kg	250	49.8	1	07/17/13 13:18	07/17/13 23:36	96-12-8	W
1,2-Dibromoethane (EDB)	<25.0	ug/kg	60.0	25.0	1	07/17/13 13:18	07/17/13 23:36	106-93-4	W
1,2-Dichlorobenzene	<25.0	ug/kg	60.0	25.0	1	07/17/13 13:18	07/17/13 23:36	95-50-1	W
1,2-Dichloroethane	<25.0	ug/kg	60.0	25.0	1	07/17/13 13:18	07/17/13 23:36	107-06-2	W
1,2-Dichloropropane	<25.0	ug/kg	60.0	25.0	1	07/17/13 13:18	07/17/13 23:36	78-87-5	W
1,3,5-Trimethylbenzene	<25.0	ug/kg	60.0	25.0	1	07/17/13 13:18	07/17/13 23:36	108-67-8	W
1,3-Dichlorobenzene	<25.0	ug/kg	60.0	25.0	1	07/17/13 13:18	07/17/13 23:36	541-73-1	W
1,3-Dichloropropane	<25.0	ug/kg	60.0	25.0	1	07/17/13 13:18	07/17/13 23:36	142-28-9	W
1,4-Dichlorobenzene	<25.0	ug/kg	60.0	25.0	1	07/17/13 13:18	07/17/13 23:36	106-46-7	W
2,2-Dichloropropane	<25.0	ug/kg	60.0	25.0	1	07/17/13 13:18	07/17/13 23:36	594-20-7	W
2-Chlorotoluene	<25.0	ug/kg	60.0	25.0	1	07/17/13 13:18	07/17/13 23:36	95-49-8	W
4-Chlorotoluene	<25.0	ug/kg	60.0	25.0	1	07/17/13 13:18	07/17/13 23:36	106-43-4	W
Benzene	<25.0	ug/kg	60.0	25.0	1	07/17/13 13:18	07/17/13 23:36	71-43-2	W
Bromobenzene	<25.0	ug/kg	60.0	25.0	1	07/17/13 13:18	07/17/13 23:36	108-86-1	W
Bromochloromethane	<25.0	ug/kg	60.0	25.0	1	07/17/13 13:18	07/17/13 23:36	74-97-5	W
Bromodichloromethane	<25.0	ug/kg	60.0	25.0	1	07/17/13 13:18	07/17/13 23:36	75-27-4	W
Bromoform	<25.0	ug/kg	60.0	25.0	1	07/17/13 13:18	07/17/13 23:36	75-25-2	W
Bromomethane	<25.0	ug/kg	60.0	25.0	1	07/17/13 13:18	07/17/13 23:36	74-83-9	L3,W
Carbon tetrachloride	<25.0	ug/kg	60.0	25.0	1	07/17/13 13:18	07/17/13 23:36	56-23-5	W
Chlorobenzene	<25.0	ug/kg	60.0	25.0	1	07/17/13 13:18	07/17/13 23:36	108-90-7	W
Chloroethane	<25.0	ug/kg	60.0	25.0	1	07/17/13 13:18	07/17/13 23:36	75-00-3	L3,W
Chloroform	<25.0	ug/kg	60.0	25.0	1	07/17/13 13:18	07/17/13 23:36	67-66-3	W
Chloromethane	<25.0	ug/kg	60.0	25.0	1	07/17/13 13:18	07/17/13 23:36	74-87-3	W
Dibromochloromethane	<25.0	ug/kg	60.0	25.0	1	07/17/13 13:18	07/17/13 23:36	124-48-1	W
Dibromomethane	<25.0	ug/kg	60.0	25.0	1	07/17/13 13:18	07/17/13 23:36	74-95-3	W
Dichlorodifluoromethane	<25.0	ug/kg	60.0	25.0	1	07/17/13 13:18	07/17/13 23:36	75-71-8	W
Diisopropyl ether	<25.0	ug/kg	60.0	25.0	1	07/17/13 13:18	07/17/13 23:36	108-20-3	W
Ethylbenzene	<25.0	ug/kg	60.0	25.0	1	07/17/13 13:18	07/17/13 23:36	100-41-4	W
Hexachloro-1,3-butadiene	<25.0	ug/kg	60.0	25.0	1	07/17/13 13:18	07/17/13 23:36	87-68-3	W
Isopropylbenzene (Cumene)	<25.0	ug/kg	60.0	25.0	1	07/17/13 13:18	07/17/13 23:36	98-82-8	W
Methyl-tert-butyl ether	<25.0	ug/kg	60.0	25.0	1	07/17/13 13:18	07/17/13 23:36	1634-04-4	W
Methylene Chloride	<25.0	ug/kg	60.0	25.0	1	07/17/13 13:18	07/17/13 23:36	75-09-2	W
Naphthalene	<25.0	ug/kg	60.0	25.0	1	07/17/13 13:18	07/17/13 23:36	91-20-3	W
Styrene	<25.0	ug/kg	60.0	25.0	1	07/17/13 13:18	07/17/13 23:36	100-42-5	W

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

ANALYTICAL RESULTS

Project: 25212159 HUNN FAMILY TRUST

Pace Project No.: 4081228

Sample: B12-S1 **Lab ID: 4081228001** Collected: 07/11/13 08:50 Received: 07/16/13 10:35 Matrix: Solid

Results reported on a "dry-weight" basis

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Med Level Normal List									
Analytical Method: EPA 8260 Preparation Method: EPA 5035/5030B									
Tetrachloroethene	<25.0	ug/kg	60.0	25.0	1	07/17/13 13:18	07/17/13 23:36	127-18-4	W
Toluene	<25.0	ug/kg	60.0	25.0	1	07/17/13 13:18	07/17/13 23:36	108-88-3	W
Trichloroethene	<25.0	ug/kg	60.0	25.0	1	07/17/13 13:18	07/17/13 23:36	79-01-6	W
Trichlorofluoromethane	<25.0	ug/kg	60.0	25.0	1	07/17/13 13:18	07/17/13 23:36	75-69-4	W
Vinyl chloride	<25.0	ug/kg	60.0	25.0	1	07/17/13 13:18	07/17/13 23:36	75-01-4	W
Xylene (Total)	<75.0	ug/kg	180	75.0	1	07/17/13 13:18	07/17/13 23:36	1330-20-7	W
cis-1,2-Dichloroethene	<25.0	ug/kg	60.0	25.0	1	07/17/13 13:18	07/17/13 23:36	156-59-2	W
cis-1,3-Dichloropropene	<25.0	ug/kg	60.0	25.0	1	07/17/13 13:18	07/17/13 23:36	10061-01-5	W
n-Butylbenzene	<25.0	ug/kg	60.0	25.0	1	07/17/13 13:18	07/17/13 23:36	104-51-8	W
n-Propylbenzene	<25.0	ug/kg	60.0	25.0	1	07/17/13 13:18	07/17/13 23:36	103-65-1	W
p-Isopropyltoluene	<25.0	ug/kg	60.0	25.0	1	07/17/13 13:18	07/17/13 23:36	99-87-6	W
sec-Butylbenzene	<25.0	ug/kg	60.0	25.0	1	07/17/13 13:18	07/17/13 23:36	135-98-8	W
tert-Butylbenzene	<25.0	ug/kg	60.0	25.0	1	07/17/13 13:18	07/17/13 23:36	98-06-6	W
trans-1,2-Dichloroethene	<25.0	ug/kg	60.0	25.0	1	07/17/13 13:18	07/17/13 23:36	156-60-5	W
trans-1,3-Dichloropropene	<25.0	ug/kg	60.0	25.0	1	07/17/13 13:18	07/17/13 23:36	10061-02-6	W
Surrogates									
Dibromofluoromethane (S)	87	%	57-130		1	07/17/13 13:18	07/17/13 23:36	1868-53-7	
Toluene-d8 (S)	85	%	54-133		1	07/17/13 13:18	07/17/13 23:36	2037-26-5	
4-Bromofluorobenzene (S)	88	%	49-130		1	07/17/13 13:18	07/17/13 23:36	460-00-4	
Percent Moisture									
Analytical Method: ASTM D2974-87									
Percent Moisture	11.5	%	0.10	0.10	1		07/19/13 16:24		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

ANALYTICAL RESULTS

Project: 25212159 HUNN FAMILY TRUST

Pace Project No.: 4081228

Sample: B12-S7 Lab ID: 4081228002 Collected: 07/11/13 09:10 Received: 07/16/13 10:35 Matrix: Solid

Results reported on a "dry-weight" basis

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Med Level Normal List									
Analytical Method: EPA 8260 Preparation Method: EPA 5035/5030B									
1,1,1,2-Tetrachloroethane	<25.0	ug/kg	60.0	25.0	1	07/17/13 13:18	07/17/13 23:59	630-20-6	W
1,1,1-Trichloroethane	<25.0	ug/kg	60.0	25.0	1	07/17/13 13:18	07/17/13 23:59	71-55-6	W
1,1,2,2-Tetrachloroethane	<25.0	ug/kg	60.0	25.0	1	07/17/13 13:18	07/17/13 23:59	79-34-5	W
1,1,2-Trichloroethane	<25.0	ug/kg	60.0	25.0	1	07/17/13 13:18	07/17/13 23:59	79-00-5	W
1,1-Dichloroethane	<25.0	ug/kg	60.0	25.0	1	07/17/13 13:18	07/17/13 23:59	75-34-3	W
1,1-Dichloroethene	<25.0	ug/kg	60.0	25.0	1	07/17/13 13:18	07/17/13 23:59	75-35-4	W
1,1-Dichloropropene	<25.0	ug/kg	60.0	25.0	1	07/17/13 13:18	07/17/13 23:59	563-58-6	W
1,2,3-Trichlorobenzene	<25.0	ug/kg	60.0	25.0	1	07/17/13 13:18	07/17/13 23:59	87-61-6	W
1,2,3-Trichloropropane	<25.0	ug/kg	60.0	25.0	1	07/17/13 13:18	07/17/13 23:59	96-18-4	W
1,2,4-Trichlorobenzene	<25.0	ug/kg	60.0	25.0	1	07/17/13 13:18	07/17/13 23:59	120-82-1	W
1,2,4-Trimethylbenzene	<25.0	ug/kg	60.0	25.0	1	07/17/13 13:18	07/17/13 23:59	95-63-6	W
1,2-Dibromo-3-chloropropane	<49.8	ug/kg	250	49.8	1	07/17/13 13:18	07/17/13 23:59	96-12-8	W
1,2-Dibromoethane (EDB)	<25.0	ug/kg	60.0	25.0	1	07/17/13 13:18	07/17/13 23:59	106-93-4	W
1,2-Dichlorobenzene	<25.0	ug/kg	60.0	25.0	1	07/17/13 13:18	07/17/13 23:59	95-50-1	W
1,2-Dichloroethane	<25.0	ug/kg	60.0	25.0	1	07/17/13 13:18	07/17/13 23:59	107-06-2	W
1,2-Dichloropropane	<25.0	ug/kg	60.0	25.0	1	07/17/13 13:18	07/17/13 23:59	78-87-5	W
1,3,5-Trimethylbenzene	<25.0	ug/kg	60.0	25.0	1	07/17/13 13:18	07/17/13 23:59	108-67-8	W
1,3-Dichlorobenzene	<25.0	ug/kg	60.0	25.0	1	07/17/13 13:18	07/17/13 23:59	541-73-1	W
1,3-Dichloropropane	<25.0	ug/kg	60.0	25.0	1	07/17/13 13:18	07/17/13 23:59	142-28-9	W
1,4-Dichlorobenzene	<25.0	ug/kg	60.0	25.0	1	07/17/13 13:18	07/17/13 23:59	106-46-7	W
2,2-Dichloropropane	<25.0	ug/kg	60.0	25.0	1	07/17/13 13:18	07/17/13 23:59	594-20-7	W
2-Chlorotoluene	<25.0	ug/kg	60.0	25.0	1	07/17/13 13:18	07/17/13 23:59	95-49-8	W
4-Chlorotoluene	<25.0	ug/kg	60.0	25.0	1	07/17/13 13:18	07/17/13 23:59	106-43-4	W
Benzene	<25.0	ug/kg	60.0	25.0	1	07/17/13 13:18	07/17/13 23:59	71-43-2	W
Bromobenzene	<25.0	ug/kg	60.0	25.0	1	07/17/13 13:18	07/17/13 23:59	108-86-1	W
Bromochloromethane	<25.0	ug/kg	60.0	25.0	1	07/17/13 13:18	07/17/13 23:59	74-97-5	W
Bromodichloromethane	<25.0	ug/kg	60.0	25.0	1	07/17/13 13:18	07/17/13 23:59	75-27-4	W
Bromoform	<25.0	ug/kg	60.0	25.0	1	07/17/13 13:18	07/17/13 23:59	75-25-2	W
Bromomethane	<25.0	ug/kg	60.0	25.0	1	07/17/13 13:18	07/17/13 23:59	74-83-9	L3,W
Carbon tetrachloride	<25.0	ug/kg	60.0	25.0	1	07/17/13 13:18	07/17/13 23:59	56-23-5	W
Chlorobenzene	<25.0	ug/kg	60.0	25.0	1	07/17/13 13:18	07/17/13 23:59	108-90-7	W
Chloroethane	<25.0	ug/kg	60.0	25.0	1	07/17/13 13:18	07/17/13 23:59	75-00-3	L3,W
Chloroform	<25.0	ug/kg	60.0	25.0	1	07/17/13 13:18	07/17/13 23:59	67-66-3	W
Chloromethane	<25.0	ug/kg	60.0	25.0	1	07/17/13 13:18	07/17/13 23:59	74-87-3	W
Dibromochloromethane	<25.0	ug/kg	60.0	25.0	1	07/17/13 13:18	07/17/13 23:59	124-48-1	W
Dibromomethane	<25.0	ug/kg	60.0	25.0	1	07/17/13 13:18	07/17/13 23:59	74-95-3	W
Dichlorodifluoromethane	<25.0	ug/kg	60.0	25.0	1	07/17/13 13:18	07/17/13 23:59	75-71-8	W
Diisopropyl ether	<25.0	ug/kg	60.0	25.0	1	07/17/13 13:18	07/17/13 23:59	108-20-3	W
Ethylbenzene	<25.0	ug/kg	60.0	25.0	1	07/17/13 13:18	07/17/13 23:59	100-41-4	W
Hexachloro-1,3-butadiene	<25.0	ug/kg	60.0	25.0	1	07/17/13 13:18	07/17/13 23:59	87-68-3	W
Isopropylbenzene (Cumene)	<25.0	ug/kg	60.0	25.0	1	07/17/13 13:18	07/17/13 23:59	98-82-8	W
Methyl-tert-butyl ether	<25.0	ug/kg	60.0	25.0	1	07/17/13 13:18	07/17/13 23:59	1634-04-4	W
Methylene Chloride	<25.0	ug/kg	60.0	25.0	1	07/17/13 13:18	07/17/13 23:59	75-09-2	W
Naphthalene	<25.0	ug/kg	60.0	25.0	1	07/17/13 13:18	07/17/13 23:59	91-20-3	W
Styrene	<25.0	ug/kg	60.0	25.0	1	07/17/13 13:18	07/17/13 23:59	100-42-5	W

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

ANALYTICAL RESULTS

Project: 25212159 HUNN FAMILY TRUST

Pace Project No.: 4081228

Sample: B12-S7 **Lab ID: 4081228002** Collected: 07/11/13 09:10 Received: 07/16/13 10:35 Matrix: Solid

Results reported on a "dry-weight" basis

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Med Level Normal List		Analytical Method: EPA 8260 Preparation Method: EPA 5035/5030B							
Tetrachloroethene	<25.0	ug/kg	60.0	25.0	1	07/17/13 13:18	07/17/13 23:59	127-18-4	W
Toluene	<25.0	ug/kg	60.0	25.0	1	07/17/13 13:18	07/17/13 23:59	108-88-3	W
Trichloroethene	<25.0	ug/kg	60.0	25.0	1	07/17/13 13:18	07/17/13 23:59	79-01-6	W
Trichlorofluoromethane	<25.0	ug/kg	60.0	25.0	1	07/17/13 13:18	07/17/13 23:59	75-69-4	W
Vinyl chloride	<25.0	ug/kg	60.0	25.0	1	07/17/13 13:18	07/17/13 23:59	75-01-4	W
Xylene (Total)	<75.0	ug/kg	180	75.0	1	07/17/13 13:18	07/17/13 23:59	1330-20-7	W
cis-1,2-Dichloroethene	<25.0	ug/kg	60.0	25.0	1	07/17/13 13:18	07/17/13 23:59	156-59-2	W
cis-1,3-Dichloropropene	<25.0	ug/kg	60.0	25.0	1	07/17/13 13:18	07/17/13 23:59	10061-01-5	W
n-Butylbenzene	<25.0	ug/kg	60.0	25.0	1	07/17/13 13:18	07/17/13 23:59	104-51-8	W
n-Propylbenzene	<25.0	ug/kg	60.0	25.0	1	07/17/13 13:18	07/17/13 23:59	103-65-1	W
p-Isopropyltoluene	<25.0	ug/kg	60.0	25.0	1	07/17/13 13:18	07/17/13 23:59	99-87-6	W
sec-Butylbenzene	<25.0	ug/kg	60.0	25.0	1	07/17/13 13:18	07/17/13 23:59	135-98-8	W
tert-Butylbenzene	<25.0	ug/kg	60.0	25.0	1	07/17/13 13:18	07/17/13 23:59	98-06-6	W
trans-1,2-Dichloroethene	<25.0	ug/kg	60.0	25.0	1	07/17/13 13:18	07/17/13 23:59	156-60-5	W
trans-1,3-Dichloropropene	<25.0	ug/kg	60.0	25.0	1	07/17/13 13:18	07/17/13 23:59	10061-02-6	W
Surrogates									
Dibromofluoromethane (S)	89	%	57-130		1	07/17/13 13:18	07/17/13 23:59	1868-53-7	
Toluene-d8 (S)	86	%	54-133		1	07/17/13 13:18	07/17/13 23:59	2037-26-5	
4-Bromofluorobenzene (S)	91	%	49-130		1	07/17/13 13:18	07/17/13 23:59	460-00-4	
Percent Moisture		Analytical Method: ASTM D2974-87							
Percent Moisture	12.3	%	0.10	0.10	1		07/19/13 16:24		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

ANALYTICAL RESULTS

Project: 25212159 HUNN FAMILY TRUST

Pace Project No.: 4081228

Sample: B17-S1 **Lab ID: 4081228003** Collected: 07/11/13 00:00 Received: 07/16/13 10:35 Matrix: Solid

Results reported on a "dry-weight" basis

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Med Level Normal List									
Analytical Method: EPA 8260 Preparation Method: EPA 5035/5030B									
1,1,1,2-Tetrachloroethane	<25.0	ug/kg	60.0	25.0	1	07/17/13 13:18	07/18/13 00:22	630-20-6	W
1,1,1-Trichloroethane	<25.0	ug/kg	60.0	25.0	1	07/17/13 13:18	07/18/13 00:22	71-55-6	W
1,1,2,2-Tetrachloroethane	<25.0	ug/kg	60.0	25.0	1	07/17/13 13:18	07/18/13 00:22	79-34-5	W
1,1,2-Trichloroethane	<25.0	ug/kg	60.0	25.0	1	07/17/13 13:18	07/18/13 00:22	79-00-5	W
1,1-Dichloroethane	<25.0	ug/kg	60.0	25.0	1	07/17/13 13:18	07/18/13 00:22	75-34-3	W
1,1-Dichloroethene	<25.0	ug/kg	60.0	25.0	1	07/17/13 13:18	07/18/13 00:22	75-35-4	W
1,1-Dichloropropene	<25.0	ug/kg	60.0	25.0	1	07/17/13 13:18	07/18/13 00:22	563-58-6	W
1,2,3-Trichlorobenzene	<25.0	ug/kg	60.0	25.0	1	07/17/13 13:18	07/18/13 00:22	87-61-6	W
1,2,3-Trichloropropane	<25.0	ug/kg	60.0	25.0	1	07/17/13 13:18	07/18/13 00:22	96-18-4	W
1,2,4-Trichlorobenzene	<25.0	ug/kg	60.0	25.0	1	07/17/13 13:18	07/18/13 00:22	120-82-1	W
1,2,4-Trimethylbenzene	<25.0	ug/kg	60.0	25.0	1	07/17/13 13:18	07/18/13 00:22	95-63-6	W
1,2-Dibromo-3-chloropropane	<49.8	ug/kg	250	49.8	1	07/17/13 13:18	07/18/13 00:22	96-12-8	W
1,2-Dibromoethane (EDB)	<25.0	ug/kg	60.0	25.0	1	07/17/13 13:18	07/18/13 00:22	106-93-4	W
1,2-Dichlorobenzene	<25.0	ug/kg	60.0	25.0	1	07/17/13 13:18	07/18/13 00:22	95-50-1	W
1,2-Dichloroethane	<25.0	ug/kg	60.0	25.0	1	07/17/13 13:18	07/18/13 00:22	107-06-2	W
1,2-Dichloropropane	<25.0	ug/kg	60.0	25.0	1	07/17/13 13:18	07/18/13 00:22	78-87-5	W
1,3,5-Trimethylbenzene	<25.0	ug/kg	60.0	25.0	1	07/17/13 13:18	07/18/13 00:22	108-67-8	W
1,3-Dichlorobenzene	<25.0	ug/kg	60.0	25.0	1	07/17/13 13:18	07/18/13 00:22	541-73-1	W
1,3-Dichloropropane	<25.0	ug/kg	60.0	25.0	1	07/17/13 13:18	07/18/13 00:22	142-28-9	W
1,4-Dichlorobenzene	<25.0	ug/kg	60.0	25.0	1	07/17/13 13:18	07/18/13 00:22	106-46-7	W
2,2-Dichloropropane	<25.0	ug/kg	60.0	25.0	1	07/17/13 13:18	07/18/13 00:22	594-20-7	W
2-Chlorotoluene	<25.0	ug/kg	60.0	25.0	1	07/17/13 13:18	07/18/13 00:22	95-49-8	W
4-Chlorotoluene	<25.0	ug/kg	60.0	25.0	1	07/17/13 13:18	07/18/13 00:22	106-43-4	W
Benzene	<25.0	ug/kg	60.0	25.0	1	07/17/13 13:18	07/18/13 00:22	71-43-2	W
Bromobenzene	<25.0	ug/kg	60.0	25.0	1	07/17/13 13:18	07/18/13 00:22	108-86-1	W
Bromochloromethane	<25.0	ug/kg	60.0	25.0	1	07/17/13 13:18	07/18/13 00:22	74-97-5	W
Bromodichloromethane	<25.0	ug/kg	60.0	25.0	1	07/17/13 13:18	07/18/13 00:22	75-27-4	W
Bromoform	<25.0	ug/kg	60.0	25.0	1	07/17/13 13:18	07/18/13 00:22	75-25-2	W
Bromomethane	<25.0	ug/kg	60.0	25.0	1	07/17/13 13:18	07/18/13 00:22	74-83-9	L3,W
Carbon tetrachloride	<25.0	ug/kg	60.0	25.0	1	07/17/13 13:18	07/18/13 00:22	56-23-5	W
Chlorobenzene	<25.0	ug/kg	60.0	25.0	1	07/17/13 13:18	07/18/13 00:22	108-90-7	W
Chloroethane	<25.0	ug/kg	60.0	25.0	1	07/17/13 13:18	07/18/13 00:22	75-00-3	L3,W
Chloroform	<25.0	ug/kg	60.0	25.0	1	07/17/13 13:18	07/18/13 00:22	67-66-3	W
Chloromethane	<25.0	ug/kg	60.0	25.0	1	07/17/13 13:18	07/18/13 00:22	74-87-3	W
Dibromochloromethane	<25.0	ug/kg	60.0	25.0	1	07/17/13 13:18	07/18/13 00:22	124-48-1	W
Dibromomethane	<25.0	ug/kg	60.0	25.0	1	07/17/13 13:18	07/18/13 00:22	74-95-3	W
Dichlorodifluoromethane	<25.0	ug/kg	60.0	25.0	1	07/17/13 13:18	07/18/13 00:22	75-71-8	W
Diisopropyl ether	<25.0	ug/kg	60.0	25.0	1	07/17/13 13:18	07/18/13 00:22	108-20-3	W
Ethylbenzene	<25.0	ug/kg	60.0	25.0	1	07/17/13 13:18	07/18/13 00:22	100-41-4	W
Hexachloro-1,3-butadiene	<25.0	ug/kg	60.0	25.0	1	07/17/13 13:18	07/18/13 00:22	87-68-3	W
Isopropylbenzene (Cumene)	<25.0	ug/kg	60.0	25.0	1	07/17/13 13:18	07/18/13 00:22	98-82-8	W
Methyl-tert-butyl ether	<25.0	ug/kg	60.0	25.0	1	07/17/13 13:18	07/18/13 00:22	1634-04-4	W
Methylene Chloride	<25.0	ug/kg	60.0	25.0	1	07/17/13 13:18	07/18/13 00:22	75-09-2	W
Naphthalene	<25.0	ug/kg	60.0	25.0	1	07/17/13 13:18	07/18/13 00:22	91-20-3	W
Styrene	<25.0	ug/kg	60.0	25.0	1	07/17/13 13:18	07/18/13 00:22	100-42-5	W

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

ANALYTICAL RESULTS

Project: 25212159 HUNN FAMILY TRUST

Pace Project No.: 4081228

Sample: B17-S1 **Lab ID: 4081228003** Collected: 07/11/13 00:00 Received: 07/16/13 10:35 Matrix: Solid

Results reported on a "dry-weight" basis

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Med Level Normal List		Analytical Method: EPA 8260 Preparation Method: EPA 5035/5030B							
Tetrachloroethene	<25.0	ug/kg	60.0	25.0	1	07/17/13 13:18	07/18/13 00:22	127-18-4	W
Toluene	<25.0	ug/kg	60.0	25.0	1	07/17/13 13:18	07/18/13 00:22	108-88-3	W
Trichloroethene	<25.0	ug/kg	60.0	25.0	1	07/17/13 13:18	07/18/13 00:22	79-01-6	W
Trichlorofluoromethane	<25.0	ug/kg	60.0	25.0	1	07/17/13 13:18	07/18/13 00:22	75-69-4	W
Vinyl chloride	<25.0	ug/kg	60.0	25.0	1	07/17/13 13:18	07/18/13 00:22	75-01-4	W
Xylene (Total)	<75.0	ug/kg	180	75.0	1	07/17/13 13:18	07/18/13 00:22	1330-20-7	W
cis-1,2-Dichloroethene	<25.0	ug/kg	60.0	25.0	1	07/17/13 13:18	07/18/13 00:22	156-59-2	W
cis-1,3-Dichloropropene	<25.0	ug/kg	60.0	25.0	1	07/17/13 13:18	07/18/13 00:22	10061-01-5	W
n-Butylbenzene	<25.0	ug/kg	60.0	25.0	1	07/17/13 13:18	07/18/13 00:22	104-51-8	W
n-Propylbenzene	<25.0	ug/kg	60.0	25.0	1	07/17/13 13:18	07/18/13 00:22	103-65-1	W
p-Isopropyltoluene	<25.0	ug/kg	60.0	25.0	1	07/17/13 13:18	07/18/13 00:22	99-87-6	W
sec-Butylbenzene	<25.0	ug/kg	60.0	25.0	1	07/17/13 13:18	07/18/13 00:22	135-98-8	W
tert-Butylbenzene	<25.0	ug/kg	60.0	25.0	1	07/17/13 13:18	07/18/13 00:22	98-06-6	W
trans-1,2-Dichloroethene	<25.0	ug/kg	60.0	25.0	1	07/17/13 13:18	07/18/13 00:22	156-60-5	W
trans-1,3-Dichloropropene	<25.0	ug/kg	60.0	25.0	1	07/17/13 13:18	07/18/13 00:22	10061-02-6	W
Surrogates									
Dibromofluoromethane (S)	96 %		57-130		1	07/17/13 13:18	07/18/13 00:22	1868-53-7	
Toluene-d8 (S)	92 %		54-133		1	07/17/13 13:18	07/18/13 00:22	2037-26-5	
4-Bromofluorobenzene (S)	93 %		49-130		1	07/17/13 13:18	07/18/13 00:22	460-00-4	
Percent Moisture		Analytical Method: ASTM D2974-87							
Percent Moisture	15.5 %		0.10	0.10	1		07/19/13 16:24		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

ANALYTICAL RESULTS

Project: 25212159 HUNN FAMILY TRUST

Pace Project No.: 4081228

Sample: B17-S6 Lab ID: 4081228004 Collected: 07/11/13 00:00 Received: 07/16/13 10:35 Matrix: Solid

Results reported on a "dry-weight" basis

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Med Level Normal List									
Analytical Method: EPA 8260 Preparation Method: EPA 5035/5030B									
1,1,1,2-Tetrachloroethane	<25.0	ug/kg	60.0	25.0	1	07/17/13 13:18	07/18/13 00:45	630-20-6	W
1,1,1-Trichloroethane	<25.0	ug/kg	60.0	25.0	1	07/17/13 13:18	07/18/13 00:45	71-55-6	W
1,1,2,2-Tetrachloroethane	<25.0	ug/kg	60.0	25.0	1	07/17/13 13:18	07/18/13 00:45	79-34-5	W
1,1,2-Trichloroethane	<25.0	ug/kg	60.0	25.0	1	07/17/13 13:18	07/18/13 00:45	79-00-5	W
1,1-Dichloroethane	<25.0	ug/kg	60.0	25.0	1	07/17/13 13:18	07/18/13 00:45	75-34-3	W
1,1-Dichloroethene	<25.0	ug/kg	60.0	25.0	1	07/17/13 13:18	07/18/13 00:45	75-35-4	W
1,1-Dichloropropene	<25.0	ug/kg	60.0	25.0	1	07/17/13 13:18	07/18/13 00:45	563-58-6	W
1,2,3-Trichlorobenzene	<25.0	ug/kg	60.0	25.0	1	07/17/13 13:18	07/18/13 00:45	87-61-6	W
1,2,3-Trichloropropane	<25.0	ug/kg	60.0	25.0	1	07/17/13 13:18	07/18/13 00:45	96-18-4	W
1,2,4-Trichlorobenzene	<25.0	ug/kg	60.0	25.0	1	07/17/13 13:18	07/18/13 00:45	120-82-1	W
1,2,4-Trimethylbenzene	<25.0	ug/kg	60.0	25.0	1	07/17/13 13:18	07/18/13 00:45	95-63-6	W
1,2-Dibromo-3-chloropropane	<49.8	ug/kg	250	49.8	1	07/17/13 13:18	07/18/13 00:45	96-12-8	W
1,2-Dibromoethane (EDB)	<25.0	ug/kg	60.0	25.0	1	07/17/13 13:18	07/18/13 00:45	106-93-4	W
1,2-Dichlorobenzene	<25.0	ug/kg	60.0	25.0	1	07/17/13 13:18	07/18/13 00:45	95-50-1	W
1,2-Dichloroethane	<25.0	ug/kg	60.0	25.0	1	07/17/13 13:18	07/18/13 00:45	107-06-2	W
1,2-Dichloropropane	<25.0	ug/kg	60.0	25.0	1	07/17/13 13:18	07/18/13 00:45	78-87-5	W
1,3,5-Trimethylbenzene	<25.0	ug/kg	60.0	25.0	1	07/17/13 13:18	07/18/13 00:45	108-67-8	W
1,3-Dichlorobenzene	<25.0	ug/kg	60.0	25.0	1	07/17/13 13:18	07/18/13 00:45	541-73-1	W
1,3-Dichloropropane	<25.0	ug/kg	60.0	25.0	1	07/17/13 13:18	07/18/13 00:45	142-28-9	W
1,4-Dichlorobenzene	<25.0	ug/kg	60.0	25.0	1	07/17/13 13:18	07/18/13 00:45	106-46-7	W
2,2-Dichloropropane	<25.0	ug/kg	60.0	25.0	1	07/17/13 13:18	07/18/13 00:45	594-20-7	W
2-Chlorotoluene	<25.0	ug/kg	60.0	25.0	1	07/17/13 13:18	07/18/13 00:45	95-49-8	W
4-Chlorotoluene	<25.0	ug/kg	60.0	25.0	1	07/17/13 13:18	07/18/13 00:45	106-43-4	W
Benzene	<25.0	ug/kg	60.0	25.0	1	07/17/13 13:18	07/18/13 00:45	71-43-2	W
Bromobenzene	<25.0	ug/kg	60.0	25.0	1	07/17/13 13:18	07/18/13 00:45	108-86-1	W
Bromochloromethane	<25.0	ug/kg	60.0	25.0	1	07/17/13 13:18	07/18/13 00:45	74-97-5	W
Bromodichloromethane	<25.0	ug/kg	60.0	25.0	1	07/17/13 13:18	07/18/13 00:45	75-27-4	W
Bromoform	<25.0	ug/kg	60.0	25.0	1	07/17/13 13:18	07/18/13 00:45	75-25-2	W
Bromomethane	<25.0	ug/kg	60.0	25.0	1	07/17/13 13:18	07/18/13 00:45	74-83-9	L3,W
Carbon tetrachloride	<25.0	ug/kg	60.0	25.0	1	07/17/13 13:18	07/18/13 00:45	56-23-5	W
Chlorobenzene	<25.0	ug/kg	60.0	25.0	1	07/17/13 13:18	07/18/13 00:45	108-90-7	W
Chloroethane	<25.0	ug/kg	60.0	25.0	1	07/17/13 13:18	07/18/13 00:45	75-00-3	L3,W
Chloroform	<25.0	ug/kg	60.0	25.0	1	07/17/13 13:18	07/18/13 00:45	67-66-3	W
Chloromethane	<25.0	ug/kg	60.0	25.0	1	07/17/13 13:18	07/18/13 00:45	74-87-3	W
Dibromochloromethane	<25.0	ug/kg	60.0	25.0	1	07/17/13 13:18	07/18/13 00:45	124-48-1	W
Dibromomethane	<25.0	ug/kg	60.0	25.0	1	07/17/13 13:18	07/18/13 00:45	74-95-3	W
Dichlorodifluoromethane	<25.0	ug/kg	60.0	25.0	1	07/17/13 13:18	07/18/13 00:45	75-71-8	W
Diisopropyl ether	<25.0	ug/kg	60.0	25.0	1	07/17/13 13:18	07/18/13 00:45	108-20-3	W
Ethylbenzene	<25.0	ug/kg	60.0	25.0	1	07/17/13 13:18	07/18/13 00:45	100-41-4	W
Hexachloro-1,3-butadiene	<25.0	ug/kg	60.0	25.0	1	07/17/13 13:18	07/18/13 00:45	87-68-3	W
Isopropylbenzene (Cumene)	<25.0	ug/kg	60.0	25.0	1	07/17/13 13:18	07/18/13 00:45	98-82-8	W
Methyl-tert-butyl ether	<25.0	ug/kg	60.0	25.0	1	07/17/13 13:18	07/18/13 00:45	1634-04-4	W
Methylene Chloride	<25.0	ug/kg	60.0	25.0	1	07/17/13 13:18	07/18/13 00:45	75-09-2	W
Naphthalene	<25.0	ug/kg	60.0	25.0	1	07/17/13 13:18	07/18/13 00:45	91-20-3	W
Styrene	<25.0	ug/kg	60.0	25.0	1	07/17/13 13:18	07/18/13 00:45	100-42-5	W

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

ANALYTICAL RESULTS

Project: 25212159 HUNN FAMILY TRUST

Pace Project No.: 4081228

Sample: B17-S6 **Lab ID: 4081228004** Collected: 07/11/13 00:00 Received: 07/16/13 10:35 Matrix: Solid

Results reported on a "dry-weight" basis

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Med Level Normal List		Analytical Method: EPA 8260 Preparation Method: EPA 5035/5030B							
Tetrachloroethene	<25.0	ug/kg	60.0	25.0	1	07/17/13 13:18	07/18/13 00:45	127-18-4	W
Toluene	<25.0	ug/kg	60.0	25.0	1	07/17/13 13:18	07/18/13 00:45	108-88-3	W
Trichloroethene	<25.0	ug/kg	60.0	25.0	1	07/17/13 13:18	07/18/13 00:45	79-01-6	W
Trichlorofluoromethane	<25.0	ug/kg	60.0	25.0	1	07/17/13 13:18	07/18/13 00:45	75-69-4	W
Vinyl chloride	<25.0	ug/kg	60.0	25.0	1	07/17/13 13:18	07/18/13 00:45	75-01-4	W
Xylene (Total)	<75.0	ug/kg	180	75.0	1	07/17/13 13:18	07/18/13 00:45	1330-20-7	W
cis-1,2-Dichloroethene	<25.0	ug/kg	60.0	25.0	1	07/17/13 13:18	07/18/13 00:45	156-59-2	W
cis-1,3-Dichloropropene	<25.0	ug/kg	60.0	25.0	1	07/17/13 13:18	07/18/13 00:45	10061-01-5	W
n-Butylbenzene	<25.0	ug/kg	60.0	25.0	1	07/17/13 13:18	07/18/13 00:45	104-51-8	W
n-Propylbenzene	<25.0	ug/kg	60.0	25.0	1	07/17/13 13:18	07/18/13 00:45	103-65-1	W
p-Isopropyltoluene	<25.0	ug/kg	60.0	25.0	1	07/17/13 13:18	07/18/13 00:45	99-87-6	W
sec-Butylbenzene	<25.0	ug/kg	60.0	25.0	1	07/17/13 13:18	07/18/13 00:45	135-98-8	W
tert-Butylbenzene	<25.0	ug/kg	60.0	25.0	1	07/17/13 13:18	07/18/13 00:45	98-06-6	W
trans-1,2-Dichloroethene	<25.0	ug/kg	60.0	25.0	1	07/17/13 13:18	07/18/13 00:45	156-60-5	W
trans-1,3-Dichloropropene	<25.0	ug/kg	60.0	25.0	1	07/17/13 13:18	07/18/13 00:45	10061-02-6	W
Surrogates									
Dibromofluoromethane (S)	95 %		57-130		1	07/17/13 13:18	07/18/13 00:45	1868-53-7	
Toluene-d8 (S)	96 %		54-133		1	07/17/13 13:18	07/18/13 00:45	2037-26-5	
4-Bromofluorobenzene (S)	98 %		49-130		1	07/17/13 13:18	07/18/13 00:45	460-00-4	
Percent Moisture		Analytical Method: ASTM D2974-87							
Percent Moisture	5.8 %		0.10	0.10	1		07/19/13 16:25		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

ANALYTICAL RESULTS

Project: 25212159 HUNN FAMILY TRUST

Pace Project No.: 4081228

Sample: B16-S1 **Lab ID: 4081228005** Collected: 07/11/13 00:00 Received: 07/16/13 10:35 Matrix: Solid

Results reported on a "dry-weight" basis

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Med Level Normal List									
Analytical Method: EPA 8260 Preparation Method: EPA 5035/5030B									
1,1,1,2-Tetrachloroethane	<25.0	ug/kg	60.0	25.0	1	07/17/13 13:18	07/18/13 01:08	630-20-6	W
1,1,1-Trichloroethane	<25.0	ug/kg	60.0	25.0	1	07/17/13 13:18	07/18/13 01:08	71-55-6	W
1,1,2,2-Tetrachloroethane	<25.0	ug/kg	60.0	25.0	1	07/17/13 13:18	07/18/13 01:08	79-34-5	W
1,1,2-Trichloroethane	<25.0	ug/kg	60.0	25.0	1	07/17/13 13:18	07/18/13 01:08	79-00-5	W
1,1-Dichloroethane	<25.0	ug/kg	60.0	25.0	1	07/17/13 13:18	07/18/13 01:08	75-34-3	W
1,1-Dichloroethene	<25.0	ug/kg	60.0	25.0	1	07/17/13 13:18	07/18/13 01:08	75-35-4	W
1,1-Dichloropropene	<25.0	ug/kg	60.0	25.0	1	07/17/13 13:18	07/18/13 01:08	563-58-6	W
1,2,3-Trichlorobenzene	<25.0	ug/kg	60.0	25.0	1	07/17/13 13:18	07/18/13 01:08	87-61-6	W
1,2,3-Trichloropropane	<25.0	ug/kg	60.0	25.0	1	07/17/13 13:18	07/18/13 01:08	96-18-4	W
1,2,4-Trichlorobenzene	<25.0	ug/kg	60.0	25.0	1	07/17/13 13:18	07/18/13 01:08	120-82-1	W
1,2,4-Trimethylbenzene	<25.0	ug/kg	60.0	25.0	1	07/17/13 13:18	07/18/13 01:08	95-63-6	W
1,2-Dibromo-3-chloropropane	<49.8	ug/kg	250	49.8	1	07/17/13 13:18	07/18/13 01:08	96-12-8	W
1,2-Dibromoethane (EDB)	<25.0	ug/kg	60.0	25.0	1	07/17/13 13:18	07/18/13 01:08	106-93-4	W
1,2-Dichlorobenzene	<25.0	ug/kg	60.0	25.0	1	07/17/13 13:18	07/18/13 01:08	95-50-1	W
1,2-Dichloroethane	<25.0	ug/kg	60.0	25.0	1	07/17/13 13:18	07/18/13 01:08	107-06-2	W
1,2-Dichloropropane	<25.0	ug/kg	60.0	25.0	1	07/17/13 13:18	07/18/13 01:08	78-87-5	W
1,3,5-Trimethylbenzene	<25.0	ug/kg	60.0	25.0	1	07/17/13 13:18	07/18/13 01:08	108-67-8	W
1,3-Dichlorobenzene	<25.0	ug/kg	60.0	25.0	1	07/17/13 13:18	07/18/13 01:08	541-73-1	W
1,3-Dichloropropane	<25.0	ug/kg	60.0	25.0	1	07/17/13 13:18	07/18/13 01:08	142-28-9	W
1,4-Dichlorobenzene	<25.0	ug/kg	60.0	25.0	1	07/17/13 13:18	07/18/13 01:08	106-46-7	W
2,2-Dichloropropane	<25.0	ug/kg	60.0	25.0	1	07/17/13 13:18	07/18/13 01:08	594-20-7	W
2-Chlorotoluene	<25.0	ug/kg	60.0	25.0	1	07/17/13 13:18	07/18/13 01:08	95-49-8	W
4-Chlorotoluene	<25.0	ug/kg	60.0	25.0	1	07/17/13 13:18	07/18/13 01:08	106-43-4	W
Benzene	<25.0	ug/kg	60.0	25.0	1	07/17/13 13:18	07/18/13 01:08	71-43-2	W
Bromobenzene	<25.0	ug/kg	60.0	25.0	1	07/17/13 13:18	07/18/13 01:08	108-86-1	W
Bromochloromethane	<25.0	ug/kg	60.0	25.0	1	07/17/13 13:18	07/18/13 01:08	74-97-5	W
Bromodichloromethane	<25.0	ug/kg	60.0	25.0	1	07/17/13 13:18	07/18/13 01:08	75-27-4	W
Bromoform	<25.0	ug/kg	60.0	25.0	1	07/17/13 13:18	07/18/13 01:08	75-25-2	W
Bromomethane	<25.0	ug/kg	60.0	25.0	1	07/17/13 13:18	07/18/13 01:08	74-83-9	L3,W
Carbon tetrachloride	<25.0	ug/kg	60.0	25.0	1	07/17/13 13:18	07/18/13 01:08	56-23-5	W
Chlorobenzene	<25.0	ug/kg	60.0	25.0	1	07/17/13 13:18	07/18/13 01:08	108-90-7	W
Chloroethane	<25.0	ug/kg	60.0	25.0	1	07/17/13 13:18	07/18/13 01:08	75-00-3	L3,W
Chloroform	<25.0	ug/kg	60.0	25.0	1	07/17/13 13:18	07/18/13 01:08	67-66-3	W
Chloromethane	<25.0	ug/kg	60.0	25.0	1	07/17/13 13:18	07/18/13 01:08	74-87-3	W
Dibromochloromethane	<25.0	ug/kg	60.0	25.0	1	07/17/13 13:18	07/18/13 01:08	124-48-1	W
Dibromomethane	<25.0	ug/kg	60.0	25.0	1	07/17/13 13:18	07/18/13 01:08	74-95-3	W
Dichlorodifluoromethane	<25.0	ug/kg	60.0	25.0	1	07/17/13 13:18	07/18/13 01:08	75-71-8	W
Diisopropyl ether	<25.0	ug/kg	60.0	25.0	1	07/17/13 13:18	07/18/13 01:08	108-20-3	W
Ethylbenzene	<25.0	ug/kg	60.0	25.0	1	07/17/13 13:18	07/18/13 01:08	100-41-4	W
Hexachloro-1,3-butadiene	<25.0	ug/kg	60.0	25.0	1	07/17/13 13:18	07/18/13 01:08	87-68-3	W
Isopropylbenzene (Cumene)	<25.0	ug/kg	60.0	25.0	1	07/17/13 13:18	07/18/13 01:08	98-82-8	W
Methyl-tert-butyl ether	<25.0	ug/kg	60.0	25.0	1	07/17/13 13:18	07/18/13 01:08	1634-04-4	W
Methylene Chloride	<25.0	ug/kg	60.0	25.0	1	07/17/13 13:18	07/18/13 01:08	75-09-2	W
Naphthalene	<25.0	ug/kg	60.0	25.0	1	07/17/13 13:18	07/18/13 01:08	91-20-3	W
Styrene	<25.0	ug/kg	60.0	25.0	1	07/17/13 13:18	07/18/13 01:08	100-42-5	W

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

ANALYTICAL RESULTS

Project: 25212159 HUNN FAMILY TRUST

Pace Project No.: 4081228

Sample: B16-S1 **Lab ID: 4081228005** Collected: 07/11/13 00:00 Received: 07/16/13 10:35 Matrix: Solid

Results reported on a "dry-weight" basis

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Med Level Normal List		Analytical Method: EPA 8260 Preparation Method: EPA 5035/5030B							
Tetrachloroethene	311	ug/kg	77.7	32.4	1	07/17/13 13:18	07/18/13 01:08	127-18-4	
Toluene	<25.0	ug/kg	60.0	25.0	1	07/17/13 13:18	07/18/13 01:08	108-88-3	W
Trichloroethene	34.1J	ug/kg	77.7	32.4	1	07/17/13 13:18	07/18/13 01:08	79-01-6	
Trichlorofluoromethane	<25.0	ug/kg	60.0	25.0	1	07/17/13 13:18	07/18/13 01:08	75-69-4	W
Vinyl chloride	<25.0	ug/kg	60.0	25.0	1	07/17/13 13:18	07/18/13 01:08	75-01-4	W
Xylene (Total)	<75.0	ug/kg	180	75.0	1	07/17/13 13:18	07/18/13 01:08	1330-20-7	W
cis-1,2-Dichloroethene	<25.0	ug/kg	60.0	25.0	1	07/17/13 13:18	07/18/13 01:08	156-59-2	W
cis-1,3-Dichloropropene	<25.0	ug/kg	60.0	25.0	1	07/17/13 13:18	07/18/13 01:08	10061-01-5	W
n-Butylbenzene	<25.0	ug/kg	60.0	25.0	1	07/17/13 13:18	07/18/13 01:08	104-51-8	W
n-Propylbenzene	<25.0	ug/kg	60.0	25.0	1	07/17/13 13:18	07/18/13 01:08	103-65-1	W
p-Isopropyltoluene	<25.0	ug/kg	60.0	25.0	1	07/17/13 13:18	07/18/13 01:08	99-87-6	W
sec-Butylbenzene	<25.0	ug/kg	60.0	25.0	1	07/17/13 13:18	07/18/13 01:08	135-98-8	W
tert-Butylbenzene	<25.0	ug/kg	60.0	25.0	1	07/17/13 13:18	07/18/13 01:08	98-06-6	W
trans-1,2-Dichloroethene	<25.0	ug/kg	60.0	25.0	1	07/17/13 13:18	07/18/13 01:08	156-60-5	W
trans-1,3-Dichloropropene	<25.0	ug/kg	60.0	25.0	1	07/17/13 13:18	07/18/13 01:08	10061-02-6	W
Surrogates									
Dibromofluoromethane (S)	93	%	57-130		1	07/17/13 13:18	07/18/13 01:08	1868-53-7	
Toluene-d8 (S)	92	%	54-133		1	07/17/13 13:18	07/18/13 01:08	2037-26-5	
4-Bromofluorobenzene (S)	87	%	49-130		1	07/17/13 13:18	07/18/13 01:08	460-00-4	
Percent Moisture		Analytical Method: ASTM D2974-87							
Percent Moisture	22.8	%	0.10	0.10	1		07/19/13 16:25		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

ANALYTICAL RESULTS

Project: 25212159 HUNN FAMILY TRUST

Pace Project No.: 4081228

Sample: **B16-S6** Lab ID: **4081228006** Collected: 07/11/13 00:00 Received: 07/16/13 10:35 Matrix: Solid

Results reported on a "dry-weight" basis

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Med Level Normal List									
Analytical Method: EPA 8260 Preparation Method: EPA 5035/5030B									
1,1,1,2-Tetrachloroethane	<25.0	ug/kg	60.0	25.0	1	07/17/13 13:18	07/18/13 01:31	630-20-6	W
1,1,1-Trichloroethane	<25.0	ug/kg	60.0	25.0	1	07/17/13 13:18	07/18/13 01:31	71-55-6	W
1,1,2,2-Tetrachloroethane	<25.0	ug/kg	60.0	25.0	1	07/17/13 13:18	07/18/13 01:31	79-34-5	W
1,1,2-Trichloroethane	<25.0	ug/kg	60.0	25.0	1	07/17/13 13:18	07/18/13 01:31	79-00-5	W
1,1-Dichloroethane	<25.0	ug/kg	60.0	25.0	1	07/17/13 13:18	07/18/13 01:31	75-34-3	W
1,1-Dichloroethene	<25.0	ug/kg	60.0	25.0	1	07/17/13 13:18	07/18/13 01:31	75-35-4	W
1,1-Dichloropropene	<25.0	ug/kg	60.0	25.0	1	07/17/13 13:18	07/18/13 01:31	563-58-6	W
1,2,3-Trichlorobenzene	<25.0	ug/kg	60.0	25.0	1	07/17/13 13:18	07/18/13 01:31	87-61-6	W
1,2,3-Trichloropropane	<25.0	ug/kg	60.0	25.0	1	07/17/13 13:18	07/18/13 01:31	96-18-4	W
1,2,4-Trichlorobenzene	<25.0	ug/kg	60.0	25.0	1	07/17/13 13:18	07/18/13 01:31	120-82-1	W
1,2,4-Trimethylbenzene	<25.0	ug/kg	60.0	25.0	1	07/17/13 13:18	07/18/13 01:31	95-63-6	W
1,2-Dibromo-3-chloropropane	<49.8	ug/kg	250	49.8	1	07/17/13 13:18	07/18/13 01:31	96-12-8	W
1,2-Dibromoethane (EDB)	<25.0	ug/kg	60.0	25.0	1	07/17/13 13:18	07/18/13 01:31	106-93-4	W
1,2-Dichlorobenzene	<25.0	ug/kg	60.0	25.0	1	07/17/13 13:18	07/18/13 01:31	95-50-1	W
1,2-Dichloroethane	<25.0	ug/kg	60.0	25.0	1	07/17/13 13:18	07/18/13 01:31	107-06-2	W
1,2-Dichloropropane	<25.0	ug/kg	60.0	25.0	1	07/17/13 13:18	07/18/13 01:31	78-87-5	W
1,3,5-Trimethylbenzene	<25.0	ug/kg	60.0	25.0	1	07/17/13 13:18	07/18/13 01:31	108-67-8	W
1,3-Dichlorobenzene	<25.0	ug/kg	60.0	25.0	1	07/17/13 13:18	07/18/13 01:31	541-73-1	W
1,3-Dichloropropane	<25.0	ug/kg	60.0	25.0	1	07/17/13 13:18	07/18/13 01:31	142-28-9	W
1,4-Dichlorobenzene	<25.0	ug/kg	60.0	25.0	1	07/17/13 13:18	07/18/13 01:31	106-46-7	W
2,2-Dichloropropane	<25.0	ug/kg	60.0	25.0	1	07/17/13 13:18	07/18/13 01:31	594-20-7	W
2-Chlorotoluene	<25.0	ug/kg	60.0	25.0	1	07/17/13 13:18	07/18/13 01:31	95-49-8	W
4-Chlorotoluene	<25.0	ug/kg	60.0	25.0	1	07/17/13 13:18	07/18/13 01:31	106-43-4	W
Benzene	<25.0	ug/kg	60.0	25.0	1	07/17/13 13:18	07/18/13 01:31	71-43-2	W
Bromobenzene	<25.0	ug/kg	60.0	25.0	1	07/17/13 13:18	07/18/13 01:31	108-86-1	W
Bromochloromethane	<25.0	ug/kg	60.0	25.0	1	07/17/13 13:18	07/18/13 01:31	74-97-5	W
Bromodichloromethane	<25.0	ug/kg	60.0	25.0	1	07/17/13 13:18	07/18/13 01:31	75-27-4	W
Bromoform	<25.0	ug/kg	60.0	25.0	1	07/17/13 13:18	07/18/13 01:31	75-25-2	W
Bromomethane	<25.0	ug/kg	60.0	25.0	1	07/17/13 13:18	07/18/13 01:31	74-83-9	L3,W
Carbon tetrachloride	<25.0	ug/kg	60.0	25.0	1	07/17/13 13:18	07/18/13 01:31	56-23-5	W
Chlorobenzene	<25.0	ug/kg	60.0	25.0	1	07/17/13 13:18	07/18/13 01:31	108-90-7	W
Chloroethane	<25.0	ug/kg	60.0	25.0	1	07/17/13 13:18	07/18/13 01:31	75-00-3	L3,W
Chloroform	<25.0	ug/kg	60.0	25.0	1	07/17/13 13:18	07/18/13 01:31	67-66-3	W
Chloromethane	<25.0	ug/kg	60.0	25.0	1	07/17/13 13:18	07/18/13 01:31	74-87-3	W
Dibromochloromethane	<25.0	ug/kg	60.0	25.0	1	07/17/13 13:18	07/18/13 01:31	124-48-1	W
Dibromomethane	<25.0	ug/kg	60.0	25.0	1	07/17/13 13:18	07/18/13 01:31	74-95-3	W
Dichlorodifluoromethane	<25.0	ug/kg	60.0	25.0	1	07/17/13 13:18	07/18/13 01:31	75-71-8	W
Diisopropyl ether	<25.0	ug/kg	60.0	25.0	1	07/17/13 13:18	07/18/13 01:31	108-20-3	W
Ethylbenzene	<25.0	ug/kg	60.0	25.0	1	07/17/13 13:18	07/18/13 01:31	100-41-4	W
Hexachloro-1,3-butadiene	<25.0	ug/kg	60.0	25.0	1	07/17/13 13:18	07/18/13 01:31	87-68-3	W
Isopropylbenzene (Cumene)	<25.0	ug/kg	60.0	25.0	1	07/17/13 13:18	07/18/13 01:31	98-82-8	W
Methyl-tert-butyl ether	<25.0	ug/kg	60.0	25.0	1	07/17/13 13:18	07/18/13 01:31	1634-04-4	W
Methylene Chloride	<25.0	ug/kg	60.0	25.0	1	07/17/13 13:18	07/18/13 01:31	75-09-2	W
Naphthalene	<25.0	ug/kg	60.0	25.0	1	07/17/13 13:18	07/18/13 01:31	91-20-3	W
Styrene	<25.0	ug/kg	60.0	25.0	1	07/17/13 13:18	07/18/13 01:31	100-42-5	W

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

ANALYTICAL RESULTS

Project: 25212159 HUNN FAMILY TRUST

Pace Project No.: 4081228

Sample: B16-S6 **Lab ID: 4081228006** Collected: 07/11/13 00:00 Received: 07/16/13 10:35 Matrix: Solid

Results reported on a "dry-weight" basis

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Med Level Normal List									
Analytical Method: EPA 8260 Preparation Method: EPA 5035/5030B									
Tetrachloroethene	<25.0	ug/kg	60.0	25.0	1	07/17/13 13:18	07/18/13 01:31	127-18-4	W
Toluene	<25.0	ug/kg	60.0	25.0	1	07/17/13 13:18	07/18/13 01:31	108-88-3	W
Trichloroethene	<25.0	ug/kg	60.0	25.0	1	07/17/13 13:18	07/18/13 01:31	79-01-6	W
Trichlorofluoromethane	<25.0	ug/kg	60.0	25.0	1	07/17/13 13:18	07/18/13 01:31	75-69-4	W
Vinyl chloride	<25.0	ug/kg	60.0	25.0	1	07/17/13 13:18	07/18/13 01:31	75-01-4	W
Xylene (Total)	<75.0	ug/kg	180	75.0	1	07/17/13 13:18	07/18/13 01:31	1330-20-7	W
cis-1,2-Dichloroethene	<25.0	ug/kg	60.0	25.0	1	07/17/13 13:18	07/18/13 01:31	156-59-2	W
cis-1,3-Dichloropropene	<25.0	ug/kg	60.0	25.0	1	07/17/13 13:18	07/18/13 01:31	10061-01-5	W
n-Butylbenzene	<25.0	ug/kg	60.0	25.0	1	07/17/13 13:18	07/18/13 01:31	104-51-8	W
n-Propylbenzene	<25.0	ug/kg	60.0	25.0	1	07/17/13 13:18	07/18/13 01:31	103-65-1	W
p-Isopropyltoluene	<25.0	ug/kg	60.0	25.0	1	07/17/13 13:18	07/18/13 01:31	99-87-6	W
sec-Butylbenzene	<25.0	ug/kg	60.0	25.0	1	07/17/13 13:18	07/18/13 01:31	135-98-8	W
tert-Butylbenzene	<25.0	ug/kg	60.0	25.0	1	07/17/13 13:18	07/18/13 01:31	98-06-6	W
trans-1,2-Dichloroethene	<25.0	ug/kg	60.0	25.0	1	07/17/13 13:18	07/18/13 01:31	156-60-5	W
trans-1,3-Dichloropropene	<25.0	ug/kg	60.0	25.0	1	07/17/13 13:18	07/18/13 01:31	10061-02-6	W
Surrogates									
Dibromofluoromethane (S)	81	%	57-130		1	07/17/13 13:18	07/18/13 01:31	1868-53-7	
Toluene-d8 (S)	78	%	54-133		1	07/17/13 13:18	07/18/13 01:31	2037-26-5	
4-Bromofluorobenzene (S)	78	%	49-130		1	07/17/13 13:18	07/18/13 01:31	460-00-4	
Percent Moisture									
Analytical Method: ASTM D2974-87									
Percent Moisture	9.1	%	0.10	0.10	1		07/19/13 16:25		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

ANALYTICAL RESULTS

Project: 25212159 HUNN FAMILY TRUST

Pace Project No.: 4081228

Sample: B18-S1 **Lab ID: 4081228007** Collected: 07/11/13 00:00 Received: 07/16/13 10:35 Matrix: Solid

Results reported on a "dry-weight" basis

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Med Level Normal List									
Analytical Method: EPA 8260 Preparation Method: EPA 5035/5030B									
1,1,1,2-Tetrachloroethane	<25.0	ug/kg	60.0	25.0	1	07/17/13 13:18	07/18/13 01:53	630-20-6	W
1,1,1-Trichloroethane	<25.0	ug/kg	60.0	25.0	1	07/17/13 13:18	07/18/13 01:53	71-55-6	W
1,1,2,2-Tetrachloroethane	<25.0	ug/kg	60.0	25.0	1	07/17/13 13:18	07/18/13 01:53	79-34-5	W
1,1,2-Trichloroethane	<25.0	ug/kg	60.0	25.0	1	07/17/13 13:18	07/18/13 01:53	79-00-5	W
1,1-Dichloroethane	<25.0	ug/kg	60.0	25.0	1	07/17/13 13:18	07/18/13 01:53	75-34-3	W
1,1-Dichloroethene	<25.0	ug/kg	60.0	25.0	1	07/17/13 13:18	07/18/13 01:53	75-35-4	W
1,1-Dichloropropene	<25.0	ug/kg	60.0	25.0	1	07/17/13 13:18	07/18/13 01:53	563-58-6	W
1,2,3-Trichlorobenzene	<25.0	ug/kg	60.0	25.0	1	07/17/13 13:18	07/18/13 01:53	87-61-6	W
1,2,3-Trichloropropane	<25.0	ug/kg	60.0	25.0	1	07/17/13 13:18	07/18/13 01:53	96-18-4	W
1,2,4-Trichlorobenzene	<25.0	ug/kg	60.0	25.0	1	07/17/13 13:18	07/18/13 01:53	120-82-1	W
1,2,4-Trimethylbenzene	<25.0	ug/kg	60.0	25.0	1	07/17/13 13:18	07/18/13 01:53	95-63-6	W
1,2-Dibromo-3-chloropropane	<49.8	ug/kg	250	49.8	1	07/17/13 13:18	07/18/13 01:53	96-12-8	W
1,2-Dibromoethane (EDB)	<25.0	ug/kg	60.0	25.0	1	07/17/13 13:18	07/18/13 01:53	106-93-4	W
1,2-Dichlorobenzene	<25.0	ug/kg	60.0	25.0	1	07/17/13 13:18	07/18/13 01:53	95-50-1	W
1,2-Dichloroethane	<25.0	ug/kg	60.0	25.0	1	07/17/13 13:18	07/18/13 01:53	107-06-2	W
1,2-Dichloropropane	<25.0	ug/kg	60.0	25.0	1	07/17/13 13:18	07/18/13 01:53	78-87-5	W
1,3,5-Trimethylbenzene	<25.0	ug/kg	60.0	25.0	1	07/17/13 13:18	07/18/13 01:53	108-67-8	W
1,3-Dichlorobenzene	<25.0	ug/kg	60.0	25.0	1	07/17/13 13:18	07/18/13 01:53	541-73-1	W
1,3-Dichloropropane	<25.0	ug/kg	60.0	25.0	1	07/17/13 13:18	07/18/13 01:53	142-28-9	W
1,4-Dichlorobenzene	<25.0	ug/kg	60.0	25.0	1	07/17/13 13:18	07/18/13 01:53	106-46-7	W
2,2-Dichloropropane	<25.0	ug/kg	60.0	25.0	1	07/17/13 13:18	07/18/13 01:53	594-20-7	W
2-Chlorotoluene	<25.0	ug/kg	60.0	25.0	1	07/17/13 13:18	07/18/13 01:53	95-49-8	W
4-Chlorotoluene	<25.0	ug/kg	60.0	25.0	1	07/17/13 13:18	07/18/13 01:53	106-43-4	W
Benzene	<25.0	ug/kg	60.0	25.0	1	07/17/13 13:18	07/18/13 01:53	71-43-2	W
Bromobenzene	<25.0	ug/kg	60.0	25.0	1	07/17/13 13:18	07/18/13 01:53	108-86-1	W
Bromochloromethane	<25.0	ug/kg	60.0	25.0	1	07/17/13 13:18	07/18/13 01:53	74-97-5	W
Bromodichloromethane	<25.0	ug/kg	60.0	25.0	1	07/17/13 13:18	07/18/13 01:53	75-27-4	W
Bromoform	<25.0	ug/kg	60.0	25.0	1	07/17/13 13:18	07/18/13 01:53	75-25-2	W
Bromomethane	<25.0	ug/kg	60.0	25.0	1	07/17/13 13:18	07/18/13 01:53	74-83-9	L3,W
Carbon tetrachloride	<25.0	ug/kg	60.0	25.0	1	07/17/13 13:18	07/18/13 01:53	56-23-5	W
Chlorobenzene	<25.0	ug/kg	60.0	25.0	1	07/17/13 13:18	07/18/13 01:53	108-90-7	W
Chloroethane	<25.0	ug/kg	60.0	25.0	1	07/17/13 13:18	07/18/13 01:53	75-00-3	L3,W
Chloroform	<25.0	ug/kg	60.0	25.0	1	07/17/13 13:18	07/18/13 01:53	67-66-3	W
Chloromethane	<25.0	ug/kg	60.0	25.0	1	07/17/13 13:18	07/18/13 01:53	74-87-3	W
Dibromochloromethane	<25.0	ug/kg	60.0	25.0	1	07/17/13 13:18	07/18/13 01:53	124-48-1	W
Dibromomethane	<25.0	ug/kg	60.0	25.0	1	07/17/13 13:18	07/18/13 01:53	74-95-3	W
Dichlorodifluoromethane	<25.0	ug/kg	60.0	25.0	1	07/17/13 13:18	07/18/13 01:53	75-71-8	W
Diisopropyl ether	<25.0	ug/kg	60.0	25.0	1	07/17/13 13:18	07/18/13 01:53	108-20-3	W
Ethylbenzene	<25.0	ug/kg	60.0	25.0	1	07/17/13 13:18	07/18/13 01:53	100-41-4	W
Hexachloro-1,3-butadiene	<25.0	ug/kg	60.0	25.0	1	07/17/13 13:18	07/18/13 01:53	87-68-3	W
Isopropylbenzene (Cumene)	<25.0	ug/kg	60.0	25.0	1	07/17/13 13:18	07/18/13 01:53	98-82-8	W
Methyl-tert-butyl ether	<25.0	ug/kg	60.0	25.0	1	07/17/13 13:18	07/18/13 01:53	1634-04-4	W
Methylene Chloride	<25.0	ug/kg	60.0	25.0	1	07/17/13 13:18	07/18/13 01:53	75-09-2	W
Naphthalene	<25.0	ug/kg	60.0	25.0	1	07/17/13 13:18	07/18/13 01:53	91-20-3	W
Styrene	<25.0	ug/kg	60.0	25.0	1	07/17/13 13:18	07/18/13 01:53	100-42-5	W

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

ANALYTICAL RESULTS

Project: 25212159 HUNN FAMILY TRUST

Pace Project No.: 4081228

Sample: B18-S1 **Lab ID: 4081228007** Collected: 07/11/13 00:00 Received: 07/16/13 10:35 Matrix: Solid

Results reported on a "dry-weight" basis

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Med Level Normal List		Analytical Method: EPA 8260 Preparation Method: EPA 5035/5030B							
Tetrachloroethene	817	ug/kg	72.3	30.1	1	07/17/13 13:18	07/18/13 01:53	127-18-4	
Toluene	<25.0	ug/kg	60.0	25.0	1	07/17/13 13:18	07/18/13 01:53	108-88-3	W
Trichloroethene	<25.0	ug/kg	60.0	25.0	1	07/17/13 13:18	07/18/13 01:53	79-01-6	W
Trichlorofluoromethane	<25.0	ug/kg	60.0	25.0	1	07/17/13 13:18	07/18/13 01:53	75-69-4	W
Vinyl chloride	<25.0	ug/kg	60.0	25.0	1	07/17/13 13:18	07/18/13 01:53	75-01-4	W
Xylene (Total)	<75.0	ug/kg	180	75.0	1	07/17/13 13:18	07/18/13 01:53	1330-20-7	W
cis-1,2-Dichloroethene	<25.0	ug/kg	60.0	25.0	1	07/17/13 13:18	07/18/13 01:53	156-59-2	W
cis-1,3-Dichloropropene	<25.0	ug/kg	60.0	25.0	1	07/17/13 13:18	07/18/13 01:53	10061-01-5	W
n-Butylbenzene	<25.0	ug/kg	60.0	25.0	1	07/17/13 13:18	07/18/13 01:53	104-51-8	W
n-Propylbenzene	<25.0	ug/kg	60.0	25.0	1	07/17/13 13:18	07/18/13 01:53	103-65-1	W
p-Isopropyltoluene	<25.0	ug/kg	60.0	25.0	1	07/17/13 13:18	07/18/13 01:53	99-87-6	W
sec-Butylbenzene	<25.0	ug/kg	60.0	25.0	1	07/17/13 13:18	07/18/13 01:53	135-98-8	W
tert-Butylbenzene	<25.0	ug/kg	60.0	25.0	1	07/17/13 13:18	07/18/13 01:53	98-06-6	W
trans-1,2-Dichloroethene	<25.0	ug/kg	60.0	25.0	1	07/17/13 13:18	07/18/13 01:53	156-60-5	W
trans-1,3-Dichloropropene	<25.0	ug/kg	60.0	25.0	1	07/17/13 13:18	07/18/13 01:53	10061-02-6	W
Surrogates									
Dibromofluoromethane (S)	94	%	57-130		1	07/17/13 13:18	07/18/13 01:53	1868-53-7	
Toluene-d8 (S)	93	%	54-133		1	07/17/13 13:18	07/18/13 01:53	2037-26-5	
4-Bromofluorobenzene (S)	88	%	49-130		1	07/17/13 13:18	07/18/13 01:53	460-00-4	
Percent Moisture		Analytical Method: ASTM D2974-87							
Percent Moisture	17.0	%	0.10	0.10	1		07/19/13 16:25		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

ANALYTICAL RESULTS

Project: 25212159 HUNN FAMILY TRUST

Pace Project No.: 4081228

Sample: B18-S10 **Lab ID: 4081228008** Collected: 07/11/13 00:00 Received: 07/16/13 10:35 Matrix: Solid

Results reported on a "dry-weight" basis

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Med Level Normal List Analytical Method: EPA 8260 Preparation Method: EPA 5035/5030B									
1,1,1,2-Tetrachloroethane	<500	ug/kg	1200	500	20	07/17/13 13:18	07/18/13 03:25	630-20-6	W
1,1,1-Trichloroethane	<500	ug/kg	1200	500	20	07/17/13 13:18	07/18/13 03:25	71-55-6	W
1,1,2,2-Tetrachloroethane	<500	ug/kg	1200	500	20	07/17/13 13:18	07/18/13 03:25	79-34-5	W
1,1,2-Trichloroethane	<500	ug/kg	1200	500	20	07/17/13 13:18	07/18/13 03:25	79-00-5	W
1,1-Dichloroethane	<500	ug/kg	1200	500	20	07/17/13 13:18	07/18/13 03:25	75-34-3	W
1,1-Dichloroethene	<500	ug/kg	1200	500	20	07/17/13 13:18	07/18/13 03:25	75-35-4	W
1,1-Dichloropropene	<500	ug/kg	1200	500	20	07/17/13 13:18	07/18/13 03:25	563-58-6	W
1,2,3-Trichlorobenzene	<500	ug/kg	1200	500	20	07/17/13 13:18	07/18/13 03:25	87-61-6	W
1,2,3-Trichloropropane	<500	ug/kg	1200	500	20	07/17/13 13:18	07/18/13 03:25	96-18-4	W
1,2,4-Trichlorobenzene	<500	ug/kg	1200	500	20	07/17/13 13:18	07/18/13 03:25	120-82-1	W
1,2,4-Trimethylbenzene	<500	ug/kg	1200	500	20	07/17/13 13:18	07/18/13 03:25	95-63-6	W
1,2-Dibromo-3-chloropropane	<997	ug/kg	5000	997	20	07/17/13 13:18	07/18/13 03:25	96-12-8	W
1,2-Dibromoethane (EDB)	<500	ug/kg	1200	500	20	07/17/13 13:18	07/18/13 03:25	106-93-4	W
1,2-Dichlorobenzene	<500	ug/kg	1200	500	20	07/17/13 13:18	07/18/13 03:25	95-50-1	W
1,2-Dichloroethane	<500	ug/kg	1200	500	20	07/17/13 13:18	07/18/13 03:25	107-06-2	W
1,2-Dichloropropane	<500	ug/kg	1200	500	20	07/17/13 13:18	07/18/13 03:25	78-87-5	W
1,3,5-Trimethylbenzene	<500	ug/kg	1200	500	20	07/17/13 13:18	07/18/13 03:25	108-67-8	W
1,3-Dichlorobenzene	<500	ug/kg	1200	500	20	07/17/13 13:18	07/18/13 03:25	541-73-1	W
1,3-Dichloropropane	<500	ug/kg	1200	500	20	07/17/13 13:18	07/18/13 03:25	142-28-9	W
1,4-Dichlorobenzene	<500	ug/kg	1200	500	20	07/17/13 13:18	07/18/13 03:25	106-46-7	W
2,2-Dichloropropane	<500	ug/kg	1200	500	20	07/17/13 13:18	07/18/13 03:25	594-20-7	W
2-Chlorotoluene	<500	ug/kg	1200	500	20	07/17/13 13:18	07/18/13 03:25	95-49-8	W
4-Chlorotoluene	<500	ug/kg	1200	500	20	07/17/13 13:18	07/18/13 03:25	106-43-4	W
Benzene	<500	ug/kg	1200	500	20	07/17/13 13:18	07/18/13 03:25	71-43-2	W
Bromobenzene	<500	ug/kg	1200	500	20	07/17/13 13:18	07/18/13 03:25	108-86-1	W
Bromochloromethane	<500	ug/kg	1200	500	20	07/17/13 13:18	07/18/13 03:25	74-97-5	W
Bromodichloromethane	<500	ug/kg	1200	500	20	07/17/13 13:18	07/18/13 03:25	75-27-4	W
Bromoform	<500	ug/kg	1200	500	20	07/17/13 13:18	07/18/13 03:25	75-25-2	W
Bromomethane	<500	ug/kg	1200	500	20	07/17/13 13:18	07/18/13 03:25	74-83-9	L3,W
Carbon tetrachloride	<500	ug/kg	1200	500	20	07/17/13 13:18	07/18/13 03:25	56-23-5	W
Chlorobenzene	<500	ug/kg	1200	500	20	07/17/13 13:18	07/18/13 03:25	108-90-7	W
Chloroethane	<500	ug/kg	1200	500	20	07/17/13 13:18	07/18/13 03:25	75-00-3	L3,W
Chloroform	<500	ug/kg	1200	500	20	07/17/13 13:18	07/18/13 03:25	67-66-3	W
Chloromethane	<500	ug/kg	1200	500	20	07/17/13 13:18	07/18/13 03:25	74-87-3	W
Dibromochloromethane	<500	ug/kg	1200	500	20	07/17/13 13:18	07/18/13 03:25	124-48-1	W
Dibromomethane	<500	ug/kg	1200	500	20	07/17/13 13:18	07/18/13 03:25	74-95-3	W
Dichlorodifluoromethane	<500	ug/kg	1200	500	20	07/17/13 13:18	07/18/13 03:25	75-71-8	W
Diisopropyl ether	<500	ug/kg	1200	500	20	07/17/13 13:18	07/18/13 03:25	108-20-3	W
Ethylbenzene	<500	ug/kg	1200	500	20	07/17/13 13:18	07/18/13 03:25	100-41-4	W
Hexachloro-1,3-butadiene	<500	ug/kg	1200	500	20	07/17/13 13:18	07/18/13 03:25	87-68-3	W
Isopropylbenzene (Cumene)	<500	ug/kg	1200	500	20	07/17/13 13:18	07/18/13 03:25	98-82-8	W
Methyl-tert-butyl ether	<500	ug/kg	1200	500	20	07/17/13 13:18	07/18/13 03:25	1634-04-4	W
Methylene Chloride	<500	ug/kg	1200	500	20	07/17/13 13:18	07/18/13 03:25	75-09-2	W
Naphthalene	<500	ug/kg	1200	500	20	07/17/13 13:18	07/18/13 03:25	91-20-3	W
Styrene	<500	ug/kg	1200	500	20	07/17/13 13:18	07/18/13 03:25	100-42-5	W

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

ANALYTICAL RESULTS

Project: 25212159 HUNN FAMILY TRUST

Pace Project No.: 4081228

Sample: B18-S10 **Lab ID: 4081228008** Collected: 07/11/13 00:00 Received: 07/16/13 10:35 Matrix: Solid

Results reported on a "dry-weight" basis

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Med Level Normal List		Analytical Method: EPA 8260 Preparation Method: EPA 5035/5030B							
Tetrachloroethene	155000	ug/kg	1260	527	20	07/17/13 13:18	07/18/13 03:25	127-18-4	
Toluene	<500	ug/kg	1200	500	20	07/17/13 13:18	07/18/13 03:25	108-88-3	W
Trichloroethene	1380	ug/kg	1260	527	20	07/17/13 13:18	07/18/13 03:25	79-01-6	
Trichlorofluoromethane	<500	ug/kg	1200	500	20	07/17/13 13:18	07/18/13 03:25	75-69-4	W
Vinyl chloride	<500	ug/kg	1200	500	20	07/17/13 13:18	07/18/13 03:25	75-01-4	W
Xylene (Total)	<1500	ug/kg	3600	1500	20	07/17/13 13:18	07/18/13 03:25	1330-20-7	W
cis-1,2-Dichloroethene	<500	ug/kg	1200	500	20	07/17/13 13:18	07/18/13 03:25	156-59-2	W
cis-1,3-Dichloropropene	<500	ug/kg	1200	500	20	07/17/13 13:18	07/18/13 03:25	10061-01-5	W
n-Butylbenzene	<500	ug/kg	1200	500	20	07/17/13 13:18	07/18/13 03:25	104-51-8	W
n-Propylbenzene	<500	ug/kg	1200	500	20	07/17/13 13:18	07/18/13 03:25	103-65-1	W
p-Isopropyltoluene	<500	ug/kg	1200	500	20	07/17/13 13:18	07/18/13 03:25	99-87-6	W
sec-Butylbenzene	<500	ug/kg	1200	500	20	07/17/13 13:18	07/18/13 03:25	135-98-8	W
tert-Butylbenzene	<500	ug/kg	1200	500	20	07/17/13 13:18	07/18/13 03:25	98-06-6	W
trans-1,2-Dichloroethene	<500	ug/kg	1200	500	20	07/17/13 13:18	07/18/13 03:25	156-60-5	W
trans-1,3-Dichloropropene	<500	ug/kg	1200	500	20	07/17/13 13:18	07/18/13 03:25	10061-02-6	W
Surrogates									
Dibromofluoromethane (S)	0 %		57-130		20	07/17/13 13:18	07/18/13 03:25	1868-53-7	S4
Toluene-d8 (S)	0 %		54-133		20	07/17/13 13:18	07/18/13 03:25	2037-26-5	S4
4-Bromofluorobenzene (S)	0 %		49-130		20	07/17/13 13:18	07/18/13 03:25	460-00-4	S4
Percent Moisture		Analytical Method: ASTM D2974-87							
Percent Moisture	5.1	%	0.10	0.10	1		07/19/13 16:25		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

ANALYTICAL RESULTS

Project: 25212159 HUNN FAMILY TRUST

Pace Project No.: 4081228

Sample: B15-S1 **Lab ID: 4081228009** Collected: 07/11/13 00:00 Received: 07/16/13 10:35 Matrix: Solid

Results reported on a "dry-weight" basis

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Med Level Normal List									
Analytical Method: EPA 8260 Preparation Method: EPA 5035/5030B									
1,1,1,2-Tetrachloroethane	<25.0	ug/kg	60.0	25.0	1	07/17/13 13:18	07/18/13 02:16	630-20-6	W
1,1,1-Trichloroethane	<25.0	ug/kg	60.0	25.0	1	07/17/13 13:18	07/18/13 02:16	71-55-6	W
1,1,2,2-Tetrachloroethane	<25.0	ug/kg	60.0	25.0	1	07/17/13 13:18	07/18/13 02:16	79-34-5	W
1,1,2-Trichloroethane	<25.0	ug/kg	60.0	25.0	1	07/17/13 13:18	07/18/13 02:16	79-00-5	W
1,1-Dichloroethane	<25.0	ug/kg	60.0	25.0	1	07/17/13 13:18	07/18/13 02:16	75-34-3	W
1,1-Dichloroethene	<25.0	ug/kg	60.0	25.0	1	07/17/13 13:18	07/18/13 02:16	75-35-4	W
1,1-Dichloropropene	<25.0	ug/kg	60.0	25.0	1	07/17/13 13:18	07/18/13 02:16	563-58-6	W
1,2,3-Trichlorobenzene	<25.0	ug/kg	60.0	25.0	1	07/17/13 13:18	07/18/13 02:16	87-61-6	W
1,2,3-Trichloropropane	<25.0	ug/kg	60.0	25.0	1	07/17/13 13:18	07/18/13 02:16	96-18-4	W
1,2,4-Trichlorobenzene	<25.0	ug/kg	60.0	25.0	1	07/17/13 13:18	07/18/13 02:16	120-82-1	W
1,2,4-Trimethylbenzene	<25.0	ug/kg	60.0	25.0	1	07/17/13 13:18	07/18/13 02:16	95-63-6	W
1,2-Dibromo-3-chloropropane	<49.8	ug/kg	250	49.8	1	07/17/13 13:18	07/18/13 02:16	96-12-8	W
1,2-Dibromoethane (EDB)	<25.0	ug/kg	60.0	25.0	1	07/17/13 13:18	07/18/13 02:16	106-93-4	W
1,2-Dichlorobenzene	<25.0	ug/kg	60.0	25.0	1	07/17/13 13:18	07/18/13 02:16	95-50-1	W
1,2-Dichloroethane	<25.0	ug/kg	60.0	25.0	1	07/17/13 13:18	07/18/13 02:16	107-06-2	W
1,2-Dichloropropane	<25.0	ug/kg	60.0	25.0	1	07/17/13 13:18	07/18/13 02:16	78-87-5	W
1,3,5-Trimethylbenzene	<25.0	ug/kg	60.0	25.0	1	07/17/13 13:18	07/18/13 02:16	108-67-8	W
1,3-Dichlorobenzene	<25.0	ug/kg	60.0	25.0	1	07/17/13 13:18	07/18/13 02:16	541-73-1	W
1,3-Dichloropropane	<25.0	ug/kg	60.0	25.0	1	07/17/13 13:18	07/18/13 02:16	142-28-9	W
1,4-Dichlorobenzene	<25.0	ug/kg	60.0	25.0	1	07/17/13 13:18	07/18/13 02:16	106-46-7	W
2,2-Dichloropropane	<25.0	ug/kg	60.0	25.0	1	07/17/13 13:18	07/18/13 02:16	594-20-7	W
2-Chlorotoluene	<25.0	ug/kg	60.0	25.0	1	07/17/13 13:18	07/18/13 02:16	95-49-8	W
4-Chlorotoluene	<25.0	ug/kg	60.0	25.0	1	07/17/13 13:18	07/18/13 02:16	106-43-4	W
Benzene	<25.0	ug/kg	60.0	25.0	1	07/17/13 13:18	07/18/13 02:16	71-43-2	W
Bromobenzene	<25.0	ug/kg	60.0	25.0	1	07/17/13 13:18	07/18/13 02:16	108-86-1	W
Bromochloromethane	<25.0	ug/kg	60.0	25.0	1	07/17/13 13:18	07/18/13 02:16	74-97-5	W
Bromodichloromethane	<25.0	ug/kg	60.0	25.0	1	07/17/13 13:18	07/18/13 02:16	75-27-4	W
Bromoform	<25.0	ug/kg	60.0	25.0	1	07/17/13 13:18	07/18/13 02:16	75-25-2	W
Bromomethane	<25.0	ug/kg	60.0	25.0	1	07/17/13 13:18	07/18/13 02:16	74-83-9	L3,W
Carbon tetrachloride	<25.0	ug/kg	60.0	25.0	1	07/17/13 13:18	07/18/13 02:16	56-23-5	W
Chlorobenzene	<25.0	ug/kg	60.0	25.0	1	07/17/13 13:18	07/18/13 02:16	108-90-7	W
Chloroethane	<25.0	ug/kg	60.0	25.0	1	07/17/13 13:18	07/18/13 02:16	75-00-3	L3,W
Chloroform	<25.0	ug/kg	60.0	25.0	1	07/17/13 13:18	07/18/13 02:16	67-66-3	W
Chloromethane	<25.0	ug/kg	60.0	25.0	1	07/17/13 13:18	07/18/13 02:16	74-87-3	W
Dibromochloromethane	<25.0	ug/kg	60.0	25.0	1	07/17/13 13:18	07/18/13 02:16	124-48-1	W
Dibromomethane	<25.0	ug/kg	60.0	25.0	1	07/17/13 13:18	07/18/13 02:16	74-95-3	W
Dichlorodifluoromethane	<25.0	ug/kg	60.0	25.0	1	07/17/13 13:18	07/18/13 02:16	75-71-8	W
Diisopropyl ether	<25.0	ug/kg	60.0	25.0	1	07/17/13 13:18	07/18/13 02:16	108-20-3	W
Ethylbenzene	<25.0	ug/kg	60.0	25.0	1	07/17/13 13:18	07/18/13 02:16	100-41-4	W
Hexachloro-1,3-butadiene	<25.0	ug/kg	60.0	25.0	1	07/17/13 13:18	07/18/13 02:16	87-68-3	W
Isopropylbenzene (Cumene)	<25.0	ug/kg	60.0	25.0	1	07/17/13 13:18	07/18/13 02:16	98-82-8	W
Methyl-tert-butyl ether	<25.0	ug/kg	60.0	25.0	1	07/17/13 13:18	07/18/13 02:16	1634-04-4	W
Methylene Chloride	<25.0	ug/kg	60.0	25.0	1	07/17/13 13:18	07/18/13 02:16	75-09-2	W
Naphthalene	<25.0	ug/kg	60.0	25.0	1	07/17/13 13:18	07/18/13 02:16	91-20-3	W
Styrene	<25.0	ug/kg	60.0	25.0	1	07/17/13 13:18	07/18/13 02:16	100-42-5	W

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

ANALYTICAL RESULTS

Project: 25212159 HUNN FAMILY TRUST

Pace Project No.: 4081228

Sample: B15-S1 **Lab ID: 4081228009** Collected: 07/11/13 00:00 Received: 07/16/13 10:35 Matrix: Solid

Results reported on a "dry-weight" basis

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Med Level Normal List		Analytical Method: EPA 8260 Preparation Method: EPA 5035/5030B							
Tetrachloroethene	<25.0	ug/kg	60.0	25.0	1	07/17/13 13:18	07/18/13 02:16	127-18-4	W
Toluene	<25.0	ug/kg	60.0	25.0	1	07/17/13 13:18	07/18/13 02:16	108-88-3	W
Trichloroethene	<25.0	ug/kg	60.0	25.0	1	07/17/13 13:18	07/18/13 02:16	79-01-6	W
Trichlorofluoromethane	<25.0	ug/kg	60.0	25.0	1	07/17/13 13:18	07/18/13 02:16	75-69-4	W
Vinyl chloride	<25.0	ug/kg	60.0	25.0	1	07/17/13 13:18	07/18/13 02:16	75-01-4	W
Xylene (Total)	<75.0	ug/kg	180	75.0	1	07/17/13 13:18	07/18/13 02:16	1330-20-7	W
cis-1,2-Dichloroethene	<25.0	ug/kg	60.0	25.0	1	07/17/13 13:18	07/18/13 02:16	156-59-2	W
cis-1,3-Dichloropropene	<25.0	ug/kg	60.0	25.0	1	07/17/13 13:18	07/18/13 02:16	10061-01-5	W
n-Butylbenzene	<25.0	ug/kg	60.0	25.0	1	07/17/13 13:18	07/18/13 02:16	104-51-8	W
n-Propylbenzene	<25.0	ug/kg	60.0	25.0	1	07/17/13 13:18	07/18/13 02:16	103-65-1	W
p-Isopropyltoluene	<25.0	ug/kg	60.0	25.0	1	07/17/13 13:18	07/18/13 02:16	99-87-6	W
sec-Butylbenzene	<25.0	ug/kg	60.0	25.0	1	07/17/13 13:18	07/18/13 02:16	135-98-8	W
tert-Butylbenzene	<25.0	ug/kg	60.0	25.0	1	07/17/13 13:18	07/18/13 02:16	98-06-6	W
trans-1,2-Dichloroethene	<25.0	ug/kg	60.0	25.0	1	07/17/13 13:18	07/18/13 02:16	156-60-5	W
trans-1,3-Dichloropropene	<25.0	ug/kg	60.0	25.0	1	07/17/13 13:18	07/18/13 02:16	10061-02-6	W
Surrogates									
Dibromofluoromethane (S)	103	%	57-130		1	07/17/13 13:18	07/18/13 02:16	1868-53-7	
Toluene-d8 (S)	103	%	54-133		1	07/17/13 13:18	07/18/13 02:16	2037-26-5	
4-Bromofluorobenzene (S)	102	%	49-130		1	07/17/13 13:18	07/18/13 02:16	460-00-4	
Percent Moisture		Analytical Method: ASTM D2974-87							
Percent Moisture	15.7	%	0.10	0.10	1		07/19/13 16:25		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

ANALYTICAL RESULTS

Project: 25212159 HUNN FAMILY TRUST

Pace Project No.: 4081228

Sample: B15-S4 **Lab ID: 4081228010** Collected: 07/11/13 00:00 Received: 07/16/13 10:35 Matrix: Solid

Results reported on a "dry-weight" basis

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Med Level Normal List									
Analytical Method: EPA 8260 Preparation Method: EPA 5035/5030B									
1,1,1,2-Tetrachloroethane	<25.0	ug/kg	60.0	25.0	1	07/17/13 13:18	07/18/13 02:39	630-20-6	W
1,1,1-Trichloroethane	<25.0	ug/kg	60.0	25.0	1	07/17/13 13:18	07/18/13 02:39	71-55-6	W
1,1,2,2-Tetrachloroethane	<25.0	ug/kg	60.0	25.0	1	07/17/13 13:18	07/18/13 02:39	79-34-5	W
1,1,2-Trichloroethane	<25.0	ug/kg	60.0	25.0	1	07/17/13 13:18	07/18/13 02:39	79-00-5	W
1,1-Dichloroethane	<25.0	ug/kg	60.0	25.0	1	07/17/13 13:18	07/18/13 02:39	75-34-3	W
1,1-Dichloroethene	<25.0	ug/kg	60.0	25.0	1	07/17/13 13:18	07/18/13 02:39	75-35-4	W
1,1-Dichloropropene	<25.0	ug/kg	60.0	25.0	1	07/17/13 13:18	07/18/13 02:39	563-58-6	W
1,2,3-Trichlorobenzene	<25.0	ug/kg	60.0	25.0	1	07/17/13 13:18	07/18/13 02:39	87-61-6	W
1,2,3-Trichloropropane	<25.0	ug/kg	60.0	25.0	1	07/17/13 13:18	07/18/13 02:39	96-18-4	W
1,2,4-Trichlorobenzene	<25.0	ug/kg	60.0	25.0	1	07/17/13 13:18	07/18/13 02:39	120-82-1	W
1,2,4-Trimethylbenzene	<25.0	ug/kg	60.0	25.0	1	07/17/13 13:18	07/18/13 02:39	95-63-6	W
1,2-Dibromo-3-chloropropane	<49.8	ug/kg	250	49.8	1	07/17/13 13:18	07/18/13 02:39	96-12-8	W
1,2-Dibromoethane (EDB)	<25.0	ug/kg	60.0	25.0	1	07/17/13 13:18	07/18/13 02:39	106-93-4	W
1,2-Dichlorobenzene	<25.0	ug/kg	60.0	25.0	1	07/17/13 13:18	07/18/13 02:39	95-50-1	W
1,2-Dichloroethane	<25.0	ug/kg	60.0	25.0	1	07/17/13 13:18	07/18/13 02:39	107-06-2	W
1,2-Dichloropropane	<25.0	ug/kg	60.0	25.0	1	07/17/13 13:18	07/18/13 02:39	78-87-5	W
1,3,5-Trimethylbenzene	<25.0	ug/kg	60.0	25.0	1	07/17/13 13:18	07/18/13 02:39	108-67-8	W
1,3-Dichlorobenzene	<25.0	ug/kg	60.0	25.0	1	07/17/13 13:18	07/18/13 02:39	541-73-1	W
1,3-Dichloropropane	<25.0	ug/kg	60.0	25.0	1	07/17/13 13:18	07/18/13 02:39	142-28-9	W
1,4-Dichlorobenzene	<25.0	ug/kg	60.0	25.0	1	07/17/13 13:18	07/18/13 02:39	106-46-7	W
2,2-Dichloropropane	<25.0	ug/kg	60.0	25.0	1	07/17/13 13:18	07/18/13 02:39	594-20-7	W
2-Chlorotoluene	<25.0	ug/kg	60.0	25.0	1	07/17/13 13:18	07/18/13 02:39	95-49-8	W
4-Chlorotoluene	<25.0	ug/kg	60.0	25.0	1	07/17/13 13:18	07/18/13 02:39	106-43-4	W
Benzene	<25.0	ug/kg	60.0	25.0	1	07/17/13 13:18	07/18/13 02:39	71-43-2	W
Bromobenzene	<25.0	ug/kg	60.0	25.0	1	07/17/13 13:18	07/18/13 02:39	108-86-1	W
Bromochloromethane	<25.0	ug/kg	60.0	25.0	1	07/17/13 13:18	07/18/13 02:39	74-97-5	W
Bromodichloromethane	<25.0	ug/kg	60.0	25.0	1	07/17/13 13:18	07/18/13 02:39	75-27-4	W
Bromoform	<25.0	ug/kg	60.0	25.0	1	07/17/13 13:18	07/18/13 02:39	75-25-2	W
Bromomethane	<25.0	ug/kg	60.0	25.0	1	07/17/13 13:18	07/18/13 02:39	74-83-9	L3,W
Carbon tetrachloride	<25.0	ug/kg	60.0	25.0	1	07/17/13 13:18	07/18/13 02:39	56-23-5	W
Chlorobenzene	<25.0	ug/kg	60.0	25.0	1	07/17/13 13:18	07/18/13 02:39	108-90-7	W
Chloroethane	<25.0	ug/kg	60.0	25.0	1	07/17/13 13:18	07/18/13 02:39	75-00-3	L3,W
Chloroform	<25.0	ug/kg	60.0	25.0	1	07/17/13 13:18	07/18/13 02:39	67-66-3	W
Chloromethane	<25.0	ug/kg	60.0	25.0	1	07/17/13 13:18	07/18/13 02:39	74-87-3	W
Dibromochloromethane	<25.0	ug/kg	60.0	25.0	1	07/17/13 13:18	07/18/13 02:39	124-48-1	W
Dibromomethane	<25.0	ug/kg	60.0	25.0	1	07/17/13 13:18	07/18/13 02:39	74-95-3	W
Dichlorodifluoromethane	<25.0	ug/kg	60.0	25.0	1	07/17/13 13:18	07/18/13 02:39	75-71-8	W
Diisopropyl ether	<25.0	ug/kg	60.0	25.0	1	07/17/13 13:18	07/18/13 02:39	108-20-3	W
Ethylbenzene	<25.0	ug/kg	60.0	25.0	1	07/17/13 13:18	07/18/13 02:39	100-41-4	W
Hexachloro-1,3-butadiene	<25.0	ug/kg	60.0	25.0	1	07/17/13 13:18	07/18/13 02:39	87-68-3	W
Isopropylbenzene (Cumene)	<25.0	ug/kg	60.0	25.0	1	07/17/13 13:18	07/18/13 02:39	98-82-8	W
Methyl-tert-butyl ether	<25.0	ug/kg	60.0	25.0	1	07/17/13 13:18	07/18/13 02:39	1634-04-4	W
Methylene Chloride	<25.0	ug/kg	60.0	25.0	1	07/17/13 13:18	07/18/13 02:39	75-09-2	W
Naphthalene	<25.0	ug/kg	60.0	25.0	1	07/17/13 13:18	07/18/13 02:39	91-20-3	W
Styrene	<25.0	ug/kg	60.0	25.0	1	07/17/13 13:18	07/18/13 02:39	100-42-5	W

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

ANALYTICAL RESULTS

Project: 25212159 HUNN FAMILY TRUST

Pace Project No.: 4081228

Sample: B15-S4 **Lab ID: 4081228010** Collected: 07/11/13 00:00 Received: 07/16/13 10:35 Matrix: Solid

Results reported on a "dry-weight" basis

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Med Level Normal List									
Analytical Method: EPA 8260 Preparation Method: EPA 5035/5030B									
Tetrachloroethene	<25.0	ug/kg	60.0	25.0	1	07/17/13 13:18	07/18/13 02:39	127-18-4	W
Toluene	<25.0	ug/kg	60.0	25.0	1	07/17/13 13:18	07/18/13 02:39	108-88-3	W
Trichloroethene	<25.0	ug/kg	60.0	25.0	1	07/17/13 13:18	07/18/13 02:39	79-01-6	W
Trichlorofluoromethane	<25.0	ug/kg	60.0	25.0	1	07/17/13 13:18	07/18/13 02:39	75-69-4	W
Vinyl chloride	<25.0	ug/kg	60.0	25.0	1	07/17/13 13:18	07/18/13 02:39	75-01-4	W
Xylene (Total)	<75.0	ug/kg	180	75.0	1	07/17/13 13:18	07/18/13 02:39	1330-20-7	W
cis-1,2-Dichloroethene	<25.0	ug/kg	60.0	25.0	1	07/17/13 13:18	07/18/13 02:39	156-59-2	W
cis-1,3-Dichloropropene	<25.0	ug/kg	60.0	25.0	1	07/17/13 13:18	07/18/13 02:39	10061-01-5	W
n-Butylbenzene	<25.0	ug/kg	60.0	25.0	1	07/17/13 13:18	07/18/13 02:39	104-51-8	W
n-Propylbenzene	<25.0	ug/kg	60.0	25.0	1	07/17/13 13:18	07/18/13 02:39	103-65-1	W
p-Isopropyltoluene	<25.0	ug/kg	60.0	25.0	1	07/17/13 13:18	07/18/13 02:39	99-87-6	W
sec-Butylbenzene	<25.0	ug/kg	60.0	25.0	1	07/17/13 13:18	07/18/13 02:39	135-98-8	W
tert-Butylbenzene	<25.0	ug/kg	60.0	25.0	1	07/17/13 13:18	07/18/13 02:39	98-06-6	W
trans-1,2-Dichloroethene	<25.0	ug/kg	60.0	25.0	1	07/17/13 13:18	07/18/13 02:39	156-60-5	W
trans-1,3-Dichloropropene	<25.0	ug/kg	60.0	25.0	1	07/17/13 13:18	07/18/13 02:39	10061-02-6	W
Surrogates									
Dibromofluoromethane (S)	98 %		57-130		1	07/17/13 13:18	07/18/13 02:39	1868-53-7	
Toluene-d8 (S)	100 %		54-133		1	07/17/13 13:18	07/18/13 02:39	2037-26-5	
4-Bromofluorobenzene (S)	96 %		49-130		1	07/17/13 13:18	07/18/13 02:39	460-00-4	
Percent Moisture									
Analytical Method: ASTM D2974-87									
Percent Moisture	11.6 %		0.10	0.10	1		07/19/13 16:25		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

ANALYTICAL RESULTS

Project: 25212159 HUNN FAMILY TRUST
Pace Project No.: 4081228

Sample: B14-S2 **Lab ID: 4081228011** Collected: 07/11/13 00:00 Received: 07/16/13 10:35 Matrix: Solid

Results reported on a "dry-weight" basis

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Med Level Normal List									
Analytical Method: EPA 8260 Preparation Method: EPA 5035/5030B									
1,1,1,2-Tetrachloroethane	<25.0	ug/kg	60.0	25.0	1	07/17/13 13:18	07/18/13 07:56	630-20-6	W
1,1,1-Trichloroethane	<25.0	ug/kg	60.0	25.0	1	07/17/13 13:18	07/18/13 07:56	71-55-6	W
1,1,2,2-Tetrachloroethane	<25.0	ug/kg	60.0	25.0	1	07/17/13 13:18	07/18/13 07:56	79-34-5	W
1,1,2-Trichloroethane	<25.0	ug/kg	60.0	25.0	1	07/17/13 13:18	07/18/13 07:56	79-00-5	W
1,1-Dichloroethane	<25.0	ug/kg	60.0	25.0	1	07/17/13 13:18	07/18/13 07:56	75-34-3	W
1,1-Dichloroethene	<25.0	ug/kg	60.0	25.0	1	07/17/13 13:18	07/18/13 07:56	75-35-4	W
1,1-Dichloropropene	<25.0	ug/kg	60.0	25.0	1	07/17/13 13:18	07/18/13 07:56	563-58-6	W
1,2,3-Trichlorobenzene	<25.0	ug/kg	60.0	25.0	1	07/17/13 13:18	07/18/13 07:56	87-61-6	W
1,2,3-Trichloropropane	<25.0	ug/kg	60.0	25.0	1	07/17/13 13:18	07/18/13 07:56	96-18-4	W
1,2,4-Trichlorobenzene	<25.0	ug/kg	60.0	25.0	1	07/17/13 13:18	07/18/13 07:56	120-82-1	W
1,2,4-Trimethylbenzene	<25.0	ug/kg	60.0	25.0	1	07/17/13 13:18	07/18/13 07:56	95-63-6	W
1,2-Dibromo-3-chloropropane	<49.8	ug/kg	250	49.8	1	07/17/13 13:18	07/18/13 07:56	96-12-8	W
1,2-Dibromoethane (EDB)	<25.0	ug/kg	60.0	25.0	1	07/17/13 13:18	07/18/13 07:56	106-93-4	W
1,2-Dichlorobenzene	<25.0	ug/kg	60.0	25.0	1	07/17/13 13:18	07/18/13 07:56	95-50-1	W
1,2-Dichloroethane	<25.0	ug/kg	60.0	25.0	1	07/17/13 13:18	07/18/13 07:56	107-06-2	W
1,2-Dichloropropane	<25.0	ug/kg	60.0	25.0	1	07/17/13 13:18	07/18/13 07:56	78-87-5	W
1,3,5-Trimethylbenzene	<25.0	ug/kg	60.0	25.0	1	07/17/13 13:18	07/18/13 07:56	108-67-8	W
1,3-Dichlorobenzene	<25.0	ug/kg	60.0	25.0	1	07/17/13 13:18	07/18/13 07:56	541-73-1	W
1,3-Dichloropropane	<25.0	ug/kg	60.0	25.0	1	07/17/13 13:18	07/18/13 07:56	142-28-9	W
1,4-Dichlorobenzene	<25.0	ug/kg	60.0	25.0	1	07/17/13 13:18	07/18/13 07:56	106-46-7	W
2,2-Dichloropropane	<25.0	ug/kg	60.0	25.0	1	07/17/13 13:18	07/18/13 07:56	594-20-7	W
2-Chlorotoluene	<25.0	ug/kg	60.0	25.0	1	07/17/13 13:18	07/18/13 07:56	95-49-8	W
4-Chlorotoluene	<25.0	ug/kg	60.0	25.0	1	07/17/13 13:18	07/18/13 07:56	106-43-4	W
Benzene	<25.0	ug/kg	60.0	25.0	1	07/17/13 13:18	07/18/13 07:56	71-43-2	W
Bromobenzene	<25.0	ug/kg	60.0	25.0	1	07/17/13 13:18	07/18/13 07:56	108-86-1	W
Bromochloromethane	<25.0	ug/kg	60.0	25.0	1	07/17/13 13:18	07/18/13 07:56	74-97-5	W
Bromodichloromethane	<25.0	ug/kg	60.0	25.0	1	07/17/13 13:18	07/18/13 07:56	75-27-4	W
Bromoform	<25.0	ug/kg	60.0	25.0	1	07/17/13 13:18	07/18/13 07:56	75-25-2	W
Bromomethane	<25.0	ug/kg	60.0	25.0	1	07/17/13 13:18	07/18/13 07:56	74-83-9	L3,W
Carbon tetrachloride	<25.0	ug/kg	60.0	25.0	1	07/17/13 13:18	07/18/13 07:56	56-23-5	W
Chlorobenzene	<25.0	ug/kg	60.0	25.0	1	07/17/13 13:18	07/18/13 07:56	108-90-7	W
Chloroethane	<25.0	ug/kg	60.0	25.0	1	07/17/13 13:18	07/18/13 07:56	75-00-3	1q,L3,W
Chloroform	<25.0	ug/kg	60.0	25.0	1	07/17/13 13:18	07/18/13 07:56	67-66-3	W
Chloromethane	<25.0	ug/kg	60.0	25.0	1	07/17/13 13:18	07/18/13 07:56	74-87-3	W
Dibromochloromethane	<25.0	ug/kg	60.0	25.0	1	07/17/13 13:18	07/18/13 07:56	124-48-1	W
Dibromomethane	<25.0	ug/kg	60.0	25.0	1	07/17/13 13:18	07/18/13 07:56	74-95-3	W
Dichlorodifluoromethane	<25.0	ug/kg	60.0	25.0	1	07/17/13 13:18	07/18/13 07:56	75-71-8	W
Diisopropyl ether	<25.0	ug/kg	60.0	25.0	1	07/17/13 13:18	07/18/13 07:56	108-20-3	W
Ethylbenzene	<25.0	ug/kg	60.0	25.0	1	07/17/13 13:18	07/18/13 07:56	100-41-4	W
Hexachloro-1,3-butadiene	<25.0	ug/kg	60.0	25.0	1	07/17/13 13:18	07/18/13 07:56	87-68-3	W
Isopropylbenzene (Cumene)	<25.0	ug/kg	60.0	25.0	1	07/17/13 13:18	07/18/13 07:56	98-82-8	W
Methyl-tert-butyl ether	<25.0	ug/kg	60.0	25.0	1	07/17/13 13:18	07/18/13 07:56	1634-04-4	W
Methylene Chloride	<25.0	ug/kg	60.0	25.0	1	07/17/13 13:18	07/18/13 07:56	75-09-2	W
Naphthalene	<25.0	ug/kg	60.0	25.0	1	07/17/13 13:18	07/18/13 07:56	91-20-3	W
Styrene	<25.0	ug/kg	60.0	25.0	1	07/17/13 13:18	07/18/13 07:56	100-42-5	W

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

ANALYTICAL RESULTS

Project: 25212159 HUNN FAMILY TRUST

Pace Project No.: 4081228

Sample: B14-S2 **Lab ID: 4081228011** Collected: 07/11/13 00:00 Received: 07/16/13 10:35 Matrix: Solid

Results reported on a "dry-weight" basis

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Med Level Normal List		Analytical Method: EPA 8260 Preparation Method: EPA 5035/5030B							
Tetrachloroethene	<25.0	ug/kg	60.0	25.0	1	07/17/13 13:18	07/18/13 07:56	127-18-4	W
Toluene	<25.0	ug/kg	60.0	25.0	1	07/17/13 13:18	07/18/13 07:56	108-88-3	W
Trichloroethene	<25.0	ug/kg	60.0	25.0	1	07/17/13 13:18	07/18/13 07:56	79-01-6	W
Trichlorofluoromethane	<25.0	ug/kg	60.0	25.0	1	07/17/13 13:18	07/18/13 07:56	75-69-4	W
Vinyl chloride	<25.0	ug/kg	60.0	25.0	1	07/17/13 13:18	07/18/13 07:56	75-01-4	W
Xylene (Total)	<75.0	ug/kg	180	75.0	1	07/17/13 13:18	07/18/13 07:56	1330-20-7	W
cis-1,2-Dichloroethene	<25.0	ug/kg	60.0	25.0	1	07/17/13 13:18	07/18/13 07:56	156-59-2	W
cis-1,3-Dichloropropene	<25.0	ug/kg	60.0	25.0	1	07/17/13 13:18	07/18/13 07:56	10061-01-5	W
n-Butylbenzene	<25.0	ug/kg	60.0	25.0	1	07/17/13 13:18	07/18/13 07:56	104-51-8	W
n-Propylbenzene	<25.0	ug/kg	60.0	25.0	1	07/17/13 13:18	07/18/13 07:56	103-65-1	W
p-Isopropyltoluene	<25.0	ug/kg	60.0	25.0	1	07/17/13 13:18	07/18/13 07:56	99-87-6	W
sec-Butylbenzene	<25.0	ug/kg	60.0	25.0	1	07/17/13 13:18	07/18/13 07:56	135-98-8	W
tert-Butylbenzene	<25.0	ug/kg	60.0	25.0	1	07/17/13 13:18	07/18/13 07:56	98-06-6	W
trans-1,2-Dichloroethene	<25.0	ug/kg	60.0	25.0	1	07/17/13 13:18	07/18/13 07:56	156-60-5	W
trans-1,3-Dichloropropene	<25.0	ug/kg	60.0	25.0	1	07/17/13 13:18	07/18/13 07:56	10061-02-6	W
Surrogates									
Dibromofluoromethane (S)	101	%	57-130		1	07/17/13 13:18	07/18/13 07:56	1868-53-7	
Toluene-d8 (S)	101	%	54-133		1	07/17/13 13:18	07/18/13 07:56	2037-26-5	
4-Bromofluorobenzene (S)	98	%	49-130		1	07/17/13 13:18	07/18/13 07:56	460-00-4	
Percent Moisture		Analytical Method: ASTM D2974-87							
Percent Moisture	16.7	%	0.10	0.10	1		07/19/13 16:25		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

ANALYTICAL RESULTS

Project: 25212159 HUNN FAMILY TRUST

Pace Project No.: 4081228

Sample: B14-S6 **Lab ID: 4081228012** Collected: 07/11/13 00:00 Received: 07/16/13 10:35 Matrix: Solid

Results reported on a "dry-weight" basis

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Med Level Normal List									
Analytical Method: EPA 8260 Preparation Method: EPA 5035/5030B									
1,1,1,2-Tetrachloroethane	<25.0	ug/kg	60.0	25.0	1	07/17/13 13:18	07/18/13 08:19	630-20-6	W
1,1,1-Trichloroethane	<25.0	ug/kg	60.0	25.0	1	07/17/13 13:18	07/18/13 08:19	71-55-6	W
1,1,2,2-Tetrachloroethane	<25.0	ug/kg	60.0	25.0	1	07/17/13 13:18	07/18/13 08:19	79-34-5	W
1,1,2-Trichloroethane	<25.0	ug/kg	60.0	25.0	1	07/17/13 13:18	07/18/13 08:19	79-00-5	W
1,1-Dichloroethane	<25.0	ug/kg	60.0	25.0	1	07/17/13 13:18	07/18/13 08:19	75-34-3	W
1,1-Dichloroethene	<25.0	ug/kg	60.0	25.0	1	07/17/13 13:18	07/18/13 08:19	75-35-4	W
1,1-Dichloropropene	<25.0	ug/kg	60.0	25.0	1	07/17/13 13:18	07/18/13 08:19	563-58-6	W
1,2,3-Trichlorobenzene	<25.0	ug/kg	60.0	25.0	1	07/17/13 13:18	07/18/13 08:19	87-61-6	W
1,2,3-Trichloropropane	<25.0	ug/kg	60.0	25.0	1	07/17/13 13:18	07/18/13 08:19	96-18-4	W
1,2,4-Trichlorobenzene	<25.0	ug/kg	60.0	25.0	1	07/17/13 13:18	07/18/13 08:19	120-82-1	W
1,2,4-Trimethylbenzene	<25.0	ug/kg	60.0	25.0	1	07/17/13 13:18	07/18/13 08:19	95-63-6	W
1,2-Dibromo-3-chloropropane	<49.8	ug/kg	250	49.8	1	07/17/13 13:18	07/18/13 08:19	96-12-8	W
1,2-Dibromoethane (EDB)	<25.0	ug/kg	60.0	25.0	1	07/17/13 13:18	07/18/13 08:19	106-93-4	W
1,2-Dichlorobenzene	<25.0	ug/kg	60.0	25.0	1	07/17/13 13:18	07/18/13 08:19	95-50-1	W
1,2-Dichloroethane	<25.0	ug/kg	60.0	25.0	1	07/17/13 13:18	07/18/13 08:19	107-06-2	W
1,2-Dichloropropane	<25.0	ug/kg	60.0	25.0	1	07/17/13 13:18	07/18/13 08:19	78-87-5	W
1,3,5-Trimethylbenzene	<25.0	ug/kg	60.0	25.0	1	07/17/13 13:18	07/18/13 08:19	108-67-8	W
1,3-Dichlorobenzene	<25.0	ug/kg	60.0	25.0	1	07/17/13 13:18	07/18/13 08:19	541-73-1	W
1,3-Dichloropropane	<25.0	ug/kg	60.0	25.0	1	07/17/13 13:18	07/18/13 08:19	142-28-9	W
1,4-Dichlorobenzene	<25.0	ug/kg	60.0	25.0	1	07/17/13 13:18	07/18/13 08:19	106-46-7	W
2,2-Dichloropropane	<25.0	ug/kg	60.0	25.0	1	07/17/13 13:18	07/18/13 08:19	594-20-7	W
2-Chlorotoluene	<25.0	ug/kg	60.0	25.0	1	07/17/13 13:18	07/18/13 08:19	95-49-8	W
4-Chlorotoluene	<25.0	ug/kg	60.0	25.0	1	07/17/13 13:18	07/18/13 08:19	106-43-4	W
Benzene	<25.0	ug/kg	60.0	25.0	1	07/17/13 13:18	07/18/13 08:19	71-43-2	W
Bromobenzene	<25.0	ug/kg	60.0	25.0	1	07/17/13 13:18	07/18/13 08:19	108-86-1	W
Bromochloromethane	<25.0	ug/kg	60.0	25.0	1	07/17/13 13:18	07/18/13 08:19	74-97-5	W
Bromodichloromethane	<25.0	ug/kg	60.0	25.0	1	07/17/13 13:18	07/18/13 08:19	75-27-4	W
Bromoform	<25.0	ug/kg	60.0	25.0	1	07/17/13 13:18	07/18/13 08:19	75-25-2	W
Bromomethane	<25.0	ug/kg	60.0	25.0	1	07/17/13 13:18	07/18/13 08:19	74-83-9	L3,W
Carbon tetrachloride	<25.0	ug/kg	60.0	25.0	1	07/17/13 13:18	07/18/13 08:19	56-23-5	W
Chlorobenzene	<25.0	ug/kg	60.0	25.0	1	07/17/13 13:18	07/18/13 08:19	108-90-7	W
Chloroethane	<25.0	ug/kg	60.0	25.0	1	07/17/13 13:18	07/18/13 08:19	75-00-3	1q,L3,W
Chloroform	<25.0	ug/kg	60.0	25.0	1	07/17/13 13:18	07/18/13 08:19	67-66-3	W
Chloromethane	<25.0	ug/kg	60.0	25.0	1	07/17/13 13:18	07/18/13 08:19	74-87-3	W
Dibromochloromethane	<25.0	ug/kg	60.0	25.0	1	07/17/13 13:18	07/18/13 08:19	124-48-1	W
Dibromomethane	<25.0	ug/kg	60.0	25.0	1	07/17/13 13:18	07/18/13 08:19	74-95-3	W
Dichlorodifluoromethane	<25.0	ug/kg	60.0	25.0	1	07/17/13 13:18	07/18/13 08:19	75-71-8	W
Diisopropyl ether	<25.0	ug/kg	60.0	25.0	1	07/17/13 13:18	07/18/13 08:19	108-20-3	W
Ethylbenzene	<25.0	ug/kg	60.0	25.0	1	07/17/13 13:18	07/18/13 08:19	100-41-4	W
Hexachloro-1,3-butadiene	<25.0	ug/kg	60.0	25.0	1	07/17/13 13:18	07/18/13 08:19	87-68-3	W
Isopropylbenzene (Cumene)	<25.0	ug/kg	60.0	25.0	1	07/17/13 13:18	07/18/13 08:19	98-82-8	W
Methyl-tert-butyl ether	<25.0	ug/kg	60.0	25.0	1	07/17/13 13:18	07/18/13 08:19	1634-04-4	W
Methylene Chloride	<25.0	ug/kg	60.0	25.0	1	07/17/13 13:18	07/18/13 08:19	75-09-2	W
Naphthalene	<25.0	ug/kg	60.0	25.0	1	07/17/13 13:18	07/18/13 08:19	91-20-3	W
Styrene	<25.0	ug/kg	60.0	25.0	1	07/17/13 13:18	07/18/13 08:19	100-42-5	W

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

ANALYTICAL RESULTS

Project: 25212159 HUNN FAMILY TRUST

Pace Project No.: 4081228

Sample: B14-S6 **Lab ID: 4081228012** Collected: 07/11/13 00:00 Received: 07/16/13 10:35 Matrix: Solid

Results reported on a "dry-weight" basis

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Med Level Normal List									
Analytical Method: EPA 8260 Preparation Method: EPA 5035/5030B									
Tetrachloroethene	<25.0	ug/kg	60.0	25.0	1	07/17/13 13:18	07/18/13 08:19	127-18-4	W
Toluene	<25.0	ug/kg	60.0	25.0	1	07/17/13 13:18	07/18/13 08:19	108-88-3	W
Trichloroethene	<25.0	ug/kg	60.0	25.0	1	07/17/13 13:18	07/18/13 08:19	79-01-6	W
Trichlorofluoromethane	<25.0	ug/kg	60.0	25.0	1	07/17/13 13:18	07/18/13 08:19	75-69-4	W
Vinyl chloride	<25.0	ug/kg	60.0	25.0	1	07/17/13 13:18	07/18/13 08:19	75-01-4	W
Xylene (Total)	<75.0	ug/kg	180	75.0	1	07/17/13 13:18	07/18/13 08:19	1330-20-7	W
cis-1,2-Dichloroethene	<25.0	ug/kg	60.0	25.0	1	07/17/13 13:18	07/18/13 08:19	156-59-2	W
cis-1,3-Dichloropropene	<25.0	ug/kg	60.0	25.0	1	07/17/13 13:18	07/18/13 08:19	10061-01-5	W
n-Butylbenzene	<25.0	ug/kg	60.0	25.0	1	07/17/13 13:18	07/18/13 08:19	104-51-8	W
n-Propylbenzene	<25.0	ug/kg	60.0	25.0	1	07/17/13 13:18	07/18/13 08:19	103-65-1	W
p-Isopropyltoluene	<25.0	ug/kg	60.0	25.0	1	07/17/13 13:18	07/18/13 08:19	99-87-6	W
sec-Butylbenzene	<25.0	ug/kg	60.0	25.0	1	07/17/13 13:18	07/18/13 08:19	135-98-8	W
tert-Butylbenzene	<25.0	ug/kg	60.0	25.0	1	07/17/13 13:18	07/18/13 08:19	98-06-6	W
trans-1,2-Dichloroethene	<25.0	ug/kg	60.0	25.0	1	07/17/13 13:18	07/18/13 08:19	156-60-5	W
trans-1,3-Dichloropropene	<25.0	ug/kg	60.0	25.0	1	07/17/13 13:18	07/18/13 08:19	10061-02-6	W
Surrogates									
Dibromofluoromethane (S)	116	%	57-130		1	07/17/13 13:18	07/18/13 08:19	1868-53-7	
Toluene-d8 (S)	99	%	54-133		1	07/17/13 13:18	07/18/13 08:19	2037-26-5	
4-Bromofluorobenzene (S)	96	%	49-130		1	07/17/13 13:18	07/18/13 08:19	460-00-4	
Percent Moisture									
Analytical Method: ASTM D2974-87									
Percent Moisture	6.8	%	0.10	0.10	1		07/19/13 16:25		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

ANALYTICAL RESULTS

Project: 25212159 HUNN FAMILY TRUST

Pace Project No.: 4081228

Sample: B19-S1 Lab ID: 4081228013 Collected: 07/11/13 00:00 Received: 07/16/13 10:35 Matrix: Solid

Results reported on a "dry-weight" basis

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Med Level Normal List									
Analytical Method: EPA 8260 Preparation Method: EPA 5035/5030B									
1,1,1,2-Tetrachloroethane	<25.0	ug/kg	60.0	25.0	1	07/17/13 13:18	07/18/13 08:42	630-20-6	W
1,1,1-Trichloroethane	<25.0	ug/kg	60.0	25.0	1	07/17/13 13:18	07/18/13 08:42	71-55-6	W
1,1,2,2-Tetrachloroethane	<25.0	ug/kg	60.0	25.0	1	07/17/13 13:18	07/18/13 08:42	79-34-5	W
1,1,2-Trichloroethane	<25.0	ug/kg	60.0	25.0	1	07/17/13 13:18	07/18/13 08:42	79-00-5	W
1,1-Dichloroethane	<25.0	ug/kg	60.0	25.0	1	07/17/13 13:18	07/18/13 08:42	75-34-3	W
1,1-Dichloroethene	<25.0	ug/kg	60.0	25.0	1	07/17/13 13:18	07/18/13 08:42	75-35-4	W
1,1-Dichloropropene	<25.0	ug/kg	60.0	25.0	1	07/17/13 13:18	07/18/13 08:42	563-58-6	W
1,2,3-Trichlorobenzene	<25.0	ug/kg	60.0	25.0	1	07/17/13 13:18	07/18/13 08:42	87-61-6	W
1,2,3-Trichloropropane	<25.0	ug/kg	60.0	25.0	1	07/17/13 13:18	07/18/13 08:42	96-18-4	W
1,2,4-Trichlorobenzene	<25.0	ug/kg	60.0	25.0	1	07/17/13 13:18	07/18/13 08:42	120-82-1	W
1,2,4-Trimethylbenzene	<25.0	ug/kg	60.0	25.0	1	07/17/13 13:18	07/18/13 08:42	95-63-6	W
1,2-Dibromo-3-chloropropane	<49.8	ug/kg	250	49.8	1	07/17/13 13:18	07/18/13 08:42	96-12-8	W
1,2-Dibromoethane (EDB)	<25.0	ug/kg	60.0	25.0	1	07/17/13 13:18	07/18/13 08:42	106-93-4	W
1,2-Dichlorobenzene	<25.0	ug/kg	60.0	25.0	1	07/17/13 13:18	07/18/13 08:42	95-50-1	W
1,2-Dichloroethane	<25.0	ug/kg	60.0	25.0	1	07/17/13 13:18	07/18/13 08:42	107-06-2	W
1,2-Dichloropropane	<25.0	ug/kg	60.0	25.0	1	07/17/13 13:18	07/18/13 08:42	78-87-5	W
1,3,5-Trimethylbenzene	<25.0	ug/kg	60.0	25.0	1	07/17/13 13:18	07/18/13 08:42	108-67-8	W
1,3-Dichlorobenzene	<25.0	ug/kg	60.0	25.0	1	07/17/13 13:18	07/18/13 08:42	541-73-1	W
1,3-Dichloropropane	<25.0	ug/kg	60.0	25.0	1	07/17/13 13:18	07/18/13 08:42	142-28-9	W
1,4-Dichlorobenzene	<25.0	ug/kg	60.0	25.0	1	07/17/13 13:18	07/18/13 08:42	106-46-7	W
2,2-Dichloropropane	<25.0	ug/kg	60.0	25.0	1	07/17/13 13:18	07/18/13 08:42	594-20-7	W
2-Chlorotoluene	<25.0	ug/kg	60.0	25.0	1	07/17/13 13:18	07/18/13 08:42	95-49-8	W
4-Chlorotoluene	<25.0	ug/kg	60.0	25.0	1	07/17/13 13:18	07/18/13 08:42	106-43-4	W
Benzene	<25.0	ug/kg	60.0	25.0	1	07/17/13 13:18	07/18/13 08:42	71-43-2	W
Bromobenzene	<25.0	ug/kg	60.0	25.0	1	07/17/13 13:18	07/18/13 08:42	108-86-1	W
Bromochloromethane	<25.0	ug/kg	60.0	25.0	1	07/17/13 13:18	07/18/13 08:42	74-97-5	W
Bromodichloromethane	<25.0	ug/kg	60.0	25.0	1	07/17/13 13:18	07/18/13 08:42	75-27-4	W
Bromoform	<25.0	ug/kg	60.0	25.0	1	07/17/13 13:18	07/18/13 08:42	75-25-2	W
Bromomethane	<25.0	ug/kg	60.0	25.0	1	07/17/13 13:18	07/18/13 08:42	74-83-9	L3,W
Carbon tetrachloride	<25.0	ug/kg	60.0	25.0	1	07/17/13 13:18	07/18/13 08:42	56-23-5	W
Chlorobenzene	<25.0	ug/kg	60.0	25.0	1	07/17/13 13:18	07/18/13 08:42	108-90-7	W
Chloroethane	<25.0	ug/kg	60.0	25.0	1	07/17/13 13:18	07/18/13 08:42	75-00-3	1q,L3,W
Chloroform	<25.0	ug/kg	60.0	25.0	1	07/17/13 13:18	07/18/13 08:42	67-66-3	W
Chloromethane	<25.0	ug/kg	60.0	25.0	1	07/17/13 13:18	07/18/13 08:42	74-87-3	W
Dibromochloromethane	<25.0	ug/kg	60.0	25.0	1	07/17/13 13:18	07/18/13 08:42	124-48-1	W
Dibromomethane	<25.0	ug/kg	60.0	25.0	1	07/17/13 13:18	07/18/13 08:42	74-95-3	W
Dichlorodifluoromethane	<25.0	ug/kg	60.0	25.0	1	07/17/13 13:18	07/18/13 08:42	75-71-8	W
Diisopropyl ether	<25.0	ug/kg	60.0	25.0	1	07/17/13 13:18	07/18/13 08:42	108-20-3	W
Ethylbenzene	<25.0	ug/kg	60.0	25.0	1	07/17/13 13:18	07/18/13 08:42	100-41-4	W
Hexachloro-1,3-butadiene	<25.0	ug/kg	60.0	25.0	1	07/17/13 13:18	07/18/13 08:42	87-68-3	W
Isopropylbenzene (Cumene)	<25.0	ug/kg	60.0	25.0	1	07/17/13 13:18	07/18/13 08:42	98-82-8	W
Methyl-tert-butyl ether	<25.0	ug/kg	60.0	25.0	1	07/17/13 13:18	07/18/13 08:42	1634-04-4	W
Methylene Chloride	<25.0	ug/kg	60.0	25.0	1	07/17/13 13:18	07/18/13 08:42	75-09-2	W
Naphthalene	<25.0	ug/kg	60.0	25.0	1	07/17/13 13:18	07/18/13 08:42	91-20-3	W
Styrene	<25.0	ug/kg	60.0	25.0	1	07/17/13 13:18	07/18/13 08:42	100-42-5	W

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

ANALYTICAL RESULTS

Project: 25212159 HUNN FAMILY TRUST

Pace Project No.: 4081228

Sample: B19-S1 **Lab ID: 4081228013** Collected: 07/11/13 00:00 Received: 07/16/13 10:35 Matrix: Solid

Results reported on a "dry-weight" basis

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Med Level Normal List		Analytical Method: EPA 8260 Preparation Method: EPA 5035/5030B							
Tetrachloroethene	37.6J	ug/kg	77.9	32.4	1	07/17/13 13:18	07/18/13 08:42	127-18-4	
Toluene	<25.0	ug/kg	60.0	25.0	1	07/17/13 13:18	07/18/13 08:42	108-88-3	W
Trichloroethene	<25.0	ug/kg	60.0	25.0	1	07/17/13 13:18	07/18/13 08:42	79-01-6	W
Trichlorofluoromethane	<25.0	ug/kg	60.0	25.0	1	07/17/13 13:18	07/18/13 08:42	75-69-4	W
Vinyl chloride	115	ug/kg	77.9	32.4	1	07/17/13 13:18	07/18/13 08:42	75-01-4	
Xylene (Total)	<75.0	ug/kg	180	75.0	1	07/17/13 13:18	07/18/13 08:42	1330-20-7	W
cis-1,2-Dichloroethene	1870	ug/kg	77.9	32.4	1	07/17/13 13:18	07/18/13 08:42	156-59-2	
cis-1,3-Dichloropropene	<25.0	ug/kg	60.0	25.0	1	07/17/13 13:18	07/18/13 08:42	10061-01-5	W
n-Butylbenzene	<25.0	ug/kg	60.0	25.0	1	07/17/13 13:18	07/18/13 08:42	104-51-8	W
n-Propylbenzene	<25.0	ug/kg	60.0	25.0	1	07/17/13 13:18	07/18/13 08:42	103-65-1	W
p-Isopropyltoluene	<25.0	ug/kg	60.0	25.0	1	07/17/13 13:18	07/18/13 08:42	99-87-6	W
sec-Butylbenzene	<25.0	ug/kg	60.0	25.0	1	07/17/13 13:18	07/18/13 08:42	135-98-8	W
tert-Butylbenzene	<25.0	ug/kg	60.0	25.0	1	07/17/13 13:18	07/18/13 08:42	98-06-6	W
trans-1,2-Dichloroethene	690	ug/kg	77.9	32.4	1	07/17/13 13:18	07/18/13 08:42	156-60-5	
trans-1,3-Dichloropropene	<25.0	ug/kg	60.0	25.0	1	07/17/13 13:18	07/18/13 08:42	10061-02-6	W
Surrogates									
Dibromofluoromethane (S)	110	%	57-130		1	07/17/13 13:18	07/18/13 08:42	1868-53-7	
Toluene-d8 (S)	115	%	54-133		1	07/17/13 13:18	07/18/13 08:42	2037-26-5	
4-Bromofluorobenzene (S)	113	%	49-130		1	07/17/13 13:18	07/18/13 08:42	460-00-4	
Percent Moisture		Analytical Method: ASTM D2974-87							
Percent Moisture	23.0	%	0.10	0.10	1		07/19/13 16:25		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

ANALYTICAL RESULTS

Project: 25212159 HUNN FAMILY TRUST

Pace Project No.: 4081228

Sample: B19-S3 Lab ID: 4081228014 Collected: 07/11/13 00:00 Received: 07/16/13 10:35 Matrix: Solid

Results reported on a "dry-weight" basis

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Med Level Normal List									
Analytical Method: EPA 8260 Preparation Method: EPA 5035/5030B									
1,1,1,2-Tetrachloroethane	<25.0	ug/kg	60.0	25.0	1	07/17/13 13:18	07/18/13 09:05	630-20-6	W
1,1,1-Trichloroethane	<25.0	ug/kg	60.0	25.0	1	07/17/13 13:18	07/18/13 09:05	71-55-6	W
1,1,2,2-Tetrachloroethane	<25.0	ug/kg	60.0	25.0	1	07/17/13 13:18	07/18/13 09:05	79-34-5	W
1,1,2-Trichloroethane	<25.0	ug/kg	60.0	25.0	1	07/17/13 13:18	07/18/13 09:05	79-00-5	W
1,1-Dichloroethane	<25.0	ug/kg	60.0	25.0	1	07/17/13 13:18	07/18/13 09:05	75-34-3	W
1,1-Dichloroethene	<25.0	ug/kg	60.0	25.0	1	07/17/13 13:18	07/18/13 09:05	75-35-4	W
1,1-Dichloropropene	<25.0	ug/kg	60.0	25.0	1	07/17/13 13:18	07/18/13 09:05	563-58-6	W
1,2,3-Trichlorobenzene	<25.0	ug/kg	60.0	25.0	1	07/17/13 13:18	07/18/13 09:05	87-61-6	W
1,2,3-Trichloropropane	<25.0	ug/kg	60.0	25.0	1	07/17/13 13:18	07/18/13 09:05	96-18-4	W
1,2,4-Trichlorobenzene	<25.0	ug/kg	60.0	25.0	1	07/17/13 13:18	07/18/13 09:05	120-82-1	W
1,2,4-Trimethylbenzene	<25.0	ug/kg	60.0	25.0	1	07/17/13 13:18	07/18/13 09:05	95-63-6	W
1,2-Dibromo-3-chloropropane	<49.8	ug/kg	250	49.8	1	07/17/13 13:18	07/18/13 09:05	96-12-8	W
1,2-Dibromoethane (EDB)	<25.0	ug/kg	60.0	25.0	1	07/17/13 13:18	07/18/13 09:05	106-93-4	W
1,2-Dichlorobenzene	<25.0	ug/kg	60.0	25.0	1	07/17/13 13:18	07/18/13 09:05	95-50-1	W
1,2-Dichloroethane	<25.0	ug/kg	60.0	25.0	1	07/17/13 13:18	07/18/13 09:05	107-06-2	W
1,2-Dichloropropane	<25.0	ug/kg	60.0	25.0	1	07/17/13 13:18	07/18/13 09:05	78-87-5	W
1,3,5-Trimethylbenzene	<25.0	ug/kg	60.0	25.0	1	07/17/13 13:18	07/18/13 09:05	108-67-8	W
1,3-Dichlorobenzene	<25.0	ug/kg	60.0	25.0	1	07/17/13 13:18	07/18/13 09:05	541-73-1	W
1,3-Dichloropropane	<25.0	ug/kg	60.0	25.0	1	07/17/13 13:18	07/18/13 09:05	142-28-9	W
1,4-Dichlorobenzene	<25.0	ug/kg	60.0	25.0	1	07/17/13 13:18	07/18/13 09:05	106-46-7	W
2,2-Dichloropropane	<25.0	ug/kg	60.0	25.0	1	07/17/13 13:18	07/18/13 09:05	594-20-7	W
2-Chlorotoluene	<25.0	ug/kg	60.0	25.0	1	07/17/13 13:18	07/18/13 09:05	95-49-8	W
4-Chlorotoluene	<25.0	ug/kg	60.0	25.0	1	07/17/13 13:18	07/18/13 09:05	106-43-4	W
Benzene	<25.0	ug/kg	60.0	25.0	1	07/17/13 13:18	07/18/13 09:05	71-43-2	W
Bromobenzene	<25.0	ug/kg	60.0	25.0	1	07/17/13 13:18	07/18/13 09:05	108-86-1	W
Bromochloromethane	<25.0	ug/kg	60.0	25.0	1	07/17/13 13:18	07/18/13 09:05	74-97-5	W
Bromodichloromethane	<25.0	ug/kg	60.0	25.0	1	07/17/13 13:18	07/18/13 09:05	75-27-4	W
Bromoform	<25.0	ug/kg	60.0	25.0	1	07/17/13 13:18	07/18/13 09:05	75-25-2	W
Bromomethane	<25.0	ug/kg	60.0	25.0	1	07/17/13 13:18	07/18/13 09:05	74-83-9	L3,W
Carbon tetrachloride	<25.0	ug/kg	60.0	25.0	1	07/17/13 13:18	07/18/13 09:05	56-23-5	W
Chlorobenzene	<25.0	ug/kg	60.0	25.0	1	07/17/13 13:18	07/18/13 09:05	108-90-7	W
Chloroethane	<25.0	ug/kg	60.0	25.0	1	07/17/13 13:18	07/18/13 09:05	75-00-3	1q,L3,W
Chloroform	<25.0	ug/kg	60.0	25.0	1	07/17/13 13:18	07/18/13 09:05	67-66-3	W
Chloromethane	<25.0	ug/kg	60.0	25.0	1	07/17/13 13:18	07/18/13 09:05	74-87-3	W
Dibromochloromethane	<25.0	ug/kg	60.0	25.0	1	07/17/13 13:18	07/18/13 09:05	124-48-1	W
Dibromomethane	<25.0	ug/kg	60.0	25.0	1	07/17/13 13:18	07/18/13 09:05	74-95-3	W
Dichlorodifluoromethane	<25.0	ug/kg	60.0	25.0	1	07/17/13 13:18	07/18/13 09:05	75-71-8	W
Diisopropyl ether	<25.0	ug/kg	60.0	25.0	1	07/17/13 13:18	07/18/13 09:05	108-20-3	W
Ethylbenzene	<25.0	ug/kg	60.0	25.0	1	07/17/13 13:18	07/18/13 09:05	100-41-4	W
Hexachloro-1,3-butadiene	<25.0	ug/kg	60.0	25.0	1	07/17/13 13:18	07/18/13 09:05	87-68-3	W
Isopropylbenzene (Cumene)	<25.0	ug/kg	60.0	25.0	1	07/17/13 13:18	07/18/13 09:05	98-82-8	W
Methyl-tert-butyl ether	<25.0	ug/kg	60.0	25.0	1	07/17/13 13:18	07/18/13 09:05	1634-04-4	W
Methylene Chloride	<25.0	ug/kg	60.0	25.0	1	07/17/13 13:18	07/18/13 09:05	75-09-2	W
Naphthalene	<25.0	ug/kg	60.0	25.0	1	07/17/13 13:18	07/18/13 09:05	91-20-3	W
Styrene	<25.0	ug/kg	60.0	25.0	1	07/17/13 13:18	07/18/13 09:05	100-42-5	W

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

ANALYTICAL RESULTS

Project: 25212159 HUNN FAMILY TRUST

Pace Project No.: 4081228

Sample: B19-S3 **Lab ID: 4081228014** Collected: 07/11/13 00:00 Received: 07/16/13 10:35 Matrix: Solid

Results reported on a "dry-weight" basis

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Med Level Normal List									
Analytical Method: EPA 8260 Preparation Method: EPA 5035/5030B									
Tetrachloroethene	59.6J	ug/kg	68.1	28.4	1	07/17/13 13:18	07/18/13 09:05	127-18-4	
Toluene	<25.0	ug/kg	60.0	25.0	1	07/17/13 13:18	07/18/13 09:05	108-88-3	W
Trichloroethene	1090	ug/kg	68.1	28.4	1	07/17/13 13:18	07/18/13 09:05	79-01-6	
Trichlorofluoromethane	<25.0	ug/kg	60.0	25.0	1	07/17/13 13:18	07/18/13 09:05	75-69-4	W
Vinyl chloride	<25.0	ug/kg	60.0	25.0	1	07/17/13 13:18	07/18/13 09:05	75-01-4	W
Xylene (Total)	<75.0	ug/kg	180	75.0	1	07/17/13 13:18	07/18/13 09:05	1330-20-7	W
cis-1,2-Dichloroethene	3850	ug/kg	68.1	28.4	1	07/17/13 13:18	07/18/13 09:05	156-59-2	
cis-1,3-Dichloropropene	<25.0	ug/kg	60.0	25.0	1	07/17/13 13:18	07/18/13 09:05	10061-01-5	W
n-Butylbenzene	<25.0	ug/kg	60.0	25.0	1	07/17/13 13:18	07/18/13 09:05	104-51-8	W
n-Propylbenzene	<25.0	ug/kg	60.0	25.0	1	07/17/13 13:18	07/18/13 09:05	103-65-1	W
p-Isopropyltoluene	<25.0	ug/kg	60.0	25.0	1	07/17/13 13:18	07/18/13 09:05	99-87-6	W
sec-Butylbenzene	<25.0	ug/kg	60.0	25.0	1	07/17/13 13:18	07/18/13 09:05	135-98-8	W
tert-Butylbenzene	<25.0	ug/kg	60.0	25.0	1	07/17/13 13:18	07/18/13 09:05	98-06-6	W
trans-1,2-Dichloroethene	208	ug/kg	68.1	28.4	1	07/17/13 13:18	07/18/13 09:05	156-60-5	
trans-1,3-Dichloropropene	<25.0	ug/kg	60.0	25.0	1	07/17/13 13:18	07/18/13 09:05	10061-02-6	W
Surrogates									
Dibromofluoromethane (S)	105	%	57-130		1	07/17/13 13:18	07/18/13 09:05	1868-53-7	
Toluene-d8 (S)	103	%	54-133		1	07/17/13 13:18	07/18/13 09:05	2037-26-5	
4-Bromofluorobenzene (S)	98	%	49-130		1	07/17/13 13:18	07/18/13 09:05	460-00-4	
Percent Moisture									
Analytical Method: ASTM D2974-87									
Percent Moisture	11.9	%	0.10	0.10	1		07/19/13 16:25		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

ANALYTICAL RESULTS

Project: 25212159 HUNN FAMILY TRUST

Pace Project No.: 4081228

Sample: B7-S2 Lab ID: 4081228015 Collected: 07/12/13 00:00 Received: 07/16/13 10:35 Matrix: Solid

Results reported on a "dry-weight" basis

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Med Level Normal List									
Analytical Method: EPA 8260 Preparation Method: EPA 5035/5030B									
1,1,1,2-Tetrachloroethane	<25.0	ug/kg	60.0	25.0	1	07/17/13 13:18	07/18/13 09:28	630-20-6	W
1,1,1-Trichloroethane	<25.0	ug/kg	60.0	25.0	1	07/17/13 13:18	07/18/13 09:28	71-55-6	W
1,1,2,2-Tetrachloroethane	<25.0	ug/kg	60.0	25.0	1	07/17/13 13:18	07/18/13 09:28	79-34-5	W
1,1,2-Trichloroethane	<25.0	ug/kg	60.0	25.0	1	07/17/13 13:18	07/18/13 09:28	79-00-5	W
1,1-Dichloroethane	<25.0	ug/kg	60.0	25.0	1	07/17/13 13:18	07/18/13 09:28	75-34-3	W
1,1-Dichloroethene	<25.0	ug/kg	60.0	25.0	1	07/17/13 13:18	07/18/13 09:28	75-35-4	W
1,1-Dichloropropene	<25.0	ug/kg	60.0	25.0	1	07/17/13 13:18	07/18/13 09:28	563-58-6	W
1,2,3-Trichlorobenzene	<25.0	ug/kg	60.0	25.0	1	07/17/13 13:18	07/18/13 09:28	87-61-6	W
1,2,3-Trichloropropane	<25.0	ug/kg	60.0	25.0	1	07/17/13 13:18	07/18/13 09:28	96-18-4	W
1,2,4-Trichlorobenzene	<25.0	ug/kg	60.0	25.0	1	07/17/13 13:18	07/18/13 09:28	120-82-1	W
1,2,4-Trimethylbenzene	<25.0	ug/kg	60.0	25.0	1	07/17/13 13:18	07/18/13 09:28	95-63-6	W
1,2-Dibromo-3-chloropropane	<49.8	ug/kg	250	49.8	1	07/17/13 13:18	07/18/13 09:28	96-12-8	W
1,2-Dibromoethane (EDB)	<25.0	ug/kg	60.0	25.0	1	07/17/13 13:18	07/18/13 09:28	106-93-4	W
1,2-Dichlorobenzene	<25.0	ug/kg	60.0	25.0	1	07/17/13 13:18	07/18/13 09:28	95-50-1	W
1,2-Dichloroethane	<25.0	ug/kg	60.0	25.0	1	07/17/13 13:18	07/18/13 09:28	107-06-2	W
1,2-Dichloropropane	<25.0	ug/kg	60.0	25.0	1	07/17/13 13:18	07/18/13 09:28	78-87-5	W
1,3,5-Trimethylbenzene	<25.0	ug/kg	60.0	25.0	1	07/17/13 13:18	07/18/13 09:28	108-67-8	W
1,3-Dichlorobenzene	<25.0	ug/kg	60.0	25.0	1	07/17/13 13:18	07/18/13 09:28	541-73-1	W
1,3-Dichloropropane	<25.0	ug/kg	60.0	25.0	1	07/17/13 13:18	07/18/13 09:28	142-28-9	W
1,4-Dichlorobenzene	<25.0	ug/kg	60.0	25.0	1	07/17/13 13:18	07/18/13 09:28	106-46-7	W
2,2-Dichloropropane	<25.0	ug/kg	60.0	25.0	1	07/17/13 13:18	07/18/13 09:28	594-20-7	W
2-Chlorotoluene	<25.0	ug/kg	60.0	25.0	1	07/17/13 13:18	07/18/13 09:28	95-49-8	W
4-Chlorotoluene	<25.0	ug/kg	60.0	25.0	1	07/17/13 13:18	07/18/13 09:28	106-43-4	W
Benzene	<25.0	ug/kg	60.0	25.0	1	07/17/13 13:18	07/18/13 09:28	71-43-2	W
Bromobenzene	<25.0	ug/kg	60.0	25.0	1	07/17/13 13:18	07/18/13 09:28	108-86-1	W
Bromochloromethane	<25.0	ug/kg	60.0	25.0	1	07/17/13 13:18	07/18/13 09:28	74-97-5	W
Bromodichloromethane	<25.0	ug/kg	60.0	25.0	1	07/17/13 13:18	07/18/13 09:28	75-27-4	W
Bromoform	<25.0	ug/kg	60.0	25.0	1	07/17/13 13:18	07/18/13 09:28	75-25-2	W
Bromomethane	<25.0	ug/kg	60.0	25.0	1	07/17/13 13:18	07/18/13 09:28	74-83-9	L3,W
Carbon tetrachloride	<25.0	ug/kg	60.0	25.0	1	07/17/13 13:18	07/18/13 09:28	56-23-5	W
Chlorobenzene	<25.0	ug/kg	60.0	25.0	1	07/17/13 13:18	07/18/13 09:28	108-90-7	W
Chloroethane	<25.0	ug/kg	60.0	25.0	1	07/17/13 13:18	07/18/13 09:28	75-00-3	1q,L3,W
Chloroform	<25.0	ug/kg	60.0	25.0	1	07/17/13 13:18	07/18/13 09:28	67-66-3	W
Chloromethane	<25.0	ug/kg	60.0	25.0	1	07/17/13 13:18	07/18/13 09:28	74-87-3	W
Dibromochloromethane	<25.0	ug/kg	60.0	25.0	1	07/17/13 13:18	07/18/13 09:28	124-48-1	W
Dibromomethane	<25.0	ug/kg	60.0	25.0	1	07/17/13 13:18	07/18/13 09:28	74-95-3	W
Dichlorodifluoromethane	<25.0	ug/kg	60.0	25.0	1	07/17/13 13:18	07/18/13 09:28	75-71-8	W
Diisopropyl ether	<25.0	ug/kg	60.0	25.0	1	07/17/13 13:18	07/18/13 09:28	108-20-3	W
Ethylbenzene	<25.0	ug/kg	60.0	25.0	1	07/17/13 13:18	07/18/13 09:28	100-41-4	W
Hexachloro-1,3-butadiene	<25.0	ug/kg	60.0	25.0	1	07/17/13 13:18	07/18/13 09:28	87-68-3	W
Isopropylbenzene (Cumene)	<25.0	ug/kg	60.0	25.0	1	07/17/13 13:18	07/18/13 09:28	98-82-8	W
Methyl-tert-butyl ether	<25.0	ug/kg	60.0	25.0	1	07/17/13 13:18	07/18/13 09:28	1634-04-4	W
Methylene Chloride	<25.0	ug/kg	60.0	25.0	1	07/17/13 13:18	07/18/13 09:28	75-09-2	W
Naphthalene	<25.0	ug/kg	60.0	25.0	1	07/17/13 13:18	07/18/13 09:28	91-20-3	W
Styrene	<25.0	ug/kg	60.0	25.0	1	07/17/13 13:18	07/18/13 09:28	100-42-5	W

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

ANALYTICAL RESULTS

Project: 25212159 HUNN FAMILY TRUST

Pace Project No.: 4081228

Sample: B7-S2 **Lab ID: 4081228015** Collected: 07/12/13 00:00 Received: 07/16/13 10:35 Matrix: Solid

Results reported on a "dry-weight" basis

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Med Level Normal List		Analytical Method: EPA 8260 Preparation Method: EPA 5035/5030B							
Tetrachloroethene	2800	ug/kg	73.9	30.8	1	07/17/13 13:18	07/18/13 09:28	127-18-4	
Toluene	<25.0	ug/kg	60.0	25.0	1	07/17/13 13:18	07/18/13 09:28	108-88-3	W
Trichloroethene	71.9J	ug/kg	73.9	30.8	1	07/17/13 13:18	07/18/13 09:28	79-01-6	
Trichlorofluoromethane	<25.0	ug/kg	60.0	25.0	1	07/17/13 13:18	07/18/13 09:28	75-69-4	W
Vinyl chloride	<25.0	ug/kg	60.0	25.0	1	07/17/13 13:18	07/18/13 09:28	75-01-4	W
Xylene (Total)	<75.0	ug/kg	180	75.0	1	07/17/13 13:18	07/18/13 09:28	1330-20-7	W
cis-1,2-Dichloroethene	179	ug/kg	73.9	30.8	1	07/17/13 13:18	07/18/13 09:28	156-59-2	
cis-1,3-Dichloropropene	<25.0	ug/kg	60.0	25.0	1	07/17/13 13:18	07/18/13 09:28	10061-01-5	W
n-Butylbenzene	<25.0	ug/kg	60.0	25.0	1	07/17/13 13:18	07/18/13 09:28	104-51-8	W
n-Propylbenzene	<25.0	ug/kg	60.0	25.0	1	07/17/13 13:18	07/18/13 09:28	103-65-1	W
p-Isopropyltoluene	<25.0	ug/kg	60.0	25.0	1	07/17/13 13:18	07/18/13 09:28	99-87-6	W
sec-Butylbenzene	<25.0	ug/kg	60.0	25.0	1	07/17/13 13:18	07/18/13 09:28	135-98-8	W
tert-Butylbenzene	<25.0	ug/kg	60.0	25.0	1	07/17/13 13:18	07/18/13 09:28	98-06-6	W
trans-1,2-Dichloroethene	<25.0	ug/kg	60.0	25.0	1	07/17/13 13:18	07/18/13 09:28	156-60-5	W
trans-1,3-Dichloropropene	<25.0	ug/kg	60.0	25.0	1	07/17/13 13:18	07/18/13 09:28	10061-02-6	W
Surrogates									
Dibromofluoromethane (S)	93 %		57-130		1	07/17/13 13:18	07/18/13 09:28	1868-53-7	
Toluene-d8 (S)	93 %		54-133		1	07/17/13 13:18	07/18/13 09:28	2037-26-5	
4-Bromofluorobenzene (S)	87 %		49-130		1	07/17/13 13:18	07/18/13 09:28	460-00-4	
Percent Moisture		Analytical Method: ASTM D2974-87							
Percent Moisture	18.8	%	0.10	0.10	1		07/19/13 16:25		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

ANALYTICAL RESULTS

Project: 25212159 HUNN FAMILY TRUST

Pace Project No.: 4081228

Sample: B7-S7 **Lab ID: 4081228016** Collected: 07/12/13 00:00 Received: 07/16/13 10:35 Matrix: Solid

Results reported on a "dry-weight" basis

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Med Level Normal List									
Analytical Method: EPA 8260 Preparation Method: EPA 5035/5030B									
1,1,1,2-Tetrachloroethane	<50.0	ug/kg	120	50.0	2	07/17/13 13:18	07/18/13 03:02	630-20-6	W
1,1,1-Trichloroethane	<50.0	ug/kg	120	50.0	2	07/17/13 13:18	07/18/13 03:02	71-55-6	W
1,1,2,2-Tetrachloroethane	<50.0	ug/kg	120	50.0	2	07/17/13 13:18	07/18/13 03:02	79-34-5	W
1,1,2-Trichloroethane	<50.0	ug/kg	120	50.0	2	07/17/13 13:18	07/18/13 03:02	79-00-5	W
1,1-Dichloroethane	<50.0	ug/kg	120	50.0	2	07/17/13 13:18	07/18/13 03:02	75-34-3	W
1,1-Dichloroethene	<50.0	ug/kg	120	50.0	2	07/17/13 13:18	07/18/13 03:02	75-35-4	W
1,1-Dichloropropene	<50.0	ug/kg	120	50.0	2	07/17/13 13:18	07/18/13 03:02	563-58-6	W
1,2,3-Trichlorobenzene	<50.0	ug/kg	120	50.0	2	07/17/13 13:18	07/18/13 03:02	87-61-6	W
1,2,3-Trichloropropane	<50.0	ug/kg	120	50.0	2	07/17/13 13:18	07/18/13 03:02	96-18-4	W
1,2,4-Trichlorobenzene	<50.0	ug/kg	120	50.0	2	07/17/13 13:18	07/18/13 03:02	120-82-1	W
1,2,4-Trimethylbenzene	<50.0	ug/kg	120	50.0	2	07/17/13 13:18	07/18/13 03:02	95-63-6	W
1,2-Dibromo-3-chloropropane	<99.7	ug/kg	500	99.7	2	07/17/13 13:18	07/18/13 03:02	96-12-8	W
1,2-Dibromoethane (EDB)	<50.0	ug/kg	120	50.0	2	07/17/13 13:18	07/18/13 03:02	106-93-4	W
1,2-Dichlorobenzene	<50.0	ug/kg	120	50.0	2	07/17/13 13:18	07/18/13 03:02	95-50-1	W
1,2-Dichloroethane	<50.0	ug/kg	120	50.0	2	07/17/13 13:18	07/18/13 03:02	107-06-2	W
1,2-Dichloropropane	<50.0	ug/kg	120	50.0	2	07/17/13 13:18	07/18/13 03:02	78-87-5	W
1,3,5-Trimethylbenzene	<50.0	ug/kg	120	50.0	2	07/17/13 13:18	07/18/13 03:02	108-67-8	W
1,3-Dichlorobenzene	<50.0	ug/kg	120	50.0	2	07/17/13 13:18	07/18/13 03:02	541-73-1	W
1,3-Dichloropropane	<50.0	ug/kg	120	50.0	2	07/17/13 13:18	07/18/13 03:02	142-28-9	W
1,4-Dichlorobenzene	<50.0	ug/kg	120	50.0	2	07/17/13 13:18	07/18/13 03:02	106-46-7	W
2,2-Dichloropropane	<50.0	ug/kg	120	50.0	2	07/17/13 13:18	07/18/13 03:02	594-20-7	W
2-Chlorotoluene	<50.0	ug/kg	120	50.0	2	07/17/13 13:18	07/18/13 03:02	95-49-8	W
4-Chlorotoluene	<50.0	ug/kg	120	50.0	2	07/17/13 13:18	07/18/13 03:02	106-43-4	W
Benzene	<50.0	ug/kg	120	50.0	2	07/17/13 13:18	07/18/13 03:02	71-43-2	W
Bromobenzene	<50.0	ug/kg	120	50.0	2	07/17/13 13:18	07/18/13 03:02	108-86-1	W
Bromochloromethane	<50.0	ug/kg	120	50.0	2	07/17/13 13:18	07/18/13 03:02	74-97-5	W
Bromodichloromethane	<50.0	ug/kg	120	50.0	2	07/17/13 13:18	07/18/13 03:02	75-27-4	W
Bromoform	<50.0	ug/kg	120	50.0	2	07/17/13 13:18	07/18/13 03:02	75-25-2	W
Bromomethane	<50.0	ug/kg	120	50.0	2	07/17/13 13:18	07/18/13 03:02	74-83-9	L3,W
Carbon tetrachloride	<50.0	ug/kg	120	50.0	2	07/17/13 13:18	07/18/13 03:02	56-23-5	W
Chlorobenzene	<50.0	ug/kg	120	50.0	2	07/17/13 13:18	07/18/13 03:02	108-90-7	W
Chloroethane	<50.0	ug/kg	120	50.0	2	07/17/13 13:18	07/18/13 03:02	75-00-3	L3,W
Chloroform	<50.0	ug/kg	120	50.0	2	07/17/13 13:18	07/18/13 03:02	67-66-3	W
Chloromethane	<50.0	ug/kg	120	50.0	2	07/17/13 13:18	07/18/13 03:02	74-87-3	W
Dibromochloromethane	<50.0	ug/kg	120	50.0	2	07/17/13 13:18	07/18/13 03:02	124-48-1	W
Dibromomethane	<50.0	ug/kg	120	50.0	2	07/17/13 13:18	07/18/13 03:02	74-95-3	W
Dichlorodifluoromethane	<50.0	ug/kg	120	50.0	2	07/17/13 13:18	07/18/13 03:02	75-71-8	W
Diisopropyl ether	<50.0	ug/kg	120	50.0	2	07/17/13 13:18	07/18/13 03:02	108-20-3	W
Ethylbenzene	<50.0	ug/kg	120	50.0	2	07/17/13 13:18	07/18/13 03:02	100-41-4	W
Hexachloro-1,3-butadiene	<50.0	ug/kg	120	50.0	2	07/17/13 13:18	07/18/13 03:02	87-68-3	W
Isopropylbenzene (Cumene)	<50.0	ug/kg	120	50.0	2	07/17/13 13:18	07/18/13 03:02	98-82-8	W
Methyl-tert-butyl ether	<50.0	ug/kg	120	50.0	2	07/17/13 13:18	07/18/13 03:02	1634-04-4	W
Methylene Chloride	<50.0	ug/kg	120	50.0	2	07/17/13 13:18	07/18/13 03:02	75-09-2	W
Naphthalene	<50.0	ug/kg	120	50.0	2	07/17/13 13:18	07/18/13 03:02	91-20-3	W
Styrene	<50.0	ug/kg	120	50.0	2	07/17/13 13:18	07/18/13 03:02	100-42-5	W

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

ANALYTICAL RESULTS

Project: 25212159 HUNN FAMILY TRUST

Pace Project No.: 4081228

Sample: B7-S7 **Lab ID: 4081228016** Collected: 07/12/13 00:00 Received: 07/16/13 10:35 Matrix: Solid

Results reported on a "dry-weight" basis

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Med Level Normal List									
Analytical Method: EPA 8260 Preparation Method: EPA 5035/5030B									
Tetrachloroethene	12100	ug/kg	144	60.1	2	07/17/13 13:18	07/18/13 03:02	127-18-4	
Toluene	<50.0	ug/kg	120	50.0	2	07/17/13 13:18	07/18/13 03:02	108-88-3	W
Trichloroethene	146	ug/kg	144	60.1	2	07/17/13 13:18	07/18/13 03:02	79-01-6	
Trichlorofluoromethane	<50.0	ug/kg	120	50.0	2	07/17/13 13:18	07/18/13 03:02	75-69-4	W
Vinyl chloride	<50.0	ug/kg	120	50.0	2	07/17/13 13:18	07/18/13 03:02	75-01-4	W
Xylene (Total)	<150	ug/kg	360	150	2	07/17/13 13:18	07/18/13 03:02	1330-20-7	W
cis-1,2-Dichloroethene	<50.0	ug/kg	120	50.0	2	07/17/13 13:18	07/18/13 03:02	156-59-2	W
cis-1,3-Dichloropropene	<50.0	ug/kg	120	50.0	2	07/17/13 13:18	07/18/13 03:02	10061-01-5	W
n-Butylbenzene	<50.0	ug/kg	120	50.0	2	07/17/13 13:18	07/18/13 03:02	104-51-8	W
n-Propylbenzene	<50.0	ug/kg	120	50.0	2	07/17/13 13:18	07/18/13 03:02	103-65-1	W
p-Isopropyltoluene	<50.0	ug/kg	120	50.0	2	07/17/13 13:18	07/18/13 03:02	99-87-6	W
sec-Butylbenzene	<50.0	ug/kg	120	50.0	2	07/17/13 13:18	07/18/13 03:02	135-98-8	W
tert-Butylbenzene	<50.0	ug/kg	120	50.0	2	07/17/13 13:18	07/18/13 03:02	98-06-6	W
trans-1,2-Dichloroethene	<50.0	ug/kg	120	50.0	2	07/17/13 13:18	07/18/13 03:02	156-60-5	W
trans-1,3-Dichloropropene	<50.0	ug/kg	120	50.0	2	07/17/13 13:18	07/18/13 03:02	10061-02-6	W
Surrogates									
Dibromofluoromethane (S)	119	%		57-130		2	07/17/13 13:18	07/18/13 03:02	1868-53-7
Toluene-d8 (S)	100	%		54-133		2	07/17/13 13:18	07/18/13 03:02	2037-26-5
4-Bromofluorobenzene (S)	93	%		49-130		2	07/17/13 13:18	07/18/13 03:02	460-00-4
Percent Moisture									
Analytical Method: ASTM D2974-87									
Percent Moisture	16.8	%		0.10		1		07/22/13 15:19	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

ANALYTICAL RESULTS

Project: 25212159 HUNN FAMILY TRUST

Pace Project No.: 4081228

Sample: B21-S3 **Lab ID: 4081228017** Collected: 07/12/13 00:00 Received: 07/16/13 10:35 Matrix: Solid

Results reported on a "dry-weight" basis

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Med Level Normal List									
Analytical Method: EPA 8260 Preparation Method: EPA 5035/5030B									
1,1,1,2-Tetrachloroethane	<25.0	ug/kg	60.0	25.0	1	07/17/13 13:18	07/18/13 09:51	630-20-6	W
1,1,1-Trichloroethane	<25.0	ug/kg	60.0	25.0	1	07/17/13 13:18	07/18/13 09:51	71-55-6	W
1,1,2,2-Tetrachloroethane	<25.0	ug/kg	60.0	25.0	1	07/17/13 13:18	07/18/13 09:51	79-34-5	W
1,1,2-Trichloroethane	<25.0	ug/kg	60.0	25.0	1	07/17/13 13:18	07/18/13 09:51	79-00-5	W
1,1-Dichloroethane	<25.0	ug/kg	60.0	25.0	1	07/17/13 13:18	07/18/13 09:51	75-34-3	W
1,1-Dichloroethene	<25.0	ug/kg	60.0	25.0	1	07/17/13 13:18	07/18/13 09:51	75-35-4	W
1,1-Dichloropropene	<25.0	ug/kg	60.0	25.0	1	07/17/13 13:18	07/18/13 09:51	563-58-6	W
1,2,3-Trichlorobenzene	<25.0	ug/kg	60.0	25.0	1	07/17/13 13:18	07/18/13 09:51	87-61-6	W
1,2,3-Trichloropropane	<25.0	ug/kg	60.0	25.0	1	07/17/13 13:18	07/18/13 09:51	96-18-4	W
1,2,4-Trichlorobenzene	<25.0	ug/kg	60.0	25.0	1	07/17/13 13:18	07/18/13 09:51	120-82-1	W
1,2,4-Trimethylbenzene	<25.0	ug/kg	60.0	25.0	1	07/17/13 13:18	07/18/13 09:51	95-63-6	W
1,2-Dibromo-3-chloropropane	<49.8	ug/kg	250	49.8	1	07/17/13 13:18	07/18/13 09:51	96-12-8	W
1,2-Dibromoethane (EDB)	<25.0	ug/kg	60.0	25.0	1	07/17/13 13:18	07/18/13 09:51	106-93-4	W
1,2-Dichlorobenzene	<25.0	ug/kg	60.0	25.0	1	07/17/13 13:18	07/18/13 09:51	95-50-1	W
1,2-Dichloroethane	<25.0	ug/kg	60.0	25.0	1	07/17/13 13:18	07/18/13 09:51	107-06-2	W
1,2-Dichloropropane	<25.0	ug/kg	60.0	25.0	1	07/17/13 13:18	07/18/13 09:51	78-87-5	W
1,3,5-Trimethylbenzene	<25.0	ug/kg	60.0	25.0	1	07/17/13 13:18	07/18/13 09:51	108-67-8	W
1,3-Dichlorobenzene	<25.0	ug/kg	60.0	25.0	1	07/17/13 13:18	07/18/13 09:51	541-73-1	W
1,3-Dichloropropane	<25.0	ug/kg	60.0	25.0	1	07/17/13 13:18	07/18/13 09:51	142-28-9	W
1,4-Dichlorobenzene	<25.0	ug/kg	60.0	25.0	1	07/17/13 13:18	07/18/13 09:51	106-46-7	W
2,2-Dichloropropane	<25.0	ug/kg	60.0	25.0	1	07/17/13 13:18	07/18/13 09:51	594-20-7	W
2-Chlorotoluene	<25.0	ug/kg	60.0	25.0	1	07/17/13 13:18	07/18/13 09:51	95-49-8	W
4-Chlorotoluene	<25.0	ug/kg	60.0	25.0	1	07/17/13 13:18	07/18/13 09:51	106-43-4	W
Benzene	<25.0	ug/kg	60.0	25.0	1	07/17/13 13:18	07/18/13 09:51	71-43-2	W
Bromobenzene	<25.0	ug/kg	60.0	25.0	1	07/17/13 13:18	07/18/13 09:51	108-86-1	W
Bromochloromethane	<25.0	ug/kg	60.0	25.0	1	07/17/13 13:18	07/18/13 09:51	74-97-5	W
Bromodichloromethane	<25.0	ug/kg	60.0	25.0	1	07/17/13 13:18	07/18/13 09:51	75-27-4	W
Bromoform	<25.0	ug/kg	60.0	25.0	1	07/17/13 13:18	07/18/13 09:51	75-25-2	W
Bromomethane	<25.0	ug/kg	60.0	25.0	1	07/17/13 13:18	07/18/13 09:51	74-83-9	L3,W
Carbon tetrachloride	<25.0	ug/kg	60.0	25.0	1	07/17/13 13:18	07/18/13 09:51	56-23-5	W
Chlorobenzene	<25.0	ug/kg	60.0	25.0	1	07/17/13 13:18	07/18/13 09:51	108-90-7	W
Chloroethane	<25.0	ug/kg	60.0	25.0	1	07/17/13 13:18	07/18/13 09:51	75-00-3	1q,L3,W
Chloroform	<25.0	ug/kg	60.0	25.0	1	07/17/13 13:18	07/18/13 09:51	67-66-3	W
Chloromethane	<25.0	ug/kg	60.0	25.0	1	07/17/13 13:18	07/18/13 09:51	74-87-3	W
Dibromochloromethane	<25.0	ug/kg	60.0	25.0	1	07/17/13 13:18	07/18/13 09:51	124-48-1	W
Dibromomethane	<25.0	ug/kg	60.0	25.0	1	07/17/13 13:18	07/18/13 09:51	74-95-3	W
Dichlorodifluoromethane	<25.0	ug/kg	60.0	25.0	1	07/17/13 13:18	07/18/13 09:51	75-71-8	W
Diisopropyl ether	<25.0	ug/kg	60.0	25.0	1	07/17/13 13:18	07/18/13 09:51	108-20-3	W
Ethylbenzene	<25.0	ug/kg	60.0	25.0	1	07/17/13 13:18	07/18/13 09:51	100-41-4	W
Hexachloro-1,3-butadiene	<25.0	ug/kg	60.0	25.0	1	07/17/13 13:18	07/18/13 09:51	87-68-3	W
Isopropylbenzene (Cumene)	<25.0	ug/kg	60.0	25.0	1	07/17/13 13:18	07/18/13 09:51	98-82-8	W
Methyl-tert-butyl ether	<25.0	ug/kg	60.0	25.0	1	07/17/13 13:18	07/18/13 09:51	1634-04-4	W
Methylene Chloride	<25.0	ug/kg	60.0	25.0	1	07/17/13 13:18	07/18/13 09:51	75-09-2	W
Naphthalene	<25.0	ug/kg	60.0	25.0	1	07/17/13 13:18	07/18/13 09:51	91-20-3	W
Styrene	<25.0	ug/kg	60.0	25.0	1	07/17/13 13:18	07/18/13 09:51	100-42-5	W

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

ANALYTICAL RESULTS

Project: 25212159 HUNN FAMILY TRUST

Pace Project No.: 4081228

Sample: B21-S3 **Lab ID: 4081228017** Collected: 07/12/13 00:00 Received: 07/16/13 10:35 Matrix: Solid

Results reported on a "dry-weight" basis

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Med Level Normal List									
Analytical Method: EPA 8260 Preparation Method: EPA 5035/5030B									
Tetrachloroethene	<25.0	ug/kg	60.0	25.0	1	07/17/13 13:18	07/18/13 09:51	127-18-4	W
Toluene	<25.0	ug/kg	60.0	25.0	1	07/17/13 13:18	07/18/13 09:51	108-88-3	W
Trichloroethene	<25.0	ug/kg	60.0	25.0	1	07/17/13 13:18	07/18/13 09:51	79-01-6	W
Trichlorofluoromethane	<25.0	ug/kg	60.0	25.0	1	07/17/13 13:18	07/18/13 09:51	75-69-4	W
Vinyl chloride	<25.0	ug/kg	60.0	25.0	1	07/17/13 13:18	07/18/13 09:51	75-01-4	W
Xylene (Total)	<75.0	ug/kg	180	75.0	1	07/17/13 13:18	07/18/13 09:51	1330-20-7	W
cis-1,2-Dichloroethene	<25.0	ug/kg	60.0	25.0	1	07/17/13 13:18	07/18/13 09:51	156-59-2	W
cis-1,3-Dichloropropene	<25.0	ug/kg	60.0	25.0	1	07/17/13 13:18	07/18/13 09:51	10061-01-5	W
n-Butylbenzene	<25.0	ug/kg	60.0	25.0	1	07/17/13 13:18	07/18/13 09:51	104-51-8	W
n-Propylbenzene	<25.0	ug/kg	60.0	25.0	1	07/17/13 13:18	07/18/13 09:51	103-65-1	W
p-Isopropyltoluene	<25.0	ug/kg	60.0	25.0	1	07/17/13 13:18	07/18/13 09:51	99-87-6	W
sec-Butylbenzene	<25.0	ug/kg	60.0	25.0	1	07/17/13 13:18	07/18/13 09:51	135-98-8	W
tert-Butylbenzene	<25.0	ug/kg	60.0	25.0	1	07/17/13 13:18	07/18/13 09:51	98-06-6	W
trans-1,2-Dichloroethene	<25.0	ug/kg	60.0	25.0	1	07/17/13 13:18	07/18/13 09:51	156-60-5	W
trans-1,3-Dichloropropene	<25.0	ug/kg	60.0	25.0	1	07/17/13 13:18	07/18/13 09:51	10061-02-6	W
Surrogates									
Dibromofluoromethane (S)	111	%	57-130		1	07/17/13 13:18	07/18/13 09:51	1868-53-7	
Toluene-d8 (S)	110	%	54-133		1	07/17/13 13:18	07/18/13 09:51	2037-26-5	
4-Bromofluorobenzene (S)	104	%	49-130		1	07/17/13 13:18	07/18/13 09:51	460-00-4	
Percent Moisture									
Analytical Method: ASTM D2974-87									
Percent Moisture	12.5	%	0.10	0.10	1		07/22/13 15:19		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

ANALYTICAL RESULTS

Project: 25212159 HUNN FAMILY TRUST

Pace Project No.: 4081228

Sample: B21-S7 Lab ID: 4081228018 Collected: 07/12/13 00:00 Received: 07/16/13 10:35 Matrix: Solid

Results reported on a "dry-weight" basis

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Med Level Normal List									
Analytical Method: EPA 8260 Preparation Method: EPA 5035/5030B									
1,1,1,2-Tetrachloroethane	<25.0	ug/kg	60.0	25.0	1	07/17/13 13:18	07/18/13 10:14	630-20-6	W
1,1,1-Trichloroethane	<25.0	ug/kg	60.0	25.0	1	07/17/13 13:18	07/18/13 10:14	71-55-6	W
1,1,2,2-Tetrachloroethane	<25.0	ug/kg	60.0	25.0	1	07/17/13 13:18	07/18/13 10:14	79-34-5	W
1,1,2-Trichloroethane	<25.0	ug/kg	60.0	25.0	1	07/17/13 13:18	07/18/13 10:14	79-00-5	W
1,1-Dichloroethane	<25.0	ug/kg	60.0	25.0	1	07/17/13 13:18	07/18/13 10:14	75-34-3	W
1,1-Dichloroethene	<25.0	ug/kg	60.0	25.0	1	07/17/13 13:18	07/18/13 10:14	75-35-4	W
1,1-Dichloropropene	<25.0	ug/kg	60.0	25.0	1	07/17/13 13:18	07/18/13 10:14	563-58-6	W
1,2,3-Trichlorobenzene	<25.0	ug/kg	60.0	25.0	1	07/17/13 13:18	07/18/13 10:14	87-61-6	W
1,2,3-Trichloropropane	<25.0	ug/kg	60.0	25.0	1	07/17/13 13:18	07/18/13 10:14	96-18-4	W
1,2,4-Trichlorobenzene	<25.0	ug/kg	60.0	25.0	1	07/17/13 13:18	07/18/13 10:14	120-82-1	W
1,2,4-Trimethylbenzene	<25.0	ug/kg	60.0	25.0	1	07/17/13 13:18	07/18/13 10:14	95-63-6	W
1,2-Dibromo-3-chloropropane	<49.8	ug/kg	250	49.8	1	07/17/13 13:18	07/18/13 10:14	96-12-8	W
1,2-Dibromoethane (EDB)	<25.0	ug/kg	60.0	25.0	1	07/17/13 13:18	07/18/13 10:14	106-93-4	W
1,2-Dichlorobenzene	<25.0	ug/kg	60.0	25.0	1	07/17/13 13:18	07/18/13 10:14	95-50-1	W
1,2-Dichloroethane	<25.0	ug/kg	60.0	25.0	1	07/17/13 13:18	07/18/13 10:14	107-06-2	W
1,2-Dichloropropane	<25.0	ug/kg	60.0	25.0	1	07/17/13 13:18	07/18/13 10:14	78-87-5	W
1,3,5-Trimethylbenzene	<25.0	ug/kg	60.0	25.0	1	07/17/13 13:18	07/18/13 10:14	108-67-8	W
1,3-Dichlorobenzene	<25.0	ug/kg	60.0	25.0	1	07/17/13 13:18	07/18/13 10:14	541-73-1	W
1,3-Dichloropropane	<25.0	ug/kg	60.0	25.0	1	07/17/13 13:18	07/18/13 10:14	142-28-9	W
1,4-Dichlorobenzene	<25.0	ug/kg	60.0	25.0	1	07/17/13 13:18	07/18/13 10:14	106-46-7	W
2,2-Dichloropropane	<25.0	ug/kg	60.0	25.0	1	07/17/13 13:18	07/18/13 10:14	594-20-7	W
2-Chlorotoluene	<25.0	ug/kg	60.0	25.0	1	07/17/13 13:18	07/18/13 10:14	95-49-8	W
4-Chlorotoluene	<25.0	ug/kg	60.0	25.0	1	07/17/13 13:18	07/18/13 10:14	106-43-4	W
Benzene	<25.0	ug/kg	60.0	25.0	1	07/17/13 13:18	07/18/13 10:14	71-43-2	W
Bromobenzene	<25.0	ug/kg	60.0	25.0	1	07/17/13 13:18	07/18/13 10:14	108-86-1	W
Bromochloromethane	<25.0	ug/kg	60.0	25.0	1	07/17/13 13:18	07/18/13 10:14	74-97-5	W
Bromodichloromethane	<25.0	ug/kg	60.0	25.0	1	07/17/13 13:18	07/18/13 10:14	75-27-4	W
Bromoform	<25.0	ug/kg	60.0	25.0	1	07/17/13 13:18	07/18/13 10:14	75-25-2	W
Bromomethane	<25.0	ug/kg	60.0	25.0	1	07/17/13 13:18	07/18/13 10:14	74-83-9	L3,W
Carbon tetrachloride	<25.0	ug/kg	60.0	25.0	1	07/17/13 13:18	07/18/13 10:14	56-23-5	W
Chlorobenzene	<25.0	ug/kg	60.0	25.0	1	07/17/13 13:18	07/18/13 10:14	108-90-7	W
Chloroethane	<25.0	ug/kg	60.0	25.0	1	07/17/13 13:18	07/18/13 10:14	75-00-3	1q,L3,W
Chloroform	<25.0	ug/kg	60.0	25.0	1	07/17/13 13:18	07/18/13 10:14	67-66-3	W
Chloromethane	<25.0	ug/kg	60.0	25.0	1	07/17/13 13:18	07/18/13 10:14	74-87-3	W
Dibromochloromethane	<25.0	ug/kg	60.0	25.0	1	07/17/13 13:18	07/18/13 10:14	124-48-1	W
Dibromomethane	<25.0	ug/kg	60.0	25.0	1	07/17/13 13:18	07/18/13 10:14	74-95-3	W
Dichlorodifluoromethane	<25.0	ug/kg	60.0	25.0	1	07/17/13 13:18	07/18/13 10:14	75-71-8	W
Diisopropyl ether	<25.0	ug/kg	60.0	25.0	1	07/17/13 13:18	07/18/13 10:14	108-20-3	W
Ethylbenzene	<25.0	ug/kg	60.0	25.0	1	07/17/13 13:18	07/18/13 10:14	100-41-4	W
Hexachloro-1,3-butadiene	<25.0	ug/kg	60.0	25.0	1	07/17/13 13:18	07/18/13 10:14	87-68-3	W
Isopropylbenzene (Cumene)	<25.0	ug/kg	60.0	25.0	1	07/17/13 13:18	07/18/13 10:14	98-82-8	W
Methyl-tert-butyl ether	<25.0	ug/kg	60.0	25.0	1	07/17/13 13:18	07/18/13 10:14	1634-04-4	W
Methylene Chloride	<25.0	ug/kg	60.0	25.0	1	07/17/13 13:18	07/18/13 10:14	75-09-2	W
Naphthalene	<25.0	ug/kg	60.0	25.0	1	07/17/13 13:18	07/18/13 10:14	91-20-3	W
Styrene	<25.0	ug/kg	60.0	25.0	1	07/17/13 13:18	07/18/13 10:14	100-42-5	W

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

ANALYTICAL RESULTS

Project: 25212159 HUNN FAMILY TRUST

Pace Project No.: 4081228

Sample: B21-S7 **Lab ID: 4081228018** Collected: 07/12/13 00:00 Received: 07/16/13 10:35 Matrix: Solid

Results reported on a "dry-weight" basis

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Med Level Normal List		Analytical Method: EPA 8260 Preparation Method: EPA 5035/5030B							
Tetrachloroethene	1290	ug/kg	70.3	29.3	1	07/17/13 13:18	07/18/13 10:14	127-18-4	
Toluene	<25.0	ug/kg	60.0	25.0	1	07/17/13 13:18	07/18/13 10:14	108-88-3	W
Trichloroethene	34.4J	ug/kg	70.3	29.3	1	07/17/13 13:18	07/18/13 10:14	79-01-6	
Trichlorofluoromethane	<25.0	ug/kg	60.0	25.0	1	07/17/13 13:18	07/18/13 10:14	75-69-4	W
Vinyl chloride	<25.0	ug/kg	60.0	25.0	1	07/17/13 13:18	07/18/13 10:14	75-01-4	W
Xylene (Total)	<75.0	ug/kg	180	75.0	1	07/17/13 13:18	07/18/13 10:14	1330-20-7	W
cis-1,2-Dichloroethene	<25.0	ug/kg	60.0	25.0	1	07/17/13 13:18	07/18/13 10:14	156-59-2	W
cis-1,3-Dichloropropene	<25.0	ug/kg	60.0	25.0	1	07/17/13 13:18	07/18/13 10:14	10061-01-5	W
n-Butylbenzene	<25.0	ug/kg	60.0	25.0	1	07/17/13 13:18	07/18/13 10:14	104-51-8	W
n-Propylbenzene	<25.0	ug/kg	60.0	25.0	1	07/17/13 13:18	07/18/13 10:14	103-65-1	W
p-Isopropyltoluene	<25.0	ug/kg	60.0	25.0	1	07/17/13 13:18	07/18/13 10:14	99-87-6	W
sec-Butylbenzene	<25.0	ug/kg	60.0	25.0	1	07/17/13 13:18	07/18/13 10:14	135-98-8	W
tert-Butylbenzene	<25.0	ug/kg	60.0	25.0	1	07/17/13 13:18	07/18/13 10:14	98-06-6	W
trans-1,2-Dichloroethene	<25.0	ug/kg	60.0	25.0	1	07/17/13 13:18	07/18/13 10:14	156-60-5	W
trans-1,3-Dichloropropene	<25.0	ug/kg	60.0	25.0	1	07/17/13 13:18	07/18/13 10:14	10061-02-6	W
Surrogates									
Dibromofluoromethane (S)	111	%	57-130		1	07/17/13 13:18	07/18/13 10:14	1868-53-7	
Toluene-d8 (S)	110	%	54-133		1	07/17/13 13:18	07/18/13 10:14	2037-26-5	
4-Bromofluorobenzene (S)	105	%	49-130		1	07/17/13 13:18	07/18/13 10:14	460-00-4	
Percent Moisture		Analytical Method: ASTM D2974-87							
Percent Moisture	14.7	%	0.10	0.10	1		07/22/13 15:19		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

ANALYTICAL RESULTS

Project: 25212159 HUNN FAMILY TRUST

Pace Project No.: 4081228

Sample: B20-S3 Lab ID: 4081228019 Collected: 07/12/13 00:00 Received: 07/16/13 10:35 Matrix: Solid

Results reported on a "dry-weight" basis

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Med Level Normal List									
Analytical Method: EPA 8260 Preparation Method: EPA 5035/5030B									
1,1,1,2-Tetrachloroethane	<25.0	ug/kg	60.0	25.0	1	07/18/13 10:30	07/18/13 16:16	630-20-6	W
1,1,1-Trichloroethane	<25.0	ug/kg	60.0	25.0	1	07/18/13 10:30	07/18/13 16:16	71-55-6	W
1,1,2,2-Tetrachloroethane	<25.0	ug/kg	60.0	25.0	1	07/18/13 10:30	07/18/13 16:16	79-34-5	W
1,1,2-Trichloroethane	<25.0	ug/kg	60.0	25.0	1	07/18/13 10:30	07/18/13 16:16	79-00-5	W
1,1-Dichloroethane	<25.0	ug/kg	60.0	25.0	1	07/18/13 10:30	07/18/13 16:16	75-34-3	W
1,1-Dichloroethene	<25.0	ug/kg	60.0	25.0	1	07/18/13 10:30	07/18/13 16:16	75-35-4	W
1,1-Dichloropropene	<25.0	ug/kg	60.0	25.0	1	07/18/13 10:30	07/18/13 16:16	563-58-6	W
1,2,3-Trichlorobenzene	<25.0	ug/kg	60.0	25.0	1	07/18/13 10:30	07/18/13 16:16	87-61-6	W
1,2,3-Trichloropropane	<25.0	ug/kg	60.0	25.0	1	07/18/13 10:30	07/18/13 16:16	96-18-4	W
1,2,4-Trichlorobenzene	<25.0	ug/kg	60.0	25.0	1	07/18/13 10:30	07/18/13 16:16	120-82-1	W
1,2,4-Trimethylbenzene	<25.0	ug/kg	60.0	25.0	1	07/18/13 10:30	07/18/13 16:16	95-63-6	W
1,2-Dibromo-3-chloropropane	<49.8	ug/kg	250	49.8	1	07/18/13 10:30	07/18/13 16:16	96-12-8	W
1,2-Dibromoethane (EDB)	<25.0	ug/kg	60.0	25.0	1	07/18/13 10:30	07/18/13 16:16	106-93-4	W
1,2-Dichlorobenzene	<25.0	ug/kg	60.0	25.0	1	07/18/13 10:30	07/18/13 16:16	95-50-1	W
1,2-Dichloroethane	<25.0	ug/kg	60.0	25.0	1	07/18/13 10:30	07/18/13 16:16	107-06-2	W
1,2-Dichloropropane	<25.0	ug/kg	60.0	25.0	1	07/18/13 10:30	07/18/13 16:16	78-87-5	W
1,3,5-Trimethylbenzene	<25.0	ug/kg	60.0	25.0	1	07/18/13 10:30	07/18/13 16:16	108-67-8	W
1,3-Dichlorobenzene	<25.0	ug/kg	60.0	25.0	1	07/18/13 10:30	07/18/13 16:16	541-73-1	W
1,3-Dichloropropane	<25.0	ug/kg	60.0	25.0	1	07/18/13 10:30	07/18/13 16:16	142-28-9	W
1,4-Dichlorobenzene	<25.0	ug/kg	60.0	25.0	1	07/18/13 10:30	07/18/13 16:16	106-46-7	W
2,2-Dichloropropane	<25.0	ug/kg	60.0	25.0	1	07/18/13 10:30	07/18/13 16:16	594-20-7	W
2-Chlorotoluene	<25.0	ug/kg	60.0	25.0	1	07/18/13 10:30	07/18/13 16:16	95-49-8	W
4-Chlorotoluene	<25.0	ug/kg	60.0	25.0	1	07/18/13 10:30	07/18/13 16:16	106-43-4	W
Benzene	<25.0	ug/kg	60.0	25.0	1	07/18/13 10:30	07/18/13 16:16	71-43-2	W
Bromobenzene	<25.0	ug/kg	60.0	25.0	1	07/18/13 10:30	07/18/13 16:16	108-86-1	W
Bromochloromethane	<25.0	ug/kg	60.0	25.0	1	07/18/13 10:30	07/18/13 16:16	74-97-5	W
Bromodichloromethane	<25.0	ug/kg	60.0	25.0	1	07/18/13 10:30	07/18/13 16:16	75-27-4	W
Bromoform	<25.0	ug/kg	60.0	25.0	1	07/18/13 10:30	07/18/13 16:16	75-25-2	W
Bromomethane	<25.0	ug/kg	60.0	25.0	1	07/18/13 10:30	07/18/13 16:16	74-83-9	W
Carbon tetrachloride	<25.0	ug/kg	60.0	25.0	1	07/18/13 10:30	07/18/13 16:16	56-23-5	W
Chlorobenzene	<25.0	ug/kg	60.0	25.0	1	07/18/13 10:30	07/18/13 16:16	108-90-7	W
Chloroethane	<25.0	ug/kg	60.0	25.0	1	07/18/13 10:30	07/18/13 16:16	75-00-3	W
Chloroform	78.3	ug/kg	68.3	28.5	1	07/18/13 10:30	07/18/13 16:16	67-66-3	B
Chloromethane	<25.0	ug/kg	60.0	25.0	1	07/18/13 10:30	07/18/13 16:16	74-87-3	W
Dibromochloromethane	<25.0	ug/kg	60.0	25.0	1	07/18/13 10:30	07/18/13 16:16	124-48-1	W
Dibromomethane	<25.0	ug/kg	60.0	25.0	1	07/18/13 10:30	07/18/13 16:16	74-95-3	W
Dichlorodifluoromethane	<25.0	ug/kg	60.0	25.0	1	07/18/13 10:30	07/18/13 16:16	75-71-8	W
Diisopropyl ether	<25.0	ug/kg	60.0	25.0	1	07/18/13 10:30	07/18/13 16:16	108-20-3	W
Ethylbenzene	<25.0	ug/kg	60.0	25.0	1	07/18/13 10:30	07/18/13 16:16	100-41-4	W
Hexachloro-1,3-butadiene	<25.0	ug/kg	60.0	25.0	1	07/18/13 10:30	07/18/13 16:16	87-68-3	W
Isopropylbenzene (Cumene)	<25.0	ug/kg	60.0	25.0	1	07/18/13 10:30	07/18/13 16:16	98-82-8	W
Methyl-tert-butyl ether	<25.0	ug/kg	60.0	25.0	1	07/18/13 10:30	07/18/13 16:16	1634-04-4	W
Methylene Chloride	<25.0	ug/kg	60.0	25.0	1	07/18/13 10:30	07/18/13 16:16	75-09-2	W
Naphthalene	<25.0	ug/kg	60.0	25.0	1	07/18/13 10:30	07/18/13 16:16	91-20-3	W
Styrene	<25.0	ug/kg	60.0	25.0	1	07/18/13 10:30	07/18/13 16:16	100-42-5	W

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

ANALYTICAL RESULTS

Project: 25212159 HUNN FAMILY TRUST

Pace Project No.: 4081228

Sample: B20-S3 **Lab ID: 4081228019** Collected: 07/12/13 00:00 Received: 07/16/13 10:35 Matrix: Solid

Results reported on a "dry-weight" basis

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Med Level Normal List		Analytical Method: EPA 8260 Preparation Method: EPA 5035/5030B							
Tetrachloroethene	1750	ug/kg	68.3	28.5	1	07/18/13 10:30	07/18/13 16:16	127-18-4	
Toluene	<25.0	ug/kg	60.0	25.0	1	07/18/13 10:30	07/18/13 16:16	108-88-3	W
Trichloroethene	<25.0	ug/kg	60.0	25.0	1	07/18/13 10:30	07/18/13 16:16	79-01-6	W
Trichlorofluoromethane	<25.0	ug/kg	60.0	25.0	1	07/18/13 10:30	07/18/13 16:16	75-69-4	W
Vinyl chloride	<25.0	ug/kg	60.0	25.0	1	07/18/13 10:30	07/18/13 16:16	75-01-4	W
Xylene (Total)	<75.0	ug/kg	180	75.0	1	07/18/13 10:30	07/18/13 16:16	1330-20-7	W
cis-1,2-Dichloroethene	<25.0	ug/kg	60.0	25.0	1	07/18/13 10:30	07/18/13 16:16	156-59-2	W
cis-1,3-Dichloropropene	<25.0	ug/kg	60.0	25.0	1	07/18/13 10:30	07/18/13 16:16	10061-01-5	W
n-Butylbenzene	<25.0	ug/kg	60.0	25.0	1	07/18/13 10:30	07/18/13 16:16	104-51-8	W
n-Propylbenzene	<25.0	ug/kg	60.0	25.0	1	07/18/13 10:30	07/18/13 16:16	103-65-1	W
p-Isopropyltoluene	<25.0	ug/kg	60.0	25.0	1	07/18/13 10:30	07/18/13 16:16	99-87-6	W
sec-Butylbenzene	<25.0	ug/kg	60.0	25.0	1	07/18/13 10:30	07/18/13 16:16	135-98-8	W
tert-Butylbenzene	<25.0	ug/kg	60.0	25.0	1	07/18/13 10:30	07/18/13 16:16	98-06-6	W
trans-1,2-Dichloroethene	<25.0	ug/kg	60.0	25.0	1	07/18/13 10:30	07/18/13 16:16	156-60-5	W
trans-1,3-Dichloropropene	<25.0	ug/kg	60.0	25.0	1	07/18/13 10:30	07/18/13 16:16	10061-02-6	W
Surrogates									
Dibromofluoromethane (S)	91	%	57-130		1	07/18/13 10:30	07/18/13 16:16	1868-53-7	
Toluene-d8 (S)	96	%	54-133		1	07/18/13 10:30	07/18/13 16:16	2037-26-5	
4-Bromofluorobenzene (S)	88	%	49-130		1	07/18/13 10:30	07/18/13 16:16	460-00-4	
Percent Moisture		Analytical Method: ASTM D2974-87							
Percent Moisture	12.1	%	0.10	0.10	1		07/22/13 15:19		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

ANALYTICAL RESULTS

Project: 25212159 HUNN FAMILY TRUST

Pace Project No.: 4081228

Sample: **B20-S5** Lab ID: **4081228020** Collected: 07/12/13 00:00 Received: 07/16/13 10:35 Matrix: Solid

Results reported on a "dry-weight" basis

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Med Level Normal List									
Analytical Method: EPA 8260 Preparation Method: EPA 5035/5030B									
1,1,1,2-Tetrachloroethane	<50.0	ug/kg	120	50.0	2	07/18/13 10:30	07/18/13 19:41	630-20-6	W
1,1,1-Trichloroethane	<50.0	ug/kg	120	50.0	2	07/18/13 10:30	07/18/13 19:41	71-55-6	W
1,1,2,2-Tetrachloroethane	<50.0	ug/kg	120	50.0	2	07/18/13 10:30	07/18/13 19:41	79-34-5	W
1,1,2-Trichloroethane	<50.0	ug/kg	120	50.0	2	07/18/13 10:30	07/18/13 19:41	79-00-5	W
1,1-Dichloroethane	<50.0	ug/kg	120	50.0	2	07/18/13 10:30	07/18/13 19:41	75-34-3	W
1,1-Dichloroethene	<50.0	ug/kg	120	50.0	2	07/18/13 10:30	07/18/13 19:41	75-35-4	W
1,1-Dichloropropene	<50.0	ug/kg	120	50.0	2	07/18/13 10:30	07/18/13 19:41	563-58-6	W
1,2,3-Trichlorobenzene	<50.0	ug/kg	120	50.0	2	07/18/13 10:30	07/18/13 19:41	87-61-6	W
1,2,3-Trichloropropane	<50.0	ug/kg	120	50.0	2	07/18/13 10:30	07/18/13 19:41	96-18-4	W
1,2,4-Trichlorobenzene	<50.0	ug/kg	120	50.0	2	07/18/13 10:30	07/18/13 19:41	120-82-1	W
1,2,4-Trimethylbenzene	<50.0	ug/kg	120	50.0	2	07/18/13 10:30	07/18/13 19:41	95-63-6	W
1,2-Dibromo-3-chloropropane	<99.7	ug/kg	500	99.7	2	07/18/13 10:30	07/18/13 19:41	96-12-8	W
1,2-Dibromoethane (EDB)	<50.0	ug/kg	120	50.0	2	07/18/13 10:30	07/18/13 19:41	106-93-4	W
1,2-Dichlorobenzene	<50.0	ug/kg	120	50.0	2	07/18/13 10:30	07/18/13 19:41	95-50-1	W
1,2-Dichloroethane	<50.0	ug/kg	120	50.0	2	07/18/13 10:30	07/18/13 19:41	107-06-2	W
1,2-Dichloropropane	<50.0	ug/kg	120	50.0	2	07/18/13 10:30	07/18/13 19:41	78-87-5	W
1,3,5-Trimethylbenzene	<50.0	ug/kg	120	50.0	2	07/18/13 10:30	07/18/13 19:41	108-67-8	W
1,3-Dichlorobenzene	<50.0	ug/kg	120	50.0	2	07/18/13 10:30	07/18/13 19:41	541-73-1	W
1,3-Dichloropropane	<50.0	ug/kg	120	50.0	2	07/18/13 10:30	07/18/13 19:41	142-28-9	W
1,4-Dichlorobenzene	<50.0	ug/kg	120	50.0	2	07/18/13 10:30	07/18/13 19:41	106-46-7	W
2,2-Dichloropropane	<50.0	ug/kg	120	50.0	2	07/18/13 10:30	07/18/13 19:41	594-20-7	W
2-Chlorotoluene	<50.0	ug/kg	120	50.0	2	07/18/13 10:30	07/18/13 19:41	95-49-8	W
4-Chlorotoluene	<50.0	ug/kg	120	50.0	2	07/18/13 10:30	07/18/13 19:41	106-43-4	W
Benzene	<50.0	ug/kg	120	50.0	2	07/18/13 10:30	07/18/13 19:41	71-43-2	W
Bromobenzene	<50.0	ug/kg	120	50.0	2	07/18/13 10:30	07/18/13 19:41	108-86-1	W
Bromochloromethane	<50.0	ug/kg	120	50.0	2	07/18/13 10:30	07/18/13 19:41	74-97-5	W
Bromodichloromethane	<50.0	ug/kg	120	50.0	2	07/18/13 10:30	07/18/13 19:41	75-27-4	W
Bromoform	<50.0	ug/kg	120	50.0	2	07/18/13 10:30	07/18/13 19:41	75-25-2	W
Bromomethane	<50.0	ug/kg	120	50.0	2	07/18/13 10:30	07/18/13 19:41	74-83-9	W
Carbon tetrachloride	<50.0	ug/kg	120	50.0	2	07/18/13 10:30	07/18/13 19:41	56-23-5	W
Chlorobenzene	<50.0	ug/kg	120	50.0	2	07/18/13 10:30	07/18/13 19:41	108-90-7	W
Chloroethane	<50.0	ug/kg	120	50.0	2	07/18/13 10:30	07/18/13 19:41	75-00-3	W
Chloroform	97.9J	ug/kg	137	56.9	2	07/18/13 10:30	07/18/13 19:41	67-66-3	B
Chloromethane	<50.0	ug/kg	120	50.0	2	07/18/13 10:30	07/18/13 19:41	74-87-3	W
Dibromochloromethane	<50.0	ug/kg	120	50.0	2	07/18/13 10:30	07/18/13 19:41	124-48-1	W
Dibromomethane	<50.0	ug/kg	120	50.0	2	07/18/13 10:30	07/18/13 19:41	74-95-3	W
Dichlorodifluoromethane	<50.0	ug/kg	120	50.0	2	07/18/13 10:30	07/18/13 19:41	75-71-8	W
Diisopropyl ether	<50.0	ug/kg	120	50.0	2	07/18/13 10:30	07/18/13 19:41	108-20-3	W
Ethylbenzene	<50.0	ug/kg	120	50.0	2	07/18/13 10:30	07/18/13 19:41	100-41-4	W
Hexachloro-1,3-butadiene	<50.0	ug/kg	120	50.0	2	07/18/13 10:30	07/18/13 19:41	87-68-3	W
Isopropylbenzene (Cumene)	<50.0	ug/kg	120	50.0	2	07/18/13 10:30	07/18/13 19:41	98-82-8	W
Methyl-tert-butyl ether	<50.0	ug/kg	120	50.0	2	07/18/13 10:30	07/18/13 19:41	1634-04-4	W
Methylene Chloride	<50.0	ug/kg	120	50.0	2	07/18/13 10:30	07/18/13 19:41	75-09-2	W
Naphthalene	<50.0	ug/kg	120	50.0	2	07/18/13 10:30	07/18/13 19:41	91-20-3	W
Styrene	<50.0	ug/kg	120	50.0	2	07/18/13 10:30	07/18/13 19:41	100-42-5	W

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

ANALYTICAL RESULTS

Project: 25212159 HUNN FAMILY TRUST

Pace Project No.: 4081228

Sample: B20-S5 **Lab ID: 4081228020** Collected: 07/12/13 00:00 Received: 07/16/13 10:35 Matrix: Solid

Results reported on a "dry-weight" basis

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Med Level Normal List		Analytical Method: EPA 8260 Preparation Method: EPA 5035/5030B							
Tetrachloroethene	6190	ug/kg	137	56.9	2	07/18/13 10:30	07/18/13 19:41	127-18-4	
Toluene	<50.0	ug/kg	120	50.0	2	07/18/13 10:30	07/18/13 19:41	108-88-3	W
Trichloroethene	167	ug/kg	137	56.9	2	07/18/13 10:30	07/18/13 19:41	79-01-6	
Trichlorofluoromethane	<50.0	ug/kg	120	50.0	2	07/18/13 10:30	07/18/13 19:41	75-69-4	W
Vinyl chloride	<50.0	ug/kg	120	50.0	2	07/18/13 10:30	07/18/13 19:41	75-01-4	W
Xylene (Total)	<150	ug/kg	360	150	2	07/18/13 10:30	07/18/13 19:41	1330-20-7	W
cis-1,2-Dichloroethene	<50.0	ug/kg	120	50.0	2	07/18/13 10:30	07/18/13 19:41	156-59-2	W
cis-1,3-Dichloropropene	<50.0	ug/kg	120	50.0	2	07/18/13 10:30	07/18/13 19:41	10061-01-5	W
n-Butylbenzene	<50.0	ug/kg	120	50.0	2	07/18/13 10:30	07/18/13 19:41	104-51-8	W
n-Propylbenzene	<50.0	ug/kg	120	50.0	2	07/18/13 10:30	07/18/13 19:41	103-65-1	W
p-Isopropyltoluene	<50.0	ug/kg	120	50.0	2	07/18/13 10:30	07/18/13 19:41	99-87-6	W
sec-Butylbenzene	<50.0	ug/kg	120	50.0	2	07/18/13 10:30	07/18/13 19:41	135-98-8	W
tert-Butylbenzene	<50.0	ug/kg	120	50.0	2	07/18/13 10:30	07/18/13 19:41	98-06-6	W
trans-1,2-Dichloroethene	<50.0	ug/kg	120	50.0	2	07/18/13 10:30	07/18/13 19:41	156-60-5	W
trans-1,3-Dichloropropene	<50.0	ug/kg	120	50.0	2	07/18/13 10:30	07/18/13 19:41	10061-02-6	W
Surrogates									
Dibromofluoromethane (S)	105	%	57-130		2	07/18/13 10:30	07/18/13 19:41	1868-53-7	
Toluene-d8 (S)	109	%	54-133		2	07/18/13 10:30	07/18/13 19:41	2037-26-5	
4-Bromofluorobenzene (S)	103	%	49-130		2	07/18/13 10:30	07/18/13 19:41	460-00-4	
Percent Moisture		Analytical Method: ASTM D2974-87							
Percent Moisture	12.2	%	0.10	0.10	1		07/22/13 15:20		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

QUALITY CONTROL DATA

Project: 25212159 HUNN FAMILY TRUST

Pace Project No.: 4081228

QC Batch: MSV/20542 Analysis Method: EPA 8260
 QC Batch Method: EPA 5035/5030B Analysis Description: 8260 MSV Med Level Normal List
 Associated Lab Samples: 4081228001, 4081228002, 4081228003, 4081228004, 4081228005, 4081228006, 4081228007, 4081228008,
 4081228009, 4081228010, 4081228011, 4081228012, 4081228013, 4081228014, 4081228015, 4081228016,
 4081228017, 4081228018

METHOD BLANK: 824629 Matrix: Solid

Associated Lab Samples: 4081228001, 4081228002, 4081228003, 4081228004, 4081228005, 4081228006, 4081228007, 4081228008,
 4081228009, 4081228010, 4081228011, 4081228012, 4081228013, 4081228014, 4081228015, 4081228016,
 4081228017, 4081228018

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
1,1,1,2-Tetrachloroethane	ug/kg	<25.0	60.0	07/17/13 17:08	
1,1,1-Trichloroethane	ug/kg	<25.0	60.0	07/17/13 17:08	
1,1,2,2-Tetrachloroethane	ug/kg	<25.0	60.0	07/17/13 17:08	
1,1,2-Trichloroethane	ug/kg	<25.0	60.0	07/17/13 17:08	
1,1-Dichloroethane	ug/kg	<25.0	60.0	07/17/13 17:08	
1,1-Dichloropropene	ug/kg	<25.0	60.0	07/17/13 17:08	
1,2,3-Trichlorobenzene	ug/kg	<25.0	60.0	07/17/13 17:08	
1,2,3-Trichloropropane	ug/kg	<25.0	60.0	07/17/13 17:08	
1,2,4-Trichlorobenzene	ug/kg	<25.0	60.0	07/17/13 17:08	
1,2,4-Trimethylbenzene	ug/kg	<25.0	60.0	07/17/13 17:08	
1,2-Dibromo-3-chloropropane	ug/kg	<49.8	250	07/17/13 17:08	
1,2-Dibromoethane (EDB)	ug/kg	<25.0	60.0	07/17/13 17:08	
1,2-Dichlorobenzene	ug/kg	<25.0	60.0	07/17/13 17:08	
1,2-Dichloroethane	ug/kg	<25.0	60.0	07/17/13 17:08	
1,2-Dichloropropane	ug/kg	<25.0	60.0	07/17/13 17:08	
1,3,5-Trimethylbenzene	ug/kg	<25.0	60.0	07/17/13 17:08	
1,3-Dichlorobenzene	ug/kg	<25.0	60.0	07/17/13 17:08	
1,3-Dichloropropane	ug/kg	<25.0	60.0	07/17/13 17:08	
1,4-Dichlorobenzene	ug/kg	<25.0	60.0	07/17/13 17:08	
2,2-Dichloropropane	ug/kg	<25.0	60.0	07/17/13 17:08	
2-Chlorotoluene	ug/kg	<25.0	60.0	07/17/13 17:08	
4-Chlorotoluene	ug/kg	<25.0	60.0	07/17/13 17:08	
Benzene	ug/kg	<25.0	60.0	07/17/13 17:08	
Bromobenzene	ug/kg	<25.0	60.0	07/17/13 17:08	
Bromochloromethane	ug/kg	<25.0	60.0	07/17/13 17:08	
Bromodichloromethane	ug/kg	<25.0	60.0	07/17/13 17:08	
Bromoform	ug/kg	<25.0	60.0	07/17/13 17:08	
Bromomethane	ug/kg	<25.0	60.0	07/17/13 17:08	
Carbon tetrachloride	ug/kg	<25.0	60.0	07/17/13 17:08	
Chlorobenzene	ug/kg	<25.0	60.0	07/17/13 17:08	
Chloroethane	ug/kg	<25.0	60.0	07/17/13 17:08	
Chloroform	ug/kg	<25.0	60.0	07/17/13 17:08	
Chloromethane	ug/kg	<25.0	60.0	07/17/13 17:08	
cis-1,2-Dichloroethene	ug/kg	<25.0	60.0	07/17/13 17:08	
cis-1,3-Dichloropropene	ug/kg	<25.0	60.0	07/17/13 17:08	
Dibromochloromethane	ug/kg	<25.0	60.0	07/17/13 17:08	
Dibromomethane	ug/kg	<25.0	60.0	07/17/13 17:08	
Dichlorodifluoromethane	ug/kg	<25.0	60.0	07/17/13 17:08	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

QUALITY CONTROL DATA

Project: 25212159 HUNN FAMILY TRUST

Project No.: 4081228

METHOD BLANK: 824629

Matrix: Solid

Associated Lab Samples: 4081228001, 4081228002, 4081228003, 4081228004, 4081228005, 4081228006, 4081228007, 4081228008, 4081228009, 4081228010, 4081228011, 4081228012, 4081228013, 4081228014, 4081228015, 4081228016, 4081228017, 4081228018

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
Diisopropyl ether	ug/kg	<25.0	60.0	07/17/13 17:08	
Ethylbenzene	ug/kg	<25.0	60.0	07/17/13 17:08	
Hexachloro-1,3-butadiene	ug/kg	<25.0	60.0	07/17/13 17:08	
Isopropylbenzene (Cumene)	ug/kg	<25.0	60.0	07/17/13 17:08	
Methyl-tert-butyl ether	ug/kg	<25.0	60.0	07/17/13 17:08	
Methylene Chloride	ug/kg	<25.0	60.0	07/17/13 17:08	
n-Butylbenzene	ug/kg	<25.0	60.0	07/17/13 17:08	
n-Propylbenzene	ug/kg	<25.0	60.0	07/17/13 17:08	
Naphthalene	ug/kg	<25.0	60.0	07/17/13 17:08	
p-Isopropyltoluene	ug/kg	<25.0	60.0	07/17/13 17:08	
sec-Butylbenzene	ug/kg	<25.0	60.0	07/17/13 17:08	
Styrene	ug/kg	<25.0	60.0	07/17/13 17:08	
tert-Butylbenzene	ug/kg	<25.0	60.0	07/17/13 17:08	
Tetrachloroethene	ug/kg	<25.0	60.0	07/17/13 17:08	
Toluene	ug/kg	<25.0	60.0	07/17/13 17:08	
trans-1,2-Dichloroethene	ug/kg	<25.0	60.0	07/17/13 17:08	
trans-1,3-Dichloropropene	ug/kg	<25.0	60.0	07/17/13 17:08	
Trichloroethene	ug/kg	<25.0	60.0	07/17/13 17:08	
Trichlorofluoromethane	ug/kg	<25.0	60.0	07/17/13 17:08	
Vinyl chloride	ug/kg	<25.0	60.0	07/17/13 17:08	
Xylene (Total)	ug/kg	<75.0	180	07/17/13 17:08	
4-Bromofluorobenzene (S)	%	95	49-130	07/17/13 17:08	
Dibromofluoromethane (S)	%	95	57-130	07/17/13 17:08	
Toluene-d8 (S)	%	94	54-133	07/17/13 17:08	

LABORATORY CONTROL SAMPLE & LCSD: 824630

824631

Parameter	Units	Spike Conc.	LCS Result	LCSD Result	LCS % Rec	LCSD % Rec	% Rec Limits	RPD	Max RPD	Qualifiers
1,1,1-Trichloroethane	ug/kg	2500	2440	2470	98	99	70-130	1	20	
1,1,2,2-Tetrachloroethane	ug/kg	2500	2460	2460	98	98	70-130	0	20	
1,1,2-Trichloroethane	ug/kg	2500	2210	2290	88	92	70-130	4	20	
1,1-Dichloroethane	ug/kg	2500	2210	2250	88	90	70-130	2	20	
1,1-Dichloroethene	ug/kg	2500	2300	2340	92	94	64-130	2	20	
1,2,4-Trichlorobenzene	ug/kg	2500	2470	2470	99	99	68-130	0	20	
1,2-Dibromo-3-chloropropane	ug/kg	2500	1870	1800	75	72	50-150	4	20	
1,2-Dibromoethane (EDB)	ug/kg	2500	2340	2380	94	95	70-130	2	20	
1,2-Dichlorobenzene	ug/kg	2500	2670	2640	107	106	70-130	1	20	
1,2-Dichloroethane	ug/kg	2500	2320	2470	93	99	70-130	6	20	
1,2-Dichloropropane	ug/kg	2500	2140	2250	85	90	70-130	5	20	
1,3-Dichlorobenzene	ug/kg	2500	2560	2470	102	99	70-130	4	20	
1,4-Dichlorobenzene	ug/kg	2500	2490	2470	100	99	70-130	1	20	
Benzene	ug/kg	2500	2320	2320	93	93	70-130	0	20	
Bromodichloromethane	ug/kg	2500	2250	2180	90	87	70-130	3	20	
Bromoform	ug/kg	2500	2010	2160	80	86	63-130	7	20	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

QUALITY CONTROL DATA

Project: 25212159 HUNN FAMILY TRUST

Pace Project No.: 4081228

LABORATORY CONTROL SAMPLE & LCSD:		824630	824631								
Parameter	Units	Spike Conc.	LCS Result	LCSD Result	LCS % Rec	LCSD % Rec	% Rec Limits	RPD	Max RPD	Qualifiers	
Bromomethane	ug/kg	2500	3410	3630	136	145	41-142	6	20	L0	
Carbon tetrachloride	ug/kg	2500	2180	2160	87	87	70-130	1	20		
Chlorobenzene	ug/kg	2500	2420	2460	97	98	70-130	2	20		
Chloroethane	ug/kg	2500	3430	3420	137	137	57-130	1	20	L0	
Chloroform	ug/kg	2500	2650	2650	106	106	70-130	0	20		
Chloromethane	ug/kg	2500	2130	2160	85	86	57-130	2	20		
cis-1,2-Dichloroethene	ug/kg	2500	2230	2270	89	91	70-130	2	20		
cis-1,3-Dichloropropene	ug/kg	2500	2030	2000	81	80	70-130	1	20		
Dibromochloromethane	ug/kg	2500	2230	2330	89	93	70-130	4	20		
Dichlorodifluoromethane	ug/kg	2500	1990	2120	80	85	31-150	6	20		
Ethylbenzene	ug/kg	2500	2390	2380	96	95	65-137	0	20		
Isopropylbenzene (Cumene)	ug/kg	2500	2460	2420	98	97	70-130	2	20		
Methyl-tert-butyl ether	ug/kg	2500	2160	2230	86	89	69-130	3	20		
Methylene Chloride	ug/kg	2500	2260	2330	90	93	70-130	3	20		
Styrene	ug/kg	2500	2380	2370	95	95	69-130	1	20		
Tetrachloroethene	ug/kg	2500	2460	2520	99	101	70-130	2	20		
Toluene	ug/kg	2500	2430	2420	97	97	70-130	0	20		
trans-1,2-Dichloroethene	ug/kg	2500	2250	2290	90	92	70-130	2	20		
trans-1,3-Dichloropropene	ug/kg	2500	2100	2130	84	85	70-130	1	20		
Trichloroethene	ug/kg	2500	2490	2380	100	95	70-130	5	20		
Trichlorofluoromethane	ug/kg	2500	2450	2420	98	97	50-150	1	20		
Vinyl chloride	ug/kg	2500	2230	2290	89	92	57-130	3	20		
Xylene (Total)	ug/kg	7500	7380	7360	98	98	65-138	0	20		
4-Bromofluorobenzene (S)	%				101	103	49-130				
Dibromofluoromethane (S)	%				115	117	57-130				
Toluene-d8 (S)	%				99	97	54-133				

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

QUALITY CONTROL DATA

Project: 25212159 HUNN FAMILY TRUST
Pace Project No.: 4081228

QC Batch: MSV/20551 Analysis Method: EPA 8260
QC Batch Method: EPA 5035/5030B Analysis Description: 8260 MSV Med Level Normal List
Associated Lab Samples: 4081228019, 4081228020

METHOD BLANK: 825148 Matrix: Solid
Associated Lab Samples: 4081228019, 4081228020

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
1,1,1,2-Tetrachloroethane	ug/kg	<25.0	60.0	07/18/13 12:03	
1,1,1-Trichloroethane	ug/kg	<25.0	60.0	07/18/13 12:03	
1,1,2,2-Tetrachloroethane	ug/kg	<25.0	60.0	07/18/13 12:03	
1,1,2-Trichloroethane	ug/kg	<25.0	60.0	07/18/13 12:03	
1,1-Dichloroethane	ug/kg	<25.0	60.0	07/18/13 12:03	
1,1-Dichloroethene	ug/kg	<25.0	60.0	07/18/13 12:03	
1,1-Dichloropropene	ug/kg	<25.0	60.0	07/18/13 12:03	
1,2,3-Trichlorobenzene	ug/kg	<25.0	60.0	07/18/13 12:03	
1,2,3-Trichloropropane	ug/kg	<25.0	60.0	07/18/13 12:03	
1,2,4-Trichlorobenzene	ug/kg	<25.0	60.0	07/18/13 12:03	
1,2,4-Trimethylbenzene	ug/kg	<25.0	60.0	07/18/13 12:03	
1,2-Dibromo-3-chloropropane	ug/kg	<49.8	250	07/18/13 12:03	
1,2-Dibromoethane (EDB)	ug/kg	<25.0	60.0	07/18/13 12:03	
1,2-Dichlorobenzene	ug/kg	<25.0	60.0	07/18/13 12:03	
1,2-Dichloroethane	ug/kg	<25.0	60.0	07/18/13 12:03	
1,2-Dichloropropane	ug/kg	<25.0	60.0	07/18/13 12:03	
1,3,5-Trimethylbenzene	ug/kg	<25.0	60.0	07/18/13 12:03	
1,3-Dichlorobenzene	ug/kg	<25.0	60.0	07/18/13 12:03	
1,3-Dichloropropane	ug/kg	<25.0	60.0	07/18/13 12:03	
1,4-Dichlorobenzene	ug/kg	<25.0	60.0	07/18/13 12:03	
2,2-Dichloropropane	ug/kg	<25.0	60.0	07/18/13 12:03	
2-Chlorotoluene	ug/kg	<25.0	60.0	07/18/13 12:03	
4-Chlorotoluene	ug/kg	<25.0	60.0	07/18/13 12:03	
Benzene	ug/kg	<25.0	60.0	07/18/13 12:03	
Bromobenzene	ug/kg	<25.0	60.0	07/18/13 12:03	
Bromochloromethane	ug/kg	<25.0	60.0	07/18/13 12:03	
Bromodichloromethane	ug/kg	<25.0	60.0	07/18/13 12:03	
Bromoform	ug/kg	<25.0	60.0	07/18/13 12:03	
Bromomethane	ug/kg	<25.0	60.0	07/18/13 12:03	
Carbon tetrachloride	ug/kg	<25.0	60.0	07/18/13 12:03	
Chlorobenzene	ug/kg	<25.0	60.0	07/18/13 12:03	
Chloroethane	ug/kg	<25.0	60.0	07/18/13 12:03	
Chloroform	ug/kg	26.4J	60.0	07/18/13 12:03	
Chloromethane	ug/kg	<25.0	60.0	07/18/13 12:03	
cis-1,2-Dichloroethene	ug/kg	<25.0	60.0	07/18/13 12:03	
cis-1,3-Dichloropropene	ug/kg	<25.0	60.0	07/18/13 12:03	
Dibromochloromethane	ug/kg	<25.0	60.0	07/18/13 12:03	
Dibromomethane	ug/kg	<25.0	60.0	07/18/13 12:03	
Dichlorodifluoromethane	ug/kg	<25.0	60.0	07/18/13 12:03	
Diisopropyl ether	ug/kg	<25.0	60.0	07/18/13 12:03	
Ethylbenzene	ug/kg	<25.0	60.0	07/18/13 12:03	
Hexachloro-1,3-butadiene	ug/kg	<25.0	60.0	07/18/13 12:03	
Isopropylbenzene (Cumene)	ug/kg	<25.0	60.0	07/18/13 12:03	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

QUALITY CONTROL DATA

Project: 25212159 HUNN FAMILY TRUST
Pace Project No.: 4081228

METHOD BLANK: 825148 Matrix: Solid

Associated Lab Samples: 4081228019, 4081228020

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
Methyl-tert-butyl ether	ug/kg	<25.0	60.0	07/18/13 12:03	
Methylene Chloride	ug/kg	<25.0	60.0	07/18/13 12:03	
n-Butylbenzene	ug/kg	<25.0	60.0	07/18/13 12:03	
n-Propylbenzene	ug/kg	<25.0	60.0	07/18/13 12:03	
Naphthalene	ug/kg	<25.0	60.0	07/18/13 12:03	
p-Isopropyltoluene	ug/kg	<25.0	60.0	07/18/13 12:03	
sec-Butylbenzene	ug/kg	<25.0	60.0	07/18/13 12:03	
Styrene	ug/kg	<25.0	60.0	07/18/13 12:03	
tert-Butylbenzene	ug/kg	<25.0	60.0	07/18/13 12:03	
Tetrachloroethene	ug/kg	<25.0	60.0	07/18/13 12:03	
Toluene	ug/kg	<25.0	60.0	07/18/13 12:03	
trans-1,2-Dichloroethene	ug/kg	<25.0	60.0	07/18/13 12:03	
trans-1,3-Dichloropropene	ug/kg	<25.0	60.0	07/18/13 12:03	
Trichloroethene	ug/kg	<25.0	60.0	07/18/13 12:03	
Trichlorofluoromethane	ug/kg	<25.0	60.0	07/18/13 12:03	
Vinyl chloride	ug/kg	<25.0	60.0	07/18/13 12:03	
Xylene (Total)	ug/kg	<75.0	180	07/18/13 12:03	
4-Bromofluorobenzene (S)	%	100	49-130	07/18/13 12:03	
Dibromofluoromethane (S)	%	103	57-130	07/18/13 12:03	
Toluene-d8 (S)	%	105	54-133	07/18/13 12:03	

LABORATORY CONTROL SAMPLE & LCSD: 825149 825150

Parameter	Units	Spike Conc.	LCS Result	LCSD Result	LCS % Rec	LCSD % Rec	% Rec Limits	RPD	Max RPD	Qualifiers
1,1,1-Trichloroethane	ug/kg	2500	2180	2150	87	86	70-130	2	20	
1,1,2,2-Tetrachloroethane	ug/kg	2500	2520	2500	101	100	70-130	1	20	
1,1,2-Trichloroethane	ug/kg	2500	2250	2200	90	88	70-130	2	20	
1,1-Dichloroethane	ug/kg	2500	1840	1840	74	74	70-130	0	20	
1,1-Dichloroethene	ug/kg	2500	2080	1960	83	78	64-130	6	20	
1,2,4-Trichlorobenzene	ug/kg	2500	2530	2470	101	99	68-130	2	20	
1,2-Dibromo-3-chloropropane	ug/kg	2500	1900	2110	76	84	50-150	11	20	
1,2-Dibromoethane (EDB)	ug/kg	2500	2340	2340	94	94	70-130	0	20	
1,2-Dichlorobenzene	ug/kg	2500	2640	2570	106	103	70-130	3	20	
1,2-Dichloroethane	ug/kg	2500	2050	2010	82	80	70-130	2	20	
1,2-Dichloropropane	ug/kg	2500	2360	2210	95	88	70-130	7	20	
1,3-Dichlorobenzene	ug/kg	2500	2470	2370	99	95	70-130	4	20	
1,4-Dichlorobenzene	ug/kg	2500	2510	2410	100	96	70-130	4	20	
Benzene	ug/kg	2500	1980	2010	79	80	70-130	1	20	
Bromodichloromethane	ug/kg	2500	2170	2150	87	86	70-130	1	20	
Bromoform	ug/kg	2500	2180	2160	87	86	63-130	1	20	
Bromomethane	ug/kg	2500	3240	3270	130	131	41-142	1	20	
Carbon tetrachloride	ug/kg	2500	2140	1810	86	72	70-130	17	20	
Chlorobenzene	ug/kg	2500	2440	2330	97	93	70-130	4	20	
Chloroethane	ug/kg	2500	3240	2830	129	113	57-130	13	20	
Chloroform	ug/kg	2500	2230	2200	89	88	70-130	1	20	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

QUALITY CONTROL DATA

Project: 25212159 HUNN FAMILY TRUST

Pace Project No.: 4081228

LABORATORY CONTROL SAMPLE & LCSD: 825149		825150								
Parameter	Units	Spike Conc.	LCS Result	LCSD Result	LCS % Rec	LCSD % Rec	% Rec Limits	RPD	Max RPD	Qualifiers
Chloromethane	ug/kg	2500	1880	1810	75	72	57-130	4	20	
cis-1,2-Dichloroethene	ug/kg	2500	1900	1860	76	74	70-130	3	20	
cis-1,3-Dichloropropene	ug/kg	2500	2050	2020	82	81	70-130	2	20	
Dibromochloromethane	ug/kg	2500	2270	2210	91	89	70-130	2	20	
Dichlorodifluoromethane	ug/kg	2500	1840	1730	73	69	31-150	6	20	
Ethylbenzene	ug/kg	2500	2410	2280	97	91	65-137	5	20	
Isopropylbenzene (Cumene)	ug/kg	2500	2430	2310	97	92	70-130	5	20	
Methyl-tert-butyl ether	ug/kg	2500	1900	1900	76	76	69-130	0	20	
Methylene Chloride	ug/kg	2500	2010	1930	81	77	70-130	4	20	
Styrene	ug/kg	2500	2390	2290	95	92	69-130	4	20	
Tetrachloroethene	ug/kg	2500	2550	2380	102	95	70-130	7	20	
Toluene	ug/kg	2500	2410	2260	97	90	70-130	7	20	
trans-1,2-Dichloroethene	ug/kg	2500	1960	1940	78	78	70-130	1	20	
trans-1,3-Dichloropropene	ug/kg	2500	2120	2090	85	84	70-130	1	20	
Trichloroethene	ug/kg	2500	2490	2450	99	98	70-130	1	20	
Trichlorofluoromethane	ug/kg	2500	2150	2150	86	86	50-150	0	20	
Vinyl chloride	ug/kg	2500	1950	1910	78	76	57-130	2	20	
Xylene (Total)	ug/kg	7500	7380	7050	98	94	65-138	5	20	
4-Bromofluorobenzene (S)	%				103	98	49-130			
Dibromofluoromethane (S)	%				105	108	57-130			
Toluene-d8 (S)	%				102	98	54-133			

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

QUALITY CONTROL DATA

Project: 25212159 HUNN FAMILY TRUST
Pace Project No.: 4081228

QC Batch: PMST/8671 Analysis Method: ASTM D2974-87
QC Batch Method: ASTM D2974-87 Analysis Description: Dry Weight/Percent Moisture
Associated Lab Samples: 4081228001, 4081228002, 4081228003, 4081228004, 4081228005, 4081228006, 4081228007, 4081228008,
4081228009, 4081228010, 4081228011, 4081228012, 4081228013, 4081228014, 4081228015

SAMPLE DUPLICATE: 826227

Parameter	Units	4081227006 Result	Dup Result	RPD	Max RPD	Qualifiers
Percent Moisture	%	4.4	4.6	4	10	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

QUALITY CONTROL DATA

Project: 25212159 HUNN FAMILY TRUST

Pace Project No.: 4081228

QC Batch: PMST/8674 Analysis Method: ASTM D2974-87
QC Batch Method: ASTM D2974-87 Analysis Description: Dry Weight/Percent Moisture
Associated Lab Samples: 4081228016, 4081228017, 4081228018, 4081228019, 4081228020

SAMPLE DUPLICATE: 826950

Parameter	Units	4081228020 Result	Dup Result	RPD	Max RPD	Qualifiers
Percent Moisture	%	12.2	12.4	2	10	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

QUALIFIERS

Project: 25212159 HUNN FAMILY TRUST
Pace Project No.: 4081228

DEFINITIONS

DF - Dilution Factor, if reported, represents the factor applied to the reported data due to changes in sample preparation, dilution of the sample aliquot, or moisture content.

ND - Not Detected at or above adjusted reporting limit.

J - Estimated concentration above the adjusted method detection limit and below the adjusted reporting limit.

MDL - Adjusted Method Detection Limit.

PRL - Pace Reporting Limit.

RL - Reporting Limit.

S - Surrogate

1,2-Diphenylhydrazine (8270 listed analyte) decomposes to Azobenzene.

Consistent with EPA guidelines, unrounded data are displayed and have been used to calculate % recovery and RPD values.

LCS(D) - Laboratory Control Sample (Duplicate)

MS(D) - Matrix Spike (Duplicate)

DUP - Sample Duplicate

RPD - Relative Percent Difference

NC - Not Calculable.

SG - Silica Gel - Clean-Up

U - Indicates the compound was analyzed for, but not detected.

N-Nitrosodiphenylamine decomposes and cannot be separated from Diphenylamine using Method 8270. The result reported for each analyte is a combined concentration.

Pace Analytical is TNI accredited. Contact your Pace PM for the current list of accredited analytes.

TNI - The NELAC Institute.

LABORATORIES

PASI-G Pace Analytical Services - Green Bay

BATCH QUALIFIERS

Batch: MSV/20545

[M5] A matrix spike/matrix spike duplicate was not performed for this batch due to insufficient sample volume.

Batch: MSV/20552

[M5] A matrix spike/matrix spike duplicate was not performed for this batch due to insufficient sample volume.

ANALYTE QUALIFIERS

1q Continue calibration verification (CCV) for this compound is outside of method control limits. Analyte presence below reporting limits; results unaffected by high bias.

B Analyte was detected in the associated method blank.

L0 Analyte recovery in the laboratory control sample (LCS) was outside QC limits.

L3 Analyte recovery in the laboratory control sample (LCS) exceeded QC limits. Analyte presence below reporting limits in associated samples. Results unaffected by high bias.

S4 Surrogate recovery not evaluated against control limits due to sample dilution.

W Non-detect results are reported on a wet weight basis.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

QUALITY CONTROL DATA CROSS REFERENCE TABLE

Project: 25212159 HUNN FAMILY TRUST

Pace Project No.: 4081228

Lab ID	Sample ID	QC Batch Method	QC Batch	Analytical Method	Analytical Batch
4081228001	B12-S1	EPA 5035/5030B	MSV/20542	EPA 8260	MSV/20545
4081228002	B12-S7	EPA 5035/5030B	MSV/20542	EPA 8260	MSV/20545
4081228003	B17-S1	EPA 5035/5030B	MSV/20542	EPA 8260	MSV/20545
4081228004	B17-S6	EPA 5035/5030B	MSV/20542	EPA 8260	MSV/20545
4081228005	B16-S1	EPA 5035/5030B	MSV/20542	EPA 8260	MSV/20545
4081228006	B16-S6	EPA 5035/5030B	MSV/20542	EPA 8260	MSV/20545
4081228007	B18-S1	EPA 5035/5030B	MSV/20542	EPA 8260	MSV/20545
4081228008	B18-S10	EPA 5035/5030B	MSV/20542	EPA 8260	MSV/20545
4081228009	B15-S1	EPA 5035/5030B	MSV/20542	EPA 8260	MSV/20545
4081228010	B15-S4	EPA 5035/5030B	MSV/20542	EPA 8260	MSV/20545
4081228011	B14-S2	EPA 5035/5030B	MSV/20542	EPA 8260	MSV/20545
4081228012	B14-S6	EPA 5035/5030B	MSV/20542	EPA 8260	MSV/20545
4081228013	B19-S1	EPA 5035/5030B	MSV/20542	EPA 8260	MSV/20545
4081228014	B19-S3	EPA 5035/5030B	MSV/20542	EPA 8260	MSV/20545
4081228015	B7-S2	EPA 5035/5030B	MSV/20542	EPA 8260	MSV/20545
4081228016	B7-S7	EPA 5035/5030B	MSV/20542	EPA 8260	MSV/20545
4081228017	B21-S3	EPA 5035/5030B	MSV/20542	EPA 8260	MSV/20545
4081228018	B21-S7	EPA 5035/5030B	MSV/20542	EPA 8260	MSV/20545
4081228019	B20-S3	EPA 5035/5030B	MSV/20551	EPA 8260	MSV/20552
4081228020	B20-S5	EPA 5035/5030B	MSV/20551	EPA 8260	MSV/20552
4081228001	B12-S1	ASTM D2974-87	PMST/8671		
4081228002	B12-S7	ASTM D2974-87	PMST/8671		
4081228003	B17-S1	ASTM D2974-87	PMST/8671		
4081228004	B17-S6	ASTM D2974-87	PMST/8671		
4081228005	B16-S1	ASTM D2974-87	PMST/8671		
4081228006	B16-S6	ASTM D2974-87	PMST/8671		
4081228007	B18-S1	ASTM D2974-87	PMST/8671		
4081228008	B18-S10	ASTM D2974-87	PMST/8671		
4081228009	B15-S1	ASTM D2974-87	PMST/8671		
4081228010	B15-S4	ASTM D2974-87	PMST/8671		
4081228011	B14-S2	ASTM D2974-87	PMST/8671		
4081228012	B14-S6	ASTM D2974-87	PMST/8671		
4081228013	B19-S1	ASTM D2974-87	PMST/8671		
4081228014	B19-S3	ASTM D2974-87	PMST/8671		
4081228015	B7-S2	ASTM D2974-87	PMST/8671		
4081228016	B7-S7	ASTM D2974-87	PMST/8674		
4081228017	B21-S3	ASTM D2974-87	PMST/8674		
4081228018	B21-S7	ASTM D2974-87	PMST/8674		
4081228019	B20-S3	ASTM D2974-87	PMST/8674		
4081228020	B20-S5	ASTM D2974-87	PMST/8674		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

(Please Print Clearly)

Company Name: **SCS**
 Branch/Location: **Madison**
 Project Contact: **Tony K.**
 Phone: **608-216-7381**
 Project Number: **25212159.00**
 Project Name: **Hunn Family Trust**
 Project State: **WI**
 Sampled By (Print): **Tony Kolasch**
 Sampled By (Sign): *[Signature]*
 PO #: _____ Regulatory Program: _____



UPPER MIDWEST REGION
 MN: 612-607-1700 WI: 920-469-2436

4081228

CHAIN OF CUSTODY

*Preservation Codes
 A=None B=HCL C=H2SO4 D=HNO3 E=DI Water F=Methanol G=NaOH
 H=Sodium Bisulfate Solution I=Sodium Thiosulfate J=Other

FILTERED?
(YES/NO)
 PRESERVATION
(CODE)*

Y/N	Pick Letter	Analysis Requested																	
N	F	VOC																	
		% Solids																	

Quote #: _____
 Mail To Contact: **Tony K**
 Mail To Company: **SCS**
 Mail To Address: **2830 Dairy Dr
 Madison WI 53718**
 Invoice To Contact: _____
 Invoice To Company: _____
 Invoice To Address: _____
 Invoice To Phone: _____
 CLIENT COMMENTS: _____
 LAB COMMENTS (Lab Use Only): _____
 Profile #: _____

Data Package Options (billable)
 EPA Level III
 EPA Level IV

MS/MSD
 On your sample (billable)
 NOT needed on your sample

Matrix Codes
 A = Air W = Water
 B = Biota DW = Drinking Water
 C = Charcoal GW = Ground Water
 O = Oil SW = Surface Water
 S = Soil WW = Waste Water
 SI = Sludge WP = Wipe

PACE LAB #	CLIENT FIELD ID	COLLECTION		MATRIX	Analysis Requested	VOC	% Solids													
		DATE	TIME																	
001	B12-S1	7/11/13	0850	S		X	X													
002	B12-S7	7/11	0910	S		X	X													
003	B17-S1	7/11	Am	S		X	X													
004	B17-S6	7/11	Am	S		X	X													
005	B16-S1	7/11	Am	S		X	X													
006	B16-S6	7/11	Am	S		X	X													
007	B18-S1	7/11	Am	S		X	X													
008	B18-S10	7/11	Am	S		X	X													
009	B15-S1	7/11	Pm	S		X	X													
010	B15-S4	7/11	Pm	S		X	X													
011	B14-S2	7/11	Pm	S		X	X													
012	B14-S6	7/11	Pm	S		X	X													
013	B19-S1	7/11	Pm	S		X	X													

Rush Turnaround Time Requested - Prelims (Rush TAT subject to approval/surcharge)
 Date Needed: _____

Transmit Prelim Rush Results by (complete what you want): _____

Email #1: _____
 Email #2: _____
 Telephone: _____
 Fax: _____

Samples on HOLD are subject to special pricing and release of liability

Relinquished By: _____ Date/Time: _____
 Received By: _____ Date/Time: _____

Relinquished By: *[Signature]* 7/16/13 1035
 Received By: *[Signature]* 7/16/13 1035

Relinquished By: _____ Date/Time: _____
 Received By: _____ Date/Time: _____

Relinquished By: _____ Date/Time: _____
 Received By: _____ Date/Time: _____

Relinquished By: _____ Date/Time: _____
 Received By: _____ Date/Time: _____

Relinquished By: _____ Date/Time: _____
 Received By: _____ Date/Time: _____

PACE Project No. **4081228**
 Receipt Temp = **ROT°C**
 Sample Receipt pH **OK / Adjusted**
 Cooler Custody Seal **Present / Not Present**
 Intact / Not Intact

Page 18 of 60

(Please Print Clearly)

UPPER MIDWEST REGION

MN: 612-607-1700 WI: 920-469-2436



CHAIN OF CUSTODY

***Preservation Codes**
 A=None B=HCL C=H2SO4 D=HNO3 E=DI Water F=Methanol G=NaOH
 H=Sodium Bisulfate Solution I=Sodium Thiosulfate J=Other

Company Name: **SCS**
 Branch/Location:
 Project Contact:
 Phone:
 Project Number: **25212159.00**
 Project Name: **Hunn Family Trust**
 Project State: **WI**
 Sampled By (Print):
 Sampled By (Sign):

PO #: _____ Regulatory Program: _____

Data Package Options (billable)
 EPA Level III
 EPA Level IV

MS/MSD
 On your sample (billable)
 NOT needed on your sample

Matrix Codes
 A = Air W = Water
 B = Biota DW = Drinking Water
 C = Charcoal GW = Ground Water
 O = Oil SW = Surface Water
 S = Soil WW = Waste Water
 Sl = Sludge WP = Wipe

PACE LAB #	CLIENT FIELD ID	COLLECTION		MATRIX
		DATE	TIME	
014	B19-S3	7/11	Pm	S
	Blank	-	-	-
015	B7-S2	7/12	Pm	S
016	B7-S7	7/12	Pm	S
017	B21-S3	7/12	Pm	S
018	B21-S7	7/12	Pm	S
019	B20-S3	7/12	Pm	S
020	B20-S5	7/12	Pm	S
021	B18-S3			

FILTERED? (YES/NO)	Y/N	Pick Letter	Analyses Requested
	N	F	VOGS
			% Solids

Quote #: _____
 Mail To Contact: _____
 Mail To Company: _____
 Mail To Address: _____
 Invoice To Contact: _____
 Invoice To Company: _____
 Invoice To Address: _____
 Invoice To Phone: _____

CLIENT COMMENTS	LAB COMMENTS (Lab Use Only)	Profile #
PID=60.6	1-402p ^A , 1-40mdu ^F	
PID=5.6		
PID=12		
PID=3.9		
PID=4.3		
PID=9.8		
PID=33.2	1-402cg ^A , 1-402p ^A , 1-402p ^F	

*Received in shipment added to COC by Lab. 7/16/13

Rush Turnaround Time Requested - Prelims (Rush TAT subject to approval/surcharge) Date Needed:	Relinquished By: _____ Date/Time: _____	Received By: _____ Date/Time: _____	PACE Project No. 4081228
Transmit Prelim Rush Results by (complete what you want):	Relinquished By: S Rogstus 7/16/13 1035	Received By: Susanku 7/16/13 1035	Receipt Temp = RO1°C
Email #1:	Relinquished By: _____ Date/Time: _____	Received By: _____ Date/Time: _____	Sample Receipt pH
Email #2:	Relinquished By: _____ Date/Time: _____	Received By: _____ Date/Time: _____	OK / Adjusted
Telephone:	Relinquished By: _____ Date/Time: _____	Received By: _____ Date/Time: _____	Cooler Custody Seal
Fax:	Relinquished By: _____ Date/Time: _____	Received By: _____ Date/Time: _____	Present / Not Present
Samples on HOLD are subject to special pricing and release of liability	Relinquished By: _____ Date/Time: _____	Received By: _____ Date/Time: _____	Intact / Not Intact

4081228
Page 59 of 60



Sample Condition Upon Receipt

Client Name: SCS

Project # 4021228

Courier: Fed Ex UPS USPS Client Commercial Pace

Other CS Logistics

Tracking #: _____

Custody Seal on Cooler/Box Present: yes no Seals intact: yes no

Custody Seal on Samples Present: yes no Seals intact: yes no

Packing Material: Bubble Wrap Bubble Bags None Other _____

Thermometer Used N/A Type of Ice: Wet Blue Dry None Samples on ice, cooling process has begun

Cooler Temperature Uncorr: ROT / Corr: _____ Biological Tissue is Frozen: yes

Temp Blank Present: yes no no

Temp should be above freezing to 6°C for all sample except Biota.
Frozen Biota Samples should be received ≤ 0°C.

Person examining contents:
Date: 7-16-13
Initials: SW

Comments:

Chain of Custody Present:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	1.
Chain of Custody Filled Out:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	2.
Chain of Custody Relinquished:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	3.
Sampler Name & Signature on COC:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	4.
Samples Arrived within Hold Time:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	5.
- VOA Samples frozen upon receipt	<input type="checkbox"/> Yes <input type="checkbox"/> No	Date/Time:
Short Hold Time Analysis (<72hr):	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A	6.
Rush Turn Around Time Requested:	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A	7.
Sufficient Volume:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	8.
Correct Containers Used:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	9.
-Pace Containers Used:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	
-Pace IR Containers Used:	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	
Containers Intact:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	10.
Filtered volume received for Dissolved tests	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	11.
Sample Labels match COC:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	12.
-Includes date/time/ID/Analysis Matrix:	<u>7/16/13</u>	<u>015-020 does not have the "15" in the ID on samples.</u> <u>7/16/13 SW</u>
All containers needing preservation have been checked. (Non-Compliance noted in 13.)	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	13.
All containers needing preservation are found to be in compliance with EPA recommendation. (HNO3, H2SO4 ≥ 3; NaOH+ZnAct ≥ 9, NaOH ≥ 12)	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	
exception: VOA, coliform, TOC, TOX, TOH, O&G, WIDROW, Phenolics, OTHER:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	Initial when completed Lab Std #ID of preservative Date/Time:
Headspace in VOA Vials (>6mm):	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	14.
Trip Blank Present:	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A	15.
Trip Blank Custody Seals Present	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	<u>Trip Blank tested on COC - none in shipment</u> <u>7/16/13 SW</u>
Pace Trip Blank Lot # (if purchased):		

Client Notification/ Resolution:

If checked, see attached form for additional comments

Person Contacted: _____ Date/Time: _____

Comments/ Resolution: Received duplicate copy of COC.

7/16/13 SW

Project Manager Review: [Signature]

Date: 7/16/13

ATTACHMENT D

Laboratory Report for Vapor and Air Analysis

WISCONSIN STATE LABORATORY OF HYGIENE (WSLH) SAMPLE SUBMISSION FORM

ESS ORGANIC CHEMISTRY

Bill To SCS Engineers
2830 Dairy Drive
Madison, WI 53718

COMP# _____
 Phone # 608-224-2830
 FAX # 608-224-2839

Send Results To ATTN:

 DNR User ID# 320225
 Acct. # LH034

Email Address _____

Project Hunn Family Trust
 P.O. # #75212159-01

Stevensville SCS Engineers, Inc
 Date Sampled 7/24 - 7/25/13

SPECIAL INSTRUCTIONS
 Short List TO-15: cis and trans 1,2,DCM, TCE,
 PCE, vinyl chloride

PLEASE GROUP SAMPLES BY MEDIA USED AND ANALYSIS REQUESTED.

LAB USE ONLY	CUSTOMER FIELD #	SAMPLE MATRIX	WIPE SAMPLES	FOR AIR SAMPLES ONLY					ANALYSIS REQUEST
WSLH SAMPLE #			SIZE OF AREA WIPED EX: 2 IN x 2 IN	TIME ON	TIME OFF	TOTAL TIME (MINS)	FLOW RATE (L/MIN)	VOLUME (LITERS)	
	3935 Palmer - 1st Floor	Air	—	7/24 0937	7/25 0937	1440	0.00416	6L	Short List TO-15 P10= 0.0 ppb
	3935 Palmer - 2nd Floor	↓	—	0944	0944	↓	↓	↓	P10= 0.0 ppb
	3155 Palmer - Outdoor Background	↓	—	0950	0950	↓	↓	↓	P10= 0.0 ppb
	3535 Palmer - Basement	↓	—	1030		↓	↓	↓	P10= 0.0 ppb
	Lindens Auto #1	↓	—	7/25 0918	7/25 0918	30	0.2		P10= 7.0 ppb
	Lindens Auto #2	↓	—	1000	1030	↓	↓	↓	P10= 0.5 ppb
	3935 Palmer Basement #1	↓	—	1104	1134	↓	↓	↓	P10= *108.7 ppb
	3935 Palmer Basement #2	↓	—	1145	1215	↓	↓	↓	P10= 3.1 ppb

CHAIN OF CUSTODY: Relinquished
UPS, Fed-Ex & Other Shippers
 Wisconsin State Lab of Hygiene
 2601 Agriculture Drive
 Madison, WI 53718

US Postal Service
 Wisconsin State Lab of Hygiene
 PO Box 7996
 Madison, WI 53707-7996

Date 7/25/13 Received Charles
 Phone 608 224-6269
 FAX 608 224-7166

SAMPLE CONDITION
 OK
 NOT OK
 See Sample Receipt Record

Date 7-25-13



Wisconsin State Laboratory of Hygiene
 2601 Agriculture Drive, PO Box 7996
 Madison, WI 53707-7996
 (800)442-4618 • FAX (608)224-6213
 http://www.slh.wisc.edu

Laboratory Report

D.F. Kurtycz, M.D., Medical Director • Charles D. Brokopp, Dr.P.H., Director

Environmental Health Division

Organic Chemistry

WDNR LAB ID: 113133790

NELAP LAB ID: E37658

EPA LAB WI00007

WI DATCP ID: 105-415

WSLH Sample: OY000334

320225

2830 DAIRY DRIVE

MADISON, WI 53718

Bill To

Customer ID: 320225

TRACKING 4920

2601 AGRICULTURAL DRIVE

MADISON WI 53718

ID#:

Waterbody/Outfall ID:

Point/Well:

Account #: LH034

Project No:

Date Received: 07/25/2013 14:43:00

Date Reported: 08/01/2013

Sample Reason:

Field #: LINDENS AUTO # 1

Collection Start: 07/25/2013 09:18:00

Collection End: 07/25/2013 09:38:00

Collected By: S. SMITH

County:

Sample Source: INDOOR AIR

Sample Depth:

Sample Information:

Sample Location: HUNN FAMILY TRUST - LINDEN'S AUTO #1

Sample Description: SUB SLAB VAPOR SAMPLE

Analyses and Results:

Analysis Date	Lab Comment				
07/30/2013	REPORT LIMIT NOT ACHIEVABLE DUE TO DILUTION - *D.				
Analysis Method	Result	Units	LOD	LOQ	Report Limit
VINYL CHLORIDE	*D< 800	PPB V			20.
TRANS-1,2-DICHLOROETHYLENE	*D< 800	PPB V			20.
CIS-1,2-DICHLOROETHYLENE	*D< 800	PPB V			20.
TRICHLOROETHYLENE	*D< 800	PPB V			20.
TETRACHLOROETHYLENE	1870.	PPB V			20.



Wisconsin State Laboratory of Hygiene
2601 Agriculture Drive, PO Box 7996
Madison, WI 53707-7996
(800)442-4618 • FAX (608)224-6213
<http://www.slh.wisc.edu>

Laboratory Report

D.F. Kurtycz, M.D., Medical Director • Charles D. Brokopp, Dr.P.H., Director

Environmental Health Division

Organic Chemistry

WDNR LAB ID: 113133790

NELAP LAB ID: E37658 EPA LAB WI00007

WI DATCP ID: 105-415

WSLH Sample: OY000334

Test results for NELAP accredited tests are certified to meet the requirements of the NELAC standards. For a list of accredited analytes see <http://www.slh.wisc.edu/nelap/>

List of Abbreviations:

LOD = Level of detection

LOQ = Level of quantification

ND = None detected. Results are less than the LOD

Responsible Party: *Steve Geis* Steve Geis, Chemist Supervisor

If there are questions about this report, please contact Steve Geis at 608-224-6269.

The results in this report apply only to the sample specifically listed above. This report is not to be reproduced except in full.



Wisconsin State Laboratory of Hygiene
 2601 Agriculture Drive, PO Box 7996
 Madison, WI 53707-7996
 (800)442-4618 • FAX (608)224-6213
 http://www.slh.wisc.edu

Laboratory Report

D.F. Kurtycz, M.D., Medical Director • Charles D. Brokopp, Dr.P.H., Director

Environmental Health Division

Organic Chemistry

WDNR LAB ID: 113133790

NELAP LAB ID: E37658 EPA LAB WI00007

WI DATCP ID: 105-415

WSLH Sample: OY000338

320225

2830 DAIRY DRIVE

MADISON, WI 53718

Bill To

Customer ID: 320225

TRACKING 4920

2601 AGRICULTURAL DRIVE

MADISON WI 53718

ID#:

Waterbody/Outfall ID:

Point/Well:

Account #: LH034

Project No:

Date Received: 07/25/2013 14:43:00

Date Reported: 08/01/2013

Sample Reason:

Field #: LINDENS AUTO # 2

Collection Start: 07/25/2013 10:00:00

Collection End: 07/25/2013 10:30:00

Collected By: S. SMITH

County:

Sample Source: INDOOR AIR

Sample Depth:

Sample Information:

Sample Location: HUNN FAMILT TRUST - LINDEN'S AUTO #2

Sample Description: SUB SLAB VAPOR SAMPLE

Analyses and Results:

Analysis Date	Lab Comment				
07/29/2013	REPORT LIMIT NOT ACHIEVABLE DUE TO DILUTION - *D.				
Analysis Method	Result	Units	LOD	LOQ	Report Limit
VINYL CHLORIDE	*D< 100	PPB V			20.
TRANS-1,2-DICHLOROETHYLENE	*D< 100	PPB V			20.
CIS-1,2-DICHLOROETHYLENE	*D< 100	PPB V			20.
TRICHLOROETHYLENE	*D< 100	PPB V			20.
TETRACHLOROETHYLENE	230.	PPB V			20.



Wisconsin State Laboratory of Hygiene
2601 Agriculture Drive, PO Box 7996
Madison, WI 53707-7996
(800)442-4618 • FAX (608)224-6213
<http://www.slh.wisc.edu>

Laboratory Report

D.F. Kurtycz, M.D., Medical Director • Charles D. Brokopp, Dr.P.H., Director

Environmental Health Division

Organic Chemistry

WDNR LAB ID: 113133790

NELAP LAB ID: E37658 EPA LAB WI00007

WI DATCP ID: 105-415

WSLH Sample: OY000338

Test results for NELAP accredited tests are certified to meet the requirements of the NELAC standards. For a list of accredited analytes see <http://www.slh.wisc.edu/nelap/>

List of Abbreviations:

LOD = Level of detection

LOQ = Level of quantification

ND = None detected. Results are less than the LOD

Responsible Party: Steve Geis Steve Geis, Chemist Supervisor

If there are questions about this report, please contact Steve Geis at 608-224-6269.

The results in this report apply only to the sample specifically listed above. This report is not to be reproduced except in full.



Wisconsin State Laboratory of Hygiene
 2601 Agriculture Drive, PO Box 7996
 Madison, WI 53707-7996
 (800)442-4618 • FAX (608)224-6213
 http://www.slh.wisc.edu

Laboratory Report

D.F. Kurtycz, M.D., Medical Director • Charles D. Brokopp, Dr.P.H., Director

Environmental Health Division

Organic Chemistry

WDNR LAB ID: 113133790

NELAP LAB ID: E37658

EPA LAB WI00007

WI DATCP ID: 105-415

WSLH Sample: OY000336

320225

2830 DAIRY DRIVE

MADISON, WI 53718

Bill To

Customer ID: 320225

TRACKING 4920

2601 AGRICULTURAL DRIVE

MADISON WI 53718

ID#:

Waterbody/Outfall ID:

Point/Well:

Account #: LH034

Project No:

Date Received: 07/25/2013 14:43:00

Date Reported: 08/01/2013

Sample Reason:

Field #: 3935 PALMER BASEMENT

Collection Start: 07/25/2013 11:04:00

Collection End: 07/25/2013 11:34:00

Collected By: S. SMITH

County:

Sample Source: INDOOR AIR

Sample Depth:

Sample Information:

Sample Location: HUNN FAMILY TRUST - 3935 PALMER - BASEMENT # 1

Sample Description: SUB SLAB VAPOR SAMPLE

Analyses and Results:

Analysis Date	Lab Comment				
07/31/2013	REPORT LIMIT NOT ACHIEVABLE DUE TO DILUTION - *D.				
Analysis Method	Result	Units	LOD	LOQ	Report Limit
VINYL CHLORIDE	*D< 8000	PPB V			20.
TRANS-1,2-DICHLOROETHYLENE	*D< 8000	PPB V			20.
CIS-1,2-DICHLOROETHYLENE	*D< 8000	PPB V			20.
TRICHLOROETHYLENE	*D< 8000	PPB V			20.
TETRACHLOROETHYLENE	10900.	PPB V			20.



Wisconsin State Laboratory of Hygiene
2601 Agriculture Drive, PO Box 7996
Madison, WI 53707-7996
(800)442-4618 • FAX (608)224-6213
<http://www.slh.wisc.edu>

Laboratory Report

D.F. Kurtycz, M.D., Medical Director • Charles D. Brokopp, Dr.P.H., Director

Environmental Health Division

Organic Chemistry

WDNR LAB ID: 113133790

NELAP LAB ID: E37658 EPA LAB WI00007

WI DATCP ID: 105-415

WSLH Sample: OY000336

Test results for NELAP accredited tests are certified to meet the requirements of the NELAC standards. For a list of accredited analytes see <http://www.slh.wisc.edu/nelap/>

List of Abbreviations:

LOD = Level of detection

LOQ = Level of quantification

ND = None detected. Results are less than the LOD

Responsible Party: Steve Geis Steve Geis, Chemist Supervisor

If there are questions about this report, please contact Steve Geis at 608-224-6269.

The results in this report apply only to the sample specifically listed above. This report is not to be reproduced except in full.



Wisconsin State Laboratory of Hygiene
 2601 Agriculture Drive, PO Box 7996
 Madison, WI 53707-7996
 (800)442-4618 • FAX (608)224-6213
 http://www.slh.wisc.edu

Laboratory Report

D.F. Kurtycz, M.D., Medical Director • Charles D. Brokopp, Dr.P.H., Director

Environmental Health Division

Organic Chemistry

WDNR LAB ID: 113133790

NELAP LAB ID: E37658 EPA LAB WI00007

WI DATCP ID: 105-415

WSLH Sample: OY000335

320225

Bill To

2830 DAIRY DRIVE

Customer ID: 320225

MADISON, WI 53718

TRACKING 4920

2601 AGRICULTURAL DRIVE

MADISON WI 53718

ID#:

Field #: 3935 PALMER BASEMENT

Waterbody/Outfall ID:

Collection Start: 07/25/2013 11:45:00

Point/Well:

Collection End: 07/25/2013 12:15:00

Account #: LH034

Collected By: S. SMITH

Project No:

County:

Date Received: 07/25/2013 14:43:00

Sample Source: INDOOR AIR

Date Reported: 08/01/2013

Sample Depth:

Sample Reason:

Sample Information:

Sample Location: HUNN FAMILY TRUST - 3935 PALMER - BASEMENT # 2

Sample Description: SUB SLAB VAPOR SAMPLE

Analyses and Results:

Analysis Date	Lab Comment				
07/29/2013	REPORT LIMIT NOT ACHIEVABLE DUE TO DILUTION - *D.				
Analysis Method	Result	Units	LOD	LOQ	Report Limit
VINYL CHLORIDE	*D< 200	PPB V			20.
TRANS-1,2-DICHLOROETHYLENE	*D< 200	PPB V			20.
CIS-1,2-DICHLOROETHYLENE	*D< 200	PPB V			20.
TRICHLOROETHYLENE	*D< 200	PPB V			20.
TETRACHLOROETHYLENE	834.	PPB V			20.



Wisconsin State Laboratory of Hygiene
2601 Agriculture Drive, PO Box 7996
Madison, WI 53707-7996
(800)442-4618 • FAX (608)224-6213
<http://www.slh.wisc.edu>

Laboratory Report

D.F. Kurtycz, M.D., Medical Director • Charles D. Brokopp, Dr.P.H., Director

Environmental Health Division

Organic Chemistry

WDNR LAB ID: 113133790

NELAP LAB ID: E37658 EPA LAB WI00007

WI DATCP ID: 105-415

WSLH Sample: OY000335

Test results for NELAP accredited tests are certified to meet the requirements of the NELAC standards. For a list of accredited analytes see <http://www.slh.wisc.edu/nelap/>

List of Abbreviations:

LOD = Level of detection

LOQ = Level of quantification

ND = None detected. Results are less than the LOD

Responsible Party: *Steve Geis* Steve Geis, Chemist Supervisor

If there are questions about this report, please contact Steve Geis at 608-224-6269.

The results in this report apply only to the sample specifically listed above. This report is not to be reproduced except in full.



Wisconsin State Laboratory of Hygiene
 2601 Agriculture Drive, PO Box 7996
 Madison, WI 53707-7996
 (800)442-4618 • FAX (608)224-6213
 http://www.slh.wisc.edu

Laboratory Report

D.F. Kurtycz, M.D., Medical Director • Charles D. Brokopp, Dr.P.H., Director

Environmental Health Division

Organic Chemistry

WDNR LAB ID: 113133790

NELAP LAB ID: E37658

EPA LAB WI00007

WI DATCP ID: 105-415

WSLH Sample: OY000333

320225

2830 DAIRY DRIVE

MADISON, WI 53718

Bill To

Customer ID: 320225

TRACKING 4920

2601 AGRICULTURAL DRIVE

MADISON WI 53718

ID#:

Waterbody/Outfall ID:

Point/Well:

Account #: LH034

Project No:

Date Received: 07/25/2013 14:43:00

Date Reported: 08/01/2013

Sample Reason:

Field #: 3935 PALMER OUTDOOR

Collection Start: 07/24/2013 09:50:00

Collection End: 07/25/2013 09:50:00

Collected By: S. SMITH

County:

Sample Source: AIR

Sample Depth:

Sample Information:

Sample Location: HUNN FAMILY TRUST - 3935 PALMER - OUTDOOR BACKGROUND

Sample Description: 24 HR AMBIANT AIR SAMPLE

Analyses and Results:

Analysis Date	Lab Comment				
07/29/2013					
Analysis Method	Result	Units	LOD	LOQ	Report Limit
VINYL CHLORIDE	ND	PPB V	0.085	0.280	
TRANS-1,2-DICHLOROETHYLENE	ND	PPB V	0.085	0.280	
CIS-1,2-DICHLOROETHYLENE	ND	PPB V	0.085	0.280	
TRICHLOROETHYLENE	ND	PPB V	0.085	0.280	
TETRACHLOROETHYLENE	0.250	PPB V	0.085	0.280	
Note: The reported value above is equal to or greater than the LOD and less than the LOQ.					



Wisconsin State Laboratory of Hygiene
2601 Agriculture Drive, PO Box 7996
Madison, WI 53707-7996
(800)442-4618 • FAX (608)224-6213
<http://www.slh.wisc.edu>

Laboratory Report

D.F. Kurtycz, M.D., Medical Director • Charles D. Brokopp, Dr.P.H., Director

Environmental Health Division

Organic Chemistry

WDNR LAB ID: 113133790

NELAP LAB ID: E37658 EPA LAB WI00007

WI DATCP ID: 105-415

WSLH Sample: OY000333

Test results for NELAP accredited tests are certified to meet the requirements of the NELAC standards. For a list of accredited analytes see <http://www.slh.wisc.edu/nelap/>

List of Abbreviations:

LOD = Level of detection

LOQ = Level of quantification

ND = None detected. Results are less than the LOD

Responsible Party: Steve Geis Steve Geis, Chemist Supervisor

If there are questions about this report, please contact Steve Geis at 608-224-6269.

The results in this report apply only to the sample specifically listed above. This report is not to be reproduced except in full.



Wisconsin State Laboratory of Hygiene
 2601 Agriculture Drive, PO Box 7996
 Madison, WI 53707-7996
 (800)442-4618 • FAX (608)224-6213
 http://www.slh.wisc.edu

Laboratory Report

D.F. Kurtycz, M.D., Medical Director • Charles D. Brokopp, Dr.P.H., Director

Environmental Health Division

Organic Chemistry

WDNR LAB ID: 113133790

NELAP LAB ID: E37658

EPA LAB WI00007

WI DATCP ID: 105-415

WSLH Sample: OY000337

320225

2830 DAIRY DRIVE

MADISON, WI 53718

Bill To

Customer ID: 320225

TRACKING 4920

2601 AGRICULTURAL DRIVE

MADISON WI 53718

ID#:

Waterbody/Outfall ID:

Point/Well:

Account #: LH034

Project No:

Date Received: 07/25/2013 14:43:00

Date Reported: 08/01/2013

Sample Reason:

Field #: 3935 PALMER BASEMENT

Collection Start: 07/24/2013 10:30:00

Collection End: 07/25/2013 10:30:00

Collected By: S. SMITH

County:

Sample Source: INDOOR AIR

Sample Depth:

Sample Information:

Sample Location: HUNN FAMILY TRUST - 3935 PALMER - BASEMENT

Sample Description: 24 HR AMBIANT AIR SAMPLE

Analyses and Results:

Analysis Date	Lab Comment				
07/29/2013					
Analysis Method	Result	Units	LOD	LOQ	Report Limit
VINYL CHLORIDE	ND	PPB V	0.085	0.280	
TRANS-1,2-DICHLOROETHYLENE	ND	PPB V	0.085	0.280	
CIS-1,2-DICHLOROETHYLENE	ND	PPB V	0.085	0.280	
TRICHLOROETHYLENE	ND	PPB V	0.085	0.280	
TETRACHLOROETHYLENE	1.48	PPB V	0.085	0.280	



Wisconsin State Laboratory of Hygiene
2601 Agriculture Drive, PO Box 7996
Madison, WI 53707-7996
(800)442-4618 • FAX (608)224-6213
<http://www.slh.wisc.edu>

Laboratory Report

D.F. Kurtycz, M.D., Medical Director • Charles D. Brokopp, Dr.P.H., Director

Environmental Health Division

Organic Chemistry

WDNR LAB ID: 113133790

NELAP LAB ID: E37658 EPA LAB WI00007

WI DATCP ID: 105-415

WSLH Sample: OY000337

Test results for NELAP accredited tests are certified to meet the requirements of the NELAC standards. For a list of accredited analytes see <http://www.slh.wisc.edu/nelap/>

List of Abbreviations:

LOD = Level of detection

LOQ = Level of quantification

ND = None detected. Results are less than the LOD

Responsible Party: *Steve Geis* Steve Geis, Chemist Supervisor

If there are questions about this report, please contact Steve Geis at 608-224-6269.

The results in this report apply only to the sample specifically listed above. This report is not to be reproduced except in full.



Wisconsin State Laboratory of Hygiene
 2601 Agriculture Drive, PO Box 7996
 Madison, WI 53707-7996
 (800)442-4618 • FAX (608)224-6213
 http://www.slh.wisc.edu

Laboratory Report

D.F. Kurtycz, M.D., Medical Director • Charles D. Brokopp, Dr.P.H., Director

Environmental Health Division

Organic Chemistry

WDNR LAB ID: 113133790

NELAP LAB ID: E37658

EPA LAB WI00007

WI DATCP ID: 105-415

WSLH Sample: OY000332

320225

Bill To

2830 DAIRY DRIVE

Customer ID: 320225

MADISON, WI 53718

TRACKING 4920

2601 AGRICULTURAL DRIVE

MADISON WI 53718

ID#:

Field #: 3935 PALMER 1ST FLOOR

Waterbody/Outfall ID:

Collection Start: 07/24/2013 09:37:00

Point/Well:

Collection End: 07/25/2013 09:37:00

Account #: LH034

Collected By: S. SMITH

Project No:

County:

Date Received: 07/25/2013 14:43:00

Sample Source: INDOOR AIR

Date Reported: 08/01/2013

Sample Depth:

Sample Reason:

Sample Information:

Sample Location: HUNN FAMILY TRUST - 3935 PALMER - 1ST FLOOR

Sample Description: 24 HR AMBIANT AIR SAMPLE

Analyses and Results:

Analysis Date	Lab Comment				
07/29/2013					
Analysis Method	Result	Units	LOD	LOQ	Report Limit
VINYL CHLORIDE	ND	PPB V	0.085	0.280	
TRANS-1,2-DICHLOROETHYLENE	ND	PPB V	0.085	0.280	
CIS-1,2-DICHLOROETHYLENE	ND	PPB V	0.085	0.280	
TRICHLOROETHYLENE	ND	PPB V	0.085	0.280	
TETRACHLOROETHYLENE	0.290	PPB V	0.085	0.280	



Wisconsin State Laboratory of Hygiene
2601 Agriculture Drive, PO Box 7996
Madison, WI 53707-7996
(800)442-4618 • FAX (608)224-6213
<http://www.slh.wisc.edu>

Laboratory Report

D.F. Kurtycz, M.D., Medical Director • Charles D. Brokopp, Dr.P.H., Director

Environmental Health Division

Organic Chemistry

WDNR LAB ID: 113133790

NELAP LAB ID: E37658 EPA LAB WI00007

WI DATCP ID: 105-415

WSLH Sample: OY000332

Test results for NELAP accredited tests are certified to meet the requirements of the NELAC standards. For a list of accredited analytes see <http://www.slh.wisc.edu/nelap/>

List of Abbreviations:

LOD = Level of detection

LOQ = Level of quantification

ND = None detected. Results are less than the LOD

Responsible Party: *Steve Geis* Steve Geis, Chemist Supervisor

If there are questions about this report, please contact Steve Geis at 608-224-6269.

The results in this report apply only to the sample specifically listed above. This report is not to be reproduced except in full.



Wisconsin State Laboratory of Hygiene
 2601 Agriculture Drive, PO Box 7996
 Madison, WI 53707-7996
 (800)442-4618 • FAX (608)224-6213
 http://www.slh.wisc.edu

Laboratory Report

D.F. Kurtycz, M.D., Medical Director • Charles D. Brokopp, Dr.P.H., Director

Environmental Health Division

Organic Chemistry

WDNR LAB ID: 113133790

NELAP LAB ID: E37658

EPA LAB WI00007

WI DATCP ID: 105-415

WSLH Sample: OY000331

320225

2830 DAIRY DRIVE

MADISON, WI 53718

Bill To

Customer ID: 320225

TRACKING 4920

2601 AGRICULTURAL DRIVE

MADISON WI 53718

ID#:

Waterbody/Outfall ID:

Point/Well:

Account #: LH034

Project No:

Date Received: 07/25/2013 14:43:00

Date Reported: 08/01/2013

Sample Reason:

Field #: 3935 PALMER 2ND FLOOR

Collection Start: 07/14/2013 09:44:00

Collection End: 07/25/2013 09:44:00

Collected By: S. SMITH

County:

Sample Source: INDOOR AIR

Sample Depth:

Sample Information:

Sample Location: HUNN FAMILY TRUST - 3935 PALMER - 2ND FLOOR

Sample Description: 24 HR AMBIANT AIR SAMPLE

Analyses and Results:

Analysis Date	Lab Comment				
07/29/2013					
Analysis Method	Result	Units	LOD	LOQ	Report Limit
VINYL CHLORIDE	ND	PPB V	0.085	0.280	
TRANS-1,2-DICHLOROETHYLENE	ND	PPB V	0.085	0.280	
CIS-1,2-DICHLOROETHYLENE	ND	PPB V	0.085	0.280	
TRICHLOROETHYLENE	ND	PPB V	0.085	0.280	
TETRACHLOROETHYLENE	0.370	PPB V	0.085	0.280	



Wisconsin State Laboratory of Hygiene
2601 Agriculture Drive, PO Box 7996
Madison, WI 53707-7996
(800)442-4618 • FAX (608)224-6213
<http://www.slh.wisc.edu>

Laboratory Report

D.F. Kurtycz, M.D., Medical Director • Charles D. Brokopp, Dr.P.H., Director

Environmental Health Division

Organic Chemistry

WDNR LAB ID: 113133790

NELAP LAB ID: E37658 EPA LAB WI00007

WI DATCP ID: 105-415

WSLH Sample: OY000331

Test results for NELAP accredited tests are certified to meet the requirements of the NELAC standards. For a list of accredited analytes see <http://www.slh.wisc.edu/nelap/>

List of Abbreviations:

LOD = Level of detection

LOQ = Level of quantification

ND = None detected. Results are less than the LOD

Responsible Party: Steve Geis Steve Geis, Chemist Supervisor

If there are questions about this report, please contact Steve Geis at 608-224-6269.

The results in this report apply only to the sample specifically listed above. This report is not to be reproduced except in full.