ENVIRONMENTAL COMPLIANCE CONSULTANTS, INC.

P.O. BOX 11417 • GREEN BAY, WI 54307-1417 • 920-434-6380 (VOICE) • 920-434-6381 (FAX)

September 29, 2006

COPY

Ms. Casey Jones
Wisconsin Department of Natural Resources
625 E. County Y, Suite 700
Oshkosh, WI 54901-9731

RE: **Limited Site Assessment**
Old Dutchmill Property
N2271 USH 45
Campbellsport, Wisconsin
BRRTS # 03-20-183944

Dear Ms. Jones:

At the request of the Wisconsin Department of Natural Resources (WDNR), Environmental Compliance Consultants, Inc. (ECCI) has completed a limited site assessment (LSA) at the Old Dutchmill Property (site) located at N2271 Highway 45, Campbellsport, Fond du lac County, Wisconsin. The work scope, which was outlined in ECCI's June 20, 2006, *Proposal for Limited Phase 2 Site Investigation Services*, was performed to evaluate current soil and groundwater conditions in the vicinity of a former gasoline underground storage tank (UST) system which had been operated at the site when it was a gas station/tavern. A closure assessment soil sample collected during the UST removal in the early 1990's had a gasoline range organic (GRO) concentration of 492 parts-per-million (ppm). The site is currently used as a residence.

The LSA soil and groundwater sampling was conducted on August 24, 2006. A total of 10 push-probe soil borings were advanced at the site to evaluate subsurface conditions. Eight of the boreholes were converted to temporary wells to facilitate the collection of groundwater samples. The onsite private water supply well was also sampled.

Petroleum volatile organic compounds (PVOCs) and/or polycyclic aromatic hydrocarbons (PAHs) were detected at concentrations above the Wisconsin Administrative Code NR 140 enforcement standards (ESs) at seven of the eight temporary well locations. NR 720.09 soil generic residual contaminant levels (GRCLs) for the protection of groundwater were exceeded at the four soil probes advanced closest to the former UST system. The direct contact NR 720.11 soil lead GRCL was exceeded at one sampling location close to the former UST system. Soil PAH concentrations above the direct contact suggested residual cleanup (guidance) limits were also detected at four sampling locations. In addition, the PAH benzo (a) pyrene was detected at a concentration above the NR 140 ES in the sample collected from the private water supply well.

A site map showing site features and the LSA sampling locations is shown in Figure 1 (Enclosure 1). Tables 1 through 4, which summarize the LSA soil and groundwater analytical data and compare the results to the relevant groundwater standards and soil cleanup GRCLs/guidance limits, are presented in Enclosure 2. A brief summary of the LSA activities and findings is presented in the sections below.

Limited Site Assessment Activities

Sampling Locations

Push-probe (e.g. Geoprobe®) soil probes were advanced on August 24, 2006 at 10 locations at the site. The initial soil probe locations (GP-1, GP-2 and GP-3) were selected to evaluate conditions at/near the former UST system. The subsequent soil probe locations were selected at greater distances from the former UST system to evaluate the potential extent of residual impacts. Site features which presented access constraints included the site buildings, the USH 45/STH 67 roadway intersection, and the reported presence of a septic tank (not shown on Figure 1) located generally south-southwest of GP-1 and northwest of GP-10. The locations of soil probes GP-1, GP-2, GP-3, GP-4, GP-5, GP-6, GP-7, GP-8, GP-9 and GP-10 are shown on Figure 1.

Soil probes GP-1, GP-2, GP-3, GP-8, GP-9 and GP-10 were advanced to 12 feet below ground surface (bgs) and were converted to temporary wells for the collection of groundwater. Due to push-probe refusal issues at the locations of GP-4, GP-5, GP-6 and GP-7, advancement in these areas was limited to the four to nine feet bgs range. However, due to a relatively shallow water table, GP-5 and GP-7 were also converted to temporary wells. All boreholes were abandoned with bentonite upon completion.

Temporary Well Construction

The temporary wells were installed in eight of the 10 soil probe boreholes. The temporary wells were constructed of 3/4-inch inside diameter, PVC riser pipe and a 5-foot screen segment, installed to a depth such that the screen intersected the water table. The well depths range from 5 to12 feet bgs. Following groundwater collection, the PVC well piping was removed and the boreholes were abandoned with bentonite. The abandonment forms are included in Enclosure 3.

Soil Sampling

Continuous soil sampling occurred at each soil probe location. Based upon the LSA soil probe sampling, the subsurface soil conditions differ somewhat from northwest to southeast across the site. The subsurface conditions on the northwest portion of the site generally consist of about four feet of mixed granular fill soils overlying silts and silty clays over saturated sands and sandy gravels at about 10 feet bgs. To the southeast the surface elevation drops quickly, the fill layer is generally absent, and sandy silt/silt overlies saturated sandy gravels at a depth of about three to

four feet bgs. The depth to the groundwater surface at the site ranges from about 10 to 3.5 feet bgs. Soil boring logs were prepared for each soil probe location and are included in Enclosure 3.

Soil samples were field-screened using a photoionization detector (PID) for indicators of petroleum product impacts. Unless sampler recovery was poor or refusal limited borehole advancement, soil samples were collected at each soil probe location from the 2-4', 6-8' and 10-12' intervals for the laboratory analyses of GRO, diesel range organics (DRO), volatile organic compounds (VOCs), lead and PAHs. All samples were submitted to the Pace Analytical laboratory in Green Bay, Wisconsin. Chain-of-custody protocol was maintained by ECCI until transferred to the laboratory.

Groundwater Sampling

Each temporary well was purged and sampled with a small diameter disposable bailer. The groundwater samples were also submitted to Pace Analytical for VOCs, PAHs and lead analyses. With the exception of the sample collected at GP-8, the lead fractions were field filtered prior to preservation. Due to difficulty encountered with filtering the high fines content of the sample collected at GP-8, it was submitted to the lab as an unfiltered fraction for total lead analysis.

Private Well Sampling

The private water supply well at the site was also sampled on August 24, 2006. The sample was collected from an outside spigot on the east side of the house following an approximate 15-minute run period. This sample, identified as PW-N2271, was also submitted to Pace Analytical for VOCs, PAHs and lead analyses. The lead fraction was not field filtered.

Investigative Waste

Containerized investigative waste generated during the LSA included soil cuttings, temporary well purge water and decontamination rinsate. One partially filled 55-gallon drum for soil cuttings and one partially filled 55-gallon drum for water waste are temporarily stored onsite pending disposal approval.

Limited Site Assessment Analytical Results

Soil Sampling Analytical Results

The analytical soil sampling results are summarized in Tables 1 and 2 (Enclosure 2). The laboratory reports are included in Enclosure 4. Soil PVOC and PAH concentrations were detected above NR 720.09 GRCLs and the interim guidance cleanup levels for PAHs. A brief summary of the soil analytical findings includes:

- The highest GRO, DRO and PVOC concentrations were detected at GP-2, GP-3,

GP-8 and GP-1. These are the sampling locations closest to the reported location of the former UST system. NR 720.09 GRCLs for the protection of groundwater were exceeded in some soil samples collected from the 6-8' and 10-12' sampling intervals.

- The highest soil PVOC concentrations were detected at GP-2. The naphthalene concentration [of 3,000 micrograms per kilogram (ug/kg)] in the 6-8' interval at GP-2, exceeds the NR 746.06 Table 1 value.

- A soil lead concentration of 84 milligrams per kilogram (mg/kg) was detected in the 2-4' interval at GP-1 above the NR 720.11 GRCL (of 50 mg/kg) for direct contact in a non-industrial setting.

- The concentrations of some PAHs detected in the 2-4' sampling interval at GP-3, GP-9, GP-10 and GP-8 are greater than the suggested residual cleanup levels for direct contact in a non-industrial setting.

- VOC, GRO, DRO, PAH and lead concentrations from soil samples collected at GP-4, GP-5, GP-6 and GP-7 did not exceed any regulatory cleanup standards or guideline limits.

Groundwater Analytical Results

The groundwater analytical results are summarized in Tables 3 and 4 (Enclosure 2). The laboratory reports are included in Enclosure 4. The concentrations of some PVOCs and/or PAHs in groundwater samples collected from seven of the eight temporary wells exceeded NR 140 groundwater preventative action limits (PALs) and ESs. A brief summary of the groundwater analytical findings includes:

- Similar to the soil analytical findings, the highest PVOC concentrations were detected at GP-2, GP-3, GP-1 and GP-8.

- The highest PVOC concentrations were detected at GP-2 where the detected benzene, ethylbenzene, toluene, naphthalene and trimethylbenzene (TMB) concentrations exceeded the NR 140 ESs.

- Except at GP-7, one or several PAH compounds were detected at concentrations above the NR 140 ES. These compounds included naphthalene, benzo(a)pyrene [B(a)P], benzo (b) flouranthene [B(b)F] and chrysene.

Private Well Analytical Results

The analytical results for private well PW-N2271, are presented in Tables 3 and 4 (Enclosure 2). The laboratory report is included in Enclosure 4. The PAH compound B(a)P was detected at a concentration [of 0.21 micrograms per liter (ug/L)] slightly above the NR 140 ES (of 0.2 ug/L).

No other PAHs, VOCs or lead were detected at or above PAL concentrations.

Closing

The findings from the LSA indicate significant soil and groundwater impacts at the reported location of a former petroleum product UST system. Additional site investigation work will be required to evaluate the full extent of the soil and groundwater impacts.

If you need any additional information or would like to discuss the findings of this report, please contact me at 920-434-5031.

Sincerely,

ENVIRONMENTAL COMPLIANCE CONSULTANTS, INC.

Richard L. Panosh, P.G.
Senior Hydrogeologist

Enclosures

ENCLOSURE 1

FIGURE 1



OLD DUTCHMILL PROPERTY	
FIGURE 1 SITE MAP + SAMPLING LOCATIONS	
Date: September 2006	By: RLP
Environmental Compliance Consultants Inc	



OLD DUTCHMILL PROPERTY
FIGURE 1 SITE MAP + SAMPLING LOCATIONS
Date: September 2006 By: RLP
Environmental Compliance Consultants Inc



OLD DUTCHMILL PROPERTY	
FIGURE 1 SITE MAP + SAMPLING LOCATIONS	
Date: September 2006	By: RLP
Environmental Compliance Consultants Inc	

ENCLOSURE 2

TABLES

Table 1
Lead, GRO, DRO & Detected VOCs in Soil
Limited Site Assessment
Old Dutchmill Property - Campbellsport, Wisconsin

Sample Location	Sample Date	Sample Depth	Lead	DRO	GRO	1,2,4-TMB	1,3,5-TMB	Benzene	Ethylbenzene	Isopropylbenzene	Naphthalene	n-Propylbenzene	p-Isopropyltoluene	s-Butylbenzene	Toluene	Xylenes, m + p	Xylene, o
		feet	mg/kg			ug/kg											
GP-1-2	24-Aug-06	2 - 4	*84*	<3.7	<3.1	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25	<50	<25
GP-1-4	24-Aug-06	6 - 8	8.1	<4.1	40	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25	<50	<25
GP-1-6	24-Aug-06	10 - 12	4.2	15	**140**	990	420	<25	<25	120	53	230	430	150	<25	<50	<25
GP-2-2	24-Aug-06	2 - 4	3.1	<3.7	<2.7	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25	<50	<25
GP-2-4	24-Aug-06	6 - 8	8.1	**100**	**720**	14000	5200	<100	**4500**	610	3000	2400	600	420	**2500**	**9900**	**4700**
GP-2-6	24-Aug-06	10 - 12	5.7	9	38	2100	990	<25	1100	160	950	430	270	130	**1500**	2000	1100
GP-3-2	24-Aug-06	2 - 4	19	20	<2.6	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25	<50	<25
GP-3-4	24-Aug-06	6 - 8	7.2	<4.9	20	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25	<50	<25
GP-3-6	24-Aug-06	10 - 12	4.5	**170**	**810**	3900	2600	<25	160	670	630	1500	2400	1200	<25	360	82
GP-4-2	24-Aug-06	2 - 4	9.3	<4.1	<3.0	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25	<50	<25
GP-4-4	24-Aug-06	6 - 8	4.9	<4.2	<3.1	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25	<50	<25
GP-5-2	24-Aug-06	2 - 4	6.1	<4.5	<2.9	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25	<50	<25
GP-5-4	24-Aug-06	6 - 8	2.5	<3.3	<2.6	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25	<50	<25
GP-6-2	24-Aug-06	2 - 4	8.2	<3.9	<2.7	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25	<50	<25
GP-7-2	24-Aug-06	2 - 4	5.2	<4.2	<2.8	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25	<50	<25
GP-7-4	24-Aug-06	6 - 8	1.8	<3.6	<2.7	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25	<50	<25
GP-8-2	24-Aug-06	2 - 4	7.4	<4.4	<2.9	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25	<50	<25
GP-8-4	24-Aug-06	6 - 8	5.7	**230**	**340**	1200	930	<50	100	210	530	430	450	210	<50	<100	<50
GP-8-6	24-Aug-06	10 - 12	3.2	**300**	**760**	860	780	<120	150	310	200	520	660	320	<120	<250	<120
GP-9-2	24-Aug-06	2 - 4	25	10	<2.7	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25	<50	<25
GP-9-4	24-Aug-06	6 - 8	12	<4.6	<3.3	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25	<50	<25
GP-9-6	24-Aug-06	10 - 12	6.3	<4.1	<3.0	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25	<50	<25
GP-10-2	24-Aug-06	2 - 4	28	6.2	<2.7	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25	<50	<25
GP-10-6	24-Aug-06	10 - 12	1.8	<4.4	<2.7	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25	<50	<25
NR 746 Table 1						83000	11000	8500	4600		2700				38000	42000	
NR 746 Table 2 -> DC								1100									
NR 720.09 GRCL-> GW				**100**	**100**			**5.5**	**2900**						**1500**	**4100**	
NR 720.11RCL-> DC			*50*														

Underlined values indicate an exceedence of the NR 746 Table 1 values - Indicators of Residual Petroleum Products in Soil
Bold values indicate an exceedence of the NR 720.09 GRCL for the protection of groundwater

Table 2
PAHs in Soil
Limited Site Assessment
Old Dutchmill Property - Campbellsport, Wisconsin

Sample Location	Sample Date	Sample Depth	Methyl-1-Naphthalene	Methyl-2-Naphthalene	Acenaphthene	Acenaphthlylene	Anthracene	Benzo (a) anthracene	Benzo (a) pyrene	Benzo (b) Fluoranthene	Benzo (g,h,i) perylene	Benzo (k) fluoranthene	Chrysene	Dibenzo (a,h) anthracene	Fluoranthene	Fluorene	Indeno (1,2,3-cd)pyrene	Naphthalene	Phenanthrene	Pyrene
		feet	ug/kg																	
GP-1-2	24-Aug-06	2 - 4	<3.8	<3.9	<3.7	<3.6	6.2	8.9	8.5	21	16	16	11	4	8.6	<4.3	13	<5.0	4.8	7.3
GP-1-4	24-Aug-06	6 - 8	<3.7	<3.8	<3.6	<3.5	<4.3	<6.4	<3.5	<3.4	<4.3	<3.7	<5.3	<3.3	<3.5	<4.1	<3.0	<4.9	<3.6	<3.0
GP-1-6	24-Aug-06	10 - 12	12	18	<3.5	<3.4	<4.2	<6.3	<3.4	<3.3	<4.2	<3.6	<5.2	<3.3	<3.4	<4.0	<3.0	11	<3.5	<2.9
GP-2-2	24-Aug-06	2 - 4	<3.2	<3.3	<3.2	7	4.8	<5.6	4.2	4.3	6.2	4.8	5	<2.9	3.7	<3.6	<2.7	6	<3.1	4
GP-2-4	24-Aug-06	6 - 8	690	1600	<7.2	<7.0	<8.6	<13	<7.0	<6.8	<8.6	<7.4	<11	<6.7	<7.0	<8.3	<6.1	**1100**	7.2	<6.0
GP-2-6	24-Aug-06	10 - 12	79	200	<3.6	<3.5	<4.3	<6.5	<3.5	<3.4	<4.3	<3.7	<5.3	<3.4	<3.5	<4.2	<3.1	240	<3.6	<3.0
GP-3-2	24-Aug-06	2 - 4	<11	<11	11	110	190	980	1300	1200	630	1400	1200	220	1800	14	600	<14	330	1600
GP-3-4	24-Aug-06	6 - 8	<3.7	<3.8	<3.6	<3.5	<4.3	<6.4	<3.5	<3.4	<4.3	<3.7	<5.3	<3.3	<3.5	<4.1	<3.0	16	<3.6	<3.0
GP-3-6	24-Aug-06	10 - 12	190	480	<3.5	14	17	62	74	65	44	73	72	12	110	5.9	36	180	53	120
GP-4-2	24-Aug-06	2 - 4	<3.7	<3.8	<3.6	<3.5	<4.3	<6.5	<3.5	<3.4	<4.3	<3.7	<5.3	<3.4	3.9	<4.2	<3.1	<4.9	<3.6	3.4
GP-4-4	24-Aug-06	6 - 8	<3.7	<3.8	<3.6	<3.5	<4.4	<6.5	<3.5	<3.4	<4.4	<3.8	<5.3	<3.4	<3.5	<4.2	<3.1	<4.9	<3.6	<3.0
GP-5-2	24-Aug-06	2 - 4	<3.5	<3.6	<3.4	<3.3	<4.1	<6.1	4.1	4.5	5.6	4.2	<5.0	<3.2	4.2	<3.9	4.2	<4.6	<3.4	3.8
GP-5-4	24-Aug-06	6 - 8	<3.2	<3.3	<3.1	<3.0	<3.8	<5.6	<3.0	<3.0	<3.8	<3.2	<4.6	<2.9	<3.0	<3.6	<2.7	<4.2	<3.1	<2.6
GP-6-2	24-Aug-06	2 - 4	<3.2	<3.4	<3.2	<3.1	<3.8	<5.7	<3.1	<3.0	<3.8	<3.3	<4.7	<3.0	4	<3.7	<2.7	2.1	7.4	3.2
GP-7-2	24-Aug-06	2 - 4	<3.3	<3.4	<3.3	<3.2	<3.9	<5.8	<3.2	<3.1	<3.9	<3.4	<4.8	<3.0	<3.2	<3.8	<2.8	<4.4	<3.2	<2.7
GP-7-4	24-Aug-06	6 - 8	<3.3	<3.4	<3.2	<3.1	<3.9	<5.8	<3.1	<3.1	<3.9	<3.3	<4.8	<3.0	<3.1	<3.7	<2.7	<4.4	<3.2	<2.7
GP-8-2	24-Aug-06	2 - 4	<3.6	<3.7	<3.5	<3.4	<4.2	12	24	21	26	20	16	6.7	13	<4.0	19	<4.7	<3.5	17
GP-8-4	24-Aug-06	6 - 8	270	730	<3.4	<3.3	<4.0	<6.0	5	4.5	4.9	5	<5.0	<3.1	<3.3	<3.9	4.2	340	3.5	4
GP-8-6	24-Aug-06	10 - 12	230	430	<3.2	<3.1	<3.9	<5.7	<3.1	<3.0	<3.9	<3.3	<4.7	<3.0	<3.1	<3.7	<2.7	<4.3	3.4	<2.7
GP-9-2	24-Aug-06	2 - 4	<3.2	<3.3	4.6	23	43	190	270	230	200	230	220	69	360	13	180	4.9	80	290
GP-9-4	24-Aug-06	6 - 8	<4.0	<4.2	<4.0	<3.8	<4.7	<7.1	<3.8	<3.7	<4.7	<4.1	<5.8	<3.7	<3.8	<4.5	<3.3	<5.3	<3.9	<3.3
GP-9-6	24-Aug-06	10 - 12	<3.6	<3.8	<3.6	<3.5	<4.3	<6.4	<3.5	<3.4	<4.3	<3.7	<5.3	<3.3	<3.5	<4.1	<3.0	<4.8	<3.6	<3.0
GP-10-2	24-Aug-06	2 - 4	<3.3	<3.4	<3.3	7.7	20	110	140	140	81	130	130	27	220	<3.8	78	<4.4	64	190
GP-10-6	24-Aug-06	10 - 12	<3.3	<3.4	<3.2	<3.1	<3.9	<5.8	<3.1	<3.1	<3.9	<3.3	<4.7	<3.0	<3.1	<3.7	<2.7	<4.4	<3.2	<2.7
Suggested Residual Cleanup Levels[1]																				
Non-Industrial Direct Contact[2]			1,100,000	600,000	900,000	18,000	5,000,000	88	8.8	88	1,800	880	8,800	8.8	600,000	600,000	88	20,000	18,000	500,000
Groundwater Pathway[3]			23,000	20,000	38,000	700	3,000,000	17,000	48,000	360,000	6,800,000	870,000	37,000	38,000	500,000	100,000	680,000	400	1,800	8,700,000

[1]WDNR interim guidance soil cleanup levels for PAHs

[2]WDNR interim guidance soil cleanup levels for exposure protection (ingestion or inhalation) in a non-industrial land use setting.

[3]WDNR interim guidance soil cleanup levels for protection of groundwater.

Bold = Value exceeds the interim guidance residual cleanup level for groundwater protection.

Underlined = value exceeds the interim guidance residual cleanup level in the 0 - 4 ft. interval for ingestion or inhalation in a non-industial land use setting

Table 3
Lead and Detected VOCs in Groundwater
Limited Site Assessment
Old Dutchmill Property – Campbellsport, Wisconsin

Well ID	Sample Date	Dissolved Lead	1,2,4-TMB	1,3,5-TMB	Benzene	Ethylbenzene	Isopropylbenzene	Naphthalene	n-Propylbenzene	p-Isopropyltoluene	s-Butylbenzene	Toluene	Xylene, o	Xylenes, m + p
GP-1-W	24-Aug-06	*7.2*	*240*	*83*	<2.0	12	26	*17*	44	39	<4.4	<3.4	5.5	24
GP-2-W	24-Aug-06	*4*	***710***	***300***	**92**	***900***	87	***390***	120	47	<44	***6100***	*950*	*1800*
GP-3-W	24-Aug-06	0.5	*300*	*150*	<8.2	49	55	***69***	77	54	<18	<13	31	100
GP-5-W	24-Aug-06	<0.40	<0.97	<0.83	<0.41	<0.54	<0.59	<0.74	<0.81	<0.67	<0.89	<0.67	<0.83	<1.8
GP-7-W	24-Aug-06	<0.40	<0.97	<0.83	<0.41	<0.54	<0.59	<0.74	<0.81	<0.67	<0.89	<0.67	<0.83	<1.8
GP-8-W	24-Aug-06	***100****	*78*	*53*	<0.82	41	27	*26*	33	17	5.4	<1.3	2.7	13
GP-9-W	24-Aug-06	<0.40	<0.97	<0.83	<0.41	<0.54	<0.59	<0.74	<0.81	<0.67	<0.89	<0.67	<0.83	<1.8
GP-10-W	24-Aug-06	<0.40	<0.97	<0.83	<0.41	<0.54	<0.59	1	<0.81	0.78	<0.89	20	<0.83	<1.8
PW-N2271	24-Aug-06	0.46*	<0.97	<0.83	<0.41	<0.54	<0.59	<0.74	<0.81	<0.67	<0.89	<0.67	<0.83	<1.8
	NR 140 ES	**15**	**480 (combined total)**		**5**	**700**		**40**				**1,000**	**10,000 (combined total)**	
	NR 140 PAL	*1.5*	*96 (combined total)*		*0.5*	*140*		*8*				*200*	*1,000 (combined total)*	

Bold = NR 140 ES exceedance
Italics = NR 140 PAL exceedance
All analytical results given in micrograms/liter (ug/L) unless otherwise noted
* = unfiltered concentration

Table 4
PAHs in Groundwater
Limited Site Assessment
Old Dutchmill Property - Campbellsport, Wisconsin

Well ID	Sample Date	Methyl-1-naphthalene	Methyl-2-naphthalene	Acenaphthene	Acenaphthylene	Anthracene	Benzo (a) anthracene	Benzo (a) pyrene	Benzo (b) fluoranthene	Benzo (g,h,i) perylene	Benzo (k) fluoranthene	Chrysene	Dibenzo (a,h) anthracene	Fluoranthene	Fluorene	Indeno (1,2,3-cd)pyrene	Naphthalene	Phenanthrene	Pyrene
GP-1-W	24-Aug-06	64	85	<0.86	<0.85	<1.2	<1.6	<1.9	<1.6	<2.0	<2.0	<2.0	<2.0	<1.6	<0.95	<2.0	***44***	<1.2	<1.5
GP-2-W	24-Aug-06	2500	5900	4.5	<3.9	<5.6	<7.5	<8.8	<7.5	<9.3	<9.3	<9.1	<9.1	<7.5	6.7	<9.1	***5200***	10	<7.0
GP-3-W	24-Aug-06	370	850	<0.82	1.5	1.4	3.2	***3.8***	***3.5***	2.5	3.4	***4***	<1.9	9.5	1.1	<1.9	***320***	4.4	7
GP-5-W	24-Aug-06	0.088	0.2	<0.0082	0.048	0.034	0.13	***0.25***	***0.28***	0.26	0.19	*0.17*	0.061	0.29	<0.0091	0.2	0.11	0.089	0.24
GP-7-W	24-Aug-06	0.039	0.079	<0.0082	<0.0081	<0.012	<0.016	<0.018	0.016	<0.019	<0.019	<0.019	<0.019	0.033	<0.0091	<0.019	0.06	0.018	0.025
GP-8-W	24-Aug-06	97	210	<1.1	2.4	2.4	16	***21***	***20***	13	16	***16***	2.7	25	<1.2	10	***110***	3.1	24
GP-9-W	24-Aug-06	0.037	0.08	0.051	0.071	0.14	0.38	***0.75***	***0.44***	0.38	0.36	***0.36***	0.099	0.82	0.084	0.31	0.099	0.4	0.61
GP-10-W	24-Aug-06	0.71	0.12	0.19	0.046	0.047	0.1	***0.74***	*0.14*	0.12	0.12	*0.12*	<0.075	0.24	0.066	0.096	0.97	0.28	0.2
PW-N2271	24-Aug-06	<0.010	0.015	<0.0082	<0.0081	<0.012	<0.016	***0.21***	<0.016	0.019	<0.019	<0.019	<0.019	<0.015	<0.0091	<0.019	0.029	<0.011	<0.015
	NR 140 ES					**3,000**		**0.2**	**0.2**			**0.2**		**400**	**400**		**40**		**250**
	NR 140 PAL					*600*		*0.02*	*0.02*			*0.02*		*80*	*80*		*8*		*50*

Bold = NR 140 ES exceedance
Italics = NR 140 PAL exceedance
All analytical results given in micrograms/liter (ug/L) unless otherwise noted

ENCLOSURE 3

SOIL BORING LOGS

ABANDONMENT FORMS

State of Wisconsin
Department of Natural Resources

SOIL BORING LOG INFORMATION

Form 4400-122 Rev. 7-98

Route To: Watershed/Wastewater ☐ Waste Management ☐
Remediation/Revelopment ☑ Other ☐ _____

Facility/Project Name	License/Permit/Monitoring Number	Boring Number
Old Dutchmill Property		GP-1

Boring Drilled By: Name of crew chief (first, last) and Firm	Date Drilling Started	Date Drilling Completed	Drilling Method
First Name: Mike Last Name: McArdle Firm: M & K Environmental + Soils Drilling, LLC	08/24/2006 (m m d d y y y y)	08/24/2006 (m m d d y y y y)	Geoprobe

WI Unique Well No.	DNR Well ID No.	Well Name	Final Static Water Level	Surface Elevation	Borehole Diameter
_ _ _ _ _ _	_ _ _ _	J	_____ Feet MSL	_____ Feet MSL	2 inches

Local Grid Origin ☐ (estimated: ☐) or Boring Location ☐
State Plane _____ N, _____ E
NW 1/4 of SW 1/4 of Section 4, T 13 N, R 19
Lat ° ' "
Long ° ' "
Local Grid Location ☐ N ☐ E _____ Feet ☐ S _____ Feet ☐ W

Facility ID	County	County Code	Civil (Town)/City/ or Village
	Fond du Lac	20	Auburn

Sample Number and Type	Sample Length Att. & Recovered (in)	Blow Counts	Depth in Feet (Below ground surface)	Soil/Rock Description And Geologic Origin For Each Major Unit	USCS	Graphic Log	Well Diagram	PID/FID	Soil Properties: Compressive Strength	Moisture Content	Liquid Limit	Plasticity Index	P 200	RQD/ Comments
1	12		1	Brown f. gravelly f. Sand (FILL)	hF			0		D				
			2											
2	24		3	Mixed gravelly silty sand and sandy silt and silty clay, (FILL)				0		M				Sample No. GP-1-2 t=0840
			4											
3	24		5	Gray brown silty CLAY, some orange brown mottles	cl			0		M				
			6											
4	24		7	As above				2		M				Sample No. GP-1-4 t=0845
			8											
5	12		9	Gray f. Sandy SILT	sm-ml			6		M				
			10	Gray f. Sandy GRAVEL, tr. Silt	gp			528		W				Sample No. GP-1-6 t=0850
6	24		11											
			12	EOB @ 12'										

I hereby certify that the information on this form is true and correct to the best of my knowledge.

Signature _____ Firm Environmental Compliance Consultants, Inc.

This form is authorized by Chapters 281, 283, 289, 291, 292, 293, 295, and 299, Wis. Stats. Completion of this form is mandatory. Failure to file this form may result in forfeiture of between $10 and $25,000, or imprisonment for up to one year, depending on the program and conduct involved. Personally identifiable information on this form is not intended to be used for any other purpose. NOTE: See instructions for more information, including where the completed form should be sent.

State of Wisconsin
Department of Natural Resources

SOIL BORING LOG INFORMATION

Form 4400-122 Rev. 7-98

Route To: Watershed/Wastewater ☐ Waste Management ☐
Remediation/Revelopment ☑ Other ☐ _____

Facility/Project Name	License/Permit/Monitoring Number	Boring Number
Old Dutchmill Property		GP-2

Boring Drilled By: Name of crew chief (first, last) and Firm	Date Drilling Started	Date Drilling Completed	Drilling Method
First Name: Mike Last Name: McArdle Firm: M & K Environmental + Soils Drilling, LLC	08/24/2006 (m m d d y y y y)	08/24/2006 (m m d d y y y y)	Geoprobe

WI Unique Well No.	DNR Well ID No.	Well Name	Final Static Water Level	Surface Elevation	Borehole Diameter
_ _ _ _ _	_ _ _ _		_____ Feet MSL	_____ Feet MSL	2 inches

Local Grid Origin ☐ (estimated: ☐) or Boring Location ☐
State Plane _____ N, _____ E
NW 1/4 of SW 1/4 of Section 4, T 13 N, R 19
Lat D ' "
Long D ' "
Local Grid Location ☐ N ☐ E _____ Feet ☐ S _____ Feet ☐ W

Facility ID	County	County Code	Civil Town/City/ or Village
	Fond du Lac	20	Auburn

Sample Number and Type	Sample Length Att. & Recovered (in)	Blow Counts	Depth in Feet (Below ground surface)	Soil/Rock Description And Geologic Origin For Each Major Unit	USCS	Graphic Log	Well Diagram	PID/FID	Soil Properties: Compressive Strength	Moisture Content	Liquid Limit	Plasticity Index	P 200	RQD/ Comments
1	18		1	Brown F. gravelly sand, tr. silt (FILL)	hF			0		D-M				
			2											
2	18		3	Brown and lt. brown silty sand and sandy silt, few f. gravel (FILL)				0		M				Sample No. GP-2-2 t=0915
			4											
3	12		5	Gray silty CLAY				15		M				
			6											
4	24		7	As above, few orange-brown mottles	cl			831		M				Sample No. GP-2-4 t=0920
			8											
5	12		9	As above				60		M				
			10											
6	24		11	Gray F. sandy GRAVEL	gP			86		W				Sample No. GP-2-6 t=0925
			12	EOB @ 12'										

I hereby certify that the information on this form is true and correct to the best of my knowledge.

Signature _____ Firm Environmental Compliance Consultants, Inc.

This form is authorized by Chapters 281, 283, 289, 291, 292, 293, 295, and 299, Wis. Stats. Completion of this form is mandatory. Failure to file this form may result in forfeiture of between $10 and $25,000, or imprisonment for up to one year, depending on the program and conduct involved. Personally identifiable information on this form is not intended to be used for any other purpose. NOTE: See instructions for more information, including where the completed form should be sent.

State of Wisconsin
Department of Natural Resources

SOIL BORING LOG INFORMATION

Form 4400-122 Rev. 7-98

Route To: Watershed/Wastewater ☐ Waste Management ☐
Remediation/Revelopment ☑ Other ☐ _____

Facility/Project Name	License/Permit/Monitoring Number	Boring Number
Old Dutchmill Property		GP-3

Boring Drilled By: Name of crew chief (first, last) and Firm	Date Drilling Started	Date Drilling Completed	Drilling Method
First Name: Mike Last Name: McArdle Firm: M + K Environmental + Soils Drilling, LLC	08/24/2006 (m m d d y y y y)	08/24/2006 (m m d d y y y y)	Geoprobe

WI Unique Well No.	DNR Well ID No.	Well Name	Final Static Water Level	Surface Elevation	Borehole Diameter
_ _ _ _ _ _ _	_ _ _ _		_____ Feet MSL	_____ Feet MSL	2 inches

Local Grid Origin ☐ (estimated: ☐) or Boring Location ☐
State Plane _____ N, _____ E
NW 1/4 of SW 1/4 of Section 4, T 13 N, R 19
Lat ° ' "
Long ° ' "
Local Grid Location ☐ N ☐ E _____ Feet ☐ S _____ Feet ☐ W

Facility ID	County	County Code	Civil (Town)/City/ or Village
	Fond du Lac	20	Auburn

Sample Number and Type	Sample Length Att. & Recovered (in)	Blow Counts	Depth in Feet (Below ground surface)	Soil/Rock Description And Geologic Origin For Each Major Unit	USCS	Graphic Log	Well Diagram	PID/FID	Soil Properties: Compressive Strength	Moisture Content	Liquid Limit	Plasticity Index	P 200	RQD/ Comments
1	12		1–2	Brown f. gravelly sand (FILL)	hf			0		D-M				
2	12		3–4	Brown Silty Sand and f. gravelly Sand (FILL)				0		M				Sample No. GP-3-2 t=0935
3	0		5–6					–		–				
4	24		7–8	Gray silty CLAY, some orange brown mottles	cl			40						Sample GP-3-4 t=0940
5	0		9–10					–		–				
6	24		10–11	Brown f. SAND, some silt	sm			–		M-W				Sample No. GP-3-6 t=0945
			11–12	Gray f. sandy GRAVEL EOB @ 12'	gp			1500		W				

I hereby certify that the information on this form is true and correct to the best of my knowledge.

Signature _____ Firm Environmental Compliance Consultants, Inc.

This form is authorized by Chapters 281, 283, 289, 291, 292, 293, 295, and 299, Wis. Stats. Completion of this form is mandatory. Failure to file this form may result in forfeiture of between $10 and $25,000, or imprisonment for up to one year, depending on the program and conduct involved. Personally identifiable information on this form is not intended to be used for any other purpose. NOTE: See instructions for more information, including where the completed form should be sent.

State of Wisconsin
Department of Natural Resources

SOIL BORING LOG INFORMATION

Form 4400-122 Rev. 7-98

Route To: Watershed/Wastewater ☐ Waste Management ☐
Remediation/Revelopment ☑ Other ☐ _____

Facility/Project Name	License/Permit/Monitoring Number	Boring Number
Old Dutchmill Property		GP-4

Boring Drilled By: Name of crew chief (first, last) and Firm	Date Drilling Started	Date Drilling Completed	Drilling Method
First Name: Mike Last Name: McArdle Firm: M & K Environmental + Soils Drilling, LLC	08/24/2006 (mm/dd/yyyy)	08/24/2006 (mm/dd/yyyy)	Geoprobe

WI Unique Well No.	DNR Well ID No.	Well Name	Final Static Water Level	Surface Elevation	Borehole Diameter
_ _ _ _ _ _	_ _ _ _		_____ Feet MSL	_____ Feet MSL	2 inches

Local Grid Origin ☐ (estimated: ☐) or Boring Location ☐
State Plane _____ N, _____ E
NW 1/4 of SW 1/4 of Section 4, T 13 N, R 19
Lat ° ' "
Long ° ' "
Local Grid Location ☐ N ☐ E _____ Feet ☐ S _____ Feet ☐ W

Facility ID	County	County Code	Civil Town/City/ or Village
	Fond du Lac	20	Auburn

Sample Number and Type	Sample Length Att. & Recovered (in)	Blow Counts	Depth in Feet (Below ground surface)	Soil/Rock Description And Geologic Origin For Each Major Unit	USCS	Graphic Log	Well Diagram	PID/FID	Soil Properties: Compressive Strength	Moisture Content	Liquid Limit	Plasticity Index	P 200	RQD/ Comments
1	20		1	Brown f. gravelly sand (FILL)	hF			0		D				
			2											
2	20		3	Brown gravelly sand and Silty Sand (FILL)				0		M					Sample No. GP-4-2 t= 1010
			4											
3	20		5	Gray Silty CLAY	Cl			0		M				
			6											
4	24		7	As above				0		M				Sample No. GP-4-4 t= 1020
			8											
				EOB @ 8' (due to refusal)										

I hereby certify that the information on this form is true and correct to the best of my knowledge.

Signature _____ Firm Environmental Compliance Consultants, Inc.

This form is authorized by Chapters 281, 283, 289, 291, 292, 293, 295, and 299, Wis. Stats. Completion of this form is mandatory. Failure to file this form may result in forfeiture of between $10 and $25,000, or imprisonment for up to one year, depending on the program and conduct involved. Personally identifiable information on this form is not intended to be used for any other purpose. NOTE: See instructions for more information, including where the completed form should be sent.

State of Wisconsin
Department of Natural Resources

SOIL BORING LOG INFORMATION

Form 4400-122 Rev. 7-98

Route To: Watershed/Wastewater ☐ Waste Management ☐
Remediation/Revelopment ☑ Other ☐ _____

Page 1 of 1

Facility/Project Name	License/Permit/Monitoring Number	Boring Number
Old Dutchmill Property		GP-5

Boring Drilled By: Name of crew chief (first, last) and Firm	Date Drilling Started	Date Drilling Completed	Drilling Method
First Name: Mike Last Name: McArdle Firm: M+K Environmental + Soils Drilling, LLC	08/24/2006	08/24/2006	Geoprobe

WI Unique Well No.	DNR Well ID No.	Well Name	Final Static Water Level	Surface Elevation	Borehole Diameter
_ _ _ _ _ _	_ _ _		_____ Feet MSL	_____ Feet MSL	2 inches

Local Grid Origin ☐ (estimated: ☐) or Boring Location ☐
State Plane _____ N, _____ E
NW 1/4 of SW 1/4 of Section 4, T 13 N, R 19
Lat ° ' "
Long ° ' "
Local Grid Location ☐ N ☐ E _____ Feet ☐ S _____ Feet ☐ W

Facility ID	County	County Code	Civil (Town)/City/ or Village
	Fond du Lac	20	Auburn

Sample Number and Type	Sample Length Att. & Recovered (in)	Blow Counts	Depth in Feet (Below ground surface)	Soil/Rock Description And Geologic Origin For Each Major Unit	USCS	Graphic Log	Well Diagram	PID/FID	Soil Properties: Compressive Strength	Moisture Content	Liquid Limit	Plasticity Index	P 200	RQD/ Comments
1	12		1	DK brown f. Sandy SILT, some rootlets	sm-ml			0		D				
			2											
2	24		3	Gray silty CLAY, some orange brown mottles	cl			0		M				Sample No. GP-5-2 t = 1040
			4	Gray f. Sandy GRAVEL, tr. silt				0		M-W				
3	0		5					–		–				
			6											
4	24		7	Gray f. Sandy GRAVEL	gp			0		W				Sample No. GP-5-4 t = 1045
			8											
			9	EOB @ 9' Install temporary well to 5'. Purge by bailing and collect groundwater sample: GP-5-W, t = 1700 Remove piping and abandon w/ bentonite.										

I hereby certify that the information on this form is true and correct to the best of my knowledge.

Signature _____ Firm Environmental Compliance Consultants, Inc.

This form is authorized by Chapters 281, 283, 289, 291, 292, 293, 295, and 299, Wis. Stats. Completion of this form is mandatory. Failure to file this form may result in forfeiture of between $10 and $25,000, or imprisonment for up to one year, depending on the program and conduct involved. Personally identifiable information on this form is not intended to be used for any other purpose. NOTE: See instructions for more information, including where the completed form should be sent.

State of Wisconsin
Department of Natural Resources

SOIL BORING LOG INFORMATION

Form 4400-122 Rev. 7-98

Route To: Watershed/Wastewater ☐ Waste Management ☐
Remediation/Revelopment ☑ Other ☐ _____

Facility/Project Name	License/Permit/Monitoring Number	Boring Number
Old Dutchmill Property		GP-6

Boring Drilled By: Name of crew chief (first, last) and Firm	Date Drilling Started	Date Drilling Completed	Drilling Method
First Name: Mike Last Name: McArdle Firm: M & K Environmental + Soils Drilling, LLC	08/24/2006 (m m d d y y y y)	08/24/2006 (m m d d y y y y)	Geoprobe

WI Unique Well No.	DNR Well ID No.	Well Name	Final Static Water Level	Surface Elevation	Borehole Diameter
_ _ _ _ _ _	_ _ _ _		_____ Feet MSL	_____ Feet MSL	2 inches

Local Grid Origin ☐ (estimated: ☐) or Boring Location ☐
State Plane _____ N, _____ E
Lat ° ' "
Long ° ' "
Local Grid Location ☐ N ☐ E _____ Feet ☐ S _____ Feet ☐ W

NW 1/4 of SW 1/4 of Section 4, T 13 N, R 19

Facility ID	County	County Code	Civil (Town)/City/ or Village
	Fond du Lac	20	Auburn

Sample Number and Type	Sample Length Att. & Recovered (in)	Blow Counts	Depth in Feet (Below ground surface)	Soil/Rock Description And Geologic Origin For Each Major Unit	USCS	Graphic Log	Well Diagram	PID/FID	Soil Properties: Compressive Strength	Moisture Content	Liquid Limit	Plasticity Index	P 200	RQD/ Comments
1	20		1	Dk. brown F. sandy SILT	SM-ML			0		D				
			2											
2	24		3	Gray F. sandy GRAVEL	GP			0		M				Sample No. GP-6-2 t = 1105
			4	EOB @ 4' (due to refusal)										

I hereby certify that the information on this form is true and correct to the best of my knowledge.

Signature _____ Firm Environmental Compliance Consultants, Inc.

This form is authorized by Chapters 281, 283, 289, 291, 292, 293, 295, and 299, Wis. Stats. Completion of this form is mandatory. Failure to file this form may result in forfeiture of between $10 and $25,000, or imprisonment for up to one year, depending on the program and conduct involved. Personally identifiable information on this form is not intended to be used for any other purpose. NOTE: See instructions for more information, including where the completed form should be sent.

State of Wisconsin
Department of Natural Resources

SOIL BORING LOG INFORMATION

Form 4400-122 Rev. 7-98

Route To: Watershed/Wastewater ☐ Waste Management ☐
Remediation/Revelopment ☑ Other ☐ _____

Facility/Project Name	License/Permit/Monitoring Number	Boring Number
Old Dutchmill Property		GP-7

Boring Drilled By: Name of crew chief (first, last) and Firm	Date Drilling Started	Date Drilling Completed	Drilling Method
First Name: Mike Last Name: McArdle Firm: M & K Environmental + Soils Drilling, LLC	08/24/2006 (m m d d y y y y)	08/24/2006 (m m d d y y y y)	Geoprobe

WI Unique Well No.	DNR Well ID No.	Well Name	Final Static Water Level	Surface Elevation	Borehole Diameter
_ _ _ _ _ _	_ _ _	U	_____ Feet MSL	_____ Feet MSL	2 inches

Local Grid Origin ☐ (estimated: ☐) or . Boring Location · ☐
State Plane _____ N, _____ E
NW 1/4 of SW 1/4 of Section 4, T 13 N, R 19

Lat ° ' "
Long ° ' "

Local Grid Location
_____ Feet ☐ N _____ Feet ☐ E
_____ Feet ☐ S _____ Feet ☐ W

Facility ID	County	County Code	Civil (Town)/City/ or Village
	Fond du Lac	20	Auburn

Sample Number and Type	Sample Length Att. & Recovered (in)	Blow Counts	Depth in Feet (Below ground surface)	Soil/Rock Description And Geologic Origin For Each Major Unit	USCS	Graphic Log	Well Diagram	PID/FID	Soil Properties: Compressive Strength	Moisture Content	Liquid Limit	Plasticity Index	P 200	RQD/ Comments
1	20		1	DK. brown F. Sandy SILT	sm-ml			0		D				
			2											
2	24		3											Sample No. GP-7-2 t=1125
			4	Brown gravelly silty SAND	sm			0		M				
3	0		5					-		-				
			6											
4	24		7	Gray F. Sandy GRAVEL, tr clay	gp			0		W				Sample No. GP-7-4 t=1130
			8											

EOB @ 8'
Install temporary well to 7'
Purge by bailing and collect groundwater sample:
GP-7-W, t=1545
Remove piping and abandon w/ bentonite.

I hereby certify that the information on this form is true and correct to the best of my knowledge.

Signature _____ Firm Environmental Compliance Consultants, Inc.

State of Wisconsin
Department of Natural Resources

SOIL BORING LOG INFORMATION

Form 4400-122 Rev. 7-98

Route To: Watershed/Wastewater ☐ Waste Management ☐
Remediation/Revelopment ☑ Other ☐ _____

Facility/Project Name	License/Permit/Monitoring Number	Boring Number
Old Dutchmill Property		GP-8

Boring Drilled By: Name of crew chief (first, last) and Firm	Date Drilling Started	Date Drilling Completed	Drilling Method
First Name: Mike Last Name: McArdle Firm: M & K Environmental + Soils Drilling, LLC	08/24/2006 (m m/d d/y y y y)	08/24/2006 (m m/d d/y y y y)	Geoprobe

WI Unique Well No.	DNR Well ID No.	Well Name	Final Static Water Level	Surface Elevation	Borehole Diameter
_ _ _ _ _ _ _	_ _ _ _		____ Feet MSL	____ Feet MSL	2 inches

Local Grid Origin ☐ (estimated: ☐) or . Boring Location · ☐
State Plane _____ N, _____ E
NW 1/4 of SW 1/4 of Section 4, T 13 N, R 19
Lat ° ' "
Long ° ' "
Local Grid Location ☐ N ☐ E ____ Feet ☐ S ____ Feet ☐ W

Facility ID	County	County Code	Civil (Town)/City/ or Village
	Fond du Lac	20	Auburn

Sample Number and Type	Length Att. & Recovered (in)	Blow Counts	Depth in Feet (Below ground surface)	Soil/Rock Description And Geologic Origin For Each Major Unit	USCS	Graphic Log	Well Diagram	PID/FID	Soil Properties: Compressive Strength	Moisture Content	Liquid Limit	Plasticity Index	P 200	RQD/ Comments
1	12		1–2	Brown Silty F. Sand and F. gravelly sand (FILL)	hf			0		D				
2	20		3–4	F. gravelly brown Sand (FILL)				0		M				Sample No. GP-8-2 t=1220
			4	Dk. gray F sandy SILT	sm-ml			–		M				
3	20		5–6	Gray Silty CLAY	cl			5		M				
4	20		7–8	Gray F. Sandy SILT, tr. VF. Gravel	sm-ml			500		M				Sample No GP-8-4 t=1225
5	0		9–10	–				–		–				
6	24		11	As above, some orange brown mottles										
			11	Gray F. Sandy GRAVEL	gp			925		W				Sample No. GP-8-6 t=1230
			12	EOB @ 12'										

I hereby certify that the information on this form is true and correct to the best of my knowledge.

Signature _____ Firm Environmental Compliance Consultants, Inc.

This form is authorized by Chapters 281, 283, 289, 291, 292, 293, 295, and 299, Wis. Stats. Completion of this form is mandatory. Failure to file this form may result in forfeiture of between $10 and $25,000, or imprisonment for up to one year, depending on the program and conduct involved. Personally identifiable information on this form is not intended to be used for any other purpose. NOTE: See instructions for more information, including where the completed form should be sent.

State of Wisconsin
Department of Natural Resources

SOIL BORING LOG INFORMATION

Form 4400-122 Rev. 7-98

Route To: Watershed/Wastewater ☐ Waste Management ☐
Remediation/Revelopment ☑ Other ☐ _____

Facility/Project Name	License/Permit/Monitoring Number	Boring Number
Old Dutchmill Property		GP-9

Boring Drilled By: Name of crew chief (first, last) and Firm	Date Drilling Started	Date Drilling Completed	Drilling Method
First Name: Mike Last Name: McArdle Firm: M+K Environmental + Soils Drilling LLC	08/24/2006 (m m d d y y y y)	08/24/2006 (m m d d y y y y)	Geoprobe

WI Unique Well No.	DNR Well ID No.	Well Name	Final Static Water Level	Surface Elevation	Borehole Diameter
_ _ _ _ _ _	_ _ _ _		_____ Feet MSL	_____ Feet MSL	2 inches

Local Grid Origin ☐ (estimated: ☐) or Boring Location ☐
State Plane _____ N, _____ E
NW 1/4 of SW 1/4 of Section 4, T 13 N, R 19
Lat ° ' "
Long ° ' "
Local Grid Location ☐ N ☐ E _____ Feet ☐ S _____ Feet ☐ W

Facility ID	County	County Code	Civil (Town)/City/ or Village
	Fond du Lac	20	Auburn

Sample Number and Type	Sample Length Att. & Recovered (in)	Blow Counts	Depth in Feet (Below ground surface)	Soil/Rock Description And Geologic Origin For Each Major Unit	USCS	Graphic Log	Well Diagram	PID/FID	Soil Properties: Compressive Strength	Moisture Content	Liquid Limit	Plasticity Index	P 200	RQD/ Comments
1	12		1–2	Brown f. sandy F. gravel (FILL)	hf			0		D				
2	20		3–4	Mixed brown F. gravelly sand and silty clay (FILL)				0		M				Sample No. GP-9-2 t=1250
3	12		5	DK. brown to black SILT. to Silty CLAY	ml-cl			2		M				
4	24		6–8	Gray Silty CLAY	cl			2		M				Sample No. GP-9-4 t=1255
5	10		9–10	As above				2		M				
6	24		11–12	As above, Few sand F. sandy GRAVEL, Few Silt	gp			2		W				Sample No. GP-9-6 t=1300
				EOB @ 12'										

I hereby certify that the information on this form is true and correct to the best of my knowledge.

Signature _____ Firm Environmental Compliance Consultants, Inc.

State of Wisconsin
Department of Natural Resources

SOIL BORING LOG INFORMATION

Form 4400-122 Rev. 7-98

Route To: Watershed/Wastewater ☐ Waste Management ☐
Remediation/Revelopment ☑ Other ☐ _____

Facility/Project Name	License/Permit/Monitoring Number	Boring Number
Old Dutchmill Property		GP-10

Boring Drilled By: Name of crew chief (first, last) and Firm	Date Drilling Started	Date Drilling Completed	Drilling Method
First Name: Mike Last Name: McArdle Firm: M & K Environmental + Soils Drilling, LLC	08/24/2006 (m m d d y y y y)	08/24/2006 (m m d d y y y y)	Geoprobe

WI Unique Well No.	DNR Well ID No.	Well Name	Final Static Water Level	Surface Elevation	Borehole Diameter
_ _ _ _ _ _ _	_ _ _ _		_____ Feet MSL	_____ Feet MSL	2 inches

Local Grid Origin ☐ (estimated: ☐) or Boring Location ☐
State Plane _____ N, _____ E
NW 1/4 of SW 1/4 of Section 4, T 13 N, R 19
Lat ° ' "
Long ° ' "
Local Grid Location ☐ N ☐ E _____ Feet ☐ S _____ Feet ☐ W

Facility ID	County	County Code	Civil (Town)/City/ or Village
	Fond du Lac	20	Auburn

Sample Number and Type	Sample Length Att. & Recovered (in)	Blow Counts	Depth in Feet (Below ground surface)	Soil/Rock Description And Geologic Origin For Each Major Unit	USCS	Graphic Log	Well Diagram	PID/FID	Soil Properties: Compressive Strength	Moisture Content	Liquid Limit	Plasticity Index	P 200	RQD/ Comments
1	14		1–2	Brown sandy F. gravel (FILL)	hf			0		D				
2	24		3–4	DK. gray gravelly sandy SILT	sm-ml			0		M				Sample No. GP-10-2 t=1310
3	0		5–6					—		—				
4	1		7–8	F. GRAVEL				—		—				No sample, poor recovery
5	0		9–10					—		—				
6	18		11–12	DK. gray to black F. sandy GRAVEL	gp			0		W				Sample No. GP-10-6 t=1335
				EOB @ 12'										

I hereby certify that the information on this form is true and correct to the best of my knowledge.

Signature _____ Firm Environmental Compliance Consultants, Inc.

This form is authorized by Chapters 281, 283, 289, 291, 292, 293, 295, and 299, Wis. Stats. Completion of this form is mandatory. Failure to file this form may result in forfeiture of between $10 and $25,000, or imprisonment for up to one year, depending on the program and conduct involved. Personally identifiable information on this form is not intended to be used for any other purpose. NOTE: See instructions for more information, including where the completed form should be sent.

GP-10

Sample		Blow Counts	Depth in Feet	Soil/Rock Description And Geologic Origin For Each Major Unit	USCS	Graphic Log	Well Diagram	PID/FID	Soil Properties					RQD/ Comments
Number and Type	Length Att. & Recovered (in)								Compressive Strength	Moisture Content	Liquid Limit	Plasticity Index	P 200	
				Install temporary well to 12', Purge by bailing and collect groundwater sample: GP-10-W, t=1635 Remove piping and abandon w/bentonite.										

GP-9

Sample Number and Type	Sample Length Att. & Recovered (in)	Blow Counts	Depth in Feet	Soil/Rock Description And Geologic Origin For Each Major Unit	USCS	Graphic Log	Well Diagram	PID/FID	Soil Properties: Compressive Strength	Soil Properties: Moisture Content	Soil Properties: Liquid Limit	Soil Properties: Plasticity Index	Soil Properties: P 200	RQD/ Comments
				Install temporary well to 12'. Purge by bailing and collect groundwater sample: GP-9-W, t=1800 Remove piping and abandon w/ bentonite.										

GP-8

Sample		Blow Counts	Depth in Feet	Soil/Rock Description And Geologic Origin For Each Major Unit	USCS	Graphic Log	Well Diagram	PID/FID	Soil Properties						RQD/ Comments
Number and Type	Length Att. & Recovered (in)								Compressive Strength	Moisture Content	Liquid Limit	Plasticity Index	P 200		
				Install temporary well to 12'. Purge by bailing and collect groundwater sample: GP-8-W, t = 1700 Remove piping and abandon w/ bentonite.											

GP-3

Sample: Number and Type	Sample: Length Att. & Recovered (in)	Blow Counts	Depth in Feet	Soil/Rock Description And Geologic Origin For Each Major Unit	USCS	Graphic Log	Well Diagram	PID/FID	Soil Properties: Compressive Strength	Soil Properties: Moisture Content	Soil Properties: Liquid Limit	Soil Properties: Plasticity Index	Soil Properties: P 200	RQD/ Comments
				Install temporary well to 12'. Purge by bailing and collect groundwater sample: GP-3-W, t= 1515 Remove piping and abandon w/ bentonite.										

GP-2

Sample: Number and Type	Sample: Length Att. & Recovered (in)	Blow Counts	Depth in Feet	Soil/Rock Description And Geologic Origin For Each Major Unit	USCS	Graphic Log	Well Diagram	PID/FID	Soil Properties: Compressive Strength	Soil Properties: Moisture Content	Soil Properties: Liquid Limit	Soil Properties: Plasticity Index	Soil Properties: P 200	RQD/ Comments
				Install temporary well to 12'. Purge by bailing and collect groundwater sample: GP-2-W, t= 1445 Remove piping and abandon w/bentonite.										

GP-1

Sample		Blow Counts	Depth in Feet	Soil/Rock Description And Geologic Origin For Each Major Unit	USCS	Graphic Log	Well Diagram	PID/FID	Soil Properties					RQD/ Comments
Number and Type	Length Att. & Recovered (in)								Compressive Strength	Moisture Content	Liquid Limit	Plasticity Index	P 200	
				Install temporary well to 12'. Purge by bailing and collect groundwater sample: GP-1-W, t=1600 Remove piping and abandon w/bentonite.										

State of Wisconsin
Department of Natural Resources
PO Box 7921, Madison WI 53707-7921

Well / Drillhole / Borehole Abandonment

Form 3300-005 (R 10/03)

Notice: Completion of this report is required by chs. 160, 281, 283, 289, 291-293, 295, and 299, Wis. Stats., and ch. NR 141, Wis. Adm. Code. In accordance with chs. 281, 289, 291-293, 295, and 299, Wis. Stats., failure to file this form may result in a forfeiture of between $10-25,000, or imprisonment for up to one year, depending on the program and conduct involved. Personally identifiable information on this form is not intended to be used for any other purpose. Return form to the appropriate DNR office and bureau. See instructions on reverse for more information.

Route to:
☐ Drinking Water ☐ Watershed/Wastewater ☐ Waste Management ☑ Remediation/Redevelopment ☐ Other: _____

1. General Information

WI Unique Well No. — — — — — | DNR Well ID No. | County: Fond du Lac

Common Well Name: GP-1 | Gov't Lot # (if applicable)

¼ ¼ | ¼: NW | SW | Section: 4 | Township: 13 N | Range: 19 ☑ E ☐ W

Grid Location: Feet ☐ N ☐ S | Feet ☐ E ☐ W | ☐ Local Grid Origin ☐ (estimated) OR ☐ Well Location

Latitude: DEG MIN SEC N | Longitude: DEG MIN SEC W

Reason For Abandonment: Investigative Only | WI Unique Well No. of Replacement We: — — — — —

2. Facility / Owner Information

Facility Name: Old Dutchmill Property

Facility ID | License/Permit/Monitoring No | City, Village or Town

Street Address of Well: N2271 USH 45, Campbellsport

Present Well Owner | Original Well Owner

Street Address or Route of Owner: N2271 USH 45

City: Campbellsport | State: WI | ZIP Code: 53010

3. Well / Drillhole / Borehole Information

☐ Monitoring Well
☐ Water Well
☑ Borehole / Drillhole

Original Construction Date: 8-24-06

If a Well Construction Report is available, please attach.

Construction Type:
☐ Drilled ☐ Driven (Sandpoint) ☐ Dug
☑ Other (specify): Geoprobe

Formation Type:
☑ Unconsolidated Formation ☐ Bedrock

Total ~~Well~~ Depth From Groundsurface (ft.): 12 | ~~Casing~~ Diameter (in.): 2

Lower Drillhole Diameter (in.): N/A | Casing Depth (ft.): N/A

Was well annular space grouted? N/A ☐ Yes ☐ No ☐ Unknown

If yes, to what depth (feet)? N/A | Depth to Water (feet): 8.5

4. Pump, Liner, Screen, Casing & Sealing Material

Pump and piping removed?	☐ Yes	☐ No	☑ N/A
Liner(s) removed?	☐ Yes	☐ No	☑ N/A
Screen removed?	☐ Yes	☐ No	☑ N/A
Casing left in place?	☐ Yes	☐ No	☑ N/A
Was casing cut off below surface?	☐ Yes	☐ No	☑ N/A
Did sealing material rise to surface?	☑ Yes	☐ No	☐ N/A
Did material settle after 24 hours?	☐ Yes	☑ No	☐ N/A
If yes, was hole retopped?	☐ Yes	☐ No	☐ N/A
If bentonite chips were used, were they hydrated with water from a known safe source?	☑ Yes	☐ No	☐ N/A

Required Method of Placing Sealing Material
☐ Conductor Pipe-Gravity ☐ Conductor Pipe-Pumped
☐ Screened & Poured (Bentonite Chips) ☑ Other (Explain): Poured

Sealing Materials
☐ Neat Cement Grout ☐ Clay-Sand Slurry (11 lb./gal. wt.)
☐ Sand-Cement (Concrete) Grout ☐ Bentonite-Sand Slurry " "
☐ Concrete ☑ Bentonite Chips

For Monitoring Wells and Monitoring Well Boreholes Only:
☐ Bentonite Chips ☐ Bentonite - Cement Grout
☐ Granular Bentonite ☐ Bentonite - Sand Slurry

5. Material Used To Fill Well / Drillhole

Material	From (ft.)	To (ft.)	No. Yards, Sacks Sealant or Volume (circle one)	Mix Ratio or Mud Weight
Soil	Surface	0.5	0.01 ft³	
Bentonite Chips (3/8")	0.5	12	0.25 ft³	

6. Comments

7. Supervision of Work

Name of Person or Firm Doing Sealing Work: ECCI | Date of Abandonment: 8-24-06

Street or Route: P.O. Box 11417 | Telephone Number: (920) 434-6380

City: Green Bay | State: WI | ZIP Code: 54307 | Signature of Person Doing Work | Date Signed: 9-28-06

DNR Use Only
Date Received | Noted By
Comments

State of Wisconsin
Department of Natural Resources
PO Box 7921, Madison WI 53707-7921

Well / Drillhole / Borehole Abandonment

Form 3300-005 (R 10/03)

Notice: Completion of this report is required by chs. 160, 281, 283, 289, 291-293, 295, and 299, Wis. Stats., and ch. NR 141, Wis. Adm. Code. In accordance with chs. 281, 289, 291-293, 295, and 299, Wis. Stats., failure to file this form may result in a forfeiture of between $10-25,000, or imprisonment for up to one year, depending on the program and conduct involved. Personally identifiable information on this form is not intended to be used for any other purpose. Return form to the appropriate DNR office and bureau. See instructions on reverse for more information.

Route to: ☐ Drinking Water ☐ Watershed/Wastewater ☐ Waste Management ☑ Remediation/Redevelopment ☐ Other: _____

1. General Information

WI Unique Well No.	DNR Well ID No.	County
— — — — — —		Fond du Lac

Common Well Name: GP-2

Gov't Lot # (if applicable):

¼ / ¼	¼	Section	Township	Range	
NW	SW	4	13 N	19	☑ E ☐ W

Grid Location: Feet ☐ N ☐ S Feet ☐ E ☐ W ☐ Local Grid Origin ☐ (estimated) OR ☐ Well Location

Latitude: DEG MIN SEC N

Longitude: DEG MIN SEC W

Reason For Abandonment: Investigative Only

WI Unique Well No. of Replacement We: — — — — — —

2. Facility / Owner Information

Facility Name: Old Dutchmill Property

Facility ID | License/Permit/Monitoring No | City, Village or Town

Street Address of Well: N2271 USH 45, Campbellsport

Present Well Owner | Original Well Owner

Street Address or Route of Owner: N2271 USH 45

City: Campbellsport | State: WI | ZIP Code: 53010

3. Well / Drillhole / Borehole Information

☐ Monitoring Well
☐ Water Well
☑ Borehole / Drillhole

Original Construction Date: 8-24-06

If a Well Construction Report is available, please attach.

Construction Type:
☐ Drilled ☐ Driven (Sandpoint) ☐ Dug
☑ Other (specify): Geoprobe

Formation Type:
☑ Unconsolidated Formation ☐ Bedrock

Total ~~Well~~ Depth From Groundsurface (ft.)	~~Casing~~ Diameter (in.)
12	2
Lower Drillhole Diameter (in.)	**Casing Depth (ft.)**
N/A	N/A

Was well annular space grouted? N/A ☐ Yes ☐ No ☐ Unknown

If yes, to what depth (feet)?	Depth to Water (feet)
N/A	—

4. Pump, Liner, Screen, Casing & Sealing Material

Pump and piping removed?	☐ Yes	☐ No	☑ N/A
Liner(s) removed?	☐ Yes	☐ No	☑ N/A
Screen removed?	☐ Yes	☐ No	☑ N/A
Casing left in place?	☐ Yes	☐ No	☑ N/A
Was casing cut off below surface?	☐ Yes	☐ No	☑ N/A
Did sealing material rise to surface?	☑ Yes	☐ No	☐ N/A
Did material settle after 24 hours?	☐ Yes	☑ No	☐ N/A
If yes, was hole retopped?	☐ Yes	☐ No	☐ N/A
If bentonite chips were used, were they hydrated with water from a known safe source?	☑ Yes	☐ No	☐ N/A

Required Method of Placing Sealing Material
☐ Conductor Pipe-Gravity ☐ Conductor Pipe-Pumped
☐ Screened & Poured (Bentonite Chips) ☑ Other (Explain): Poured

Sealing Materials
☐ Neat Cement Grout ☐ Clay-Sand Slurry (11 lb./gal. wt.)
☐ Sand-Cement (Concrete) Grout ☐ Bentonite-Sand Slurry " "
☐ Concrete ☑ Bentonite Chips

For Monitoring Wells and Monitoring Well Boreholes Only:
☐ Bentonite Chips ☐ Bentonite - Cement Grout
☐ Granular Bentonite ☐ Bentonite - Sand Slurry

5. Material Used To Fill Well / Drillhole

Material	From (ft.)	To (ft.)	No. Yards, Sacks Sealant or Volume (circle one)	Mix Ratio or Mud Weight
Soil	Surface	0.5	0.01 ~~ft~~ ^{3}	
Bentonite Chips (3/8")	0.5	12	0.25 ~~ft~~ ^{3}	

6. Comments

7. Supervision of Work

Name of Person or Firm Doing Sealing Work	Date of Abandonment
ECCI	8-24-06
Street or Route	**Telephone Number**
P.O. Box 11417	(920) 434-6380

City	State	ZIP Code	Signature of Person Doing Work	Date Signed
Green Bay	WI	54307		9-28-06

DNR Use Only

Date Received	Noted By
Comments	

State of Wisconsin
Department of Natural Resources
PO Box 7921, Madison WI 53707-7921

Well / Drillhole / Borehole Abandonment

Form 3300-005 (R 10/03)

Notice: Completion of this report is required by chs. 160, 281, 283, 289, 291-293, 295, and 299, Wis. Stats., and ch. NR 141, Wis. Adm. Code. In accordance with chs. 281, 289, 291-293, 295, and 299, Wis. Stats., failure to file this form may result in a forfeiture of between $10-25,000, or imprisonment for up to one year, depending on the program and conduct involved. Personally identifiable information on this form is not intended to be used for any other purpose. Return form to the appropriate DNR office and bureau. See instructions on reverse for more information.

Route to:
☐ Drinking Water ☐ Watershed/Wastewater ☐ Waste Management ☑ Remediation/Redevelopment ☐ Other: _____

1. General Information

WI Unique Well No.	DNR Well ID No.	County
— — — — —		Fond du Lac

Common Well Name: 6P-3
Gov't Lot # (if applicable):

¼ / ¼	¼	Section	Township	Range
NW	SW	4	13 N	19 ☑ E ☐ W

Grid Location: Feet ☐ N ☐ S Feet ☐ E ☐ W ☐ Local Grid Origin ☐ (estimated) OR ☐ Well Location

Latitude: DEG MIN SEC N
Longitude: DEG MIN SEC W

Reason For Abandonment: Investigative Only
WI Unique Well No. of Replacement Well: — — — — —

2. Facility / Owner Information

Facility Name: Old Dutchmill Property
Facility ID:
License/Permit/Monitoring No.:
City, Village or Town:
Street Address of Well: N2271 USH 45, Campbellsport
Present Well Owner:
Original Well Owner:
Street Address or Route of Owner: N2271 USH 45
City: Campbellsport
State: WI
ZIP Code: 53010

3. Well / Drillhole / Borehole Information

☐ Monitoring Well ☐ Water Well ☑ Borehole / Drillhole

Original Construction Date: 8-24-06

If a Well Construction Report is available, please attach.

Construction Type:
☐ Drilled ☐ Driven (Sandpoint) ☐ Dug ☑ Other (specify): Geoprobe

Formation Type:
☑ Unconsolidated Formation ☐ Bedrock

Total ~~Well~~ Depth From Groundsurface (ft.)	~~Casing~~ Diameter (in.)
12	2

Lower Drillhole Diameter (in.)	Casing Depth (ft.)
N/A	N/A

Was well annular space grouted? N/A ☐ Yes ☐ No ☐ Unknown

If yes, to what depth (feet)?	Depth to Water (feet)
N/A	—

4. Pump, Liner, Screen, Casing & Sealing Material

Pump and piping removed?	☐ Yes	☐ No	☑ N/A
Liner(s) removed?	☐ Yes	☐ No	☑ N/A
Screen removed?	☐ Yes	☐ No	☑ N/A
Casing left in place?	☐ Yes	☐ No	☑ N/A
Was casing cut off below surface?	☐ Yes	☐ No	☑ N/A
Did sealing material rise to surface?	☑ Yes	☐ No	☐ N/A
Did material settle after 24 hours?	☐ Yes	☑ No	☐ N/A
If yes, was hole retopped?	☐ Yes	☐ No	☐ N/A
If bentonite chips were used, were they hydrated with water from a known safe source?	☑ Yes	☐ No	☐ N/A

Required Method of Placing Sealing Material
☐ Conductor Pipe-Gravity ☐ Conductor Pipe-Pumped
☐ Screened & Poured (Bentonite Chips) ☑ Other (Explain): Poured

Sealing Materials
☐ Neat Cement Grout ☐ Clay-Sand Slurry (11 lb./gal. wt.)
☐ Sand-Cement (Concrete) Grout ☐ Bentonite-Sand Slurry " "
☐ Concrete ☑ Bentonite Chips

For Monitoring Wells and Monitoring Well Boreholes Only:
☐ Bentonite Chips ☐ Bentonite - Cement Grout
☐ Granular Bentonite ☐ Bentonite - Sand Slurry

5. Material Used To Fill Well / Drillhole

From (ft.)	To (ft.)	No. Yards, ~~Sacks~~ Sealant or Volume (circle one)	Mix Ratio or Mud Weight
Soil	Surface	0.5	0.01 ft^3	
Bentonite Chips (3/8")	0.5	12	0.25 ft^3	

6. Comments

7. Supervision of Work

Name of Person or Firm Doing Sealing Work	Date of Abandonment
ECCI	8-24-06
Street or Route: P.O. Box 11417	Telephone Number: (920) 434-6380
City: Green Bay	State: WI	ZIP Code: 54307
Signature of Person Doing Work	Date Signed: 9-28-06

DNR Use Only

Date Received	Noted By
Comments	

State of Wisconsin
Department of Natural Resources
PO Box 7921, Madison WI 53707-7921

Well / Drillhole / Borehole Abandonment

Form 3300-005 (R 10/03)

Notice: Completion of this report is required by chs. 160, 281, 283, 289, 291-293, 295, and 299, Wis. Stats., and ch. NR 141, Wis. Adm. Code. In accordance with chs. 281, 289, 291-293, 295, and 299, Wis. Stats., failure to file this form may result in a forfeiture of between $10-25,000, or imprisonment for up to one year, depending on the program and conduct involved. Personally identifiable information on this form is not intended to be used for any other purpose. Return form to the appropriate DNR office and bureau. See instructions on reverse for more information.

Route to: ☐ Drinking Water ☐ Watershed/Wastewater ☐ Waste Management ☑ Remediation/Redevelopment ☐ Other: _____

1. General Information

WI Unique Well No.	DNR Well ID No.	County
_ _ _ _ _ _		Fond du Lac

Common Well Name: GP-4 | Gov't Lot # (if applicable):

¼ / ¼	¼	Section	Township	Range	
NW	SW	4	13 N	19	☑ E ☐ W

Grid Location: Feet ☐ N ☐ S Feet ☐ E ☐ W ☐ Local Grid Origin ☐ (estimated) OR ☐ Well Location

Latitude: DEG MIN SEC N | Longitude: DEG MIN SEC W

Reason For Abandonment: Investigative Only | WI Unique Well No. of Replacement Well: _ _ _ _ _ _

2. Facility / Owner Information

Facility Name: Old Dutchmill Property

Facility ID | License/Permit/Monitoring No. | City, Village or Town

Street Address of Well: N2271 USH 45, Campbellsport

Present Well Owner | Original Well Owner

Street Address or Route of Owner: N2271 USH 45

City: Campbellsport | State: WI | ZIP Code: 53010

3. Well / Drillhole / Borehole Information

☐ Monitoring Well ☐ Water Well ☑ Borehole / Drillhole

Original Construction Date: 8-24-06

If a Well Construction Report is available, please attach.

Construction Type:

☐ Drilled ☐ Driven (Sandpoint) ☐ Dug ☑ Other (specify): Geoprobe

Formation Type:

☑ Unconsolidated Formation ☐ Bedrock

Total ~~Well~~ Depth From Groundsurface (ft.)	~~Casing~~ Diameter (in.)
8	2
Lower Drillhole Diameter (in.)	**Casing Depth (ft.)**
N/A	N/A

Was well annular space grouted? N/A ☐ Yes ☐ No ☐ Unknown

If yes, to what depth (feet)?	Depth to Water (feet)
N/A	—

4. Pump, Liner, Screen, Casing & Sealing Material

Pump and piping removed?	☐ Yes	☐ No	☑ N/A
Liner(s) removed?	☐ Yes	☐ No	☑ N/A
Screen removed?	☐ Yes	☐ No	☑ N/A
Casing left in place?	☐ Yes	☐ No	☑ N/A
Was casing cut off below surface?	☐ Yes	☐ No	☑ N/A
Did sealing material rise to surface?	☑ Yes	☐ No	☐ N/A
Did material settle after 24 hours?	☐ Yes	☑ No	☐ N/A
If yes, was hole retopped?	☐ Yes	☐ No	☐ N/A
If bentonite chips were used, were they hydrated with water from a known safe source?	☑ Yes	☐ No	☐ N/A

Required Method of Placing Sealing Material

☐ Conductor Pipe-Gravity ☐ Conductor Pipe-Pumped ☐ Screened & Poured (Bentonite Chips) ☑ Other (Explain): Poured

Sealing Materials

☐ Neat Cement Grout ☐ Sand-Cement (Concrete) Grout ☐ Concrete ☐ Clay-Sand Slurry (11 lb./gal. wt.) ☐ Bentonite-Sand Slurry " " ☑ Bentonite Chips

For Monitoring Wells and Monitoring Well Boreholes Only:

☐ Bentonite Chips ☐ Granular Bentonite ☐ Bentonite - Cement Grout ☐ Bentonite - Sand Slurry

5. Material Used To Fill Well / Drillhole

Material	From (ft.)	To (ft.)	No. Yards, Sacks Sealant or Volume (circle one)	Mix Ratio or Mud Weight
Soil	Surface	0.5	0.01 ~~ft~~ ^{3}	
Bentonite Chips (3/8")	0.5	8	0.16 ~~ft~~ ^{3}	

6. Comments

7. Supervision of Work

Name of Person or Firm Doing Sealing Work	Date of Abandonment
ECCI	8-24-06
Street or Route	**Telephone Number**
P.O. Box 11417	(920) 434-6380

City: Green Bay | State: WI | ZIP Code: 54307 | Signature of Person Doing Work | Date Signed: 9-28-06

DNR Use Only

Date Received	Noted By
Comments	

State of Wisconsin
Department of Natural Resources
PO Box 7921, Madison WI 53707-7921

Well / Drillhole / Borehole Abandonment

Form 3300-005 (R 10/03)

Notice: Completion of this report is required by chs. 160, 281, 283, 289, 291-293, 295, and 299, Wis. Stats., and ch. NR 141, Wis. Adm. Code. In accordance with chs. 281, 289, 291-293, 295, and 299, Wis. Stats., failure to file this form may result in a forfeiture of between $10-25,000, or imprisonment for up to one year, depending on the program and conduct involved. Personally identifiable information on this form is not intended to be used for any other purpose. Return form to the appropriate DNR office and bureau. See instructions on reverse for more information.

Route to:
☐ Drinking Water ☐ Watershed/Wastewater ☐ Waste Management ☑ Remediation/Redevelopment ☐ Other: _____

1. General Information

WI Unique Well No.: — — — — —
DNR Well ID No.:
County: Fond du Lac
Common Well Name: GP-5
Gov't Lot # (if applicable):
¼ / ¼: NW ¼: SW Section: 4 Township: 13 N Range: 19 ☑ E ☐ W
Grid Location: Feet ☐ N ☐ S Feet ☐ E ☐ W ☐ Local Grid Origin ☐ (estimated) OR ☐ Well Location
Latitude: DEG MIN SEC N
Longitude: DEG MIN SEC W
Reason For Abandonment: Investigative Only
WI Unique Well No. of Replacement We: — — — — —

2. Facility / Owner Information

Facility Name: Old Dutchmill Property
Facility ID:
License/Permit/Monitoring No.:
City, Village or Town:
Street Address of Well: N2271 USH 45, Campbellsport
Present Well Owner:
Original Well Owner:
Street Address or Route of Owner: N2271 USH 45
City: Campbellsport State: WI ZIP Code: 53010

3. Well / Drillhole / Borehole Information

☐ Monitoring Well ☐ Water Well ☑ Borehole / Drillhole
Original Construction Date: 8-24-06
If a Well Construction Report is available, please attach.

Construction Type:
☐ Drilled ☐ Driven (Sandpoint) ☐ Dug ☑ Other (specify): Geoprobe

Formation Type:
☑ Unconsolidated Formation ☐ Bedrock

Total ~~Well~~ Depth From Groundsurface (ft.): 9
~~Casing~~ Diameter (in.): 2
Lower Drillhole Diameter (in.): N/A
Casing Depth (ft.): N/A

Was well annular space grouted? N/A ☐ Yes ☐ No ☐ Unknown

If yes, to what depth (feet)? N/A
Depth to Water (feet): 3.5

4. Pump, Liner, Screen, Casing & Sealing Material

Pump and piping removed?	☐ Yes	☐ No	☑ N/A
Liner(s) removed?	☐ Yes	☐ No	☑ N/A
Screen removed?	☐ Yes	☐ No	☑ N/A
Casing left in place?	☐ Yes	☐ No	☑ N/A
Was casing cut off below surface?	☐ Yes	☐ No	☑ N/A
Did sealing material rise to surface?	☑ Yes	☐ No	☐ N/A
Did material settle after 24 hours?	☐ Yes	☑ No	☐ N/A
If yes, was hole retopped?	☐ Yes	☐ No	☐ N/A
If bentonite chips were used, were they hydrated with water from a known safe source?	☑ Yes	☐ No	☐ N/A

Required Method of Placing Sealing Material
☐ Conductor Pipe-Gravity ☐ Conductor Pipe-Pumped
☐ Screened & Poured (Bentonite Chips) ☑ Other (Explain): Poured

Sealing Materials
☐ Neat Cement Grout ☐ Clay-Sand Slurry (11 lb./gal. wt.)
☐ Sand-Cement (Concrete) Grout ☐ Bentonite-Sand Slurry " "
☐ Concrete ☑ Bentonite Chips

For Monitoring Wells and Monitoring Well Boreholes Only:
☐ Bentonite Chips ☐ Bentonite - Cement Grout
☐ Granular Bentonite ☐ Bentonite - Sand Slurry

5. Material Used To Fill Well / Drillhole

From (ft.)	To (ft.)	No. Yards, Sacks Sealant or Volume (circle one)	Mix Ratio or Mud Weight
Soil	Surface	0.5	0.01 ~~ft³~~	
Bentonite Chips (3/8")	0.5	5	0.10 ~~ft³~~	
In-situ Sandy Gravel (Collapse)	5	9		

6. Comments

7. Supervision of Work

Name of Person or Firm Doing Sealing Work: ECCI
Date of Abandonment: 8-24-06
Street or Route: P.O. Box 11417
Telephone Number: (920) 434-6380
City: Green Bay State: WI ZIP Code: 54307
Signature of Person Doing Work:
Date Signed: 9-28-06

DNR Use Only
Date Received:
Noted By:
Comments:

State of Wisconsin
Department of Natural Resources
PO Box 7921, Madison WI 53707-7921

Well / Drillhole / Borehole Abandonment

Form 3300-005 (R 10/03)

Notice: Completion of this report is required by chs. 160, 281, 283, 289, 291-293, 295, and 299, Wis. Stats., and ch. NR 141, Wis. Adm. Code. In accordance with chs. 281, 289, 291-293, 295, and 299, Wis. Stats., failure to file this form may result in a forfeiture of between $10-25,000, or imprisonment for up to one year, depending on the program and conduct involved. Personally identifiable information on this form is not intended to be used for any other purpose. Return form to the appropriate DNR office and bureau. See instructions on reverse for more information.

Route to:
☐ Drinking Water ☐ Watershed/Wastewater ☐ Waste Management ☑ Remediation/Redevelopment ☐ Other: _____

1. General Information

WI Unique Well No.	DNR Well ID No.	County
— — — — — —		Fond du Lac

Common Well Name: GP-6
Gov't Lot # (if applicable):

¼ / ¼	¼	Section	Township	Range	
NW	SW	4	13 N	19	☑ E ☐ W

Grid Location: Feet ☐ N ☐ S Feet ☐ E ☐ W ☐ Local Grid Origin ☐ (estimated) OR ☐ Well Location

Latitude: DEG MIN SEC N
Longitude: DEG MIN SEC W

Reason For Abandonment: Investigative Only
WI Unique Well No. of Replacement We: — — — — — —

2. Facility / Owner Information

Facility Name: Old Dutchmill Property
Facility ID | License/Permit/Monitoring No | City, Village or Town

Street Address of Well: N2271 USH45, Campbellsport
Present Well Owner | Original Well Owner

Street Address or Route of Owner: N2271 USH 45
City: Campbellsport | State: WI | ZIP Code: 53010

3. Well / Drillhole / Borehole Information

☐ Monitoring Well
☐ Water Well
☑ Borehole / Drillhole

Original Construction Date: 8-24-06
If a Well Construction Report is available, please attach.

Construction Type:
☐ Drilled ☐ Driven (Sandpoint) ☐ Dug
☑ Other (specify): Geoprobe

Formation Type:
☑ Unconsolidated Formation ☐ Bedrock

Total ~~Well~~ Depth From Groundsurface (ft.): 4
~~Casing~~ Diameter (in.): 2
Lower Drillhole Diameter (in.): N/A
Casing Depth (ft.): N/A

Was well annular space grouted? N/A ☐ Yes ☐ No ☐ Unknown

If yes, to what depth (feet)? N/A
Depth to Water (feet): —

4. Pump, Liner, Screen, Casing & Sealing Material

Pump and piping removed?	☐ Yes	☐ No	☑ N/A
Liner(s) removed?	☐ Yes	☐ No	☑ N/A
Screen removed?	☐ Yes	☐ No	☑ N/A
Casing left in place?	☐ Yes	☐ No	☑ N/A
Was casing cut off below surface?	☐ Yes	☐ No	☑ N/A
Did sealing material rise to surface?	☑ Yes	☐ No	☐ N/A
Did material settle after 24 hours?	☐ Yes	☑ No	☐ N/A
If yes, was hole retopped?	☐ Yes	☐ No	☐ N/A
If bentonite chips were used, were they hydrated with water from a known safe source?	☑ Yes	☐ No	☐ N/A

Required Method of Placing Sealing Material
☐ Conductor Pipe-Gravity ☐ Conductor Pipe-Pumped
☐ Screened & Poured (Bentonite Chips) ☑ Other (Explain): Poured

Sealing Materials
☐ Neat Cement Grout ☐ Clay-Sand Slurry (11 lb./gal. wt.)
☐ Sand-Cement (Concrete) Grout ☐ Bentonite-Sand Slurry " "
☐ Concrete ☑ Bentonite Chips

For Monitoring Wells and Monitoring Well Boreholes Only:
☐ Bentonite Chips ☐ Bentonite - Cement Grout
☐ Granular Bentonite ☐ Bentonite - Sand Slurry

5. Material Used To Fill Well / Drillhole

From (ft.)	To (ft.)	No. Yards, Sacks Sealant or Volume (circle one)	Mix Ratio or Mud Weight
Soil	Surface	0.5	0.01 Ft³	
Bentonite Chips (3/8")	0.5	4	0.08 Ft³	

6. Comments

7. Supervision of Work

Name of Person or Firm Doing Sealing Work: ECCI
Date of Abandonment: 8-24-06
Street or Route: P.O. Box 11417
Telephone Number: (920) 434-6380
City: Green Bay | State: WI | ZIP Code: 54307
Signature of Person Doing Work:
Date Signed: 9-28-06

DNR Use Only
Date Received | Noted By
Comments

State of Wisconsin
Department of Natural Resources
PO Box 7921, Madison WI 53707-7921

Well / Drillhole / Borehole Abandonment

Form 3300-005 (R 10/03)

Notice: Completion of this report is required by chs. 160, 281, 283, 289, 291-293, 295, and 299, Wis. Stats., and ch. NR 141, Wis. Adm. Code. In accordance with chs. 281, 289, 291-293, 295, and 299, Wis. Stats., failure to file this form may result in a forfeiture of between $10-25,000, or imprisonment for up to one year, depending on the program and conduct involved. Personally identifiable information on this form is not intended to be used for any other purpose. Return form to the appropriate DNR office and bureau. See instructions on reverse for more information.

Route to:
☐ Drinking Water ☐ Watershed/Wastewater ☐ Waste Management ☑ Remediation/Redevelopment ☐ Other: _____

1. General Information

WI Unique Well No.: _ _ _ _ _ _
DNR Well ID No.:
County: Fond du Lac
Common Well Name: GP-7
Gov't Lot # (if applicable):
¼ ¼: NW ¼: SW Section: 4 Township: 13 N Range: 19 ☑ E ☐ W
Grid Location: Feet ☐ N ☐ S Feet ☐ E ☐ W ☐ Local Grid Origin ☐ (estimated) OR ☐ Well Location
Latitude: DEG MIN SEC N Longitude: DEG MIN SEC W
Reason For Abandonment: Investigative Only
WI Unique Well No. of Replacement We: _ _ _ _ _ _

2. Facility / Owner Information

Facility Name: Old Dutchmill Property
Facility ID: License/Permit/Monitoring No: City, Village or Town:
Street Address of Well: N2271 USH 45, Campbellsport
Present Well Owner: Original Well Owner:
Street Address or Route of Owner: N2271 USH 45
City: Campbellsport State: WI ZIP Code: 53010

3. Well / Drillhole / Borehole Information

☐ Monitoring Well
☐ Water Well
☑ Borehole / Drillhole
Original Construction Date: 8-24-06
If a Well Construction Report is available, please attach.

Construction Type:
☐ Drilled ☐ Driven (Sandpoint) ☐ Dug
☑ Other (specify): Geoprobe

Formation Type:
☑ Unconsolidated Formation ☐ Bedrock

Total ~~Well~~ Depth From Groundsurface (ft.): 8
~~Casing~~ Diameter (in.): 2
Lower Drillhole Diameter (in.): N/A
Casing Depth (ft.): N/A

Was well annular space grouted? N/A ☐ Yes ☐ No ☐ Unknown

If yes, to what depth (feet)? N/A
Depth to Water (feet): —

4. Pump, Liner, Screen, Casing & Sealing Material

Pump and piping removed?	☐ Yes	☐ No	☑ N/A
Liner(s) removed?	☐ Yes	☐ No	☑ N/A
Screen removed?	☐ Yes	☐ No	☑ N/A
Casing left in place?	☐ Yes	☐ No	☑ N/A
Was casing cut off below surface?	☐ Yes	☐ No	☑ N/A
Did sealing material rise to surface?	☑ Yes	☐ No	☐ N/A
Did material settle after 24 hours?	☐ Yes	☑ No	☐ N/A
If yes, was hole retopped?	☐ Yes	☐ No	☐ N/A
If bentonite chips were used, were they hydrated with water from a known safe source?	☑ Yes	☐ No	☐ N/A

Required Method of Placing Sealing Material
☐ Conductor Pipe-Gravity ☐ Conductor Pipe-Pumped
☐ Screened & Poured (Bentonite Chips) ☑ Other (Explain): Poured

Sealing Materials
☐ Neat Cement Grout ☐ Clay-Sand Slurry (11 lb./gal. wt.)
☐ Sand-Cement (Concrete) Grout ☐ Bentonite-Sand Slurry " "
☐ Concrete ☑ Bentonite Chips

For Monitoring Wells and Monitoring Well Boreholes Only:
☐ Bentonite Chips ☐ Bentonite - Cement Grout
☐ Granular Bentonite ☐ Bentonite - Sand Slurry

5. Material Used To Fill Well / Drillhole

Material	From (ft.)	To (ft.)	No. Yards, Sacks Sealant or Volume (circle one)	Mix Ratio or Mud Weight
Soil	Surface	0.5	0.01 ft³	
Bentonite Chips (3/8")	0.5	7	0.14 ft³	
In-situ Sandy Gravel (Collapse)	7	8		

6. Comments

7. Supervision of Work

Name of Person or Firm Doing Sealing Work: ECCI
Date of Abandonment: 8-24-06
Street or Route: P.O. Box 11417
Telephone Number: (920) 434-6380
City: Green Bay State: WI ZIP Code: 54307
Signature of Person Doing Work:
Date Signed: 9-28-06

DNR Use Only
Date Received: Noted By:
Comments:

State of Wisconsin
Department of Natural Resources
PO Box 7921, Madison WI 53707-7921

Well / Drillhole / Borehole Abandonment

Form 3300-005 (R 10/03)

Notice: Completion of this report is required by chs. 160, 281, 283, 289, 291-293, 295, and 299, Wis. Stats., and ch. NR 141, Wis. Adm. Code. In accordance with chs. 281, 289, 291-293, 295, and 299, Wis. Stats., failure to file this form may result in a forfeiture of between $10-25,000, or imprisonment for up to one year, depending on the program and conduct involved. Personally identifiable information on this form is not intended to be used for any other purpose. Return form to the appropriate DNR office and bureau. See instructions on reverse for more information.

Route to: ☐ Drinking Water ☐ Watershed/Wastewater ☐ Waste Management ☑ Remediation/Redevelopment ☐ Other: _____

1. General Information

WI Unique Well No.: _ _ _ _ _ _ | DNR Well ID No.: | County: Fond du Lac

Common Well Name: GP-8 | Gov't Lot # (if applicable):

¼ ¼: NW | ¼: SW | Section: 4 | Township: 13 N | Range: 19 ☑ E ☐ W

Grid Location: Feet ☐ N ☐ S | Feet ☐ E ☐ W | ☐ Local Grid Origin ☐ (estimated) OR ☐ Well Location

Latitude: DEG MIN SEC N | Longitude: DEG MIN SEC W

Reason For Abandonment: Investigative Only | WI Unique Well No. of Replacement Well: _ _ _ _ _ _

2. Facility / Owner Information

Facility Name: Old Dutchmill Property

Facility ID | License/Permit/Monitoring No. | City, Village or Town

Street Address of Well: N2271 USH 45, Campbellsport

Present Well Owner | Original Well Owner

Street Address or Route of Owner: N2271 USH 45

City: Campbellsport | State: WI | ZIP Code: 53010

3. Well / Drillhole / Borehole Information

☐ Monitoring Well ☐ Water Well ☑ Borehole / Drillhole

Original Construction Date: 8-24-06

If a Well Construction Report is available, please attach.

Construction Type: ☐ Drilled ☐ Driven (Sandpoint) ☐ Dug ☑ Other (specify): Geoprobe

Formation Type: ☑ Unconsolidated Formation ☐ Bedrock

Total ~~Well~~ Depth From Groundsurface (ft.): 12 | ~~Casing~~ Diameter (in.): 2

Lower Drillhole Diameter (in.): N/A | Casing Depth (ft.): N/A

Was well annular space grouted? N/A ☐ Yes ☐ No ☐ Unknown

If yes, to what depth (feet)? N/A | Depth to Water (feet): 10.5

4. Pump, Liner, Screen, Casing & Sealing Material

Pump and piping removed?	☐ Yes	☐ No	☑ N/A
Liner(s) removed?	☐ Yes	☐ No	☑ N/A
Screen removed?	☐ Yes	☐ No	☑ N/A
Casing left in place?	☐ Yes	☐ No	☑ N/A
Was casing cut off below surface?	☐ Yes	☐ No	☑ N/A
Did sealing material rise to surface?	☑ Yes	☐ No	☐ N/A
Did material settle after 24 hours?	☐ Yes	☑ No	☐ N/A
If yes, was hole retopped?	☐ Yes	☐ No	☐ N/A
If bentonite chips were used, were they hydrated with water from a known safe source?	☑ Yes	☐ No	☐ N/A

Required Method of Placing Sealing Material
☐ Conductor Pipe-Gravity ☐ Conductor Pipe-Pumped ☐ Screened & Poured (Bentonite Chips) ☑ Other (Explain): Poured

Sealing Materials
☐ Neat Cement Grout ☐ Clay-Sand Slurry (11 lb./gal. wt.) ☐ Sand-Cement (Concrete) Grout ☐ Bentonite-Sand Slurry " " ☑ Bentonite Chips ☐ Concrete

For Monitoring Wells and Monitoring Well Boreholes Only:
☐ Bentonite Chips ☐ Bentonite - Cement Grout ☐ Granular Bentonite ☐ Bentonite - Sand Slurry

5. Material Used To Fill Well / Drillhole

Material	From (ft.)	To (ft.)	No. Yards, Sacks Sealant or ~~Volume~~ (circle one)	Mix Ratio or Mud Weight
Soil	Surface	0.5	0.01 ~~ft³~~	
Bentonite Chips (3/8")	0.5	12	0.25 ~~ft³~~	

6. Comments

7. Supervision of Work

Name of Person or Firm Doing Sealing Work: ECCI | Date of Abandonment: 8-24-06

Street or Route: P.O. Box 11417 | Telephone Number: (920) 434-6380

City: Green Bay | State: WI | ZIP Code: 54307 | Signature of Person Doing Work | Date Signed: 9-28-06

DNR Use Only

Date Received | Noted By | Comments

State of Wisconsin
Department of Natural Resources
PO Box 7921, Madison WI 53707-7921

Well / Drillhole / Borehole Abandonment

Form 3300-005 (R 10/03)

Notice: Completion of this report is required by chs. 160, 281, 283, 289, 291-293, 295, and 299, Wis. Stats., and ch. NR 141, Wis. Adm. Code. In accordance with chs. 281, 289, 291-293, 295, and 299, Wis. Stats., failure to file this form may result in a forfeiture of between $10-25,000, or imprisonment for up to one year, depending on the program and conduct involved. Personally identifiable information on this form is not intended to be used for any other purpose. Return form to the appropriate DNR office and bureau. See instructions on reverse for more information.

Route to: ☐ Drinking Water ☐ Watershed/Wastewater ☐ Waste Management ☑ Remediation/Redevelopment ☐ Other: _____

1. General Information

WI Unique Well No.: _ _ _ _ _ _ _
DNR Well ID No.:
County: Fond du Lac
Common Well Name: GP-9
Gov't Lot # (if applicable):
¼ / ¼: NW ¼: SW
Section: 4
Township: 13 N
Range: 19 ☑ E ☐ W
Grid Location: Feet ☐ N ☐ S Feet ☐ E ☐ W ☐ Local Grid Origin ☐ (estimated) OR ☐ Well Location
Latitude: DEG MIN SEC N
Longitude: DEG MIN SEC W
Reason For Abandonment: Investigative Only
WI Unique Well No. of Replacement We: _ _ _ _ _ _ _

2. Facility / Owner Information

Facility Name: Old Dutchmill Property
Facility ID:
License/Permit/Monitoring No:
City, Village or Town:
Street Address of Well: N2271 USH 45, Campbellsport
Present Well Owner:
Original Well Owner:
Street Address or Route of Owner: N2271 USH 45
City: Campbellsport
State: WI
ZIP Code: 53010

3. Well / Drillhole / Borehole Information

☐ Monitoring Well ☐ Water Well ☑ Borehole / Drillhole
Original Construction Date: 8-24-06
If a Well Construction Report is available, please attach.

Construction Type:
☐ Drilled ☐ Driven (Sandpoint) ☐ Dug ☑ Other (specify): Geoprobe

Formation Type:
☑ Unconsolidated Formation ☐ Bedrock

Total ~~Well~~ Depth From Groundsurface (ft.): 12
~~Casing~~ Diameter (in.): 2
Lower Drillhole Diameter (in.): N/A
Casing Depth (ft.): N/A

Was well annular space grouted? N/A ☐ Yes ☐ No ☐ Unknown

If yes, to what depth (feet)? N/A
Depth to Water (feet): —

4. Pump, Liner, Screen, Casing & Sealing Material

Pump and piping removed?	☐ Yes	☐ No	☑ N/A
Liner(s) removed?	☐ Yes	☐ No	☑ N/A
Screen removed?	☐ Yes	☐ No	☑ N/A
Casing left in place?	☐ Yes	☐ No	☑ N/A
Was casing cut off below surface?	☐ Yes	☐ No	☑ N/A
Did sealing material rise to surface?	☑ Yes	☐ No	☐ N/A
Did material settle after 24 hours?	☐ Yes	☑ No	☐ N/A
If yes, was hole retopped?	☐ Yes	☐ No	☐ N/A
If bentonite chips were used, were they hydrated with water from a known safe source?	☑ Yes	☐ No	☐ N/A

Required Method of Placing Sealing Material
☐ Conductor Pipe-Gravity ☐ Conductor Pipe-Pumped ☐ Screened & Poured (Bentonite Chips) ☑ Other (Explain): Poured

Sealing Materials
☐ Neat Cement Grout ☐ Clay-Sand Slurry (11 lb./gal. wt.)
☐ Sand-Cement (Concrete) Grout ☐ Bentonite-Sand Slurry " "
☐ Concrete ☑ Bentonite Chips

For Monitoring Wells and Monitoring Well Boreholes Only:
☐ Bentonite Chips ☐ Bentonite - Cement Grout
☐ Granular Bentonite ☐ Bentonite - Sand Slurry

5. Material Used To Fill Well / Drillhole

Material	From (ft.)	To (ft.)	No. Yards, Sacks Sealant or Volume (circle one)	Mix Ratio or Mud Weight
Soil	Surface	0.5	0.01 ~~ft~~ ^{3}	
Bentonite Chips (3/8")	0.5	12	0.25 ~~ft~~ ^{3}	

6. Comments

7. Supervision of Work

Name of Person or Firm Doing Sealing Work: ECCI
Date of Abandonment: 8-24-06
Street or Route: P.O. Box 11417
Telephone Number: (920) 434-6380
City: Green Bay
State: WI
ZIP Code: 54307
Signature of Person Doing Work:
Date Signed: 9-28-06

DNR Use Only
Date Received:
Noted By:
Comments:

State of Wisconsin
Department of Natural Resources
PO Box 7921, Madison WI 53707-7921

Well / Drillhole / Borehole Abandonment

Form 3300-005 (R 10/03)

Notice: Completion of this report is required by chs. 160, 281, 283, 289, 291-293, 295, and 299, Wis. Stats., and ch. NR 141, Wis. Adm. Code. In accordance with chs. 281, 289, 291-293, 295, and 299, Wis. Stats., failure to file this form may result in a forfeiture of between $10-25,000, or imprisonment for up to one year, depending on the program and conduct involved. Personally identifiable information on this form is not intended to be used for any other purpose. Return form to the appropriate DNR office and bureau. See instructions on reverse for more information.

Route to:
☐ Drinking Water ☐ Watershed/Wastewater ☐ Waste Management ☑ Remediation/Redevelopment ☐ Other: _____

1. General Information

WI Unique Well No.: — — — — —
DNR Well ID No.:
County: Fond du Lac
Common Well Name: GP-10
Gov't Lot # (if applicable):
¼ / ¼: NW ¼: SW Section: 4 Township: 13 N Range: 19 ☑ E ☐ W
Grid Location: Feet ☐ N ☐ S Feet ☐ E ☐ W ☐ Local Grid Origin ☐ (estimated) OR ☐ Well Location
Latitude: DEG MIN SEC N Longitude: DEG MIN SEC W
Reason For Abandonment: Investigative Only
WI Unique Well No. of Replacement We: — — — — —

2. Facility / Owner Information

Facility Name: Old Dutchmill Property
Facility ID:
License/Permit/Monitoring No:
City, Village or Town:
Street Address of Well: N2271 USH 45, Campbellsport
Present Well Owner:
Original Well Owner:
Street Address or Route of Owner: N2271 USH 45
City: Campbellsport State: WI ZIP Code: 53010

3. Well / Drillhole / Borehole Information

☐ Monitoring Well
☐ Water Well
☑ Borehole / Drillhole
Original Construction Date: 8-24-06
If a Well Construction Report is available, please attach.

Construction Type:
☐ Drilled ☐ Driven (Sandpoint) ☐ Dug
☑ Other (specify): Geoprobe

Formation Type:
☑ Unconsolidated Formation ☐ Bedrock

Total ~~Well~~ Depth From Groundsurface (ft.): 12
~~Casing~~ Diameter (in.): 2
Lower Drillhole Diameter (in.): N/A
Casing Depth (ft.): N/A

Was well annular space grouted? N/A ☐ Yes ☐ No ☐ Unknown

If yes, to what depth (feet)? N/A
Depth to Water (feet): —

4. Pump, Liner, Screen, Casing & Sealing Material

Pump and piping removed?	☐ Yes	☐ No	☑ N/A
Liner(s) removed?	☐ Yes	☐ No	☑ N/A
Screen removed?	☐ Yes	☐ No	☑ N/A
Casing left in place?	☐ Yes	☐ No	☑ N/A
Was casing cut off below surface?	☐ Yes	☐ No	☑ N/A
Did sealing material rise to surface?	☑ Yes	☐ No	☐ N/A
Did material settle after 24 hours?	☐ Yes	☑ No	☐ N/A
If yes, was hole retopped?	☐ Yes	☐ No	☐ N/A
If bentonite chips were used, were they hydrated with water from a known safe source?	☑ Yes	☐ No	☐ N/A

Required Method of Placing Sealing Material
☐ Conductor Pipe-Gravity ☐ Conductor Pipe-Pumped
☐ Screened & Poured (Bentonite Chips) ☑ Other (Explain): Poured

Sealing Materials
☐ Neat Cement Grout ☐ Clay-Sand Slurry (11 lb./gal. wt.)
☐ Sand-Cement (Concrete) Grout ☐ Bentonite-Sand Slurry " "
☐ Concrete ☑ Bentonite Chips

For Monitoring Wells and Monitoring Well Boreholes Only:
☐ Bentonite Chips ☐ Bentonite - Cement Grout
☐ Granular Bentonite ☐ Bentonite - Sand Slurry

5. Material Used To Fill Well / Drillhole

From (ft.)	To (ft.)	No. Yards, Sacks Sealant or Volume (circle one)	Mix Ratio or Mud Weight
Surface	0.5	0.01 ft³	
0.5	12	0.25 ft³	

Soil
Bentonite Chips (3/8")

6. Comments

7. Supervision of Work

Name of Person or Firm Doing Sealing Work: ECCI
Date of Abandonment: 8-24-06
Street or Route: P.O. Box 11417
Telephone Number: (920) 434-6380
City: Green Bay State: WI ZIP Code: 54307
Signature of Person Doing Work:
Date Signed: 9-28-06

DNR Use Only
Date Received:
Noted By:
Comments:

ENCLOSURE 4

LABORATORY REPORTS

Pace Analytical®

CHAIN-OF-CUSTODY / Analytical Request Document

The Chain-of-Custody is a LEGAL DOCUMENT. All relevant fields must be completed accurately.

Page: 1 of 3

0974343

Section A
Required Client Information:

Company	ECCI
Address	P.O. Box 11417
	Green Bay, WI 54307
Email To:	rlpanosh@ecinow.com
Phone	434-5031
Fax	434-5381
Requested Due Date/TAT:	

Section B
Required Project Information:

Report To:	Rick Panosh
Copy To:	
Purchase Order No.:	
Project Name:	Old Dutchmill Property
Project Number:	

Section C
Invoice Information:

Attention:	Rick Panosh
Company Name:	ECI
Address:	
Pace Quote Reference:	
Pace Project Manager:	Laurie Woelfel
Pace Profile #:	

REGULATORY AGENCY

☐ NPDES ☐ GROUND WATER ☐ DRINKING WATER
☐ UST ☐ RCRA ☐ Other_____

SITE LOCATION ☐GA ☐IL ☐IN ☐MI ☐MN ☐NC ☐OH ☐SC ☑WI ☐OTHER_____

Section D
Required Client Information

SAMPLE ID

One Character per box.
(A-Z, 0-9 / -)
Samples IDs MUST BE UNIQUE

Valid Matrix Codes

MATRIX	CODE
DRINKING WATER	DW
WATER	WT
WASTE WATER	WW
PRODUCT	P
SOIL/SOLID	SL
OIL	OL
WIPE	WP
AIR	AR
OTHER	OT
TISSUE	TS

ITEM #	SAMPLE ID	MATRIX CODE	SAMPLE TYPE G=GRAB C=COMP	COLLECTED COMPOSITE START DATE	COLLECTED COMPOSITE START TIME	COLLECTED COMPOSITE END/GRAB DATE	COLLECTED COMPOSITE END/GRAB TIME	SAMPLE TEMP AT COLLECTION	# OF CONTAINERS	Preservatives: Unpreserved (Amber)	H_2SO_4	HNO_3	HCl	NaOH	$Na_2S_2O_3$	Methanol	Other	Filtered (Y/N)	Requested Analysis: VOCs	PAHs	1155 Lead	Lead	SRO	Residual Chlorine (Y/N)	Pace Project Number / Lab I.D
																		N	N	Y	N	N			8754176
1	GP-1-W 001	WT	G			8/24/06	1600		5	1		1	3						X	X	X			1-1L 1-250mL 3-40mL AG, P(HNO3), VOA
2	GP-2-W 002						1445																	
3	GP-3-W 003						1515																	
4	GP-5-W 004						1700																	
5	GP-7-W 005						1545																	
6	GP-8-W 006						1700															X		
7	GP-9-W 007						1800																	
8	GP-10-W 008						1635																	
9	PW-NZ271 009						1715															X		
10	TRIP BLANK 010								2				2											2-40mL (HCL)
11	MEOH BLANK 011	OT							1								1		X				X	1-40mL (MeOH)
12																								

Additional Comments:
PECFA Rates

RELINQUISHED BY / AFFILIATION	DATE	TIME	ACCEPTED BY / AFFILIATION	DATE	TIME
	8/25/06	1610	C. Schuffelberger	8/25	1610

SAMPLE CONDITION

R01	Y/N	Y/N	Y/N	Y/N
	Y/N	Y/N	Y/N	Y/N
	Y/N	Y/N	Y/N	Y/N

Temp in °C | Received on Ice | Custody Sealed Cooler | Samples Intact

SAMPLER NAME AND SIGNATURE

PRINT Name of SAMPLER: Richard Panosh

SIGNATURE of SAMPLER: Richard Panosh

DATE Signed (MM / DD / YY): 8-25-06

SEE REVERSE SIDE FOR INSTRUCTIONS

Pace Analytical®

CHAIN-OF-CUSTODY / Analytical Request Document

The Chain-of-Custody is a LEGAL DOCUMENT. All relevant fields must be completed accurately.

VLS

Page: 2 of 3

0974344

Section A
Required Client Information:

Company	ECCI
Address	P.O. Box 11417 Green Bay, WI 54307
Email To:	
Phone	Fax
Requested Due Date/TAT:	

Section B
Required Project Information:

Report To:	Rick Panosh
Copy To:	
Purchase Order No.:	
Project Name:	Old Dutchmill Property
Project Number:	

Section C
Invoice Information:

Attention:	Rick Panosh
Company Name:	ECCI
Address:	
Pace Quote Reference:	PECFA Rates
Pace Project Manager:	Laurie Woelfel
Pace Profile #:	

REGULATORY AGENCY

☐ NPDES ☐ GROUND WATER ☐ DRINKING WATER
☐ UST ☐ RCRA ☐ Other______

SITE LOCATION ☐GA ☐IL ☐IN ☐MI ☐MN ☐NC ☐OH ☐SC ☐WI ☐OTHER ______

Section D Required Client Information

SAMPLE ID
One Character per box. (A-Z, 0-9 / ,-)
Samples IDs MUST BE UNIQUE

Valid Matrix Codes MATRIX	CODE
DRINKING WATER	DW
WATER	WT
WASTE WATER	WW
PRODUCT	P
SOIL/SOLID	SL
OIL	OL
WIPE	WP
AIR	AR
OTHER	OT
TISSUE	TS

Filtered (Y/N)

Requested Analysis:

Pace Project Number 875476

ITEM #	SAMPLE ID		MATRIX CODE	SAMPLE TYPE G=GRAB C=COMP	COMPOSITE START DATE	COMPOSITE START TIME	COMPOSITE END/GRAB DATE	COMPOSITE END/GRAB TIME	SAMPLE TEMP AT COLLECTION	# OF CONTAINERS	Unpreserved	H_2SO_4	HNO_3	HCl	NaOH	$Na_2S_2O_3$	Methanol	Other		VOCs		GRO	DRO	PAH	Lead		Dry Wt.	Residual Chlorine (Y/N)	Lab I.D.
1	GP-1-2	012 ~~013~~	SL	G			8/24/06	0840		5	3						2			X		X	X	X	X		X		1-4oz Poly, 1-4oz CG, 1-4oz AG, 2-40ml
2	GP-1-4	013 ~~014~~	↓	↓			↓	0845		↓	↓						↓			↓		↓	↓	↓	↓		↓		↓
3	GP-1-6	014 ~~015~~	↓	↓			↓	0850		↓	↓						↓			↓		↓	↓	↓	↓		↓		↓
4	GP-2-2	015 ~~016~~	↓	↓			↓	0915		↓	↓						↓			↓		↓	↓	↓	↓		↓		↓
5	GP-2-4	016 ~~017~~	↓	↓			↓	0920		↓	↓						↓			↓		↓	↓	↓	↓		↓		↓
6	GP-2-6	017 ~~018~~	↓	↓			↓	0925		↓	↓						↓			↓		↓	↓	↓	↓		↓		↓
7	GP-3-2	018 ~~019~~	↓	↓			↓	0935		↓	↓						↓			↓		↓	↓	↓	↓		↓		↓
8	GP-3-4	019 ~~020~~	↓	↓			↓	0940		↓	↓						↓			↓		↓	↓	↓	↓		↓		↓
9	GP-3-6	020 ~~021~~	↓	↓			↓	0945		↓	↓						↓			↓		↓	↓	↓	↓		↓		↓
10	GP-4-2	021 ~~022~~	↓	↓			↓	1010		↓	↓						↓			↓		↓	↓	↓	↓		↓		↓
11	GP-4-4	022 ~~023~~	↓	↓			↓	1020		↓	↓						↓			↓		↓	↓	↓	↓		↓		↓
12	GP-5-2	023 ~~024~~	↓	↓			↓	1040		↓	↓						↓			↓		↓	↓	↓	↓		↓		↓

Additional Comments:

RELINQUISHED BY / AFFILIATION	DATE	TIME	ACCEPTED BY / AFFILIATION	DATE	TIME	SAMPLE CONDITION			
[signature]	8/25/06	1610	C. Schufeldt	8/25	1010	R01	(Y)/N	Y/(N)	(Y)/N
							Y/N	Y/N	Y/N
							Y/N	Y/N	Y/N
							Y/N	Y/N	Y/N
						Temp in °C	Received on Ice	Custody Sealed Cooler	Samples Intact

SAMPLER NAME AND SIGNATURE

PRINT Name of SAMPLER: Richard Panosh

SIGNATURE of SAMPLER: [signature]

DATE Signed (MM / DD / YY): 8-25-06

* SEE REVERSE SIDE FOR INSTRUCTIONS

ALLQ020rev.3,31Mar05

Pace Analytical®

CHAIN-OF-CUSTODY / Analytical Request Document

The Chain-of-Custody is a LEGAL DOCUMENT. All relevant fields must be completed accurately.

Page: 3 of 3

0974345

Section A
Required Client Information:

Company: ECCI

Address: P.O. Box 11417
Green Bay, WI 54307

Email To:

Phone: | Fax:

Requested Due Date/TAT:

Section B
Required Project Information:

Report To: Rick Parrish

Copy To:

Purchase Order No.:

Project Name: Old Dutchmill Property

Project Number:

Section C
Invoice Information:

Attention: Rick Parrish

Company Name: ECCI

Address:

Pace Quote Reference: TECFA Rates

Pace Project Manager: Laurie Woelfel

Pace Profile #:

REGULATORY AGENCY

☐ NPDES ☐ GROUND WATER ☐ DRINKING WATER
☐ UST ☐ RCRA ☐ Other ______

SITE LOCATION

☐GA ☐IL ☐IN ☐MI ☐MN ☐NC
☐OH ☐SC ☑WI ☐OTHER ______

Filtered (Y/N)

Requested Analysis: VOCs, GRO, DRO, PAH, Lead, Dry Wt, Residual Chlorine (Y/N)

Pace Project Number: 875476

Section D Required Client Information

SAMPLE ID

One Character per box. (A-Z, 0-9 / ,-)
Samples IDs MUST BE UNIQUE

Valid Matrix Codes

MATRIX	CODE
DRINKING WATER	DW
WATER	WT
WASTE WATER	WW
PRODUCT	P
SOIL/SOLID	SL
OIL	OL
WIPE	WP
AIR	AR
OTHER	OT
TISSUE	TS

ITEM #	SAMPLE ID	MATRIX CODE	SAMPLE TYPE G=GRAB C=COMP	COMPOSITE START DATE	COMPOSITE START TIME	COMPOSITE END/GRAB DATE	COMPOSITE END/GRAB TIME	SAMPLE TEMP AT COLLECTION	# OF CONTAINERS	Unpreserved	H_2SO_4	HNO_3	HCl	NaOH	$Na_2S_2O_3$	Methanol	Other	VOCs	GRO	DRO	PAH	Lead	Dry Wt	Lab I.D.
1	GP-5-4 024 ~~025~~	SL	G			8/24/06	1045		5	3						2		X	X	X	X	X	X	1-4oz POly, 1-4oz CG, 1-4 oz AG
2	GP-6-2 025 ~~026~~	↓	↓			↓	1105		↓	↓						↓		↓	↓	↓	↓	↓	↓	↓
3	GP-7-2 026 ~~027~~	↓	↓			↓	1125		↓	↓						↓		↓	↓	↓	↓	↓	↓	↓
4	GP-7-4 027 ~~028~~	↓	↓			↓	1130		↓	↓						↓		↓	↓	↓	↓	↓	↓	↓
5	GP-8-2 028 ~~029~~	↓	↓			↓	1220		↓	↓						↓		↓	↓	↓	↓	↓	↓	↓
6	GP-8-4 029 ~~030~~	↓	↓			↓	1225		↓	↓						↓		↓	↓	↓	↓	↓	↓	↓
7	GP-8-6 030 ~~031~~	↓	↓			↓	1230		↓	↓						↓		↓	↓	↓	↓	↓	↓	↓
8	GP-9-2 031 ~~032~~	↓	↓			↓	1250		↓	↓						↓		↓	↓	↓	↓	↓	↓	↓
9	GP-9-4 032 ~~033~~	↓	↓			↓	1255		↓	↓						↓		↓	↓	↓	↓	↓	↓	↓
10	GP-9-6 033 ~~034~~	↓	↓			↓	1300		↓	↓						↓		↓	↓	↓	↓	↓	↓	↓
11	GP-10-2 034 ~~035~~	↓	↓			↓	1310		↓	↓						↓		↓	↓	↓	↓	↓	↓	↓
12	GP-10-6 035 ~~036~~	↓	↓			↓	1335		↓	↓						↓		↓	↓	↓	↓	↓	↓	↓

Additional Comments:

RELINQUISHED BY / AFFILIATION	DATE	TIME	ACCEPTED BY / AFFILIATION	DATE	TIME	SAMPLE CONDITION			
[signature]	8/25/06	1610	C. Schufelber	8/25	1610	R01	Ⓨ/N	Y/Ⓝ	Ⓨ/N
							Y/N	Y/N	Y/N
							Y/N	Y/N	Y/N
							Y/N	Y/N	Y/N
						Temp in °C	Received on Ice	Custody Sealed Cooler	Samples Intact

SAMPLER NAME AND SIGNATURE

PRINT Name of SAMPLER: Richard Parrish

SIGNATURE of SAMPLER: [signature] DATE Signed (MM / DD / YY): 8-25-06

SEE REVERSE SIDE FOR INSTRUCTIONS

ALLQ020rev.3,31Mar05

Pace Analytical®

1241 Bellevue Street, Suite 9
Green Bay, WI 54302
920-469-2436, Fax: 920-469-8827

Analytical Report Number: 875476

Client: ECCI

Lab Contact: Laurie Woelfel

Project Name: OLD DUTCHMILL PROPERTY

Project Number:

Lab Sample Number	Field ID	Matrix	Collection Date
875476-001	GP-1-W	WATER	08/24/06 16:00
875476-002	GP-2-W	WATER	08/24/06 14:45
875476-003	GP-3-W	WATER	08/24/06 15:15
875476-004	GP-5-W	WATER	08/24/06 17:00
875476-005	GP-7-W	WATER	08/24/06 15:45
875476-006	GP-8-W	WATER	08/24/06 17:00
875476-007	GP-9-W	WATER	08/24/06 18:00
875476-008	GP-10-W	WATER	08/24/06 16:35
875476-009	PW-N2271	WATER	08/24/06 17:15
875476-010	TRIP BLANK	WATER	08/24/06
875476-011	MEOH BLANK	METH	08/24/06
875476-012	GP-1-2	SOIL	08/24/06 08:40
875476-013	GP-1-4	SOIL	08/24/06 08:45
875476-014	GP-1-6	SOIL	08/24/06 08:50
875476-015	GP-2-2	SOIL	08/24/06 09:15
875476-016	GP-2-4	SOIL	08/24/06 09:20
875476-017	GP-2-6	SOIL	08/24/06 09:25
875476-018	GP-3-2	SOIL	08/24/06 09:35
875476-019	GP-3-4	SOIL	08/24/06 09:40
875476-020	GP-3-6	SOIL	08/24/06 09:45
875476-021	GP-4-2	SOIL	08/24/06 10:10
875476-022	GP-4-4	SOIL	08/24/06 10:20
875476-023	GP-5-2	SOIL	08/24/06 10:40
875476-024	GP-5-4	SOIL	08/24/06 10:45
875476-025	GP-6-2	SOIL	08/24/06 11:05
875476-026	GP-7-2	SOIL	08/24/06 11:25
875476-027	GP-7-4	SOIL	08/24/06 11:30
875476-028	GP-8-2	SOIL	08/24/06 12:20
875476-029	GP-8-4	SOIL	08/24/06 12:25
875476-030	GP-8-6	SOIL	08/24/06 12:30
875476-031	GP-9-2	SOIL	08/24/06 12:50
875476-032	GP-9-4	SOIL	08/24/06 12:55
875476-033	GP-9-6	SOIL	08/24/06 13:00
875476-034	GP-10-2	SOIL	08/24/06 13:10
875476-035	GP-10-6	SOIL	08/24/06 13:35

I certify that the data contained in this Final Report has been generated and reviewed in accordance with approved methods and Laboratory Standard Operating Procedure. Exceptions, if any, are discussed in the accompanying sample comments. Release of this final report is authorized by Laboratory management, as is verified by the following signature. This report shall not be reproduced, except in full, without the written consent of Pace Analytical Services, Inc. The sample results relate only to the analytes of interest tested.

Laurie Woelfel

Approval Signature

9/14/06

Date

Pace Analytical Services, Inc.

1241 Bellevue Street
Green Bay, WI 54302
920-469-2436

Analytical Report Number: 875476

Client : ECCI
Project Name : OLD DUTCHMILL PROPERTY
Project Number :
Field ID : GP-1-W

Matrix Type : WATER
Collection Date : 08/24/06
Report Date : 09/14/06
Lab Sample Number : 875476-001

INORGANICS

Test	Result	LOD	LOQ	EQL	Dil.	Units	Code	Anl Date	Prep Method	Anl Method
Lead - Dissolved	7.2	0.40	1.3		2	ug/L		09/13/06	SW846 3020A	SW846 6020

VOLATILES

Prep Date: 08/30/06

Analyte	Result	LOD	LOQ	EQL	Dil.	Units	Code	Anl Date	Prep Method	Anl Method
1,1,1,2-Tetrachloroethane	< 4.6	4.6	15		5	ug/L	MK	08/30/06	SW846 5030B	SW846 8260B
1,1,1-Trichloroethane	< 4.5	4.5	15		5	ug/L	MK	08/30/06	SW846 5030B	SW846 8260B
1,1,2,2-Tetrachloroethane	< 1.0	1.0	3.3		5	ug/L	MK	08/30/06	SW846 5030B	SW846 8260B
1,1,2-Trichloroethane	< 2.1	2.1	7.0		5	ug/L	MK	08/30/06	SW846 5030B	SW846 8260B
1,1-Dichloroethane	< 3.8	3.8	12		5	ug/L	MK	08/30/06	SW846 5030B	SW846 8260B
1,1-Dichloroethene	< 2.8	2.8	9.5		5	ug/L	MK	08/30/06	SW846 5030B	SW846 8260B
1,1-Dichloropropene	< 3.8	3.8	12		5	ug/L	MK	08/30/06	SW846 5030B	SW846 8260B
1,2,3-Trichlorobenzene	< 3.7	3.7	12		5	ug/L	MK	08/30/06	SW846 5030B	SW846 8260B
1,2,3-Trichloropropane	< 5.0	5.0	16		5	ug/L	MK	08/30/06	SW846 5030B	SW846 8260B
1,2,4-Trichlorobenzene	< 4.8	4.8	16		5	ug/L	MK	08/30/06	SW846 5030B	SW846 8260B
1,2,4-Trimethylbenzene	240	4.8	16		5	ug/L	MK	08/30/06	SW846 5030B	SW846 8260B
1,2-Dibromo-3-chloropropane	< 4.4	4.4	14		5	ug/L	MK	08/30/06	SW846 5030B	SW846 8260B
1,2-Dibromoethane	< 2.8	2.8	9.3		5	ug/L	MK	08/30/06	SW846 5030B	SW846 8260B
1,2-Dichlorobenzene	< 4.1	4.1	14		5	ug/L	MK	08/30/06	SW846 5030B	SW846 8260B
1,2-Dichloroethane	< 1.8	1.8	6.0		5	ug/L	MK	08/30/06	SW846 5030B	SW846 8260B
1,2-Dichloropropane	< 2.3	2.3	7.7		5	ug/L	MK	08/30/06	SW846 5030B	SW846 8260B
1,3,5-Trimethylbenzene	83	4.1	14		5	ug/L	MK	08/30/06	SW846 5030B	SW846 8260B
1,3-Dichlorobenzene	< 4.4	4.4	14		5	ug/L	MK	08/30/06	SW846 5030B	SW846 8260B
1,3-Dichloropropane	< 3.0	3.0	10		5	ug/L	MK	08/30/06	SW846 5030B	SW846 8260B
1,4-Dichlorobenzene	< 4.8	4.8	16		5	ug/L	MK	08/30/06	SW846 5030B	SW846 8260B
2,2-Dichloropropane	< 3.1	3.1	10		5	ug/L	MK	08/30/06	SW846 5030B	SW846 8260B
2-Chlorotoluene	< 4.2	4.2	14		5	ug/L	MK	08/30/06	SW846 5030B	SW846 8260B
4-Chlorotoluene	< 3.7	3.7	12		5	ug/L	MK	08/30/06	SW846 5030B	SW846 8260B
Benzene	< 2.0	2.0	6.8		5	ug/L	MK	08/30/06	SW846 5030B	SW846 8260B
Bromobenzene	< 4.1	4.1	14		5	ug/L	MK	08/30/06	SW846 5030B	SW846 8260B
Bromochloromethane	< 4.8	4.8	16		5	ug/L	MK	08/30/06	SW846 5030B	SW846 8260B
Bromodichloromethane	< 2.8	2.8	9.3		5	ug/L	MK	08/30/06	SW846 5030B	SW846 8260B
Bromoform	< 4.7	4.7	16		5	ug/L	MK	08/30/06	SW846 5030B	SW846 8260B
Bromomethane	< 4.6	4.6	15		5	ug/L	MK	08/30/06	SW846 5030B	SW846 8260B
Carbon Tetrachloride	< 2.4	2.4	8.2		5	ug/L	MK	08/30/06	SW846 5030B	SW846 8260B
Chlorobenzene	< 2.0	2.0	6.8		5	ug/L	MK	08/30/06	SW846 5030B	SW846 8260B
Chlorodibromomethane	< 4.1	4.1	14		5	ug/L	MK	08/30/06	SW846 5030B	SW846 8260B
Chloroethane	< 4.8	4.8	16		5	ug/L	MK	08/30/06	SW846 5030B	SW846 8260B
Chloroform	< 1.8	1.8	6.2		5	ug/L	MK	08/30/06	SW846 5030B	SW846 8260B
Chloromethane	< 1.2	1.2	4.0		5	ug/L	MK	08/30/06	SW846 5030B	SW846 8260B
cis-1,2-Dichloroethene	< 4.1	4.1	14		5	ug/L	MK	08/30/06	SW846 5030B	SW846 8260B
cis-1,3-Dichloropropene	< 0.95	0.95	3.2		5	ug/L	MK	08/30/06	SW846 5030B	SW846 8260B
Dibromomethane	< 3.0	3.0	10		5	ug/L	MK	08/30/06	SW846 5030B	SW846 8260B
Dichlorodifluoromethane	< 5.0	5.0	16		5	ug/L	MK	08/30/06	SW846 5030B	SW846 8260B
Diisopropyl Ether	< 3.8	3.8	13		5	ug/L	MK	08/30/06	SW846 5030B	SW846 8260B
Ethylbenzene	12	2.7	9.0		5	ug/L	MK	08/30/06	SW846 5030B	SW846 8260B
Fluorotrichloromethane	< 4.0	4.0	13		5	ug/L	MK	08/30/06	SW846 5030B	SW846 8260B
Hexachlorobutadiene	< 3.4	3.4	11		5	ug/L	MK	08/30/06	SW846 5030B	SW846 8260B
Isopropylbenzene	26	2.9	9.8		5	ug/L	MK	08/30/06	SW846 5030B	SW846 8260B

Pace Analytical Services, Inc.

1241 Bellevue Street
Green Bay, WI 54302
920-469-2436

Analytical Report Number: 875476

Client : ECCI
Project Name : OLD DUTCHMILL PROPERTY
Project Number :
Field ID : GP-1-W

Matrix Type : WATER
Collection Date : 08/24/06
Report Date : 09/14/06
Lab Sample Number : 875476-001

VOLATILES

Prep Date: 08/30/06

Analyte		Result	LOD	LOQ	EQL	Dil.	Units	Code	Anl Date	Prep Method	Anl Method
Methylene Chloride	<	2.2	2.2	7.2		5	ug/L	MK	08/30/06	SW846 5030B	SW846 8260B
Methyl-tert-butyl-ether	<	3.0	3.0	10		5	ug/L	MK	08/30/06	SW846 5030B	SW846 8260B
Naphthalene		17	3.7	12		5	ug/L	MK	08/30/06	SW846 5030B	SW846 8260B
n-Butylbenzene	<	4.6	4.6	16		5	ug/L	MK	08/30/06	SW846 5030B	SW846 8260B
n-Propylbenzene		44	4.1	14		5	ug/L	MK	08/30/06	SW846 5030B	SW846 8260B
p-Isopropyltoluene		39	3.4	11		5	ug/L	MK	08/30/06	SW846 5030B	SW846 8260B
s-Butylbenzene	<	4.4	4.4	15		5	ug/L	MK	08/30/06	SW846 5030B	SW846 8260B
Styrene	<	4.3	4.3	14		5	ug/L	MK	08/30/06	SW846 5030B	SW846 8260B
t-Butylbenzene	<	4.8	4.8	16		5	ug/L	MK	08/30/06	SW846 5030B	SW846 8260B
Tetrachloroethene	<	2.2	2.2	7.5		5	ug/L	MK	08/30/06	SW846 5030B	SW846 8260B
Toluene	<	3.4	3.4	11		5	ug/L	MK	08/30/06	SW846 5030B	SW846 8260B
trans-1,2-Dichloroethene	<	4.4	4.4	15		5	ug/L	MK	08/30/06	SW846 5030B	SW846 8260B
trans-1,3-Dichloropropene	<	0.95	0.95	3.2		5	ug/L	MK	08/30/06	SW846 5030B	SW846 8260B
Trichloroethene	<	2.4	2.4	8.0		5	ug/L	MK	08/30/06	SW846 5030B	SW846 8260B
Vinyl Chloride	<	0.90	0.90	3.0		5	ug/L	MK	08/30/06	SW846 5030B	SW846 8260B
Xylene, o		5.5	4.1	14		5	ug/L	QMK	08/30/06	SW846 5030B	SW846 8260B
Xylenes, m + p		24	9.0	30		5	ug/L	QMK	08/30/06	SW846 5030B	SW846 8260B
Surrogate			**LCL**	**UCL**							
4-Bromofluorobenzene		103	64	132		5	%		08/30/06	SW846 5030B	SW846 8260B
Toluene-d8		104	73	127		5	%		08/30/06	SW846 5030B	SW846 8260B
Dibromofluoromethane		106	68	122		5	%		08/30/06	SW846 5030B	SW846 8260B

PAH/ PNA

Prep Date: 08/29/06

Analyte		Result	LOD	LOQ	EQL	Dil.	Units	Code	Anl Date	Prep Method	Anl Method
1-Methylnaphthalene		64	4.3	14		400	ug/L	D	08/30/06	SW846 3510C	8270C-SIM
2-Methylnaphthalene		85	4.7	16		400	ug/L	D	08/30/06	SW846 3510C	8270C-SIM
Acenaphthene	<	0.86	0.86	2.9		100	ug/L		08/29/06	SW846 3510C	8270C-SIM
Acenaphthylene	<	0.85	0.85	2.8		100	ug/L		08/29/06	SW846 3510C	8270C-SIM
Anthracene	<	1.2	1.2	4.0		100	ug/L		08/29/06	SW846 3510C	8270C-SIM
Benzo(a)anthracene	<	1.6	1.6	5.5		100	ug/L		08/29/06	SW846 3510C	8270C-SIM
Benzo(a)pyrene	<	1.9	1.9	6.4		100	ug/L		08/29/06	SW846 3510C	8270C-SIM
Benzo(b)fluoranthene	<	1.6	1.6	5.5		100	ug/L	Z	08/29/06	SW846 3510C	8270C-SIM
Benzo(ghi)perylene	<	2.0	2.0	6.7		100	ug/L		08/29/06	SW846 3510C	8270C-SIM
Benzo(k)fluoranthene	<	2.0	2.0	6.8		100	ug/L	Z	08/29/06	SW846 3510C	8270C-SIM
Chrysene	<	2.0	2.0	6.6		100	ug/L		08/29/06	SW846 3510C	8270C-SIM
Dibenz(a,h)anthracene	<	2.0	2.0	6.6		100	ug/L		08/29/06	SW846 3510C	8270C-SIM
Fluoranthene	<	1.6	1.6	5.4		100	ug/L		08/29/06	SW846 3510C	8270C-SIM
Fluorene	<	0.95	0.95	3.2		100	ug/L		08/29/06	SW846 3510C	8270C-SIM
Indeno(1,2,3-cd)pyrene	<	2.0	2.0	6.6		100	ug/L		08/29/06	SW846 3510C	8270C-SIM
Naphthalene		44	1.3	4.3		100	ug/L		08/29/06	SW846 3510C	8270C-SIM
Phenanthrene	<	1.2	1.2	4.0		100	ug/L		08/29/06	SW846 3510C	8270C-SIM
Pyrene	<	1.5	1.5	5.1		100	ug/L		08/29/06	SW846 3510C	8270C-SIM
Surrogate			**LCL**	**UCL**							
Nitrobenzene-d5		0	10	150		100	%	D	08/29/06	SW846 3510C	8270C-SIM
2-Fluorobiphenyl		0	20	111		100	%	D	08/29/06	SW846 3510C	8270C-SIM
Terphenyl-d14		0	44	115		100	%	D	08/29/06	SW846 3510C	8270C-SIM

Pace Analytical Services, Inc.

1241 Bellevue Street
Green Bay, WI 54302
920-469-2436

Analytical Report Number: 875476

Client : ECCI
Project Name : OLD DUTCHMILL PROPERTY
Project Number :
Field ID : GP-2-W

Matrix Type : WATER
Collection Date : 08/24/06
Report Date : 09/14/06
Lab Sample Number : 875476-002

INORGANICS

Test	Result	LOD	LOQ	EQL	Dil.	Units	Code	Anl Date	Prep Method	Anl Method
Lead - Dissolved	4.0	0.40	1.3		2	ug/L		09/13/06	SW846 3020A	SW846 6020

VOLATILES

Prep Date: 08/30/06

Analyte	Result	LOD	LOQ	EQL	Dil.	Units	Code	Anl Date	Prep Method	Anl Method
1,1,1,2-Tetrachloroethane	< 46	46	150		50	ug/L	M	08/30/06	SW846 5030B	SW846 8260B
1,1,1-Trichloroethane	< 45	45	150		50	ug/L	M	08/30/06	SW846 5030B	SW846 8260B
1,1,2,2-Tetrachloroethane	< 10	10	33		50	ug/L	M	08/30/06	SW846 5030B	SW846 8260B
1,1,2-Trichloroethane	< 21	21	70		50	ug/L	M	08/30/06	SW846 5030B	SW846 8260B
1,1-Dichloroethane	< 38	38	120		50	ug/L	M	08/30/06	SW846 5030B	SW846 8260B
1,1-Dichloroethene	< 28	28	95		50	ug/L	M	08/30/06	SW846 5030B	SW846 8260B
1,1-Dichloropropene	< 38	38	120		50	ug/L	M	08/30/06	SW846 5030B	SW846 8260B
1,2,3-Trichlorobenzene	< 37	37	120		50	ug/L	M	08/30/06	SW846 5030B	SW846 8260B
1,2,3-Trichloropropane	< 50	50	160		50	ug/L	M	08/30/06	SW846 5030B	SW846 8260B
1,2,4-Trichlorobenzene	< 48	48	160		50	ug/L	M	08/30/06	SW846 5030B	SW846 8260B
1,2,4-Trimethylbenzene	710	48	160		50	ug/L	M	08/30/06	SW846 5030B	SW846 8260B
1,2-Dibromo-3-chloropropane	< 44	44	140		50	ug/L	M	08/30/06	SW846 5030B	SW846 8260B
1,2-Dibromoethane	< 28	28	93		50	ug/L	M	08/30/06	SW846 5030B	SW846 8260B
1,2-Dichlorobenzene	< 42	42	140		50	ug/L	M	08/30/06	SW846 5030B	SW846 8260B
1,2-Dichloroethane	< 18	18	60		50	ug/L	M	08/30/06	SW846 5030B	SW846 8260B
1,2-Dichloropropane	< 23	23	77		50	ug/L	M	08/30/06	SW846 5030B	SW846 8260B
1,3,5-Trimethylbenzene	300	42	140		50	ug/L	M	08/30/06	SW846 5030B	SW846 8260B
1,3-Dichlorobenzene	< 44	44	140		50	ug/L	M	08/30/06	SW846 5030B	SW846 8260B
1,3-Dichloropropane	< 30	30	100		50	ug/L	M	08/30/06	SW846 5030B	SW846 8260B
1,4-Dichlorobenzene	< 48	48	160		50	ug/L	M	08/30/06	SW846 5030B	SW846 8260B
2,2-Dichloropropane	< 31	31	100		50	ug/L	M	08/30/06	SW846 5030B	SW846 8260B
2-Chlorotoluene	< 42	42	140		50	ug/L	M	08/30/06	SW846 5030B	SW846 8260B
4-Chlorotoluene	< 37	37	120		50	ug/L	M	08/30/06	SW846 5030B	SW846 8260B
Benzene	92	20	68		50	ug/L	M	08/30/06	SW846 5030B	SW846 8260B
Bromobenzene	< 41	41	140		50	ug/L	M	08/30/06	SW846 5030B	SW846 8260B
Bromochloromethane	< 48	48	160		50	ug/L	M	08/30/06	SW846 5030B	SW846 8260B
Bromodichloromethane	< 28	28	93		50	ug/L	M	08/30/06	SW846 5030B	SW846 8260B
Bromoform	< 47	47	160		50	ug/L	M	08/30/06	SW846 5030B	SW846 8260B
Bromomethane	< 46	46	150		50	ug/L	M	08/30/06	SW846 5030B	SW846 8260B
Carbon Tetrachloride	< 24	24	82		50	ug/L	M	08/30/06	SW846 5030B	SW846 8260B
Chlorobenzene	< 20	20	68		50	ug/L	M	08/30/06	SW846 5030B	SW846 8260B
Chlorodibromomethane	< 40	40	140		50	ug/L	M	08/30/06	SW846 5030B	SW846 8260B
Chloroethane	< 48	48	160		50	ug/L	M	08/30/06	SW846 5030B	SW846 8260B
Chloroform	< 18	18	62		50	ug/L	M	08/30/06	SW846 5030B	SW846 8260B
Chloromethane	< 12	12	40		50	ug/L	M	08/30/06	SW846 5030B	SW846 8260B
cis-1,2-Dichloroethene	< 42	42	140		50	ug/L	M	08/30/06	SW846 5030B	SW846 8260B
cis-1,3-Dichloropropene	< 9.5	9.5	32		50	ug/L	M	08/30/06	SW846 5030B	SW846 8260B
Dibromomethane	< 30	30	100		50	ug/L	M	08/30/06	SW846 5030B	SW846 8260B
Dichlorodifluoromethane	< 50	50	160		50	ug/L	M	08/30/06	SW846 5030B	SW846 8260B
Diisopropyl Ether	< 38	38	130		50	ug/L	M	08/30/06	SW846 5030B	SW846 8260B
Ethylbenzene	900	27	90		50	ug/L	M	08/30/06	SW846 5030B	SW846 8260B
Fluorotrichloromethane	< 40	40	130		50	ug/L	M	08/30/06	SW846 5030B	SW846 8260B
Hexachlorobutadiene	< 34	34	110		50	ug/L	M	08/30/06	SW846 5030B	SW846 8260B
Isopropylbenzene	87	30	98		50	ug/L	QM	08/30/06	SW846 5030B	SW846 8260B

Pace Analytical Services, Inc.

1241 Bellevue Street
Green Bay, WI 54302
920-469-2436

Analytical Report Number: 875476

Client : ECCI
Project Name : OLD DUTCHMILL PROPERTY
Project Number :
Field ID : GP-2-W

Matrix Type : WATER
Collection Date : 08/24/06
Report Date : 09/14/06
Lab Sample Number : 875476-002

VOLATILES

Prep Date: 08/30/06

Analyte		Result	LOD	LOQ	EQL	Dil.	Units	Code	Anl Date	Prep Method	Anl Method
Methylene Chloride	<	22	22	72		50	ug/L	M	08/30/06	SW846 5030B	SW846 8260B
Methyl-tert-butyl-ether	<	30	30	100		50	ug/L	M	08/30/06	SW846 5030B	SW846 8260B
Naphthalene		390	37	120		50	ug/L	M	08/30/06	SW846 5030B	SW846 8260B
n-Butylbenzene	<	46	46	160		50	ug/L	M	08/30/06	SW846 5030B	SW846 8260B
n-Propylbenzene		120	40	140		50	ug/L	QM	08/30/06	SW846 5030B	SW846 8260B
p-Isopropyltoluene		47	34	110		50	ug/L	QM	08/30/06	SW846 5030B	SW846 8260B
s-Butylbenzene	<	44	44	150		50	ug/L	M	08/30/06	SW846 5030B	SW846 8260B
Styrene	<	43	43	140		50	ug/L	M	08/30/06	SW846 5030B	SW846 8260B
t-Butylbenzene	<	48	48	160		50	ug/L	M	08/30/06	SW846 5030B	SW846 8260B
Tetrachloroethene	<	22	22	75		50	ug/L	M	08/30/06	SW846 5030B	SW846 8260B
Toluene		6100	34	110		50	ug/L	M	08/30/06	SW846 5030B	SW846 8260B
trans-1,2-Dichloroethene	<	44	44	150		50	ug/L	M	08/30/06	SW846 5030B	SW846 8260B
trans-1,3-Dichloropropene	<	9.5	9.5	32		50	ug/L	M	08/30/06	SW846 5030B	SW846 8260B
Trichloroethene	<	24	24	80		50	ug/L	M	08/30/06	SW846 5030B	SW846 8260B
Vinyl Chloride	<	9.0	9.0	30		50	ug/L	M	08/30/06	SW846 5030B	SW846 8260B
Xylene, o		950	42	140		50	ug/L	M	08/30/06	SW846 5030B	SW846 8260B
Xylenes, m + p		1800	90	300		50	ug/L	M	08/30/06	SW846 5030B	SW846 8260B
Surrogate			LCL	UCL							
4-Bromofluorobenzene		104	64	132		50	%		08/30/06	SW846 5030B	SW846 8260B
Toluene-d8		106	73	127		50	%		08/30/06	SW846 5030B	SW846 8260B
Dibromofluoromethane		105	68	122		50	%		08/30/06	SW846 5030B	SW846 8260B

PAH/ PNA

Prep Date: 08/29/06

Analyte		Result	LOD	LOQ	EQL	Dil.	Units	Code	Anl Date	Prep Method	Anl Method
1-Methylnaphthalene		2500	240	810		5000	ug/L	D	08/30/06	SW846 3510C	8270C-SIM
2-Methylnaphthalene		5900	270	900		5000	ug/L	D	08/30/06	SW846 3510C	8270C-SIM
Acenaphthene		4.5	3.9	13		100	ug/L	Q	08/29/06	SW846 3510C	8270C-SIM
Acenaphthylene	<	3.9	3.9	13		100	ug/L		08/29/06	SW846 3510C	8270C-SIM
Anthracene	<	5.6	5.6	19		100	ug/L		08/29/06	SW846 3510C	8270C-SIM
Benzo(a)anthracene	<	7.5	7.5	25		100	ug/L		08/29/06	SW846 3510C	8270C-SIM
Benzo(a)pyrene	<	8.8	8.8	29		100	ug/L		08/29/06	SW846 3510C	8270C-SIM
Benzo(b)fluoranthene	<	7.5	7.5	25		100	ug/L	Z	08/29/06	SW846 3510C	8270C-SIM
Benzo(ghi)perylene	<	9.3	9.3	31		100	ug/L		08/29/06	SW846 3510C	8270C-SIM
Benzo(k)fluoranthene	<	9.3	9.3	31		100	ug/L	Z	08/29/06	SW846 3510C	8270C-SIM
Chrysene	<	9.1	9.1	30		100	ug/L		08/29/06	SW846 3510C	8270C-SIM
Dibenz(a,h)anthracene	<	9.1	9.1	30		100	ug/L		08/29/06	SW846 3510C	8270C-SIM
Fluoranthene	<	7.5	7.5	25		100	ug/L		08/29/06	SW846 3510C	8270C-SIM
Fluorene		6.7	4.4	15		100	ug/L	Q	08/29/06	SW846 3510C	8270C-SIM
Indeno(1,2,3-cd)pyrene	<	9.1	9.1	30		100	ug/L		08/29/06	SW846 3510C	8270C-SIM
Naphthalene		5200	300	990		5000	ug/L	D	08/30/06	SW846 3510C	8270C-SIM
Phenanthrene		10	5.5	18		100	ug/L	Q	08/29/06	SW846 3510C	8270C-SIM
Pyrene	<	7.0	7.0	23		100	ug/L		08/29/06	SW846 3510C	8270C-SIM
Surrogate			LCL	UCL							
Nitrobenzene-d5		0	10	150		100	%	D	08/29/06	SW846 3510C	8270C-SIM
2-Fluorobiphenyl		0	20	111		100	%	D	08/29/06	SW846 3510C	8270C-SIM
Terphenyl-d14		0	44	115		100	%	D	08/29/06	SW846 3510C	8270C-SIM

Pace Analytical Services, Inc.

1241 Bellevue Street
Green Bay, WI 54302
920-469-2436

Analytical Report Number: 875476

Client : ECCI
Project Name : OLD DUTCHMILL PROPERTY
Project Number :
Field ID : GP-3-W

Matrix Type : WATER
Collection Date : 08/24/06
Report Date : 09/14/06
Lab Sample Number : 875476-003

INORGANICS

Test	Result	LOD	LOQ	EQL	Dil.	Units	Code	Anl Date	Prep Method	Anl Method
Lead - Dissolved	0.50	0.40	1.3		2	ug/L	Q	09/13/06	SW846 3020A	SW846 6020

VOLATILES

Prep Date: 08/30/06

Analyte	Result	LOD	LOQ	EQL	Dil.	Units	Code	Anl Date	Prep Method	Anl Method
1,1,1,2-Tetrachloroethane	< 18	18	61		20	ug/L	MK	08/30/06	SW846 5030B	SW846 8260B
1,1,1-Trichloroethane	< 18	18	60		20	ug/L	MK	08/30/06	SW846 5030B	SW846 8260B
1,1,2,2-Tetrachloroethane	< 4.0	4.0	13		20	ug/L	MK	08/30/06	SW846 5030B	SW846 8260B
1,1,2-Trichloroethane	< 8.4	8.4	28		20	ug/L	MK	08/30/06	SW846 5030B	SW846 8260B
1,1-Dichloroethane	< 15	15	50		20	ug/L	MK	08/30/06	SW846 5030B	SW846 8260B
1,1-Dichloroethene	< 11	11	38		20	ug/L	MK	08/30/06	SW846 5030B	SW846 8260B
1,1-Dichloropropene	< 15	15	50		20	ug/L	MK	08/30/06	SW846 5030B	SW846 8260B
1,2,3-Trichlorobenzene	< 15	15	49		20	ug/L	MK	08/30/06	SW846 5030B	SW846 8260B
1,2,3-Trichloropropane	< 20	20	66		20	ug/L	MK	08/30/06	SW846 5030B	SW846 8260B
1,2,4-Trichlorobenzene	< 19	19	65		20	ug/L	MK	08/30/06	SW846 5030B	SW846 8260B
1,2,4-Trimethylbenzene	300	19	65		20	ug/L	MK	08/30/06	SW846 5030B	SW846 8260B
1,2-Dibromo-3-chloropropane	< 17	17	58		20	ug/L	MK	08/30/06	SW846 5030B	SW846 8260B
1,2-Dibromoethane	< 11	11	37		20	ug/L	MK	08/30/06	SW846 5030B	SW846 8260B
1,2-Dichlorobenzene	< 17	17	55		20	ug/L	MK	08/30/06	SW846 5030B	SW846 8260B
1,2-Dichloroethane	< 7.2	7.2	24		20	ug/L	MK	08/30/06	SW846 5030B	SW846 8260B
1,2-Dichloropropane	< 9.2	9.2	31		20	ug/L	MK	08/30/06	SW846 5030B	SW846 8260B
1,3,5-Trimethylbenzene	150	17	55		20	ug/L	MK	08/30/06	SW846 5030B	SW846 8260B
1,3-Dichlorobenzene	< 17	17	58		20	ug/L	MK	08/30/06	SW846 5030B	SW846 8260B
1,3-Dichloropropane	< 12	12	41		20	ug/L	MK	08/30/06	SW846 5030B	SW846 8260B
1,4-Dichlorobenzene	< 19	19	63		20	ug/L	MK	08/30/06	SW846 5030B	SW846 8260B
2,2-Dichloropropane	< 12	12	41		20	ug/L	MK	08/30/06	SW846 5030B	SW846 8260B
2-Chlorotoluene	< 17	17	57		20	ug/L	MK	08/30/06	SW846 5030B	SW846 8260B
4-Chlorotoluene	< 15	15	49		20	ug/L	MK	08/30/06	SW846 5030B	SW846 8260B
Benzene	< 8.2	8.2	27		20	ug/L	MK	08/30/06	SW846 5030B	SW846 8260B
Bromobenzene	< 16	16	55		20	ug/L	MK	08/30/06	SW846 5030B	SW846 8260B
Bromochloromethane	< 19	19	65		20	ug/L	MK	08/30/06	SW846 5030B	SW846 8260B
Bromodichloromethane	< 11	11	37		20	ug/L	MK	08/30/06	SW846 5030B	SW846 8260B
Bromoform	< 19	19	63		20	ug/L	MK	08/30/06	SW846 5030B	SW846 8260B
Bromomethane	< 18	18	61		20	ug/L	MK	08/30/06	SW846 5030B	SW846 8260B
Carbon Tetrachloride	< 9.8	9.8	33		20	ug/L	MK	08/30/06	SW846 5030B	SW846 8260B
Chlorobenzene	< 8.2	8.2	27		20	ug/L	MK	08/30/06	SW846 5030B	SW846 8260B
Chlorodibromomethane	< 16	16	54		20	ug/L	MK	08/30/06	SW846 5030B	SW846 8260B
Chloroethane	< 19	19	65		20	ug/L	MK	08/30/06	SW846 5030B	SW846 8260B
Chloroform	< 7.4	7.4	25		20	ug/L	MK	08/30/06	SW846 5030B	SW846 8260B
Chloromethane	< 4.8	4.8	16		20	ug/L	MK	08/30/06	SW846 5030B	SW846 8260B
cis-1,2-Dichloroethene	< 17	17	55		20	ug/L	MK	08/30/06	SW846 5030B	SW846 8260B
cis-1,3-Dichloropropene	< 3.8	3.8	13		20	ug/L	MK	08/30/06	SW846 5030B	SW846 8260B
Dibromomethane	< 12	12	40		20	ug/L	MK	08/30/06	SW846 5030B	SW846 8260B
Dichlorodifluoromethane	< 20	20	66		20	ug/L	MK	08/30/06	SW846 5030B	SW846 8260B
Diisopropyl Ether	< 15	15	51		20	ug/L	MK	08/30/06	SW846 5030B	SW846 8260B
Ethylbenzene	49	11	36		20	ug/L	MK	08/30/06	SW846 5030B	SW846 8260B
Fluorotrichloromethane	< 16	16	53		20	ug/L	MK	08/30/06	SW846 5030B	SW846 8260B
Hexachlorobutadiene	< 13	13	45		20	ug/L	MK	08/30/06	SW846 5030B	SW846 8260B
Isopropylbenzene	55	12	39		20	ug/L	MK	08/30/06	SW846 5030B	SW846 8260B

Pace Analytical Services, Inc.

1241 Bellevue Street
Green Bay, WI 54302
920-469-2436

Analytical Report Number: 875476

Client : ECCI
Project Name : OLD DUTCHMILL PROPERTY
Project Number :
Field ID : GP-3-W

Matrix Type : WATER
Collection Date : 08/24/06
Report Date : 09/14/06
Lab Sample Number : 875476-003

VOLATILES

Prep Date: 08/30/06

Analyte		Result	LOD	LOQ	EQL	Dil.	Units	Code	Anl Date	Prep Method	Anl Method
Methylene Chloride	<	8.6	8.6	29		20	ug/L	MK	08/30/06	SW846 5030B	SW846 8260B
Methyl-tert-butyl-ether	<	12	12	41		20	ug/L	MK	08/30/06	SW846 5030B	SW846 8260B
Naphthalene		69	15	49		20	ug/L	MK	08/30/06	SW846 5030B	SW846 8260B
n-Butylbenzene	<	19	19	62		20	ug/L	MK	08/30/06	SW846 5030B	SW846 8260B
n-Propylbenzene		77	16	54		20	ug/L	MK	08/30/06	SW846 5030B	SW846 8260B
p-Isopropyltoluene		54	13	45		20	ug/L	MK	08/30/06	SW846 5030B	SW846 8260B
s-Butylbenzene	<	18	18	59		20	ug/L	MK	08/30/06	SW846 5030B	SW846 8260B
Styrene	<	17	17	57		20	ug/L	MK	08/30/06	SW846 5030B	SW846 8260B
t-Butylbenzene	<	19	19	65		20	ug/L	MK	08/30/06	SW846 5030B	SW846 8260B
Tetrachloroethene	<	9.0	9.0	30		20	ug/L	MK	08/30/06	SW846 5030B	SW846 8260B
Toluene	<	13	13	45		20	ug/L	MK	08/30/06	SW846 5030B	SW846 8260B
trans-1,2-Dichloroethene	<	18	18	59		20	ug/L	MK	08/30/06	SW846 5030B	SW846 8260B
trans-1,3-Dichloropropene	<	3.8	3.8	13		20	ug/L	MK	08/30/06	SW846 5030B	SW846 8260B
Trichloroethene	<	9.6	9.6	32		20	ug/L	MK	08/30/06	SW846 5030B	SW846 8260B
Vinyl Chloride	<	3.6	3.6	12		20	ug/L	MK	08/30/06	SW846 5030B	SW846 8260B
Xylene, o		31	17	55		20	ug/L	QMK	08/30/06	SW846 5030B	SW846 8260B
Xylenes, m + p		100	36	120		20	ug/L	QMK	08/30/06	SW846 5030B	SW846 8260B
Surrogate			**LCL**	**UCL**							
4-Bromofluorobenzene		101	64	132		20	%		08/30/06	SW846 5030B	SW846 8260B
Toluene-d8		104	73	127		20	%		08/30/06	SW846 5030B	SW846 8260B
Dibromofluoromethane		107	68	122		20	%		08/30/06	SW846 5030B	SW846 8260B

PAH/ PNA

Prep Date: 08/29/06

Analyte		Result	LOD	LOQ	EQL	Dil.	Units	Code	Anl Date	Prep Method	Anl Method
1-Methylnaphthalene		370	41	140		4000	ug/L	D	08/29/06	SW846 3510C	8270C-SIM
2-Methylnaphthalene		850	45	150		4000	ug/L	D	08/29/06	SW846 3510C	8270C-SIM
Acenaphthene	<	0.82	0.82	2.7		100	ug/L		08/29/06	SW846 3510C	8270C-SIM
Acenaphthylene		1.5	0.81	2.7		100	ug/L	Q	08/29/06	SW846 3510C	8270C-SIM
Anthracene		1.4	1.2	3.9		100	ug/L	Q	08/29/06	SW846 3510C	8270C-SIM
Benzo(a)anthracene		3.2	1.6	5.2		100	ug/L	Q	08/29/06	SW846 3510C	8270C-SIM
Benzo(a)pyrene		3.8	1.8	6.1		100	ug/L	Q	08/29/06	SW846 3510C	8270C-SIM
Benzo(b)fluoranthene		3.5	1.6	5.2		100	ug/L	QZ	08/29/06	SW846 3510C	8270C-SIM
Benzo(ghi)perylene		2.5	1.9	6.4		100	ug/L	Q	08/29/06	SW846 3510C	8270C-SIM
Benzo(k)fluoranthene		3.4	1.9	6.4		100	ug/L	QZ	08/29/06	SW846 3510C	8270C-SIM
Chrysene		4.0	1.9	6.3		100	ug/L	Q	08/29/06	SW846 3510C	8270C-SIM
Dibenz(a,h)anthracene	<	1.9	1.9	6.3		100	ug/L		08/29/06	SW846 3510C	8270C-SIM
Fluoranthene		9.5	1.5	5.2		100	ug/L		08/29/06	SW846 3510C	8270C-SIM
Fluorene		1.1	0.91	3.0		100	ug/L	Q	08/29/06	SW846 3510C	8270C-SIM
Indeno(1,2,3-cd)pyrene	<	1.9	1.9	6.3		100	ug/L		08/29/06	SW846 3510C	8270C-SIM
Naphthalene		320	50	170		4000	ug/L	D	08/29/06	SW846 3510C	8270C-SIM
Phenanthrene		4.4	1.1	3.8		100	ug/L		08/29/06	SW846 3510C	8270C-SIM
Pyrene		7.0	1.5	4.8		100	ug/L		08/29/06	SW846 3510C	8270C-SIM
Surrogate			**LCL**	**UCL**							
Nitrobenzene-d5		0	10	150		100	%	D	08/29/06	SW846 3510C	8270C-SIM
2-Fluorobiphenyl		0	20	111		100	%	D	08/29/06	SW846 3510C	8270C-SIM
Terphenyl-d14		0	44	115		100	%	D	08/29/06	SW846 3510C	8270C-SIM

Pace Analytical Services, Inc.

1241 Bellevue Street
Green Bay, WI 54302
920-469-2436

Analytical Report Number: 875476

Client : ECCI
Project Name : OLD DUTCHMILL PROPERTY
Project Number :
Field ID : GP-5-W

Matrix Type : WATER
Collection Date : 08/24/06
Report Date : 09/14/06
Lab Sample Number : 875476-004

INORGANICS

Test		Result	LOD	LOQ	EQL	Dil.	Units	Code	Anl Date	Prep Method	Anl Method
Lead - Dissolved	<	0.40	0.40	1.3		2	ug/L		09/13/06	SW846 3020A	SW846 6020

VOLATILES

Prep Date: 08/29/06

Analyte		Result	LOD	LOQ	EQL	Dil.	Units	Code	Anl Date	Prep Method	Anl Method
1,1,1,2-Tetrachloroethane	<	0.92	0.92	3.1		1	ug/L	M	08/29/06	SW846 5030B	SW846 8260B
1,1,1-Trichloroethane	<	0.90	0.90	3.0		1	ug/L	M	08/29/06	SW846 5030B	SW846 8260B
1,1,2,2-Tetrachloroethane	<	0.20	0.20	0.67		1	ug/L	M	08/29/06	SW846 5030B	SW846 8260B
1,1,2-Trichloroethane	<	0.42	0.42	1.4		1	ug/L	M	08/29/06	SW846 5030B	SW846 8260B
1,1-Dichloroethane	<	0.75	0.75	2.5		1	ug/L	M	08/29/06	SW846 5030B	SW846 8260B
1,1-Dichloroethene	<	0.57	0.57	1.9		1	ug/L	M	08/29/06	SW846 5030B	SW846 8260B
1,1-Dichloropropene	<	0.75	0.75	2.5		1	ug/L	M	08/29/06	SW846 5030B	SW846 8260B
1,2,3-Trichlorobenzene	<	0.74	0.74	2.5		1	ug/L	M	08/29/06	SW846 5030B	SW846 8260B
1,2,3-Trichloropropane	<	0.99	0.99	3.3		1	ug/L	M	08/29/06	SW846 5030B	SW846 8260B
1,2,4-Trichlorobenzene	<	0.97	0.97	3.2		1	ug/L	M	08/29/06	SW846 5030B	SW846 8260B
1,2,4-Trimethylbenzene	<	0.97	0.97	3.2		1	ug/L	M	08/29/06	SW846 5030B	SW846 8260B
1,2-Dibromo-3-chloropropane	<	0.87	0.87	2.9		1	ug/L	M	08/29/06	SW846 5030B	SW846 8260B
1,2-Dibromoethane	<	0.56	0.56	1.9		1	ug/L	M	08/29/06	SW846 5030B	SW846 8260B
1,2-Dichlorobenzene	<	0.83	0.83	2.8		1	ug/L	M	08/29/06	SW846 5030B	SW846 8260B
1,2-Dichloroethane	<	0.36	0.36	1.2		1	ug/L	M	08/29/06	SW846 5030B	SW846 8260B
1,2-Dichloropropane	<	0.46	0.46	1.5		1	ug/L	M	08/29/06	SW846 5030B	SW846 8260B
1,3,5-Trimethylbenzene	<	0.83	0.83	2.8		1	ug/L	M	08/29/06	SW846 5030B	SW846 8260B
1,3-Dichlorobenzene	<	0.87	0.87	2.9		1	ug/L	M	08/29/06	SW846 5030B	SW846 8260B
1,3-Dichloropropane	<	0.61	0.61	2.0		1	ug/L	M	08/29/06	SW846 5030B	SW846 8260B
1,4-Dichlorobenzene	<	0.95	0.95	3.2		1	ug/L	M	08/29/06	SW846 5030B	SW846 8260B
2,2-Dichloropropane	<	0.62	0.62	2.1		1	ug/L	M	08/29/06	SW846 5030B	SW846 8260B
2-Chlorotoluene	<	0.85	0.85	2.8		1	ug/L	M	08/29/06	SW846 5030B	SW846 8260B
4-Chlorotoluene	<	0.74	0.74	2.5		1	ug/L	M	08/29/06	SW846 5030B	SW846 8260B
Benzene	<	0.41	0.41	1.4		1	ug/L	M	08/29/06	SW846 5030B	SW846 8260B
Bromobenzene	<	0.82	0.82	2.7		1	ug/L	M	08/29/06	SW846 5030B	SW846 8260B
Bromochloromethane	<	0.97	0.97	3.2		1	ug/L	M	08/29/06	SW846 5030B	SW846 8260B
Bromodichloromethane	<	0.56	0.56	1.9		1	ug/L	M	08/29/06	SW846 5030B	SW846 8260B
Bromoform	<	0.94	0.94	3.1		1	ug/L	M	08/29/06	SW846 5030B	SW846 8260B
Bromomethane	<	0.91	0.91	3.0		1	ug/L	M	08/29/06	SW846 5030B	SW846 8260B
Carbon Tetrachloride	<	0.49	0.49	1.6		1	ug/L	M	08/29/06	SW846 5030B	SW846 8260B
Chlorobenzene	<	0.41	0.41	1.4		1	ug/L	M	08/29/06	SW846 5030B	SW846 8260B
Chlorodibromomethane	<	0.81	0.81	2.7		1	ug/L	M	08/29/06	SW846 5030B	SW846 8260B
Chloroethane	<	0.97	0.97	3.2		1	ug/L	M	08/29/06	SW846 5030B	SW846 8260B
Chloroform	<	0.37	0.37	1.2		1	ug/L	M	08/29/06	SW846 5030B	SW846 8260B
Chloromethane	<	0.24	0.24	0.80		1	ug/L	M	08/29/06	SW846 5030B	SW846 8260B
cis-1,2-Dichloroethene	<	0.83	0.83	2.8		1	ug/L	M	08/29/06	SW846 5030B	SW846 8260B
cis-1,3-Dichloropropene	<	0.19	0.19	0.63		1	ug/L	M	08/29/06	SW846 5030B	SW846 8260B
Dibromomethane	<	0.60	0.60	2.0		1	ug/L	M	08/29/06	SW846 5030B	SW846 8260B
Dichlorodifluoromethane	<	0.99	0.99	3.3		1	ug/L	M	08/29/06	SW846 5030B	SW846 8260B
Diisopropyl Ether	<	0.76	0.76	2.5		1	ug/L	M	08/29/06	SW846 5030B	SW846 8260B
Ethylbenzene	<	0.54	0.54	1.8		1	ug/L	M	08/29/06	SW846 5030B	SW846 8260B
Fluorotrichloromethane	<	0.79	0.79	2.6		1	ug/L	M	08/29/06	SW846 5030B	SW846 8260B
Hexachlorobutadiene	<	0.67	0.67	2.2		1	ug/L	M	08/29/06	SW846 5030B	SW846 8260B
Isopropylbenzene	<	0.59	0.59	2.0		1	ug/L	M	08/29/06	SW846 5030B	SW846 8260B

Pace Analytical Services, Inc.

1241 Bellevue Street
Green Bay, WI 54302
920-469-2436

Analytical Report Number: 875476

Client : ECCI
Project Name : OLD DUTCHMILL PROPERTY
Project Number :
Field ID : GP-5-W

Matrix Type : WATER
Collection Date : 08/24/06
Report Date : 09/14/06
Lab Sample Number : 875476-004

VOLATILES

Prep Date: 08/29/06

Analyte		Result	LOD	LOQ	EQL	Dil.	Units	Code	Anl Date	Prep Method	Anl Method
Methylene Chloride	<	0.43	0.43	1.4		1	ug/L	M	08/29/06	SW846 5030B	SW846 8260B
Methyl-tert-butyl-ether	<	0.61	0.61	2.0		1	ug/L	M	08/29/06	SW846 5030B	SW846 8260B
Naphthalene	<	0.74	0.74	2.5		1	ug/L	M	08/29/06	SW846 5030B	SW846 8260B
n-Butylbenzene	<	0.93	0.93	3.1		1	ug/L	M	08/29/06	SW846 5030B	SW846 8260B
n-Propylbenzene	<	0.81	0.81	2.7		1	ug/L	M	08/29/06	SW846 5030B	SW846 8260B
p-Isopropyltoluene	<	0.67	0.67	2.2		1	ug/L	M	08/29/06	SW846 5030B	SW846 8260B
s-Butylbenzene	<	0.89	0.89	3.0		1	ug/L	M	08/29/06	SW846 5030B	SW846 8260B
Styrene	<	0.86	0.86	2.9		1	ug/L	M	08/29/06	SW846 5030B	SW846 8260B
t-Butylbenzene	<	0.97	0.97	3.2		1	ug/L	M	08/29/06	SW846 5030B	SW846 8260B
Tetrachloroethene	<	0.45	0.45	1.5		1	ug/L	M	08/29/06	SW846 5030B	SW846 8260B
Toluene	<	0.67	0.67	2.2		1	ug/L	M	08/29/06	SW846 5030B	SW846 8260B
trans-1,2-Dichloroethene	<	0.89	0.89	3.0		1	ug/L	M	08/29/06	SW846 5030B	SW846 8260B
trans-1,3-Dichloropropene	<	0.19	0.19	0.63		1	ug/L	M	08/29/06	SW846 5030B	SW846 8260B
Trichloroethene	<	0.48	0.48	1.6		1	ug/L	M	08/29/06	SW846 5030B	SW846 8260B
Vinyl Chloride	<	0.18	0.18	0.60		1	ug/L	M	08/29/06	SW846 5030B	SW846 8260B
Xylene, o	<	0.83	0.83	2.8		1	ug/L	M	08/29/06	SW846 5030B	SW846 8260B
Xylenes, m + p	<	1.8	1.8	6.0		1	ug/L	M	08/29/06	SW846 5030B	SW846 8260B
Surrogate			**LCL**	**UCL**							
4-Bromofluorobenzene		99	64	132		1	%		08/29/06	SW846 5030B	SW846 8260B
Toluene-d8		101	73	127		1	%		08/29/06	SW846 5030B	SW846 8260B
Dibromofluoromethane		105	68	122		1	%		08/29/06	SW846 5030B	SW846 8260B

PAH/ PNA

Prep Date: 08/29/06

Analyte		Result	LOD	LOQ	EQL	Dil.	Units	Code	Anl Date	Prep Method	Anl Method
1-Methylnaphthalene		0.088	0.010	0.034		1	ug/L		08/30/06	SW846 3510C	8270C-SIM
2-Methylnaphthalene		0.20	0.011	0.037		1	ug/L	B	08/30/06	SW846 3510C	8270C-SIM
Acenaphthene	<	0.0082	0.0082	0.027		1	ug/L		08/30/06	SW846 3510C	8270C-SIM
Acenaphthylene		0.048	0.0081	0.027		1	ug/L		08/30/06	SW846 3510C	8270C-SIM
Anthracene		0.034	0.012	0.039		1	ug/L	Q	08/30/06	SW846 3510C	8270C-SIM
Benzo(a)anthracene		0.13	0.016	0.052		1	ug/L		08/30/06	SW846 3510C	8270C-SIM
Benzo(a)pyrene		0.25	0.018	0.061		1	ug/L		08/30/06	SW846 3510C	8270C-SIM
Benzo(b)fluoranthene		0.28	0.016	0.052		1	ug/L	Z	08/30/06	SW846 3510C	8270C-SIM
Benzo(ghi)perylene		0.26	0.019	0.064		1	ug/L		08/30/06	SW846 3510C	8270C-SIM
Benzo(k)fluoranthene		0.19	0.019	0.064		1	ug/L	Z	08/30/06	SW846 3510C	8270C-SIM
Chrysene		0.17	0.019	0.063		1	ug/L		08/30/06	SW846 3510C	8270C-SIM
Dibenz(a,h)anthracene		0.061	0.019	0.063		1	ug/L	Q	08/30/06	SW846 3510C	8270C-SIM
Fluoranthene		0.29	0.015	0.052		1	ug/L		08/30/06	SW846 3510C	8270C-SIM
Fluorene	<	0.0091	0.0091	0.030		1	ug/L		08/30/06	SW846 3510C	8270C-SIM
Indeno(1,2,3-cd)pyrene		0.20	0.019	0.063		1	ug/L		08/30/06	SW846 3510C	8270C-SIM
Naphthalene		0.11	0.012	0.041		1	ug/L	B	08/30/06	SW846 3510C	8270C-SIM
Phenanthrene		0.089	0.011	0.038		1	ug/L		08/30/06	SW846 3510C	8270C-SIM
Pyrene		0.24	0.015	0.048		1	ug/L		08/30/06	SW846 3510C	8270C-SIM
Surrogate			**LCL**	**UCL**							
Nitrobenzene-d5		42	10	150		1	%		08/30/06	SW846 3510C	8270C-SIM
2-Fluorobiphenyl		63	20	111		1	%		08/30/06	SW846 3510C	8270C-SIM
Terphenyl-d14		76	44	115		1	%		08/30/06	SW846 3510C	8270C-SIM

Pace Analytical Services, Inc.

1241 Bellevue Street
Green Bay, WI 54302
920-469-2436

Analytical Report Number: 875476

Client : ECCI
Project Name : OLD DUTCHMILL PROPERTY
Project Number :
Field ID : GP-7-W

Matrix Type : WATER
Collection Date : 08/24/06
Report Date : 09/14/06
Lab Sample Number : 875476-005

INORGANICS

Test		Result	LOD	LOQ	EQL	Dil.	Units	Code	Anl Date	Prep Method	Anl Method
Lead - Dissolved	<	0.40	0.40	1.3		2	ug/L		09/13/06	SW846 3020A	SW846 6020

VOLATILES

Prep Date: 08/29/06

Analyte		Result	LOD	LOQ	EQL	Dil.	Units	Code	Anl Date	Prep Method	Anl Method
1,1,1,2-Tetrachloroethane	<	0.92	0.92	3.1		1	ug/L	M	08/29/06	SW846 5030B	SW846 8260B
1,1,1-Trichloroethane	<	0.90	0.90	3.0		1	ug/L	M	08/29/06	SW846 5030B	SW846 8260B
1,1,2,2-Tetrachloroethane	<	0.20	0.20	0.67		1	ug/L	M	08/29/06	SW846 5030B	SW846 8260B
1,1,2-Trichloroethane	<	0.42	0.42	1.4		1	ug/L	M	08/29/06	SW846 5030B	SW846 8260B
1,1-Dichloroethane	<	0.75	0.75	2.5		1	ug/L	M	08/29/06	SW846 5030B	SW846 8260B
1,1-Dichloroethene	<	0.57	0.57	1.9		1	ug/L	M	08/29/06	SW846 5030B	SW846 8260B
1,1-Dichloropropene	<	0.75	0.75	2.5		1	ug/L	M	08/29/06	SW846 5030B	SW846 8260B
1,2,3-Trichlorobenzene	<	0.74	0.74	2.5		1	ug/L	M	08/29/06	SW846 5030B	SW846 8260B
1,2,3-Trichloropropane	<	0.99	0.99	3.3		1	ug/L	M	08/29/06	SW846 5030B	SW846 8260B
1,2,4-Trichlorobenzene	<	0.97	0.97	3.2		1	ug/L	M	08/29/06	SW846 5030B	SW846 8260B
1,2,4-Trimethylbenzene	<	0.97	0.97	3.2		1	ug/L	M	08/29/06	SW846 5030B	SW846 8260B
1,2-Dibromo-3-chloropropane	<	0.87	0.87	2.9		1	ug/L	M	08/29/06	SW846 5030B	SW846 8260B
1,2-Dibromoethane	<	0.56	0.56	1.9		1	ug/L	M	08/29/06	SW846 5030B	SW846 8260B
1,2-Dichlorobenzene	<	0.83	0.83	2.8		1	ug/L	M	08/29/06	SW846 5030B	SW846 8260B
1,2-Dichloroethane	<	0.36	0.36	1.2		1	ug/L	M	08/29/06	SW846 5030B	SW846 8260B
1,2-Dichloropropane	<	0.46	0.46	1.5		1	ug/L	M	08/29/06	SW846 5030B	SW846 8260B
1,3,5-Trimethylbenzene	<	0.83	0.83	2.8		1	ug/L	M	08/29/06	SW846 5030B	SW846 8260B
1,3-Dichlorobenzene	<	0.87	0.87	2.9		1	ug/L	M	08/29/06	SW846 5030B	SW846 8260B
1,3-Dichloropropane	<	0.61	0.61	2.0		1	ug/L	M	08/29/06	SW846 5030B	SW846 8260B
1,4-Dichlorobenzene	<	0.95	0.95	3.2		1	ug/L	M	08/29/06	SW846 5030B	SW846 8260B
2,2-Dichloropropane	<	0.62	0.62	2.1		1	ug/L	M	08/29/06	SW846 5030B	SW846 8260B
2-Chlorotoluene	<	0.85	0.85	2.8		1	ug/L	M	08/29/06	SW846 5030B	SW846 8260B
4-Chlorotoluene	<	0.74	0.74	2.5		1	ug/L	M	08/29/06	SW846 5030B	SW846 8260B
Benzene	<	0.41	0.41	1.4		1	ug/L	M	08/29/06	SW846 5030B	SW846 8260B
Bromobenzene	<	0.82	0.82	2.7		1	ug/L	M	08/29/06	SW846 5030B	SW846 8260B
Bromochloromethane	<	0.97	0.97	3.2		1	ug/L	M	08/29/06	SW846 5030B	SW846 8260B
Bromodichloromethane	<	0.56	0.56	1.9		1	ug/L	M	08/29/06	SW846 5030B	SW846 8260B
Bromoform	<	0.94	0.94	3.1		1	ug/L	M	08/29/06	SW846 5030B	SW846 8260B
Bromomethane	<	0.91	0.91	3.0		1	ug/L	M	08/29/06	SW846 5030B	SW846 8260B
Carbon Tetrachloride	<	0.49	0.49	1.6		1	ug/L	M	08/29/06	SW846 5030B	SW846 8260B
Chlorobenzene	<	0.41	0.41	1.4		1	ug/L	M	08/29/06	SW846 5030B	SW846 8260B
Chlorodibromomethane	<	0.81	0.81	2.7		1	ug/L	M	08/29/06	SW846 5030B	SW846 8260B
Chloroethane	<	0.97	0.97	3.2		1	ug/L	M	08/29/06	SW846 5030B	SW846 8260B
Chloroform	<	0.37	0.37	1.2		1	ug/L	M	08/29/06	SW846 5030B	SW846 8260B
Chloromethane	<	0.24	0.24	0.80		1	ug/L	M	08/29/06	SW846 5030B	SW846 8260B
cis-1,2-Dichloroethene	<	0.83	0.83	2.8		1	ug/L	M	08/29/06	SW846 5030B	SW846 8260B
cis-1,3-Dichloropropene	<	0.19	0.19	0.63		1	ug/L	M	08/29/06	SW846 5030B	SW846 8260B
Dibromomethane	<	0.60	0.60	2.0		1	ug/L	M	08/29/06	SW846 5030B	SW846 8260B
Dichlorodifluoromethane	<	0.99	0.99	3.3		1	ug/L	M	08/29/06	SW846 5030B	SW846 8260B
Diisopropyl Ether	<	0.76	0.76	2.5		1	ug/L	M	08/29/06	SW846 5030B	SW846 8260B
Ethylbenzene	<	0.54	0.54	1.8		1	ug/L	M	08/29/06	SW846 5030B	SW846 8260B
Fluorotrichloromethane	<	0.79	0.79	2.6		1	ug/L	M	08/29/06	SW846 5030B	SW846 8260B
Hexachlorobutadiene	<	0.67	0.67	2.2		1	ug/L	M	08/29/06	SW846 5030B	SW846 8260B
Isopropylbenzene	<	0.59	0.59	2.0		1	ug/L	M	08/29/06	SW846 5030B	SW846 8260B

Pace Analytical Services, Inc.

1241 Bellevue Street
Green Bay, WI 54302
920-469-2436

Analytical Report Number: 875476

Client : ECCI
Project Name : OLD DUTCHMILL PROPERTY
Project Number :
Field ID : GP-7-W

Matrix Type : WATER
Collection Date : 08/24/06
Report Date : 09/14/06
Lab Sample Number : 875476-005

VOLATILES

Prep Date: 08/29/06

Analyte		Result	LOD	LOQ	EQL	Dil.	Units	Code	Anl Date	Prep Method	Anl Method
Methylene Chloride	<	0.43	0.43	1.4		1	ug/L	M	08/29/06	SW846 5030B	SW846 8260B
Methyl-tert-butyl-ether	<	0.61	0.61	2.0		1	ug/L	M	08/29/06	SW846 5030B	SW846 8260B
Naphthalene	<	0.74	0.74	2.5		1	ug/L	M	08/29/06	SW846 5030B	SW846 8260B
n-Butylbenzene	<	0.93	0.93	3.1		1	ug/L	M	08/29/06	SW846 5030B	SW846 8260B
n-Propylbenzene	<	0.81	0.81	2.7		1	ug/L	M	08/29/06	SW846 5030B	SW846 8260B
p-Isopropyltoluene	<	0.67	0.67	2.2		1	ug/L	M	08/29/06	SW846 5030B	SW846 8260B
s-Butylbenzene	<	0.89	0.89	3.0		1	ug/L	M	08/29/06	SW846 5030B	SW846 8260B
Styrene	<	0.86	0.86	2.9		1	ug/L	M	08/29/06	SW846 5030B	SW846 8260B
t-Butylbenzene	<	0.97	0.97	3.2		1	ug/L	M	08/29/06	SW846 5030B	SW846 8260B
Tetrachloroethene	<	0.45	0.45	1.5		1	ug/L	M	08/29/06	SW846 5030B	SW846 8260B
Toluene	<	0.67	0.67	2.2		1	ug/L	M	08/29/06	SW846 5030B	SW846 8260B
trans-1,2-Dichloroethene	<	0.89	0.89	3.0		1	ug/L	M	08/29/06	SW846 5030B	SW846 8260B
trans-1,3-Dichloropropene	<	0.19	0.19	0.63		1	ug/L	M	08/29/06	SW846 5030B	SW846 8260B
Trichloroethene	<	0.48	0.48	1.6		1	ug/L	M	08/29/06	SW846 5030B	SW846 8260B
Vinyl Chloride	<	0.18	0.18	0.60		1	ug/L	M	08/29/06	SW846 5030B	SW846 8260B
Xylene, o	<	0.83	0.83	2.8		1	ug/L	M	08/29/06	SW846 5030B	SW846 8260B
Xylenes, m + p	<	1.8	1.8	6.0		1	ug/L	M	08/29/06	SW846 5030B	SW846 8260B
Surrogate			**LCL**	**UCL**							
4-Bromofluorobenzene		102	64	132		1	%		08/29/06	SW846 5030B	SW846 8260B
Toluene-d8		104	73	127		1	%		08/29/06	SW846 5030B	SW846 8260B
Dibromofluoromethane		106	68	122		1	%		08/29/06	SW846 5030B	SW846 8260B

PAH/ PNA

Prep Date: 08/29/06

Analyte		Result	LOD	LOQ	EQL	Dil.	Units	Code	Anl Date	Prep Method	Anl Method
1-Methylnaphthalene		0.039	0.010	0.034		1	ug/L		08/29/06	SW846 3510C	8270C-SIM
2-Methylnaphthalene		0.079	0.011	0.037		1	ug/L	B	08/29/06	SW846 3510C	8270C-SIM
Acenaphthene	<	0.0082	0.0082	0.027		1	ug/L		08/29/06	SW846 3510C	8270C-SIM
Acenaphthylene	<	0.0081	0.0081	0.027		1	ug/L		08/29/06	SW846 3510C	8270C-SIM
Anthracene	<	0.012	0.012	0.039		1	ug/L		08/29/06	SW846 3510C	8270C-SIM
Benzo(a)anthracene	<	0.016	0.016	0.052		1	ug/L		08/29/06	SW846 3510C	8270C-SIM
Benzo(a)pyrene	<	0.018	0.018	0.061		1	ug/L		08/29/06	SW846 3510C	8270C-SIM
Benzo(b)fluoranthene		0.016	0.016	0.052		1	ug/L	QZ	08/29/06	SW846 3510C	8270C-SIM
Benzo(ghi)perylene	<	0.019	0.019	0.064		1	ug/L		08/29/06	SW846 3510C	8270C-SIM
Benzo(k)fluoranthene	<	0.019	0.019	0.064		1	ug/L	Z	08/29/06	SW846 3510C	8270C-SIM
Chrysene	<	0.019	0.019	0.063		1	ug/L		08/29/06	SW846 3510C	8270C-SIM
Dibenz(a,h)anthracene	<	0.019	0.019	0.063		1	ug/L		08/29/06	SW846 3510C	8270C-SIM
Fluoranthene		0.033	0.015	0.052		1	ug/L	Q	08/29/06	SW846 3510C	8270C-SIM
Fluorene	<	0.0091	0.0091	0.030		1	ug/L		08/29/06	SW846 3510C	8270C-SIM
Indeno(1,2,3-cd)pyrene	<	0.019	0.019	0.063		1	ug/L		08/29/06	SW846 3510C	8270C-SIM
Naphthalene		0.060	0.012	0.041		1	ug/L	B	08/29/06	SW846 3510C	8270C-SIM
Phenanthrene		0.018	0.011	0.038		1	ug/L	Q	08/29/06	SW846 3510C	8270C-SIM
Pyrene		0.025	0.015	0.048		1	ug/L	Q	08/29/06	SW846 3510C	8270C-SIM
Surrogate			**LCL**	**UCL**							
Nitrobenzene-d5		47	10	150		1	%		08/29/06	SW846 3510C	8270C-SIM
2-Fluorobiphenyl		70	20	111		1	%		08/29/06	SW846 3510C	8270C-SIM
Terphenyl-d14		80	44	115		1	%		08/29/06	SW846 3510C	8270C-SIM

Pace Analytical Services, Inc.

1241 Bellevue Street
Green Bay, WI 54302
920-469-2436

Analytical Report Number: 875476

Client : ECCI
Project Name : OLD DUTCHMILL PROPERTY
Project Number :
Field ID : GP-8-W

Matrix Type : WATER
Collection Date : 08/24/06
Report Date : 09/14/06
Lab Sample Number : 875476-006

INORGANICS

Test	Result	LOD	LOQ	EQL	Dil.	Units	Code	Anl Date	Prep Method	Anl Method
Lead	100	0.40	1.3		2	ug/L		09/13/06	SW846 3020A	SW846 6020

VOLATILES

Prep Date: 08/30/06

Analyte	Result	LOD	LOQ	EQL	Dil.	Units	Code	Anl Date	Prep Method	Anl Method
1,1,1,2-Tetrachloroethane	< 1.8	1.8	6.1		2	ug/L	MK	08/30/06	SW846 5030B	SW846 8260B
1,1,1-Trichloroethane	< 1.8	1.8	6.0		2	ug/L	MK	08/30/06	SW846 5030B	SW846 8260B
1,1,2,2-Tetrachloroethane	< 0.40	0.40	1.3		2	ug/L	MK	08/30/06	SW846 5030B	SW846 8260B
1,1,2-Trichloroethane	< 0.84	0.84	2.8		2	ug/L	MK	08/30/06	SW846 5030B	SW846 8260B
1,1-Dichloroethane	< 1.5	1.5	5.0		2	ug/L	MK	08/30/06	SW846 5030B	SW846 8260B
1,1-Dichloroethene	< 1.1	1.1	3.8		2	ug/L	MK	08/30/06	SW846 5030B	SW846 8260B
1,1-Dichloropropene	< 1.5	1.5	5.0		2	ug/L	MK	08/30/06	SW846 5030B	SW846 8260B
1,2,3-Trichlorobenzene	< 1.5	1.5	4.9		2	ug/L	MK	08/30/06	SW846 5030B	SW846 8260B
1,2,3-Trichloropropane	< 2.0	2.0	6.6		2	ug/L	MK	08/30/06	SW846 5030B	SW846 8260B
1,2,4-Trichlorobenzene	< 1.9	1.9	6.5		2	ug/L	MK	08/30/06	SW846 5030B	SW846 8260B
1,2,4-Trimethylbenzene	78	1.9	6.5		2	ug/L	MK	08/30/06	SW846 5030B	SW846 8260B
1,2-Dibromo-3-chloropropane	< 1.7	1.7	5.8		2	ug/L	MK	08/30/06	SW846 5030B	SW846 8260B
1,2-Dibromoethane	< 1.1	1.1	3.7		2	ug/L	MK	08/30/06	SW846 5030B	SW846 8260B
1,2-Dichlorobenzene	< 1.7	1.7	5.5		2	ug/L	MK	08/30/06	SW846 5030B	SW846 8260B
1,2-Dichloroethane	< 0.72	0.72	2.4		2	ug/L	MK	08/30/06	SW846 5030B	SW846 8260B
1,2-Dichloropropane	< 0.92	0.92	3.1		2	ug/L	MK	08/30/06	SW846 5030B	SW846 8260B
1,3,5-Trimethylbenzene	53	1.7	5.5		2	ug/L	MK	08/30/06	SW846 5030B	SW846 8260B
1,3-Dichlorobenzene	< 1.7	1.7	5.8		2	ug/L	MK	08/30/06	SW846 5030B	SW846 8260B
1,3-Dichloropropane	< 1.2	1.2	4.1		2	ug/L	MK	08/30/06	SW846 5030B	SW846 8260B
1,4-Dichlorobenzene	< 1.9	1.9	6.3		2	ug/L	MK	08/30/06	SW846 5030B	SW846 8260B
2,2-Dichloropropane	< 1.2	1.2	4.1		2	ug/L	MK	08/30/06	SW846 5030B	SW846 8260B
2-Chlorotoluene	< 1.7	1.7	5.7		2	ug/L	MK	08/30/06	SW846 5030B	SW846 8260B
4-Chlorotoluene	< 1.5	1.5	4.9		2	ug/L	MK	08/30/06	SW846 5030B	SW846 8260B
Benzene	< 0.82	0.82	2.7		2	ug/L	MK	08/30/06	SW846 5030B	SW846 8260B
Bromobenzene	< 1.6	1.6	5.5		2	ug/L	MK	08/30/06	SW846 5030B	SW846 8260B
Bromochloromethane	< 1.9	1.9	6.5		2	ug/L	MK	08/30/06	SW846 5030B	SW846 8260B
Bromodichloromethane	< 1.1	1.1	3.7		2	ug/L	MK	08/30/06	SW846 5030B	SW846 8260B
Bromoform	< 1.9	1.9	6.3		2	ug/L	MK	08/30/06	SW846 5030B	SW846 8260B
Bromomethane	< 1.8	1.8	6.1		2	ug/L	MK	08/30/06	SW846 5030B	SW846 8260B
Carbon Tetrachloride	< 0.98	0.98	3.3		2	ug/L	MK	08/30/06	SW846 5030B	SW846 8260B
Chlorobenzene	< 0.82	0.82	2.7		2	ug/L	MK	08/30/06	SW846 5030B	SW846 8260B
Chlorodibromomethane	< 1.6	1.6	5.4		2	ug/L	MK	08/30/06	SW846 5030B	SW846 8260B
Chloroethane	< 1.9	1.9	6.5		2	ug/L	MK	08/30/06	SW846 5030B	SW846 8260B
Chloroform	< 0.74	0.74	2.5		2	ug/L	MK	08/30/06	SW846 5030B	SW846 8260B
Chloromethane	< 0.48	0.48	1.6		2	ug/L	MK	08/30/06	SW846 5030B	SW846 8260B
cis-1,2-Dichloroethene	< 1.7	1.7	5.5		2	ug/L	MK	08/30/06	SW846 5030B	SW846 8260B
cis-1,3-Dichloropropene	< 0.38	0.38	1.3		2	ug/L	MK	08/30/06	SW846 5030B	SW846 8260B
Dibromomethane	< 1.2	1.2	4.0		2	ug/L	MK	08/30/06	SW846 5030B	SW846 8260B
Dichlorodifluoromethane	< 2.0	2.0	6.6		2	ug/L	MK	08/30/06	SW846 5030B	SW846 8260B
Diisopropyl Ether	< 1.5	1.5	5.1		2	ug/L	MK	08/30/06	SW846 5030B	SW846 8260B
Ethylbenzene	41	1.1	3.6		2	ug/L	MK	08/30/06	SW846 5030B	SW846 8260B
Fluorotrichloromethane	< 1.6	1.6	5.3		2	ug/L	MK	08/30/06	SW846 5030B	SW846 8260B
Hexachlorobutadiene	< 1.3	1.3	4.5		2	ug/L	MK	08/30/06	SW846 5030B	SW846 8260B
Isopropylbenzene	27	1.2	3.9		2	ug/L	MK	08/30/06	SW846 5030B	SW846 8260B

Pace Analytical Services, Inc.

1241 Bellevue Street
Green Bay, WI 54302
920-469-2436

Analytical Report Number: 875476

Client : ECCI
Project Name : OLD DUTCHMILL PROPERTY
Project Number :
Field ID : GP-8-W

Matrix Type : WATER
Collection Date : 08/24/06
Report Date : 09/14/06
Lab Sample Number : 875476-006

VOLATILES

Prep Date: 08/30/06

Analyte		Result	LOD	LOQ	EQL	Dil.	Units	Code	Anl Date	Prep Method	Anl Method
Methylene Chloride	<	0.86	0.86	2.9		2	ug/L	MK	08/30/06	SW846 5030B	SW846 8260B
Methyl-tert-butyl-ether	<	1.2	1.2	4.1		2	ug/L	MK	08/30/06	SW846 5030B	SW846 8260B
Naphthalene		26	1.5	4.9		2	ug/L	MK	08/30/06	SW846 5030B	SW846 8260B
n-Butylbenzene	<	1.9	1.9	6.2		2	ug/L	MK	08/30/06	SW846 5030B	SW846 8260B
n-Propylbenzene		33	1.6	5.4		2	ug/L	MK	08/30/06	SW846 5030B	SW846 8260B
p-Isopropyltoluene		17	1.3	4.5		2	ug/L	MK	08/30/06	SW846 5030B	SW846 8260B
s-Butylbenzene		5.4	1.8	5.9		2	ug/L	QMK	08/30/06	SW846 5030B	SW846 8260B
Styrene	<	1.7	1.7	5.7		2	ug/L	MK	08/30/06	SW846 5030B	SW846 8260B
t-Butylbenzene	<	1.9	1.9	6.5		2	ug/L	MK	08/30/06	SW846 5030B	SW846 8260B
Tetrachloroethene	<	0.90	0.90	3.0		2	ug/L	MK	08/30/06	SW846 5030B	SW846 8260B
Toluene	<	1.3	1.3	4.5		2	ug/L	MK	08/30/06	SW846 5030B	SW846 8260B
trans-1,2-Dichloroethene	<	1.8	1.8	5.9		2	ug/L	MK	08/30/06	SW846 5030B	SW846 8260B
trans-1,3-Dichloropropene	<	0.38	0.38	1.3		2	ug/L	MK	08/30/06	SW846 5030B	SW846 8260B
Trichloroethene	<	0.96	0.96	3.2		2	ug/L	MK	08/30/06	SW846 5030B	SW846 8260B
Vinyl Chloride	<	0.36	0.36	1.2		2	ug/L	MK	08/30/06	SW846 5030B	SW846 8260B
Xylene, o		2.7	1.7	5.5		2	ug/L	QMK	08/30/06	SW846 5030B	SW846 8260B
Xylenes, m + p		13	3.6	12		2	ug/L	MK	08/30/06	SW846 5030B	SW846 8260B
Surrogate			**LCL**	**UCL**							
4-Bromofluorobenzene		104	64	132		2	%		08/30/06	SW846 5030B	SW846 8260B
Toluene-d8		102	73	127		2	%		08/30/06	SW846 5030B	SW846 8260B
Dibromofluoromethane		106	68	122		2	%		08/30/06	SW846 5030B	SW846 8260B

PAH/ PNA

Prep Date: 08/29/06

Analyte		Result	LOD	LOQ	EQL	Dil.	Units	Code	Anl Date	Prep Method	Anl Method
1-Methylnaphthalene		97	10	35		800	ug/L	D	08/29/06	SW846 3510C	8270C-SIM
2-Methylnaphthalene		210	12	39		800	ug/L	D	08/29/06	SW846 3510C	8270C-SIM
Acenaphthene	<	1.1	1.1	3.5		100	ug/L		08/29/06	SW846 3510C	8270C-SIM
Acenaphthylene		2.4	1.0	3.5		100	ug/L	Q	08/29/06	SW846 3510C	8270C-SIM
Anthracene		2.4	1.5	5.0		100	ug/L	Q	08/29/06	SW846 3510C	8270C-SIM
Benzo(a)anthracene		16	2.0	6.7		100	ug/L		08/29/06	SW846 3510C	8270C-SIM
Benzo(a)pyrene		21	2.4	7.9		100	ug/L		08/29/06	SW846 3510C	8270C-SIM
Benzo(b)fluoranthene		20	2.0	6.7		100	ug/L	Z	08/29/06	SW846 3510C	8270C-SIM
Benzo(ghi)perylene		13	2.5	8.3		100	ug/L		08/29/06	SW846 3510C	8270C-SIM
Benzo(k)fluoranthene		16	2.5	8.3		100	ug/L	Z	08/29/06	SW846 3510C	8270C-SIM
Chrysene		16	2.5	8.2		100	ug/L		08/29/06	SW846 3510C	8270C-SIM
Dibenz(a,h)anthracene		2.7	2.4	8.1		100	ug/L	Q	08/29/06	SW846 3510C	8270C-SIM
Fluoranthene		25	2.0	6.7		100	ug/L		08/29/06	SW846 3510C	8270C-SIM
Fluorene	<	1.2	1.2	3.9		100	ug/L		08/29/06	SW846 3510C	8270C-SIM
Indeno(1,2,3-cd)pyrene		10	2.4	8.1		100	ug/L		08/29/06	SW846 3510C	8270C-SIM
Naphthalene		110	13	43		800	ug/L	D	08/29/06	SW846 3510C	8270C-SIM
Phenanthrene		3.1	1.5	4.9		100	ug/L	Q	08/29/06	SW846 3510C	8270C-SIM
Pyrene		24	1.9	6.3		100	ug/L		08/29/06	SW846 3510C	8270C-SIM
Surrogate			**LCL**	**UCL**							
Nitrobenzene-d5		0	10	150		100	%	D	08/29/06	SW846 3510C	8270C-SIM
2-Fluorobiphenyl		0	20	111		100	%	D	08/29/06	SW846 3510C	8270C-SIM
Terphenyl-d14		0	44	115		100	%	D	08/29/06	SW846 3510C	8270C-SIM

Pace Analytical Services, Inc.

1241 Bellevue Street
Green Bay, WI 54302
920-469-2436

Analytical Report Number: 875476

Client : ECCI
Project Name : OLD DUTCHMILL PROPERTY
Project Number :
Field ID : GP-9-W

Matrix Type : WATER
Collection Date : 08/24/06
Report Date : 09/14/06
Lab Sample Number : 875476-007

INORGANICS

Test		Result	LOD	LOQ	EQL	Dil.	Units	Code	Anl Date	Prep Method	Anl Method
Lead - Dissolved	<	0.40	0.40	1.3		2	ug/L		09/13/06	SW846 3020A	SW846 6020

VOLATILES

Prep Date: 08/29/06

Analyte		Result	LOD	LOQ	EQL	Dil.	Units	Code	Anl Date	Prep Method	Anl Method
1,1,1,2-Tetrachloroethane	<	0.92	0.92	3.1		1	ug/L	M	08/29/06	SW846 5030B	SW846 8260B
1,1,1-Trichloroethane	<	0.90	0.90	3.0		1	ug/L	M	08/29/06	SW846 5030B	SW846 8260B
1,1,2,2-Tetrachloroethane	<	0.20	0.20	0.67		1	ug/L	M	08/29/06	SW846 5030B	SW846 8260B
1,1,2-Trichloroethane	<	0.42	0.42	1.4		1	ug/L	M	08/29/06	SW846 5030B	SW846 8260B
1,1-Dichloroethane	<	0.75	0.75	2.5		1	ug/L	M	08/29/06	SW846 5030B	SW846 8260B
1,1-Dichloroethene	<	0.57	0.57	1.9		1	ug/L	M	08/29/06	SW846 5030B	SW846 8260B
1,1-Dichloropropene	<	0.75	0.75	2.5		1	ug/L	M	08/29/06	SW846 5030B	SW846 8260B
1,2,3-Trichlorobenzene	<	0.74	0.74	2.5		1	ug/L	M	08/29/06	SW846 5030B	SW846 8260B
1,2,3-Trichloropropane	<	0.99	0.99	3.3		1	ug/L	M	08/29/06	SW846 5030B	SW846 8260B
1,2,4-Trichlorobenzene	<	0.97	0.97	3.2		1	ug/L	M	08/29/06	SW846 5030B	SW846 8260B
1,2,4-Trimethylbenzene	<	0.97	0.97	3.2		1	ug/L	M	08/29/06	SW846 5030B	SW846 8260B
1,2-Dibromo-3-chloropropane	<	0.87	0.87	2.9		1	ug/L	M	08/29/06	SW846 5030B	SW846 8260B
1,2-Dibromoethane	<	0.56	0.56	1.9		1	ug/L	M	08/29/06	SW846 5030B	SW846 8260B
1,2-Dichlorobenzene	<	0.83	0.83	2.8		1	ug/L	M	08/29/06	SW846 5030B	SW846 8260B
1,2-Dichloroethane	<	0.36	0.36	1.2		1	ug/L	M	08/29/06	SW846 5030B	SW846 8260B
1,2-Dichloropropane	<	0.46	0.46	1.5		1	ug/L	M	08/29/06	SW846 5030B	SW846 8260B
1,3,5-Trimethylbenzene	<	0.83	0.83	2.8		1	ug/L	M	08/29/06	SW846 5030B	SW846 8260B
1,3-Dichlorobenzene	<	0.87	0.87	2.9		1	ug/L	M	08/29/06	SW846 5030B	SW846 8260B
1,3-Dichloropropane	<	0.61	0.61	2.0		1	ug/L	M	08/29/06	SW846 5030B	SW846 8260B
1,4-Dichlorobenzene	<	0.95	0.95	3.2		1	ug/L	M	08/29/06	SW846 5030B	SW846 8260B
2,2-Dichloropropane	<	0.62	0.62	2.1		1	ug/L	M	08/29/06	SW846 5030B	SW846 8260B
2-Chlorotoluene	<	0.85	0.85	2.8		1	ug/L	M	08/29/06	SW846 5030B	SW846 8260B
4-Chlorotoluene	<	0.74	0.74	2.5		1	ug/L	M	08/29/06	SW846 5030B	SW846 8260B
Benzene	<	0.41	0.41	1.4		1	ug/L	M	08/29/06	SW846 5030B	SW846 8260B
Bromobenzene	<	0.82	0.82	2.7		1	ug/L	M	08/29/06	SW846 5030B	SW846 8260B
Bromochloromethane	<	0.97	0.97	3.2		1	ug/L	M	08/29/06	SW846 5030B	SW846 8260B
Bromodichloromethane	<	0.56	0.56	1.9		1	ug/L	M	08/29/06	SW846 5030B	SW846 8260B
Bromoform	<	0.94	0.94	3.1		1	ug/L	M	08/29/06	SW846 5030B	SW846 8260B
Bromomethane	<	0.91	0.91	3.0		1	ug/L	M	08/29/06	SW846 5030B	SW846 8260B
Carbon Tetrachloride	<	0.49	0.49	1.6		1	ug/L	M	08/29/06	SW846 5030B	SW846 8260B
Chlorobenzene	<	0.41	0.41	1.4		1	ug/L	M	08/29/06	SW846 5030B	SW846 8260B
Chlorodibromomethane	<	0.81	0.81	2.7		1	ug/L	M	08/29/06	SW846 5030B	SW846 8260B
Chloroethane	<	0.97	0.97	3.2		1	ug/L	M	08/29/06	SW846 5030B	SW846 8260B
Chloroform	<	0.37	0.37	1.2		1	ug/L	M	08/29/06	SW846 5030B	SW846 8260B
Chloromethane	<	0.24	0.24	0.80		1	ug/L	M	08/29/06	SW846 5030B	SW846 8260B
cis-1,2-Dichloroethene	<	0.83	0.83	2.8		1	ug/L	M	08/29/06	SW846 5030B	SW846 8260B
cis-1,3-Dichloropropene	<	0.19	0.19	0.63		1	ug/L	M	08/29/06	SW846 5030B	SW846 8260B
Dibromomethane	<	0.60	0.60	2.0		1	ug/L	M	08/29/06	SW846 5030B	SW846 8260B
Dichlorodifluoromethane	<	0.99	0.99	3.3		1	ug/L	M	08/29/06	SW846 5030B	SW846 8260B
Diisopropyl Ether	<	0.76	0.76	2.5		1	ug/L	M	08/29/06	SW846 5030B	SW846 8260B
Ethylbenzene	<	0.54	0.54	1.8		1	ug/L	M	08/29/06	SW846 5030B	SW846 8260B
Fluorotrichloromethane	<	0.79	0.79	2.6		1	ug/L	M	08/29/06	SW846 5030B	SW846 8260B
Hexachlorobutadiene	<	0.67	0.67	2.2		1	ug/L	M	08/29/06	SW846 5030B	SW846 8260B
Isopropylbenzene	<	0.59	0.59	2.0		1	ug/L	M	08/29/06	SW846 5030B	SW846 8260B

Pace Analytical Services, Inc.

1241 Bellevue Street
Green Bay, WI 54302
920-469-2436

Analytical Report Number: 875476

Client : ECCI
Project Name : OLD DUTCHMILL PROPERTY
Project Number :
Field ID : GP-9-W

Matrix Type : WATER
Collection Date : 08/24/06
Report Date : 09/14/06
Lab Sample Number : 875476-007

VOLATILES

Prep Date: 08/29/06

Analyte	Result	LOD	LOQ	EQL	Dil.	Units	Code	Anl Date	Prep Method	Anl Method
Methylene Chloride	< 0.43	0.43	1.4		1	ug/L	M	08/29/06	SW846 5030B	SW846 8260B
Methyl-tert-butyl-ether	< 0.61	0.61	2.0		1	ug/L	M	08/29/06	SW846 5030B	SW846 8260B
Naphthalene	< 0.74	0.74	2.5		1	ug/L	M	08/29/06	SW846 5030B	SW846 8260B
n-Butylbenzene	< 0.93	0.93	3.1		1	ug/L	M	08/29/06	SW846 5030B	SW846 8260B
n-Propylbenzene	< 0.81	0.81	2.7		1	ug/L	M	08/29/06	SW846 5030B	SW846 8260B
p-Isopropyltoluene	< 0.67	0.67	2.2		1	ug/L	M	08/29/06	SW846 5030B	SW846 8260B
s-Butylbenzene	< 0.89	0.89	3.0		1	ug/L	M	08/29/06	SW846 5030B	SW846 8260B
Styrene	< 0.86	0.86	2.9		1	ug/L	M	08/29/06	SW846 5030B	SW846 8260B
t-Butylbenzene	< 0.97	0.97	3.2		1	ug/L	M	08/29/06	SW846 5030B	SW846 8260B
Tetrachloroethene	< 0.45	0.45	1.5		1	ug/L	M	08/29/06	SW846 5030B	SW846 8260B
Toluene	< 0.67	0.67	2.2		1	ug/L	M	08/29/06	SW846 5030B	SW846 8260B
trans-1,2-Dichloroethene	< 0.89	0.89	3.0		1	ug/L	M	08/29/06	SW846 5030B	SW846 8260B
trans-1,3-Dichloropropene	< 0.19	0.19	0.63		1	ug/L	M	08/29/06	SW846 5030B	SW846 8260B
Trichloroethene	< 0.48	0.48	1.6		1	ug/L	M	08/29/06	SW846 5030B	SW846 8260B
Vinyl Chloride	< 0.18	0.18	0.60		1	ug/L	M	08/29/06	SW846 5030B	SW846 8260B
Xylene, o	< 0.83	0.83	2.8		1	ug/L	M	08/29/06	SW846 5030B	SW846 8260B
Xylenes, m + p	< 1.8	1.8	6.0		1	ug/L	M	08/29/06	SW846 5030B	SW846 8260B
Surrogate		**LCL**	**UCL**							
4-Bromofluorobenzene	98	64	132		1	%		08/29/06	SW846 5030B	SW846 8260B
Toluene-d8	100	73	127		1	%		08/29/06	SW846 5030B	SW846 8260B
Dibromofluoromethane	107	68	122		1	%		08/29/06	SW846 5030B	SW846 8260B

PAH/ PNA

Prep Date: 08/29/06

Analyte	Result	LOD	LOQ	EQL	Dil.	Units	Code	Anl Date	Prep Method	Anl Method
1-Methylnaphthalene	0.037	0.027	0.090		2.5	ug/L	Q	08/30/06	SW846 3510C	8270C-SIM
2-Methylnaphthalene	0.080	0.030	0.10		2.5	ug/L	QB	08/30/06	SW846 3510C	8270C-SIM
Acenaphthene	0.051	0.022	0.073		2.5	ug/L	Q	08/30/06	SW846 3510C	8270C-SIM
Acenaphthylene	0.071	0.022	0.072		2.5	ug/L	Q	08/30/06	SW846 3510C	8270C-SIM
Anthracene	0.14	0.031	0.10		2.5	ug/L		08/30/06	SW846 3510C	8270C-SIM
Benzo(a)anthracene	0.38	0.042	0.14		2.5	ug/L		08/30/06	SW846 3510C	8270C-SIM
Benzo(a)pyrene	0.75	0.049	0.16		2.5	ug/L		08/30/06	SW846 3510C	8270C-SIM
Benzo(b)fluoranthene	0.44	0.042	0.14		2.5	ug/L	Z	08/30/06	SW846 3510C	8270C-SIM
Benzo(ghi)perylene	0.38	0.052	0.17		2.5	ug/L		08/30/06	SW846 3510C	8270C-SIM
Benzo(k)fluoranthene	0.36	0.052	0.17		2.5	ug/L	Z	08/30/06	SW846 3510C	8270C-SIM
Chrysene	0.36	0.051	0.17		2.5	ug/L		08/30/06	SW846 3510C	8270C-SIM
Dibenz(a,h)anthracene	0.099	0.050	0.17		2.5	ug/L	Q	08/30/06	SW846 3510C	8270C-SIM
Fluoranthene	0.82	0.041	0.14		2.5	ug/L		08/30/06	SW846 3510C	8270C-SIM
Fluorene	0.084	0.024	0.081		2.5	ug/L		08/30/06	SW846 3510C	8270C-SIM
Indeno(1,2,3-cd)pyrene	0.31	0.050	0.17		2.5	ug/L		08/30/06	SW846 3510C	8270C-SIM
Naphthalene	0.099	0.033	0.11		2.5	ug/L	QB	08/30/06	SW846 3510C	8270C-SIM
Phenanthrene	0.40	0.030	0.10		2.5	ug/L		08/30/06	SW846 3510C	8270C-SIM
Pyrene	0.61	0.039	0.13		2.5	ug/L		08/30/06	SW846 3510C	8270C-SIM
Surrogate		**LCL**	**UCL**							
Nitrobenzene-d5	58	10	150		2.5	%		08/30/06	SW846 3510C	8270C-SIM
2-Fluorobiphenyl	71	20	111		2.5	%		08/30/06	SW846 3510C	8270C-SIM
Terphenyl-d14	86	44	115		2.5	%		08/30/06	SW846 3510C	8270C-SIM

Pace Analytical Services, Inc.

1241 Bellevue Street
Green Bay, WI 54302
920-469-2436

Analytical Report Number: 875476

Client : ECCI
Project Name : OLD DUTCHMILL PROPERTY
Project Number :
Field ID : GP-10-W

Matrix Type : WATER
Collection Date : 08/24/06
Report Date : 09/14/06
Lab Sample Number : 875476-008

INORGANICS

Test		Result	LOD	LOQ	EQL	Dil.	Units	Code	Anl Date	Prep Method	Anl Method
Lead - Dissolved	<	0.40	0.40	1.3		2	ug/L		09/13/06	SW846 3020A	SW846 6020

VOLATILES

Prep Date: 08/29/06

Analyte		Result	LOD	LOQ	EQL	Dil.	Units	Code	Anl Date	Prep Method	Anl Method
1,1,1,2-Tetrachloroethane	<	0.92	0.92	3.1		1	ug/L	M	08/29/06	SW846 5030B	SW846 8260B
1,1,1-Trichloroethane	<	0.90	0.90	3.0		1	ug/L	M	08/29/06	SW846 5030B	SW846 8260B
1,1,2,2-Tetrachloroethane	<	0.20	0.20	0.67		1	ug/L	M	08/29/06	SW846 5030B	SW846 8260B
1,1,2-Trichloroethane	<	0.42	0.42	1.4		1	ug/L	M	08/29/06	SW846 5030B	SW846 8260B
1,1-Dichloroethane	<	0.75	0.75	2.5		1	ug/L	M	08/29/06	SW846 5030B	SW846 8260B
1,1-Dichloroethene	<	0.57	0.57	1.9		1	ug/L	M	08/29/06	SW846 5030B	SW846 8260B
1,1-Dichloropropene	<	0.75	0.75	2.5		1	ug/L	M	08/29/06	SW846 5030B	SW846 8260B
1,2,3-Trichlorobenzene	<	0.74	0.74	2.5		1	ug/L	M	08/29/06	SW846 5030B	SW846 8260B
1,2,3-Trichloropropane	<	0.99	0.99	3.3		1	ug/L	M	08/29/06	SW846 5030B	SW846 8260B
1,2,4-Trichlorobenzene	<	0.97	0.97	3.2		1	ug/L	M	08/29/06	SW846 5030B	SW846 8260B
1,2,4-Trimethylbenzene	<	0.97	0.97	3.2		1	ug/L	M	08/29/06	SW846 5030B	SW846 8260B
1,2-Dibromo-3-chloropropane	<	0.87	0.87	2.9		1	ug/L	M	08/29/06	SW846 5030B	SW846 8260B
1,2-Dibromoethane	<	0.56	0.56	1.9		1	ug/L	M	08/29/06	SW846 5030B	SW846 8260B
1,2-Dichlorobenzene	<	0.83	0.83	2.8		1	ug/L	M	08/29/06	SW846 5030B	SW846 8260B
1,2-Dichloroethane	<	0.36	0.36	1.2		1	ug/L	M	08/29/06	SW846 5030B	SW846 8260B
1,2-Dichloropropane	<	0.46	0.46	1.5		1	ug/L	M	08/29/06	SW846 5030B	SW846 8260B
1,3,5-Trimethylbenzene	<	0.83	0.83	2.8		1	ug/L	M	08/29/06	SW846 5030B	SW846 8260B
1,3-Dichlorobenzene	<	0.87	0.87	2.9		1	ug/L	M	08/29/06	SW846 5030B	SW846 8260B
1,3-Dichloropropane	<	0.61	0.61	2.0		1	ug/L	M	08/29/06	SW846 5030B	SW846 8260B
1,4-Dichlorobenzene	<	0.95	0.95	3.2		1	ug/L	M	08/29/06	SW846 5030B	SW846 8260B
2,2-Dichloropropane	<	0.62	0.62	2.1		1	ug/L	M	08/29/06	SW846 5030B	SW846 8260B
2-Chlorotoluene	<	0.85	0.85	2.8		1	ug/L	M	08/29/06	SW846 5030B	SW846 8260B
4-Chlorotoluene	<	0.74	0.74	2.5		1	ug/L	M	08/29/06	SW846 5030B	SW846 8260B
Benzene	<	0.41	0.41	1.4		1	ug/L	M	08/29/06	SW846 5030B	SW846 8260B
Bromobenzene	<	0.82	0.82	2.7		1	ug/L	M	08/29/06	SW846 5030B	SW846 8260B
Bromochloromethane	<	0.97	0.97	3.2		1	ug/L	M	08/29/06	SW846 5030B	SW846 8260B
Bromodichloromethane	<	0.56	0.56	1.9		1	ug/L	M	08/29/06	SW846 5030B	SW846 8260B
Bromoform	<	0.94	0.94	3.1		1	ug/L	M	08/29/06	SW846 5030B	SW846 8260B
Bromomethane	<	0.91	0.91	3.0		1	ug/L	M	08/29/06	SW846 5030B	SW846 8260B
Carbon Tetrachloride	<	0.49	0.49	1.6		1	ug/L	M	08/29/06	SW846 5030B	SW846 8260B
Chlorobenzene	<	0.41	0.41	1.4		1	ug/L	M	08/29/06	SW846 5030B	SW846 8260B
Chlorodibromomethane	<	0.81	0.81	2.7		1	ug/L	M	08/29/06	SW846 5030B	SW846 8260B
Chloroethane	<	0.97	0.97	3.2		1	ug/L	M	08/29/06	SW846 5030B	SW846 8260B
Chloroform	<	0.37	0.37	1.2		1	ug/L	M	08/29/06	SW846 5030B	SW846 8260B
Chloromethane	<	0.24	0.24	0.80		1	ug/L	M	08/29/06	SW846 5030B	SW846 8260B
cis-1,2-Dichloroethene	<	0.83	0.83	2.8		1	ug/L	M	08/29/06	SW846 5030B	SW846 8260B
cis-1,3-Dichloropropene	<	0.19	0.19	0.63		1	ug/L	M	08/29/06	SW846 5030B	SW846 8260B
Dibromomethane	<	0.60	0.60	2.0		1	ug/L	M	08/29/06	SW846 5030B	SW846 8260B
Dichlorodifluoromethane	<	0.99	0.99	3.3		1	ug/L	M	08/29/06	SW846 5030B	SW846 8260B
Diisopropyl Ether	<	0.76	0.76	2.5		1	ug/L	M	08/29/06	SW846 5030B	SW846 8260B
Ethylbenzene	<	0.54	0.54	1.8		1	ug/L	M	08/29/06	SW846 5030B	SW846 8260B
Fluorotrichloromethane	<	0.79	0.79	2.6		1	ug/L	M	08/29/06	SW846 5030B	SW846 8260B
Hexachlorobutadiene	<	0.67	0.67	2.2		1	ug/L	M	08/29/06	SW846 5030B	SW846 8260B
Isopropylbenzene	<	0.59	0.59	2.0		1	ug/L	M	08/29/06	SW846 5030B	SW846 8260B

Pace Analytical Services, Inc.

1241 Bellevue Street
Green Bay, WI 54302
920-469-2436

Analytical Report Number: 875476

Client : ECCI
Project Name : OLD DUTCHMILL PROPERTY
Project Number :
Field ID : GP-10-W

Matrix Type : WATER
Collection Date : 08/24/06
Report Date : 09/14/06
Lab Sample Number : 875476-008

VOLATILES

Prep Date: 08/29/06

Analyte		Result	LOD	LOQ	EQL	Dil.	Units	Code	Anl Date	Prep Method	Anl Method
Methylene Chloride	<	0.43	0.43	1.4		1	ug/L	M	08/29/06	SW846 5030B	SW846 8260B
Methyl-tert-butyl-ether	<	0.61	0.61	2.0		1	ug/L	M	08/29/06	SW846 5030B	SW846 8260B
Naphthalene		1.0	0.74	2.5		1	ug/L	QM	08/29/06	SW846 5030B	SW846 8260B
n-Butylbenzene	<	0.93	0.93	3.1		1	ug/L	M	08/29/06	SW846 5030B	SW846 8260B
n-Propylbenzene	<	0.81	0.81	2.7		1	ug/L	M	08/29/06	SW846 5030B	SW846 8260B
p-Isopropyltoluene		0.78	0.67	2.2		1	ug/L	QM	08/29/06	SW846 5030B	SW846 8260B
s-Butylbenzene	<	0.89	0.89	3.0		1	ug/L	M	08/29/06	SW846 5030B	SW846 8260B
Styrene	<	0.86	0.86	2.9		1	ug/L	M	08/29/06	SW846 5030B	SW846 8260B
t-Butylbenzene	<	0.97	0.97	3.2		1	ug/L	M	08/29/06	SW846 5030B	SW846 8260B
Tetrachloroethene	<	0.45	0.45	1.5		1	ug/L	M	08/29/06	SW846 5030B	SW846 8260B
Toluene		20	0.67	2.2		1	ug/L	M	08/29/06	SW846 5030B	SW846 8260B
trans-1,2-Dichloroethene	<	0.89	0.89	3.0		1	ug/L	M	08/29/06	SW846 5030B	SW846 8260B
trans-1,3-Dichloropropene	<	0.19	0.19	0.63		1	ug/L	M	08/29/06	SW846 5030B	SW846 8260B
Trichloroethene	<	0.48	0.48	1.6		1	ug/L	M	08/29/06	SW846 5030B	SW846 8260B
Vinyl Chloride	<	0.18	0.18	0.60		1	ug/L	M	08/29/06	SW846 5030B	SW846 8260B
Xylene, o	<	0.83	0.83	2.8		1	ug/L	M	08/29/06	SW846 5030B	SW846 8260B
Xylenes, m + p	<	1.8	1.8	6.0		1	ug/L	M	08/29/06	SW846 5030B	SW846 8260B
Surrogate			**LCL**	**UCL**							
4-Bromofluorobenzene		99	64	132		1	%		08/29/06	SW846 5030B	SW846 8260B
Toluene-d8		101	73	127		1	%		08/29/06	SW846 5030B	SW846 8260B
Dibromofluoromethane		107	68	122		1	%		08/29/06	SW846 5030B	SW846 8260B

PAH/ PNA

Prep Date: 08/29/06

Analyte		Result	LOD	LOQ	EQL	Dil.	Units	Code	Anl Date	Prep Method	Anl Method
1-Methylnaphthalene		0.071	0.041	0.14		4	ug/L	Q	08/30/06	SW846 3510C	8270C-SIM
2-Methylnaphthalene		0.12	0.045	0.15		4	ug/L	QB	08/30/06	SW846 3510C	8270C-SIM
Acenaphthene		0.19	0.033	0.11		4	ug/L		08/30/06	SW846 3510C	8270C-SIM
Acenaphthylene		0.046	0.032	0.11		4	ug/L	Q	08/30/06	SW846 3510C	8270C-SIM
Anthracene		0.047	0.046	0.15		4	ug/L	Q	08/30/06	SW846 3510C	8270C-SIM
Benzo(a)anthracene		0.10	0.062	0.21		4	ug/L	Q	08/30/06	SW846 3510C	8270C-SIM
Benzo(a)pyrene		0.74	0.073	0.24		4	ug/L		08/30/06	SW846 3510C	8270C-SIM
Benzo(b)fluoranthene		0.14	0.063	0.21		4	ug/L	QZ	08/30/06	SW846 3510C	8270C-SIM
Benzo(ghi)perylene		0.12	0.077	0.26		4	ug/L	Q	08/30/06	SW846 3510C	8270C-SIM
Benzo(k)fluoranthene		0.12	0.077	0.26		4	ug/L	QZ	08/30/06	SW846 3510C	8270C-SIM
Chrysene		0.12	0.076	0.25		4	ug/L	Q	08/30/06	SW846 3510C	8270C-SIM
Dibenz(a,h)anthracene	<	0.075	0.075	0.25		4	ug/L		08/30/06	SW846 3510C	8270C-SIM
Fluoranthene		0.24	0.062	0.21		4	ug/L		08/30/06	SW846 3510C	8270C-SIM
Fluorene		0.066	0.036	0.12		4	ug/L	Q	08/30/06	SW846 3510C	8270C-SIM
Indeno(1,2,3-cd)pyrene		0.096	0.075	0.25		4	ug/L	Q	08/30/06	SW846 3510C	8270C-SIM
Naphthalene		0.97	0.050	0.17		4	ug/L		08/30/06	SW846 3510C	8270C-SIM
Phenanthrene		0.28	0.045	0.15		4	ug/L		08/30/06	SW846 3510C	8270C-SIM
Pyrene		0.20	0.058	0.19		4	ug/L		08/30/06	SW846 3510C	8270C-SIM
Surrogate			**LCL**	**UCL**							
Nitrobenzene-d5		76	10	150		4	%		08/30/06	SW846 3510C	8270C-SIM
2-Fluorobiphenyl		65	20	111		4	%		08/30/06	SW846 3510C	8270C-SIM
Terphenyl-d14		77	44	115		4	%		08/30/06	SW846 3510C	8270C-SIM

Pace Analytical Services, Inc.

1241 Bellevue Street
Green Bay, WI 54302
920-469-2436

Analytical Report Number: 875476

Client : ECCI
Project Name : OLD DUTCHMILL PROPERTY
Project Number :
Field ID : PW-N2271

Matrix Type : WATER
Collection Date : 08/24/06
Report Date : 09/14/06
Lab Sample Number : 875476-009

INORGANICS

Test	Result	LOD	LOQ	EQL	Dil.	Units	Code	Anl Date	Prep Method	Anl Method
Lead	0.46	0.40	1.3		2	ug/L	Q	09/13/06	SW846 3020A	SW846 6020

VOLATILES

Prep Date: 08/29/06

Analyte	Result	LOD	LOQ	EQL	Dil.	Units	Code	Anl Date	Prep Method	Anl Method
1,1,1,2-Tetrachloroethane	< 0.92	0.92	3.1		1	ug/L		08/29/06	SW846 5030B	SW846 8260B
1,1,1-Trichloroethane	< 0.90	0.90	3.0		1	ug/L		08/29/06	SW846 5030B	SW846 8260B
1,1,2,2-Tetrachloroethane	< 0.20	0.20	0.67		1	ug/L		08/29/06	SW846 5030B	SW846 8260B
1,1,2-Trichloroethane	< 0.42	0.42	1.4		1	ug/L		08/29/06	SW846 5030B	SW846 8260B
1,1-Dichloroethane	< 0.75	0.75	2.5		1	ug/L		08/29/06	SW846 5030B	SW846 8260B
1,1-Dichloroethene	< 0.57	0.57	1.9		1	ug/L		08/29/06	SW846 5030B	SW846 8260B
1,1-Dichloropropene	< 0.75	0.75	2.5		1	ug/L		08/29/06	SW846 5030B	SW846 8260B
1,2,3-Trichlorobenzene	< 0.74	0.74	2.5		1	ug/L		08/29/06	SW846 5030B	SW846 8260B
1,2,3-Trichloropropane	< 0.99	0.99	3.3		1	ug/L		08/29/06	SW846 5030B	SW846 8260B
1,2,4-Trichlorobenzene	< 0.97	0.97	3.2		1	ug/L		08/29/06	SW846 5030B	SW846 8260B
1,2,4-Trimethylbenzene	< 0.97	0.97	3.2		1	ug/L		08/29/06	SW846 5030B	SW846 8260B
1,2-Dibromo-3-chloropropane	< 0.87	0.87	2.9		1	ug/L		08/29/06	SW846 5030B	SW846 8260B
1,2-Dibromoethane	< 0.56	0.56	1.9		1	ug/L		08/29/06	SW846 5030B	SW846 8260B
1,2-Dichlorobenzene	< 0.83	0.83	2.8		1	ug/L		08/29/06	SW846 5030B	SW846 8260B
1,2-Dichloroethane	< 0.36	0.36	1.2		1	ug/L		08/29/06	SW846 5030B	SW846 8260B
1,2-Dichloropropane	< 0.46	0.46	1.5		1	ug/L		08/29/06	SW846 5030B	SW846 8260B
1,3,5-Trimethylbenzene	< 0.83	0.83	2.8		1	ug/L		08/29/06	SW846 5030B	SW846 8260B
1,3-Dichlorobenzene	< 0.87	0.87	2.9		1	ug/L		08/29/06	SW846 5030B	SW846 8260B
1,3-Dichloropropane	< 0.61	0.61	2.0		1	ug/L		08/29/06	SW846 5030B	SW846 8260B
1,4-Dichlorobenzene	< 0.95	0.95	3.2		1	ug/L		08/29/06	SW846 5030B	SW846 8260B
2,2-Dichloropropane	< 0.62	0.62	2.1		1	ug/L		08/29/06	SW846 5030B	SW846 8260B
2-Chlorotoluene	< 0.85	0.85	2.8		1	ug/L		08/29/06	SW846 5030B	SW846 8260B
4-Chlorotoluene	< 0.74	0.74	2.5		1	ug/L		08/29/06	SW846 5030B	SW846 8260B
Benzene	< 0.41	0.41	1.4		1	ug/L		08/29/06	SW846 5030B	SW846 8260B
Bromobenzene	< 0.82	0.82	2.7		1	ug/L		08/29/06	SW846 5030B	SW846 8260B
Bromochloromethane	< 0.97	0.97	3.2		1	ug/L		08/29/06	SW846 5030B	SW846 8260B
Bromodichloromethane	< 0.56	0.56	1.9		1	ug/L		08/29/06	SW846 5030B	SW846 8260B
Bromoform	< 0.94	0.94	3.1		1	ug/L		08/29/06	SW846 5030B	SW846 8260B
Bromomethane	< 0.91	0.91	3.0		1	ug/L		08/29/06	SW846 5030B	SW846 8260B
Carbon Tetrachloride	< 0.49	0.49	1.6		1	ug/L		08/29/06	SW846 5030B	SW846 8260B
Chlorobenzene	< 0.41	0.41	1.4		1	ug/L		08/29/06	SW846 5030B	SW846 8260B
Chlorodibromomethane	< 0.81	0.81	2.7		1	ug/L		08/29/06	SW846 5030B	SW846 8260B
Chloroethane	< 0.97	0.97	3.2		1	ug/L		08/29/06	SW846 5030B	SW846 8260B
Chloroform	< 0.37	0.37	1.2		1	ug/L		08/29/06	SW846 5030B	SW846 8260B
Chloromethane	< 0.24	0.24	0.80		1	ug/L		08/29/06	SW846 5030B	SW846 8260B
cis-1,2-Dichloroethene	< 0.83	0.83	2.8		1	ug/L		08/29/06	SW846 5030B	SW846 8260B
cis-1,3-Dichloropropene	< 0.19	0.19	0.63		1	ug/L		08/29/06	SW846 5030B	SW846 8260B
Dibromomethane	< 0.60	0.60	2.0		1	ug/L		08/29/06	SW846 5030B	SW846 8260B
Dichlorodifluoromethane	< 0.99	0.99	3.3		1	ug/L		08/29/06	SW846 5030B	SW846 8260B
Diisopropyl Ether	< 0.76	0.76	2.5		1	ug/L		08/29/06	SW846 5030B	SW846 8260B
Ethylbenzene	< 0.54	0.54	1.8		1	ug/L		08/29/06	SW846 5030B	SW846 8260B
Fluorotrichloromethane	< 0.79	0.79	2.6		1	ug/L		08/29/06	SW846 5030B	SW846 8260B
Hexachlorobutadiene	< 0.67	0.67	2.2		1	ug/L		08/29/06	SW846 5030B	SW846 8260B
Isopropylbenzene	< 0.59	0.59	2.0		1	ug/L		08/29/06	SW846 5030B	SW846 8260B

Pace Analytical Services, Inc.

1241 Bellevue Street
Green Bay, WI 54302
920-469-2436

Analytical Report Number: 875476

Client : ECCI
Project Name : OLD DUTCHMILL PROPERTY
Project Number :
Field ID : PW-N2271

Matrix Type : WATER
Collection Date : 08/24/06
Report Date : 09/14/06
Lab Sample Number : 875476-009

VOLATILES

Prep Date: 08/29/06

Analyte		Result	LOD	LOQ	EQL	Dil.	Units	Code	Anl Date	Prep Method	Anl Method
Methylene Chloride	<	0.43	0.43	1.4		1	ug/L		08/29/06	SW846 5030B	SW846 8260B
Methyl-tert-butyl-ether	<	0.61	0.61	2.0		1	ug/L		08/29/06	SW846 5030B	SW846 8260B
Naphthalene	<	0.74	0.74	2.5		1	ug/L		08/29/06	SW846 5030B	SW846 8260B
n-Butylbenzene	<	0.93	0.93	3.1		1	ug/L		08/29/06	SW846 5030B	SW846 8260B
n-Propylbenzene	<	0.81	0.81	2.7		1	ug/L		08/29/06	SW846 5030B	SW846 8260B
p-Isopropyltoluene	<	0.67	0.67	2.2		1	ug/L		08/29/06	SW846 5030B	SW846 8260B
s-Butylbenzene	<	0.89	0.89	3.0		1	ug/L		08/29/06	SW846 5030B	SW846 8260B
Styrene	<	0.86	0.86	2.9		1	ug/L		08/29/06	SW846 5030B	SW846 8260B
t-Butylbenzene	<	0.97	0.97	3.2		1	ug/L		08/29/06	SW846 5030B	SW846 8260B
Tetrachloroethene	<	0.45	0.45	1.5		1	ug/L		08/29/06	SW846 5030B	SW846 8260B
Toluene	<	0.67	0.67	2.2		1	ug/L		08/29/06	SW846 5030B	SW846 8260B
trans-1,2-Dichloroethene	<	0.89	0.89	3.0		1	ug/L		08/29/06	SW846 5030B	SW846 8260B
trans-1,3-Dichloropropene	<	0.19	0.19	0.63		1	ug/L		08/29/06	SW846 5030B	SW846 8260B
Trichloroethene	<	0.48	0.48	1.6		1	ug/L		08/29/06	SW846 5030B	SW846 8260B
Vinyl Chloride	<	0.18	0.18	0.60		1	ug/L		08/29/06	SW846 5030B	SW846 8260B
Xylene, o	<	0.83	0.83	2.8		1	ug/L		08/29/06	SW846 5030B	SW846 8260B
Xylenes, m + p	<	1.8	1.8	6.0		1	ug/L		08/29/06	SW846 5030B	SW846 8260B
Surrogate			LCL	UCL							
4-Bromofluorobenzene		99	64	132		1	%		08/29/06	SW846 5030B	SW846 8260B
Toluene-d8		96	73	127		1	%		08/29/06	SW846 5030B	SW846 8260B
Dibromofluoromethane		107	68	122		1	%		08/29/06	SW846 5030B	SW846 8260B

PAH/ PNA

Prep Date: 08/29/06

Analyte		Result	LOD	LOQ	EQL	Dil.	Units	Code	Anl Date	Prep Method	Anl Method
1-Methylnaphthalene	<	0.010	0.010	0.034		1	ug/L		08/29/06	SW846 3510C	8270C-SIM
2-Methylnaphthalene		0.015	0.011	0.037		1	ug/L	QB	08/29/06	SW846 3510C	8270C-SIM
Acenaphthene	<	0.0082	0.0082	0.027		1	ug/L		08/29/06	SW846 3510C	8270C-SIM
Acenaphthylene	<	0.0081	0.0081	0.027		1	ug/L		08/29/06	SW846 3510C	8270C-SIM
Anthracene	<	0.012	0.012	0.039		1	ug/L		08/29/06	SW846 3510C	8270C-SIM
Benzo(a)anthracene	<	0.016	0.016	0.052		1	ug/L		08/29/06	SW846 3510C	8270C-SIM
Benzo(a)pyrene		0.21	0.018	0.061		1	ug/L		08/29/06	SW846 3510C	8270C-SIM
Benzo(b)fluoranthene	<	0.016	0.016	0.052		1	ug/L	Z	08/29/06	SW846 3510C	8270C-SIM
Benzo(ghi)perylene	<	0.019	0.019	0.064		1	ug/L		08/29/06	SW846 3510C	8270C-SIM
Benzo(k)fluoranthene	<	0.019	0.019	0.064		1	ug/L	Z	08/29/06	SW846 3510C	8270C-SIM
Chrysene	<	0.019	0.019	0.063		1	ug/L		08/29/06	SW846 3510C	8270C-SIM
Dibenz(a,h)anthracene	<	0.019	0.019	0.063		1	ug/L		08/29/06	SW846 3510C	8270C-SIM
Fluoranthene	<	0.015	0.015	0.052		1	ug/L		08/29/06	SW846 3510C	8270C-SIM
Fluorene	<	0.0091	0.0091	0.030		1	ug/L		08/29/06	SW846 3510C	8270C-SIM
Indeno(1,2,3-cd)pyrene	<	0.019	0.019	0.063		1	ug/L		08/29/06	SW846 3510C	8270C-SIM
Naphthalene		0.029	0.012	0.041		1	ug/L	QB	08/29/06	SW846 3510C	8270C-SIM
Phenanthrene	<	0.011	0.011	0.038		1	ug/L		08/29/06	SW846 3510C	8270C-SIM
Pyrene	<	0.015	0.015	0.048		1	ug/L		08/29/06	SW846 3510C	8270C-SIM
Surrogate			LCL	UCL							
Nitrobenzene-d5		65	10	150		1	%		08/29/06	SW846 3510C	8270C-SIM
2-Fluorobiphenyl		66	20	111		1	%		08/29/06	SW846 3510C	8270C-SIM
Terphenyl-d14		84	44	115		1	%		08/29/06	SW846 3510C	8270C-SIM

Pace Analytical Services, Inc.

1241 Bellevue Street
Green Bay, WI 54302
920-469-2436

Analytical Report Number: 875476

Client : ECCI
Project Name : OLD DUTCHMILL PROPERTY
Project Number :
Field ID : TRIP BLANK

Matrix Type : WATER
Collection Date : 08/24/06
Report Date : 09/14/06
Lab Sample Number : 875476-010

VOLATILES

Prep Date: 08/29/06

Analyte		Result	LOD	LOQ	EQL	Dil.	Units	Code	Anl Date	Prep Method	Anl Method
1,1,1,2-Tetrachloroethane	<	0.92	0.92	3.1		1	ug/L		08/29/06	SW846 5030B	SW846 8260B
1,1,1-Trichloroethane	<	0.90	0.90	3.0		1	ug/L		08/29/06	SW846 5030B	SW846 8260B
1,1,2,2-Tetrachloroethane	<	0.20	0.20	0.67		1	ug/L		08/29/06	SW846 5030B	SW846 8260B
1,1,2-Trichloroethane	<	0.42	0.42	1.4		1	ug/L		08/29/06	SW846 5030B	SW846 8260B
1,1-Dichloroethane	<	0.75	0.75	2.5		1	ug/L		08/29/06	SW846 5030B	SW846 8260B
1,1-Dichloroethene	<	0.57	0.57	1.9		1	ug/L		08/29/06	SW846 5030B	SW846 8260B
1,1-Dichloropropene	<	0.75	0.75	2.5		1	ug/L		08/29/06	SW846 5030B	SW846 8260B
1,2,3-Trichlorobenzene	<	0.74	0.74	2.5		1	ug/L		08/29/06	SW846 5030B	SW846 8260B
1,2,3-Trichloropropane	<	0.99	0.99	3.3		1	ug/L		08/29/06	SW846 5030B	SW846 8260B
1,2,4-Trichlorobenzene	<	0.97	0.97	3.2		1	ug/L		08/29/06	SW846 5030B	SW846 8260B
1,2,4-Trimethylbenzene	<	0.97	0.97	3.2		1	ug/L		08/29/06	SW846 5030B	SW846 8260B
1,2-Dibromo-3-chloropropane	<	0.87	0.87	2.9		1	ug/L		08/29/06	SW846 5030B	SW846 8260B
1,2-Dibromoethane	<	0.56	0.56	1.9		1	ug/L		08/29/06	SW846 5030B	SW846 8260B
1,2-Dichlorobenzene	<	0.83	0.83	2.8		1	ug/L		08/29/06	SW846 5030B	SW846 8260B
1,2-Dichloroethane	<	0.36	0.36	1.2		1	ug/L		08/29/06	SW846 5030B	SW846 8260B
1,2-Dichloropropane	<	0.46	0.46	1.5		1	ug/L		08/29/06	SW846 5030B	SW846 8260B
1,3,5-Trimethylbenzene	<	0.83	0.83	2.8		1	ug/L		08/29/06	SW846 5030B	SW846 8260B
1,3-Dichlorobenzene	<	0.87	0.87	2.9		1	ug/L		08/29/06	SW846 5030B	SW846 8260B
1,3-Dichloropropane	<	0.61	0.61	2.0		1	ug/L		08/29/06	SW846 5030B	SW846 8260B
1,4-Dichlorobenzene	<	0.95	0.95	3.2		1	ug/L		08/29/06	SW846 5030B	SW846 8260B
2,2-Dichloropropane	<	0.62	0.62	2.1		1	ug/L		08/29/06	SW846 5030B	SW846 8260B
2-Chlorotoluene	<	0.85	0.85	2.8		1	ug/L		08/29/06	SW846 5030B	SW846 8260B
4-Chlorotoluene	<	0.74	0.74	2.5		1	ug/L		08/29/06	SW846 5030B	SW846 8260B
Benzene	<	0.41	0.41	1.4		1	ug/L		08/29/06	SW846 5030B	SW846 8260B
Bromobenzene	<	0.82	0.82	2.7		1	ug/L		08/29/06	SW846 5030B	SW846 8260B
Bromochloromethane	<	0.97	0.97	3.2		1	ug/L		08/29/06	SW846 5030B	SW846 8260B
Bromodichloromethane	<	0.56	0.56	1.9		1	ug/L		08/29/06	SW846 5030B	SW846 8260B
Bromoform	<	0.94	0.94	3.1		1	ug/L	&	08/29/06	SW846 5030B	SW846 8260B
Bromomethane	<	0.91	0.91	3.0		1	ug/L		08/29/06	SW846 5030B	SW846 8260B
Carbon Tetrachloride	<	0.49	0.49	1.6		1	ug/L		08/29/06	SW846 5030B	SW846 8260B
Chlorobenzene	<	0.41	0.41	1.4		1	ug/L		08/29/06	SW846 5030B	SW846 8260B
Chlorodibromomethane	<	0.81	0.81	2.7		1	ug/L		08/29/06	SW846 5030B	SW846 8260B
Chloroethane	<	0.97	0.97	3.2		1	ug/L		08/29/06	SW846 5030B	SW846 8260B
Chloroform	<	0.37	0.37	1.2		1	ug/L		08/29/06	SW846 5030B	SW846 8260B
Chloromethane	<	0.24	0.24	0.80		1	ug/L		08/29/06	SW846 5030B	SW846 8260B
cis-1,2-Dichloroethene	<	0.83	0.83	2.8		1	ug/L		08/29/06	SW846 5030B	SW846 8260B
cis-1,3-Dichloropropene	<	0.19	0.19	0.63		1	ug/L		08/29/06	SW846 5030B	SW846 8260B
Dibromomethane	<	0.60	0.60	2.0		1	ug/L		08/29/06	SW846 5030B	SW846 8260B
Dichlorodifluoromethane	<	0.99	0.99	3.3		1	ug/L		08/29/06	SW846 5030B	SW846 8260B
Diisopropyl Ether	<	0.76	0.76	2.5		1	ug/L		08/29/06	SW846 5030B	SW846 8260B
Ethylbenzene	<	0.54	0.54	1.8		1	ug/L		08/29/06	SW846 5030B	SW846 8260B
Fluorotrichloromethane	<	0.79	0.79	2.6		1	ug/L		08/29/06	SW846 5030B	SW846 8260B
Hexachlorobutadiene	<	0.67	0.67	2.2		1	ug/L		08/29/06	SW846 5030B	SW846 8260B
Isopropylbenzene	<	0.59	0.59	2.0		1	ug/L		08/29/06	SW846 5030B	SW846 8260B
Methylene Chloride	<	0.43	0.43	1.4		1	ug/L		08/29/06	SW846 5030B	SW846 8260B
Methyl-tert-butyl-ether	<	0.61	0.61	2.0		1	ug/L		08/29/06	SW846 5030B	SW846 8260B
Naphthalene	<	0.74	0.74	2.5		1	ug/L		08/29/06	SW846 5030B	SW846 8260B
n-Butylbenzene	<	0.93	0.93	3.1		1	ug/L		08/29/06	SW846 5030B	SW846 8260B

Pace Analytical Services, Inc.

1241 Bellevue Street
Green Bay, WI 54302
920-469-2436

Analytical Report Number: 875476

Client : ECCI
Project Name : OLD DUTCHMILL PROPERTY
Project Number :
Field ID : TRIP BLANK

Matrix Type : WATER
Collection Date : 08/24/06
Report Date : 09/14/06
Lab Sample Number : 875476-010

VOLATILES

Prep Date: 08/29/06

Analyte		Result	LOD	LOQ	EQL	Dil.	Units	Code	Anl Date	Prep Method	Anl Method
n-Propylbenzene	<	0.81	0.81	2.7		1	ug/L		08/29/06	SW846 5030B	SW846 8260B
p-Isopropyltoluene	<	0.67	0.67	2.2		1	ug/L		08/29/06	SW846 5030B	SW846 8260B
s-Butylbenzene	<	0.89	0.89	3.0		1	ug/L		08/29/06	SW846 5030B	SW846 8260B
Styrene	<	0.86	0.86	2.9		1	ug/L		08/29/06	SW846 5030B	SW846 8260B
t-Butylbenzene	<	0.97	0.97	3.2		1	ug/L		08/29/06	SW846 5030B	SW846 8260B
Tetrachloroethene	<	0.45	0.45	1.5		1	ug/L		08/29/06	SW846 5030B	SW846 8260B
Toluene	<	0.67	0.67	2.2		1	ug/L		08/29/06	SW846 5030B	SW846 8260B
trans-1,2-Dichloroethene	<	0.89	0.89	3.0		1	ug/L		08/29/06	SW846 5030B	SW846 8260B
trans-1,3-Dichloropropene	<	0.19	0.19	0.63		1	ug/L		08/29/06	SW846 5030B	SW846 8260B
Trichloroethene	<	0.48	0.48	1.6		1	ug/L		08/29/06	SW846 5030B	SW846 8260B
Vinyl Chloride	<	0.18	0.18	0.60		1	ug/L		08/29/06	SW846 5030B	SW846 8260B
Xylene, o	<	0.83	0.83	2.8		1	ug/L		08/29/06	SW846 5030B	SW846 8260B
Xylenes, m + p	<	1.8	1.8	6.0		1	ug/L		08/29/06	SW846 5030B	SW846 8260B
Surrogate			**LCL**	**UCL**							
4-Bromofluorobenzene		80	64	132		1	%		08/29/06	SW846 5030B	SW846 8260B
Toluene-d8		85	73	127		1	%		08/29/06	SW846 5030B	SW846 8260B
Dibromofluoromethane		82	68	122		1	%		08/29/06	SW846 5030B	SW846 8260B

Pace Analytical Services, Inc.

1241 Bellevue Street
Green Bay, WI 54302
920-469-2436

Analytical Report Number: 875476

Client : ECCI
Project Name : OLD DUTCHMILL PROPERTY
Project Number :
Field ID : MEOH BLANK

Matrix Type : METHANOL
Collection Date : 08/24/06
Report Date : 09/14/06
Lab Sample Number : 875476-011

GASOLINE RANGE ORGANICS

Prep Date: 08/29/06

Analyte		Result	LOD	LOQ	EQL	Dil.	Units	Code	Anl Date	Prep Method	Anl Method
Gasoline Range Organics	<	2500			2500	50	ug/L		08/29/06	WI MOD GRO	WI MOD GRO

VOLATILES

Prep Date: 08/29/06

Analyte		Result	LOD	LOQ	EQL	Dil.	Units	Code	Anl Date	Prep Method	Anl Method
1,1,1,2-Tetrachloroethane	<	25	25	60		50	ug/L		08/29/06	SW846 5030B	SW846 8260B
1,1,1-Trichloroethane	<	25	25	60		50	ug/L		08/29/06	SW846 5030B	SW846 8260B
1,1,2,2-Tetrachloroethane	<	25	25	60		50	ug/L		08/29/06	SW846 5030B	SW846 8260B
1,1,2-Trichloroethane	<	25	25	60		50	ug/L		08/29/06	SW846 5030B	SW846 8260B
1,1-Dichloroethane	<	25	25	60		50	ug/L		08/29/06	SW846 5030B	SW846 8260B
1,1-Dichloroethene	<	25	25	60		50	ug/L		08/29/06	SW846 5030B	SW846 8260B
1,1-Dichloropropene	<	25	25	60		50	ug/L		08/29/06	SW846 5030B	SW846 8260B
1,2,3-Trichlorobenzene	<	25	25	60		50	ug/L		08/29/06	SW846 5030B	SW846 8260B
1,2,3-Trichloropropane	<	25	25	60		50	ug/L		08/29/06	SW846 5030B	SW846 8260B
1,2,4-Trichlorobenzene	<	25	25	60		50	ug/L		08/29/06	SW846 5030B	SW846 8260B
1,2,4-Trimethylbenzene	<	25	25	60		50	ug/L		08/29/06	SW846 5030B	SW846 8260B
1,2-Dibromo-3-chloropropane	<	82	82	200		50	ug/L		08/29/06	SW846 5030B	SW846 8260B
1,2-Dibromoethane	<	25	25	60		50	ug/L		08/29/06	SW846 5030B	SW846 8260B
1,2-Dichlorobenzene	<	44	44	110		50	ug/L		08/29/06	SW846 5030B	SW846 8260B
1,2-Dichloroethane	<	25	25	60		50	ug/L		08/29/06	SW846 5030B	SW846 8260B
1,2-Dichloropropane	<	25	25	60		50	ug/L		08/29/06	SW846 5030B	SW846 8260B
1,3,5-Trimethylbenzene	<	25	25	60		50	ug/L		08/29/06	SW846 5030B	SW846 8260B
1,3-Dichlorobenzene	<	25	25	60		50	ug/L		08/29/06	SW846 5030B	SW846 8260B
1,3-Dichloropropane	<	25	25	60		50	ug/L		08/29/06	SW846 5030B	SW846 8260B
1,4-Dichlorobenzene	<	25	25	60		50	ug/L		08/29/06	SW846 5030B	SW846 8260B
2,2-Dichloropropane	<	25	25	60		50	ug/L		08/29/06	SW846 5030B	SW846 8260B
2-Chlorotoluene	<	25	25	60		50	ug/L		08/29/06	SW846 5030B	SW846 8260B
4-Chlorotoluene	<	25	25	60		50	ug/L		08/29/06	SW846 5030B	SW846 8260B
Benzene	<	25	25	60		50	ug/L		08/29/06	SW846 5030B	SW846 8260B
Bromobenzene	<	25	25	60		50	ug/L		08/29/06	SW846 5030B	SW846 8260B
Bromochloromethane	<	25	25	60		50	ug/L		08/29/06	SW846 5030B	SW846 8260B
Bromodichloromethane	<	25	25	60		50	ug/L		08/29/06	SW846 5030B	SW846 8260B
Bromoform	<	26	26	62		50	ug/L		08/29/06	SW846 5030B	SW846 8260B
Bromomethane	<	25	25	60		50	ug/L		08/29/06	SW846 5030B	SW846 8260B
Carbon Tetrachloride	<	25	25	60		50	ug/L		08/29/06	SW846 5030B	SW846 8260B
Chlorobenzene	<	25	25	60		50	ug/L		08/29/06	SW846 5030B	SW846 8260B
Chlorodibromomethane	<	25	25	60		50	ug/L		08/29/06	SW846 5030B	SW846 8260B
Chloroethane	<	25	25	60		50	ug/L		08/29/06	SW846 5030B	SW846 8260B
Chloroform	<	25	25	60		50	ug/L		08/29/06	SW846 5030B	SW846 8260B
Chloromethane	<	25	25	60		50	ug/L		08/29/06	SW846 5030B	SW846 8260B
cis-1,2-Dichloroethene	<	25	25	60		50	ug/L		08/29/06	SW846 5030B	SW846 8260B
cis-1,3-Dichloropropene	<	25	25	60		50	ug/L		08/29/06	SW846 5030B	SW846 8260B
Dibromomethane	<	25	25	60		50	ug/L		08/29/06	SW846 5030B	SW846 8260B
Dichlorodifluoromethane	<	25	25	60		50	ug/L		08/29/06	SW846 5030B	SW846 8260B
Diisopropyl Ether	<	25	25	60		50	ug/L		08/29/06	SW846 5030B	SW846 8260B
Ethylbenzene	<	25	25	60		50	ug/L		08/29/06	SW846 5030B	SW846 8260B
Fluorotrichloromethane	<	25	25	60		50	ug/L		08/29/06	SW846 5030B	SW846 8260B
Hexachlorobutadiene	<	26	26	63		50	ug/L		08/29/06	SW846 5030B	SW846 8260B
Isopropylbenzene	<	25	25	60		50	ug/L		08/29/06	SW846 5030B	SW846 8260B

Pace Analytical Services, Inc.

1241 Bellevue Street
Green Bay, WI 54302
920-469-2436

Analytical Report Number: 875476

Client : ECCI
Project Name : OLD DUTCHMILL PROPERTY
Project Number :
Field ID : MEOH BLANK

Matrix Type : METHANOL
Collection Date : 08/24/06
Report Date : 09/14/06
Lab Sample Number : 875476-011

VOLATILES

Prep Date: 08/29/06

Analyte		Result	LOD	LOQ	EQL	Dil.	Units	Code	Anl Date	Prep Method	Anl Method
Methylene Chloride	<	25	25	60		50	ug/L		08/29/06	SW846 5030B	SW846 8260B
Methyl-tert-butyl-ether	<	25	25	60		50	ug/L		08/29/06	SW846 5030B	SW846 8260B
Naphthalene	<	25	25	60		50	ug/L		08/29/06	SW846 5030B	SW846 8260B
n-Butylbenzene	<	40	40	97		50	ug/L		08/29/06	SW846 5030B	SW846 8260B
n-Propylbenzene	<	25	25	60		50	ug/L		08/29/06	SW846 5030B	SW846 8260B
p-Isopropyltoluene	<	25	25	60		50	ug/L		08/29/06	SW846 5030B	SW846 8260B
s-Butylbenzene	<	25	25	60		50	ug/L		08/29/06	SW846 5030B	SW846 8260B
Styrene	<	25	25	60		50	ug/L		08/29/06	SW846 5030B	SW846 8260B
t-Butylbenzene	<	25	25	60		50	ug/L		08/29/06	SW846 5030B	SW846 8260B
Tetrachloroethene	<	25	25	60		50	ug/L		08/29/06	SW846 5030B	SW846 8260B
Toluene	<	25	25	60		50	ug/L		08/29/06	SW846 5030B	SW846 8260B
trans-1,2-Dichloroethene	<	25	25	60		50	ug/L		08/29/06	SW846 5030B	SW846 8260B
trans-1,3-Dichloropropene	<	25	25	60		50	ug/L	&	08/29/06	SW846 5030B	SW846 8260B
Trichloroethene	<	25	25	60		50	ug/L		08/29/06	SW846 5030B	SW846 8260B
Vinyl Chloride	<	25	25	60		50	ug/L		08/29/06	SW846 5030B	SW846 8260B
Xylenes, m + p	<	50	50	120		50	ug/L		08/29/06	SW846 5030B	SW846 8260B
Xylene, o	<	25	25	60		50	ug/L		08/29/06	SW846 5030B	SW846 8260B
Surrogate			LCL	UCL							
4-Bromofluorobenzene		90	64	133		50	%		08/29/06	SW846 5030B	SW846 8260B
Toluene-d8		95	67	139		50	%		08/29/06	SW846 5030B	SW846 8260B
Dibromofluoromethane		102	64	140		50	%		08/29/06	SW846 5030B	SW846 8260B

Pace Analytical Services, Inc.

1241 Bellevue Street
Green Bay, WI 54302
920-469-2436

Analytical Report Number: 875476

Client : ECCI
Project Name : OLD DUTCHMILL PROPERTY
Project Number :
Field ID : GP-1-2

Matrix Type : SOIL
Collection Date : 08/24/06
Report Date : 09/14/06
Lab Sample Number : 875476-012

INORGANICS

Test	Result	LOD	LOQ	EQL	Dil.	Units	Code	Anl Date	Prep Method	Anl Method
Lead	84	0.42	1.4		1	mg/Kg		08/29/06	SW846 3050B	SW846 6010B
Percent Solids	80.2				1	%		08/28/06	SM M2540G	SM M2540G

DIESEL RANGE ORGANICS

Preservation Date: 08/29/06 Prep Date: 08/29/06

Analyte	Result	LOD	LOQ	EQL	Dil.	Units	Code	Anl Date	Prep Method	Anl Method
Diesel Range Organics	< 3.7			3.7	1	mg/kg	O	08/30/06	WI MOD DRO	WI MOD DRO

GASOLINE RANGE ORGANICS

Prep Date: 08/29/06

Analyte	Result	LOD	LOQ	EQL	Dil.	Units	Code	Anl Date	Prep Method	Anl Method
Gasoline Range Organics	< 3.1			3.1	50	mg/Kg		08/29/06	WI MOD GRO	WI MOD GRO

VOLATILES

Prep Date: 08/29/06

Analyte	Result	LOD	LOQ	EQL	Dil.	Units	Code	Anl Date	Prep Method	Anl Method
1,1,1,2-Tetrachloroethane	< 25	25	60		50	ug/Kg		08/30/06	SW846 5030B	SW846 8260B
1,1,1-Trichloroethane	< 25	25	60		50	ug/Kg		08/30/06	SW846 5030B	SW846 8260B
1,1,2,2-Tetrachloroethane	< 25	25	60		50	ug/Kg		08/30/06	SW846 5030B	SW846 8260B
1,1,2-Trichloroethane	< 25	25	60		50	ug/Kg		08/30/06	SW846 5030B	SW846 8260B
1,1-Dichloroethane	< 25	25	60		50	ug/Kg		08/30/06	SW846 5030B	SW846 8260B
1,1-Dichloroethene	< 25	25	60		50	ug/Kg		08/30/06	SW846 5030B	SW846 8260B
1,1-Dichloropropene	< 25	25	60		50	ug/Kg		08/30/06	SW846 5030B	SW846 8260B
1,2,3-Trichlorobenzene	< 25	25	60		50	ug/Kg		08/30/06	SW846 5030B	SW846 8260B
1,2,3-Trichloropropane	< 25	25	60		50	ug/Kg		08/30/06	SW846 5030B	SW846 8260B
1,2,4-Trichlorobenzene	< 25	25	60		50	ug/Kg		08/30/06	SW846 5030B	SW846 8260B
1,2,4-Trimethylbenzene	< 25	25	60		50	ug/Kg		08/30/06	SW846 5030B	SW846 8260B
1,2-Dibromo-3-chloropropane	< 82	82	200		50	ug/Kg		08/30/06	SW846 5030B	SW846 8260B
1,2-Dibromoethane	< 25	25	60		50	ug/Kg		08/30/06	SW846 5030B	SW846 8260B
1,2-Dichlorobenzene	< 44	44	110		50	ug/Kg		08/30/06	SW846 5030B	SW846 8260B
1,2-Dichloroethane	< 25	25	60		50	ug/Kg		08/30/06	SW846 5030B	SW846 8260B
1,2-Dichloropropane	< 25	25	60		50	ug/Kg		08/30/06	SW846 5030B	SW846 8260B
1,3,5-Trimethylbenzene	< 25	25	60		50	ug/Kg		08/30/06	SW846 5030B	SW846 8260B
1,3-Dichlorobenzene	< 25	25	60		50	ug/Kg		08/30/06	SW846 5030B	SW846 8260B
1,3-Dichloropropane	< 25	25	60		50	ug/Kg		08/30/06	SW846 5030B	SW846 8260B
1,4-Dichlorobenzene	< 25	25	60		50	ug/Kg		08/30/06	SW846 5030B	SW846 8260B
2,2-Dichloropropane	< 25	25	60		50	ug/Kg		08/30/06	SW846 5030B	SW846 8260B
2-Chlorotoluene	< 25	25	60		50	ug/Kg		08/30/06	SW846 5030B	SW846 8260B
4-Chlorotoluene	< 25	25	60		50	ug/Kg		08/30/06	SW846 5030B	SW846 8260B
Benzene	< 25	25	60		50	ug/Kg		08/30/06	SW846 5030B	SW846 8260B
Bromobenzene	< 25	25	60		50	ug/Kg		08/30/06	SW846 5030B	SW846 8260B
Bromochloromethane	< 25	25	60		50	ug/Kg		08/30/06	SW846 5030B	SW846 8260B
Bromodichloromethane	< 25	25	60		50	ug/Kg		08/30/06	SW846 5030B	SW846 8260B
Bromoform	< 26	26	62		50	ug/Kg		08/30/06	SW846 5030B	SW846 8260B
Bromomethane	< 25	25	60		50	ug/Kg		08/30/06	SW846 5030B	SW846 8260B
Carbon Tetrachloride	< 25	25	60		50	ug/Kg		08/30/06	SW846 5030B	SW846 8260B
Chlorobenzene	< 25	25	60		50	ug/Kg		08/30/06	SW846 5030B	SW846 8260B
Chlorodibromomethane	< 25	25	60		50	ug/Kg		08/30/06	SW846 5030B	SW846 8260B
Chloroethane	< 25	25	60		50	ug/Kg		08/30/06	SW846 5030B	SW846 8260B
Chloroform	< 25	25	60		50	ug/Kg		08/30/06	SW846 5030B	SW846 8260B
Chloromethane	< 25	25	60		50	ug/Kg		08/30/06	SW846 5030B	SW846 8260B

All soil results are reported on a dry weight basis unless otherwise noted.

Pace Analytical Services, Inc.

1241 Bellevue Street
Green Bay, WI 54302
920-469-2436

Analytical Report Number: 875476

Client : ECCI
Project Name : OLD DUTCHMILL PROPERTY
Project Number :
Field ID : GP-1-2

Matrix Type : SOIL
Collection Date : 08/24/06
Report Date : 09/14/06
Lab Sample Number : 875476-012

VOLATILES

Prep Date: 08/29/06

Analyte	Result	LOD	LOQ	EQL	Dil.	Units	Code	Anl Date	Prep Method	Anl Method
cis-1,2-Dichloroethene	< 25	25	60		50	ug/Kg		08/30/06	SW846 5030B	SW846 8260B
cis-1,3-Dichloropropene	< 25	25	60		50	ug/Kg		08/30/06	SW846 5030B	SW846 8260B
Dibromomethane	< 25	25	60		50	ug/Kg		08/30/06	SW846 5030B	SW846 8260B
Dichlorodifluoromethane	< 25	25	60		50	ug/Kg		08/30/06	SW846 5030B	SW846 8260B
Diisopropyl Ether	< 25	25	60		50	ug/Kg		08/30/06	SW846 5030B	SW846 8260B
Ethylbenzene	< 25	25	60		50	ug/Kg		08/30/06	SW846 5030B	SW846 8260B
Fluorotrichloromethane	< 25	25	60		50	ug/Kg		08/30/06	SW846 5030B	SW846 8260B
Hexachlorobutadiene	< 26	26	63		50	ug/Kg		08/30/06	SW846 5030B	SW846 8260B
Isopropylbenzene	< 25	25	60		50	ug/Kg		08/30/06	SW846 5030B	SW846 8260B
Methylene Chloride	< 25	25	60		50	ug/Kg		08/30/06	SW846 5030B	SW846 8260B
Methyl-tert-butyl-ether	< 25	25	60		50	ug/Kg		08/30/06	SW846 5030B	SW846 8260B
Naphthalene	< 25	25	60		50	ug/Kg		08/30/06	SW846 5030B	SW846 8260B
n-Butylbenzene	< 40	40	97		50	ug/Kg		08/30/06	SW846 5030B	SW846 8260B
n-Propylbenzene	< 25	25	60		50	ug/Kg		08/30/06	SW846 5030B	SW846 8260B
p-Isopropyltoluene	< 25	25	60		50	ug/Kg		08/30/06	SW846 5030B	SW846 8260B
s-Butylbenzene	< 25	25	60		50	ug/Kg		08/30/06	SW846 5030B	SW846 8260B
Styrene	< 25	25	60		50	ug/Kg		08/30/06	SW846 5030B	SW846 8260B
t-Butylbenzene	< 25	25	60		50	ug/Kg		08/30/06	SW846 5030B	SW846 8260B
Tetrachloroethene	< 25	25	60		50	ug/Kg		08/30/06	SW846 5030B	SW846 8260B
Toluene	< 25	25	60		50	ug/Kg		08/30/06	SW846 5030B	SW846 8260B
trans-1,2-Dichloroethene	< 25	25	60		50	ug/Kg		08/30/06	SW846 5030B	SW846 8260B
trans-1,3-Dichloropropene	< 25	25	60		50	ug/Kg	&	08/30/06	SW846 5030B	SW846 8260B
Trichloroethene	< 25	25	60		50	ug/Kg		08/30/06	SW846 5030B	SW846 8260B
Vinyl Chloride	< 25	25	60		50	ug/Kg		08/30/06	SW846 5030B	SW846 8260B
Xylenes, m + p	< 50	50	120		50	ug/Kg		08/30/06	SW846 5030B	SW846 8260B
Xylene, o	< 25	25	60		50	ug/Kg		08/30/06	SW846 5030B	SW846 8260B
Surrogate		**LCL**	**UCL**							
4-Bromofluorobenzene	93	64	133		50	%		08/30/06	SW846 5030B	SW846 8260B
Toluene-d8	99	67	139		50	%		08/30/06	SW846 5030B	SW846 8260B
Dibromofluoromethane	102	64	140		50	%		08/30/06	SW846 5030B	SW846 8260B

PAH/PNA

Prep Date: 08/30/06

Analyte	Result	LOD	LOQ	EQL	Dil.	Units	Code	Anl Date	Prep Method	Anl Method
1-Methylnaphthalene	< 3.8	3.8	13		1	ug/Kg		08/31/06	SW846 3545	8270C-SIM
2-Methylnaphthalene	< 3.9	3.9	13		1	ug/Kg		08/31/06	SW846 3545	8270C-SIM
Acenaphthene	< 3.7	3.7	12		1	ug/Kg		08/31/06	SW846 3545	8270C-SIM
Acenaphthylene	< 3.6	3.6	12		1	ug/Kg		08/31/06	SW846 3545	8270C-SIM
Anthracene	6.2	4.4	15		1	ug/Kg	Q	08/31/06	SW846 3545	8270C-SIM
Benzo(a)anthracene	8.9	6.6	22		1	ug/Kg	Q	08/31/06	SW846 3545	8270C-SIM
Benzo(a)pyrene	8.5	3.6	12		1	ug/Kg	Q	08/31/06	SW846 3545	8270C-SIM
Benzo(b)fluoranthene	21	3.5	12		1	ug/Kg		08/31/06	SW846 3545	8270C-SIM
Benzo(ghi)perylene	16	4.4	15		1	ug/Kg		08/31/06	SW846 3545	8270C-SIM
Benzo(k)fluoranthene	16	3.8	13		1	ug/Kg		08/31/06	SW846 3545	8270C-SIM
Chrysene	11	5.4	18		1	ug/Kg	Q	08/31/06	SW846 3545	8270C-SIM
Dibenz(a,h)anthracene	4.0	3.4	11		1	ug/Kg	Q	08/31/06	SW846 3545	8270C-SIM
Fluoranthene	8.6	3.6	12		1	ug/Kg	Q	08/31/06	SW846 3545	8270C-SIM
Fluorene	< 4.3	4.3	14		1	ug/Kg		08/31/06	SW846 3545	8270C-SIM
Indeno(1,2,3-cd)pyrene	13	3.1	10		1	ug/Kg		08/31/06	SW846 3545	8270C-SIM

All soil results are reported on a dry weight basis unless otherwise noted.

Pace Analytical Services, Inc.

1241 Bellevue Street
Green Bay, WI 54302
920-469-2436

Analytical Report Number: 875476

Client : ECCI
Project Name : OLD DUTCHMILL PROPERTY
Project Number :
Field ID : GP-1-2

Matrix Type : SOIL
Collection Date : 08/24/06
Report Date : 09/14/06
Lab Sample Number : 875476-012

PAH/PNA

Prep Date: 08/30/06

Analyte		Result	LOD	LOQ	EQL	Dil.	Units	Code	Anl Date	Prep Method	Anl Method
Naphthalene	<	5.0	5.0	17		1	ug/Kg		08/31/06	SW846 3545	8270C-SIM
Phenanthrene		4.8	3.7	12		1	ug/Kg	Q	08/31/06	SW846 3545	8270C-SIM
Pyrene		7.3	3.1	10		1	ug/Kg	Q	08/31/06	SW846 3545	8270C-SIM
Surrogate			**LCL**	**UCL**							
Nitrobenzene-d5		88	10	141		1	%		08/31/06	SW846 3545	8270C-SIM
2-Fluorobiphenyl		77	10	161		1	%		08/31/06	SW846 3545	8270C-SIM
Terphenyl-d14		82	29	150		1	%		08/31/06	SW846 3545	8270C-SIM

All soil results are reported on a dry weight basis unless otherwise noted.

Pace Analytical Services, Inc.

1241 Bellevue Street
Green Bay, WI 54302
920-469-2436

Analytical Report Number: 875476

Client : ECCI
Project Name : OLD DUTCHMILL PROPERTY
Project Number :
Field ID : GP-1-4

Matrix Type : SOIL
Collection Date : 08/24/06
Report Date : 09/14/06
Lab Sample Number : 875476-013

INORGANICS

Test	Result	LOD	LOQ	EQL	Dil.	Units	Code	Anl Date	Prep Method	Anl Method
Lead	8.1	0.41	1.4		1	mg/Kg		08/29/06	SW846 3050B	SW846 6010B
Percent Solids	82.7				1	%		08/28/06	SM M2540G	SM M2540G

DIESEL RANGE ORGANICS

Preservation Date: 08/29/06 Prep Date: 08/29/06

Analyte	Result	LOD	LOQ	EQL	Dil.	Units	Code	Anl Date	Prep Method	Anl Method
Diesel Range Organics	< 4.1			4.1	1	mg/kg	O	08/30/06	WI MOD DRO	WI MOD DRO

GASOLINE RANGE ORGANICS

Prep Date: 08/29/06

Analyte	Result	LOD	LOQ	EQL	Dil.	Units	Code	Anl Date	Prep Method	Anl Method
Gasoline Range Organics	40			3.0	50	mg/Kg		08/29/06	WI MOD GRO	WI MOD GRO

VOLATILES

Prep Date: 08/29/06

Analyte	Result	LOD	LOQ	EQL	Dil.	Units	Code	Anl Date	Prep Method	Anl Method
1,1,1,2-Tetrachloroethane	< 25	25	60		50	ug/Kg		08/29/06	SW846 5030B	SW846 8260B
1,1,1-Trichloroethane	< 25	25	60		50	ug/Kg		08/29/06	SW846 5030B	SW846 8260B
1,1,2,2-Tetrachloroethane	< 25	25	60		50	ug/Kg		08/29/06	SW846 5030B	SW846 8260B
1,1,2-Trichloroethane	< 25	25	60		50	ug/Kg		08/29/06	SW846 5030B	SW846 8260B
1,1-Dichloroethane	< 25	25	60		50	ug/Kg		08/29/06	SW846 5030B	SW846 8260B
1,1-Dichloroethene	< 25	25	60		50	ug/Kg		08/29/06	SW846 5030B	SW846 8260B
1,1-Dichloropropene	< 25	25	60		50	ug/Kg		08/29/06	SW846 5030B	SW846 8260B
1,2,3-Trichlorobenzene	< 25	25	60		50	ug/Kg		08/29/06	SW846 5030B	SW846 8260B
1,2,3-Trichloropropane	< 25	25	60		50	ug/Kg		08/29/06	SW846 5030B	SW846 8260B
1,2,4-Trichlorobenzene	< 25	25	60		50	ug/Kg		08/29/06	SW846 5030B	SW846 8260B
1,2,4-Trimethylbenzene	< 25	25	60		50	ug/Kg		08/29/06	SW846 5030B	SW846 8260B
1,2-Dibromo-3-chloropropane	< 82	82	200		50	ug/Kg		08/29/06	SW846 5030B	SW846 8260B
1,2-Dibromoethane	< 25	25	60		50	ug/Kg		08/29/06	SW846 5030B	SW846 8260B
1,2-Dichlorobenzene	< 44	44	110		50	ug/Kg		08/29/06	SW846 5030B	SW846 8260B
1,2-Dichloroethane	< 25	25	60		50	ug/Kg		08/29/06	SW846 5030B	SW846 8260B
1,2-Dichloropropane	< 25	25	60		50	ug/Kg		08/29/06	SW846 5030B	SW846 8260B
1,3,5-Trimethylbenzene	< 25	25	60		50	ug/Kg		08/29/06	SW846 5030B	SW846 8260B
1,3-Dichlorobenzene	< 25	25	60		50	ug/Kg		08/29/06	SW846 5030B	SW846 8260B
1,3-Dichloropropane	< 25	25	60		50	ug/Kg		08/29/06	SW846 5030B	SW846 8260B
1,4-Dichlorobenzene	< 25	25	60		50	ug/Kg		08/29/06	SW846 5030B	SW846 8260B
2,2-Dichloropropane	< 25	25	60		50	ug/Kg		08/29/06	SW846 5030B	SW846 8260B
2-Chlorotoluene	< 25	25	60		50	ug/Kg		08/29/06	SW846 5030B	SW846 8260B
4-Chlorotoluene	< 25	25	60		50	ug/Kg		08/29/06	SW846 5030B	SW846 8260B
Benzene	< 25	25	60		50	ug/Kg		08/29/06	SW846 5030B	SW846 8260B
Bromobenzene	< 25	25	60		50	ug/Kg		08/29/06	SW846 5030B	SW846 8260B
Bromochloromethane	< 25	25	60		50	ug/Kg		08/29/06	SW846 5030B	SW846 8260B
Bromodichloromethane	< 25	25	60		50	ug/Kg		08/29/06	SW846 5030B	SW846 8260B
Bromoform	< 26	26	62		50	ug/Kg		08/29/06	SW846 5030B	SW846 8260B
Bromomethane	< 25	25	60		50	ug/Kg		08/29/06	SW846 5030B	SW846 8260B
Carbon Tetrachloride	< 25	25	60		50	ug/Kg		08/29/06	SW846 5030B	SW846 8260B
Chlorobenzene	< 25	25	60		50	ug/Kg		08/29/06	SW846 5030B	SW846 8260B
Chlorodibromomethane	< 25	25	60		50	ug/Kg		08/29/06	SW846 5030B	SW846 8260B
Chloroethane	< 25	25	60		50	ug/Kg		08/29/06	SW846 5030B	SW846 8260B
Chloroform	< 25	25	60		50	ug/Kg		08/29/06	SW846 5030B	SW846 8260B
Chloromethane	< 25	25	60		50	ug/Kg		08/29/06	SW846 5030B	SW846 8260B

All soil results are reported on a dry weight basis unless otherwise noted.

Pace Analytical Services, Inc.

1241 Bellevue Street
Green Bay, WI 54302
920-469-2436

Analytical Report Number: 875476

Client : ECCI
Project Name : OLD DUTCHMILL PROPERTY
Project Number :
Field ID : GP-1-4

Matrix Type : SOIL
Collection Date : 08/24/06
Report Date : 09/14/06
Lab Sample Number : 875476-013

VOLATILES

Prep Date: 08/29/06

Analyte	Result	LOD	LOQ	EQL	Dil.	Units	Code	Anl Date	Prep Method	Anl Method
cis-1,2-Dichloroethene	< 25	25	60		50	ug/Kg		08/29/06	SW846 5030B	SW846 8260B
cis-1,3-Dichloropropene	< 25	25	60		50	ug/Kg		08/29/06	SW846 5030B	SW846 8260B
Dibromomethane	< 25	25	60		50	ug/Kg		08/29/06	SW846 5030B	SW846 8260B
Dichlorodifluoromethane	< 25	25	60		50	ug/Kg		08/29/06	SW846 5030B	SW846 8260B
Diisopropyl Ether	< 25	25	60		50	ug/Kg		08/29/06	SW846 5030B	SW846 8260B
Ethylbenzene	< 25	25	60		50	ug/Kg		08/29/06	SW846 5030B	SW846 8260B
Fluorotrichloromethane	< 25	25	60		50	ug/Kg		08/29/06	SW846 5030B	SW846 8260B
Hexachlorobutadiene	< 26	26	63		50	ug/Kg		08/29/06	SW846 5030B	SW846 8260B
Isopropylbenzene	< 25	25	60		50	ug/Kg		08/29/06	SW846 5030B	SW846 8260B
Methylene Chloride	< 25	25	60		50	ug/Kg		08/29/06	SW846 5030B	SW846 8260B
Methyl-tert-butyl-ether	< 25	25	60		50	ug/Kg		08/29/06	SW846 5030B	SW846 8260B
Naphthalene	< 25	25	60		50	ug/Kg		08/29/06	SW846 5030B	SW846 8260B
n-Butylbenzene	< 40	40	97		50	ug/Kg		08/29/06	SW846 5030B	SW846 8260B
n-Propylbenzene	< 25	25	60		50	ug/Kg		08/29/06	SW846 5030B	SW846 8260B
p-Isopropyltoluene	< 25	25	60		50	ug/Kg		08/29/06	SW846 5030B	SW846 8260B
s-Butylbenzene	< 25	25	60		50	ug/Kg		08/29/06	SW846 5030B	SW846 8260B
Styrene	< 25	25	60		50	ug/Kg		08/29/06	SW846 5030B	SW846 8260B
t-Butylbenzene	< 25	25	60		50	ug/Kg		08/29/06	SW846 5030B	SW846 8260B
Tetrachloroethene	< 25	25	60		50	ug/Kg		08/29/06	SW846 5030B	SW846 8260B
Toluene	< 25	25	60		50	ug/Kg		08/29/06	SW846 5030B	SW846 8260B
trans-1,2-Dichloroethene	< 25	25	60		50	ug/Kg		08/29/06	SW846 5030B	SW846 8260B
trans-1,3-Dichloropropene	< 25	25	60		50	ug/Kg	&	08/29/06	SW846 5030B	SW846 8260B
Trichloroethene	< 25	25	60		50	ug/Kg		08/29/06	SW846 5030B	SW846 8260B
Vinyl Chloride	< 25	25	60		50	ug/Kg		08/29/06	SW846 5030B	SW846 8260B
Xylenes, m + p	< 50	50	120		50	ug/Kg		08/29/06	SW846 5030B	SW846 8260B
Xylene, o	< 25	25	60		50	ug/Kg		08/29/06	SW846 5030B	SW846 8260B

Surrogate		LCL	UCL						
4-Bromofluorobenzene	96	64	133		50	%	08/29/06	SW846 5030B	SW846 8260B
Toluene-d8	98	67	139		50	%	08/29/06	SW846 5030B	SW846 8260B
Dibromofluoromethane	103	64	140		50	%	08/29/06	SW846 5030B	SW846 8260B

PAH/PNA

Prep Date: 08/30/06

Analyte	Result	LOD	LOQ	EQL	Dil.	Units	Code	Anl Date	Prep Method	Anl Method
1-Methylnaphthalene	< 3.7	3.7	12		1	ug/Kg		08/31/06	SW846 3545	8270C-SIM
2-Methylnaphthalene	< 3.8	3.8	13		1	ug/Kg		08/31/06	SW846 3545	8270C-SIM
Acenaphthene	< 3.6	3.6	12		1	ug/Kg		08/31/06	SW846 3545	8270C-SIM
Acenaphthylene	< 3.5	3.5	12		1	ug/Kg		08/31/06	SW846 3545	8270C-SIM
Anthracene	< 4.3	4.3	14		1	ug/Kg		08/31/06	SW846 3545	8270C-SIM
Benzo(a)anthracene	< 6.4	6.4	21		1	ug/Kg		08/31/06	SW846 3545	8270C-SIM
Benzo(a)pyrene	< 3.5	3.5	12		1	ug/Kg		08/31/06	SW846 3545	8270C-SIM
Benzo(b)fluoranthene	< 3.4	3.4	11		1	ug/Kg		08/31/06	SW846 3545	8270C-SIM
Benzo(ghi)perylene	< 4.3	4.3	14		1	ug/Kg		08/31/06	SW846 3545	8270C-SIM
Benzo(k)fluoranthene	< 3.7	3.7	12		1	ug/Kg		08/31/06	SW846 3545	8270C-SIM
Chrysene	< 5.3	5.3	18		1	ug/Kg		08/31/06	SW846 3545	8270C-SIM
Dibenz(a,h)anthracene	< 3.3	3.3	11		1	ug/Kg		08/31/06	SW846 3545	8270C-SIM
Fluoranthene	< 3.5	3.5	12		1	ug/Kg		08/31/06	SW846 3545	8270C-SIM
Fluorene	< 4.1	4.1	14		1	ug/Kg		08/31/06	SW846 3545	8270C-SIM
Indeno(1,2,3-cd)pyrene	< 3.0	3.0	10		1	ug/Kg		08/31/06	SW846 3545	8270C-SIM

All soil results are reported on a dry weight basis unless otherwise noted.

Pace Analytical Services, Inc.

1241 Bellevue Street
Green Bay, WI 54302
920-469-2436

Analytical Report Number: 875476

Client : ECCI
Project Name : OLD DUTCHMILL PROPERTY
Project Number :
Field ID : GP-1-4

Matrix Type : SOIL
Collection Date : 08/24/06
Report Date : 09/14/06
Lab Sample Number : 875476-013

PAH/PNA

Prep Date: 08/30/06

Analyte		Result	LOD	LOQ	EQL	Dil.	Units	Code	Anl Date	Prep Method	Anl Method
Naphthalene	<	4.9	4.9	16		1	ug/Kg		08/31/06	SW846 3545	8270C-SIM
Phenanthrene	<	3.6	3.6	12		1	ug/Kg		08/31/06	SW846 3545	8270C-SIM
Pyrene	<	3.0	3.0	9.9		1	ug/Kg		08/31/06	SW846 3545	8270C-SIM
Surrogate			**LCL**	**UCL**							
Nitrobenzene-d5		79	10	141		1	%		08/31/06	SW846 3545	8270C-SIM
2-Fluorobiphenyl		72	10	161		1	%		08/31/06	SW846 3545	8270C-SIM
Terphenyl-d14		82	29	150		1	%		08/31/06	SW846 3545	8270C-SIM

All soil results are reported on a dry weight basis unless otherwise noted.

Pace Analytical Services, Inc.

1241 Bellevue Street
Green Bay, WI 54302
920-469-2436

Analytical Report Number: 875476

Client : ECCI
Project Name : OLD DUTCHMILL PROPERTY
Project Number :
Field ID : GP-1-6

Matrix Type : SOIL
Collection Date : 08/24/06
Report Date : 09/14/06
Lab Sample Number : 875476-014

INORGANICS

Test	Result	LOD	LOQ	EQL	Dil.	Units	Code	Anl Date	Prep Method	Anl Method
Lead	4.2	0.40	1.3		1	mg/Kg		08/29/06	SW846 3050B	SW846 6010B
Percent Solids	84.5				1	%		08/28/06	SM M2540G	SM M2540G

DIESEL RANGE ORGANICS

Preservation Date: 08/29/06 Prep Date: 08/29/06

Analyte	Result	LOD	LOQ	EQL	Dil.	Units	Code	Anl Date	Prep Method	Anl Method
Diesel Range Organics	15			3.4	1	mg/kg		08/30/06	WI MOD DRO	WI MOD DRO

GASOLINE RANGE ORGANICS

Prep Date: 08/29/06

Analyte	Result	LOD	LOQ	EQL	Dil.	Units	Code	Anl Date	Prep Method	Anl Method
Gasoline Range Organics	140			5.9	100	mg/Kg		08/29/06	WI MOD GRO	WI MOD GRO

VOLATILES

Prep Date: 08/29/06

Analyte	Result	LOD	LOQ	EQL	Dil.	Units	Code	Anl Date	Prep Method	Anl Method
1,1,1,2-Tetrachloroethane	< 25	25	60		50	ug/Kg		08/30/06	SW846 5030B	SW846 8260B
1,1,1-Trichloroethane	< 25	25	60		50	ug/Kg		08/30/06	SW846 5030B	SW846 8260B
1,1,2,2-Tetrachloroethane	< 25	25	60		50	ug/Kg		08/30/06	SW846 5030B	SW846 8260B
1,1,2-Trichloroethane	< 25	25	60		50	ug/Kg		08/30/06	SW846 5030B	SW846 8260B
1,1-Dichloroethane	< 25	25	60		50	ug/Kg		08/30/06	SW846 5030B	SW846 8260B
1,1-Dichloroethene	< 25	25	60		50	ug/Kg		08/30/06	SW846 5030B	SW846 8260B
1,1-Dichloropropene	< 25	25	60		50	ug/Kg		08/30/06	SW846 5030B	SW846 8260B
1,2,3-Trichlorobenzene	< 25	25	60		50	ug/Kg		08/30/06	SW846 5030B	SW846 8260B
1,2,3-Trichloropropane	< 25	25	60		50	ug/Kg		08/30/06	SW846 5030B	SW846 8260B
1,2,4-Trichlorobenzene	< 25	25	60		50	ug/Kg		08/30/06	SW846 5030B	SW846 8260B
1,2,4-Trimethylbenzene	990	30	71		50	ug/Kg		08/30/06	SW846 5030B	SW846 8260B
1,2-Dibromo-3-chloropropane	< 82	82	200		50	ug/Kg		08/30/06	SW846 5030B	SW846 8260B
1,2-Dibromoethane	< 25	25	60		50	ug/Kg		08/30/06	SW846 5030B	SW846 8260B
1,2-Dichlorobenzene	< 44	44	110		50	ug/Kg		08/30/06	SW846 5030B	SW846 8260B
1,2-Dichloroethane	< 25	25	60		50	ug/Kg		08/30/06	SW846 5030B	SW846 8260B
1,2-Dichloropropane	< 25	25	60		50	ug/Kg		08/30/06	SW846 5030B	SW846 8260B
1,3,5-Trimethylbenzene	420	30	71		50	ug/Kg		08/30/06	SW846 5030B	SW846 8260B
1,3-Dichlorobenzene	< 25	25	60		50	ug/Kg		08/30/06	SW846 5030B	SW846 8260B
1,3-Dichloropropane	< 25	25	60		50	ug/Kg		08/30/06	SW846 5030B	SW846 8260B
1,4-Dichlorobenzene	< 25	25	60		50	ug/Kg		08/30/06	SW846 5030B	SW846 8260B
2,2-Dichloropropane	< 25	25	60		50	ug/Kg		08/30/06	SW846 5030B	SW846 8260B
2-Chlorotoluene	< 25	25	60		50	ug/Kg		08/30/06	SW846 5030B	SW846 8260B
4-Chlorotoluene	< 25	25	60		50	ug/Kg		08/30/06	SW846 5030B	SW846 8260B
Benzene	< 25	25	60		50	ug/Kg		08/30/06	SW846 5030B	SW846 8260B
Bromobenzene	< 25	25	60		50	ug/Kg		08/30/06	SW846 5030B	SW846 8260B
Bromochloromethane	< 25	25	60		50	ug/Kg		08/30/06	SW846 5030B	SW846 8260B
Bromodichloromethane	< 25	25	60		50	ug/Kg		08/30/06	SW846 5030B	SW846 8260B
Bromoform	< 26	26	62		50	ug/Kg		08/30/06	SW846 5030B	SW846 8260B
Bromomethane	< 25	25	60		50	ug/Kg		08/30/06	SW846 5030B	SW846 8260B
Carbon Tetrachloride	< 25	25	60		50	ug/Kg		08/30/06	SW846 5030B	SW846 8260B
Chlorobenzene	< 25	25	60		50	ug/Kg		08/30/06	SW846 5030B	SW846 8260B
Chlorodibromomethane	< 25	25	60		50	ug/Kg		08/30/06	SW846 5030B	SW846 8260B
Chloroethane	< 25	25	60		50	ug/Kg		08/30/06	SW846 5030B	SW846 8260B
Chloroform	< 25	25	60		50	ug/Kg		08/30/06	SW846 5030B	SW846 8260B
Chloromethane	< 25	25	60		50	ug/Kg		08/30/06	SW846 5030B	SW846 8260B

All soil results are reported on a dry weight basis unless otherwise noted.

Pace Analytical Services, Inc.

1241 Bellevue Street
Green Bay, WI 54302
920-469-2436

Analytical Report Number: 875476

Client : ECCI
Project Name : OLD DUTCHMILL PROPERTY
Project Number :
Field ID : GP-1-6

Matrix Type : SOIL
Collection Date : 08/24/06
Report Date : 09/14/06
Lab Sample Number : 875476-014

VOLATILES

Prep Date: 08/29/06

Analyte	Result	LOD	LOQ	EQL	Dil.	Units	Code	Anl Date	Prep Method	Anl Method
cis-1,2-Dichloroethene	< 25	25	60		50	ug/Kg		08/30/06	SW846 5030B	SW846 8260B
cis-1,3-Dichloropropene	< 25	25	60		50	ug/Kg		08/30/06	SW846 5030B	SW846 8260B
Dibromomethane	< 25	25	60		50	ug/Kg		08/30/06	SW846 5030B	SW846 8260B
Dichlorodifluoromethane	< 25	25	60		50	ug/Kg		08/30/06	SW846 5030B	SW846 8260B
Diisopropyl Ether	< 25	25	60		50	ug/Kg		08/30/06	SW846 5030B	SW846 8260B
Ethylbenzene	< 25	25	60		50	ug/Kg		08/30/06	SW846 5030B	SW846 8260B
Fluorotrichloromethane	< 25	25	60		50	ug/Kg		08/30/06	SW846 5030B	SW846 8260B
Hexachlorobutadiene	< 26	26	63		50	ug/Kg		08/30/06	SW846 5030B	SW846 8260B
Isopropylbenzene	120	30	71		50	ug/Kg		08/30/06	SW846 5030B	SW846 8260B
Methylene Chloride	< 25	25	60		50	ug/Kg		08/30/06	SW846 5030B	SW846 8260B
Methyl-tert-butyl-ether	< 25	25	60		50	ug/Kg		08/30/06	SW846 5030B	SW846 8260B
Naphthalene	53	30	71		50	ug/Kg	Q	08/30/06	SW846 5030B	SW846 8260B
n-Butylbenzene	< 40	40	97		50	ug/Kg		08/30/06	SW846 5030B	SW846 8260B
n-Propylbenzene	230	30	71		50	ug/Kg		08/30/06	SW846 5030B	SW846 8260B
p-Isopropyltoluene	430	30	71		50	ug/Kg		08/30/06	SW846 5030B	SW846 8260B
s-Butylbenzene	150	30	71		50	ug/Kg		08/30/06	SW846 5030B	SW846 8260B
Styrene	< 25	25	60		50	ug/Kg		08/30/06	SW846 5030B	SW846 8260B
t-Butylbenzene	< 25	25	60		50	ug/Kg		08/30/06	SW846 5030B	SW846 8260B
Tetrachloroethene	< 25	25	60		50	ug/Kg		08/30/06	SW846 5030B	SW846 8260B
Toluene	< 25	25	60		50	ug/Kg		08/30/06	SW846 5030B	SW846 8260B
trans-1,2-Dichloroethene	< 25	25	60		50	ug/Kg		08/30/06	SW846 5030B	SW846 8260B
trans-1,3-Dichloropropene	< 25	25	60		50	ug/Kg	&	08/30/06	SW846 5030B	SW846 8260B
Trichloroethene	< 25	25	60		50	ug/Kg		08/30/06	SW846 5030B	SW846 8260B
Vinyl Chloride	< 25	25	60		50	ug/Kg		08/30/06	SW846 5030B	SW846 8260B
Xylenes, m + p	< 50	50	120		50	ug/Kg		08/30/06	SW846 5030B	SW846 8260B
Xylene, o	< 25	25	60		50	ug/Kg		08/30/06	SW846 5030B	SW846 8260B
Surrogate		**LCL**	**UCL**							
4-Bromofluorobenzene	89	64	133		50	%		08/30/06	SW846 5030B	SW846 8260B
Toluene-d8	98	67	139		50	%		08/30/06	SW846 5030B	SW846 8260B
Dibromofluoromethane	98	64	140		50	%		08/30/06	SW846 5030B	SW846 8260B

PAH/PNA

Prep Date: 08/30/06

Analyte	Result	LOD	LOQ	EQL	Dil.	Units	Code	Anl Date	Prep Method	Anl Method
1-Methylnaphthalene	12	3.6	12		1	ug/Kg		08/31/06	SW846 3545	8270C-SIM
2-Methylnaphthalene	18	3.7	12		1	ug/Kg		08/31/06	SW846 3545	8270C-SIM
Acenaphthene	< 3.5	3.5	12		1	ug/Kg		08/31/06	SW846 3545	8270C-SIM
Acenaphthylene	< 3.4	3.4	11		1	ug/Kg		08/31/06	SW846 3545	8270C-SIM
Anthracene	< 4.2	4.2	14		1	ug/Kg		08/31/06	SW846 3545	8270C-SIM
Benzo(a)anthracene	< 6.3	6.3	21		1	ug/Kg		08/31/06	SW846 3545	8270C-SIM
Benzo(a)pyrene	< 3.4	3.4	11		1	ug/Kg		08/31/06	SW846 3545	8270C-SIM
Benzo(b)fluoranthene	< 3.3	3.3	11		1	ug/Kg		08/31/06	SW846 3545	8270C-SIM
Benzo(ghi)perylene	< 4.2	4.2	14		1	ug/Kg		08/31/06	SW846 3545	8270C-SIM
Benzo(k)fluoranthene	< 3.6	3.6	12		1	ug/Kg		08/31/06	SW846 3545	8270C-SIM
Chrysene	< 5.2	5.2	17		1	ug/Kg		08/31/06	SW846 3545	8270C-SIM
Dibenz(a,h)anthracene	< 3.3	3.3	11		1	ug/Kg		08/31/06	SW846 3545	8270C-SIM
Fluoranthene	< 3.4	3.4	11		1	ug/Kg		08/31/06	SW846 3545	8270C-SIM
Fluorene	< 4.0	4.0	13		1	ug/Kg		08/31/06	SW846 3545	8270C-SIM
Indeno(1,2,3-cd)pyrene	< 3.0	3.0	9.9		1	ug/Kg		08/31/06	SW846 3545	8270C-SIM

All soil results are reported on a dry weight basis unless otherwise noted.

Pace Analytical Services, Inc.

1241 Bellevue Street
Green Bay, WI 54302
920-469-2436

Analytical Report Number: 875476

Client : ECCI
Project Name : OLD DUTCHMILL PROPERTY
Project Number :
Field ID : GP-1-6

Matrix Type : SOIL
Collection Date : 08/24/06
Report Date : 09/14/06
Lab Sample Number : 875476-014

PAH/PNA

Prep Date: 08/30/06

Analyte		Result	LOD	LOQ	EQL	Dil.	Units	Code	Anl Date	Prep Method	Anl Method
Naphthalene		11	4.7	16		1	ug/Kg	Q	08/31/06	SW846 3545	8270C-SIM
Phenanthrene	<	3.5	3.5	12		1	ug/Kg		08/31/06	SW846 3545	8270C-SIM
Pyrene	<	2.9	2.9	9.7		1	ug/Kg		08/31/06	SW846 3545	8270C-SIM
Surrogate			**LCL**	**UCL**							
Nitrobenzene-d5		87	10	141		1	%		08/31/06	SW846 3545	8270C-SIM
2-Fluorobiphenyl		75	10	161		1	%		08/31/06	SW846 3545	8270C-SIM
Terphenyl-d14		85	29	150		1	%		08/31/06	SW846 3545	8270C-SIM

All soil results are reported on a dry weight basis unless otherwise noted.

Pace Analytical Services, Inc.

1241 Bellevue Street
Green Bay, WI 54302
920-469-2436

Analytical Report Number: 875476

Client : ECCI
Project Name : OLD DUTCHMILL PROPERTY
Project Number :
Field ID : GP-2-2

Matrix Type : SOIL
Collection Date : 08/24/06
Report Date : 09/14/06
Lab Sample Number : 875476-015

INORGANICS

Test	Result	LOD	LOQ	EQL	Dil.	Units	Code	Anl Date	Prep Method	Anl Method
Lead	3.1	0.36	1.2		1	mg/Kg		08/29/06	SW846 3050B	SW846 6010B
Percent Solids	94.3				1	%		08/28/06	SM M2540G	SM M2540G

DIESEL RANGE ORGANICS

Preservation Date: 08/29/06 Prep Date: 08/29/06

Analyte		Result	LOD	LOQ	EQL	Dil.	Units	Code	Anl Date	Prep Method	Anl Method
Diesel Range Organics	<	3.7			3.7	1	mg/kg		08/30/06	WI MOD DRO	WI MOD DRO

GASOLINE RANGE ORGANICS

Prep Date: 08/29/06

Analyte		Result	LOD	LOQ	EQL	Dil.	Units	Code	Anl Date	Prep Method	Anl Method
Gasoline Range Organics	<	2.7			2.7	50	mg/Kg		08/29/06	WI MOD GRO	WI MOD GRO

VOLATILES

Prep Date: 08/29/06

Analyte		Result	LOD	LOQ	EQL	Dil.	Units	Code	Anl Date	Prep Method	Anl Method
1,1,1,2-Tetrachloroethane	<	25	25	60		50	ug/Kg		08/29/06	SW846 5030B	SW846 8260B
1,1,1-Trichloroethane	<	25	25	60		50	ug/Kg		08/29/06	SW846 5030B	SW846 8260B
1,1,2,2-Tetrachloroethane	<	25	25	60		50	ug/Kg		08/29/06	SW846 5030B	SW846 8260B
1,1,2-Trichloroethane	<	25	25	60		50	ug/Kg		08/29/06	SW846 5030B	SW846 8260B
1,1-Dichloroethane	<	25	25	60		50	ug/Kg		08/29/06	SW846 5030B	SW846 8260B
1,1-Dichloroethene	<	25	25	60		50	ug/Kg		08/29/06	SW846 5030B	SW846 8260B
1,1-Dichloropropene	<	25	25	60		50	ug/Kg		08/29/06	SW846 5030B	SW846 8260B
1,2,3-Trichlorobenzene	<	25	25	60		50	ug/Kg		08/29/06	SW846 5030B	SW846 8260B
1,2,3-Trichloropropane	<	25	25	60		50	ug/Kg		08/29/06	SW846 5030B	SW846 8260B
1,2,4-Trichlorobenzene	<	25	25	60		50	ug/Kg		08/29/06	SW846 5030B	SW846 8260B
1,2,4-Trimethylbenzene	<	25	25	60		50	ug/Kg		08/29/06	SW846 5030B	SW846 8260B
1,2-Dibromo-3-chloropropane	<	82	82	200		50	ug/Kg		08/29/06	SW846 5030B	SW846 8260B
1,2-Dibromoethane	<	25	25	60		50	ug/Kg		08/29/06	SW846 5030B	SW846 8260B
1,2-Dichlorobenzene	<	44	44	110		50	ug/Kg		08/29/06	SW846 5030B	SW846 8260B
1,2-Dichloroethane	<	25	25	60		50	ug/Kg		08/29/06	SW846 5030B	SW846 8260B
1,2-Dichloropropane	<	25	25	60		50	ug/Kg		08/29/06	SW846 5030B	SW846 8260B
1,3,5-Trimethylbenzene	<	25	25	60		50	ug/Kg		08/29/06	SW846 5030B	SW846 8260B
1,3-Dichlorobenzene	<	25	25	60		50	ug/Kg		08/29/06	SW846 5030B	SW846 8260B
1,3-Dichloropropane	<	25	25	60		50	ug/Kg		08/29/06	SW846 5030B	SW846 8260B
1,4-Dichlorobenzene	<	25	25	60		50	ug/Kg		08/29/06	SW846 5030B	SW846 8260B
2,2-Dichloropropane	<	25	25	60		50	ug/Kg		08/29/06	SW846 5030B	SW846 8260B
2-Chlorotoluene	<	25	25	60		50	ug/Kg		08/29/06	SW846 5030B	SW846 8260B
4-Chlorotoluene	<	25	25	60		50	ug/Kg		08/29/06	SW846 5030B	SW846 8260B
Benzene	<	25	25	60		50	ug/Kg		08/29/06	SW846 5030B	SW846 8260B
Bromobenzene	<	25	25	60		50	ug/Kg		08/29/06	SW846 5030B	SW846 8260B
Bromochloromethane	<	25	25	60		50	ug/Kg		08/29/06	SW846 5030B	SW846 8260B
Bromodichloromethane	<	25	25	60		50	ug/Kg		08/29/06	SW846 5030B	SW846 8260B
Bromoform	<	26	26	62		50	ug/Kg		08/29/06	SW846 5030B	SW846 8260B
Bromomethane	<	25	25	60		50	ug/Kg		08/29/06	SW846 5030B	SW846 8260B
Carbon Tetrachloride	<	25	25	60		50	ug/Kg		08/29/06	SW846 5030B	SW846 8260B
Chlorobenzene	<	25	25	60		50	ug/Kg		08/29/06	SW846 5030B	SW846 8260B
Chlorodibromomethane	<	25	25	60		50	ug/Kg		08/29/06	SW846 5030B	SW846 8260B
Chloroethane	<	25	25	60		50	ug/Kg		08/29/06	SW846 5030B	SW846 8260B
Chloroform	<	25	25	60		50	ug/Kg		08/29/06	SW846 5030B	SW846 8260B
Chloromethane	<	25	25	60		50	ug/Kg		08/29/06	SW846 5030B	SW846 8260B

All soil results are reported on a dry weight basis unless otherwise noted.

Pace Analytical Services, Inc.

1241 Bellevue Street
Green Bay, WI 54302
920-469-2436

Analytical Report Number: 875476

Client : ECCI
Project Name : OLD DUTCHMILL PROPERTY
Project Number :
Field ID : GP-2-2

Matrix Type : SOIL
Collection Date : 08/24/06
Report Date : 09/14/06
Lab Sample Number : 875476-015

VOLATILES

Prep Date: 08/29/06

Analyte	Result	LOD	LOQ	EQL	Dil.	Units	Code	Anl Date	Prep Method	Anl Method
cis-1,2-Dichloroethene	< 25	25	60		50	ug/Kg		08/29/06	SW846 5030B	SW846 8260B
cis-1,3-Dichloropropene	< 25	25	60		50	ug/Kg		08/29/06	SW846 5030B	SW846 8260B
Dibromomethane	< 25	25	60		50	ug/Kg		08/29/06	SW846 5030B	SW846 8260B
Dichlorodifluoromethane	< 25	25	60		50	ug/Kg		08/29/06	SW846 5030B	SW846 8260B
Diisopropyl Ether	< 25	25	60		50	ug/Kg		08/29/06	SW846 5030B	SW846 8260B
Ethylbenzene	< 25	25	60		50	ug/Kg		08/29/06	SW846 5030B	SW846 8260B
Fluorotrichloromethane	< 25	25	60		50	ug/Kg		08/29/06	SW846 5030B	SW846 8260B
Hexachlorobutadiene	< 26	26	63		50	ug/Kg		08/29/06	SW846 5030B	SW846 8260B
Isopropylbenzene	< 25	25	60		50	ug/Kg		08/29/06	SW846 5030B	SW846 8260B
Methylene Chloride	< 25	25	60		50	ug/Kg		08/29/06	SW846 5030B	SW846 8260B
Methyl-tert-butyl-ether	< 25	25	60		50	ug/Kg		08/29/06	SW846 5030B	SW846 8260B
Naphthalene	< 25	25	60		50	ug/Kg		08/29/06	SW846 5030B	SW846 8260B
n-Butylbenzene	< 40	40	97		50	ug/Kg		08/29/06	SW846 5030B	SW846 8260B
n-Propylbenzene	< 25	25	60		50	ug/Kg		08/29/06	SW846 5030B	SW846 8260B
p-Isopropyltoluene	< 25	25	60		50	ug/Kg		08/29/06	SW846 5030B	SW846 8260B
s-Butylbenzene	< 25	25	60		50	ug/Kg		08/29/06	SW846 5030B	SW846 8260B
Styrene	< 25	25	60		50	ug/Kg		08/29/06	SW846 5030B	SW846 8260B
t-Butylbenzene	< 25	25	60		50	ug/Kg		08/29/06	SW846 5030B	SW846 8260B
Tetrachloroethene	< 25	25	60		50	ug/Kg		08/29/06	SW846 5030B	SW846 8260B
Toluene	< 25	25	60		50	ug/Kg		08/29/06	SW846 5030B	SW846 8260B
trans-1,2-Dichloroethene	< 25	25	60		50	ug/Kg		08/29/06	SW846 5030B	SW846 8260B
trans-1,3-Dichloropropene	< 25	25	60		50	ug/Kg	&	08/29/06	SW846 5030B	SW846 8260B
Trichloroethene	< 25	25	60		50	ug/Kg		08/29/06	SW846 5030B	SW846 8260B
Vinyl Chloride	< 25	25	60		50	ug/Kg		08/29/06	SW846 5030B	SW846 8260B
Xylenes, m + p	< 50	50	120		50	ug/Kg		08/29/06	SW846 5030B	SW846 8260B
Xylene, o	< 25	25	60		50	ug/Kg		08/29/06	SW846 5030B	SW846 8260B
Surrogate		**LCL**	**UCL**							
4-Bromofluorobenzene	89	64	133		50	%		08/29/06	SW846 5030B	SW846 8260B
Toluene-d8	98	67	139		50	%		08/29/06	SW846 5030B	SW846 8260B
Dibromofluoromethane	107	64	140		50	%		08/29/06	SW846 5030B	SW846 8260B

PAH/PNA

Prep Date: 08/30/06

Analyte	Result	LOD	LOQ	EQL	Dil.	Units	Code	Anl Date	Prep Method	Anl Method
1-Methylnaphthalene	< 3.2	3.2	11		1	ug/Kg		08/31/06	SW846 3545	8270C-SIM
2-Methylnaphthalene	< 3.3	3.3	11		1	ug/Kg		08/31/06	SW846 3545	8270C-SIM
Acenaphthene	< 3.2	3.2	11		1	ug/Kg		08/31/06	SW846 3545	8270C-SIM
Acenaphthylene	7.0	3.1	10		1	ug/Kg	Q	08/31/06	SW846 3545	8270C-SIM
Anthracene	4.8	3.8	13		1	ug/Kg	Q	08/31/06	SW846 3545	8270C-SIM
Benzo(a)anthracene	< 5.6	5.6	19		1	ug/Kg		08/31/06	SW846 3545	8270C-SIM
Benzo(a)pyrene	4.2	3.0	10		1	ug/Kg	Q	08/31/06	SW846 3545	8270C-SIM
Benzo(b)fluoranthene	4.3	3.0	9.9		1	ug/Kg	Q	08/31/06	SW846 3545	8270C-SIM
Benzo(ghi)perylene	6.2	3.8	13		1	ug/Kg	Q	08/31/06	SW846 3545	8270C-SIM
Benzo(k)fluoranthene	4.8	3.2	11		1	ug/Kg	Q	08/31/06	SW846 3545	8270C-SIM
Chrysene	5.0	4.6	15		1	ug/Kg	Q	08/31/06	SW846 3545	8270C-SIM
Dibenz(a,h)anthracene	< 2.9	2.9	9.7		1	ug/Kg		08/31/06	SW846 3545	8270C-SIM
Fluoranthene	3.7	3.1	10		1	ug/Kg	Q	08/31/06	SW846 3545	8270C-SIM
Fluorene	< 3.6	3.6	12		1	ug/Kg		08/31/06	SW846 3545	8270C-SIM
Indeno(1,2,3-cd)pyrene	< 2.7	2.7	8.9		1	ug/Kg		08/31/06	SW846 3545	8270C-SIM

All soil results are reported on a dry weight basis unless otherwise noted.

Pace Analytical Services, Inc.

1241 Bellevue Street
Green Bay, WI 54302
920-469-2436

Analytical Report Number: 875476

Client : ECCI
Project Name : OLD DUTCHMILL PROPERTY
Project Number :
Field ID : GP-2-2

Matrix Type : SOIL
Collection Date : 08/24/06
Report Date : 09/14/06
Lab Sample Number : 875476-015

PAH/PNA

Prep Date: 08/30/06

Analyte		Result	LOD	LOQ	EQL	Dil.	Units	Code	Anl Date	Prep Method	Anl Method
Naphthalene		6.0	4.3	14		1	ug/Kg	Q	08/31/06	SW846 3545	8270C-SIM
Phenanthrene	<	3.1	3.1	10		1	ug/Kg		08/31/06	SW846 3545	8270C-SIM
Pyrene		4.0	2.6	8.7		1	ug/Kg	Q	08/31/06	SW846 3545	8270C-SIM
Surrogate			**LCL**	**UCL**							
Nitrobenzene-d5		87	10	141		1	%		08/31/06	SW846 3545	8270C-SIM
2-Fluorobiphenyl		75	10	161		1	%		08/31/06	SW846 3545	8270C-SIM
Terphenyl-d14		81	29	150		1	%		08/31/06	SW846 3545	8270C-SIM

All soil results are reported on a dry weight basis unless otherwise noted.

Pace Analytical Services, Inc.

1241 Bellevue Street
Green Bay, WI 54302
920-469-2436

Analytical Report Number: 875476

Client : ECCI
Project Name : OLD DUTCHMILL PROPERTY
Project Number :
Field ID : GP-2-4

Matrix Type : SOIL
Collection Date : 08/24/06
Report Date : 09/14/06
Lab Sample Number : 875476-016

INORGANICS

Test	Result	LOD	LOQ	EQL	Dil.	Units	Code	Anl Date	Prep Method	Anl Method
Lead	8.1	0.41	1.4		1	mg/Kg		08/30/06	SW846 3050B	SW846 6010B
Percent Solids	82.3				1	%		08/28/06	SM M2540G	SM M2540G

DIESEL RANGE ORGANICS

Preservation Date: 08/29/06 Prep Date: 08/29/06

Analyte	Result	LOD	LOQ	EQL	Dil.	Units	Code	Anl Date	Prep Method	Anl Method
Diesel Range Organics	100			4.4	1	mg/kg		08/30/06	WI MOD DRO	WI MOD DRO

GASOLINE RANGE ORGANICS

Prep Date: 08/29/06

Analyte	Result	LOD	LOQ	EQL	Dil.	Units	Code	Anl Date	Prep Method	Anl Method
Gasoline Range Organics	720			15	250	mg/Kg		08/29/06	WI MOD GRO	WI MOD GRO

VOLATILES

Prep Date: 08/29/06

Analyte	Result	LOD	LOQ	EQL	Dil.	Units	Code	Anl Date	Prep Method	Anl Method
1,1,1,2-Tetrachloroethane	< 100	100	240		200	ug/Kg		08/30/06	SW846 5030B	SW846 8260B
1,1,1-Trichloroethane	< 100	100	240		200	ug/Kg		08/30/06	SW846 5030B	SW846 8260B
1,1,2,2-Tetrachloroethane	< 100	100	240		200	ug/Kg		08/30/06	SW846 5030B	SW846 8260B
1,1,2-Trichloroethane	< 100	100	240		200	ug/Kg		08/30/06	SW846 5030B	SW846 8260B
1,1-Dichloroethane	< 100	100	240		200	ug/Kg		08/30/06	SW846 5030B	SW846 8260B
1,1-Dichloroethene	< 100	100	240		200	ug/Kg		08/30/06	SW846 5030B	SW846 8260B
1,1-Dichloropropene	< 100	100	240		200	ug/Kg		08/30/06	SW846 5030B	SW846 8260B
1,2,3-Trichlorobenzene	< 100	100	240		200	ug/Kg		08/30/06	SW846 5030B	SW846 8260B
1,2,3-Trichloropropane	< 100	100	240		200	ug/Kg		08/30/06	SW846 5030B	SW846 8260B
1,2,4-Trichlorobenzene	< 100	100	240		200	ug/Kg		08/30/06	SW846 5030B	SW846 8260B
1,2,4-Trimethylbenzene	14000	120	290		200	ug/Kg		08/30/06	SW846 5030B	SW846 8260B
1,2-Dibromo-3-chloropropane	< 330	330	790		200	ug/Kg		08/30/06	SW846 5030B	SW846 8260B
1,2-Dibromoethane	< 100	100	240		200	ug/Kg		08/30/06	SW846 5030B	SW846 8260B
1,2-Dichlorobenzene	< 180	180	430		200	ug/Kg		08/30/06	SW846 5030B	SW846 8260B
1,2-Dichloroethane	< 100	100	240		200	ug/Kg		08/30/06	SW846 5030B	SW846 8260B
1,2-Dichloropropane	< 100	100	240		200	ug/Kg		08/30/06	SW846 5030B	SW846 8260B
1,3,5-Trimethylbenzene	5200	120	290		200	ug/Kg		08/30/06	SW846 5030B	SW846 8260B
1,3-Dichlorobenzene	< 100	100	240		200	ug/Kg		08/30/06	SW846 5030B	SW846 8260B
1,3-Dichloropropane	< 100	100	240		200	ug/Kg		08/30/06	SW846 5030B	SW846 8260B
1,4-Dichlorobenzene	< 100	100	240		200	ug/Kg		08/30/06	SW846 5030B	SW846 8260B
2,2-Dichloropropane	< 100	100	240		200	ug/Kg		08/30/06	SW846 5030B	SW846 8260B
2-Chlorotoluene	< 100	100	240		200	ug/Kg		08/30/06	SW846 5030B	SW846 8260B
4-Chlorotoluene	< 100	100	240		200	ug/Kg		08/30/06	SW846 5030B	SW846 8260B
Benzene	< 100	100	240		200	ug/Kg		08/30/06	SW846 5030B	SW846 8260B
Bromobenzene	< 100	100	240		200	ug/Kg		08/30/06	SW846 5030B	SW846 8260B
Bromochloromethane	< 100	100	240		200	ug/Kg		08/30/06	SW846 5030B	SW846 8260B
Bromodichloromethane	< 100	100	240		200	ug/Kg		08/30/06	SW846 5030B	SW846 8260B
Bromoform	< 100	100	250		200	ug/Kg		08/30/06	SW846 5030B	SW846 8260B
Bromomethane	< 100	100	240		200	ug/Kg		08/30/06	SW846 5030B	SW846 8260B
Carbon Tetrachloride	< 100	100	240		200	ug/Kg		08/30/06	SW846 5030B	SW846 8260B
Chlorobenzene	< 100	100	240		200	ug/Kg		08/30/06	SW846 5030B	SW846 8260B
Chlorodibromomethane	< 100	100	240		200	ug/Kg		08/30/06	SW846 5030B	SW846 8260B
Chloroethane	< 100	100	240		200	ug/Kg		08/30/06	SW846 5030B	SW846 8260B
Chloroform	< 100	100	240		200	ug/Kg		08/30/06	SW846 5030B	SW846 8260B
Chloromethane	< 100	100	240		200	ug/Kg		08/30/06	SW846 5030B	SW846 8260B

All soil results are reported on a dry weight basis unless otherwise noted.

Pace Analytical Services, Inc.

1241 Bellevue Street
Green Bay, WI 54302
920-469-2436

Analytical Report Number: 875476

Client : ECCI
Project Name : OLD DUTCHMILL PROPERTY
Project Number :
Field ID : GP-2-4

Matrix Type : SOIL
Collection Date : 08/24/06
Report Date : 09/14/06
Lab Sample Number : 875476-016

VOLATILES

Prep Date: 08/29/06

Analyte		Result	LOD	LOQ	EQL	Dil.	Units	Code	Anl Date	Prep Method	Anl Method
cis-1,2-Dichloroethene	<	100	100	240		200	ug/Kg		08/30/06	SW846 5030B	SW846 8260B
cis-1,3-Dichloropropene	<	100	100	240		200	ug/Kg		08/30/06	SW846 5030B	SW846 8260B
Dibromomethane	<	100	100	240		200	ug/Kg		08/30/06	SW846 5030B	SW846 8260B
Dichlorodifluoromethane	<	100	100	240		200	ug/Kg		08/30/06	SW846 5030B	SW846 8260B
Diisopropyl Ether	<	100	100	240		200	ug/Kg		08/30/06	SW846 5030B	SW846 8260B
Ethylbenzene		4500	120	290		200	ug/Kg		08/30/06	SW846 5030B	SW846 8260B
Fluorotrichloromethane	<	100	100	240		200	ug/Kg		08/30/06	SW846 5030B	SW846 8260B
Hexachlorobutadiene	<	110	110	250		200	ug/Kg		08/30/06	SW846 5030B	SW846 8260B
Isopropylbenzene		610	120	290		200	ug/Kg		08/30/06	SW846 5030B	SW846 8260B
Methylene Chloride	<	100	100	240		200	ug/Kg		08/30/06	SW846 5030B	SW846 8260B
Methyl-tert-butyl-ether	<	100	100	240		200	ug/Kg		08/30/06	SW846 5030B	SW846 8260B
Naphthalene		3000	120	290		200	ug/Kg		08/30/06	SW846 5030B	SW846 8260B
n-Butylbenzene	<	160	160	390		200	ug/Kg		08/30/06	SW846 5030B	SW846 8260B
n-Propylbenzene		2400	120	290		200	ug/Kg		08/30/06	SW846 5030B	SW846 8260B
p-Isopropyltoluene		600	120	290		200	ug/Kg		08/30/06	SW846 5030B	SW846 8260B
s-Butylbenzene		420	120	290		200	ug/Kg		08/30/06	SW846 5030B	SW846 8260B
Styrene	<	100	100	240		200	ug/Kg		08/30/06	SW846 5030B	SW846 8260B
t-Butylbenzene	<	100	100	240		200	ug/Kg		08/30/06	SW846 5030B	SW846 8260B
Tetrachloroethene	<	100	100	240		200	ug/Kg		08/30/06	SW846 5030B	SW846 8260B
Toluene		2500	120	290		200	ug/Kg		08/30/06	SW846 5030B	SW846 8260B
trans-1,2-Dichloroethene	<	100	100	240		200	ug/Kg		08/30/06	SW846 5030B	SW846 8260B
trans-1,3-Dichloropropene	<	100	100	240		200	ug/Kg	&	08/30/06	SW846 5030B	SW846 8260B
Trichloroethene	<	100	100	240		200	ug/Kg		08/30/06	SW846 5030B	SW846 8260B
Vinyl Chloride	<	100	100	240		200	ug/Kg		08/30/06	SW846 5030B	SW846 8260B
Xylenes, m + p		9900	240	580		200	ug/Kg		08/30/06	SW846 5030B	SW846 8260B
Xylene, o		4700	120	290		200	ug/Kg		08/30/06	SW846 5030B	SW846 8260B
Surrogate			**LCL**	**UCL**							
4-Bromofluorobenzene		92	64	133		200	%		08/30/06	SW846 5030B	SW846 8260B
Toluene-d8		103	67	139		200	%		08/30/06	SW846 5030B	SW846 8260B
Dibromofluoromethane		104	64	140		200	%		08/30/06	SW846 5030B	SW846 8260B

PAH/PNA

Prep Date: 08/30/06

Analyte		Result	LOD	LOQ	EQL	Dil.	Units	Code	Anl Date	Prep Method	Anl Method
1-Methylnaphthalene		690	7.3	24		2	ug/Kg		09/01/06	SW846 3545	8270C-SIM
2-Methylnaphthalene		1600	7.6	25		2	ug/Kg		09/01/06	SW846 3545	8270C-SIM
Acenaphthene	<	7.2	7.2	24		2	ug/Kg		09/01/06	SW846 3545	8270C-SIM
Acenaphthylene	<	7.0	7.0	23		2	ug/Kg		09/01/06	SW846 3545	8270C-SIM
Anthracene	<	8.6	8.6	29		2	ug/Kg		09/01/06	SW846 3545	8270C-SIM
Benzo(a)anthracene	<	13	13	43		2	ug/Kg		09/01/06	SW846 3545	8270C-SIM
Benzo(a)pyrene	<	7.0	7.0	23		2	ug/Kg		09/01/06	SW846 3545	8270C-SIM
Benzo(b)fluoranthene	<	6.8	6.8	23		2	ug/Kg		09/01/06	SW846 3545	8270C-SIM
Benzo(ghi)perylene	<	8.6	8.6	29		2	ug/Kg		09/01/06	SW846 3545	8270C-SIM
Benzo(k)fluoranthene	<	7.4	7.4	25		2	ug/Kg		09/01/06	SW846 3545	8270C-SIM
Chrysene	<	11	11	35		2	ug/Kg		09/01/06	SW846 3545	8270C-SIM
Dibenz(a,h)anthracene	<	6.7	6.7	22		2	ug/Kg		09/01/06	SW846 3545	8270C-SIM
Fluoranthene	<	7.0	7.0	23		2	ug/Kg		09/01/06	SW846 3545	8270C-SIM
Fluorene	<	8.3	8.3	28		2	ug/Kg		09/01/06	SW846 3545	8270C-SIM
Indeno(1,2,3-cd)pyrene	<	6.1	6.1	20		2	ug/Kg		09/01/06	SW846 3545	8270C-SIM

All soil results are reported on a dry weight basis unless otherwise noted.

Pace Analytical Services, Inc.

1241 Bellevue Street
Green Bay, WI 54302
920-469-2436

Analytical Report Number: 875476

Client : ECCI
Project Name : OLD DUTCHMILL PROPERTY
Project Number :
Field ID : GP-2-4

Matrix Type : SOIL
Collection Date : 08/24/06
Report Date : 09/14/06
Lab Sample Number : 875476-016

PAH/PNA

Prep Date: 08/30/06

Analyte	Result	LOD	LOQ	EQL	Dil.	Units	Code	Anl Date	Prep Method	Anl Method
Naphthalene	1100	9.7	32		2	ug/Kg		09/01/06	SW846 3545	8270C-SIM
Phenanthrene	7.2	7.2	24		2	ug/Kg	Q	09/01/06	SW846 3545	8270C-SIM
Pyrene	< 6.0	6.0	20		2	ug/Kg		09/01/06	SW846 3545	8270C-SIM
Surrogate		**LCL**	**UCL**							
Nitrobenzene-d5	85	10	141		2	%		09/01/06	SW846 3545	8270C-SIM
2-Fluorobiphenyl	62	10	161		2	%		09/01/06	SW846 3545	8270C-SIM
Terphenyl-d14	69	29	150		2	%		09/01/06	SW846 3545	8270C-SIM

All soil results are reported on a dry weight basis unless otherwise noted.

Pace Analytical Services, Inc.

1241 Bellevue Street
Green Bay, WI 54302
920-469-2436

Analytical Report Number: 875476

Client : ECCI
Project Name : OLD DUTCHMILL PROPERTY
Project Number :
Field ID : GP-2-6

Matrix Type : SOIL
Collection Date : 08/24/06
Report Date : 09/14/06
Lab Sample Number : 875476-017

INORGANICS

Test	Result	LOD	LOQ	EQL	Dil.	Units	Code	Anl Date	Prep Method	Anl Method
Lead	5.7	0.41	1.4		1	mg/Kg		08/30/06	SW846 3050B	SW846 6010B
Percent Solids	82.1				1	%		08/28/06	SM M2540G	SM M2540G

DIESEL RANGE ORGANICS

Preservation Date: 08/29/06 Prep Date: 08/29/06

Analyte	Result	LOD	LOQ	EQL	Dil.	Units	Code	Anl Date	Prep Method	Anl Method
Diesel Range Organics	9.0			4.0	1	mg/kg		08/30/06	WI MOD DRO	WI MOD DRO

GASOLINE RANGE ORGANICS

Prep Date: 08/29/06

Analyte	Result	LOD	LOQ	EQL	Dil.	Units	Code	Anl Date	Prep Method	Anl Method
Gasoline Range Organics	38			3.0	50	mg/Kg		08/29/06	WI MOD GRO	WI MOD GRO

VOLATILES

Prep Date: 08/29/06

Analyte	Result	LOD	LOQ	EQL	Dil.	Units	Code	Anl Date	Prep Method	Anl Method
1,1,1,2-Tetrachloroethane	< 25	25	60		50	ug/Kg		08/30/06	SW846 5030B	SW846 8260B
1,1,1-Trichloroethane	< 25	25	60		50	ug/Kg		08/30/06	SW846 5030B	SW846 8260B
1,1,2,2-Tetrachloroethane	< 25	25	60		50	ug/Kg		08/30/06	SW846 5030B	SW846 8260B
1,1,2-Trichloroethane	< 25	25	60		50	ug/Kg		08/30/06	SW846 5030B	SW846 8260B
1,1-Dichloroethane	< 25	25	60		50	ug/Kg		08/30/06	SW846 5030B	SW846 8260B
1,1-Dichloroethene	< 25	25	60		50	ug/Kg		08/30/06	SW846 5030B	SW846 8260B
1,1-Dichloropropene	< 25	25	60		50	ug/Kg		08/30/06	SW846 5030B	SW846 8260B
1,2,3-Trichlorobenzene	< 25	25	60		50	ug/Kg		08/30/06	SW846 5030B	SW846 8260B
1,2,3-Trichloropropane	< 25	25	60		50	ug/Kg		08/30/06	SW846 5030B	SW846 8260B
1,2,4-Trichlorobenzene	< 25	25	60		50	ug/Kg		08/30/06	SW846 5030B	SW846 8260B
1,2,4-Trimethylbenzene	2100	30	73		50	ug/Kg		08/30/06	SW846 5030B	SW846 8260B
1,2-Dibromo-3-chloropropane	< 82	82	200		50	ug/Kg		08/30/06	SW846 5030B	SW846 8260B
1,2-Dibromoethane	< 25	25	60		50	ug/Kg		08/30/06	SW846 5030B	SW846 8260B
1,2-Dichlorobenzene	< 44	44	110		50	ug/Kg		08/30/06	SW846 5030B	SW846 8260B
1,2-Dichloroethane	< 25	25	60		50	ug/Kg		08/30/06	SW846 5030B	SW846 8260B
1,2-Dichloropropane	< 25	25	60		50	ug/Kg		08/30/06	SW846 5030B	SW846 8260B
1,3,5-Trimethylbenzene	990	30	73		50	ug/Kg		08/30/06	SW846 5030B	SW846 8260B
1,3-Dichlorobenzene	< 25	25	60		50	ug/Kg		08/30/06	SW846 5030B	SW846 8260B
1,3-Dichloropropane	< 25	25	60		50	ug/Kg		08/30/06	SW846 5030B	SW846 8260B
1,4-Dichlorobenzene	< 25	25	60		50	ug/Kg		08/30/06	SW846 5030B	SW846 8260B
2,2-Dichloropropane	< 25	25	60		50	ug/Kg		08/30/06	SW846 5030B	SW846 8260B
2-Chlorotoluene	< 25	25	60		50	ug/Kg		08/30/06	SW846 5030B	SW846 8260B
4-Chlorotoluene	< 25	25	60		50	ug/Kg		08/30/06	SW846 5030B	SW846 8260B
Benzene	< 25	25	60		50	ug/Kg		08/30/06	SW846 5030B	SW846 8260B
Bromobenzene	< 25	25	60		50	ug/Kg		08/30/06	SW846 5030B	SW846 8260B
Bromochloromethane	< 25	25	60		50	ug/Kg		08/30/06	SW846 5030B	SW846 8260B
Bromodichloromethane	< 25	25	60		50	ug/Kg		08/30/06	SW846 5030B	SW846 8260B
Bromoform	< 26	26	62		50	ug/Kg		08/30/06	SW846 5030B	SW846 8260B
Bromomethane	< 25	25	60		50	ug/Kg		08/30/06	SW846 5030B	SW846 8260B
Carbon Tetrachloride	< 25	25	60		50	ug/Kg		08/30/06	SW846 5030B	SW846 8260B
Chlorobenzene	< 25	25	60		50	ug/Kg		08/30/06	SW846 5030B	SW846 8260B
Chlorodibromomethane	< 25	25	60		50	ug/Kg		08/30/06	SW846 5030B	SW846 8260B
Chloroethane	< 25	25	60		50	ug/Kg		08/30/06	SW846 5030B	SW846 8260B
Chloroform	< 25	25	60		50	ug/Kg		08/30/06	SW846 5030B	SW846 8260B
Chloromethane	< 25	25	60		50	ug/Kg		08/30/06	SW846 5030B	SW846 8260B

All soil results are reported on a dry weight basis unless otherwise noted.

Pace Analytical Services, Inc.

1241 Bellevue Street
Green Bay, WI 54302
920-469-2436

Analytical Report Number: 875476

Client : ECCI
Project Name : OLD DUTCHMILL PROPERTY
Project Number :
Field ID : GP-2-6

Matrix Type : SOIL
Collection Date : 08/24/06
Report Date : 09/14/06
Lab Sample Number : 875476-017

VOLATILES

Prep Date: 08/29/06

Analyte	Result	LOD	LOQ	EQL	Dil.	Units	Code	Anl Date	Prep Method	Anl Method
cis-1,2-Dichloroethene	< 25	25	60		50	ug/Kg		08/30/06	SW846 5030B	SW846 8260B
cis-1,3-Dichloropropene	< 25	25	60		50	ug/Kg		08/30/06	SW846 5030B	SW846 8260B
Dibromomethane	< 25	25	60		50	ug/Kg		08/30/06	SW846 5030B	SW846 8260B
Dichlorodifluoromethane	< 25	25	60		50	ug/Kg		08/30/06	SW846 5030B	SW846 8260B
Diisopropyl Ether	< 25	25	60		50	ug/Kg		08/30/06	SW846 5030B	SW846 8260B
Ethylbenzene	1100	30	73		50	ug/Kg		08/30/06	SW846 5030B	SW846 8260B
Fluorotrichloromethane	< 25	25	60		50	ug/Kg		08/30/06	SW846 5030B	SW846 8260B
Hexachlorobutadiene	< 26	26	63		50	ug/Kg		08/30/06	SW846 5030B	SW846 8260B
Isopropylbenzene	160	30	73		50	ug/Kg		08/30/06	SW846 5030B	SW846 8260B
Methylene Chloride	< 25	25	60		50	ug/Kg		08/30/06	SW846 5030B	SW846 8260B
Methyl-tert-butyl-ether	< 25	25	60		50	ug/Kg		08/30/06	SW846 5030B	SW846 8260B
Naphthalene	950	30	73		50	ug/Kg		08/30/06	SW846 5030B	SW846 8260B
n-Butylbenzene	< 40	40	97		50	ug/Kg		08/30/06	SW846 5030B	SW846 8260B
n-Propylbenzene	430	30	73		50	ug/Kg		08/30/06	SW846 5030B	SW846 8260B
p-Isopropyltoluene	270	30	73		50	ug/Kg		08/30/06	SW846 5030B	SW846 8260B
s-Butylbenzene	130	30	73		50	ug/Kg		08/30/06	SW846 5030B	SW846 8260B
Styrene	< 25	25	60		50	ug/Kg		08/30/06	SW846 5030B	SW846 8260B
t-Butylbenzene	< 25	25	60		50	ug/Kg		08/30/06	SW846 5030B	SW846 8260B
Tetrachloroethene	< 25	25	60		50	ug/Kg		08/30/06	SW846 5030B	SW846 8260B
Toluene	1500	30	73		50	ug/Kg		08/30/06	SW846 5030B	SW846 8260B
trans-1,2-Dichloroethene	< 25	25	60		50	ug/Kg		08/30/06	SW846 5030B	SW846 8260B
trans-1,3-Dichloropropene	< 25	25	60		50	ug/Kg	&	08/30/06	SW846 5030B	SW846 8260B
Trichloroethene	< 25	25	60		50	ug/Kg		08/30/06	SW846 5030B	SW846 8260B
Vinyl Chloride	< 25	25	60		50	ug/Kg		08/30/06	SW846 5030B	SW846 8260B
Xylenes, m + p	2000	61	150		50	ug/Kg		08/30/06	SW846 5030B	SW846 8260B
Xylene, o	1100	30	73		50	ug/Kg		08/30/06	SW846 5030B	SW846 8260B
Surrogate		LCL	UCL							
4-Bromofluorobenzene	90	64	133		50	%		08/30/06	SW846 5030B	SW846 8260B
Toluene-d8	92	67	139		50	%		08/30/06	SW846 5030B	SW846 8260B
Dibromofluoromethane	89	64	140		50	%		08/30/06	SW846 5030B	SW846 8260B

PAH/PNA

Prep Date: 08/30/06

Analyte	Result	LOD	LOQ	EQL	Dil.	Units	Code	Anl Date	Prep Method	Anl Method
1-Methylnaphthalene	79	3.7	12		1	ug/Kg		08/31/06	SW846 3545	8270C-SIM
2-Methylnaphthalene	200	3.8	13		1	ug/Kg		08/31/06	SW846 3545	8270C-SIM
Acenaphthene	< 3.6	3.6	12		1	ug/Kg		08/31/06	SW846 3545	8270C-SIM
Acenaphthylene	< 3.5	3.5	12		1	ug/Kg		08/31/06	SW846 3545	8270C-SIM
Anthracene	< 4.3	4.3	14		1	ug/Kg		08/31/06	SW846 3545	8270C-SIM
Benzo(a)anthracene	< 6.5	6.5	22		1	ug/Kg		08/31/06	SW846 3545	8270C-SIM
Benzo(a)pyrene	< 3.5	3.5	12		1	ug/Kg		08/31/06	SW846 3545	8270C-SIM
Benzo(b)fluoranthene	< 3.4	3.4	11		1	ug/Kg		08/31/06	SW846 3545	8270C-SIM
Benzo(ghi)perylene	< 4.3	4.3	14		1	ug/Kg		08/31/06	SW846 3545	8270C-SIM
Benzo(k)fluoranthene	< 3.7	3.7	12		1	ug/Kg		08/31/06	SW846 3545	8270C-SIM
Chrysene	< 5.3	5.3	18		1	ug/Kg		08/31/06	SW846 3545	8270C-SIM
Dibenz(a,h)anthracene	< 3.4	3.4	11		1	ug/Kg		08/31/06	SW846 3545	8270C-SIM
Fluoranthene	< 3.5	3.5	12		1	ug/Kg		08/31/06	SW846 3545	8270C-SIM
Fluorene	< 4.2	4.2	14		1	ug/Kg		08/31/06	SW846 3545	8270C-SIM
Indeno(1,2,3-cd)pyrene	< 3.1	3.1	10		1	ug/Kg		08/31/06	SW846 3545	8270C-SIM

All soil results are reported on a dry weight basis unless otherwise noted.

Pace Analytical Services, Inc.

1241 Bellevue Street
Green Bay, WI 54302
920-469-2436

Analytical Report Number: 875476

Client : ECCI
Project Name : OLD DUTCHMILL PROPERTY
Project Number :
Field ID : GP-2-6

Matrix Type : SOIL
Collection Date : 08/24/06
Report Date : 09/14/06
Lab Sample Number : 875476-017

PAH/PNA

Prep Date: 08/30/06

Analyte		Result	LOD	LOQ	EQL	Dil.	Units	Code	Anl Date	Prep Method	Anl Method
Naphthalene		240	4.9	16		1	ug/Kg		08/31/06	SW846 3545	8270C-SIM
Phenanthrene	<	3.6	3.6	12		1	ug/Kg		08/31/06	SW846 3545	8270C-SIM
Pyrene	<	3.0	3.0	10		1	ug/Kg		08/31/06	SW846 3545	8270C-SIM
Surrogate			**LCL**	**UCL**							
Nitrobenzene-d5		73	10	141		1	%		08/31/06	SW846 3545	8270C-SIM
2-Fluorobiphenyl		69	10	161		1	%		08/31/06	SW846 3545	8270C-SIM
Terphenyl-d14		80	29	150		1	%		08/31/06	SW846 3545	8270C-SIM

All soil results are reported on a dry weight basis unless otherwise noted.

Pace Analytical Services, Inc.

1241 Bellevue Street
Green Bay, WI 54302
920-469-2436

Analytical Report Number: 875476

Client : ECCI
Project Name : OLD DUTCHMILL PROPERTY
Project Number :
Field ID : GP-3-2

Matrix Type : SOIL
Collection Date : 08/24/06
Report Date : 09/14/06
Lab Sample Number : 875476-018

INORGANICS

Test	Result	LOD	LOQ	EQL	Dil.	Units	Code	Anl Date	Prep Method	Anl Method
Lead	19	0.36	1.2		1	mg/Kg	N*	08/30/06	SW846 3050B	SW846 6010B
Percent Solids	95.0				1	%		08/28/06	SM M2540G	SM M2540G

DIESEL RANGE ORGANICS

Preservation Date: 08/29/06 Prep Date: 08/29/06

Analyte	Result	LOD	LOQ	EQL	Dil.	Units	Code	Anl Date	Prep Method	Anl Method
Diesel Range Organics	20			6.2	2	mg/kg		08/30/06	WI MOD DRO	WI MOD DRO

GASOLINE RANGE ORGANICS

Prep Date: 08/29/06

Analyte	Result	LOD	LOQ	EQL	Dil.	Units	Code	Anl Date	Prep Method	Anl Method
Gasoline Range Organics	< 2.6			2.6	50	mg/Kg		08/29/06	WI MOD GRO	WI MOD GRO

VOLATILES

Prep Date: 08/29/06

Analyte	Result	LOD	LOQ	EQL	Dil.	Units	Code	Anl Date	Prep Method	Anl Method
1,1,1,2-Tetrachloroethane	< 25	25	60		50	ug/Kg		08/29/06	SW846 5030B	SW846 8260B
1,1,1-Trichloroethane	< 25	25	60		50	ug/Kg		08/29/06	SW846 5030B	SW846 8260B
1,1,2,2-Tetrachloroethane	< 25	25	60		50	ug/Kg		08/29/06	SW846 5030B	SW846 8260B
1,1,2-Trichloroethane	< 25	25	60		50	ug/Kg		08/29/06	SW846 5030B	SW846 8260B
1,1-Dichloroethane	< 25	25	60		50	ug/Kg		08/29/06	SW846 5030B	SW846 8260B
1,1-Dichloroethene	< 25	25	60		50	ug/Kg		08/29/06	SW846 5030B	SW846 8260B
1,1-Dichloropropene	< 25	25	60		50	ug/Kg		08/29/06	SW846 5030B	SW846 8260B
1,2,3-Trichlorobenzene	< 25	25	60		50	ug/Kg		08/29/06	SW846 5030B	SW846 8260B
1,2,3-Trichloropropane	< 25	25	60		50	ug/Kg		08/29/06	SW846 5030B	SW846 8260B
1,2,4-Trichlorobenzene	< 25	25	60		50	ug/Kg		08/29/06	SW846 5030B	SW846 8260B
1,2,4-Trimethylbenzene	< 25	25	60		50	ug/Kg		08/29/06	SW846 5030B	SW846 8260B
1,2-Dibromo-3-chloropropane	< 82	82	200		50	ug/Kg		08/29/06	SW846 5030B	SW846 8260B
1,2-Dibromoethane	< 25	25	60		50	ug/Kg		08/29/06	SW846 5030B	SW846 8260B
1,2-Dichlorobenzene	< 44	44	110		50	ug/Kg		08/29/06	SW846 5030B	SW846 8260B
1,2-Dichloroethane	< 25	25	60		50	ug/Kg		08/29/06	SW846 5030B	SW846 8260B
1,2-Dichloropropane	< 25	25	60		50	ug/Kg		08/29/06	SW846 5030B	SW846 8260B
1,3,5-Trimethylbenzene	< 25	25	60		50	ug/Kg		08/29/06	SW846 5030B	SW846 8260B
1,3-Dichlorobenzene	< 25	25	60		50	ug/Kg		08/29/06	SW846 5030B	SW846 8260B
1,3-Dichloropropane	< 25	25	60		50	ug/Kg		08/29/06	SW846 5030B	SW846 8260B
1,4-Dichlorobenzene	< 25	25	60		50	ug/Kg		08/29/06	SW846 5030B	SW846 8260B
2,2-Dichloropropane	< 25	25	60		50	ug/Kg		08/29/06	SW846 5030B	SW846 8260B
2-Chlorotoluene	< 25	25	60		50	ug/Kg		08/29/06	SW846 5030B	SW846 8260B
4-Chlorotoluene	< 25	25	60		50	ug/Kg		08/29/06	SW846 5030B	SW846 8260B
Benzene	< 25	25	60		50	ug/Kg		08/29/06	SW846 5030B	SW846 8260B
Bromobenzene	< 25	25	60		50	ug/Kg		08/29/06	SW846 5030B	SW846 8260B
Bromochloromethane	< 25	25	60		50	ug/Kg		08/29/06	SW846 5030B	SW846 8260B
Bromodichloromethane	< 25	25	60		50	ug/Kg		08/29/06	SW846 5030B	SW846 8260B
Bromoform	< 26	26	62		50	ug/Kg		08/29/06	SW846 5030B	SW846 8260B
Bromomethane	< 25	25	60		50	ug/Kg		08/29/06	SW846 5030B	SW846 8260B
Carbon Tetrachloride	< 25	25	60		50	ug/Kg		08/29/06	SW846 5030B	SW846 8260B
Chlorobenzene	< 25	25	60		50	ug/Kg		08/29/06	SW846 5030B	SW846 8260B
Chlorodibromomethane	< 25	25	60		50	ug/Kg		08/29/06	SW846 5030B	SW846 8260B
Chloroethane	< 25	25	60		50	ug/Kg		08/29/06	SW846 5030B	SW846 8260B
Chloroform	< 25	25	60		50	ug/Kg		08/29/06	SW846 5030B	SW846 8260B
Chloromethane	< 25	25	60		50	ug/Kg		08/29/06	SW846 5030B	SW846 8260B

All soil results are reported on a dry weight basis unless otherwise noted.

Pace Analytical Services, Inc.

1241 Bellevue Street
Green Bay, WI 54302
920-469-2436

Analytical Report Number: 875476

Client : ECCI
Project Name : OLD DUTCHMILL PROPERTY
Project Number :
Field ID : GP-3-2

Matrix Type : SOIL
Collection Date : 08/24/06
Report Date : 09/14/06
Lab Sample Number : 875476-018

VOLATILES

Prep Date: 08/29/06

Analyte	Result	LOD	LOQ	EQL	Dil.	Units	Code	Anl Date	Prep Method	Anl Method
cis-1,2-Dichloroethene	< 25	25	60		50	ug/Kg		08/29/06	SW846 5030B	SW846 8260B
cis-1,3-Dichloropropene	< 25	25	60		50	ug/Kg		08/29/06	SW846 5030B	SW846 8260B
Dibromomethane	< 25	25	60		50	ug/Kg		08/29/06	SW846 5030B	SW846 8260B
Dichlorodifluoromethane	< 25	25	60		50	ug/Kg		08/29/06	SW846 5030B	SW846 8260B
Diisopropyl Ether	< 25	25	60		50	ug/Kg		08/29/06	SW846 5030B	SW846 8260B
Ethylbenzene	< 25	25	60		50	ug/Kg		08/29/06	SW846 5030B	SW846 8260B
Fluorotrichloromethane	< 25	25	60		50	ug/Kg		08/29/06	SW846 5030B	SW846 8260B
Hexachlorobutadiene	< 26	26	63		50	ug/Kg		08/29/06	SW846 5030B	SW846 8260B
Isopropylbenzene	< 25	25	60		50	ug/Kg		08/29/06	SW846 5030B	SW846 8260B
Methylene Chloride	< 25	25	60		50	ug/Kg		08/29/06	SW846 5030B	SW846 8260B
Methyl-tert-butyl-ether	< 25	25	60		50	ug/Kg		08/29/06	SW846 5030B	SW846 8260B
Naphthalene	< 25	25	60		50	ug/Kg		08/29/06	SW846 5030B	SW846 8260B
n-Butylbenzene	< 40	40	97		50	ug/Kg		08/29/06	SW846 5030B	SW846 8260B
n-Propylbenzene	< 25	25	60		50	ug/Kg		08/29/06	SW846 5030B	SW846 8260B
p-Isopropyltoluene	< 25	25	60		50	ug/Kg		08/29/06	SW846 5030B	SW846 8260B
s-Butylbenzene	< 25	25	60		50	ug/Kg		08/29/06	SW846 5030B	SW846 8260B
Styrene	< 25	25	60		50	ug/Kg		08/29/06	SW846 5030B	SW846 8260B
t-Butylbenzene	< 25	25	60		50	ug/Kg		08/29/06	SW846 5030B	SW846 8260B
Tetrachloroethene	< 25	25	60		50	ug/Kg		08/29/06	SW846 5030B	SW846 8260B
Toluene	< 25	25	60		50	ug/Kg		08/29/06	SW846 5030B	SW846 8260B
trans-1,2-Dichloroethene	< 25	25	60		50	ug/Kg		08/29/06	SW846 5030B	SW846 8260B
trans-1,3-Dichloropropene	< 25	25	60		50	ug/Kg	&	08/29/06	SW846 5030B	SW846 8260B
Trichloroethene	< 25	25	60		50	ug/Kg		08/29/06	SW846 5030B	SW846 8260B
Vinyl Chloride	< 25	25	60		50	ug/Kg		08/29/06	SW846 5030B	SW846 8260B
Xylenes, m + p	< 50	50	120		50	ug/Kg		08/29/06	SW846 5030B	SW846 8260B
Xylene, o	< 25	25	60		50	ug/Kg		08/29/06	SW846 5030B	SW846 8260B
Surrogate		**LCL**	**UCL**							
4-Bromofluorobenzene	86	64	133		50	%		08/29/06	SW846 5030B	SW846 8260B
Toluene-d8	92	67	139		50	%		08/29/06	SW846 5030B	SW846 8260B
Dibromofluoromethane	100	64	140		50	%		08/29/06	SW846 5030B	SW846 8260B

PAH/PNA

Prep Date: 08/30/06

Analyte	Result	LOD	LOQ	EQL	Dil.	Units	Code	Anl Date	Prep Method	Anl Method
1-Methylnaphthalene	< 11	11	35		3.33	ug/Kg		08/31/06	SW846 3545	8270C-SIM
2-Methylnaphthalene	< 11	11	37		3.33	ug/Kg		08/31/06	SW846 3545	8270C-SIM
Acenaphthene	11	10	35		3.33	ug/Kg	Q	08/31/06	SW846 3545	8270C-SIM
Acenaphthylene	110	10	34		3.33	ug/Kg		08/31/06	SW846 3545	8270C-SIM
Anthracene	190	12	42		3.33	ug/Kg		08/31/06	SW846 3545	8270C-SIM
Benzo(a)anthracene	980	19	62		3.33	ug/Kg		08/31/06	SW846 3545	8270C-SIM
Benzo(a)pyrene	1300	10	34		3.33	ug/Kg		08/31/06	SW846 3545	8270C-SIM
Benzo(b)fluoranthene	1200	9.8	33		3.33	ug/Kg		08/31/06	SW846 3545	8270C-SIM
Benzo(ghi)perylene	630	12	42		3.33	ug/Kg		08/31/06	SW846 3545	8270C-SIM
Benzo(k)fluoranthene	1400	11	36		3.33	ug/Kg		08/31/06	SW846 3545	8270C-SIM
Chrysene	1200	15	51		3.33	ug/Kg		08/31/06	SW846 3545	8270C-SIM
Dibenz(a,h)anthracene	220	9.7	32		3.33	ug/Kg		08/31/06	SW846 3545	8270C-SIM
Fluoranthene	1800	10	34		3.33	ug/Kg		08/31/06	SW846 3545	8270C-SIM
Fluorene	14	12	40		3.33	ug/Kg	Q	08/31/06	SW846 3545	8270C-SIM
Indeno(1,2,3-cd)pyrene	600	8.8	29		3.33	ug/Kg		08/31/06	SW846 3545	8270C-SIM

All soil results are reported on a dry weight basis unless otherwise noted.

Pace Analytical Services, Inc.

1241 Bellevue Street
Green Bay, WI 54302
920-469-2436

Analytical Report Number: 875476

Client : ECCI
Project Name : OLD DUTCHMILL PROPERTY
Project Number :
Field ID : GP-3-2

Matrix Type : SOIL
Collection Date : 08/24/06
Report Date : 09/14/06
Lab Sample Number : 875476-018

PAH/PNA

Prep Date: 08/30/06

Analyte		Result	LOD	LOQ	EQL	Dil.	Units	Code	Anl Date	Prep Method	Anl Method
Naphthalene	<	14	14	47		3.33	ug/Kg		08/31/06	SW846 3545	8270C-SIM
Phenanthrene		330	10	34		3.33	ug/Kg		08/31/06	SW846 3545	8270C-SIM
Pyrene		1600	8.6	29		3.33	ug/Kg		08/31/06	SW846 3545	8270C-SIM
Surrogate			**LCL**	**UCL**							
Nitrobenzene-d5		83	10	141		3.33	%		08/31/06	SW846 3545	8270C-SIM
2-Fluorobiphenyl		74	10	161		3.33	%		08/31/06	SW846 3545	8270C-SIM
Terphenyl-d14		78	29	150		3.33	%		08/31/06	SW846 3545	8270C-SIM

All soil results are reported on a dry weight basis unless otherwise noted.

Pace Analytical Services, Inc.

1241 Bellevue Street
Green Bay, WI 54302
920-469-2436

Analytical Report Number: 875476

Client : ECCI
Project Name : OLD DUTCHMILL PROPERTY
Project Number :
Field ID : GP-3-4

Matrix Type : SOIL
Collection Date : 08/24/06
Report Date : 09/14/06
Lab Sample Number : 875476-019

INORGANICS

Test	Result	LOD	LOQ	EQL	Dil.	Units	Code	Anl Date	Prep Method	Anl Method
Lead	7.2	0.41	1.4		1	mg/Kg		08/30/06	SW846 3050B	SW846 6010B
Percent Solids	82.8				1	%		08/28/06	SM M2540G	SM M2540G

DIESEL RANGE ORGANICS

Preservation Date: 08/29/06 Prep Date: 08/29/06

Analyte	Result	LOD	LOQ	EQL	Dil.	Units	Code	Anl Date	Prep Method	Anl Method
Diesel Range Organics	< 4.9			4.9	1	mg/kg		08/30/06	WI MOD DRO	WI MOD DRO

GASOLINE RANGE ORGANICS

Prep Date: 08/29/06

Analyte	Result	LOD	LOQ	EQL	Dil.	Units	Code	Anl Date	Prep Method	Anl Method
Gasoline Range Organics	20			3.0	50	mg/Kg		08/29/06	WI MOD GRO	WI MOD GRO

VOLATILES

Prep Date: 08/29/06

Analyte	Result	LOD	LOQ	EQL	Dil.	Units	Code	Anl Date	Prep Method	Anl Method
1,1,1,2-Tetrachloroethane	< 25	25	60		50	ug/Kg		08/29/06	SW846 5030B	SW846 8260B
1,1,1-Trichloroethane	< 25	25	60		50	ug/Kg		08/29/06	SW846 5030B	SW846 8260B
1,1,2,2-Tetrachloroethane	< 25	25	60		50	ug/Kg		08/29/06	SW846 5030B	SW846 8260B
1,1,2-Trichloroethane	< 25	25	60		50	ug/Kg		08/29/06	SW846 5030B	SW846 8260B
1,1-Dichloroethane	< 25	25	60		50	ug/Kg		08/29/06	SW846 5030B	SW846 8260B
1,1-Dichloroethene	< 25	25	60		50	ug/Kg		08/29/06	SW846 5030B	SW846 8260B
1,1-Dichloropropene	< 25	25	60		50	ug/Kg		08/29/06	SW846 5030B	SW846 8260B
1,2,3-Trichlorobenzene	< 25	25	60		50	ug/Kg		08/29/06	SW846 5030B	SW846 8260B
1,2,3-Trichloropropane	< 25	25	60		50	ug/Kg		08/29/06	SW846 5030B	SW846 8260B
1,2,4-Trichlorobenzene	< 25	25	60		50	ug/Kg		08/29/06	SW846 5030B	SW846 8260B
1,2,4-Trimethylbenzene	< 25	25	60		50	ug/Kg		08/29/06	SW846 5030B	SW846 8260B
1,2-Dibromo-3-chloropropane	< 82	82	200		50	ug/Kg		08/29/06	SW846 5030B	SW846 8260B
1,2-Dibromoethane	< 25	25	60		50	ug/Kg		08/29/06	SW846 5030B	SW846 8260B
1,2-Dichlorobenzene	< 44	44	110		50	ug/Kg		08/29/06	SW846 5030B	SW846 8260B
1,2-Dichloroethane	< 25	25	60		50	ug/Kg		08/29/06	SW846 5030B	SW846 8260B
1,2-Dichloropropane	< 25	25	60		50	ug/Kg		08/29/06	SW846 5030B	SW846 8260B
1,3,5-Trimethylbenzene	< 25	25	60		50	ug/Kg		08/29/06	SW846 5030B	SW846 8260B
1,3-Dichlorobenzene	< 25	25	60		50	ug/Kg		08/29/06	SW846 5030B	SW846 8260B
1,3-Dichloropropane	< 25	25	60		50	ug/Kg		08/29/06	SW846 5030B	SW846 8260B
1,4-Dichlorobenzene	< 25	25	60		50	ug/Kg		08/29/06	SW846 5030B	SW846 8260B
2,2-Dichloropropane	< 25	25	60		50	ug/Kg		08/29/06	SW846 5030B	SW846 8260B
2-Chlorotoluene	< 25	25	60		50	ug/Kg		08/29/06	SW846 5030B	SW846 8260B
4-Chlorotoluene	< 25	25	60		50	ug/Kg		08/29/06	SW846 5030B	SW846 8260B
Benzene	< 25	25	60		50	ug/Kg		08/29/06	SW846 5030B	SW846 8260B
Bromobenzene	< 25	25	60		50	ug/Kg		08/29/06	SW846 5030B	SW846 8260B
Bromochloromethane	< 25	25	60		50	ug/Kg		08/29/06	SW846 5030B	SW846 8260B
Bromodichloromethane	< 25	25	60		50	ug/Kg		08/29/06	SW846 5030B	SW846 8260B
Bromoform	< 26	26	62		50	ug/Kg		08/29/06	SW846 5030B	SW846 8260B
Bromomethane	< 25	25	60		50	ug/Kg		08/29/06	SW846 5030B	SW846 8260B
Carbon Tetrachloride	< 25	25	60		50	ug/Kg		08/29/06	SW846 5030B	SW846 8260B
Chlorobenzene	< 25	25	60		50	ug/Kg		08/29/06	SW846 5030B	SW846 8260B
Chlorodibromomethane	< 25	25	60		50	ug/Kg		08/29/06	SW846 5030B	SW846 8260B
Chloroethane	< 25	25	60		50	ug/Kg		08/29/06	SW846 5030B	SW846 8260B
Chloroform	< 25	25	60		50	ug/Kg		08/29/06	SW846 5030B	SW846 8260B
Chloromethane	< 25	25	60		50	ug/Kg		08/29/06	SW846 5030B	SW846 8260B

All soil results are reported on a dry weight basis unless otherwise noted.

Pace Analytical Services, Inc.

1241 Bellevue Street
Green Bay, WI 54302
920-469-2436

Analytical Report Number: 875476

Client : ECCI
Project Name : OLD DUTCHMILL PROPERTY
Project Number :
Field ID : GP-3-4

Matrix Type : SOIL
Collection Date : 08/24/06
Report Date : 09/14/06
Lab Sample Number : 875476-019

VOLATILES

Prep Date: 08/29/06

Analyte	Result	LOD	LOQ	EQL	Dil.	Units	Code	Anl Date	Prep Method	Anl Method
cis-1,2-Dichloroethene	< 25	25	60		50	ug/Kg		08/29/06	SW846 5030B	SW846 8260B
cis-1,3-Dichloropropene	< 25	25	60		50	ug/Kg		08/29/06	SW846 5030B	SW846 8260B
Dibromomethane	< 25	25	60		50	ug/Kg		08/29/06	SW846 5030B	SW846 8260B
Dichlorodifluoromethane	< 25	25	60		50	ug/Kg		08/29/06	SW846 5030B	SW846 8260B
Diisopropyl Ether	< 25	25	60		50	ug/Kg		08/29/06	SW846 5030B	SW846 8260B
Ethylbenzene	< 25	25	60		50	ug/Kg		08/29/06	SW846 5030B	SW846 8260B
Fluorotrichloromethane	< 25	25	60		50	ug/Kg		08/29/06	SW846 5030B	SW846 8260B
Hexachlorobutadiene	< 26	26	63		50	ug/Kg		08/29/06	SW846 5030B	SW846 8260B
Isopropylbenzene	< 25	25	60		50	ug/Kg		08/29/06	SW846 5030B	SW846 8260B
Methylene Chloride	< 25	25	60		50	ug/Kg		08/29/06	SW846 5030B	SW846 8260B
Methyl-tert-butyl-ether	< 25	25	60		50	ug/Kg		08/29/06	SW846 5030B	SW846 8260B
Naphthalene	< 25	25	60		50	ug/Kg		08/29/06	SW846 5030B	SW846 8260B
n-Butylbenzene	< 40	40	97		50	ug/Kg		08/29/06	SW846 5030B	SW846 8260B
n-Propylbenzene	< 25	25	60		50	ug/Kg		08/29/06	SW846 5030B	SW846 8260B
p-Isopropyltoluene	< 25	25	60		50	ug/Kg		08/29/06	SW846 5030B	SW846 8260B
s-Butylbenzene	< 25	25	60		50	ug/Kg		08/29/06	SW846 5030B	SW846 8260B
Styrene	< 25	25	60		50	ug/Kg		08/29/06	SW846 5030B	SW846 8260B
t-Butylbenzene	< 25	25	60		50	ug/Kg		08/29/06	SW846 5030B	SW846 8260B
Tetrachloroethene	< 25	25	60		50	ug/Kg		08/29/06	SW846 5030B	SW846 8260B
Toluene	< 25	25	60		50	ug/Kg		08/29/06	SW846 5030B	SW846 8260B
trans-1,2-Dichloroethene	< 25	25	60		50	ug/Kg		08/29/06	SW846 5030B	SW846 8260B
trans-1,3-Dichloropropene	< 25	25	60		50	ug/Kg	&	08/29/06	SW846 5030B	SW846 8260B
Trichloroethene	< 25	25	60		50	ug/Kg		08/29/06	SW846 5030B	SW846 8260B
Vinyl Chloride	< 25	25	60		50	ug/Kg		08/29/06	SW846 5030B	SW846 8260B
Xylenes, m + p	< 50	50	120		50	ug/Kg		08/29/06	SW846 5030B	SW846 8260B
Xylene, o	< 25	25	60		50	ug/Kg		08/29/06	SW846 5030B	SW846 8260B
Surrogate		**LCL**	**UCL**							
4-Bromofluorobenzene	74	64	133		50	%		08/29/06	SW846 5030B	SW846 8260B
Toluene-d8	82	67	139		50	%		08/29/06	SW846 5030B	SW846 8260B
Dibromofluoromethane	89	64	140		50	%		08/29/06	SW846 5030B	SW846 8260B

PAH/PNA

Prep Date: 08/30/06

Analyte	Result	LOD	LOQ	EQL	Dil.	Units	Code	Anl Date	Prep Method	Anl Method
1-Methylnaphthalene	< 3.7	3.7	12		1	ug/Kg		08/31/06	SW846 3545	8270C-SIM
2-Methylnaphthalene	< 3.8	3.8	13		1	ug/Kg		08/31/06	SW846 3545	8270C-SIM
Acenaphthene	< 3.6	3.6	12		1	ug/Kg		08/31/06	SW846 3545	8270C-SIM
Acenaphthylene	< 3.5	3.5	12		1	ug/Kg		08/31/06	SW846 3545	8270C-SIM
Anthracene	< 4.3	4.3	14		1	ug/Kg		08/31/06	SW846 3545	8270C-SIM
Benzo(a)anthracene	< 6.4	6.4	21		1	ug/Kg		08/31/06	SW846 3545	8270C-SIM
Benzo(a)pyrene	< 3.5	3.5	12		1	ug/Kg		08/31/06	SW846 3545	8270C-SIM
Benzo(b)fluoranthene	< 3.4	3.4	11		1	ug/Kg		08/31/06	SW846 3545	8270C-SIM
Benzo(ghi)perylene	< 4.3	4.3	14		1	ug/Kg		08/31/06	SW846 3545	8270C-SIM
Benzo(k)fluoranthene	< 3.7	3.7	12		1	ug/Kg		08/31/06	SW846 3545	8270C-SIM
Chrysene	< 5.3	5.3	18		1	ug/Kg		08/31/06	SW846 3545	8270C-SIM
Dibenz(a,h)anthracene	< 3.3	3.3	11		1	ug/Kg		08/31/06	SW846 3545	8270C-SIM
Fluoranthene	< 3.5	3.5	12		1	ug/Kg		08/31/06	SW846 3545	8270C-SIM
Fluorene	< 4.1	4.1	14		1	ug/Kg		08/31/06	SW846 3545	8270C-SIM
Indeno(1,2,3-cd)pyrene	< 3.0	3.0	10		1	ug/Kg		08/31/06	SW846 3545	8270C-SIM

All soil results are reported on a dry weight basis unless otherwise noted.

Pace Analytical Services, Inc.

1241 Bellevue Street
Green Bay, WI 54302
920-469-2436

Analytical Report Number: 875476

Client : ECCI
Project Name : OLD DUTCHMILL PROPERTY
Project Number :
Field ID : GP-3-4

Matrix Type : SOIL
Collection Date : 08/24/06
Report Date : 09/14/06
Lab Sample Number : 875476-019

PAH/PNA

Prep Date: 08/30/06

Analyte	Result	LOD	LOQ	EQL	Dil.	Units	Code	Anl Date	Prep Method	Anl Method
Naphthalene	16	4.8	16		1	ug/Kg	Q	08/31/06	SW846 3545	8270C-SIM
Phenanthrene	< 3.6	3.6	12		1	ug/Kg		08/31/06	SW846 3545	8270C-SIM
Pyrene	< 3.0	3.0	9.9		1	ug/Kg		08/31/06	SW846 3545	8270C-SIM
Surrogate		**LCL**	**UCL**							
Nitrobenzene-d5	71	10	141		1	%		08/31/06	SW846 3545	8270C-SIM
2-Fluorobiphenyl	63	10	161		1	%		08/31/06	SW846 3545	8270C-SIM
Terphenyl-d14	72	29	150		1	%		08/31/06	SW846 3545	8270C-SIM

All soil results are reported on a dry weight basis unless otherwise noted.

Pace Analytical Services, Inc.

1241 Bellevue Street
Green Bay, WI 54302
920-469-2436

Analytical Report Number: 875476

Client : ECCI
Project Name : OLD DUTCHMILL PROPERTY
Project Number :
Field ID : GP-3-6

Matrix Type : SOIL
Collection Date : 08/24/06
Report Date : 09/14/06
Lab Sample Number : 875476-020

INORGANICS

Test	Result	LOD	LOQ	EQL	Dil.	Units	Code	Anl Date	Prep Method	Anl Method
Lead	4.5	0.40	1.3		1	mg/Kg		08/30/06	SW846 3050B	SW846 6010B
Percent Solids	85.0				1	%		08/28/06	SM M2540G	SM M2540G

DIESEL RANGE ORGANICS

Preservation Date: 08/29/06 Prep Date: 08/29/06

Analyte	Result	LOD	LOQ	EQL	Dil.	Units	Code	Anl Date	Prep Method	Anl Method
Diesel Range Organics	170			5.8	1.5	mg/kg		08/30/06	WI MOD DRO	WI MOD DRO

GASOLINE RANGE ORGANICS

Prep Date: 08/29/06

Analyte	Result	LOD	LOQ	EQL	Dil.	Units	Code	Anl Date	Prep Method	Anl Method
Gasoline Range Organics	810			29	500	mg/Kg		08/29/06	WI MOD GRO	WI MOD GRO

VOLATILES

Prep Date: 08/29/06

Analyte	Result	LOD	LOQ	EQL	Dil.	Units	Code	Anl Date	Prep Method	Anl Method
1,1,1,2-Tetrachloroethane	< 25	25	60		50	ug/Kg		08/29/06	SW846 5030B	SW846 8260B
1,1,1-Trichloroethane	< 25	25	60		50	ug/Kg		08/29/06	SW846 5030B	SW846 8260B
1,1,2,2-Tetrachloroethane	< 25	25	60		50	ug/Kg		08/29/06	SW846 5030B	SW846 8260B
1,1,2-Trichloroethane	< 25	25	60		50	ug/Kg		08/29/06	SW846 5030B	SW846 8260B
1,1-Dichloroethane	< 25	25	60		50	ug/Kg		08/29/06	SW846 5030B	SW846 8260B
1,1-Dichloroethene	< 25	25	60		50	ug/Kg		08/29/06	SW846 5030B	SW846 8260B
1,1-Dichloropropene	< 25	25	60		50	ug/Kg		08/29/06	SW846 5030B	SW846 8260B
1,2,3-Trichlorobenzene	< 25	25	60		50	ug/Kg		08/29/06	SW846 5030B	SW846 8260B
1,2,3-Trichloropropane	< 25	25	60		50	ug/Kg		08/29/06	SW846 5030B	SW846 8260B
1,2,4-Trichlorobenzene	< 25	25	60		50	ug/Kg		08/29/06	SW846 5030B	SW846 8260B
1,2,4-Trimethylbenzene	3900	29	71		50	ug/Kg		08/29/06	SW846 5030B	SW846 8260B
1,2-Dibromo-3-chloropropane	< 82	82	200		50	ug/Kg		08/29/06	SW846 5030B	SW846 8260B
1,2-Dibromoethane	< 25	25	60		50	ug/Kg		08/29/06	SW846 5030B	SW846 8260B
1,2-Dichlorobenzene	< 44	44	110		50	ug/Kg		08/29/06	SW846 5030B	SW846 8260B
1,2-Dichloroethane	< 25	25	60		50	ug/Kg		08/29/06	SW846 5030B	SW846 8260B
1,2-Dichloropropane	< 25	25	60		50	ug/Kg		08/29/06	SW846 5030B	SW846 8260B
1,3,5-Trimethylbenzene	2600	29	71		50	ug/Kg		08/29/06	SW846 5030B	SW846 8260B
1,3-Dichlorobenzene	< 25	25	60		50	ug/Kg		08/29/06	SW846 5030B	SW846 8260B
1,3-Dichloropropane	< 25	25	60		50	ug/Kg		08/29/06	SW846 5030B	SW846 8260B
1,4-Dichlorobenzene	< 25	25	60		50	ug/Kg		08/29/06	SW846 5030B	SW846 8260B
2,2-Dichloropropane	< 25	25	60		50	ug/Kg		08/29/06	SW846 5030B	SW846 8260B
2-Chlorotoluene	< 25	25	60		50	ug/Kg		08/29/06	SW846 5030B	SW846 8260B
4-Chlorotoluene	< 25	25	60		50	ug/Kg		08/29/06	SW846 5030B	SW846 8260B
Benzene	< 25	25	60		50	ug/Kg		08/29/06	SW846 5030B	SW846 8260B
Bromobenzene	< 25	25	60		50	ug/Kg		08/29/06	SW846 5030B	SW846 8260B
Bromochloromethane	< 25	25	60		50	ug/Kg		08/29/06	SW846 5030B	SW846 8260B
Bromodichloromethane	< 25	25	60		50	ug/Kg		08/29/06	SW846 5030B	SW846 8260B
Bromoform	< 26	26	62		50	ug/Kg		08/29/06	SW846 5030B	SW846 8260B
Bromomethane	< 25	25	60		50	ug/Kg		08/29/06	SW846 5030B	SW846 8260B
Carbon Tetrachloride	< 25	25	60		50	ug/Kg		08/29/06	SW846 5030B	SW846 8260B
Chlorobenzene	< 25	25	60		50	ug/Kg		08/29/06	SW846 5030B	SW846 8260B
Chlorodibromomethane	< 25	25	60		50	ug/Kg		08/29/06	SW846 5030B	SW846 8260B
Chloroethane	< 25	25	60		50	ug/Kg		08/29/06	SW846 5030B	SW846 8260B
Chloroform	< 25	25	60		50	ug/Kg		08/29/06	SW846 5030B	SW846 8260B
Chloromethane	< 25	25	60		50	ug/Kg		08/29/06	SW846 5030B	SW846 8260B

All soil results are reported on a dry weight basis unless otherwise noted.

Pace Analytical Services, Inc.

1241 Bellevue Street
Green Bay, WI 54302
920-469-2436

Analytical Report Number: 875476

Client : ECCI
Project Name : OLD DUTCHMILL PROPERTY
Project Number :
Field ID : GP-3-6

Matrix Type : SOIL
Collection Date : 08/24/06
Report Date : 09/14/06
Lab Sample Number : 875476-020

VOLATILES

Prep Date: 08/29/06

Analyte	Result	LOD	LOQ	EQL	Dil.	Units	Code	Anl Date	Prep Method	Anl Method
cis-1,2-Dichloroethene	< 25	25	60		50	ug/Kg		08/29/06	SW846 5030B	SW846 8260B
cis-1,3-Dichloropropene	< 25	25	60		50	ug/Kg		08/29/06	SW846 5030B	SW846 8260B
Dibromomethane	< 25	25	60		50	ug/Kg		08/29/06	SW846 5030B	SW846 8260B
Dichlorodifluoromethane	< 25	25	60		50	ug/Kg		08/29/06	SW846 5030B	SW846 8260B
Diisopropyl Ether	< 25	25	60		50	ug/Kg		08/29/06	SW846 5030B	SW846 8260B
Ethylbenzene	160	29	71		50	ug/Kg		08/29/06	SW846 5030B	SW846 8260B
Fluorotrichloromethane	< 25	25	60		50	ug/Kg		08/29/06	SW846 5030B	SW846 8260B
Hexachlorobutadiene	< 26	26	63		50	ug/Kg		08/29/06	SW846 5030B	SW846 8260B
Isopropylbenzene	670	29	71		50	ug/Kg		08/29/06	SW846 5030B	SW846 8260B
Methylene Chloride	< 25	25	60		50	ug/Kg		08/29/06	SW846 5030B	SW846 8260B
Methyl-tert-butyl-ether	< 25	25	60		50	ug/Kg		08/29/06	SW846 5030B	SW846 8260B
Naphthalene	630	29	71		50	ug/Kg		08/29/06	SW846 5030B	SW846 8260B
n-Butylbenzene	< 40	40	97		50	ug/Kg		08/29/06	SW846 5030B	SW846 8260B
n-Propylbenzene	1500	29	71		50	ug/Kg		08/29/06	SW846 5030B	SW846 8260B
p-Isopropyltoluene	2400	29	71		50	ug/Kg		08/29/06	SW846 5030B	SW846 8260B
s-Butylbenzene	1200	29	71		50	ug/Kg		08/29/06	SW846 5030B	SW846 8260B
Styrene	< 25	25	60		50	ug/Kg		08/29/06	SW846 5030B	SW846 8260B
t-Butylbenzene	< 25	25	60		50	ug/Kg		08/29/06	SW846 5030B	SW846 8260B
Tetrachloroethene	< 25	25	60		50	ug/Kg		08/29/06	SW846 5030B	SW846 8260B
Toluene	< 25	25	60		50	ug/Kg		08/29/06	SW846 5030B	SW846 8260B
trans-1,2-Dichloroethene	< 25	25	60		50	ug/Kg		08/29/06	SW846 5030B	SW846 8260B
trans-1,3-Dichloropropene	< 25	25	60		50	ug/Kg	&	08/29/06	SW846 5030B	SW846 8260B
Trichloroethene	< 25	25	60		50	ug/Kg		08/29/06	SW846 5030B	SW846 8260B
Vinyl Chloride	< 25	25	60		50	ug/Kg		08/29/06	SW846 5030B	SW846 8260B
Xylenes, m + p	360	59	140		50	ug/Kg		08/29/06	SW846 5030B	SW846 8260B
Xylene, o	82	29	71		50	ug/Kg		08/29/06	SW846 5030B	SW846 8260B
Surrogate		**LCL**	**UCL**							
4-Bromofluorobenzene	102	64	133		50	%		08/29/06	SW846 5030B	SW846 8260B
Toluene-d8	114	67	139		50	%		08/29/06	SW846 5030B	SW846 8260B
Dibromofluoromethane	89	64	140		50	%		08/29/06	SW846 5030B	SW846 8260B

PAH/PNA

Prep Date: 08/30/06

Analyte	Result	LOD	LOQ	EQL	Dil.	Units	Code	Anl Date	Prep Method	Anl Method
1-Methylnaphthalene	190	3.6	12		1	ug/Kg		08/31/06	SW846 3545	8270C-SIM
2-Methylnaphthalene	480	3.7	12		1	ug/Kg		08/31/06	SW846 3545	8270C-SIM
Acenaphthene	< 3.5	3.5	12		1	ug/Kg		08/31/06	SW846 3545	8270C-SIM
Acenaphthylene	14	3.4	11		1	ug/Kg		08/31/06	SW846 3545	8270C-SIM
Anthracene	17	4.2	14		1	ug/Kg		08/31/06	SW846 3545	8270C-SIM
Benzo(a)anthracene	62	6.2	21		1	ug/Kg		08/31/06	SW846 3545	8270C-SIM
Benzo(a)pyrene	74	3.4	11		1	ug/Kg		08/31/06	SW846 3545	8270C-SIM
Benzo(b)fluoranthene	65	3.3	11		1	ug/Kg		08/31/06	SW846 3545	8270C-SIM
Benzo(ghi)perylene	44	4.2	14		1	ug/Kg		08/31/06	SW846 3545	8270C-SIM
Benzo(k)fluoranthene	73	3.6	12		1	ug/Kg		08/31/06	SW846 3545	8270C-SIM
Chrysene	72	5.1	17		1	ug/Kg		08/31/06	SW846 3545	8270C-SIM
Dibenz(a,h)anthracene	12	3.2	11		1	ug/Kg		08/31/06	SW846 3545	8270C-SIM
Fluoranthene	110	3.4	11		1	ug/Kg		08/31/06	SW846 3545	8270C-SIM
Fluorene	5.9	4.0	13		1	ug/Kg	Q	08/31/06	SW846 3545	8270C-SIM
Indeno(1,2,3-cd)pyrene	36	3.0	9.9		1	ug/Kg		08/31/06	SW846 3545	8270C-SIM

All soil results are reported on a dry weight basis unless otherwise noted.

Pace Analytical Services, Inc.

1241 Bellevue Street
Green Bay, WI 54302
920-469-2436

Analytical Report Number: 875476

Client : ECCI
Project Name : OLD DUTCHMILL PROPERTY
Project Number :
Field ID : GP-3-6

Matrix Type : SOIL
Collection Date : 08/24/06
Report Date : 09/14/06
Lab Sample Number : 875476-020

PAH/PNA

Prep Date: 08/30/06

Analyte	Result	LOD	LOQ	EQL	Dil.	Units	Code	Anl Date	Prep Method	Anl Method
Naphthalene	180	4.7	16		1	ug/Kg		08/31/06	SW846 3545	8270C-SIM
Phenanthrene	53	3.5	12		1	ug/Kg		08/31/06	SW846 3545	8270C-SIM
Pyrene	120	2.9	9.6		1	ug/Kg		08/31/06	SW846 3545	8270C-SIM
Surrogate		**LCL**	**UCL**							
Nitrobenzene-d5	82	10	141		1	%		08/31/06	SW846 3545	8270C-SIM
2-Fluorobiphenyl	61	10	161		1	%		08/31/06	SW846 3545	8270C-SIM
Terphenyl-d14	67	29	150		1	%		08/31/06	SW846 3545	8270C-SIM

All soil results are reported on a dry weight basis unless otherwise noted.

Pace Analytical Services, Inc.

1241 Bellevue Street
Green Bay, WI 54302
920-469-2436

Analytical Report Number: 875476

Client : ECCI
Project Name : OLD DUTCHMILL PROPERTY
Project Number :
Field ID : GP-4-2

Matrix Type : SOIL
Collection Date : 08/24/06
Report Date : 09/14/06
Lab Sample Number : 875476-021

INORGANICS

Test	Result	LOD	LOQ	EQL	Dil.	Units	Code	Anl Date	Prep Method	Anl Method
Lead	9.3	0.41	1.4		1	mg/Kg		08/30/06	SW846 3050B	SW846 6010B
Percent Solids	82.0				1	%		08/28/06	SM M2540G	SM M2540G

DIESEL RANGE ORGANICS

Preservation Date: 08/29/06 Prep Date: 08/29/06

Analyte	Result	LOD	LOQ	EQL	Dil.	Units	Code	Anl Date	Prep Method	Anl Method
Diesel Range Organics	< 4.1			4.1	1	mg/kg		08/30/06	WI MOD DRO	WI MOD DRO

GASOLINE RANGE ORGANICS

Prep Date: 08/29/06

Analyte	Result	LOD	LOQ	EQL	Dil.	Units	Code	Anl Date	Prep Method	Anl Method
Gasoline Range Organics	< 3.0			3.0	50	mg/Kg		08/29/06	WI MOD GRO	WI MOD GRO

VOLATILES

Prep Date: 08/29/06

Analyte	Result	LOD	LOQ	EQL	Dil.	Units	Code	Anl Date	Prep Method	Anl Method
1,1,1,2-Tetrachloroethane	< 25	25	60		50	ug/Kg		08/29/06	SW846 5030B	SW846 8260B
1,1,1-Trichloroethane	< 25	25	60		50	ug/Kg		08/29/06	SW846 5030B	SW846 8260B
1,1,2,2-Tetrachloroethane	< 25	25	60		50	ug/Kg		08/29/06	SW846 5030B	SW846 8260B
1,1,2-Trichloroethane	< 25	25	60		50	ug/Kg		08/29/06	SW846 5030B	SW846 8260B
1,1-Dichloroethane	< 25	25	60		50	ug/Kg		08/29/06	SW846 5030B	SW846 8260B
1,1-Dichloroethene	< 25	25	60		50	ug/Kg		08/29/06	SW846 5030B	SW846 8260B
1,1-Dichloropropene	< 25	25	60		50	ug/Kg		08/29/06	SW846 5030B	SW846 8260B
1,2,3-Trichlorobenzene	< 25	25	60		50	ug/Kg		08/29/06	SW846 5030B	SW846 8260B
1,2,3-Trichloropropane	< 25	25	60		50	ug/Kg		08/29/06	SW846 5030B	SW846 8260B
1,2,4-Trichlorobenzene	< 25	25	60		50	ug/Kg		08/29/06	SW846 5030B	SW846 8260B
1,2,4-Trimethylbenzene	< 25	25	60		50	ug/Kg		08/29/06	SW846 5030B	SW846 8260B
1,2-Dibromo-3-chloropropane	< 82	82	200		50	ug/Kg		08/29/06	SW846 5030B	SW846 8260B
1,2-Dibromoethane	< 25	25	60		50	ug/Kg		08/29/06	SW846 5030B	SW846 8260B
1,2-Dichlorobenzene	< 44	44	110		50	ug/Kg		08/29/06	SW846 5030B	SW846 8260B
1,2-Dichloroethane	< 25	25	60		50	ug/Kg		08/29/06	SW846 5030B	SW846 8260B
1,2-Dichloropropane	< 25	25	60		50	ug/Kg		08/29/06	SW846 5030B	SW846 8260B
1,3,5-Trimethylbenzene	< 25	25	60		50	ug/Kg		08/29/06	SW846 5030B	SW846 8260B
1,3-Dichlorobenzene	< 25	25	60		50	ug/Kg		08/29/06	SW846 5030B	SW846 8260B
1,3-Dichloropropane	< 25	25	60		50	ug/Kg		08/29/06	SW846 5030B	SW846 8260B
1,4-Dichlorobenzene	< 25	25	60		50	ug/Kg		08/29/06	SW846 5030B	SW846 8260B
2,2-Dichloropropane	< 25	25	60		50	ug/Kg		08/29/06	SW846 5030B	SW846 8260B
2-Chlorotoluene	< 25	25	60		50	ug/Kg		08/29/06	SW846 5030B	SW846 8260B
4-Chlorotoluene	< 25	25	60		50	ug/Kg		08/29/06	SW846 5030B	SW846 8260B
Benzene	< 25	25	60		50	ug/Kg		08/29/06	SW846 5030B	SW846 8260B
Bromobenzene	< 25	25	60		50	ug/Kg		08/29/06	SW846 5030B	SW846 8260B
Bromochloromethane	< 25	25	60		50	ug/Kg		08/29/06	SW846 5030B	SW846 8260B
Bromodichloromethane	< 25	25	60		50	ug/Kg		08/29/06	SW846 5030B	SW846 8260B
Bromoform	< 26	26	62		50	ug/Kg		08/29/06	SW846 5030B	SW846 8260B
Bromomethane	< 25	25	60		50	ug/Kg		08/29/06	SW846 5030B	SW846 8260B
Carbon Tetrachloride	< 25	25	60		50	ug/Kg		08/29/06	SW846 5030B	SW846 8260B
Chlorobenzene	< 25	25	60		50	ug/Kg		08/29/06	SW846 5030B	SW846 8260B
Chlorodibromomethane	< 25	25	60		50	ug/Kg		08/29/06	SW846 5030B	SW846 8260B
Chloroethane	< 25	25	60		50	ug/Kg		08/29/06	SW846 5030B	SW846 8260B
Chloroform	< 25	25	60		50	ug/Kg		08/29/06	SW846 5030B	SW846 8260B
Chloromethane	< 25	25	60		50	ug/Kg		08/29/06	SW846 5030B	SW846 8260B

All soil results are reported on a dry weight basis unless otherwise noted.

Pace Analytical Services, Inc.

1241 Bellevue Street
Green Bay, WI 54302
920-469-2436

Analytical Report Number: 875476

Client : ECCI
Project Name : OLD DUTCHMILL PROPERTY
Project Number :
Field ID : GP-4-2

Matrix Type : SOIL
Collection Date : 08/24/06
Report Date : 09/14/06
Lab Sample Number : 875476-021

VOLATILES

Prep Date: 08/29/06

Analyte	Result	LOD	LOQ	EQL	Dil.	Units	Code	Anl Date	Prep Method	Anl Method
cis-1,2-Dichloroethene	< 25	25	60		50	ug/Kg		08/29/06	SW846 5030B	SW846 8260B
cis-1,3-Dichloropropene	< 25	25	60		50	ug/Kg		08/29/06	SW846 5030B	SW846 8260B
Dibromomethane	< 25	25	60		50	ug/Kg		08/29/06	SW846 5030B	SW846 8260B
Dichlorodifluoromethane	< 25	25	60		50	ug/Kg		08/29/06	SW846 5030B	SW846 8260B
Diisopropyl Ether	< 25	25	60		50	ug/Kg		08/29/06	SW846 5030B	SW846 8260B
Ethylbenzene	< 25	25	60		50	ug/Kg		08/29/06	SW846 5030B	SW846 8260B
Fluorotrichloromethane	< 25	25	60		50	ug/Kg		08/29/06	SW846 5030B	SW846 8260B
Hexachlorobutadiene	< 26	26	63		50	ug/Kg		08/29/06	SW846 5030B	SW846 8260B
Isopropylbenzene	< 25	25	60		50	ug/Kg		08/29/06	SW846 5030B	SW846 8260B
Methylene Chloride	< 25	25	60		50	ug/Kg		08/29/06	SW846 5030B	SW846 8260B
Methyl-tert-butyl-ether	< 25	25	60		50	ug/Kg		08/29/06	SW846 5030B	SW846 8260B
Naphthalene	< 25	25	60		50	ug/Kg		08/29/06	SW846 5030B	SW846 8260B
n-Butylbenzene	< 40	40	97		50	ug/Kg		08/29/06	SW846 5030B	SW846 8260B
n-Propylbenzene	< 25	25	60		50	ug/Kg		08/29/06	SW846 5030B	SW846 8260B
p-Isopropyltoluene	< 25	25	60		50	ug/Kg		08/29/06	SW846 5030B	SW846 8260B
s-Butylbenzene	< 25	25	60		50	ug/Kg		08/29/06	SW846 5030B	SW846 8260B
Styrene	< 25	25	60		50	ug/Kg		08/29/06	SW846 5030B	SW846 8260B
t-Butylbenzene	< 25	25	60		50	ug/Kg		08/29/06	SW846 5030B	SW846 8260B
Tetrachloroethene	< 25	25	60		50	ug/Kg		08/29/06	SW846 5030B	SW846 8260B
Toluene	< 25	25	60		50	ug/Kg		08/29/06	SW846 5030B	SW846 8260B
trans-1,2-Dichloroethene	< 25	25	60		50	ug/Kg		08/29/06	SW846 5030B	SW846 8260B
trans-1,3-Dichloropropene	< 25	25	60		50	ug/Kg	&	08/29/06	SW846 5030B	SW846 8260B
Trichloroethene	< 25	25	60		50	ug/Kg		08/29/06	SW846 5030B	SW846 8260B
Vinyl Chloride	< 25	25	60		50	ug/Kg		08/29/06	SW846 5030B	SW846 8260B
Xylenes, m + p	< 50	50	120		50	ug/Kg		08/29/06	SW846 5030B	SW846 8260B
Xylene, o	< 25	25	60		50	ug/Kg		08/29/06	SW846 5030B	SW846 8260B
Surrogate		**LCL**	**UCL**							
4-Bromofluorobenzene	95	64	133		50	%		08/29/06	SW846 5030B	SW846 8260B
Toluene-d8	102	67	139		50	%		08/29/06	SW846 5030B	SW846 8260B
Dibromofluoromethane	108	64	140		50	%		08/29/06	SW846 5030B	SW846 8260B

PAH/PNA

Prep Date: 08/31/06

Analyte	Result	LOD	LOQ	EQL	Dil.	Units	Code	Anl Date	Prep Method	Anl Method
1-Methylnaphthalene	< 3.7	3.7	12		1	ug/Kg		08/31/06	SW846 3545	8270C-SIM
2-Methylnaphthalene	< 3.8	3.8	13		1	ug/Kg		08/31/06	SW846 3545	8270C-SIM
Acenaphthene	< 3.6	3.6	12		1	ug/Kg		08/31/06	SW846 3545	8270C-SIM
Acenaphthylene	< 3.5	3.5	12		1	ug/Kg		08/31/06	SW846 3545	8270C-SIM
Anthracene	< 4.3	4.3	14		1	ug/Kg		08/31/06	SW846 3545	8270C-SIM
Benzo(a)anthracene	< 6.5	6.5	22		1	ug/Kg		08/31/06	SW846 3545	8270C-SIM
Benzo(a)pyrene	< 3.5	3.5	12		1	ug/Kg		08/31/06	SW846 3545	8270C-SIM
Benzo(b)fluoranthene	< 3.4	3.4	11		1	ug/Kg		08/31/06	SW846 3545	8270C-SIM
Benzo(ghi)perylene	< 4.3	4.3	14		1	ug/Kg		08/31/06	SW846 3545	8270C-SIM
Benzo(k)fluoranthene	< 3.7	3.7	12		1	ug/Kg		08/31/06	SW846 3545	8270C-SIM
Chrysene	< 5.3	5.3	18		1	ug/Kg		08/31/06	SW846 3545	8270C-SIM
Dibenz(a,h)anthracene	< 3.4	3.4	11		1	ug/Kg		08/31/06	SW846 3545	8270C-SIM
Fluoranthene	3.9	3.5	12		1	ug/Kg	Q	08/31/06	SW846 3545	8270C-SIM
Fluorene	< 4.2	4.2	14		1	ug/Kg		08/31/06	SW846 3545	8270C-SIM
Indeno(1,2,3-cd)pyrene	< 3.1	3.1	10		1	ug/Kg		08/31/06	SW846 3545	8270C-SIM

All soil results are reported on a dry weight basis unless otherwise noted.

Pace Analytical Services, Inc.

1241 Bellevue Street
Green Bay, WI 54302
920-469-2436

Analytical Report Number: 875476

Client : ECCI
Project Name : OLD DUTCHMILL PROPERTY
Project Number :
Field ID : GP-4-2

Matrix Type : SOIL
Collection Date : 08/24/06
Report Date : 09/14/06
Lab Sample Number : 875476-021

PAH/PNA

Prep Date: 08/31/06

Analyte		Result	LOD	LOQ	EQL	Dil.	Units	Code	Anl Date	Prep Method	Anl Method
Naphthalene	<	4.9	4.9	16		1	ug/Kg		08/31/06	SW846 3545	8270C-SIM
Phenanthrene	<	3.6	3.6	12		1	ug/Kg		08/31/06	SW846 3545	8270C-SIM
Pyrene		3.4	3.0	10		1	ug/Kg	Q	08/31/06	SW846 3545	8270C-SIM
Surrogate			**LCL**	**UCL**							
Nitrobenzene-d5		75	10	141		1	%		08/31/06	SW846 3545	8270C-SIM
2-Fluorobiphenyl		71	10	161		1	%		08/31/06	SW846 3545	8270C-SIM
Terphenyl-d14		66	29	150		1	%		08/31/06	SW846 3545	8270C-SIM

All soil results are reported on a dry weight basis unless otherwise noted.

Pace Analytical Services, Inc.

1241 Bellevue Street
Green Bay, WI 54302
920-469-2436

Analytical Report Number: 875476

Client : ECCI
Project Name : OLD DUTCHMILL PROPERTY
Project Number :
Field ID : GP-4-4

Matrix Type : SOIL
Collection Date : 08/24/06
Report Date : 09/14/06
Lab Sample Number : 875476-022

INORGANICS

Test	Result	LOD	LOQ	EQL	Dil.	Units	Code	Anl Date	Prep Method	Anl Method
Lead	4.9	0.41	1.4		1	mg/Kg		08/30/06	SW846 3050B	SW846 6010B
Percent Solids	81.5				1	%		08/28/06	SM M2540G	SM M2540G

DIESEL RANGE ORGANICS

Preservation Date: 08/29/06 Prep Date: 08/29/06

Analyte	Result	LOD	LOQ	EQL	Dil.	Units	Code	Anl Date	Prep Method	Anl Method
Diesel Range Organics	< 4.2			4.2	1	mg/kg		08/30/06	WI MOD DRO	WI MOD DRO

GASOLINE RANGE ORGANICS

Prep Date: 08/29/06

Analyte	Result	LOD	LOQ	EQL	Dil.	Units	Code	Anl Date	Prep Method	Anl Method
Gasoline Range Organics	< 3.1			3.1	50	mg/Kg		08/29/06	WI MOD GRO	WI MOD GRO

VOLATILES

Prep Date: 08/29/06

Analyte	Result	LOD	LOQ	EQL	Dil.	Units	Code	Anl Date	Prep Method	Anl Method
1,1,1,2-Tetrachloroethane	< 25	25	60		50	ug/Kg		08/29/06	SW846 5030B	SW846 8260B
1,1,1-Trichloroethane	< 25	25	60		50	ug/Kg		08/29/06	SW846 5030B	SW846 8260B
1,1,2,2-Tetrachloroethane	< 25	25	60		50	ug/Kg		08/29/06	SW846 5030B	SW846 8260B
1,1,2-Trichloroethane	< 25	25	60		50	ug/Kg		08/29/06	SW846 5030B	SW846 8260B
1,1-Dichloroethane	< 25	25	60		50	ug/Kg		08/29/06	SW846 5030B	SW846 8260B
1,1-Dichloroethene	< 25	25	60		50	ug/Kg		08/29/06	SW846 5030B	SW846 8260B
1,1-Dichloropropene	< 25	25	60		50	ug/Kg		08/29/06	SW846 5030B	SW846 8260B
1,2,3-Trichlorobenzene	< 25	25	60		50	ug/Kg		08/29/06	SW846 5030B	SW846 8260B
1,2,3-Trichloropropane	< 25	25	60		50	ug/Kg		08/29/06	SW846 5030B	SW846 8260B
1,2,4-Trichlorobenzene	< 25	25	60		50	ug/Kg		08/29/06	SW846 5030B	SW846 8260B
1,2,4-Trimethylbenzene	< 25	25	60		50	ug/Kg		08/29/06	SW846 5030B	SW846 8260B
1,2-Dibromo-3-chloropropane	< 82	82	200		50	ug/Kg		08/29/06	SW846 5030B	SW846 8260B
1,2-Dibromoethane	< 25	25	60		50	ug/Kg		08/29/06	SW846 5030B	SW846 8260B
1,2-Dichlorobenzene	< 44	44	110		50	ug/Kg		08/29/06	SW846 5030B	SW846 8260B
1,2-Dichloroethane	< 25	25	60		50	ug/Kg		08/29/06	SW846 5030B	SW846 8260B
1,2-Dichloropropane	< 25	25	60		50	ug/Kg		08/29/06	SW846 5030B	SW846 8260B
1,3,5-Trimethylbenzene	< 25	25	60		50	ug/Kg		08/29/06	SW846 5030B	SW846 8260B
1,3-Dichlorobenzene	< 25	25	60		50	ug/Kg		08/29/06	SW846 5030B	SW846 8260B
1,3-Dichloropropane	< 25	25	60		50	ug/Kg		08/29/06	SW846 5030B	SW846 8260B
1,4-Dichlorobenzene	< 25	25	60		50	ug/Kg		08/29/06	SW846 5030B	SW846 8260B
2,2-Dichloropropane	< 25	25	60		50	ug/Kg		08/29/06	SW846 5030B	SW846 8260B
2-Chlorotoluene	< 25	25	60		50	ug/Kg		08/29/06	SW846 5030B	SW846 8260B
4-Chlorotoluene	< 25	25	60		50	ug/Kg		08/29/06	SW846 5030B	SW846 8260B
Benzene	< 25	25	60		50	ug/Kg		08/29/06	SW846 5030B	SW846 8260B
Bromobenzene	< 25	25	60		50	ug/Kg		08/29/06	SW846 5030B	SW846 8260B
Bromochloromethane	< 25	25	60		50	ug/Kg		08/29/06	SW846 5030B	SW846 8260B
Bromodichloromethane	< 25	25	60		50	ug/Kg		08/29/06	SW846 5030B	SW846 8260B
Bromoform	< 26	26	62		50	ug/Kg		08/29/06	SW846 5030B	SW846 8260B
Bromomethane	< 25	25	60		50	ug/Kg		08/29/06	SW846 5030B	SW846 8260B
Carbon Tetrachloride	< 25	25	60		50	ug/Kg		08/29/06	SW846 5030B	SW846 8260B
Chlorobenzene	< 25	25	60		50	ug/Kg		08/29/06	SW846 5030B	SW846 8260B
Chlorodibromomethane	< 25	25	60		50	ug/Kg		08/29/06	SW846 5030B	SW846 8260B
Chloroethane	< 25	25	60		50	ug/Kg		08/29/06	SW846 5030B	SW846 8260B
Chloroform	< 25	25	60		50	ug/Kg		08/29/06	SW846 5030B	SW846 8260B
Chloromethane	< 25	25	60		50	ug/Kg		08/29/06	SW846 5030B	SW846 8260B

All soil results are reported on a dry weight basis unless otherwise noted.

Pace Analytical Services, Inc.

1241 Bellevue Street
Green Bay, WI 54302
920-469-2436

Analytical Report Number: 875476

Client : ECCI
Project Name : OLD DUTCHMILL PROPERTY
Project Number :
Field ID : GP-4-4

Matrix Type : SOIL
Collection Date : 08/24/06
Report Date : 09/14/06
Lab Sample Number : 875476-022

VOLATILES

Prep Date: 08/29/06

Analyte	Result	LOD	LOQ	EQL	Dil.	Units	Code	Anl Date	Prep Method	Anl Method
cis-1,2-Dichloroethene	< 25	25	60		50	ug/Kg		08/29/06	SW846 5030B	SW846 8260B
cis-1,3-Dichloropropene	< 25	25	60		50	ug/Kg		08/29/06	SW846 5030B	SW846 8260B
Dibromomethane	< 25	25	60		50	ug/Kg		08/29/06	SW846 5030B	SW846 8260B
Dichlorodifluoromethane	< 25	25	60		50	ug/Kg		08/29/06	SW846 5030B	SW846 8260B
Diisopropyl Ether	< 25	25	60		50	ug/Kg		08/29/06	SW846 5030B	SW846 8260B
Ethylbenzene	< 25	25	60		50	ug/Kg		08/29/06	SW846 5030B	SW846 8260B
Fluorotrichloromethane	< 25	25	60		50	ug/Kg		08/29/06	SW846 5030B	SW846 8260B
Hexachlorobutadiene	< 26	26	63		50	ug/Kg		08/29/06	SW846 5030B	SW846 8260B
Isopropylbenzene	< 25	25	60		50	ug/Kg		08/29/06	SW846 5030B	SW846 8260B
Methylene Chloride	< 25	25	60		50	ug/Kg		08/29/06	SW846 5030B	SW846 8260B
Methyl-tert-butyl-ether	< 25	25	60		50	ug/Kg		08/29/06	SW846 5030B	SW846 8260B
Naphthalene	< 25	25	60		50	ug/Kg		08/29/06	SW846 5030B	SW846 8260B
n-Butylbenzene	< 40	40	97		50	ug/Kg		08/29/06	SW846 5030B	SW846 8260B
n-Propylbenzene	< 25	25	60		50	ug/Kg		08/29/06	SW846 5030B	SW846 8260B
p-Isopropyltoluene	< 25	25	60		50	ug/Kg		08/29/06	SW846 5030B	SW846 8260B
s-Butylbenzene	< 25	25	60		50	ug/Kg		08/29/06	SW846 5030B	SW846 8260B
Styrene	< 25	25	60		50	ug/Kg		08/29/06	SW846 5030B	SW846 8260B
t-Butylbenzene	< 25	25	60		50	ug/Kg		08/29/06	SW846 5030B	SW846 8260B
Tetrachloroethene	< 25	25	60		50	ug/Kg		08/29/06	SW846 5030B	SW846 8260B
Toluene	< 25	25	60		50	ug/Kg		08/29/06	SW846 5030B	SW846 8260B
trans-1,2-Dichloroethene	< 25	25	60		50	ug/Kg		08/29/06	SW846 5030B	SW846 8260B
trans-1,3-Dichloropropene	< 25	25	60		50	ug/Kg	&	08/29/06	SW846 5030B	SW846 8260B
Trichloroethene	< 25	25	60		50	ug/Kg		08/29/06	SW846 5030B	SW846 8260B
Vinyl Chloride	< 25	25	60		50	ug/Kg		08/29/06	SW846 5030B	SW846 8260B
Xylenes, m + p	< 50	50	120		50	ug/Kg		08/29/06	SW846 5030B	SW846 8260B
Xylene, o	< 25	25	60		50	ug/Kg		08/29/06	SW846 5030B	SW846 8260B
Surrogate		**LCL**	**UCL**							
4-Bromofluorobenzene	86	64	133		50	%		08/29/06	SW846 5030B	SW846 8260B
Toluene-d8	93	67	139		50	%		08/29/06	SW846 5030B	SW846 8260B
Dibromofluoromethane	98	64	140		50	%		08/29/06	SW846 5030B	SW846 8260B

PAH/PNA

Prep Date: 08/31/06

Analyte	Result	LOD	LOQ	EQL	Dil.	Units	Code	Anl Date	Prep Method	Anl Method
1-Methylnaphthalene	< 3.7	3.7	12		1	ug/Kg		08/31/06	SW846 3545	8270C-SIM
2-Methylnaphthalene	< 3.8	3.8	13		1	ug/Kg		08/31/06	SW846 3545	8270C-SIM
Acenaphthene	< 3.6	3.6	12		1	ug/Kg		08/31/06	SW846 3545	8270C-SIM
Acenaphthylene	< 3.5	3.5	12		1	ug/Kg		08/31/06	SW846 3545	8270C-SIM
Anthracene	< 4.4	4.4	15		1	ug/Kg		08/31/06	SW846 3545	8270C-SIM
Benzo(a)anthracene	< 6.5	6.5	22		1	ug/Kg		08/31/06	SW846 3545	8270C-SIM
Benzo(a)pyrene	< 3.5	3.5	12		1	ug/Kg		08/31/06	SW846 3545	8270C-SIM
Benzo(b)fluoranthene	< 3.4	3.4	11		1	ug/Kg		08/31/06	SW846 3545	8270C-SIM
Benzo(ghi)perylene	< 4.4	4.4	15		1	ug/Kg		08/31/06	SW846 3545	8270C-SIM
Benzo(k)fluoranthene	< 3.8	3.8	13		1	ug/Kg		08/31/06	SW846 3545	8270C-SIM
Chrysene	< 5.3	5.3	18		1	ug/Kg		08/31/06	SW846 3545	8270C-SIM
Dibenz(a,h)anthracene	< 3.4	3.4	11		1	ug/Kg		08/31/06	SW846 3545	8270C-SIM
Fluoranthene	< 3.5	3.5	12		1	ug/Kg		08/31/06	SW846 3545	8270C-SIM
Fluorene	< 4.2	4.2	14		1	ug/Kg		08/31/06	SW846 3545	8270C-SIM
Indeno(1,2,3-cd)pyrene	< 3.1	3.1	10		1	ug/Kg		08/31/06	SW846 3545	8270C-SIM

All soil results are reported on a dry weight basis unless otherwise noted.

Pace Analytical Services, Inc.

1241 Bellevue Street
Green Bay, WI 54302
920-469-2436

Analytical Report Number: 875476

Client : ECCI
Project Name : OLD DUTCHMILL PROPERTY
Project Number :
Field ID : GP-4-4

Matrix Type : SOIL
Collection Date : 08/24/06
Report Date : 09/14/06
Lab Sample Number : 875476-022

PAH/PNA

Prep Date: 08/31/06

Analyte		Result	LOD	LOQ	EQL	Dil.	Units	Code	Anl Date	Prep Method	Anl Method
Naphthalene	<	4.9	4.9	16		1	ug/Kg		08/31/06	SW846 3545	8270C-SIM
Phenanthrene	<	3.6	3.6	12		1	ug/Kg		08/31/06	SW846 3545	8270C-SIM
Pyrene	<	3.0	3.0	10		1	ug/Kg		08/31/06	SW846 3545	8270C-SIM
Surrogate			**LCL**	**UCL**							
Nitrobenzene-d5		86	10	141		1	%		08/31/06	SW846 3545	8270C-SIM
2-Fluorobiphenyl		78	10	161		1	%		08/31/06	SW846 3545	8270C-SIM
Terphenyl-d14		82	29	150		1	%		08/31/06	SW846 3545	8270C-SIM

All soil results are reported on a dry weight basis unless otherwise noted.

Pace Analytical Services, Inc.

1241 Bellevue Street
Green Bay, WI 54302
920-469-2436

Analytical Report Number: 875476

Client : ECCI
Project Name : OLD DUTCHMILL PROPERTY
Project Number :
Field ID : GP-5-2

Matrix Type : SOIL
Collection Date : 08/24/06
Report Date : 09/14/06
Lab Sample Number : 875476-023

INORGANICS

Test	Result	LOD	LOQ	EQL	Dil.	Units	Code	Anl Date	Prep Method	Anl Method
Lead	6.1	0.39	1.3		1	mg/Kg		08/30/06	SW846 3050B	SW846 6010B
Percent Solids	86.6				1	%		08/28/06	SM M2540G	SM M2540G

DIESEL RANGE ORGANICS

Preservation Date: 08/30/06 Prep Date: 08/30/06

Analyte	Result	LOD	LOQ	EQL	Dil.	Units	Code	Anl Date	Prep Method	Anl Method
Diesel Range Organics	< 4.5			4.5	1	mg/kg		08/30/06	WI MOD DRO	WI MOD DRO

GASOLINE RANGE ORGANICS

Prep Date: 08/29/06

Analyte	Result	LOD	LOQ	EQL	Dil.	Units	Code	Anl Date	Prep Method	Anl Method
Gasoline Range Organics	< 2.9			2.9	50	mg/Kg		08/29/06	WI MOD GRO	WI MOD GRO

VOLATILES

Prep Date: 08/29/06

Analyte	Result	LOD	LOQ	EQL	Dil.	Units	Code	Anl Date	Prep Method	Anl Method
1,1,1,2-Tetrachloroethane	< 25	25	60		50	ug/Kg		08/29/06	SW846 5030B	SW846 8260B
1,1,1-Trichloroethane	< 25	25	60		50	ug/Kg		08/29/06	SW846 5030B	SW846 8260B
1,1,2,2-Tetrachloroethane	< 25	25	60		50	ug/Kg		08/29/06	SW846 5030B	SW846 8260B
1,1,2-Trichloroethane	< 25	25	60		50	ug/Kg		08/29/06	SW846 5030B	SW846 8260B
1,1-Dichloroethane	< 25	25	60		50	ug/Kg		08/29/06	SW846 5030B	SW846 8260B
1,1-Dichloroethene	< 25	25	60		50	ug/Kg		08/29/06	SW846 5030B	SW846 8260B
1,1-Dichloropropene	< 25	25	60		50	ug/Kg		08/29/06	SW846 5030B	SW846 8260B
1,2,3-Trichlorobenzene	< 25	25	60		50	ug/Kg		08/29/06	SW846 5030B	SW846 8260B
1,2,3-Trichloropropane	< 25	25	60		50	ug/Kg		08/29/06	SW846 5030B	SW846 8260B
1,2,4-Trichlorobenzene	< 25	25	60		50	ug/Kg		08/29/06	SW846 5030B	SW846 8260B
1,2,4-Trimethylbenzene	< 25	25	60		50	ug/Kg		08/29/06	SW846 5030B	SW846 8260B
1,2-Dibromo-3-chloropropane	< 82	82	200		50	ug/Kg		08/29/06	SW846 5030B	SW846 8260B
1,2-Dibromoethane	< 25	25	60		50	ug/Kg		08/29/06	SW846 5030B	SW846 8260B
1,2-Dichlorobenzene	< 44	44	110		50	ug/Kg		08/29/06	SW846 5030B	SW846 8260B
1,2-Dichloroethane	< 25	25	60		50	ug/Kg		08/29/06	SW846 5030B	SW846 8260B
1,2-Dichloropropane	< 25	25	60		50	ug/Kg		08/29/06	SW846 5030B	SW846 8260B
1,3,5-Trimethylbenzene	< 25	25	60		50	ug/Kg		08/29/06	SW846 5030B	SW846 8260B
1,3-Dichlorobenzene	< 25	25	60		50	ug/Kg		08/29/06	SW846 5030B	SW846 8260B
1,3-Dichloropropane	< 25	25	60		50	ug/Kg		08/29/06	SW846 5030B	SW846 8260B
1,4-Dichlorobenzene	< 25	25	60		50	ug/Kg		08/29/06	SW846 5030B	SW846 8260B
2,2-Dichloropropane	< 25	25	60		50	ug/Kg		08/29/06	SW846 5030B	SW846 8260B
2-Chlorotoluene	< 25	25	60		50	ug/Kg		08/29/06	SW846 5030B	SW846 8260B
4-Chlorotoluene	< 25	25	60		50	ug/Kg		08/29/06	SW846 5030B	SW846 8260B
Benzene	< 25	25	60		50	ug/Kg		08/29/06	SW846 5030B	SW846 8260B
Bromobenzene	< 25	25	60		50	ug/Kg		08/29/06	SW846 5030B	SW846 8260B
Bromochloromethane	< 25	25	60		50	ug/Kg		08/29/06	SW846 5030B	SW846 8260B
Bromodichloromethane	< 25	25	60		50	ug/Kg		08/29/06	SW846 5030B	SW846 8260B
Bromoform	< 26	26	62		50	ug/Kg		08/29/06	SW846 5030B	SW846 8260B
Bromomethane	< 25	25	60		50	ug/Kg		08/29/06	SW846 5030B	SW846 8260B
Carbon Tetrachloride	< 25	25	60		50	ug/Kg		08/29/06	SW846 5030B	SW846 8260B
Chlorobenzene	< 25	25	60		50	ug/Kg		08/29/06	SW846 5030B	SW846 8260B
Chlorodibromomethane	< 25	25	60		50	ug/Kg		08/29/06	SW846 5030B	SW846 8260B
Chloroethane	< 25	25	60		50	ug/Kg		08/29/06	SW846 5030B	SW846 8260B
Chloroform	< 25	25	60		50	ug/Kg		08/29/06	SW846 5030B	SW846 8260B
Chloromethane	< 25	25	60		50	ug/Kg		08/29/06	SW846 5030B	SW846 8260B

All soil results are reported on a dry weight basis unless otherwise noted.

Pace Analytical Services, Inc.

1241 Bellevue Street
Green Bay, WI 54302
920-469-2436

Analytical Report Number: 875476

Client : ECCI
Project Name : OLD DUTCHMILL PROPERTY
Project Number :
Field ID : GP-5-2

Matrix Type : SOIL
Collection Date : 08/24/06
Report Date : 09/14/06
Lab Sample Number : 875476-023

VOLATILES

Prep Date: 08/29/06

Analyte		Result	LOD	LOQ	EQL	Dil.	Units	Code	Anl Date	Prep Method	Anl Method
cis-1,2-Dichloroethene	<	25	25	60		50	ug/Kg		08/29/06	SW846 5030B	SW846 8260B
cis-1,3-Dichloropropene	<	25	25	60		50	ug/Kg		08/29/06	SW846 5030B	SW846 8260B
Dibromomethane	<	25	25	60		50	ug/Kg		08/29/06	SW846 5030B	SW846 8260B
Dichlorodifluoromethane	<	25	25	60		50	ug/Kg		08/29/06	SW846 5030B	SW846 8260B
Diisopropyl Ether	<	25	25	60		50	ug/Kg		08/29/06	SW846 5030B	SW846 8260B
Ethylbenzene	<	25	25	60		50	ug/Kg		08/29/06	SW846 5030B	SW846 8260B
Fluorotrichloromethane	<	25	25	60		50	ug/Kg		08/29/06	SW846 5030B	SW846 8260B
Hexachlorobutadiene	<	26	26	63		50	ug/Kg		08/29/06	SW846 5030B	SW846 8260B
Isopropylbenzene	<	25	25	60		50	ug/Kg		08/29/06	SW846 5030B	SW846 8260B
Methylene Chloride	<	25	25	60		50	ug/Kg		08/29/06	SW846 5030B	SW846 8260B
Methyl-tert-butyl-ether	<	25	25	60		50	ug/Kg		08/29/06	SW846 5030B	SW846 8260B
Naphthalene	<	25	25	60		50	ug/Kg		08/29/06	SW846 5030B	SW846 8260B
n-Butylbenzene	<	40	40	97		50	ug/Kg		08/29/06	SW846 5030B	SW846 8260B
n-Propylbenzene	<	25	25	60		50	ug/Kg		08/29/06	SW846 5030B	SW846 8260B
p-Isopropyltoluene	<	25	25	60		50	ug/Kg		08/29/06	SW846 5030B	SW846 8260B
s-Butylbenzene	<	25	25	60		50	ug/Kg		08/29/06	SW846 5030B	SW846 8260B
Styrene	<	25	25	60		50	ug/Kg		08/29/06	SW846 5030B	SW846 8260B
t-Butylbenzene	<	25	25	60		50	ug/Kg		08/29/06	SW846 5030B	SW846 8260B
Tetrachloroethene	<	25	25	60		50	ug/Kg		08/29/06	SW846 5030B	SW846 8260B
Toluene	<	25	25	60		50	ug/Kg		08/29/06	SW846 5030B	SW846 8260B
trans-1,2-Dichloroethene	<	25	25	60		50	ug/Kg		08/29/06	SW846 5030B	SW846 8260B
trans-1,3-Dichloropropene	<	25	25	60		50	ug/Kg	&	08/29/06	SW846 5030B	SW846 8260B
Trichloroethene	<	25	25	60		50	ug/Kg		08/29/06	SW846 5030B	SW846 8260B
Vinyl Chloride	<	25	25	60		50	ug/Kg		08/29/06	SW846 5030B	SW846 8260B
Xylenes, m + p	<	50	50	120		50	ug/Kg		08/29/06	SW846 5030B	SW846 8260B
Xylene, o	<	25	25	60		50	ug/Kg		08/29/06	SW846 5030B	SW846 8260B
Surrogate			**LCL**	**UCL**							
4-Bromofluorobenzene		86	64	133		50	%		08/29/06	SW846 5030B	SW846 8260B
Toluene-d8		92	67	139		50	%		08/29/06	SW846 5030B	SW846 8260B
Dibromofluoromethane		98	64	140		50	%		08/29/06	SW846 5030B	SW846 8260B

PAH/PNA

Prep Date: 08/31/06

Analyte		Result	LOD	LOQ	EQL	Dil.	Units	Code	Anl Date	Prep Method	Anl Method
1-Methylnaphthalene	<	3.5	3.5	12		1	ug/Kg		08/31/06	SW846 3545	8270C-SIM
2-Methylnaphthalene	<	3.6	3.6	12		1	ug/Kg		08/31/06	SW846 3545	8270C-SIM
Acenaphthene	<	3.4	3.4	11		1	ug/Kg		08/31/06	SW846 3545	8270C-SIM
Acenaphthylene	<	3.3	3.3	11		1	ug/Kg		08/31/06	SW846 3545	8270C-SIM
Anthracene	<	4.1	4.1	14		1	ug/Kg		08/31/06	SW846 3545	8270C-SIM
Benzo(a)anthracene	<	6.1	6.1	20		1	ug/Kg		08/31/06	SW846 3545	8270C-SIM
Benzo(a)pyrene		4.1	3.3	11		1	ug/Kg	Q	08/31/06	SW846 3545	8270C-SIM
Benzo(b)fluoranthene		4.5	3.2	11		1	ug/Kg	Q	08/31/06	SW846 3545	8270C-SIM
Benzo(ghi)perylene		5.6	4.1	14		1	ug/Kg	Q	08/31/06	SW846 3545	8270C-SIM
Benzo(k)fluoranthene		4.2	3.5	12		1	ug/Kg	Q	08/31/06	SW846 3545	8270C-SIM
Chrysene	<	5.0	5.0	17		1	ug/Kg		08/31/06	SW846 3545	8270C-SIM
Dibenz(a,h)anthracene	<	3.2	3.2	11		1	ug/Kg		08/31/06	SW846 3545	8270C-SIM
Fluoranthene		4.2	3.3	11		1	ug/Kg	Q	08/31/06	SW846 3545	8270C-SIM
Fluorene	<	3.9	3.9	13		1	ug/Kg		08/31/06	SW846 3545	8270C-SIM
Indeno(1,2,3-cd)pyrene		4.2	2.9	9.7		1	ug/Kg	Q	08/31/06	SW846 3545	8270C-SIM

All soil results are reported on a dry weight basis unless otherwise noted.

Pace Analytical Services, Inc.

1241 Bellevue Street
Green Bay, WI 54302
920-469-2436

Analytical Report Number: 875476

Client : ECCI
Project Name : OLD DUTCHMILL PROPERTY
Project Number :
Field ID : GP-5-2

Matrix Type : SOIL
Collection Date : 08/24/06
Report Date : 09/14/06
Lab Sample Number : 875476-023

PAH/PNA

Prep Date: 08/31/06

Analyte		Result	LOD	LOQ	EQL	Dil.	Units	Code	Anl Date	Prep Method	Anl Method
Naphthalene	<	4.6	4.6	15		1	ug/Kg		08/31/06	SW846 3545	8270C-SIM
Phenanthrene	<	3.4	3.4	11		1	ug/Kg		08/31/06	SW846 3545	8270C-SIM
Pyrene		3.8	2.8	9.4		1	ug/Kg	Q	08/31/06	SW846 3545	8270C-SIM
Surrogate			**LCL**	**UCL**							
Nitrobenzene-d5		50	10	141		1	%		08/31/06	SW846 3545	8270C-SIM
2-Fluorobiphenyl		44	10	161		1	%		08/31/06	SW846 3545	8270C-SIM
Terphenyl-d14		63	29	150		1	%		08/31/06	SW846 3545	8270C-SIM

All soil results are reported on a dry weight basis unless otherwise noted.

Pace Analytical Services, Inc.

1241 Bellevue Street
Green Bay, WI 54302
920-469-2436

Analytical Report Number: 875476

Client : ECCI
Project Name : OLD DUTCHMILL PROPERTY
Project Number :
Field ID : GP-5-4

Matrix Type : SOIL
Collection Date : 08/24/06
Report Date : 09/14/06
Lab Sample Number : 875476-024

INORGANICS

Test	Result	LOD	LOQ	EQL	Dil.	Units	Code	Anl Date	Prep Method	Anl Method
Lead	2.5	0.36	1.2		1	mg/Kg		08/30/06	SW846 3050B	SW846 6010B
Percent Solids	94.9				1	%		08/28/06	SM M2540G	SM M2540G

DIESEL RANGE ORGANICS

Preservation Date: 08/30/06 Prep Date: 08/30/06

Analyte		Result	LOD	LOQ	EQL	Dil.	Units	Code	Anl Date	Prep Method	Anl Method
Diesel Range Organics	<	3.3			3.3	1	mg/kg		08/30/06	WI MOD DRO	WI MOD DRO

GASOLINE RANGE ORGANICS

Prep Date: 08/29/06

Analyte		Result	LOD	LOQ	EQL	Dil.	Units	Code	Anl Date	Prep Method	Anl Method
Gasoline Range Organics	<	2.6			2.6	50	mg/Kg		08/29/06	WI MOD GRO	WI MOD GRO

VOLATILES

Prep Date: 08/29/06

Analyte		Result	LOD	LOQ	EQL	Dil.	Units	Code	Anl Date	Prep Method	Anl Method
1,1,1,2-Tetrachloroethane	<	25	25	60		50	ug/Kg		08/29/06	SW846 5030B	SW846 8260B
1,1,1-Trichloroethane	<	25	25	60		50	ug/Kg		08/29/06	SW846 5030B	SW846 8260B
1,1,2,2-Tetrachloroethane	<	25	25	60		50	ug/Kg		08/29/06	SW846 5030B	SW846 8260B
1,1,2-Trichloroethane	<	25	25	60		50	ug/Kg		08/29/06	SW846 5030B	SW846 8260B
1,1-Dichloroethane	<	25	25	60		50	ug/Kg		08/29/06	SW846 5030B	SW846 8260B
1,1-Dichloroethene	<	25	25	60		50	ug/Kg		08/29/06	SW846 5030B	SW846 8260B
1,1-Dichloropropene	<	25	25	60		50	ug/Kg		08/29/06	SW846 5030B	SW846 8260B
1,2,3-Trichlorobenzene	<	25	25	60		50	ug/Kg		08/29/06	SW846 5030B	SW846 8260B
1,2,3-Trichloropropane	<	25	25	60		50	ug/Kg		08/29/06	SW846 5030B	SW846 8260B
1,2,4-Trichlorobenzene	<	25	25	60		50	ug/Kg		08/29/06	SW846 5030B	SW846 8260B
1,2,4-Trimethylbenzene	<	25	25	60		50	ug/Kg		08/29/06	SW846 5030B	SW846 8260B
1,2-Dibromo-3-chloropropane	<	82	82	200		50	ug/Kg		08/29/06	SW846 5030B	SW846 8260B
1,2-Dibromoethane	<	25	25	60		50	ug/Kg		08/29/06	SW846 5030B	SW846 8260B
1,2-Dichlorobenzene	<	44	44	110		50	ug/Kg		08/29/06	SW846 5030B	SW846 8260B
1,2-Dichloroethane	<	25	25	60		50	ug/Kg		08/29/06	SW846 5030B	SW846 8260B
1,2-Dichloropropane	<	25	25	60		50	ug/Kg		08/29/06	SW846 5030B	SW846 8260B
1,3,5-Trimethylbenzene	<	25	25	60		50	ug/Kg		08/29/06	SW846 5030B	SW846 8260B
1,3-Dichlorobenzene	<	25	25	60		50	ug/Kg		08/29/06	SW846 5030B	SW846 8260B
1,3-Dichloropropane	<	25	25	60		50	ug/Kg		08/29/06	SW846 5030B	SW846 8260B
1,4-Dichlorobenzene	<	25	25	60		50	ug/Kg		08/29/06	SW846 5030B	SW846 8260B
2,2-Dichloropropane	<	25	25	60		50	ug/Kg		08/29/06	SW846 5030B	SW846 8260B
2-Chlorotoluene	<	25	25	60		50	ug/Kg		08/29/06	SW846 5030B	SW846 8260B
4-Chlorotoluene	<	25	25	60		50	ug/Kg		08/29/06	SW846 5030B	SW846 8260B
Benzene	<	25	25	60		50	ug/Kg		08/29/06	SW846 5030B	SW846 8260B
Bromobenzene	<	25	25	60		50	ug/Kg		08/29/06	SW846 5030B	SW846 8260B
Bromochloromethane	<	25	25	60		50	ug/Kg		08/29/06	SW846 5030B	SW846 8260B
Bromodichloromethane	<	25	25	60		50	ug/Kg		08/29/06	SW846 5030B	SW846 8260B
Bromoform	<	26	26	62		50	ug/Kg		08/29/06	SW846 5030B	SW846 8260B
Bromomethane	<	25	25	60		50	ug/Kg		08/29/06	SW846 5030B	SW846 8260B
Carbon Tetrachloride	<	25	25	60		50	ug/Kg		08/29/06	SW846 5030B	SW846 8260B
Chlorobenzene	<	25	25	60		50	ug/Kg		08/29/06	SW846 5030B	SW846 8260B
Chlorodibromomethane	<	25	25	60		50	ug/Kg		08/29/06	SW846 5030B	SW846 8260B
Chloroethane	<	25	25	60		50	ug/Kg		08/29/06	SW846 5030B	SW846 8260B
Chloroform	<	25	25	60		50	ug/Kg		08/29/06	SW846 5030B	SW846 8260B
Chloromethane	<	25	25	60		50	ug/Kg		08/29/06	SW846 5030B	SW846 8260B

All soil results are reported on a dry weight basis unless otherwise noted.

Pace Analytical Services, Inc.

1241 Bellevue Street
Green Bay, WI 54302
920-469-2436

Analytical Report Number: 875476

Client : ECCI
Project Name : OLD DUTCHMILL PROPERTY
Project Number :
Field ID : GP-5-4

Matrix Type : SOIL
Collection Date : 08/24/06
Report Date : 09/14/06
Lab Sample Number : 875476-024

VOLATILES

Prep Date: 08/29/06

Analyte	Result	LOD	LOQ	EQL	Dil.	Units	Code	Anl Date	Prep Method	Anl Method
cis-1,2-Dichloroethene	< 25	25	60		50	ug/Kg		08/29/06	SW846 5030B	SW846 8260B
cis-1,3-Dichloropropene	< 25	25	60		50	ug/Kg		08/29/06	SW846 5030B	SW846 8260B
Dibromomethane	< 25	25	60		50	ug/Kg		08/29/06	SW846 5030B	SW846 8260B
Dichlorodifluoromethane	< 25	25	60		50	ug/Kg		08/29/06	SW846 5030B	SW846 8260B
Diisopropyl Ether	< 25	25	60		50	ug/Kg		08/29/06	SW846 5030B	SW846 8260B
Ethylbenzene	< 25	25	60		50	ug/Kg		08/29/06	SW846 5030B	SW846 8260B
Fluorotrichloromethane	< 25	25	60		50	ug/Kg		08/29/06	SW846 5030B	SW846 8260B
Hexachlorobutadiene	< 26	26	63		50	ug/Kg		08/29/06	SW846 5030B	SW846 8260B
Isopropylbenzene	< 25	25	60		50	ug/Kg		08/29/06	SW846 5030B	SW846 8260B
Methylene Chloride	< 25	25	60		50	ug/Kg		08/29/06	SW846 5030B	SW846 8260B
Methyl-tert-butyl-ether	< 25	25	60		50	ug/Kg		08/29/06	SW846 5030B	SW846 8260B
Naphthalene	< 25	25	60		50	ug/Kg		08/29/06	SW846 5030B	SW846 8260B
n-Butylbenzene	< 40	40	97		50	ug/Kg		08/29/06	SW846 5030B	SW846 8260B
n-Propylbenzene	< 25	25	60		50	ug/Kg		08/29/06	SW846 5030B	SW846 8260B
p-Isopropyltoluene	< 25	25	60		50	ug/Kg		08/29/06	SW846 5030B	SW846 8260B
s-Butylbenzene	< 25	25	60		50	ug/Kg		08/29/06	SW846 5030B	SW846 8260B
Styrene	< 25	25	60		50	ug/Kg		08/29/06	SW846 5030B	SW846 8260B
t-Butylbenzene	< 25	25	60		50	ug/Kg		08/29/06	SW846 5030B	SW846 8260B
Tetrachloroethene	< 25	25	60		50	ug/Kg		08/29/06	SW846 5030B	SW846 8260B
Toluene	< 25	25	60		50	ug/Kg		08/29/06	SW846 5030B	SW846 8260B
trans-1,2-Dichloroethene	< 25	25	60		50	ug/Kg		08/29/06	SW846 5030B	SW846 8260B
trans-1,3-Dichloropropene	< 25	25	60		50	ug/Kg	&	08/29/06	SW846 5030B	SW846 8260B
Trichloroethene	< 25	25	60		50	ug/Kg		08/29/06	SW846 5030B	SW846 8260B
Vinyl Chloride	< 25	25	60		50	ug/Kg		08/29/06	SW846 5030B	SW846 8260B
Xylenes, m + p	< 50	50	120		50	ug/Kg		08/29/06	SW846 5030B	SW846 8260B
Xylene, o	< 25	25	60		50	ug/Kg		08/29/06	SW846 5030B	SW846 8260B
Surrogate		**LCL**	**UCL**							
4-Bromofluorobenzene	81	64	133		50	%		08/29/06	SW846 5030B	SW846 8260B
Toluene-d8	87	67	139		50	%		08/29/06	SW846 5030B	SW846 8260B
Dibromofluoromethane	94	64	140		50	%		08/29/06	SW846 5030B	SW846 8260B

PAH/PNA

Prep Date: 08/31/06

Analyte	Result	LOD	LOQ	EQL	Dil.	Units	Code	Anl Date	Prep Method	Anl Method
1-Methylnaphthalene	< 3.2	3.2	11		1	ug/Kg		08/31/06	SW846 3545	8270C-SIM
2-Methylnaphthalene	< 3.3	3.3	11		1	ug/Kg		08/31/06	SW846 3545	8270C-SIM
Acenaphthene	< 3.1	3.1	10		1	ug/Kg		08/31/06	SW846 3545	8270C-SIM
Acenaphthylene	< 3.0	3.0	10		1	ug/Kg		08/31/06	SW846 3545	8270C-SIM
Anthracene	< 3.8	3.8	13		1	ug/Kg		08/31/06	SW846 3545	8270C-SIM
Benzo(a)anthracene	< 5.6	5.6	19		1	ug/Kg		08/31/06	SW846 3545	8270C-SIM
Benzo(a)pyrene	< 3.0	3.0	10		1	ug/Kg		08/31/06	SW846 3545	8270C-SIM
Benzo(b)fluoranthene	< 3.0	3.0	9.9		1	ug/Kg		08/31/06	SW846 3545	8270C-SIM
Benzo(ghi)perylene	< 3.8	3.8	13		1	ug/Kg		08/31/06	SW846 3545	8270C-SIM
Benzo(k)fluoranthene	< 3.2	3.2	11		1	ug/Kg		08/31/06	SW846 3545	8270C-SIM
Chrysene	< 4.6	4.6	15		1	ug/Kg		08/31/06	SW846 3545	8270C-SIM
Dibenz(a,h)anthracene	< 2.9	2.9	9.7		1	ug/Kg		08/31/06	SW846 3545	8270C-SIM
Fluoranthene	< 3.0	3.0	10		1	ug/Kg		08/31/06	SW846 3545	8270C-SIM
Fluorene	< 3.6	3.6	12		1	ug/Kg		08/31/06	SW846 3545	8270C-SIM
Indeno(1,2,3-cd)pyrene	< 2.7	2.7	8.8		1	ug/Kg		08/31/06	SW846 3545	8270C-SIM

All soil results are reported on a dry weight basis unless otherwise noted.

Pace Analytical Services, Inc.

1241 Bellevue Street
Green Bay, WI 54302
920-469-2436

Analytical Report Number: 875476

Client : ECCI
Project Name : OLD DUTCHMILL PROPERTY
Project Number :
Field ID : GP-5-4

Matrix Type : SOIL
Collection Date : 08/24/06
Report Date : 09/14/06
Lab Sample Number : 875476-024

PAH/PNA

Prep Date: 08/31/06

Analyte		Result	LOD	LOQ	EQL	Dil.	Units	Code	Anl Date	Prep Method	Anl Method
Naphthalene	<	4.2	4.2	14		1	ug/Kg		08/31/06	SW846 3545	8270C-SIM
Phenanthrene	<	3.1	3.1	10		1	ug/Kg		08/31/06	SW846 3545	8270C-SIM
Pyrene	<	2.6	2.6	8.6		1	ug/Kg		08/31/06	SW846 3545	8270C-SIM
Surrogate			**LCL**	**UCL**							
Nitrobenzene-d5		74	10	141		1	%		08/31/06	SW846 3545	8270C-SIM
2-Fluorobiphenyl		47	10	161		1	%		08/31/06	SW846 3545	8270C-SIM
Terphenyl-d14		72	29	150		1	%		08/31/06	SW846 3545	8270C-SIM

All soil results are reported on a dry weight basis unless otherwise noted.

Pace Analytical Services, Inc.

1241 Bellevue Street
Green Bay, WI 54302
920-469-2436

Analytical Report Number: 875476

Client : ECCI
Project Name : OLD DUTCHMILL PROPERTY
Project Number :
Field ID : GP-6-2

Matrix Type : SOIL
Collection Date : 08/24/06
Report Date : 09/14/06
Lab Sample Number : 875476-025

INORGANICS

Test	Result	LOD	LOQ	EQL	Dil.	Units	Code	Anl Date	Prep Method	Anl Method
Lead	8.2	0.36	1.2		1	mg/Kg		08/30/06	SW846 3050B	SW846 6010B
Percent Solids	93.3				1	%		08/28/06	SM M2540G	SM M2540G

DIESEL RANGE ORGANICS

Preservation Date: 08/30/06 Prep Date: 08/30/06

Analyte	Result	LOD	LOQ	EQL	Dil.	Units	Code	Anl Date	Prep Method	Anl Method
Diesel Range Organics	< 3.9			3.9	1	mg/kg		08/30/06	WI MOD DRO	WI MOD DRO

GASOLINE RANGE ORGANICS

Prep Date: 08/29/06

Analyte	Result	LOD	LOQ	EQL	Dil.	Units	Code	Anl Date	Prep Method	Anl Method
Gasoline Range Organics	< 2.7			2.7	50	mg/Kg		08/29/06	WI MOD GRO	WI MOD GRO

VOLATILES

Prep Date: 08/29/06

Analyte	Result	LOD	LOQ	EQL	Dil.	Units	Code	Anl Date	Prep Method	Anl Method
1,1,1,2-Tetrachloroethane	< 25	25	60		50	ug/Kg		08/29/06	SW846 5030B	SW846 8260B
1,1,1-Trichloroethane	< 25	25	60		50	ug/Kg		08/29/06	SW846 5030B	SW846 8260B
1,1,2,2-Tetrachloroethane	< 25	25	60		50	ug/Kg		08/29/06	SW846 5030B	SW846 8260B
1,1,2-Trichloroethane	< 25	25	60		50	ug/Kg		08/29/06	SW846 5030B	SW846 8260B
1,1-Dichloroethane	< 25	25	60		50	ug/Kg		08/29/06	SW846 5030B	SW846 8260B
1,1-Dichloroethene	< 25	25	60		50	ug/Kg		08/29/06	SW846 5030B	SW846 8260B
1,1-Dichloropropene	< 25	25	60		50	ug/Kg		08/29/06	SW846 5030B	SW846 8260B
1,2,3-Trichlorobenzene	< 25	25	60		50	ug/Kg		08/29/06	SW846 5030B	SW846 8260B
1,2,3-Trichloropropane	< 25	25	60		50	ug/Kg		08/29/06	SW846 5030B	SW846 8260B
1,2,4-Trichlorobenzene	< 25	25	60		50	ug/Kg		08/29/06	SW846 5030B	SW846 8260B
1,2,4-Trimethylbenzene	< 25	25	60		50	ug/Kg		08/29/06	SW846 5030B	SW846 8260B
1,2-Dibromo-3-chloropropane	< 82	82	200		50	ug/Kg		08/29/06	SW846 5030B	SW846 8260B
1,2-Dibromoethane	< 25	25	60		50	ug/Kg		08/29/06	SW846 5030B	SW846 8260B
1,2-Dichlorobenzene	< 44	44	110		50	ug/Kg		08/29/06	SW846 5030B	SW846 8260B
1,2-Dichloroethane	< 25	25	60		50	ug/Kg		08/29/06	SW846 5030B	SW846 8260B
1,2-Dichloropropane	< 25	25	60		50	ug/Kg		08/29/06	SW846 5030B	SW846 8260B
1,3,5-Trimethylbenzene	< 25	25	60		50	ug/Kg		08/29/06	SW846 5030B	SW846 8260B
1,3-Dichlorobenzene	< 25	25	60		50	ug/Kg		08/29/06	SW846 5030B	SW846 8260B
1,3-Dichloropropane	< 25	25	60		50	ug/Kg		08/29/06	SW846 5030B	SW846 8260B
1,4-Dichlorobenzene	< 25	25	60		50	ug/Kg		08/29/06	SW846 5030B	SW846 8260B
2,2-Dichloropropane	< 25	25	60		50	ug/Kg		08/29/06	SW846 5030B	SW846 8260B
2-Chlorotoluene	< 25	25	60		50	ug/Kg		08/29/06	SW846 5030B	SW846 8260B
4-Chlorotoluene	< 25	25	60		50	ug/Kg		08/29/06	SW846 5030B	SW846 8260B
Benzene	< 25	25	60		50	ug/Kg		08/29/06	SW846 5030B	SW846 8260B
Bromobenzene	< 25	25	60		50	ug/Kg		08/29/06	SW846 5030B	SW846 8260B
Bromochloromethane	< 25	25	60		50	ug/Kg		08/29/06	SW846 5030B	SW846 8260B
Bromodichloromethane	< 25	25	60		50	ug/Kg		08/29/06	SW846 5030B	SW846 8260B
Bromoform	< 26	26	62		50	ug/Kg		08/29/06	SW846 5030B	SW846 8260B
Bromomethane	< 25	25	60		50	ug/Kg		08/29/06	SW846 5030B	SW846 8260B
Carbon Tetrachloride	< 25	25	60		50	ug/Kg		08/29/06	SW846 5030B	SW846 8260B
Chlorobenzene	< 25	25	60		50	ug/Kg		08/29/06	SW846 5030B	SW846 8260B
Chlorodibromomethane	< 25	25	60		50	ug/Kg		08/29/06	SW846 5030B	SW846 8260B
Chloroethane	< 25	25	60		50	ug/Kg		08/29/06	SW846 5030B	SW846 8260B
Chloroform	< 25	25	60		50	ug/Kg		08/29/06	SW846 5030B	SW846 8260B
Chloromethane	< 25	25	60		50	ug/Kg		08/29/06	SW846 5030B	SW846 8260B

All soil results are reported on a dry weight basis unless otherwise noted.

Pace Analytical Services, Inc.

1241 Bellevue Street
Green Bay, WI 54302
920-469-2436

Analytical Report Number: 875476

Client : ECCI
Project Name : OLD DUTCHMILL PROPERTY
Project Number :
Field ID : GP-6-2

Matrix Type : SOIL
Collection Date : 08/24/06
Report Date : 09/14/06
Lab Sample Number : 875476-025

VOLATILES

Prep Date: 08/29/06

Analyte	Result	LOD	LOQ	EQL	Dil.	Units	Code	Anl Date	Prep Method	Anl Method
cis-1,2-Dichloroethene	< 25	25	60		50	ug/Kg		08/29/06	SW846 5030B	SW846 8260B
cis-1,3-Dichloropropene	< 25	25	60		50	ug/Kg		08/29/06	SW846 5030B	SW846 8260B
Dibromomethane	< 25	25	60		50	ug/Kg		08/29/06	SW846 5030B	SW846 8260B
Dichlorodifluoromethane	< 25	25	60		50	ug/Kg		08/29/06	SW846 5030B	SW846 8260B
Diisopropyl Ether	< 25	25	60		50	ug/Kg		08/29/06	SW846 5030B	SW846 8260B
Ethylbenzene	< 25	25	60		50	ug/Kg		08/29/06	SW846 5030B	SW846 8260B
Fluorotrichloromethane	< 25	25	60		50	ug/Kg		08/29/06	SW846 5030B	SW846 8260B
Hexachlorobutadiene	< 26	26	63		50	ug/Kg		08/29/06	SW846 5030B	SW846 8260B
Isopropylbenzene	< 25	25	60		50	ug/Kg		08/29/06	SW846 5030B	SW846 8260B
Methylene Chloride	< 25	25	60		50	ug/Kg		08/29/06	SW846 5030B	SW846 8260B
Methyl-tert-butyl-ether	< 25	25	60		50	ug/Kg		08/29/06	SW846 5030B	SW846 8260B
Naphthalene	< 25	25	60		50	ug/Kg		08/29/06	SW846 5030B	SW846 8260B
n-Butylbenzene	< 40	40	97		50	ug/Kg		08/29/06	SW846 5030B	SW846 8260B
n-Propylbenzene	< 25	25	60		50	ug/Kg		08/29/06	SW846 5030B	SW846 8260B
p-Isopropyltoluene	< 25	25	60		50	ug/Kg		08/29/06	SW846 5030B	SW846 8260B
s-Butylbenzene	< 25	25	60		50	ug/Kg		08/29/06	SW846 5030B	SW846 8260B
Styrene	< 25	25	60		50	ug/Kg		08/29/06	SW846 5030B	SW846 8260B
t-Butylbenzene	< 25	25	60		50	ug/Kg		08/29/06	SW846 5030B	SW846 8260B
Tetrachloroethene	< 25	25	60		50	ug/Kg		08/29/06	SW846 5030B	SW846 8260B
Toluene	< 25	25	60		50	ug/Kg		08/29/06	SW846 5030B	SW846 8260B
trans-1,2-Dichloroethene	< 25	25	60		50	ug/Kg		08/29/06	SW846 5030B	SW846 8260B
trans-1,3-Dichloropropene	< 25	25	60		50	ug/Kg	&	08/29/06	SW846 5030B	SW846 8260B
Trichloroethene	< 25	25	60		50	ug/Kg		08/29/06	SW846 5030B	SW846 8260B
Vinyl Chloride	< 25	25	60		50	ug/Kg		08/29/06	SW846 5030B	SW846 8260B
Xylenes, m + p	< 50	50	120		50	ug/Kg		08/29/06	SW846 5030B	SW846 8260B
Xylene, o	< 25	25	60		50	ug/Kg		08/29/06	SW846 5030B	SW846 8260B
Surrogate		**LCL**	**UCL**							
4-Bromofluorobenzene	93	64	133		50	%		08/29/06	SW846 5030B	SW846 8260B
Toluene-d8	102	67	139		50	%		08/29/06	SW846 5030B	SW846 8260B
Dibromofluoromethane	106	64	140		50	%		08/29/06	SW846 5030B	SW846 8260B

PAH/PNA

Prep Date: 08/31/06

Analyte	Result	LOD	LOQ	EQL	Dil.	Units	Code	Anl Date	Prep Method	Anl Method
1-Methylnaphthalene	< 3.2	3.2	11		1	ug/Kg		08/31/06	SW846 3545	8270C-SIM
2-Methylnaphthalene	< 3.4	3.4	11		1	ug/Kg		08/31/06	SW846 3545	8270C-SIM
Acenaphthene	< 3.2	3.2	11		1	ug/Kg		08/31/06	SW846 3545	8270C-SIM
Acenaphthylene	< 3.1	3.1	10		1	ug/Kg		08/31/06	SW846 3545	8270C-SIM
Anthracene	< 3.8	3.8	13		1	ug/Kg		08/31/06	SW846 3545	8270C-SIM
Benzo(a)anthracene	< 5.7	5.7	19		1	ug/Kg		08/31/06	SW846 3545	8270C-SIM
Benzo(a)pyrene	< 3.1	3.1	10		1	ug/Kg		08/31/06	SW846 3545	8270C-SIM
Benzo(b)fluoranthene	< 3.0	3.0	10		1	ug/Kg		08/31/06	SW846 3545	8270C-SIM
Benzo(ghi)perylene	< 3.8	3.8	13		1	ug/Kg		08/31/06	SW846 3545	8270C-SIM
Benzo(k)fluoranthene	< 3.3	3.3	11		1	ug/Kg		08/31/06	SW846 3545	8270C-SIM
Chrysene	< 4.7	4.7	16		1	ug/Kg		08/31/06	SW846 3545	8270C-SIM
Dibenz(a,h)anthracene	< 3.0	3.0	9.8		1	ug/Kg		08/31/06	SW846 3545	8270C-SIM
Fluoranthene	4.0	3.1	10		1	ug/Kg	Q	08/31/06	SW846 3545	8270C-SIM
Fluorene	< 3.7	3.7	12		1	ug/Kg		08/31/06	SW846 3545	8270C-SIM
Indeno(1,2,3-cd)pyrene	< 2.7	2.7	9.0		1	ug/Kg		08/31/06	SW846 3545	8270C-SIM

All soil results are reported on a dry weight basis unless otherwise noted.

Pace Analytical Services, Inc.

1241 Bellevue Street
Green Bay, WI 54302
920-469-2436

Analytical Report Number: 875476

Client : ECCI
Project Name : OLD DUTCHMILL PROPERTY.
Project Number :
Field ID : GP-6-2

Matrix Type : SOIL
Collection Date : 08/24/06
Report Date : 09/14/06
Lab Sample Number : 875476-025

PAH/PNA

Prep Date: 08/31/06

Analyte	Result	LOD	LOQ	EQL	Dil.	Units	Code	Anl Date	Prep Method	Anl Method
Naphthalene	21	4.3	14		1	ug/Kg	B	08/31/06	SW846 3545	8270C-SIM
Phenanthrene	7.4	3.2	11		1	ug/Kg	Q	08/31/06	SW846 3545	8270C-SIM
Pyrene	3.2	2.6	8.8		1	ug/Kg	Q	08/31/06	SW846 3545	8270C-SIM
Surrogate		**LCL**	**UCL**							
Nitrobenzene-d5	71	10	141		1	%		08/31/06	SW846 3545	8270C-SIM
2-Fluorobiphenyl	47	10	161		1	%		08/31/06	SW846 3545	8270C-SIM
Terphenyl-d14	71	29	150		1	%		08/31/06	SW846 3545	8270C-SIM

All soil results are reported on a dry weight basis unless otherwise noted.

Pace Analytical Services, Inc.

1241 Bellevue Street
Green Bay, WI 54302
920-469-2436

Analytical Report Number: 875476

Client : ECCI
Project Name : OLD DUTCHMILL PROPERTY
Project Number :
Field ID : GP-7-2

Matrix Type : SOIL
Collection Date : 08/24/06
Report Date : 09/14/06
Lab Sample Number : 875476-026

INORGANICS

Test	Result	LOD	LOQ	EQL	Dil.	Units	Code	Anl Date	Prep Method	Anl Method
Lead	5.2	0.37	1.2		1	mg/Kg		08/30/06	SW846 3050B	SW846 6010B
Percent Solids	90.9				1	%		08/28/06	SM M2540G	SM M2540G

DIESEL RANGE ORGANICS

Preservation Date: 08/30/06 Prep Date: 08/30/06

Analyte	Result	LOD	LOQ	EQL	Dil.	Units	Code	Anl Date	Prep Method	Anl Method
Diesel Range Organics	< 4.2			4.2	1	mg/kg		08/30/06	WI MOD DRO	WI MOD DRO

GASOLINE RANGE ORGANICS

Prep Date: 08/29/06

Analyte	Result	LOD	LOQ	EQL	Dil.	Units	Code	Anl Date	Prep Method	Anl Method
Gasoline Range Organics	< 2.8			2.8	50	mg/Kg		08/29/06	WI MOD GRO	WI MOD GRO

VOLATILES

Prep Date: 08/29/06

Analyte	Result	LOD	LOQ	EQL	Dil.	Units	Code	Anl Date	Prep Method	Anl Method
1,1,1,2-Tetrachloroethane	< 25	25	60		50	ug/Kg		08/29/06	SW846 5030B	SW846 8260B
1,1,1-Trichloroethane	< 25	25	60		50	ug/Kg		08/29/06	SW846 5030B	SW846 8260B
1,1,2,2-Tetrachloroethane	< 25	25	60		50	ug/Kg		08/29/06	SW846 5030B	SW846 8260B
1,1,2-Trichloroethane	< 25	25	60		50	ug/Kg		08/29/06	SW846 5030B	SW846 8260B
1,1-Dichloroethane	< 25	25	60		50	ug/Kg		08/29/06	SW846 5030B	SW846 8260B
1,1-Dichloroethene	< 25	25	60		50	ug/Kg		08/29/06	SW846 5030B	SW846 8260B
1,1-Dichloropropene	< 25	25	60		50	ug/Kg		08/29/06	SW846 5030B	SW846 8260B
1,2,3-Trichlorobenzene	< 25	25	60		50	ug/Kg		08/29/06	SW846 5030B	SW846 8260B
1,2,3-Trichloropropane	< 25	25	60		50	ug/Kg		08/29/06	SW846 5030B	SW846 8260B
1,2,4-Trichlorobenzene	< 25	25	60		50	ug/Kg		08/29/06	SW846 5030B	SW846 8260B
1,2,4-Trimethylbenzene	< 25	25	60		50	ug/Kg		08/29/06	SW846 5030B	SW846 8260B
1,2-Dibromo-3-chloropropane	< 82	82	200		50	ug/Kg		08/29/06	SW846 5030B	SW846 8260B
1,2-Dibromoethane	< 25	25	60		50	ug/Kg		08/29/06	SW846 5030B	SW846 8260B
1,2-Dichlorobenzene	< 44	44	110		50	ug/Kg		08/29/06	SW846 5030B	SW846 8260B
1,2-Dichloroethane	< 25	25	60		50	ug/Kg		08/29/06	SW846 5030B	SW846 8260B
1,2-Dichloropropane	< 25	25	60		50	ug/Kg		08/29/06	SW846 5030B	SW846 8260B
1,3,5-Trimethylbenzene	< 25	25	60		50	ug/Kg		08/29/06	SW846 5030B	SW846 8260B
1,3-Dichlorobenzene	< 25	25	60		50	ug/Kg		08/29/06	SW846 5030B	SW846 8260B
1,3-Dichloropropane	< 25	25	60		50	ug/Kg		08/29/06	SW846 5030B	SW846 8260B
1,4-Dichlorobenzene	< 25	25	60		50	ug/Kg		08/29/06	SW846 5030B	SW846 8260B
2,2-Dichloropropane	< 25	25	60		50	ug/Kg		08/29/06	SW846 5030B	SW846 8260B
2-Chlorotoluene	< 25	25	60		50	ug/Kg		08/29/06	SW846 5030B	SW846 8260B
4-Chlorotoluene	< 25	25	60		50	ug/Kg		08/29/06	SW846 5030B	SW846 8260B
Benzene	< 25	25	60		50	ug/Kg		08/29/06	SW846 5030B	SW846 8260B
Bromobenzene	< 25	25	60		50	ug/Kg		08/29/06	SW846 5030B	SW846 8260B
Bromochloromethane	< 25	25	60		50	ug/Kg		08/29/06	SW846 5030B	SW846 8260B
Bromodichloromethane	< 25	25	60		50	ug/Kg		08/29/06	SW846 5030B	SW846 8260B
Bromoform	< 26	26	62		50	ug/Kg		08/29/06	SW846 5030B	SW846 8260B
Bromomethane	< 25	25	60		50	ug/Kg		08/29/06	SW846 5030B	SW846 8260B
Carbon Tetrachloride	< 25	25	60		50	ug/Kg		08/29/06	SW846 5030B	SW846 8260B
Chlorobenzene	< 25	25	60		50	ug/Kg		08/29/06	SW846 5030B	SW846 8260B
Chlorodibromomethane	< 25	25	60		50	ug/Kg		08/29/06	SW846 5030B	SW846 8260B
Chloroethane	< 25	25	60		50	ug/Kg		08/29/06	SW846 5030B	SW846 8260B
Chloroform	< 25	25	60		50	ug/Kg		08/29/06	SW846 5030B	SW846 8260B
Chloromethane	< 25	25	60		50	ug/Kg		08/29/06	SW846 5030B	SW846 8260B

All soil results are reported on a dry weight basis unless otherwise noted.

Pace Analytical Services, Inc.

1241 Bellevue Street
Green Bay, WI 54302
920-469-2436

Analytical Report Number: 875476

Client : ECCI
Project Name : OLD DUTCHMILL PROPERTY
Project Number :
Field ID : GP-7-2

Matrix Type : SOIL
Collection Date : 08/24/06
Report Date : 09/14/06
Lab Sample Number : 875476-026

VOLATILES

Prep Date: 08/29/06

Analyte	Result	LOD	LOQ	EQL	Dil.	Units	Code	Anl Date	Prep Method	Anl Method
cis-1,2-Dichloroethene	< 25	25	60		50	ug/Kg		08/29/06	SW846 5030B	SW846 8260B
cis-1,3-Dichloropropene	< 25	25	60		50	ug/Kg		08/29/06	SW846 5030B	SW846 8260B
Dibromomethane	< 25	25	60		50	ug/Kg		08/29/06	SW846 5030B	SW846 8260B
Dichlorodifluoromethane	< 25	25	60		50	ug/Kg		08/29/06	SW846 5030B	SW846 8260B
Diisopropyl Ether	< 25	25	60		50	ug/Kg		08/29/06	SW846 5030B	SW846 8260B
Ethylbenzene	< 25	25	60		50	ug/Kg		08/29/06	SW846 5030B	SW846 8260B
Fluorotrichloromethane	< 25	25	60		50	ug/Kg		08/29/06	SW846 5030B	SW846 8260B
Hexachlorobutadiene	< 26	26	63		50	ug/Kg		08/29/06	SW846 5030B	SW846 8260B
Isopropylbenzene	< 25	25	60		50	ug/Kg		08/29/06	SW846 5030B	SW846 8260B
Methylene Chloride	< 25	25	60		50	ug/Kg		08/29/06	SW846 5030B	SW846 8260B
Methyl-tert-butyl-ether	< 25	25	60		50	ug/Kg		08/29/06	SW846 5030B	SW846 8260B
Naphthalene	< 25	25	60		50	ug/Kg		08/29/06	SW846 5030B	SW846 8260B
n-Butylbenzene	< 40	40	97		50	ug/Kg		08/29/06	SW846 5030B	SW846 8260B
n-Propylbenzene	< 25	25	60		50	ug/Kg		08/29/06	SW846 5030B	SW846 8260B
p-Isopropyltoluene	< 25	25	60		50	ug/Kg		08/29/06	SW846 5030B	SW846 8260B
s-Butylbenzene	< 25	25	60		50	ug/Kg		08/29/06	SW846 5030B	SW846 8260B
Styrene	< 25	25	60		50	ug/Kg		08/29/06	SW846 5030B	SW846 8260B
t-Butylbenzene	< 25	25	60		50	ug/Kg		08/29/06	SW846 5030B	SW846 8260B
Tetrachloroethene	< 25	25	60		50	ug/Kg		08/29/06	SW846 5030B	SW846 8260B
Toluene	< 25	25	60		50	ug/Kg		08/29/06	SW846 5030B	SW846 8260B
trans-1,2-Dichloroethene	< 25	25	60		50	ug/Kg		08/29/06	SW846 5030B	SW846 8260B
trans-1,3-Dichloropropene	< 25	25	60		50	ug/Kg	&	08/29/06	SW846 5030B	SW846 8260B
Trichloroethene	< 25	25	60		50	ug/Kg		08/29/06	SW846 5030B	SW846 8260B
Vinyl Chloride	< 25	25	60		50	ug/Kg		08/29/06	SW846 5030B	SW846 8260B
Xylenes, m + p	< 50	50	120		50	ug/Kg		08/29/06	SW846 5030B	SW846 8260B
Xylene, o	< 25	25	60		50	ug/Kg		08/29/06	SW846 5030B	SW846 8260B
Surrogate		**LCL**	**UCL**							
4-Bromofluorobenzene	84	64	133		50	%		08/29/06	SW846 5030B	SW846 8260B
Toluene-d8	93	67	139		50	%		08/29/06	SW846 5030B	SW846 8260B
Dibromofluoromethane	100	64	140		50	%		08/29/06	SW846 5030B	SW846 8260B

PAH/PNA

Prep Date: 08/31/06

Analyte	Result	LOD	LOQ	EQL	Dil.	Units	Code	Anl Date	Prep Method	Anl Method
1-Methylnaphthalene	< 3.3	3.3	11		1	ug/Kg		08/31/06	SW846 3545	8270C-SIM
2-Methylnaphthalene	< 3.4	3.4	11		1	ug/Kg		08/31/06	SW846 3545	8270C-SIM
Acenaphthene	< 3.3	3.3	11		1	ug/Kg		08/31/06	SW846 3545	8270C-SIM
Acenaphthylene	< 3.2	3.2	11		1	ug/Kg		08/31/06	SW846 3545	8270C-SIM
Anthracene	< 3.9	3.9	13		1	ug/Kg		08/31/06	SW846 3545	8270C-SIM
Benzo(a)anthracene	< 5.8	5.8	19		1	ug/Kg		08/31/06	SW846 3545	8270C-SIM
Benzo(a)pyrene	< 3.2	3.2	11		1	ug/Kg		08/31/06	SW846 3545	8270C-SIM
Benzo(b)fluoranthene	< 3.1	3.1	10		1	ug/Kg		08/31/06	SW846 3545	8270C-SIM
Benzo(ghi)perylene	< 3.9	3.9	13		1	ug/Kg		08/31/06	SW846 3545	8270C-SIM
Benzo(k)fluoranthene	< 3.4	3.4	11		1	ug/Kg		08/31/06	SW846 3545	8270C-SIM
Chrysene	< 4.8	4.8	16		1	ug/Kg		08/31/06	SW846 3545	8270C-SIM
Dibenz(a,h)anthracene	< 3.0	3.0	10		1	ug/Kg		08/31/06	SW846 3545	8270C-SIM
Fluoranthene	< 3.2	3.2	11		1	ug/Kg		08/31/06	SW846 3545	8270C-SIM
Fluorene	< 3.8	3.8	13		1	ug/Kg		08/31/06	SW846 3545	8270C-SIM
Indeno(1,2,3-cd)pyrene	< 2.8	2.8	9.2		1	ug/Kg		08/31/06	SW846 3545	8270C-SIM

All soil results are reported on a dry weight basis unless otherwise noted.

Pace Analytical Services, Inc.

1241 Bellevue Street
Green Bay, WI 54302
920-469-2436

Analytical Report Number: 875476

Client : ECCI
Project Name : OLD DUTCHMILL PROPERTY
Project Number :
Field ID : GP-7-2

Matrix Type : SOIL
Collection Date : 08/24/06
Report Date : 09/14/06
Lab Sample Number : 875476-026

PAH/PNA

Prep Date: 08/31/06

Analyte		Result	LOD	LOQ	EQL	Dil.	Units	Code	Anl Date	Prep Method	Anl Method
Naphthalene	<	4.4	4.4	15		1	ug/Kg		08/31/06	SW846 3545	8270C-SIM
Phenanthrene	<	3.2	3.2	11		1	ug/Kg		08/31/06	SW846 3545	8270C-SIM
Pyrene	<	2.7	2.7	9.0		1	ug/Kg		08/31/06	SW846 3545	8270C-SIM
Surrogate			**LCL**	**UCL**							
Nitrobenzene-d5		79	10	141		1	%		08/31/06	SW846 3545	8270C-SIM
2-Fluorobiphenyl		49	10	161		1	%		08/31/06	SW846 3545	8270C-SIM
Terphenyl-d14		78	29	150		1	%		08/31/06	SW846 3545	8270C-SIM

All soil results are reported on a dry weight basis unless otherwise noted.

Pace Analytical Services, Inc.

1241 Bellevue Street
Green Bay, WI 54302
920-469-2436

Analytical Report Number: 875476

Client : ECCI
Project Name : OLD DUTCHMILL PROPERTY
Project Number :
Field ID : GP-7-4

Matrix Type : SOIL
Collection Date : 08/24/06
Report Date : 09/14/06
Lab Sample Number : 875476-027

INORGANICS

Test	Result	LOD	LOQ	EQL	Dil.	Units	Code	Anl Date	Prep Method	Anl Method
Lead	1.8	0.37	1.2		1	mg/Kg		08/30/06	SW846 3050B	SW846 6010B
Percent Solids	91.6				1	%		08/28/06	SM M2540G	SM M2540G

DIESEL RANGE ORGANICS

Preservation Date: 08/30/06 Prep Date: 08/30/06

Analyte	Result	LOD	LOQ	EQL	Dil.	Units	Code	Anl Date	Prep Method	Anl Method
Diesel Range Organics	< 3.6			3.6	1	mg/kg		08/30/06	WI MOD DRO	WI MOD DRO

GASOLINE RANGE ORGANICS

Prep Date: 08/29/06

Analyte	Result	LOD	LOQ	EQL	Dil.	Units	Code	Anl Date	Prep Method	Anl Method
Gasoline Range Organics	< 2.7			2.7	50	mg/Kg		08/29/06	WI MOD GRO	WI MOD GRO

VOLATILES

Prep Date: 08/29/06

Analyte	Result	LOD	LOQ	EQL	Dil.	Units	Code	Anl Date	Prep Method	Anl Method
1,1,1,2-Tetrachloroethane	< 25	25	60		50	ug/Kg		08/30/06	SW846 5030B	SW846 8260B
1,1,1-Trichloroethane	< 25	25	60		50	ug/Kg		08/30/06	SW846 5030B	SW846 8260B
1,1,2,2-Tetrachloroethane	< 25	25	60		50	ug/Kg	&*	08/30/06	SW846 5030B	SW846 8260B
1,1,2-Trichloroethane	< 25	25	60		50	ug/Kg		08/30/06	SW846 5030B	SW846 8260B
1,1-Dichloroethane	< 25	25	60		50	ug/Kg		08/30/06	SW846 5030B	SW846 8260B
1,1-Dichloroethene	< 25	25	60		50	ug/Kg		08/30/06	SW846 5030B	SW846 8260B
1,1-Dichloropropene	< 25	25	60		50	ug/Kg		08/30/06	SW846 5030B	SW846 8260B
1,2,3-Trichlorobenzene	< 25	25	60		50	ug/Kg		08/30/06	SW846 5030B	SW846 8260B
1,2,3-Trichloropropane	< 25	25	60		50	ug/Kg		08/30/06	SW846 5030B	SW846 8260B
1,2,4-Trichlorobenzene	< 25	25	60		50	ug/Kg		08/30/06	SW846 5030B	SW846 8260B
1,2,4-Trimethylbenzene	< 25	25	60		50	ug/Kg		08/30/06	SW846 5030B	SW846 8260B
1,2-Dibromo-3-chloropropane	< 82	82	200		50	ug/Kg		08/30/06	SW846 5030B	SW846 8260B
1,2-Dibromoethane	< 25	25	60		50	ug/Kg		08/30/06	SW846 5030B	SW846 8260B
1,2-Dichlorobenzene	< 44	44	110		50	ug/Kg		08/30/06	SW846 5030B	SW846 8260B
1,2-Dichloroethane	< 25	25	60		50	ug/Kg		08/30/06	SW846 5030B	SW846 8260B
1,2-Dichloropropane	< 25	25	60		50	ug/Kg		08/30/06	SW846 5030B	SW846 8260B
1,3,5-Trimethylbenzene	< 25	25	60		50	ug/Kg		08/30/06	SW846 5030B	SW846 8260B
1,3-Dichlorobenzene	< 25	25	60		50	ug/Kg		08/30/06	SW846 5030B	SW846 8260B
1,3-Dichloropropane	< 25	25	60		50	ug/Kg		08/30/06	SW846 5030B	SW846 8260B
1,4-Dichlorobenzene	< 25	25	60		50	ug/Kg		08/30/06	SW846 5030B	SW846 8260B
2,2-Dichloropropane	< 25	25	60		50	ug/Kg		08/30/06	SW846 5030B	SW846 8260B
2-Chlorotoluene	< 25	25	60		50	ug/Kg		08/30/06	SW846 5030B	SW846 8260B
4-Chlorotoluene	< 25	25	60		50	ug/Kg		08/30/06	SW846 5030B	SW846 8260B
Benzene	< 25	25	60		50	ug/Kg		08/30/06	SW846 5030B	SW846 8260B
Bromobenzene	< 25	25	60		50	ug/Kg		08/30/06	SW846 5030B	SW846 8260B
Bromochloromethane	< 25	25	60		50	ug/Kg		08/30/06	SW846 5030B	SW846 8260B
Bromodichloromethane	< 25	25	60		50	ug/Kg		08/30/06	SW846 5030B	SW846 8260B
Bromoform	< 26	26	62		50	ug/Kg		08/30/06	SW846 5030B	SW846 8260B
Bromomethane	< 25	25	60		50	ug/Kg		08/30/06	SW846 5030B	SW846 8260B
Carbon Tetrachloride	< 25	25	60		50	ug/Kg		08/30/06	SW846 5030B	SW846 8260B
Chlorobenzene	< 25	25	60		50	ug/Kg		08/30/06	SW846 5030B	SW846 8260B
Chlorodibromomethane	< 25	25	60		50	ug/Kg		08/30/06	SW846 5030B	SW846 8260B
Chloroethane	< 25	25	60		50	ug/Kg		08/30/06	SW846 5030B	SW846 8260B
Chloroform	< 25	25	60		50	ug/Kg		08/30/06	SW846 5030B	SW846 8260B
Chloromethane	< 25	25	60		50	ug/Kg		08/30/06	SW846 5030B	SW846 8260B

All soil results are reported on a dry weight basis unless otherwise noted.

Pace Analytical Services, Inc.

1241 Bellevue Street
Green Bay, WI 54302
920-469-2436

Analytical Report Number: 875476

Client : ECCI
Project Name : OLD DUTCHMILL PROPERTY
Project Number :
Field ID : GP-7-4

Matrix Type : SOIL
Collection Date : 08/24/06
Report Date : 09/14/06
Lab Sample Number : 875476-027

VOLATILES

Prep Date: 08/29/06

Analyte	Result	LOD	LOQ	EQL	Dil.	Units	Code	Anl Date	Prep Method	Anl Method
cis-1,2-Dichloroethene	< 25	25	60		50	ug/Kg		08/30/06	SW846 5030B	SW846 8260B
cis-1,3-Dichloropropene	< 25	25	60		50	ug/Kg		08/30/06	SW846 5030B	SW846 8260B
Dibromomethane	< 25	25	60		50	ug/Kg		08/30/06	SW846 5030B	SW846 8260B
Dichlorodifluoromethane	< 25	25	60		50	ug/Kg		08/30/06	SW846 5030B	SW846 8260B
Diisopropyl Ether	< 25	25	60		50	ug/Kg		08/30/06	SW846 5030B	SW846 8260B
Ethylbenzene	< 25	25	60		50	ug/Kg		08/30/06	SW846 5030B	SW846 8260B
Fluorotrichloromethane	< 25	25	60		50	ug/Kg		08/30/06	SW846 5030B	SW846 8260B
Hexachlorobutadiene	< 26	26	63		50	ug/Kg		08/30/06	SW846 5030B	SW846 8260B
Isopropylbenzene	< 25	25	60		50	ug/Kg		08/30/06	SW846 5030B	SW846 8260B
Methylene Chloride	< 25	25	60		50	ug/Kg		08/30/06	SW846 5030B	SW846 8260B
Methyl-tert-butyl-ether	< 25	25	60		50	ug/Kg		08/30/06	SW846 5030B	SW846 8260B
Naphthalene	< 25	25	60		50	ug/Kg		08/30/06	SW846 5030B	SW846 8260B
n-Butylbenzene	< 40	40	97		50	ug/Kg		08/30/06	SW846 5030B	SW846 8260B
n-Propylbenzene	< 25	25	60		50	ug/Kg		08/30/06	SW846 5030B	SW846 8260B
p-Isopropyltoluene	< 25	25	60		50	ug/Kg		08/30/06	SW846 5030B	SW846 8260B
s-Butylbenzene	< 25	25	60		50	ug/Kg		08/30/06	SW846 5030B	SW846 8260B
Styrene	< 25	25	60		50	ug/Kg		08/30/06	SW846 5030B	SW846 8260B
t-Butylbenzene	< 25	25	60		50	ug/Kg		08/30/06	SW846 5030B	SW846 8260B
Tetrachloroethene	< 25	25	60		50	ug/Kg		08/30/06	SW846 5030B	SW846 8260B
Toluene	< 25	25	60		50	ug/Kg		08/30/06	SW846 5030B	SW846 8260B
trans-1,2-Dichloroethene	< 25	25	60		50	ug/Kg		08/30/06	SW846 5030B	SW846 8260B
trans-1,3-Dichloropropene	< 25	25	60		50	ug/Kg		08/30/06	SW846 5030B	SW846 8260B
Trichloroethene	< 25	25	60		50	ug/Kg		08/30/06	SW846 5030B	SW846 8260B
Vinyl Chloride	< 25	25	60		50	ug/Kg		08/30/06	SW846 5030B	SW846 8260B
Xylene, o	< 25	25	60		50	ug/Kg		08/30/06	SW846 5030B	SW846 8260B
Xylenes, m + p	< 50	50	120		50	ug/Kg		08/30/06	SW846 5030B	SW846 8260B
Surrogate		**LCL**	**UCL**							
4-Bromofluorobenzene	84	64	133		50	%		08/30/06	SW846 5030B	SW846 8260B
Toluene-d8	93	67	139		50	%		08/30/06	SW846 5030B	SW846 8260B
Dibromofluoromethane	103	64	140		50	%		08/30/06	SW846 5030B	SW846 8260B

PAH/PNA

Prep Date: 08/31/06

Analyte	Result	LOD	LOQ	EQL	Dil.	Units	Code	Anl Date	Prep Method	Anl Method
1-Methylnaphthalene	< 3.3	3.3	11		1	ug/Kg		08/31/06	SW846 3545	8270C-SIM
2-Methylnaphthalene	< 3.4	3.4	11		1	ug/Kg		08/31/06	SW846 3545	8270C-SIM
Acenaphthene	< 3.2	3.2	11		1	ug/Kg		08/31/06	SW846 3545	8270C-SIM
Acenaphthylene	< 3.1	3.1	10		1	ug/Kg		08/31/06	SW846 3545	8270C-SIM
Anthracene	< 3.9	3.9	13		1	ug/Kg		08/31/06	SW846 3545	8270C-SIM
Benzo(a)anthracene	< 5.8	5.8	19		1	ug/Kg		08/31/06	SW846 3545	8270C-SIM
Benzo(a)pyrene	< 3.1	3.1	10		1	ug/Kg		08/31/06	SW846 3545	8270C-SIM
Benzo(b)fluoranthene	< 3.1	3.1	10		1	ug/Kg		08/31/06	SW846 3545	8270C-SIM
Benzo(ghi)perylene	< 3.9	3.9	13		1	ug/Kg		08/31/06	SW846 3545	8270C-SIM
Benzo(k)fluoranthene	< 3.3	3.3	11		1	ug/Kg		08/31/06	SW846 3545	8270C-SIM
Chrysene	< 4.8	4.8	16		1	ug/Kg		08/31/06	SW846 3545	8270C-SIM
Dibenz(a,h)anthracene	< 3.0	3.0	10		1	ug/Kg		08/31/06	SW846 3545	8270C-SIM
Fluoranthene	< 3.1	3.1	10		1	ug/Kg		08/31/06	SW846 3545	8270C-SIM
Fluorene	< 3.7	3.7	12		1	ug/Kg		08/31/06	SW846 3545	8270C-SIM
Indeno(1,2,3-cd)pyrene	< 2.7	2.7	9.1		1	ug/Kg		08/31/06	SW846 3545	8270C-SIM

All soil results are reported on a dry weight basis unless otherwise noted.

Pace Analytical Services, Inc.

1241 Bellevue Street
Green Bay, WI 54302
920-469-2436

Analytical Report Number: 875476

Client : ECCI
Project Name : OLD DUTCHMILL PROPERTY
Project Number :
Field ID : GP-7-4

Matrix Type : SOIL
Collection Date : 08/24/06
Report Date : 09/14/06
Lab Sample Number : 875476-027

PAH/PNA

Prep Date: 08/31/06

Analyte	Result	LOD	LOQ	EQL	Dil.	Units	Code	Anl Date	Prep Method	Anl Method
Naphthalene	< 4.4	4.4	15		1	ug/Kg		08/31/06	SW846 3545	8270C-SIM
Phenanthrene	< 3.2	3.2	11		1	ug/Kg		08/31/06	SW846 3545	8270C-SIM
Pyrene	< 2.7	2.7	8.9		1	ug/Kg		08/31/06	SW846 3545	8270C-SIM
Surrogate		**LCL**	**UCL**							
Nitrobenzene-d5	64	10	141		1	%		08/31/06	SW846 3545	8270C-SIM
2-Fluorobiphenyl	50	10	161		1	%		08/31/06	SW846 3545	8270C-SIM
Terphenyl-d14	70	29	150		1	%		08/31/06	SW846 3545	8270C-SIM

All soil results are reported on a dry weight basis unless otherwise noted.

Pace Analytical Services, Inc.

1241 Bellevue Street
Green Bay, WI 54302
920-469-2436

Analytical Report Number: 875476

Client : ECCI
Project Name : OLD DUTCHMILL PROPERTY
Project Number :
Field ID : GP-8-2

Matrix Type : SOIL
Collection Date : 08/24/06
Report Date : 09/14/06
Lab Sample Number : 875476-028

INORGANICS

Test	Result	LOD	LOQ	EQL	Dil.	Units	Code	Anl Date	Prep Method	Anl Method
Lead	7.4	0.40	1.3		1	mg/Kg		08/30/06	SW846 3050B	SW846 6010B
Percent Solids	84.9				1	%		08/28/06	SM M2540G	SM M2540G

DIESEL RANGE ORGANICS

Preservation Date: 08/30/06 Prep Date: 08/30/06

Analyte	Result	LOD	LOQ	EQL	Dil.	Units	Code	Anl Date	Prep Method	Anl Method
Diesel Range Organics	< 4.4			4.4	1	mg/kg		08/30/06	WI MOD DRO	WI MOD DRO

GASOLINE RANGE ORGANICS

Prep Date: 08/29/06

Analyte	Result	LOD	LOQ	EQL	Dil.	Units	Code	Anl Date	Prep Method	Anl Method
Gasoline Range Organics	< 2.9			2.9	50	mg/Kg		08/29/06	WI MOD GRO	WI MOD GRO

VOLATILES

Prep Date: 08/29/06

Analyte	Result	LOD	LOQ	EQL	Dil.	Units	Code	Anl Date	Prep Method	Anl Method
1,1,1,2-Tetrachloroethane	< 25	25	60		50	ug/Kg		08/30/06	SW846 5030B	SW846 8260B
1,1,1-Trichloroethane	< 25	25	60		50	ug/Kg		08/30/06	SW846 5030B	SW846 8260B
1,1,2,2-Tetrachloroethane	< 25	25	60		50	ug/Kg	&*	08/30/06	SW846 5030B	SW846 8260B
1,1,2-Trichloroethane	< 25	25	60		50	ug/Kg		08/30/06	SW846 5030B	SW846 8260B
1,1-Dichloroethane	< 25	25	60		50	ug/Kg		08/30/06	SW846 5030B	SW846 8260B
1,1-Dichloroethene	< 25	25	60		50	ug/Kg		08/30/06	SW846 5030B	SW846 8260B
1,1-Dichloropropene	< 25	25	60		50	ug/Kg		08/30/06	SW846 5030B	SW846 8260B
1,2,3-Trichlorobenzene	< 25	25	60		50	ug/Kg		08/30/06	SW846 5030B	SW846 8260B
1,2,3-Trichloropropane	< 25	25	60		50	ug/Kg		08/30/06	SW846 5030B	SW846 8260B
1,2,4-Trichlorobenzene	< 25	25	60		50	ug/Kg		08/30/06	SW846 5030B	SW846 8260B
1,2,4-Trimethylbenzene	< 25	25	60		50	ug/Kg		08/30/06	SW846 5030B	SW846 8260B
1,2-Dibromo-3-chloropropane	< 82	82	200		50	ug/Kg		08/30/06	SW846 5030B	SW846 8260B
1,2-Dibromoethane	< 25	25	60		50	ug/Kg		08/30/06	SW846 5030B	SW846 8260B
1,2-Dichlorobenzene	< 44	44	110		50	ug/Kg		08/30/06	SW846 5030B	SW846 8260B
1,2-Dichloroethane	< 25	25	60		50	ug/Kg		08/30/06	SW846 5030B	SW846 8260B
1,2-Dichloropropane	< 25	25	60		50	ug/Kg		08/30/06	SW846 5030B	SW846 8260B
1,3,5-Trimethylbenzene	< 25	25	60		50	ug/Kg		08/30/06	SW846 5030B	SW846 8260B
1,3-Dichlorobenzene	< 25	25	60		50	ug/Kg		08/30/06	SW846 5030B	SW846 8260B
1,3-Dichloropropane	< 25	25	60		50	ug/Kg		08/30/06	SW846 5030B	SW846 8260B
1,4-Dichlorobenzene	< 25	25	60		50	ug/Kg		08/30/06	SW846 5030B	SW846 8260B
2,2-Dichloropropane	< 25	25	60		50	ug/Kg		08/30/06	SW846 5030B	SW846 8260B
2-Chlorotoluene	< 25	25	60		50	ug/Kg		08/30/06	SW846 5030B	SW846 8260B
4-Chlorotoluene	< 25	25	60		50	ug/Kg		08/30/06	SW846 5030B	SW846 8260B
Benzene	< 25	25	60		50	ug/Kg		08/30/06	SW846 5030B	SW846 8260B
Bromobenzene	< 25	25	60		50	ug/Kg		08/30/06	SW846 5030B	SW846 8260B
Bromochloromethane	< 25	25	60		50	ug/Kg		08/30/06	SW846 5030B	SW846 8260B
Bromodichloromethane	< 25	25	60		50	ug/Kg		08/30/06	SW846 5030B	SW846 8260B
Bromoform	< 26	26	62		50	ug/Kg		08/30/06	SW846 5030B	SW846 8260B
Bromomethane	< 25	25	60		50	ug/Kg		08/30/06	SW846 5030B	SW846 8260B
Carbon Tetrachloride	< 25	25	60		50	ug/Kg		08/30/06	SW846 5030B	SW846 8260B
Chlorobenzene	< 25	25	60		50	ug/Kg		08/30/06	SW846 5030B	SW846 8260B
Chlorodibromomethane	< 25	25	60		50	ug/Kg		08/30/06	SW846 5030B	SW846 8260B
Chloroethane	< 25	25	60		50	ug/Kg		08/30/06	SW846 5030B	SW846 8260B
Chloroform	< 25	25	60		50	ug/Kg		08/30/06	SW846 5030B	SW846 8260B
Chloromethane	< 25	25	60		50	ug/Kg		08/30/06	SW846 5030B	SW846 8260B

All soil results are reported on a dry weight basis unless otherwise noted.

Pace Analytical Services, Inc.

1241 Bellevue Street
Green Bay, WI 54302
920-469-2436

Analytical Report Number: 875476

Client : ECCI
Project Name : OLD DUTCHMILL PROPERTY
Project Number :
Field ID : GP-8-2

Matrix Type : SOIL
Collection Date : 08/24/06
Report Date : 09/14/06
Lab Sample Number : 875476-028

VOLATILES

Prep Date: 08/29/06

Analyte	Result	LOD	LOQ	EQL	Dil.	Units	Code	Anl Date	Prep Method	Anl Method
cis-1,2-Dichloroethene	< 25	25	60		50	ug/Kg		08/30/06	SW846 5030B	SW846 8260B
cis-1,3-Dichloropropene	< 25	25	60		50	ug/Kg		08/30/06	SW846 5030B	SW846 8260B
Dibromomethane	< 25	25	60		50	ug/Kg		08/30/06	SW846 5030B	SW846 8260B
Dichlorodifluoromethane	< 25	25	60		50	ug/Kg		08/30/06	SW846 5030B	SW846 8260B
Diisopropyl Ether	< 25	25	60		50	ug/Kg		08/30/06	SW846 5030B	SW846 8260B
Ethylbenzene	< 25	25	60		50	ug/Kg		08/30/06	SW846 5030B	SW846 8260B
Fluorotrichloromethane	< 25	25	60		50	ug/Kg		08/30/06	SW846 5030B	SW846 8260B
Hexachlorobutadiene	< 26	26	63		50	ug/Kg		08/30/06	SW846 5030B	SW846 8260B
Isopropylbenzene	< 25	25	60		50	ug/Kg		08/30/06	SW846 5030B	SW846 8260B
Methylene Chloride	< 25	25	60		50	ug/Kg		08/30/06	SW846 5030B	SW846 8260B
Methyl-tert-butyl-ether	< 25	25	60		50	ug/Kg		08/30/06	SW846 5030B	SW846 8260B
Naphthalene	< 25	25	60		50	ug/Kg		08/30/06	SW846 5030B	SW846 8260B
n-Butylbenzene	< 40	40	97		50	ug/Kg		08/30/06	SW846 5030B	SW846 8260B
n-Propylbenzene	< 25	25	60		50	ug/Kg		08/30/06	SW846 5030B	SW846 8260B
p-Isopropyltoluene	< 25	25	60		50	ug/Kg		08/30/06	SW846 5030B	SW846 8260B
s-Butylbenzene	< 25	25	60		50	ug/Kg		08/30/06	SW846 5030B	SW846 8260B
Styrene	< 25	25	60		50	ug/Kg		08/30/06	SW846 5030B	SW846 8260B
t-Butylbenzene	< 25	25	60		50	ug/Kg		08/30/06	SW846 5030B	SW846 8260B
Tetrachloroethene	< 25	25	60		50	ug/Kg		08/30/06	SW846 5030B	SW846 8260B
Toluene	< 25	25	60		50	ug/Kg		08/30/06	SW846 5030B	SW846 8260B
trans-1,2-Dichloroethene	< 25	25	60		50	ug/Kg		08/30/06	SW846 5030B	SW846 8260B
trans-1,3-Dichloropropene	< 25	25	60		50	ug/Kg		08/30/06	SW846 5030B	SW846 8260B
Trichloroethene	< 25	25	60		50	ug/Kg		08/30/06	SW846 5030B	SW846 8260B
Vinyl Chloride	< 25	25	60		50	ug/Kg		08/30/06	SW846 5030B	SW846 8260B
Xylene, o	< 25	25	60		50	ug/Kg		08/30/06	SW846 5030B	SW846 8260B
Xylenes, m + p	< 50	50	120		50	ug/Kg		08/30/06	SW846 5030B	SW846 8260B
Surrogate		**LCL**	**UCL**							
4-Bromofluorobenzene	83	64	133		50	%		08/30/06	SW846 5030B	SW846 8260B
Toluene-d8	89	67	139		50	%		08/30/06	SW846 5030B	SW846 8260B
Dibromofluoromethane	96	64	140		50	%		08/30/06	SW846 5030B	SW846 8260B

PAH/PNA

Prep Date: 08/31/06

Analyte	Result	LOD	LOQ	EQL	Dil.	Units	Code	Anl Date	Prep Method	Anl Method
1-Methylnaphthalene	< 3.6	3.6	12		1	ug/Kg		08/31/06	SW846 3545	8270C-SIM
2-Methylnaphthalene	< 3.7	3.7	12		1	ug/Kg		08/31/06	SW846 3545	8270C-SIM
Acenaphthene	< 3.5	3.5	12		1	ug/Kg		08/31/06	SW846 3545	8270C-SIM
Acenaphthylene	< 3.4	3.4	11		1	ug/Kg		08/31/06	SW846 3545	8270C-SIM
Anthracene	< 4.2	4.2	14		1	ug/Kg		08/31/06	SW846 3545	8270C-SIM
Benzo(a)anthracene	12	6.2	21		1	ug/Kg	Q	08/31/06	SW846 3545	8270C-SIM
Benzo(a)pyrene	24	3.4	11		1	ug/Kg		08/31/06	SW846 3545	8270C-SIM
Benzo(b)fluoranthene	21	3.3	11		1	ug/Kg		08/31/06	SW846 3545	8270C-SIM
Benzo(ghi)perylene	26	4.2	14		1	ug/Kg		08/31/06	SW846 3545	8270C-SIM
Benzo(k)fluoranthene	20	3.6	12		1	ug/Kg		08/31/06	SW846 3545	8270C-SIM
Chrysene	16	5.1	17		1	ug/Kg	Q	08/31/06	SW846 3545	8270C-SIM
Dibenz(a,h)anthracene	6.7	3.2	11		1	ug/Kg	Q	08/31/06	SW846 3545	8270C-SIM
Fluoranthene	13	3.4	11		1	ug/Kg		08/31/06	SW846 3545	8270C-SIM
Fluorene	< 4.0	4.0	13		1	ug/Kg		08/31/06	SW846 3545	8270C-SIM
Indeno(1,2,3-cd)pyrene	19	3.0	9.9		1	ug/Kg		08/31/06	SW846 3545	8270C-SIM

All soil results are reported on a dry weight basis unless otherwise noted.

Pace Analytical Services, Inc.

1241 Bellevue Street
Green Bay, WI 54302
920-469-2436

Analytical Report Number: 875476

Client : ECCI
Project Name : OLD DUTCHMILL PROPERTY
Project Number :
Field ID : GP-8-2

Matrix Type : SOIL
Collection Date : 08/24/06
Report Date : 09/14/06
Lab Sample Number : 875476-028

PAH/PNA

Prep Date: 08/31/06

Analyte		Result	LOD	LOQ	EQL	Dil.	Units	Code	Anl Date	Prep Method	Anl Method
Naphthalene	<	4.7	4.7	16		1	ug/Kg		08/31/06	SW846 3545	8270C-SIM
Phenanthrene	<	3.5	3.5	12		1	ug/Kg		08/31/06	SW846 3545	8270C-SIM
Pyrene		17	2.9	9.6		1	ug/Kg		08/31/06	SW846 3545	8270C-SIM
Surrogate			**LCL**	**UCL**							
Nitrobenzene-d5		56	10	141		1	%		08/31/06	SW846 3545	8270C-SIM
2-Fluorobiphenyl		40	10	161		1	%		08/31/06	SW846 3545	8270C-SIM
Terphenyl-d14		66	29	150		1	%		08/31/06	SW846 3545	8270C-SIM

All soil results are reported on a dry weight basis unless otherwise noted.

Pace Analytical Services, Inc.

1241 Bellevue Street
Green Bay, WI 54302
920-469-2436

Analytical Report Number: 875476

Client : ECCI
Project Name : OLD DUTCHMILL PROPERTY
Project Number :
Field ID : GP-8-4

Matrix Type : SOIL
Collection Date : 08/24/06
Report Date : 09/14/06
Lab Sample Number : 875476-029

INORGANICS

Test	Result	LOD	LOQ	EQL	Dil.	Units	Code	Anl Date	Prep Method	Anl Method
Lead	5.7	0.38	1.3		1	mg/Kg		08/30/06	SW846 3050B	SW846 6010B
Percent Solids	88.0				1	%		08/28/06	SM M2540G	SM M2540G

DIESEL RANGE ORGANICS

Preservation Date: 08/30/06 Prep Date: 08/30/06

Analyte	Result	LOD	LOQ	EQL	Dil.	Units	Code	Anl Date	Prep Method	Anl Method
Diesel Range Organics	230			8.1	2	mg/kg		08/31/06	WI MOD DRO	WI MOD DRO

GASOLINE RANGE ORGANICS

Prep Date: 08/29/06

Analyte	Result	LOD	LOQ	EQL	Dil.	Units	Code	Anl Date	Prep Method	Anl Method
Gasoline Range Organics	340			11	200	mg/Kg		08/29/06	WI MOD GRO	WI MOD GRO

VOLATILES

Prep Date: 08/29/06

Analyte	Result	LOD	LOQ	EQL	Dil.	Units	Code	Anl Date	Prep Method	Anl Method
1,1,1,2-Tetrachloroethane	< 50	50	120		100	ug/Kg	K	08/30/06	SW846 5030B	SW846 8260B
1,1,1-Trichloroethane	< 50	50	120		100	ug/Kg	K	08/30/06	SW846 5030B	SW846 8260B
1,1,2,2-Tetrachloroethane	< 50	50	120		100	ug/Kg	K&*	08/30/06	SW846 5030B	SW846 8260B
1,1,2-Trichloroethane	< 50	50	120		100	ug/Kg	K	08/30/06	SW846 5030B	SW846 8260B
1,1-Dichloroethane	< 50	50	120		100	ug/Kg	K	08/30/06	SW846 5030B	SW846 8260B
1,1-Dichloroethene	< 50	50	120		100	ug/Kg	K	08/30/06	SW846 5030B	SW846 8260B
1,1-Dichloropropene	< 50	50	120		100	ug/Kg	K	08/30/06	SW846 5030B	SW846 8260B
1,2,3-Trichlorobenzene	< 50	50	120		100	ug/Kg	K	08/30/06	SW846 5030B	SW846 8260B
1,2,3-Trichloropropane	< 50	50	120		100	ug/Kg	K	08/30/06	SW846 5030B	SW846 8260B
1,2,4-Trichlorobenzene	< 50	50	120		100	ug/Kg	K	08/30/06	SW846 5030B	SW846 8260B
1,2,4-Trimethylbenzene	1200	57	140		100	ug/Kg	K	08/30/06	SW846 5030B	SW846 8260B
1,2-Dibromo-3-chloropropane	< 160	160	400		100	ug/Kg	K	08/30/06	SW846 5030B	SW846 8260B
1,2-Dibromoethane	< 50	50	120		100	ug/Kg	K	08/30/06	SW846 5030B	SW846 8260B
1,2-Dichlorobenzene	< 89	89	210		100	ug/Kg	K	08/30/06	SW846 5030B	SW846 8260B
1,2-Dichloroethane	< 50	50	120		100	ug/Kg	K	08/30/06	SW846 5030B	SW846 8260B
1,2-Dichloropropane	< 50	50	120		100	ug/Kg	K	08/30/06	SW846 5030B	SW846 8260B
1,3,5-Trimethylbenzene	930	57	140		100	ug/Kg	K	08/30/06	SW846 5030B	SW846 8260B
1,3-Dichlorobenzene	< 50	50	120		100	ug/Kg	K	08/30/06	SW846 5030B	SW846 8260B
1,3-Dichloropropane	< 50	50	120		100	ug/Kg	K	08/30/06	SW846 5030B	SW846 8260B
1,4-Dichlorobenzene	< 50	50	120		100	ug/Kg	K	08/30/06	SW846 5030B	SW846 8260B
2,2-Dichloropropane	< 50	50	120		100	ug/Kg	K	08/30/06	SW846 5030B	SW846 8260B
2-Chlorotoluene	< 50	50	120		100	ug/Kg	K	08/30/06	SW846 5030B	SW846 8260B
4-Chlorotoluene	< 50	50	120		100	ug/Kg	K	08/30/06	SW846 5030B	SW846 8260B
Benzene	< 50	50	120		100	ug/Kg	K	08/30/06	SW846 5030B	SW846 8260B
Bromobenzene	< 50	50	120		100	ug/Kg	K	08/30/06	SW846 5030B	SW846 8260B
Bromochloromethane	< 50	50	120		100	ug/Kg	K	08/30/06	SW846 5030B	SW846 8260B
Bromodichloromethane	< 50	50	120		100	ug/Kg	K	08/30/06	SW846 5030B	SW846 8260B
Bromoform	< 52	52	120		100	ug/Kg	K	08/30/06	SW846 5030B	SW846 8260B
Bromomethane	< 50	50	120		100	ug/Kg	K	08/30/06	SW846 5030B	SW846 8260B
Carbon Tetrachloride	< 50	50	120		100	ug/Kg	K	08/30/06	SW846 5030B	SW846 8260B
Chlorobenzene	< 50	50	120		100	ug/Kg	K	08/30/06	SW846 5030B	SW846 8260B
Chlorodibromomethane	< 50	50	120		100	ug/Kg	K	08/30/06	SW846 5030B	SW846 8260B
Chloroethane	< 50	50	120		100	ug/Kg	K	08/30/06	SW846 5030B	SW846 8260B
Chloroform	< 50	50	120		100	ug/Kg	K	08/30/06	SW846 5030B	SW846 8260B
Chloromethane	< 50	50	120		100	ug/Kg	K	08/30/06	SW846 5030B	SW846 8260B

All soil results are reported on a dry weight basis unless otherwise noted.

Pace Analytical Services, Inc.

1241 Bellevue Street
Green Bay, WI 54302
920-469-2436

Analytical Report Number: 875476

Client : ECCI
Project Name : OLD DUTCHMILL PROPERTY
Project Number :
Field ID : GP-8-4

Matrix Type : SOIL
Collection Date : 08/24/06
Report Date : 09/14/06
Lab Sample Number : 875476-029

VOLATILES

Prep Date: 08/29/06

Analyte	Result	LOD	LOQ	EQL	Dil.	Units	Code	Anl Date	Prep Method	Anl Method
cis-1,2-Dichloroethene	< 50	50	120		100	ug/Kg	K	08/30/06	SW846 5030B	SW846 8260B
cis-1,3-Dichloropropene	< 50	50	120		100	ug/Kg	K	08/30/06	SW846 5030B	SW846 8260B
Dibromomethane	< 50	50	120		100	ug/Kg	K	08/30/06	SW846 5030B	SW846 8260B
Dichlorodifluoromethane	< 50	50	120		100	ug/Kg	K	08/30/06	SW846 5030B	SW846 8260B
Diisopropyl Ether	< 50	50	120		100	ug/Kg	K	08/30/06	SW846 5030B	SW846 8260B
Ethylbenzene	100	57	140		100	ug/Kg	QK	08/30/06	SW846 5030B	SW846 8260B
Fluorotrichloromethane	< 50	50	120		100	ug/Kg	K	08/30/06	SW846 5030B	SW846 8260B
Hexachlorobutadiene	< 53	53	130		100	ug/Kg	K	08/30/06	SW846 5030B	SW846 8260B
Isopropylbenzene	210	57	140		100	ug/Kg	K	08/30/06	SW846 5030B	SW846 8260B
Methylene Chloride	< 50	50	120		100	ug/Kg	K	08/30/06	SW846 5030B	SW846 8260B
Methyl-tert-butyl-ether	< 50	50	120		100	ug/Kg	K	08/30/06	SW846 5030B	SW846 8260B
Naphthalene	530	57	140		100	ug/Kg	K	08/30/06	SW846 5030B	SW846 8260B
n-Butylbenzene	< 81	81	190		100	ug/Kg	K	08/30/06	SW846 5030B	SW846 8260B
n-Propylbenzene	430	57	140		100	ug/Kg	K	08/30/06	SW846 5030B	SW846 8260B
p-Isopropyltoluene	450	57	140		100	ug/Kg	K	08/30/06	SW846 5030B	SW846 8260B
s-Butylbenzene	210	57	140		100	ug/Kg	K	08/30/06	SW846 5030B	SW846 8260B
Styrene	< 50	50	120		100	ug/Kg	K	08/30/06	SW846 5030B	SW846 8260B
t-Butylbenzene	< 50	50	120		100	ug/Kg	K	08/30/06	SW846 5030B	SW846 8260B
Tetrachloroethene	< 50	50	120		100	ug/Kg	K	08/30/06	SW846 5030B	SW846 8260B
Toluene	< 50	50	120		100	ug/Kg	K	08/30/06	SW846 5030B	SW846 8260B
trans-1,2-Dichloroethene	< 50	50	120		100	ug/Kg	K	08/30/06	SW846 5030B	SW846 8260B
trans-1,3-Dichloropropene	< 50	50	120		100	ug/Kg	K	08/30/06	SW846 5030B	SW846 8260B
Trichloroethene	< 50	50	120		100	ug/Kg	K	08/30/06	SW846 5030B	SW846 8260B
Vinyl Chloride	< 50	50	120		100	ug/Kg	K	08/30/06	SW846 5030B	SW846 8260B
Xylene, o	< 50	50	120		100	ug/Kg	K	08/30/06	SW846 5030B	SW846 8260B
Xylenes, m + p	< 100	100	240		100	ug/Kg	K	08/30/06	SW846 5030B	SW846 8260B
Surrogate		**LCL**	**UCL**							
4-Bromofluorobenzene	87	64	133		100	%		08/30/06	SW846 5030B	SW846 8260B
Toluene-d8	99	67	139		100	%		08/30/06	SW846 5030B	SW846 8260B
Dibromofluoromethane	98	64	140		100	%		08/30/06	SW846 5030B	SW846 8260B

PAH/PNA

Prep Date: 08/31/06

Analyte	Result	LOD	LOQ	EQL	Dil.	Units	Code	Anl Date	Prep Method	Anl Method
1-Methylnaphthalene	270	3.4	11		1	ug/Kg		08/31/06	SW846 3545	8270C-SIM
2-Methylnaphthalene	730	3.6	12		1	ug/Kg		08/31/06	SW846 3545	8270C-SIM
Acenaphthene	< 3.4	3.4	11		1	ug/Kg		08/31/06	SW846 3545	8270C-SIM
Acenaphthylene	< 3.3	3.3	11		1	ug/Kg		08/31/06	SW846 3545	8270C-SIM
Anthracene	< 4.0	4.0	13		1	ug/Kg		08/31/06	SW846 3545	8270C-SIM
Benzo(a)anthracene	< 6.0	6.0	20		1	ug/Kg		08/31/06	SW846 3545	8270C-SIM
Benzo(a)pyrene	5.0	3.3	11		1	ug/Kg	Q	08/31/06	SW846 3545	8270C-SIM
Benzo(b)fluoranthene	4.5	3.2	11		1	ug/Kg	Q	08/31/06	SW846 3545	8270C-SIM
Benzo(ghi)perylene	4.9	4.0	13		1	ug/Kg	Q	08/31/06	SW846 3545	8270C-SIM
Benzo(k)fluoranthene	5.0	3.5	12		1	ug/Kg	Q	08/31/06	SW846 3545	8270C-SIM
Chrysene	< 5.0	5.0	17		1	ug/Kg		08/31/06	SW846 3545	8270C-SIM
Dibenz(a,h)anthracene	< 3.1	3.1	10		1	ug/Kg		08/31/06	SW846 3545	8270C-SIM
Fluoranthene	< 3.3	3.3	11		1	ug/Kg		08/31/06	SW846 3545	8270C-SIM
Fluorene	< 3.9	3.9	13		1	ug/Kg		08/31/06	SW846 3545	8270C-SIM
Indeno(1,2,3-cd)pyrene	4.2	2.9	9.5		1	ug/Kg	Q	08/31/06	SW846 3545	8270C-SIM

All soil results are reported on a dry weight basis unless otherwise noted.

Pace Analytical Services, Inc.

1241 Bellevue Street
Green Bay, WI 54302
920-469-2436

Analytical Report Number: 875476

Client : ECCI
Project Name : OLD DUTCHMILL PROPERTY
Project Number :
Field ID : GP-8-4

Matrix Type : SOIL
Collection Date : 08/24/06
Report Date : 09/14/06
Lab Sample Number : 875476-029

PAH/PNA

Prep Date: 08/31/06

Analyte	Result	LOD	LOQ	EQL	Dil.	Units	Code	Anl Date	Prep Method	Anl Method
Naphthalene	340	4.6	15		1	ug/Kg		08/31/06	SW846 3545	8270C-SIM
Phenanthrene	3.5	3.3	11		1	ug/Kg	Q	08/31/06	SW846 3545	8270C-SIM
Pyrene	4.0	2.8	9.3		1	ug/Kg	Q	08/31/06	SW846 3545	8270C-SIM
Surrogate		**LCL**	**UCL**							
Nitrobenzene-d5	86	10	141		1	%		08/31/06	SW846 3545	8270C-SIM
2-Fluorobiphenyl	57	10	161		1	%		08/31/06	SW846 3545	8270C-SIM
Terphenyl-d14	68	29	150		1	%		08/31/06	SW846 3545	8270C-SIM

All soil results are reported on a dry weight basis unless otherwise noted.

Pace Analytical Services, Inc.

1241 Bellevue Street
Green Bay, WI 54302
920-469-2436

Analytical Report Number: 875476

Client : ECCI
Project Name : OLD DUTCHMILL PROPERTY
Project Number :
Field ID : GP-8-6

Matrix Type : SOIL
Collection Date : 08/24/06
Report Date : 09/14/06
Lab Sample Number : 875476-030

INORGANICS

Test	Result	LOD	LOQ	EQL	Dil.	Units	Code	Anl Date	Prep Method	Anl Method
Lead	3.2	0.37	1.2		1	mg/Kg		08/30/06	SW846 3050B	SW846 6010B
Percent Solids	92.3				1	%		08/28/06	SM M2540G	SM M2540G

DIESEL RANGE ORGANICS

Preservation Date: 08/30/06 Prep Date: 08/30/06

Analyte	Result	LOD	LOQ	EQL	Dil.	Units	Code	Anl Date	Prep Method	Anl Method
Diesel Range Organics	300			13	3.33	mg/kg		08/31/06	WI MOD DRO	WI MOD DRO

GASOLINE RANGE ORGANICS

Prep Date: 08/29/06

Analyte	Result	LOD	LOQ	EQL	Dil.	Units	Code	Anl Date	Prep Method	Anl Method
Gasoline Range Organics	760			14	250	mg/Kg		08/29/06	WI MOD GRO	WI MOD GRO

VOLATILES

Prep Date: 08/29/06

Analyte	Result	LOD	LOQ	EQL	Dil.	Units	Code	Anl Date	Prep Method	Anl Method
1,1,1,2-Tetrachloroethane	< 120	120	300		250	ug/Kg	K	08/30/06	SW846 5030B	SW846 8260B
1,1,1-Trichloroethane	< 120	120	300		250	ug/Kg	K	08/30/06	SW846 5030B	SW846 8260B
1,1,2,2-Tetrachloroethane	< 120	120	300		250	ug/Kg	K&*	08/30/06	SW846 5030B	SW846 8260B
1,1,2-Trichloroethane	< 120	120	300		250	ug/Kg	K	08/30/06	SW846 5030B	SW846 8260B
1,1-Dichloroethane	< 120	120	300		250	ug/Kg	K	08/30/06	SW846 5030B	SW846 8260B
1,1-Dichloroethene	< 120	120	300		250	ug/Kg	K	08/30/06	SW846 5030B	SW846 8260B
1,1-Dichloropropene	< 120	120	300		250	ug/Kg	K	08/30/06	SW846 5030B	SW846 8260B
1,2,3-Trichlorobenzene	< 120	120	300		250	ug/Kg	K	08/30/06	SW846 5030B	SW846 8260B
1,2,3-Trichloropropane	< 120	120	300		250	ug/Kg	K	08/30/06	SW846 5030B	SW846 8260B
1,2,4-Trichlorobenzene	< 120	120	300		250	ug/Kg	K	08/30/06	SW846 5030B	SW846 8260B
1,2,4-Trimethylbenzene	860	140	320		250	ug/Kg	K	08/30/06	SW846 5030B	SW846 8260B
1,2-Dibromo-3-chloropropane	< 410	410	990		250	ug/Kg	K	08/30/06	SW846 5030B	SW846 8260B
1,2-Dibromoethane	< 120	120	300		250	ug/Kg	K	08/30/06	SW846 5030B	SW846 8260B
1,2-Dichlorobenzene	< 220	220	530		250	ug/Kg	K	08/30/06	SW846 5030B	SW846 8260B
1,2-Dichloroethane	< 120	120	300		250	ug/Kg	K	08/30/06	SW846 5030B	SW846 8260B
1,2-Dichloropropane	< 120	120	300		250	ug/Kg	K	08/30/06	SW846 5030B	SW846 8260B
1,3,5-Trimethylbenzene	780	140	320		250	ug/Kg	K	08/30/06	SW846 5030B	SW846 8260B
1,3-Dichlorobenzene	< 120	120	300		250	ug/Kg	K	08/30/06	SW846 5030B	SW846 8260B
1,3-Dichloropropane	< 120	120	300		250	ug/Kg	K	08/30/06	SW846 5030B	SW846 8260B
1,4-Dichlorobenzene	< 120	120	300		250	ug/Kg	K	08/30/06	SW846 5030B	SW846 8260B
2,2-Dichloropropane	< 120	120	300		250	ug/Kg	K	08/30/06	SW846 5030B	SW846 8260B
2-Chlorotoluene	< 120	120	300		250	ug/Kg	K	08/30/06	SW846 5030B	SW846 8260B
4-Chlorotoluene	< 120	120	300		250	ug/Kg	K	08/30/06	SW846 5030B	SW846 8260B
Benzene	< 120	120	300		250	ug/Kg	K	08/30/06	SW846 5030B	SW846 8260B
Bromobenzene	< 120	120	300		250	ug/Kg	K	08/30/06	SW846 5030B	SW846 8260B
Bromochloromethane	< 120	120	300		250	ug/Kg	K	08/30/06	SW846 5030B	SW846 8260B
Bromodichloromethane	< 120	120	300		250	ug/Kg	K	08/30/06	SW846 5030B	SW846 8260B
Bromoform	< 130	130	310		250	ug/Kg	K	08/30/06	SW846 5030B	SW846 8260B
Bromomethane	< 120	120	300		250	ug/Kg	K	08/30/06	SW846 5030B	SW846 8260B
Carbon Tetrachloride	< 120	120	300		250	ug/Kg	K	08/30/06	SW846 5030B	SW846 8260B
Chlorobenzene	< 120	120	300		250	ug/Kg	K	08/30/06	SW846 5030B	SW846 8260B
Chlorodibromomethane	< 120	120	300		250	ug/Kg	K	08/30/06	SW846 5030B	SW846 8260B
Chloroethane	< 120	120	300		250	ug/Kg	K	08/30/06	SW846 5030B	SW846 8260B
Chloroform	< 120	120	300		250	ug/Kg	K	08/30/06	SW846 5030B	SW846 8260B
Chloromethane	< 120	120	300		250	ug/Kg	K	08/30/06	SW846 5030B	SW846 8260B

All soil results are reported on a dry weight basis unless otherwise noted.

Pace Analytical Services, Inc.

1241 Bellevue Street
Green Bay, WI 54302
920-469-2436

Analytical Report Number: 875476

Client : ECCI
Project Name : OLD DUTCHMILL PROPERTY
Project Number :
Field ID : GP-8-6

Matrix Type : SOIL
Collection Date : 08/24/06
Report Date : 09/14/06
Lab Sample Number : 875476-030

VOLATILES

Prep Date: 08/29/06

Analyte		Result	LOD	LOQ	EQL	Dil.	Units	Code	Anl Date	Prep Method	Anl Method
cis-1,2-Dichloroethene	<	120	120	300		250	ug/Kg	K	08/30/06	SW846 5030B	SW846 8260B
cis-1,3-Dichloropropene	<	120	120	300		250	ug/Kg	K	08/30/06	SW846 5030B	SW846 8260B
Dibromomethane	<	120	120	300		250	ug/Kg	K	08/30/06	SW846 5030B	SW846 8260B
Dichlorodifluoromethane	<	120	120	300		250	ug/Kg	K	08/30/06	SW846 5030B	SW846 8260B
Diisopropyl Ether	<	120	120	300		250	ug/Kg	K	08/30/06	SW846 5030B	SW846 8260B
Ethylbenzene		150	140	320		250	ug/Kg	QK	08/30/06	SW846 5030B	SW846 8260B
Fluorotrichloromethane	<	120	120	300		250	ug/Kg	K	08/30/06	SW846 5030B	SW846 8260B
Hexachlorobutadiene	<	130	130	320		250	ug/Kg	K	08/30/06	SW846 5030B	SW846 8260B
Isopropylbenzene		310	140	320		250	ug/Kg	QK	08/30/06	SW846 5030B	SW846 8260B
Methylene Chloride	<	120	120	300		250	ug/Kg	K	08/30/06	SW846 5030B	SW846 8260B
Methyl-tert-butyl-ether	<	120	120	300		250	ug/Kg	K	08/30/06	SW846 5030B	SW846 8260B
Naphthalene		200	140	320		250	ug/Kg	QK	08/30/06	SW846 5030B	SW846 8260B
n-Butylbenzene	<	200	200	480		250	ug/Kg	K	08/30/06	SW846 5030B	SW846 8260B
n-Propylbenzene		520	140	320		250	ug/Kg	K	08/30/06	SW846 5030B	SW846 8260B
p-Isopropyltoluene		660	140	320		250	ug/Kg	K	08/30/06	SW846 5030B	SW846 8260B
s-Butylbenzene		320	140	320		250	ug/Kg	QK	08/30/06	SW846 5030B	SW846 8260B
Styrene	<	120	120	300		250	ug/Kg	K	08/30/06	SW846 5030B	SW846 8260B
t-Butylbenzene	<	120	120	300		250	ug/Kg	K	08/30/06	SW846 5030B	SW846 8260B
Tetrachloroethene	<	120	120	300		250	ug/Kg	K	08/30/06	SW846 5030B	SW846 8260B
Toluene	<	120	120	300		250	ug/Kg	K	08/30/06	SW846 5030B	SW846 8260B
trans-1,2-Dichloroethene	<	120	120	300		250	ug/Kg	K	08/30/06	SW846 5030B	SW846 8260B
trans-1,3-Dichloropropene	<	120	120	300		250	ug/Kg	K	08/30/06	SW846 5030B	SW846 8260B
Trichloroethene	<	120	120	300		250	ug/Kg	K	08/30/06	SW846 5030B	SW846 8260B
Vinyl Chloride	<	120	120	300		250	ug/Kg	K	08/30/06	SW846 5030B	SW846 8260B
Xylene, o	<	120	120	300		250	ug/Kg	K	08/30/06	SW846 5030B	SW846 8260B
Xylenes, m + p	<	250	250	600		250	ug/Kg	K	08/30/06	SW846 5030B	SW846 8260B

Surrogate		LCL	UCL					
4-Bromofluorobenzene	90	64	133	250	%	08/30/06	SW846 5030B	SW846 8260B
Toluene-d8	108	67	139	250	%	08/30/06	SW846 5030B	SW846 8260B
Dibromofluoromethane	101	64	140	250	%	08/30/06	SW846 5030B	SW846 8260B

PAH/PNA

Prep Date: 08/31/06

Analyte		Result	LOD	LOQ	EQL	Dil.	Units	Code	Anl Date	Prep Method	Anl Method
1-Methylnaphthalene		230	3.3	11		1	ug/Kg		08/31/06	SW846 3545	8270C-SIM
2-Methylnaphthalene		430	3.4	11		1	ug/Kg		08/31/06	SW846 3545	8270C-SIM
Acenaphthene	<	3.2	3.2	11		1	ug/Kg		08/31/06	SW846 3545	8270C-SIM
Acenaphthylene	<	3.1	3.1	10		1	ug/Kg		08/31/06	SW846 3545	8270C-SIM
Anthracene	<	3.9	3.9	13		1	ug/Kg		08/31/06	SW846 3545	8270C-SIM
Benzo(a)anthracene	<	5.7	5.7	19		1	ug/Kg		08/31/06	SW846 3545	8270C-SIM
Benzo(a)pyrene	<	3.1	3.1	10		1	ug/Kg		08/31/06	SW846 3545	8270C-SIM
Benzo(b)fluoranthene	<	3.0	3.0	10		1	ug/Kg		08/31/06	SW846 3545	8270C-SIM
Benzo(ghi)perylene	<	3.9	3.9	13		1	ug/Kg		08/31/06	SW846 3545	8270C-SIM
Benzo(k)fluoranthene	<	3.3	3.3	11		1	ug/Kg		08/31/06	SW846 3545	8270C-SIM
Chrysene	<	4.7	4.7	16		1	ug/Kg		08/31/06	SW846 3545	8270C-SIM
Dibenz(a,h)anthracene	<	3.0	3.0	9.9		1	ug/Kg		08/31/06	SW846 3545	8270C-SIM
Fluoranthene	<	3.1	3.1	10		1	ug/Kg		08/31/06	SW846 3545	8270C-SIM
Fluorene	<	3.7	3.7	12		1	ug/Kg		08/31/06	SW846 3545	8270C-SIM
Indeno(1,2,3-cd)pyrene	<	2.7	2.7	9.1		1	ug/Kg		08/31/06	SW846 3545	8270C-SIM

All soil results are reported on a dry weight basis unless otherwise noted.

Pace Analytical Services, Inc.

1241 Bellevue Street
Green Bay, WI 54302
920-469-2436

Analytical Report Number: 875476

Client : ECCI
Project Name : OLD DUTCHMILL PROPERTY
Project Number :
Field ID : GP-8-6

Matrix Type : SOIL
Collection Date : 08/24/06
Report Date : 09/14/06
Lab Sample Number : 875476-030

PAH/PNA

Prep Date: 08/31/06

Analyte		Result	LOD	LOQ	EQL	Dil.	Units	Code	Anl Date	Prep Method	Anl Method
Naphthalene	<	4.3	4.3	14		1	ug/Kg		08/31/06	SW846 3545	8270C-SIM
Phenanthrene		3.4	3.2	11		1	ug/Kg	Q	08/31/06	SW846 3545	8270C-SIM
Pyrene	<	2.7	2.7	8.9		1	ug/Kg		08/31/06	SW846 3545	8270C-SIM
Surrogate			**LCL**	**UCL**							
Nitrobenzene-d5		98	10	141		1	%		08/31/06	SW846 3545	8270C-SIM
2-Fluorobiphenyl		56	10	161		1	%		08/31/06	SW846 3545	8270C-SIM
Terphenyl-d14		77	29	150		1	%		08/31/06	SW846 3545	8270C-SIM

All soil results are reported on a dry weight basis unless otherwise noted.

Pace Analytical Services, Inc.

1241 Bellevue Street
Green Bay, WI 54302
920-469-2436

Analytical Report Number: 875476

Client : ECCI
Project Name : OLD DUTCHMILL PROPERTY
Project Number :
Field ID : GP-9-2

Matrix Type : SOIL
Collection Date : 08/24/06
Report Date : 09/14/06
Lab Sample Number : 875476-031

INORGANICS

Test	Result	LOD	LOQ	EQL	Dil.	Units	Code	Anl Date	Prep Method	Anl Method
Lead	25	0.36	1.2		1	mg/Kg		08/30/06	SW846 3050B	SW846 6010B
Percent Solids	93.6				1	%		08/28/06	SM M2540G	SM M2540G

DIESEL RANGE ORGANICS

Preservation Date: 08/30/06 Prep Date: 08/30/06

Analyte	Result	LOD	LOQ	EQL	Dil.	Units	Code	Anl Date	Prep Method	Anl Method
Diesel Range Organics	10			3.9	1	mg/kg		08/30/06	WI MOD DRO	WI MOD DRO

GASOLINE RANGE ORGANICS

Prep Date: 08/29/06

Analyte	Result	LOD	LOQ	EQL	Dil.	Units	Code	Anl Date	Prep Method	Anl Method
Gasoline Range Organics	< 2.7			2.7	50	mg/Kg		08/29/06	WI MOD GRO	WI MOD GRO

VOLATILES

Prep Date: 08/29/06

Analyte	Result	LOD	LOQ	EQL	Dil.	Units	Code	Anl Date	Prep Method	Anl Method
1,1,1,2-Tetrachloroethane	< 25	25	60		50	ug/Kg		08/30/06	SW846 5030B	SW846 8260B
1,1,1-Trichloroethane	< 25	25	60		50	ug/Kg		08/30/06	SW846 5030B	SW846 8260B
1,1,2,2-Tetrachloroethane	< 25	25	60		50	ug/Kg	&*	08/30/06	SW846 5030B	SW846 8260B
1,1,2-Trichloroethane	< 25	25	60		50	ug/Kg		08/30/06	SW846 5030B	SW846 8260B
1,1-Dichloroethane	< 25	25	60		50	ug/Kg		08/30/06	SW846 5030B	SW846 8260B
1,1-Dichloroethene	< 25	25	60		50	ug/Kg		08/30/06	SW846 5030B	SW846 8260B
1,1-Dichloropropene	< 25	25	60		50	ug/Kg		08/30/06	SW846 5030B	SW846 8260B
1,2,3-Trichlorobenzene	< 25	25	60		50	ug/Kg		08/30/06	SW846 5030B	SW846 8260B
1,2,3-Trichloropropane	< 25	25	60		50	ug/Kg		08/30/06	SW846 5030B	SW846 8260B
1,2,4-Trichlorobenzene	< 25	25	60		50	ug/Kg		08/30/06	SW846 5030B	SW846 8260B
1,2,4-Trimethylbenzene	< 25	25	60		50	ug/Kg		08/30/06	SW846 5030B	SW846 8260B
1,2-Dibromo-3-chloropropane	< 82	82	200		50	ug/Kg		08/30/06	SW846 5030B	SW846 8260B
1,2-Dibromoethane	< 25	25	60		50	ug/Kg		08/30/06	SW846 5030B	SW846 8260B
1,2-Dichlorobenzene	< 44	44	110		50	ug/Kg		08/30/06	SW846 5030B	SW846 8260B
1,2-Dichloroethane	< 25	25	60		50	ug/Kg		08/30/06	SW846 5030B	SW846 8260B
1,2-Dichloropropane	< 25	25	60		50	ug/Kg		08/30/06	SW846 5030B	SW846 8260B
1,3,5-Trimethylbenzene	< 25	25	60		50	ug/Kg		08/30/06	SW846 5030B	SW846 8260B
1,3-Dichlorobenzene	< 25	25	60		50	ug/Kg		08/30/06	SW846 5030B	SW846 8260B
1,3-Dichloropropane	< 25	25	60		50	ug/Kg		08/30/06	SW846 5030B	SW846 8260B
1,4-Dichlorobenzene	< 25	25	60		50	ug/Kg		08/30/06	SW846 5030B	SW846 8260B
2,2-Dichloropropane	< 25	25	60		50	ug/Kg		08/30/06	SW846 5030B	SW846 8260B
2-Chlorotoluene	< 25	25	60		50	ug/Kg		08/30/06	SW846 5030B	SW846 8260B
4-Chlorotoluene	< 25	25	60		50	ug/Kg		08/30/06	SW846 5030B	SW846 8260B
Benzene	< 25	25	60		50	ug/Kg		08/30/06	SW846 5030B	SW846 8260B
Bromobenzene	< 25	25	60		50	ug/Kg		08/30/06	SW846 5030B	SW846 8260B
Bromochloromethane	< 25	25	60		50	ug/Kg		08/30/06	SW846 5030B	SW846 8260B
Bromodichloromethane	< 25	25	60		50	ug/Kg		08/30/06	SW846 5030B	SW846 8260B
Bromoform	< 26	26	62		50	ug/Kg		08/30/06	SW846 5030B	SW846 8260B
Bromomethane	< 25	25	60		50	ug/Kg		08/30/06	SW846 5030B	SW846 8260B
Carbon Tetrachloride	< 25	25	60		50	ug/Kg		08/30/06	SW846 5030B	SW846 8260B
Chlorobenzene	< 25	25	60		50	ug/Kg		08/30/06	SW846 5030B	SW846 8260B
Chlorodibromomethane	< 25	25	60		50	ug/Kg		08/30/06	SW846 5030B	SW846 8260B
Chloroethane	< 25	25	60		50	ug/Kg		08/30/06	SW846 5030B	SW846 8260B
Chloroform	< 25	25	60		50	ug/Kg		08/30/06	SW846 5030B	SW846 8260B
Chloromethane	< 25	25	60		50	ug/Kg		08/30/06	SW846 5030B	SW846 8260B

All soil results are reported on a dry weight basis unless otherwise noted.

Pace Analytical Services, Inc.

1241 Bellevue Street
Green Bay, WI 54302
920-469-2436

Analytical Report Number: 875476

Client : ECCI
Project Name : OLD DUTCHMILL PROPERTY
Project Number :
Field ID : GP-9-2

Matrix Type : SOIL
Collection Date : 08/24/06
Report Date : 09/14/06
Lab Sample Number : 875476-031

VOLATILES

Prep Date: 08/29/06

Analyte	Result	LOD	LOQ	EQL	Dil.	Units	Code	Anl Date	Prep Method	Anl Method
cis-1,2-Dichloroethene	< 25	25	60		50	ug/Kg		08/30/06	SW846 5030B	SW846 8260B
cis-1,3-Dichloropropene	< 25	25	60		50	ug/Kg		08/30/06	SW846 5030B	SW846 8260B
Dibromomethane	< 25	25	60		50	ug/Kg		08/30/06	SW846 5030B	SW846 8260B
Dichlorodifluoromethane	< 25	25	60		50	ug/Kg		08/30/06	SW846 5030B	SW846 8260B
Diisopropyl Ether	< 25	25	60		50	ug/Kg		08/30/06	SW846 5030B	SW846 8260B
Ethylbenzene	< 25	25	60		50	ug/Kg		08/30/06	SW846 5030B	SW846 8260B
Fluorotrichloromethane	< 25	25	60		50	ug/Kg		08/30/06	SW846 5030B	SW846 8260B
Hexachlorobutadiene	< 26	26	63		50	ug/Kg		08/30/06	SW846 5030B	SW846 8260B
Isopropylbenzene	< 25	25	60		50	ug/Kg		08/30/06	SW846 5030B	SW846 8260B
Methylene Chloride	< 25	25	60		50	ug/Kg		08/30/06	SW846 5030B	SW846 8260B
Methyl-tert-butyl-ether	< 25	25	60		50	ug/Kg		08/30/06	SW846 5030B	SW846 8260B
Naphthalene	< 25	25	60		50	ug/Kg		08/30/06	SW846 5030B	SW846 8260B
n-Butylbenzene	< 40	40	97		50	ug/Kg		08/30/06	SW846 5030B	SW846 8260B
n-Propylbenzene	< 25	25	60		50	ug/Kg		08/30/06	SW846 5030B	SW846 8260B
p-Isopropyltoluene	< 25	25	60		50	ug/Kg		08/30/06	SW846 5030B	SW846 8260B
s-Butylbenzene	< 25	25	60		50	ug/Kg		08/30/06	SW846 5030B	SW846 8260B
Styrene	< 25	25	60		50	ug/Kg		08/30/06	SW846 5030B	SW846 8260B
t-Butylbenzene	< 25	25	60		50	ug/Kg		08/30/06	SW846 5030B	SW846 8260B
Tetrachloroethene	< 25	25	60		50	ug/Kg		08/30/06	SW846 5030B	SW846 8260B
Toluene	< 25	25	60		50	ug/Kg		08/30/06	SW846 5030B	SW846 8260B
trans-1,2-Dichloroethene	< 25	25	60		50	ug/Kg		08/30/06	SW846 5030B	SW846 8260B
trans-1,3-Dichloropropene	< 25	25	60		50	ug/Kg		08/30/06	SW846 5030B	SW846 8260B
Trichloroethene	< 25	25	60		50	ug/Kg		08/30/06	SW846 5030B	SW846 8260B
Vinyl Chloride	< 25	25	60		50	ug/Kg		08/30/06	SW846 5030B	SW846 8260B
Xylene, o	< 25	25	60		50	ug/Kg		08/30/06	SW846 5030B	SW846 8260B
Xylenes, m + p	< 50	50	120		50	ug/Kg		08/30/06	SW846 5030B	SW846 8260B
Surrogate		**LCL**	**UCL**							
4-Bromofluorobenzene	96	64	133		50	%		08/30/06	SW846 5030B	SW846 8260B
Toluene-d8	105	67	139		50	%		08/30/06	SW846 5030B	SW846 8260B
Dibromofluoromethane	113	64	140		50	%		08/30/06	SW846 5030B	SW846 8260B

PAH/PNA

Prep Date: 08/31/06

Analyte	Result	LOD	LOQ	EQL	Dil.	Units	Code	Anl Date	Prep Method	Anl Method
1-Methylnaphthalene	< 3.2	3.2	11		1	ug/Kg		08/31/06	SW846 3545	8270C-SIM
2-Methylnaphthalene	< 3.3	3.3	11		1	ug/Kg		08/31/06	SW846 3545	8270C-SIM
Acenaphthene	4.6	3.2	11		1	ug/Kg	Q	08/31/06	SW846 3545	8270C-SIM
Acenaphthylene	23	3.1	10		1	ug/Kg		08/31/06	SW846 3545	8270C-SIM
Anthracene	43	3.8	13		1	ug/Kg		08/31/06	SW846 3545	8270C-SIM
Benzo(a)anthracene	190	5.7	19		1	ug/Kg		08/31/06	SW846 3545	8270C-SIM
Benzo(a)pyrene	270	3.1	10		1	ug/Kg		08/31/06	SW846 3545	8270C-SIM
Benzo(b)fluoranthene	230	3.0	10		1	ug/Kg		08/31/06	SW846 3545	8270C-SIM
Benzo(ghi)perylene	200	3.8	13		1	ug/Kg		08/31/06	SW846 3545	8270C-SIM
Benzo(k)fluoranthene	230	3.3	11		1	ug/Kg		08/31/06	SW846 3545	8270C-SIM
Chrysene	220	4.7	16		1	ug/Kg		08/31/06	SW846 3545	8270C-SIM
Dibenz(a,h)anthracene	69	2.9	9.8		1	ug/Kg		08/31/06	SW846 3545	8270C-SIM
Fluoranthene	360	3.1	10		1	ug/Kg		08/31/06	SW846 3545	8270C-SIM
Fluorene	13	3.6	12		1	ug/Kg		08/31/06	SW846 3545	8270C-SIM
Indeno(1,2,3-cd)pyrene	180	2.7	9.0		1	ug/Kg		08/31/06	SW846 3545	8270C-SIM

All soil results are reported on a dry weight basis unless otherwise noted.

Pace Analytical Services, Inc.

1241 Bellevue Street
Green Bay, WI 54302
920-469-2436

Analytical Report Number: 875476

Client : ECCI
Project Name : OLD DUTCHMILL PROPERTY
Project Number :
Field ID : GP-9-2

Matrix Type : SOIL
Collection Date : 08/24/06
Report Date : 09/14/06
Lab Sample Number : 875476-031

PAH/PNA

Prep Date: 08/31/06

Analyte	Result	LOD	LOQ	EQL	Dil.	Units	Code	Anl Date	Prep Method	Anl Method
Naphthalene	4.9	4.3	14		1	ug/Kg	QB	08/31/06	SW846 3545	8270C-SIM
Phenanthrene	80	3.1	10		1	ug/Kg		08/31/06	SW846 3545	8270C-SIM
Pyrene	290	2.6	8.7		1	ug/Kg		08/31/06	SW846 3545	8270C-SIM
Surrogate		**LCL**	**UCL**							
Nitrobenzene-d5	70	10	141		1	%		08/31/06	SW846 3545	8270C-SIM
2-Fluorobiphenyl	36	10	161		1	%		08/31/06	SW846 3545	8270C-SIM
Terphenyl-d14	68	29	150		1	%		08/31/06	SW846 3545	8270C-SIM

All soil results are reported on a dry weight basis unless otherwise noted.

Pace Analytical Services, Inc.

1241 Bellevue Street
Green Bay, WI 54302
920-469-2436

Analytical Report Number: 875476

Client : ECCI
Project Name : OLD DUTCHMILL PROPERTY
Project Number :
Field ID : GP-9-4

Matrix Type : SOIL
Collection Date : 08/24/06
Report Date : 09/14/06
Lab Sample Number : 875476-032

INORGANICS

Test	Result	LOD	LOQ	EQL	Dil.	Units	Code	Anl Date	Prep Method	Anl Method
Lead	12	0.45	1.5		1	mg/Kg		08/30/06	SW846 3050B	SW846 6010B
Percent Solids	75.1				1	%		08/28/06	SM M2540G	SM M2540G

DIESEL RANGE ORGANICS

Preservation Date: 08/30/06 Prep Date: 08/30/06

Analyte		Result	LOD	LOQ	EQL	Dil.	Units	Code	Anl Date	Prep Method	Anl Method
Diesel Range Organics	<	4.6			4.6	1	mg/kg		08/30/06	WI MOD DRO	WI MOD DRO

GASOLINE RANGE ORGANICS

Prep Date: 08/29/06

Analyte		Result	LOD	LOQ	EQL	Dil.	Units	Code	Anl Date	Prep Method	Anl Method
Gasoline Range Organics	<	3.3			3.3	50	mg/Kg		08/29/06	WI MOD GRO	WI MOD GRO

VOLATILES

Prep Date: 08/29/06

Analyte		Result	LOD	LOQ	EQL	Dil.	Units	Code	Anl Date	Prep Method	Anl Method
1,1,1,2-Tetrachloroethane	<	25	25	60		50	ug/Kg		08/30/06	SW846 5030B	SW846 8260B
1,1,1-Trichloroethane	<	25	25	60		50	ug/Kg		08/30/06	SW846 5030B	SW846 8260B
1,1,2,2-Tetrachloroethane	<	25	25	60		50	ug/Kg	&*	08/30/06	SW846 5030B	SW846 8260B
1,1,2-Trichloroethane	<	25	25	60		50	ug/Kg		08/30/06	SW846 5030B	SW846 8260B
1,1-Dichloroethane	<	25	25	60		50	ug/Kg		08/30/06	SW846 5030B	SW846 8260B
1,1-Dichloroethene	<	25	25	60		50	ug/Kg		08/30/06	SW846 5030B	SW846 8260B
1,1-Dichloropropene	<	25	25	60		50	ug/Kg		08/30/06	SW846 5030B	SW846 8260B
1,2,3-Trichlorobenzene	<	25	25	60		50	ug/Kg		08/30/06	SW846 5030B	SW846 8260B
1,2,3-Trichloropropane	<	25	25	60		50	ug/Kg		08/30/06	SW846 5030B	SW846 8260B
1,2,4-Trichlorobenzene	<	25	25	60		50	ug/Kg		08/30/06	SW846 5030B	SW846 8260B
1,2,4-Trimethylbenzene	<	25	25	60		50	ug/Kg		08/30/06	SW846 5030B	SW846 8260B
1,2-Dibromo-3-chloropropane	<	82	82	200		50	ug/Kg		08/30/06	SW846 5030B	SW846 8260B
1,2-Dibromoethane	<	25	25	60		50	ug/Kg		08/30/06	SW846 5030B	SW846 8260B
1,2-Dichlorobenzene	<	44	44	110		50	ug/Kg		08/30/06	SW846 5030B	SW846 8260B
1,2-Dichloroethane	<	25	25	60		50	ug/Kg		08/30/06	SW846 5030B	SW846 8260B
1,2-Dichloropropane	<	25	25	60		50	ug/Kg		08/30/06	SW846 5030B	SW846 8260B
1,3,5-Trimethylbenzene	<	25	25	60		50	ug/Kg		08/30/06	SW846 5030B	SW846 8260B
1,3-Dichlorobenzene	<	25	25	60		50	ug/Kg		08/30/06	SW846 5030B	SW846 8260B
1,3-Dichloropropane	<	25	25	60		50	ug/Kg		08/30/06	SW846 5030B	SW846 8260B
1,4-Dichlorobenzene	<	25	25	60		50	ug/Kg		08/30/06	SW846 5030B	SW846 8260B
2,2-Dichloropropane	<	25	25	60		50	ug/Kg		08/30/06	SW846 5030B	SW846 8260B
2-Chlorotoluene	<	25	25	60		50	ug/Kg		08/30/06	SW846 5030B	SW846 8260B
4-Chlorotoluene	<	25	25	60		50	ug/Kg		08/30/06	SW846 5030B	SW846 8260B
Benzene	<	25	25	60		50	ug/Kg		08/30/06	SW846 5030B	SW846 8260B
Bromobenzene	<	25	25	60		50	ug/Kg		08/30/06	SW846 5030B	SW846 8260B
Bromochloromethane	<	25	25	60		50	ug/Kg		08/30/06	SW846 5030B	SW846 8260B
Bromodichloromethane	<	25	25	60		50	ug/Kg		08/30/06	SW846 5030B	SW846 8260B
Bromoform	<	26	26	62		50	ug/Kg		08/30/06	SW846 5030B	SW846 8260B
Bromomethane	<	25	25	60		50	ug/Kg		08/30/06	SW846 5030B	SW846 8260B
Carbon Tetrachloride	<	25	25	60		50	ug/Kg		08/30/06	SW846 5030B	SW846 8260B
Chlorobenzene	<	25	25	60		50	ug/Kg		08/30/06	SW846 5030B	SW846 8260B
Chlorodibromomethane	<	25	25	60		50	ug/Kg		08/30/06	SW846 5030B	SW846 8260B
Chloroethane	<	25	25	60		50	ug/Kg		08/30/06	SW846 5030B	SW846 8260B
Chloroform	<	25	25	60		50	ug/Kg		08/30/06	SW846 5030B	SW846 8260B
Chloromethane	<	25	25	60		50	ug/Kg		08/30/06	SW846 5030B	SW846 8260B

All soil results are reported on a dry weight basis unless otherwise noted.

Pace Analytical Services, Inc.

1241 Bellevue Street
Green Bay, WI 54302
920-469-2436

Analytical Report Number: 875476

Client : ECCI
Project Name : OLD DUTCHMILL PROPERTY
Project Number :
Field ID : GP-9-4

Matrix Type : SOIL
Collection Date : 08/24/06
Report Date : 09/14/06
Lab Sample Number : 875476-032

VOLATILES

Prep Date: 08/29/06

Analyte	Result	LOD	LOQ	EQL	Dil.	Units	Code	Anl Date	Prep Method	Anl Method
cis-1,2-Dichloroethene	< 25	25	60		50	ug/Kg		08/30/06	SW846 5030B	SW846 8260B
cis-1,3-Dichloropropene	< 25	25	60		50	ug/Kg		08/30/06	SW846 5030B	SW846 8260B
Dibromomethane	< 25	25	60		50	ug/Kg		08/30/06	SW846 5030B	SW846 8260B
Dichlorodifluoromethane	< 25	25	60		50	ug/Kg		08/30/06	SW846 5030B	SW846 8260B
Diisopropyl Ether	< 25	25	60		50	ug/Kg		08/30/06	SW846 5030B	SW846 8260B
Ethylbenzene	< 25	25	60		50	ug/Kg		08/30/06	SW846 5030B	SW846 8260B
Fluorotrichloromethane	< 25	25	60		50	ug/Kg		08/30/06	SW846 5030B	SW846 8260B
Hexachlorobutadiene	< 26	26	63		50	ug/Kg		08/30/06	SW846 5030B	SW846 8260B
Isopropylbenzene	< 25	25	60		50	ug/Kg		08/30/06	SW846 5030B	SW846 8260B
Methylene Chloride	< 25	25	60		50	ug/Kg		08/30/06	SW846 5030B	SW846 8260B
Methyl-tert-butyl-ether	< 25	25	60		50	ug/Kg		08/30/06	SW846 5030B	SW846 8260B
Naphthalene	< 25	25	60		50	ug/Kg		08/30/06	SW846 5030B	SW846 8260B
n-Butylbenzene	< 40	40	97		50	ug/Kg		08/30/06	SW846 5030B	SW846 8260B
n-Propylbenzene	< 25	25	60		50	ug/Kg		08/30/06	SW846 5030B	SW846 8260B
p-Isopropyltoluene	< 25	25	60		50	ug/Kg		08/30/06	SW846 5030B	SW846 8260B
s-Butylbenzene	< 25	25	60		50	ug/Kg		08/30/06	SW846 5030B	SW846 8260B
Styrene	< 25	25	60		50	ug/Kg		08/30/06	SW846 5030B	SW846 8260B
t-Butylbenzene	< 25	25	60		50	ug/Kg		08/30/06	SW846 5030B	SW846 8260B
Tetrachloroethene	< 25	25	60		50	ug/Kg		08/30/06	SW846 5030B	SW846 8260B
Toluene	< 25	25	60		50	ug/Kg		08/30/06	SW846 5030B	SW846 8260B
trans-1,2-Dichloroethene	< 25	25	60		50	ug/Kg		08/30/06	SW846 5030B	SW846 8260B
trans-1,3-Dichloropropene	< 25	25	60		50	ug/Kg		08/30/06	SW846 5030B	SW846 8260B
Trichloroethene	< 25	25	60		50	ug/Kg		08/30/06	SW846 5030B	SW846 8260B
Vinyl Chloride	< 25	25	60		50	ug/Kg		08/30/06	SW846 5030B	SW846 8260B
Xylene, o	< 25	25	60		50	ug/Kg		08/30/06	SW846 5030B	SW846 8260B
Xylenes, m + p	< 50	50	120		50	ug/Kg		08/30/06	SW846 5030B	SW846 8260B
Surrogate		**LCL**	**UCL**							
4-Bromofluorobenzene	90	64	133		50	%		08/30/06	SW846 5030B	SW846 8260B
Toluene-d8	98	67	139		50	%		08/30/06	SW846 5030B	SW846 8260B
Dibromofluoromethane	104	64	140		50	%		08/30/06	SW846 5030B	SW846 8260B

PAH/PNA

Prep Date: 09/01/06

Analyte	Result	LOD	LOQ	EQL	Dil.	Units	Code	Anl Date	Prep Method	Anl Method
1-Methylnaphthalene	< 4.0	4.0	13		1	ug/Kg		09/01/06	SW846 3545	8270C-SIM
2-Methylnaphthalene	< 4.2	4.2	14		1	ug/Kg		09/01/06	SW846 3545	8270C-SIM
Acenaphthene	< 4.0	4.0	13		1	ug/Kg		09/01/06	SW846 3545	8270C-SIM
Acenaphthylene	< 3.8	3.8	13		1	ug/Kg		09/01/06	SW846 3545	8270C-SIM
Anthracene	< 4.7	4.7	16		1	ug/Kg		09/01/06	SW846 3545	8270C-SIM
Benzo(a)anthracene	< 7.1	7.1	24		1	ug/Kg		09/01/06	SW846 3545	8270C-SIM
Benzo(a)pyrene	< 3.8	3.8	13		1	ug/Kg		09/01/06	SW846 3545	8270C-SIM
Benzo(b)fluoranthene	< 3.7	3.7	12		1	ug/Kg		09/01/06	SW846 3545	8270C-SIM
Benzo(ghi)perylene	< 4.7	4.7	16		1	ug/Kg		09/01/06	SW846 3545	8270C-SIM
Benzo(k)fluoranthene	< 4.1	4.1	14		1	ug/Kg		09/01/06	SW846 3545	8270C-SIM
Chrysene	< 5.8	5.8	19		1	ug/Kg		09/01/06	SW846 3545	8270C-SIM
Dibenz(a,h)anthracene	< 3.7	3.7	12		1	ug/Kg		09/01/06	SW846 3545	8270C-SIM
Fluoranthene	< 3.8	3.8	13		1	ug/Kg		09/01/06	SW846 3545	8270C-SIM
Fluorene	< 4.5	4.5	15		1	ug/Kg		09/01/06	SW846 3545	8270C-SIM
Indeno(1,2,3-cd)pyrene	< 3.3	3.3	11		1	ug/Kg		09/01/06	SW846 3545	8270C-SIM

All soil results are reported on a dry weight basis unless otherwise noted.

Pace Analytical Services, Inc.

1241 Bellevue Street
Green Bay, WI 54302
920-469-2436

Analytical Report Number: 875476

Client : ECCI
Project Name : OLD DUTCHMILL PROPERTY
Project Number :
Field ID : GP-9-4

Matrix Type : SOIL
Collection Date : 08/24/06
Report Date : 09/14/06
Lab Sample Number : 875476-032

PAH/PNA

Prep Date: 09/01/06

Analyte		Result	LOD	LOQ	EQL	Dil.	Units	Code	Anl Date	Prep Method	Anl Method
Naphthalene	<	5.3	5.3	18		1	ug/Kg		09/01/06	SW846 3545	8270C-SIM
Phenanthrene	<	3.9	3.9	13		1	ug/Kg		09/01/06	SW846 3545	8270C-SIM
Pyrene	<	3.3	3.3	11		1	ug/Kg		09/01/06	SW846 3545	8270C-SIM
Surrogate			**LCL**	**UCL**							
Nitrobenzene-d5		70	10	141		1	%		09/01/06	SW846 3545	8270C-SIM
2-Fluorobiphenyl		63	10	161		1	%		09/01/06	SW846 3545	8270C-SIM
Terphenyl-d14		67	29	150		1	%		09/01/06	SW846 3545	8270C-SIM

All soil results are reported on a dry weight basis unless otherwise noted.

Pace Analytical Services, Inc.

1241 Bellevue Street
Green Bay, WI 54302
920-469-2436

Analytical Report Number: 875476

Client : ECCI
Project Name : OLD DUTCHMILL PROPERTY
Project Number :
Field ID : GP-9-6

Matrix Type : SOIL
Collection Date : 08/24/06
Report Date : 09/14/06
Lab Sample Number : 875476-033

INORGANICS

Test	Result	LOD	LOQ	EQL	Dil.	Units	Code	Anl Date	Prep Method	Anl Method
Lead	6.3	0.41	1.4		1	mg/Kg		08/30/06	SW846 3050B	SW846 6010B
Percent Solids	82.9				1	%		08/28/06	SM M2540G	SM M2540G

DIESEL RANGE ORGANICS

Preservation Date: 08/30/06 Prep Date: 08/30/06

Analyte	Result	LOD	LOQ	EQL	Dil.	Units	Code	Anl Date	Prep Method	Anl Method
Diesel Range Organics	< 4.1			4.1	1	mg/kg		08/30/06	WI MOD DRO	WI MOD DRO

GASOLINE RANGE ORGANICS

Prep Date: 08/29/06

Analyte	Result	LOD	LOQ	EQL	Dil.	Units	Code	Anl Date	Prep Method	Anl Method
Gasoline Range Organics	< 3.0			3.0	50	mg/Kg		08/29/06	WI MOD GRO	WI MOD GRO

VOLATILES

Prep Date: 08/29/06

Analyte	Result	LOD	LOQ	EQL	Dil.	Units	Code	Anl Date	Prep Method	Anl Method
1,1,1,2-Tetrachloroethane	< 25	25	60		50	ug/Kg		08/30/06	SW846 5030B	SW846 8260B
1,1,1-Trichloroethane	< 25	25	60		50	ug/Kg		08/30/06	SW846 5030B	SW846 8260B
1,1,2,2-Tetrachloroethane	< 25	25	60		50	ug/Kg	&*	08/30/06	SW846 5030B	SW846 8260B
1,1,2-Trichloroethane	< 25	25	60		50	ug/Kg		08/30/06	SW846 5030B	SW846 8260B
1,1-Dichloroethane	< 25	25	60		50	ug/Kg		08/30/06	SW846 5030B	SW846 8260B
1,1-Dichloroethene	< 25	25	60		50	ug/Kg		08/30/06	SW846 5030B	SW846 8260B
1,1-Dichloropropene	< 25	25	60		50	ug/Kg		08/30/06	SW846 5030B	SW846 8260B
1,2,3-Trichlorobenzene	< 25	25	60		50	ug/Kg		08/30/06	SW846 5030B	SW846 8260B
1,2,3-Trichloropropane	< 25	25	60		50	ug/Kg		08/30/06	SW846 5030B	SW846 8260B
1,2,4-Trichlorobenzene	< 25	25	60		50	ug/Kg		08/30/06	SW846 5030B	SW846 8260B
1,2,4-Trimethylbenzene	< 25	25	60		50	ug/Kg		08/30/06	SW846 5030B	SW846 8260B
1,2-Dibromo-3-chloropropane	< 82	82	200		50	ug/Kg		08/30/06	SW846 5030B	SW846 8260B
1,2-Dibromoethane	< 25	25	60		50	ug/Kg		08/30/06	SW846 5030B	SW846 8260B
1,2-Dichlorobenzene	< 44	44	110		50	ug/Kg		08/30/06	SW846 5030B	SW846 8260B
1,2-Dichloroethane	< 25	25	60		50	ug/Kg		08/30/06	SW846 5030B	SW846 8260B
1,2-Dichloropropane	< 25	25	60		50	ug/Kg		08/30/06	SW846 5030B	SW846 8260B
1,3,5-Trimethylbenzene	< 25	25	60		50	ug/Kg		08/30/06	SW846 5030B	SW846 8260B
1,3-Dichlorobenzene	< 25	25	60		50	ug/Kg		08/30/06	SW846 5030B	SW846 8260B
1,3-Dichloropropane	< 25	25	60		50	ug/Kg		08/30/06	SW846 5030B	SW846 8260B
1,4-Dichlorobenzene	< 25	25	60		50	ug/Kg		08/30/06	SW846 5030B	SW846 8260B
2,2-Dichloropropane	< 25	25	60		50	ug/Kg		08/30/06	SW846 5030B	SW846 8260B
2-Chlorotoluene	< 25	25	60		50	ug/Kg		08/30/06	SW846 5030B	SW846 8260B
4-Chlorotoluene	< 25	25	60		50	ug/Kg		08/30/06	SW846 5030B	SW846 8260B
Benzene	< 25	25	60		50	ug/Kg		08/30/06	SW846 5030B	SW846 8260B
Bromobenzene	< 25	25	60		50	ug/Kg		08/30/06	SW846 5030B	SW846 8260B
Bromochloromethane	< 25	25	60		50	ug/Kg		08/30/06	SW846 5030B	SW846 8260B
Bromodichloromethane	< 25	25	60		50	ug/Kg		08/30/06	SW846 5030B	SW846 8260B
Bromoform	< 26	26	62		50	ug/Kg		08/30/06	SW846 5030B	SW846 8260B
Bromomethane	< 25	25	60		50	ug/Kg		08/30/06	SW846 5030B	SW846 8260B
Carbon Tetrachloride	< 25	25	60		50	ug/Kg		08/30/06	SW846 5030B	SW846 8260B
Chlorobenzene	< 25	25	60		50	ug/Kg		08/30/06	SW846 5030B	SW846 8260B
Chlorodibromomethane	< 25	25	60		50	ug/Kg		08/30/06	SW846 5030B	SW846 8260B
Chloroethane	< 25	25	60		50	ug/Kg		08/30/06	SW846 5030B	SW846 8260B
Chloroform	< 25	25	60		50	ug/Kg		08/30/06	SW846 5030B	SW846 8260B
Chloromethane	< 25	25	60		50	ug/Kg		08/30/06	SW846 5030B	SW846 8260B

All soil results are reported on a dry weight basis unless otherwise noted.

Pace Analytical Services, Inc.

1241 Bellevue Street
Green Bay, WI 54302
920-469-2436

Analytical Report Number: 875476

Client : ECCI
Project Name : OLD DUTCHMILL PROPERTY
Project Number :
Field ID : GP-9-6

Matrix Type : SOIL
Collection Date : 08/24/06
Report Date : 09/14/06
Lab Sample Number : 875476-033

VOLATILES

Prep Date: 08/29/06

Analyte	Result	LOD	LOQ	EQL	Dil.	Units	Code	Anl Date	Prep Method	Anl Method
cis-1,2-Dichloroethene	< 25	25	60		50	ug/Kg		08/30/06	SW846 5030B	SW846 8260B
cis-1,3-Dichloropropene	< 25	25	60		50	ug/Kg		08/30/06	SW846 5030B	SW846 8260B
Dibromomethane	< 25	25	60		50	ug/Kg		08/30/06	SW846 5030B	SW846 8260B
Dichlorodifluoromethane	< 25	25	60		50	ug/Kg		08/30/06	SW846 5030B	SW846 8260B
Diisopropyl Ether	< 25	25	60		50	ug/Kg		08/30/06	SW846 5030B	SW846 8260B
Ethylbenzene	< 25	25	60		50	ug/Kg		08/30/06	SW846 5030B	SW846 8260B
Fluorotrichloromethane	< 25	25	60		50	ug/Kg		08/30/06	SW846 5030B	SW846 8260B
Hexachlorobutadiene	< 26	26	63		50	ug/Kg		08/30/06	SW846 5030B	SW846 8260B
Isopropylbenzene	< 25	25	60		50	ug/Kg		08/30/06	SW846 5030B	SW846 8260B
Methylene Chloride	< 25	25	60		50	ug/Kg		08/30/06	SW846 5030B	SW846 8260B
Methyl-tert-butyl-ether	< 25	25	60		50	ug/Kg		08/30/06	SW846 5030B	SW846 8260B
Naphthalene	< 25	25	60		50	ug/Kg		08/30/06	SW846 5030B	SW846 8260B
n-Butylbenzene	< 40	40	97		50	ug/Kg		08/30/06	SW846 5030B	SW846 8260B
n-Propylbenzene	< 25	25	60		50	ug/Kg		08/30/06	SW846 5030B	SW846 8260B
p-Isopropyltoluene	< 25	25	60		50	ug/Kg		08/30/06	SW846 5030B	SW846 8260B
s-Butylbenzene	< 25	25	60		50	ug/Kg		08/30/06	SW846 5030B	SW846 8260B
Styrene	< 25	25	60		50	ug/Kg		08/30/06	SW846 5030B	SW846 8260B
t-Butylbenzene	< 25	25	60		50	ug/Kg		08/30/06	SW846 5030B	SW846 8260B
Tetrachloroethene	< 25	25	60		50	ug/Kg		08/30/06	SW846 5030B	SW846 8260B
Toluene	< 25	25	60		50	ug/Kg		08/30/06	SW846 5030B	SW846 8260B
trans-1,2-Dichloroethene	< 25	25	60		50	ug/Kg		08/30/06	SW846 5030B	SW846 8260B
trans-1,3-Dichloropropene	< 25	25	60		50	ug/Kg		08/30/06	SW846 5030B	SW846 8260B
Trichloroethene	< 25	25	60		50	ug/Kg		08/30/06	SW846 5030B	SW846 8260B
Vinyl Chloride	< 25	25	60		50	ug/Kg		08/30/06	SW846 5030B	SW846 8260B
Xylene, o	< 25	25	60		50	ug/Kg		08/30/06	SW846 5030B	SW846 8260B
Xylenes, m + p	< 50	50	120		50	ug/Kg		08/30/06	SW846 5030B	SW846 8260B
Surrogate		**LCL**	**UCL**							
4-Bromofluorobenzene	98	64	133		50	%		08/30/06	SW846 5030B	SW846 8260B
Toluene-d8	107	67	139		50	%		08/30/06	SW846 5030B	SW846 8260B
Dibromofluoromethane	112	64	140		50	%		08/30/06	SW846 5030B	SW846 8260B

PAH/PNA

Prep Date: 09/01/06

Analyte	Result	LOD	LOQ	EQL	Dil.	Units	Code	Anl Date	Prep Method	Anl Method
1-Methylnaphthalene	< 3.6	3.6	12		1	ug/Kg		09/01/06	SW846 3545	8270C-SIM
2-Methylnaphthalene	< 3.8	3.8	13		1	ug/Kg		09/01/06	SW846 3545	8270C-SIM
Acenaphthene	< 3.6	3.6	12		1	ug/Kg		09/01/06	SW846 3545	8270C-SIM
Acenaphthylene	< 3.5	3.5	12		1	ug/Kg		09/01/06	SW846 3545	8270C-SIM
Anthracene	< 4.3	4.3	14		1	ug/Kg		09/01/06	SW846 3545	8270C-SIM
Benzo(a)anthracene	< 6.4	6.4	21		1	ug/Kg		09/01/06	SW846 3545	8270C-SIM
Benzo(a)pyrene	< 3.5	3.5	12		1	ug/Kg		09/01/06	SW846 3545	8270C-SIM
Benzo(b)fluoranthene	< 3.4	3.4	11		1	ug/Kg		09/01/06	SW846 3545	8270C-SIM
Benzo(ghi)perylene	< 4.3	4.3	14		1	ug/Kg		09/01/06	SW846 3545	8270C-SIM
Benzo(k)fluoranthene	< 3.7	3.7	12		1	ug/Kg		09/01/06	SW846 3545	8270C-SIM
Chrysene	< 5.3	5.3	18		1	ug/Kg		09/01/06	SW846 3545	8270C-SIM
Dibenz(a,h)anthracene	< 3.3	3.3	11		1	ug/Kg		09/01/06	SW846 3545	8270C-SIM
Fluoranthene	< 3.5	3.5	12		1	ug/Kg		09/01/06	SW846 3545	8270C-SIM
Fluorene	< 4.1	4.1	14		1	ug/Kg		09/01/06	SW846 3545	8270C-SIM
Indeno(1,2,3-cd)pyrene	< 3.0	3.0	10		1	ug/Kg		09/01/06	SW846 3545	8270C-SIM

All soil results are reported on a dry weight basis unless otherwise noted.

Pace Analytical Services, Inc.

1241 Bellevue Street
Green Bay, WI 54302
920-469-2436

Analytical Report Number: 875476

Client : ECCI
Project Name : OLD DUTCHMILL PROPERTY
Project Number :
Field ID : GP-9-6

Matrix Type : SOIL
Collection Date : 08/24/06
Report Date : 09/14/06
Lab Sample Number : 875476-033

PAH/PNA

Prep Date: 09/01/06

Analyte		Result	LOD	LOQ	EQL	Dil.	Units	Code	Anl Date	Prep Method	Anl Method
Naphthalene	<	4.8	4.8	16		1	ug/Kg		09/01/06	SW846 3545	8270C-SIM
Phenanthrene	<	3.6	3.6	12		1	ug/Kg		09/01/06	SW846 3545	8270C-SIM
Pyrene	<	3.0	3.0	9.9		1	ug/Kg		09/01/06	SW846 3545	8270C-SIM
Surrogate			**LCL**	**UCL**							
Nitrobenzene-d5		65	10	141		1	%		09/01/06	SW846 3545	8270C-SIM
2-Fluorobiphenyl		58	10	161		1	%		09/01/06	SW846 3545	8270C-SIM
Terphenyl-d14		61	29	150		1	%		09/01/06	SW846 3545	8270C-SIM

All soil results are reported on a dry weight basis unless otherwise noted.

Pace Analytical Services, Inc.

1241 Bellevue Street
Green Bay, WI 54302
920-469-2436

Analytical Report Number: 875476

Client : ECCI
Project Name : OLD DUTCHMILL PROPERTY
Project Number :
Field ID : GP-10-2

Matrix Type : SOIL
Collection Date : 08/24/06
Report Date : 09/14/06
Lab Sample Number : 875476-034

INORGANICS

Test	Result	LOD	LOQ	EQL	Dil.	Units	Code	Anl Date	Prep Method	Anl Method
Lead	28	0.37	1.2		1	mg/Kg		08/30/06	SW846 3050B	SW846 6010B
Percent Solids	90.9				1	%		08/28/06	SM M2540G	SM M2540G

DIESEL RANGE ORGANICS

Preservation Date: 08/30/06 Prep Date: 08/30/06

Analyte	Result	LOD	LOQ	EQL	Dil.	Units	Code	Anl Date	Prep Method	Anl Method
Diesel Range Organics	6.2			3.9	1	mg/kg		08/30/06	WI MOD DRO	WI MOD DRO

GASOLINE RANGE ORGANICS

Prep Date: 08/29/06

Analyte	Result	LOD	LOQ	EQL	Dil.	Units	Code	Anl Date	Prep Method	Anl Method
Gasoline Range Organics	< 2.7			2.7	50	mg/Kg		08/29/06	WI MOD GRO	WI MOD GRO

VOLATILES

Prep Date: 08/29/06

Analyte	Result	LOD	LOQ	EQL	Dil.	Units	Code	Anl Date	Prep Method	Anl Method
1,1,1,2-Tetrachloroethane	< 25	25	60		50	ug/Kg		08/30/06	SW846 5030B	SW846 8260B
1,1,1-Trichloroethane	< 25	25	60		50	ug/Kg		08/30/06	SW846 5030B	SW846 8260B
1,1,2,2-Tetrachloroethane	< 25	25	60		50	ug/Kg	&*	08/30/06	SW846 5030B	SW846 8260B
1,1,2-Trichloroethane	< 25	25	60		50	ug/Kg		08/30/06	SW846 5030B	SW846 8260B
1,1-Dichloroethane	< 25	25	60		50	ug/Kg		08/30/06	SW846 5030B	SW846 8260B
1,1-Dichloroethene	< 25	25	60		50	ug/Kg		08/30/06	SW846 5030B	SW846 8260B
1,1-Dichloropropene	< 25	25	60		50	ug/Kg		08/30/06	SW846 5030B	SW846 8260B
1,2,3-Trichlorobenzene	< 25	25	60		50	ug/Kg		08/30/06	SW846 5030B	SW846 8260B
1,2,3-Trichloropropane	< 25	25	60		50	ug/Kg		08/30/06	SW846 5030B	SW846 8260B
1,2,4-Trichlorobenzene	< 25	25	60		50	ug/Kg		08/30/06	SW846 5030B	SW846 8260B
1,2,4-Trimethylbenzene	< 25	25	60		50	ug/Kg		08/30/06	SW846 5030B	SW846 8260B
1,2-Dibromo-3-chloropropane	< 82	82	200		50	ug/Kg		08/30/06	SW846 5030B	SW846 8260B
1,2-Dibromoethane	< 25	25	60		50	ug/Kg		08/30/06	SW846 5030B	SW846 8260B
1,2-Dichlorobenzene	< 44	44	110		50	ug/Kg		08/30/06	SW846 5030B	SW846 8260B
1,2-Dichloroethane	< 25	25	60		50	ug/Kg		08/30/06	SW846 5030B	SW846 8260B
1,2-Dichloropropane	< 25	25	60		50	ug/Kg		08/30/06	SW846 5030B	SW846 8260B
1,3,5-Trimethylbenzene	< 25	25	60		50	ug/Kg		08/30/06	SW846 5030B	SW846 8260B
1,3-Dichlorobenzene	< 25	25	60		50	ug/Kg		08/30/06	SW846 5030B	SW846 8260B
1,3-Dichloropropane	< 25	25	60		50	ug/Kg		08/30/06	SW846 5030B	SW846 8260B
1,4-Dichlorobenzene	< 25	25	60		50	ug/Kg		08/30/06	SW846 5030B	SW846 8260B
2,2-Dichloropropane	< 25	25	60		50	ug/Kg		08/30/06	SW846 5030B	SW846 8260B
2-Chlorotoluene	< 25	25	60		50	ug/Kg		08/30/06	SW846 5030B	SW846 8260B
4-Chlorotoluene	< 25	25	60		50	ug/Kg		08/30/06	SW846 5030B	SW846 8260B
Benzene	< 25	25	60		50	ug/Kg		08/30/06	SW846 5030B	SW846 8260B
Bromobenzene	< 25	25	60		50	ug/Kg		08/30/06	SW846 5030B	SW846 8260B
Bromochloromethane	< 25	25	60		50	ug/Kg		08/30/06	SW846 5030B	SW846 8260B
Bromodichloromethane	< 25	25	60		50	ug/Kg		08/30/06	SW846 5030B	SW846 8260B
Bromoform	< 26	26	62		50	ug/Kg		08/30/06	SW846 5030B	SW846 8260B
Bromomethane	< 25	25	60		50	ug/Kg		08/30/06	SW846 5030B	SW846 8260B
Carbon Tetrachloride	< 25	25	60		50	ug/Kg		08/30/06	SW846 5030B	SW846 8260B
Chlorobenzene	< 25	25	60		50	ug/Kg		08/30/06	SW846 5030B	SW846 8260B
Chlorodibromomethane	< 25	25	60		50	ug/Kg		08/30/06	SW846 5030B	SW846 8260B
Chloroethane	< 25	25	60		50	ug/Kg		08/30/06	SW846 5030B	SW846 8260B
Chloroform	< 25	25	60		50	ug/Kg		08/30/06	SW846 5030B	SW846 8260B
Chloromethane	< 25	25	60		50	ug/Kg		08/30/06	SW846 5030B	SW846 8260B

All soil results are reported on a dry weight basis unless otherwise noted.

Pace Analytical Services, Inc.

1241 Bellevue Street
Green Bay, WI 54302
920-469-2436

Analytical Report Number: 875476

Client : ECCI
Project Name : OLD DUTCHMILL PROPERTY
Project Number :
Field ID : GP-10-2

Matrix Type : SOIL
Collection Date : 08/24/06
Report Date : 09/14/06
Lab Sample Number : 875476-034

VOLATILES

Prep Date: 08/29/06

Analyte	Result	LOD	LOQ	EQL	Dil.	Units	Code	Anl Date	Prep Method	Anl Method
cis-1,2-Dichloroethene	< 25	25	60		50	ug/Kg		08/30/06	SW846 5030B	SW846 8260B
cis-1,3-Dichloropropene	< 25	25	60		50	ug/Kg		08/30/06	SW846 5030B	SW846 8260B
Dibromomethane	< 25	25	60		50	ug/Kg		08/30/06	SW846 5030B	SW846 8260B
Dichlorodifluoromethane	< 25	25	60		50	ug/Kg		08/30/06	SW846 5030B	SW846 8260B
Diisopropyl Ether	< 25	25	60		50	ug/Kg		08/30/06	SW846 5030B	SW846 8260B
Ethylbenzene	< 25	25	60		50	ug/Kg		08/30/06	SW846 5030B	SW846 8260B
Fluorotrichloromethane	< 25	25	60		50	ug/Kg		08/30/06	SW846 5030B	SW846 8260B
Hexachlorobutadiene	< 26	26	63		50	ug/Kg		08/30/06	SW846 5030B	SW846 8260B
Isopropylbenzene	< 25	25	60		50	ug/Kg		08/30/06	SW846 5030B	SW846 8260B
Methylene Chloride	< 25	25	60		50	ug/Kg		08/30/06	SW846 5030B	SW846 8260B
Methyl-tert-butyl-ether	< 25	25	60		50	ug/Kg		08/30/06	SW846 5030B	SW846 8260B
Naphthalene	< 25	25	60		50	ug/Kg		08/30/06	SW846 5030B	SW846 8260B
n-Butylbenzene	< 40	40	97		50	ug/Kg		08/30/06	SW846 5030B	SW846 8260B
n-Propylbenzene	< 25	25	60		50	ug/Kg		08/30/06	SW846 5030B	SW846 8260B
p-Isopropyltoluene	< 25	25	60		50	ug/Kg		08/30/06	SW846 5030B	SW846 8260B
s-Butylbenzene	< 25	25	60		50	ug/Kg		08/30/06	SW846 5030B	SW846 8260B
Styrene	< 25	25	60		50	ug/Kg		08/30/06	SW846 5030B	SW846 8260B
t-Butylbenzene	< 25	25	60		50	ug/Kg		08/30/06	SW846 5030B	SW846 8260B
Tetrachloroethene	< 25	25	60		50	ug/Kg		08/30/06	SW846 5030B	SW846 8260B
Toluene	< 25	25	60		50	ug/Kg		08/30/06	SW846 5030B	SW846 8260B
trans-1,2-Dichloroethene	< 25	25	60		50	ug/Kg		08/30/06	SW846 5030B	SW846 8260B
trans-1,3-Dichloropropene	< 25	25	60		50	ug/Kg		08/30/06	SW846 5030B	SW846 8260B
Trichloroethene	< 25	25	60		50	ug/Kg		08/30/06	SW846 5030B	SW846 8260B
Vinyl Chloride	< 25	25	60		50	ug/Kg		08/30/06	SW846 5030B	SW846 8260B
Xylene, o	< 25	25	60		50	ug/Kg		08/30/06	SW846 5030B	SW846 8260B
Xylenes, m + p	< 50	50	120		50	ug/Kg		08/30/06	SW846 5030B	SW846 8260B
Surrogate		**LCL**	**UCL**							
4-Bromofluorobenzene	99	64	133		50	%		08/30/06	SW846 5030B	SW846 8260B
Toluene-d8	107	67	139		50	%		08/30/06	SW846 5030B	SW846 8260B
Dibromofluoromethane	117	64	140		50	%		08/30/06	SW846 5030B	SW846 8260B

PAH/PNA

Prep Date: 09/01/06

Analyte	Result	LOD	LOQ	EQL	Dil.	Units	Code	Anl Date	Prep Method	Anl Method
1-Methylnaphthalene	< 3.3	3.3	11		1	ug/Kg		09/01/06	SW846 3545	8270C-SIM
2-Methylnaphthalene	< 3.4	3.4	11		1	ug/Kg		09/01/06	SW846 3545	8270C-SIM
Acenaphthene	< 3.3	3.3	11		1	ug/Kg		09/01/06	SW846 3545	8270C-SIM
Acenaphthylene	7.7	3.2	11		1	ug/Kg	Q	09/01/06	SW846 3545	8270C-SIM
Anthracene	20	3.9	13		1	ug/Kg		09/01/06	SW846 3545	8270C-SIM
Benzo(a)anthracene	110	5.8	19		1	ug/Kg		09/01/06	SW846 3545	8270C-SIM
Benzo(a)pyrene	140	3.2	11		1	ug/Kg		09/01/06	SW846 3545	8270C-SIM
Benzo(b)fluoranthene	140	3.1	10		1	ug/Kg		09/01/06	SW846 3545	8270C-SIM
Benzo(ghi)perylene	81	3.9	13		1	ug/Kg		09/01/06	SW846 3545	8270C-SIM
Benzo(k)fluoranthene	130	3.4	11		1	ug/Kg		09/01/06	SW846 3545	8270C-SIM
Chrysene	130	4.8	16		1	ug/Kg		09/01/06	SW846 3545	8270C-SIM
Dibenz(a,h)anthracene	27	3.0	10		1	ug/Kg		09/01/06	SW846 3545	8270C-SIM
Fluoranthene	220	3.2	11		1	ug/Kg		09/01/06	SW846 3545	8270C-SIM
Fluorene	< 3.8	3.8	13		1	ug/Kg		09/01/06	SW846 3545	8270C-SIM
Indeno(1,2,3-cd)pyrene	78	2.8	9.2		1	ug/Kg		09/01/06	SW846 3545	8270C-SIM

All soil results are reported on a dry weight basis unless otherwise noted.

Pace Analytical Services, Inc.

1241 Bellevue Street
Green Bay, WI 54302
920-469-2436

Analytical Report Number: 875476

Client : ECCI
Project Name : OLD DUTCHMILL PROPERTY
Project Number :
Field ID : GP-10-2

Matrix Type : SOIL
Collection Date : 08/24/06
Report Date : 09/14/06
Lab Sample Number : 875476-034

PAH/PNA

Prep Date: 09/01/06

Analyte		Result	LOD	LOQ	EQL	Dil.	Units	Code	Anl Date	Prep Method	Anl Method
Naphthalene	<	4.4	4.4	15		1	ug/Kg		09/01/06	SW846 3545	8270C-SIM
Phenanthrene		64	3.2	11		1	ug/Kg		09/01/06	SW846 3545	8270C-SIM
Pyrene		190	2.7	9.0		1	ug/Kg		09/01/06	SW846 3545	8270C-SIM
Surrogate			**LCL**	**UCL**							
Nitrobenzene-d5		68	10	141		1	%		09/01/06	SW846 3545	8270C-SIM
2-Fluorobiphenyl		60	10	161		1	%		09/01/06	SW846 3545	8270C-SIM
Terphenyl-d14		63	29	150		1	%		09/01/06	SW846 3545	8270C-SIM

All soil results are reported on a dry weight basis unless otherwise noted.

Pace Analytical Services, Inc.

1241 Bellevue Street
Green Bay, WI 54302
920-469-2436

Analytical Report Number: 875476

Client : ECCI
Project Name : OLD DUTCHMILL PROPERTY
Project Number :
Field ID : GP-10-6

Matrix Type : SOIL
Collection Date : 08/24/06
Report Date : 09/14/06
Lab Sample Number : 875476-035

INORGANICS

Test	Result	LOD	LOQ	EQL	Dil.	Units	Code	Anl Date	Prep Method	Anl Method
Lead	1.8	0.37	1.2		1	mg/Kg		08/30/06	SW846 3050B	SW846 6010B
Percent Solids	91.8				1	%		08/28/06	SM M2540G	SM M2540G

DIESEL RANGE ORGANICS

Preservation Date: 08/30/06 Prep Date: 08/30/06

Analyte	Result	LOD	LOQ	EQL	Dil.	Units	Code	Anl Date	Prep Method	Anl Method
Diesel Range Organics	< 4.4			4.4	1	mg/kg	O	08/30/06	WI MOD DRO	WI MOD DRO

GASOLINE RANGE ORGANICS

Prep Date: 08/30/06

Analyte	Result	LOD	LOQ	EQL	Dil.	Units	Code	Anl Date	Prep Method	Anl Method
Gasoline Range Organics	< 2.7			2.7	50	mg/Kg		08/31/06	WI MOD GRO	WI MOD GRO

VOLATILES

Prep Date: 08/29/06

Analyte	Result	LOD	LOQ	EQL	Dil.	Units	Code	Anl Date	Prep Method	Anl Method
1,1,1,2-Tetrachloroethane	< 25	25	60		50	ug/Kg		08/30/06	SW846 5030B	SW846 8260B
1,1,1-Trichloroethane	< 25	25	60		50	ug/Kg		08/30/06	SW846 5030B	SW846 8260B
1,1,2,2-Tetrachloroethane	< 25	25	60		50	ug/Kg	&*	08/30/06	SW846 5030B	SW846 8260B
1,1,2-Trichloroethane	< 25	25	60		50	ug/Kg		08/30/06	SW846 5030B	SW846 8260B
1,1-Dichloroethane	< 25	25	60		50	ug/Kg		08/30/06	SW846 5030B	SW846 8260B
1,1-Dichloroethene	< 25	25	60		50	ug/Kg		08/30/06	SW846 5030B	SW846 8260B
1,1-Dichloropropene	< 25	25	60		50	ug/Kg		08/30/06	SW846 5030B	SW846 8260B
1,2,3-Trichlorobenzene	< 25	25	60		50	ug/Kg		08/30/06	SW846 5030B	SW846 8260B
1,2,3-Trichloropropane	< 25	25	60		50	ug/Kg		08/30/06	SW846 5030B	SW846 8260B
1,2,4-Trichlorobenzene	< 25	25	60		50	ug/Kg		08/30/06	SW846 5030B	SW846 8260B
1,2,4-Trimethylbenzene	< 25	25	60		50	ug/Kg		08/30/06	SW846 5030B	SW846 8260B
1,2-Dibromo-3-chloropropane	< 82	82	200		50	ug/Kg		08/30/06	SW846 5030B	SW846 8260B
1,2-Dibromoethane	< 25	25	60		50	ug/Kg		08/30/06	SW846 5030B	SW846 8260B
1,2-Dichlorobenzene	< 44	44	110		50	ug/Kg		08/30/06	SW846 5030B	SW846 8260B
1,2-Dichloroethane	< 25	25	60		50	ug/Kg		08/30/06	SW846 5030B	SW846 8260B
1,2-Dichloropropane	< 25	25	60		50	ug/Kg		08/30/06	SW846 5030B	SW846 8260B
1,3,5-Trimethylbenzene	< 25	25	60		50	ug/Kg		08/30/06	SW846 5030B	SW846 8260B
1,3-Dichlorobenzene	< 25	25	60		50	ug/Kg		08/30/06	SW846 5030B	SW846 8260B
1,3-Dichloropropane	< 25	25	60		50	ug/Kg		08/30/06	SW846 5030B	SW846 8260B
1,4-Dichlorobenzene	< 25	25	60		50	ug/Kg		08/30/06	SW846 5030B	SW846 8260B
2,2-Dichloropropane	< 25	25	60		50	ug/Kg		08/30/06	SW846 5030B	SW846 8260B
2-Chlorotoluene	< 25	25	60		50	ug/Kg		08/30/06	SW846 5030B	SW846 8260B
4-Chlorotoluene	< 25	25	60		50	ug/Kg		08/30/06	SW846 5030B	SW846 8260B
Benzene	< 25	25	60		50	ug/Kg		08/30/06	SW846 5030B	SW846 8260B
Bromobenzene	< 25	25	60		50	ug/Kg		08/30/06	SW846 5030B	SW846 8260B
Bromochloromethane	< 25	25	60		50	ug/Kg		08/30/06	SW846 5030B	SW846 8260B
Bromodichloromethane	< 25	25	60		50	ug/Kg		08/30/06	SW846 5030B	SW846 8260B
Bromoform	< 26	26	62		50	ug/Kg		08/30/06	SW846 5030B	SW846 8260B
Bromomethane	< 25	25	60		50	ug/Kg		08/30/06	SW846 5030B	SW846 8260B
Carbon Tetrachloride	< 25	25	60		50	ug/Kg		08/30/06	SW846 5030B	SW846 8260B
Chlorobenzene	< 25	25	60		50	ug/Kg		08/30/06	SW846 5030B	SW846 8260B
Chlorodibromomethane	< 25	25	60		50	ug/Kg		08/30/06	SW846 5030B	SW846 8260B
Chloroethane	< 25	25	60		50	ug/Kg		08/30/06	SW846 5030B	SW846 8260B
Chloroform	< 25	25	60		50	ug/Kg		08/30/06	SW846 5030B	SW846 8260B
Chloromethane	< 25	25	60		50	ug/Kg		08/30/06	SW846 5030B	SW846 8260B

All soil results are reported on a dry weight basis unless otherwise noted.

Pace Analytical Services, Inc.

1241 Bellevue Street
Green Bay, WI 54302
920-469-2436

Analytical Report Number: 875476

Client : ECCI
Project Name : OLD DUTCHMILL PROPERTY
Project Number :
Field ID : GP-10-6

Matrix Type : SOIL
Collection Date : 08/24/06
Report Date : 09/14/06
Lab Sample Number : 875476-035

VOLATILES

Prep Date: 08/29/06

Analyte	Result	LOD	LOQ	EQL	Dil.	Units	Code	Anl Date	Prep Method	Anl Method
cis-1,2-Dichloroethene	< 25	25	60		50	ug/Kg		08/30/06	SW846 5030B	SW846 8260B
cis-1,3-Dichloropropene	< 25	25	60		50	ug/Kg		08/30/06	SW846 5030B	SW846 8260B
Dibromomethane	< 25	25	60		50	ug/Kg		08/30/06	SW846 5030B	SW846 8260B
Dichlorodifluoromethane	< 25	25	60		50	ug/Kg		08/30/06	SW846 5030B	SW846 8260B
Diisopropyl Ether	< 25	25	60		50	ug/Kg		08/30/06	SW846 5030B	SW846 8260B
Ethylbenzene	< 25	25	60		50	ug/Kg		08/30/06	SW846 5030B	SW846 8260B
Fluorotrichloromethane	< 25	25	60		50	ug/Kg		08/30/06	SW846 5030B	SW846 8260B
Hexachlorobutadiene	< 26	26	63		50	ug/Kg		08/30/06	SW846 5030B	SW846 8260B
Isopropylbenzene	< 25	25	60		50	ug/Kg		08/30/06	SW846 5030B	SW846 8260B
Methylene Chloride	< 25	25	60		50	ug/Kg		08/30/06	SW846 5030B	SW846 8260B
Methyl-tert-butyl-ether	< 25	25	60		50	ug/Kg		08/30/06	SW846 5030B	SW846 8260B
Naphthalene	< 25	25	60		50	ug/Kg		08/30/06	SW846 5030B	SW846 8260B
n-Butylbenzene	< 40	40	97		50	ug/Kg		08/30/06	SW846 5030B	SW846 8260B
n-Propylbenzene	< 25	25	60		50	ug/Kg		08/30/06	SW846 5030B	SW846 8260B
p-Isopropyltoluene	< 25	25	60		50	ug/Kg		08/30/06	SW846 5030B	SW846 8260B
s-Butylbenzene	< 25	25	60		50	ug/Kg		08/30/06	SW846 5030B	SW846 8260B
Styrene	< 25	25	60		50	ug/Kg		08/30/06	SW846 5030B	SW846 8260B
t-Butylbenzene	< 25	25	60		50	ug/Kg		08/30/06	SW846 5030B	SW846 8260B
Tetrachloroethene	< 25	25	60		50	ug/Kg		08/30/06	SW846 5030B	SW846 8260B
Toluene	< 25	25	60		50	ug/Kg		08/30/06	SW846 5030B	SW846 8260B
trans-1,2-Dichloroethene	< 25	25	60		50	ug/Kg		08/30/06	SW846 5030B	SW846 8260B
trans-1,3-Dichloropropene	< 25	25	60		50	ug/Kg		08/30/06	SW846 5030B	SW846 8260B
Trichloroethene	< 25	25	60		50	ug/Kg		08/30/06	SW846 5030B	SW846 8260B
Vinyl Chloride	< 25	25	60		50	ug/Kg		08/30/06	SW846 5030B	SW846 8260B
Xylene, o	< 25	25	60		50	ug/Kg		08/30/06	SW846 5030B	SW846 8260B
Xylenes, m + p	< 50	50	120		50	ug/Kg		08/30/06	SW846 5030B	SW846 8260B
Surrogate		**LCL**	**UCL**							
4-Bromofluorobenzene	83	64	133		50	%		08/30/06	SW846 5030B	SW846 8260B
Toluene-d8	95	67	139		50	%		08/30/06	SW846 5030B	SW846 8260B
Dibromofluoromethane	101	64	140		50	%		08/30/06	SW846 5030B	SW846 8260B

PAH/PNA

Prep Date: 09/01/06

Analyte	Result	LOD	LOQ	EQL	Dil.	Units	Code	Anl Date	Prep Method	Anl Method
1-Methylnaphthalene	< 3.3	3.3	11		1	ug/Kg		09/01/06	SW846 3545	8270C-SIM
2-Methylnaphthalene	< 3.4	3.4	11		1	ug/Kg		09/01/06	SW846 3545	8270C-SIM
Acenaphthene	< 3.2	3.2	11		1	ug/Kg		09/01/06	SW846 3545	8270C-SIM
Acenaphthylene	< 3.1	3.1	10		1	ug/Kg		09/01/06	SW846 3545	8270C-SIM
Anthracene	< 3.9	3.9	13		1	ug/Kg		09/01/06	SW846 3545	8270C-SIM
Benzo(a)anthracene	< 5.8	5.8	19		1	ug/Kg		09/01/06	SW846 3545	8270C-SIM
Benzo(a)pyrene	< 3.1	3.1	10		1	ug/Kg		09/01/06	SW846 3545	8270C-SIM
Benzo(b)fluoranthene	< 3.1	3.1	10		1	ug/Kg		09/01/06	SW846 3545	8270C-SIM
Benzo(ghi)perylene	< 3.9	3.9	13		1	ug/Kg		09/01/06	SW846 3545	8270C-SIM
Benzo(k)fluoranthene	< 3.3	3.3	11		1	ug/Kg		09/01/06	SW846 3545	8270C-SIM
Chrysene	< 4.7	4.7	16		1	ug/Kg		09/01/06	SW846 3545	8270C-SIM
Dibenz(a,h)anthracene	< 3.0	3.0	10		1	ug/Kg		09/01/06	SW846 3545	8270C-SIM
Fluoranthene	< 3.1	3.1	10		1	ug/Kg		09/01/06	SW846 3545	8270C-SIM
Fluorene	< 3.7	3.7	12		1	ug/Kg		09/01/06	SW846 3545	8270C-SIM
Indeno(1,2,3-cd)pyrene	< 2.7	2.7	9.1		1	ug/Kg		09/01/06	SW846 3545	8270C-SIM

All soil results are reported on a dry weight basis unless otherwise noted.

Pace Analytical Services, Inc.

1241 Bellevue Street
Green Bay, WI 54302
920-469-2436
Fax: 920-469-8827

Lab Number	TestGroupID	Field ID	Comment
875476-004	PAH+-W	GP-5-W	B - Naphthalene present in Extraction blank at 0.030ug/l.
875476-004	PAH+-W	GP-5-W	B - 2-Methylnaphthalene present in Extraction blank at 0.012ug/l.
875476-005	PAH+-W	GP-7-W	B - 2-Methylnaphthalene present in Extraction blank at 0.012ug/l.
875476-005	PAH+-W	GP-7-W	B - Naphthalene present in Extraction blank at 0.030ug/l.
875476-007	PAH+-W	GP-9-W	B - 2-Methylnaphthalene present in Extraction blank at 0.012ug/l.
875476-007	PAH+-W	GP-9-W	B - Naphthalene present in Extraction blank at 0.030ug/l.
875476-008	PAH+-W	GP-10-W	B - 2-Methylnaphthalene present in Extraction blank at 0.012ug/l.
875476-009	PAH+-W	PW-N2271	B - Naphthalene present in Extraction blank at 0.030ug/l.
875476-009	PAH+-W	PW-N2271	B - 2-Methylnaphthalene present in Extraction blank at 0.012ug/l.
875476-012	DRO-S	GP-1-2	Late eluting hump along with diesel range peaks were present in the chromatogram.
875476-012	DRO-S	GP-1-2	Results for analysis taken from a sub sampled portion. This does not conform to required sampling techniques.
875476-013	8260+-S-ME	GP-1-4	Sample received overweight (19.9 grams).
875476-013	DRO-S	GP-1-4	Front eluting peaks were present along with diesel peaks.
875476-013	DRO-S	GP-1-4	Results for analysis taken from a sub sampled portion. This does not conform to required sampling techniques.
875476-013	GRO-S-ME	GP-1-4	Late eluting peaks were present outside the window of analysis.
875476-014	8260+-S-ME	GP-1-6	Sample received overweight (18.8 grams).
875476-014	DRO-S	GP-1-6	Front eluting peaks were present along with diesel peaks.
875476-014	GRO-S-ME	GP-1-6	Early and late eluting peaks were present outside the window of analysis.
875476-016	DRO-S	GP-2-4	Front eluting peaks were present along with diesel peaks.
875476-016	GRO-S-ME	GP-2-4	Early and late eluting peaks were present outside the window of analysis.
875476-017	DRO-S	GP-2-6	Front eluting peaks were present along with diesel peaks.
875476-017	GRO-S-ME	GP-2-6	Early and late eluting peaks were present outside the window of analysis.
875476-018	DRO-S	GP-3-2	DRO response was not in the upper half of the curve due to the high concentration of late eluting hydrocarbons.
875476-018	DRO-S	GP-3-2	Late eluting hump along with diesel range peaks were present in the chromatogram.
875476-019	DRO-S	GP-3-4	Front eluting peaks were present along with diesel peaks.
875476-019	GRO-S-ME	GP-3-4	Late eluting peaks were present outside the window of analysis.
875476-020	DRO-S	GP-3-6	Front eluting peaks, late eluting hump and diesel range peaks were present in the chromatogram.
875476-020	GRO-S-ME	GP-3-6	Early and late eluting peaks were present outside the window of analysis.
875476-021	DRO-S	GP-4-2	Late eluting hump along with diesel range peaks were present in the chromatogram.
875476-025	PAH+-S	GP-6-2	B -Napthalene present in blank at 8.32 ug/Kg.
875476-029	DRO-S	GP-8-4	Front eluting peaks, late eluting hump and diesel range peaks were present in the chromatogram.
875476-029	GRO-S-ME	GP-8-4	Late eluting peaks were present outside the window of analysis.
875476-030	DRO-S	GP-8-6	Front eluting peaks, late eluting hump and diesel range peaks were present in the chromatogram.

Pace Analytical Services, Inc.

1241 Bellevue Street
Green Bay, WI 54302
920-469-2436
Fax: 920-469-8827

Lab Number	TestGroupID	Field ID	Comment
875476-030	GRO-S-ME	GP-8-6	Early and late eluting peaks were present outside the window of analysis.
875476-031	DRO-S	GP-9-2	Late eluting hump along with diesel range peaks were present in the chromatogram.
875476-031	PAH+-S	GP-9-2	B -Napthalene present in blank at 8.32 ug/Kg.
875476-034	DRO-S	GP-10-2	Late eluting hump along with diesel range peaks were present in the chromatogram.

Qualifier Codes

Flag	Applies To	Explanation
A	Inorganic	Analyte is detected in the method blank. Method blank criteria is evaluated to the laboratory method detection limit. Additionally, method blank acceptance may be based on project specific criteria or determined from analyte concentrations in the sample and are evaluated on a sample by sample basis.
B	Inorganic	The analyte has been detected between the method detection limit and the reporting limit.
B	Organic	Analyte is present in the method blank. Method blank criteria is evaluated to the laboratory method detection limit. Additionally, method blank acceptance may be based on project specific criteria or determined from analyte concentrations in the sample and are evaluated on a sample by sample basis.
C	All	Elevated detection limit.
D	All	Analyte value from diluted analysis or surrogate result not applicable due to sample dilution.
E	Inorganic	Estimated concentration due to matrix interferences. During the metals analysis the serial dilution failed to meet the established control limits of 0-10%. The sample concentration is greater than 50 times the IDL for analysis done on the ICP or 100 times the IDL for analysis done on the ICP-MS. The result was flagged with the E qualifier to indicate that a physical interference was observed.
E	Organic	Analyte concentration exceeds calibration range.
F	Inorganic	Due to potential interferences for this analysis by Inductively Coupled Plasma techniques (SW-846 Method 6010), this analyte has been confirmed by and reported from an alternate method.
F	Organic	Surrogate results outside control criteria.
G	All	The result is estimated because the concentration is less than the lowest calibration standard concentration utilized in the initial calibration. The method detection limit is less than the reporting limit specified for this project.
H	All	Preservation, extraction or analysis performed past holding time.
HF	Inorganic	This test is considered a field parameter, and the recommended holding time is 15 minutes from collection. The analysis was performed in the laboratory beyond the recommended holding time.
J	All	Concentration detected equal to or greater than the method detection limit but less than the reporting limit.
K	Inorganic	Sample received unpreserved. Sample was either preserved at the time of receipt or at the time of sample preparation.
K	Organic	Detection limit may be elevated due to the presence of an unrequested analyte.
L	All	Elevated detection limit due to low sample volume.
M	Organic	Sample pH was greater than 2
N	All	Spiked sample recovery not within control limits.
O	Organic	Sample received overweight.
P	Organic	The relative percent difference between the two columns for detected concentrations was greater than 40%.
Q	All	The analyte has been detected between the limit of detection (LOD) and limit of quantitation (LOQ). The results are qualified due to the uncertainty of analyte concentrations within this range.
S	Organic	The relative percent difference between quantitation and confirmation columns exceeds internal quality control criteria. Because the result is unconfirmed, it has been reported as a non-detect with an elevated detection limit.
U	All	The analyte was not detected at or above the reporting limit.
V	All	Sample received with headspace.
W	All	A second aliquot of sample was analyzed from a container with headspace.
X	All	See Sample Narrative.
Z	Organics	This compound was separated in the check standard but it did not meet the resolution criteria as set forth in SW846.
&	All	Laboratory Control Spike recovery not within control limits.
*	All	Precision not within control limits.
+	Inorganic	The sample result is greater than four times the spike level: therefore, the percent recovery is not evaluated.
<	All	The analyte was not detected at or above the reporting limit.
1	Inorganic	Dissolved analyte or filtered analyte greater than total analyte; analyses passed QC based on precision criteria.
2	Inorganic	Dissolved analyte or filtered analyte greater than total analyte; analyses failed QC based on precision criteria.
3	Inorganic	BOD result is estimated due to the BOD blank exceeding the allowable oxygen depletion.
4	Inorganic	BOD duplicate precision not within control limits. Due to the 48 hour holding time for this test, it is not practical to reanalyze and try to correct the deficiency.
5	Inorganic	BOD result is estimated due to insufficient oxygen depletion. Due to the 48 hour holding time for this test, it is not practical to reanalyze and try to correct the deficiency.
6	Inorganic	BOD laboratory control sample not within control limits. Due to the 48 hour holding time for this test, it is not practical to reanalyze and try to correct the deficiency.
7	Inorganic	BOD result is estimated due to complete oxygen depletion. Due to the 48 hour holding time for this test, it is not practical to reanalyze and try to correct the deficiency.