



Excellence through experience™

709 Gillette St., Ste #3 ♦ La Crosse, WI 54603 ♦ 1-800-552-2932 ♦ Fax (608) 781-8893 Email: rona@metcohq.com ♦ www.metcohq.com

September 18, 2017

Lee Delcore
Wisconsin Department of Natural Resources
1155 Pilgrim Parkway
Plymouth, WI 53073

Subject: Glenn's Service Station – Site Investigation cost cap exceedence request (>\$20K). BRRTS #: 03-41-184166, PECFA #: 53210-2531-02

Dear Mr. Delcore,

A cost estimate (using Usual & Customary schedule of charges) is being submitted for completion of the site investigation at the subject property located at 3302 W. Center Street in Milwaukee, Wisconsin. This is required due to COMM 47 rule changes (Comm 47.337(2)) which requires WDNR approval to exceed the cap, meaning any costs incurred above \$20,000 after April 30, 2006, will not be eligible for reimbursement unless previously approved.

As of today's date, \$12,904.34 has been spent of the \$20,000 Site Investigation Cap and included: [1] Investigation Workplan and [2] Geoprobe Project (21 borings ranging from 12-16 feet bgs with 79 soil samples and 21 groundwater samples collected for field (PID) and/or laboratory analysis (VOC, PVOC/Naphthalene, and Lead).

The proposed workscope to complete the site investigation includes: Drilling Project with the installation of five monitoring wells to approximately 16 feet bgs with soil samples collected for field (PID) and laboratory analysis (PVOC+Naphthalene and GRO, TCLP Lead & Benzene for waste disposal characterization), two rounds of groundwater monitoring from all five site monitoring wells for laboratory analysis (VOC/PVOC+ Naphthalene, Lead, Nitrate/Nitrite, Sulfate, Dissolved Iron and Manganese), surveying, hydraulic conductivity testing, waste disposal, and completion of the Soil and Groundwater Investigation Report. The cost estimate for the proposed workscope is as follows:

Soil Boring/MW Permit	\$ 246.12
Drilling Project	\$ 8,053.11
Groundwater Monitoring (two events)	\$ 2,140.64
Laboratory Analysis	\$ 1,414.65
Surveying	\$ 1,288.88
Hydraulic Conductivity Testing	\$ 828.56
Investigative Waste Disposal	\$ 1,374.25
Soil and Groundwater Investigation Report	\$ 4,965.35
Change Order Request	\$ 381.78
Total	\$20,693.34

METCO is requesting a cost cap exceedence in the amount of **\$13,597.68** (proposed additional costs to complete the investigation \$20,693.34 minus the remaining investigation budget \$7,095.66). This will bring the total site investigation costs to \$33,597.68.

Upon state approval of the proposed workscope and budget, METCO will proceed with the site investigation.

Attached are a site layout map with proposed monitoring well locations, soil & groundwater data tables, and draft standardized invoice form for the above workscope as required.

Should you have any questions, comments, or recommendations please contact me at our La Crosse office (608) 781-8879 or email at jasonp@metcohq.com.

Sincerely,



Jason T. Powell
Staff Scientist

Attachments

c: Chris Ochi – Client


B.1.b DETAILED SITE MAP

GLENN'S SERVICE STATION - FORMER





709 Gillette St, Suite 3
La Crosse, WI 54603
Tel: (608) 781-8879
Fax: (608) 781-8893

MILWAUKEE, WISCONSIN
DRAWN BY: ED
DATE: 03/17/2017



NOTE: INFORMATION BASED ON AVAILABLE DATA ACTUAL CONDITIONS MAY DIFFER

- ✕ = GEOPROBE BORING LOCATION
- ⊙ = PROPOSED MONITORING WELL LOCATION
- = PROPERTY BOUNDARY
- = WATER LINE
- - - = SEWER LINE
- · - · = NATURAL GAS LINE
- - - - = BURIED ELECTRIC LINE
- - - - = OVERHEAD UTILITIES
- · - · - · = TELEPHONE/CABLE LINE
- = UTILITY POLE
- ⊙ = STREET LIGHT
- ⊕ = FIRE HYDRANT
- ⊙ = SEWER MAN HOLE
- ⊞ = STORM DRAIN



A.2 Soil Analytical Results Table
 Glenn's Service Station (former) BRRS #03-41-184166

Sampling Conducted on July 31, 2017

VOC's		Bold = Groundwater RCL	<u>Underline & Bold = Non- Industrial Direct Contact RCL</u>	(Parenthesis & Bold) = Industrial Direct Contact RCL	Asteric * & Bold =Soil Saturation (C- sat) RCL
Sample ID#	G-7-4				
Sample Depth/ft.	14				
Solids Percent	83.3				
Lead/ppm	4.74	27	<u>400</u>	(800)	==
Benzene/ppm	< 0.03	0.00512	<u>1.6</u>	(7.07)	1820*
Bromobenzene/ppm	< 0.025	==	<u>342</u>	(679)	==
Bromodichloromethane/ppm	< 0.074	0.000326	<u>0.418</u>	(1.83)	==
Bromoform/ppm	< 0.029	0.00233	<u>25.4</u>	(113)	==
tert-Butylbenzene/ppm	< 0.026	==	<u>183</u>	(183)	183*
sec-Butylbenzene/ppm	0.87	==	<u>145</u>	(145)	145*
n-Butylbenzene/ppm	1.76	==	<u>108</u>	(108)	108*
Carbon Tetrachloride/ppm	< 0.016	0.00388	<u>0.916</u>	(4.03)	==
Chlorobenzene/ppm	< 0.013	==	<u>370</u>	(761)	761*
Chloroethane/ppm	< 0.091	0.227	==	==	==
Chloroform/ppm	< 0.035	0.0033	<u>0.454</u>	(1.98)	==
Chloromethane/ppm	< 0.076	0.0155	<u>159</u>	(669)	==
2-Chlorotoluene/ppm	< 0.015	==	==	==	==
4-Chlorotoluene/ppm	< 0.018	==	==	==	==
1,2-Dibromo-3-chloropropane/ppm	< 0.058	0.000173	<u>0.008</u>	(0.092)	==
Dibromochloromethane/ppm	< 0.025	0.032	<u>8.28</u>	(38.9)	==
1,4-Dichlorobenzene/ppm	< 0.037	0.144	<u>3.74</u>	(16.4)	==
1,3-Dichlorobenzene/ppm	< 0.037	1.1528	<u>297</u>	(193)	297*
1,2-Dichlorobenzene/ppm	< 0.028	1.168	<u>376</u>	(376)	376*
Dichlorodifluoromethane/ppm	< 0.048	3.0863	<u>126</u>	(530)	==
1,2-Dichloroethane/ppm	< 0.038	0.00284	<u>0.652</u>	(2.87)	540*
1,1-Dichloroethane/ppm	< 0.034	0.4834	<u>5.06</u>	(22.2)	==
1,1-Dichloroethene/ppm	< 0.022	0.00502	<u>320</u>	(1190)	1190*
cis-1,2-Dichloroethene/ppm	< 0.032	0.0412	<u>156</u>	(2340)	==
trans-1,2-Dichloroethene/ppm	< 0.028	0.626	<u>1560</u>	(1850)	==
1,2-Dichloropropane/ppm	< 0.035	0.00332	<u>0.406</u>	(1.78)	==
1,3-Dichloropropane/ppm	< 0.025	==	<u>1490</u>	(1490)	1490*
trans-1,3-Dichloropropene/ppm	< 0.022	==	<u>1510</u>	(1510)	==
cis-1,3-Dichloropropene/ppm	< 0.039	0.001	<u>1210</u>	(1210)	==
Di-isopropyl ether/ppm	< 0.01	==	<u>2260</u>	(2260)	2260*
EDB (1,2-Dibromoethane)/ppm	< 0.023	0.0000282	<u>0.05</u>	(0.221)	==
Ethylbenzene/ppm	< 0.035	1.57	<u>8.02</u>	(35.4)	480*
Hexachlorobutadiene/ppm	< 0.085	==	<u>1.63</u>	(7.19)	==
Isopropylbenzene/ppm	0.191	==	==	==	==
p-Isopropyltoluene/ppm	0.086 "J"	==	<u>162</u>	(162)	162*
Methylene chloride/ppm	< 0.15	0.00256	<u>61.8</u>	(1150)	==
Methyl tert-butyl ether (MTBE)/ppm	< 0.05	0.027	<u>63.8</u>	(282)	8870*
Naphthalene/ppm	0.226 "J"	0.6582	<u>5.52</u>	(24.1)	==
n-Propylbenzene/ppm	0.52	==	==	==	==
1,1,2,2-Tetrachloroethane/ppm	< 0.028	0.000156	<u>0.81</u>	(3.6)	==
1,1,1,2-Tetrachloroethane/ppm	< 0.028	0.0534	<u>2.78</u>	(12.3)	==
Tetrachloroethene (PCE)/ppm	< 0.032	0.00454	<u>33</u>	(145)	==
Toluene/ppm	< 0.032	1.11	<u>818</u>	(818)	818*
1,2,4-Trichlorobenzene/ppm	< 0.064	0.408	<u>24</u>	(113)	==
1,2,3-Trichlorobenzene/ppm	< 0.066	==	<u>62.6</u>	(934)	==
1,1,1-Trichloroethane/ppm	< 0.03	0.1402	==	==	==
1,1,2-Trichloroethane/ppm	< 0.033	0.00324	<u>1.59</u>	(7.01)	==
Trichloroethene (TCE)/ppm	< 0.041	0.00358	<u>1.3</u>	(8.41)	==
Trichlorofluoromethane/ppm	< 0.041	2.2387	<u>1230</u>	(1230)	1230*
1,2,4-Trimethylbenzene/ppm	< 0.025	1.38	<u>219</u>	(219)	219*
1,3,5-Trimethylbenzene/ppm	< 0.032	1.82	<u>182</u>	(182)	182*
Vinyl Chloride/ppm	< 0.019	0.000138	<u>0.07</u>	(2.08)	==
m&p-Xylene/ppm	< 0.072	3.96	<u>260</u>	(260)	258*
o-Xylene/ppm	< 0.044				

NS = not sampled, NM = Not Measured
 (ppm) = parts per million
 == No Exceedences
 "J" Flag: Analyte detected between LOD and LOQ LOD Limit of Detection LOQ Limit of Quantitation

Note: Non-Industrial RCLs apply to this site.

A.1 Groundwater Analytical Table

(Geoprobe)

Glenn's Service Station (former) BRRTS #03-41-184166

Sample ID	Date	Benzene (ppb)	Ethyl Benzene (ppb)	MTBE (ppb)	Naphthalene (ppb)	Toluene (ppb)	Trimethylbenzenes (ppb)	Xylene (Total) (ppb)
G-1-W	7/31/2017	<0.17	<0.2	<0.82	<2.17	<0.67	<2.05	<1.95
G-2-W	7/31/2017	<0.17	<0.2	<0.82	<2.17	<0.67	<2.05	<1.95
G-3-W	7/31/2017	<0.17	<0.2	<0.82	<2.17	<0.67	<2.05	<1.95
G-4-W	7/31/2017	<0.17	0.43	<0.82	<2.17	<0.67	2.82-3.73	2.49
G-5-W	7/31/2017	0.20	0.23	<0.82	<2.17	<0.67	<2.05	<1.95
G-6-W	7/31/2017	<0.17	<0.2	<0.82	<2.17	<0.67	<2.05	<1.95
G-7-W	7/31/2017	<i>0.84</i>	0.81	<0.82	<2.17	<0.67	3.9-4.81	49-49.39
G-8-W	7/31/2017	<0.17	<0.2	<0.82	<2.17	<0.67	<2.05	<1.95
G-9-W	7/31/2017	<0.17	<0.2	<0.82	<2.17	<0.67	<2.05	<1.95
G-10-W	7/31/2017	<0.17	<0.2	<0.82	<2.17	<0.67	<2.05	<1.95
G-11-W	7/31/2017	<0.17	<0.2	<0.82	<2.17	<0.67	<2.05	<1.95
G-12-W	7/31/2017	86	370	<8.2	43	51	462	870
G-13-W	8/1/2017	<i>0.54</i>	<0.2	<0.82	<2.17	<0.67	<2.05	<1.95
G-14-W	8/1/2017	<0.17	<0.2	<0.82	<2.17	<0.67	<2.05	<1.95
G-15-W	8/1/2017	<0.17	<0.2	<0.82	<2.17	<0.67	<2.05	<1.95
G-16-W	8/1/2017	0.35	0.22	<0.82	<2.17	<0.67	<2.05	<1.95
G-17-W	8/1/2017	<i>1.02</i>	1.01	<0.82	<2.17	0.72	<2.05	3.7
G-18-W	8/1/2017	<0.17	<0.2	<0.82	<2.17	<0.67	<2.05	<1.95
G-19-W	8/1/2017	0.25	<0.2	<0.82	<2.17	<0.67	<2.05	<1.95
G-20-W	8/1/2017	<0.85	<1	<4.1	<10.85	<3.35	<10.25	<9.75
G-21-W	8/1/2017	<0.17	0.30	<0.82	<2.17	<0.67	<2.05	<1.95
ENFORCEMENT STANDARDS = Bold		5	700	60	100	800	480	2000
<i>PREVENTIVE ACTION LIMIT PAL = Italics</i>		<i>0.5</i>	<i>140</i>	<i>12</i>	<i>10</i>	<i>160</i>	<i>96</i>	<i>400</i>

NS = Not Sampled

(ppb) = parts per billion (ppm) = parts per million

DRO = Diesel Range Organics

GRO = Gasoline Range Organics

Usual and Customary Standardized Invoice #22

July 2017 - December 2017



RR-083A

TOTAL LAB CHARGES \$ 1,414.65 TASK 33 53 \$ 1,414.65 TASK 24 0 \$ -

MATRIX	REF CODE	REIMBURSABLE ANALYTE	UNITS	MAX COST	SAMPLES	TOTAL	MAX COST	SAMPLES	TOTAL
AIR	A1	Benzene	SAMPLE	\$ 44.94		\$ -			
AIR	A2	BETX	SAMPLE	\$ 49.46		\$ -			
AIR	A3	GRO	SAMPLE	\$ 46.10		\$ -			
AIR	A4	VOC's	SAMPLE	\$ 71.93		\$ -			
WATER	W1	GRO/PVOC	SAMPLE	\$ 29.19		\$ -			
WATER	W2	PVOC	SAMPLE	\$ 26.99		\$ -			
WATER	W3	PVOC + 1,2 DCA	SAMPLE	\$ 43.79		\$ -			
WATER	W4	PVOC + Naphthalene	SAMPLE	\$ 30.35	6	\$ 182.10			
WATER	W5	VOC	SAMPLE	\$ 71.93	6	\$ 431.58			
WATER	W6	PAH	SAMPLE	\$ 72.98		\$ -			
WATER	W7	Lead	SAMPLE	\$ 12.39	10	\$ 123.90			
WATER	W8	Cadmium	SAMPLE	\$ 13.55		\$ -			
WATER	W9	Hardness	SAMPLE	\$ 12.39		\$ -			
WATER	W10	BOD, Total	SAMPLE	\$ 23.63		\$ -			
WATER	W11	Nitrate	SAMPLE	\$ 11.24	5	\$ 56.20			
WATER	W12	Total Kjeldahl	SAMPLE	\$ 20.27		\$ -			
WATER	W13	Ammonia	SAMPLE	\$ 16.91		\$ -			
WATER	W14	Sulfate	SAMPLE	\$ 10.19	5	\$ 50.95			
WATER	W15	Iron	SAMPLE	\$ 10.19	5	\$ 50.95			
WATER	W16	Manganese	SAMPLE	\$ 10.19	5	\$ 50.95			
WATER	W17	Alkalinity	SAMPLE	\$ 10.19		\$ -			
WATER	W18	methane	SAMPLE	\$ 46.10		\$ -			
WATER	W19	Phosphorous	SAMPLE	\$ 18.06		\$ -			
WATER	W20	VOC Method 524.2	SAMPLE	\$ 176.30		\$ -			
WATER	W21	EDB Method 504	SAMPLE	\$ 95.45		\$ -			
SOILS	S1	GRO	SAMPLE	\$ 24.78	2	\$ 49.56	\$ 24.78		\$ -
SOILS	S2	DRO	SAMPLE	\$ 30.35		\$ -	\$ 30.35		\$ -
SOILS	S3	GRO/PVOC	SAMPLE	\$ 28.14		\$ -	\$ 28.14		\$ -
SOILS	S4	PVOC	SAMPLE	\$ 25.83		\$ -	\$ 25.83		\$ -
SOILS	S5	PVOC + 1,2 DCA + Naphthalene	SAMPLE	\$ 49.46		\$ -	\$ 49.46		\$ -
SOILS	S6	PVOC + Naphthalene	SAMPLE	\$ 36.02	7	\$ 252.14	\$ 36.02		\$ -
SOILS	S7	VOC	SAMPLE	\$ 71.93		\$ -	\$ 71.93		\$ -
SOILS	S8	SPLP Extraction VOC only	SAMPLE	\$ 50.61		\$ -	\$ 50.61		\$ -
SOILS	S9	PAH	SAMPLE	\$ 72.98		\$ -	\$ 72.98		\$ -
SOILS	S10	Lead	SAMPLE	\$ 12.39		\$ -	\$ 12.39		\$ -
SOILS	S11	Cadmium	SAMPLE	\$ 14.60		\$ -			\$ -
SOILS	S12	Free Liquid	SAMPLE	\$ 11.24		\$ -			\$ -
SOILS	S13	Flash Point	SAMPLE	\$ 25.83		\$ -			\$ -
SOILS	S14	Grain Size - dry	SAMPLE	\$ 42.74		\$ -			\$ -
SOILS	S15	Grain Size - wet	SAMPLE	\$ 57.33		\$ -			\$ -
SOILS	S16	Bulk Density	SAMPLE	\$ 13.55		\$ -			\$ -
SOILS	S17	Permeability	SAMPLE	\$ 41.58		\$ -			\$ -
SOILS	S18	Nitrogen as Total Kjeldahl	SAMPLE	\$ 20.27		\$ -			\$ -
SOILS	S19	Nitrogen as Ammonia	SAMPLE	\$ 16.91		\$ -			\$ -
SOILS	S20	% Organic Matter	SAMPLE	\$ 29.19		\$ -			\$ -
SOILS	S21	TOC as NPOC	SAMPLE	\$ 57.33		\$ -			\$ -
SOILS	S22	Soil Moisture Content	SAMPLE	\$ 6.83		\$ -			\$ -
SOILS	S23	Air Filled Porosity	SAMPLE	\$ 25.83		\$ -			\$ -
SOILS	S24	% Total Solids	SAMPLE	\$ 6.83		\$ -			\$ -
SOILS	S25	Field Capacity	SAMPLE	\$ 28.14		\$ -			\$ -
SOILS	S26	TCLP Lead	SAMPLE	\$ 83.16	1	\$ 83.16			\$ -
SOILS	S27	Cation Exchange (Ca, MG, & K)	SAMPLE	\$ 26.99		\$ -			\$ -
SOILS	S28	TCLP Cadmium	SAMPLE	\$ 83.16		\$ -			\$ -
SOILS	S29	TCLP Benzene	SAMPLE	\$ 83.16	1	\$ 83.16			\$ -
		Viscosity + Density							
LNAPL	LI PS01	Interfacial tension I (LNAPL/water [dyne/cm])	SAMPLE	\$ 561.33		\$ -			
		Interfacial tension II (LNAPL/air [dyne/cm])							
		Interfacial tension III (water/air) [dyne/cm]							
				TASK 33 TOTAL \$		1,414.65			

MAX COST	SAMPLES	TOTAL
\$ 24.78		\$ -
\$ 30.35		\$ -
\$ 28.14		\$ -
\$ 25.83		\$ -
\$ 49.46		\$ -
\$ 36.02		\$ -
\$ 71.93		\$ -
\$ 50.61		\$ -
\$ 72.98		\$ -
\$ 12.39		\$ -
TASK 24 TOTAL \$		\$ -

Usual and Customary Standardized Invoice #22

July 2017 - December 2017



RR-083A

PECFA #: 53210-2531-02 Vendor Name: _____
 BRRT's #: 03-41-184166 Invoice #: _____
 Site Name: Glenn's Service Station Invoice Date: _____
 Site Address: 3302 W. Center St., Milwaukee, WI Check #: _____

U&C Total \$ 20,693.34
 Variance to U&C Total \$ -
 Grand Total \$ 20,693.34

TASK	TASK DESCRIPTION	SERVICES	ACTIVITY CODE	ACTIVITY REFERENCE CODE DESCRIPTION	UNIT	MAX UNIT COST	UNITS	TOTAL MAX
1	GW Sampling		GS05	Sample Collection	Well	\$ 72.45	10	\$ 724.50
1	GW Sampling		GS10	Incremental Sample Collection (natural attenuation)	Well	\$ 47.67	5	\$ 238.35
1	GW Sampling		GS15	Incremental Sample Collection (cadmium & lead)	Well	\$ 26.25	10	\$ 262.50
1	GW Sampling		GS25	Primary Mob/Demob	Site	\$ 628.11	1	\$ 628.11
4	Waste Disposal	Consultant	WD05	Consultant Coordination	Site	\$ 137.13	1	\$ 137.13
4	Waste Disposal	Commodity	WD10	GW Sample and/or Purge	Drum	\$ 42.11	2	\$ 84.22
4	Waste Disposal	Commodity	WD15	Drill Cuttings	Drum	\$ 108.15	8	\$ 865.20
4	Waste Disposal	Commodity	WD17	Landfill Environmental Fee (provide documentation)	ACTUAL COST			
4	Waste Disposal	Commodity	WD25	Primary Mob/Demob	Site	\$ 287.70	1	\$ 287.70
10	Initial Site Survey	Consultant	IS05	Coordination of Initial Site Survey (features + well elevations)	Survey	\$ 117.18	1	\$ 117.18
10	Initial Site Survey	Commodity	IS15	Initial Survey	Survey	\$ 1,171.70	1	\$ 1,171.70
13.a	Drilling In Unconsolidated Soils - With Soil Sampling	Consultant	DR05	0 - 25 ft bgs	Ft	\$ 5.40	80	\$ 432.00
13.a	Drilling In Unconsolidated Soils - With Soil Sampling	Consultant	DR20	Primary Mob/Demob	Site	\$ 593.04	1	\$ 593.04
13.d	Drilling In Unconsolidated Soils - With Soil Sampling	Commodity	DR45	0 - 25 ft bgs	Ft	\$ 16.70	80	\$ 1,336.00
14	Monitoring Well Installation	Consultant	MWI05	0 - 25 ft bgs	Ft	\$ 3.89	80	\$ 311.20
14	Monitoring Well Installation	Commodity	MWI15	2 inch PVC Casing	Ft	\$ 16.70	80	\$ 1,336.00
14	Monitoring Well Installation	Commodity	MWI20	Well Development	Well	\$ 147.63	5	\$ 738.15
15	Misc. Drilling Activities & Supplies		MDT05	Drill Rig Mob/Demob	Mob/Demob	\$ 963.38	1	\$ 963.38
15	Misc. Drilling Activities & Supplies		MDT10	Well Cover/flushmount	Each	\$ 202.65	5	\$ 1,013.25
15	Misc. Drilling Activities & Supplies		MDT21	Drum, 55 gal. DOT steel	Each	\$ 55.13	10	\$ 551.30
15	Misc. Drilling Activities & Supplies		MDT25	Commodity Service Provider Per Diem (drilling and direct push)	Person	\$ 203.28	2	\$ 406.56
15	Misc. Drilling Activities & Supplies		MDT40	Concrete Penetration	Each	\$ 72.87	3	\$ 218.61
15	Misc. Drilling Activities & Supplies		MDT45	Padlocks	Each	\$ 7.98	5	\$ 39.90
19	Hydraulic Conductivity Testing		HCT05	Hydraulic Conductivity Testing	Well	\$ 58.59	3	\$ 175.77
19	Hydraulic Conductivity Testing		HCT10	Primary Mob/Demob	Site	\$ 652.79	1	\$ 652.79
20	Soil Boring/Monitoring Well Permits		SBMWP05	Soil Boring/Monitoring Well Permit	Permit	\$ 246.12	1	\$ 246.12
20	Soil Boring/Monitoring Well Permits		SBMWP10	Permit Fee (copy of permit & fee receipt required)	Permit Fee			
23	Soil And GW Investigation Report		SGIR05	Soil and GW Investigation Report	Report	\$ 4,965.35	1	\$ 4,965.35
31	Consultant Overnight Per Diem		COPD05	Overnight	Night	\$ 113.72	1	\$ 113.72
33	Schedule Of Laboratory Maximums	Commodity		Laboratory (see task 33 total on Lab Schedule)	Lab Schedule		53	\$ 1,414.65
34	Consultant Incremental Mob/Demob		IMD05	Incremental Mob/Demob	Site	\$ 287.18	1	\$ 287.18
36	Change Order Request		COR05	Change Order Request (cost cap exceedance requests)	Change Order	\$ 381.78	1	\$ 381.78

Variance