

From: Jason Powell <jasonp@metcohq.com>
Sent: Wednesday, March 11, 2020 10:02 AM
To: James, Andrew G - DNR
Cc: Schmenk, Colin R -DNR; Ron Anderson
Subject: Sheleski Property - soil, vapor, and gw results - Menasha, WI (03-71-186591) (54952-3352-21-A)
Attachments: 1046_001.pdf; 1047_001.pdf; 1048_001.pdf; 1049_001.pdf

Gentleman, attached are the updated site layout map along with soil, gw, and vapor data tables from the recent field projects.

Sub slab vapor samples did not show any exceedences for Commercial or Residential VAL standards.

Several of the collected soil samples exceeded the NR720 GW RCL standards with the highest levels noted at or into the water table (8-10 feet bgs).

Contaminant levels in groundwater have dropped below the NR140 Enforcement Standard with the exception of mid-downgradient well MW-5 which appears to be stable. The two new down-gradient wells (MW-6 and MW—7) showed to laboratory detections.

We have one additional round of groundwater sampling remaining of the approved work scope. Due to the contaminant levels and the fact that the PECFA deadline is quickly approaching we plan to collect the next round (2nd of 2) of groundwater samples in early April followed by a Report. At that time, we will likely recommend closure and be submitting costs for closure activities.

Any questions please call or email.
Thanks,



Jason Powell

METCO - Staff Scientist

jasonp@metcohq.com / 608.781.8879

709 Gillette Street - Suite 3, La Crosse WI 54603

www.metcohq.com

B.I.b DETAILED SITE MAP

SHELESKI PROPERTY




709 Gillette Street, Suite 2
La Crosse, WI 54603
Tel: (608) 781-8870
Fax: (608) 781-8893

MENASHA,
WISCONSIN

DRAWN BY: MM
DATE: 6/15/2009

EDITED BY: JF
DATE: 5/5/2020

NOTE: INFORMATION BASED ON AVAILABLE DATA. ACTUAL CONDITIONS MAY VARY.



- - MONITORING WELL/PIEZOMETER LOCATION
- - UTILITY POLE/ LIGHT POLE
- ▲ - GEOPROBE BORING LOCATION
- ⊗ - SEWER MAN HOLE
- ⊞ - STORM DRAIN
- - SUB SLAB VAPOR SAMPLE LOCATION

- PROPERTY BOUNDARIES
- FENCE
XXXXXXXXXXXXXXXXXXXXXXXXXXXX
- OVERHEAD UTILITIES
=====
- RAILROAD TRACKS
+ + + + +
- WATER LINE

- SEWER LINE

- NATURAL GAS LINE

- TELEPHONE/CABLE LINE


- BURIED ELECTRIC LINE

Waynes Towing & Service
Closed Lust Site
BRRTs # 03-71-002198

Bank One Property
Closed Lust Site
BRRTs # 03-71-477930

WASHINGTON ST.

Geiger Property
Closed Lust Site
BRRTs # 03-71-86585



A.2 Soil Analytical Results Table
Sheleski Property BRRTS #03-71-186591

																	DIRECT CONTACT			
Sample ID	Depth (feet)	Saturation U/S	Date	PID	Lead (ppm)	DRO (ppm)	GRO (ppm)	Benzene (ppm)	Ethyl-benzene (ppm)	MTBE (ppm)	Naph-thalene (ppm)	Toluene (ppm)	1,2,4-Trime-thylbenzene (ppm)	1,3,5-Trime-thylbenzene (ppm)	Xylene (Total) (ppm)	Other VOC's (ppb)	Exceedance Count	Hazard Index	Cumulative Cancer Risk	
MW-6-1	3.5		02/10/20	17.80	NOT SAMPLED												NS	0		
MW-6-2	8.0		02/10/20	29.10	NOT SAMPLED												NS			
MW-6-3	12.0		02/10/20	37.10	NS	NS	<10	NOT SAMPLED								<0.05 TCLP Benzene <0.1 TCLP Lead				
MW-7-1	3.5		02/10/20	22.50	NOT SAMPLED												NS	0		
MW-7-2	8.0		02/10/20	34.30	NOT SAMPLED												NS			
MW-7-3					NO RECOVERY												NS			
GP-23-1	3.5		02/10/20	33.90	NS	NS	NS	<0.025	<0.025	<0.025	<0.025	<0.025	<0.025	<0.025	<0.075	NS	0			
GP-23-2	6.0		02/10/20	24.70	NS	NS	NS	<0.025	<0.025	<0.025	<0.025	<0.025	<0.025	<0.025	<0.075	NS				
GP-23-3	8.0		02/10/20	413.00	NOT SAMPLED												NS			
GP-23-4	10.0		02/10/20	437.00	NOT SAMPLED												NS			
GP-23-5	12.0		02/10/20	>5000	NS	NS	NS	2.61	36	<1.25	25.2	2.07	83	29.6	111	NS	0	0.0007	2.4E-08	
GP-24-1	3.5		02/10/20	49.00	NS	NS	NS	<0.025	<0.025	<0.025	<0.025	<0.025	<0.025	0.049-0.074	0.069-0.094	NS				
GP-24-2	6.0		02/10/20	>5000	NS	NS	NS	20.6	30.7	<1.25	95	5.6	440	148	872.4	NS				
GP-24-3	8.0		02/10/20	>5000	NOT SAMPLED												NS			
GP-24-4	10.0		02/10/20	>5000	NOT SAMPLED												NS			
GP-24-5	12.0		02/10/20	>5000	NS	NS	NS	30.8	62	<1.25	34	178	116	41	290	NS				
GP-25-1	3.5		02/11/20	20.50	NS	NS	NS	<0.025	<0.025	<0.025	<0.025	<0.025	<0.025	<0.025	<0.075	NS	0			
GP-25-2	6.0		02/11/20	>5000	NS	NS	NS	2.44	0.62	<0.025	0.76	0.92	3.3	1.27	8.01	NS				
GP-25-3	8.0		02/11/20	>5000	NOT SAMPLED												NS			
GP-25-4	10.0		02/11/20	5000.00	NOT SAMPLED												NS			
GP-25-5	12.0		02/11/20	5000.00	NS	NS	NS	17.2	71	<1.25	28.8	83	130	45	321	NS				
GP-26-1	3.5		02/11/20	39.30	NS	NS	NS	0.0308	0.044	<0.025	0.134	0.133	0.195	0.114	0.397	NS	0	0.0024	4.9E-08	
GP-26-2	6.0		02/11/20	3103.00	NS	NS	NS	1.63	1.37	<0.025	9.5	2.45	4.8	4.8	6.66	NS				
GP-26-3	8.0		02/11/20	3691.00	NOT SAMPLED												NS			
GP-26-4	10.0		02/11/20	5000.00	NOT SAMPLED												NS			
GP-26-5	12.0		02/11/20	5000+	NS	NS	NS	10.1	88	<1.25	44	25.3	179	58	427	NS	0	0.0111	2.6E-07	
GP-27-1	3.5		02/11/20	1212.00	NS	NS	NS	0.286	0.092	<0.025	0.4	0.059	1.2	0.6	0.952	NS				
GP-27-2	6.0		02/11/20	5000.00	NS	NS	NS	6.8	4.8	<0.025	8.6	1.2	1.9	1.29	7.47	NS				
GP-27-3	8.0		02/11/20	617.00	NOT SAMPLED												NS			
GP-27-4	10.0		02/11/20	5000+	NOT SAMPLED												NS			
GP-27-5	12.0		02/11/20	5000+	NS	NS	NS	39	89	<1.25	35	162	145	54	384	NS				
GP-28-1	3.5		02/11/20	5000+	NS	NS	NS	0.57	4.3	<0.025	2.34	0.66	5.8	2.91	12.12	NS	0	0.0587	1.3E-06	
GP-28-2	6.0		02/11/20	1312.00	NS	NS	NS	1.14	1.96	<0.025	0.98	0.304	3.05	1.19	9.388	NS				
GP-28-3	8.0		02/11/20	5000+	NOT SAMPLED												NS			
GP-28-4	10.0		02/11/20	5000+	NOT SAMPLED												NS			
GP-28-5	12.0		02/11/20	5000+	NS	NS	NS	3	19.4	2.05	18.7	5.7	36	19.8	61.7	NS				
GP-29-1	3.5		02/11/20	177.90	NS	NS	NS	0.094	<0.025	<0.025	<0.025	0.034	<0.025	<0.025	0.0274-0.0774	NS	0	0.0012	6.7E-08	
GP-29-2	6.0		02/11/20	49.90	NS	NS	NS	0.035	<0.025	<0.025	<0.025	<0.025	0.032	0.079	0.0312-0.0812	NS				
GP-29-3	8.0		02/11/20	5000+	NOT SAMPLED												NS			
GP-29-4	10.0		02/11/20	5000+	NOT SAMPLED												NS			
GP-29-5	12.0		02/11/20	5000+	NS	NS	NS	5.3	49.0	<1.25	22.2	8.3	99.0	33.0	206.0	NS				
GP-30-1	3.5		02/11/20	55.70	NS	NS	NS	0.06	0.0313	<0.025	0.92	0.072	0.032	<0.025	0.133	NS	0	0.0061		
GP-30-2	6.0		02/11/20	990.00	NS	NS	NS	0.61	0.98	<0.025	2.18	0.22	0.84	1.51	1.79	NS				
GP-30-3	8.0		02/11/20	5000+	NOT SAMPLED												NS			
GP-30-4	10.0		02/11/20	5000+	NOT SAMPLED												NS			
GP-30-5	12.0		02/11/20	5000+	NS	NS	NS	0.39	2.12	<0.025	<0.025	0.177	0.307	0.219	1.675	NS				
Groundwater RCL					27	-	-	0.0051	1.57	0.027	0.6582	1.1072	1.3787		3.96	-				
Non-Industrial Direct Contact RCL					400	-	-	1.6	8.02	63.8	5.62	818	219	182	260	-		1.00E+00	1.00E-05	
Industrial Direct Contact RCL					(800)	-	-	(7.07)	(35.4)	(282)	(24.1)	(818)	(219)	(182)	(260)	-		1.00E+00	1.00E-05	
Soil Saturation Concentration (C-sat)*					-	-	-	1820*	480*	8870*	-	818*	219*	182*	260*	-				

Bold = Groundwater RCL Exceedance

Bold & Underline = Non Industrial Direct Contact RCL Exceedance

(Bold & Parentheses) = Industrial Direct Contact RCL Exceedance

Bold & Asteric * = C-sat Exceedance

NS = Not Sampled

NM = Not Measured

(ppm) = parts per million

ND = No Detects

DRO = Diesel Range Organics

GRO = Gasoline Range Organics

PID = Photoionization Detector

PVOC's = Petroleum Volatile Organic Compounds

VOC's = Volatile Organic Compounds

Note: Non-Industrial RCLs apply to this site.

U=UNSATURATED (BASED ON ALL TIME LOW WATER TABLE PER WDNR)

S=SATURATED (BASED ON ALL TIME LOW WATER TABLE PER WDNR)

A.2 Soil Analytical Results Table
Sheleski Property BRRTS #03-71-186591

Sample ID	Depth (feet)	Saturation U/S	Date	PID	Lead (ppm)	DRO (ppm)	GRO (ppm)	Benzene (ppm)	Ethyl-benzene (ppm)	MTBE (ppm)	Naphthalene (ppm)	Toluene (ppm)	1,2,4-Trime-thylbenzene (ppm)	1,3,5-Trime-thylbenzene (ppm)	Xylene (Total) (ppm)	Other VOC's (ppb)	DIRECT CONTACT		
																	Exeedance Count	Hazard Index	Cumulative Cancer Risk
GP-1	4-6	U	06/12/01	35.1	NOT SAMPLED											NS			
GP-1	6-8	U	06/12/01	136	NOT SAMPLED											NS			
GP-1	8-10	S	06/12/01	812	NOT SAMPLED											NS			
GP-1	10-12	S	06/12/01	1639	13	NS	NS	0.089	3.8	<0.025	2.3	0.130	3.4	5.2	2.563	SEE VOC SHEET			
GP-1	12-14	S	06/12/01	1963	<6	NS	NS	<1.3	33	<1.3	10	8.9	54	20	156	SEE VOC SHEET			
GP-4	2-4	U	06/12/01	<10	NOT SAMPLED											NS	0		
GP-4	4-6	U	06/12/01	42.7	NOT SAMPLED											NS			
GP-4	6-8	U	06/12/01	1499	NOT SAMPLED											NS			
GP-4	8-10	S	06/12/01	1651	9.9	NS	NS	36	58	<1.3	18	170	120	44	320	SEE VOC SHEET			
GP-4	10-12	S	06/12/01	194	NOT SAMPLED											NS			
GP-5	4-6	U	06/12/01	108	NOT SAMPLED											NS			
GP-5	6-8	U	06/12/01	1435	NOT SAMPLED											NS			
GP-5	8-10	S	06/12/01	1143	NOT SAMPLED											NS			
GP-5	10-12	S	06/12/01	1601	<6	NS	NS	3.6	13	<1.3	8.6	1.4	26	9.1	34.4	SEE VOC SHEET			
GP-5	12-14	S	06/12/01	1549	NOT SAMPLED											NS			
GP-6	0-2	U	06/12/01	127	NOT SAMPLED											NS	0		
GP-6	2-4	U	06/12/01	1687	NOT SAMPLED											NS	0		
GP-6	4-6	U	06/12/01	2397	NOT SAMPLED											NS			
GP-6	6-8	U	06/12/01	2511	NOT SAMPLED											NS			
GP-6	8-10	S	06/12/01	2361	NOT SAMPLED											NS			
GP-6	10-12	S	06/12/01	2165	8.4	NS	NS	1.7	15	<1.3	2.9	1.6	16	6.7	33.5	SEE VOC SHEET			
GP-7	2-4	U	06/12/01	32.5	NOT SAMPLED											NS	0		
GP-8	4-6	U	06/12/01	281	NOT SAMPLED											NS			
GP-8	6-8	U	06/12/01	263	NOT SAMPLED											NS			
GP-8	8-10	S	06/12/01	343	NOT SAMPLED											NS			
GP-8	10-12	S	06/12/01	212.4	16	NS	NS	1.1	0.720	<0.025	0.600	0.290	0.920	1.3	1.450	SEE VOC SHEET			
GP-9	2-4	U	06/12/01	<10	NOT SAMPLED											NS			
GP-9	4-6	U	06/12/01	1333	NOT SAMPLED											NS			
GP-9	6-8	U	06/12/01	1575	NOT SAMPLED											NS			
GP-9	8-10	S	06/12/01	1715	NOT SAMPLED											NS			
GP-9	10-12	S	06/12/01	1781	<6	NS	NS	0.470	5.8	<0.500	1.9	<0.500	11	4.2	25.1	SEE VOC SHEET			
GP-10	2-4	U	06/12/01	<10	NOT SAMPLED											NS			
GP-10	4-6	U	06/12/01	<10	NOT SAMPLED											NS			
GP-10	6-8	U	06/12/01	<10	NOT SAMPLED											NS			
GP-10	8-10	S	06/12/01	<10	11	NS	NS	<0.025	<0.025	<0.025	<0.025	<0.025	<0.025	<0.025	<0.075	SEE VOC SHEET			
GP-12	2-4	U	06/12/01	<10	NOT SAMPLED											NS			
GP-12	4-6	U	06/12/01	<10	NOT SAMPLED											NS			
GP-12	6-8	U	06/12/01	<10	NOT SAMPLED											NS			
GP-12	8-10	S	06/12/01	<10	NOT SAMPLED											NS			
GP-12	10-12	S	06/12/01	<10	7.300	NS	NS	<0.025	<0.025	<0.025	<0.025	<0.025	<0.025	<0.025	<0.075	SEE VOC SHEET			
Groundwater RCL					27	-	-	0.0051	1.57	0.027	0.6582	1.1072	1.3787		3.96	-			
Non-Industrial Direct Contact RCL					400	-	-	1.6	8.02	63.8	5.52	818	219	182	260	-		1.00E+00	1.00E-05
Industrial Direct Contact RCL					(800)	-	-	(7.07)	(35.4)	(282)	(24.1)	(818)	(219)	(182)	(260)	-		1.00E+00	1.00E-05
Soil Saturation Concentration (C-sat)*					-	-	-	1820*	480*	8870*	-	818*	219*	182*	260*	-			

Bold = Groundwater RCL Exceedance
Bold & Underline = Non Industrial Direct Contact RCL Exceedance
(Bold & Parentheses) = Industrial Direct Contact RCL Exceedance
Bold & Asteric * = C-sat Exceedance
NS = Not Sampled
(ppm) = parts per million
DRO = Diesel Range Organics
GRO = Gasoline Range Organics
PID = Photoionization Detector
PVOC's = Petroleum Volatile Organic Compounds
VOC's = Volatile Organic Compounds
Note: Non-Industrial RCLs apply to this site.

U=UNSATURATED (BASED ON ALL TIME LOW WATER TABLE PER WDNR)
S=SATURATED (BASED ON ALL TIME LOW WATER TABLE PER WDNR)

A.2 Soil Analytical Results Table
Sheleski Property BRRTS #03-71-186591

Sample ID	Depth (feet)	Saturation U/S	Date	PID													DIRECT CONTACT		
					Lead (ppm)	DRO (ppm)	GRO (ppm)	Benzene (ppm)	Ethyl-benzene (ppm)	MTBE (ppm)	Naph-thalene (ppm)	Toluene (ppm)	1,2,4-Trime-thylbenzene (ppm)	1,3,5-Trime-thylbenzene (ppm)	Xylene (Total) (ppm)	Other VOC's (ppb)	Exeedance Count	Hazard Index	Cumulative Cancer Risk
GP-13, S-1	0-2	U	05/03/02	<10	NOT SAMPLED												NS		
GP-13, S-2	2-4	U	05/03/02	<10	58.0	NS	NS	<0.025	<0.025	<0.025	<0.025	0.049	<0.025	<0.025	<0.075	NS	0	0.1456	2.3E-08
GP-13, S-3	4-6	U	05/03/02	<10	NOT SAMPLED												NS		
GP-13, S-4	6-8	U	05/03/02	<10	NOT SAMPLED												NS		
GP-13, S-5	8-10	S	05/03/02	<10	NOT SAMPLED												NS		
GP-13, S-6	10-12	S	05/03/02	27	<6	NS	NS	<0.025	0.110	<0.025	0.740	0.510	0.780	0.350	1.6	NS	0	0.0006	2.3E-08
GP-14, S-2	2-4	U	05/03/02	<10	<6	NS	NS	<0.025	<0.025	<0.025	<0.025	0.028	<0.025	<0.025	<0.075	NS			
GP-14, S-3	4-6	U	05/03/02	21.3	NOT SAMPLED												NS		
GP-14, S-4	6-8	U	05/03/02	66.9	<6	NS	NS	<0.025	<0.025	<0.025	<0.025	0.029	<0.025	<0.025	<0.075	NS			
GP-14, S-5	8-10	S	05/03/02	37	NOT SAMPLED												NS		
GP-14, S-6	10-12	S	05/03/02	<10	NOT SAMPLED												NS		
GP-15, S-1	0-2	U	05/03/02	<10	NOT SAMPLED												NS		
GP-15, S-2	2-4	U	05/03/02	17	9.9	NS	NS	<0.025	<0.025	<0.025	0.052	<0.025	<0.025	<0.025	<0.075	SEE VOC SHEET	0	0.0008	2.8E-08
GP-15, S-4	6-8	U	05/03/02	1552	NOT SAMPLED												NS		
GP-15, S-5	8-10	S	05/03/02	1339	NOT SAMPLED												NS		
GP-15, S6	10-12	S	05/03/02	1694	18.0	NS	NS	16	24	<0.500	14	35	40	20	118	SEE VOC SHEET			
GP-16, S-1	0-2	U	05/03/02	18	NOT SAMPLED												NS		
GP-16, S-2	2-4	U	05/03/02	17.6	36.00	NS	NS	<0.025	0.029	<0.025	0.041	0.057	0.051	<0.025	0.120	NS	0	0.0008	2.7E-08
GP-16, S-3	4-6	U	05/03/02	11.3	NOT SAMPLED												NS		
GP-16, S-4	6-8	U	05/03/02	22.7	9.7	NS	NS	<0.025	<0.025	<0.025	<0.025	0.038	<0.025	<0.025	<0.075	NS			
GP-16, S-5	8-10	S	05/03/02	19.9	NOT SAMPLED												NS		
GP-16, S-6	10-12	S	05/03/02	<10	NOT SAMPLED												NS		
GP-17, S-1	0-2	U	05/03/02	15.6	NOT SAMPLED												NS		
GP-17, S-2	2-4	U	05/03/02	317	157.0	NS	NS	0.035	<0.025	<0.025	0.320	<0.025	1.3	0.390	0.450	SEE VOC SHEET	0	0.3998	8.3E-08
GP-17, S-3	4-6	U	05/03/02	156	NOT SAMPLED												NS		
GP-17, S-4	6-8	U	05/03/02	18.5	NOT SAMPLED												NS		
GP-17, S-5	8-10	S	05/03/02	76.6	NOT SAMPLED												NS		
GP-17, S-6	10-12	S	05/03/02	98.6	<6	NS	NS	0.460	0.130	<0.025	0.180	<0.025	0.075	0.067	0.380	SEE VOC SHEET			
GP-18, S-1	0-2	U	05/03/02	15.6	NOT SAMPLED												NS		
GP-18, S-2	2-4	U	05/03/02	18.5	181.0	NS	NS	<0.025	<0.025	<0.025	<0.025	<0.025	<0.025	<0.025	<0.075	NS	0	0.4531	2.4E-08
GP-18, S-4	6-8	U	05/03/02	270	NOT SAMPLED												NS		
GP-18, S-5	8-10	S	05/03/02	458	NOT SAMPLED												NS		
GP-18, S-6	10-12	S	05/03/02	1543	<6	NS	NS	1.8	22	<0.250	9.2	3.4	60	18	79	NS			
GP-19, S-1	0-2	U	05/03/02	24.1	NOT SAMPLED												NS		
GP-19, S-2	2-4	U	05/03/02	432	NOT SAMPLED												NS		
GP-19, S-3	4-6	U	05/03/02	530	NOT SAMPLED												NS		
GP-19, S-4	6-8	U	05/03/02	1257	NOT SAMPLED												NS		
GP-19, S-5	8-10	S	05/03/02	1985	NOT SAMPLED												NS		
GP-19, S-6	10-12	S	05/03/02	1995	<6	NS	NS	38	140	<0.500	38	74	220	100	620*	SEE VOC SHEET			
GP-20, S-1	0-2	U	05/03/02	22.7	NOT SAMPLED												NS		
GP-20, S-2	2-4	U	05/03/02	18.5	NOT SAMPLED												NS		
GP-20, S-3	4-6	U	05/03/02	19.9	NOT SAMPLED												NS		
GP-20, S-4	6-8	U	05/03/02	14.2	NOT SAMPLED												NS		
GP-20, S-5	8-10	S	05/03/02	28.4	NOT SAMPLED												NS		
GP-20, S-6	10-12	S	05/03/02	32	NOT SAMPLED												NS		
GP-21, S-1	0-2	U	05/03/02	<10	NOT SAMPLED												NS		
GP-21, S-2	2-4	U	05/03/02	18.2	NOT SAMPLED												NS		
GP-21, S-3	4-6	U	05/03/02	425	NOT SAMPLED												NS		
GP-21, S-5	8-10	S	05/03/02	105	NOT SAMPLED												NS		
GP-21, S-6	10-12	S	05/03/02	505	<6	NS	NS	<0.025	<0.025	<0.025	<0.025	0.030	<0.025	<0.025	<0.075	NS			
GP-22, S-1	0-2	U	05/03/02	37.0	NOT SAMPLED												NS		
GP-22, S-2	2-4	U	05/03/02	22.7	<6	NS	NS	<0.025	<0.025	<0.025	<0.025	<0.025	<0.025	<0.025	<0.075	NS	0	0.0006	2.4E-08
GP-22, S-3	4-6	U	05/03/02	21.3	NOT SAMPLED												NS		
GP-22, S-4	6-8	U	05/03/02	402	NOT SAMPLED												NS		
GP-22, S-5	8-10	S	05/03/02	573	NOT SAMPLED												NS		
GP-22, S-6	10-12	S	05/03/02	505	<6	NS	NS	<0.025	<0.025	<0.025	<0.025	<0.025	<0.025	<0.025	<0.075	NS			
Groundwater RCL					27	-	-	0.0051	1.57	0.027	0.6582	1.1072	1.3787		3.96	-			
Non-Industrial Direct Contact RCL					400	-	-	1.6	8.02	63.8	5.52	818	219	182	260	-		1.00E+00	1.00E-05
Industrial Direct Contact RCL					(800)	-	-	(7.07)	(35.4)	(282)	(24.1)	(818)	(219)	(182)	(260)	-		1.00E+00	1.00E-05
Soil Saturation Concentration (C-sat)*					-	-	-	1820*	480*	8870*	-	818*	219*	182*	260*	-			

Bold = Groundwater RCL Exceedance

Bold & Underline = Non Industrial Direct Contact RCL Exceedance

(Bold & Parentheses) = Industrial Direct Contact RCL Exceedance

Bold & Asteric * = C-sat Exceedance

NS = Not Sampled

NM = Not Measured

(ppm) = parts per million

ND = No Detects

DRO = Diesel Range Organics

GRO = Gasoline Range Organics

PID = Photoionization Detector

PVOC's = Petroleum Volatile Organic Compounds

VOC's = Volatile Organic Compounds

Note: Non-Industrial RCLs apply to this site.

U=UNSATURATED (BASED ON ALL TIME LOW WATER TABLE PER WDNR)

S=SATURATED (BASED ON ALL TIME LOW WATER TABLE PER WDNR)

A.1 Groundwater Analytical Table
Sheleski Property BRRS #03-71-186591

Well MW-1

PVC Elevation = 749.67 (feet) (MSL)
 Re-surveyed 5-22-19 749.28

Date	Water Elevation (in feet msl)	Depth to water from top of PVC (in feet)	Lead (ppb)	Benzene (ppb)	Ethyl-benzene (ppb)	MTBE (ppb)	Naphthalene (ppb)	Toluene (ppb)	Trimethyl-benzenes (ppb)	Xylene (Total) (ppb)
05/03/02	746.01	3.66	NS	5.3	16	<0.07	3.6	1.2	25.5	61.4
05/22/19	745.39	3.89	NS	0.3	<0.53	<0.57	<1.7	<0.45	<1.48	<1.58
03/03/20	741.39	7.89	NS	<0.48	<0.55	<0.71	<1.44	<0.62	<1.37	<2.04
ENFORCEMENT STANDARD ES = Bold			15	5	700	60	100	800	480	2000
PREVENTIVE ACTION LIMIT PAL = Italics			<i>1.5</i>	<i>0.5</i>	<i>140</i>	<i>12</i>	<i>10</i>	<i>160</i>	<i>96</i>	<i>400</i>

(ppb) = parts per billion (ppm) = parts per million

NS = not sampled NM = not measured

Note: Elevations are presented in feet mean sea level (msl).

Well MW-2

PVC Elevation = 750.86 (feet) (MSL)
 Re-surveyed 5-22-19 750.26

Date	Water Elevation (in feet msl)	Depth to water from top of PVC (in feet)	Lead (ppb)	Benzene (ppb)	Ethyl-benzene (ppb)	MTBE (ppb)	Naphthalene (ppb)	Toluene (ppb)	Trimethyl-benzenes (ppb)	Xylene (Total) (ppb)
05/03/02	743.27	7.59	NS	600	220	<0.7	18	29	90	392
05/22/19	742.91	7.35	NS	19.8	2.26	<0.57	<1.7	1.36	0.99-1.74	3.58
03/03/20	741.43	8.83	NS	4.6	0.66	<0.71	<1.44	<0.62	0.71-1.37	<2.04
ENFORCEMENT STANDARD ES = Bold			15	5	700	60	100	800	480	2000
PREVENTIVE ACTION LIMIT PAL = Italics			<i>1.5</i>	<i>0.5</i>	<i>140</i>	<i>12</i>	<i>10</i>	<i>160</i>	<i>96</i>	<i>400</i>

(ppb) = parts per billion (ppm) = parts per million

NS = not sampled NM = not measured

Note: Elevations are presented in feet mean sea level (msl).

Well MW-3

PVC Elevation = 750.99 (feet) (MSL)
 Re-surveyed 5-22-19 750.51

Date	Water Elevation (in feet msl)	Depth to water from top of PVC (in feet)	Lead (ppb)	Benzene (ppb)	Ethyl-benzene (ppb)	MTBE (ppb)	Naphthalene (ppb)	Toluene (ppb)	Trimethyl-benzenes (ppb)	Xylene (Total) (ppb)
05/03/02	742.61	8.38	NS	0.38	0.21	<0.07	<0.1	0.63	<0.37	<1.22
05/22/19	741.49	9.02	NS	<0.22	<0.53	<0.57	<1.7	<0.45	<1.48	<1.58
03/03/20	740.32	10.19	NS	<0.48	<0.55	<0.71	<1.44	<0.62	<1.37	<2.04
ENFORCEMENT STANDARD ES = Bold			15	5	700	60	100	800	480	2000
PREVENTIVE ACTION LIMIT PAL = Italics			<i>1.5</i>	<i>0.5</i>	<i>140</i>	<i>12</i>	<i>10</i>	<i>160</i>	<i>96</i>	<i>400</i>

(ppb) = parts per billion (ppm) = parts per million

NS = not sampled NM = not measured

Note: Elevations are presented in feet mean sea level (msl).

A.1 Groundwater Analytical Table
Sheleski Property BRRS #03-71-186591

Well MW-4

PVC Elevation = 751.58 (feet) (MSL)
 Re-surveyed 5-22-19 751.09

Date	Water Elevation (in feet msl)	Depth to water from top of PVC (in feet)	Lead (ppb)	Benzene (ppb)	Ethyl-benzene (ppb)	MTBE (ppb)	Naphthalene (ppb)	Toluene (ppb)	Trimethyl-benzenes (ppb)	Xylene (Total) (ppb)
05/03/02	742.38	9.20	NS	2.4	120	<1.4	110	<1.6	<7.4	765
05/22/19	742.74	8.35	NS	1.58	1.48	<0.57	<1.7	0.76	0.9-1.65	1.69-2.27
03/03/20	741.37	9.72	NS	3.3	17.2	15.1	<1.44	2.34	14.1	36.19
ENFORCEMENT STANDARD ES = Bold			15	5	700	60	100	800	480	2000
PREVENTIVE ACTION LIMIT PAL = <i>Italics</i>			<i>1.5</i>	<i>0.5</i>	<i>140</i>	<i>12</i>	<i>10</i>	<i>160</i>	<i>96</i>	<i>400</i>

(ppb) = parts per billion (ppm) = parts per million

NS = not sampled NM = not measured

Note: Elevations are presented in feet mean sea level (msl).

Well MW-5

PVC Elevation = 749.95 (feet) (MSL)
 Re-surveyed 5-22-19 749.65

Date	Water Elevation (in feet msl)	Depth to water from top of PVC (in feet)	Lead (ppb)	Benzene (ppb)	Ethyl-benzene (ppb)	MTBE (ppb)	Naphthalene (ppb)	Toluene (ppb)	Trimethyl-benzenes (ppb)	Xylene (Total) (ppb)
05/03/02	743.25	6.70	NS	82	<0.8	<0.7	25	2.6	137	416
05/22/19	737.60	12.05	NS	93	11.4	<0.57	4.3	5.3	2.56	11.5
03/03/20	741.99	7.66	NS	131	24.7	0.74	12.6	10.3	17.59	37.3
ENFORCEMENT STANDARD ES = Bold			15	5	700	60	100	800	480	2000
PREVENTIVE ACTION LIMIT PAL = <i>Italics</i>			<i>1.5</i>	<i>0.5</i>	<i>140</i>	<i>12</i>	<i>10</i>	<i>160</i>	<i>96</i>	<i>400</i>

(ppb) = parts per billion (ppm) = parts per million

NS = not sampled NM = not measured

Note: Elevations are presented in feet mean sea level (msl).

Well MW-6

PVC Elevation = 746.96 (feet) (MSL)

Date	Water Elevation (in feet msl)	Depth to water from top of PVC (in feet)	Lead (ppb)	Benzene (ppb)	Ethyl-benzene (ppb)	MTBE (ppb)	Naphthalene (ppb)	Toluene (ppb)	Trimethyl-benzenes (ppb)	Xylene (Total) (ppb)
03/03/20	739.49	7.47	NS	<0.48	<0.55	<0.71	<1.44	<0.62	<1.37	<2.04
ENFORCEMENT STANDARD ES = Bold			15	5	700	60	100	800	480	2000
PREVENTIVE ACTION LIMIT PAL = <i>Italics</i>			<i>1.5</i>	<i>0.5</i>	<i>140</i>	<i>12</i>	<i>10</i>	<i>160</i>	<i>96</i>	<i>400</i>

(ppb) = parts per billion (ppm) = parts per million

NS = not sampled NM = not measured

Note: Elevations are presented in feet mean sea level (msl).

A.1 Groundwater Analytical Table
Sheleski Property BRRTS #03-71-186591

Well MW-7

PVC Elevation = 744.75 (feet) (MSL)

Date	Water Elevation (in feet msl)	Depth to water from top of PVC (in feet)	Lead (ppb)	Benzene (ppb)	Ethyl- benzene (ppb)	MTBE (ppb)	Naph- thalene (ppb)	Toluene (ppb)	Trimethyl- benzenes (ppb)	Xylene (Total) (ppb)
03/03/20	740.35	4.40	NS	<0.48	<0.55	<0.71	<1.44	<0.62	<1.37	<2.04
ENFORCEMENT STANDARD ES = Bold			15	5	700	60	100	800	480	2000
PREVENTIVE ACTION LIMIT <i>PAL = Italics</i>			<i>1.5</i>	<i>0.5</i>	<i>140</i>	<i>12</i>	<i>10</i>	<i>160</i>	<i>96</i>	<i>400</i>

(ppb) = parts per billion (ppm) = parts per million

NS = not sampled NM = not measured

Note: Elevations are presented in feet mean sea level (msl).

Well MW-9

PVC Elevation = 751.27 (feet) (MSL)

Re-surveyed 5-22-19 750.42

Date	Water Elevation (in feet msl)	Depth to water from top of PVC (in feet)	Lead (ppb)	Benzene (ppb)	Ethyl- benzene (ppb)	MTBE (ppb)	Naph- thalene (ppb)	Toluene (ppb)	Trimethyl- benzenes (ppb)	Xylene (Total) (ppb)
06/12/01	NM	NM	<1	1400	2300	<46	440	440	2420	10300
05/03/02	742.06	9.21	NS	1900	600	<25	180	74	960	2160
05/22/19	744.95	5.47	NS	6.0	1.1	<0.57	<1.7	0.72	4.3-5.05	3.72
03/03/20	740.66	9.76	NS	<0.48	<0.55	<0.71	<1.44	<0.62	<1.37	<2.04
ENFORCEMENT STANDARD ES = Bold			15	5	700	60	100	800	480	2000
PREVENTIVE ACTION LIMIT <i>PAL = Italics</i>			<i>1.5</i>	<i>0.5</i>	<i>140</i>	<i>12</i>	<i>10</i>	<i>160</i>	<i>96</i>	<i>400</i>

(ppb) = parts per billion (ppm) = parts per million

NS = not sampled NM = not measured

Note: Elevations are presented in feet mean sea level (msl).

A.6 Water Level Elevations
Sheleski Property BRRTS #03-71-186591
Menasha, Wisconsin

	MW-1	MW-2	MW-3	MW-4	MW-5	MW-6	MW-7	MW-9
Ground Surface (feet msl)	745.67	746.86	747.49	747.58	745.95	747.48	745.25	747.27
Ground Surface re-surveyed 5-22-19	749.42	750.57	751.03	751.73	749.99			750.73
PVC top (feet msl)	749.67	750.86	750.99	751.58	749.95	746.96	744.75	751.27
PVC top re-surveyed 5-22-19	749.28	750.26	750.51	751.09	749.65			750.42
Well Depth (feet)	12.77	12.65	12.30	12.70	12.05	13.00	13.00	11.00
Top of screen (feet msl)	742.90	744.21	745.19	744.88	743.90	744.48	742.25	746.27
Bottom of screen (feet msl)	732.90	734.21	735.19	734.88	733.90	734.48	732.25	736.27
Depth to Water From Top of PVC (feet)								
05/03/02	3.66	7.59	8.38	9.20	6.70	NI	NI	9.21
05/22/19	3.89	7.35	9.02	8.35	12.05	NI	NI	5.47
03/03/20	7.89	8.83	10.19	9.72	7.66	7.47	4.40	9.76
Depth to Water From Ground Surface (feet)								
05/03/02	-0.34	3.59	4.88	5.20	2.70	NI	NI	5.21
05/22/19	4.03	7.66	9.54	8.99	12.39	NI	NI	5.78
03/03/20	8.03	9.14	10.71	10.36	8.00	7.99	4.90	10.07
Groundwater Elevation (feet msl)								
05/03/02	746.01	743.27	742.61	742.38	743.25	NI	NI	742.06
05/22/19	745.39	742.91	741.49	742.74	737.60	NI	NI	744.95
03/03/20	741.39	741.43	740.32	741.37	741.99	739.49	740.35	740.66

Note: Elevations are presented in feet mean sea level (msl).
 NI = Not Installed

A.7 Other
Groundwater NA Indicator Results
Sheleski Property BRRTS #03-71-186591

Well MW-1

Date	Dissolved Oxygen (ppm)	pH	ORP	Temp (C)	Specific Conductance	Nitrate + Nitrite (ppm)	Total Sulfate (ppm)	Dissolved Iron (ppm)	Man-ganese (ppb)
05/22/19	3.67	5.73	-82.1	10.39	744	NS	NS	NS	NS
03/03/20	1.36	7.00	246.50	9.61	705	NS	NS	NS	NS
ENFORCEMENT STANDARD = ES – Bold						10	-	-	300
PREVENTIVE ACTION LIMIT = <i>PAL - Italics</i>						<i>2</i>	-	-	<i>60</i>

(ppb) = parts per billion (ppm) = parts per million

NS = not sampled NM = not measured ORP = Oxidation Reduction Potential

Note: Elevations are presented in feet mean sea level (msl).

Well MW-2

Date	Dissolved Oxygen (ppm)	pH	ORP	Temp (C)	Specific Conductance	Nitrate + Nitrite (ppm)	Total Sulfate (ppm)	Dissolved Iron (ppm)	Man-ganese (ppb)
05/22/19	3.33	5.56	-100.7	10.02	1000	NS	NS	NS	NS
03/03/20	0.74	6.96	86.90	9.80	1135	NS	NS	NS	NS
ENFORCEMENT STANDARD = ES – Bold						10	-	-	300
PREVENTIVE ACTION LIMIT = <i>PAL - Italics</i>						<i>2</i>	-	-	<i>60</i>

(ppb) = parts per billion (ppm) = parts per million

NS = not sampled NM = not measured ORP = Oxidation Reduction Potential

Note: Elevations are presented in feet mean sea level (msl).

Well MW-3

Date	Dissolved Oxygen (ppm)	pH	ORP	Temp (C)	Specific Conductance	Nitrate + Nitrite (ppm)	Total Sulfate (ppm)	Dissolved Iron (ppm)	Man-ganese (ppb)
05/22/19	3.98	6.45	-82.6	10.54	3967	NS	NS	NS	NS
03/03/20	5.87	7.30	221.00	10.68	3048	NS	NS	NS	NS
ENFORCEMENT STANDARD = ES – Bold						10	-	-	300
PREVENTIVE ACTION LIMIT = <i>PAL - Italics</i>						<i>2</i>	-	-	<i>60</i>

(ppb) = parts per billion (ppm) = parts per million

NS = not sampled NM = not measured ORP = Oxidation Reduction Potential

Note: Elevations are presented in feet mean sea level (msl).

A.7 Other

Groundwater NA Indicator Results

Sheleski Property BRRTS #03-71-186591

Well MW-4

Date	Dissolved Oxygen (ppm)	pH	ORP	Temp (C)	Specific Conductance	Nitrate + Nitrite (ppm)	Total Sulfate (ppm)	Dissolved Iron (ppm)	Man-ganese (ppb)
05/22/19	3.21	5.93	-205.1	10.70	1640	NS	NS	NS	NS
03/03/20	0.22	7.01	-111.5	11.05	1601	NS	NS	NS	NS
ENFORCEMENT STANDARD = ES – Bold						10	-	-	300
PREVENTIVE ACTION LIMIT = <i>PAL - Italics</i>						<i>2</i>	-	-	<i>60</i>

(ppb) = parts per billion (ppm) = parts per million

NS = not sampled

NM = not measured

ORP = Oxidation Reduction Potential

Note: Elevations are presented in feet mean sea level (msl).

Well MW-5

Date	Dissolved Oxygen (ppm)	pH	ORP	Temp (C)	Specific Conductance	Nitrate + Nitrite (ppm)	Total Sulfate (ppm)	Dissolved Iron (ppm)	Man-ganese (ppb)
05/22/19	3.24	5.79	-2693	10.76	3722	NS	NS	NS	NS
03/03/20	2.12	6.62	-53.0	8.79	2579	NS	NS	NS	NS
ENFORCEMENT STANDARD = ES – Bold						10	-	-	300
PREVENTIVE ACTION LIMIT = <i>PAL - Italics</i>						<i>2</i>	-	-	<i>60</i>

(ppb) = parts per billion (ppm) = parts per million

NS = not sampled

NM = not measured

ORP = Oxidation Reduction Potential

Note: Elevations are presented in feet mean sea level (msl).

Well MW-6

Date	Dissolved Oxygen (ppm)	pH	ORP	Temp (C)	Specific Conductance	Nitrate + Nitrite (ppm)	Total Sulfate (ppm)	Dissolved Iron (ppm)	Man-ganese (ppb)
03/03/20	0.54	7.10	80.30	9.52	2762	NS	NS	NS	NS
ENFORCEMENT STANDARD = ES – Bold						10	-	-	300
PREVENTIVE ACTION LIMIT = <i>PAL - Italics</i>						<i>2</i>	-	-	<i>60</i>

(ppb) = parts per billion (ppm) = parts per million

NS = not sampled

NM = not measured

ORP = Oxidation Reduction Potential

Note: Elevations are presented in feet mean sea level (msl).

A.7 Other
Groundwater NA Indicator Results
Sheleski Property BRRTS #03-71-186591

Well MW-7

Date	Dissolved Oxygen (ppm)	pH	ORP	Temp (C)	Specific Conductance	Nitrate + Nitrite (ppm)	Total Sulfate (ppm)	Dissolved Iron (ppm)	Man-ganese (ppb)
03/03/20	0.97	7.23	20.50	4.99	3924	NS	NS	NS	NS
ENFORCEMENT STANDARD = ES – Bold						10	-	-	300
PREVENTIVE ACTION LIMIT = <i>PAL - Italics</i>						<i>2</i>	-	-	<i>60</i>

(ppb) = parts per billion (ppm) = parts per million

NS = not sampled NM = not measured ORP = Oxidation Reduction Potential

Note: Elevations are presented in feet mean sea level (msl).

Well MW-9

Date	Dissolved Oxygen (ppm)	pH	ORP	Temp (C)	Specific Conductance	Nitrate + Nitrite (ppm)	Total Sulfate (ppm)	Dissolved Iron (ppm)	Man-ganese (ppb)
05/22/19	4.73	5.99	-74.7	10.01	1226	NS	NS	NS	NS
03/03/20	0.70	7.11	96.50	10.79	1422	NS	NS	NS	NS
ENFORCEMENT STANDARD = ES – Bold						10	-	-	300
PREVENTIVE ACTION LIMIT = <i>PAL - Italics</i>						<i>2</i>	-	-	<i>60</i>

(ppb) = parts per billion (ppm) = parts per million

NS = not sampled NM = not measured ORP = Oxidation Reduction Potential

Note: Elevations are presented in feet mean sea level (msl).

A.4 Vapor Analytical Table
Sub-Slab Sampling Data Table for Sheleski Property
BY METCO

Sub-Slab Sampling conducted on:	3/4/2020	3/4/2020	WDNR	WDNR	
			Small Commercial Sub-Slab Vapor Action Levels for Various VOCs Quick Look-Up Table Updated November, 2017	Residential Sub-Slab Vapor Action Levels for Various VOCs Quick Look-Up Table Updated November, 2017	
Sample ID	SS-1	SS-2	(ug/m ³)	(ug/m ³)	
Benzene – ug/m ³	0.51	1.47	530	120	c
Carbon Tetrachloride – ug/m ³	NS	NS	670	160	c
Chloroform – ug/m ³	NS	NS	180	40	c
Chloromethane – ug/m ³	NS	NS	13000	3100	n
Dichlorodifluoromethane – ug/m ³	NS	NS	15000	3300	n
1,1-Dichloroethane (1,1-DCA) – ug/m ³	NS	NS	2600	600	c
1,2-Dichloroethane (1,2-DCA) – ug/m ³	NS	NS	160	37	c
1,1-Dichloroethylene (1,1-DCE) – ug/m ³	NS	NS	29000	7000	n
1,2-Dichloroethylene (cis and trans) – ug/m ³	NS	NS	NA	NA	-
Ethylbenzene – ug/m ³	1.26	4.4	1600	370	c
Methylene chloride – ug/m ³	NS	NS	87000	21000	n
Methyl Tert-Butyl Ether (MTBE) – ug/m ³	<0.16	<0.16	16000	3700	c
Naphthalene – ug/m ³	22.3	1.05	120	28	c
Tetrachloroethylene – ug/m ³	NS	NS	6000	1400	n
Toluene – ug/m ³	1.88	9.8	730000	170000	n
1,1,1-Trichloroethane – ug/m ³	NS	NS	730000	170000	n
Trichloroethylene – ug/m ³	NS	NS	290	70	n
Trichlorofluoromethane (Halcarbon 11) – ug/m ³	NS	NS	NA	NA	-
Trimethylbenzene (1,2,4) – ug/m ³	13.9	3.3	8700	2100	n
Trimethylbenzene (1,3,5) – ug/m ³	3.2	0.74	8700	2100	n
Vinyl chloride – ug/m ³	NS	NS	930	57	c
Xylene (total) – ug/m ³	5.42	7.77	15000	3300	n

ug/m³ = Micrograms per cubic meter.

< = Less than the reporting limit indicated in parentheses.

Bold = Sub-Slab Standard Exceedance

NS = Not sampled

c = Carcinogen

n = Non Carcinogen

J = between Limit of Detection (LOD) and Limit of Quantitation (LOQ)

*** Please note that other VOCs were detected that are not on the WDNR Sub-Slab Vapor Action Levels Quick Look-Up Table.**

B = Compound was found in the blank and sample

E = Result exceeded calibration range

Synergy Environmental Lab, INC

1990 Prospect Ct., Appleton, WI 54914 *P 920-830-2455 * F 920-733-0631

NICK STINGL
BRAUN INTERTEC
2309 PALACE STREET
LA CROSSE, WI 54603

Report Date 10-Mar-20

Project Name 221 WASHINGTON ST., MENASHA
Project # B2001498

Invoice # E37575

Lab Code 5037575A
Sample ID SS-1
Sample Matrix Air
Sample Date 3/4/2020

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
Air Samples										
Benzene	0.51	ug/m3	0.136	0.433	1	TO-15		3/5/2020	CJR	1
Ethylbenzene	1.26	ug/m3	0.203	0.645	1	TO-15		3/5/2020	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.16	ug/m3	0.16	0.509	1	TO-15		3/5/2020	CJR	1
Naphthalene	22.3	ug/m3	0.675	2.15	1	TO-15		3/5/2020	CJR	1
Toluene	1.88	ug/m3	0.184	0.585	1	TO-15		3/5/2020	CJR	1
1,2,4-Trimethylbenzene	13.9	ug/m3	0.283	0.899	1	TO-15		3/5/2020	CJR	1
1,3,5-Trimethylbenzene	3.2	ug/m3	0.232	0.739	1	TO-15		3/5/2020	CJR	1
m&p-Xylene	3.3	ug/m3	0.377	1.2	1	TO-15		3/5/2020	CJR	1
o-Xylene	2.12	ug/m3	0.218	0.695	1	TO-15		3/5/2020	CJR	1

Project Name 221 WASHINGTON ST., MENASHA
Project # B2001498

Invoice # E37575

Lab Code 5037575B
Sample ID SS-2
Sample Matrix Air
Sample Date 3/4/2020

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
Air Samples										
Benzene	1.47	ug/m3	0.136	0.433	1	TO-15		3/5/2020	CJR	1
Ethylbenzene	4.4	ug/m3	0.203	0.645	1	TO-15		3/5/2020	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.16	ug/m3	0.16	0.509	1	TO-15		3/5/2020	CJR	1
Naphthalene	1.05 "J"	ug/m3	0.675	2.15	1	TO-15		3/5/2020	CJR	1
Toluene	9.8	ug/m3	0.184	0.585	1	TO-15		3/5/2020	CJR	1
1,2,4-Trimethylbenzene	3.3	ug/m3	0.283	0.899	1	TO-15		3/5/2020	CJR	1
1,3,5-Trimethylbenzene	0.74 "J"	ug/m3	0.232	0.739	1	TO-15		3/5/2020	CJR	1
m&p-Xylene	5.3	ug/m3	0.377	1.2	1	TO-15		3/5/2020	CJR	1
o-Xylene	2.47	ug/m3	0.218	0.695	1	TO-15		3/5/2020	CJR	1

"J" Flag: Analyte detected between LOD and LOQ

LOD Limit of Detection

LOQ Limit of Quantitation

Code	Comment
------	---------

1	Laboratory QC within limits.
---	------------------------------

All solid sample results reported on a dry weight basis unless otherwise indicated. All LOD's and LOQ's are adjusted for dilutions but not dry weight. Subcontracted results are denoted by SUB in the analyst field.

Authorized Signature



CHAIN OF STUDY RECORD

Synergy

Environmental Lab, Inc.

www.synergy-lab.net

1990 Prospect Ct. • Appleton, WI 54914

920-830-2455 • mrsynergy@wi.twcbc.com

Chain # No 41088

Page ____ of ____

Sample Handling Request

Rush Analysis Date Required:

(Rushes accepted only with prior authorization)

X Normal Turn Around

Lab I.D. #
QUOTE # :
Project #: B2001498
Sampler: (signature) David M. Bradshaw

Project (Name / Location): 221 Washington St., Menasha, WI 54952	
Reports To: Nick Stingl	Invoice To: Nick Stingl
Company Braun Intertec	Company Braun
Address 2309 Palace St.	Address
City State Zip LaCrosse, WI 54603	City State Zip
Phone 608-781-7277	Phone
Email nstingl@braunintertec.com	Email

[illegible][illegible]

Comments/Special Instructions (*Specify groundwater "GW", Drinking Water "DW", Waste Water "WW", Soil "S", Air "A", Oil, Sludge, etc.)

Sample Integrity - To be completed by receiving lab.

Method of Shipment: Client

Temp. of Temp. Blank: _____ °C On Ice: 5

Cooler seal intact upon receipt 5 Yes _____ No

Relinquished By: (sign) <i>David M. Bradshaw</i>	Time <i>12:34</i>	Date <i>3-4-20</i>	Received By: (sign)	Time	Date
Received in Laboratory By: <i>[Signature]</i>			Time: <i>12:34 pm</i> Date: <i>3-4-20</i>		