## Letter of Transmittal

Submitted to:	
Grant Neitzel	
WDNR - Southeast Region RR Program 1701 N. 4Th Street SuperiorWI5 4880	
Date:	
4/14/2020 Job:	Attached
Steve's Corner Bar	OUnder Separate Cover

Contents:

Well Abandonment Forms for the Steve's Corner Bar site located at 200 N. Main Street in Butternut, WI.

BRRTS #: 03-02-199424

#### Remarks:

Attached are the well abandonment forms for the above site as requested in your email correspondence dated 4/8/20. The wells have been properly abandoned and no investigative waste remains on-site. Attached are well abandonment forms documenting that the work was completed. Following your review of this information please forward the "Final Closure" letter to our client and copy METCO.

If you have any questions please call or email.

Signed: Jason Powell

cc: Steve Rusnak - Client

METCO 709 Gillette St., Ste 3 La Crosse, WI 54603-2382 (608)781-8879 fax (608)781-8893 State of Wis., Dept. of Natural Resources dnr.wi.gov

# Well / Drillhole / Borehole Filling & Sealing

Form 3300-005 (R 4/08)

Page 1 of 2

Notice: Completion of this report is required by chs. 160, 281, 283, 289, 291-293, 295, and 299, Wis. Stats., and ch. NR 141, Wis. Adm. Code. In accordance with chs. 281, 289, 291-293, 295, and 299, Wis. Stats., failure to file this form may result in a forfeiture of between \$10-25,000, or imprisonment for up to one year, depending on the program and conduct involved. Personally identifiable information on this form is not intended to be used for any other purpose. Return form to the appropriate DNR office and bureau. See instructions on reverse for more information Route to: X Remediation/Redevelopment Watershed/Wastewater Drinking Water Verification Only of Fill and Seal Waste Management Other: Facility / Owner Information 1. Well Location Information WI Unique Well # of County licap # acility Name Removed Well Steve's Corner Bar WA142 **ASHLAND** acility ID (FID or PWS) Lattitude / Longitude (Degrees and Minutes) Method Code (see instructions) 0.88 .icense/Permit/Monitoring # 90 29.55 "W Original Well Owner 14/14 NE Section Township Range SE E Steve Rusnak or Gov't Lot # 21 1 41 W resent Well Owner Well Street Address Steve Rusnak 200 Main Street Mailing Address of Present Owner Well City, Village or Town Well ZIP Code P.O. Box 191 Butternut 54514-City of Present Owner State ZIP Code Subdivision Name Lot # WI 54514-Butternut Pump, Liner, Screen, Casing & Sealing Material WI Unique Well # of Replacement Well Reason For Removal From Service Pump and piping removed? Sampling Complete  $\square_{No}$ 3. Well / Drillhole / Borehole Information Liner(s) removed?  $\square_{\text{Yes}} [x]_{\text{No}}$ Original Construction Date (mm/dd/yvvv) Screen removed? [X] Monitoring Well □<sub>No</sub> 7/2/2018 Casing left in place? Water Well [X]Yes UNO. If a Well Construction Report is available, Was casing cut off below surface? Borehole / Drillhole please attach. No Did sealing material rise to surface? Construction Type: [x]No Did material settle after 24 hours? X Drilled Driven (Sandpoint) Dug If yes, was hole retopped? □No. If bentonite chips were used, were they hydrated with water from a known safe source? Other (specify): Required Method of Placing Sealing Material Formation Type: Conductor Pipe-Gravity Conductor Pipe-Pumped X Unconsolidated Formation Bedrock Screened & Poured (Bentonite Chips) [X] Other (Explain): Gravity Total Well Depth From Ground Surface (ft.) Casing Diameter (in.) 2 Sealing Materials Lower Drillhole Diameter (in.) Casing Depth (ft.) **Neat Cement Grout** Clay-Sand Slurry (11 lb./gal. wt.) 5 8.25 Sand-Cement (Concrete) Grout Bentonite-Sand Slurry " " Bentonite Chips Concrete  $[x]_{Yes}$ No Unknown Was well annular space grouted? or Monitoring Wells and Monitoring Well Boreholes Only: If yes, to what depth (feet)? Depth to Water (feet) [X] Bentonite Chips Bentonile - Cement Grout 4.82 Granular Bentonite Bentonite - Sand Slurry 5. Material Used To Fill Well / Drillhole From (ft) To (ft) lbs Bentonite Chips Surface 24 15 6. Comments Monitoring Well MW-1 7. Supervision of Work **DNR Use Only** Name of Person or Firm Doing Filling & Sealing Date of Filling & Sealing (mm/dd/yyyy) Date Received Noted By **Rob Wilmoth - METCO** 4/13/2020

Street or Route Telephone Number Comments 709 Gillette St., Ste #3 608) 781-8879 City State ZIP Code Signature of Person Doing Work Date Signed La Crosse WI 54603-4/13/2020 State of Wis., Dept. of Natural Resources dnr.wi.gov

## Well / Drillhole / Borehole Filling & Sealing

Form 3300-005 (R 4/08)

Page 1 of 2

Notice: Completion of this report is required by chs. 160, 281, 283, 289, 291-293, 295, and 299, Wis. Stats., and ch. NR 141, Wis. Adm. Code. In accordance with chs. 281, 289, 291-293, 295, and 299, Wis. Stats., failure to file this form may result in a forfeiture of between \$10-25,000, or imprisonment for up to one year, depending on the program and conduct involved. Personally identifiable information on this form is not intended to be used for any other purpose. Return form to the appropriate DNR office and bureau. See instructions on reverse for more information. Route to: X Remediation/Redevelopment Watershed/Wastewater Drinking Water ☐ Verification Only of Fill and Seal Waste Management

1. Well Location Information		Perchante	2. Facility	/ Owner Inf	ormation		
County WI Un		licap#	Facility Name Steve's Corner Bar				
Lattitude / Longitude (Degrees ar		Code (see instructions)	Facility ID (F	ID or PWS)			
46 • 0.88 ·	'N	Code (ace mandenons)	License/Pern	nit/Monitoring	#		
W/W NE W SE		aship Range TE	Original Well		ve Rusnak		
Well Street Address	21 4	N 1 [x] W	Present Well		eve Rusnak		
200 Main Street  Well City, Village or Town  Butternut  54514-			Mailing Address of Present Owner P.O. Box 191				
Subdivision Name		Lot #	City of Prese	Butte	DISTRIBUTE CONTRACTOR OF THE PARTY.	State WI	ZIP Code 54514-
Reason For Removal From Servi Sampling Complete		# of Replacement Well	Pump and	l piping remo	n, Casing & Sea ved?	ling Mate	Yes No [X]N/A
3. Well / Drillhole / Borehole Information  [X] Monitoring Well  Original Const		on Date (mm/dd/yyyy)	Liner(s) removed?  Screen removed?		Yes $\square_{No} [x]_{N/A}$ Yes $[x]_{No} \square_{N/A}$		
Water Well Borehole / Drillhole		7/2/2018  I Construction Report is available, attach.		f in place?	[X] <sub>Yes</sub>		
Construction Type:  [X] Drilled			Did sealing material rise to surface?  Did material settle after 24 hours?  If yes, was hole retopped?  If bentonite chips were used, were they hydrated with water from a known safe source?				
Formation Type:		-	Required Me	thod of Placin	g Sealing Material		
[x] Unconsolidated Formation	Bedro	ck		ctor Pipe-Grav			
Total Well Depth From Ground S 1	The state of the s	Diameter (in.) 2	Screened & Poured (Bentonite Chips)  Sealing Materials  [X] Other (Explain): Gravity				
Lower Drillhole Diameter (in.)	3.25 Casing D	Depth (ft.)	Neat Cement Grout Clay-Sand Slurry (11 lb./gal. wt Bentonite-Sand Slurry " "				
Was well annular space grouted?	[x] <sub>Yes</sub>	No Unknown	For Monitorin		Monitoring Well Bon		te Chips
If yes, to what depth (feet)?  2.5	Depth to Wate	4.26	[X] Benton		Bento		ment Grout
5. Material Used To Fill Well /	Drillhole	j. j	From (ft.)	To (ft.)	lbs		7
Bentonite Chips		Surface	14	22.4			
	34						
6. Comments	The second secon				-southings d	esini.	
Monitoring Well MW-2							

#### 7. Supervision of Work **DNR Use Only** Date of Filling & Sealing (mm/dd/yyyy) Name of Person or Firm Dolng Filling & Sealing License # Date Received Noted By Rob Wilmoth - METCO 4/13/2020 Street or Route Telephone Number Comments 709 Gillette St., Ste #3 608) 781-8879 City ZIP Code State Signature of Person Doing Work Date Signed 4/13/2020 La Crosse 54603-WI

State of Wis., Dept. of Natural Resources dnr.wi.gov

La Crosse

WI

54603-

## Well / Drillhole / Borehole Filling & Sealing Form 3300-005 (R 4/08) Page 1 of 2

4/13/2020

Notice: Completion of this report is required by chs. 160, 281, 283, 289, 291-293, 295, and 299, Wis. Stats., and ch. NR 141, Wis. Adm. Code. In accordance

with chs. 281, 289, 291-293, 295, and 299, Wis. Stats., failure to file this form may result in a forfeiture of between \$10-25,000, or imprisonment for up to one year, depending on the program and conduct involved. Personally identifiable information on this form is not intended to be used for any other purpose. Return form to the appropriate DNR office and bureau. See instructions on reverse for more information. Route to: X Remediation/Redevelopment Watershed/Wastewater Drinking Water Verification Only of Fill and Seal Waste Management Other: 1. Well Location Information Facility / Owner Information WI Unique Well # of County Hicap # acility Name Removed Well Steve's Corner Bar WA144 **ASHLAND** acility ID (FID or PWS) Lattitude / Longitude (Degrees and Minutes) Method Code (see instructions) 46 0.88 icense/Permit/Monitoring # 90 29.55 ' W Original Well Owner 1/4/1/4 NF SE Section ownship Range E Steve Rusnak or Gov't Lot# 21 41 1 N W resent Well Owner Well Street Address Steve Rusnak 200 Main Street Mailing Address of Present Owner Well City, Village or Town Well ZIP Code P.O. Box 191 Butternut 54514-ZIP Code City of Present Owner State Subdivision Name Lot# Butternut WI 54514-Pump, Liner, Screen, Casing & Sealing Material WI Unique Well # of Replacement Well Reason For Removal From Service No Pump and piping removed? Sampling Complete □ No Liner(s) removed? 3. Well / Drillhole / Borehole Information  $\square_{\text{Yes}} [x]_{\text{No}}$ Original Construction Date (mm/dd/yyyy) Screen removed? [X] Monitoring Well . [X]Yes  $\square_{No}$ 7/2/2018 Casing left in place? Water Well [X]<sub>Yes</sub> □<sub>No</sub> If a Well Construction Report is available. Was casing cut off below surface? Borehole / Drillhole nlease attach.  $[X]_{Yes} \square_{No}$ Did sealing material rise to surface? Construction Type:  $\square_{\text{Yes}} [X]_{\text{No}}$ Did material settle after 24 hours? X Drilled Driven (Sandpoint) Dua No If yes, was hole retopped? If bentonite chips were used, were they hydrated with water from a known safe source? Other (specify): No Required Method of Placing Sealing Material Formation Type: Conductor Pipe-Gravity Conductor Pipe-Pumped X Unconsolidated Formation Bedrock Screened & Poured (Bentonite Chips) [X] Other (Explain): Gravity Total Well Depth From Ground Surface (ft.) Casing Diameter (in.) 2 13 Sealing Materials Lower Drillhole Diameter (in.) Casing Depth (ft.) **Neat Cement Grout** Clay-Sand Slurry (11 lb./gal. wt.) 3 8.25 Sand-Cement (Concrete) Grout Bentonite-Sand Slurry " " Bentonite Chips [x]<sub>Yes</sub> No Unknown Was well annular space grouted? or Monitoring Wells and Monitoring Well Boreholes Only: If yes, to what depth (feet)? Depth to Water (feet) [X] Bentonite Chips Bentonite - Cement Grout 2.2 2.98 Granular Bentonite Bentonite - Sand Slurry 5. Material Used To Fill Well / Drillhole From (ft.) To (ft) lbs Bentonite Chips Surface 13 20.8 6. Comments Monitoring Well MW-3 7. Supervision of Work **DNR Use Only** Name of Person or Firm Doing Filling & Sealing Date of Filling & Sealing (mm/dd/yyyy) Date Received Noted By Rob Wilmoth - METCO 4/13/2020 Street or Route Telephone Number Comments 709 Gillette St., Ste #3 608) 781-8879 City ZIP Code State Signature of Person Doing Work Date Signed

State of Wis., Dept. of Natural Resources dnr.wi.gov

## Well / Drillhole / Borehole Filling & Sealing Form 3300-005 (R 4/08) Page 1 of 2

Notice: Completion of this report is required by chs. 160, 281, 283, 289, 291-293, 295, and 299, Wis. Stats., and ch. NR 141, Wis. Adm. Code. In accordance with chs. 281, 289, 291-293, 295, and 299, Wis. Stats., failure to file this form may result in a forfeiture of between \$10-25,000, or imprisonment for up to one year, depending on the program and conduct involved. Personally identifiable information on this form is not intended to be used for any other purpose. Return

form to the appropriate DNR office and bureau. See instructions on reverse for more information. Route to: X Remediation/Redevelopment Watershed/Wastewater Drinking Water ☐ Verification Only of Fill and Seal Waste Management Other: 1. Well Location Information Facility / Owner Information County WI Unique Well # of licap # acility Name Removed Well Steve's Corner Bar WA145 **ASHLAND** acility ID (FID or PWS) Lattitude / Longitude (Degrees and Minutes) Method Code (see instructions) 46 0.88 icense/Permit/Monitoring# 90 29.55 114 Original Well Owner 1/4/1/4 NE SE Section Township Range E Steve Rusnak or Gov't Lot # 21 1 W resent Well Owner Well Street Address Steve Rusnak 200 Main Street Mailing Address of Present Owner Well City, Village or Town Well ZIP Code P.O. Box 191 Butternut 54514-ZIP Code City of Present Owner State Subdivision Name Lot # Butternut WI 54514-Pump, Liner, Screen, Casing & Sealing Material Reason For Removal From Service WI Unique Well # of Replacement Well  $\sqcup_{\mathsf{No}}$ Pump and piping removed? Sampling Complete □<sub>No</sub> 3. Well / Drillhole / Borehole Information Liner(s) removed?  $\square_{\text{Yes}} [x]_{\text{No}}$ Original Construction Date (mm/dd/yyyy) Screen removed? [X] Monitoring Well No 7/2/2018 Casing left in place? Water Well □<sub>No</sub> If a Well Construction Report is available, Was casing cut off below surface? Borehole / Drillhole please attach. □<sub>No</sub> X Did sealing material rise to surface? Construction Type:  $[X]_{No}$ Did material settle after 24 hours? X Drilled Driven (Sandpoint) Dug □<sub>No</sub> If yes, was hole retopped? If bentonite chips were used, were they hydrated with water from a known safe source? Other (specify): No Required Method of Placing Sealing Material Formation Type: Conductor Pipe-Gravity Conductor Pipe-Pumped X Unconsolidated Formation Bedrock Screened & Poured [X] Other (Explain): Gravity Total Well Depth From Ground Surface (ft.) Casing Diameter (in.) (Bentonite Chips) 2 14 Sealing Materials Lower Drillhole Diameter (in.) Casing Depth (ft.) **Neat Cement Grout** Clay-Sand Slurry (11 lb./gal. wt.) 8.25 4 Sand-Cement (Concrete) Grout Bentonite-Sand Slurry " " Concrete Bentonite Chips  $[x]_{Yes}$ No Unknown Was well annular space grouted? or Monitoring Wells and Monitoring Well Boreholes Only: If yes, to what depth (feet)? Depth to Water (feet) [X] Bentonite Chips Bentonite - Cement Grout 2.5 3.9 Granular Bentonite Bentonite - Sand Slurry 5. Material Used To Fill Well / Drillhole From (ft.) To (ft.) lbs **Bentonite Chips** Surface 14 22.4 6. Comments Monitoring Well MW-4 7. Supervision of Work **DNR Use Only** Name of Person or Firm Doing Filling & Sealing Date of Filling & Sealing (mm/dd/yyyy) Date Received Noted By **Rob Wilmoth - METCO** 4/13/2020 Street or Route Telephone Number Comments 709 Gillette St., Ste #3 (608) 781-8879 City ZIP Code State Signature of Person Doing Work Date Signed La Crosse WI 54603-4/13/2020