

GIS REGISTRY INFORMATION

SITE NAME: HARVEYS SERVICE

BRRTS #: 03-35-000005 **FID # (if appropriate):** 735059160

COMMERCE # (if appropriate): 54487-1351-02-A

CLOSURE DATE: June 14, 2007

STREET ADDRESS: 402 N 4th St

CITY: Tomahawk

SOURCE PROPERTY GPS COORDINATES (meters in WTM91 projection): X= 541181 Y= 555769

CONTAMINATED MEDIA: Groundwater Soil Both

OFF-SOURCE GW CONTAMINATION >ES: Yes No

IF YES, STREET ADDRESS 1: 9 E. Prospect Avenue

GPS COORDINATES (meters in WTM91 projection): X= 541202 Y= 555775

IF YES, STREET ADDRESS 2: 408 N. 4th Street

GPS COORDINATES (meters in WTM91 projection): X= 541188 Y= 555793

OFF-SOURCE SOIL CONTAMINATION >Generic or Site-Specific RCL (SSRCL): Yes No

IF YES, STREET ADDRESS 1: _____

GPS COORDINATES (meters in WTM91 projection): X= _____ Y= _____

CONTAMINATION IN RIGHT OF WAY: Yes No

DOCUMENTS NEEDED:

Closure Letter, and any conditional closure letter or denial letter issued	X
Copy of any maintenance plan referenced in the final closure letter.	
Copy of (soil or land use) deed notice <i>if any required as a condition of closure</i>	
Copy of most recent deed, including legal description, for all affected properties	X
Certified survey map or relevant portion of the recorded plat map <i>(if referenced in the legal description)</i> for all affected properties	X
County Parcel ID number, <i>if used for county</i> , for all affected properties	X
Location Map which outlines all properties within contaminated site boundaries on USGS topographic map or plat map in sufficient detail to permit the parcels to be located easily (8.5x14" if paper copy). If groundwater standards are exceeded, the map must also include the location of all municipal and potable wells within 1200' of	X
Detailed Site Map(s) for all affected properties, showing buildings, roads, property boundaries, contaminant sources, utility lines, monitoring wells and potable wells. (8.5x14", if paper copy) This map shall also show the location of all contaminated public streets, highway and railroad rights-of-way in relation to the source	X
Tables of Latest Groundwater Analytical Results (no shading or cross-hatching)	X
Tables of Latest Soil Analytical Results (no shading or cross-hatching)	X
Isoconcentration map(s), <i>if required for site investigation (SI)</i> (8.5x14" if paper copy). The isoconcentration map should have flow direction and extent of groundwater contamination defined. If not available, include the latest extent of contaminant plume map.	X
GW: Table of water level elevations, with sampling dates, and free product noted if present	X
GW: Latest groundwater flow direction/monitoring well location map (should be 2 maps if maximum variation in flow direction is greater than 20 degrees)	X
SOIL: Latest horizontal extent of contamination exceeding generic or SSRCLs, with one contour	X
Geologic cross-sections, <i>if required for SI.</i> (8.5x14' if paper copy)	X
RP certified statement that legal descriptions are complete and accurate	X
Copies of off-source notification letters (if applicable)	X
Letter Informing ROW owner of residual contamination (if applicable)(public, highway or railroad ROW)	X



June 14, 2007

Dennis Janeczko
D & R Auto Sales
402 N 4th St
Tomahawk, WI 54487-1351

RE: **Final Closure**

Commerce # 54487-1351-02-A DNR BRRTS # 03-35-000005
Harvey's Service (Former), 402 N 4th St, Tomahawk

Dear Mr. Janeczko:

The Wisconsin Department of Commerce (Commerce) has received all items required as conditions for closure of the site referenced above. This case is now listed as "closed" on the Commerce database and will be included on the Department of Natural Resources (DNR) Geographic Information System (GIS) Registry of Closed Remediation Sites to address residual contamination. It is in your best interest to keep all documentation related to the environmental activities that were conducted.

If residual contamination is encountered in the future, it must be managed in accordance with all applicable state and federal regulations. If it is determined that any remaining contamination poses a threat, the case may be reopened and further investigation or remediation may be required.

Thank you for your efforts to bring this case to closure. If you have any questions, please contact me in writing at the letterhead address or by telephone at (715) 342-3802.

Sincerely,

A handwritten signature in black ink that reads "Dee Zoellner". The signature is written in a cursive style.

Dee Zoellner
Senior Hydrogeologist
Site Review Section

cc: Andy Delforge, REI Engineering, Inc



ENVIRONMENTAL & REGULATORY SERVICES DIVISION
BUREAU OF PECFA
2715 Post Road
Stevens Point, Wisconsin 54481-
TDD #: (608) 264-8777
Fax #: (715) 345-5269
Jim Doyle, Governor
Mary P. Burke, Secretary

June 8, 2007

Dennis Janeczko
D & R Auto Sales
402 N 4th St
Tomahawk, WI 54487-1351

RE: **Conditional Case Closure**

Commerce # 54487-1351-02-A DNR BRRTS # 03-35-000005
Harvey's Service (Former), 402 N 4th St, Tomahawk

Dear Mr. Janeczko:

The Wisconsin Department of Commerce (Commerce) has reviewed the request for case closure prepared by your consultant, REI Engineering, Inc, for the site referenced above. It is understood that residual soil and groundwater contamination remains on site. Commerce has determined that this site does not pose a significant threat to the environment and human health. No further investigation or remedial action is necessary.

The following condition must be satisfied to obtain final closure:

- All [MW 1 - MW 6 & PZ 1] monitoring wells must be properly abandoned. The appropriate documentation must be forwarded to the letterhead address.

This letter serves as your written notice of "no further action." Timely filing of your final PECFA claim (if applicable) is encouraged. If your claim is not received within 120 days of the date of this letter, interest costs incurred after 60 days of the date of this letter will not be eligible for PECFA reimbursement.

Thank you for your efforts to protect Wisconsin's environment. If you have any questions, please contact me in writing at the letterhead address or by telephone at (715) 342-3802.

Sincerely,

A handwritten signature in black ink, appearing to read "Dee Zoellner". The signature is written in a cursive, flowing style.

Dee Zoellner
Senior Hydrogeologist
Site Review Section

cc: Andy Delforge, REI



ENVIRONMENTAL & REGULATORY SERVICES DIVISION
BUREAU OF PECFA
2715 Post Road
Stevens Point, Wisconsin 54481-
TDD #: (608) 264-8777
Fax #: (715) 345-5269
Jim Doyle, Governor
Mary P. Burke, Secretary

January 9, 2007

D & R Auto Sales
Dennis Janeczko
402 N 4th St
Tomahawk, WI 54487-1351

RE: **Closure Denied**

Commerce # 54487-1351-02-A DNR BRRTS # 03-35-000005
Harveys Service, 402 N 4th St, Tomahawk

Dear Mr. Janeczko:

On October 25, 2006, the Wisconsin Department of Commerce (Commerce) received a request for case closure prepared by your consultant, REI Engineering, Inc, for the site referenced above. Commerce has determined that this case cannot be closed until you provide additional information and address the following concerns:

- A copy of notification provided to City/village/municipality/state agency responsible for maintenance of a road right-of-way must be received.
- Explain the reason as to why Naphthalene is being detected in MW1 & MW2. Is it possibly coming from an off site source from the south/southwest? Identify the past and current uses for those parcels.
- Two temporary wells need to be installed to verify the effectiveness of the excavation since contaminated soil was left in place to maintain the integrity of MW2. The well locations have been identified on the attached map and discussed with REI. Groundwater samples need to be obtained on a quarterly basis and analyzed for PVOC's and Naphthalene.
- Soil samples HAB 1 & 2 locations identified on Figure 5 do not correlate with the analyses that were run for the tank contents as identified on Table 1b, please clarify.
- If MW11 groundwater elevations are going to be reported then MW11 needs to be shown on the site maps.

State Statute 101.143 allows for a PECFA claim to be submitted if at least \$50,000 in unclaimed eligible costs has been incurred and no claim has been submitted during the previous 12 months. This site appears to meet this claim milestone. Consequently, Commerce suggests that you submit a claim as soon as possible so that unwarranted PECFA loan costs are not incurred.

Thank you for your efforts to move this case toward closure. If you have any questions, please contact me in writing at the letterhead address or by telephone at (715) 342-3802.

Sincerely,

A handwritten signature in cursive script that reads "Dee Zoellner". The signature is written in black ink and is positioned above the typed name.

Dee Zoellner
Senior Hydrogeologist
Site Review Section

cc: Andy Delforge, REI Engineering, Inc

356860

STATE BAR OF WISCONSIN FORM 3 - 1982
QUIT CLAIM DEED

DOCUMENT NO.

Ralph Steffen and Rose Steffen, his wife,

quit-claims to Dennis Janeczko and Ann Janeczko,
husband and wife, as survivorship marital
property

the following described real estate in Lincoln County,
State of Wisconsin:

The West 62 feet of Lot Nine (9), of Block
Forty-six (46), of the Tomahawk Land and
Boom Company's Second Addition to Tomahawk,
Lincoln County, Wisconsin.

The grantees shall be responsible for the
1997 real estate taxes in their entirety,

LINCOLN COUNTY, WIS.
Received for Recording the 15th day of April, A.D. 1997
11:00 o'clock A.M. and Recorded in
Vol. 588 of RECORDS on page 27
Gene Carahan
REGISTER OF DEEDS

THIS SPACE RESERVED FOR RECORDING DATA

NAME AND RETURN ADDRESS
SEROOGY & REIFF
ATTORNEYS AT LAW
321 West Wisconsin Ave.
P.O. Box 327
Tomahawk, WI 54487-0327

36.6.000.683.00.0.0
PARCEL IDENTIFICATION NUMBER

TRANSFER
\$12.00
FEB

This is not homestead property.
(is) (is not)

Dated this 15-18 day of April, 1997.

Ralph Steffen (SEAL)
Ralph Steffen

Rose Steffen (SEAL)
Rose Steffen

AUTHENTICATION

Signature(s) Ralph Steffen

authenticated this 15th day of April, 1997

David E. Reiff

MEMBER STATE BAR OF WISCONSIN
(If not, authorized by §706.06, Wis. Stats.)

THIS INSTRUMENT WAS DRAFTED BY
David E. Reiff of

SEROOGY & REIFF, ATTYs.

(Signatures may be authenticated or acknowledged. Both are not necessary.)

Per description provided.

ACKNOWLEDGMENT

State of Wisconsin }
Carroll County } ss.

Personally came before me this 18 day of
April, 1997, the above named
Rose Steffen

BARBARA PATTY

NOTARY PUBLIC, STATE OF ARKANSAS

to me known by COMMISSION EXPIRES 3-6-2004 the foregoing
instrument and acknowledged in CARROLL COUNTY

Barbara Patty

Notary Public, Carroll County, AR

My commission is permanent. (If not, state expiration date:
3-6-2004)

* Names of persons signing in any capacity should be typed or printed below their signatures.

State Bar of Wisconsin Form 3-2003
QUIT CLAIM DEED

441996

Document Number

Document Name

THIS DEED, made between Mahlon W. Kernin and Laurretta Kernin, his wife

("Grantor," whether one or more), and Sandra Martinson

("Grantee," whether one or more).
Grantor quit claims to Grantee the following described real estate, together with the
rents, profits, fixtures and other appurtenant interests, in Lincoln
County, State of Wisconsin ("Property") (if more space is needed, please attach addendum):

Lot Nine (9), Block Forty-six (46), of Tomahawk Land & Boom Company's
Second Addition to the City of Tomahawk, Lincoln County, Wisconsin, EXCEPT
the West 62 feet thereof.

RESERVING to the Grantors for their respective lifetimes, a life estate in the
property. During such life estates, the Grantors will be responsible and pay the
real estate taxes, repairs, and insurance.

RECEIVED
LINCOLN COUNTY, WIS

2005 MAY 27 AM 10 15

Glenn (Alan)
REGISTER OF DEEDS

Recording Area

Name and Return Address

\$11,000.00. OR. 32435
SEROOGY & REIFF
P.O. Box 327
Tomahawk, WI 54487

36.6.000.682.00.00

Parcel Identification Number (PIN)

This is homestead property.
(is) (~~is not~~)

FEE
\$77.25 (8)
EXEMPT

Dated MAY 26 2005

Mahlon Kernin (SEAL) _____ (SEAL)
* Mahlon W. Kernin

Laurretta Kernin (SEAL) _____ (SEAL)
* Laurretta Kernin

AUTHENTICATION

Signature(s) Mahlon W. Kernin and Laurretta Kernin, his wife,
authenticated on MAY 26, 2005

Francis U. Seroogy
* Francis U. Seroogy

TITLE: MEMBER STATE BAR OF WISCONSIN
(If not, _____
authorized by Wis. Stat. § 706.06)

ACKNOWLEDGMENT

STATE OF _____)
_____) ss.
_____ COUNTY)

Personally came before me on _____,
the above-named _____
to me known to be the person(s) who executed the foregoing
instrument and acknowledged the same.

* _____
Notary Public, State of _____
My commission (is permanent) (expires: _____)

THIS INSTRUMENT DRAFTED BY:
Francis U. Seroogy of SEROOGY & REIFF, ATTYS.
Per description provided. State Bar No. 1007903

(Signatures may be authenticated or acknowledged. Both are not necessary.)

NOTE: THIS IS A STANDARD FORM. ANY MODIFICATION TO THIS FORM SHOULD BE CLEARLY IDENTIFIED.

QUIT CLAIM DEED

©2003 STATE BAR OF WISCONSIN

FORM NO. 3-2003

*Type name below signatures.

INFO-PRO™ Legal Forms • (800)655-2021 • info@proforms.com

DOCUMENT NO.

STATE BAR OF WISCONSIN FORM 2
WARRANTY DEED

452515

Janice Mae Wickersham n/k/a Janice Mae McDonald conveys and warrants to Cindi Wickersham, a single person the following described real estate in LINCOLN County, State of Wisconsin:

RECEIVED
LINCOLN COUNTY, WIS

2006 JUL 28 AM 10 52

JoLene Callahan
REGISTER OF DEEDS

RETURN TO
Wisconsin Title, Inc.
1218 N. 4th Street, Suite 108
Tomahawk, WI 54487

Lot Eight (8), Block Forty-six (46), Tomahawk Land & Boom Company's Second Addition to the City of Tomhawk, Lincoln County, Wisconsin.

\$11.00 pd. CA # 1586 Return 12.5

Tax Parcel No: 36-0006-000-681-00-00

TRANSFER
\$192.00
FEE

This is not homestead property.
(is) (~~is not~~)

Exception to warranties: Municipal and zoning ordinances and agreements entered under them, recorded easements for the distribution of utility and municipal services, recorded building and use restrictions and covenants, and further except 2006 real estate taxes.

Dated this 12th day of July, 2006.

7495-WT

Janice Mae McDonald
Janice Mae Wickersham n/k/a Janice Mae McDonald

AUTHENTICATION

ACKNOWLEDGMENT

Signatures authenticated this _____ day of _____, 20__.

STATE OF WISCONSIN }
COUNTY OF LINCOLN } ss.

TITLE: MEMBER STATE BAR OF WISCONSIN

(If not, _____ authorized by § 706.06, Wis. Stats.)

Personally came before me this 12th day of July, 2006, the above named Janice Mae Wickersham n/k/a Janice Mae McDonald to me known to be the person(s) who executed the foregoing instrument and acknowledge the same.

Cathy A. Huseby
Cathy A. Huseby

THIS INSTRUMENT WAS DRAFTED BY

Attorney Richard Wehner

My Commission is permanent. (If not, state expiration date: 10-08-2006)

(Signatures may be authenticated or acknowledged. Both are not necessary.)

*Names of persons signing in any capacity should be typed or printed below their signatures.

3506-341-0066
36.00400.000.1939.00.00

RIVER STE

NOTE THE DESCRIPTION OF
INCLUDES THE LAND IN 3506-3

N SIXTH ST

1	3506-342-0008	36.000600.000.663.00.00	142
2	3506-342-0009	36.000600.000.664.00.00	142
3	3506-342-0010	36.000600.000.665.00.00	142
4	3506-342-0011	36.000600.000.666.00.00	142
5	3506-342-0012	36.000600.000.667.00.00	142
6	3506-342-0013	36.000600.000.668.00.00	142

1	3506-342-0020	36.000600.000.675.00.00	142
2	3506-342-0021	36.000600.000.676.00.00	142
3	3506-342-0022	36.000600.000.677.00.00	142
4	3506-342-0023	36.000600.000.678.00.00	142
5	3506-342-0024	36.000600.000.679.00.00	142

8	3506-342-0004	36.000600.000.658.00.00	142
9	3506-342-0005	36.000600.000.659.00.00	142
10	3506-342-0006	36.000600.000.660.00.00	142

1	3506-342-0019	36.000600.000.674.00.00	142
2	3506-342-0018	36.000600.000.673.00.00	142
3	3506-342-0017	36.000600.000.672.00.00	142
4	3506-342-0016	36.000600.000.671.00.00	142
5	3506-342-0015	36.000600.000.670.00.00	142
6	3506-342-0014	36.000600.000.669.00.00	142

1	3506-342-0029	36.000600.000.684.00.00	142
2	3506-342-0028	36.000600.000.683.00.00	142
3	3506-342-0027	36.000600.000.682.00.00	142
4	3506-342-0026	36.000600.000.681.00.00	142
5	3506-342-0025	36.000600.000.680.00.00	142

1	3506-343-0451	36.000400.000.639.00.00	142
2	3506-343-0452	36.000400.000.640.00.00	142
3	3506-343-0453	36.000400.000.641.00.00	142
4	3506-343-0454	36.000400.000.642.00.00	142

1	3506-343-0439	36.000400.000.627.00.00	142
2	3506-343-0440	36.000400.000.628.00.00	142
3	3506-343-0441	36.000400.000.629.00.00	142
4	3506-343-0442	36.000400.000.630.00.00	142
5	3506-343-0443	36.000400.000.631.00.00	142
6	3506-343-0444	36.000400.000.632.00.00	142

1	3506-343-0427	36.000400.000.611.00.00	142
2	3506-343-0428	36.000400.000.612.00.00	142
3	3506-343-0429	36.000400.000.613.00.00	142
4	3506-343-0430	36.000400.000.614.00.00	142
5	3506-343-0431	36.000400.000.615.00.00	142
6	3506-343-0432	36.000400.000.616.00.00	142

1	3506-343-0461	36.000400.000.650.00.00	142
2	3506-343-0460	36.000400.000.649.00.00	142
3	3506-343-0459	36.000400.000.648.00.00	142
4	3506-343-0458	36.000400.000.647.00.00	142

1	3506-343-0445	36.000400.000.633.00.00	142
2	3506-343-0446	36.000400.000.634.00.00	142
3	3506-343-0447	36.000400.000.635.00.00	142
4	3506-343-0448	36.000400.000.636.00.00	142
5	3506-343-0449	36.000400.000.637.00.00	142
6	3506-343-0450	36.000400.000.638.00.00	142


1	3506-343-0436	36.000400.000.624.00.00	142
2	3506-343-0437	36.000400.000.625.00.00	142
3	3506-343-0438	36.000400.000.626.00.00	142
4	3506-343-0463	36.000400.000.623.00.00	142
5	3506-343-0462	36.000400.000.622.00.00	142

LAND & BOOM COMPANY'S SECOND ADDITION


TOMAHAWK LAND & BOOM CO'S FIRST ADDITION

PROSPECT AVE


FOURTH ST



DRAWING FILE: J:\DRAFTING\2657D-R-AUTO.DWG\2657VICIN.DWG LAYOUT: MODEL PLOTTED: SEP 11, 2006 - 2:39PM PLOTTED BY: ToppW



CONTOUR INTERVAL 10 FEET
 NATIONAL GEODETIC VERTICAL DATUM OF 1929



UTM GRID AND 1982 MAGNETIC NORTH
 DECLINATION AT CENTER OF SHEET

COFFEE CREEK, WIS. TOMAHAWK, WIS.
 NE/4 SPIRIT FALLS 15' QUADRANGLE NW/4 TOMAHAWK 15' QUADRANGLE
 45089-D7-TF-024 N4522.5-W8937.5/7.5





QUADRANGLE LOCATION

1978 PHOTOINSPECTED 1981 DMA 3074 IV NE—SERIES V861
 1982 DMA 3074 I NW—SERIES V861

REI Engineering, INC.

D & R AUTO SALES 402 N. 4TH STREET TOMOHAWK, WISCONSIN	FIGURE 1 : SITE VICINITY MAP		
	PROJECT NO. 2657	DRAWN BY: TAW	DATE: 9/7/2006

DRAWING FILE: J:\Drawing\2657D-R-AUTO\dwg\2657 SITE.dwg LAYOUT: Layout1 PLOTTED: May 25, 2007 - 2:55pm PLOTTED BY: ml6ah



LEGEND

0 50
SCALE: 1" = 50'

- ← GW FLOW
- ⊕ SOIL BORING
- PIEZOMETER
- ⊙ MONITORING WELL (D&R AUTO)
- ⊙ MONITORING WELL (CLARK STATION)
- ⊕ SOIL SAMPLE
- ⊕ GEOPROBE SOIL BORING
- ⊙ LIGHT POLE
- OH— OVERHEAD UTILITIES LINE
- E— UNDERGROUND ELECTRICAL LINE
- G— GAS LINE
- SAN— SANITARY SEWER LINE
- T— TELEPHONE LINE
- GROUNDWATER CONTOURS



D & R AUTO
402 N. 4TH STREET
TOMAHAWK, WISCONSIN

FIGURE 2 : SITE MAP

PROJECT No. 2657	DRAWN BY: MAH	DATE: 5/24/07
---------------------	------------------	------------------

REI Engineering, INC.

Table 2
Summary of Geoprobe Groundwater Analytical Results
D and R Auto Sales
402 N. 4th Atreet
Tomahawk, WI

	<i>Date--></i>		10/10/2002	10/10/2002	10/10/2002
	<i>Sample--></i>		GP2	GP5	GP6
	ES	PAL			
GRO			11,000	57,000	500
PVOC Parameters					
Benzene	5	0.5	8.9	950	10
Ethylbenzene	700	140	11	3,300	26
Methyl tert-Butyl Ether (MTBE)	60	12	37	<43	<0.43
Naphthalene	40	8	14	650	4.4
Toluene	1,000	200	<6.8	17,000	51
Total Trimethylbenzenes	480	96	1,190	2,430	28.4
Xylenes (mixed isomers)	10,000	1,000	54	15,000	92
Inorganics					
Dissolved Lead	15	1.5	39	3.4	0.36

All values are reported in µg/l (ppb)

ES = NR140.10 Enforcement Standards

PAL = NR140.10 Preventive Action Limits

ES Exceeded = **Bold**

PAL Exceeded = **Bold**

Table 2a
Summary of MW1 Groundwater Analytical Results
D&R Auto Sales
402 N. 4th Street
Tomahawk, WI

Parameter	ES	PAL	Units	MW1							
				07/14/04	10/06/04	10/04/05	02/02/06	04/25/06	07/06/06	01/23/07	04/25/07
VOC Parameters											
Benzene	5	0.5	µg/l	10	53	150	7.4	9.7	53	49.4	39.4
Toluene	1,000	200	µg/l	46	180	560	25	31	180	236	48
Ethylbenzene	700	140	µg/l	450	130	170	170	440	120	402	579
Xylenes (mixed isomers)	10,000	1,000	µg/l	1,810	417	700	700	1,870	429	2,199	2,929
Methyl tert-Butyl Ether (MTBE)	60	12	µg/l	<6.1	1.2	4.9	1.5	<3.6	1.4	116	<6
Total Trimethylbenzenes	480	96	µg/l	1,140	202	260	540	1,400	372	1,481	2,038
Naphthalene	100	10	µg/l	220	51	51	88	240	60	171	235
isopropylbenzene			µg/l	32	NA	NA	NA	NA	NA	NA	NA
N-Butylbenzene			µg/l	38	NA	NA	NA	NA	NA	NA	NA
n-Propylbenzene			µg/l	89	NA	NA	NA	NA	NA	NA	NA
PAH											
Acenaphthene	-	-	µg/l	<1.7	NA	NA	NA	NA	NA	NA	NA
Acenaphthylene	-	-	µg/l	<1.8	NA	NA	NA	NA	NA	NA	NA
Anthracene	3,000	600	µg/l	<1.9	NA	NA	NA	NA	NA	NA	NA
Benzo (a)Anthracene	-	-	µg/l	<1.1	NA	NA	NA	NA	NA	NA	NA
Benzo (a)Pyrene	0.2	0.02	µg/l	<1.3	NA	NA	NA	NA	NA	NA	NA
Benzo (b)Fluoranthene	0.2	0.02	µg/l	<1.2	NA	NA	NA	NA	NA	NA	NA
Benzo (g,h,i) Perylene	-	-	µg/l	<1.5	NA	NA	NA	NA	NA	NA	NA
Benzo (k)Fluoranthene	-	-	µg/l	<1.8	NA	NA	NA	NA	NA	NA	NA
Chrysene	0.2	0.02	µg/l	<1.3	NA	NA	NA	NA	NA	NA	NA
Dibenzo(a,h) anthracene	-	-	µg/l	<1.5	NA	NA	NA	NA	NA	NA	NA
Fluorene	400	80	µg/l	<1.6	NA	NA	NA	NA	NA	NA	NA
Fluoranthene	400	80	µg/l	<1.2	NA	NA	NA	NA	NA	NA	NA
Indeno (1,2,3,-cd) Pyrene	-	-	µg/l	<2.0	NA	NA	NA	NA	NA	NA	NA
Naphthalene	40	8	µg/l	84	NA	NA	NA	NA	NA	NA	NA
Phenanthrene	-	-	µg/l	<1.5	NA	NA	NA	NA	NA	NA	NA
Pyrene	250	50	µg/l	<1.6	NA	NA	NA	NA	NA	NA	NA
1-Methyl naphthalene	-	-	µg/l	13	NA	NA	NA	NA	NA	NA	NA
2-Methyl naphthalene	-	-	µg/l	20	NA	NA	NA	NA	NA	NA	NA
Inorganics											
Dissolved Iron	300	150	µg/l	NA	NA	NA	NA	2,100	NA	NA	NA
Nitrate-Nitrite Nitrogen	10	2	mg/l	NA	NA	NA	NA	<0.11	NA	NA	NA
Sulfate	250	125	mg/l	NA	NA	NA	NA	4.2	NA	NA	NA

Notes

ES = NR140.10 Enforcement Standards

PAL = NR140.10 Preventive Action Limits

X = Not Detected

NA= Not Analyzed

ES exceeded ----->

Bold
Bold

PAL exceeded ----->

Table 2b
Summary of MW2 Groundwater Analytical Results
D&R Auto Sales
402 N. 4th Street
Tomahawk, WI

Parameter	ES	PAL	Units	MW2							
				07/14/04	10/06/04	10/04/05	02/02/06	04/25/06	07/06/06	01/23/07	04/25/07
VOC Parameters											
Benzene	5	0.5	µg/l	2,400	3,800	2,900	2,900	2,300	2,100	2,820	4,520
Toluene	1,000	200	µg/l	17,000	19,000	18,000	19,000	14,000	13,000	21,200	26,500
Ethylbenzene	700	140	µg/l	1,800	1,600	1,800	1,800	1,500	1,600	2,070	2,050
Xylenes (mixed isomers)	10,000	1,000	µg/l	9,700	9,300	10,000	9,500	8,400	7,900	9,410	12,460
Methyl tert-Butyl Ether (MTBE)	60	12	µg/l	<61	<45	<72	<45	<45	<36	<3	<60
Total Trimethylbenzenes	480	96	µg/l	1,400	1,400	1,660	1,530	1,500	1,530	1,907	1,934
Naphthalene	100	10	µg/l	350	400	370	400	490	310	499	474
isopropylbenzene				73	NA	NA	NA	NA	NA	NA	NA
n-Propylbenzene			µg/l	130	NA	NA	NA	NA	NA	NA	NA
PAH											
Acenaphthene	-	-	µg/l	<1.7	NA	NA	NA	NA	NA	NA	NA
Acenaphthylene	-	-	µg/l	<1.8	NA	NA	NA	NA	NA	NA	NA
Anthracene	3,000	600	µg/l	<1.9	NA	NA	NA	NA	NA	NA	NA
Benzo (a)Anthracene	-	-	µg/l	<1.1	NA	NA	NA	NA	NA	NA	NA
Benzo (a)Pyrene	0.2	0.02	µg/l	<1.3	NA	NA	NA	NA	NA	NA	NA
Benzo (b)Fluoranthene	0.2	0.02	µg/l	<1.2	NA	NA	NA	NA	NA	NA	NA
Benzo (g,h,i) Perylene	-	-	µg/l	<1.5	NA	NA	NA	NA	NA	NA	NA
Benzo (k)Fluoranthene	-	-	µg/l	<1.8	NA	NA	NA	NA	NA	NA	NA
Chrysene	0.2	0.02	µg/l	<1.3	NA	NA	NA	NA	NA	NA	NA
Dibenzo(a,h) anthracene	-	-	µg/l	<1.5	NA	NA	NA	NA	NA	NA	NA
Fluorene	400	80	µg/l	<1.6	NA	NA	NA	NA	NA	NA	NA
Fluoranthene	400	80	µg/l	<1.2	NA	NA	NA	NA	NA	NA	NA
Indeno (1,2,3,-cd) Pyrene	-	-	µg/l	<2.0	NA	NA	NA	NA	NA	NA	NA
Naphthalene	40	8	µg/l	300	NA	NA	NA	NA	NA	NA	NA
Phenanthrene	-	-	µg/l	<1.5	NA	NA	NA	NA	NA	NA	NA
Pyrene	250	50	µg/l	<1.6	NA	NA	NA	NA	NA	NA	NA
1-Methyl naphthalene	-	-	µg/l	27	NA	NA	NA	NA	NA	NA	NA
2-Methyl naphthalene	-	-	µg/l	66	NA	NA	NA	NA	NA	NA	NA
Inorganics											
Dissolved Iron	300	150	µg/l	NA	NA	NA	NA	25,000	NA	NA	NA
Nitrate-Nitrite Nitrogen	10	2	mg/l	NA	NA	NA	NA	<0.11	NA	NA	NA
Sulfate	250	125	mg/l	NA	NA	NA	NA	3.1	NA	NA	NA

Notes

ES = NR140.10 Enforcement Standards
PAL = NR140.10 Preventive Action Limits
X = Not Detected
NA= Not Analyzed
ES exceeded ----->

Bold

PAL exceeded ----->

Bold

Table 2c
Summary of MW3 Groundwater Analytical Results
D&R Auto Sales
402 N. 4th Street
Tomahawk, WI

Parameter	ES	PAL	Units	MW3							
				07/14/04	10/06/04	10/04/05	02/02/06	04/25/06	07/06/06	01/23/07	04/25/07
VOC Parameters											
Benzene	5	0.5	µg/l	4.2	1.4	<0.14	0.17	0.14	1.5	<0.310	0.955
Toluene	1,000	200	µg/l	<0.67	<0.36	<0.36	<0.36	<0.36	<0.36	<0.300	<0.3
Ethylbenzene	700	140	µg/l	1.3	<0.4	<0.4	<0.4	<0.4	<0.4	<0.500	<0.5
Xylenes (mixed isomers)	10,000	1,000	µg/l	<1.8	<0.74	<0.74	<0.74	<0.74	<0.74	<0.920	<0.3
Methyl tert-Butyl Ether (MTBE)	60	12	µg/l	<0.61	<0.36	<0.36	<0.36	<0.36	<0.36	<0.300	<0.3
Total Trimethylbenzenes	480	96	µg/l	<0.97	<0.4	<0.40	<0.40	<0.40	<0.4	<0.710	<0.4
Naphthalene	100	10	µg/l	<0.74	<0.47	<0.47	<0.47	<0.47	<0.47	<0.800	<0.8
isopropylbenzene				<0.59	NA	NA	NA	NA	NA	NA	NA
PAH											
Acenaphthene	-	-	µg/l	<0.017	NA	NA	NA	NA	NA	NA	NA
Acenaphthylene	-	-	µg/l	<0.018	NA	NA	NA	NA	NA	NA	NA
Anthracene	3,000	600	µg/l	<0.019	NA	NA	NA	NA	NA	NA	NA
Benzo (a)Anthracene	-	-	µg/l	<0.011	NA	NA	NA	NA	NA	NA	NA
Benzo (a)Pyrene	0.2	0.02	µg/l	<0.013	NA	NA	NA	NA	NA	NA	NA
Benzo (b)Fluoranthene	0.2	0.02	µg/l	<0.012	NA	NA	NA	NA	NA	NA	NA
Benzo (g,h,i) Perylene	-	-	µg/l	<0.015	NA	NA	NA	NA	NA	NA	NA
Benzo (k)Fluoranthene	-	-	µg/l	<0.018	NA	NA	NA	NA	NA	NA	NA
Chrysene	0.2	0.02	µg/l	0.014	NA	NA	NA	NA	NA	NA	NA
Dibenzo(a,h) anthracene	-	-	µg/l	<0.015	NA	NA	NA	NA	NA	NA	NA
Fluorene	400	80	µg/l	0.023	NA	NA	NA	NA	NA	NA	NA
Fluoranthene	400	80	µg/l	0.013	NA	NA	NA	NA	NA	NA	NA
Indeno (1,2,3,-cd) Pyrene	-	-	µg/l	<0.02	NA	NA	NA	NA	NA	NA	NA
Naphthalene	40	8	µg/l	0.41	NA	NA	NA	NA	NA	NA	NA
Phenanthrene	-	-	µg/l	0.099	NA	NA	NA	NA	NA	NA	NA
Pyrene	250	50	µg/l	<0.016	NA	NA	NA	NA	NA	NA	NA
1-Methyl naphthalene	-	-	µg/l	0.046	NA	NA	NA	NA	NA	NA	NA
2-Methyl naphthalene	-	-	µg/l	0.047	NA	NA	NA	NA	NA	NA	NA
Inorganics											
Dissolved Iron	300	150	µg/l	NA	NA	NA	NA	<50	NA	NA	NA
Nitrate-Nitrite Nitrogen	10	2	mg/l	NA	NA	NA	NA	8.5	NA	NA	NA
Sulfate	250	125	mg/l	NA	NA	NA	NA	40	NA	NA	NA

Notes

ES = NR140.10 Enforcement Standards
PAL = NR140.10 Preventive Action Limits
X = Not Detected
NA= Not Analyzed
ES exceeded -----> **Bold**
PAL exceeded -----> **Bold**

Table 2d
Summary of PZ1 Groundwater Analytical Results
D&R Auto Sales
402 N. 4th Street
Tomahawk, WI

Parameter	ES	PAL	Units	PZ1							
				07/14/04	10/06/04	10/04/05	02/02/06	04/25/06	07/06/06	01/23/07	04/25/07
VOC Parameters											
Benzene	5	0.5	µg/l	21	<0.14	16	4.5	6.9	3.2	5.72	10.4
Toluene	1,000	200	µg/l	220	<0.36	3	<0.36	0.64	<0.36	0.916	23.7
Ethylbenzene	700	140	µg/l	43	<0.4	3.1	0.79	<0.40	1.6	<0.500	9.19
Xylenes (mixed isomers)	10,000	1,000	µg/l	233	<0.74	23	<0.74	7.98	5.7	6.35	56.7
Methyl tert-Butyl Ether (MTBE)	60	12	µg/l	<1.2	<0.36	0.52	<0.36	<0.36	<0.36	<0.300	<0.3
Total Trimethylbenzenes	480	96	µg/l	49	0.56	12.85	1.3	1.3	3.2	6.32	22.5
Naphthalene	100	10	µg/l	8.2	1.2	8.1	2.4	4.4	3.7	3.85	7.86
isopropylbenzene			µg/l	1.9	NA	NA	NA	NA	NA	NA	NA
N-Butylbenzene			µg/l	2.1	NA	NA	NA	NA	NA	NA	NA
n-Propylbenzene			µg/l	4	NA	NA	NA	NA	NA	NA	NA
PAH											
Acenaphthene	-	-	µg/l	<0.017	NA	NA	NA	NA	NA	NA	NA
Acenaphthylene	-	-	µg/l	<0.018	NA	NA	NA	NA	NA	NA	NA
Anthracene	3,000	600	µg/l	<0.019	NA	NA	NA	NA	NA	NA	NA
Benzo (a)Anthracene	-	-	µg/l	<0.011	NA	NA	NA	NA	NA	NA	NA
Benzo (a)Pyrene	0.2	0.02	µg/l	<0.013	NA	NA	NA	NA	NA	NA	NA
Benzo (b)Fluoranthene	0.2	0.02	µg/l	<0.012	NA	NA	NA	NA	NA	NA	NA
Benzo (g,h,i) Perylene	-	-	µg/l	<0.015	NA	NA	NA	NA	NA	NA	NA
Benzo (k)Fluoranthene	-	-	µg/l	<0.018	NA	NA	NA	NA	NA	NA	NA
Chrysene	0.2	0.02	µg/l	<0.013	NA	NA	NA	NA	NA	NA	NA
Dibenzo(a,h) anthracene	-	-	µg/l	<0.015	NA	NA	NA	NA	NA	NA	NA
Fluorene	400	80	µg/l	<0.016	NA	NA	NA	NA	NA	NA	NA
Fluoranthene	400	80	µg/l	0.02	NA	NA	NA	NA	NA	NA	NA
Indeno (1,2,3,-cd) Pyrene	-	-	µg/l	<0.02	NA	NA	NA	NA	NA	NA	NA
Naphthalene	40	8	µg/l	4	NA	NA	NA	NA	NA	NA	NA
Phenanthrene	-	-	µg/l	0.024	NA	NA	NA	NA	NA	NA	NA
Pyrene	250	50	µg/l	0.03	NA	NA	NA	NA	NA	NA	NA
1-Methyl naphthalene	-	-	µg/l	0.87	NA	NA	NA	NA	NA	NA	NA
2-Methyl naphthalene	-	-	µg/l	1.3	NA	NA	NA	NA	NA	NA	NA
Inorganics											
Dissolved Iron	300	150	µg/l	NA	NA	NA	NA	<50	NA	NA	NA
Nitrate-Nitrite Nitrogen	10	2	mg/l	NA	NA	NA	NA	1.2	NA	NA	NA
Sulfate	250	125	mg/l	NA	NA	NA	NA	17	NA	NA	NA

Notes

ES = NR140.10 Enforcement Standards
PAL = NR140.10 Preventive Action Limits
X = Not Detected
NA= Not Analyzed
ES exceeded ----->
PAL exceeded ----->

Bold
Bold

Table 2c
Summary of MW4 Groundwater Analytical Results
D&R Auto Sales
402 N. 4th Street
Tomahawk, WI

Parameter	ES	PAL	Units	MW4					
				10/04/05	02/02/06	04/25/06	07/06/06	01/23/07	04/25/07
VOC Parameters									
Benzene	5	0.5	µg/l	250	150	2.2	49	144	15.9
Toluene	1,000	200	µg/l	62	54	0.42	19	60.2	5.44
Ethylbenzene	700	140	µg/l	350	230	0.87	92	270	17.8
Xylenes (mixed isomers)	10,000	1,000	µg/l	860	1,230	3.2	300	1,071	69.3
Methyl tert-Butyl Ether (MTBE)	60	12	µg/l	3	<0.36	<0.36	<0.36	<3.00	<0.3
Total Trimethylbenzenes	480	96	µg/l	254	184	1.11	94	267.6	19
Naphthalene	100	10	µg/l	100	74	0.84	34	74.5	6.88
PAH									
Acenaphthene	-	-	µg/l	NA	NA	NA	NA	NA	NA
Acenaphthylene	-	-	µg/l	NA	NA	NA	NA	NA	NA
Anthracene	3,000	600	µg/l	NA	NA	NA	NA	NA	NA
Benzo (a)Anthracene	-	-	µg/l	NA	NA	NA	NA	NA	NA
Benzo (a)Pyrene	0.2	0.02	µg/l	NA	NA	NA	NA	NA	NA
Benzo (b)Fluoranthene	0.2	0.02	µg/l	NA	NA	NA	NA	NA	NA
Benzo (g,h,i) Perylene	-	-	µg/l	NA	NA	NA	NA	NA	NA
Benzo (k)Fluoranthene	-	-	µg/l	NA	NA	NA	NA	NA	NA
Chrysene	0.2	0.02	µg/l	NA	NA	NA	NA	NA	NA
Dibenzo(a,h) anthracene	-	-	µg/l	NA	NA	NA	NA	NA	NA
Fluorene	400	80	µg/l	NA	NA	NA	NA	NA	NA
Fluoranthene	400	80	µg/l	NA	NA	NA	NA	NA	NA
Indeno (1,2,3,-cd) Pyrene	-	-	µg/l	NA	NA	NA	NA	NA	NA
Naphthalene	40	8	µg/l	NA	NA	NA	NA	NA	NA
Phenanthrene	-	-	µg/l	NA	NA	NA	NA	NA	NA
Pyrene	250	50	µg/l	NA	NA	NA	NA	NA	NA
1-Methyl naphthalene	-	-	µg/l	NA	NA	NA	NA	NA	NA
2-Methyl naphthalene	-	-	µg/l	NA	NA	NA	NA	NA	NA
Inorganics									
Dissolved Iron	300	150	µg/l	NA	NA	700	NA	NA	NA
Nitrate-Nitrite Nitrogen	10	2	mg/l	NA	NA	1.4	NA	NA	NA
Sulfate	250	125	mg/l	NA	NA	8.7	NA	NA	NA

Notes

ES = NR140.10 Enforcement Standards

PAL = NR140.10 Preventive Action Limits

X = Not Detected

NA= Not Analyzed

ES exceeded ----->

PAL exceeded ----->

Bold
Bold

Table 2f
Summary of MW5 Groundwater Analytical Results
D&R Auto Sales
402 N. 4th Street
Tomahawk, WI

Parameter	ES	PAL	Units	MW5	
				1/23/07	04/25/07
VOC Parameters					
Benzene	5	0.5	µg/l	392	38.7
Toluene	1,000	200	µg/l	8,020	28.6
Ethylbenzene	700	140	µg/l	1,560	118
Xylenes (mixed isomers)	10,000	1,000	µg/l	9,080	497
Methyl tert-Butyl Ether (MTBE)	60	12	µg/l	<15.0	<1.5
Total Trimethylbenzenes	480	96	µg/l	2,123	353.8
Naphthalene	100	10	µg/l	373	61.1
PAH					
Acenaphthene	-	-	µg/l	NA	NA
Acenaphthylene	-	-	µg/l	NA	NA
Anthracene	3,000	600	µg/l	NA	NA
Benzo (a)Anthracene	-	-	µg/l	NA	NA
Benzo (a)Pyrene	0.2	0.02	µg/l	NA	NA
Benzo (b)Fluoranthene	0.2	0.02	µg/l	NA	NA
Benzo (g,h,i) Perylene	-	-	µg/l	NA	NA
Benzo (k)Fluoranthene	-	-	µg/l	NA	NA
Chrysene	0.2	0.02	µg/l	NA	NA
Dibenzo(a,h) anthracene	-	-	µg/l	NA	NA
Fluorene	400	80	µg/l	NA	NA
Fluoranthene	400	80	µg/l	NA	NA
Indeno (1,2,3,-cd) Pyrene	-	-	µg/l	NA	NA
Naphthalene	40	8	µg/l	NA	NA
Phenanthrene	-	-	µg/l	NA	NA
Pyrene	250	50	µg/l	NA	NA
1-Methyl naphthalene	-	-	µg/l	NA	NA
2-Methyl naphthalene	-	-	µg/l	NA	NA
Inorganics					
Dissolved Iron	300	150	µg/l	NA	NA
Nitrate-Nitrite Nitrogen	10	2	mg/l	NA	NA
Sulfate	250	125	mg/l	NA	NA

Notes

ES = NR140.10 Enforcement Standards

PAL = NR140.10 Preventive Action Limits

X = Not Detected

NA= Not Analyzed

ES exceeded ----->

PAL exceeded ----->

Bold
Bold

Table 2g
Summary of MW6 Groundwater Analytical Results
D&R Auto Sales
402 N. 4th Street
Tomahawk, WI

Parameter	ES	PAL	Units	MW6	
				1/23/07	04/25/07
VOC Parameters					
Benzene	5	0.5	µg/l	83.2	13.2
Toluene	1,000	200	µg/l	1,100	327
Ethylbenzene	700	140	µg/l	1,020	172
Xylenes (mixed isomers)	10,000	1,000	µg/l	5,730	1,109
Methyl tert-Butyl Ether (MTBE)	60	12	µg/l	<15.0	<1.5
Total Trimethylbenzenes	480	96	µg/l	1653	353.8
Naphthalene	100	10	µg/l	205	126.0
PAH					
Acenaphthene	-	-	µg/l	NA	NA
Acenaphthylene	-	-	µg/l	NA	NA
Anthracene	3,000	600	µg/l	NA	NA
Benzo (a)Anthracene	-	-	µg/l	NA	NA
Benzo (a)Pyrene	0.2	0.02	µg/l	NA	NA
Benzo (b)Fluoranthene	0.2	0.02	µg/l	NA	NA
Benzo (g,h,i) Perylene	-	-	µg/l	NA	NA
Benzo (k)Fluoranthene	-	-	µg/l	NA	NA
Chrysene	0.2	0.02	µg/l	NA	NA
Dibenzo(a,h) anthracene	-	-	µg/l	NA	NA
Fluorene	400	80	µg/l	NA	NA
Fluoranthene	400	80	µg/l	NA	NA
Indeno (1,2,3,-cd) Pyrene	-	-	µg/l	NA	NA
Naphthalene	40	8	µg/l	NA	NA
Phenanthrene	-	-	µg/l	NA	NA
Pyrene	250	50	µg/l	NA	NA
1-Methyl naphthalene	-	-	µg/l	NA	NA
2-Methyl naphthalene	-	-	µg/l	NA	NA
Inorganics					
Dissolved Iron	300	150	µg/l	NA	NA
Nitrate-Nitrite Nitrogen	10	2	mg/l	NA	NA
Sulfate	250	125	mg/l	NA	NA

Notes

ES = NR140.10 Enforcement Standards
PAL = NR140.10 Preventive Action Limits
X = Not Detected
NA= Not Analyzed
ES exceeded ----->
PAL exceeded ----->

Bold
Bold

Table 1a
Summary of Geoprobe Soil Analytical Results
D and R Auto Sales
402 N. 4th Street
Tomahawk, WI

				Date-->	10/10/2002	10/10/2002	10/10/2002	10/10/2002	10/10/2002	10/10/2002
				Sample-->	GP1	GP1	GP2	GP2	GP3	GP3
				Sample Depth--(Feet)>	0-4'	8-10'	4-8'	8-9'	0-4'	8-9'
				Date-->	10/10/02	10/10/02	10/10/02	10/10/02	10/10/02	10/10/02
	Table 1	Table 2	RCL							
GRO			100	11	<2.8	5	4.7	<2.8	<2.8	
PVOC's										
Benzene	8,500	1,100	5.5	<25	<25	<25	<25	<25	<25	
Ethylbenzene	4,600		2,900	35	<25	28	<25	<25	<25	
Methyl tert-Butyl Ether				<25	<25	<25	<25	<25	<25	
Toluene	38,000		1,500	37	<25	120	79	<25	<25	
1,3,5-Trimethylbenzene	11,000			77	<25	56	51	<25	<25	
1,2,4-Trimethylbenzene	83,000			220	<25	180	150	39	<25	
Xylenes (Total)	42,000		4,100	137	<25	292	167	35	33	
Inorganics										
Lead *			50	24	9.5	33	30	11	10	

Notes:

Table 1 = NR 746 Table 1 Indicators of Residual Petroleum Product In Soil Pores

Table 2 = NR 746 Direct Contact Values

GRO and Lead reported in mg/kg

All PVOC values are reported in ug/kg (parts per billion)

Lead reported in mg/kg (parts per million)

RCL - NR 720 Soil Residual Contaminant Level

Exceedences are in bold text

* RCL for non-industrial property

Table 1a (continued)
Summary of Geoprobe Soil Analytical Results
D and R Auto Sales
402 N. 4th Street
Tomahawk, WI

<i>Sample--></i>				GP4	GP4	GP5	GP5	GP6	GP6
<i>Sample Depth--(Feet)></i>				0-4'	4-8'	0-4'	8-10'	4-8'	8-10'
<i>Date ></i>				10/10/02	10/10/02	10/10/02	10/10/02	10/10/02	10/10/02
	Table 1	Table 2	RCL						
GRO			100	<2.6	<2.8	19	4100	<2.6	<2.6
PVOC's			RCL						
Benzene	8,500	1,100	5.5	<25	<25	<25	2,200	<25	<25
Ethylbenzene	4,600		2,900	<25	<25	120	90,000	<25	<25
Methyl tert-Butyl Ether				<25	<25	<25	<1,300	<25	<25
Toluene	38,000		1,500	<25	<25	67	100,000	<25	<25
1,3,5-Trimethylbenzene	11,000			<25	37	300	70,000	<25	<25
1,2,4-Trimethylbenzene	83,000			<25	47	720	200,000	<25	<25
Xylenes (Total)	42,000		4,100	<25	71	600	400,000	<25	<25
Inorganics									
Lead			50	15	73	89	93	0.79	1.4

Notes:

Table 1 = NR 746 Table 1 *Indicators of Residual Petroleum Product In Soil Pores*

Table 2 = NR 746 Direct Contact Values

GRO reported in mg/kg

All PVOC values are reported in ug/kg (parts per billion)

RCL - NR 720 Soil Residual Contaminant Level

Lead reported in mg/kg (parts per million)

Exceedences are in bold text

* RCL for non-industrial property

#REF!

Table 1b
Summary of Hand Auger Soil Analytical Results
D R Auto
402 N. 4th Street
Tomahawk, WI

<i>Sample--></i>				HAB-1	HAB-2
<i>Sample Depth--(Feet)></i>				5-6'	5-6'
<i>Date ></i>				05/29/04	05/29/04
	Table 1	Table 2	RCL		
PVOC's			RCL		
Benzene	8,500	1,100	5.5	<25	NA
Ethylbenzene	4,600		2,900	<25	NA
Methyl tert-Butyl Ether				<25	NA
Toluene	38,000		1,500	<25	NA
1,3,5-Trimethylbenzene	11,000			<25	NA
1,2,4-Trimethylbenzene	83,000			<25	NA
Xylenes (Total)	42,000		4,100	<25	NA
PAHs					
1-Methylnaphthalene	-	-	1,100,000	<7.3	130
2-Methylnaphthalene	-	-	600,000	<7.8	160
Acenaphthene	-	-	900,000	<11	140
Acenaphthylene	-	-	18,000	<19	<96
Anthracene	-	-	5,000,000	<11	<58
Benzo (a)anthracene	-	-	88	<6.2	<32
Benzo (a)pyrene	-	-	8.8	<6.2	<32
Benzo (b)fluoranthene	-	-	88	<6.8	<35
Benzo (ghi)perylene	-	-	1,800	<12	<64
Benzo (k)fluoranthene	-	-	880	<9.4	<48
Chrysene	-	-	8,800	<7.2	<37
Dibenzo (a,h)anthracene	-	-	8.8	<7.7	<39
Fluoranthene	-	-	600,000	<8.3	<42
Fluorene	-	-	600,000	<6.2	120
Indeno (1,2,3-cd)pyrene	-	-	88	<11	<58
Naphthalene	-	-	20,000	<7.8	84
Phenanthrene	-	-	18,000	<8.3	<42
Pyrene	-	-	500,000	<14	<69

Notes:

Table 1 = NR 746 Table 1 *Indicators of Residual Petroleum Product In Soil Pores*

Table 2 = NR 746 Direct Contact Values

All values are reported in ug/kg (parts per billion)

RCL - NR 720 Soil Residual Contaminant Level

Exceedences are in bold text

* RCL for non-industrial property

Table 1c
Summary of Excavation Confirmation Soil Samples
D R Auto Sales
402 N. 4th Street
Tomahawk, WI

<i>Sample--></i>				S-1	S-2	S-3	S-4	S-5
<i>Sample Depth--(Feet)></i>				6'	6'	6'	6'	12'
<i>Date></i>				7/1/05	7/1/05	7/1/05	7/1/05	7/1/05
	Table 1	Table 2	RCL					
PVOC's								
Benzene	8,500	1,100	5.5	<25	<25	<25	<25	300
Ethylbenzene	4,600		2,900	310	<25	40	<25	420
Methyl Tert-Butyl Ether				<25	<25	<25	<25	<25
Toluene	38,000		1,500	220	<25	<25	<25	2,600
1,3,5-Trimethylbenzene	11,000			610	<25	180	<25	150
1,2,4-Trimethylbenzene	83,000			1,100	57	460	<25	490
Xylenes (Total)	42,000		4,100	1,470	<50	226	<50	2,290
Inorganics								
Lead *			50	6.1	9.6	55	12	0.79

Notes:

Table 1 = NR 746 Table 1 *Indicators of Residual Petroleum Product In Soil Pores*

Table 2 = NR 746 Direct Contact Values

GRO and Lead reported in mg/kg

All PVOC values are reported in ug/kg (parts per billion)

RCL - NR 720 Soil Residual Contaminant Level

Lead reported in mg/kg (parts per million)


Exceedences are in bold text

* RCL for non-industrial property


408 N. 4th STREET

















HIGHWAY "51"



LEGEND

0 20

 SCALE: 1" = 20'

-  AREA OF GROUNDWATER CONTAMINATION - BENZENE > 5ug/L
-  PIEZOMETER
-  GEOPROBE SOIL BORING
-  LIGHT POLE
-  OVERHEAD UTILITIES LINE
-  GAS LINE
-  SANITARY SEWER SERVICE LINE
-  WATER SERVICE LINE
-  GRAVEL
-  APPROXIMATE PROPERTY LINE
-  HAND AUGER BORING LOCATION
-  -1438.60- GROUNDWATER CONTOUR LINE (INTERVAL 0.1 FT)
-   GROUNDWATER FLOW DIRRECTION

D & R AUTO
402 N. 4th STREET
TOMAHAWK, WISCONSIN

FIGURE 5 GROUNDWATER CONTOURS 7/6/06 AND ESTIMATED EXTENT OF GROUNDWATER CONTAMINATION EXCEEDING NR 140 ES (BENZENE)

PROJECT NO.	2657	DRAWN BY:	TAW	DATE:	9/11/2006
-------------	------	-----------	-----	-------	-----------

REI Engineering, INC.

**Table 3
Groundwater Elevation Data
D R Auto Sales
402 N. 4th Street
Tomahawk, Wisconsin**


Well	MW1	MW2	MW3	PZ1	MW11	MW4	MW5	MW6
TOC Elevation	1447.38	1446.89	1447.58	1446.96	1448.53	1449.40	1446.99	1446.97
Ground Elev.	1447.76	1447.41	1448.02	1447.50		1449.73	1447.60	1447.52
Top of Screen Elevation	1440.82	1442.24	1442.76	1427.01		1439.40	1442.88	1442.63
Well Depth	16.56	14.65	14.82	24.95		14.96	14.72	14.89
Depth to Water (from TOC)								
7/14/2004	8.88	8.34	9.09	8.42	10.43	X	X	X
10/6/2004	9.29	8.75	9.51	8.83	10.94	X	X	X
10/4/2005	9.31	8.93	9.70	9.02	11.15	11.67	X	X
2/2/2006	9.49	9.00	9.86	9.14	11.59	11.89	X	X
4/25/2006	8.63	8.19	8.99	8.31	10.32	10.88	X	X
7/6/2006	8.75	8.31	9.10	8.38	10.45	11.04	X	X
1/23/2007	9.00	8.50	9.33	8.66	NM	11.32	8.94	9.30
4/25/2007	8.58	8.11	8.94	8.26	10.19	10.84	8.18	8.26
Water Elevation								
7/14/2004	1438.50	1438.55	1438.49	1438.54	1438.10	X	X	X
10/6/2004	1438.09	1438.14	1438.07	1438.13	1437.59	X	X	X
10/4/2005	1438.07	1437.96	1437.88	1437.94	1437.38	1437.73	X	X
2/2/2006	1437.89	1437.89	1437.72	1437.82	1436.94	1437.51	X	X
4/25/2006	1438.75	1438.70	1438.59	1438.65	1438.21	1438.52	X	X
7/6/2006	1438.63	1438.58	1438.48	1438.58	1438.08	1438.36	X	X
1/23/2007	1438.38	1438.39	1438.25	1438.30	NM	1438.08	1438.05	1437.67
4/25/2007	1438.80	1438.78	1438.64	1438.70	1438.34	1438.56	1438.81	1438.71
Average Depth to Water (from Top of Casing)	9.06	8.59	9.38	8.68	10.81	11.37	8.56	8.78
Average Elevation of Water (at Groundwater Surface)	1438.39	1438.37	1438.27	1438.33	1437.81	1438.13	1438.43	1438.19
Minimum Depth to Water (from Top of casing)	8.58	8.11	8.94	8.26	10.19	10.84	8.18	8.26















408 N. 4th STREET




HIGHWAY "51"

LEGEND

0  20
 SCALE: 1" = 20'

-  AREA OF RESIDUAL SOIL CONTAMINATION EXCEEDING NR 720 RCL (BENZENE & TOLUENE)
-  AREA OF RESIDUAL SOIL CONTAMINATION EXCEEDING NR 720 RCL (LEAD)
-  AREA OF EXCAVATION
-  PIEZOMETER
-  GEOPROBE SOIL BORING
-  LIGHT POLE
-  OVERHEAD UTILITIES LINE
-  GAS LINE
-  SANITARY SEWER SERVICE LINE
-  WATER SERVICE LINE
-  GRAVEL
-  APPROXIMATE PROPERTY LINE
-  HAND AUGER BORING LOCATION
-  CONFIRMATORY SOIL SAMPLE



9 E. PROSPECT AVENUE


PROSPECT AVENUE

REI Engineering, INC.


D & R AUTO
 402 N. 4th STREET
 TOMAHAWK, WISCONSIN

FIGURE 4 : AREA OF EXCAVATION & RESIDUAL SOIL CONTAMINATION		
PROJECT NO.	DRAWN BY:	DATE:
2657	TAW	9/11/2006

CROSS SECTION A-A'



SCALE: 1:10



LEGEND

0 20
SCALE: 1" = 20'

- PIEZOMETER
- ⊙ GEOPROBE SOIL BORING
- ⊗ LIGHT POLE
- OH— OVERHEAD UTILITIES LINE
- GAS— GAS LINE
- SAN— SANITARY SEWER SERVICE LINE
- WATER SERVICE LINE
- GRAVEL
- - - - - APPROXIMATE PROPERTY LINE
- ⊕ HAND AUGER BORING LOCATION



D & R AUTO
402 N. 4th STREET
TOMAHAWK, WISCONSIN

FIGURE 3 : CROSS SECTION A - A'

PROJECT No. 2657	DRAWN BY: TAW	DATE: 9/11/2006
---------------------	------------------	--------------------

REI Engineering, INC.


DRAWING FILE: J:\DRAFTING\2657D-R-AUTO\DWG\2657_ASEC.DWG LAYOUT: FIG 3_PLOTTED: SEP 11, 2006 - 2:38PM PLOTTED BY: TADWW

August 23, 2006

Re: D&R Auto
WDNR BRRTS # 03-35-00005
Commerce # 54487-1351-02
402 North 4th Street
Tomahawk, WI 54487

**The West 62 feet of Lot 9, Block 46 of Tomahawk Land and Boom Companies
Second Addition**

I have reviewed the above referenced legal description, and hereby certify that it is correct for the D&R Auto site.

 10-11-06 Date
Dennis Janeczko



Transportation • Municipal • Site Development • GPS
Remediation • Environmental Assessments • Emergency Response • Safety

RECEIVED

September 8, 2006

SEP 11 2006

ERS DIVISION
STEVENS POINT

Mahlon and Lauretta Kernin
9 East Prospect Avenue
Tomahawk, WI 54487

Subject: D&R Auto Sales
402 N. 4th Street
Tomahawk, WI 54487
WDNR BRRTS # 03-35-000005
Commerce # 54452-3406-03

Dear Mr. and Mrs. Kernin:

This letter is to inform you that the above referenced site is being submitted for closure to the Wisconsin Department of Commerce (COMM). Residual groundwater contamination originating from the site may extend off site onto your property at **9 East Prospect Avenue**, and will be recorded with the Wisconsin Department of Natural Resources (WDNR) through a geographic information systems (GIS) listing. This letter is notification to you as owner of the above listed property, and is a requirement of the GIS process.

Groundwater contamination appears to have originated at the subject property at **408 North 4th Street, Tomahawk, WI**. The levels of benzene in the groundwater off site of the D&R Auto Sales property are above the state Enforcement Standard levels found in chapter NR 140, Wisconsin Administrative Code. However, the remaining groundwater contamination does not pose a risk to human health or the environment and will naturally degrade over time. Allowing natural attenuation to complete the cleanup at this site will meet the requirements for case closure that are found in Chapter NR 726 and Chapter COMM 46, Wisconsin Administrative Code, and REI Engineering, Inc. (REI) will be requesting that the COMM accept natural attenuation as the final remedy for this site and grant case closure. Closure means that the Department will not be requiring any further investigation or cleanup action to be taken, other than the reliance on natural attenuation.

Mahlon and Laretta Kernin
September 8, 2006

The Wisconsin Department of Commerce will not review the closure request for at least 30 days after the date of this letter. As an affected property owner, you have a right to contact COMM to provide any technical information that is relevant to this closure request. You should mail that information to: *Dee Zoellner, Wisconsin Department of Commerce, 2715 Post Road, Stevens Point, WI 54481.*

When this case is closed, the area where the groundwater contamination exceeds Chapter NR 140 Enforcement Standards will be listed on the Department of Natural Resources' geographic information system (GIS) Registry of Closed Remediation Sites. The information on the GIS Registry includes maps showing the location of properties in Wisconsin where soil and groundwater contamination above chapter NR 720 RCLs and NR 140 enforcement standards was found at the time that the case was closed. This GIS Registry will be available to the general public on the Department of Natural Resources' internet web site.

Once COMM makes a decision on the closure request, it will be documented in a letter. When COMM grants closure, you may obtain a copy of this letter from REI Engineering, Inc., by writing to the agency address given above, or by accessing the DNR GIS Registry of Closed Remediation Sites on the internet at www.dnr.state.wi.us/org/at/et/geo/. A copy of the closure letter is included as part of the site file on the GIS Registry of Closed Remediation Sites.

If you need more information, you may contact me at (715) 675-9784, or Dee Zoellner at (715) 342-3802.

Sincerely,
REI Engineering, Inc.



Kenneth J. Lassa, P.S.
Environmental Scientist/Project Manager

CC: Dee Zoellner, Wisconsin Department of Commerce, 2715 Post Road, Stevens Point, WI 54481
Dennis Janeczko, 402 N. 4th Street, Tomahawk, WI 54487



Transportation • Municipal • Site Development • GPS
Remediation • Environmental Assessments • Emergency Response • Safety

RECEIVED

SEP 11 2006

ERS DIVISION
STEVENS POINT

September 8, 2006

Ms. Cindi Wickersham
408 N. 4th Street
Tomahawk, WI 54487

Subject: D&R Auto Sales
402 N. 4th Street
Tomahawk, WI 54487
WDNR BRRTS # 03-35-000005
Commerce # 54452-3406-03

Dear Ms. Wickersham:

This letter is to inform you that the above referenced site is being submitted for closure to the Wisconsin Department of Commerce (COMM). Residual groundwater contamination originating from the site may extend off site onto your property at **402 North 4th Street**, and will be recorded with the Wisconsin Department of Natural Resources (WDNR) through a geographic information systems (GIS) listing. This letter is notification to you as owner of the above listed property, and is a requirement of the GIS process.

Groundwater contamination appears to have originated at the subject property at **408 North 4th Street, Tomahawk, WI**. The levels of benzene in the groundwater off site of the D&R Auto Sales property are above the state Enforcement Standard levels found in chapter NR 140, Wisconsin Administrative Code. However, the remaining groundwater contamination does not pose a risk to human health or the environment and will naturally degrade over time. Allowing natural attenuation to complete the cleanup at this site will meet the requirements for case closure that are found in Chapter NR 726 and Chapter COMM 46, Wisconsin Administrative Code, and REI Engineering, Inc. (REI) will be requesting that the COMM accept natural attenuation as the final remedy for this site and grant case closure. Closure means that the Department will not be requiring any further investigation or cleanup action to be taken, other than the reliance on natural attenuation.

Ms. Cindi Wickersham
September 8, 2006

The Wisconsin Department of Commerce will not review the closure request for at least 30 days after the date of this letter. As an affected property owner, you have a right to contact COMM to provide any technical information that is relevant to this closure request. You should mail that information to: *Dee Zoellner, Wisconsin Department of Commerce, 2715 Post Road, Stevens Point, WI 54481.*

When this case is closed, the area where the groundwater contamination exceeds Chapter NR 140 Enforcement Standards will be listed on the Department of Natural Resources' geographic information system (GIS) Registry of Closed Remediation Sites. The information on the GIS Registry includes maps showing the location of properties in Wisconsin where soil and groundwater contamination above chapter NR 720 RCLs and NR 140 enforcement standards was found at the time that the case was closed. This GIS Registry will be available to the general public on the Department of Natural Resources' internet web site.

Once COMM makes a decision on the closure request, it will be documented in a letter. When COMM grants closure, you may obtain a copy of this letter from REI Engineering, Inc., by writing to the agency address given above, or by accessing the DNR GIS Registry of Closed Remediation Sites on the internet at www.dnr.state.wi.us/org/at/et/geo/. A copy of the closure letter is included as part of the site file on the GIS Registry of Closed Remediation Sites.

If you need more information, you may contact me at (715) 675-9784, or Dee Zoellner at (715) 342-3802.

Sincerely,
REI Engineering, Inc.



Kenneth J. Lassa, P.S.
Environmental Scientist/Project Manager

CC: Dee Zoellner, Wisconsin Department of Commerce, 2715 Post Road, Stevens Point, WI 54481
Dennis Janeczko, 402 N. 4th Street, Tomahawk, WI 54487



FILE COPY

MAILED

5-23-07

Transportation • Municipal • Site Development • GPS
Remediation • Environmental Assessments • Emergency Response • Safety

May 22, 2007

Mr. Mark Dochnahl
Director of Public Works
City of Tomahawk
P.O. Box 469
Tomahawk, WI 54487

Subject: D&R Auto Sales
402 North 4th Street
Tomahawk, WI
WDNR #03-35-000005
PECFA Claim #54487-1351-02

Dear Mr. Dochnahl:

This letter and enclosed information is to serve as notice that contaminated soil and groundwater originating from the D&R Auto Sales property is present beneath the 4th Street and Prospect Avenue Right-of-Ways at a depth of approximately 8 feet below land surface. The approximate limits of soil and groundwater contamination are shown on the enclosed figures. After a period of groundwater monitoring, and using the standards established in NR 700 and the risk criteria of Comm 46, it has been established by REI and the Wisconsin Department of Commerce (COMM) that this site does not pose a significant risk to the environment and human health and no further action is necessary. As a condition of closure, REI must acknowledge that the City of Tomahawk is aware of the associated soil and groundwater contamination in the event that disturbance of these soils is necessary.

Thank you for your assistance with this project. Please me with questions or comments at (715) 675-9784.

Sincerely,
REI Engineering, Inc.

Kenneth J. Lassa, P.S.
Environmental Scientist/Project Manager

CC: Dee Zoellner, Wisconsin Department of Commerce, 2715 Post Road, Stevens Point, WI 54481
Dennis Janczeko, 402 North 4th Street, Tomahawk, WI 54487