

OAKFIELD PROPERTIES
02-20-202459

Lauridsen, Keld B - DNR

From: Jeff Hosler <jlhosler@temco-llc.com>
Sent: Monday, October 21, 2013 11:04 AM
To: Lauridsen, Keld B - DNR
Subject: Re:
Attachments: MW-9 October 2013 VOC data.pdf; COC5025804.pdf

Keld – Here is the lab report for the analysis of the groundwater sample collected from MW-9 at the Exfoliate site. Note the dramatic reduction in contaminant levels from previous monitoring. I can't update the data table unless/until I can acquire a Wordperfect copy from my former partner, which I'm currently trying to do. Will email you an updated version including the data from 2009-2011 when available.

Regards,

Jeffrey L. Hosler
J L Hosler & Associates Inc
P.O. Box 143
Cedarburg, WI 53012
262-675-6206
jlhosler@temco-llc.com

From: Lauridsen, Keld B - DNR
Sent: Wednesday, September 18, 2013 12:37 PM
To: Jeff Hosler
Subject: RE: RE:

Thanks Jeff.

It would be greatly appreciated if you could include an updated groundwater table for MW9 with the lab sheet.

Thanks,

-Keld

Keld B. Lauridsen
Hydrogeologist
Wisconsin Department of Natural Resources
2984 Shawano Avenue.
Green Bay, WI 54313-6727

Phone (920) 662-5420
Fax (920) 662-5197
E-mail Keld.Lauridsen@wisconsin.gov

Find us at <http://dnr.wi.gov/> and www.facebook.com/WIDNR

We are committed to service excellence. Click [here](#) to evaluate how I did.

From: Jeff Hosler [mailto:jlhosler@temco-llc.com]
Sent: Wednesday, September 18, 2013 10:11 AM
To: Lauridsen, Keld B - DNR
Subject: Re: RE:

Keld – Finally have a reason to go north. Will collect groundwater sample from MW-9 at Exfoliate in Oakfield this coming Saturday morning. Will email the results to you as soon as received from the lab.

Regards,

Jeffrey L. Hosler
TEMCO
P.O. Box 143
Cedarburg, WI 53012
262-675-6206
[jlhosler@temco-llc.com](mailto:jlhsler@temco-llc.com)

From: Lauridsen, Keld B - DNR
Sent: Tuesday, September 17, 2013 11:03 AM
To: Jeff Hosler
Subject: RE:

Jeff,

Have you been able to collect the groundwater sample at Randy's?

Thanks again for all your help.

-Keld

Keld B. Lauridsen
Hydrogeologist
Wisconsin Department of Natural Resources
2984 Shawano Avenue.
Green Bay, WI 54313-6727

Phone (920) 662-5420
Fax (920) 662-5197
E-mail Keld.Lauridsen@wisconsin.gov

Find us at <http://dnr.wi.gov/> and www.facebook.com/WIDNR

We are committed to service excellence. Click [here](#) to evaluate how I did.

From: Jeff Hosler [<mailto:jlhsler@temco-llc.com>]
Sent: Friday, August 30, 2013 3:40 PM
To: Lauridsen, Keld B - DNR
Subject: Re:

Keld – The project trip which I intended to piggyback the sampling at Exfoliate on keeps getting delayed. I'll just have to make a special trip to get the sample. Will try to get up there right after the Labor Day holiday.

Regards,

Jeffrey L. Hosler
TEMCO
P.O. Box 143
Cedarburg, WI 53012
262-675-6206
[jlhosler@temco-llc.com](mailto:jlhsler@temco-llc.com)

From: Lauridsen, Keld B - DNR
Sent: Friday, August 30, 2013 9:51 AM
To: Jeff Hosler
Subject: RE: RE:

Jeff,

Have you been able to collect the requested groundwater sample at Randy's?

Hope all is well with you.

Thanks,

-Keld

Keld B. Lauridsen
Hydrogeologist
Wisconsin Department of Natural Resources
2984 Shawano Avenue.
Green Bay, WI 54313-6727

Phone (920) 662-5420
Fax (920) 662-5197
E-mail Keld.Lauridsen@wisconsin.gov

Find us at <http://dnr.wi.gov/> and www.facebook.com/WIDNR

We are committed to service excellence. Click [here](#) to evaluate how I did.

From: Jeff Hosler [<mailto:jlhsler@temco-llc.com>]
Sent: Monday, June 24, 2013 1:43 PM
To: Lauridsen, Keld B - DNR
Subject: Re: RE:

Keld – Thought I should update you. My planned trip north on June 14th got cancelled, and as a result I have not yet sampled MW-9 at Exfoliate. Will be leaving for South Carolina this week for about 10 days or so. I'll just have to make a special trip in mid-July, but since I agreed to handle this, I'll get the sample and get it to the lab.

Regards,

Jeffrey L. Hosler
TEMCO
P.O. Box 143
Cedarburg, WI 53012
262-675-6206
[jlhosler@temco-llc.com](mailto:jlhsler@temco-llc.com)

From: Lauridsen, Keld B - DNR
Sent: Tuesday, May 28, 2013 11:35 AM
To: Jeff Hosler
Subject: RE:

Thanks for your willingness to help out on this Jeff. If possible, please send me an updated groundwater table when the work has been completed.

Have a nice week,

-Keld

Keld B. Lauridsen
Hydrogeologist
Wisconsin Department of Natural Resources
2984 Shawano Avenue.
Green Bay, WI 54313-6727

Phone (920) 662-5420
Fax (920) 662-5197
E-mail Keld.Lauridsen@wisconsin.gov

Find us at <http://dnr.wi.gov/> and www.facebook.com/WIDNR

From: Jeff Hosler [<mailto:jlhsler@temco-llc.com>]
Sent: Tuesday, May 28, 2013 11:25 AM
To: Lauridsen, Keld B - DNR
Subject: Re:

Keld – I'm planning on collecting the sample on June 14.

Regards,

Jeffrey L. Hosler
TEMCO
P.O. Box 143
Cedarburg, WI 53012
262-675-6206
[jlhosler@temco-llc.com](mailto:jlhsler@temco-llc.com)

From: [Lauridsen, Keld B - DNR](#)
Sent: Tuesday, May 28, 2013 11:13 AM
To: [jlhosler@temco-llc.com](mailto:jlhsler@temco-llc.com)

Jeff,

Any progress with the sampling at Randy's?

Thanks,

-Keld

Keld B. Lauridsen
Hydrogeologist
Wisconsin Department of Natural Resources
2984 Shawano Avenue.
Green Bay, WI 54313-6727

Phone (920) 662-5420
Fax (920) 662-5197
E-mail Keld.Lauridsen@wisconsin.gov

Find us at <http://dnr.wi.gov/> and www.facebook.com/WIDNR

Synergy Environmental Lab, INC.

1990 Prospect Ct., Appleton, WI 54914 *P 920-830-2455 * F 920-733-0631

JEFF HOSLER
TEMCO
2090 WASHINGTON AVENUE
Cedarburg, WI 53012

Report Date 02-Oct-13

Project Name EXFOLIATE PROPERTIES
Project #

Invoice # E25804

Lab Code 5025804A
Sample ID MW-9
Sample Matrix Water
Sample Date 9/21/2013

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 2.4	ug/l	2.4	7.7	10	8260B		9/28/2013	CJR	1
Bromobenzene	< 3.2	ug/l	3.2	10	10	8260B		9/28/2013	CJR	1
Bromodichloromethane	< 3.7	ug/l	3.7	12	10	8260B		9/28/2013	CJR	1
Bromoform	< 3.5	ug/l	3.5	11	10	8260B		9/28/2013	CJR	1
tert-Butylbenzene	< 3.6	ug/l	3.6	12	10	8260B		9/28/2013	CJR	1
sec-Butylbenzene	< 3.3	ug/l	3.3	10	10	8260B		9/28/2013	CJR	1
n-Butylbenzene	< 3.5	ug/l	3.5	11	10	8260B		9/28/2013	CJR	1
Carbon Tetrachloride	< 3.3	ug/l	3.3	11	10	8260B		9/28/2013	CJR	1
Chlorobenzene	< 2.4	ug/l	2.4	7.7	10	8260B		9/28/2013	CJR	1
Chloroethane	< 6.3	ug/l	6.3	20	10	8260B		9/28/2013	CJR	1
Chloroform	< 2.8	ug/l	2.8	8.8	10	8260B		9/28/2013	CJR	1
Chloromethane	< 8.1	ug/l	8.1	26	10	8260B		9/28/2013	CJR	1
2-Chlorotoluene	< 2.1	ug/l	2.1	6.6	10	8260B		9/28/2013	CJR	1
4-Chlorotoluene	< 2.1	ug/l	2.1	6.8	10	8260B		9/28/2013	CJR	1
1,2-Dibromo-3-chloropropane	< 8.8	ug/l	8.8	28	10	8260B		9/28/2013	CJR	1
Dibromochloromethane	< 2.2	ug/l	2.2	7	10	8260B		9/28/2013	CJR	1
1,4-Dichlorobenzene	< 3	ug/l	3	9.6	10	8260B		9/28/2013	CJR	1
1,3-Dichlorobenzene	< 2.8	ug/l	2.8	8.9	10	8260B		9/28/2013	CJR	1
1,2-Dichlorobenzene	< 3.6	ug/l	3.6	12	10	8260B		9/28/2013	CJR	1
Dichlorodifluoromethane	< 4.4	ug/l	4.4	14	10	8260B		9/28/2013	CJR	1
1,2-Dichloroethane	< 4.1	ug/l	4.1	13	10	8260B		9/28/2013	CJR	1
1,1-Dichloroethane	< 3	ug/l	3	9.7	10	8260B		9/28/2013	CJR	8
1,1-Dichloroethene	< 4	ug/l	4	13	10	8260B		9/28/2013	CJR	1
cis-1,2-Dichloroethene	64	ug/l	3.8	12	10	8260B		9/28/2013	CJR	1
trans-1,2-Dichloroethene	< 3.5	ug/l	3.5	11	10	8260B		9/28/2013	CJR	1
1,2-Dichloropropane	< 3.2	ug/l	3.2	10	10	8260B		9/28/2013	CJR	1
2,2-Dichloropropane	< 3.6	ug/l	3.6	12	10	8260B		9/28/2013	CJR	4 8
1,3-Dichloropropane	< 3.3	ug/l	3.3	10	10	8260B		9/28/2013	CJR	1
Di-isopropyl ether	< 2.3	ug/l	2.3	7.3	10	8260B		9/28/2013	CJR	1
EDB (1,2-Dibromoethane)	< 4.4	ug/l	4.4	14	10	8260B		9/28/2013	CJR	1
Ethylbenzene	< 5.5	ug/l	5.5	17	10	8260B		9/28/2013	CJR	1
Hexachlorobutadiene	< 15	ug/l	15	48	10	8260B		9/28/2013	CJR	1
Isopropylbenzene	< 3	ug/l	3	9.6	10	8260B		9/28/2013	CJR	1

Project Name EXFOLIATE PROPERTIES
Project #

Invoice # E25804

Lab Code 5025804A
Sample ID MW-9
Sample Matrix Water
Sample Date 9/21/2013

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
p-Isopropyltoluene	< 3.1	ug/l	3.1	9.8	10	8260B		9/28/2013	CJR	1
Methylene chloride	< 5	ug/l	5	16	10	8260B		9/28/2013	CJR	1
Methyl tert-butyl ether (MTBE)	< 2.3	ug/l	2.3	7.4	10	8260B		9/28/2013	CJR	1
Naphthalene	< 17	ug/l	17	55	10	8260B		9/28/2013	CJR	1
n-Propylbenzene	< 2.5	ug/l	2.5	8.1	10	8260B		9/28/2013	CJR	1
1,1,2,2-Tetrachloroethane	< 4.5	ug/l	4.5	14	10	8260B		9/28/2013	CJR	1
1,1,1,2-Tetrachloroethane	< 3.3	ug/l	3.3	11	10	8260B		9/28/2013	CJR	1
Tetrachloroethene	< 3.3	ug/l	3.3	11	10	8260B		9/28/2013	CJR	1
Toluene	< 6.9	ug/l	6.9	22	10	8260B		9/28/2013	CJR	1
1,2,4-Trichlorobenzene	< 9.8	ug/l	9.8	31	10	8260B		9/28/2013	CJR	1
1,2,3-Trichlorobenzene	< 18	ug/l	18	58	10	8260B		9/28/2013	CJR	1
1,1,1-Trichloroethane	< 3.3	ug/l	3.3	10	10	8260B		9/28/2013	CJR	1
1,1,2-Trichloroethane	< 3.4	ug/l	3.4	11	10	8260B		9/28/2013	CJR	1
Trichloroethene (TCE)	550	ug/l	3.3	10	10	8260B		9/28/2013	CJR	1
Trichlorofluoromethane	< 7.1	ug/l	7.1	23	10	8260B		9/28/2013	CJR	1
1,2,4-Trimethylbenzene	< 22	ug/l	22	69	10	8260B		9/28/2013	CJR	1
1,3,5-Trimethylbenzene	< 14	ug/l	14	45	10	8260B		9/28/2013	CJR	1
Vinyl Chloride	< 1.8	ug/l	1.8	5.7	10	8260B		9/28/2013	CJR	1
m&p-Xylene	< 6.9	ug/l	6.9	22	10	8260B		9/28/2013	CJR	1
o-Xylene	< 6.3	ug/l	6.3	20	10	8260B		9/28/2013	CJR	1
SUR - Toluene-d8	104	REC %			10	8260B		9/28/2013	CJR	1
SUR - 1,2-Dichloroethane-d4	99	REC %			10	8260B		9/28/2013	CJR	1
SUR - 4-Bromofluorobenzene	105	REC %			10	8260B		9/28/2013	CJR	1
SUR - Dibromofluoromethane	99	REC %			10	8260B		9/28/2013	CJR	1

"J" Flag: Analyte detected between LOD and LOQ


LOD Limit of Detection

LOQ Limit of Quantitation

Code	Comment
1	Laboratory QC within limits.
4	The continuing calibration standard not within established limits.
8	Closing calibration standard not within established limits.

All solid sample results reported on a dry weight basis unless otherwise indicated. All LOD's and LOQ's are adjusted for dilutions but not dry weight. Subcontracted results are denoted by SUB in the analyst field.

Authorized Signature



Synergy
Environmental Lab, Inc.

Page 1 of 1

1990 Prospect Ct. • Appleton, WI 54914
920-830-2455 • FAX 920-733-0631

Sample Handling Request
 Rush Analysis Date Required _____
 (Rushes accepted only with prior authorization)
☒ Normal Turn Around

Comments/Special Instructions (*Specify groundwater "GW", Drinking Water "DW", Waste Water "WW", Soil "S", Air "A", Oil, Sludge etc.)

NOTE INVOICE TO EXFOLIATE PROPERTIES LLC

Sample Integrity - To be completed by receiving lab. Method of Shipment: <u>air</u> Temp. of Temp. Blank: <u> </u> C On Ice: <u>X</u> Cooler seal intact upon receipt: <u>X</u> Yes <u> </u> No	Relinquished By: (sign) <u>J. L. Holden</u>	Time <u> </u> Date <u>21 SEP 13</u>	Received By: (sign) <u> </u>	Time <u> </u> Date <u> </u>
	Received in Laboratory By: <u>Chris Davis</u>	Time <u>8:00</u>	Date <u>09/24/13</u>	