



August 16, 2019

NORTH WOOD FLOORING LLC
ATTN: THOMAS D BIEBERITZ
107 BUSINESS 141 N
COLEMAN WI 54112-9450

SUBJECT: Notification of Groundwater Sampling Results
D&G Mobil Quikmart, 125 County Highway CP, Coleman, WI
BRRTS Activity # 03-38-204911

Dear Mr. Bieberitz:

Please find the attached results from the August 1, 2019 sampling of the groundwater monitoring wells, MW-3, MW-4, MW-7, MW-8, MW-8A, PZ-8, and MW-9, at your property located at 145 County Road CP and 107 County Road CP, Village of Coleman. The samples were collected by GEI, a consultant hired by the Department of Natural Resources (DNR) for the work associated with the D&G Mobil Quikmart site. The samples collected were analyzed for volatile organic compounds (VOCs).

The analytical results indicate that petroleum volatile organic compounds (PVOCs) were detected in one of the seven groundwater monitoring wells. That well, MW-4, had PVOCs detected above the NR 140 enforcement standard (ES). Please refer to the attached laboratory analytical report.

If you have any questions, please contact me at (920) 662-5443 or by email to Sarah.Krueger@wisconsin.gov.

Sincerely,



Sarah Krueger
Project Manager
Remediation & Redevelopment Program

att. Laboratory Analytical Report

ANALYTICAL RESULTS

Project: 1902744 D&G MOBIL

Pace Project No.: 40192222

Sample: MW-3 **Lab ID: 40192222009** Collected: 08/01/19 13:20 Received: 08/01/19 14:40 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV		Analytical Method: EPA 8260							
Benzene	<0.25	ug/L	1.0	0.25	1		08/02/19 15:58	71-43-2	
Bromobenzene	<0.24	ug/L	1.0	0.24	1		08/02/19 15:58	108-86-1	
Bromochloromethane	<0.36	ug/L	5.0	0.36	1		08/02/19 15:58	74-97-5	
Bromodichloromethane	<0.36	ug/L	1.2	0.36	1		08/02/19 15:58	75-27-4	
Bromoform	<4.0	ug/L	13.2	4.0	1		08/02/19 15:58	75-25-2	
Bromomethane	<0.97	ug/L	5.0	0.97	1		08/02/19 15:58	74-83-9	
n-Butylbenzene	<0.71	ug/L	2.4	0.71	1		08/02/19 15:58	104-51-8	
sec-Butylbenzene	<0.85	ug/L	5.0	0.85	1		08/02/19 15:58	135-98-8	
tert-Butylbenzene	<0.30	ug/L	1.0	0.30	1		08/02/19 15:58	98-06-6	
Carbon tetrachloride	<0.17	ug/L	1.0	0.17	1		08/02/19 15:58	56-23-5	
Chlorobenzene	<0.71	ug/L	2.4	0.71	1		08/02/19 15:58	108-90-7	
Chloroethane	<1.3	ug/L	5.0	1.3	1		08/02/19 15:58	75-00-3	
Chloroform	<1.3	ug/L	5.0	1.3	1		08/02/19 15:58	67-66-3	
Chloromethane	<2.2	ug/L	7.3	2.2	1		08/02/19 15:58	74-87-3	
2-Chlorotoluene	<0.93	ug/L	5.0	0.93	1		08/02/19 15:58	95-49-8	
4-Chlorotoluene	<0.76	ug/L	2.5	0.76	1		08/02/19 15:58	106-43-4	
1,2-Dibromo-3-chloropropane	<1.8	ug/L	5.9	1.8	1		08/02/19 15:58	96-12-8	L2
Dibromochloromethane	<2.6	ug/L	8.7	2.6	1		08/02/19 15:58	124-48-1	
1,2-Dibromoethane (EDB)	<0.83	ug/L	2.8	0.83	1		08/02/19 15:58	106-93-4	
Dibromomethane	<0.94	ug/L	3.1	0.94	1		08/02/19 15:58	74-95-3	
1,2-Dichlorobenzene	<0.71	ug/L	2.4	0.71	1		08/02/19 15:58	95-50-1	
1,3-Dichlorobenzene	<0.63	ug/L	2.1	0.63	1		08/02/19 15:58	541-73-1	
1,4-Dichlorobenzene	<0.94	ug/L	3.1	0.94	1		08/02/19 15:58	106-46-7	
Dichlorodifluoromethane	<0.50	ug/L	5.0	0.50	1		08/02/19 15:58	75-71-8	
1,1-Dichloroethane	<0.27	ug/L	1.0	0.27	1		08/02/19 15:58	75-34-3	
1,2-Dichloroethane	<0.28	ug/L	1.0	0.28	1		08/02/19 15:58	107-06-2	
1,1-Dichloroethene	<0.24	ug/L	1.0	0.24	1		08/02/19 15:58	75-35-4	
cis-1,2-Dichloroethene	<0.27	ug/L	1.0	0.27	1		08/02/19 15:58	156-59-2	
trans-1,2-Dichloroethene	<1.1	ug/L	3.6	1.1	1		08/02/19 15:58	156-60-5	
1,2-Dichloropropane	<0.28	ug/L	1.0	0.28	1		08/02/19 15:58	78-87-5	
1,3-Dichloropropane	<0.83	ug/L	2.8	0.83	1		08/02/19 15:58	142-28-9	
2,2-Dichloropropane	<2.3	ug/L	7.6	2.3	1		08/02/19 15:58	594-20-7	
1,1-Dichloropropene	<0.54	ug/L	1.8	0.54	1		08/02/19 15:58	563-58-6	
cis-1,3-Dichloropropene	<3.6	ug/L	12.1	3.6	1		08/02/19 15:58	10061-01-5	
trans-1,3-Dichloropropene	<4.4	ug/L	14.6	4.4	1		08/02/19 15:58	10061-02-6	
Diisopropyl ether	<1.9	ug/L	6.3	1.9	1		08/02/19 15:58	108-20-3	
Ethylbenzene	<0.22	ug/L	1.0	0.22	1		08/02/19 15:58	100-41-4	
Hexachloro-1,3-butadiene	<1.2	ug/L	5.0	1.2	1		08/02/19 15:58	87-68-3	
Isopropylbenzene (Cumene)	<0.39	ug/L	5.0	0.39	1		08/02/19 15:58	98-82-8	
p-Isopropyltoluene	<0.80	ug/L	2.7	0.80	1		08/02/19 15:58	99-87-6	
Methylene Chloride	<0.58	ug/L	5.0	0.58	1		08/02/19 15:58	75-09-2	
Methyl-tert-butyl ether	<1.2	ug/L	4.2	1.2	1		08/02/19 15:58	1634-04-4	
Naphthalene	<1.2	ug/L	5.0	1.2	1		08/02/19 15:58	91-20-3	
n-Propylbenzene	<0.81	ug/L	5.0	0.81	1		08/02/19 15:58	103-65-1	
Styrene	<0.47	ug/L	1.6	0.47	1		08/02/19 15:58	100-42-5	
1,1,1,2-Tetrachloroethane	<0.27	ug/L	1.0	0.27	1		08/02/19 15:58	630-20-6	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 1902744 D&G MOBIL

Pace Project No.: 40192222

Sample: MW-3 **Lab ID: 4019222009** Collected: 08/01/19 13:20 Received: 08/01/19 14:40 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV									
Analytical Method: EPA 8260									
1,1,2,2-Tetrachloroethane	<0.28	ug/L	1.0	0.28	1		08/02/19 15:58	79-34-5	
Tetrachloroethene	<0.33	ug/L	1.1	0.33	1		08/02/19 15:58	127-18-4	
Toluene	<0.17	ug/L	5.0	0.17	1		08/02/19 15:58	108-88-3	
1,2,3-Trichlorobenzene	<0.63	ug/L	5.0	0.63	1		08/02/19 15:58	87-61-6	
1,2,4-Trichlorobenzene	<0.95	ug/L	5.0	0.95	1		08/02/19 15:58	120-82-1	
1,1,1-Trichloroethane	<0.24	ug/L	1.0	0.24	1		08/02/19 15:58	71-55-6	
1,1,2-Trichloroethane	<0.55	ug/L	5.0	0.55	1		08/02/19 15:58	79-00-5	
Trichloroethene	<0.26	ug/L	1.0	0.26	1		08/02/19 15:58	79-01-6	
Trichlorofluoromethane	<0.21	ug/L	1.0	0.21	1		08/02/19 15:58	75-69-4	
1,2,3-Trichloropropane	<0.59	ug/L	5.0	0.59	1		08/02/19 15:58	96-18-4	
1,2,4-Trimethylbenzene	<0.84	ug/L	2.8	0.84	1		08/02/19 15:58	95-63-6	
1,3,5-Trimethylbenzene	<0.87	ug/L	2.9	0.87	1		08/02/19 15:58	108-67-8	
Vinyl chloride	<0.17	ug/L	1.0	0.17	1		08/02/19 15:58	75-01-4	
m&p-Xylene	<0.47	ug/L	2.0	0.47	1		08/02/19 15:58	179601-23-1	
o-Xylene	<0.26	ug/L	1.0	0.26	1		08/02/19 15:58	95-47-6	
Surrogates									
4-Bromofluorobenzene (S)	84	%	70-130		1		08/02/19 15:58	460-00-4	
Dibromofluoromethane (S)	100	%	70-130		1		08/02/19 15:58	1868-53-7	
Toluene-d8 (S)	96	%	70-130		1		08/02/19 15:58	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 1902744 D&G MOBIL

Pace Project No.: 40192222

Sample: MW-4 **Lab ID: 40192222008** Collected: 08/01/19 12:55 Received: 08/01/19 14:40 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Analytical Method: EPA 8260									
Benzene	25.0	ug/L	1.0	0.25	1		08/02/19 16:20	71-43-2	
Bromobenzene	<0.24	ug/L	1.0	0.24	1		08/02/19 16:20	108-86-1	
Bromochloromethane	<0.36	ug/L	5.0	0.36	1		08/02/19 16:20	74-97-5	
Bromodichloromethane	<0.36	ug/L	1.2	0.36	1		08/02/19 16:20	75-27-4	
Bromoform	<4.0	ug/L	13.2	4.0	1		08/02/19 16:20	75-25-2	
Bromomethane	<0.97	ug/L	5.0	0.97	1		08/02/19 16:20	74-83-9	
n-Butylbenzene	<0.71	ug/L	2.4	0.71	1		08/02/19 16:20	104-51-8	
sec-Butylbenzene	13.0	ug/L	5.0	0.85	1		08/02/19 16:20	135-98-8	
tert-Butylbenzene	<0.30	ug/L	1.0	0.30	1		08/02/19 16:20	98-06-6	
Carbon tetrachloride	<0.17	ug/L	1.0	0.17	1		08/02/19 16:20	56-23-5	
Chlorobenzene	<0.71	ug/L	2.4	0.71	1		08/02/19 16:20	108-90-7	
Chloroethane	<1.3	ug/L	5.0	1.3	1		08/02/19 16:20	75-00-3	
Chloroform	<1.3	ug/L	5.0	1.3	1		08/02/19 16:20	67-66-3	
Chloromethane	<2.2	ug/L	7.3	2.2	1		08/02/19 16:20	74-87-3	
2-Chlorotoluene	<0.93	ug/L	5.0	0.93	1		08/02/19 16:20	95-49-8	
4-Chlorotoluene	<0.76	ug/L	2.5	0.76	1		08/02/19 16:20	106-43-4	
1,2-Dibromo-3-chloropropane	<1.8	ug/L	5.9	1.8	1		08/02/19 16:20	96-12-8	L2
Dibromochloromethane	<2.6	ug/L	8.7	2.6	1		08/02/19 16:20	124-48-1	
1,2-Dibromoethane (EDB)	<0.83	ug/L	2.8	0.83	1		08/02/19 16:20	106-93-4	
Dibromomethane	<0.94	ug/L	3.1	0.94	1		08/02/19 16:20	74-95-3	
1,2-Dichlorobenzene	<0.71	ug/L	2.4	0.71	1		08/02/19 16:20	95-50-1	
1,3-Dichlorobenzene	<0.63	ug/L	2.1	0.63	1		08/02/19 16:20	541-73-1	
1,4-Dichlorobenzene	<0.94	ug/L	3.1	0.94	1		08/02/19 16:20	106-46-7	
Dichlorodifluoromethane	<0.50	ug/L	5.0	0.50	1		08/02/19 16:20	75-71-8	
1,1-Dichloroethane	<0.27	ug/L	1.0	0.27	1		08/02/19 16:20	75-34-3	
1,2-Dichloroethane	<0.28	ug/L	1.0	0.28	1		08/02/19 16:20	107-06-2	
1,1-Dichloroethene	<0.24	ug/L	1.0	0.24	1		08/02/19 16:20	75-35-4	
cis-1,2-Dichloroethene	<0.27	ug/L	1.0	0.27	1		08/02/19 16:20	156-59-2	
trans-1,2-Dichloroethene	<1.1	ug/L	3.6	1.1	1		08/02/19 16:20	156-60-5	
1,2-Dichloropropane	<0.28	ug/L	1.0	0.28	1		08/02/19 16:20	78-87-5	
1,3-Dichloropropane	<0.83	ug/L	2.8	0.83	1		08/02/19 16:20	142-28-9	
2,2-Dichloropropane	<2.3	ug/L	7.6	2.3	1		08/02/19 16:20	594-20-7	
1,1-Dichloropropene	<0.54	ug/L	1.8	0.54	1		08/02/19 16:20	563-58-6	
cis-1,3-Dichloropropene	<3.6	ug/L	12.1	3.6	1		08/02/19 16:20	10061-01-5	
trans-1,3-Dichloropropene	<4.4	ug/L	14.6	4.4	1		08/02/19 16:20	10061-02-6	
Diisopropyl ether	<1.9	ug/L	6.3	1.9	1		08/02/19 16:20	108-20-3	
Ethylbenzene	758	ug/L	10.0	2.2	10		08/05/19 08:32	100-41-4	
Hexachloro-1,3-butadiene	<1.2	ug/L	5.0	1.2	1		08/02/19 16:20	87-68-3	
Isopropylbenzene (Cumene)	65.6	ug/L	5.0	0.39	1		08/02/19 16:20	98-82-8	
p-Isopropyltoluene	8.0	ug/L	2.7	0.80	1		08/02/19 16:20	99-87-6	
Methylene Chloride	<0.58	ug/L	5.0	0.58	1		08/02/19 16:20	75-09-2	
Methyl-tert-butyl ether	<1.2	ug/L	4.2	1.2	1		08/02/19 16:20	1634-04-4	
Naphthalene	141	ug/L	5.0	1.2	1		08/02/19 16:20	91-20-3	
n-Propylbenzene	192	ug/L	5.0	0.81	1		08/02/19 16:20	103-65-1	
Styrene	<0.47	ug/L	1.6	0.47	1		08/02/19 16:20	100-42-5	
1,1,1,2-Tetrachloroethane	<0.27	ug/L	1.0	0.27	1		08/02/19 16:20	630-20-6	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 1902744 D&G MOBIL

Pace Project No.: 40192222

Sample: MW-4 **Lab ID: 4019222008** Collected: 08/01/19 12:55 Received: 08/01/19 14:40 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV		Analytical Method: EPA 8260							
1,1,2,2-Tetrachloroethane	<0.28	ug/L	1.0	0.28	1		08/02/19 16:20	79-34-5	
Tetrachloroethene	<0.33	ug/L	1.1	0.33	1		08/02/19 16:20	127-18-4	
Toluene	20.2	ug/L	5.0	0.17	1		08/02/19 16:20	108-88-3	
1,2,3-Trichlorobenzene	<0.63	ug/L	5.0	0.63	1		08/02/19 16:20	87-61-6	
1,2,4-Trichlorobenzene	<0.95	ug/L	5.0	0.95	1		08/02/19 16:20	120-82-1	
1,1,1-Trichloroethane	<0.24	ug/L	1.0	0.24	1		08/02/19 16:20	71-55-6	
1,1,2-Trichloroethane	<0.55	ug/L	5.0	0.55	1		08/02/19 16:20	79-00-5	
Trichloroethene	<0.26	ug/L	1.0	0.26	1		08/02/19 16:20	79-01-6	
Trichlorofluoromethane	<0.21	ug/L	1.0	0.21	1		08/02/19 16:20	75-69-4	
1,2,3-Trichloropropane	<0.59	ug/L	5.0	0.59	1		08/02/19 16:20	96-18-4	
1,2,4-Trimethylbenzene	852	ug/L	28.0	8.4	10		08/05/19 08:32	95-63-6	
1,3,5-Trimethylbenzene	217	ug/L	2.9	0.87	1		08/02/19 16:20	108-67-8	
Vinyl chloride	<0.17	ug/L	1.0	0.17	1		08/02/19 16:20	75-01-4	
m&p-Xylene	1270	ug/L	20.0	4.7	10		08/05/19 08:32	179601-23-1	
o-Xylene	30.0	ug/L	1.0	0.26	1		08/02/19 16:20	95-47-6	
Surrogates									
4-Bromofluorobenzene (S)	92	%	70-130		1		08/02/19 16:20	460-00-4	
Dibromofluoromethane (S)	90	%	70-130		1		08/02/19 16:20	1868-53-7	
Toluene-d8 (S)	99	%	70-130		1		08/02/19 16:20	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 1902744 D&G MOBIL

Pace Project No.: 40192222

Sample: MW-7 **Lab ID: 40192222005** Collected: 08/01/19 09:50 Received: 08/01/19 14:40 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Analytical Method: EPA 8260									
Benzene	<0.25	ug/L	1.0	0.25	1		08/02/19 15:12	71-43-2	
Bromobenzene	<0.24	ug/L	1.0	0.24	1		08/02/19 15:12	108-86-1	
Bromochloromethane	<0.36	ug/L	5.0	0.36	1		08/02/19 15:12	74-97-5	
Bromodichloromethane	<0.36	ug/L	1.2	0.36	1		08/02/19 15:12	75-27-4	
Bromoform	<4.0	ug/L	13.2	4.0	1		08/02/19 15:12	75-25-2	
Bromomethane	<0.97	ug/L	5.0	0.97	1		08/02/19 15:12	74-83-9	
n-Butylbenzene	<0.71	ug/L	2.4	0.71	1		08/02/19 15:12	104-51-8	
sec-Butylbenzene	<0.85	ug/L	5.0	0.85	1		08/02/19 15:12	135-98-8	
tert-Butylbenzene	<0.30	ug/L	1.0	0.30	1		08/02/19 15:12	98-06-6	
Carbon tetrachloride	<0.17	ug/L	1.0	0.17	1		08/02/19 15:12	56-23-5	
Chlorobenzene	<0.71	ug/L	2.4	0.71	1		08/02/19 15:12	108-90-7	
Chloroethane	<1.3	ug/L	5.0	1.3	1		08/02/19 15:12	75-00-3	
Chloroform	<1.3	ug/L	5.0	1.3	1		08/02/19 15:12	67-66-3	
Chloromethane	<2.2	ug/L	7.3	2.2	1		08/02/19 15:12	74-87-3	
2-Chlorotoluene	<0.93	ug/L	5.0	0.93	1		08/02/19 15:12	95-49-8	
4-Chlorotoluene	<0.76	ug/L	2.5	0.76	1		08/02/19 15:12	106-43-4	
1,2-Dibromo-3-chloropropane	<1.8	ug/L	5.9	1.8	1		08/02/19 15:12	96-12-8	L2
Dibromochloromethane	<2.6	ug/L	8.7	2.6	1		08/02/19 15:12	124-48-1	
1,2-Dibromoethane (EDB)	<0.83	ug/L	2.8	0.83	1		08/02/19 15:12	106-93-4	
Dibromomethane	<0.94	ug/L	3.1	0.94	1		08/02/19 15:12	74-95-3	
1,2-Dichlorobenzene	<0.71	ug/L	2.4	0.71	1		08/02/19 15:12	95-50-1	
1,3-Dichlorobenzene	<0.63	ug/L	2.1	0.63	1		08/02/19 15:12	541-73-1	
1,4-Dichlorobenzene	<0.94	ug/L	3.1	0.94	1		08/02/19 15:12	106-46-7	
Dichlorodifluoromethane	<0.50	ug/L	5.0	0.50	1		08/02/19 15:12	75-71-8	
1,1-Dichloroethane	<0.27	ug/L	1.0	0.27	1		08/02/19 15:12	75-34-3	
1,2-Dichloroethane	<0.28	ug/L	1.0	0.28	1		08/02/19 15:12	107-06-2	
1,1-Dichloroethene	<0.24	ug/L	1.0	0.24	1		08/02/19 15:12	75-35-4	
cis-1,2-Dichloroethene	<0.27	ug/L	1.0	0.27	1		08/02/19 15:12	156-59-2	
trans-1,2-Dichloroethene	<1.1	ug/L	3.6	1.1	1		08/02/19 15:12	156-60-5	
1,2-Dichloropropane	<0.28	ug/L	1.0	0.28	1		08/02/19 15:12	78-87-5	
1,3-Dichloropropane	<0.83	ug/L	2.8	0.83	1		08/02/19 15:12	142-28-9	
2,2-Dichloropropane	<2.3	ug/L	7.6	2.3	1		08/02/19 15:12	594-20-7	
1,1-Dichloropropene	<0.54	ug/L	1.8	0.54	1		08/02/19 15:12	563-58-6	
cis-1,3-Dichloropropene	<3.6	ug/L	12.1	3.6	1		08/02/19 15:12	10061-01-5	
trans-1,3-Dichloropropene	<4.4	ug/L	14.6	4.4	1		08/02/19 15:12	10061-02-6	
Diisopropyl ether	<1.9	ug/L	6.3	1.9	1		08/02/19 15:12	108-20-3	
Ethylbenzene	<0.22	ug/L	1.0	0.22	1		08/02/19 15:12	100-41-4	
Hexachloro-1,3-butadiene	<1.2	ug/L	5.0	1.2	1		08/02/19 15:12	87-68-3	
Isopropylbenzene (Cumene)	<0.39	ug/L	5.0	0.39	1		08/02/19 15:12	98-82-8	
p-Isopropyltoluene	<0.80	ug/L	2.7	0.80	1		08/02/19 15:12	99-87-6	
Methylene Chloride	<0.58	ug/L	5.0	0.58	1		08/02/19 15:12	75-09-2	
Methyl-tert-butyl ether	<1.2	ug/L	4.2	1.2	1		08/02/19 15:12	1634-04-4	
Naphthalene	<1.2	ug/L	5.0	1.2	1		08/02/19 15:12	91-20-3	
n-Propylbenzene	<0.81	ug/L	5.0	0.81	1		08/02/19 15:12	103-65-1	
Styrene	<0.47	ug/L	1.6	0.47	1		08/02/19 15:12	100-42-5	
1,1,1,2-Tetrachloroethane	<0.27	ug/L	1.0	0.27	1		08/02/19 15:12	630-20-6	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 1902744 D&G MOBIL

Pace Project No.: 40192222

Sample: MW-7 **Lab ID: 4019222005** Collected: 08/01/19 09:50 Received: 08/01/19 14:40 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Analytical Method: EPA 8260									
1,1,2,2-Tetrachloroethane	<0.28	ug/L	1.0	0.28	1		08/02/19 15:12	79-34-5	
Tetrachloroethene	<0.33	ug/L	1.1	0.33	1		08/02/19 15:12	127-18-4	
Toluene	<0.17	ug/L	5.0	0.17	1		08/02/19 15:12	108-88-3	
1,2,3-Trichlorobenzene	<0.63	ug/L	5.0	0.63	1		08/02/19 15:12	87-61-6	
1,2,4-Trichlorobenzene	<0.95	ug/L	5.0	0.95	1		08/02/19 15:12	120-82-1	
1,1,1-Trichloroethane	<0.24	ug/L	1.0	0.24	1		08/02/19 15:12	71-55-6	
1,1,2-Trichloroethane	<0.55	ug/L	5.0	0.55	1		08/02/19 15:12	79-00-5	
Trichloroethene	<0.26	ug/L	1.0	0.26	1		08/02/19 15:12	79-01-6	
Trichlorofluoromethane	<0.21	ug/L	1.0	0.21	1		08/02/19 15:12	75-69-4	
1,2,3-Trichloropropane	<0.59	ug/L	5.0	0.59	1		08/02/19 15:12	96-18-4	
1,2,4-Trimethylbenzene	<0.84	ug/L	2.8	0.84	1		08/02/19 15:12	95-63-6	
1,3,5-Trimethylbenzene	<0.87	ug/L	2.9	0.87	1		08/02/19 15:12	108-67-8	
Vinyl chloride	<0.17	ug/L	1.0	0.17	1		08/02/19 15:12	75-01-4	
m&p-Xylene	<0.47	ug/L	2.0	0.47	1		08/02/19 15:12	179601-23-1	
o-Xylene	<0.26	ug/L	1.0	0.26	1		08/02/19 15:12	95-47-6	
Surrogates									
4-Bromofluorobenzene (S)	82	%	70-130		1		08/02/19 15:12	460-00-4	
Dibromofluoromethane (S)	101	%	70-130		1		08/02/19 15:12	1868-53-7	
Toluene-d8 (S)	96	%	70-130		1		08/02/19 15:12	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 1902744 D&G MOBIL

Pace Project No.: 40192222

Sample: MW-8 **Lab ID: 40192222001** Collected: 08/01/19 08:35 Received: 08/01/19 14:40 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Analytical Method: EPA 8260									
Benzene	<0.25	ug/L	1.0	0.25	1		08/02/19 13:43	71-43-2	
Bromobenzene	<0.24	ug/L	1.0	0.24	1		08/02/19 13:43	108-86-1	
Bromochloromethane	<0.36	ug/L	5.0	0.36	1		08/02/19 13:43	74-97-5	
Bromodichloromethane	<0.36	ug/L	1.2	0.36	1		08/02/19 13:43	75-27-4	
Bromoform	<4.0	ug/L	13.2	4.0	1		08/02/19 13:43	75-25-2	
Bromomethane	<0.97	ug/L	5.0	0.97	1		08/02/19 13:43	74-83-9	
n-Butylbenzene	<0.71	ug/L	2.4	0.71	1		08/02/19 13:43	104-51-8	
sec-Butylbenzene	<0.85	ug/L	5.0	0.85	1		08/02/19 13:43	135-98-8	
tert-Butylbenzene	<0.30	ug/L	1.0	0.30	1		08/02/19 13:43	98-06-6	
Carbon tetrachloride	<0.17	ug/L	1.0	0.17	1		08/02/19 13:43	56-23-5	
Chlorobenzene	<0.71	ug/L	2.4	0.71	1		08/02/19 13:43	108-90-7	
Chloroethane	<1.3	ug/L	5.0	1.3	1		08/02/19 13:43	75-00-3	
Chloroform	<1.3	ug/L	5.0	1.3	1		08/02/19 13:43	67-66-3	
Chloromethane	<2.2	ug/L	7.3	2.2	1		08/02/19 13:43	74-87-3	
2-Chlorotoluene	<0.93	ug/L	5.0	0.93	1		08/02/19 13:43	95-49-8	
4-Chlorotoluene	<0.76	ug/L	2.5	0.76	1		08/02/19 13:43	106-43-4	
1,2-Dibromo-3-chloropropane	<1.8	ug/L	5.9	1.8	1		08/02/19 13:43	96-12-8	L2
Dibromochloromethane	<2.6	ug/L	8.7	2.6	1		08/02/19 13:43	124-48-1	
1,2-Dibromoethane (EDB)	<0.83	ug/L	2.8	0.83	1		08/02/19 13:43	106-93-4	
Dibromomethane	<0.94	ug/L	3.1	0.94	1		08/02/19 13:43	74-95-3	
1,2-Dichlorobenzene	<0.71	ug/L	2.4	0.71	1		08/02/19 13:43	95-50-1	
1,3-Dichlorobenzene	<0.63	ug/L	2.1	0.63	1		08/02/19 13:43	541-73-1	
1,4-Dichlorobenzene	<0.94	ug/L	3.1	0.94	1		08/02/19 13:43	106-46-7	
Dichlorodifluoromethane	<0.50	ug/L	5.0	0.50	1		08/02/19 13:43	75-71-8	
1,1-Dichloroethane	<0.27	ug/L	1.0	0.27	1		08/02/19 13:43	75-34-3	
1,2-Dichloroethane	<0.28	ug/L	1.0	0.28	1		08/02/19 13:43	107-06-2	
1,1-Dichloroethene	<0.24	ug/L	1.0	0.24	1		08/02/19 13:43	75-35-4	
cis-1,2-Dichloroethene	<0.27	ug/L	1.0	0.27	1		08/02/19 13:43	156-59-2	
trans-1,2-Dichloroethene	<1.1	ug/L	3.6	1.1	1		08/02/19 13:43	156-60-5	
1,2-Dichloropropane	<0.28	ug/L	1.0	0.28	1		08/02/19 13:43	78-87-5	
1,3-Dichloropropane	<0.83	ug/L	2.8	0.83	1		08/02/19 13:43	142-28-9	
2,2-Dichloropropane	<2.3	ug/L	7.6	2.3	1		08/02/19 13:43	594-20-7	
1,1-Dichloropropene	<0.54	ug/L	1.8	0.54	1		08/02/19 13:43	563-58-6	
cis-1,3-Dichloropropene	<3.6	ug/L	12.1	3.6	1		08/02/19 13:43	10061-01-5	
trans-1,3-Dichloropropene	<4.4	ug/L	14.6	4.4	1		08/02/19 13:43	10061-02-6	
Diisopropyl ether	<1.9	ug/L	6.3	1.9	1		08/02/19 13:43	108-20-3	
Ethylbenzene	<0.22	ug/L	1.0	0.22	1		08/02/19 13:43	100-41-4	
Hexachloro-1,3-butadiene	<1.2	ug/L	5.0	1.2	1		08/02/19 13:43	87-68-3	
Isopropylbenzene (Cumene)	<0.39	ug/L	5.0	0.39	1		08/02/19 13:43	98-82-8	
p-Isopropyltoluene	<0.80	ug/L	2.7	0.80	1		08/02/19 13:43	99-87-6	
Methylene Chloride	<0.58	ug/L	5.0	0.58	1		08/02/19 13:43	75-09-2	
Methyl-tert-butyl ether	<1.2	ug/L	4.2	1.2	1		08/02/19 13:43	1634-04-4	
Naphthalene	<1.2	ug/L	5.0	1.2	1		08/02/19 13:43	91-20-3	
n-Propylbenzene	<0.81	ug/L	5.0	0.81	1		08/02/19 13:43	103-65-1	
Styrene	<0.47	ug/L	1.6	0.47	1		08/02/19 13:43	100-42-5	
1,1,1,2-Tetrachloroethane	<0.27	ug/L	1.0	0.27	1		08/02/19 13:43	630-20-6	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 1902744 D&G MOBIL

Pace Project No.: 40192222

Sample: MW-8 **Lab ID: 4019222001** Collected: 08/01/19 08:35 Received: 08/01/19 14:40 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV		Analytical Method: EPA 8260							
1,1,2,2-Tetrachloroethane	<0.28	ug/L	1.0	0.28	1		08/02/19 13:43	79-34-5	
Tetrachloroethene	<0.33	ug/L	1.1	0.33	1		08/02/19 13:43	127-18-4	
Toluene	<0.17	ug/L	5.0	0.17	1		08/02/19 13:43	108-88-3	
1,2,3-Trichlorobenzene	<0.63	ug/L	5.0	0.63	1		08/02/19 13:43	87-61-6	
1,2,4-Trichlorobenzene	<0.95	ug/L	5.0	0.95	1		08/02/19 13:43	120-82-1	
1,1,1-Trichloroethane	<0.24	ug/L	1.0	0.24	1		08/02/19 13:43	71-55-6	
1,1,2-Trichloroethane	<0.55	ug/L	5.0	0.55	1		08/02/19 13:43	79-00-5	
Trichloroethene	<0.26	ug/L	1.0	0.26	1		08/02/19 13:43	79-01-6	
Trichlorofluoromethane	<0.21	ug/L	1.0	0.21	1		08/02/19 13:43	75-69-4	
1,2,3-Trichloropropane	<0.59	ug/L	5.0	0.59	1		08/02/19 13:43	96-18-4	
1,2,4-Trimethylbenzene	<0.84	ug/L	2.8	0.84	1		08/02/19 13:43	95-63-6	
1,3,5-Trimethylbenzene	<0.87	ug/L	2.9	0.87	1		08/02/19 13:43	108-67-8	
Vinyl chloride	<0.17	ug/L	1.0	0.17	1		08/02/19 13:43	75-01-4	
m&p-Xylene	<0.47	ug/L	2.0	0.47	1		08/02/19 13:43	179601-23-1	
o-Xylene	<0.26	ug/L	1.0	0.26	1		08/02/19 13:43	95-47-6	
Surrogates									
4-Bromofluorobenzene (S)	83	%	70-130		1		08/02/19 13:43	460-00-4	
Dibromofluoromethane (S)	102	%	70-130		1		08/02/19 13:43	1868-53-7	
Toluene-d8 (S)	97	%	70-130		1		08/02/19 13:43	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 1902744 D&G MOBIL

Pace Project No.: 40192222

Sample: MW-8A **Lab ID: 40192222002** Collected: 08/01/19 08:50 Received: 08/01/19 14:40 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Analytical Method: EPA 8260									
Benzene	<0.25	ug/L	1.0	0.25	1		08/02/19 14:05	71-43-2	
Bromobenzene	<0.24	ug/L	1.0	0.24	1		08/02/19 14:05	108-86-1	
Bromochloromethane	<0.36	ug/L	5.0	0.36	1		08/02/19 14:05	74-97-5	
Bromodichloromethane	<0.36	ug/L	1.2	0.36	1		08/02/19 14:05	75-27-4	
Bromoform	<4.0	ug/L	13.2	4.0	1		08/02/19 14:05	75-25-2	
Bromomethane	<0.97	ug/L	5.0	0.97	1		08/02/19 14:05	74-83-9	
n-Butylbenzene	<0.71	ug/L	2.4	0.71	1		08/02/19 14:05	104-51-8	
sec-Butylbenzene	<0.85	ug/L	5.0	0.85	1		08/02/19 14:05	135-98-8	
tert-Butylbenzene	<0.30	ug/L	1.0	0.30	1		08/02/19 14:05	98-06-6	
Carbon tetrachloride	<0.17	ug/L	1.0	0.17	1		08/02/19 14:05	56-23-5	
Chlorobenzene	<0.71	ug/L	2.4	0.71	1		08/02/19 14:05	108-90-7	
Chloroethane	<1.3	ug/L	5.0	1.3	1		08/02/19 14:05	75-00-3	
Chloroform	<1.3	ug/L	5.0	1.3	1		08/02/19 14:05	67-66-3	
Chloromethane	<2.2	ug/L	7.3	2.2	1		08/02/19 14:05	74-87-3	
2-Chlorotoluene	<0.93	ug/L	5.0	0.93	1		08/02/19 14:05	95-49-8	
4-Chlorotoluene	<0.76	ug/L	2.5	0.76	1		08/02/19 14:05	106-43-4	
1,2-Dibromo-3-chloropropane	<1.8	ug/L	5.9	1.8	1		08/02/19 14:05	96-12-8	L2
Dibromochloromethane	<2.6	ug/L	8.7	2.6	1		08/02/19 14:05	124-48-1	
1,2-Dibromoethane (EDB)	<0.83	ug/L	2.8	0.83	1		08/02/19 14:05	106-93-4	
Dibromomethane	<0.94	ug/L	3.1	0.94	1		08/02/19 14:05	74-95-3	
1,2-Dichlorobenzene	<0.71	ug/L	2.4	0.71	1		08/02/19 14:05	95-50-1	
1,3-Dichlorobenzene	<0.63	ug/L	2.1	0.63	1		08/02/19 14:05	541-73-1	
1,4-Dichlorobenzene	<0.94	ug/L	3.1	0.94	1		08/02/19 14:05	106-46-7	
Dichlorodifluoromethane	<0.50	ug/L	5.0	0.50	1		08/02/19 14:05	75-71-8	
1,1-Dichloroethane	<0.27	ug/L	1.0	0.27	1		08/02/19 14:05	75-34-3	
1,2-Dichloroethane	<0.28	ug/L	1.0	0.28	1		08/02/19 14:05	107-06-2	
1,1-Dichloroethene	<0.24	ug/L	1.0	0.24	1		08/02/19 14:05	75-35-4	
cis-1,2-Dichloroethene	<0.27	ug/L	1.0	0.27	1		08/02/19 14:05	156-59-2	
trans-1,2-Dichloroethene	<1.1	ug/L	3.6	1.1	1		08/02/19 14:05	156-60-5	
1,2-Dichloropropane	<0.28	ug/L	1.0	0.28	1		08/02/19 14:05	78-87-5	
1,3-Dichloropropane	<0.83	ug/L	2.8	0.83	1		08/02/19 14:05	142-28-9	
2,2-Dichloropropane	<2.3	ug/L	7.6	2.3	1		08/02/19 14:05	594-20-7	
1,1-Dichloropropene	<0.54	ug/L	1.8	0.54	1		08/02/19 14:05	563-58-6	
cis-1,3-Dichloropropene	<3.6	ug/L	12.1	3.6	1		08/02/19 14:05	10061-01-5	
trans-1,3-Dichloropropene	<4.4	ug/L	14.6	4.4	1		08/02/19 14:05	10061-02-6	
Diisopropyl ether	<1.9	ug/L	6.3	1.9	1		08/02/19 14:05	108-20-3	
Ethylbenzene	<0.22	ug/L	1.0	0.22	1		08/02/19 14:05	100-41-4	
Hexachloro-1,3-butadiene	<1.2	ug/L	5.0	1.2	1		08/02/19 14:05	87-68-3	
Isopropylbenzene (Cumene)	<0.39	ug/L	5.0	0.39	1		08/02/19 14:05	98-82-8	
p-Isopropyltoluene	<0.80	ug/L	2.7	0.80	1		08/02/19 14:05	99-87-6	
Methylene Chloride	<0.58	ug/L	5.0	0.58	1		08/02/19 14:05	75-09-2	
Methyl-tert-butyl ether	<1.2	ug/L	4.2	1.2	1		08/02/19 14:05	1634-04-4	
Naphthalene	<1.2	ug/L	5.0	1.2	1		08/02/19 14:05	91-20-3	
n-Propylbenzene	<0.81	ug/L	5.0	0.81	1		08/02/19 14:05	103-65-1	
Styrene	<0.47	ug/L	1.6	0.47	1		08/02/19 14:05	100-42-5	
1,1,1,2-Tetrachloroethane	<0.27	ug/L	1.0	0.27	1		08/02/19 14:05	630-20-6	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 1902744 D&G MOBIL

Pace Project No.: 40192222

Sample: MW-8A **Lab ID: 4019222002** Collected: 08/01/19 08:50 Received: 08/01/19 14:40 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV									
Analytical Method: EPA 8260									
1,1,2,2-Tetrachloroethane	<0.28	ug/L	1.0	0.28	1		08/02/19 14:05	79-34-5	
Tetrachloroethene	<0.33	ug/L	1.1	0.33	1		08/02/19 14:05	127-18-4	
Toluene	<0.17	ug/L	5.0	0.17	1		08/02/19 14:05	108-88-3	
1,2,3-Trichlorobenzene	<0.63	ug/L	5.0	0.63	1		08/02/19 14:05	87-61-6	
1,2,4-Trichlorobenzene	<0.95	ug/L	5.0	0.95	1		08/02/19 14:05	120-82-1	
1,1,1-Trichloroethane	<0.24	ug/L	1.0	0.24	1		08/02/19 14:05	71-55-6	
1,1,2-Trichloroethane	<0.55	ug/L	5.0	0.55	1		08/02/19 14:05	79-00-5	
Trichloroethene	<0.26	ug/L	1.0	0.26	1		08/02/19 14:05	79-01-6	
Trichlorofluoromethane	<0.21	ug/L	1.0	0.21	1		08/02/19 14:05	75-69-4	
1,2,3-Trichloropropane	<0.59	ug/L	5.0	0.59	1		08/02/19 14:05	96-18-4	
1,2,4-Trimethylbenzene	<0.84	ug/L	2.8	0.84	1		08/02/19 14:05	95-63-6	
1,3,5-Trimethylbenzene	<0.87	ug/L	2.9	0.87	1		08/02/19 14:05	108-67-8	
Vinyl chloride	<0.17	ug/L	1.0	0.17	1		08/02/19 14:05	75-01-4	
m&p-Xylene	<0.47	ug/L	2.0	0.47	1		08/02/19 14:05	179601-23-1	
o-Xylene	<0.26	ug/L	1.0	0.26	1		08/02/19 14:05	95-47-6	
Surrogates									
4-Bromofluorobenzene (S)	83	%	70-130		1		08/02/19 14:05	460-00-4	
Dibromofluoromethane (S)	103	%	70-130		1		08/02/19 14:05	1868-53-7	
Toluene-d8 (S)	96	%	70-130		1		08/02/19 14:05	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 1902744 D&G MOBIL

Pace Project No.: 40192222

Sample: PZ-8 **Lab ID: 40192222003** Collected: 08/01/19 09:05 Received: 08/01/19 14:40 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Analytical Method: EPA 8260									
Benzene	<0.25	ug/L	1.0	0.25	1		08/02/19 14:28	71-43-2	
Bromobenzene	<0.24	ug/L	1.0	0.24	1		08/02/19 14:28	108-86-1	
Bromochloromethane	<0.36	ug/L	5.0	0.36	1		08/02/19 14:28	74-97-5	
Bromodichloromethane	<0.36	ug/L	1.2	0.36	1		08/02/19 14:28	75-27-4	
Bromoform	<4.0	ug/L	13.2	4.0	1		08/02/19 14:28	75-25-2	
Bromomethane	<0.97	ug/L	5.0	0.97	1		08/02/19 14:28	74-83-9	
n-Butylbenzene	<0.71	ug/L	2.4	0.71	1		08/02/19 14:28	104-51-8	
sec-Butylbenzene	<0.85	ug/L	5.0	0.85	1		08/02/19 14:28	135-98-8	
tert-Butylbenzene	<0.30	ug/L	1.0	0.30	1		08/02/19 14:28	98-06-6	
Carbon tetrachloride	<0.17	ug/L	1.0	0.17	1		08/02/19 14:28	56-23-5	
Chlorobenzene	<0.71	ug/L	2.4	0.71	1		08/02/19 14:28	108-90-7	
Chloroethane	<1.3	ug/L	5.0	1.3	1		08/02/19 14:28	75-00-3	
Chloroform	<1.3	ug/L	5.0	1.3	1		08/02/19 14:28	67-66-3	
Chloromethane	<2.2	ug/L	7.3	2.2	1		08/02/19 14:28	74-87-3	
2-Chlorotoluene	<0.93	ug/L	5.0	0.93	1		08/02/19 14:28	95-49-8	
4-Chlorotoluene	<0.76	ug/L	2.5	0.76	1		08/02/19 14:28	106-43-4	
1,2-Dibromo-3-chloropropane	<1.8	ug/L	5.9	1.8	1		08/02/19 14:28	96-12-8	L2
Dibromochloromethane	<2.6	ug/L	8.7	2.6	1		08/02/19 14:28	124-48-1	
1,2-Dibromoethane (EDB)	<0.83	ug/L	2.8	0.83	1		08/02/19 14:28	106-93-4	
Dibromomethane	<0.94	ug/L	3.1	0.94	1		08/02/19 14:28	74-95-3	
1,2-Dichlorobenzene	<0.71	ug/L	2.4	0.71	1		08/02/19 14:28	95-50-1	
1,3-Dichlorobenzene	<0.63	ug/L	2.1	0.63	1		08/02/19 14:28	541-73-1	
1,4-Dichlorobenzene	<0.94	ug/L	3.1	0.94	1		08/02/19 14:28	106-46-7	
Dichlorodifluoromethane	<0.50	ug/L	5.0	0.50	1		08/02/19 14:28	75-71-8	
1,1-Dichloroethane	<0.27	ug/L	1.0	0.27	1		08/02/19 14:28	75-34-3	
1,2-Dichloroethane	<0.28	ug/L	1.0	0.28	1		08/02/19 14:28	107-06-2	
1,1-Dichloroethene	<0.24	ug/L	1.0	0.24	1		08/02/19 14:28	75-35-4	
cis-1,2-Dichloroethene	<0.27	ug/L	1.0	0.27	1		08/02/19 14:28	156-59-2	
trans-1,2-Dichloroethene	<1.1	ug/L	3.6	1.1	1		08/02/19 14:28	156-60-5	
1,2-Dichloropropane	<0.28	ug/L	1.0	0.28	1		08/02/19 14:28	78-87-5	
1,3-Dichloropropane	<0.83	ug/L	2.8	0.83	1		08/02/19 14:28	142-28-9	
2,2-Dichloropropane	<2.3	ug/L	7.6	2.3	1		08/02/19 14:28	594-20-7	
1,1-Dichloropropene	<0.54	ug/L	1.8	0.54	1		08/02/19 14:28	563-58-6	
cis-1,3-Dichloropropene	<3.6	ug/L	12.1	3.6	1		08/02/19 14:28	10061-01-5	
trans-1,3-Dichloropropene	<4.4	ug/L	14.6	4.4	1		08/02/19 14:28	10061-02-6	
Diisopropyl ether	<1.9	ug/L	6.3	1.9	1		08/02/19 14:28	108-20-3	
Ethylbenzene	<0.22	ug/L	1.0	0.22	1		08/02/19 14:28	100-41-4	
Hexachloro-1,3-butadiene	<1.2	ug/L	5.0	1.2	1		08/02/19 14:28	87-68-3	
Isopropylbenzene (Cumene)	<0.39	ug/L	5.0	0.39	1		08/02/19 14:28	98-82-8	
p-Isopropyltoluene	<0.80	ug/L	2.7	0.80	1		08/02/19 14:28	99-87-6	
Methylene Chloride	<0.58	ug/L	5.0	0.58	1		08/02/19 14:28	75-09-2	
Methyl-tert-butyl ether	<1.2	ug/L	4.2	1.2	1		08/02/19 14:28	1634-04-4	
Naphthalene	<1.2	ug/L	5.0	1.2	1		08/02/19 14:28	91-20-3	
n-Propylbenzene	<0.81	ug/L	5.0	0.81	1		08/02/19 14:28	103-65-1	
Styrene	<0.47	ug/L	1.6	0.47	1		08/02/19 14:28	100-42-5	
1,1,1,2-Tetrachloroethane	<0.27	ug/L	1.0	0.27	1		08/02/19 14:28	630-20-6	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 1902744 D&G MOBIL

Pace Project No.: 40192222

Sample: PZ-8 **Lab ID: 40192222003** Collected: 08/01/19 09:05 Received: 08/01/19 14:40 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Analytical Method: EPA 8260									
1,1,2,2-Tetrachloroethane	<0.28	ug/L	1.0	0.28	1		08/02/19 14:28	79-34-5	
Tetrachloroethene	<0.33	ug/L	1.1	0.33	1		08/02/19 14:28	127-18-4	
Toluene	<0.17	ug/L	5.0	0.17	1		08/02/19 14:28	108-88-3	
1,2,3-Trichlorobenzene	<0.63	ug/L	5.0	0.63	1		08/02/19 14:28	87-61-6	
1,2,4-Trichlorobenzene	<0.95	ug/L	5.0	0.95	1		08/02/19 14:28	120-82-1	
1,1,1-Trichloroethane	<0.24	ug/L	1.0	0.24	1		08/02/19 14:28	71-55-6	
1,1,2-Trichloroethane	<0.55	ug/L	5.0	0.55	1		08/02/19 14:28	79-00-5	
Trichloroethene	<0.26	ug/L	1.0	0.26	1		08/02/19 14:28	79-01-6	
Trichlorofluoromethane	<0.21	ug/L	1.0	0.21	1		08/02/19 14:28	75-69-4	
1,2,3-Trichloropropane	<0.59	ug/L	5.0	0.59	1		08/02/19 14:28	96-18-4	
1,2,4-Trimethylbenzene	<0.84	ug/L	2.8	0.84	1		08/02/19 14:28	95-63-6	
1,3,5-Trimethylbenzene	<0.87	ug/L	2.9	0.87	1		08/02/19 14:28	108-67-8	
Vinyl chloride	<0.17	ug/L	1.0	0.17	1		08/02/19 14:28	75-01-4	
m&p-Xylene	<0.47	ug/L	2.0	0.47	1		08/02/19 14:28	179601-23-1	
o-Xylene	<0.26	ug/L	1.0	0.26	1		08/02/19 14:28	95-47-6	
Surrogates									
4-Bromofluorobenzene (S)	83	%	70-130		1		08/02/19 14:28	460-00-4	
Dibromofluoromethane (S)	103	%	70-130		1		08/02/19 14:28	1868-53-7	
Toluene-d8 (S)	96	%	70-130		1		08/02/19 14:28	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 1902744 D&G MOBIL

Pace Project No.: 40192222

Sample: MW-9 Lab ID: 4019222004 Collected: 08/01/19 09:25 Received: 08/01/19 14:40 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Analytical Method: EPA 8260									
Benzene	<0.25	ug/L	1.0	0.25	1		08/02/19 14:50	71-43-2	
Bromobenzene	<0.24	ug/L	1.0	0.24	1		08/02/19 14:50	108-86-1	
Bromochloromethane	<0.36	ug/L	5.0	0.36	1		08/02/19 14:50	74-97-5	
Bromodichloromethane	<0.36	ug/L	1.2	0.36	1		08/02/19 14:50	75-27-4	
Bromoform	<4.0	ug/L	13.2	4.0	1		08/02/19 14:50	75-25-2	
Bromomethane	<0.97	ug/L	5.0	0.97	1		08/02/19 14:50	74-83-9	
n-Butylbenzene	<0.71	ug/L	2.4	0.71	1		08/02/19 14:50	104-51-8	
sec-Butylbenzene	<0.85	ug/L	5.0	0.85	1		08/02/19 14:50	135-98-8	
tert-Butylbenzene	<0.30	ug/L	1.0	0.30	1		08/02/19 14:50	98-06-6	
Carbon tetrachloride	<0.17	ug/L	1.0	0.17	1		08/02/19 14:50	56-23-5	
Chlorobenzene	<0.71	ug/L	2.4	0.71	1		08/02/19 14:50	108-90-7	
Chloroethane	<1.3	ug/L	5.0	1.3	1		08/02/19 14:50	75-00-3	
Chloroform	<1.3	ug/L	5.0	1.3	1		08/02/19 14:50	67-66-3	
Chloromethane	<2.2	ug/L	7.3	2.2	1		08/02/19 14:50	74-87-3	
2-Chlorotoluene	<0.93	ug/L	5.0	0.93	1		08/02/19 14:50	95-49-8	
4-Chlorotoluene	<0.76	ug/L	2.5	0.76	1		08/02/19 14:50	106-43-4	
1,2-Dibromo-3-chloropropane	<1.8	ug/L	5.9	1.8	1		08/02/19 14:50	96-12-8	L2
Dibromochloromethane	<2.6	ug/L	8.7	2.6	1		08/02/19 14:50	124-48-1	
1,2-Dibromoethane (EDB)	<0.83	ug/L	2.8	0.83	1		08/02/19 14:50	106-93-4	
Dibromomethane	<0.94	ug/L	3.1	0.94	1		08/02/19 14:50	74-95-3	
1,2-Dichlorobenzene	<0.71	ug/L	2.4	0.71	1		08/02/19 14:50	95-50-1	
1,3-Dichlorobenzene	<0.63	ug/L	2.1	0.63	1		08/02/19 14:50	541-73-1	
1,4-Dichlorobenzene	<0.94	ug/L	3.1	0.94	1		08/02/19 14:50	106-46-7	
Dichlorodifluoromethane	<0.50	ug/L	5.0	0.50	1		08/02/19 14:50	75-71-8	
1,1-Dichloroethane	<0.27	ug/L	1.0	0.27	1		08/02/19 14:50	75-34-3	
1,2-Dichloroethane	<0.28	ug/L	1.0	0.28	1		08/02/19 14:50	107-06-2	
1,1-Dichloroethene	<0.24	ug/L	1.0	0.24	1		08/02/19 14:50	75-35-4	
cis-1,2-Dichloroethene	<0.27	ug/L	1.0	0.27	1		08/02/19 14:50	156-59-2	
trans-1,2-Dichloroethene	<1.1	ug/L	3.6	1.1	1		08/02/19 14:50	156-60-5	
1,2-Dichloropropane	<0.28	ug/L	1.0	0.28	1		08/02/19 14:50	78-87-5	
1,3-Dichloropropane	<0.83	ug/L	2.8	0.83	1		08/02/19 14:50	142-28-9	
2,2-Dichloropropane	<2.3	ug/L	7.6	2.3	1		08/02/19 14:50	594-20-7	
1,1-Dichloropropene	<0.54	ug/L	1.8	0.54	1		08/02/19 14:50	563-58-6	
cis-1,3-Dichloropropene	<3.6	ug/L	12.1	3.6	1		08/02/19 14:50	10061-01-5	
trans-1,3-Dichloropropene	<4.4	ug/L	14.6	4.4	1		08/02/19 14:50	10061-02-6	
Diisopropyl ether	<1.9	ug/L	6.3	1.9	1		08/02/19 14:50	108-20-3	
Ethylbenzene	<0.22	ug/L	1.0	0.22	1		08/02/19 14:50	100-41-4	
Hexachloro-1,3-butadiene	<1.2	ug/L	5.0	1.2	1		08/02/19 14:50	87-68-3	
Isopropylbenzene (Cumene)	<0.39	ug/L	5.0	0.39	1		08/02/19 14:50	98-82-8	
p-Isopropyltoluene	<0.80	ug/L	2.7	0.80	1		08/02/19 14:50	99-87-6	
Methylene Chloride	<0.58	ug/L	5.0	0.58	1		08/02/19 14:50	75-09-2	
Methyl-tert-butyl ether	<1.2	ug/L	4.2	1.2	1		08/02/19 14:50	1634-04-4	
Naphthalene	<1.2	ug/L	5.0	1.2	1		08/02/19 14:50	91-20-3	
n-Propylbenzene	<0.81	ug/L	5.0	0.81	1		08/02/19 14:50	103-65-1	
Styrene	<0.47	ug/L	1.6	0.47	1		08/02/19 14:50	100-42-5	
1,1,1,2-Tetrachloroethane	<0.27	ug/L	1.0	0.27	1		08/02/19 14:50	630-20-6	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 1902744 D&G MOBIL

Pace Project No.: 40192222

Sample: MW-9 **Lab ID: 4019222004** Collected: 08/01/19 09:25 Received: 08/01/19 14:40 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Analytical Method: EPA 8260									
1,1,2,2-Tetrachloroethane	<0.28	ug/L	1.0	0.28	1		08/02/19 14:50	79-34-5	
Tetrachloroethene	<0.33	ug/L	1.1	0.33	1		08/02/19 14:50	127-18-4	
Toluene	<0.17	ug/L	5.0	0.17	1		08/02/19 14:50	108-88-3	
1,2,3-Trichlorobenzene	<0.63	ug/L	5.0	0.63	1		08/02/19 14:50	87-61-6	
1,2,4-Trichlorobenzene	<0.95	ug/L	5.0	0.95	1		08/02/19 14:50	120-82-1	
1,1,1-Trichloroethane	<0.24	ug/L	1.0	0.24	1		08/02/19 14:50	71-55-6	
1,1,2-Trichloroethane	<0.55	ug/L	5.0	0.55	1		08/02/19 14:50	79-00-5	
Trichloroethene	<0.26	ug/L	1.0	0.26	1		08/02/19 14:50	79-01-6	
Trichlorofluoromethane	<0.21	ug/L	1.0	0.21	1		08/02/19 14:50	75-69-4	
1,2,3-Trichloropropane	<0.59	ug/L	5.0	0.59	1		08/02/19 14:50	96-18-4	
1,2,4-Trimethylbenzene	<0.84	ug/L	2.8	0.84	1		08/02/19 14:50	95-63-6	
1,3,5-Trimethylbenzene	<0.87	ug/L	2.9	0.87	1		08/02/19 14:50	108-67-8	
Vinyl chloride	<0.17	ug/L	1.0	0.17	1		08/02/19 14:50	75-01-4	
m&p-Xylene	<0.47	ug/L	2.0	0.47	1		08/02/19 14:50	179601-23-1	
o-Xylene	<0.26	ug/L	1.0	0.26	1		08/02/19 14:50	95-47-6	
Surrogates									
4-Bromofluorobenzene (S)	82	%	70-130		1		08/02/19 14:50	460-00-4	
Dibromofluoromethane (S)	104	%	70-130		1		08/02/19 14:50	1868-53-7	
Toluene-d8 (S)	96	%	70-130		1		08/02/19 14:50	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

State of Wisconsin
DEPARTMENT OF NATURAL RESOURCES
2984 Shawano Avenue
Green Bay WI 54313-6727

Tony Evers, Governor
Preston D. Cole, Secretary
Telephone 608-266-2621
Toll Free 1-888-936-7463
TTY Access via relay - 711



August 16, 2019

D&G Mobil Quikmart
BRRTS # 03-38-204911

GEORGE & DIANNA HANNAN
W6826 COUNTY ROAD B
POUND WI 54161

– CERTIFIED MAIL –

SUBJECT: Request for Permission for Access to Sample Monitoring Wells,
131 Country Road CP – Parcel # 111-01319.000 and 125 Country Road CP – Parcel #
111-01318.000, Village of Coleman, Marinette County, Wisconsin

Dear Mr. and Ms. Hannan:

The Department of Natural Resources (“DNR”) is requesting permission to access your property, described above, for groundwater sampling of existing monitoring wells. On July 16, 2019 the DNR contacted you via phone call seeking permission for access to sample and install monitoring wells. During that call the DNR requested and received verbal permission to access the D&G Mobil Quikmart site. On July 17, 2019 the DNR sent an access agreement to you for signature. The DNR never received the access agreement enclosed with the July 17, 2019 letter.

The DNR has hired a contractor to perform the work related to the D&G Mobil Quikmart site, and has the second of two rounds of groundwater sampling scheduled for the fall of 2019. DNR staff or their hired consultant will be on-site to collect the groundwater samples. You do not need to be on site for us to complete this work and you will be provided with a copy of the analytical results within 10 days of the DNR receiving those results.

Please sign the enclosed Access Permission Agreement and return it to me in the enclosed stamped envelope by **September 5, 2019**. If the DNR does not receive the signed Access Permission Agreement by **September 5, 2019**, it will move forward as though access has been denied to the above properties.

Please be aware that you could be held responsible for reimbursing the DNR for the expenses incurred; reference the Notice of Intent to Incur Expenses sent with the initial Request for Permission for Access received by Dianna Hannan on April 6, 2019.

Attached is a letter documenting laboratory analytical results for the August 1, 2019 groundwater sampling event.

If you have any questions, please contact the project manager, Tom Verstegen, at (920) 424-0025 or Thomas.Verstegen@wisconsin.gov, or myself at (920) 662-5443, by writing to the address at the top of this letter or by email to Sarah.Krueger@wisconsin.gov.

Sincerely,

Sarah Krueger
Remediation & Redevelopment Program
Wisconsin Department of Natural Resources

Wisconsin Department of Natural Resources
ACCESS PERMISSION AGREEMENT

DNR Site Name: D&G Mobil Quickmart
Site Address: 125 County Road CP, Village of Coleman, Wisconsin
BRRTS# 03-38-204911

I, George and/or Dianna Hannan hereby give permission to the Wisconsin Department of Natural Resources (“the department”) and its employees, duly authorized representatives, agents and contractors, to enter upon and have access at reasonable times to the property located at 125 and 131 County Road CP, Coleman within SE 1/4 of Section 14, T30N, R20E, Marinette County, Wisconsin, referred to herein as the “Property”, and that is owned by George and Dianna Hannan for the following purposes, so that the department may:

- (1) Inspect, maintain and/or repair the existing groundwater monitoring well(s) and piezometer(s) as needed and;
- (2) Collect water samples from existing and new groundwater monitoring well(s).

The department is responsible for any investigative waste that is produced by these activities and will return to collect any investigative waste that may be temporarily stored on the Property.

The permission that is granted herein shall remain in effect until December 31, 2020. Before December 31, 2020, if the owner of the Property wishes to withdraw permission for continued access, the owner of the Property shall notify the department of that fact in writing. The department shall, within 90 days after receiving such notice, either cease/finalize listed activities, abandon wells, or obtain a court order to allow continued access.

The DNR’s authority to access to the Property described above is provided under Wisconsin Statutes, section 292.31(3).

The department will report all sampling results to the owner of the Property, and occupants as appropriate, within 10 business days of receiving the sample results. When soil, water, sediment, or vapor samples are collected on the Property described above, split samples will be provided to the owner if the Property if the owner of the Property requests split samples and provides sample containers before the samples are collected.

Property owner certifications

Please mark the box to indicate that you understand and agree to the following information.

- As the owner of the Property, I, George and/or Dianna Hannan, hereby agree not to damage or interfere with the use of any monitoring well that is installed as permitted herein and I agree to notify third parties who plan to conduct any activity on the property described above that monitoring wells have been installed on the property. I understand that I am responsible for any damage to monitoring wells if I cause that damage.
- As the owner of the Property, I, George and/or Dianna Hannan, understand that the department, in the course of conducting investigation and/or response actions, may find

that a hazardous substance discharge or environmental pollution exists on the Property.

- If the department discovers a hazardous substance discharge or environmental pollution on the Property, any current owner of this Property, along with any identifiable causer of the contamination, may be required to take additional response actions pursuant to Wis. Stat. § 292.11(3).

IN WITNESS WHEREOF:

Signature of Property Owner or Authorized Representative

Date

Printed Name

Mailing Address

Area Code and Telephone Number

Email Address

Contact information for occupants, tenants, or lessees (if different than owner):

Name of Occupant

Area Code and Telephone Number

Email Address



August 16, 2019

GEORGE & DIANNA HANNAN
W6826 COUNTY ROAD B
POUND WI 54161

SUBJECT: Notification of Groundwater Sampling Results
D&G Mobil Quikmart, 125 County Road CP, Coleman, WI
BRRTS Activity # 03-38-204911

Dear Mr. and Ms. Hannan:

Please find the attached results from the August 1, 2019 sampling of the groundwater monitoring wells, MW-1, MW-2, MW-5, and MW-6, at your property located at 125 County Road CP, Village of Coleman, and MW-3, MW-4, MW-7, MW-8, MW-8A, PZ-8, and MW-9 located at 145 County Road CP and 107 County Road CP, Village of Coleman. The samples were collected by GEI, a consultant hired by the Department of Natural Resources (DNR) for the work associated with the D&G Mobil Quikmart site. The samples collected were analyzed for volatile organic compounds (VOCs).

The analytical results indicate that petroleum volatile organic compounds (PVOCs) were detected in three of the four groundwater monitoring wells on your property, MW-2, MW-5, and MW-6, and in one of the groundwater monitoring wells on an adjacent property, MW-4. Of those wells, MW-2, MW-4, and MW-5 had PVOCs detected above the NR 140 enforcement standard (ES). MW-6 had PVOCs detected at concentrations below the NR 140 drinking water standards. Please refer to the attached laboratory analytical report.

If you have any questions, please contact me at (920) 662-5443 or by email to Sarah.Krueger@wisconsin.gov.

Sincerely,



Sarah Krueger
Project Manager
Remediation & Redevelopment Program

att. Laboratory Analytical Report

SUMMARY OF DETECTION

Project: 1902744 D&G MOBIL

Pace Project No.: 40192222

Lab Sample ID	Client Sample ID	Result	Units	Report Limit	Analyzed	Qualifiers
Method	Parameters					
40192222006	MW-6					
EPA 8260	Ethylbenzene	2.1	ug/L	1.0	08/02/19 15:35	
EPA 8260	Isopropylbenzene (Cumene)	0.53J	ug/L	5.0	08/02/19 15:35	
EPA 8260	n-Propylbenzene	2.5J	ug/L	5.0	08/02/19 15:35	
EPA 8260	1,2,4-Trimethylbenzene	15.1	ug/L	2.8	08/02/19 15:35	
EPA 8260	1,3,5-Trimethylbenzene	4.2	ug/L	2.9	08/02/19 15:35	
EPA 8260	m&p-Xylene	6.4	ug/L	2.0	08/02/19 15:35	
EPA 8260	o-Xylene	0.51J	ug/L	1.0	08/02/19 15:35	
40192222007	MW-5					
EPA 8260	Benzene	36.5	ug/L	25.0	08/02/19 16:43	
EPA 8260	Ethylbenzene	3550	ug/L	25.0	08/02/19 16:43	
EPA 8260	Isopropylbenzene (Cumene)	92.2J	ug/L	125	08/02/19 16:43	
EPA 8260	Naphthalene	645	ug/L	125	08/02/19 16:43	
EPA 8260	n-Propylbenzene	281	ug/L	125	08/02/19 16:43	
EPA 8260	Toluene	160	ug/L	125	08/02/19 16:43	
EPA 8260	1,2,4-Trimethylbenzene	1950	ug/L	70.0	08/02/19 16:43	
EPA 8260	1,3,5-Trimethylbenzene	447	ug/L	72.8	08/02/19 16:43	
EPA 8260	m&p-Xylene	8010	ug/L	50.0	08/02/19 16:43	
EPA 8260	o-Xylene	424	ug/L	25.0	08/02/19 16:43	
40192222008	MW-4					
EPA 8260	Benzene	25.0	ug/L	1.0	08/02/19 16:20	
EPA 8260	sec-Butylbenzene	13.0	ug/L	5.0	08/02/19 16:20	
EPA 8260	Ethylbenzene	758	ug/L	10.0	08/05/19 08:32	
EPA 8260	Isopropylbenzene (Cumene)	65.6	ug/L	5.0	08/02/19 16:20	
EPA 8260	p-Isopropyltoluene	8.0	ug/L	2.7	08/02/19 16:20	
EPA 8260	Naphthalene	141	ug/L	5.0	08/02/19 16:20	
EPA 8260	n-Propylbenzene	192	ug/L	5.0	08/02/19 16:20	
EPA 8260	Toluene	20.2	ug/L	5.0	08/02/19 16:20	
EPA 8260	1,2,4-Trimethylbenzene	852	ug/L	28.0	08/05/19 08:32	
EPA 8260	1,3,5-Trimethylbenzene	217	ug/L	2.9	08/02/19 16:20	
EPA 8260	m&p-Xylene	1270	ug/L	20.0	08/05/19 08:32	
EPA 8260	o-Xylene	30.0	ug/L	1.0	08/02/19 16:20	
40192222010	MW-2					
EPA 8260	Benzene	26.1	ug/L	1.0	08/05/19 08:44	
EPA 8260	Ethylbenzene	169	ug/L	1.0	08/05/19 08:44	
EPA 8260	Isopropylbenzene (Cumene)	6.4	ug/L	5.0	08/05/19 08:44	
EPA 8260	Naphthalene	30.2	ug/L	5.0	08/05/19 08:44	
EPA 8260	n-Propylbenzene	14.3	ug/L	5.0	08/05/19 08:44	
EPA 8260	Toluene	351	ug/L	50.0	08/05/19 11:21	
EPA 8260	1,2,4-Trimethylbenzene	92.5	ug/L	2.8	08/05/19 08:44	
EPA 8260	1,3,5-Trimethylbenzene	20.8	ug/L	2.9	08/05/19 08:44	
EPA 8260	m&p-Xylene	410	ug/L	2.0	08/05/19 08:44	
EPA 8260	o-Xylene	144	ug/L	1.0	08/05/19 08:44	
40192222012	DUPLICATE (MW-5)					
EPA 8260	Benzene	27.4J	ug/L	50.0	08/02/19 17:08	
EPA 8260	Ethylbenzene	3430	ug/L	50.0	08/02/19 17:08	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

SUMMARY OF DETECTION

Project: 1902744 D&G MOBIL

Pace Project No.: 40192222

Lab Sample ID Method	Client Sample ID Parameters	Result	Units	Report Limit	Analyzed	Qualifiers
40192222012	DUPLICATE (MW-5)					
EPA 8260	Isopropylbenzene (Cumene)	96.5J	ug/L	250	08/02/19 17:08	
EPA 8260	Naphthalene	559	ug/L	250	08/02/19 17:08	
EPA 8260	n-Propylbenzene	243J	ug/L	250	08/02/19 17:08	
EPA 8260	Toluene	188J	ug/L	250	08/02/19 17:08	
EPA 8260	1,2,4-Trimethylbenzene	1660	ug/L	140	08/02/19 17:08	
EPA 8260	1,3,5-Trimethylbenzene	387	ug/L	146	08/02/19 17:08	
EPA 8260	m&p-Xylene	8640	ug/L	100	08/02/19 17:08	
EPA 8260	o-Xylene	657	ug/L	50.0	08/02/19 17:08	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 1902744 D&G MOBIL

Pace Project No.: 40192222

Sample: MW-8 **Lab ID: 40192222001** Collected: 08/01/19 08:35 Received: 08/01/19 14:40 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Analytical Method: EPA 8260									
Benzene	<0.25	ug/L	1.0	0.25	1		08/02/19 13:43	71-43-2	
Bromobenzene	<0.24	ug/L	1.0	0.24	1		08/02/19 13:43	108-86-1	
Bromochloromethane	<0.36	ug/L	5.0	0.36	1		08/02/19 13:43	74-97-5	
Bromodichloromethane	<0.36	ug/L	1.2	0.36	1		08/02/19 13:43	75-27-4	
Bromoform	<4.0	ug/L	13.2	4.0	1		08/02/19 13:43	75-25-2	
Bromomethane	<0.97	ug/L	5.0	0.97	1		08/02/19 13:43	74-83-9	
n-Butylbenzene	<0.71	ug/L	2.4	0.71	1		08/02/19 13:43	104-51-8	
sec-Butylbenzene	<0.85	ug/L	5.0	0.85	1		08/02/19 13:43	135-98-8	
tert-Butylbenzene	<0.30	ug/L	1.0	0.30	1		08/02/19 13:43	98-06-6	
Carbon tetrachloride	<0.17	ug/L	1.0	0.17	1		08/02/19 13:43	56-23-5	
Chlorobenzene	<0.71	ug/L	2.4	0.71	1		08/02/19 13:43	108-90-7	
Chloroethane	<1.3	ug/L	5.0	1.3	1		08/02/19 13:43	75-00-3	
Chloroform	<1.3	ug/L	5.0	1.3	1		08/02/19 13:43	67-66-3	
Chloromethane	<2.2	ug/L	7.3	2.2	1		08/02/19 13:43	74-87-3	
2-Chlorotoluene	<0.93	ug/L	5.0	0.93	1		08/02/19 13:43	95-49-8	
4-Chlorotoluene	<0.76	ug/L	2.5	0.76	1		08/02/19 13:43	106-43-4	
1,2-Dibromo-3-chloropropane	<1.8	ug/L	5.9	1.8	1		08/02/19 13:43	96-12-8	L2
Dibromochloromethane	<2.6	ug/L	8.7	2.6	1		08/02/19 13:43	124-48-1	
1,2-Dibromoethane (EDB)	<0.83	ug/L	2.8	0.83	1		08/02/19 13:43	106-93-4	
Dibromomethane	<0.94	ug/L	3.1	0.94	1		08/02/19 13:43	74-95-3	
1,2-Dichlorobenzene	<0.71	ug/L	2.4	0.71	1		08/02/19 13:43	95-50-1	
1,3-Dichlorobenzene	<0.63	ug/L	2.1	0.63	1		08/02/19 13:43	541-73-1	
1,4-Dichlorobenzene	<0.94	ug/L	3.1	0.94	1		08/02/19 13:43	106-46-7	
Dichlorodifluoromethane	<0.50	ug/L	5.0	0.50	1		08/02/19 13:43	75-71-8	
1,1-Dichloroethane	<0.27	ug/L	1.0	0.27	1		08/02/19 13:43	75-34-3	
1,2-Dichloroethane	<0.28	ug/L	1.0	0.28	1		08/02/19 13:43	107-06-2	
1,1-Dichloroethene	<0.24	ug/L	1.0	0.24	1		08/02/19 13:43	75-35-4	
cis-1,2-Dichloroethene	<0.27	ug/L	1.0	0.27	1		08/02/19 13:43	156-59-2	
trans-1,2-Dichloroethene	<1.1	ug/L	3.6	1.1	1		08/02/19 13:43	156-60-5	
1,2-Dichloropropane	<0.28	ug/L	1.0	0.28	1		08/02/19 13:43	78-87-5	
1,3-Dichloropropane	<0.83	ug/L	2.8	0.83	1		08/02/19 13:43	142-28-9	
2,2-Dichloropropane	<2.3	ug/L	7.6	2.3	1		08/02/19 13:43	594-20-7	
1,1-Dichloropropene	<0.54	ug/L	1.8	0.54	1		08/02/19 13:43	563-58-6	
cis-1,3-Dichloropropene	<3.6	ug/L	12.1	3.6	1		08/02/19 13:43	10061-01-5	
trans-1,3-Dichloropropene	<4.4	ug/L	14.6	4.4	1		08/02/19 13:43	10061-02-6	
Diisopropyl ether	<1.9	ug/L	6.3	1.9	1		08/02/19 13:43	108-20-3	
Ethylbenzene	<0.22	ug/L	1.0	0.22	1		08/02/19 13:43	100-41-4	
Hexachloro-1,3-butadiene	<1.2	ug/L	5.0	1.2	1		08/02/19 13:43	87-68-3	
Isopropylbenzene (Cumene)	<0.39	ug/L	5.0	0.39	1		08/02/19 13:43	98-82-8	
p-Isopropyltoluene	<0.80	ug/L	2.7	0.80	1		08/02/19 13:43	99-87-6	
Methylene Chloride	<0.58	ug/L	5.0	0.58	1		08/02/19 13:43	75-09-2	
Methyl-tert-butyl ether	<1.2	ug/L	4.2	1.2	1		08/02/19 13:43	1634-04-4	
Naphthalene	<1.2	ug/L	5.0	1.2	1		08/02/19 13:43	91-20-3	
n-Propylbenzene	<0.81	ug/L	5.0	0.81	1		08/02/19 13:43	103-65-1	
Styrene	<0.47	ug/L	1.6	0.47	1		08/02/19 13:43	100-42-5	
1,1,1,2-Tetrachloroethane	<0.27	ug/L	1.0	0.27	1		08/02/19 13:43	630-20-6	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 1902744 D&G MOBIL

Pace Project No.: 40192222

Sample: MW-8 **Lab ID: 4019222001** Collected: 08/01/19 08:35 Received: 08/01/19 14:40 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV									
Analytical Method: EPA 8260									
1,1,2,2-Tetrachloroethane	<0.28	ug/L	1.0	0.28	1		08/02/19 13:43	79-34-5	
Tetrachloroethene	<0.33	ug/L	1.1	0.33	1		08/02/19 13:43	127-18-4	
Toluene	<0.17	ug/L	5.0	0.17	1		08/02/19 13:43	108-88-3	
1,2,3-Trichlorobenzene	<0.63	ug/L	5.0	0.63	1		08/02/19 13:43	87-61-6	
1,2,4-Trichlorobenzene	<0.95	ug/L	5.0	0.95	1		08/02/19 13:43	120-82-1	
1,1,1-Trichloroethane	<0.24	ug/L	1.0	0.24	1		08/02/19 13:43	71-55-6	
1,1,2-Trichloroethane	<0.55	ug/L	5.0	0.55	1		08/02/19 13:43	79-00-5	
Trichloroethene	<0.26	ug/L	1.0	0.26	1		08/02/19 13:43	79-01-6	
Trichlorofluoromethane	<0.21	ug/L	1.0	0.21	1		08/02/19 13:43	75-69-4	
1,2,3-Trichloropropane	<0.59	ug/L	5.0	0.59	1		08/02/19 13:43	96-18-4	
1,2,4-Trimethylbenzene	<0.84	ug/L	2.8	0.84	1		08/02/19 13:43	95-63-6	
1,3,5-Trimethylbenzene	<0.87	ug/L	2.9	0.87	1		08/02/19 13:43	108-67-8	
Vinyl chloride	<0.17	ug/L	1.0	0.17	1		08/02/19 13:43	75-01-4	
m&p-Xylene	<0.47	ug/L	2.0	0.47	1		08/02/19 13:43	179601-23-1	
o-Xylene	<0.26	ug/L	1.0	0.26	1		08/02/19 13:43	95-47-6	
Surrogates									
4-Bromofluorobenzene (S)	83	%	70-130		1		08/02/19 13:43	460-00-4	
Dibromofluoromethane (S)	102	%	70-130		1		08/02/19 13:43	1868-53-7	
Toluene-d8 (S)	97	%	70-130		1		08/02/19 13:43	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 1902744 D&G MOBIL
Pace Project No.: 40192222

Sample: MW-8A **Lab ID: 40192222002** Collected: 08/01/19 08:50 Received: 08/01/19 14:40 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV		Analytical Method: EPA 8260							
Benzene	<0.25	ug/L	1.0	0.25	1		08/02/19 14:05	71-43-2	
Bromobenzene	<0.24	ug/L	1.0	0.24	1		08/02/19 14:05	108-86-1	
Bromochloromethane	<0.36	ug/L	5.0	0.36	1		08/02/19 14:05	74-97-5	
Bromodichloromethane	<0.36	ug/L	1.2	0.36	1		08/02/19 14:05	75-27-4	
Bromoform	<4.0	ug/L	13.2	4.0	1		08/02/19 14:05	75-25-2	
Bromomethane	<0.97	ug/L	5.0	0.97	1		08/02/19 14:05	74-83-9	
n-Butylbenzene	<0.71	ug/L	2.4	0.71	1		08/02/19 14:05	104-51-8	
sec-Butylbenzene	<0.85	ug/L	5.0	0.85	1		08/02/19 14:05	135-98-8	
tert-Butylbenzene	<0.30	ug/L	1.0	0.30	1		08/02/19 14:05	98-06-6	
Carbon tetrachloride	<0.17	ug/L	1.0	0.17	1		08/02/19 14:05	56-23-5	
Chlorobenzene	<0.71	ug/L	2.4	0.71	1		08/02/19 14:05	108-90-7	
Chloroethane	<1.3	ug/L	5.0	1.3	1		08/02/19 14:05	75-00-3	
Chloroform	<1.3	ug/L	5.0	1.3	1		08/02/19 14:05	67-66-3	
Chloromethane	<2.2	ug/L	7.3	2.2	1		08/02/19 14:05	74-87-3	
2-Chlorotoluene	<0.93	ug/L	5.0	0.93	1		08/02/19 14:05	95-49-8	
4-Chlorotoluene	<0.76	ug/L	2.5	0.76	1		08/02/19 14:05	106-43-4	
1,2-Dibromo-3-chloropropane	<1.8	ug/L	5.9	1.8	1		08/02/19 14:05	96-12-8	L2
Dibromochloromethane	<2.6	ug/L	8.7	2.6	1		08/02/19 14:05	124-48-1	
1,2-Dibromoethane (EDB)	<0.83	ug/L	2.8	0.83	1		08/02/19 14:05	106-93-4	
Dibromomethane	<0.94	ug/L	3.1	0.94	1		08/02/19 14:05	74-95-3	
1,2-Dichlorobenzene	<0.71	ug/L	2.4	0.71	1		08/02/19 14:05	95-50-1	
1,3-Dichlorobenzene	<0.63	ug/L	2.1	0.63	1		08/02/19 14:05	541-73-1	
1,4-Dichlorobenzene	<0.94	ug/L	3.1	0.94	1		08/02/19 14:05	106-46-7	
Dichlorodifluoromethane	<0.50	ug/L	5.0	0.50	1		08/02/19 14:05	75-71-8	
1,1-Dichloroethane	<0.27	ug/L	1.0	0.27	1		08/02/19 14:05	75-34-3	
1,2-Dichloroethane	<0.28	ug/L	1.0	0.28	1		08/02/19 14:05	107-06-2	
1,1-Dichloroethene	<0.24	ug/L	1.0	0.24	1		08/02/19 14:05	75-35-4	
cis-1,2-Dichloroethene	<0.27	ug/L	1.0	0.27	1		08/02/19 14:05	156-59-2	
trans-1,2-Dichloroethene	<1.1	ug/L	3.6	1.1	1		08/02/19 14:05	156-60-5	
1,2-Dichloropropane	<0.28	ug/L	1.0	0.28	1		08/02/19 14:05	78-87-5	
1,3-Dichloropropane	<0.83	ug/L	2.8	0.83	1		08/02/19 14:05	142-28-9	
2,2-Dichloropropane	<2.3	ug/L	7.6	2.3	1		08/02/19 14:05	594-20-7	
1,1-Dichloropropene	<0.54	ug/L	1.8	0.54	1		08/02/19 14:05	563-58-6	
cis-1,3-Dichloropropene	<3.6	ug/L	12.1	3.6	1		08/02/19 14:05	10061-01-5	
trans-1,3-Dichloropropene	<4.4	ug/L	14.6	4.4	1		08/02/19 14:05	10061-02-6	
Diisopropyl ether	<1.9	ug/L	6.3	1.9	1		08/02/19 14:05	108-20-3	
Ethylbenzene	<0.22	ug/L	1.0	0.22	1		08/02/19 14:05	100-41-4	
Hexachloro-1,3-butadiene	<1.2	ug/L	5.0	1.2	1		08/02/19 14:05	87-68-3	
Isopropylbenzene (Cumene)	<0.39	ug/L	5.0	0.39	1		08/02/19 14:05	98-82-8	
p-Isopropyltoluene	<0.80	ug/L	2.7	0.80	1		08/02/19 14:05	99-87-6	
Methylene Chloride	<0.58	ug/L	5.0	0.58	1		08/02/19 14:05	75-09-2	
Methyl-tert-butyl ether	<1.2	ug/L	4.2	1.2	1		08/02/19 14:05	1634-04-4	
Naphthalene	<1.2	ug/L	5.0	1.2	1		08/02/19 14:05	91-20-3	
n-Propylbenzene	<0.81	ug/L	5.0	0.81	1		08/02/19 14:05	103-65-1	
Styrene	<0.47	ug/L	1.6	0.47	1		08/02/19 14:05	100-42-5	
1,1,1,2-Tetrachloroethane	<0.27	ug/L	1.0	0.27	1		08/02/19 14:05	630-20-6	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 1902744 D&G MOBIL

Pace Project No.: 40192222

Sample: MW-8A **Lab ID: 4019222002** Collected: 08/01/19 08:50 Received: 08/01/19 14:40 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV									
Analytical Method: EPA 8260									
1,1,2,2-Tetrachloroethane	<0.28	ug/L	1.0	0.28	1		08/02/19 14:05	79-34-5	
Tetrachloroethene	<0.33	ug/L	1.1	0.33	1		08/02/19 14:05	127-18-4	
Toluene	<0.17	ug/L	5.0	0.17	1		08/02/19 14:05	108-88-3	
1,2,3-Trichlorobenzene	<0.63	ug/L	5.0	0.63	1		08/02/19 14:05	87-61-6	
1,2,4-Trichlorobenzene	<0.95	ug/L	5.0	0.95	1		08/02/19 14:05	120-82-1	
1,1,1-Trichloroethane	<0.24	ug/L	1.0	0.24	1		08/02/19 14:05	71-55-6	
1,1,2-Trichloroethane	<0.55	ug/L	5.0	0.55	1		08/02/19 14:05	79-00-5	
Trichloroethene	<0.26	ug/L	1.0	0.26	1		08/02/19 14:05	79-01-6	
Trichlorofluoromethane	<0.21	ug/L	1.0	0.21	1		08/02/19 14:05	75-69-4	
1,2,3-Trichloropropane	<0.59	ug/L	5.0	0.59	1		08/02/19 14:05	96-18-4	
1,2,4-Trimethylbenzene	<0.84	ug/L	2.8	0.84	1		08/02/19 14:05	95-63-6	
1,3,5-Trimethylbenzene	<0.87	ug/L	2.9	0.87	1		08/02/19 14:05	108-67-8	
Vinyl chloride	<0.17	ug/L	1.0	0.17	1		08/02/19 14:05	75-01-4	
m&p-Xylene	<0.47	ug/L	2.0	0.47	1		08/02/19 14:05	179601-23-1	
o-Xylene	<0.26	ug/L	1.0	0.26	1		08/02/19 14:05	95-47-6	
Surrogates									
4-Bromofluorobenzene (S)	83	%	70-130		1		08/02/19 14:05	460-00-4	
Dibromofluoromethane (S)	103	%	70-130		1		08/02/19 14:05	1868-53-7	
Toluene-d8 (S)	96	%	70-130		1		08/02/19 14:05	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 1902744 D&G MOBIL

Pace Project No.: 40192222

Sample: PZ-8 **Lab ID: 40192222003** Collected: 08/01/19 09:05 Received: 08/01/19 14:40 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Analytical Method: EPA 8260									
Benzene	<0.25	ug/L	1.0	0.25	1		08/02/19 14:28	71-43-2	
Bromobenzene	<0.24	ug/L	1.0	0.24	1		08/02/19 14:28	108-86-1	
Bromochloromethane	<0.36	ug/L	5.0	0.36	1		08/02/19 14:28	74-97-5	
Bromodichloromethane	<0.36	ug/L	1.2	0.36	1		08/02/19 14:28	75-27-4	
Bromoform	<4.0	ug/L	13.2	4.0	1		08/02/19 14:28	75-25-2	
Bromomethane	<0.97	ug/L	5.0	0.97	1		08/02/19 14:28	74-83-9	
n-Butylbenzene	<0.71	ug/L	2.4	0.71	1		08/02/19 14:28	104-51-8	
sec-Butylbenzene	<0.85	ug/L	5.0	0.85	1		08/02/19 14:28	135-98-8	
tert-Butylbenzene	<0.30	ug/L	1.0	0.30	1		08/02/19 14:28	98-06-6	
Carbon tetrachloride	<0.17	ug/L	1.0	0.17	1		08/02/19 14:28	56-23-5	
Chlorobenzene	<0.71	ug/L	2.4	0.71	1		08/02/19 14:28	108-90-7	
Chloroethane	<1.3	ug/L	5.0	1.3	1		08/02/19 14:28	75-00-3	
Chloroform	<1.3	ug/L	5.0	1.3	1		08/02/19 14:28	67-66-3	
Chloromethane	<2.2	ug/L	7.3	2.2	1		08/02/19 14:28	74-87-3	
2-Chlorotoluene	<0.93	ug/L	5.0	0.93	1		08/02/19 14:28	95-49-8	
4-Chlorotoluene	<0.76	ug/L	2.5	0.76	1		08/02/19 14:28	106-43-4	
1,2-Dibromo-3-chloropropane	<1.8	ug/L	5.9	1.8	1		08/02/19 14:28	96-12-8	L2
Dibromochloromethane	<2.6	ug/L	8.7	2.6	1		08/02/19 14:28	124-48-1	
1,2-Dibromoethane (EDB)	<0.83	ug/L	2.8	0.83	1		08/02/19 14:28	106-93-4	
Dibromomethane	<0.94	ug/L	3.1	0.94	1		08/02/19 14:28	74-95-3	
1,2-Dichlorobenzene	<0.71	ug/L	2.4	0.71	1		08/02/19 14:28	95-50-1	
1,3-Dichlorobenzene	<0.63	ug/L	2.1	0.63	1		08/02/19 14:28	541-73-1	
1,4-Dichlorobenzene	<0.94	ug/L	3.1	0.94	1		08/02/19 14:28	106-46-7	
Dichlorodifluoromethane	<0.50	ug/L	5.0	0.50	1		08/02/19 14:28	75-71-8	
1,1-Dichloroethane	<0.27	ug/L	1.0	0.27	1		08/02/19 14:28	75-34-3	
1,2-Dichloroethane	<0.28	ug/L	1.0	0.28	1		08/02/19 14:28	107-06-2	
1,1-Dichloroethene	<0.24	ug/L	1.0	0.24	1		08/02/19 14:28	75-35-4	
cis-1,2-Dichloroethene	<0.27	ug/L	1.0	0.27	1		08/02/19 14:28	156-59-2	
trans-1,2-Dichloroethene	<1.1	ug/L	3.6	1.1	1		08/02/19 14:28	156-60-5	
1,2-Dichloropropane	<0.28	ug/L	1.0	0.28	1		08/02/19 14:28	78-87-5	
1,3-Dichloropropane	<0.83	ug/L	2.8	0.83	1		08/02/19 14:28	142-28-9	
2,2-Dichloropropane	<2.3	ug/L	7.6	2.3	1		08/02/19 14:28	594-20-7	
1,1-Dichloropropene	<0.54	ug/L	1.8	0.54	1		08/02/19 14:28	563-58-6	
cis-1,3-Dichloropropene	<3.6	ug/L	12.1	3.6	1		08/02/19 14:28	10061-01-5	
trans-1,3-Dichloropropene	<4.4	ug/L	14.6	4.4	1		08/02/19 14:28	10061-02-6	
Diisopropyl ether	<1.9	ug/L	6.3	1.9	1		08/02/19 14:28	108-20-3	
Ethylbenzene	<0.22	ug/L	1.0	0.22	1		08/02/19 14:28	100-41-4	
Hexachloro-1,3-butadiene	<1.2	ug/L	5.0	1.2	1		08/02/19 14:28	87-68-3	
Isopropylbenzene (Cumene)	<0.39	ug/L	5.0	0.39	1		08/02/19 14:28	98-82-8	
p-Isopropyltoluene	<0.80	ug/L	2.7	0.80	1		08/02/19 14:28	99-87-6	
Methylene Chloride	<0.58	ug/L	5.0	0.58	1		08/02/19 14:28	75-09-2	
Methyl-tert-butyl ether	<1.2	ug/L	4.2	1.2	1		08/02/19 14:28	1634-04-4	
Naphthalene	<1.2	ug/L	5.0	1.2	1		08/02/19 14:28	91-20-3	
n-Propylbenzene	<0.81	ug/L	5.0	0.81	1		08/02/19 14:28	103-65-1	
Styrene	<0.47	ug/L	1.6	0.47	1		08/02/19 14:28	100-42-5	
1,1,1,2-Tetrachloroethane	<0.27	ug/L	1.0	0.27	1		08/02/19 14:28	630-20-6	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 1902744 D&G MOBIL

Pace Project No.: 40192222

Sample: PZ-8 **Lab ID: 40192222003** Collected: 08/01/19 09:05 Received: 08/01/19 14:40 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV									
Analytical Method: EPA 8260									
1,1,2,2-Tetrachloroethane	<0.28	ug/L	1.0	0.28	1		08/02/19 14:28	79-34-5	
Tetrachloroethene	<0.33	ug/L	1.1	0.33	1		08/02/19 14:28	127-18-4	
Toluene	<0.17	ug/L	5.0	0.17	1		08/02/19 14:28	108-88-3	
1,2,3-Trichlorobenzene	<0.63	ug/L	5.0	0.63	1		08/02/19 14:28	87-61-6	
1,2,4-Trichlorobenzene	<0.95	ug/L	5.0	0.95	1		08/02/19 14:28	120-82-1	
1,1,1-Trichloroethane	<0.24	ug/L	1.0	0.24	1		08/02/19 14:28	71-55-6	
1,1,2-Trichloroethane	<0.55	ug/L	5.0	0.55	1		08/02/19 14:28	79-00-5	
Trichloroethene	<0.26	ug/L	1.0	0.26	1		08/02/19 14:28	79-01-6	
Trichlorofluoromethane	<0.21	ug/L	1.0	0.21	1		08/02/19 14:28	75-69-4	
1,2,3-Trichloropropane	<0.59	ug/L	5.0	0.59	1		08/02/19 14:28	96-18-4	
1,2,4-Trimethylbenzene	<0.84	ug/L	2.8	0.84	1		08/02/19 14:28	95-63-6	
1,3,5-Trimethylbenzene	<0.87	ug/L	2.9	0.87	1		08/02/19 14:28	108-67-8	
Vinyl chloride	<0.17	ug/L	1.0	0.17	1		08/02/19 14:28	75-01-4	
m&p-Xylene	<0.47	ug/L	2.0	0.47	1		08/02/19 14:28	179601-23-1	
o-Xylene	<0.26	ug/L	1.0	0.26	1		08/02/19 14:28	95-47-6	
Surrogates									
4-Bromofluorobenzene (S)	83	%	70-130		1		08/02/19 14:28	460-00-4	
Dibromofluoromethane (S)	103	%	70-130		1		08/02/19 14:28	1868-53-7	
Toluene-d8 (S)	96	%	70-130		1		08/02/19 14:28	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 1902744 D&G MOBIL

Pace Project No.: 40192222

Sample: MW-9 **Lab ID: 4019222004** Collected: 08/01/19 09:25 Received: 08/01/19 14:40 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Analytical Method: EPA 8260									
Benzene	<0.25	ug/L	1.0	0.25	1		08/02/19 14:50	71-43-2	
Bromobenzene	<0.24	ug/L	1.0	0.24	1		08/02/19 14:50	108-86-1	
Bromochloromethane	<0.36	ug/L	5.0	0.36	1		08/02/19 14:50	74-97-5	
Bromodichloromethane	<0.36	ug/L	1.2	0.36	1		08/02/19 14:50	75-27-4	
Bromoform	<4.0	ug/L	13.2	4.0	1		08/02/19 14:50	75-25-2	
Bromomethane	<0.97	ug/L	5.0	0.97	1		08/02/19 14:50	74-83-9	
n-Butylbenzene	<0.71	ug/L	2.4	0.71	1		08/02/19 14:50	104-51-8	
sec-Butylbenzene	<0.85	ug/L	5.0	0.85	1		08/02/19 14:50	135-98-8	
tert-Butylbenzene	<0.30	ug/L	1.0	0.30	1		08/02/19 14:50	98-06-6	
Carbon tetrachloride	<0.17	ug/L	1.0	0.17	1		08/02/19 14:50	56-23-5	
Chlorobenzene	<0.71	ug/L	2.4	0.71	1		08/02/19 14:50	108-90-7	
Chloroethane	<1.3	ug/L	5.0	1.3	1		08/02/19 14:50	75-00-3	
Chloroform	<1.3	ug/L	5.0	1.3	1		08/02/19 14:50	67-66-3	
Chloromethane	<2.2	ug/L	7.3	2.2	1		08/02/19 14:50	74-87-3	
2-Chlorotoluene	<0.93	ug/L	5.0	0.93	1		08/02/19 14:50	95-49-8	
4-Chlorotoluene	<0.76	ug/L	2.5	0.76	1		08/02/19 14:50	106-43-4	
1,2-Dibromo-3-chloropropane	<1.8	ug/L	5.9	1.8	1		08/02/19 14:50	96-12-8	L2
Dibromochloromethane	<2.6	ug/L	8.7	2.6	1		08/02/19 14:50	124-48-1	
1,2-Dibromoethane (EDB)	<0.83	ug/L	2.8	0.83	1		08/02/19 14:50	106-93-4	
Dibromomethane	<0.94	ug/L	3.1	0.94	1		08/02/19 14:50	74-95-3	
1,2-Dichlorobenzene	<0.71	ug/L	2.4	0.71	1		08/02/19 14:50	95-50-1	
1,3-Dichlorobenzene	<0.63	ug/L	2.1	0.63	1		08/02/19 14:50	541-73-1	
1,4-Dichlorobenzene	<0.94	ug/L	3.1	0.94	1		08/02/19 14:50	106-46-7	
Dichlorodifluoromethane	<0.50	ug/L	5.0	0.50	1		08/02/19 14:50	75-71-8	
1,1-Dichloroethane	<0.27	ug/L	1.0	0.27	1		08/02/19 14:50	75-34-3	
1,2-Dichloroethane	<0.28	ug/L	1.0	0.28	1		08/02/19 14:50	107-06-2	
1,1-Dichloroethene	<0.24	ug/L	1.0	0.24	1		08/02/19 14:50	75-35-4	
cis-1,2-Dichloroethene	<0.27	ug/L	1.0	0.27	1		08/02/19 14:50	156-59-2	
trans-1,2-Dichloroethene	<1.1	ug/L	3.6	1.1	1		08/02/19 14:50	156-60-5	
1,2-Dichloropropane	<0.28	ug/L	1.0	0.28	1		08/02/19 14:50	78-87-5	
1,3-Dichloropropane	<0.83	ug/L	2.8	0.83	1		08/02/19 14:50	142-28-9	
2,2-Dichloropropane	<2.3	ug/L	7.6	2.3	1		08/02/19 14:50	594-20-7	
1,1-Dichloropropene	<0.54	ug/L	1.8	0.54	1		08/02/19 14:50	563-58-6	
cis-1,3-Dichloropropene	<3.6	ug/L	12.1	3.6	1		08/02/19 14:50	10061-01-5	
trans-1,3-Dichloropropene	<4.4	ug/L	14.6	4.4	1		08/02/19 14:50	10061-02-6	
Diisopropyl ether	<1.9	ug/L	6.3	1.9	1		08/02/19 14:50	108-20-3	
Ethylbenzene	<0.22	ug/L	1.0	0.22	1		08/02/19 14:50	100-41-4	
Hexachloro-1,3-butadiene	<1.2	ug/L	5.0	1.2	1		08/02/19 14:50	87-68-3	
Isopropylbenzene (Cumene)	<0.39	ug/L	5.0	0.39	1		08/02/19 14:50	98-82-8	
p-Isopropyltoluene	<0.80	ug/L	2.7	0.80	1		08/02/19 14:50	99-87-6	
Methylene Chloride	<0.58	ug/L	5.0	0.58	1		08/02/19 14:50	75-09-2	
Methyl-tert-butyl ether	<1.2	ug/L	4.2	1.2	1		08/02/19 14:50	1634-04-4	
Naphthalene	<1.2	ug/L	5.0	1.2	1		08/02/19 14:50	91-20-3	
n-Propylbenzene	<0.81	ug/L	5.0	0.81	1		08/02/19 14:50	103-65-1	
Styrene	<0.47	ug/L	1.6	0.47	1		08/02/19 14:50	100-42-5	
1,1,1,2-Tetrachloroethane	<0.27	ug/L	1.0	0.27	1		08/02/19 14:50	630-20-6	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 1902744 D&G MOBIL

Pace Project No.: 40192222

Sample: MW-9 **Lab ID: 4019222004** Collected: 08/01/19 09:25 Received: 08/01/19 14:40 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV									
Analytical Method: EPA 8260									
1,1,2,2-Tetrachloroethane	<0.28	ug/L	1.0	0.28	1		08/02/19 14:50	79-34-5	
Tetrachloroethene	<0.33	ug/L	1.1	0.33	1		08/02/19 14:50	127-18-4	
Toluene	<0.17	ug/L	5.0	0.17	1		08/02/19 14:50	108-88-3	
1,2,3-Trichlorobenzene	<0.63	ug/L	5.0	0.63	1		08/02/19 14:50	87-61-6	
1,2,4-Trichlorobenzene	<0.95	ug/L	5.0	0.95	1		08/02/19 14:50	120-82-1	
1,1,1-Trichloroethane	<0.24	ug/L	1.0	0.24	1		08/02/19 14:50	71-55-6	
1,1,2-Trichloroethane	<0.55	ug/L	5.0	0.55	1		08/02/19 14:50	79-00-5	
Trichloroethene	<0.26	ug/L	1.0	0.26	1		08/02/19 14:50	79-01-6	
Trichlorofluoromethane	<0.21	ug/L	1.0	0.21	1		08/02/19 14:50	75-69-4	
1,2,3-Trichloropropane	<0.59	ug/L	5.0	0.59	1		08/02/19 14:50	96-18-4	
1,2,4-Trimethylbenzene	<0.84	ug/L	2.8	0.84	1		08/02/19 14:50	95-63-6	
1,3,5-Trimethylbenzene	<0.87	ug/L	2.9	0.87	1		08/02/19 14:50	108-67-8	
Vinyl chloride	<0.17	ug/L	1.0	0.17	1		08/02/19 14:50	75-01-4	
m&p-Xylene	<0.47	ug/L	2.0	0.47	1		08/02/19 14:50	179601-23-1	
o-Xylene	<0.26	ug/L	1.0	0.26	1		08/02/19 14:50	95-47-6	
Surrogates									
4-Bromofluorobenzene (S)	82	%	70-130		1		08/02/19 14:50	460-00-4	
Dibromofluoromethane (S)	104	%	70-130		1		08/02/19 14:50	1868-53-7	
Toluene-d8 (S)	96	%	70-130		1		08/02/19 14:50	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 1902744 D&G MOBIL

Pace Project No.: 40192222

Sample: MW-7 **Lab ID: 40192222005** Collected: 08/01/19 09:50 Received: 08/01/19 14:40 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Analytical Method: EPA 8260									
Benzene	<0.25	ug/L	1.0	0.25	1		08/02/19 15:12	71-43-2	
Bromobenzene	<0.24	ug/L	1.0	0.24	1		08/02/19 15:12	108-86-1	
Bromochloromethane	<0.36	ug/L	5.0	0.36	1		08/02/19 15:12	74-97-5	
Bromodichloromethane	<0.36	ug/L	1.2	0.36	1		08/02/19 15:12	75-27-4	
Bromoform	<4.0	ug/L	13.2	4.0	1		08/02/19 15:12	75-25-2	
Bromomethane	<0.97	ug/L	5.0	0.97	1		08/02/19 15:12	74-83-9	
n-Butylbenzene	<0.71	ug/L	2.4	0.71	1		08/02/19 15:12	104-51-8	
sec-Butylbenzene	<0.85	ug/L	5.0	0.85	1		08/02/19 15:12	135-98-8	
tert-Butylbenzene	<0.30	ug/L	1.0	0.30	1		08/02/19 15:12	98-06-6	
Carbon tetrachloride	<0.17	ug/L	1.0	0.17	1		08/02/19 15:12	56-23-5	
Chlorobenzene	<0.71	ug/L	2.4	0.71	1		08/02/19 15:12	108-90-7	
Chloroethane	<1.3	ug/L	5.0	1.3	1		08/02/19 15:12	75-00-3	
Chloroform	<1.3	ug/L	5.0	1.3	1		08/02/19 15:12	67-66-3	
Chloromethane	<2.2	ug/L	7.3	2.2	1		08/02/19 15:12	74-87-3	
2-Chlorotoluene	<0.93	ug/L	5.0	0.93	1		08/02/19 15:12	95-49-8	
4-Chlorotoluene	<0.76	ug/L	2.5	0.76	1		08/02/19 15:12	106-43-4	
1,2-Dibromo-3-chloropropane	<1.8	ug/L	5.9	1.8	1		08/02/19 15:12	96-12-8	L2
Dibromochloromethane	<2.6	ug/L	8.7	2.6	1		08/02/19 15:12	124-48-1	
1,2-Dibromoethane (EDB)	<0.83	ug/L	2.8	0.83	1		08/02/19 15:12	106-93-4	
Dibromomethane	<0.94	ug/L	3.1	0.94	1		08/02/19 15:12	74-95-3	
1,2-Dichlorobenzene	<0.71	ug/L	2.4	0.71	1		08/02/19 15:12	95-50-1	
1,3-Dichlorobenzene	<0.63	ug/L	2.1	0.63	1		08/02/19 15:12	541-73-1	
1,4-Dichlorobenzene	<0.94	ug/L	3.1	0.94	1		08/02/19 15:12	106-46-7	
Dichlorodifluoromethane	<0.50	ug/L	5.0	0.50	1		08/02/19 15:12	75-71-8	
1,1-Dichloroethane	<0.27	ug/L	1.0	0.27	1		08/02/19 15:12	75-34-3	
1,2-Dichloroethane	<0.28	ug/L	1.0	0.28	1		08/02/19 15:12	107-06-2	
1,1-Dichloroethene	<0.24	ug/L	1.0	0.24	1		08/02/19 15:12	75-35-4	
cis-1,2-Dichloroethene	<0.27	ug/L	1.0	0.27	1		08/02/19 15:12	156-59-2	
trans-1,2-Dichloroethene	<1.1	ug/L	3.6	1.1	1		08/02/19 15:12	156-60-5	
1,2-Dichloropropane	<0.28	ug/L	1.0	0.28	1		08/02/19 15:12	78-87-5	
1,3-Dichloropropane	<0.83	ug/L	2.8	0.83	1		08/02/19 15:12	142-28-9	
2,2-Dichloropropane	<2.3	ug/L	7.6	2.3	1		08/02/19 15:12	594-20-7	
1,1-Dichloropropene	<0.54	ug/L	1.8	0.54	1		08/02/19 15:12	563-58-6	
cis-1,3-Dichloropropene	<3.6	ug/L	12.1	3.6	1		08/02/19 15:12	10061-01-5	
trans-1,3-Dichloropropene	<4.4	ug/L	14.6	4.4	1		08/02/19 15:12	10061-02-6	
Diisopropyl ether	<1.9	ug/L	6.3	1.9	1		08/02/19 15:12	108-20-3	
Ethylbenzene	<0.22	ug/L	1.0	0.22	1		08/02/19 15:12	100-41-4	
Hexachloro-1,3-butadiene	<1.2	ug/L	5.0	1.2	1		08/02/19 15:12	87-68-3	
Isopropylbenzene (Cumene)	<0.39	ug/L	5.0	0.39	1		08/02/19 15:12	98-82-8	
p-Isopropyltoluene	<0.80	ug/L	2.7	0.80	1		08/02/19 15:12	99-87-6	
Methylene Chloride	<0.58	ug/L	5.0	0.58	1		08/02/19 15:12	75-09-2	
Methyl-tert-butyl ether	<1.2	ug/L	4.2	1.2	1		08/02/19 15:12	1634-04-4	
Naphthalene	<1.2	ug/L	5.0	1.2	1		08/02/19 15:12	91-20-3	
n-Propylbenzene	<0.81	ug/L	5.0	0.81	1		08/02/19 15:12	103-65-1	
Styrene	<0.47	ug/L	1.6	0.47	1		08/02/19 15:12	100-42-5	
1,1,1,2-Tetrachloroethane	<0.27	ug/L	1.0	0.27	1		08/02/19 15:12	630-20-6	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 1902744 D&G MOBIL

Pace Project No.: 40192222

Sample: MW-7 **Lab ID: 4019222005** Collected: 08/01/19 09:50 Received: 08/01/19 14:40 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Analytical Method: EPA 8260									
1,1,2,2-Tetrachloroethane	<0.28	ug/L	1.0	0.28	1		08/02/19 15:12	79-34-5	
Tetrachloroethene	<0.33	ug/L	1.1	0.33	1		08/02/19 15:12	127-18-4	
Toluene	<0.17	ug/L	5.0	0.17	1		08/02/19 15:12	108-88-3	
1,2,3-Trichlorobenzene	<0.63	ug/L	5.0	0.63	1		08/02/19 15:12	87-61-6	
1,2,4-Trichlorobenzene	<0.95	ug/L	5.0	0.95	1		08/02/19 15:12	120-82-1	
1,1,1-Trichloroethane	<0.24	ug/L	1.0	0.24	1		08/02/19 15:12	71-55-6	
1,1,2-Trichloroethane	<0.55	ug/L	5.0	0.55	1		08/02/19 15:12	79-00-5	
Trichloroethene	<0.26	ug/L	1.0	0.26	1		08/02/19 15:12	79-01-6	
Trichlorofluoromethane	<0.21	ug/L	1.0	0.21	1		08/02/19 15:12	75-69-4	
1,2,3-Trichloropropane	<0.59	ug/L	5.0	0.59	1		08/02/19 15:12	96-18-4	
1,2,4-Trimethylbenzene	<0.84	ug/L	2.8	0.84	1		08/02/19 15:12	95-63-6	
1,3,5-Trimethylbenzene	<0.87	ug/L	2.9	0.87	1		08/02/19 15:12	108-67-8	
Vinyl chloride	<0.17	ug/L	1.0	0.17	1		08/02/19 15:12	75-01-4	
m&p-Xylene	<0.47	ug/L	2.0	0.47	1		08/02/19 15:12	179601-23-1	
o-Xylene	<0.26	ug/L	1.0	0.26	1		08/02/19 15:12	95-47-6	
Surrogates									
4-Bromofluorobenzene (S)	82	%	70-130		1		08/02/19 15:12	460-00-4	
Dibromofluoromethane (S)	101	%	70-130		1		08/02/19 15:12	1868-53-7	
Toluene-d8 (S)	96	%	70-130		1		08/02/19 15:12	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 1902744 D&G MOBIL

Pace Project No.: 40192222

Sample: MW-6 **Lab ID: 40192222006** Collected: 08/01/19 11:45 Received: 08/01/19 14:40 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Analytical Method: EPA 8260									
Benzene	<0.25	ug/L	1.0	0.25	1		08/02/19 15:35	71-43-2	
Bromobenzene	<0.24	ug/L	1.0	0.24	1		08/02/19 15:35	108-86-1	
Bromochloromethane	<0.36	ug/L	5.0	0.36	1		08/02/19 15:35	74-97-5	
Bromodichloromethane	<0.36	ug/L	1.2	0.36	1		08/02/19 15:35	75-27-4	
Bromoform	<4.0	ug/L	13.2	4.0	1		08/02/19 15:35	75-25-2	
Bromomethane	<0.97	ug/L	5.0	0.97	1		08/02/19 15:35	74-83-9	
n-Butylbenzene	<0.71	ug/L	2.4	0.71	1		08/02/19 15:35	104-51-8	
sec-Butylbenzene	<0.85	ug/L	5.0	0.85	1		08/02/19 15:35	135-98-8	
tert-Butylbenzene	<0.30	ug/L	1.0	0.30	1		08/02/19 15:35	98-06-6	
Carbon tetrachloride	<0.17	ug/L	1.0	0.17	1		08/02/19 15:35	56-23-5	
Chlorobenzene	<0.71	ug/L	2.4	0.71	1		08/02/19 15:35	108-90-7	
Chloroethane	<1.3	ug/L	5.0	1.3	1		08/02/19 15:35	75-00-3	
Chloroform	<1.3	ug/L	5.0	1.3	1		08/02/19 15:35	67-66-3	
Chloromethane	<2.2	ug/L	7.3	2.2	1		08/02/19 15:35	74-87-3	
2-Chlorotoluene	<0.93	ug/L	5.0	0.93	1		08/02/19 15:35	95-49-8	
4-Chlorotoluene	<0.76	ug/L	2.5	0.76	1		08/02/19 15:35	106-43-4	
1,2-Dibromo-3-chloropropane	<1.8	ug/L	5.9	1.8	1		08/02/19 15:35	96-12-8	L2
Dibromochloromethane	<2.6	ug/L	8.7	2.6	1		08/02/19 15:35	124-48-1	
1,2-Dibromoethane (EDB)	<0.83	ug/L	2.8	0.83	1		08/02/19 15:35	106-93-4	
Dibromomethane	<0.94	ug/L	3.1	0.94	1		08/02/19 15:35	74-95-3	
1,2-Dichlorobenzene	<0.71	ug/L	2.4	0.71	1		08/02/19 15:35	95-50-1	
1,3-Dichlorobenzene	<0.63	ug/L	2.1	0.63	1		08/02/19 15:35	541-73-1	
1,4-Dichlorobenzene	<0.94	ug/L	3.1	0.94	1		08/02/19 15:35	106-46-7	
Dichlorodifluoromethane	<0.50	ug/L	5.0	0.50	1		08/02/19 15:35	75-71-8	
1,1-Dichloroethane	<0.27	ug/L	1.0	0.27	1		08/02/19 15:35	75-34-3	
1,2-Dichloroethane	<0.28	ug/L	1.0	0.28	1		08/02/19 15:35	107-06-2	
1,1-Dichloroethene	<0.24	ug/L	1.0	0.24	1		08/02/19 15:35	75-35-4	
cis-1,2-Dichloroethene	<0.27	ug/L	1.0	0.27	1		08/02/19 15:35	156-59-2	
trans-1,2-Dichloroethene	<1.1	ug/L	3.6	1.1	1		08/02/19 15:35	156-60-5	
1,2-Dichloropropane	<0.28	ug/L	1.0	0.28	1		08/02/19 15:35	78-87-5	
1,3-Dichloropropane	<0.83	ug/L	2.8	0.83	1		08/02/19 15:35	142-28-9	
2,2-Dichloropropane	<2.3	ug/L	7.6	2.3	1		08/02/19 15:35	594-20-7	
1,1-Dichloropropene	<0.54	ug/L	1.8	0.54	1		08/02/19 15:35	563-58-6	
cis-1,3-Dichloropropene	<3.6	ug/L	12.1	3.6	1		08/02/19 15:35	10061-01-5	
trans-1,3-Dichloropropene	<4.4	ug/L	14.6	4.4	1		08/02/19 15:35	10061-02-6	
Diisopropyl ether	<1.9	ug/L	6.3	1.9	1		08/02/19 15:35	108-20-3	
Ethylbenzene	2.1	ug/L	1.0	0.22	1		08/02/19 15:35	100-41-4	
Hexachloro-1,3-butadiene	<1.2	ug/L	5.0	1.2	1		08/02/19 15:35	87-68-3	
Isopropylbenzene (Cumene)	0.53J	ug/L	5.0	0.39	1		08/02/19 15:35	98-82-8	
p-Isopropyltoluene	<0.80	ug/L	2.7	0.80	1		08/02/19 15:35	99-87-6	
Methylene Chloride	<0.58	ug/L	5.0	0.58	1		08/02/19 15:35	75-09-2	
Methyl-tert-butyl ether	<1.2	ug/L	4.2	1.2	1		08/02/19 15:35	1634-04-4	
Naphthalene	<1.2	ug/L	5.0	1.2	1		08/02/19 15:35	91-20-3	
n-Propylbenzene	2.5J	ug/L	5.0	0.81	1		08/02/19 15:35	103-65-1	
Styrene	<0.47	ug/L	1.6	0.47	1		08/02/19 15:35	100-42-5	
1,1,1,2-Tetrachloroethane	<0.27	ug/L	1.0	0.27	1		08/02/19 15:35	630-20-6	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 1902744 D&G MOBIL

Pace Project No.: 40192222

Sample: MW-6 **Lab ID: 4019222006** Collected: 08/01/19 11:45 Received: 08/01/19 14:40 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Analytical Method: EPA 8260									
1,1,2,2-Tetrachloroethane	<0.28	ug/L	1.0	0.28	1		08/02/19 15:35	79-34-5	
Tetrachloroethene	<0.33	ug/L	1.1	0.33	1		08/02/19 15:35	127-18-4	
Toluene	<0.17	ug/L	5.0	0.17	1		08/02/19 15:35	108-88-3	
1,2,3-Trichlorobenzene	<0.63	ug/L	5.0	0.63	1		08/02/19 15:35	87-61-6	
1,2,4-Trichlorobenzene	<0.95	ug/L	5.0	0.95	1		08/02/19 15:35	120-82-1	
1,1,1-Trichloroethane	<0.24	ug/L	1.0	0.24	1		08/02/19 15:35	71-55-6	
1,1,2-Trichloroethane	<0.55	ug/L	5.0	0.55	1		08/02/19 15:35	79-00-5	
Trichloroethene	<0.26	ug/L	1.0	0.26	1		08/02/19 15:35	79-01-6	
Trichlorofluoromethane	<0.21	ug/L	1.0	0.21	1		08/02/19 15:35	75-69-4	
1,2,3-Trichloropropane	<0.59	ug/L	5.0	0.59	1		08/02/19 15:35	96-18-4	
1,2,4-Trimethylbenzene	15.1	ug/L	2.8	0.84	1		08/02/19 15:35	95-63-6	
1,3,5-Trimethylbenzene	4.2	ug/L	2.9	0.87	1		08/02/19 15:35	108-67-8	
Vinyl chloride	<0.17	ug/L	1.0	0.17	1		08/02/19 15:35	75-01-4	
m&p-Xylene	6.4	ug/L	2.0	0.47	1		08/02/19 15:35	179601-23-1	
o-Xylene	0.51J	ug/L	1.0	0.26	1		08/02/19 15:35	95-47-6	
Surrogates									
4-Bromofluorobenzene (S)	85	%	70-130		1		08/02/19 15:35	460-00-4	
Dibromofluoromethane (S)	98	%	70-130		1		08/02/19 15:35	1868-53-7	
Toluene-d8 (S)	98	%	70-130		1		08/02/19 15:35	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 1902744 D&G MOBIL

Pace Project No.: 40192222

Sample: MW-5 **Lab ID: 40192222007** Collected: 08/01/19 11:15 Received: 08/01/19 14:40 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Analytical Method: EPA 8260									
Benzene	36.5	ug/L	25.0	6.2	25		08/02/19 16:43	71-43-2	
Bromobenzene	<6.0	ug/L	25.0	6.0	25		08/02/19 16:43	108-86-1	
Bromochloromethane	<9.1	ug/L	125	9.1	25		08/02/19 16:43	74-97-5	
Bromodichloromethane	<9.1	ug/L	30.3	9.1	25		08/02/19 16:43	75-27-4	
Bromoform	<99.3	ug/L	331	99.3	25		08/02/19 16:43	75-25-2	
Bromomethane	<24.3	ug/L	125	24.3	25		08/02/19 16:43	74-83-9	
n-Butylbenzene	<17.7	ug/L	59.0	17.7	25		08/02/19 16:43	104-51-8	
sec-Butylbenzene	<21.2	ug/L	125	21.2	25		08/02/19 16:43	135-98-8	
tert-Butylbenzene	<7.6	ug/L	25.3	7.6	25		08/02/19 16:43	98-06-6	
Carbon tetrachloride	<4.1	ug/L	25.0	4.1	25		08/02/19 16:43	56-23-5	
Chlorobenzene	<17.8	ug/L	59.2	17.8	25		08/02/19 16:43	108-90-7	
Chloroethane	<33.6	ug/L	125	33.6	25		08/02/19 16:43	75-00-3	
Chloroform	<31.8	ug/L	125	31.8	25		08/02/19 16:43	67-66-3	
Chloromethane	<54.7	ug/L	182	54.7	25		08/02/19 16:43	74-87-3	
2-Chlorotoluene	<23.2	ug/L	125	23.2	25		08/02/19 16:43	95-49-8	
4-Chlorotoluene	<18.9	ug/L	63.0	18.9	25		08/02/19 16:43	106-43-4	
1,2-Dibromo-3-chloropropane	<44.1	ug/L	147	44.1	25		08/02/19 16:43	96-12-8	L2
Dibromochloromethane	<65.0	ug/L	217	65.0	25		08/02/19 16:43	124-48-1	
1,2-Dibromoethane (EDB)	<20.7	ug/L	69.1	20.7	25		08/02/19 16:43	106-93-4	
Dibromomethane	<23.4	ug/L	78.1	23.4	25		08/02/19 16:43	74-95-3	
1,2-Dichlorobenzene	<17.6	ug/L	58.8	17.6	25		08/02/19 16:43	95-50-1	
1,3-Dichlorobenzene	<15.7	ug/L	52.3	15.7	25		08/02/19 16:43	541-73-1	
1,4-Dichlorobenzene	<23.6	ug/L	78.6	23.6	25		08/02/19 16:43	106-46-7	
Dichlorodifluoromethane	<12.5	ug/L	125	12.5	25		08/02/19 16:43	75-71-8	
1,1-Dichloroethane	<6.8	ug/L	25.0	6.8	25		08/02/19 16:43	75-34-3	
1,2-Dichloroethane	<7.0	ug/L	25.0	7.0	25		08/02/19 16:43	107-06-2	
1,1-Dichloroethene	<6.1	ug/L	25.0	6.1	25		08/02/19 16:43	75-35-4	
cis-1,2-Dichloroethene	<6.8	ug/L	25.0	6.8	25		08/02/19 16:43	156-59-2	
trans-1,2-Dichloroethene	<27.3	ug/L	90.9	27.3	25		08/02/19 16:43	156-60-5	
1,2-Dichloropropane	<7.1	ug/L	25.0	7.1	25		08/02/19 16:43	78-87-5	
1,3-Dichloropropane	<20.6	ug/L	68.8	20.6	25		08/02/19 16:43	142-28-9	
2,2-Dichloropropane	<56.6	ug/L	189	56.6	25		08/02/19 16:43	594-20-7	
1,1-Dichloropropene	<13.5	ug/L	45.0	13.5	25		08/02/19 16:43	563-58-6	
cis-1,3-Dichloropropene	<90.7	ug/L	302	90.7	25		08/02/19 16:43	10061-01-5	
trans-1,3-Dichloropropene	<109	ug/L	364	109	25		08/02/19 16:43	10061-02-6	
Diisopropyl ether	<47.2	ug/L	157	47.2	25		08/02/19 16:43	108-20-3	
Ethylbenzene	3550	ug/L	25.0	5.5	25		08/02/19 16:43	100-41-4	
Hexachloro-1,3-butadiene	<29.6	ug/L	125	29.6	25		08/02/19 16:43	87-68-3	
Isopropylbenzene (Cumene)	92.2J	ug/L	125	9.8	25		08/02/19 16:43	98-82-8	
p-Isopropyltoluene	<20.0	ug/L	66.7	20.0	25		08/02/19 16:43	99-87-6	
Methylene Chloride	<14.5	ug/L	125	14.5	25		08/02/19 16:43	75-09-2	
Methyl-tert-butyl ether	<31.1	ug/L	104	31.1	25		08/02/19 16:43	1634-04-4	
Naphthalene	645	ug/L	125	29.4	25		08/02/19 16:43	91-20-3	
n-Propylbenzene	281	ug/L	125	20.3	25		08/02/19 16:43	103-65-1	
Styrene	<11.6	ug/L	38.8	11.6	25		08/02/19 16:43	100-42-5	
1,1,1,2-Tetrachloroethane	<6.7	ug/L	25.0	6.7	25		08/02/19 16:43	630-20-6	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 1902744 D&G MOBIL

Pace Project No.: 40192222

Sample: MW-5 **Lab ID: 4019222007** Collected: 08/01/19 11:15 Received: 08/01/19 14:40 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Analytical Method: EPA 8260									
1,1,2,2-Tetrachloroethane	<6.9	ug/L	25.0	6.9	25		08/02/19 16:43	79-34-5	
Tetrachloroethene	<8.2	ug/L	27.2	8.2	25		08/02/19 16:43	127-18-4	
Toluene	160	ug/L	125	4.3	25		08/02/19 16:43	108-88-3	
1,2,3-Trichlorobenzene	<15.6	ug/L	125	15.6	25		08/02/19 16:43	87-61-6	
1,2,4-Trichlorobenzene	<23.8	ug/L	125	23.8	25		08/02/19 16:43	120-82-1	
1,1,1-Trichloroethane	<6.1	ug/L	25.0	6.1	25		08/02/19 16:43	71-55-6	
1,1,2-Trichloroethane	<13.8	ug/L	125	13.8	25		08/02/19 16:43	79-00-5	
Trichloroethene	<6.4	ug/L	25.0	6.4	25		08/02/19 16:43	79-01-6	
Trichlorofluoromethane	<5.4	ug/L	25.0	5.4	25		08/02/19 16:43	75-69-4	
1,2,3-Trichloropropane	<14.8	ug/L	125	14.8	25		08/02/19 16:43	96-18-4	
1,2,4-Trimethylbenzene	1950	ug/L	70.0	21.0	25		08/02/19 16:43	95-63-6	
1,3,5-Trimethylbenzene	447	ug/L	72.8	21.8	25		08/02/19 16:43	108-67-8	
Vinyl chloride	<4.4	ug/L	25.0	4.4	25		08/02/19 16:43	75-01-4	
m&p-Xylene	8010	ug/L	50.0	11.6	25		08/02/19 16:43	179601-23-1	
o-Xylene	424	ug/L	25.0	6.5	25		08/02/19 16:43	95-47-6	
Surrogates									
4-Bromofluorobenzene (S)	93	%	70-130		25		08/02/19 16:43	460-00-4	
Dibromofluoromethane (S)	92	%	70-130		25		08/02/19 16:43	1868-53-7	
Toluene-d8 (S)	100	%	70-130		25		08/02/19 16:43	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 1902744 D&G MOBIL

Pace Project No.: 40192222

Sample: MW-4 **Lab ID: 40192222008** Collected: 08/01/19 12:55 Received: 08/01/19 14:40 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Analytical Method: EPA 8260									
Benzene	25.0	ug/L	1.0	0.25	1		08/02/19 16:20	71-43-2	
Bromobenzene	<0.24	ug/L	1.0	0.24	1		08/02/19 16:20	108-86-1	
Bromochloromethane	<0.36	ug/L	5.0	0.36	1		08/02/19 16:20	74-97-5	
Bromodichloromethane	<0.36	ug/L	1.2	0.36	1		08/02/19 16:20	75-27-4	
Bromoform	<4.0	ug/L	13.2	4.0	1		08/02/19 16:20	75-25-2	
Bromomethane	<0.97	ug/L	5.0	0.97	1		08/02/19 16:20	74-83-9	
n-Butylbenzene	<0.71	ug/L	2.4	0.71	1		08/02/19 16:20	104-51-8	
sec-Butylbenzene	13.0	ug/L	5.0	0.85	1		08/02/19 16:20	135-98-8	
tert-Butylbenzene	<0.30	ug/L	1.0	0.30	1		08/02/19 16:20	98-06-6	
Carbon tetrachloride	<0.17	ug/L	1.0	0.17	1		08/02/19 16:20	56-23-5	
Chlorobenzene	<0.71	ug/L	2.4	0.71	1		08/02/19 16:20	108-90-7	
Chloroethane	<1.3	ug/L	5.0	1.3	1		08/02/19 16:20	75-00-3	
Chloroform	<1.3	ug/L	5.0	1.3	1		08/02/19 16:20	67-66-3	
Chloromethane	<2.2	ug/L	7.3	2.2	1		08/02/19 16:20	74-87-3	
2-Chlorotoluene	<0.93	ug/L	5.0	0.93	1		08/02/19 16:20	95-49-8	
4-Chlorotoluene	<0.76	ug/L	2.5	0.76	1		08/02/19 16:20	106-43-4	
1,2-Dibromo-3-chloropropane	<1.8	ug/L	5.9	1.8	1		08/02/19 16:20	96-12-8	L2
Dibromochloromethane	<2.6	ug/L	8.7	2.6	1		08/02/19 16:20	124-48-1	
1,2-Dibromoethane (EDB)	<0.83	ug/L	2.8	0.83	1		08/02/19 16:20	106-93-4	
Dibromomethane	<0.94	ug/L	3.1	0.94	1		08/02/19 16:20	74-95-3	
1,2-Dichlorobenzene	<0.71	ug/L	2.4	0.71	1		08/02/19 16:20	95-50-1	
1,3-Dichlorobenzene	<0.63	ug/L	2.1	0.63	1		08/02/19 16:20	541-73-1	
1,4-Dichlorobenzene	<0.94	ug/L	3.1	0.94	1		08/02/19 16:20	106-46-7	
Dichlorodifluoromethane	<0.50	ug/L	5.0	0.50	1		08/02/19 16:20	75-71-8	
1,1-Dichloroethane	<0.27	ug/L	1.0	0.27	1		08/02/19 16:20	75-34-3	
1,2-Dichloroethane	<0.28	ug/L	1.0	0.28	1		08/02/19 16:20	107-06-2	
1,1-Dichloroethene	<0.24	ug/L	1.0	0.24	1		08/02/19 16:20	75-35-4	
cis-1,2-Dichloroethene	<0.27	ug/L	1.0	0.27	1		08/02/19 16:20	156-59-2	
trans-1,2-Dichloroethene	<1.1	ug/L	3.6	1.1	1		08/02/19 16:20	156-60-5	
1,2-Dichloropropane	<0.28	ug/L	1.0	0.28	1		08/02/19 16:20	78-87-5	
1,3-Dichloropropane	<0.83	ug/L	2.8	0.83	1		08/02/19 16:20	142-28-9	
2,2-Dichloropropane	<2.3	ug/L	7.6	2.3	1		08/02/19 16:20	594-20-7	
1,1-Dichloropropene	<0.54	ug/L	1.8	0.54	1		08/02/19 16:20	563-58-6	
cis-1,3-Dichloropropene	<3.6	ug/L	12.1	3.6	1		08/02/19 16:20	10061-01-5	
trans-1,3-Dichloropropene	<4.4	ug/L	14.6	4.4	1		08/02/19 16:20	10061-02-6	
Diisopropyl ether	<1.9	ug/L	6.3	1.9	1		08/02/19 16:20	108-20-3	
Ethylbenzene	758	ug/L	10.0	2.2	10		08/05/19 08:32	100-41-4	
Hexachloro-1,3-butadiene	<1.2	ug/L	5.0	1.2	1		08/02/19 16:20	87-68-3	
Isopropylbenzene (Cumene)	65.6	ug/L	5.0	0.39	1		08/02/19 16:20	98-82-8	
p-Isopropyltoluene	8.0	ug/L	2.7	0.80	1		08/02/19 16:20	99-87-6	
Methylene Chloride	<0.58	ug/L	5.0	0.58	1		08/02/19 16:20	75-09-2	
Methyl-tert-butyl ether	<1.2	ug/L	4.2	1.2	1		08/02/19 16:20	1634-04-4	
Naphthalene	141	ug/L	5.0	1.2	1		08/02/19 16:20	91-20-3	
n-Propylbenzene	192	ug/L	5.0	0.81	1		08/02/19 16:20	103-65-1	
Styrene	<0.47	ug/L	1.6	0.47	1		08/02/19 16:20	100-42-5	
1,1,1,2-Tetrachloroethane	<0.27	ug/L	1.0	0.27	1		08/02/19 16:20	630-20-6	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 1902744 D&G MOBIL

Pace Project No.: 40192222

Sample: MW-4 **Lab ID: 4019222008** Collected: 08/01/19 12:55 Received: 08/01/19 14:40 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV									
Analytical Method: EPA 8260									
1,1,2,2-Tetrachloroethane	<0.28	ug/L	1.0	0.28	1		08/02/19 16:20	79-34-5	
Tetrachloroethene	<0.33	ug/L	1.1	0.33	1		08/02/19 16:20	127-18-4	
Toluene	20.2	ug/L	5.0	0.17	1		08/02/19 16:20	108-88-3	
1,2,3-Trichlorobenzene	<0.63	ug/L	5.0	0.63	1		08/02/19 16:20	87-61-6	
1,2,4-Trichlorobenzene	<0.95	ug/L	5.0	0.95	1		08/02/19 16:20	120-82-1	
1,1,1-Trichloroethane	<0.24	ug/L	1.0	0.24	1		08/02/19 16:20	71-55-6	
1,1,2-Trichloroethane	<0.55	ug/L	5.0	0.55	1		08/02/19 16:20	79-00-5	
Trichloroethene	<0.26	ug/L	1.0	0.26	1		08/02/19 16:20	79-01-6	
Trichlorofluoromethane	<0.21	ug/L	1.0	0.21	1		08/02/19 16:20	75-69-4	
1,2,3-Trichloropropane	<0.59	ug/L	5.0	0.59	1		08/02/19 16:20	96-18-4	
1,2,4-Trimethylbenzene	852	ug/L	28.0	8.4	10		08/05/19 08:32	95-63-6	
1,3,5-Trimethylbenzene	217	ug/L	2.9	0.87	1		08/02/19 16:20	108-67-8	
Vinyl chloride	<0.17	ug/L	1.0	0.17	1		08/02/19 16:20	75-01-4	
m&p-Xylene	1270	ug/L	20.0	4.7	10		08/05/19 08:32	179601-23-1	
o-Xylene	30.0	ug/L	1.0	0.26	1		08/02/19 16:20	95-47-6	
Surrogates									
4-Bromofluorobenzene (S)	92	%	70-130		1		08/02/19 16:20	460-00-4	
Dibromofluoromethane (S)	90	%	70-130		1		08/02/19 16:20	1868-53-7	
Toluene-d8 (S)	99	%	70-130		1		08/02/19 16:20	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 1902744 D&G MOBIL

Pace Project No.: 40192222

Sample: MW-3 **Lab ID: 40192222009** Collected: 08/01/19 13:20 Received: 08/01/19 14:40 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Analytical Method: EPA 8260									
Benzene	<0.25	ug/L	1.0	0.25	1		08/02/19 15:58	71-43-2	
Bromobenzene	<0.24	ug/L	1.0	0.24	1		08/02/19 15:58	108-86-1	
Bromochloromethane	<0.36	ug/L	5.0	0.36	1		08/02/19 15:58	74-97-5	
Bromodichloromethane	<0.36	ug/L	1.2	0.36	1		08/02/19 15:58	75-27-4	
Bromoform	<4.0	ug/L	13.2	4.0	1		08/02/19 15:58	75-25-2	
Bromomethane	<0.97	ug/L	5.0	0.97	1		08/02/19 15:58	74-83-9	
n-Butylbenzene	<0.71	ug/L	2.4	0.71	1		08/02/19 15:58	104-51-8	
sec-Butylbenzene	<0.85	ug/L	5.0	0.85	1		08/02/19 15:58	135-98-8	
tert-Butylbenzene	<0.30	ug/L	1.0	0.30	1		08/02/19 15:58	98-06-6	
Carbon tetrachloride	<0.17	ug/L	1.0	0.17	1		08/02/19 15:58	56-23-5	
Chlorobenzene	<0.71	ug/L	2.4	0.71	1		08/02/19 15:58	108-90-7	
Chloroethane	<1.3	ug/L	5.0	1.3	1		08/02/19 15:58	75-00-3	
Chloroform	<1.3	ug/L	5.0	1.3	1		08/02/19 15:58	67-66-3	
Chloromethane	<2.2	ug/L	7.3	2.2	1		08/02/19 15:58	74-87-3	
2-Chlorotoluene	<0.93	ug/L	5.0	0.93	1		08/02/19 15:58	95-49-8	
4-Chlorotoluene	<0.76	ug/L	2.5	0.76	1		08/02/19 15:58	106-43-4	
1,2-Dibromo-3-chloropropane	<1.8	ug/L	5.9	1.8	1		08/02/19 15:58	96-12-8	L2
Dibromochloromethane	<2.6	ug/L	8.7	2.6	1		08/02/19 15:58	124-48-1	
1,2-Dibromoethane (EDB)	<0.83	ug/L	2.8	0.83	1		08/02/19 15:58	106-93-4	
Dibromomethane	<0.94	ug/L	3.1	0.94	1		08/02/19 15:58	74-95-3	
1,2-Dichlorobenzene	<0.71	ug/L	2.4	0.71	1		08/02/19 15:58	95-50-1	
1,3-Dichlorobenzene	<0.63	ug/L	2.1	0.63	1		08/02/19 15:58	541-73-1	
1,4-Dichlorobenzene	<0.94	ug/L	3.1	0.94	1		08/02/19 15:58	106-46-7	
Dichlorodifluoromethane	<0.50	ug/L	5.0	0.50	1		08/02/19 15:58	75-71-8	
1,1-Dichloroethane	<0.27	ug/L	1.0	0.27	1		08/02/19 15:58	75-34-3	
1,2-Dichloroethane	<0.28	ug/L	1.0	0.28	1		08/02/19 15:58	107-06-2	
1,1-Dichloroethene	<0.24	ug/L	1.0	0.24	1		08/02/19 15:58	75-35-4	
cis-1,2-Dichloroethene	<0.27	ug/L	1.0	0.27	1		08/02/19 15:58	156-59-2	
trans-1,2-Dichloroethene	<1.1	ug/L	3.6	1.1	1		08/02/19 15:58	156-60-5	
1,2-Dichloropropane	<0.28	ug/L	1.0	0.28	1		08/02/19 15:58	78-87-5	
1,3-Dichloropropane	<0.83	ug/L	2.8	0.83	1		08/02/19 15:58	142-28-9	
2,2-Dichloropropane	<2.3	ug/L	7.6	2.3	1		08/02/19 15:58	594-20-7	
1,1-Dichloropropene	<0.54	ug/L	1.8	0.54	1		08/02/19 15:58	563-58-6	
cis-1,3-Dichloropropene	<3.6	ug/L	12.1	3.6	1		08/02/19 15:58	10061-01-5	
trans-1,3-Dichloropropene	<4.4	ug/L	14.6	4.4	1		08/02/19 15:58	10061-02-6	
Diisopropyl ether	<1.9	ug/L	6.3	1.9	1		08/02/19 15:58	108-20-3	
Ethylbenzene	<0.22	ug/L	1.0	0.22	1		08/02/19 15:58	100-41-4	
Hexachloro-1,3-butadiene	<1.2	ug/L	5.0	1.2	1		08/02/19 15:58	87-68-3	
Isopropylbenzene (Cumene)	<0.39	ug/L	5.0	0.39	1		08/02/19 15:58	98-82-8	
p-Isopropyltoluene	<0.80	ug/L	2.7	0.80	1		08/02/19 15:58	99-87-6	
Methylene Chloride	<0.58	ug/L	5.0	0.58	1		08/02/19 15:58	75-09-2	
Methyl-tert-butyl ether	<1.2	ug/L	4.2	1.2	1		08/02/19 15:58	1634-04-4	
Naphthalene	<1.2	ug/L	5.0	1.2	1		08/02/19 15:58	91-20-3	
n-Propylbenzene	<0.81	ug/L	5.0	0.81	1		08/02/19 15:58	103-65-1	
Styrene	<0.47	ug/L	1.6	0.47	1		08/02/19 15:58	100-42-5	
1,1,1,2-Tetrachloroethane	<0.27	ug/L	1.0	0.27	1		08/02/19 15:58	630-20-6	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 1902744 D&G MOBIL

Pace Project No.: 40192222

Sample: MW-3 **Lab ID: 4019222009** Collected: 08/01/19 13:20 Received: 08/01/19 14:40 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV									
Analytical Method: EPA 8260									
1,1,2,2-Tetrachloroethane	<0.28	ug/L	1.0	0.28	1		08/02/19 15:58	79-34-5	
Tetrachloroethene	<0.33	ug/L	1.1	0.33	1		08/02/19 15:58	127-18-4	
Toluene	<0.17	ug/L	5.0	0.17	1		08/02/19 15:58	108-88-3	
1,2,3-Trichlorobenzene	<0.63	ug/L	5.0	0.63	1		08/02/19 15:58	87-61-6	
1,2,4-Trichlorobenzene	<0.95	ug/L	5.0	0.95	1		08/02/19 15:58	120-82-1	
1,1,1-Trichloroethane	<0.24	ug/L	1.0	0.24	1		08/02/19 15:58	71-55-6	
1,1,2-Trichloroethane	<0.55	ug/L	5.0	0.55	1		08/02/19 15:58	79-00-5	
Trichloroethene	<0.26	ug/L	1.0	0.26	1		08/02/19 15:58	79-01-6	
Trichlorofluoromethane	<0.21	ug/L	1.0	0.21	1		08/02/19 15:58	75-69-4	
1,2,3-Trichloropropane	<0.59	ug/L	5.0	0.59	1		08/02/19 15:58	96-18-4	
1,2,4-Trimethylbenzene	<0.84	ug/L	2.8	0.84	1		08/02/19 15:58	95-63-6	
1,3,5-Trimethylbenzene	<0.87	ug/L	2.9	0.87	1		08/02/19 15:58	108-67-8	
Vinyl chloride	<0.17	ug/L	1.0	0.17	1		08/02/19 15:58	75-01-4	
m&p-Xylene	<0.47	ug/L	2.0	0.47	1		08/02/19 15:58	179601-23-1	
o-Xylene	<0.26	ug/L	1.0	0.26	1		08/02/19 15:58	95-47-6	
Surrogates									
4-Bromofluorobenzene (S)	84	%	70-130		1		08/02/19 15:58	460-00-4	
Dibromofluoromethane (S)	100	%	70-130		1		08/02/19 15:58	1868-53-7	
Toluene-d8 (S)	96	%	70-130		1		08/02/19 15:58	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 1902744 D&G MOBIL

Pace Project No.: 40192222

Sample: MW-2 **Lab ID: 40192222010** Collected: 08/01/19 10:45 Received: 08/01/19 14:40 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV		Analytical Method: EPA 8260							
Benzene	26.1	ug/L	1.0	0.25	1		08/05/19 08:44	71-43-2	
Bromobenzene	<0.24	ug/L	1.0	0.24	1		08/05/19 08:44	108-86-1	
Bromochloromethane	<0.36	ug/L	5.0	0.36	1		08/05/19 08:44	74-97-5	
Bromodichloromethane	<0.36	ug/L	1.2	0.36	1		08/05/19 08:44	75-27-4	
Bromoform	<4.0	ug/L	13.2	4.0	1		08/05/19 08:44	75-25-2	
Bromomethane	<0.97	ug/L	5.0	0.97	1		08/05/19 08:44	74-83-9	
n-Butylbenzene	<0.71	ug/L	2.4	0.71	1		08/05/19 08:44	104-51-8	
sec-Butylbenzene	<0.85	ug/L	5.0	0.85	1		08/05/19 08:44	135-98-8	
tert-Butylbenzene	<0.30	ug/L	1.0	0.30	1		08/05/19 08:44	98-06-6	
Carbon tetrachloride	<0.17	ug/L	1.0	0.17	1		08/05/19 08:44	56-23-5	
Chlorobenzene	<0.71	ug/L	2.4	0.71	1		08/05/19 08:44	108-90-7	
Chloroethane	<1.3	ug/L	5.0	1.3	1		08/05/19 08:44	75-00-3	
Chloroform	<1.3	ug/L	5.0	1.3	1		08/05/19 08:44	67-66-3	
Chloromethane	<2.2	ug/L	7.3	2.2	1		08/05/19 08:44	74-87-3	
2-Chlorotoluene	<0.93	ug/L	5.0	0.93	1		08/05/19 08:44	95-49-8	
4-Chlorotoluene	<0.76	ug/L	2.5	0.76	1		08/05/19 08:44	106-43-4	
1,2-Dibromo-3-chloropropane	<1.8	ug/L	5.9	1.8	1		08/05/19 08:44	96-12-8	
Dibromochloromethane	<2.6	ug/L	8.7	2.6	1		08/05/19 08:44	124-48-1	
1,2-Dibromoethane (EDB)	<0.83	ug/L	2.8	0.83	1		08/05/19 08:44	106-93-4	
Dibromomethane	<0.94	ug/L	3.1	0.94	1		08/05/19 08:44	74-95-3	
1,2-Dichlorobenzene	<0.71	ug/L	2.4	0.71	1		08/05/19 08:44	95-50-1	
1,3-Dichlorobenzene	<0.63	ug/L	2.1	0.63	1		08/05/19 08:44	541-73-1	
1,4-Dichlorobenzene	<0.94	ug/L	3.1	0.94	1		08/05/19 08:44	106-46-7	
Dichlorodifluoromethane	<0.50	ug/L	5.0	0.50	1		08/05/19 08:44	75-71-8	
1,1-Dichloroethane	<0.27	ug/L	1.0	0.27	1		08/05/19 08:44	75-34-3	
1,2-Dichloroethane	<0.28	ug/L	1.0	0.28	1		08/05/19 08:44	107-06-2	
1,1-Dichloroethene	<0.24	ug/L	1.0	0.24	1		08/05/19 08:44	75-35-4	
cis-1,2-Dichloroethene	<0.27	ug/L	1.0	0.27	1		08/05/19 08:44	156-59-2	
trans-1,2-Dichloroethene	<1.1	ug/L	3.6	1.1	1		08/05/19 08:44	156-60-5	
1,2-Dichloropropane	<0.28	ug/L	1.0	0.28	1		08/05/19 08:44	78-87-5	
1,3-Dichloropropane	<0.83	ug/L	2.8	0.83	1		08/05/19 08:44	142-28-9	
2,2-Dichloropropane	<2.3	ug/L	7.6	2.3	1		08/05/19 08:44	594-20-7	
1,1-Dichloropropene	<0.54	ug/L	1.8	0.54	1		08/05/19 08:44	563-58-6	
cis-1,3-Dichloropropene	<3.6	ug/L	12.1	3.6	1		08/05/19 08:44	10061-01-5	
trans-1,3-Dichloropropene	<4.4	ug/L	14.6	4.4	1		08/05/19 08:44	10061-02-6	
Diisopropyl ether	<1.9	ug/L	6.3	1.9	1		08/05/19 08:44	108-20-3	
Ethylbenzene	169	ug/L	1.0	0.22	1		08/05/19 08:44	100-41-4	
Hexachloro-1,3-butadiene	<1.2	ug/L	5.0	1.2	1		08/05/19 08:44	87-68-3	
Isopropylbenzene (Cumene)	6.4	ug/L	5.0	0.39	1		08/05/19 08:44	98-82-8	
p-Isopropyltoluene	<0.80	ug/L	2.7	0.80	1		08/05/19 08:44	99-87-6	
Methylene Chloride	<0.58	ug/L	5.0	0.58	1		08/05/19 08:44	75-09-2	
Methyl-tert-butyl ether	<1.2	ug/L	4.2	1.2	1		08/05/19 08:44	1634-04-4	
Naphthalene	30.2	ug/L	5.0	1.2	1		08/05/19 08:44	91-20-3	
n-Propylbenzene	14.3	ug/L	5.0	0.81	1		08/05/19 08:44	103-65-1	
Styrene	<0.47	ug/L	1.6	0.47	1		08/05/19 08:44	100-42-5	
1,1,1,2-Tetrachloroethane	<0.27	ug/L	1.0	0.27	1		08/05/19 08:44	630-20-6	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 1902744 D&G MOBIL

Pace Project No.: 40192222

Sample: MW-2 **Lab ID: 4019222010** Collected: 08/01/19 10:45 Received: 08/01/19 14:40 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV									
Analytical Method: EPA 8260									
1,1,2,2-Tetrachloroethane	<0.28	ug/L	1.0	0.28	1		08/05/19 08:44	79-34-5	
Tetrachloroethene	<0.33	ug/L	1.1	0.33	1		08/05/19 08:44	127-18-4	
Toluene	351	ug/L	50.0	1.7	10		08/05/19 11:21	108-88-3	
1,2,3-Trichlorobenzene	<0.63	ug/L	5.0	0.63	1		08/05/19 08:44	87-61-6	
1,2,4-Trichlorobenzene	<0.95	ug/L	5.0	0.95	1		08/05/19 08:44	120-82-1	
1,1,1-Trichloroethane	<0.24	ug/L	1.0	0.24	1		08/05/19 08:44	71-55-6	
1,1,2-Trichloroethane	<0.55	ug/L	5.0	0.55	1		08/05/19 08:44	79-00-5	
Trichloroethene	<0.26	ug/L	1.0	0.26	1		08/05/19 08:44	79-01-6	
Trichlorofluoromethane	<0.21	ug/L	1.0	0.21	1		08/05/19 08:44	75-69-4	
1,2,3-Trichloropropane	<0.59	ug/L	5.0	0.59	1		08/05/19 08:44	96-18-4	
1,2,4-Trimethylbenzene	92.5	ug/L	2.8	0.84	1		08/05/19 08:44	95-63-6	
1,3,5-Trimethylbenzene	20.8	ug/L	2.9	0.87	1		08/05/19 08:44	108-67-8	
Vinyl chloride	<0.17	ug/L	1.0	0.17	1		08/05/19 08:44	75-01-4	
m&p-Xylene	410	ug/L	2.0	0.47	1		08/05/19 08:44	179601-23-1	
o-Xylene	144	ug/L	1.0	0.26	1		08/05/19 08:44	95-47-6	
Surrogates									
4-Bromofluorobenzene (S)	104	%	70-130		1		08/05/19 08:44	460-00-4	
Dibromofluoromethane (S)	100	%	70-130		1		08/05/19 08:44	1868-53-7	
Toluene-d8 (S)	97	%	70-130		1		08/05/19 08:44	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 1902744 D&G MOBIL

Pace Project No.: 40192222

Sample: MW-1 **Lab ID: 40192222011** Collected: 08/01/19 10:16 Received: 08/01/19 14:40 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV		Analytical Method: EPA 8260							
Benzene	<0.25	ug/L	1.0	0.25	1		08/05/19 12:05	71-43-2	
Bromobenzene	<0.24	ug/L	1.0	0.24	1		08/05/19 12:05	108-86-1	
Bromochloromethane	<0.36	ug/L	5.0	0.36	1		08/05/19 12:05	74-97-5	
Bromodichloromethane	<0.36	ug/L	1.2	0.36	1		08/05/19 12:05	75-27-4	
Bromoform	<4.0	ug/L	13.2	4.0	1		08/05/19 12:05	75-25-2	
Bromomethane	<0.97	ug/L	5.0	0.97	1		08/05/19 12:05	74-83-9	
n-Butylbenzene	<0.71	ug/L	2.4	0.71	1		08/05/19 12:05	104-51-8	
sec-Butylbenzene	<0.85	ug/L	5.0	0.85	1		08/05/19 12:05	135-98-8	
tert-Butylbenzene	<0.30	ug/L	1.0	0.30	1		08/05/19 12:05	98-06-6	
Carbon tetrachloride	<0.17	ug/L	1.0	0.17	1		08/05/19 12:05	56-23-5	
Chlorobenzene	<0.71	ug/L	2.4	0.71	1		08/05/19 12:05	108-90-7	
Chloroethane	<1.3	ug/L	5.0	1.3	1		08/05/19 12:05	75-00-3	
Chloroform	<1.3	ug/L	5.0	1.3	1		08/05/19 12:05	67-66-3	
Chloromethane	<2.2	ug/L	7.3	2.2	1		08/05/19 12:05	74-87-3	
2-Chlorotoluene	<0.93	ug/L	5.0	0.93	1		08/05/19 12:05	95-49-8	
4-Chlorotoluene	<0.76	ug/L	2.5	0.76	1		08/05/19 12:05	106-43-4	
1,2-Dibromo-3-chloropropane	<1.8	ug/L	5.9	1.8	1		08/05/19 12:05	96-12-8	
Dibromochloromethane	<2.6	ug/L	8.7	2.6	1		08/05/19 12:05	124-48-1	
1,2-Dibromoethane (EDB)	<0.83	ug/L	2.8	0.83	1		08/05/19 12:05	106-93-4	
Dibromomethane	<0.94	ug/L	3.1	0.94	1		08/05/19 12:05	74-95-3	
1,2-Dichlorobenzene	<0.71	ug/L	2.4	0.71	1		08/05/19 12:05	95-50-1	
1,3-Dichlorobenzene	<0.63	ug/L	2.1	0.63	1		08/05/19 12:05	541-73-1	
1,4-Dichlorobenzene	<0.94	ug/L	3.1	0.94	1		08/05/19 12:05	106-46-7	
Dichlorodifluoromethane	<0.50	ug/L	5.0	0.50	1		08/05/19 12:05	75-71-8	
1,1-Dichloroethane	<0.27	ug/L	1.0	0.27	1		08/05/19 12:05	75-34-3	
1,2-Dichloroethane	<0.28	ug/L	1.0	0.28	1		08/05/19 12:05	107-06-2	
1,1-Dichloroethene	<0.24	ug/L	1.0	0.24	1		08/05/19 12:05	75-35-4	
cis-1,2-Dichloroethene	<0.27	ug/L	1.0	0.27	1		08/05/19 12:05	156-59-2	
trans-1,2-Dichloroethene	<1.1	ug/L	3.6	1.1	1		08/05/19 12:05	156-60-5	
1,2-Dichloropropane	<0.28	ug/L	1.0	0.28	1		08/05/19 12:05	78-87-5	
1,3-Dichloropropane	<0.83	ug/L	2.8	0.83	1		08/05/19 12:05	142-28-9	
2,2-Dichloropropane	<2.3	ug/L	7.6	2.3	1		08/05/19 12:05	594-20-7	
1,1-Dichloropropene	<0.54	ug/L	1.8	0.54	1		08/05/19 12:05	563-58-6	
cis-1,3-Dichloropropene	<3.6	ug/L	12.1	3.6	1		08/05/19 12:05	10061-01-5	
trans-1,3-Dichloropropene	<4.4	ug/L	14.6	4.4	1		08/05/19 12:05	10061-02-6	
Diisopropyl ether	<1.9	ug/L	6.3	1.9	1		08/05/19 12:05	108-20-3	
Ethylbenzene	<0.22	ug/L	1.0	0.22	1		08/05/19 12:05	100-41-4	
Hexachloro-1,3-butadiene	<1.2	ug/L	5.0	1.2	1		08/05/19 12:05	87-68-3	
Isopropylbenzene (Cumene)	<0.39	ug/L	5.0	0.39	1		08/05/19 12:05	98-82-8	
p-Isopropyltoluene	<0.80	ug/L	2.7	0.80	1		08/05/19 12:05	99-87-6	
Methylene Chloride	<0.58	ug/L	5.0	0.58	1		08/05/19 12:05	75-09-2	
Methyl-tert-butyl ether	<1.2	ug/L	4.2	1.2	1		08/05/19 12:05	1634-04-4	
Naphthalene	<1.2	ug/L	5.0	1.2	1		08/05/19 12:05	91-20-3	
n-Propylbenzene	<0.81	ug/L	5.0	0.81	1		08/05/19 12:05	103-65-1	
Styrene	<0.47	ug/L	1.6	0.47	1		08/05/19 12:05	100-42-5	
1,1,1,2-Tetrachloroethane	<0.27	ug/L	1.0	0.27	1		08/05/19 12:05	630-20-6	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 1902744 D&G MOBIL

Pace Project No.: 40192222

Sample: MW-1 **Lab ID: 4019222011** Collected: 08/01/19 10:16 Received: 08/01/19 14:40 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Analytical Method: EPA 8260									
1,1,2,2-Tetrachloroethane	<0.28	ug/L	1.0	0.28	1		08/05/19 12:05	79-34-5	
Tetrachloroethene	<0.33	ug/L	1.1	0.33	1		08/05/19 12:05	127-18-4	
Toluene	<0.17	ug/L	5.0	0.17	1		08/05/19 12:05	108-88-3	
1,2,3-Trichlorobenzene	<0.63	ug/L	5.0	0.63	1		08/05/19 12:05	87-61-6	
1,2,4-Trichlorobenzene	<0.95	ug/L	5.0	0.95	1		08/05/19 12:05	120-82-1	
1,1,1-Trichloroethane	<0.24	ug/L	1.0	0.24	1		08/05/19 12:05	71-55-6	
1,1,2-Trichloroethane	<0.55	ug/L	5.0	0.55	1		08/05/19 12:05	79-00-5	
Trichloroethene	<0.26	ug/L	1.0	0.26	1		08/05/19 12:05	79-01-6	
Trichlorofluoromethane	<0.21	ug/L	1.0	0.21	1		08/05/19 12:05	75-69-4	
1,2,3-Trichloropropane	<0.59	ug/L	5.0	0.59	1		08/05/19 12:05	96-18-4	
1,2,4-Trimethylbenzene	<0.84	ug/L	2.8	0.84	1		08/05/19 12:05	95-63-6	
1,3,5-Trimethylbenzene	<0.87	ug/L	2.9	0.87	1		08/05/19 12:05	108-67-8	
Vinyl chloride	<0.17	ug/L	1.0	0.17	1		08/05/19 12:05	75-01-4	
m&p-Xylene	<0.47	ug/L	2.0	0.47	1		08/05/19 12:05	179601-23-1	
o-Xylene	<0.26	ug/L	1.0	0.26	1		08/05/19 12:05	95-47-6	
Surrogates									
4-Bromofluorobenzene (S)	96	%	70-130		1		08/05/19 12:05	460-00-4	
Dibromofluoromethane (S)	107	%	70-130		1		08/05/19 12:05	1868-53-7	
Toluene-d8 (S)	96	%	70-130		1		08/05/19 12:05	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 1902744 D&G MOBIL

Pace Project No.: 40192222

Sample: **DUPLICATE (MW-5)** Lab ID: **40192222012** Collected: 08/01/19 11:15 Received: 08/01/19 14:40 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV		Analytical Method: EPA 8260							
Benzene	27.4J	ug/L	50.0	12.3	50		08/02/19 17:08	71-43-2	
Bromobenzene	<12.1	ug/L	50.0	12.1	50		08/02/19 17:08	108-86-1	
Bromochloromethane	<18.1	ug/L	250	18.1	50		08/02/19 17:08	74-97-5	
Bromodichloromethane	<18.2	ug/L	60.6	18.2	50		08/02/19 17:08	75-27-4	
Bromoform	<199	ug/L	662	199	50		08/02/19 17:08	75-25-2	
Bromomethane	<48.6	ug/L	250	48.6	50		08/02/19 17:08	74-83-9	
n-Butylbenzene	<35.4	ug/L	118	35.4	50		08/02/19 17:08	104-51-8	
sec-Butylbenzene	<42.4	ug/L	250	42.4	50		08/02/19 17:08	135-98-8	
tert-Butylbenzene	<15.2	ug/L	50.6	15.2	50		08/02/19 17:08	98-06-6	
Carbon tetrachloride	<8.3	ug/L	50.0	8.3	50		08/02/19 17:08	56-23-5	
Chlorobenzene	<35.5	ug/L	118	35.5	50		08/02/19 17:08	108-90-7	
Chloroethane	<67.1	ug/L	250	67.1	50		08/02/19 17:08	75-00-3	
Chloroform	<63.7	ug/L	250	63.7	50		08/02/19 17:08	67-66-3	
Chloromethane	<109	ug/L	365	109	50		08/02/19 17:08	74-87-3	
2-Chlorotoluene	<46.3	ug/L	250	46.3	50		08/02/19 17:08	95-49-8	
4-Chlorotoluene	<37.8	ug/L	126	37.8	50		08/02/19 17:08	106-43-4	
1,2-Dibromo-3-chloropropane	<88.2	ug/L	294	88.2	50		08/02/19 17:08	96-12-8	
Dibromochloromethane	<130	ug/L	434	130	50		08/02/19 17:08	124-48-1	
1,2-Dibromoethane (EDB)	<41.5	ug/L	138	41.5	50		08/02/19 17:08	106-93-4	
Dibromomethane	<46.8	ug/L	156	46.8	50		08/02/19 17:08	74-95-3	
1,2-Dichlorobenzene	<35.3	ug/L	118	35.3	50		08/02/19 17:08	95-50-1	
1,3-Dichlorobenzene	<31.4	ug/L	105	31.4	50		08/02/19 17:08	541-73-1	
1,4-Dichlorobenzene	<47.2	ug/L	157	47.2	50		08/02/19 17:08	106-46-7	
Dichlorodifluoromethane	<25.0	ug/L	250	25.0	50		08/02/19 17:08	75-71-8	
1,1-Dichloroethane	<13.6	ug/L	50.0	13.6	50		08/02/19 17:08	75-34-3	
1,2-Dichloroethane	<14.0	ug/L	50.0	14.0	50		08/02/19 17:08	107-06-2	
1,1-Dichloroethene	<12.2	ug/L	50.0	12.2	50		08/02/19 17:08	75-35-4	
cis-1,2-Dichloroethene	<13.6	ug/L	50.0	13.6	50		08/02/19 17:08	156-59-2	
trans-1,2-Dichloroethene	<54.5	ug/L	182	54.5	50		08/02/19 17:08	156-60-5	
1,2-Dichloropropane	<14.1	ug/L	50.0	14.1	50		08/02/19 17:08	78-87-5	
1,3-Dichloropropane	<41.3	ug/L	138	41.3	50		08/02/19 17:08	142-28-9	
2,2-Dichloropropane	<113	ug/L	378	113	50		08/02/19 17:08	594-20-7	
1,1-Dichloropropene	<27.0	ug/L	90.0	27.0	50		08/02/19 17:08	563-58-6	
cis-1,3-Dichloropropene	<181	ug/L	605	181	50		08/02/19 17:08	10061-01-5	
trans-1,3-Dichloropropene	<219	ug/L	728	219	50		08/02/19 17:08	10061-02-6	
Diisopropyl ether	<94.4	ug/L	315	94.4	50		08/02/19 17:08	108-20-3	
Ethylbenzene	3430	ug/L	50.0	10.9	50		08/02/19 17:08	100-41-4	
Hexachloro-1,3-butadiene	<59.1	ug/L	250	59.1	50		08/02/19 17:08	87-68-3	
Isopropylbenzene (Cumene)	96.5J	ug/L	250	19.6	50		08/02/19 17:08	98-82-8	
p-Isopropyltoluene	<40.0	ug/L	133	40.0	50		08/02/19 17:08	99-87-6	
Methylene Chloride	<29.0	ug/L	250	29.0	50		08/02/19 17:08	75-09-2	
Methyl-tert-butyl ether	<62.3	ug/L	208	62.3	50		08/02/19 17:08	1634-04-4	
Naphthalene	559	ug/L	250	58.8	50		08/02/19 17:08	91-20-3	
n-Propylbenzene	243J	ug/L	250	40.5	50		08/02/19 17:08	103-65-1	
Styrene	<23.3	ug/L	77.6	23.3	50		08/02/19 17:08	100-42-5	
1,1,1,2-Tetrachloroethane	<13.5	ug/L	50.0	13.5	50		08/02/19 17:08	630-20-6	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 1902744 D&G MOBIL

Pace Project No.: 40192222

Sample: DUPLICATE (MW-5) **Lab ID: 4019222012** Collected: 08/01/19 11:15 Received: 08/01/19 14:40 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV									
Analytical Method: EPA 8260									
1,1,2,2-Tetrachloroethane	<13.8	ug/L	50.0	13.8	50		08/02/19 17:08	79-34-5	
Tetrachloroethene	<16.3	ug/L	54.4	16.3	50		08/02/19 17:08	127-18-4	
Toluene	188J	ug/L	250	8.6	50		08/02/19 17:08	108-88-3	
1,2,3-Trichlorobenzene	<31.3	ug/L	250	31.3	50		08/02/19 17:08	87-61-6	
1,2,4-Trichlorobenzene	<47.6	ug/L	250	47.6	50		08/02/19 17:08	120-82-1	
1,1,1-Trichloroethane	<12.2	ug/L	50.0	12.2	50		08/02/19 17:08	71-55-6	
1,1,2-Trichloroethane	<27.6	ug/L	250	27.6	50		08/02/19 17:08	79-00-5	
Trichloroethene	<12.8	ug/L	50.0	12.8	50		08/02/19 17:08	79-01-6	
Trichlorofluoromethane	<10.7	ug/L	50.0	10.7	50		08/02/19 17:08	75-69-4	
1,2,3-Trichloropropane	<29.5	ug/L	250	29.5	50		08/02/19 17:08	96-18-4	
1,2,4-Trimethylbenzene	1660	ug/L	140	42.0	50		08/02/19 17:08	95-63-6	
1,3,5-Trimethylbenzene	387	ug/L	146	43.7	50		08/02/19 17:08	108-67-8	
Vinyl chloride	<8.7	ug/L	50.0	8.7	50		08/02/19 17:08	75-01-4	
m&p-Xylene	8640	ug/L	100	23.3	50		08/02/19 17:08	179601-23-1	
o-Xylene	657	ug/L	50.0	13.1	50		08/02/19 17:08	95-47-6	
Surrogates									
4-Bromofluorobenzene (S)	92	%	70-130		50		08/02/19 17:08	460-00-4	
Dibromofluoromethane (S)	96	%	70-130		50		08/02/19 17:08	1868-53-7	
Toluene-d8 (S)	90	%	70-130		50		08/02/19 17:08	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.