

Brian Bailey

From: Brian Bailey
Sent: Tuesday, March 31, 2020 1:44 PM
To: Brian Bailey
Subject: FW: 0307000115: Soil Management Documentation (NR 718)

From: no-reply@wisconsin.gov <no-reply@wisconsin.gov>
Sent: Tuesday, March 31, 2020 9:50 AM
To: Dave Larsen <dlarsen@reiengineering.com>
Subject: 0307000115: Soil Management Documentation (NR 718)

CAUTION: This email originated from outside of the organization. Do not click links or open attachments unless you recognize the sender and know the content is safe.

Please do not reply to this email.

Dear David Larsen

Thank you for your submittal.

Confirmation Number: 30719
BRRS #: 0307000115
Site Name: HOFFMAN CORNERS/HOFFMAN OIL (FMR)
Type of Report: Soil Management Documentation (NR 718)
Fee Amount: 700.00
Name: David Larsen
Company: REI Engineering, Inc.
Other DNR RR Contact:
This submittal contains:

- None, PFAS is not mentioned in this submittal.

Additional Information:

1. Please print this page and mail it with your check to:
DNR Service Center
Attn: KATHLEEN SHAFEL
223 E STEINFEST RD
ANTIGO 54409
2. Please send the paper copy of your submittal to CARRIE STOLTZ. Please see the DNR staff directory to look up the address.

A submittal is not considered complete until the fee (if applicable), paper and electronic copy of the document or report are received, per Wis. Admin. Code § NR 749.04 (1) and § NR 700.11 (3g) respectively.

For more information please see the [Guidance for submitting Documents to the Remediation and Redevelopment Program \(RR-690\)](#).

If you have questions please contact:

KATHLEEN SHAFEL

kathleen.shafel@wisconsin.gov

(715) 623-4190




March 30, 2020

Wisconsin Department of Natural Resources

Attn: Ms. Carrie Stoltz

107 Sutliff Avenue

Rhineland, WI 54501



Subject:

Soil Management Plan
Former Hoffman Corners / Hoffman Oil
SW Corner of Main Street and Gandy Dancer Trail
Webster, WI 54893
BRRTS #03-07-000115
PECFA #54893-9999-00

Dear Ms. Stoltz:

On behalf of Burnett County, REI Engineering, Inc. (REI) is submitting this Soil Management Plan (SMP) with Technical Assistance Request (Form 4400-237) in preparation for soil excavation remedial action and reuse of an approximate 400 cubic yard PAH impacted soil stockpile located at the above referenced site. The SMP is also intended to aid in proper handling procedures of contaminated soils. REI has completed the site investigation and has recommended removal of the known contaminant mass to remove the direct contact threat for future redevelopment of the site and limit any potential contaminant loading to groundwater. Unfortunately, the volume of contaminated soil that should be removed and disposed of exceeds the maximum PECFA reimbursement amount and concessions need to be made. REI recommends an excavation of soil contamination to a depth of approximately seven (7) feet. REI also requests the use of an onsite stockpile that has previously documented PAH contamination to be utilized as a portion of the backfill source. Additional 'clean' backfill will also be imported. REI will have personnel on site to direct proper management of soil.

1.0 Location

The Hoffman Corners site is located in the SE ¼ of the SE ¼ of Section 08, Township 39 North, Range 16 West, in the Village of Webster, Burnett County, Wisconsin (Figure 1). The site is located at the SW corner of Main and Gandy Dancer Trail, Webster, Wisconsin 54893. Wisconsin Transverse Mercator (WTM) coordinates are 336133, 603146.

2.0 Background

Based on DATCP registration records, five (5) above ground storage tanks (ASTs) were located on the site. All the tanks were reported to have been removed as of January 1, 1970. UST registration numbers, tank identification numbers, tank size, contents and status are listed below:



RESPONSIVE. EFFICIENT. INNOVATIVE.

4080 N. 20th Avenue Wausau, WI 54401
715-675-9784 www.REIengineering.com

Registration No.	Size (Gallons)	Contents
1531099	6,000	Leaded Gasoline
1531105	15,000	Fuel Oil
1531106	10,000	Kerosene
1531107	10,000	Diesel Fuel
1531108	10,000	Leaded Gasoline

The Hoffman Oil Company had operated a bulk fueling facility on the property (leased from the railroad) for many years. The property is currently vacant, unimproved and gravel covered. The Village of Webster is currently using the property as a local recycling drop off location. Following the removal of the former bulk plant operations, the rail line was abandoned and eventually converted into the Gandy Dancer Trail. The Gandy Dancer Trail group did not acquire the former Hoffman Oil Company property due to the petroleum contamination. The property was eventually acquired by Burnett County.

The Village of Webster was the focus of a Webster VOC Contamination investigation (BRRTS# 02-07-000337) due to VOC (chlorinated compounds from a dry cleaner release) impact to the municipal water supply well. This investigation was initiated in 1984 and eventually nineteen (19) environmental monitoring wells were advanced to identify the degree and extent of the release.

An Open LUST case exists at the subject property known as the Former Hoffman Corners / Hoffman Oil site (BRRTS# 03-07-000115). The degree and extent of petroleum impacted soil has been defined at the subject property through the advancement of thirty-seven (37) Geoprobe borings. Impacts to groundwater is minimal. All soil boring and monitoring well locations are identified on the attached Figure 2. The extent of soil contamination is shown on the attached Figure 3.

3.0 Soil Management

Based on previous soil borings at the Hoffman Corners locations, the site geology consists mainly of fill material overlying layers of sand and clays, which overlay a fine to medium grained sand. Boring logs are attached for reference.

The extent of petroleum soil contamination is shown on the attached Figure 3. Soil contaminant concentrations are summarized in the attached Table 1a-1d. Contaminated soil at the property will be excavated and hauled off-site by the contractor for disposal at Republic Services Lake Area Landfill located in Sarona, WI as non-hazardous solid waste. Each load will require a signed manifest provided by REI.

Landfill Location:

Republic Services Lake Area Landfill
W5987 County Highway D
Sarona, WI 54870
Contact: (715) 469-3356

The Village of Webster has a soil stockpile located on the subject property. In 2018, REI collected two (2) composite soil samples and submitted to a State Certified Laboratory for analysis of PAHs, VOCs and RCRA metals. The analytical results are summarized in the attached Table 1e. Low level PAH and RCRA metals detections were identified in both composite samples at levels less than NR 720 RCLs. Only one (1) detection exceeded the NR


720 Non-Industrial Not-to-Exceed Direct Contact RCL, which was for Benzo(a)Pyrene. REI recommends utilizing this soil stockpile material for backfill. Approximately 400 cubic yards of material are estimated to comprise the stockpile volume. This material should be utilized for backfill at the terminal depth of the excavation area. Additional clean granular fill will be placed in the excavation footprint on top of this material in order to create a four (4) foot barrier between the contaminated fill and the ground surface removing the direct contact potential. The attached Figure 4 identifies the stockpile location and the area of excavation.

4.0 Conclusion

REI has completed the site investigation at the Former Hoffman Corners / Hoffman Oil site. The degree and extent of soil contamination has been defined. REI recommended removal of the known contaminant mass to remove the direct contact threat for future redevelopment of the site and limit any potential contaminant loading to groundwater. Unfortunately, the volume of contaminated soil that should be removed and disposed of exceeds the maximum PECFA reimbursement amount and concessions need to be made. REI recommends an excavation of soil contamination to a depth of approximately seven (7) feet. REI also requests the use of an onsite stockpile that has previously documented PAH contamination exceeding the NR 720 Non-Industrial Not-to-Exceed Direct Contact RCL for Benzo(a)Pyrene to be utilized as a portion of the backfill source. Additional 'clean' backfill will also imported. REI will have personnel on site to direct proper management of soil.

Please contact David Larsen at (715) 675-9784 or dlarsen@REIengineering.com if you have any questions or require further information.

REI Engineering, Inc.



David N. Larsen, P.G.
Senior Hydrogeologist/Project Manager

Cc: Burnett County, Attn: Mr. Michael Hoefs, P.E. (e-copy)

Attachments:

Technical Assistance Request (Form 4400-237) with \$700 fee
Figures
Soil Analytical Tables
Boring Logs

ATTACHMENT A

TECHNICAL ASSISTANCE REQUEST

FORM 4400-237



Notice: Use this form to request a **written response (on agency letterhead)** from the Department of Natural Resources (DNR) regarding technical assistance, a post-closure change to a site, a specialized agreement or liability clarification for Property with known or suspected environmental contamination. A fee will be required as is authorized by s. 292.55, Wis. Stats., and NR 749, Wis. Adm. Code., unless noted in the instructions below. Personal information collected will be used for administrative purposes and may be provided to requesters to the extent required by Wisconsin's Open Records law [ss. 19.31 - 19.39, Wis. Stats.].

Definitions

"Property" refers to the subject Property that is perceived to have been or has been impacted by the discharge of hazardous substances.

"Liability Clarification" refers to a written determination by the Department provided in response to a request made on this form. The response clarifies whether a person is or may become liable for the environmental contamination of a Property, as provided in s. 292.55, Wis. Stats.

"Technical Assistance" refers to the Department's assistance or comments on the planning and implementation of an environmental investigation or environmental cleanup on a Property in response to a request made on this form as provided in s. 292.55, Wis. Stats.

"Post-closure modification" refers to changes to Property boundaries and/or continuing obligations for Properties or sites that received closure letters for which continuing obligations have been applied or where contamination remains. Many, but not all, of these sites are included on the GIS Registry layer of RR Sites Map to provide public notice of residual contamination and continuing obligations.

Select the Correct Form

This form should be used to request the following from the DNR:

- Technical Assistance
- Liability Clarification
- Post-Closure Modifications
- Specialized Agreements (tax cancellation, negotiated agreements, etc.)

Do **not** use this form if one of the following applies:

- Request for an **off-site liability exemption or clarification** for Property that has been or is perceived to be contaminated by one or more hazardous substances that originated on another Property containing the source of the contamination. Use DNR's Off-Site Liability Exemption and Liability Clarification Application Form 4400-201.
- Submittal of an Environmental Assessment for the **Lender Liability Exemption**, s 292.21, Wis. Stats., **if no response or review by DNR is requested**. Use the Lender Liability Exemption Environmental Assessment Tracking Form 4400-196.
- Request for an **exemption to develop on a historic fill site** or licensed landfill. Use DNR's Form 4400-226 or 4400-226A.
- **Request for closure** for Property where the investigation and cleanup actions are completed. Use DNR's Case Closure - GIS Registry Form 4400-202.

All forms, publications and additional information are available on the internet at: dnr.wi.gov/topic/Brownfields/Pubs.html.

Instructions

1. Complete sections 1, 2, 6 and 7 for all requests. Be sure to provide adequate and complete information.
2. Select the type of assistance requested: Section 3 for technical assistance or post-closure modifications, Section 4 for a written determination or clarification of environmental liabilities; or Section 5 for a specialized agreement.
3. Include the fee payment that is listed in Section 3, 4, or 5, unless you are a "Voluntary Party" enrolled in the Voluntary Party Liability Exemption Program **and** the questions in Section 2 direct otherwise. Information on to whom and where to send the fee is found in Section 8 of this form.
4. Send the completed request, supporting materials and the fee to the appropriate DNR regional office where the Property is located. See the map on the last page of this form. A paper copy of the signed form and all reports and supporting materials shall be sent with an electronic copy of the form and supporting materials on a compact disk. For electronic document submittal requirements see: <http://dnr.wi.gov/files/PDF/pubs/rr/RR690.pdf>

The time required for DNR's determination varies depending on the complexity of the site, and the clarity and completeness of the request and supporting documentation.

Technical Assistance, Environmental Liability Clarification or Post-Closure Modification Request

Form 4400-237 (R 12/18)

Page 2 of 7

Section 1. Contact and Recipient Information

Requester Information

This is the person requesting technical assistance or a post-closure modification review, that his or her liability be clarified or a specialized agreement and is identified as the requester in Section 7. DNR will address its response letter to this person.

Last Name Hoefs	First Michael	MI	Organization/ Business Name Burnett County
Mailing Address 7410 County Road K		City Siren	State WI
		ZIP Code 54872	
Phone # (include area code) (715) 349-2285	Fax # (include area code)	Email mhoefs@burnettcounty.org	

The requester listed above: (select all that apply)

- Is currently the owner
 Is considering selling the Property
 Is renting or leasing the Property
 Is considering acquiring the Property
 Is a lender with a mortgagee interest in the Property
 Other. Explain the status of the Property with respect to the applicant:

Contact Information (to be contacted with questions about this request) Select if same as requester

Contact Last Name Hoefs	First Michael	MI	Organization/ Business Name Burnett County
Mailing Address 7410 County Road K		City Siren	State WI
		ZIP Code 54872	
Phone # (include area code) (715) 349-2285	Fax # (include area code)	Email mhoefs@burnettcounty.org	

Environmental Consultant (if applicable)

Contact Last Name Larsen	First David	MI N.	Organization/ Business Name REI Engineering, Inc.
Mailing Address 4080 North 20th Avenue		City Wausau	State WI
		ZIP Code 54401	
Phone # (include area code) (715) 675-9784	Fax # (include area code)	Email Dlarsen@REIengineering.com	

Section 2. Property Information

Property Name Former Hoffman Corners / Hoffman Oil	FID No. (if known) 807068020
BRRTS No. (if known) 03-07-000115	Parcel Identification Number 07-191-2-39-16-08-4 04-000-011000
Street Address SW Corner Main Street & Gandy Dancer Trail	City Webster
State WI	ZIP Code 54893
County Burnett	Municipality where the Property is located <input type="radio"/> City <input type="radio"/> Town <input checked="" type="radio"/> Village of Webster
Property is composed of: <input checked="" type="radio"/> Single tax parcel <input type="radio"/> Multiple tax parcels	Property Size Acres 1

Technical Assistance, Environmental Liability
Clarification or Post-Closure Modification Request

Form 4400-237 (R 12/18)

Page 3 of 7

1. Is a response needed by a specific date? (e.g., Property closing date) Note: Most requests are completed within 60 days. Please plan accordingly.

No Yes

Date requested by: 05/01/2020

Reason: Excavation Scheduled

2. Is the "Requester" enrolled as a Voluntary Party in the Voluntary Party Liability Exemption (VPLE) program?

No. **Include the fee that is required for your request in Section 3, 4 or 5.**

Yes. **Do not include a separate fee.** This request will be billed separately through the VPLE Program.

Fill out the information in Section 3, 4 or 5 which corresponds with the type of request:

Section 3. Technical Assistance or Post-Closure Modifications;

Section 4. Liability Clarification; or Section 5. Specialized Agreement.

Section 3. Request for Technical Assistance or Post-Closure Modification

Select the type of technical assistance requested: [Numbers in brackets are for WI DNR Use]

- No Further Action Letter (NFA) (Immediate Actions) - NR 708.09, [183] - **Include a fee of \$350.** Use for a written response to an immediate action after a discharge of a hazardous substance occurs. Generally, these are for a one-time spill event.
- Review of Site Investigation Work Plan - NR 716.09, [135] - **Include a fee of \$700.**
- Review of Site Investigation Report - NR 716.15, [137] - **Include a fee of \$1050.**
- Approval of a Site-Specific Soil Cleanup Standard - NR 720.10 or 12, [67] - **Include a fee of \$1050.**
- Review of a Remedial Action Options Report - NR 722.13, [143] - **Include a fee of \$1050.**
- Review of a Remedial Action Design Report - NR 724.09, [148] - **Include a fee of \$1050.**
- Review of a Remedial Action Documentation Report - NR 724.15, [152] - **Include a fee of \$350**
- Review of a Long-term Monitoring Plan - NR 724.17, [25] - **Include a fee of \$425.**
- Review of an Operation and Maintenance Plan - NR 724.13, [192] - **Include a fee of \$425.**

Other Technical Assistance - s. 292.55, Wis. Stats. [97] (For request to build on an abandoned landfill use Form 4400-226)

- Schedule a Technical Assistance Meeting - **Include a fee of \$700.**
- Hazardous Waste Determination - **Include a fee of \$700.**
- Other Technical Assistance - **Include a fee of \$700.** Explain your request in an attachment.

Post-Closure Modifications - NR 727, [181]

- Post-Closure Modifications: Modification to Property boundaries and/or continuing obligations of a closed site or Property; sites may be on the GIS Registry. This also includes removal of a site or Property from the GIS Registry. **Include a fee of \$1050, and:**
 - Include a fee of \$300 for sites with residual soil contamination; and
 - Include a fee of \$350 for sites with residual groundwater contamination, monitoring wells or for vapor intrusion continuing obligations.

Attach a description of the changes you are proposing, and documentation as to why the changes are needed (if the change to a Property, site or continuing obligation will result in revised maps, maintenance plans or photographs, those documents may be submitted later in the approval process, on a case-by-case basis).

Technical Assistance, Environmental Liability
Clarification or Post-Closure Modification Request

Form 4400-237 (R 12/18)

Page 4 of 7

Skip Sections 4 and 5 if the technical assistance you are requesting is listed above and complete Sections 6 and 7 of this form.

Section 4. Request for Liability Clarification

Select the type of liability clarification requested. Use the available space given or attach information, explanations, or specific questions that you need answered in DNR's reply. Complete Sections 6 and 7 of this form. **[Numbers in brackets are for DNR Use]**

"Lender" liability exemption clarification - s. 292.21, Wis. Stats. [686]

❖ **Include a fee of \$700.**

Provide the following documentation:

- (1) ownership status of the real Property, and/or the personal Property and fixtures;
- (2) an environmental assessment, in accordance with s. 292.21, Wis. Stats.;
- (3) the date the environmental assessment was conducted by the lender;
- (4) the date of the Property acquisition; for foreclosure actions, include a copy of the signed and dated court order confirming the sheriff's sale.
- (5) documentation showing how the Property was acquired and the steps followed under the appropriate state statutes.
- (6) a copy of the Property deed with the correct legal description; and,
- (7) the Lender Liability Exemption Environmental Assessment Tracking Form (Form 4400-196).
- (8) If no sampling was done, please provide reasoning as to why it was **not** conducted. Include this either in the accompanying environmental assessment or as an attachment to this form, and cite language in s. 292. 21(1)(c)2.,h.-i., Wis. Stats.:
 - h. The collection and analysis of representative samples of soil or other materials in the ground that are suspected of being contaminated based on observations made during a visual inspection of the real Property or based on aerial photographs, or other information available to the lender, including stained or discolored soil or other materials in the ground and including soil or materials in the ground in areas with dead or distressed vegetation. The collection and analysis shall identify contaminants in the soil or other materials in the ground and shall quantify concentrations.
 - i. The collection and analysis of representative samples of unknown wastes or potentially hazardous substances found on the real Property and the determination of concentrations of hazardous waste and hazardous substances found in tanks, drums or other containers or in piles or lagoons on the real Property.

"Representative" liability exemption clarification (e.g. trustees, receivers, etc.) - s. 292.21, Wis. Stats. [686]

❖ **Include a fee of \$700.**

Provide the following documentation:

- (1) ownership status of the Property;
- (2) the date of Property acquisition by the representative;
- (3) the means by which the Property was acquired;
- (4) documentation that the representative has no beneficial interest in any entity that owns, possesses, or controls the Property;
- (5) documentation that the representative has not caused any discharge of a hazardous substance on the Property; and
- (6) a copy of the Property deed with the correct legal description.

Clarification of local governmental unit (LGU) liability exemption at sites with: (select all that apply)

- hazardous substances spills - s. 292.11(9)(e), Wis. Stats. [649];
- Perceived environmental contamination - [649];
- hazardous waste - s. 292.24 (2), Wis. Stats. [649]; and/or
- solid waste - s. 292.23 (2), Wis. Stats. [649].

❖ **Include a fee of \$700, a summary of the environmental liability clarification being requested, and the following:**

- (1) clear supporting documentation showing the acquisition method used, and the steps followed under the appropriate state statute(s).
- (2) current and proposed ownership status of the Property;
- (3) date and means by which the Property was acquired by the LGU, where applicable;
- (4) a map and the ¼, ¼ section location of the Property;
- (5) summary of current uses of the Property;
- (6) intended or potential use(s) of the Property;
- (7) descriptions of other investigations that have taken place on the Property; and
- (8) (for solid waste clarifications) a summary of the license history of the facility.

Technical Assistance, Environmental Liability
Clarification or Post-Closure Modification Request

Form 4400-237 (R 12/18)

Page 5 of 7

Section 4. Request for Liability Clarification (cont.)

- Lease liability clarification - s. 292.55, Wis. Stats. [646]
- ❖ **Include a fee of \$700 for a single Property, or \$1400 for multiple Properties and the information listed below:**
 - (1) a copy of the proposed lease;
 - (2) the name of the current owner of the Property and the person who will lease the Property;
 - (3) a description of the lease holder's association with any persons who have possession, control, or caused a discharge of a hazardous substance on the Property;
 - (4) map(s) showing the Property location and any suspected or known sources of contamination detected on the Property;
 - (5) a description of the intended use of the Property by the lease holder, with reference to the maps to indicate which areas will be used. Explain how the use will not interfere with any future investigation or cleanup at the Property; and
 - (6) all reports or investigations (e.g. Phase I and Phase II Environmental Assessments and/or Site Investigation Reports conducted under s. NR 716, Wis. Adm. Code) that identify areas of the Property where a discharge has occurred.

General or other environmental liability clarification - s. 292.55, Wis. Stats. [682] - Explain your request below.

- ❖ **Include a fee of \$700 and an adequate summary of relevant environmental work to date.**

No Action Required (NAR) - NR 716.05, [682]

- ❖ **Include a fee of \$700.**

Use where an environmental discharge has or has not occurred, and applicant wants a DNR determination that no further assessment or clean-up work is required. Usually this is requested after a Phase I and Phase II environmental assessment has been conducted; the assessment reports should be submitted with this form. This is not a closure letter.

Clarify the liability associated with a "closed" Property - s. 292.55, Wis. Stats. [682]

- ❖ **Include a fee of \$700.**

- Include a copy of any closure documents if a state agency other than DNR approved the closure.

Use this space or attach additional sheets to provide necessary information, explanations or specific questions to be answered by the DNR.

Detailed in cover letter.

Section 5. Request for a Specialized Agreement

Select the type of agreement needed. Include the appropriate draft agreements and supporting materials. Complete Sections 6 and 7 of this form. More information and model draft agreements are available at: dnr.wi.gov/topic/Brownfields/lgu.html#tabx4.

Tax cancellation agreement - s. 75.105(2)(d), Wis. Stats. [654]

- ❖ **Include a fee of \$700, and the information listed below:**

- (1) Phase I and II Environmental Site Assessment Reports,
- (2) a copy of the Property deed with the correct legal description.

Agreement for assignment of tax foreclosure judgement - s.75.106, Wis. Stats. [666]

- ❖ **Include a fee of \$700, and the information listed below:**

- (1) Phase I and II Environmental Site Assessment Reports,
- (2) a copy of the Property deed with the correct legal description.

Negotiated agreement - Enforceable contract for non-emergency remediation - s. 292.11(7)(d) and (e), Wis. Stats. [630]

- ❖ **Include a fee of \$1400, and the information listed below:**

- (1) a draft schedule for remediation; and,
- (2) the name, mailing address, phone and email for each party to the agreement.

Technical Assistance, Environmental Liability
Clarification or Post-Closure Modification Request

Form 4400-237 (R 12/18)

Page 6 of 7

Section 6. Other Information Submitted

Identify all materials that are included with this request.

Send both a paper copy of the signed form and all reports and supporting materials, and an electronic copy of the form and all reports, including Environmental Site Assessment Reports, and supporting materials on a compact disk.

Include one copy of any document from any state agency files that you want the Department to review as part of this request. The person submitting this request is responsible for contacting other state agencies to obtain appropriate reports or information.

- Phase I Environmental Site Assessment Report - Date: _____
 Phase II Environmental Site Assessment Report - Date: _____
 Legal Description of Property (required for all liability requests and specialized agreements)

Map of the Property (required for all liability requests and specialized agreements)

Analytical results of the following sampled media: Select all that apply and include date of collection.

Groundwater Soil Sediment Other medium - Describe: _____

Date of Collection: 05/02/2018

- A copy of the closure letter and submittal materials
 Draft tax cancellation agreement
 Draft agreement for assignment of tax foreclosure judgment
 Other report(s) or information - Describe: _____

For Property with newly identified discharges of hazardous substances only: Has a notification of a discharge of a hazardous substance been sent to the DNR as required by s. NR 706.05(1)(b), Wis. Adm. Code?


- Yes - Date (if known): _____
 No

Note: The Notification for Hazardous Substance Discharge (non-emergency) form is available at:
dnr.wi.gov/files/PDF/forms/4400/4400-225.pdf.

Section 7. Certification by the Person who completed this form

- I am the person submitting this request (requester)
 I prepared this request for: Burnett County
Requester Name

I certify that I am familiar with the information submitted on this request, and that the information on and included with this request is true, accurate and complete to the best of my knowledge. I also certify I have the legal authority and the applicant's permission to make this request.



Signature

3-31-20

Date Signed

Senior Hydrogeologist / Project Manager

Title

(715) 675-9784

Telephone Number (include area code)

Technical Assistance, Environmental Liability Clarification or Post-Closure Modification Request

Form 4400-237 (R 12/18)

Page 7 of 7

Section 8. DNR Contacts and Addresses for Request Submittals

Send or deliver one paper copy and one electronic copy on a compact disk of the completed request, supporting materials, and fee to the region where the property is located to the address below. Contact a DNR regional brownfields specialist with any questions about this form or a specific situation involving a contaminated property. For electronic document submittal requirements see: <http://dnr.wi.gov/files/PDF/pubs/rr/RR690.pdf>.

DNR NORTHERN REGION
Attn: RR Program Assistant
Department of Natural Resources
223 E Steinfest Rd Antigo, WI 54409


DNR NORTHEAST REGION
Attn: RR Program Assistant
Department of Natural Resources
2984 Shawano Avenue
Green Bay WI 54313

DNR SOUTH CENTRAL REGION
Attn: RR Program Assistant
Department of Natural Resources
3911 Fish Hatchery Road
Fitchburg WI 53711

DNR SOUTHEAST REGION
Attn: RR Program Assistant
Department of Natural Resources
2300 North Martin Luther King Drive
Milwaukee WI 53212

DNR WEST CENTRAL REGION
Attn: RR Program Assistant
Department of Natural Resources
1300 Clairemont Ave.
Eau Claire WI 54702

The State of Wisconsin Department of Natural Resources



Note: These are the Remediation and Redevelopment Program's designated regions. Other DNR program regional boundaries may be different.


DNR Use Only			
Date Received	Date Assigned	BRRTS Activity Code	BRRTS No. (if used)
DNR Reviewer		Comments	
Fee Enclosed? <input type="radio"/> Yes <input type="radio"/> No	Fee Amount \$	Date Additional Information Requested	Date Requested for DNR Response Letter
Date Approved	Final Determination		

ATTACHMENT B


FIGURES



DRAWING FILE: P:\6900-6999\6958 - HOFFMAN CORNERS\DWG\6958-VICN.DWG LAYOUT: 6958-VICN PLOTTED: MAR 21, 2017 - 11:54AM PLOTTED BY: ALANG



CONTOUR INTERVAL 10 FEET
 NATIONAL GEODETIC VERTICAL DATUM OF 1929



UTM GRID AND 1982 MAGNETIC NORTH
 DECLINATION AT CENTER OF SHEET

WEBSTER, WIS.

NE/4 WEBSTER 15' QUADRANGLE
 N4552.5-W9215/7.5

1982

DMA 2575 IV NE-SERIES V861




QUADRANGLE LOCATION

REI Engineering, INC.

FORMER HOFFMAN CORNERS/HOFFMAN OIL
 MAIN STREET AND GANDY DANCER TRAIL
 WEBSTER, WISCONSIN 54893

FIGURE 1 : SITE VICINITY MAP

PROJECT NO.	DRAWN BY:	DATE:
6958AxUC	AJG	3/21/2017



DRAWING FILE: P:\000-6958\6958 - HOFFMAN CORNERS\DWG\6958-SITE.DWG LAYOUT: SITE PLOTTED: JAN 26, 2020 - 9:47AM PLOTTED BY: TORDW

LEGEND

0 60
 SCALE: 1" = 60'

- MONITORING WELL
- GEOPROBE SOIL BORING
- STORM SEWER MANHOLE
- UTILITY POLE
- OH — OVERHEAD UTILITY LINES
- E — UNDERGROUND ELECTRICAL LINE
- G — GAS LINE
- SS — STORM SEWER LINE
- T — TELEPHONE LINE
- W — WATER LINE
- - - - - PROPERTY LINE (APPROXIMATE)

FORMER HOFFMAN CORNERS / HOFFMAN OIL
 MAIN STREET AND GANDY DANCER TRAIL
 WEBSTER, WISCONSIN 54893




FIGURE 2 : SITE MAP

PROJECT No.
 6958AXUC

DRAWN BY:
 TAW

DATE:
 1/27/2020



DRAWING FILE: P:\6900-6999\6958 - HOFFMAN CORNERS\DWG\6958-SOIL CONTAM-RESIDUAL.DWG LAYOUT SC. PLOTTED: JAN 28, 2020 - 10:50AM PLOTTED BY: TDDPM

LEGEND

0 60
 SCALE: 1" = 60'


- ESTIMATED EXTENT OF RESIDUAL SOIL CONTAMINATION
- MONITORING WELL
- GEOPROBE SOIL BORING
- STORM SEWER MANHOLE
- UTILITY POLE
- OVERHEAD UTILITY LINES
- UNDERGROUND ELECTRICAL LINE
- GAS LINE
- STORM SEWER LINE
- TELEPHONE LINE
- WATER LINE
- PROPERTY LINE (APPROXIMATE)

REI Engineering, INC.

FORMER HOFFMAN CORNERS / HOFFMAN OIL
 MAIN STREET AND GANDY DANCER TRAIL
 WEBSTER, WISCONSIN 54893



FIGURE 3 : ESTIMATED EXTENT OF RESIDUAL SOIL CONTAMINATION		
PROJECT No. 6958AXUC	DRAWN BY: TAW	DATE: 1/28/2020



DRAWING FILE: P:\15000-0099\0958B-SOIL MANAGEMENT.DWG LAYOUT: SC PLOTTED: MAR 26, 2020 - 12:28PM PLOTTED BY: SPENNER

LEGEND

0 60
 SCALE: 1" = 60'

- ESTIMATED EXTENT OF RESIDUAL SOIL CONTAMINATION
- MONITORING WELL
- GEOPROBE SOIL BORING
- STORM SEWER MANHOLE
- UTILITY POLE
- OVERHEAD UTILITY LINES
- UNDERGROUND ELECTRICAL LINE
- GAS LINE
- STORM SEWER LINE
- TELEPHONE LINE
- WATER LINE
- PROPERTY LINE (APPROXIMATE)

FORMER HOFFMAN CORNERS / HOFFMAN OIL
 MAIN STREET AND GANDY DANCER TRAIL
 WEBSTER, WISCONSIN 54893



FIGURE 4 : SOIL MANAGEMENT AREA		
PROJECT No. 6958B	DRAWN BY: STH	DATE: 03/26/2020

ATTACHMENT C

SOIL ANALYTICAL TABLES



**Table 1a
Summary of Soil Analytical Results
Geoprobe Borings
Former Hoffman Corners / Hoffman Oil
Webster, Wisconsin**

Sample Location-->					GP1			GP2			GP3			GP4		
Date-->					8/9/16			8/9/16			8/9/16			8/9/16		
Sample Depth--(Feet)-->					2-4	6-7	18-20	2-4	6-7	14-15	2-4	6-7	19-20	2-4	6-7	19-20
Percent Moisture-->					10.4%	10.5%	5.1%	29.2%	11.1%	4.4%	8.6%	10.0%	4.6%	25.1%	8.7%	4.3%
	Non-Industrial Not To Exceed DC RCL	Industrial Not To Exceed DC RCL	NR 140 Groundwater Pathway Protection (DF=2)	BTV												
Lead (mg/kg)	400		13.50	52	1.8	1.1'	0.96'	14.9	1.4	0.91'	2.2	6.0	1.2'	22.3	2.0	1.1'
Petroleum VOC's (µg/kg)																
Benzene	1,600	7,070	5.1		< 862	< 160	< 44.6	< 36.8	< 625	< 39.1	< 32.9	< 500	< 29.1	< 278	< 893	< 38.5
Ethylbenzene	8,020	35,400	1,570		< 862	785	< 44.6	< 36.8	3,000	< 39.1	< 32.9	17,500	< 29.1	4,130	16,700	< 38.5
Toluene	818,000	818,000	1,107.2		< 862	< 160	< 44.6	< 36.8	< 625	< 39.1	< 32.9	3,800	< 29.1	< 278	< 893	< 38.5
Xylenes (Total)	258,000	260,000	3,940		1,000'	3,260	< 89.3	< 73.5	12,380	< 78.1	< 65.8	98,400	63'	39,400	56,600	< 76.9
Methyl tert Butyl Ether	63,800	282,000	27		< 862	< 160	< 44.6	< 36.8	< 625	< 39.1	< 32.9	< 500	< 29.1	< 278	< 893	< 38.5
1,2,4-Trimethylbenzene	219,000	219,000	NS		9,000	4,860	< 44.6	257	26,100	< 39.1	< 32.9	75,000	< 29.1	42,000	50,100	< 38.5
1,3,5-Trimethylbenzene	182,000	182,000	NS		< 862	3,510	< 44.6	237	15,400	< 39.1	< 32.9	35,400	< 29.1	25,600	41,200	< 38.5
Trimethylbenzenes (Total)	NS	NS	1,379.3		9,000	8,370	< 44.6	494	41,500	< 39.1	< 32.9	110,400	< 29.1	67,600	91,300	< 38.5
Naphthalene	5,520	24,100	658.7		19,500	6,860	< 44.6	751	46,600	< 39.1	< 32.9	10,200	< 29.1	7,700	12,700	< 38.5

Sample Location-->					GP5			GP6			GP7		GP8		
Date-->					8/9/16			8/9/16			8/9/16		8/9/16		
Sample Depth--(Feet)-->					2-4	6-7	19-20	2-4	6-7	19-20	2-4	6-7	2-4	6-7	19-20
Percent Moisture-->					30.9%	12.4%	2.4%	11.2%	10.0%	2.4%	13.0%	12.6%	13.0%	10.9%	7.4%
	Non-Industrial Not To Exceed DC RCL	Industrial Not To Exceed DC RCL	NR 140 Groundwater Pathway Protection (DF=2)	BTV											
Lead (mg/kg)	400		13.50	52	19.0	1.5	1.2	1.9	1.7	0.79'	1.9	1.8	1.8	1.6	1.3
Petroleum VOC's (µg/kg)															
Benzene	1,600	7,070	5.1		< 39.7	< 368	< 35.7	< 694	< 602	< 29.1	< 29.4	< 45.5	< 31.2	< 62.5	< 41
Ethylbenzene	8,020	35,400	1,570		73.7'	642'	< 35.7	< 694	2,920	< 29.1	< 29.4	< 45.5	< 31.2	< 62.5	< 41
Toluene	818,000	818,000	1,107.2		< 39.7	< 368	< 35.7	< 694	< 602	< 29.1	< 29.4	< 45.5	< 31.2	< 62.5	< 41
Xylenes (Total)	258,000	260,000	3,940		249.3'	3,236	< 71.4	< 694	10,970	< 58.1	< 58.8	< 90.9	< 62.5	< 62.5	< 82
Methyl tert Butyl Ether	63,800	282,000	27		< 39.7	< 368	< 35.7	< 694	< 602	< 29.1	< 29.4	< 45.5	< 31.2	< 62.5	< 41
1,2,4-Trimethylbenzene	219,000	219,000	NS		420	4,830	< 35.7	12,400	18,500	< 29.1	< 29.4	< 45.5	< 31.2	976	< 41
1,3,5-Trimethylbenzene	182,000	182,000	NS		574	3,360	< 35.7	7,760	9,510	< 29.1	< 29.4	< 45.5	< 31.2	273	< 41
Trimethylbenzenes (Total)	NS	NS	1,379.3		994	8,190	< 35.7	20,160	28,010	< 29.1	< 29.4	< 45.5	< 31.2	1,249	< 41
Naphthalene	5,520	24,100	658.7		1,230	10,700	< 35.7	22,300	25,200	< 29.1	< 29.4	< 45.5	< 31.2	1,430	< 41

Notes:

- This investigation is regulated as a non-industrial site
- NTEDC - Not To Exceed Direct Contact Residual Contaminant Level (RCL)
- GW - RCL Protective of Groundwater Quality
- BTV - Background Threshold Value
- < - Concentration below listed laboratory detection limit
- Non-Industrial NTEDC RCL exceedance

Bold
<i>Italics</i>
- GW - RCL exceedance

<i>Italics</i>

- NS - No Standard
- NA - Not Analyzed

' = Estimated Value between detection limit and quantification limit

Table 1b
Summary of Soil Analytical Results
Geoprobe Borings
Former Hoffman Corners / Hoffman Oil
Webster, Wisconsin

Sample Location-->					GP9			GP10		GP11	GP12	
Date-->					8/9/16			8/9/16		8/9/16	8/10/16	
Sample Depth--(Feet)-->					3-4	6-7	14-15	2-4	7-8	5-7	2-4	6-7
Percent Moisture-->					33.8%	17.8%	5.8%	29.8%	14.1%	10.7%	29.0%	9.2%
	Non-Industrial Not To-Exceed DC RCL	Industrial Not To-Exceed DC RCL	NR 140 Groundwater Pathway Protection (DF=2)	BTV								
Lead (mg/kg)	400		13.50	52	11.9	1.9	1.2 ¹	10.4	2.9	2.5	13.1	5.3
Petroleum VOC's (µg/kg)												
Benzene	1,600	7,070	5.1		< 46.3	< 30.5	< 42.4	< 36.8	< 200	< 25.5	69.3 ¹	< 1,670
Ethylbenzene	8,020	35,400	1,570		< 46.3	< 30.5	< 42.4	< 36.8	2,690	65.7 ¹	447	42,400
Toluene	818,000	818,000	1,107.2		< 46.3	< 30.5	< 42.4	< 36.8	323 ¹	< 25.5	666	35,300
Xylenes (Total)	258,000	260,000	3,940		< 92.6	< 61	< 84.7	126 ¹	8,790	255.3 ¹	1,876	275,700
Methyl tert Butyl Ether	63,800	282,000	27		< 46.3	< 30.5	< 42.4	< 36.8	< 200	< 25.5	< 41.7	< 1,670
1,2,4-Trimethylbenzene	219,000	219,000	NS		< 46.3	< 30.5	< 42.4	< 36.8	19,100	302	841	148,000
1,3,5-Trimethylbenzene	182,000	182,000	NS		< 46.3	< 30.5	< 42.4	125 ¹	8,060	151	278	68,200
Trimethylbenzenes (Total)	NS	NS	1,379.3		< 46.3	< 30.5	< 42.4	125 ¹	27,160	453	1,119	216,200
Naphthalene	5,520	24,100	658.7		< 46.3	< 30.5	< 42.4	124 ¹	2,670	90	355	20,500

Sample Location-->					GP13	GP14		GP15		GP16		GP17	
Date-->					8/10/16	8/10/16		8/10/16		8/10/16		8/10/16	
Sample Depth--(Feet)-->					6-7	2-4	6-7	2-3	5-6	2-3	6-7	2.5-3	5-6
Percent Moisture-->					10.1%	29.4%	8.1%	21.1%	22.3%	11.8%	9.9%	9.6%	8.8%
	Non-Industrial Not To-Exceed DC RCL	Industrial Not To-Exceed DC RCL	NR 140 Groundwater Pathway Protection (DF=2)	BTV									
Lead (mg/kg)	400		13.50	52	NA	13.5	2.3	41.6	7.8	5.3	1.5	5.7	3.3
Petroleum VOC's (µg/kg)													
Benzene	1,600	7,070	5.1		< 31.6	< 317	< 833	< 2,270	< 1,320	< 753	< 198	< 1,390	< 1,350
Ethylbenzene	8,020	35,400	1,570		< 31.6	2,750	11,600	20,500	18,600	5,510	1,270	18,000	4,870
Toluene	818,000	818,000	1,107.2		< 31.6	< 317	1,010 ¹	< 2,270	< 1,320	< 753	< 198	< 1,390	< 1,350
Xylenes (Total)	258,000	260,000	3,940		< 63.3	11,240	66,800	172,600	99,900	< 1,510	3,326	88,500	24,640
Methyl tert Butyl Ether	63,800	282,000	27		< 31.6	< 317	< 833	< 2,270	< 1,320	< 753	< 198	< 1,390	< 1,350
1,2,4-Trimethylbenzene	219,000	219,000	NS		< 31.6	11,400	49,800	193,000	115,000	7,150	8,840	95,600	50,000
1,3,5-Trimethylbenzene	182,000	182,000	NS		< 31.6	7,420	30,900	72,600	46,000	5,290	4,030	40,700	22,200
Trimethylbenzenes (Total)	NS	NS	1,379.3		< 31.6	18,820	80,700	265,600	161,000	12,440	12,870	136,300	72,200
Naphthalene	5,520	24,100	658.7		< 31.6	11,400	21,300	92,600	54,400	12,400	3,740	52,300	33,900

Notes:

- This investigation is regulated as a non-industrial site
- NTEDC - Not To Exceed Direct Contact Residual Contaminant Level (RCL)
- GW - RCL Protective of Groundwater Quality
- BTV - Background Threshold Value
- < - Concentration below listed laboratory detection limit
- Non-Industrial NTEDC RCL exceedance

Bold
<i>Italics</i>
- GW - RCL exceedance

<i>Italics</i>

- NS - No Standard
- NA - Not Analyzed
- ¹ = Estimated Value between detection limit and quantification limit

Table 1c
Summary of Soil Analytical Results Geoprobe
Borings
Former Hoffman Corners / Hoffman Oil
Webster, Wisconsin

Sample Location-->				GP18		GP19		GP20		GP21		GP22	
Date-->				5/1/18		5/1/18		5/1/18		5/1/18		5/1/18	
Sample Depth--(Feet)>				8-10	10-12	8-10	10-12	8-10	10-12	3.5	10-12	3.5	8-10
Percent Moisture-->				7.3%	8.4%	7.3%	19.1%	6.7%	16.1%	16.0%	3.2%	18.0%	8.9%
	Non-Industrial Not To-Exceed DC RCL	Industrial Not To-Exceed DC RCL	NR 140 Groundwater Pathway Protection (DF=2)										
Petroleum VOC's (µg/kg)													
Benzene	1,600	7,070	5.1	< 25	< 25	< 25	< 25	< 25	< 25	< 25	< 25	< 125	< 25
Ethylbenzene	8,020	35,400	1,570	< 25	< 25	< 25	< 25	< 25	< 25	< 25	< 25	339 ¹	< 25
Toluene	818,000	818,000	1,107.2	< 25	< 25	< 25	< 25	< 25	< 25	< 25	< 25	< 125	< 25
Xylenes (Total)	258,000	260,000	3,940	< 50	< 50	< 50	< 50	< 50	< 50	< 50	< 50	< 250	< 50
Methyl tert Butyl Ether	63,800	282,000	27	< 25	< 25	< 25	< 25	< 25	< 25	< 25	< 25	< 125	< 25
1,2,4-Trimethylbenzene	219,000	219,000	NS	< 25	< 25	< 25	< 25	< 25	< 25	< 25	< 25	1,200	< 25
1,3,5-Trimethylbenzene	182,000	182,000	NS	< 25	< 25	< 25	< 25	< 25	< 25	< 25	< 25	877	< 25
Trimethylbenzenes (Total)	NS	NS	1,379.3	< 25	< 25	< 25	< 25	< 25	< 25	< 25	< 25	2,077	< 25
Naphthalene	5,520	24,100	658.7	< 25	< 25	< 25	< 25	< 25	< 25	< 25	< 25	2,120	< 25

Sample Location-->				GP23		GP24		GP25		GP26		GP27	
Date-->				5/1/18		5/1/18		5/1/18		5/1/18		5/1/18	
Sample Depth--(Feet)>				8-10	10-12	8-10	10-12	3-5	10-12	3-5	10-12	8-10	10-12
Percent Moisture-->				13.0%	14.0%	5.2%	3.6%	16.0%	7.4%	11.6%	3.0%	15.9%	7.4%
	Non-Industrial Not To-Exceed DC RCL	Industrial Not To-Exceed DC RCL	NR 140 Groundwater Pathway Protection (DF=2)										
Petroleum VOC's (µg/kg)													
Benzene	1,600	7,070	5.1	< 25	< 25	< 25	< 25	< 25	39.5 ¹	< 25	< 25	< 25	< 25
Ethylbenzene	8,020	35,400	1,570	< 25	< 25	< 25	< 25	< 25	< 25.8	< 25	< 25	< 25	< 25
Toluene	818,000	818,000	1,107.2	< 25	< 25	< 25	37.2 ¹	< 25	116	< 25	47.1 ¹	< 25	< 25
Xylenes (Total)	258,000	260,000	3,940	< 50	< 50	< 50	< 50	< 50	103 ¹	< 50	< 50	< 50	< 50
Methyl tert Butyl Ether	63,800	282,000	27	< 25	< 25	< 25	< 25	< 25	< 25.8	< 25	< 25	< 25	< 25
1,2,4-Trimethylbenzene	219,000	219,000	NS	< 25	< 25	< 25	< 25	34.5 ¹	< 25.8	< 25	< 25	< 25	< 25
1,3,5-Trimethylbenzene	182,000	182,000	NS	< 25	< 25	< 25	< 25	< 25	< 25.8	< 25	< 25	< 25	< 25
Trimethylbenzenes (Total)	NS	NS	1,379.3	< 25	< 25	< 25	< 25	< 25	< 25.8	< 25	< 25	< 25	< 25
Naphthalene	5,520	24,100	658.7	< 25	< 25	< 25	< 25	< 25	< 25.8	< 25	< 25	< 25	< 25

Notes:

- This investigation is regulated as a non-industrial site
- NTEDC** - Not To Exceed Direct Contact Residual Contaminant Level (RCL)
- GW** - RCL Protective of Groundwater Quality
- BTV** - Background Threshold Value
- < - Concentration below listed laboratory detection limit
- Non-Industrial NTEDC RCL exceedance

Bold

- GW - RCL exceedance

<i>Italics</i>

- NS - No Standard
- NA - Not Analyzed
- ¹ = Estimated Value between detection limit and quantification limit

Table 1d
Summary of Soil Analytical Results
Geoprobe Borings
Former Hoffman Corners / Hoffman Oil
Webster, Wisconsin

Sample Location-->				GP28			GP29		GP30		GP31		
Date-->				5/1/18			5/1/18		5/1/18		5/1/18		
Sample Depth--(Feet)>				3-5	8-10	10-12	8-10	10-12	3-5	7-9	3-5	5-8	10-12
Percent Moisture-->				32.4%	7.1%	7.3%	9.1%	7.0%	10.9%	8.1%	32.4%	29.3%	17.3%
	Non-Industrial Not To-Exceed DC RCL	Industrial Not To-Exceed DC RCL	NR 140 Groundwater Pathway Protection (DF=2)										
Petroleum VOC's (µg/kg)													
Benzene	1,600	7,070	5.1	< 25	< 250	< 25	< 25	< 25	272	< 25	2,120	< 200	< 1,000
Ethylbenzene	8,020	35,400	1,570	110	855	44.5'	< 25	< 25	319	< 25	1,060	2,720	2,370 ^J
Toluene	818,000	818,000	1,107.2	< 25	< 250	< 25	< 25	< 25	73.5	52.8'	157	< 200	< 1,000
Xylenes (Total)	258,000	260,000	3,940	146'	1,239'	33.6'	< 50	< 50	471	< 50	4,230	10,180	9,590
Methyl tert Butyl Ether	63,800	282,000	27	< 25	< 250	< 25	< 25	< 25	< 25	< 25	< 25	< 200	< 1,000
1,2,4-Trimethylbenzene	219,000	219,000	NS	673	4,830	275	< 25	< 25	452	< 25	2,480	23,100	31,100
1,3,5-Trimethylbenzene	182,000	182,000	NS	252	3,700	< 25	< 25	< 25	251	< 25	1,270	8,960	12,500
Trimethylbenzenes (Total)	NS	NS	1,379.3	925	8,530	< 25	< 25	< 25	703	< 25	3,750	32,060	43,600
Naphthalene	5,520	24,100	658.7	1,310	5,940	636	< 25	< 25	172	< 25	532	8,980	25,700

Sample Location-->				GP32		GP33		GP34	GP35		GP36		GP37	
Date-->				5/1/18		5/2/18		5/2/18	5/2/18		5/2/18		5/2/18	
Sample Depth--(Feet)>				2-4	10-12	7-9	10-12	10-12	3-5	10-12	5-8	10-12	3-5	10-12
Percent Moisture-->				19.9%	4.9	9.3%	9.9%	8.9%	5.6%	4.1%	9.3%	5.6%	6.5%	
	Non-Industrial Not To-Exceed DC RCL	Industrial Not To-Exceed DC RCL	NR 140 Groundwater Pathway Protection (DF=2)											
Petroleum VOC's (µg/kg)														
Benzene	1,600	7,070	5.1	63'	< 25	< 25	39.8'	< 25	< 25	< 25	< 25	< 25	< 25	< 25
Ethylbenzene	8,020	35,400	1,570	202	< 25	< 25	< 25	< 25	< 25	< 25	< 25	< 25	< 25	< 25
Toluene	818,000	818,000	1,107.2	< 25	< 25	< 25	101	< 25	< 25	40.2'	< 25	< 25	41.2'	41.5'
Xylenes (Total)	258,000	260,000	3,940	997	< 50	< 50	< 50	< 50	< 50	< 50	< 50	< 50	111.9'	< 50
Methyl tert Butyl Ether	63,800	282,000	27	< 25	< 25	< 25	< 25	< 25	< 25	< 25	< 25	< 25	< 25	< 25
1,2,4-Trimethylbenzene	219,000	219,000	NS	1,010	< 25	< 25	< 25	< 25	< 25	43.5'	< 25	< 25	44.2'	< 25
1,3,5-Trimethylbenzene	182,000	182,000	NS	381	< 25	< 25	< 25	< 25	< 25	< 25	< 25	< 25	< 25	< 25
Trimethylbenzenes (Total)	NS	NS	1,379.3	1,391	< 25	< 25	< 25	< 25	< 25	< 25	< 25	< 25	< 25	< 25
Naphthalene	5,520	24,100	658.7	794	< 25	< 25	< 25	< 25	< 25	< 25	< 25	< 25	117	40.5'

Notes:

- This investigation is regulated as a non-industrial site
- NTEDC - Not To Exceed Direct Contact Residual Contaminant Level (RCL)
- GW - RCL Protective of Groundwater Quality
- BTV - Background Threshold Value
- < - Concentration below listed laboratory detection limit
- Non-Industrial NTEDC RCL exceedance

Bold
<i>Italics</i>
- GW - RCL exceedance
- NS - No Standard
- NA - Not Analyzed
- ^J = Estimated Value between detection limit and quantification limit

Table 1e
Summary of Soil Analytical Results
Village of Webster Soil Stockpile
Webster, Wisconsin

Sample Location-->				Composite 1	Composite 2
Date-->				5/2/18	5/2/18
Percent Moisture-->				8.0%	4.20%
Saturated (S) vs Unsaturated (U)-->				Unsaturated	Unsaturated
PAH's (µg/kg)	Non-Industrial Not-to-Exceed DC RCL	Industrial Not-to-Exceed DC RCL	Groundwater Pathway Protection RCL		
Acenaphthene	3,590,000	45,200,000		< 4.2	< 4.0
Acenaphthylene				5.4 ^j	< 3.4
Anthracene	17,900,000	100,000,000	196,949.20	21.8	7.5 ^j
Benzo (a) Anthracene	1,140	20,800	--	96.3	47
Benzo (a) Pyrene	115	2,110	470	124	61.9
Benzo (b) Fluoranthene	1,150	21,100	478.1	205	83.4
Benzo (g,h,i) Perylene	--	--	--	122	45.3
Benzo (k) Fluoranthene	11,500	211,000	--	96.9	73.2
Chrysene	115,000	2,110,000	144.2	138	68.9
Dibenzo (a,h) Anthracene	115	2,110	--	38	16.1
Fluoranthene	2,390,000	30,100,000	88,877.80	242	125
Fluorene	2,390,000	30,100,000	14,829.90	5.1 ^j	< 4.3
Indeno (1,2,3-cd) Pyrene	1,150	21,100	--	101	37
1-Methyl Naphthalene	17,600	72,200	--	< 4.4	< 4.2
2-Methyl Naphthalene	239,000	3,010,000	--	< 5.4	< 5.2
Naphthalene	5,520	21,100	658.2	< 9.2	< 8.8
Phenanthrene	--	--	--	99	40.5
Pyrene	1,790,000	22,600,000	54,545.50	195	97.1
PVOC's (µg/kg)					
Benzene	1,600	7,070	5.1	< 25	< 25
Ethylbenzene	8,020	35,400	1,570	< 25	< 25
Methyl-tert-butyl ether (MTBE)	63,800	282,000	27	< 25	< 25
Naphthalene	5,520	24,100	658.2	< 40	< 40
Toluene	818,000	818,000	1,107.20	< 25	< 25
1,2,4-Trimethylbenzene (TMB)	219,000	219,000		< 25	< 25
1,3,5-Trimethylbenzene (TMB)	182,000	182,000	1,378.70	< 25	< 25
m&p-Xylene	260,000	260,000	3,960	< 50	< 50
o-Xylene				< 25	< 25
Metals (mg/kg)					
Arsenic (As)	0.667	3	0.584	< 1.1	< 1.1
Barium (Ba)	15,300	100,000	164.8	31	21.7
Cadmium (Cd)	71.1	985	0.752	< 0.14	0.13 ^j
Total Chromium (Cr)	--	--	360,000	18.5	20.7
Lead (Pb)	400	800	27	11	4.1
Selenium (Se)	391	5,840	0.52	< 1.2	< 1.1
Silver (Ag)	391	5,840	0.8491	< 0.37	< 0.35
Mercury (Hg)	3.13	3.13	0.208	< 0.012	< 0.011

Notes:

NR 720 Standards Obtained From WDNR RR Program's Soil RCL Spreadsheet

This site is assessed as **Non-Industrial**

Cumulative RCL Calculated on: 11/1/2018

RCL = Residual Contaminant Level

DC = Direct Contact

µg/kg = Parts Per Billion (ppb)

mg/kg = Parts Per Million (ppm)

< = Concentration Below Laboratory Detection Limit

-- = Not Sampled/Collected

-- = No Standard/Not Applicable

^j = Estimated concentration at or above the Limit of Detection (LOD) and below the Limit of Quantitation (LOQ)

<i>Italic</i>	= Exceeds NR720 Groundwater Pathway Protection
Bold	= Exceeds NR720 Non-Industrial Not-To-Exceed DC RCL
<u>Underlined</u>	= Exceeds NR720 Industrial Not-To-Exceed DC RCL

ATTACHMENT D

BORING LOGS




Route To: Watershed/Wastewater Waste Management
Remediation/Redevelopment Other

Facility/Project Name Hoffman Corners		License/Permit/Monitoring Number 03-07-000115		Boring Number GP1	
Boring Drilled By: Name of crew chief (first, last) and Firm Gestra (Mitch)			Date Drilling Started 8/9/16	Date Drilling Completed 8/9/16	Drilling Method Geoprobe
WI Unique Well No.	DNR Well ID No.	Common Well Name GP1	Final Static Water Level	Surface Elevation 0	Borehole Diameter 2 in.
Local Grid Origin <input type="checkbox"/> (estimated) <input type="checkbox"/> or Boring Location <input checked="" type="checkbox"/> State Plane			Lat	Local Grid Location N <input type="checkbox"/> E <input type="checkbox"/> S <input type="checkbox"/> W <input type="checkbox"/>	
Facility ID 6958		County Burnett	County Code 07	Civil Town/City/or Village Webster	

Sample Number	Type	Length Att. & Recovered (in)	Blow Counts	Depth In Feet	Soil/ Rock Description And Geologic Origin For Each Major Unit	U.S.C.S.	Graphic	Well	PID/FID	Soil Properties					RQD/ Comments
										Compressive Strength	Moisture Content	Liquid Limit	Plasticity Index	P 200	
1		48 in		1	FILL Miscellaneous FILL										
				2	SAND Fine SAND	SW			174.1 ppm						
				3	CLAY CLAY	CL			254.7 ppm						
2		46 in		4	SAND Fine grain SAND, Moist with odor										
				5					1502 ppm						
				6					3.5 ppm						
3		60 in		7	SAND Fine grain SAND, Moist without odor										
				8					0.1 ppm						
				9					0.1 ppm						
4		24 in		10	SAND Medium-coarse SAND, without odor	SW									
				11											
				12											
				13											
				14											
				15											
				16											
				17											
				18											
				19											
				20	EOB										
				21	EOB @ 20' BLS										
				22											
				23											

I hereby certify that the information on this form is true and the correct to the best of my knowledge

Signature 	Firm REI Engineering, Inc. 4080 North 20th Avenue, Wausau, WI
---	--


This form is authorized by Chapters 281,283,289,292,293,295, and 299, Wis. Stats. Completion of this form is mandatory. Failure to file this form may result in forfeiture of between \$10 and \$25,000, or imprisonment for up to one year, depending on the program and conduct involved. Personally identifiable information on this form is not intended to be used for any other purpose. NOTE: See Instructions for more information, including where the completed form should be sent.

Route To: Watershed/Wastewater Waste Management
Remediation/Redevelopment Other

Facility/Project Name Hoffman Corners		License/Permit/Monitoring Number 03-07-000115		Boring Number GP2	
Boring Drilled By: Name of crew chief (first, last) and Firm Gestra (Mitch)			Date Drilling Started 8/9/16	Date Drilling Completed 8/9/16	Drilling Method Geoprobe
WI Unique Well No.	DNR Well ID No.	Common Well Name GP2	Final Static Water Level	Surface Elevation 0	Borehole Diameter 2 in.
Local Grid Origin <input type="checkbox"/> (estimated) <input type="checkbox"/> or Boring Location <input checked="" type="checkbox"/> State Plane			Lat Long	Local Grid Location N <input type="checkbox"/> E <input type="checkbox"/> S <input type="checkbox"/> W <input type="checkbox"/>	
Facility ID 6958		County Burnett	County Code 07	Civil Town/City/or Village Webster	

Sample Number	Type	Length Att. & Recovered (in)	Blow Counts	Depth In Feet	Soil/ Rock Description And Geologic Origin For Each Major Unit	U.S.C.S.	Graphic	Well	PID/FID	Soil Properties					RQD/ Comments
										Compressive Strength	Moisture Content	Liquid Limit	Plasticity Index	P 200	
1		36 in		1	FILL Miscellaneous FILL										
				2	SAND										
				3	Fine-coarse SAND with odor	SW		89.4 ppm							
2		48 in		4	CLAY										
				5	CLAY	CL		20.6 ppm							
				6	SAND			602 ppm							
				7	Grey/brown fine-medium SAND, Moist with minimal odor										
3		24 in		8											
				9											
				10	SAND			200 ppm							
				11	Fine-medium SAND, minimal odor										
4		36 in		12											
				13		SW									
				14				0.5 ppm							
				15											
				16	SAND										
				17	Medium-coarse SAND										
				18											
				19											
				20											
				21	EOB EOB @ 20' BLS										
				22											
				23											

I hereby certify that the information on this form is true and the correct to the best of my knowledge

Signature 	Firm REI Engineering, Inc. 4080 North 20th Avenue, Wausau, WI
--	---

This form is authorized by Chapters 281,283,289,292,293,295, and 299, Wis. Stats. Completion of this form is mandatory. Failure to file this form may result in forfeiture of between \$10 and \$25,000, or imprisonment for up to one year, depending on the program and conduct involved. Personally identifiable information on this form is not intended to be used for any other purpose. NOTE: See instructions for more information, including where the completed form should be sent.

Route To: Watershed/Wastewater Waste Management
 Remediation/Redevelopment Other

Facility/Project Name Hoffman Corners		License/Permit/Monitoring Number 03-07-000115		Boring Number GP3	
Boring Drilled By: Name of crew chief (first, last) and Firm Gestra (Mitch)			Date Drilling Started 8/9/16	Date Drilling Completed 8/9/16	Drilling Method Geoprobe
WI Unique Well No.	DNR Well ID No.	Common Well Name GP3	Final Static Water Level	Surface Elevation 0	Borehole Diameter 2 in.
Local Grid Origin <input type="checkbox"/> (estimated) <input type="checkbox"/> or Boring Location <input checked="" type="checkbox"/> State Plane			Lat	Local Grid Location N <input type="checkbox"/> E <input type="checkbox"/> S <input type="checkbox"/> W <input type="checkbox"/>	
Facility ID 6958		County Burnett	County Code 07	Civil Town/City/or Village Webster	

Sample		Blow Counts	Depth In Feet	Soil/ Rock Description And Geologic Origin For Each Major Unit	U.S.C.S.	Graphic	Well	PID/FID	Soil Properties					ROD/ Comments
Number	Type								Length Att. & Recovered (ft)	Compressive Strength	Moisture Content	Liquid Limit	Plasticity Index	
1		36 in	1	FILL Miscellaneous FILL	Cl.			145 ppm						
			2	CLAY CLAY										
2		60 in	3					457 ppm						
			5	SAND Fine-medium grey/brown SAND with odor										
			6	SAND Fine brown SAND										
3		48 in	7		SW			6.3 ppm						
			8	SAND Fine brown SAND, Moist without odor										
			10											
			11											
4			12	SAND Medium-coarse SAND				1.3 ppm						
			13											
			14					0.7 ppm						
			15											
			16											
			17											
			18											
			19											
			20											
			21	EOB EOB @ 20' BLS										
			22											
			23											

I hereby certify that the information on this form is true and the correct to the best of my knowledge

Signature 	Firm REI Engineering, Inc. 4080 North 20th Avenue, Wausau, WI
---------------	---

This form is authorized by Chapters 281,283,289,292,293,295, and 299, Wis. Stats. Completion of this form is mandatory. Failure to file this form may result in forfeiture of between \$10 and \$25,000, or imprisonment for up to one year, depending on the program and conduct involved. Personally identifiable information on this form is not intended to be used for any other purpose. NOTE: See instructions for more information, including where the completed form should be sent.

Route To: Watershed/Wastewater Waste Management
 Remediation/Redevelopment Other

Facility/Project Name Hoffman Corners		License/Permit/Monitoring Number 03-07-000115		Boring Number GP4	
Boring Drilled By: Name of crew chief (first, last) and Firm Gestra (Mitch)			Date Drilling Started 8/9/16	Date Drilling Completed 8/9/16	Drilling Method Geoprobe
WI Unique Well No.	DNR Well ID No.	Common Well Name GP4	Final Static Water Level	Surface Elevation 0	Borehole Diameter 2 in. 14
Local Grid Origin <input type="checkbox"/> (estimated) <input type="checkbox"/> or Boring Location <input checked="" type="checkbox"/> State Plane			Lat	Local Grid Location N <input type="checkbox"/> E <input type="checkbox"/> S <input type="checkbox"/> W <input type="checkbox"/>	
Facility ID 6958		County Burnett	County Code 07	Civil Town/City/or Village Webster	

Sample		Blow Counts	Depth In Feet	Soil/ Rock Description And Geologic Origin For Each Major Unit	U.S.C.S.	Graphic	Well	PID/EID	Soil Properties					ROD/ Comments
Number	Type								Length Att. & Recovered (in)	Compressive Strength	Moisture Content	Liquid Limit	Plasticity Index	
1		46 in	1	FILL Miscellaneous FILL				273.6 ppm						
			2											
2		60 in	3	CLAY CLAY	CL									
			4											
			5											
			6											
3		60 in	7	SAND Fine SAND, Wet with odor				1182 ppm						
			8											
			9											
			10											
4		60 in	11	SAND Fine brown SAND, Dry with minimal odor				77.6 ppm						
			12											
			13											
			14											
			15	SAND Fine brown tight SAND, Moist without odor	SW			2.8 ppm						
			16											
			17											
			18											
			19	EOB EOB @ 20' BLS				0.3 ppm						
			20											
			21					1.2 ppm						
			22					1.1 ppm						
			23											

I hereby certify that the information on this form is true and the correct to the best of my knowledge

Signature

Firm

REI Engineering, Inc.
4080 North 20th Avenue, Wausau, WI

This form is authorized by Chapters 281,283,289,292,293,295, and 299, Wis. Stats. Completion of this form is mandatory. Failure to file this form may result in forfeiture of between \$10 and \$25,000, or imprisonment for up to one year, depending on the program and conduct involved. Personally identifiable information on this form is not intended to be used for any other purpose. NOTE: See instructions for more information, including where the completed form should be sent.

Route To: Watershed/Wastewater Waste Management
Remediation/Redevelopment Other

Facility/Project Name Hoffman Corners		License/Permit/Monitoring Number 03-07-000115		Boring Number GP5	
Boring Drilled By: Name of crew chief (first, last) and Firm Gestra (Mitch)			Date Drilling Started 8/9/16	Date Drilling Completed 8/9/16	Drilling Method Geoprobe
WI Unique Well No.	DNR Well ID No.	Common Well Name GP5	Final Static Water Level	Surface Elevation 0	Borehole Diameter 2 in.
Local Grid Origin <input type="checkbox"/> (estimated) <input type="checkbox"/> or Boring Location <input checked="" type="checkbox"/> State Plane			Lat	Local Grid Location N <input type="checkbox"/> E <input type="checkbox"/> S <input type="checkbox"/> W <input type="checkbox"/>	
Facility ID 6958		County Burnett	County Code 07	Civil Town/City/or Village Webster	

Sample Number	Type	Length Att. & Recovered (in)	Blow Counts	Depth In Feet	Soil/ Rock Description And Geologic Origin For Each Major Unit	U.S.C.S.	Graphic	Well	PID/FID	Soil Properties					RQD/ Comments
										Compressive Strength	Moisture Content	Liquid Limit	Plasticity Index	P 200	
1		24 in		1	FILL Miscellaneous FILL										
				2	CLAY CLAY	CL									
2		48 in		3											
				4											
				5											
3		48 in		6	SAND Grey fine SAND, Wet with odor				236.7 ppm						
				7	SAND Fine brown SAND, Moist with minimal odor										
				8											
4		60 in		9											
				10	SAND Fine brown tight SAND, Moist without odor	SW			35.7 ppm						
				11											
				12					1.6 ppm						
				13											
				14											
				15					0.4 ppm						
				16											
				17											
				18											
				19	SAND Medium grain SAND, Moist without odor										
				20	EOB EOB @ 20' BLS										
				21											
				22											
				23											


I hereby certify that the information on this form is true and the correct to the best of my knowledge

Signature	Firm REI Engineering, Inc. 4080 North 20th Avenue, Wausau, WI
-----------	--

This form is authorized by Chapters 281,283,289,292,293,295, and 299, Wis. Stats. Completion of this form is mandatory. Failure to file this form may result in forfeiture of between \$10 and \$25,000, or imprisonment for up to one year, depending on the program and conduct involved. Personally identifiable information on this form is not intended to be used for any other purpose. NOTE: See instructions for more information, including where the completed form should be sent.

Route To: Watershed/Wastewater Waste Management
 Remediation/Redevelopment Other

Facility/Project Name Hoffman Corners		License/Permit/Monitoring Number 03-07-000115		Boring Number GP7	
Boring Drilled By: Name of crew chief (first, last) and Firm Gestra (Mitch)			Date Drilling Started 8/9/16	Date Drilling Completed 8/9/16	Drilling Method Geoprobe
WI Unique Well No.	DNR Well ID No.	Common Well Name GP7	Final Static Water Level	Surface Elevation 0	Borehole Diameter 2 in. '7
Local Grid Orgin <input type="checkbox"/> (estimated) <input type="checkbox"/> or Boring Location <input checked="" type="checkbox"/> State Plane			Lat Long	Local Grid Location N <input type="checkbox"/> E <input type="checkbox"/> S <input type="checkbox"/> W <input type="checkbox"/>	
Facility ID 6958		County Burnett	County Code 07	Civil Town/City/or Village Webster	

Sample Number	Type	Length Att. & Recovered (in)	Blow Counts	Depth In Feet	Soil/ Rock Description And Geologic Origin For Each Major Unit	U.S.C.S.	Graphic	Well	PID/FID	Soil Properties					RQD/ Comments
										Compressive Strength	Moisture Content	Liquid Limit	Plasticity Index	P 200	
1		36 in		1	FILL Miscellaneous FILL				0.0 ppm						
				2											
				3											
				4											
2		48 in		5	CLAY CLAY SAND Brown fine SAND, Dry without odor	CL			0.1 ppm						
				6											
				7											
				8											
3		48 in		9	SAND Medium grain SAND	SW			0.0 ppm						
				10											
				11											
				12											
4		48 in		13	EOB EOB @ 20' BLS				0.0 ppm						
				14											
				15											
				16											
				17					0.0 ppm						
				18					0.0 ppm						
				19					0.0 ppm						
				20					0.0 ppm						
				21					0.0 ppm						
				22											
				23											

I hereby certify that the information on this form is true and the correct to the best of my knowledge

Signature 	Firm REI Engineering, Inc. 4080 North 20th Avenue, Wausau, WI
---	--

This form is authorized by Chapters 281,283,289,292,293,295, and 299, Wis. Stats. Completion of this form is mandatory. Failure to file this form may result in forfeiture of between \$10 and \$25,000, or imprisonment for up to one year, depending on the program and conduct involved. Personally identifiable information on this form is not intended to be used for any other purpose. NOTE: See instructions for more information, including where the completed form should be sent.

Route To: Watershed/Wastewater Waste Management
 Remediation/Redevelopment Other

Facility/Project Name Hoffman Corners		License/Permit/Monitoring Number 03-07-000115		Boring Number GP8	
Boring Drilled By: Name of crew chief (first, last) and Firm Gestra (Mitch)			Date Drilling Started 8/9/16	Date Drilling Completed 8/9/16	Drilling Method Geoprobe
WI Unique Well No.	DNR Well ID No.	Common Well Name GP8	Final Static Water Level	Surface Elevation 0	Borehole Diameter 2 in.
Local Grid Origin <input type="checkbox"/> (estimated) <input type="checkbox"/> or Boring Location <input checked="" type="checkbox"/> State Plane			Lat	Local Grid Location N <input type="checkbox"/> E <input type="checkbox"/> S <input type="checkbox"/> W <input type="checkbox"/>	
Facility ID 6958		County Burnett	County Code 07	Civil Town/City/or Village Webster	

Sample Number	Type	Length Att. & Recovered (in)	Blow Counts	Depth In Feet	Soil/ Rock Description And Geologic Origin For Each Major Unit	U.S.C.S.	Graphic	Well	PID/FID	Soil Properties					RQD/ Comments
										Compressive Strength	Moisture Content	Liquid Limit	Plasticity Index	P 200	
1		36 in		1	FILL Miscellaneous FILL										
				2											
2		60 in		5	CLAY CLAY	CL									
				6											
3		60 in		9	SAND Brown fine SAND										
				10											
4		60 in		13	SAND Fine grain brown SAND, Moist without odor	SW									
				14											
				17	SAND Medium grain SAND										
				18											
				21	EOB EOB @ 20' BLS										
				22											
				23											

I hereby certify that the information on this form is true and the correct to the best of my knowledge

Signature 	Firm REI Engineering, Inc. 4080 North 20th Avenue, Wausau, WI
---------------	---

This form is authorized by Chapters 281,283,289,292,293,295, and 299, Wis. Stats. Completion of this form is mandatory. Failure to file this form may result in forfeiture of between \$10 and \$25,000, or imprisonment for up to one year, depending on the program and conduct involved. Personally identifiable information on this form is not intended to be used for any other purpose. NOTE: See instructions for more information, including where the completed form should be sent.

Route To: Watershed/Wastewater Waste Management
Remediation/Redevelopment Other

Facility/Project Name Hoffman Corners		License/Permit/Monitoring Number 03-07-000115		Boring Number GP9	
Boring Drilled By: Name of crew chief (first, last) and Firm Gestra (Mitch)			Date Drilling Started 8/9/16	Date Drilling Completed 8/9/16	Drilling Method Geoprobe
WI Unique Well No.	DNR Well ID No.	Common Well Name GP9	Final Static Water Level	Surface Elevation 0	Borehole Diameter 2 in.
Local Grid Origin <input type="checkbox"/> (estimated) <input type="checkbox"/> or Boring Location <input checked="" type="checkbox"/>			Lat	Local Grid Location	
State Plane			Long	N <input type="checkbox"/>	E <input type="checkbox"/>
				S <input type="checkbox"/>	W <input type="checkbox"/>
Facility ID 6958		County Burnett	County Code 07	Civil Town/City/or Village Webster	

Sample Number	Type	Length Att. & Recovered (in)	Blow Counts	Depth In Feet	Soil/ Rock Description And Geologic Origin For Each Major Unit	U.S.C.S.	Graphic	Well	PID/FID	Soil Properties					RQD/ Comments
										Compressive Strength	Moisture Content	Liquid Limit	Plasticity Index	P 200	
1		36 in		1	FILL Miscellaneous FILL										
				2											
				3											
2		60 in		4	CLAY CLAY	CL			1.2 ppm						
				5											
				6											
3		60 in		7	SAND Fine grain brown SAND, Moist without odor	SW			0.3 ppm						
				8											
				9											
				10					0.0 ppm						
				11					0.5 ppm						
				12											
				13											
				14											
				15					1.0 ppm						
				16	EOB EOB @ 15' BLS										
				17											
				18											


I hereby certify that the information on this form is true and the correct to the best of my knowledge

Signature	Firm REI Engineering, Inc. 4080 North 20th Avenue, Wausau, WI
-----------	--


This form is authorized by Chapters 281,283,289,292,293,295, and 299, Wis. Stats. Completion of this form is mandatory. Failure to file this form may result in forfeiture of between \$10 and \$25,000, or imprisonment for up to one year, depending on the program and conduct involved. Personally identifiable information on this form is not intended to be used for any other purpose. NOTE: See instructions for more information, including where the completed form should be sent.

Route To: Watershed/Wastewater Waste Management
Remediation/Redevelopment Other

Facility/Project Name Hoffman Corners		License/Permit/Monitoring Number 03-07-000115		Boring Number GP10	
Boring Drilled By: Name of crew chief (first, last) and Firm Gestra (Mitch)			Date Drilling Started 8/9/16	Date Drilling Completed 8/9/16	Drilling Method Geoprobe
WI Unique Well No.	DNR Well ID No.	Common Well Name GP10	Final Static Water Level	Surface Elevation 0	Borehole Diameter 2 in.
Local Grid Origin <input type="checkbox"/> (estimated) <input type="checkbox"/> or Boring Location <input checked="" type="checkbox"/> State Plane			Lat	Local Grid Location N <input type="checkbox"/> E <input type="checkbox"/> S <input type="checkbox"/> W <input type="checkbox"/>	
Facility ID 6958		County Burnett	County Code 07	Civil Town/City/or Village Webster	

Sample Number	Type	Length Att. & Recovered (ft)	Blow Counts	Depth In Feet	Soil/ Rock Description And Geologic Origin For Each Major Unit	U.S.C.S.	Graphic	Well	PID/FID	Soil Properties					ROD/ Comments
										Compressive Strength	Moisture Content	Liquid Limit	Plasticity Index	P 200	
1		48 in		1	FILL Miscellaneous FILL										
				2											
2		60 in		4	CLAY Grey CLAY with mottling	CL			3.7 ppm						
				5	SAND Brown/grey SAND with strong odor					106.9 ppm					
3				6	SAND Brown/grey SAND with less odor				35.2 ppm						
				7						6.2 ppm					
				15	EOB EOB @ 15' BLS										

I hereby certify that the information on this form is true and the correct to the best of my knowledge

Signature 	Firm REI Engineering, Inc. 4080 North 20th Avenue, Wausau, WI
---	--

This form is authorized by Chapters 281,283,289,292,293,295, and 299, Wis. Stats. Completion of this form is mandatory. Failure to file this form may result in forfeiture of between \$10 and \$25,000, or imprisonment for up to one year, depending on the program and conduct involved. Personally identifiable information on this form is not intended to be used for any other purpose. NOTE: See instructions for more information, including where the completed form should be sent.

Route To: Watershed/Wastewater Waste Management
 Remediation/Redevelopment Other

Facility/Project Name Hoffman Corners		License/Permit/Monitoring Number 03-07-000115		Boring Number GP11	
Boring Drilled By: Name of crew chief (first, last) and Firm Gestra (Mitch)			Date Drilling Started 8/9/16	Date Drilling Completed 8/9/16	Drilling Method Geoprobe
WI Unique Well No.	DNR Well ID No.	Common Well Name GP11	Final Static Water Level	Surface Elevation 0	Borehole Diameter 2 in.
Local Grid Origin <input type="checkbox"/> (estimated) <input type="checkbox"/> or Boring Location <input checked="" type="checkbox"/> State Plane			Lat Long	Local Grid Location N <input type="checkbox"/> E <input type="checkbox"/> S <input type="checkbox"/> W <input type="checkbox"/>	
Facility ID 6958		County Burnett	County Code 07	Civil Town/City/or Village Webster	

Sample Number	Type	Length Att. & Recovered (in)	Blow Counts	Depth In Feet	Soil/ Rock Description And Geologic Origin For Each Major Unit	U.S.C.S.	Graphic	Well	PID/FID	Soil Properties					RQD/ Comments
										Compressive Strength	Moisture Content	Liquid Limit	Plasticity Index	P-200	
1		36 in		1	FILL Miscellaneous FILL										
				2											
				3											
				4											
2				5	SAND Grey SAND, Moist with odor										
				6											
				7											
				8											
3		48 in		9	SAND Fine brown SAND, Moist with minimal odor										
				10											
				11											
				12											
4		48 in		13		SW									
				14											
				15											
				16											
5				17	SAND Medium grained SAND										
				18											
				19											
				20											
6				20	SAND Fine grain SAND										
				21											
				22											
				23											
				24	EOB EOB @ 24' BLS										
				25											
				26											

I hereby certify that the information on this form is true and the correct to the best of my knowledge

Signature	Firm REI Engineering, Inc. 4080 North 20th Avenue, Wausau, WI
-----------	--

This form is authorized by Chapters 281,283,289,292,293,295, and 299, Wis. Stats. Completion of this form is mandatory. Failure to file this form may result in forfeiture of between \$10 and \$25,000, or imprisonment for up to one year, depending on the program and conduct involved. Personally identifiable information on this form is not intended to be used for any other purpose. NOTE: See instructions for more information, including where the completed form should be sent.

Route To: Watershed/Wastewater Waste Management
 Remediation/Redevelopment Other

Facility/Project Name Hoffman Corners		License/Permit/Monitoring Number 03-07-000115		Boring Number GP12	
Boring Drilled By: Name of crew chief (first, last) and Firm Gestra (Mitch)			Date Drilling Started 8/10/16	Date Drilling Completed 8/10/16	Drilling Method Geoprobe
WI Unique Well No.	DNR Well ID No.	Common Well Name GP12	Final Static Water Level	Surface Elevation 0	Borehole Diameter 2 in.
Local Grid Origin <input type="checkbox"/> (estimated) <input type="checkbox"/> or Boring Location <input checked="" type="checkbox"/> State Plane			Lat Long	Local Grid Location N <input type="checkbox"/> E <input type="checkbox"/> S <input type="checkbox"/> W <input type="checkbox"/>	
Facility ID 6958		County Burnett	County Code 07	Civil Town/City/or Village Webster	

Sample Number	Type	Length Att. & Recovered (in)	Blow Counts	Depth In Feet	Soil/ Rock Description And Geologic Origin For Each Major Unit	U.S.C.S.	Graphic	Well	PID/FID	Soil Properties					RQD/ Comments
										Compressive Strength	Moisture Content	Liquid Limit	Plasticity Index	P 200	
1		36 in		1	FILL Miscellaneous FILL										
				2											
2				3	CLAY Grey mottled CLAY	CL				1585 ppm					
				4											
				5											
3		48 in		6	SAND Fine brown SAND, strong odor					3386 ppm					
				7											
				8											
4		48 in		9	SAND Fine grain brown SAND, Moist with odor	SW				1784 ppm					
				10											
				11											
				12											
				13					58.6 ppm						
				14						9.0 ppm					
				15						44.1 ppm					
				16						1.6 ppm					
				17	EOB EOB @ 16' BLS										
				18											

I hereby certify that the information on this form is true and the correct to the best of my knowledge

Signature	Firm REI Engineering, Inc. 4080 North 20th Avenue, Wausau, WI
-----------	--

This form is authorized by Chapters 281,283,289,292,293,295, and 299, Wis. Stats. Completion of this form is mandatory. Failure to file this form may result in forfeiture of between \$10 and \$25,000, or imprisonment for up to one year, depending on the program and conduct involved. Personally identifiable information on this form is not intended to be used for any other purpose. NOTE: See instructions for more information, including where the completed form should be sent.

Route To: Watershed/Wastewater Waste Management
 Remediation/Redevelopment Other

Facility/Project Name Hoffman Corners		License/Permit/Monitoring Number 03-07-000115		Boring Number GP13	
Boring Drilled By: Name of crew chief (first, last) and Firm Gestra (Mitch)			Date Drilling Started 8/10/16	Date Drilling Completed 8/10/16	Drilling Method Geoprobe
WI Unique Well No.	DNR Well ID No.	Common Well Name GP13	Final Static Water Level	Surface Elevation 0	Borehole Diameter 2 in.
Local Grid Origin <input type="checkbox"/> (estimated) <input type="checkbox"/> or Boring Location <input checked="" type="checkbox"/> State Plane			Lat Long	Local Grid Location N <input type="checkbox"/> E <input type="checkbox"/> S <input type="checkbox"/> W <input type="checkbox"/>	
Facility ID 6958		County Burnett	County Code 07	Civil Town/City/or Village Webster	

Sample Number	Type	Length Att. & Recovered (in)	Blow Counts	Depth In Feet	Soil/ Rock Description And Geologic Origin For Each Major Unit	U.S.C.S.	Graphic	Well	PID/FID	Soil Properties					RQD/ Comments	
										Compressive Strength	Moisture Content	Liquid Limit	Plasticity Index	P 200		
1		36 in		1	FILL Miscellaneous FILL											
				2												
				3												
				4												
2		48 in		4	CLAY Grey mottled CLAY	CL										
				5												
				6												
				7												
3		48 in		8	SAND Fine grain brown SAND, Moist without odor	SW										
				9												
				10												
				11												
				12	EOB EOB @ 12' BLS											
				13												
				14												
				15												


I hereby certify that the information on this form is true and the correct to the best of my knowledge

Signature *[Handwritten Signature]* Firm REI Engineering, Inc.
4080 North 20th Avenue, Wausau, WI


This form is authorized by Chapters 281,283,289,292,293,295, and 299, Wis. Stats. Completion of this form is mandatory. Failure to file this form may result in forfeiture of between \$10 and \$25,000, or imprisonment for up to one year, depending on the program and conduct involved. Personally identifiable information on this form is not intended to be used for any other purpose. NOTE: See instructions for more information, including where the completed form should be sent.

Route To: Watershed/Wastewater Waste Management
Remediation/Redevelopment Other

Facility/Project Name Hoffman Corners		License/Permit/Monitoring Number 03-07-000115		Boring Number GP14	
Boring Drilled By: Name of crew chief (first, last) and Firm Gestra (Mitch)			Date Drilling Started 8/10/16	Date Drilling Completed 8/10/16	Drilling Method Geoprobe
WI Unique Well No.	DNR Well ID No.	Common Well Name GP14	Final Static Water Level	Surface Elevation 0	Borehole Diameter 2 in.
Local Grid Origin <input type="checkbox"/> (estimated) <input type="checkbox"/> or Boring Location <input checked="" type="checkbox"/> State Plane			Lat	Local Grid Location N <input type="checkbox"/> E <input type="checkbox"/> S <input type="checkbox"/> W <input type="checkbox"/>	
Facility ID 6958		County Burnett	County Code 07	Civil Town/City/or Village Webster	

Sample Number	Type	Length Att. & Recovered (in)	Blow Counts	Depth In Feet	Soil/ Rock Description And Geologic Origin For Each Major Unit	U.S.C.S.	Graphic	Well	PID/FID	Soil Properties					RQD/ Comments
										Compressive Strength	Moisture Content	Liquid Limit	Plasticity Index	P 200	
1		48 in		1	FILL Miscellaneous FILL				262 ppm						
				2											
2		48 in		3	CLAY Grey mottled CLAY, Moist with odor	CL			434 ppm						
				4											
3		48 in		5	SAND Fine grain brown SAND, Moist without odor				1982 ppm						
				6											
4		48 in		7		SW			295 ppm						
				8											
				9					33.6 ppm						
				10											
				11					1.3 ppm						
				12											
				13	EOB EOB @ 16' BLS										
				14											
				15											
				16											
				17											
				18											

I hereby certify that the information on this form is true and the correct to the best of my knowledge

Signature 	Firm REI Engineering, Inc. 4080 North 20th Avenue, Wausau, WI
---	--

This form is authorized by Chapters 281,283,289,292,293,295, and 299, Wis. Stats. Completion of this form is mandatory. Failure to file this form may result in forfeiture of between \$10 and \$25,000, or imprisonment for up to one year, depending on the program and conduct involved. Personally identifiable information on this form is not intended to be used for any other purpose. NOTE: See instructions for more information, including where the completed form should be sent.

Route To: Watershed/Wastewater Waste Management
Remediation/Redevelopment Other

Facility/Project Name Hoffman Corners		License/Permit/Monitoring Number 03-07-000115		Boring Number GP15	
Boring Drilled By: Name of crew chief (first, last) and Firm Gestra (Mitch)			Date Drilling Started 8/10/16	Date Drilling Completed 8/10/16	Drilling Method Geoprobe
WI Unique Well No.	DNR Well ID No.	Common Well Name GP15	Final Static Water Level	Surface Elevation 0	Borehole Diameter 2 in.
Local Grid Origin <input type="checkbox"/> (estimated) <input type="checkbox"/> or Boring Location <input checked="" type="checkbox"/> State Plane			Lat	Local Grid Location N <input type="checkbox"/> E <input type="checkbox"/> S <input type="checkbox"/> W <input type="checkbox"/>	
Facility ID 6958		County Burnett	County Code 07	Civil Town/City/or Village Webster	

Sample Number	Type	Length Att. & Recovered (in)	Blow Counts	Depth In Feet	Soil/ Rock Description And Geologic Origin For Each Major Unit	U.S.C.S.	Graphic	Well	PID/FID	Soil Properties					RQD/ Comments
										Compressive Strength	Moisture Content	Liquid Limit	Plasticity Index	P 200	
1		36 in		1	FILL Miscellaneous FILL, strong odor				866 ppm						
				2											
				3											
2		48 in		4	CLAY Grey mottled CLAY, Moist with odor	CL			989 ppm						
				5											
				6											
				7											
				8											
3		48 in		9	SAND Fine grain brown SAND, Moist with odor	SW			95.6 ppm						
				10											
				11											
				12											
				13											
				12	EOB EOB @ 12' BLS			62.2 ppm							
				13				8.6 ppm							
				14											
				15											

I hereby certify that the information on this form is true and the correct to the best of my knowledge

Signature	Firm REI Engineering, Inc. 4080 North 20th Avenue, Wausau, WI
-----------	--


This form is authorized by Chapters 281,283,289,292,293,295, and 299, Wis. Stats. Completion of this form is mandatory. Failure to file this form may result in forfeiture of between \$10 and \$25,000, or imprisonment for up to one year, depending on the program and conduct involved. Personally identifiable information on this form is not intended to be used for any other purpose. NOTE: See instructions for more information, including where the completed form should be sent.

Route To: Watershed/Wastewater Waste Management
Remediation/Redevelopment Other

Facility/Project Name Hoffman Corners		License/Permit/Monitoring Number 03-07-000115		Boring Number GP16	
Boring Drilled By: Name of crew chief (first, last) and Firm Gestra (Mitch)			Date Drilling Started 8/10/16	Date Drilling Completed 8/10/16	Drilling Method Geoprobe
WI Unique Well No.	DNR Well ID No.	Common Well Name GP16	Final Static Water Level	Surface Elevation 0	Borehole Diameter 2 in.
Local Grid Origin <input type="checkbox"/> (estimated) <input type="checkbox"/> or Boring Location <input checked="" type="checkbox"/> State Plane			Lat	Local Grid Location N <input type="checkbox"/> E <input type="checkbox"/> S <input type="checkbox"/> W <input type="checkbox"/>	
Facility ID 6958		County Burnett	County Code 07	Civil Town/City/or Village Webster	

Sample Number	Type	Length Att. & Recovered (in)	Blow Counts	Depth In Feet	Soil/ Rock Description And Geologic Origin For Each Major Unit	U.S.C.S.	Graphic	Well	PID/FID	Soil Properties					RQD/ Comments
										Compressive Strength	Moisture Content	Liquid Limit	Plasticity Index	P 200	
1		36 in		1	FILL Miscellaneous FILL, strong odor				728 ppm						
				2											
2		48 in		3	CLAY Grey mottled CLAY, Moist with odor	CL			282 ppm						
				4											
				5											
				6											
3		48 in		6	SAND Grey/brown fine SAND				693.2 ppm						
				7											
				8											
				9											
				10											
				11											
12	SW	21.3 ppm	16.2 ppm	9.2 ppm											
13	EOB EOB @ 12' BLS														
				14											
				15											

I hereby certify that the information on this form is true and the correct to the best of my knowledge

Signature 	Firm REI Engineering, Inc. 4080 North 20th Avenue, Wausau, WI
--	---


This form is authorized by Chapters 281,283,289,292,293,295, and 299, Wis. Stats. Completion of this form is mandatory. Failure to file this form may result in forfeiture of between \$10 and \$25,000, or imprisonment for up to one year, depending on the program and conduct involved. Personally identifiable information on this form is not intended to be used for any other purpose. NOTE: See instructions for more information, including where the completed form should be sent.

Route To: Watershed/Wastewater Waste Management
 Remediation/Redevelopment Other

Facility/Project Name Hoffman Corners		License/Permit/Monitoring Number 03-07-000115		Boring Number GP18	
Boring Drilled By: Name of crew chief (first, last) and Firm Gestra (Mitch Panfil)			Date Drilling Started 5/1/18	Date Drilling Completed 5/1/18	Drilling Method Geoprobe
WI Unique Well No.	DNR Well ID No.	Common Well Name	Final Static Water Level	Surface Elevation 0	Borehole Diameter 2.07 in.
Local Grid Origin <input type="checkbox"/> (estimated) <input type="checkbox"/> or Boring Location <input checked="" type="checkbox"/>			Lat	Local Grid Location	
State Plane			Long	N <input type="checkbox"/> S <input type="checkbox"/> E <input type="checkbox"/> W <input type="checkbox"/>	
Facility ID 6958		County Burnett	County Code 07	Civil Town/City/or Village Webster	

Sample Number	Sample Type	Length Att. & Recovered (in)	Blow Counts	Depth In Feet	Soil/ Rock Description And Geologic Origin For Each Major Unit	U.S.C.S.	Graphic	Well	PID/FID	Soil Properties					ROD/ Comments	
										Compressive Strength	Moisture Content	Liquid Limit	Plasticity Index	P 200		
1		32 in		1	TOPSOIL Topsoil											
				2	SAND Brown sand (F-M)	SW		0.0 ppm								
				3	CLAY Grey clay with mottles and fine sand			0.0 ppm								
				4		SC		0.0 ppm								
2		48 in		7	SAND Brown sand (F-C)				0.0 ppm							
				8		SW		0.0 ppm								
3		20 in		10					0.0 ppm							
				11				0.0 ppm								
				12	EOB EOB @ 12' BLS											

I hereby certify that the information on this form is true and the correct to the best of my knowledge

Signature 	Firm REI Engineering, Inc. 4080 North 20th Avenue, Wausau, WI
---	--


This form is authorized by Chapters 281, 283, 289, 292, 293, 295, and 299, Wis. Stats. Completion of this form is mandatory. Failure to file this form may result in forfeiture of between \$10 and \$25,000, or imprisonment for up to one year, depending on the program and conduct involved. Personally identifiable information on this form is not intended to be used for any other purpose. NOTE: See instructions for more information, including where the completed form should be sent.

Route To: Watershed/Wastewater Waste Management
 Remediation/Redevelopment Other

Facility/Project Name Hoffman Corners		License/Permit/Monitoring Number 03-07-000115		Boring Number GP19	
Boring Drilled By: Name of crew chief (first, last) and Firm Gestra (Mitch Panfil)			Date Drilling Started 5/1/18	Date Drilling Completed 5/1/18	Drilling Method Geoprobe
WI Unique Well No.	DNR Well ID No.	Common Well Name	Final Static Water Level	Surface Elevation 0	Borehole Diameter 2.07 in.
Local Grid Origin <input type="checkbox"/> (estimated) <input type="checkbox"/> or Boring Location <input checked="" type="checkbox"/> State Plane			Lat	Local Grid Location N <input type="checkbox"/> E <input type="checkbox"/> S <input type="checkbox"/> W <input type="checkbox"/>	
Facility ID 6958		County Burnett	County Code 07	Civil Town/City/or Village Webster	

Sample Number	Sample Type	Length Att. & Recovered (in)	Blow Counts	Depth In Feet	Soil/ Rock Description And Geologic Origin For Each Major Unit	U.S.C.S.	Graphic	Well	PID/FID	Soil Properties					RQD/ Comments
										Compressive Strength	Moisture Content	Liquid Limit	Plasticity Index	P-200	
1		32 in		1	TOPSOIL Topsoil				0.0 ppm						
				2	SAND Brown sand (F-M)	SW			0.0 ppm						
				3											
2		48 in		4	CLAY Grey clay with fine sand	SC			0.0 ppm						
				5	SAND Brown sand (F-M)	SW			0.0 ppm						
				6											
3		20 in		7	CLAY Grey clay with fine sand	SC			0.0 ppm						
				8	SAND Brown sand (F-M)	SW			0.0 ppm						
				9											
				10					0.0 ppm						
				11					0.0 ppm						
				12	EOB EOB @ 12' BLS										
				13											
				14											
				15											

I hereby certify that the information on this form is true and the correct to the best of my knowledge

Signature 	Firm REI Engineering, Inc. 4080 North 20th Avenue, Wausau, WI
--	---

This form is authorized by Chapters 281,283,289,292,293,295, and 299, Wis. Stats. Completion of this form is mandatory. Failure to file this form may result in forfeiture of between \$10 and \$25,000, or imprisonment for up to one year, depending on the program and conduct involved. Personally identifiable information on this form is not intended to be used for any other purpose. NOTE: See instructions for more information, including where the completed form should be sent.

Route To: Watershed/Wastewater Waste Management
Remediation/Redevelopment Other

Facility/Project Name Hoffman Corners		License/Permit/Monitoring Number 03-07-000115		Boring Number GP20	
Boring Drilled By: Name of crew chief (first, last) and Firm Gestra (Mitch Panfil)			Date Drilling Started 5/1/18	Date Drilling Completed 5/1/18	Drilling Method Geoprobe
WI Unique Well No.	DNR Well ID No.	Common Well Name	Final Static Water Level	Surface Elevation 0	Borehole Diameter 2.07 in. 1-20
Local Grid Origin <input type="checkbox"/> (estimated) <input type="checkbox"/> or Boring Location <input checked="" type="checkbox"/>			Lat	Local Grid Location N <input type="checkbox"/> E <input type="checkbox"/> S <input type="checkbox"/> W <input type="checkbox"/>	
Facility ID 6958		County Burnett	County Code 07	Civil Town/City/or Village Webster	

Sample Number	Type	Length Att. & Recovered (in)	Blow Counts	Depth in Feet	Soil/ Rock Description And Geologic Origin For Each Major Unit	U.S.C.S.	Graphic	Well	PID/FID	Soil Properties					ROD/ Comments
										Compressive Strength	Moisture Content	Liquid Limit	Plasticity Index	P 200	
1		36 in		1	GRAVEL Gravel fill	SW			0.0 ppm						
				2	SAND Brown sand (F-M)										
				3											
				4											
				5	CLAY Grey clay with fine sand										
2		48 in		6	SAND Brown sand (F-M)	SW			0.0 ppm						
				7											
				8											
				9											
				10											
3		16 in		11					0.0 ppm						
				12	EOB EOB @ 12' BLS										
				13											
				14											
				15											

I hereby certify that the information on this form is true and the correct to the best of my knowledge

Signature 	Firm REI Engineering, Inc. 4080 North 20th Avenue, Wausau, WI
---------------	---

This form is authorized by Chapters 281,283,289,292,293,295, and 299, Wis. Stats. Completion of this form is mandatory. Failure to file this form may result in forfeiture of between \$10 and \$25,000, or imprisonment for up to one year, depending on the program and conduct involved. Personally identifiable information on this form is not intended to be used for any other purpose. NOTE: See instructions for more information, including where the completed form should be sent.

Route To: Watershed/Wastewater Waste Management
 Remediation/Redevelopment Other

Facility/Project Name Hoffman Corners		License/Permit/Monitoring Number 03-07-000115		Boring Number GP21	
Boring Drilled By: Name of crew chief (first, last) and Firm Gestra (Mitch Panfil)			Date Drilling Started 5/1/18	Date Drilling Completed 5/1/18	Drilling Method Geoprobe
WI Unique Well No.	DNR Well ID No.	Common Well Name	Final Static Water Level	Surface Elevation 0	Borehole Diameter 2.07 in. -21
Local Grid Origin <input type="checkbox"/> (estimated) <input type="checkbox"/> or Boring Location <input checked="" type="checkbox"/> State Plane			Lat	Local Grid Location N <input type="checkbox"/> E <input type="checkbox"/> S <input type="checkbox"/> W <input type="checkbox"/>	
Facility ID 6958		County Burnett	County Code 07	Civil Town/City/or Village Webster	

Sample Number	Type	Length Att. & Recovered (in)	Blow Counts	Depth In Feet	Soil/ Rock Description And Geologic Origin For Each Major Unit	U.S.C.S.	Graphic	Well	PID/ETD	Soil Properties					ROD/ Comments
										Compressive Strength	Moisture Content	Liquid Limit	Plasticity Index	P 200	
1		44 in		1	GRAVEL Gravel fill	SC			0.0 ppm						
				2	CLAY Grey clay with fine sand mottles										
				3	SAND Brown sand (F-M)										
2		46 in		4	SAND Brown sand (F-M)	SW			0.0 ppm						
				5	SAND Brown fine sand										
				6											
3		24 in		7					0.0 ppm						
				8											
				9											
				10					0.0 ppm						
				11					0.0 ppm						
				12	EOB EOB @ 12' BLS				0.0 ppm						
				13											
				14											
				15											

I hereby certify that the information on this form is true and the correct to the best of my knowledge

Signature 	Firm REI Engineering, Inc. 4080 North 20th Avenue, Wausau, WI
---------------	---


This form is authorized by Chapters 281, 283, 289, 292, 293, 295, and 299, Wis. Stats. Completion of this form is mandatory. Failure to file this form may result in forfeiture of between \$10 and \$25,000, or imprisonment for up to one year, depending on the program and conduct involved. Personally identifiable information on this form is not intended to be used for any other purpose. NOTE: See instructions for more information, including where the completed form should be sent.

Route To: Watershed/Wastewater Waste Management
 Remediation/Redevelopment Other

Facility/Project Name Hoffman Corners		License/Permit/Monitoring Number 03-07-000115		Boring Number GP22	
Boring Drilled By: Name of crew chief (first, last) and Firm Gestra (Mitch Panfil)			Date Drilling Started 5/1/18	Date Drilling Completed 5/1/18	Drilling Method Geoprobe
WI Unique Well No.	DNR Well ID No.	Common Well Name	Final Static Water Level	Surface Elevation 0	Borehole Diameter 2.07 in.
Local Grid Origin <input type="checkbox"/> (estimated) <input type="checkbox"/> or Boring Location <input checked="" type="checkbox"/>			Lat	Local Grid Location	
State Plane			Long	N <input type="checkbox"/> E <input type="checkbox"/> S <input type="checkbox"/> W <input type="checkbox"/>	
Facility ID 6958		County Burnett	County Code 07	Civil Town/City/or Village Webster	

Sample Number	Type	Length Att. & Recovered (in)	Blow Counts	Depth in Feet	Soil/ Rock Description And Geologic Origin For Each Major Unit	U.S.C.S.	Graphic	Well	PID/FID	Soil Properties					ROD/ Comments		
										Compressive Strength	Moisture Content	Liquid Limit	Plasticity Index	P 200			
1		50 in		0	TOPSOIL Topsoil												
				1	CLAY Gravelly clay with fine sand mottles												
				2	CLAY Grey clay with sand mottles	SC				0.0 ppm							
				4					360 ppm								
2		42 in		5	SAND Brown sand (F-M) -Petro Odor	SW											
				6	CLAY Grey clay with fine sand -Petro Odor	SC											
				7	SAND Brown sand (F-M)					8.4 ppm							
				9					1.0 ppm								
3		22 in		11													
				12	EOB EOB @ 12' BLS					0.0 ppm							

I hereby certify that the information on this form is true and the correct to the best of my knowledge

Signature 	Firm REI Engineering, Inc. 4080 North 20th Avenue, Wausau, WI
--	---

This form is authorized by Chapters 281,283,289,292,293,295, and 299, Wis. Stats. Completion of this form is mandatory. Failure to file this form may result in forfeiture of between \$10 and \$25,000, or imprisonment for up to one year, depending on the program and conduct involved. Personally identifiable information on this form is not intended to be used for any other purpose. NOTE: See instructions for more information, including where the completed form should be sent.

Route To: Watershed/Wastewater Waste Management
Remediation/Redevelopment Other

Facility/Project Name Hoffman Corners		License/Permit/Monitoring Number 03-07-000115		Boring Number GP23	
Boring Drilled By: Name of crew chief (first, last) and Firm Gestra (Mitch Panfil)			Date Drilling Started 5/1/18	Date Drilling Completed 5/1/18	Drilling Method Geoprobe
WI Unique Well No.	DNR Well ID No.	Common Well Name	Final Static Water Level	Surface Elevation 0	Borehole Diameter 2.07 in.
Local Grid Origin <input type="checkbox"/> (estimated) <input type="checkbox"/> or Boring Location <input checked="" type="checkbox"/>			Lat	Local Grid Location	
State Plane			Long	N <input type="checkbox"/> E <input type="checkbox"/> S <input type="checkbox"/> W <input type="checkbox"/>	
Facility ID 6958		County Burnett	County Code 07	Civil Town/City/or Village Webster	

Sample Number	Sample Type	Length Att. & Recovered (in)	Blow Counts	Depth In Feet	Soil/ Rock Description And Geologic Origin For Each Major Unit	U.S.C.S.	Graphic	Well	PID/FID	Soil Properties					ROD/ Comments
										Compressive Strength	Moisture Content	Liquid Limit	Plasticity Index	P 200	
1		46 in		1	TOPSOIL Topsoil with coarse sand	SC			0.0 ppm						
				2	CLAY Dark grey clay with fine sand mottles										
				3	CLAY Grey/brown clay with sand mottles										
2		44 in		4	CLAY Grey light clay	SW			0.0 ppm						
				6	SAND Brown sand (F-M)										
				9											
3		16 in		10	SAND Dark brown sand (F-M)				1.8 ppm						
				11											
				12	EOB EOB @ 12' BLS										
				13											
				14											
				15											

I hereby certify that the information on this form is true and the correct to the best of my knowledge

Signature	Firm REI Engineering, Inc. 4080 North 20th Avenue, Wausau, WI
-----------	--

This form is authorized by Chapters 281,283,289,292,293,295, and 299, Wis. Stats. Completion of this form is mandatory. Failure to file this form may result in forfeiture of between \$10 and \$25,000, or imprisonment for up to one year, depending on the program and conduct involved. Personally identifiable information on this form is not intended to be used for any other purpose. NOTE: See instructions for more information, including where the completed form should be sent.

Route To: Watershed/Wastewater Waste Management
 Remediation/Redevelopment Other

Facility/Project Name Hoffman Corners		License/Permit/Monitoring Number 03-07-000115		Boring Number GP24	
Boring Drilled By: Name of crew chief (first, last) and Firm Gestra (Mitch Panfil)			Date Drilling Started 5/1/18	Date Drilling Completed 5/1/18	Drilling Method Geoprobe
WI Unique Well No.	DNR Well ID No.	Common Well Name	Final Static Water Level	Surface Elevation 0	Borehole Diameter 2.07 in.
Local Grid Origin <input type="checkbox"/> (estimated) <input type="checkbox"/> or Boring Location <input checked="" type="checkbox"/> State Plane			Lat	Local Grid Location N <input type="checkbox"/> E <input type="checkbox"/> S <input type="checkbox"/> W <input type="checkbox"/>	
Facility ID 6958		County Burnett	County Code 07	Civil Town/City/or Village Webster	

Sample Number	Sample Type	Length Att. & Recovered (in)	Blow Counts	Depth In Feet	Soil/ Rock Description And Geologic Origin For Each Major Unit	U.S.C.S.	Graphic	Well	PID/ETD	Soil Properties					ROD/ Comments		
										Compressive Strength	Moisture Content	Liquid Limit	Plasticity Index	P 200			
1		34 in		1	TOPSOIL Topsoil	SW											
				2	SAND Coarse sand with grey clay	SC										0.0 ppm	
				3	CLAY Dark brown clay with fine sand mottles											0.0 ppm	
				4	CLAY Grey clay with fine sand mottles	0.0 ppm											
2		58 in		5	SAND Brown sand (F-M)	SW											
				6	CLAY Grey clay with mottles	SC											0.0 ppm
				7	CLAY Black/grey clay with mottles												0.0 ppm
				8	CLAY Black/grey clay with mottles	0.0 ppm											
3		22 in		10	SAND Brown dry sand (F-M)	SW											
				11	EOB EOB @ 12' BLS	0.0 ppm											
				12													
				13													
				14													
				15													

I hereby certify that the information on this form is true and the correct to the best of my knowledge

Signature 	Firm REI Engineering, Inc. 4080 North 20th Avenue, Wausau, WI
---------------	---


This form is authorized by Chapters 281, 283, 289, 292, 293, 295, and 299, Wis. Stats. Completion of this form is mandatory. Failure to file this form may result in forfeiture of between \$10 and \$25,000, or imprisonment for up to one year, depending on the program and conduct involved. Personally identifiable information on this form is not intended to be used for any other purpose. NOTE: See instructions for more information, including where the completed form should be sent.

Route To: Watershed/Wastewater Waste Management
Remediation/Redevelopment Other

Facility/Project Name Hoffman Corners		License/Permit/Monitoring Number 03-07-000115		Boring Number GP25	
Boring Drilled By: Name of crew chief (first, last) and Firm Gestra (Mitch Panfil)			Date Drilling Started 5/1/18	Date Drilling Completed 5/1/18	Drilling Method Geoprobe
WI Unique Well No.	DNR Well ID No.	Common Well Name	Final Static Water Level	Surface Elevation 0	Borehole Diameter 2.07 in. '25
Local Grid Origin <input type="checkbox"/> (estimated) <input type="checkbox"/> or Boring Location <input checked="" type="checkbox"/>			Lat	Local Grid Location N <input type="checkbox"/> E <input type="checkbox"/> S <input type="checkbox"/> W <input type="checkbox"/>	
Facility ID 6958		County Burnett	County Code 07	Civil Town/City/or Village Webster	

Sample Number	Sample Type	Length Att. & Recovered (in)	Blow Counts	Depth In Feet	Soil/ Rock Description And Geologic Origin For Each Major Unit	U.S.C.S.	Graphic	Well	PID/FID	Soil Properties					RQD/ Comments	
										Compressive Strength	Moisture Content	Liquid Limit	Plasticity Index	P 200		
1		48 in		1	TOPSOIL Topsoil											
				2	ORGANIC MATTER Dark organic matter with sand and glass	PT			0.0 ppm							
				3	CRUSHED GRANITE Crushed granite	SW										
				4	SAND Grey sand (F-M)											
				5	CLAY Grey clay with fine sand mottles	SC			8.7 ppm							
2		40 in		6	SAND Brown sand (F-M)											
				7												
				8												
				9												
3		24 in		11	SAND Dark grey sand (F-M)											
				12	EOB EOB @ 12' Bl.S											

I hereby certify that the information on this form is true and the correct to the best of my knowledge

Signature 	Firm REI Engineering, Inc. 4080 North 20th Avenue, Wausau, WI
--	---

This form is authorized by Chapters 281,283,289,292,293,295, and 299, Wis. Stats. Completion of this form is mandatory. Failure to file this form may result in forfeiture of between \$10 and \$25,000, or imprisonment for up to one year, depending on the program and conduct involved. Personally identifiable information on this form is not intended to be used for any other purpose. NOTE: See Instructions for more information, including where the completed form should be sent.

Route To: Watershed/Wastewater Waste Management
 Remediation/Redevelopment Other

Facility/Project Name Hoffman Corners			License/Permit/Monitoring Number 03-07-000115			Boring Number GP26		
Boring Drilled By: Name of crew chief (first, last) and Firm Gestra (Mitch Panfil)				Date Drilling Started 5/1/18		Date Drilling Completed 5/1/18		Drilling Method Geoprobe
WI Unique Well No.		DNR Well ID No.		Common Well Name		Final Static Water Level		Surface Elevation 0
								Borehole Diameter 2.07 in.
Local Grid Origin <input type="checkbox"/> (estimated) <input type="checkbox"/> or Boring Location <input checked="" type="checkbox"/>				Lat		Local Grid Location		
State Plane				Long		N <input type="checkbox"/> E <input type="checkbox"/> S <input type="checkbox"/> W <input type="checkbox"/>		
Facility ID 6958			County Burnett		County Code 07		Civil Town/City/or Village Webster	

Sample		Blow Counts	Depth In Feet	Soil/ Rock Description And Geologic Origin For Each Major Unit	U.S.C.S.	Graphic	Well	PID/FID	Soil Properties					ROD/ Comments
Number	Type								Length Att. & Recovered (in)	Compressive Strength	Moisture Content	Liquid Limit	Plasticity Index	
1		40 in	1	TOPSOIL Topsoil										
			2	SAND Brown sand (F-M)	SW		0.0 ppm							
			3	CLAY Grey/brown clay with fine sand mottles	SC		1.5 ppm							
			4											
2		56 in	5	SAND Brown sand (F-M)										
			6				0.0 ppm							
			7						Moist					
			8				0.0 ppm							
3		24 in	9											
			10											
			11	SAND Brown/grey sand (F-M)				0.0 ppm			Moist			
			12	EOB EOB @ 12' BLS										
			13											
			14											
			15											

I hereby certify that the information on this form is true and the correct to the best of my knowledge

Signature	Firm REI Engineering, Inc. 4080 North 20th Avenue, Wausau, WI
-----------	---

This form is authorized by Chapters 281,283,289,292,293,295, and 299, Wis. Stats. Completion of this form is mandatory. Failure to file this form may result in forfeiture of between \$10 and \$25,000, or imprisonment for up to one year, depending on the program and conduct involved. Personally identifiable information on this form is not intended to be used for any other purpose. NOTE: See instructions for more information, including where the completed form should be sent.

Route To: Watershed/Wastewater Waste Management
Remediation/Redevelopment Other

Facility/Project Name Hoffman Corners		License/Permit/Monitoring Number 03-07-000115		Boring Number GP27	
Boring Drilled By: Name of crew chief (first, last) and Firm Gestra (Mitch Panfil)			Date Drilling Started 5/1/18	Date Drilling Completed 5/1/18	Drilling Method Geoprobe
WI Unique Well No.	DNR Well ID No.	Common Well Name	Final Static Water Level	Surface Elevation 0	Borehole Diameter 2.07 in. '27
Local Grid Origin <input type="checkbox"/> (estimated) <input type="checkbox"/> or Boring Location <input checked="" type="checkbox"/>			Lat	Local Grid Location N <input type="checkbox"/> E <input type="checkbox"/> S <input type="checkbox"/> W <input type="checkbox"/>	
Facility ID 6958		County Burnett	County Code 07	Civil Town/City/or Village Webster	

Sample Number	Sample Type	Length Att. & Recovered (in)	Blow Counts	Depth In Feet	Soil/ Rock Description And Geologic Origin For Each Major Unit	U.S.C.S.	Graphic	Well	PID/FID	Soil Properties					ROD/ Comments
										Compressive Strength	Moisture Content	Liquid Limit	Plasticity Index	P 200	
1		44 in		1	TOPSOIL Topsoil										
				2	SAND Brown sand (F-M)	SW		0.0 ppm							
				3	CLAY Brown to grey clay with fine sand mottles	SC		0.0 ppm							
2		46 in		6											
				7	SAND Brown sand (F-M)			0.0 ppm							
				9		SW		0.0 ppm							
3		22 in		10											
				11				0.0 ppm	Moist						
				12	EOB EOB @ 12' BLS										

I hereby certify that the information on this form is true and the correct to the best of my knowledge

Signature 	Firm REI Engineering, Inc. 4080 North 20th Avenue, Wausau, WI
--	---

This form is authorized by Chapters 281,283,289,292,293,295, and 299, Wis. Stats. Completion of this form is mandatory. Failure to file this form may result in forfeiture of between \$10 and \$25,000, or imprisonment for up to one year, depending on the program and conduct involved. Personally identifiable information on this form is not intended to be used for any other purpose. NOTE: See instructions for more information, including where the completed form should be sent.

Route To: Watershed/Wastewater Waste Management
Remediation/Redevelopment Other

Facility/Project Name Hoffman Corners		License/Permit/Monitoring Number 03-07-000115		Boring Number GP28	
Boring Drilled By: Name of crew chief (first, last) and Firm Gestra (Mitch Panfil)			Date Drilling Started 5/1/18	Date Drilling Completed 5/1/18	Drilling Method Geoprobe
WI Unique Well No.	DNR Well ID No.	Common Well Name	Final Static Water Level	Surface Elevation 0	Borehole Diameter 2.07 in.
Local Grid Origin <input type="checkbox"/> (estimated) <input type="checkbox"/> or Boring Location <input checked="" type="checkbox"/> State Plane			Lat	Local Grid Location N <input type="checkbox"/> E <input type="checkbox"/> S <input type="checkbox"/> W <input type="checkbox"/>	
Facility ID 6958		County Burnett	County Code 07	Civil Town/City/or Village Webster	

Sample Number	Sample Type	Length Att. & Recovered (in)	Blow Counts	Depth In Feet	Soil/ Rock Description And Geologic Origin For Each Major Unit	U.S.C.S.	Graphic	Well	PID/FID	Soil Properties					RQD/ Comments								
										Compressive Strength	Moisture Content	Liquid Limit	Plasticity Index	P 200									
1		36 in		1	TOPSOIL Topsoil	SW																	
				2	SAND Brown sand (F-M)											SC							
				3	CLAY Grey clay with fine sand mottles																		
2		46 in		4		SW																	
				5	SAND Brown sand (F-M)											SC							
				6	CLAY Brown/grey clay with mottles																		SW
				7												SW							
8	SAND Dark brown sand (F-M)	SW																					
3										22 in		9		SW									
		10		SW																			
11		SW																					
12				SW																			
13		SW																					
14				SW																			
15		SW																					

I hereby certify that the information on this form is true and the correct to the best of my knowledge

Signature	Firm REI Engineering, Inc. 4080 North 20th Avenue, Wausau, WI
-----------	--

This form is authorized by Chapters 281,283,289,292,293,295, and 299, Wis. Stats. Completion of this form is mandatory. Failure to file this form may result in forfeiture of between \$10 and \$25,000, or imprisonment for up to one year, depending on the program and conduct involved. Personally identifiable information on this form is not intended to be used for any other purpose. NOTE: See instructions for more information, including where the completed form should be sent.

Route To: Watershed/Wastewater Waste Management
Remediation/Redevelopment Other

Facility/Project Name Hoffman Corners		License/Permit/Monitoring Number 03-07-000115		Boring Number GP29	
Boring Drilled By: Name of crew chief (first, last) and Firm Gesra (Mitch Panfil)			Date Drilling Started 5/1/18	Date Drilling Completed 5/1/18	Drilling Method Geoprobe
WI Unique Well No.	DNR Well ID No.	Common Well Name	Final Static Water Level	Surface Elevation 0	Borehole Diameter 2.07 in.
Local Grid Origin <input type="checkbox"/> (estimated) <input type="checkbox"/> or Boring Location <input checked="" type="checkbox"/>			Lat	Local Grid Location N <input type="checkbox"/> E <input type="checkbox"/> S <input type="checkbox"/> W <input type="checkbox"/>	
Facility ID 6958		County Burnett	County Code 07	Civil Town/City/or Village Webster	

Sample Number	Type	Length Att. & Recovered (ft)	Blow Counts	Depth In Feet	Soil/ Rock Description And Geologic Origin For Each Major Unit	U.S.C.S.	Graphic	Well	PID/FID	Soil Properties					ROD/ Comments
										Compressive Strength	Moisture Content	Liquid Limit	Plasticity Index	P 200	
1		30 in		1	GRAVEL Crushed rock/topsoil	SW			0.0 ppm						
				2	SAND Brown sand (F-M)	SC									0.0 ppm
				3	CLAY Dark brown clay with fine sand mottles										
2		50 in		4	CLAY Grey clay with fine sand	SW			0.0 ppm						
				6	SAND Brown sand (F-M)										
3		24 in		7					0.0 ppm						
				11											
				12	EOB EOB @ 12' BLS										

I hereby certify that the information on this form is true and the correct to the best of my knowledge

Signature	Firm REI Engineering, Inc. 4080 North 20th Avenue, Wausau, WI
-----------	--


This form is authorized by Chapters 281,283,289,292,293,295, and 299, Wis. Stats. Completion of this form is mandatory. Failure to file this form may result in forfeiture of between \$10 and \$25,000, or imprisonment for up to one year, depending on the program and conduct involved. Personally identifiable information on this form is not intended to be used for any other purpose. NOTE: See instructions for more information, including where the completed form should be sent.

Route To: Watershed/Wastewater Waste Management
 Remediation/Redevelopment Other

Facility/Project Name Hoffman Corners		License/Permit/Monitoring Number 03-07-000115		Boring Number GP30	
Boring Drilled By: Name of crew chief (first, last) and Firm Gestra (Mitch Panfil)			Date Drilling Started 5/1/18	Date Drilling Completed 5/1/18	Drilling Method Geoprobe
WI Unique Well No.	DNR Well ID No.	Common Well Name	Final Static Water Level	Surface Elevation 0	Borehole Diameter 2.07 in.
Local Grid Origin <input type="checkbox"/> (estimated) <input type="checkbox"/> or Boring Location <input checked="" type="checkbox"/> State Plane			Lat	Local Grid Location N <input type="checkbox"/> E <input type="checkbox"/> S <input type="checkbox"/> W <input type="checkbox"/>	
Facility ID 6958		County Burnett	County Code 07	Civil Town/City/or Village Webster	

Sample Number	Type	Length Att. & Recovered (in)	Blow Counts	Depth In Feet	Soil/ Rock Description And Geologic Origin For Each Major Unit	U.S.C.S.	Graphic	Well	PID/FID	Soil Properties					RQD/ Comments
										Compressive Strength	Moisture Content	Liquid Limit	Plasticity Index	P 200	
1		38 in		0	TOPSOIL Topsoil										
				1	CLAY Dark clay with mottles	SC		7.6 ppm							
				2											
2		48 in		3	SAND Dark black sand (F-M) -Petro Odor	SW			39.4 ppm						
				4											
				5	CLAY Brown/grey clay with mottles	SC									
3		20 in		6	SAND Brown sand (F-M)				140 ppm						
				7											
				8	SAND Grey sand (F-M) -Petro Odor					596 ppm					
				9	SAND Brown sand (F-M)	SW									
				10											
				11					24.4 ppm						
				12	EOB EOB @ 12' BLS										
				13											
				14											
				15											

I hereby certify that the information on this form is true and the correct to the best of my knowledge

Signature 	Firm REI Engineering, Inc. 4080 North 20th Avenue, Wausau, WI
--	---

This form is authorized by Chapters 281,283,289,292,293,295, and 299, Wis. Stats. Completion of this form is mandatory. Failure to file this form may result in forfeiture of between \$10 and \$25,000, or imprisonment for up to one year, depending on the program and conduct involved. Personally identifiable information on this form is not intended to be used for any other purpose. NOTE: See instructions for more information, including where the completed form should be sent.

Route To: Watershed/Wastewater Waste Management
Remediation/Redevelopment Other

Facility/Project Name Hoffman Corners		License/Permit/Monitoring Number 03-07-000115		Boring Number GP31	
Boring Drilled By: Name of crew chief (first, last) and Firm Gestra (Mitch Panfil)			Date Drilling Started 5/1/18	Date Drilling Completed 5/1/18	Drilling Method Geoprobe
WI Unique Well No.	DNR Well ID No.	Common Well Name	Final Static Water Level	Surface Elevation 0	Borehole Diameter 2.07 in.
Local Grid Origin <input type="checkbox"/> (estimated) <input type="checkbox"/> or Boring Location <input checked="" type="checkbox"/>			Lat	Local Grid Location N <input type="checkbox"/> E <input type="checkbox"/> S <input type="checkbox"/> W <input type="checkbox"/>	
State Plane		Long			
Facility ID 6958		County Burnett	County Code 07	Civil Town/City/or Village Webster	

Sample Number	Type	Length Att. & Recovered (in)	Blow Counts	Depth In Feet	Soil/ Rock Description And Geologic Origin For Each Major Unit	U.S.C.S.	Graphic	Well	PID/FID	Soil Properties					ROD/ Comments
										Compressive Strength	Moisture Content	Liquid Limit	Plasticity Index	P 200	
1		38 in		1	TOPSOIL Topsoil	SC			149 ppm						
				2	WOOD FILL Layer of dark wood fill material										
				3	CLAY Grey clay with mottles										
2		48 in		4	CLAY Brown/grey clay with fine sand mottles	SW			481 ppm						
				5											
				6	SAND Brown sand (F-M)										
3		24 in		7		SW			708 ppm						
				8											
				9											
4		26 in		10		SW			323 ppm						
				11											
				12	SAND Brown sand (F-M) with depositional layers										
				13					508 ppm						
				14											
				15	SAND Brown sand (F-M) with depositional layers										
				16	EOB EOB @ 15' BLS										
				17											

I hereby certify that the information on this form is true and the correct to the best of my knowledge

Signature 	Firm REI Engineering, Inc. 4080 North 20th Avenue, Wausau, WI
---------------	---

This form is authorized by Chapters 281,283,289,292,293,295, and 299, Wis. Stats. Completion of this form is mandatory. Failure to file this form may result in forfeiture of between \$10 and \$25,000, or imprisonment for up to one year, depending on the program and conduct involved. Personally identifiable information on this form is not intended to be used for any other purpose. NOTE: See instructions for more information, including where the completed form should be sent.

Route To: Watershed/Wastewater Waste Management
Remediation/Redevelopment Other

Facility/Project Name Hoffman Corners		License/Permit/Monitoring Number 03-07-000115		Boring Number GP32	
Boring Drilled By: Name of crew chief (first, last) and Firm Gestra (Mitch Panfil)			Date Drilling Started 5/1/18	Date Drilling Completed 5/1/18	Drilling Method Geoprobe
WI Unique Well No.	DNR Well ID No.	Common Well Name	Final Static Water Level	Surface Elevation 0	Borehole Diameter 2.07 in. '32
Local Grid Origin <input type="checkbox"/> (estimated) <input type="checkbox"/> or Boring Location <input checked="" type="checkbox"/>			Lat	Local Grid Location N <input type="checkbox"/> E <input type="checkbox"/> S <input type="checkbox"/> W <input type="checkbox"/>	
Facility ID 6958		County Burnett	County Code 07	Civil Town/City/or Village Webster	

Sample Number	Sample Type	Length Att. & Recovered (in)	Blow Counts	Depth In Feet	Soil/ Rock Description And Geologic Origin For Each Major Unit	U.S.C.S.	Graphic	Well	PID/FID	Soil Properties					RQD/ Comments
										Compressive Strength	Moisture Content	Liquid Limit	Plasticity Index	P 200	
1		48 in		1	TOPSOIL Topsoil with gravel	SC			6.2 ppm						
				2	ORGANIC MATTER Layer of organic soil with sand										
				3	CLAY Dark grey clay with mottles										
				4	CLAY Light grey clay										
2		40 in		5	SAND Brown sand (F-M)	SW			38.0 ppm						
				6											
				7											
3		20 in		8					87.9 ppm						
				9											
				10					1.5 ppm						
				11					0.0 ppm						
				12	EOB EOB @ 12' BLS										
				13											
				14											
				15											

I hereby certify that the information on this form is true and the correct to the best of my knowledge

Signature 	Firm REI Engineering, Inc. 4080 North 20th Avenue, Wausau, WI
---------------	---

This form is authorized by Chapters 281,283,289,292,293,295, and 299, Wis. Stats. Completion of this form is mandatory. Failure to file this form may result in forfeiture of between \$10 and \$25,000, or imprisonment for up to one year, depending on the program and conduct involved. Personally identifiable information on this form is not intended to be used for any other purpose. NOTE: See instructions for more information, including where the completed form should be sent.

Route To: Watershed/Wastewater Waste Management
Remediation/Redevelopment Other

Facility/Project Name Hoffman Corners		License/Permit/Monitoring Number 03-07-000115		Boring Number GP33	
Boring Drilled By: Name of crew chief (first, last) and Firm Gestra (Mitch Panfil)			Date Drilling Started 5/2/18	Date Drilling Completed 5/2/18	Drilling Method Geoprobe
WI Unique Well No.	DNR Well ID No.	Common Well Name	Final Static Water Level	Surface Elevation 0	Borehole Diameter 2.07 in.
Local Grid Origin <input type="checkbox"/> (estimated) <input type="checkbox"/> or Boring Location <input checked="" type="checkbox"/> State Plane			Lat Long	Local Grid Location N <input type="checkbox"/> E <input type="checkbox"/> S <input type="checkbox"/> W <input type="checkbox"/>	
Facility ID 6958		County Burnett	County Code 07	Civil Town/City/or Village Webster	

Sample Number	Type	Length Att. & Recovered (in)	Blow Counts	Depth In Feet	Soil/ Rock Description And Geologic Origin For Each Major Unit	U.S.C.S.	Graphic	Well	PID/FTD	Soil Properties					ROD/ Comments
										Compressive Strength	Moisture Content	Liquid Limit	Plasticity Index	P 200	
1		34 in		1	TOPSOIL Topsoil with gravel	SW			0.0 ppm						
				2	SAND Brown sand (F-M)										
				3	CLAY Layer of black clay										
				4	CLAY Grey clay with fine sand mottles										
2		42 in		5	CLAY Grey/brown clay with fine sand	SC			0.0 ppm						
				6											
				7	SAND Brown sand (F-M)										
3		20 in		8		SW			0.0 ppm						
				9											
				10					0.0 ppm						
				11					0.0 ppm						
				12	EOB EOB @ 12' BLS				0.0 ppm						
				13											
				14											
				15											

I hereby certify that the information on this form is true and the correct to the best of my knowledge

Signature Firm REI Engineering, Inc.
4080 North 20th Avenue, Wausau, WI


This form is authorized by Chapters 281, 283, 289, 292, 293, 295, and 299, Wis. Stats. Completion of this form is mandatory. Failure to file this form may result in forfeiture of between \$10 and \$25,000, or imprisonment for up to one year, depending on the program and conduct involved. Personally identifiable information on this form is not intended to be used for any other purpose. NOTE: See instructions for more information, including where the completed form should be sent.

Route To: Watershed/Wastewater Waste Management
 Remediation/Redevelopment Other

Facility/Project Name Hoffman Corners		License/Permit/Monitoring Number 03-07-000115		Boring Number GP34	
Boring Drilled By: Name of crew chief (first, last) and Firm Gestra (Mitch Panfil)			Date Drilling Started 5/2/18	Date Drilling Completed 5/2/18	Drilling Method Geoprobe
WI Unique Well No.	DNR Well ID No.	Common Well Name	Final Static Water Level	Surface Elevation 0	Borehole Diameter 2.07 in.
Local Grid Origin <input type="checkbox"/> (estimated) <input type="checkbox"/> or Boring Location <input checked="" type="checkbox"/> State Plane			Lat Long	Local Grid Location N <input type="checkbox"/> E <input type="checkbox"/> S <input type="checkbox"/> W <input type="checkbox"/>	
Facility ID 6958		County Burnett	County Code 07	Civil Town/City/or Village Webster	

Sample Number	Sample Type	Length Att. & Recovered (in)	Blow Counts	Depth In Feet	Soil/ Rock Description And Geologic Origin For Each Major Unit	U.S.C.S.	Graphic	Well	PID/FID	Soil Properties					RQD/ Comments
										Compressive Strength	Moisture Content	Liquid Limit	Plasticity Index	P 200	
1		50 in		1	TOPSOIL Topsoil with gravel	SC			0.0 ppm						
				2	GRAVEL Gravel/clay mixture										
				3	CLAY Grey clay with fine sand										
				4	SAND Brown sand (F-M)										
2		43 in		5		SW			0.0 ppm						
				6											
				7											
				8											
3		18 in		9					0.0 ppm						
				10											
				11											
				12	EOB EOB @ 12' BLS										
				13											
				14											
				15											

I hereby certify that the information on this form is true and the correct to the best of my knowledge

Signature  Firm REI Engineering, Inc.
4080 North 20th Avenue, Wausau, WI


This form is authorized by Chapters 281,283,289,292,293,295, and 299, Wis. Stats. Completion of this form is mandatory. Failure to file this form may result in forfeiture of between \$10 and \$25,000, or imprisonment for up to one year, depending on the program and conduct involved. Personally identifiable information on this form is not intended to be used for any other purpose. NOTE: See instructions for more information, including where the completed form should be sent.

Route To: Watershed/Wastewater Waste Management
Remediation/Redevelopment Other

Facility/Project Name Hoffman Corners		License/Permit/Monitoring Number 03-07-000115		Boring Number GP35	
Boring Drilled By: Name of crew chief (first, last) and Firm Gestra (Mitch Panfil)			Date Drilling Started 5/2/18	Date Drilling Completed 5/2/18	Drilling Method Geoprobe
WI Unique Well No.	DNR Well ID No.	Common Well Name	Final Static Water Level	Surface Elevation 0	Borehole Diameter 2.07 in.
Local Grid Origin <input type="checkbox"/> (estimated) <input type="checkbox"/> or Boring Location <input checked="" type="checkbox"/>			Lat	Local Grid Location N <input type="checkbox"/> E <input type="checkbox"/> S <input type="checkbox"/> W <input type="checkbox"/>	
Facility ID 6958		County Burnett	County Code 07	Civil Town/City/or Village Webster	

Sample Number	Sample Type	Length Att. & Recovered (in)	Blow Counts	Depth In Feet	Soil/ Rock Description And Geologic Origin For Each Major Unit	U.S.C.S.	Graphic	Well	PID/FID	Soil Properties					ROD/ Comments
										Compressive Strength	Moisture Content	Liquid Limit	Plasticity Index	P 200	
1		40 in		1	GRAVEL FILL Gravel/topsoil										
				2	SAND Brown sand (F-M)	SW		0.0 ppm							
				3	SAND Brown sand (F-M) with grey clay										
				4	CLAY Grey clay with fine sand mottles	SC		0.0 ppm							
2		42 in		5	SAND Brown sand (F-M)										
				6				0.0 ppm							
				7											
				8											
3		18 in		9		SW									
				10				0.0 ppm							
				11											
				12	EOB EOB @ 12' BLS										
				13											
				14											
				15											

I hereby certify that the information on this form is true and the correct to the best of my knowledge

Signature 	Firm REI Engineering, Inc. 4080 North 20th Avenue, Wausau, WI
--	---

This form is authorized by Chapters 281, 283, 289, 292, 293, 295, and 299, Wis. Stats. Completion of this form is mandatory. Failure to file this form may result in forfeiture of between \$10 and \$25,000, or imprisonment for up to one year, depending on the program and conduct involved. Personally identifiable information on this form is not intended to be used for any other purpose. NOTE: See instructions for more information, including where the completed form should be sent.

Route To: Watershed/Wastewater Waste Management
Remediation/Redevelopment Other

Facility/Project Name Hoffman Corners		License/Permit/Monitoring Number 03-07-000115		Boring Number GP36	
Boring Drilled By: Name of crew chief (first, last) and Firm Gestra (Mitch Panfil)			Date Drilling Started 5/2/18	Date Drilling Completed 5/2/18	Drilling Method Geoprobe
WI Unique Well No.	DNR Well ID No.	Common Well Name	Final Static Water Level	Surface Elevation 0	Borehole Diameter 2.07 in.
Local Grid Origin <input type="checkbox"/> (estimated) <input type="checkbox"/> or Boring Location <input checked="" type="checkbox"/>			Lat	Local Grid Location N <input type="checkbox"/> E <input type="checkbox"/> S <input type="checkbox"/> W <input type="checkbox"/>	
Facility ID 6958		County Burnett	County Code 07	Civil Town/City/or Village Webster	

Sample Number	Sample Type	Length Att. & Recovered (in)	Blow Counts	Depth In Feet	Soil/ Rock Description And Geologic Origin For Each Major Unit	U.S.C.S.	Graphic	Well	PID/FID	Soil Properties					ROD/ Comments
										Compressive Strength	Moisture Content	Liquid Limit	Plasticity Index	P 200	
1		44 in		1	ASPHALT Asphalt				0.0 ppm						
				2	GRAVEL Gravel fill										
				3	SAND Light brown sand	SW									
				4	CLAY Grey clay with mottles	SC									
2		48 in		5	SAND Light brown sand				0.0 ppm						
				6				0.0 ppm							
				7				0.0 ppm							
				8				0.0 ppm							
3		18 in		9					0.0 ppm						
				10				0.0 ppm							
				11					0.0 ppm						
				12	EOB EOB @ 12' BLS										
				13											
				14											
				15											

I hereby certify that the information on this form is true and the correct to the best of my knowledge

Signature	Firm REI Engineering, Inc. 4080 North 20th Avenue, Wausau, WI
-----------	--


This form is authorized by Chapters 281,283,289,292,293,295, and 299, Wis. Stats. Completion of this form is mandatory. Failure to file this form may result in forfeiture of between \$10 and \$25,000, or imprisonment for up to one year, depending on the program and conduct involved. Personally identifiable information on this form is not intended to be used for any other purpose. NOTE: See instructions for more information, including where the completed form should be sent.

Route To: Watershed/Wastewater Waste Management
Remediation/Redevelopment Other

Facility/Project Name Hoffman Corners		License/Permit/Monitoring Number 03-07-000115		Boring Number GP37	
Boring Drilled By: Name of crew chief (first, last) and Firm Gestra (Mitch Panfil)			Date Drilling Started 5/2/18	Date Drilling Completed 5/2/18	Drilling Method Geoprobe
WI Unique Well No.	DNR Well ID No.	Common Well Name	Final Static Water Level	Surface Elevation 0	Borehole Diameter 2.07 in.
Local Grid Origin <input type="checkbox"/> (estimated) <input type="checkbox"/> or Boring Location <input checked="" type="checkbox"/>			Lat Long	Local Grid Location N <input type="checkbox"/> E <input type="checkbox"/> S <input type="checkbox"/> W <input type="checkbox"/>	
Facility ID 6958		County Burnett	County Code 07	Civil Town/City/or Village Webster	

Sample Number	Sample Type	Length Att. & Recovered (in)	Blow Counts	Depth In Feet	Soil/ Rock Description And Geologic Origin For Each Major Unit	U.S.C.S.	Graphic	Well	PID/FID	Soil Properties					ROD/ Comments
										Compressive Strength	Moisture Content	Liquid Limit	Plasticity Index	P 200	
1		36 in		1	ASPHALT Asphalt										
				2	SAND Dark brown sand (F-M)	SW		0.0 ppm							
				3	CLAY Grey/brown tight clay										
2		42 in		4		SC				0.0 ppm					
				5	SAND Brown sand (F-M)										
				6											
3		16 in		7						0.0 ppm					
				8											
				9											
				10						0.0 ppm					
				11											
				12	EOB EOB @ 12' BLS										
				13											
				14											
				15											

I hereby certify that the information on this form is true and the correct to the best of my knowledge

Signature 	Firm REI Engineering, Inc. 4080 North 20th Avenue, Wausau, WI
---	--

This form is authorized by Chapters 281,283,289,292,293,295, and 299, Wis. Stats. Completion of this form is mandatory. Failure to file this form may result in forfeiture of between \$10 and \$25,000, or imprisonment for up to one year, depending on the program and conduct involved. Personally identifiable information on this form is not intended to be used for any other purpose. NOTE: See instructions for more information, including where the completed form should be sent.