



June 28, 2023

STEVEN AND MARY BENASZESKI
N11947 COUNTY ROAD L
TOMAHAWK, WI 54487

SUBJECT: Notification of Drinking Water Sample Results at 1800 US Highway 8 East, Monico, Wisconsin
Unique Well ID # unknown
Four Seasons Bar, 1800 US Highway 8 East, Monico, Wisconsin
BRRTS #: 03-44-000144, FID #: 744134160

Dear Mr. and Mrs. Benaszski:

Private well sampling results were recently located by the Department of Natural Resources (DNR) Drinking and Groundwater (DG) Program for sampling previously conducted on your well by former DNR DG staff on November 5, 1996, and May 2, 2001. Sampling was performed to determine if contamination at the above referenced site impacted the drinking water well. This well was replaced by you on August 19, 2011. The unique well number for the replacement well is WS522. Please provide abandonment information for the abandoned well and the location of the replacement well.

SUMMARY OF RESULTS

The sample(s) collected from your well were analyzed for Volatile Organic Compounds (VOCs). Enclosed are copies of the sample results. No hazardous substances were detected above the Wisconsin Administrative (Wis. Admin.) Code ch. NR140 Groundwater Quality preventative action limits or enforcement standards, however, there were detects of various VOCs. Please be advised, Wis. Admin. Code ch. NR 716 requires that notification be provided to the owner of any potable well and the occupant(s) of any location served by that well of sampling results within 10 days of receipt of the results.

Resampling your well is recommended because the last sampling results are from May 2, 2001. As of this date, no site investigation of the contamination resulting from the discharge of hazardous substances from the former underground storage tank has been completed per Wis. Admin. Code ch. NR 716. Therefore, the degree and extent of contamination is not defined, and it is unknown if contamination poses a threat to the private well.

As owner of this property, you have certain legal responsibilities, as outlined in Wisconsin Statutes (Wis. Stats.) §292.11(3), also known as the hazardous substances spills law. Wis Stats. §292.11(3) states:

- *RESPONSIBILITY. A person who possesses or controls a hazardous substance which is discharged or who causes the discharge of a hazardous substance shall take the actions necessary to restore the environment to the extent practicable and minimize the harmful effects from the discharge to the air, lands, or waters of the State.*

Within (30) days of this date submit in writing to me at the above address: well abandonment information, new well location, and your plans to re-sample the private well and move forward with an investigation. If no action is taken by you the DNR may follow up with enforcement actions.

Please contact me at (715) 360-1966, email: Carrie.Stoltz@Wisconsin.gov, if you have any questions or would like to discuss this in greater detail. Thank you for your cooperation in this matter.

Sincerely,



Carrie Stoltz
Hydrogeologist
Remediation & Redevelopment Program

Attachments:

- November 5, 1996, lab results
- May 2, 2001, lab results



CERTIFIED MAIL/RETURN RECEIPT REQUESTED

June 28, 2023

STEVEN AND MARY BENASZESKI
N11947 COUNTY ROAD L
TOMAHAWK, WI 54487

SUBJECT: Notification of Drinking Water Sample Results at 1800 US Highway 8 East, Monico, Wisconsin
Unique Well ID # unknown
Four Seasons Bar, 1800 US Highway 8 East, Monico, Wisconsin
BRRTS #: 03-44-000144, FID #: 744134160

Dear Mr. and Mrs. Benaszkeski:

Private well sampling results were recently located by the Department of Natural Resources (DNR) Drinking and Groundwater (DG) Program for sampling previously conducted on your well by former DNR DG staff on November 5, 1996, and May 2, 2001. Sampling was performed to determine if contamination at the above referenced site impacted the drinking water well. This well was replaced by you on August 19, 2011. The unique well number for the replacement well is WS522. Please provide abandonment information for the abandoned well and the location of the replacement well.

SUMMARY OF RESULTS

The sample(s) collected from your well were analyzed for Volatile Organic Compounds (VOCs). Enclosed are copies of the sample results. No hazardous substances were detected above the Wisconsin Administrative (Wis. Admin.) Code ch. NR140 Groundwater Quality preventative action limits or enforcement standards, however, there were detects of various VOCs. Please be advised, Wis. Admin. Code ch. NR 716 requires that notification be provided to the owner of any potable well and the occupant(s) of any location served by that well of sampling results within 10 days of receipt of the results.

Resampling your well is recommended because the last sampling results are from May 2, 2001. As of this date, no site investigation of the contamination resulting from the discharge of hazardous substances from the former underground storage tank has been completed per Wis. Admin. Code ch. NR 716. Therefore, the degree and extent of contamination is not defined, and it is unknown if contamination poses a threat to the private well.

As owner of this property, you have certain legal responsibilities, as outlined in Wisconsin Statutes (Wis. Stats.) §292.11(3), also known as the hazardous substances spills law. Wis Stats. §292.11(3) states:

- *RESPONSIBILITY. A person who possesses or controls a hazardous substance which is discharged or who causes the discharge of a hazardous substance shall take the actions necessary to restore the environment to the extent practicable and minimize the harmful effects from the discharge to the air, lands, or waters of the State.*

Within (30) days of this date submit in writing to me at the above address: well abandonment information, new well location, and your plans to re-sample the private well and move forward with an investigation. If no action is taken by you the DNR may follow up with enforcement actions.

Please contact me at (715) 360-1966, email: Carrie.Stoltz@Wisconsin.gov, if you have any questions or would like to discuss this in greater detail. Thank you for your cooperation in this matter.

Sincerely,



Carrie Stoltz
Hydrogeologist
Remediation & Redevelopment Program

Attachments:

- November 5, 1996, lab results
- May 2, 2001, lab results

Venus Lake Inn - Private Well - Volatile Organic Compound Results - November 5, 1996

| Storet code and description: | STORET_PARAMETER_DESC | Result: | Unit: | LOD: | LOQ: | Qualifier: | RESULT_QUALIFIER_DESC | Method: | Lab ID |
|------------------------------|----------------------------------|---------|-------|------|------|------------|-----------------------------------|---------|--------|
| | 77562 1,1,1,2 TETRACHLOROETHANE | 0 | UG/L | | 0.5 | 1.5 | 2 Non-Detect | | |
| | 34506 1,1,1-TRICHLOROETHANE | 0 | UG/L | | 0.5 | 1.5 | 2 Non-Detect | | |
| | 34516 1,1,2,2 TETRACHLOROETHANE | 0 | UG/L | | 0.5 | 1.5 | 2 Non-Detect | | |
| | 34511 1,1,2-TRICHLOROETHANE | 0 | UG/L | | 0.5 | 1.5 | 2 Non-Detect | | |
| | 34496 1,1-DICHLOROETHANE | 0 | UG/L | | 0.5 | 1.5 | 2 Non-Detect | | |
| | 34501 1,1-DICHLOROETHYLENE | 0 | UG/L | | 0.5 | 1.5 | 2 Non-Detect | | |
| | 77168 1,1-DICHLOROPROPENE | 0 | UG/L | | 0.5 | 1.5 | 2 Non-Detect | | |
| | 77613 1,2,3-TRICHLOROBENZENE | 0 | UG/L | | 0.5 | 1.5 | 2 Non-Detect | | |
| | 77443 1,2,3-TRICHLOROPROPANE | 0 | UG/L | | 0.5 | 1.5 | 2 Non-Detect | | |
| | 34551 1,2,4-TRICHLOROBENZENE | 0 | UG/L | | 0.5 | 1.5 | 2 Non-Detect | | |
| | 77222 1,2,4-TRIMETHYLBENZENE | 2.4 | UG/L | | | | 1 Normal (No problem with sample) | | |
| | 34536 1,2-DICHLOROBENZENE (O-) | 0 | UG/L | | 0.5 | 1.5 | 2 Non-Detect | | |
| | 34531 1,2-DICHLOROETHANE | 2.3 | UG/L | | | | 1 Normal (No problem with sample) | | |
| | 77093 1,2-DICHLOROETHYLENE CIS | 0 | UG/L | | 0.5 | 1.5 | 2 Non-Detect | | |
| | 34546 1,2-DICHLOROETHYLENE, TRA | 0 | UG/L | | 0.5 | 1.5 | 2 Non-Detect | | |
| | 34541 1,2-DICHLOROPROPANE | 0 | UG/L | | 0.5 | 1.5 | 2 Non-Detect | | |
| | 77226 1,3,5-TRIMETHYLBENZENE | 0 | UG/L | | 0.5 | 1.5 | 2 Non-Detect | | |
| | 34566 1,3-DICHLOROBENZENE (M-) | 0 | UG/L | | 0.5 | 1.5 | 2 Non-Detect | | |
| | 77173 1,3-DICHLOROPROPANE | 0 | UG/L | | 0.5 | 1.5 | 2 Non-Detect | | |
| | 34561 1,3-DICHLOROPROPENE | 0 | UG/L | | | | 2 Non-Detect | | |
| | 34704 1,3-DICHLOROPROPENE CIS | 0 | UG/L | | 0.5 | 1.5 | 2 Non-Detect | | |
| | 34699 1,3-DICHLOROPROPENE TRANS | 0 | UG/L | | 0.5 | 1.5 | 2 Non-Detect | | |
| | 34571 1,4-DICHLOROBENZENE (P-) | 0 | UG/L | | 0.5 | 1.5 | 2 Non-Detect | | |
| | 77170 2,2-DICHLOROPROPANE | 0 | UG/L | | 0.5 | 1.5 | 2 Non-Detect | | |
| | 34576 2-CHLOROETHYL VINYL ETHER | 0 | UG/L | | 5 | 15 | 2 Non-Detect | | |
| | 77103 2-HEXANONE | 0 | UG/L | | 5 | 15 | 2 Non-Detect | | |
| | 81552 ACETONE | 0 | UG/L | | 5 | 15 | 2 Non-Detect | | |
| | 78109 ALLYL CHLORIDE | 0 | UG/L | | 5 | 15 | 2 Non-Detect | | |
| | 34030 BENZENE | 3 | UG/L | | | | 1 Normal (No problem with sample) | | |
| | 81555 BROMOBENZENE | 0 | UG/L | | 0.5 | 1.5 | 2 Non-Detect | | |
| | 77297 BROMOCHLOROMETHANE | 0 | UG/L | | 0.5 | 1.5 | 2 Non-Detect | | |
| | 32101 BROMODICHLOROMETHANE | 0 | UG/L | | 0.5 | 1.5 | 2 Non-Detect | | |
| | 32104 BROMOFORM | 0 | UG/L | | 0.5 | 1.5 | 2 Non-Detect | | |
| | 34413 BROMOMETHANE | 0 | UG/L | | 0.5 | 1.5 | 2 Non-Detect | | |
| | 77350 BUTYLBENZENE SEC | 0 | UG/L | | 0.5 | 1.5 | 2 Non-Detect | | |
| | 77353 BUTYLBENZENE TERT | 0 | UG/L | | 0.5 | 1.5 | 2 Non-Detect | | |
| | 77041 CARBON DISULFIDE | 0 | UG/L | | 5 | 15 | 2 Non-Detect | | |
| | 32102 CARBON TETRACHLORIDE | 0 | UG/L | | 0.5 | 1.5 | 2 Non-Detect | | |
| | 34301 CHLOROBENZENE | 0 | UG/L | | 0.5 | 1.5 | 2 Non-Detect | | |
| | 34311 CHLOROETHANE | 0 | UG/L | | 0.5 | 1.5 | 2 Non-Detect | | |
| | 32106 CHLOROFORM | 0 | UG/L | | 0.5 | 1.5 | 2 Non-Detect | | |
| | 32105 DIBROMOCHLOROMETHANE | 0 | UG/L | | 0.5 | 1.5 | 2 Non-Detect | | |
| | 38437 DIBROMOCHLOROPROPANE(DBCP) | 0 | UG/L | | 5 | 15 | 2 Non-Detect | | |
| | 77596 DIBROMOMETHANE | 0 | UG/L | | 0.5 | 1.5 | 2 Non-Detect | | |
| | 34423 DICHLOROMETHANE | 8.4 | UG/L | | | | 1 Normal (No problem with sample) | | |
| | 34371 ETHYL BENZENE | 0.74 | UG/L | | 0.5 | 1.5 | 3 Between LOD & LOQ | | |
| | 77651 ETHYLENE DIBROMIDE (EDB) | 0 | UG/L | | 0.5 | 1.5 | 2 Non-Detect | | |
| | 34391 HEXACHLOROBUTADIENE | 0 | UG/L | | 0.5 | 1.5 | 2 Non-Detect | | |
| | 34396 HEXACHLOROETHANE | 0 | UG/L | | 5 | 15 | 2 Non-Detect | | |
| | 77424 IODOMETHANE | 0 | UG/L | | 5 | 15 | 2 Non-Detect | | |
| | 77117 ISOPROPYL ETHER | 0 | UG/L | | 5 | 15 | 2 Non-Detect | | |
| | 77223 ISOPROPYLBENZENE | 1.3 | UG/L | | 0.5 | 1.5 | 3 Between LOD & LOQ | | |
| | 77356 ISOPROPYLTOLUENE P | 0 | UG/L | | 0.5 | 1.5 | 2 Non-Detect | | |
| | 81595 METHYL ETHYL KETONE | 0 | UG/L | | 5 | 15 | 2 Non-Detect | | |
| | 78133 METHYL ISOBUTYL KETONE | 0 | UG/L | | 5 | 15 | 2 Non-Detect | | |
| | 81597 METHYL METHACRYLATE | 0 | UG/L | | 5 | 15 | 2 Non-Detect | | |
| | 78032 METHYL T-BUTYL ETHER | 0 | UG/L | | 5 | 15 | 2 Non-Detect | | |
| | 77342 N-BUTYLBENZENE | 0 | UG/L | | 0.5 | 1.5 | 2 Non-Detect | | |
| | 34696 NAPHTHALENE | 9 | UG/L | | | | 1 Normal (No problem with sample) | | |
| | 77275 O-CHLOROTOLUENE | 0 | UG/L | | 0.5 | 0.5 | 2 Non-Detect | | |
| | 77275 O-CHLOROTOLUENE | 0 | UG/L | | 0.5 | 1.5 | 2 Non-Detect | | |
| | 77277 P-CHLOROTOLUENE | 0 | UG/L | | 0.5 | 1.5 | 2 Non-Detect | | |
| | 77224 PROPYLBENZENE N | 1 | UG/L | | 0.5 | 1.5 | 3 Between LOD & LOQ | | |
| | 77128 STYRENE | 0 | UG/L | | 0.5 | 1.5 | 2 Non-Detect | | |
| | 34475 TETRACHLOROETHYLENE | 0 | UG/L | | 0.5 | 1.5 | 2 Non-Detect | | |
| | 81607 TETRAHYDROFURAN | 0 | UG/L | | 5 | 15 | 2 Non-Detect | | |
| | 34010 TOLUENE | 0 | UG/L | | 0.5 | 1.5 | 2 Non-Detect | | |
| | 39180 TRICHLOROETHYLENE | 0 | UG/L | | 0.5 | 1.5 | 2 Non-Detect | | |
| | 34488 TRICHLOROFLUOROMETHANE | 0 | UG/L | | 0.5 | 1.5 | 2 Non-Detect | | |
| | 81611 TRICHLOROTRIFLUOROETHANE | 0 | UG/L | | 5 | 15 | 2 Non-Detect | | |
| | 82080 TTHM IN WATER,(SUMMATION) | 0 | UG/L | | | | 2 Non-Detect | | |
| | 77057 VINYL ACETATE | 0 | UG/L | | 5 | 15 | 2 Non-Detect | | |
| | 39175 VINYL CHLORIDE | 0 | UG/L | | 0.5 | 1.5 | 2 Non-Detect | | |
| | 85795 XYLENE META & PARA | 1.4 | UG/L | | 0.5 | 1.5 | 3 Between LOD & LOQ | | |
| | 77135 XYLENE O | 4.2 | UG/L | | | | 1 Normal (No problem with sample) | | |
| | 79724 XYLENE TOTAL | 5.6 | UG/L | | | | 1 Normal (No problem with sample) | | |

Venus Lake Inn - Private Well Volatile Organic Compound Results - May 2, 2001

| Storet code and STORET_PARAMETER_DESC | Result: | Unit: | LOD: | LOQ: | Qualifier: | RESULT_QUALIFIER_DESC | Method: | Lab ID |
|---------------------------------------|---------|-------|------|------|------------|-----------------------------------|---------|--------|
| 77562 1,1,1,2 TETRACHLOROETHANE | 0 | UG/L | | 0.2 | 0.66 | 2 Non-Detect | | |
| 34506 1,1,1-TRICHLOROETHANE | 0 | UG/L | | 0.15 | 0.5 | 2 Non-Detect | | |
| 34516 1,1,2,2 TETRACHLOROETHANE | 0 | UG/L | | 0.15 | 0.5 | 2 Non-Detect | | |
| 34511 1,1,2-TRICHLOROETHANE | 0 | UG/L | | 0.15 | 0.5 | 2 Non-Detect | | |
| 34496 1,1-DICHLOROETHANE | 0 | UG/L | | 0.15 | 0.5 | 2 Non-Detect | | |
| 34501 1,1-DICHLOROETHYLENE | 0 | UG/L | | 0.15 | 0.5 | 2 Non-Detect | | |
| 77168 1,1-DICHLOROPROPENE | 0 | UG/L | | 0.15 | 0.5 | 2 Non-Detect | | |
| 77613 1,2,3-TRICHLOROBENZENE | 0 | UG/L | | 0.15 | 0.5 | 2 Non-Detect | | |
| 77443 1,2,3-TRICHLOROPROPANE | 0 | UG/L | | 0.15 | 0.5 | 2 Non-Detect | | |
| 34551 1,2,4-TRICHLOROBENZENE | 0 | UG/L | | 0.15 | 0.5 | 2 Non-Detect | | |
| 77222 1,2,4-TRIMETHYLBENZENE | 0 | UG/L | | 0.15 | 0.5 | 2 Non-Detect | | |
| 34536 1,2-DICHLOROBENZENE (O-) | 0 | UG/L | | 0.15 | 0.5 | 2 Non-Detect | | |
| 34531 1,2-DICHLOROETHANE | 0.8 | UG/L | | 0.15 | 0.5 | 1 Normal (No problem with sample) | | |
| 77093 1,2-DICHLOROETHYLENE CIS | 0 | UG/L | | 0.15 | 0.5 | 2 Non-Detect | | |
| 34546 1,2-DICHLOROETHYLENE, TRA | 0 | UG/L | | 0.15 | 0.5 | 2 Non-Detect | | |
| 34541 1,2-DICHLOROPROPANE | 0 | UG/L | | 0.15 | 0.5 | 2 Non-Detect | | |
| 77226 1,3,5-TRIMETHYLBENZENE | 0 | UG/L | | 0.15 | 0.5 | 2 Non-Detect | | |
| 34566 1,3-DICHLOROBENZENE (M-) | 0 | UG/L | | 0.15 | 0.5 | 2 Non-Detect | | |
| 77173 1,3-DICHLOROPROPANE | 0 | UG/L | | 0.15 | 0.5 | 2 Non-Detect | | |
| 34561 1,3-DICHLOROPROPENE | 0 | UG/L | | | | 2 Non-Detect | | |
| 34704 1,3-DICHLOROPROPENE CIS | 0 | UG/L | | 0.15 | 0.5 | 2 Non-Detect | | |
| 34699 1,3-DICHLOROPROPENE TRANS | 0 | UG/L | | 0.15 | 0.5 | 2 Non-Detect | | |
| 34571 1,4-DICHLOROBENZENE (P-) | 0 | UG/L | | 0.15 | 0.5 | 2 Non-Detect | | |
| 77170 2,2-DICHLOROPROPANE | 0 | UG/L | | 0.15 | 0.5 | 2 Non-Detect | | |
| 34030 BENZENE | 0 | UG/L | | 0.15 | 0.5 | 2 Non-Detect | | |
| 81555 BROMOBENZENE | 0 | UG/L | | 0.15 | 0.5 | 2 Non-Detect | | |
| 77297 BROMOCHLOROMETHANE | 0 | UG/L | | 0.15 | 0.5 | 2 Non-Detect | | |
| 32101 BROMODICHLOROMETHANE | 0 | UG/L | | 0.15 | 0.5 | 2 Non-Detect | | |
| 32104 BROMOFORM | 0 | UG/L | | 0.15 | 0.5 | 2 Non-Detect | | |
| 34413 BROMOMETHANE | 0 | UG/L | | 0.15 | 0.5 | 2 Non-Detect | | |
| 77350 BUTYLBENZENE SEC | 0 | UG/L | | 0.15 | 0.5 | 2 Non-Detect | | |
| 77353 BUTYLBENZENE TERT | 0 | UG/L | | 0.15 | 0.5 | 2 Non-Detect | | |
| 32102 CARBON TETRACHLORIDE | 0 | UG/L | | 0.15 | 0.5 | 2 Non-Detect | | |
| 34301 CHLOROBENZENE | 0 | UG/L | | 0.15 | 0.5 | 2 Non-Detect | | |
| 34311 CHLOROETHANE | 0 | UG/L | | 0.15 | 0.5 | 2 Non-Detect | | |
| 32106 CHLOROFORM | 0 | UG/L | | 0.15 | 0.5 | 2 Non-Detect | | |
| 34418 CHLOROMETHANE | 0 | UG/L | | 0.15 | 0.5 | 2 Non-Detect | | |
| 32105 DIBROMOCHLOROMETHANE | 0 | UG/L | | 0.15 | 0.5 | 2 Non-Detect | | |
| 38437 DIBROMOCHLOROPROPANE(DBCP) | 0 | UG/L | | 0.2 | 0.66 | 2 Non-Detect | | |
| 77596 DIBROMOMETHANE | 0 | UG/L | | 0.15 | 0.5 | 2 Non-Detect | | |
| 34668 DICHLORODIFLUOROMETHANE | 0 | UG/L | | 0.2 | 0.66 | 2 Non-Detect | | |
| 34423 DICHLOROMETHANE | 0.2 | UG/L | | 0.15 | 0.5 | 3 Between LOD & LOQ | | |
| 34371 ETHYL BENZENE | 0 | UG/L | | 0.15 | 0.5 | 2 Non-Detect | | |
| 77651 ETHYLENE DIBROMIDE (EDB) | 0 | UG/L | | 0.15 | 0.5 | 2 Non-Detect | | |
| 34391 HEXACHLOROBUTADIENE | 0 | UG/L | | 0.15 | 0.5 | 2 Non-Detect | | |
| 77223 ISOPROPYLBENZENE | 0.21 | UG/L | | 0.15 | 0.5 | 3 Between LOD & LOQ | | |
| 77356 ISOPROPYLTOLUENE P | 0 | UG/L | | 0.15 | 0.5 | 2 Non-Detect | | |
| 78032 METHYL T-BUTYL ETHER | 0 | UG/L | | 0.15 | 0.5 | 2 Non-Detect | | |
| 77342 N-BUTYLBENZENE | 0 | UG/L | | 0.15 | 0.5 | 2 Non-Detect | | |
| 34696 NAPHTHALENE | 0.7 | UG/L | | 0.15 | 0.5 | 1 Normal (No problem with sample) | | |
| 77275 O-CHLOROTOLUENE | 0 | UG/L | | 0.15 | 0.5 | 2 Non-Detect | | |
| 77277 P-CHLOROTOLUENE | 0 | UG/L | | 0.15 | 0.5 | 2 Non-Detect | | |
| 77224 PROPYLBENZENE N | 0 | UG/L | | 0.15 | 0.5 | 2 Non-Detect | | |
| 77128 STYRENE | 0 | UG/L | | 0.15 | 0.5 | 2 Non-Detect | | |
| 34475 TETRACHLOROETHYLENE | 0 | UG/L | | 0.15 | 0.5 | 2 Non-Detect | | |
| 34010 TOLUENE | 0 | UG/L | | 0.15 | 0.5 | 2 Non-Detect | | |
| 39180 TRICHLOROETHYLENE | 0 | UG/L | | 0.15 | 0.5 | 2 Non-Detect | | |
| 34488 TRICHLOROFLUOROMETHANE | 0 | UG/L | | 0.15 | 0.5 | 2 Non-Detect | | |
| 82080 TTHM IN WATER,(SUMMATION) | 0 | UG/L | | | | 2 Non-Detect | | |
| 39175 VINYL CHLORIDE | 0 | UG/L | | 0.2 | 0.66 | 2 Non-Detect | | |
| 85795 XYLENE META & PARA | 0 | UG/L | | 0.15 | 0.5 | 2 Non-Detect | | |
| 77135 XYLENE O | 0 | UG/L | | 0.15 | 0.5 | 2 Non-Detect | | |
| 79724 XYLENE TOTAL | 0 | UG/L | | | | 2 Non-Detect | | |